

SECOND SEMIANNUAL 2011 GROUNDWATER MONITORING REPORT

**DEFENSE FUEL SUPPORT POINT NORWALK
15306 NORWALK BOULEVARD
NORWALK, CALIFORNIA**

Prepared for

**Defense Logistics Agency Energy
8725 John J. Kingman Road
Fort Belvoir, Virginia 22060-6222**

February 2, 2012

Prepared by



100 WEST WALNUT STREET • PASADENA • CALIFORNIA 91124

**SECOND SEMIANNUAL 2011
GROUNDWATER MONITORING REPORT**

**DEFENSE FUEL SUPPORT POINT NORWALK
15306 NORWALK BOULEVARD
NORWALK, CALIFORNIA**

Prepared for

**Defense Logistics Agency Energy
8725 John J. Kingman Road
Fort Belvoir, Virginia 22060-6222**

February 2, 2012

Prepared by

PARSONS
100 West Walnut Street
Pasadena, California 91124



Thomas A. Larson, PG
Principal Geologist



Redwan Hassan, PG
Project Manager

CONTENTS

SECTION

ACRONYMS AND ABBREVIATIONS

1.0	INTRODUCTION	1-1
2.0	FIELD AND LABORATORY ACTIVITIES	2-1
2.1	Overview of Monitoring Events	2-1
2.1.1	Sentry Event	2-1
2.1.2	Monthly Events	2-1
2.1.3	Semiannual Event	2-1
2.2	Field and Laboratory Methods	2-2
2.2.1	Field Methods	2-2
2.2.2	Laboratory Analytical Methods	2-2
2.3	Free Product Removal	2-3
3.0	GROUNDWATER GAUGING RESULTS	3-1
3.1	Sentry Event	3-1
3.2	Monthly Events	3-1
3.3	Semiannual Event	3-1
4.0	GROUNDWATER QUALITY	4-1
4.1	Results for Sentry Event	4-1
4.2	Results for Monthly Events	4-1
4.3	Results for Semiannual Event	4-1
4.3.1	Total Petroleum Hydrocarbons	4-1
4.3.2	Benzene	4-3
4.3.3	1,2-Dichloroethane	4-4
4.3.4	Methyl Tertiary-Butyl Ether	4-4
4.3.5	Tertiary-Butyl Alcohol	4-5
4.3.6	Other Fuel Oxygenates	4-6
4.4	Quality Assurance/Quality Control	4-6
4.5	Water Disposal	4-6
4.6	Health and Safety	4-7
5.0	REMEDIAL SYSTEMS OPERATION	5-1
6.0	SUMMARY	6-1
6.1	Groundwater Flow Conditions	6-1
6.2	Distribution of Free Product	6-1
6.3	Dissolved-Phase Constituents	6-1
6.3.1	Total Petroleum Hydrocarbons	6-1
6.3.2	Benzene	6-2
6.3.3	1,2-Dichloroethane	6-2

6.3.4	Methyl Tertiary-Butyl Ether.....	6-2
6.3.5	Tertiary Butyl Alcohol	6-2
6.3.6	Other Fuel Oxygenates	6-2
7.0	REFERENCES	7-1

TABLES

1	Monitoring Well Summary
2	Summary of Groundwater Elevations - July 2011 Sentry Event
3	Summary of Groundwater Elevations - October 2011 Semiannual Event
4	Summary of Groundwater Analytical Data - July 2011 Sentry Event
5	Summary of Miscellaneous Compounds in Groundwater - July 2011 Sentry Event
6	Summary of Groundwater Analytical Data - Second Semiannual 2011 Event
7	Summary of Miscellaneous Compounds in Groundwater - October 2011 Semiannual Event
8	Summary of Quality Assurance/Quality Control Analytical Data - 2011 Third Quarter Sentry and Second Semiannual Events
9	Historical Analytical Results for TPH, BTEX, 1,2-DCA, MTBE, and TBA in Groundwater - November 1996 through October 2011

FIGURES

1	Site Location Map
2	Groundwater Equipotential Map and Free Product Plumes Uppermost Groundwater Zone - October 2011
3	Groundwater Equipotential Map for Exposition Aquifer - October 6-10, 2011
4	Total Petroleum Hydrocarbons in Uppermost Groundwater Zone - October 2011
5	Benzene in Uppermost Groundwater Zone - October 2011
6	1,2-Dichloroethane in Uppermost Groundwater Zone - October 2011
7	Methyl Tertiary-Butyl Ether in Uppermost Groundwater Zone - October 2011
8	Tertiary-Butyl Alcohol in Uppermost Groundwater Zone - October 2011

CONTENTS (continued)

APPENDICES

- A Well Gauging, Purging, and Sampling Records - July 2011 Sentry Event
- B Well Gauging, Purging, and Sampling Records - October 2011 Semiannual Event
- C Laboratory Analytical Reports and Chain-of-Custody Documents - July 2011 Sentry Event
- D Laboratory Analytical Reports and Chain-of-Custody Documents - October 2011 Semiannual Event
- E Summary of KMEP Monthly Sampling Events Conducted During Second Semiannual 2011 in the 24-Inch Block Valve Area

ACRONYMS AND ABBREVIATIONS

1,2-DCA	1,2-dichloroethane
Alpha	Alpha Analytical, Inc
Blaine Tech	Blaine Tech Services, Inc.
BTEX	benzene, toluene, ethylbenzene, and total xylenes
Calscience	Calscience Environmental Laboratories, Inc.
COC	constituents of concern
DEOLA	Defense Energy Office — Los Angeles
DFSP	Defense Fuel Support Point
DIPE	diisopropyl ether
DLA	Defense Logistics Agency
ETBE	ethyl tertiary-butyl ether
EXP	Exposition aquifer
ft/ft	foot per foot
GWE	groundwater extraction
HCl	hydrochloric acid
JP-4	jet propellant 4
JP-5	jet propellant 5
JP-8	jet propellant 8
KMEP	Kinder Morgan Energy Partners, L.P.
MRP	Monitoring and Reporting Program
msl	mean sea level
MTBE	methyl tertiary-butyl ether
NPDES	National Pollutant Discharge Elimination System
RAB	Restoration Advisory Board
RWQCB	Regional Water Quality Control Board, Los Angeles
SFPF	Santa Fe Pacific Pipeline, L. P.
SVE	soil vapor extraction
TAME	tertiary-amyl-methyl ether
TBA	tertiary-butyl alcohol
TFE	total fluids extraction
the site	Defense Fuel Support Point, Norwalk
TPH	total petroleum hydrocarbons
TPHd	total petroleum hydrocarbons as diesel
TPHfp	total petroleum hydrocarbons as fuel products
TPHg	total petroleum hydrocarbons as gasoline
TPHjp	total petroleum hydrocarbons as jet propellant 5
USEPA	U.S. Environmental Protection Agency
VOA	volatile organic analysis
VOC	volatile organic compound
µg/L	micrograms per liter

1.0 INTRODUCTION

Parsons was contracted by the Defense Logistics Agency (DLA) Energy to prepare this Groundwater Monitoring Report on behalf of the Defense Energy Office – Los Angeles (DEOLA) and Santa Fe Pacific Pipeline, L.P. (SFPP), an operating partnership of Kinder Morgan Energy Partners, L.P. (KMEP), to summarize methods and results of groundwater monitoring activities conducted at the Defense Fuel Support Point (DFSP) Norwalk tank farm facility (the site) during the second half of 2011. The site is located at 15306 Norwalk Boulevard, Norwalk, California (Figure 1). The site is under the regulatory oversight of the California Regional Water Quality Control Board, Los Angeles (RWQCB).

As described in the March 6, 1995 Groundwater Sampling and Analysis Plan, DFSP Norwalk/SFPP Norwalk Pump Station (the sampling plan), SFPP and the DLA jointly perform groundwater monitoring events at the site. KMEP contracted CH2M Hill, and DLA contracted Parsons to perform project oversight and groundwater monitoring activities. Both SFPP and Parsons have subcontracted Blaine Tech Services, Inc. (Blaine Tech) to perform the field work, which includes gauging and purging wells using low flow groundwater monitoring methodology. Groundwater monitoring is conducted in accordance with the revised Monitoring and Reporting Program (MRP) for the site, which was approved by the RWQCB in May 2002, and additional requests received thereafter by the RWQCB.

Since 1986, environmental assessments have been performed at the DFSP Norwalk tank farm facility (both on site and off site) by several consultants on behalf of DLA and SFPP. During these investigations, wells were installed for monitoring and as components of groundwater remediation activities. Table 1 presents a summary of groundwater monitoring and remediation wells associated with the site. These investigations evaluated and defined the extent of liquid-phase, adsorbed-phase, and dissolved-phase hydrocarbons in soil and groundwater beneath the site and off-site to the south, west, and east.

The principal chemical constituents of concern (COC) at the site are total petroleum hydrocarbons (TPH; including TPH quantified as gasoline [TPHg], diesel fuel [TPHd], jet propellant 4 [JP-4], jet propellant 5 [JP-5], and jet propellant 8 [JP-8]); benzene, toluene, ethylbenzene, and total xylenes (BTEX); 1, 2-dichloroethane (1,2-DCA); and methyl tertiary-butyl ether (MTBE). In addition, tert-butyl alcohol (TBA) has been added to the MRP pursuant to a request made by the RWQCB in March 2009. Additional background information regarding investigations and monitoring events at the site is presented in previously submitted semiannual groundwater monitoring reports.

Monitoring wells and remediation wells are monitored on a semiannual basis to evaluate groundwater elevation and groundwater quality conditions. In addition to the semiannual monitoring event, certain wells are monitored quarterly and certain wells are monitored monthly. Initially, wells sampled during the quarterly monitoring event consisted of 11 “sentry wells” selected by the site’s Restoration Advisory Board (RAB) in 1998; thus, the quarterly monitoring events are referred to as the “sentry monitoring events” or “sentry events.” Since 1998, wells have been added to or removed from the sentry event in accordance with requests made by the RWQCB. In addition, certain wells are voluntarily monitored by DLA or SFPP based on requests made by the RAB.

In addition to sentry and semiannual monitoring events, certain wells are monitored on a monthly basis by SFPP, pursuant to a request from the RWQCB in February 2010. The RWQCB requested SFPP increase the monitoring frequency from quarterly to monthly for wells GMW-36, GMW-O-15, GMW-O-16, GMW-O-18, GMW-O-19, and PZ-5 in the southeastern offsite area. SFPP began the monthly monitoring in March 2010. Independent data tables for July and October 2011 are not presented in this report since these monthly events coincided with SFPP's sentry and semiannual monitoring events, respectively. Monthly monitoring results are also presented to the RWQCB and RAB in separate transmittals.

This report furnishes information pertaining to the following events: July 2011 sentry event, the October 2011 semiannual groundwater monitoring event, and the August, September, November, and December 2011 monthly events. This report includes groundwater gauging and sampling data from selected wells throughout the DFSP Norwalk tank facility and from wells located off-site to the east, west, and south, and provides an updated description of the status of the dissolved-phase and liquid-phase hydrocarbon plumes.

2.0 FIELD AND LABORATORY ACTIVITIES

An overview of the sentry and semiannual monitoring events, and the monthly events in the 24-inch block valve area, are provided in Subsection 2.1. Field and laboratory methods are described in Subsection 2.2.

2.1 OVERVIEW OF MONITORING EVENTS

This subsection summarizes the groundwater level measurement and sampling activities conducted for the July 11, 2011 sentry monitoring event, the monthly monitoring events, and the October 2011 semiannual monitoring event.

2.1.1 Sentry Event

The sentry monitoring event was conducted by Parsons and Blaine Tech from July 7 through July 11, 2011. Groundwater level measurements, sample collection, and laboratory analysis were performed in general accordance with the sampling plan. Field activities included water level and free product thickness measurements, purging, and sampling of the designated wells. Level measurements and sampling records for this event are provided in Appendix A.

Overall, water levels were measured in 105 wells, and 30 of those wells were sampled. Table 2 lists the wells that were gauged during the July 2011 sentry event, and Table 4 lists the wells that were sampled during the July 2011 sentry event.

2.1.2 Monthly Events

Groundwater samples were collected monthly in the 24-inch block valve area located in the southeast corner of the site by Blaine Tech on behalf of SFPP. Samples were collected from the following wells in August, September, November, and December 2011: GMW-36, GMW-O-15, GMW-O-16, GMW-O-18, GMW-O-19, and PZ-5. Non-operational wells were purged and sampled using low-flow methods prior to sample collection. Groundwater extraction wells in operation during the time of sampling were sampled through the wellhead sample ports. Well gauging and sampling records for these events are provided in Appendix E, and a list of the wells monitored during the monthly events for the second half of 2011 is provided in summary tables in Appendix E.

2.1.3 Semiannual Event

Water levels were measured at 195 wells located within the facility and off-site to the west, south, and east to provide groundwater elevation and free product thickness data between October 6 and October 10; and water quality samples were collected at 113 of these wells for the semiannual sampling event. Four monitoring wells (EXP-1, EXP-2, EXP-3, and GMW-41) were sampled by Blaine Tech on behalf of Parsons and SFPP. Blaine Tech, on behalf of Parsons, also submitted four field duplicate samples and five trip blanks for analysis; and Blaine Tech, on behalf of SFPP, submitted eight duplicate samples and five trip blanks for analysis. Table 3 lists the wells that were gauged during the October 2011 semiannual monitoring event, and Table 6 lists the wells sampled for the semiannual event. Field well

depth to groundwater measurements and sampling records for the semiannual sampling event are provided in Appendix B.

2.2 FIELD AND LABORATORY METHODS

Field activities were conducted in accordance with the sampling plan and as described in Subsection 2.2.1. During the July 2011 sentry and October 2011 semiannual monitoring events, samples collected by Blaine Tech on behalf of Parsons were submitted to Calscience Environmental Laboratories, Inc. (Calscience) for analysis. Samples collected by Blaine Tech on behalf of SFPP for the sentry, monthly, and semiannual events were submitted to Alpha Analytical, Inc. (Alpha) for analysis. Calscience and Alpha are both certified by the Environmental Laboratory Accreditation Program of the California Department of Health Services. Samples were submitted to these laboratories for analysis as described in Subsection 2.2.2.

2.2.1 Field Methods

Prior to commencement of purging and sampling activities, SFPP's and DLA's remediation systems were shut down for one week. Subsequently, Parsons or Blaine Tech measured depth to water in each well using an electronic water level sounder; or depth to water and free product thickness using an interface probe. The down-well instruments used in the wells were cleaned with a non-detergent cleaner, then rinsed successively with tap water and distilled water before each use. The U.S. Environmental Protection Agency (USEPA) low-flow sampling method was followed, and Blaine Tech utilized a QED Sample Pro Bladder pump for wells sampled on behalf of Parsons and a Grundfos RF2 ES pump for wells sampled on behalf of SFPP. Each well was purged until the sampling parameters of specific conductivity, temperature, and pH have stabilized within 10% of the previous measurement. Purging records for the July 2011 sentry and October 2011 semiannual monitoring events are provided in Appendices A and B, respectively. Samples were collected directly from the pump discharge line into the sample container.

Samples analyzed for TPHg, TPH as fuel products (TPHfp), and volatile organic compounds (VOCs), including BTEX, 1,2-DCA, TBA, and MTBE, were collected in 40-milliliter volatile organic analysis (VOA) vials containing hydrochloric acid (HCl) preservative, filled to zero headspace, and sealed with Teflon[®] septa and airtight caps. Water samples for analysis of TPH as JP-5 (TPHjp) were collected in 1/2-liter amber sample jars and sealed with Teflon lined airtight caps. The samples were labeled and placed on ice for transport to the laboratory following chain-of-custody procedures.

2.2.2 Laboratory Analytical Methods

Samples collected for DLA were sent to Calscience and samples collected for SFPP were sent to Alpha for laboratory analysis. The laboratory analytical program for the sampling events included analysis for TPH using purge-and-trap and/or extraction sample preparation techniques followed by USEPA Method 8015 (modified). Results for TPH analyses using the purge-and-trap preparation technique were quantified and reported against a commercial gasoline standard and are abbreviated "TPHg" throughout this report. Results for TPH

analyses using extraction sample preparation for groundwater samples collected by Blaine Tech on behalf of DLA were quantified and reported against a commercial JP-5 standard (results abbreviated “TPHjp”). Results for TPH analyses using extraction sample preparation for groundwater samples collected by Blaine Tech on behalf of SFPP were quantified and reported against a standard of site fuel collected from the north-central remediation system and provided to the laboratories by a former DLA contractor (results abbreviated “TPHfp”).

2.3 FREE PRODUCT REMOVAL

Total fluids recovery operations are being conducted by both DLA and SFPP at the northern and southern areas of the site, respectively, which has reduced the presence of measurable free product in several monitoring wells located throughout the site. However, in order to remove the remainder of free product from the northern area of the site, absorbent polypropylene socks will be used as an interim remedial measure. The absorbent fibrous sock consists of hydrophobic (oleophilic) materials used for absorption of oil and hydrocarbon-based products. The 2-inch diameter absorbent socks are especially useful for removing thin layers of free product, even down to a sheen, and are likely to absorb approximately 1 quart of product per sock. The socks are installed in wells and replaced as needed by monitoring site conditions regularly to determine the most effective frequency of replacement. During the second semiannual 2011 event, two wells (GMW-21 and TF-17) had absorbent socks. Gauging data will be evaluated to determine if socks should be installed in any wells with measureable product for the next reporting period.

SFPP is conducting active free product removal in both the south-central and southeastern areas of the site via SFPP’s main groundwater treatment system. Free product and groundwater recovered by pneumatically operated top-loading total fluids pumps and bottom-loading groundwater pumps are piped to an oil/water separator. Free product, if any, from the oil/water separator is collected in a storage tank and recycled to an off-site location.

3.0 GROUNDWATER GAUGING RESULTS

Measurements of water level and free product thickness collected during the sentry, monthly, and semiannual monitoring events are described in the following subsections. Measurements of water level and free product thickness data collected during the monthly monitoring events for the southeastern area are described in more detail in the monthly monitoring submittals to the RWQCB.

3.1 SENTRY EVENT

During the sentry event, free product was observed in five of the 105 wells measured. Depths to groundwater and calculated groundwater elevations for these wells are summarized in Table 2.

3.2 MONTHLY EVENTS

Three wells (GMW-O-16, GMW-O-19, and PZ-5) in the southeastern offsite area were gauged during August, September, November, and December 2011 monthly events. Wells GMW-O-15, GMW-O-18, and GMW-36 were not gauged due to the presence of the extraction pumps during the monthly sampling events. Free product was not observed in any wells gauged. Water level measurements and groundwater elevations for wells gauged during the monthly event are included in Appendix E, Table E-1.

3.3 SEMIANNUAL EVENT

Both DLA and SFPP's groundwater extraction systems were shut down one week prior to the second semiannual 2011 groundwater gauging and sampling activities. Water level and free product thickness were measured in 195 wells during the semiannual monitoring event. Free product thicknesses, depths to groundwater, and calculated groundwater elevations are presented in Table 3. Groundwater elevations in wells with measureable free product were corrected for water-product density differences using a specific gravity of 0.84 for the free product, multiplying this specific gravity by the measured product thickness, and adding this correction to the groundwater elevation. Groundwater elevation contours for the uppermost groundwater zone along with estimated free product plumes are shown on Figure 2.

Some wells were not considered in contouring groundwater elevation in the uppermost groundwater zone for the following reasons:

- Five wells screened in the Exposition aquifer;
- Seven wells screened near the bottom of the uppermost aquifer (GMW-O-4 (MID), MW-18 (MID), MW-19 (MID), MW-20 (MID), MW-21 (MID), MW-22 (MID), and MW-23 (MID)); and
- Wells with groundwater elevations inconsistent with surrounding groundwater elevations.

Groundwater elevation data from wells screened in the uppermost aquifer were used in interpreting site groundwater elevation contours, flow directions, and hydraulic gradient for the uppermost groundwater zone. Groundwater elevations used in contouring ranged from

46.92 feet above mean sea level (msl) in WCW-9 to 49.20 feet above msl in GMW-O-8. Groundwater elevations considered anomalous are not included in the range listed here but are indicated on Figure 2.

Selected groundwater extraction wells used for groundwater monitoring were turned off prior to the second semiannual groundwater sampling event, including wells in the north-central, south-central, southeastern, and eastern areas.

Overall groundwater flow and gradient conditions encountered during the semiannual monitoring event were similar to those encountered during previous monitoring events at the site. Historically, the overall flow direction (assuming no wells are pumping) in the uppermost aquifer has been to the northwest. The overall flow direction during this monitoring event was to the north-northwest, with a horizontal hydraulic gradient of approximately 0.0007 foot per foot (ft/ft) (Figure 2). Groundwater elevations at the site during the October 2011 semiannual monitoring event were, generally in the range of 0.1 foot to 0.8 foot lower than elevations reported during the April 2011 semiannual monitoring event. The groundwater monitoring results for April 2011 were reported in the First Semiannual Report for 2011 (CH2M Hill, 2011).

Groundwater levels in the seven wells [GMW-O-4 (MID), MW-18 (MID), MW-19 (MID), MW-20 (MID), MW-21 (MID), MW-22 (MID), and MW-23 (MID)] screened in the lower section of the uppermost aquifer varied from groundwater levels measured in nearby wells installed in the upper portion of the uppermost aquifer (Figure 2). Groundwater elevations in these seven “MID” wells ranged from 40.88 (GMW-O-4 (MID)) to 48.11 (MW-21 (MID)) feet above msl, and were generally lower than nearby wells – indicating a downward hydraulic gradient.

Groundwater elevations in the five Exposition aquifer wells at and near the site ranged from 22.83 (EXP-5) to 25.88 (EXP-4) feet above msl. Figure 3 shows groundwater elevation contours for the Exposition aquifer. During October 2011, groundwater elevations in four of the five Exposition aquifer wells had decreased by approximately 0.57 feet at EXP-3 to 0.19 feet at EXP-2 from elevations noted in the April 2011 sampling event. The groundwater elevation rose by 0.17 and 0.24 feet at EXP-4 and EXP-5, respectively. Groundwater flow in the Exposition aquifer beneath the site is generally east-southeastward with a horizontal hydraulic gradient of approximately 0.0009 ft/ft, generally opposite of groundwater flow direction in the uppermost groundwater zone.

Free product was observed in five of the 195 wells measured during the second 2011 semiannual monitoring event, and apparent free product thicknesses measured ranged from 0.02 foot (GW-15 and TF-18) to 0.94 feet (GMW-62). The detection of free product in five monitoring wells during this sampling event and data from remediation system operations, in addition to historical detections of free product, were used in interpreting the current limits of the free product plumes at the site as shown on Figure 2.

The north-central free product plume has previously been interpreted as isolated or separated plumes. Most of the free product in these wells cannot be removed economically by mechanical means. Parsons has been using adsorbent socks to remove free product present in the remaining wells since July 2007. Measured free product associated with the north-central

free product plume was detected in GMW-62, GW-15, and TF-18 during the October 2011 gauging event.

As observed in recent gauging events (CH2M Hill, 2011), the south-central free product plume remained in the same general area as three smaller separated plumes instead of one continuous plume. The three smaller LNAPL plumes in the south-central area to the west of the truck fill stations observed in April were not identified in October, possibly due to the lower water table elevation. Free product has been historically detected in this area and the plumes may reappear in the same general areas as in April 2011.

Free product was again detected near the truck fill station area in MW-15, with a thickness of 0.71 feet in the well screen. Free product was also detected again in the southeastern block valve area near GMW-36. A product thickness of 0.57 foot was measured at GMW-O-15 in October 2011 and is similar to what had been observed there in past monitoring events. The free product plume in this area remains similar to that interpreted during the first half (April 2011) monitoring event.

4.0 GROUNDWATER QUALITY

Groundwater quality results for the sentry and semiannual monitoring events are described in Subsections 4.1 and 4.2, respectively. Results for the monthly sampling events in the southeastern 24-inch block valve area are included in Appendix E.

4.1 RESULTS FOR SENTRY EVENT

The concentrations of dissolved analytes reported during the July sentry event were similar to those reported in several recent sampling events. The laboratory analytical results for the July 2011 sentry event for TPH, BTEX, 1,2-DCA, MTBE, and TBA are summarized in Table 4. Miscellaneous VOCs detected by USEPA Method 8260B analyses for this event are summarized in Table 5. Field data sheets are provided in Appendix A. Laboratory reports and chain-of-custody documentation are provided in Appendix C.

4.2 RESULTS FOR MONTHLY EVENTS

The laboratory analytical results, field data sheets, and chain-of-custody documentation for the August, September, November and December 2011 monthly events for TPH, BTEX, 1,2-DCA, MTBE, TBA, diisopropyl ether (DIPE), ethyl tertiary-butyl ether (ETBE), and tertiary-amyl methyl ether (TAME) are provided on Table E-2 in Appendix E. A detailed discussion of the results was provided in the monthly transmittals to the RWQCB.

4.3 RESULTS FOR SEMIANNUAL EVENT

Laboratory analytical results for the second semiannual sampling event were used to develop iso-concentration maps for TPH, benzene, 1,2-DCA, MTBE, and TBA. These maps are presented as Figures 4 through 8, respectively. The concentrations of the compounds presented in these figures were used to assess the extent of impact to groundwater beneath the site. Analytical data from April through the December 2011 monthly event are included on Figures 4 through 8 in the data labels for each well. The data labels are color coded to indicate whether the concentrations from the October semiannual event are increasing, decreasing, or stable from the previous April semiannual event. A blue data label indicates a decrease in concentration greater than 10 percent from the previous, a red label indicates an increase greater than 10 percent, and a white label indicates no change greater than 10 percent. The changes in concentrations may be due to seasonal fluctuations of the water table elevation.

Laboratory analytical results for TPH, BTEX, 1,2-DCA, MTBE, and TBA are summarized in Table 6. Other VOCs detected by USEPA Method 8260B analyses are summarized in Table 7. Historical analytical results are presented in Table 9. Field data sheets are provided in Appendix B. Copies of the laboratory analytical data reports are presented in Appendix D.

4.3.1 Total Petroleum Hydrocarbons

The reported analytical results for TPH_g and TPH_{fp} or TPH_{jp} for each well sampled during the semiannual monitoring event are summed and contoured as TPH on Figure 4. The contouring of TPH concentrations may be conservative in areas where gasoline is suspected

because the hydrocarbon range reported by the two TPH analyses (TPHg, and TPHfp or TPHjp) overlap. Table 6 lists separate values for TPHjp, TPHg, and TPHfp. Samples collected by Blaine Tech on behalf of Parsons from wells in the north-central free product plume areas were analyzed for TPHjp and at selected wells for TPHg.

The lateral extent of TPH appears similar to that interpreted for the first semiannual monitoring event performed in April 2011. The maximum reported concentration of TPHg was 120,000 micrograms per liter ($\mu\text{g/L}$) observed in dual phase (soil vapor and total fluids) extraction well MW-SF-12. The highest concentration of TPHfp was 2,000,000 $\mu\text{g/L}$ observed in dual phase extraction well GMW-O-20. MW-SF-12 is located on site in the south-central area and GMW-O-20 is located in the southern off site area. The highest value of TPHjp was detected in the sample collected at GMW-47, located southeast of Tank 80004, at a concentration of 3,900 $\mu\text{g/L}$. See Section 4.3 below for additional details and Table 6 for results.

TPH was detected in one of the Exposition aquifer wells sampled during the October 2011 semiannual event. TPHfp was detected at EXP-3 at a concentration of 140 $\mu\text{g/L}$, which is just above the laboratory reporting limit. Analysis for TPHg did not detect the presence of any hydrocarbons, suggesting that the detection may be either a false positive, or the presence of some other longer chain type hydrocarbon.

As shown on Figure 4 and Tables 6 and 9, the lateral extent of TPH concentrations in the north-central area has generally stayed the same. However, measured concentrations were higher in the north and west than previous semiannual period as indicated by the red data flags on Figure 4. Still, some of the wells in the eastern and northwestern margins of the plume exhibit decreasing concentrations, as indicated by the blue data flags on Figure 4. In the eastern part of the north-central plume area, the concentration of TPH at well GMW-61 indicates a generally decreasing concentration trend (Table 9). Free product was first encountered at well GMW-62 in October 2010 (0.18 foot) since measurements began in August 2007; and was measured with 0.94 feet in October 2011. A groundwater sample has not been collected from GMW-62 since October 2010 due to the presence of free product. In addition, free product was measured at GW-15 (0.02 foot) in the most recent sampling event. GW-15 and GW-16 are currently being pumped to create a cone of depression and control off-site migration to the east.

A low concentration TPH plume remains in the northwest corner of the site and extending offsite, TPHjp was detected at offsite locations WCW-8 (170 $\mu\text{g/L}$) and WCW-7 (120 $\mu\text{g/L}$). TPHjp was also detected at MW-22-MID, which has a 10 foot screen set 10 feet below the water table, at a concentration of 120 $\mu\text{g/L}$. Extraction well GW-2 has not been sampled since October 2010.

A small isolated plume is still present near Tank 80006, where TPHjp was detected in GMW-17 at 1,200 $\mu\text{g/L}$. The TPH concentration at GMW-17 has been decreasing over the last three semiannual sampling events. No sample was collected at MW-11 since April 2010, when TPHjp was detected at 700 $\mu\text{g/L}$. TPHjp has not been detected at MW-26 since October 2008.

In the south-central plume area of the site, the lateral extent of TPH generally stayed the same although concentrations increased in some wells, as indicated by the red data boxes on Figure 4, and decreased in other wells (blue data boxes). The biggest change is that no free product was measured in any of the MW-SF extraction wells at the center of this dissolved plume area, or in any of the offsite wells to the south.

Some wells in the southeast 24-inch block valve area are showing increased TPH concentrations (GMW-36, GWM-O-15, GMW-O-18, GMW-O-19, GMW-SF-9, and PZ-5) during the second (October) semiannual sampling event. The higher concentrations reported in October 2011 could be a result of a change in operational status at these wells at the time of sampling. The three extraction wells in this area (GMW-36, GMW-O-15, and GMW-O-18) are typically operating during groundwater sampling activities; however, these wells were shut down at least one week prior to sampling in October 2011 to facilitate well gauging activities under static groundwater conditions. In addition, extraction wells GMW-36 and GMW-O-15 have a history of measureable free product. Fluctuation in concentrations of fuel constituents in wells with a historical presence of free product is expected depending on various factors such as water level fluctuation and operational status. The plume appears to be expanding to the northwest (onsite and downgradient), with concentrations increasing at extraction well GMW-SF-9. A detection of TPHfp (110 µg/L), just above the laboratory reporting limit, was also reported in well GMW-O-19; however, this detection appears to be anomalous as samples collected from this well during November and December 2011 were non-detect.

4.3.2 Benzene

Benzene concentrations reported during the October 2011 semiannual monitoring event are presented on Table 6 and contoured on Figure 5. Concentrations of benzene ranged from below detection limits in many wells to 25,000 µg/L in extraction well MW-SF-12, which is located in the south-central plume area. Benzene was not detected in any of the off-site wells west of the site, but was detected in offsite wells south and east of the site. Benzene was not detected in any of the Exposition aquifer wells.

The northern plume (previously the north-central and eastern plumes) continues to be interpreted as a single plume based on detections of benzene in the previously separate north-central and eastern wells. The size of the plume has reduced in size since the October 2010 and April 2011 interpretations. Figure 5 shows that benzene concentrations have decreased in a few wells (indicated by blue data flags on Figure 5) and increased at a few others (indicated by red data flags on Figure 5). The benzene concentration along the northern margin of the northern plume showed greater than 10 percent increased concentrations at GMW-47 and GMW-57; however, the magnitude of change is nearly insignificant.

Probably the most significant change occurs in the western portion of the northern plume area. Benzene was not detected in October 2011 at GMW-19 or PZ-3, essentially eliminating the benzene plume in the vicinity of Tank 80007.

Further to the northwest, benzene was again detected at MW-26 at 1.4 µg/L after not being detected in April 2011, but was detected at 1.6 µg/L one year ago in October 2010. The benzene concentration at GMW-17 (51 µg/L) continued to stay relatively high. The extent

and magnitude of this plume appears to fluctuate seasonally with the rise and fall of the water table.

The benzene plume associated with the south-central area remained similar in the lateral extent to that observed during the previous semiannual monitoring event.

In the southeastern 24-inch block valve area, the extent and magnitude of benzene increased since the April 2011, as indicated by the red data boxes shown on Figure 5. The benzene plume expanded northwestward, with a first time detection at GMW-SF-9 (1.5 µg/L), just above the laboratory reporting limit. Increases in benzene were also reported in extraction wells GMW-O-15, GMW-O-18, GMW-36. As shown in Figure 5 and Table 9, however, the concentration of benzene in these wells decreases in November and December 2011. As described above, variability in concentrations of fuel constituents in this area may be a result of operational status prior to sampling or the presence of free product in the extraction wells.

4.3.3 1,2-Dichloroethane

1,2-DCA concentrations reported during the second half 2011 semiannual monitoring event are provided in Table 6 and are contoured on Figure 6. The maximum reported 1,2-DCA concentration during the October 2011 sampling event was 21 µg/L in well WCW-7, located along Norwalk Boulevard just west of the site. Detected concentrations of 1,2-DCA in the plume areas (Figure 6) were less than the conservative risk-based cleanup goal of 70 µg/L for 1,2-DCA. This plume may also extend into the south central plume area but may be masked by the high reporting limits due to dilution for other constituents. The size and configuration of the 1,2-DCA plume remains about the same as previous interpretations. 1,2-DCA was not detected in any of the Exposition aquifer wells.

As discussed in previous semiannual reports, 1,2-DCA concentrations in groundwater in the vicinity of the West Side Barrier and in the western off-site area are stable or show a long term declining trend (Table 9) and have remained consistently below the risk-based cleanup goal for 1,2-DCA since 2005. Pumping of the West Side Barrier wells for hydraulic containment was discontinued in August 2008.

4.3.4 Methyl Tertiary-Butyl Ether

MTBE concentrations reported during this semiannual monitoring event are provided in Table 6 and contoured on Figure 7. Concentrations of MTBE ranged from below detection limits in many wells to 7,200 µg/L in extraction well MW-SF-12, located in the south-central plume area, and 1,600 µg/L at extraction well GMW-O-18, located in southeastern 24-inch block valve area.

The MTBE plume in the south central area has the highest concentrations, with the plume extending down gradient along the western edge of the site with a similar configurations as the 1,2-DCA plume. The lateral extent and magnitude of the MTBE plume in the western portion of the site is generally similar to that interpreted for the last several years. MTBE was not detected at MW-7 (south of Tank 80009) in either of the last two semiannual monitoring events, and the current plume interpretation shows a gap in the elongated plume originating from the south-central plume area. Concentrations of MTBE in off-site monitoring wells west

of the site generally showed very slight decreases indicated by the blue data flags on Figure 7. MTBE in the offsite wells (i.e., WCW-4, WCW-7, and WCW-8) was detected at low concentrations below the risk-based cleanup goal (40 µg/L).

Generally, MTBE concentrations in the north-central plume area remained stable. The most significant change occurred at GMW-19, which is located north of Tank 80007. MTBE was not detected during the October 2011 sampling event, and caused the interpretation to bifurcate the plume into two separate lobes. The highest MTBE concentration in either of these two lobes is 10 µg/L at MW-23 MID, located east of Tank 80002.

A small, low concentration, isolated plume in the truck fill station area around GMW-4 (3.8 µg/L) remains persistent. However, MTBE has not been detected at MW-15, where free product has been measured, for at least the last two years (Table 9).

The MTBE plume near the southeastern 24-inch valve area is interpreted to be similar in lateral extent as the first semiannual event, but the concentration magnitude has increased significantly on the northeast edge of the plume at extraction well GMW-O-18. The concentration at GMW-O-18 has increased to a new high of 1,600 µg/L in October 2011, but subsequently decreased to 70 µg/L in December 2011 (Table 9). It is suspected that operational status of the extraction well and/or the presence of emulsified product in the GMW-O-18 groundwater sample may be contributing factors to such variability in MTBE concentrations.

MTBE, which was detected in Exposition aquifer well EXP-1 at very low estimated concentrations near the reporting limit during 2010, was not detected in any of the four quarterly sampling events in 2011. The groundwater sample from EXP-3 did not have detectable concentrations of MTBE during the October 2011 semiannual sampling event, but it was detected in one of the split samples at a low, estimated concentration of 0.45 µg/L during the July sentry sampling event. Monitoring wells EXP-1 and EXP-3 are located on the eastern downgradient side of the site.

4.3.5 Tertiary-Butyl Alcohol

Pursuant to the RWQCB's request in March 2009, analysis for other fuel oxygenates including TBA, ETBE, DIPE, and TAME using EPA Method 8260B was added to the MRP for this and future sampling events (RWQCB, 2009a; RWQCB, 2009b).

The highest concentration of TBA was detected in the southeast corner of the site near the 24-inch block valve at PZ-5 with a concentration of 58,000 µg/L and 65,000 µg/L in the duplicate sample. Other wells in this area that had detected high levels of TBA include extraction wells GMW-O-18 (6,600 µg/L) and GMW-36 (3,700 µg/L), and monitoring wells GMW-O-15 (3,200) and MW-8 (970 µg/L). The extent of the plume appears to have expanded onsite further to the northwest, with a first time detection at GMW-SF-9 (40 µg/L) and a recurring detection at GMW-39 (96 µg/L). TBA is a known breakdown product from MTBE degradation and the presence of TBA indicates that MTBE is being bio-degraded.

The magnitude of concentrations in the south-central plume area is masked because of the high reporting limits due to dilution for other constituents. TBA was detected in the groundwater sample from extraction well MW-SF-15 at a concentration of 2,300 µg/L.

Several wells northwest of this source area showed increasing concentrations as indicated by the red data flags on Figure 7. Figure 7 also shows that a small downgradient lobe of the TBA plume is persistent at MW-22 MID and GW-13, but was not detected in offsite well WCW-8 in either of the 2011 semiannual sampling events.

In the north-central plume area, the highest concentration of TBA was detected at GMW-6 at a concentration of 220 µg/L. The extent of the plume is similar to one year ago, but larger than the previous April semiannual event, mostly due to the fluctuation in concentrations at GMW-6, GMW-47, and GMW-45.

TBA was detected in Exposition aquifer well EXP-3 in one of the split groundwater samples at a very low estimated concentration (8.7 J µg/L) near the reporting limit in October 2011; TBA was not detected in this well during any of the past sampling events. Monitoring well EXP-3 is located on-site east of the southeastern area along the southern boundary of the site. TBA was not detected in any other Exposition aquifer wells during 2011.

4.3.6 Other Fuel Oxygenates

DIPE was detected at 9 locations in the south-central plume area and extending to the northwest offsite area at WCW-7 (Table 7). TAME was also detected at one location (MW-O-1) in the south-central plume area and at 2 locations (GMW-36 and GMW-O-18) in the southeastern 24-inch block valve area (Table 7). ETBE was not detected in any of the sampled wells.

4.4 QUALITY ASSURANCE/QUALITY CONTROL

Alpha and Calscience did not report any significant quality assurance/quality control problems with the analytical work performed as part of the current sampling events. A total 5 trip blanks from the third quarter sentry event and 9 trip blanks from the second semiannual event were submitted to the laboratories for analysis. Target compounds were not detected in any trip blank. Table 8 is a summary of the analytical results for these Quality Assurance/Quality Control samples.

Field duplicate samples were collected as part of the July sentry event (five duplicate pairs) and October 2011 semiannual event (thirteen duplicate pairs). Reported sample results exhibited acceptable agreement between the sample pairs. Field duplicate sample results are shown on Tables 4 and 6.

4.5 WATER DISPOSAL

Purged groundwater generated during these monitoring events was treated on-site in the remediation systems operated by the DLA and SFPP. Purged groundwater extracted by Blaine Tech on behalf of Parsons was pumped into the DLA system located in the northern part of the site to be discharged under National Pollutant Discharge Elimination System (NPDES) permit number CAG834001. Purged groundwater extracted by Blaine Tech on behalf of SFPP was treated in the SFPP treatment system located in the south-central part of the site and discharged under NPDES permit number CA0063509.

4.6 HEALTH AND SAFETY

Field activities were conducted in accordance with the site-specific health and safety plans. The health and safety plans include protocols for safe work practices for the field portion of the project. Personnel working at the site were required to read, sign, and adhere to the health and safety plans. The health and safety plans were in effect throughout the monitoring events.

5.0 REMEDIAL SYSTEMS OPERATION

The remediation system operated at the site by DLA consists of soil vapor extraction (SVE), groundwater extraction (GWE), biosparging, absorbent sock installations for passive recovery of free product, and total fluids extraction (TFE). DLA is currently conducting GWE in the northwest corner of the property from two pumping wells (GW-2 and GW-13), and also from two wells (GW-15 and GW-16) in the northeast area bordering Holifield Park. The operation of the GWE system is to contain and reduce the extent of the free product and dissolved plumes. SVE is also underway from the horizontal wells that span the entire former aboveground tank farm area and from the north eastern boundary area.

The remediation system operated by SFPP consists of SVE, TFE, GWE, and treatment of extracted soil vapor and groundwater to address two specific areas at and near the site: the south-central area, and the southeastern area. SFPP also previously operated a GWE system for remediation of the western offsite area (or West Side Barrier area). SFPP is currently extracting groundwater from five wells in the south-central area and from three wells in the 24-inch block valve area in the southeast corner of the property. SFPP's TFE and GWE systems are designed to: contain and reduce the extent of free product; provide hydraulic capture of dissolved COCs; and lower the free product surface (where present) and groundwater table, thus exposing more hydrocarbon-impacted soil for SVE.

Details of the remediation system operation are presented monthly and quarterly to the RWQCB and RAB. DLA created a web site (*Norwalkrab.com*) to house project information, which includes agendas, minutes, and presentations from RAB meetings dating back to 1994. In addition, all historical project information and reports can be located in the information repository at the Norwalk Regional Library.

The GWE systems throughout the site (in the north, east, and southern areas) were turned off prior to the October 2011 semiannual groundwater monitoring event, but not the July 2011 sentry or monthly monitoring events. SFPP's West Side Barrier GWE system, which includes wells BW-1 through BW-9, has been shut down since August 2008. The north-central biosparging remediation system remained off during the second semiannual groundwater sampling event.

6.0 SUMMARY

Groundwater monitoring of sentry wells was conducted in July 2011. Semiannual monitoring of these and other wells at the site and its vicinity was conducted in October 2011. In general, free product conditions and groundwater quality interpreted from these monitoring events are similar to those interpreted from the April 2011 semiannual sampling event. In addition, monthly monitoring of six wells in the southeastern area has been conducted since March 2010.

6.1 GROUNDWATER FLOW CONDITIONS

Groundwater elevations at the site during the October 2011 semiannual monitoring event were, on average, approximately 0.5 foot lower than the elevations reported during the April 2011 semiannual monitoring event. The overall flow direction during this monitoring event in the upper groundwater zone was to the northwest, with an estimated horizontal hydraulic gradient of approximately 0.0007 ft/ft. This is generally consistent with previous monitoring events. Groundwater flow in the Exposition aquifer was generally east-southeastward with a horizontal hydraulic gradient of approximately 0.0009 ft/ft. This is also generally consistent with previous monitoring events.

6.2 DISTRIBUTION OF FREE PRODUCT

Free product was observed in 5 of the 195 wells measured during the second 2011 semiannual monitoring event, and apparent free product thicknesses measured ranged from 0.02 foot (GW-15 and TF-18) to 0.94 feet (GMW-62). Interpretation of the current limits of the free product accumulations at the site was based on the detections of free product during this sampling event, data from remediation system operations, and historical detections of free product. Free product accumulations are located in the same general areas as interpreted for previous monitoring events, except that free product was not observed in any of the wells in the south-central plume area during this reporting period.

6.3 DISSOLVED-PHASE CONSTITUENTS

In most areas, the lateral extent and concentrations of dissolved TPH, benzene, 1,2-DCA, MTBE, and TBA plumes were similar to those detected during the April 2011 event.

6.3.1 Total Petroleum Hydrocarbons

During the October 2011 event, the highest concentrations of TPH_g and TPH_{fp} (120,000 µg/L and 2,000,000 µg/L, respectively) were observed in the south-central plume area at extraction wells MW-SF-12 and at GMW-O-20, respectively. MW-SF-12 is located near the plume core and GMW-O-12 is located off-site and south of the south-central area. The highest value of TPH_{jp} was detected in the sample collected at GMW-47, located in the northeast side of the site, at a concentration of 3,900 µg/L.

6.3.2 Benzene

Benzene concentrations ranged from below detection limits in many wells to 25,000 µg/L in extraction well MW-SF-12, which is located in the south-central plume area. Benzene was not detected in any of the off-site wells west of the site, nor in any of the Exposition wells. The interpreted extent of the northern benzene plume has decreased since the April 2011 interpretation. The benzene plume associated with the south-central area remained similar in lateral extent to that observed during the previous semiannual monitoring event. Benzene concentrations generally increased in the southeastern 24-inch valve area through October 2011, but a noticeable decline in benzene was reported during November and December 2011 monthly monitoring events. The variability in concentration of benzene and other fuel constituents in the southeastern area can be attributed to extraction pump operation and the presence of free product in the extraction wells. SFPP will continue to maintain operation of the extraction wells in the southeastern area to contain dissolved constituents in this area.

6.3.3 1,2-Dichloroethane

The highest reported 1,2-DCA concentration during the reporting period was 21 µg/L in well WCW-7, located along Norwalk Boulevard just west of the site. All detections of 1,2-DCA were below the risk-based cleanup goal for 1,2-DCA of 70 µg/L. 1,2-DCA was not detected in any of the Exposition aquifer wells. The extent and magnitude of 1,2-DCA is similar to previous interpretations.

6.3.4 Methyl Tertiary-Butyl Ether

Concentrations of MTBE ranged from below detection limits in many wells to 7,200 µg/L in extraction well MW-SF-12, located in the south-central area, and 1,600 µg/L at extraction well GMW-O-18 located in southeastern area. The extent and magnitude of MTBE is generally similar to previous interpretations. Concentrations of MTBE in off-site monitoring wells west of the site (i.e., WCW-4, WCW-7, and WCW-8) generally remained below the detection limit or were detected at very low concentrations below the risk-based cleanup goal of 40 µg/L. MTBE was not detected in any of the Exposition aquifer wells.

6.3.5 Tertiary Butyl Alcohol

The highest concentration of TBA was detected in the southeast corner of the site near the 24-inch block valve at PZ-5, with a concentration of 58,000 µg/L and 65,000 µg/L in the duplicate sample. In the south-central plume area, TBA was detected in the groundwater sample from extraction well MW-SF-15 at a concentration of 2,300 µg/L. Although the magnitude of TBA in the south-central area is masked by high reporting limits, due to dilution of samples for other constituents, the extent of TBA is interpreted to be similar to the MTBE plume. In the north central plume area, the highest concentration of TBA was detected at GMW-6 at a concentration of 220 µg/L.

6.3.6 Other Fuel Oxygenates

Other fuel oxygenates including ETBE, DIPE, and TAME were analyzed during the October 2011 semiannual event. DIPE was generally detected in wells located north of the

south-central area and along the West Side Barrier region. Low-level detections of TAME were reported in three wells. ETBE was not detected during the October 2011 sampling event. Fuel oxygenates will continue to be monitored and results will be further assessed to determine if additional actions are necessary.

7.0 REFERENCES

CH2M Hill, 2011. *First Semiannual 2011 Groundwater Monitoring Report Defense Fuel Support Point Norwalk, California, July 29.*

California Regional Water Quality Control Board, Los Angeles Region (RWQCB), Letter dated March 10, 2009a to Mr. Steve Osborn, Kinder Morgan Energy Partners; Additional Requirements on Groundwater Monitoring, Defense Fuel Support Point Norwalk, 15306 Norwalk Boulevard, Norwalk, California (SCP No. 0286B, Site No. 204DM00).

California RWQCB, Letter dated March 11, 2009b to Mr. Kola Olowu, Defense Energy Support Center; Additional Groundwater Extraction Well on Groundwater Monitoring and Well Installation, Defense Fuel Support Point Norwalk, 15306 Norwalk Boulevard, Norwalk, California (SCP No. 0286A, Site No. 16638).

TABLES

TABLE 1
MONITORING WELL SUMMARY
Defense Fuel Support Point, Norwalk
Norwalk, California

Well	Installation Date	Installed By	Total Depth (ft bgs) ¹	Casing Diameter (inches)	Screen Interval (ft bgs)	Slot Size (inches)	Casing Elevation (ft msl) ²
BW-1	05/16/96	GMX ³	55	5	31.9 - 51.4	0.01	73.17
BW-2	05/20/96	GMX	53.5	5	27 - 46.5	0.01	73.57
BW-3	05/17/96	GMX	55.5	5	30.6 - 50	0.01	74.16
BW-4	05/20/96	GMX	53.1	5	28.2 - 47	0.01	74.61
BW-5	05/23/96	GMX	52.5	5	27 - 45.5	0.01	73.59
BW-6	05/22/96	GMX	52.4	5	27.6 - 46.9	0.01	73.48
BW-7	05/22/96	GMX	52	5	27.1 - 46.3	0.01	74.65
BW-8	05/21/96	GMX	51.5	5	27 - 46.4	0.01	75.08
BW-9	05/21/96	GMX	52.5	5	26.9 - 46.4	0.01	76.19
EXP-1	03/06/92	WC ⁴	128.5	4	82 - 122	0.01	78.44
EXP-2	10/15/92	WC	149	4	90 - 120	0.02	79.43
EXP-3	10/20/92	WC	150	4	85 - 115	0.01	77.58
EXP-4	07/07/98	GMX	118	4	96.1 - 115.2	0.02	79.81
EXP-5	07/08/98	GMX	120	4	94.4 - 113.4	0.02	72.41
GMW-1	05/16/91	GTI ⁵	50	4	20 - 50	0.01	74.77
GMW-2	05/16/91	GTI	50	4	20 - 50	0.01	73.57
GMW-3	05/17/91	GTI	50	4	20 - 50	0.01	75.10
GMW-4	05/21/91	GTI	50	4	20 - 50	0.01	75.45
GMW-5	05/21/91	GTI	50	4	20 - 50	0.01	77.61
GMW-6	07/09/91	GTI	50	4	25 - 50	0.01	77.31
GMW-7	07/09/91	GTI	50	4	25 - 50	0.01	75.84
GMW-8	07/10/91	GTI	50	4	25 - 50	0.01	73.20
GMW-9	07/08/91	GTI	50	4	20 - 50	0.01	74.44
GMW-10	07/08/91	GTI	50	4	25 - 50	0.01	74.67
GMW-11	07/09/91	GTI	50	4	20 - 50	0.01	72.90
GMW-12	07/09/91	GTI	50	4	25 - 50	0.01	75.21
GMW-13	07/08/91	GTI	50	4	25 - 50	0.01	74.17
GMW-14	07/10/91	GTI	50	4	25 - 50	0.01	74.72
GMW-15	07/30/91	GTI	50	4	25 - 50	0.01	76.21
GMW-16	08/01/91	GTI	50	4	25 - 50	0.01	77.00
GMW-17	08/01/91	GTI	50	4	25 - 50	0.01	74.66
GMW-18	07/31/91	GTI	50	4	25 - 50	0.01	75.36
GMW-19	07/31/91	GTI	50	4	25 - 50	0.01	76.83
GMW-20	08/01/91	GTI	50	4	25 - 50	0.01	75.10
GMW-21 ⁶	08/02/91	GTI	50	4	25 - 50	0.01	76.23
GMW-22	08/02/91	GTI	61	4	25 - 60	0.01	74.17
GMW-23	08/02/91	GTI	60	4	25 - 60	0.01	74.85
GMW-24	08/05/91	GTI	60	4	25 - 60	0.01	74.04
GMW-25	01/10/92	GTI	50	6	20 - 50	0.01	74.29
GMW-26	01/07/92	GTI	51.5	4	20 - 50	0.01	74.52
GMW-27	01/10/92	GTI	50	4	20 - 50	0.01	74.41

TABLE 1
MONITORING WELL SUMMARY
Defense Fuel Support Point, Norwalk
Norwalk, California

Well	Installation Date	Installed By	Total Depth (ft bgs) ¹	Casing Diameter (inches)	Screen Interval (ft bgs)	Slot Size (inches)	Casing Elevation (ft msl) ²
GMW-28	01/07/92	GTI	50	4	20 - 50	0.01	74.68
GMW-29	01/09/92	GTI	50	4	20 - 50	0.01	77.57
GMW-30	01/09/92	GTI	51.5	6	20 - 50	0.01	74.91
GMW-31	06/02/93	GTI	65	4	25 - 65	0.01	76.50
GMW-32	06/01/93	GTI	50	4	20 - 50	0.02	74.62
GMW-33	06/01/93	GTI	50	4	20 - 50	0.02	74.88
GMW-34	06/03/93	GTI	50	4	20 - 50	0.02	75.25
GMW-35	06/04/93	GTI	50	4	20 - 50	0.02	76.12
GMW-36	04/11/94	GTI	50	4	20 - 50	0.01	74.53
GMW-37	04/11/94	GTI	50	4	20 - 50	0.01	77.32
GMW-38	04/12/94	GTI	50	4	20 - 50	0.01	75.47
GMW-39	04/12/94	GTI	50	4	20 - 50	0.01	75.05
GMW-40	06/29/94	GTI	50.5	4	20 - 50	0.01	73.13
GMW-41	06/30/94	GTI	50.5	4	20 - 50	0.01	74.46
GMW-42	06/30/94	GTI	50.5	4	20 - 50	0.01	75.50
GMW-43	07/01/94	GTI	50.5	4	20 - 50	0.01	74.44
GMW-44	07/01/94	GTI	50.5	4	20 - 50	0.01	74.45
GMW-45	07/01/94	GTI	50.5	4	20 - 50	0.01	75.67
GMW-46	07/05/94	GTI	50.5	4	20 - 50	0.01	76.10
GMW-47	07/05/94	GTI	50.5	4	20 - 50	0.01	75.98
GMW-48	07/05/94	GTI	50.5	4	20 - 50	0.01	75.03
GMW-49	07/06/94	GTI	50.5	4	20 - 50	0.01	74.75
GMW-50	12/19/94	GTI	46.5	4	15 - 45	0.01	75.51
GMW-51	12/19/94	GTI	41.5	4	15 - 40	0.01	75.93
GMW-52	12/19/94	GTI	41.5	4	15 - 40	0.01	75.03
GMW-53	12/19/94	GTI	46.5	4	15 - 45	0.01	74.90
GMW-54	12/20/94	GTI	46.5	4	15 - 45	0.01	75.16
GMW-55	12/20/94	GTI	41.5	4	15 - 40	0.01	74.60
GMW-56	08/12/98	FDGTI ⁷	55	2	20 - 55	0.02	76.50
GMW-56	08/12/98	FDGTI	55	4	20 - 55	0.02	76.52
GMW-57	08/13/98	FDGTI	55	2	19 - 54	0.02	76.66
GMW-57	08/13/98	FDGTI	55	4	19 - 54	0.02	76.66
GMW-58	08/14/98	FDGTI	55	2	20 - 55	0.02	75.46
GMW-58	08/14/98	FDGTI	55	4	20 - 55	0.02	75.48
GMW-59	08/14/98	FDGTI	55	2	20 - 55	0.02	75.28
GMW-59	08/14/98	FDGTI	55	4	20 - 55	0.02	75.28
GMW-60	04/14/04	Parsons	50	4	25 - 40	0.01	76.24
GMW-61	04/14/04	Parsons	50	4	30 - 40	0.01	75.60
GMW-62	07/02/07	Parsons	40.5	4	20 - 40	0.01	76.34
GMW-63	09/29/08	Parsons	41	4	20 - 40	0.02	77.32
GMW-64	09/29/08	Parsons	41	4	19.5 - 39.5	0.02	75.84

TABLE 1
MONITORING WELL SUMMARY
Defense Fuel Support Point, Norwalk
Norwalk, California

Well	Installation Date	Installed By	Total Depth (ft bgs) ¹	Casing Diameter (inches)	Screen Interval (ft bgs)	Slot Size (inches)	Casing Elevation (ft msl) ²
GMW-65	07/06/09	Parsons	41.5	4	21 - 41	0.02	76.78
GMW-66	09/08/09	Parsons	40.5	4	20 - 40	0.02	77.00
GMW-O-1	03/04/92	GTI	51.5	4	19 - 49.5	0.01	71.45
GMW-O-2	03/02/92	GTI	51.5	4	20 - 50	0.01	72.54
GMW-O-3	03/02/92	GTI	51.5	4	20 - 50	0.01	72.19
GMW-O-4	03/03/92	GTI	51.5	4	20 - 50	0.01	71.95
GMW-O-4 (MID)	03/03/92	GTI	66.5	4	54.5 - 64.5	0.01	72.24
GMW-O-5	03/04/92	GTI	51.5	4	20 - 50	0.01	72.36
GMW-O-6	05/18/92	GTI	51.5	4	20 - 50	0.01	71.41
GMW-O-7	05/19/92	GTI	51.5	4	20 - 50	0.01	70.98
GMW-O-8	05/18/92	GTI	51	4	19.5 - 49.5	0.01	70.91
GMW-O-9	07/29/92	GTI	51.5	4	20 - 50	0.01	73.50
GMW-O-10	07/29/92	GTI	51.5	4	20 - 50	0.01	73.98
GMW-O-11	05/20/92	GTI	51.5	4	20 - 50	0.01	74.17
GMW-O-12	05/21/92	GTI	51.5	4	20 - 50	0.01	73.49
GMW-O-14	05/20/92	GTI	51.5	4	20 - 50	0.01	74.08
GMW-O-15	04/19/94	GTI	50	4	20 - 50	0.02	74.23
GMW-O-16	04/19/94	GTI	50	4	20 - 50	0.02	74.10
GMW-O-17	07/26/94	GMX	41	4	20.4 - 39.5	0.01	73.78
GMW-O-18	07/25/94	GMX	41	4	20.8 - 40.4	0.01	74.36
GMW-O-19	07/29/94	GMX	41.5	4	20.2 - 39.9	0.01	74.46
GMW-O-20	06/15/95	GMX	45.9	4	---8	---	73.32
GMW-O-21	06/19/97	GMX	45.9	4	25.5 - 45.5	0.01	71.43
GMW-O-22	---	GMX	41	4	---	---	74.36
GMW-O-23	06/25/07	GMX	44	4	20 - 40	0.02	73.63
GMW-SF-7	07/27/94	GMX	41	4	20.1 - 39.9	0.01	75.26
GMW-SF-8	07/28/94	GMX	41	4	19.5 - 39.5	0.01	76.75
GMW-SF-9	04/01/03	GMX	47	4	36.6 - 46.2	0.02	73.00
GMW-SF-10	04/02/03	GMX	47	4	36.7 - 46.4	0.02	75.77
GW-1	06/12/95	GTI	63	1	25 - 60	0.02	75.46
GW-1	06/12/95	GTI	63	4	25 - 60	0.02	75.97
GW-2	06/12/95	GTI	63	1	25 - 60	0.02	76.39
GW-2	06/12/95	GTI	63	4	25 - 60	0.02	75.78
GW-3	06/13/95	GTI	63	1	25 - 60	0.02	76.56
GW-3	06/13/95	GTI	63	4	25 - 60	0.02	75.79
GW-4	06/13/95	GTI	63	1	24 - 59	0.02	74.77
GW-4	06/13/95	GTI	63	4	24 - 59	0.02	73.86
GW-5	06/15/95	GTI	63	1	25.5 - 60.5	0.02	77.09
GW-5	06/15/95	GTI	63	4	25.5 - 60.5	0.02	76.99
GW-6	06/15/95	GTI	63	1	25 - 60	0.02	77.41
GW-6	06/15/95	GTI	63	4	25 - 60	0.02	76.38

TABLE 1
MONITORING WELL SUMMARY
Defense Fuel Support Point, Norwalk
Norwalk, California

Well	Installation Date	Installed By	Total Depth (ft bgs) ¹	Casing Diameter (inches)	Screen Interval (ft bgs)	Slot Size (inches)	Casing Elevation (ft msl) ²
GW-7	06/16/95	GTI	63	1	25 - 60	0.02	76.76
GW-7	06/16/95	GTI	63	4	25 - 60	0.02	75.02
GW-8	06/14/95	GTI	63	1	24 - 59	0.02	76.88
GW-8	06/14/95	GTI	63	4	24 - 59	0.02	76.15
GW-13	04/26/07	Parsons	65	1	25 - 65	0.02	77.00
GW-13	04/26/07	Parsons	67	6	25 - 65	0.02	76.85
GW-14	04/26/07	Parsons	65	1	25 - 65	0.02	76.55
GW-14	04/26/07	Parsons	67	6	25 - 65	0.02	76.54
GW-15	04/26/07	Parsons	62.5	1	20.5 - 60.5	0.02	75.36
GW-15	04/26/07	Parsons	60.5	6	20.5 - 60.6	0.02	74.94
GW-16p	07/07/09	Parsons	61.3	1	21 - 61	0.02	76.55
GW-16	07/07/09	Parsons	63	6	20.5 - 60.5	0.02	76.33
GWR-1	07/11/91	GTI	50	4	25 - 50	0.01	77.40
GWR-2	07/12/91	GTI	50	4	25 - 50	0.01	73.66
GWR-3	01/10/92	GTI	50	6	20 - 50	0.01	74.93
HL-1	10/14/86	HLA ⁹	39	4	18 - 38	0.01	75.83
HL-2	10/13/86	HLA	39	4	16.5 - 36.5	0.01	76.94
HL-3	10/15/86	HLA	44	4	19 - 39	0.01	76.86
HL-4	10/16/86	HLA	39	4	18 - 38.5	0.01	75.75
HL-5	10/16/86	HLA	39.5	4	18.5 - 39	0.01	76.13
MW-6	08/09/90	WC	50	4	18 - 48	0.01	77.20
MW-7	08/27/90	WC	50	4	19 - 48	0.01	78.13
MW-8	08/24/90	WC	51	4	18 - 48	0.01	76.06
MW-9	08/08/90	WC	50	4	18 - 48	0.01	77.11
MW-10	08/24/90	WC	51	4	18 - 48	0.01	79.12
MW-11	08/09/90	WC	50	4	18 - 48	0.01	78.17
MW-12	08/27/90	WC	50	4	18 - 48	0.01	75.76
MW-13	08/23/90	WC	50	4	18 - 48	0.01	78.25
MW-14	08/07/90	WC	50	4	18 - 48	0.01	78.60
MW-15	08/07/90	WC	50	4	18 - 48	0.01	76.99
MW-16	08/08/90	WC	50	4	18 - 48	0.01	76.87
MW-17	08/06/90	WC	50	4	18 - 48	0.01	77.86
MW-18 (MID)	06/10/91	WC	62.2	4	50 - 60	0.01	75.67
MW-19 (MID)	06/11/91	WC	62.2	4	49.5 - 59.5	0.01	78.14
MW-20 (MID)	06/12/91	WC	65.7	4	43 - 53	0.01	77.19
MW-21 (MID)	06/12/91	WC	62.4	4	47 - 57	0.01	77.55
MW-22 (MID)	06/13/91	WC	57.9	4	42 - 52	0.01	79.57
MW-23 (MID)	06/14/91	WC	57.1	4	42 - 52	0.01	79.59
MW-24	06/14/91	WC	47	4	14 - 44	0.01	78.51
MW-25	06/17/91	WC	47.2	4	22.5 - 42.5	0.01	79.15
MW-26	06/17/91	WC	47.3	4	23.5 - 43.5	0.01	77.40

TABLE 1
MONITORING WELL SUMMARY
Defense Fuel Support Point, Norwalk
Norwalk, California

Well	Installation Date	Installed By	Total Depth (ft bgs) ¹	Casing Diameter (inches)	Screen Interval (ft bgs)	Slot Size (inches)	Casing Elevation (ft msl) ²
MW-27	06/17/91	WC	52.3	4	18 - 48	0.01	78.46
MW-28	6/19/91	WC	51.5	4	16.5 - 46.5	0.01	78.53
MW-29	06/19/91	WC	52.4	4	17.5 - 47.5	0.01	79.13
MW-O-1	01/22/91	GMX	40	2	25 - 40	0.02	75.48
MW-O-2	01/23/91	GMX	40	2	25 - 40	0.02	71.90
MW-O-3	10/25/91	GMX	41	6	20.5 - 41	0.01	74.53
MW-O-4	10/25/91	GMX	41	4	20.5 - 41	0.01	75.00
MW-SF-1	06/18/90	GMX	40	4	25 - 40	0.02	78.93
MW-SF-2	06/18/90	GMX	40	4	25 - 40	0.02	78.53
MW-SF-3	06/18/90	GMX	40	4	25 - 40	0.02	78.12
MW-SF-4	06/19/90	GMX	40	4	25 - 40	0.02	79.38
MW-SF-5	09/19/90	GMX	40	4	23 - 38	0.02	79.74
MW-SF-6	09/19/90	GMX	40	4	24 - 39	0.02	76.80
MW-SF-9	06/15/95	GMX	40	4	---	---	74.10
MW-SF-10	09/23/03	GMX	30.5	4	10.3 - 29.9	0.02	76.53
MW-SF-11	06/19/07	GMX	44	4	20 - 40	0.02	78.56
MW-SF-12	06/18/07	GMX	44	4	20 - 40	0.02	78.07
MW-SF-13	06/19/07	GMX	44	4	20 - 40	0.02	73.40
MW-SF-14	06/21/07	GMX	44	4	20 - 40	0.02	78.16
MW-SF-15	06/21/07	GMX	44	4	20 - 40	0.02	78.27
MW-SF-16	06/20/07	GMX	44	4	20 - 40	0.02	78.21
PO-7	05/01/89	GW ¹⁰	56	4	29 - 49	0.02	80.26
PW-1	01/06/92	GTI	51.5	4	20 - 50	0.01	75.52
PW-2	01/06/92	GTI	50	4	20 - 50	0.01	74.71
PW-3	01/06/92	GTI	50	4	20 - 50	0.01	73.71
PZ-1	07/12/91	GTI	50	2	25 - 50	0.01	73.74
PZ-2	07/12/91	GTI	50	2	25 - 50	0.01	73.96
PZ-3	06/03/93	GTI	65	2	25 - 65	0.02	76.17
PZ-4	06/02/93	GTI	60	2	25 - 60	0.02	76.13
PZ-5	09/26/00	GMX	40.3	4	20.6 - 39.4	0.01	73.97
PZ-6	09/26/00	GMX	37.5	4	22.8 - 37.8	0.01	73.91
PZ-7A	04/07/03	GMX	32	2	21.5 - 31.2	0.01	73.87
PZ-7B	04/07/03	GMX	47.5	2	42 - 46.7	0.01	73.79
PZ-8A	04/08/03	GMX	31.5	2	21.2 - 31	0.01	75.81
PZ-8B	04/08/03	GMX	47	2	41.4 - 46.2	0.01	75.69
PZ-9A	04/09/03	GMX	32	2	21.6 - 30.9	0.01	76.14
PZ-9B	04/09/03	GMX	47	2	41.5 - 46.2	0.01	76.26
PZ-10	04/10/03	GMX	38.5	2	23.2 - 37.9	0.02	74.34
TF-8	09/22/95	GTI	63	1.5	25 - 60	0.02	75.60
TF-8	09/22/95	GTI	63	4	25 - 60	0.02	74.86
TF-9	09/22/95	GTI	63	1.5	25 - 60	0.02	75.27

TABLE 1
MONITORING WELL SUMMARY
Defense Fuel Support Point, Norwalk
Norwalk, California

Well	Installation Date	Installed By	Total Depth (ft bgs) ¹	Casing Diameter (inches)	Screen Interval (ft bgs)	Slot Size (inches)	Casing Elevation (ft msl) ²
TF-9	09/22/95	GTI	63	4	25 - 60	0.02	74.47
TF-10	09/25/95	GTI	63	1.5	25 - 60	0.02	74.19
TF-10	09/25/95	GTI	63	4	25 - 60	0.02	73.61
TF-11	09/25/95	GTI	63	1.5	25 - 60	0.02	74.95
TF-11	09/25/95	GTI	63	4	25 - 60	0.02	74.40
TF-13	09/26/95	GTI	63	1.5	25 - 60	0.02	75.90
TF-13	09/26/95	GTI	63	4	25 - 60	0.02	75.47
TF-14	09/27/95	GTI	63	1.5	25 - 60	0.02	74.78
TF-14	09/27/95	GTI	63	4	25 - 60	0.02	74.35
TF-15	09/28/95	GTI	63	1.5	25 - 60	0.02	75.40
TF-15	09/28/95	GTI	63	4	25 - 60	0.02	74.78
TF-16	09/28/95	GTI	63	1.5	25 - 60	0.02	76.48
TF-16	09/28/95	GTI	63	4	25 - 60	0.02	75.89
TF-17	09/29/95	GTI	63	1.5	25 - 60	0.02	75.26
TF-17	09/29/95	GTI	63	4	25 - 60	0.02	74.88
TF-18	07/06/94	GTI	50.5	4	20 - 50	0.02	73.94
TF-19	10/03/95	GTI	63	1.5	25 - 60	0.02	75.61
TF-19	10/03/95	GTI	63	4	25 - 60	0.02	75.07
TF-20	10/03/95	GTI	63	1.5	25 - 60	0.02	75.59
TF-20	10/03/95	GTI	63	4	25 - 60	0.02	75.08
TF-21	09/29/95	GTI	63	1.5	25 - 60	0.02	75.60
TF-21	09/29/95	GTI	63	4	25 - 60	0.02	74.96
TF-22	10/02/95	GTI	63	1.5	25 - 60	0.02	74.95
TF-22	10/02/95	GTI	63	4	25 - 60	0.02	74.76
TF-23	07/05/94	GTI	50.5	4	20 - 50	0.02	75.31
TF-24 ¹¹	09/26/95	GTI	63	1.5	25 - 60	0.02	76.35
TF-24 ¹¹	09/26/95	GTI	63	4	25 - 60	0.02	76.43
TF-25	04/04/01	GTI	47	1.5	41 - 46	0.02	---
TF-25	04/04/01	GTI	47	4	26 - 36	0.02	74.85
TF-26	04/03/01	GTI	47	1.5	41 - 46	0.02	---
TF-26	04/03/01	GTI	47	4	26 - 36	0.02	75.85
WCW-1	02/18/92	WC	52	4	20 - 50	0.01	72.86
WCW-2	02/21/92	WC	52	4	20 - 50	0.01	75.34
WCW-3	02/19/92	WC	56.5	4	19 - 49	0.01	76.16
WCW-4	02/20/92	WC	56.5	4	20 - 50	0.01	78.05
WCW-5	04/30/92	WC	52	4	19 - 49	0.01	73.49
WCW-6	04/20/92	WC	53.5	4	20 - 50	0.01	75.52
WCW-7	04/29/92	WC	53	4	20 - 50	0.01	76.44
WCW-8	04/21/92	WC	53.5	4	20 - 50	0.01	77.34
WCW-9	04/28/92	WC	53.5	4	20 - 50	0.01	77.74
WCW-10	09/11/92	WC	56.5	4	25 - 55	0.01	74.06

TABLE 1
MONITORING WELL SUMMARY
 Defense Fuel Support Point, Norwalk
 Norwalk, California

Well	Installation Date	Installed By	Total Depth (ft bgs) ¹	Casing Diameter (inches)	Screen Interval (ft bgs)	Slot Size (inches)	Casing Elevation (ft msl) ²
WCW-11	09/09/92	WC	61.5	4	30 - 60	0.01	75.29
WCW-12	09/08/92	WC	61.5	4	30 - 60	0.01	76.27
WCW-13	09/10/92	WC	61.5	4	30 - 60	0.01	77.70
WCW-14	08/12/98	FDGTI	59	4	24 - 59	0.01	78.81

Notes

1. ft bgs = feet below ground surface.
2. ft msl = feet above mean sea level.
3. GMX = Geomatrix Consultants.
4. WC = Woodward-Clyde.
5. GTI = Groundwater Technology/Groundwater Technology Government Services.
6. GMW-21 is also referred to as TF-24.
7. FDGTI - Fluor Daniel GTI.
8. --- = information not available.
9. HLA = Harding Lawson Associates.
10. GW = Golden West
11. TF-24 is also referred to as "old TF-24" or "former TF-24". See also Note 6.
12. Biosparge and additional soil vapor extraction wells used for remediation purposes only are not listed here.

TABLE 2

**SUMMARY OF GROUNDWATER ELEVATIONS
JULY 2011 SENTRY EVENT
Defense Fuel Support Point, Norwalk
Norwalk, California**

Well	Date	Top of Casing Elevation ¹	Depth to Product (feet) ²	Depth to Water (feet) ²	Apparent Product Thickness (feet)	Groundwater Elevation ¹	Gauged by
EXP-1	07/07/11	78.44	Sheen	53.65	-- ³	24.79	Parsons
EXP-1	07/11/11	78.44	--	53.51	--	24.93	CH2MHill/BT
EXP-2	07/07/11	79.43	--	54.18	--	25.25	Parsons
EXP-2	07/11/11	79.43	--	53.94	--	25.49	CH2MHill/BT
EXP-3	07/08/11	77.58	--	52.73	--	24.85	Parsons
EXP-3	07/11/11	77.58	--	52.54	--	25.04	CH2MHill/BT
EXP-5	07/11/11	72.41	--	47.42	--	24.99	CH2MHill/BT
EXP-5	09/22/11	72.41	--	48.12	--	24.29	CH2MHill/BT
GMW-5	07/07/11	77.61	--	29.76	--	47.85	Parsons
GMW-6	07/07/11	77.31	--	29.16	--	48.15	Parsons
GMW-12	07/08/11	75.21	--	26.57	--	48.64	Parsons
GMW-15	07/07/11	76.21	Sheen	28.05	--	48.16	Parsons
GMW-16	07/07/11	77.00	--	29.04	--	47.96	Parsons
GMW-17	07/08/11	74.66	--	25.5	--	49.16	Parsons
GMW-19	07/08/11	76.83	--	--	--	--	Parsons
GMW-21	07/07/11	76.23	--	27.95	--	48.28	Parsons
GMW-31	07/08/11	76.50	--	28.34	--	48.16	Parsons
GMW-36	07/11/11	74.53	--	--	--	--	CH2MHill/BT
GMW-38	07/11/11	75.47	--	26.83	--	48.64	CH2MHill/BT
GMW-39	07/11/11	75.05	--	26.55	--	48.50	CH2MHill/BT
GMW-41	07/08/11	74.46	--	26.01	--	48.45	Parsons
GMW-43	07/08/11	74.44	Sheen	26.1	--	48.34	Parsons
GMW-44	07/08/11	74.45	--	--	--	--	Parsons
GMW-45	07/07/11	75.67	--	27.63	--	48.04	Parsons
GMW-47	07/07/11	75.98	--	27.83	--	48.15	Parsons
GMW-48	07/07/11	75.03	--	25.89	--	49.14	Parsons
GMW-56	07/07/11	76.52	--	28.45	--	48.07	Parsons
GMW-57	07/07/11	76.66	--	28.53	--	48.13	Parsons
GMW-58	07/08/11	75.48	--	26.46	--	49.02	Parsons
GMW-59	07/07/11	75.28	sheen	25.69	--	49.59	Parsons
GMW-60	07/07/11	76.24	--	28.02	--	48.22	Parsons
GMW-61	07/07/11	75.60	--	27.23	--	48.37	Parsons
GMW-62	07/07/11	76.34	28.03	28.14	0.11	48.2924 ⁴	Parsons
GMW-63	07/07/11	77.32	--	29.13	--	48.19	Parsons
GMW-64	07/07/11	75.84	--	27.21	--	48.63	Parsons
GMW-65	07/07/11	76.78	--	28.63	--	48.15	Parsons
GMW-66	07/07/11	77.00	--	28.96	--	48.04	Parsons
GMW-O-1	07/11/11	71.45	--	22.88	--	48.57	CH2MHill/BT
GMW-O-2	07/11/11	72.54	--	23.8	--	48.74	CH2MHill/BT
GMW-O-3	07/11/11	72.19	--	23.36	--	48.83	CH2MHill/BT
GMW-O-14	07/11/11	74.08	--	24.77	--	49.31	CH2MHill/BT
GMW-O-15	07/11/11	74.23	--	--	--	--	CH2MHill/BT
GMW-O-16	07/11/11	74.10	--	26	--	48.10	CH2MHill/BT
GMW-O-18	07/11/11	74.36	--	--	--	--	CH2MHill/BT
GMW-O-19	07/11/11	74.46	--	25.42	--	49.04	CH2MHill/BT
GW-1	07/07/11	75.97	--	28.45	--	47.52	Parsons
GW-2	07/07/11	75.78	--	28.25	--	47.53	Parsons
GW-3	07/08/11	75.79	--	28.36	--	47.43	Parsons

TABLE 2

SUMMARY OF GROUNDWATER ELEVATIONS
 JULY 2011 SENTRY EVENT
 Defense Fuel Support Point, Norwalk
 Norwalk, California

Well	Date	Top of Casing Elevation ¹	Depth to Product (feet) ²	Depth to Water (feet) ²	Apparent Product Thickness (feet)	Groundwater Elevation ¹	Gauged by
GW-4	07/08/11	73.86	--	--	--	--	Parsons
GW-5	07/08/11	76.99	--	29.24	--	47.75	Parsons
GW-6	07/07/11	76.38	28.51	28.52	0.01	47.8684 ⁴	Parsons
GW-7	07/08/11	75.02	--	27	--	48.02	Parsons
GW-8	07/07/11	76.15	sheen	28.41	--	47.74	Parsons
GW-13	07/07/11	76.85	--	29.45	--	47.40	Parsons
GW-14	07/08/11	76.54	--	28.31	--	48.23	Parsons
GW-15	07/07/11	74.94	27.57	27.61	0.04	47.3636 ⁴	Parsons
GW-16	07/07/11	76.33	--	28.96	--	47.37	Parsons
MW-10	07/07/11	79.12	--	31.37	--	47.75	Parsons
MW-13	07/07/11	78.25	--	30.19	--	48.06	Parsons
MW-14	07/07/11	78.60	--	31.13	--	47.47	Parsons
MW-16	07/08/11	76.87	sheen	28.34	--	48.53	Parsons
MW-17	07/07/11	77.86	sheen	29.49	--	48.37	Parsons
MW-22 MID	07/08/11	79.57	--	33.34	--	46.23	Parsons
MW-23 MID	07/07/11	79.59	--	31.62	--	47.97	Parsons
MW-24	07/07/11	78.51	--	31.03	--	47.48	Parsons
MW-25	07/08/11	79.15	--	31.55	--	47.60	Parsons
MW-26	07/08/11	77.40	--	29.48	--	47.92	Parsons
MW-27	07/08/11	78.46	--	30.03	--	48.43	Parsons
MW-29	07/08/11	79.13	--	30.65	--	48.48	Parsons
MW-SF-1	07/11/11	78.93	--	29.84	--	49.09	CH2MHill/BT
MW-SF-4	07/11/11	79.38	--	30.35	--	49.03	CH2MHill/BT
PO-7	07/08/11	80.26	--	--	--	--	Parsons
PZ-3	07/08/11	76.17	--	27.85	--	48.32	Parsons
PZ-5	07/11/11	73.97	--	25.47	--	48.50	CH2MHill/BT
TF-8	07/08/11	74.86	--	26.66	--	48.20	Parsons
TF-9	07/08/11	74.47	--	26.03	--	48.44	Parsons
TF-10	07/08/11	73.61	--	25.15	--	48.46	Parsons
TF-11	07/08/11	74.40	--	25.40	--	49.00	Parsons
TF-13	07/08/11	75.47	--	27.13	--	48.34	Parsons
TF-14	07/08/11	74.35	--	25.93	--	48.42	Parsons
TF-15	07/08/11	74.78	--	26.33	--	48.45	Parsons
TF-16	07/08/11	75.89	--	27.51	--	48.38	Parsons
TF-17	07/08/11	74.88	--	26.40	--	48.48	Parsons
TF-18	07/08/11	73.94	25.3	25.40	0.1	48.624 ⁴	Parsons
TF-19	07/08/11	75.07	--	26.37	--	48.70	Parsons
TF-20	07/08/11	75.08	--	27.45	--	47.63	Parsons
TF-21	07/08/11	74.96	--	26.59	--	48.37	Parsons
TF-22	07/08/11	74.76	--	26.30	--	48.46	Parsons
TF-23	07/08/11	75.31	--	26.76	--	48.55	Parsons
TF-24	07/07/11	76.43	--	28.47	--	47.96	Parsons
TF-25	07/08/11	74.85	--	26.63	--	48.22	Parsons
TF-26	07/07/11	75.85	--	27.50	--	48.35	Parsons
WCW-1	07/07/11	72.86	--	24.40	--	48.46	Parsons
WCW-2	07/07/11	75.34	sheen	27.40	--	47.94	Parsons
WCW-3	07/07/11	76.16	--	28.75	--	47.41	Parsons
WCW-3	07/11/11	76.16	--	28.57	--	47.59	CH2MHill/BT
WCW-4	07/07/11	78.05	--	30.86	--	47.19	Parsons
WCW-5	07/07/11	73.49	--	24.85	--	48.64	Parsons
WCW-6	07/07/11	75.52	--	27.19	--	48.33	Parsons
WCW-7	07/07/11	76.44	--	28.96	--	47.48	Parsons

TABLE 2

SUMMARY OF GROUNDWATER ELEVATIONS
JULY 2011 SENTRY EVENT
 Defense Fuel Support Point, Norwalk
 Norwalk, California

Well	Date	Top of Casing Elevation ¹	Depth to Product (feet) ²	Depth to Water (feet) ²	Apparent Product Thickness (feet)	Groundwater Elevation ¹	Gauged by
WCW-7	07/11/11	76.44	--	28.74	--	47.70	CH2MHill/BT
WCW-8	07/07/11	77.34	--	30.07	--	47.27	Parsons
WCW-9	07/07/11	77.74	sheen	30.66	--	47.08	Parsons
WCW-10	07/07/11	74.06	--	25.4	--	48.66	Parsons
WCW-11	07/07/11	75.29	27.18	27.19	0.01	48.1084 ⁴	Parsons
WCW-12	07/07/11	76.27	--	28.60	--	47.67	Parsons
WCW-13	07/07/11	77.70	--	30.42	--	47.28	Parsons
WCW-13	07/11/11	77.70	--	30.24	--	47.46	CH2MHill/BT
WCW-14	07/07/11	78.81	--	31.60	--	47.21	Parsons

Notes

1. Feet above mean sea level, based on Los Angeles County Datum, 1980.
2. Below top of casing.
3. --- = product not detected or not applicable.
4. Groundwater elevations were corrected with respect to product thickness measured in the well by means of the following calculation:
 'Groundwater Elevation = (Top of Casing Elevation - Depth to Water) + Apparent Product Thickness*0.84

TABLE 3

**SUMMARY OF GROUNDWATER ELEVATIONS
OCTOBER 2011 SEMIANNUAL EVENT**
Defense Fuel Support Point, Norwalk
Norwalk, California

Well	Date	Top of Casing Elevation ¹	Depth to Product (feet) ²	Depth to Water (feet) ²	Apparent Product Thickness (feet)	Groundwater Elevation ¹	Gauged by
BW-1	10/10/11	73.17	---	25.03	---	48.14	CH2MHill/BT
BW-2	10/10/11	73.57	---	23.81	---	49.76	CH2MHill/BT
BW-3	10/10/11	74.16	---	26.91	---	47.25	CH2MHill/BT
BW-4	10/10/11	74.61	---	26.30	---	48.31	CH2MHill/BT
BW-5	10/10/11	73.59	---	25.19	---	48.40	CH2MHill/BT
BW-6	10/10/11	73.48	---	25.74	---	47.74	CH2MHill/BT
BW-7	10/10/11	74.65	---	26.83	---	47.82	CH2MHill/BT
BW-8	10/10/11	75.08	---	27.15	---	47.93	CH2MHill/BT
BW-9	10/10/11	76.19	---	28.49	---	47.70	CH2MHill/BT
EXP-1	10/06/11	78.44	---	54.13	---	24.31	Parsons
EXP-1	10/10/11	78.44	---	53.75	---	24.69	CH2MHill/BT
EXP-2	10/06/11	79.43	---	54.26	---	25.17	Parsons
EXP-2	10/10/11	79.43	---	53.21	---	26.22	CH2MHill/BT
EXP-3	10/06/11	77.58	---	53.23	---	24.35	Parsons
EXP-3	10/10/11	77.58	---	52.74	---	24.84	CH2MHill/BT
EXP-4	10/10/11	79.81	---	53.93	---	25.88	CH2MHill/BT
EXP-5	10/10/11	72.41	---	49.58	---	22.83	CH2MHill/BT
GMW-1	10/10/11	74.77	---	26.15	---	48.62	CH2MHill/BT
GMW-2	10/10/11	73.57	---	25.17	---	48.40	CH2MHill/BT
GMW-3	10/10/11	75.10	---	26.68	---	48.42	CH2MHill/BT
GMW-4	10/10/11	75.45	---	27.11	---	48.34	CH2MHill/BT
GMW-5	10/06/11	77.61	---	30.16	---	47.45	Parsons
GMW-6	10/06/11	77.31	---	29.62	---	47.69	Parsons
GMW-8	10/10/11	73.20	---	---	---	---	CH2MHill/BT
GMW-9	10/10/11	74.44	---	28.91	---	NA ⁴	CH2MHill/BT
GMW-10	10/10/11	74.67	---	27.75	---	46.92	CH2MHill/BT
GMW-11	10/10/11	72.90	---	24.98	---	47.92	CH2MHill/BT
GMW-12	10/07/11	75.21	---	27.25	---	47.96	Parsons
GMW-13	10/10/11	74.17	---	25.92	---	48.25	CH2MHill/BT
GMW-14	10/10/11	74.72	---	26.71	---	48.01	CH2MHill/BT
GMW-15	10/06/11	76.21	---	28.53	---	47.68	Parsons
GMW-16	10/06/11	77.00	---	29.48	---	47.52	Parsons
GMW-17	10/06/11	74.66	---	26.20	---	48.46	Parsons
GMW-19	10/06/11	76.83	---	29.06	---	47.77	Parsons
GMW-21	10/06/11	76.23	---	28.41	---	47.82	Parsons
GMW-22	10/10/11	74.17	---	29.68	---	NA	CH2MHill/BT
GMW-23	10/10/11	74.85	---	26.57	---	48.28	CH2MHill/BT
GMW-24	10/10/11	74.04	---	28.78	---	NA	CH2MHill/BT
GMW-25	10/10/11	74.29	---	30.02	---	NA	CH2MHill/BT
GMW-26	10/10/11	74.52	---	26.38	---	48.14	CH2MHill/BT
GMW-27	10/10/11	74.41	---	26.17	---	48.24	CH2MHill/BT
GMW-28	10/10/11	74.68	---	26.41	---	48.27	CH2MHill/BT
GMW-29	10/10/11	77.57	---	26.50	---	51.07	CH2MHill/BT
GMW-30	10/10/11	74.91	---	26.55	---	48.36	CH2MHill/BT
GMW-31	10/06/11	76.50	---	28.87	---	47.63	Parsons
GMW-32	10/06/11	74.62	---	26.71	---	47.91	Parsons
GMW-33	10/06/11	74.88	---	---	---	---	Parsons
GMW-36	10/10/11	74.53	---	25.96	---	48.57	CH2MHill/BT
GMW-37	10/10/11	77.32	---	29.00	---	48.32	CH2MHill/BT
GMW-38	10/10/11	75.47	---	27.28	---	48.19	CH2MHill/BT
GMW-39	10/10/11	75.05	---	26.85	---	48.20	CH2MHill/BT
GMW-40	10/10/11	73.13	---	25.13	---	48.00	CH2MHill/BT
GMW-41	10/06/11	74.46	---	26.61	---	47.85	Parsons
GMW-41	10/10/11	74.46	---	26.53	---	47.93	CH2MHill/BT
GMW-43	10/06/11	74.44	---	26.65	---	47.79	Parsons
GMW-44	10/06/11	74.45	---	26.91	---	47.54	Parsons

TABLE 3

**SUMMARY OF GROUNDWATER ELEVATIONS
OCTOBER 2011 SEMIANNUAL EVENT**
Defense Fuel Support Point, Norwalk
Norwalk, California

Well	Date	Top of Casing Elevation ¹	Depth to Product (feet) ²	Depth to Water (feet) ²	Apparent Product Thickness (feet)	Groundwater Elevation ¹	Gauged by
GMW-45	10/07/11	75.67	---	28.22	---	47.45	Parsons
GMW-47	10/06/11	75.98	---	28.41	---	47.57	Parsons
GMW-48	10/06/11	75.03	---	26.55	---	48.48	Parsons
GMW-56	10/07/11	76.52	---	28.98	---	47.54	Parsons
GMW-57	10/06/11	76.66	---	29.12	---	47.54	Parsons
GMW-58	10/06/11	75.48	---	27.11	---	48.37	Parsons
GMW-59	10/06/11	75.28	---	26.35	---	48.93	Parsons
GMW-60	10/06/11	76.24	---	28.65	---	47.59	Parsons
GMW-61	10/06/11	75.60	---	27.92	---	47.68	Parsons
GMW-62	10/06/11	76.34	28.45	29.39	0.94	47.74 ⁵	Parsons
GMW-63	10/06/11	77.32	---	29.63	---	47.69	Parsons
GMW-64	10/06/11	75.84	---	27.86	---	47.98	Parsons
GMW-65	10/06/11	76.78	---	29.18	---	47.60	Parsons
GMW-66	10/06/11	77.00	---	29.48	---	47.52	Parsons
GMW-O-1	10/10/11	71.45	---	22.89	---	48.56	CH2MHill/BT
GMW-O-2	10/10/11	72.54	---	23.98	---	48.56	CH2MHill/BT
GMW-O-3	10/10/11	72.19	---	23.70	---	48.49	CH2MHill/BT
GMW-O-4	10/10/11	71.95	---	23.31	---	48.64	CH2MHill/BT
GMW-O-4 MID	10/10/11	72.24	---	31.36	---	40.88	CH2MHill/BT
GMW-O-5	10/10/11	72.36	---	23.93	---	48.43	CH2MHill/BT
GMW-O-6	10/10/11	71.41	---	22.45	---	48.96	CH2MHill/BT
GMW-O-7	10/10/11	70.98	---	21.70	---	49.28	CH2MHill/BT
GMW-O-8	10/10/11	70.91	---	21.71	---	49.20	CH2MHill/BT
GMW-O-9	10/10/11	73.50	---	25.16	---	48.34	CH2MHill/BT
GMW-O-10	10/10/11	73.98	---	26.29	---	47.69	CH2MHill/BT
GMW-O-11	10/10/11	74.17	---	24.38	---	49.79	CH2MHill/BT
GMW-O-12	10/10/11	73.49	---	24.68	---	48.81	CH2MHill/BT
GMW-O-14	10/10/11	74.08	---	25.16	---	48.92	CH2MHill/BT
GMW-O-15	10/10/11	74.23	23.22	23.79	0.57	NC ⁶	CH2MHill/BT
GMW-O-16	10/10/11	74.10	---	25.53	---	48.57	CH2MHill/BT
GMW-O-17	10/10/11	73.78	---	24.71	---	49.07	CH2MHill/BT
GMW-O-18	10/10/11	74.36	---	23.68	---	50.68	CH2MHill/BT
GMW-O-19	10/10/11	74.46	---	25.40	---	49.06	CH2MHill/BT
GMW-O-20	10/10/11	73.32	---	24.05	---	49.27	CH2MHill/BT
GMW-O-21	10/10/11	71.43	---	24.65	---	46.78	CH2MHill/BT
GMW-O-23	10/10/11	73.63	---	25.25	---	48.38	CH2MHill/BT
GMW-SF-7	10/10/11	75.26	---	26.93	---	48.33	CH2MHill/BT
GMW-SF-8	10/10/11	76.75	---	28.18	---	48.57	CH2MHill/BT
GMW-SF-9	10/10/11	73.00	---	24.70	---	48.30	CH2MHill/BT
GMW-SF-10	10/10/11	75.77	---	27.60	---	48.17	CH2MHill/BT
GW-1	10/07/11	75.97	---	28.71	---	47.26	Parsons
GW-2	10/06/11	75.78	---	28.47	---	47.31	Parsons
GW-3	10/06/11	75.79	---	28.65	---	47.14	Parsons
GW-5	10/06/11	76.99	---	29.58	---	47.41	Parsons
GW-6	10/06/11	76.38	---	28.88	---	47.50	Parsons
GW-7	10/06/11	75.02	---	27.50	---	47.52	Parsons
GW-8	10/06/11	76.15	---	28.76	---	47.39	Parsons
GW-13	10/06/11	76.85	---	29.64	---	47.21	Parsons
GW-14	10/06/11	76.54	---	28.93	---	47.61	Parsons
GW-15	10/06/11	74.94	28.38	28.40	0.02	46.56 ⁵	Parsons
GW-16	10/06/11	76.33	---	29.34	---	46.99	Parsons
GWR-1	10/10/11	77.40	---	25.45	---	51.95	CH2MHill/BT
GWR-3	10/10/11	74.93	---	29.22	---	NA	CH2MHill/BT
HL-2	10/10/11	76.94	---	28.54	---	48.40	CH2MHill/BT
HL-3	10/10/11	76.86	---	28.70	---	48.16	CH2MHill/BT
MW-6	10/10/11	77.20	---	29.04	---	48.16	CH2MHill/BT

TABLE 3

**SUMMARY OF GROUNDWATER ELEVATIONS
OCTOBER 2011 SEMIANNUAL EVENT**
Defense Fuel Support Point, Norwalk
Norwalk, California

Well	Date	Top of Casing Elevation ¹	Depth to Product (feet) ²	Depth to Water (feet) ²	Apparent Product Thickness (feet)	Groundwater Elevation ¹	Gauged by
MW-7	10/10/11	78.13	---	30.02	---	48.11	CH2MHill/BT
MW-8	10/10/11	76.06	---	27.65	---	48.41	CH2MHill/BT
MW-9	10/10/11	77.11	---	28.66	---	48.45	CH2MHill/BT
MW-10	10/06/11	79.12	---	31.71	---	47.41	Parsons
MW-12	10/10/11	75.76	---	27.92	---	47.84	CH2MHill/BT
MW-13	10/06/11	78.25	---	30.78	---	47.47	Parsons
MW-14	10/06/11	78.60	---	31.31	---	47.29	Parsons
MW-15	10/10/11	76.99	28.59	29.30	0.71	NC	CH2MHill/BT
MW-16	10/06/11	76.87	---	28.95	---	47.92	Parsons
MW-17	10/06/11	77.86	---	30.17	---	47.69	Parsons
MW-18 MID	10/10/11	75.67	---	31.51	---	44.16	CH2MHill/BT
MW-19 MID	10/10/11	78.14	---	32.64	---	45.50	CH2MHill/BT
MW-20 MID	10/10/11	77.19	---	31.55	---	45.64	CH2MHill/BT
MW-21 MID	10/10/11	77.55	---	29.44	---	48.11	CH2MHill/BT
MW-22 MID	10/06/11	79.57	---	33.57	---	46.00	Parsons
MW-23 MID	10/06/11	79.59	---	32.03	---	47.56	Parsons
MW-24	10/06/11	78.51	---	31.26	---	47.25	Parsons
MW-25	10/06/11	79.15	---	31.78	---	47.37	Parsons
MW-26	10/06/11	77.40	---	29.88	---	47.52	Parsons
MW-27	10/06/11	78.46	---	30.06	---	48.40	Parsons
MW-29	10/06/11	79.13	---	31.30	---	47.83	Parsons
MW-O-1	10/10/11	75.48	---	26.52	---	48.96	CH2MHill/BT
MW-O-2	10/10/11	71.90	---	27.53	---	44.37	CH2MHill/BT
MW-SF-1	10/10/11	78.93	---	29.60	---	49.33	CH2MHill/BT
MW-SF-2	10/10/11	78.53	---	29.82	---	48.71	CH2MHill/BT
MW-SF-3	10/10/11	78.12	---	30.75	---	47.37	CH2MHill/BT
MW-SF-4	10/10/11	79.38	---	---	---	---	CH2MHill/BT
MW-SF-5	10/10/11	79.74	---	31.28	---	48.46	CH2MHill/BT
MW-SF-6	10/10/11	76.80	---	28.21	---	48.59	CH2MHill/BT
MW-SF-9	10/10/11	74.10	---	25.02	---	49.08	CH2MHill/BT
MW-SF-10	10/10/11	76.53	---	27.60	---	48.93	CH2MHill/BT
MW-SF-11	10/10/11	78.56	---	30.10	---	48.46	CH2MHill/BT
MW-SF-12	10/10/11	78.07	---	26.60	---	51.47	CH2MHill/BT
MW-SF-13	10/10/11	73.40	---	26.00	---	47.40	CH2MHill/BT
MW-SF-14	10/10/11	78.16	---	29.84	---	48.32	CH2MHill/BT
MW-SF-15	10/10/11	78.27	---	29.60	---	48.67	CH2MHill/BT
MW-SF-16	10/10/11	78.21	---	29.85	---	48.36	CH2MHill/BT
PW-1	10/10/11	75.52	---	26.77	---	48.75	CH2MHill/BT
PW-2	10/10/11	74.71	---	---	---	---	CH2MHill/BT
PW-3	10/10/11	73.71	---	25.57	---	48.14	CH2MHill/BT
PZ-2	10/10/11	73.96	---	25.67	---	48.29	CH2MHill/BT
PZ-3	10/07/11	76.17	---	28.46	---	47.71	Parsons
PZ-5	10/10/11	73.97	---	25.55	---	48.42	CH2MHill/BT
PZ-6	10/10/11	73.91	---	---	---	---	CH2MHill/BT
PZ-7A	10/10/11	73.87	---	25.15	---	48.72	CH2MHill/BT
PZ-7B	10/10/11	73.79	---	25.30	---	48.49	CH2MHill/BT
PZ-8A	10/10/11	75.81	---	27.28	---	48.53	CH2MHill/BT
PZ-8B	10/10/11	75.69	---	27.32	---	48.37	CH2MHill/BT
PZ-9A	10/10/11	76.14	---	27.75	---	48.39	CH2MHill/BT
PZ-9B	10/10/11	76.26	---	28.00	---	48.26	CH2MHill/BT
PZ-10	10/10/11	74.34	---	---	---	---	CH2MHill/BT
TF-8	10/07/11	74.86	---	27.18	---	47.68	Parsons
TF-9	10/07/11	74.47	---	---	---	---	Parsons
TF-10	10/06/11	73.61	---	25.54	---	48.07	Parsons
TF-11	10/06/11	74.40	---	26.07	---	48.33	Parsons
TF-13	10/07/11	75.47	---	27.63	---	47.84	Parsons

TABLE 3

**SUMMARY OF GROUNDWATER ELEVATIONS
OCTOBER 2011 SEMIANNUAL EVENT**
Defense Fuel Support Point, Norwalk
Norwalk, California

Well	Date	Top of Casing Elevation ¹	Depth to Product (feet) ²	Depth to Water (feet) ²	Apparent Product Thickness (feet)	Groundwater Elevation ¹	Gauged by
TF-14	10/06/11	74.35	---	26.41	---	47.94	Parsons
TF-15	10/06/11	74.78	---	26.81	---	47.97	Parsons
TF-16	10/07/11	75.89	---	28.10	---	47.79	Parsons
TF-17	10/06/11	74.88	---	27.07	---	47.81	Parsons
TF-18	10/06/11	73.94	25.95	25.97	0.02	47.99 ⁵	Parsons
TF-19	10/06/11	75.07	---	27.00	---	48.07	Parsons
TF-20	10/06/11	75.08	---	28.05	---	47.03	Parsons
TF-21	10/06/11	74.96	---	27.23	---	47.73	Parsons
TF-22	10/06/11	74.76	---	26.95	---	47.81	Parsons
TF-23	10/06/11	75.31	---	27.34	---	47.97	Parsons
TF-24	10/07/11	76.43	---	28.98	---	47.45	Parsons
TF-25	10/07/11	74.85	---	27.27	---	47.58	Parsons
TF-26	10/06/11	75.85	---	22.97	---	52.88	Parsons
VEW-1	10/10/11	---	---	---	---	---	CH2MHill/BT
VEW-2	10/10/11	---	---	---	---	---	CH2MHill/BT
WCW-1	10/06/11	72.86	---	24.57	---	48.29	Parsons
WCW-2	10/06/11	75.34	---	27.54	---	47.80	Parsons
WCW-3	10/10/11	76.16	---	28.64	---	47.52	CH2MHill/BT
WCW-4	10/06/11	78.05	---	30.96	---	47.09	Parsons
WCW-5	10/06/11	73.49	---	25.18	---	48.31	Parsons
WCW-6	10/06/11	75.52	---	27.62	---	47.90	Parsons
WCW-6	10/10/11	75.52	---	27.33	---	48.19	CH2MHill/BT
WCW-7	10/10/11	76.44	---	28.93	---	47.51	CH2MHill/BT
WCW-8	10/06/11	77.34	---	30.27	---	47.07	Parsons
WCW-9	10/06/11	77.74	---	30.82	---	46.92	Parsons
WCW-10	10/06/11	74.06	---	25.41	---	48.65	Parsons
WCW-11	10/06/11	75.29	---	27.11	---	48.18	Parsons
WCW-12	10/06/11	76.27	---	28.55	---	47.72	Parsons
WCW-13	10/10/11	77.70	---	30.30	---	47.40	CH2MHill/BT
WCW-14	10/06/11	78.81	---	31.57	---	47.24	Parsons

Notes

1. Feet above mean sea level, based on Los Angeles County Datum, 1980.
2. Below top of casing.
3. --- = product not detected or not applicable or not calculated.
4. NA = Groundwater elevations were not calculated from depth to water measurements due to recent changes in well casing elevations.
Resurveyed casing elevations are pending.
5. Groundwater elevations were corrected with respect to product thickness measured in the well by means of the following calculation:
'Groundwater Elevation = (Top of Casing Elevation - Depth to Water) + Apparent Product Thickness*0.84
6. NC = Groundwater elevations were not calculated due to the presence of measurable product in the well.

TABLE 4

**SUMMARY OF GROUNDWATER ANALYTICAL DATA
JULY 2011 SENTRY EVENT**

Defense Fuel Support Point, Norwalk
Norwalk, California

Results reported in micrograms per liter (µg/L)

Well	Sample Date	TPHjp ⁵	TPHg ²	TPHfp ³	Benzene	Toluene	Ethylbenzene	Xylenes ⁴	1,2-DCA ⁵	MTBE ⁶	Tert-Butyl Alcohol (TBA)
EXP-1	11-Jul-11	---	< 50	< 100	< 0.5	< 0.5	< 0.5	<1	< 0.5	< 0.5	< 10
EXP-1	11-Jul-11	< 100 ⁷	< 100	---	< 0.50	< 0.50	< 0.50	<1	< 0.50	< 0.50	< 10
EXP-2	11-Jul-11	---	< 50	< 100	< 0.5	< 0.5	< 0.5	<1	< 0.5	< 0.5	< 10
EXP-3	12-Jul-11	---	< 50	< 100	< 0.5	< 0.5	< 0.5	<1	0.61	< 0.5	< 10
EXP-3	12-Jul-11	< 100	< 100	---	< 0.50	< 0.50	< 0.50	<1	0.62	0.45 J	< 10
EXP-5	11-Jul-11	---	< 50	110	< 0.5	< 0.5	< 0.5	<1	< 0.5	< 0.5	< 10
GMW-36	29-Jul-11	---	7300	3200	560	570	61	990	< 10	350	4600
GMW-38	12-Jul-11	---	< 50	< 100	< 0.5	< 0.5	< 0.5	<1	< 0.5	< 0.5	< 10
GMW-39	12-Jul-11	---	< 50	< 100	< 0.5	< 0.5	< 0.5	<1	< 0.5	< 0.5	< 10
GMW-47	12-Jul-11	3000	---	---	0.54	< 0.50	0.58	<1	< 0.50	3.8	32
GMW-57	11-Jul-11	130	---	---	10	< 0.50	< 0.50	<1	< 0.50	< 0.50	< 10
GMW-58	11-Jul-11	220	---	---	31	< 0.50	< 0.50	<1	< 0.50	< 0.50	< 10
GMW-58 DUP ⁸	11-Jul-11	220	---	---	32	< 0.50	< 0.50	<1	< 0.50	< 0.50	< 10
GMW-59	12-Jul-11	1700	1400	---	14	< 0.50	0.43 J	<1	< 0.50	< 0.50	8 J
GMW-59 DUP	12-Jul-11	2000	---	---	14	< 0.50	0.41 J	<1	< 0.50	< 0.50	7.5 J
GMW-60	12-Jul-11	1500	2200	---	560	< 0.50	10	<1	< 0.50	< 0.50	8.8 J
GMW-61	12-Jul-11	240	230	---	6.4	< 0.50	< 0.50	<1	< 0.50	< 0.50	< 10
GMW-63	11-Jul-11	< 100	---	---	< 0.50	< 0.50	< 0.50	<1	< 0.50	< 0.50	< 10
GMW-64	11-Jul-11	< 100	---	---	< 0.50	< 0.50	< 0.50	<1	< 0.50	< 0.50	< 10
GMW-65	11-Jul-11	< 100	---	---	< 0.50	< 0.50	< 0.50	<1	< 0.50	< 0.50	< 10
GMW-O-1	11-Jul-11	---	< 50	< 100	< 0.5	< 0.5	< 0.5	<1	< 0.5	< 0.5	< 10
GMW-O-2	12-Jul-11	---	< 50	< 100	< 0.5	< 0.5	< 0.5	<1	< 0.5	< 0.5	< 10
GMW-O-3	11-Jul-11	---	< 50	< 100	< 0.5	< 0.5	< 0.5	<1	< 0.5	< 0.5	< 10
GMW-O-14	12-Jul-11	---	12000	5500	3800	50	< 25	1810	< 50	< 25	< 500
GMW-O-15	12-Jul-11	---	1000	970	150	17	14	97	< 2	220	6400
GMW-O-16	12-Jul-11	---	< 50	120	< 0.5	< 0.5	< 0.5	<1	< 0.5	1.8	< 10
MW-14	11-Jul-11	< 100	---	---	< 0.50	< 0.50	< 0.50	<1	< 0.50	0.48 J	11
MW-22 MID	11-Jul-11	100	---	---	< 0.50	< 0.50	< 0.50	<1	5.5	7.8	13
MW-SF-1	12-Jul-11	---	8400	12000	4700	34	76	38	< 50	240	< 500
MW-SF-4	12-Jul-11	---	15000	10000	4500	36	530	538	< 50	220	< 500
PZ-5	12-Jul-11	---	3300	1200	1500	16	50	77	< 20	110	34000
WCW-3	12-Jul-11	---	< 50	< 100	< 0.5	< 0.5	< 0.5	<1	4.5	< 0.5	< 10
WCW-7	12-Jul-11	---	< 50	< 100	< 0.5	< 0.5	< 0.5	<1	21	1.2	< 10
WCW-13	11-Jul-11	---	< 50	< 100	< 0.5	< 0.5	< 0.5	<1	< 0.5	< 0.5	< 10

Notes:

¹TPHjp5 = total extractable petroleum hydrocarbons quantified using a jet propellant 5 standard.²TPHg = total extractable petroleum hydrocarbons quantified using a gasoline standard.³TPHfp = total extractable petroleum hydrocarbons quantified using a site fuel product standard.⁴Xylenes = total of m,p-xylene and o-xylene when detected.⁵1,2-DCA = 1,2-Dichloroethane.⁶MTBE = Methyl tert-butyl ether.⁷<100 = compound not detected at or above the indicated reporting limit.⁸DUP = duplicate.

TABLE 5

SUMMARY OF MISCELLANEOUS COMPOUNDS DETECTED IN GROUNDWATER SAMPLES
July 2011 SENTRY EVENT

Defense Fuel Support Point, Norwalk
Norwalk, California

Results reported in micrograms per liter (µg/L)

Well	Sample Date	1,1-Dichloroethane	1,2,4-Trimethylbenzene	1,3,5-Trimethylbenzene	Acetone	Diisopropyl Ether (DIPE)	Isopropylbenzene	Methylene Chloride	Naphthalene	n-Butylbenzene	n-Propylbenzene	sec-Butylbenzene	tert-Butylbenzene
GMW-36	29-Jul-11	< 10 ¹	200	83	< 200	< 10	< 10	---	74	< 10	< 10	< 10	< 10
GMW-47	12-Jul-11	0.36 J	< 1.0	< 1.0	< 20	< 2.0	18	< 5.0	< 10	< 1.0	0.53 J	2.4	0.76 J
GMW-57	11-Jul-11	0.52 J	< 1.0	< 1.0	6.7 J	< 2.0	4	< 5.0	< 10	< 1.0	1 J	< 1.0	< 1.0
GMW-58	11-Jul-11	0.52 J	< 1.0	< 1.0	< 20	< 2.0	3.2	< 5.0	< 10	< 1.0	0.88 J	0.35 J	< 1.0
GMW-58 DUP ³	11-Jul-11	0.52 J	< 1.0	< 1.0	< 20	< 2.0	3.6	< 5.0	< 10	< 1.0	0.98 J	0.38 J	< 1.0
GMW-59	12-Jul-11	< 1.0	< 1.0	< 1.0	6.8 J	< 2.0	27	< 5.0	4.3 J	1.2	19	3.4	0.76 J
GMW-59 DUP	12-Jul-11	< 1.0	< 1.0	< 1.0	< 20	< 2.0	27	< 5.0	3.9 J	1.2	19	3.4	0.76 J
GMW-60	12-Jul-11	< 1.0	< 1.0	< 1.0	< 20	< 2.0	83	< 5.0	150	3.7	85	10	1.5
GMW-61	12-Jul-11	< 1.0	< 1.0	< 1.0	< 20	< 2.0	15	< 5.0	< 10	< 1.0	1	3.2	0.56 J
GMW-O-14	12-Jul-11	< 50	280	< 50	< 1000	< 50	< 50	---	< 200	< 50	< 50	< 50	< 50
GMW-O-14 DUP	12-Jul-11	< 50	270	< 50	< 1000	< 50	< 50	---	< 200	< 50	< 50	< 50	< 50
GMW-O-15	12-Jul-11	< 2	29	9.9	< 40	< 2	< 2	---	12	< 2	2.4	< 2	3.6
MW-22 MID	11-Jul-11	< 1.0	< 1.0	< 1.0	< 20	0.48 J	< 1.0	< 5.0	< 10	< 1.0	< 1.0	< 1.0	< 1.0
MW-SF-4	12-Jul-11	< 50	250	< 50	< 1000	< 50	< 50	---	< 200	< 50	56	< 50	< 50
PZ-5	12-Jul-11	< 20	29	< 20	< 400	< 20	< 20	---	< 80	< 20	< 20	< 20	< 20
PZ-5 DUP	12-Jul-11	< 20	25	< 20	< 400	< 20	< 20	---	< 80	< 20	< 20	< 20	< 20
TB-1	11-Jul-11	< 1	< 1	< 1	< 10	< 1	< 1	---	< 10	< 1	< 1	< 1	< 1
TB-1	11-Jul-11	< 1.0	< 1.0	< 1.0	< 20	< 2.0	< 1.0	2.1 J	< 10	< 1.0	< 1.0	< 1.0	< 1.0
TB-1	29-Jul-11	< 1	< 1	< 1	< 10	< 1	< 1	---	< 10	< 1	< 1	< 1	< 1
TB-2	12-Jul-11	< 1.0	< 1.0	< 1.0	< 20	< 2.0	< 1.0	2.2 J	< 10	< 1.0	< 1.0	< 1.0	< 1.0
WCW-7	12-Jul-11	< 1	< 1	< 1	< 10	2.6	< 1	---	< 10	< 1	< 1	< 1	< 1

1. < 10 = compound not detected at or above the indicated reporting limit.
2. --- = compound not analyzed.
3. DUP = duplicate.

TABLE 6

SUMMARY OF GROUNDWATER ANALYTICAL DATA
SECOND SEMIANNUAL 2011 EVENT

Defense Fuel Support Point, Norwalk
Norwalk, California

Results reported in micrograms per liter (µg/L)

Well	Sample Date	TPHj ⁵	TPHg ²	TPHf ³	Benzene	Toluene	Ethylbenzene	Xylenes ⁴	1,2-DCA ⁵	MTBE ⁶	TBA ⁷
EXP-1	10-Oct-11	--- ⁸	< 50	< 100	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 10
EXP-1	10-Oct-11	< 100 ⁹	< 100	---	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 10
EXP-2	10-Oct-11	---	< 50	< 100	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 10
EXP-2	10-Oct-11	< 100	< 100	---	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 10
EXP-3	10-Oct-11	---	< 50	140	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 10
EXP-3	10-Oct-11	< 100	< 100	---	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	8.7 J ¹⁰
EXP-5	10-Oct-11	---	< 50	< 100	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 10
GMW-1	12-Oct-11	---	230	1700	< 1	< 1	< 1	< 1	< 2	< 1	< 20
GMW-1 DUP ¹¹	12-Oct-11	---	250	1700	< 1	< 1	< 1	< 1	< 2	< 1	< 20
GMW-3	11-Oct-11	---	< 50	< 100	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 10
GMW-4	12-Oct-11	---	1200	4200	62	< 1	1.4	< 1	< 2	3.8	< 20
GMW-6	10-Oct-11	290	---	---	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	1.8	220
GMW-9	13-Oct-11	---	61000	7600	18000	6500	760	3400	< 200	2100	< 2000
GMW-10	14-Oct-11	---	3700	11000	580	3.3	75	7.8	< 5	< 2.5	590
GMW-12	10-Oct-11	< 100	---	---	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 10
GMW-13	11-Oct-11	---	< 50	< 100	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 10
GMW-14	12-Oct-11	---	58	600	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 10
GMW-15	10-Oct-11	170	---	---	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 10
GMW-16	10-Oct-11	< 100	---	---	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 10
GMW-17	10-Oct-11	1100	< 1100	---	50	< 0.77	28	6.47 J	< 0.50	< 0.50	< 10
GMW-17 DUP	10-Oct-11	1200	---	---	51	< 0.78	28	6.45 J	< 0.50	< 0.50	< 10
GMW-19	10-Oct-11	< 100	---	---	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 10
GMW-22	14-Oct-11	---	28000	9000	13000	< 100	470	200	< 200	130	< 2000
GMW-24	13-Oct-11	---	58000	17000	23000	2400	890	2600	< 200	490	< 2000
GMW-25	13-Oct-11	---	20000	31000	9700	< 100	220	< 100	< 200	< 100	< 2000
GMW-27	12-Oct-11	---	< 50	< 100	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	0.99	300
GMW-31	10-Oct-11	< 100	---	---	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 10
GMW-32	12-Oct-11	< 100	---	---	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 10
GMW-36	13-Oct-11	---	22000	160000	610	490	430	2200	< 20	250	3700
GMW-37	11-Oct-11	---	< 50	< 100	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 10
GMW-38	12-Oct-11	---	< 50	< 100	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 10
GMW-39	11-Oct-11	---	< 50	< 100	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	96
GMW-39 DUP	11-Oct-11	---	< 50	210	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	97
GMW-41	11-Oct-11	< 100	---	---	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 10
GMW-43	11-Oct-11	< 100	---	---	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 10
GMW-44	11-Oct-11	< 100	---	---	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 10
GMW-45	11-Oct-11	1600	---	---	43	< 0.50	1.8	0.29 J	< 0.50	< 0.50	41
GMW-47	11-Oct-11	3900	---	---	0.55	< 0.50	0.99	0.32 J	< 0.50	6.1	46
GMW-57	11-Oct-11	< 100	---	---	1.6	< 0.50	< 0.50	0.48 J	< 0.50	< 0.50	< 10
GMW-58	11-Oct-11	350	---	---	27	< 0.50	< 0.50	< 0.50	< 0.50	0.65	< 10
GMW-59	11-Oct-11	2500	< 1800	---	130	< 0.50	0.78	< 0.50	< 0.50	2.1	13 J
GMW-59 DUP	11-Oct-11	2400	---	---	120	< 0.50	0.8	< 0.50	< 0.50	2.1	25 J
GMW-60	11-Oct-11	1500	2300	---	510	< 0.50	9.1	0.38 J	< 0.50	< 0.50	< 10
GMW-61	11-Oct-11	< 100	140	---	< 0.50	< 0.7	< 0.50	< 0.50	< 0.50	< 0.50	< 10
GMW-61 DUP	11-Oct-11	< 100	---	---	< 0.50	< 0.75	< 0.50	< 0.50	< 0.50	< 0.50	< 10
GMW-63	12-Oct-11	< 100	---	---	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 10
GMW-64	12-Oct-11	< 100	---	---	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 10
GMW-65	12-Oct-11	< 100	---	---	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 10
GMW-66	12-Oct-11	< 100	---	---	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 10
GMW-O-1	10-Oct-11	---	< 50	< 100	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 10
GMW-O-2	10-Oct-11	---	< 50	140	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 10
GMW-O-3	10-Oct-11	---	< 50	< 100	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 10
GMW-O-4	11-Oct-11	---	< 50	< 100	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 10
GMW-O-4 MID	11-Oct-11	---	< 50	< 100	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 10

TABLE 6

**SUMMARY OF GROUNDWATER ANALYTICAL DATA
SECOND SEMIANNUAL 2011 EVENT**

Defense Fuel Support Point, Norwalk
Norwalk, California

Results reported in micrograms per liter (µg/L)

Well	Sample Date	TPH _{jp} ¹	TPHg ²	TPH _f ³	Benzene	Toluene	Ethyl-benzene	Xylenes ⁴	1,2-DCA ⁵	MTBE ⁶	TBA ⁷
GMW-O-5	11-Oct-11	---	< 50	< 100	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 10
GMW-O-8	11-Oct-11	---	< 50	< 100	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 10
GMW-O-9	11-Oct-11	---	< 50	< 100	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 10
GMW-O-10	13-Oct-11	---	< 50	< 100	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 10
GMW-O-12	13-Oct-11	---	20000	390000	11000	< 100	< 100	< 100	< 200	< 100	< 2000
GMW-O-14	12-Oct-11	---	16000	3400	4000	55	< 25	2500	< 50	< 25	< 500
GMW-O-14 DUP	12-Oct-11	---	14000	3000	3600	52	< 25	2300	< 50	< 25	< 500
GMW-O-15	13-Oct-11	---	3900	1600	530	290	73	460	< 10	220	3200
GMW-O-16	11-Oct-11	---	< 50	< 100	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	1.1	< 10
GMW-O-18	14-Oct-11	---	6000	36000	190	13	36	100	< 20	1600	6600
GMW-O-18 DUP	14-Oct-11	---	7100	49000	190	13	40	110	< 5	1500	6400
GMW-O-19	11-Oct-11	---	< 50	110	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 10
GMW-O-20	13-Oct-11	---	34000	2000000	6300	460	240	850	< 100	< 50	< 1000
GMW-O-21	14-Oct-11	---	31000	6400	8300	4100	290	2400	< 100	51	< 1000
GMW-O-23	13-Oct-11	---	65000	7200	16000	11000	540	3800	< 200	1500	< 2000
GMW-SF-7	11-Oct-11	---	< 50	< 100	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 10
GMW-SF-8	11-Oct-11	---	< 50	< 100	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 10
GMW-SF-9	11-Oct-11	---	< 50	< 100	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	40
GMW-SF-9	12-Oct-11	---	< 100	1300	1.5	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 10
GMW-SF-10	12-Oct-11	---	< 50	< 100	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 10
GMW-SF-10 DUP	12-Oct-11	---	< 50	< 100	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 10
GW-6	12-Oct-11	< 100	---	---	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	0.51	< 10
GWR-3	13-Oct-11	---	20000	6600	9100	< 100	< 100	< 100	< 200	280	< 2000
HL-2	11-Oct-11	---	< 50	< 100	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 10
MW-6	11-Oct-11	---	< 50	< 100	< 0.5	< 0.5	< 0.5	< 0.5	1.2	1	< 10
MW-7	11-Oct-11	---	< 50	< 100	< 0.5	< 0.5	< 0.5	< 0.5	0.99	< 0.5	25
MW-8	11-Oct-11	---	< 50	< 100	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	970
MW-9	12-Oct-11	---	1200	8700	17	< 2.5	< 2.5	< 2.5	< 5	< 2.5	< 50
MW-12	11-Oct-11	---	< 50	< 100	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 10
MW-13	12-Oct-11	< 100	---	---	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 10
MW-14	12-Oct-11	< 100	---	---	< 0.50	< 0.50	< 0.50	< 0.50	2.1	2.7	< 10
MW-15	12-Oct-11	---	590	66000	< 1	< 1	< 1	< 1	< 2	< 1	< 20
MW-16	12-Oct-11	< 100	---	---	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 10
MW-17	13-Oct-11	< 100	---	---	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 10
MW-18 MID	12-Oct-11	---	1200	720	460	< 2.5	< 2.5	3.2	< 5	4.6	82
MW-19 MID	11-Oct-11	---	< 50	130	< 0.5	< 0.5	< 0.5	< 0.5	3.2	0.67	110
MW-20 MID	11-Oct-11	---	< 50	170	< 0.5	< 0.5	< 0.5	< 0.5	13	17	38
MW-22 MID	13-Oct-11	120	---	---	0.39 J	0.38 J	< 0.50	< 0.50	4.6	6.3	7.2 J
MW-23 MID	13-Oct-11	1900	---	---	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	10	14
MW-24	13-Oct-11	< 100	---	---	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 10
MW-25	13-Oct-11	< 100	---	---	< 0.50	< 0.50	< 0.50	< 0.50	1.4	0.31 J	< 10
MW-26	13-Oct-11	< 100	---	---	1.4	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 10
MW-27	13-Oct-11	180	---	---	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 10
MW-O-1	14-Oct-11	---	15000	22000	580	240	580	1800	< 20	< 10	< 200
MW-SF-1	12-Oct-11	---	9500	9800	4500	32	71	37	< 50	180	< 500
MW-SF-2	13-Oct-11	---	72000	18000	18000	9600	660	5100	< 200	940	< 2000
MW-SF-3	14-Oct-11	---	9500	3400	4300	< 25	28	38	< 50	98	< 500
MW-SF-5	13-Oct-11	---	< 500	2900	6.9	< 2.5	< 2.5	< 2.5	< 5	240	100
MW-SF-6	13-Oct-11	---	40000	11000	14000	420	780	3600	< 200	570	< 2000
MW-SF-6 DUP	13-Oct-11	---	39000	14000	14000	390	770	3500	< 200	560	< 2000
MW-SF-10	13-Oct-11	---	18000	46000	320	320	260	2900	< 20	< 10	< 200
MW-SF-11	13-Oct-11	---	30000	2300	14000	250	340	600	< 200	< 100	< 2000
MW-SF-12	13-Oct-11	---	110000	11000	24000	18000	1000	6400	< 200	7200	< 2000
MW-SF-12 DUP	13-Oct-11	---	120000	13000	25000	20000	1300	7900	< 200	7100	< 2000

TABLE 6

SUMMARY OF GROUNDWATER ANALYTICAL DATA
SECOND SEMIANNUAL 2011 EVENT

Defense Fuel Support Point, Norwalk
Norwalk, California

Results reported in micrograms per liter (µg/L)

Well	Sample Date	TPHjp ⁵	TPHg ²	TPHfp ³	Benzene	Toluene	Ethyl-benzene	Xylenes ⁴	1,2-DCA ⁵	MTBE ⁶	TBA ⁷
MW-SF-13	14-Oct-11	---	42000	13000	12000	5200	300	2200	< 200	580	< 2000
MW-SF-14	13-Oct-11	---	20000	6900	9100	120	< 100	660	< 200	760	< 2000
MW-SF-15	14-Oct-11	---	35000	39000	11000	860	210	1700	< 200	780	2300
MW-SF-15 DUP	14-Oct-11	---	52000	32000	10000	2300	380	4500	< 200	840	< 2000
MW-SF-16	14-Oct-11	---	7900	2500	2900	130	140	380	< 50	200	< 500
PW-1	11-Oct-11	---	< 50	< 100	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 10
PW-3	11-Oct-11	---	< 50	< 100	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 10
PZ-3	14-Oct-11	< 100	---	---	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 10
PZ-5	14-Oct-11	---	4600	1500	1500	31	130	190	< 10	170	58000
PZ-5 DUP	14-Oct-11	---	4600	1500	1400	32	130	200	< 10	170	65000
WCW-2	13-Oct-11	< 100	---	---	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 10
WCW-3	11-Oct-11	---	< 50	< 100	< 0.5	< 0.5	< 0.5	< 0.5	3.4	< 0.5	< 10
WCW-4	14-Oct-11	< 100	---	---	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	0.62	< 10
WCW-5	14-Oct-11	< 100	---	---	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 10
WCW-5 DUP	14-Oct-11	< 100	---	---	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 10
WCW-6	13-Oct-11	< 100	---	---	< 0.50	< 0.50	< 0.50	< 0.50	0.28 J	< 0.50	< 10
WCW-7	12-Oct-11	---	< 500	120	< 0.5	< 0.5	< 0.5	< 0.5	21	1	< 10
WCW-8	14-Oct-11	170	---	---	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	0.92	< 10
WCW-12	14-Oct-11	< 100	---	---	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 10
WCW-13	11-Oct-11	---	< 50	< 100	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 10
WCW-14	14-Oct-11	< 100	---	---	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 10

Notes:

1. TPHjp⁵ = total petroleum hydrocarbons quantified using a jet propellant 5 standard.
2. TPHg = total petroleum hydrocarbons quantified using a gasoline standard.
3. TPHfp = total petroleum hydrocarbons quantified using a site fuel product standard.
4. Xylenes = total of m,p-xylene and o-xylene when detected.
5. 1,2-DCA = 1,2-dichloroethane.
6. MTBE = methyl tertiary-butyl ether.
7. TBA = tert-butyl alcohol.
8. --- = compound not analyzed.
9. < 100 = not detected at or above the reporting limit shown.
10. J = Estimated value
11. DUP = duplicate.

TABLE 7

**SUMMARY OF MISCELLANEOUS COMPOUNDS IN GROUNDWATER
OCTOBER 2011 SEMIANNUAL EVENT**

Defense Fuel Support Point, Norwalk
Norwalk, California

Results reported in micrograms per liter (µg/L)

Well	Sample Date	Sample By	1,1-Dichloroethane	1,2,4-Trimethylbenzene	1,3,5-Trimethylbenzene	Acetone	c-1,2-Dichloroethene	Carbon disulfide	Chloroform	Diisopropyl Ether (DIPE)	Isopropylbenzene	Methylene Chloride	Naphthalene	n-Butylbenzene	n-Propylbenzene	p-Isopropyltoluene	sec-Butylbenzene	Tert-Amyl-Methyl Ether (TAME)	tert-Butylbenzene	Trichloroethene
GMW-1	12-Oct-11	CH2MHill	< 2 ¹	< 2	< 2	< 40	---	< 10	< 2	< 2	2.4	---	< 10	< 2	< 2	---	< 2	< 2	< 2	< 2
GMW-1 DUP ³	12-Oct-11	CH2MHill	< 2	< 2	< 2	< 40	---	< 10	< 2	< 2	2.4	---	< 10	< 2	< 2	---	< 2	< 2	< 2	< 2
GMW-4	12-Oct-11	CH2MHill	< 2	< 2	< 2	< 40	---	< 10	< 2	< 2	24	---	26	< 2	15	---	5.1	< 2	< 2	< 2
GMW-6	10-Oct-11	Parsons	0.73 J ⁴	< 1.0	< 1.0	< 20	< 1.0	< 10	< 1.0	< 2.0	< 1.0	< 5.0	< 10	< 1.0	< 1.0	< 1.0	< 1.0	< 2.0	< 1.0	< 1.0
GMW-9	13-Oct-11	CH2MHill	< 200	420	< 200	< 4000	---	< 1000	< 200	< 200	< 200	---	< 800	< 200	< 200	---	< 200	< 200	< 200	< 200
GMW-10	14-Oct-11	CH2MHill	< 5	< 5	< 5	< 100	---	< 25	< 5	< 5	30	---	97	< 5	33	---	6.5	< 5	< 5	< 5
GMW-17	10-Oct-11	Parsons	< 1.0	0.74 J	0.37 J	< 20	< 1.0	< 10	< 1.0	< 2.0	20	< 5.0	25	0.38 J	19	< 1.0	1.5	< 2.0	0.39 J	< 1.0
GMW-17 DUP	10-Oct-11	Parsons	< 1.0	0.79 J	0.39 J	< 20	< 1.0	< 10	< 1.0	< 2.0	20	< 5.0	24	0.36 J	18	< 1.0	1.6	< 2.0	0.4 J	< 1.0
GMW-24	13-Oct-11	CH2MHill	< 200	460	< 200	< 4000	---	< 1000	< 200	< 200	< 200	---	< 800	< 200	< 200	---	< 200	< 200	< 200	< 200
GMW-27	12-Oct-11	CH2MHill	< 1	< 1	< 1	< 10	---	< 2.5	< 1	6	< 1	---	< 10	< 1	< 1	---	< 1	< 1	< 1	< 1
GMW-36	13-Oct-11	CH2MHill	< 20	1000	320	< 400	---	< 100	< 20	< 20	25	---	290	27	100	---	< 20	43	< 20	< 20
GMW-45	11-Oct-11	Parsons	0.47 J	< 1.0	< 1.0	< 20	< 1.0	< 10	< 1.0	< 2.0	87	< 5.0	160	1.8	89	< 1.0	13	< 2.0	1.5	< 1.0
GMW-47	11-Oct-11	Parsons	0.63 J	< 1.0	< 1.0	< 20	< 1.0	< 10	< 1.0	< 2.0	30	< 5.0	2.8 J	0.38 J	1.4	< 1.0	4.4	< 2.0	1.1	< 1.0
GMW-57	11-Oct-11	Parsons	0.36 J	< 1.0	0.32 J	< 20	< 1.0	< 10	< 1.0	< 2.0	3	< 5.0	< 10	< 1.0	0.36 J	< 1.0	< 1.0	< 2.0	< 1.0	< 1.0
GMW-58	11-Oct-11	Parsons	0.5 J	< 1.0	< 1.0	< 20	< 1.0	< 10	< 1.0	< 2.0	2.4	< 5.0	< 10	< 1.0	0.69 J	< 1.0	0.26 J	< 2.0	< 1.0	< 1.0
GMW-59	11-Oct-11	Parsons	< 1.0	< 1.0	< 1.0	< 20	0.77 J	< 10	< 1.0	< 2.0	27	< 5.0	21	1.1	21	< 1.0	3.3	< 2.0	0.78 J	< 1.0
GMW-59 DUP	11-Oct-11	Parsons	< 1.0	< 1.0	< 1.0	< 20	0.75 J	< 10	< 1.0	< 2.0	27	< 5.0	22	1.3	21	< 1.0	3.4	< 2.0	0.78 J	< 1.0
GMW-60	11-Oct-11	Parsons	< 1.0	< 1.0	< 1.0	< 20	< 1.0	0.53 J	< 1.0	< 2.0	89	< 5.0	110	3.3	90	< 1.0	9.4	< 2.0	1.3	< 1.0
GMW-61	11-Oct-11	Parsons	< 1.0	< 1.0	< 1.0	< 20	< 1.0	< 10	< 1.0	< 2.0	1.3	< 5.0	< 10	< 1.0	< 1.0	< 1.0	0.7 J	< 2.0	0.29 J	< 1.0
GMW-61 DUP	11-Oct-11	Parsons	< 1.0	< 1.0	< 1.0	< 20	< 1.0	< 10	< 1.0	< 2.0	1.2	< 5.0	< 10	< 1.0	< 1.0	< 1.0	0.69 J	< 2.0	< 1.0	< 1.0

TABLE 7

**SUMMARY OF MISCELLANEOUS COMPOUNDS IN GROUNDWATER
OCTOBER 2011 SEMIANNUAL EVENT**

Well	Sample Date	Sample By	1,1-Dichloroethane	1,2,4-Trimethylbenzene	1,3,5-Trimethylbenzene	Acetone	c-1,2-Dichloroethene	Carbon disulfide	Chloroform	Diisopropyl Ether (DIPE)	Isopropylbenzene	Methylene Chloride	Naphthalene	n-Butylbenzene	n-Propylbenzene	p-Isopropyltoluene	sec-Butylbenzene	Tert-Amyl-Methyl Ether (TAME)	tert-Butylbenzene	Trichloroethene	
GMW-O-14	12-Oct-11	CH2MHill	< 50	390	66	< 1000	---	< 250	< 50	< 50	< 50	---	< 200	< 50	< 50	---	< 50	< 50	< 50	< 50	
GMW-O-14 DUP	12-Oct-11	CH2MHill	< 50	380	67	< 1000	---	< 250	< 50	< 50	< 50	---	< 200	< 50	< 50	---	< 50	< 50	< 50	< 50	
GMW-O-15	13-Oct-11	CH2MHill	< 10	96	29	< 200	---	< 50	< 10	< 10	< 10	---	< 40	< 10	< 10	---	< 10	< 10	< 10	< 10	
GMW-O-18	14-Oct-11	CH2MHill	< 20	120	82	< 400	---	< 100	< 20	< 20	< 20	---	< 80	< 20	< 20	---	< 20	26	< 20	< 20	
GMW-O-18 DUP	14-Oct-11	CH2MHill	< 5	120	83	< 100	---	< 25	< 5	< 5	< 5	---	52	< 5	8.6	---	< 5	27	< 5	< 5	
GMW-O-20	13-Oct-11	CH2MHill	< 100	370	130	< 2000	---	< 500	< 100	< 100	< 100	---	530	< 100	< 100	---	< 100	< 100	< 100	< 100	
GMW-O-21	14-Oct-11	CH2MHill	< 100	240	< 100	< 2000	---	< 500	< 100	< 100	< 100	---	< 400	< 100	< 100	---	< 100	< 100	< 100	< 100	
GMW-O-23	13-Oct-11	CH2MHill	< 200	340	< 200	< 4000	---	< 1000	< 200	< 200	< 200	---	< 800	< 200	< 200	---	< 200	< 200	< 200	< 200	
GMW-SF-8	11-Oct-11	CH2MHill	< 1	< 1	< 1	< 10	---	< 2.5	2.2	< 1	< 1	---	< 10	< 1	< 1	---	< 1	< 1	< 1	< 1	
MW-7	11-Oct-11	CH2MHill	< 1	< 1	< 1	< 10	---	< 2.5	< 1	1.5	< 1	---	< 10	< 1	< 1	---	< 1	< 1	< 1	< 1	
MW-9	12-Oct-11	CH2MHill	< 5	< 5	< 5	< 100	---	< 25	< 5	< 5	24	---	61	< 5	16	---	< 5	< 5	< 5	< 5	
MW-14	12-Oct-11	Parsons	< 1.0	< 1.0	< 1.0	< 20	< 1.0	< 10	< 1.0	0.83 J	< 1.0	< 5.0	< 10	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 2.0	< 1.0	< 1.0
MW-18 MID	12-Oct-11	CH2MHill	< 5	< 5	< 5	< 100	---	< 25	< 5	9.3	5.2	---	< 20	< 5	5.8	---	< 5	< 5	< 5	< 5	
MW-19 MID	11-Oct-11	CH2MHill	< 1	< 1	< 1	< 10	---	< 2.5	< 1	11	< 1	---	< 10	< 1	< 1	---	< 1	< 1	< 1	< 1	
MW-20 MID	11-Oct-11	CH2MHill	< 1	< 1	< 1	< 10	---	< 2.5	< 1	11	< 1	---	< 10	< 1	< 1	---	< 1	< 1	< 1	< 1	
MW-22 MID	13-Oct-11	Parsons	< 1.0	< 1.0	< 1.0	< 20	< 1.0	< 10	< 1.0	0.37 J	< 1.0	< 5.0	< 10	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 2.0	< 1.0	< 1.0
MW-23 MID	13-Oct-11	Parsons	< 1.0	< 1.0	< 1.0	< 20	< 1.0	< 10	< 1.0	< 2.0	< 1.0	< 5.0	< 10	< 1.0	< 1.0	< 1.0	0.41 J	< 2.0	< 1.0	< 1.0	
MW-26	13-Oct-11	Parsons	< 1.0	< 1.0	< 1.0	< 20	< 1.0	< 10	< 1.0	< 2.0	0.75 J	< 5.0	< 10	< 1.0	0.59 J	< 1.0	< 1.0	< 2.0	< 1.0	< 1.0	
MW-27	13-Oct-11	Parsons	< 1.0	< 1.0	< 1.0	< 20	< 1.0	0.53 J	< 1.0	< 2.0	< 1.0	< 5.0	< 10	0.26 J	< 1.0	0.18 J	0.51 J	< 2.0	0.41 J	< 1.0	
MW-O-1	14-Oct-11	CH2MHill	< 20	650	< 20	< 400	---	< 100	< 20	< 20	< 20	---	150	< 20	39	---	< 20	26	< 20	< 20	
MW-SF-2	13-Oct-11	CH2MHill	< 200	680	230	< 4000	---	< 1000	< 200	< 200	< 200	---	< 800	< 200	< 200	---	< 200	< 200	< 200	< 200	
MW-SF-5	13-Oct-11	CH2MHill	< 5	< 5	< 5	< 100	---	< 25	< 5	11	< 5	---	< 20	< 5	< 5	---	< 5	< 5	< 5	< 5	
MW-SF-6	13-Oct-11	CH2MHill	< 200	470	< 200	< 4000	---	< 1000	< 200	< 200	< 200	---	< 800	< 200	< 200	---	< 200	< 200	< 200	< 200	

TABLE 7

**SUMMARY OF MISCELLANEOUS COMPOUNDS IN GROUNDWATER
OCTOBER 2011 SEMIANNUAL EVENT**

Well	Sample Date	Sample By	1,1-Dichloroethane	1,2,4-Trimethylbenzene	1,3,5-Trimethylbenzene	Acetone	c-1,2-Dichloroethene	Carbon disulfide	Chloroform	Diisopropyl Ether (DIPE)	Isopropylbenzene	Methylene Chloride	Naphthalene	n-Butylbenzene	n-Propylbenzene	p-Isopropyltoluene	sec-Butylbenzene	Tert-Amyl-Methyl Ether (TAME)	tert-Butylbenzene	Trichloroethene
MW-SF-6 DUP	13-Oct-11	CH2MHill	< 200	450	< 200	< 4000	---	< 1000	< 200	< 200	< 200	---	< 800	< 200	< 200	---	< 200	< 200	< 200	< 200
MW-SF-10	13-Oct-11	CH2MHill	< 20	750	300	< 400	---	< 100	< 20	< 20	< 20	---	260	< 20	36	---	< 20	< 20	< 20	< 20
MW-SF-12	13-Oct-11	CH2MHill	< 200	610	< 200	< 4000	---	< 1000	< 200	< 200	< 200	---	< 800	< 200	< 200	---	< 200	< 200	< 200	< 200
MW-SF-12 DUP	13-Oct-11	CH2MHill	< 200	780	220	< 4000	---	< 1000	< 200	< 200	< 200	---	< 800	< 200	< 200	---	< 200	< 200	< 200	< 200
MW-SF-13	14-Oct-11	CH2MHill	< 200	240	< 200	< 4000	---	< 1000	< 200	< 200	< 200	---	< 800	< 200	< 200	---	< 200	< 200	< 200	< 200
MW-SF-15	14-Oct-11	CH2MHill	< 200	490	< 200	< 4000	---	< 1000	< 200	< 200	< 200	---	< 800	< 200	< 200	---	< 200	< 200	< 200	< 200
MW-SF-15 DUP	14-Oct-11	CH2MHill	< 200	1200	360	< 4000	---	< 1000	< 200	< 200	< 200	---	< 800	< 200	< 200	---	< 200	< 200	< 200	< 200
MW-SF-16	14-Oct-11	CH2MHill	< 50	75	< 50	< 1000	---	< 250	< 50	< 50	< 50	---	< 200	< 50	< 50	---	< 50	< 50	< 50	< 50
PW-1	11-Oct-11	CH2MHill	< 1	< 1	< 1	< 10	---	< 2.5	1.8	< 1	< 1	---	< 10	< 1	< 1	---	< 1	< 1	< 1	< 1
PZ-3	14-Oct-11	Parsons	< 1.0	< 1.0	< 1.0	< 20	< 1.0	< 10	< 1.0	< 2.0	< 1.0	0.96 J	< 10	< 1.0	< 1.0	< 1.0	< 1.0	< 2.0	< 1.0	< 1.0
PZ-5	14-Oct-11	CH2MHill	< 10	38	< 10	< 200	---	< 50	< 10	< 10	< 10	---	< 40	< 10	< 10	---	< 10	< 10	< 10	< 10
PZ-5 DUP	14-Oct-11	CH2MHill	< 10	41	< 10	< 200	---	< 50	< 10	< 10	< 10	---	< 40	< 10	< 10	---	< 10	< 10	< 10	< 10
WCW-7	12-Oct-11	CH2MHill	< 1	< 1	< 1	< 10	---	< 2.5	< 1	2.2	< 1	---	< 10	< 1	< 1	---	< 1	< 1	< 1	< 1

1. < 2 = not detected at or above the reporting limit shown.
2. --- = compound not analyzed.
4. DUP = duplicate.
3. J = Estimated value

TABLE 8

SUMMARY OF QUALITY ASSURANCE/QUALITY CONTROL ANALYTICAL DATA
2011 THIRD QUARTER SENTRY AND SECOND SEMIANNUAL EVENTS

Defense Fuel Support Point, Norwalk
Norwalk, California

Results reported in micrograms per liter (µg/L)

Sample ID	Sample Date	Sampled by	TPHg ¹	TPHfp ²	Benzene	Toluene	Ethyl-benzene	Xylenes ³	1,2-DCA ⁴	MTBE ⁵	TBA ⁶
TB-1	22-Jun-11	CH2MHill	---	---	< 0.5 ^B	< 0.5	< 0.5	< 1	< 0.5	< 0.5	< 10
EB-1	22-Jun-11	CH2MHill	< 50	130	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	< 10
TB-1	11-Jul-11	CH2MHill	---	---	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	< 10
TB-1	11-Jul-11	Parsons	---	---	< 0.50	< 0.50	< 0.50	< 1	< 0.50	< 0.50	< 10
EB-1	11-Jul-11	CH2MHill	< 50	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	< 10
TB-2	12-Jul-11	Parsons	---	---	< 0.50	< 0.50	< 0.50	< 1	< 0.50	< 0.50	< 10
EB-2	12-Jul-11	CH2MHill	< 50	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	< 10
TB-1	29-Jul-11	CH2MHill	< 50	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	< 10
TB-1	19-Aug-11	CH2MHill	---	---	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	< 10
EB-1	19-Aug-11	CH2MHill	< 50	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	< 10
TB-1	22-Sep-11	CH2MHill	---	---	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	< 10
EB-1	22-Sep-11	CH2MHill	< 50	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	< 10
TB-1	10-Oct-11	CH2MHill	---	---	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	< 10
TB-01	10-Oct-11	Parsons	---	---	< 0.50	< 0.50	< 0.50	< 1	< 0.50	< 0.50	< 10
EB-1	10-Oct-11	CH2MHill	< 50	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	< 10
TB-2	11-Oct-11	CH2MHill	---	---	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	< 10
TB-02	11-Oct-11	Parsons	---	---	< 0.50	< 0.50	< 0.50	< 1	< 0.50	< 0.50	< 10
EB-2	11-Oct-11	CH2MHill	< 50	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	< 10
EB-3	11-Oct-11	CH2MHill	< 50	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	< 10
TB-3	12-Oct-11	CH2MHill	---	---	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	< 10
TB-03	12-Oct-11	Parsons	---	---	< 0.50	< 0.50	< 0.50	< 1	< 0.50	< 0.50	< 10
EB-4	12-Oct-11	CH2MHill	< 50	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	< 10
EB-5	12-Oct-11	CH2MHill	< 50	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	< 10
TB-4	13-Oct-11	CH2MHill	---	---	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	< 10
TB-04	13-Oct-11	Parsons	---	---	< 0.50	< 0.50	< 0.50	< 1	< 0.50	< 0.50	< 10
EB-6	13-Oct-11	CH2MHill	< 50	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	< 10
EB-7	13-Oct-11	CH2MHill	< 50	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	< 10
TB-5	14-Oct-11	CH2MHill	---	---	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	< 10
TB-05	14-Oct-11	Parsons	---	---	< 0.50	< 0.50	< 0.50	< 1	< 0.50	< 0.50	< 10
EB-7	14-Oct-11	CH2MHill	< 50	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	< 10
EB-8	14-Oct-11	CH2MHill	< 50	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	< 10

Notes:

- ¹ TPHg = total petroleum hydrocarbons quantified using a gasoline standard.
- ² TPHfp = total petroleum hydrocarbons quantified using a site fuel product standard.
- ³ Xylenes = total of m,p-xylene and o-xylene when detected.
- ⁴ 1,2-DCA = 1,2-dichloroethane.
- ⁵ MTBE = methyl tertiary-butyl ether.
- ⁶ TBA = Tert-butyl Alcohol
- ⁷ --- = not analyzed.
- ⁸ < 0.5 = not detected at or above the reporting limit shown.

TABLE 9

**HISTORICAL ANALYTICAL RESULTS FOR TPH, BTEX, 1,2-DCA, AND MTBE IN GROUNDWATER
NOVEMBER 1996 THROUGH OCTOBER 2011**

Well	Date Sampled	Sampled By	TPH as JP-5 ¹	TPH as Gasoline	TPH as Diesel	TPH as JP-4 ²	TPH as FP ³	Benzene	Toulene	Ethylbenzene	Total Xylenes	1,2-DCA ⁴	MTBE ⁵	TBA ⁶
GMW-1	11/6/01	Secor	---	11000	---	---	18000	2900	35	1300	280	<0.5	27	---
GMW-1	4/10/02	Secor	---	7600	---	---	13000	2000	26	740	295	<10	18	---
GMW-1	10/23/02	Secor	---	830	---	---	8400	1300	<5	330	111	<5	17	---
GMW-1	3/11/03	Geomatrix	---	340	---	---	390	130	<0.5	30	6.05	<0.5	0.68	---
GMW-1	4/8/03	Secor	---	4500	---	---	2100	2200	<10	240	142	<20	25	---
GMW-1	8/1/03	Secor	---	4000	---	---	2100	1600	11	360	172	<20	14	---
GMW-1	10/6/03	Secor	---	7400	---	---	2500	2200	12	520	196	<20	13	---
GMW-1	1/27/04	Secor	---	4400	---	---	2200	1500	5.7	180	200	<10	12	---
GMW-1	4/22/04	Secor	---	9100	---	---	5200	3200	<20	270	160	<40	<20	---
GMW-1	7/19/04	Secor	---	6000	---	---	1800	2100	<10	90	70	<20	20	---
GMW-1	11/3/04	Secor	---	7900	---	---	3700	3500	<10	88	35	<20	18	---
GMW-1	2/2/05	Secor	---	2100	---	---	1500	1100	<5	18	29	<10	12	---
GMW-1	5/6/05	Secor	---	<200	---	---	320	1.2	<1	<1	<1	<2	<1	---
GMW-1	11/2/05	SECOR	---	<500	---	---	1400	<2.5	<2.5	<2.5	<5	<5	<2.5	---
GMW-1	2/27/06	SECOR	---	<1000	---	---	1600 *	<5	<5	<5	<10	<10	<5	---
GMW-1	5/4/06	SECOR	---	<500	---	---	1600 *	4	<2.5	<2.5	<5	<5	<2.5	---
GMW-1	9/18/06	SECOR	---	<500	---	---	1300 *	<2.5	<2.5	<2.5	<5	<5	<2.5	---
GMW-1	12/6/06	SECOR	---	<500	---	---	4500 *	<2.5	<2.5	<2.5	<5	<5	<2.5	---
GMW-1 DUP	12/6/06	SECOR	---	<500	---	---	3200 *	<2.5	<2.5	<2.5	<5	<5	<2.5	---
GMW-1	3/13/07	SECOR	---	<1000	---	---	2000	<5	<5	<5	<10	<10	<5	---
GMW-1 DUP	3/13/07	SECOR	---	<1000	---	---	2900	<5	<5	<5	<10	<10	<5	---
GMW-1	5/4/07	SECOR	---	<50	---	---	1500	<0.5	<0.5	<0.5	<1	<0.5	<0.5	---
GMW-1 DUP	5/4/07	SECOR	---	<100	---	---	1700	<0.5	<0.5	<0.5	<1	<1	<0.5	---
GMW-1 DUP	8/29/07	SECOR	---	560	---	---	910	<0.5	<0.5	<0.5	<1	<0.5	<0.5	---
GMW-1	8/30/07	SECOR	---	520	---	---	910	<1.5	<1.5	<1.5	<3	<3	<1.5	---
GMW-1	11/14/07	SECOR	---	140	---	---	430	<0.5	<0.5	<0.5	<1	<0.5	<0.5	---
GMW-1 DUP	11/14/07	SECOR	---	230	---	---	450	<0.5	<0.5	<0.5	<1	<0.5	<0.5	---
GMW-1	2/21/08	SECOR	---	<200	---	---	690	41	<1	4.9	4.8	<2	<1	---
GMW-1	4/16/08	SECOR	---	<200	---	---	1200	14	<1	<1	<2	<2	<1	---
GMW-1 DUP	4/16/08	SECOR	---	<200	---	---	1200	14	<1	<1	<2	<2	<1	---
GMW-1	10/17/08	SECOR	---	1600	---	---	2900	52	1.6	58	250	<2	<1	---
GMW-1 DUP	10/17/08	SECOR	---	1400	---	---	3000	49	1.5	51	221	<2	<1	---
GMW-1	4/20/09	Blaine Tech	---	600	---	---	2400	63	1.2	25	15.7	<2	<1	<20
GMW-1 DUP	4/20/09	Blaine Tech	---	730	---	---	2500	72	1.4	39	21	<2	<1	23
GMW-1	10/22/09	Blaine Tech	---	330	---	---	1900	1.5	<1	<1	<2	<2	<1	<20
GMW-1 DUP	10/22/09	Blaine Tech	---	340	---	---	2000	2.1	<1	<1	<2	<2	<1	<20
GMW-1	5/27/10	CH2MHill	---	900	---	---	1900	55	4.9	46	2.2	<2	<1	<20
GMW-1 DUP	5/27/10	CH2MHill	---	880	---	---	2000	54	5	44	2.2	<2	<1	<20
GMW-1	10/7/10	CH2MHill	---	400	---	---	1700	<1	<1	<1	<2	<2	<1	<20
GMW-1 DUP	10/7/10	CH2MHill	---	490	---	---	1800	1.1	<1	<1	<2	<2	<1	<20
GMW-1	4/14/11	CH2MHill	---	230	---	---	1500	<1	<1	<1	<2	<2	<1	<20
GMW-1 DUP	4/14/11	CH2MHill	---	210	---	---	1600	<1	<1	<1	<2	<2	<1	<20
GMW-1	10/12/11	CH2MHill	---	230	---	---	1700	<1	<1	<1	<2	<2	<1	<20
GMW-1 DUP	10/12/11	CH2MHill	---	250	---	---	1700	<1	<1	<1	<2	<2	<1	<20
GMW-10	10/8/10	CH2MHill	---	4800	---	---	36000	360	<2.5	87	14	<5	<2.5	120
GMW-10	4/14/11	CH2MHill	---	5700	---	---	31000	370	2	93	7.9	<3	<1.5	100
GMW-10 DUP	4/14/11	CH2MHill	---	4500	---	---	32000	350	2	93	8	<3	<1.5	110
GMW-10	10/14/11	CH2MHill	---	3700	---	---	11000	580	3.3	75	7.8	<5	<2.5	590
GMW-11	11/21/96	Terra Services	---	---	---	---	---	<0.5	<0.5	<0.5	<1.5	<0.5	<5	---
GMW-11	7/10/97	Terra Services	---	220	2500	---	---	<0.5	4	0.9	<0.5	<0.5	<5	---
GMW-11 DUP	7/10/97	Terra Services	---	---	---	---	---	<0.5	2.1	0.93	<1	<0.5	<5	---
GMW-11	1/7/98	Terra Services	---	4000	220000	---	---	<0.5	<0.5	<0.5	1.6	<0.5	<5	---
GMW-11	5/20/98	Terra Services	---	42400	---	---	---	<0.3	<0.3	<25	<50	<2.5	<0.5	---
GMW-11	11/17/98	Alton Geoscience	---	6230	---	---	146000	<5	6	<5	11	<5	24	---
GMW-11	5/7/99	Alton Geoscience	---	1900	1900	---	---	0.61	2.1	<0.5	0.62	<1	<0.5	---
GMW-11	11/16/99	Secor	---	1200	---	---	25000	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
GMW-11	5/19/00	Secor	---	790	---	---	1900	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
GMW-11	11/30/00	Secor	---	1600	---	---	4100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
GMW-11	5/10/01	Secor	---	<300	---	---	670	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
GMW-11	11/7/01	IT Corporation	---	<300	---	---	560	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
GMW-11	4/11/02	Secor	---	<300	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
GMW-12	11/27/96	GSI	---	99	<500	<500	---	<0.5	<0.5	<0.5	<1	<0.5	<1	---
GMW-12	7/10/97	Groundwater Technology Inc.	---	110	8600	<7500	---	<5	<5	<5	<5	<5	<5	---
GMW-12	1/6/98	Groundwater Technology Inc.	---	<500	1000	<100	---	<0.5	1.6	<0.5	<1	<0.5	<0.5	---
GMW-12	5/21/98	BBC	---	<300	---	---	---	<0.3	<0.3	<0.5	<1	<0.5	<0.5	---
GMW-12	11/5/98	Groundwater Technology Inc.	---	<300	---	---	433	4.5	<0.5	3	1.7	<0.5	<0.5	---

TABLE 9

**HISTORICAL ANALYTICAL RESULTS FOR TPH, BTEX, 1,2-DCA, AND MTBE IN GROUNDWATER
NOVEMBER 1996 THROUGH OCTOBER 2011**

Well	Date Sampled	Sampled By	TPH as JP-5 ¹	TPH as Gasoline	TPH as Diesel	TPH as JP-4 ²	TPH as FP ³	Benzene	Toulene	Ethylbenzene	Total Xylenes	1,2-DCA ⁴	MTBE ⁵	TBA ⁶
GMW-16	11/29/00	IT Corporation	---	<300	---	---	140	0.64	1.2	0.85	3.2	---	<5	---
GMW-16	5/10/01	IT Corporation	---	<300	---	---	<100	<0.3	<0.3	<0.3	<0.6	---	<5	---
GMW-16	11/7/01	IT Corporation	---	<300	---	---	<100	<0.3	<0.3	<0.3	<0.6	---	9.1	---
GMW-16	4/10/02	IT Corporation	---	<300	---	---	<100	<0.3	<0.3	<0.3	<0.6	---	<5	---
GMW-16	10/23/02	Groundwater Technology Inc	---	<300	---	---	110	<0.3	<0.3	<0.3	<0.3	---	<5	---
GMW-16	4/11/03	Groundwater Technology Inc	---	---	---	---	<100	<1	<1	<1	<2	---	<3	---
GMW-16	10/8/03	Parsons	---	---	---	---	310	<0.3	<0.3	<0.3	<0.3	---	<5	---
GMW-16	4/22/04	Parsons	---	---	---	---	<100	<0.3	<0.3	<0.3	<0.3	---	<5	---
GMW-16	11/6/04	Parsons	---	---	---	---	<100	<0.3	<0.3	<0.3	0.59	---	<5	---
GMW-16	5/6/05	Parsons	---	---	---	---	<100	<0.3	0.58	<0.3	<0.3	---	<5	---
GMW-16	11/8/05	PARSONS	---	---	---	---	<100	<0.3	0.48	<0.3	<0.3	---	<5	---
GMW-16 DUP	11/8/05	PARSONS	---	---	---	---	100	<0.3	0.42	<0.3	<0.3	---	<5	---
GMW-16	5/3/06	PARSONS	---	---	---	---	100	<0.3	<0.3	<0.3	<0.3	---	<5	---
GMW-16	12/6/06	PARSONS	---	---	---	---	<100	<0.50	<0.50	<0.50	<1.0	---	<5.0	---
GMW-16	5/2/07	PARSONS	---	---	---	---	<100	<0.50	<0.50	<0.50	<1.0	---	<5.0	---
GMW-16	11/14/07	PARSONS	---	---	---	---	<100	<0.5	<0.5	<0.5	<1	---	<5	---
GMW-16	4/16/08	PARSONS	---	---	---	---	<100	<0.50	<0.50	<0.50	<1.0	---	<5.0	---
GMW-16	10/15/08	PARSONS	<100	---	---	---	---	<0.50	<0.50	<0.50	<1	<0.50	<0.50	<10
GMW-16	4/21/09	PARSONS	<100	---	---	---	---	<0.50	<0.50	<0.50	<1	---	<0.50	---
GMW-16	10/20/09	PARSONS	<100	---	---	---	---	<0.5	<0.5	<0.5	<1	<0.5	<0.5	<10
GMW-16	4/12/10	PARSONS	110 J	---	---	---	---	<0.5	<0.5	<0.5	<1	---	<0.5	<10
GMW-16	10/5/10	PARSONS	100	---	---	---	---	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	<10
GMW-16	10/10/11	PARSONS	<100	---	---	---	---	<0.50	<0.50	<0.50	<1	<0.50	<0.50	<10
GMW-17	5/10/01	IT Corporation	---	6800	---	---	1500000	52	25	<15	330	---	<250	---
GMW-17	10/24/02	Groundwater Technology Inc	---	49000	---	---	170000	91	<30	<30	160	---	<500	---
GMW-17	4/14/03	Groundwater Technology Inc	---	---	---	---	10100	572	5.55	75.1	367	---	<15	---
GMW-17	10/10/03	Parsons	---	---	---	---	8700	240	1.5	9.5	41	---	<10	---
GMW-17	4/22/04	Parsons	---	---	---	---	2400	540	4.6	24	190	---	63	---
GMW-17	11/6/04	Parsons	---	---	---	---	3000	110	<0.3	2.1	6.1	---	19	---
GMW-17	5/10/05	Parsons	---	---	---	---	760	7.9	3.6	<1.5	2.6	---	<25	---
GMW-17 DUP	5/10/05	Parsons	---	---	---	---	800	---	---	---	---	---	---	---
GMW-17	11/8/05	PARSONS	---	---	---	---	290	3.7	<0.3	0.37	1.9	---	7	---
GMW-17	5/5/06	PARSONS	---	---	---	---	1200	3.7	2.2	1.6	4.5	---	<5	---
GMW-17	12/5/06	PARSONS	---	---	---	---	<100	<0.50	<0.50	<0.50	<1	<0.50	<0.50	---
GMW-17	12/8/06	PARSONS	---	---	---	---	1400	34	<0.50	1.9	30	---	<5.0	---
GMW-17	5/3/07	PARSONS	---	---	---	---	12000	9.1	<0.50	0.92	9	---	7.7	---
GMW-17	11/14/07	PARSONS	---	---	---	---	1200	4.8	<0.5	<0.5	<1	---	<5	---
GMW-17	4/18/08	PARSONS	---	---	---	---	<100	5.3	<0.50	0.62	1.4	---	<5.0	---
GMW-17	10/17/08	PARSONS	1600	---	---	---	---	2.6	<0.50	0.57	<1	<0.50	<0.50	<10
GMW-17	4/22/09	PARSONS	760	450	---	---	---	27	<0.50	2.4	<1	---	<0.50	---
GMW-17 DUP	4/22/09	PARSONS	1000	470	---	---	---	25	<0.50	1.9	<1	---	<0.50	---
GMW-17	10/20/09	PARSONS	2400	---	---	---	---	0.42 J ¹¹	<0.5	<0.5	<1	<0.5	<0.5	9.5 J
GMW-17 DUP	10/20/09	PARSONS	2100	---	---	---	---	0.46 J1	<0.5	<0.5	<1	<0.5	<0.5	<10
GMW-17	4/14/10	PARSONS	1900	1200 J	---	---	---	59	0.34 J	5.5	2	---	<0.5	<10
GMW-17 DUP	4/14/10	PARSONS	1800	1400 J	---	---	---	56	<0.5	5.2	1.8	---	<0.5	<10
GMW-17	10/5/10	PARSONS	2000	1200	---	---	---	79	1.5	5.1	3.54 J	<0.50	<0.50	5.2 J
GMW-17 DUP	10/5/10	PARSONS	1600	---	---	---	---	80	1.6	5	3.65 J	<0.50	<0.50	4.7 J
GMW-17	4/15/11	PARSONS	1200	750	---	---	---	13	0.55	4.6	0.82	<0.50	<0.50	<10
GMW-17 DUP	4/15/11	PARSONS	870	---	---	---	---	10	0.38 J	3.7	0.55	<0.50	<0.50	<10
GMW-17	10/10/11	PARSONS	1100	<1100	---	---	---	50	<0.77	28	6.47 J	<0.50	<0.50	<10
GMW-17 DUP	10/10/11	PARSONS	1200	---	---	---	---	51	<0.78	28	6.45 J	<0.50	<0.50	<10
GMW-18	4/14/03	Groundwater Technology Inc	---	---	---	---	16500000	3410	3510	3070	17800	---	<150	---
GMW-18	10/8/03	Parsons	---	---	---	---	170000	2600	120	360	3100	---	<1000	---
GMW-18	4/21/04	Parsons	---	---	---	---	45000	2700	<50	380	4288	---	<50	---
GMW-18	11/4/04	Parsons	---	---	---	---	51000	1300	<3	220	2400	---	<50	---
GMW-18	5/6/05	Parsons	---	---	---	---	5900	1100	22	140	1200	---	<50	---
GMW-18	11/8/05	PARSONS	---	---	---	---	17000	650	11	17	470	---	<100	---
GMW-18	5/4/06	PARSONS	---	---	---	---	19000	200	1.9	15	100	---	6.9	---
GMW-18	12/8/06	PARSONS	---	---	---	---	6800	320	<0.50	25	190	---	11	---
GMW-18	5/3/07	PARSONS	---	---	---	---	10000	200	<2.5	13	56	---	<25	---
GMW-18	11/15/07	PARSONS	---	---	---	---	1900	160	<0.50	4.1	26	---	5.5	---
GMW-18	4/17/08	PARSONS	---	---	---	---	3400	180	0.87	13	100	---	6.7	---
GMW-18 DUP	4/17/08	PARSONS	---	---	---	---	5000	180	1	13	100	---	6.8	---
GMW-18	10/16/08	PARSONS	2800	---	---	---	---	33	<0.50	2.2	10.64	<0.50	4.7	12
GMW-18	4/23/09	PARSONS	1100	880	---	---	---	60	<0.50	1.4	5	<0.50	3	13
GMW-18	10/20/09	PARSONS	2700	---	---	---	---	15	<0.5	0.55	5.55	<0.5	7	13

TABLE 9

HISTORICAL ANALYTICAL RESULTS FOR TPH, BTEX, 1,2-DCA, AND MTBE IN GROUNDWATER NOVEMBER 1996 THROUGH OCTOBER 2011

Well	Date Sampled	Sampled By	TPH as JP-5 ¹	TPH as Gasoline	TPH as Diesel	TPH as JP-4 ²	TPH as FP ³	Benzene	Toulene	Ethylbenzene	Total Xylenes	1,2-DCA ⁴	MTBE ⁵	TBA ⁶
GMW-31	10/20/09	PARSONS	140	---	---	---	---	< 0.5	< 0.5	< 0.5	< 1	< 0.5	0.57	< 10
GMW-31	4/14/10	PARSONS	< 100	---	---	---	---	< 0.5	< 0.5	< 0.5	< 1	---	< 0.5	4.6 J
GMW-31	10/8/10	PARSONS	< 100	---	---	---	---	< 0.50	< 0.50	< 0.50	< 1.0	< 0.50	< 0.50	6.5 J
GMW-31	4/11/11	PARSONS	< 100	---	---	---	---	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	< 10
GMW-31	10/10/11	PARSONS	< 100	---	---	---	---	< 0.50	< 0.50	< 0.50	< 1	< 0.50	< 0.50	< 10
GMW-32	11/27/96	GSI	---	430	<500	<500	---	13	<0.5	25	<1	---	---	---
GMW-32	7/10/97	Groundwater Technology Inc	---	63	1800	<1600	---	1.7	<1	<1	<2	---	---	---
GMW-32	1/6/98	Groundwater Technology Inc	---	<500	<100	<100	---	0.4	<0.3	0.7	<0.6	---	---	---
GMW-32	5/21/98	BBC	---	<300	---	---	---	<0.3	<0.3	<0.3	<0.6	---	---	---
GMW-32	11/5/98	Groundwater Technology Inc	---	<300	---	---	<100	<0.3	<0.3	0.62	<0.6	---	---	---
GMW-32	11/6/98	Groundwater Technology Inc	---	---	---	---	158	---	---	---	---	---	---	---
GMW-32	5/27/99	Groundwater Technology Inc	---	<300	---	---	307	3.1	<0.3	5	1.4	---	---	---
GMW-32	11/18/99	IT Corporation	---	<300	---	---	6500	4.3	<0.3	6.9	1.2	---	---	---
GMW-32	5/17/00	IT Corporation	---	500	---	---	8600	8	3.4	16	14	---	---	---
GMW-32	11/30/00	IT Corporation	---	330	---	---	2100	<0.3	<0.3	4.2	<0.6	---	<5	---
GMW-32	5/9/01	IT Corporation	---	1000	---	---	9500	4.7	<0.3	1.2	2.8	---	<5	---
GMW-32	11/7/01	IT Corporation	---	660	---	---	6900	4.2	0.63	5.7	2	---	<5	---
GMW-32	2/1/02	Secor	---	---	---	---	---	0.89	<0.5	0.53	0.69	<0.5	0.77	---
GMW-32	4/11/02	IT Corporation	---	<300	---	---	210	1.5	<0.3	7.2	<0.6	---	<5	---
GMW-32	10/23/02	Groundwater Technology Inc	---	<300	---	---	1300	<0.3	<0.3	<0.3	<0.3	---	<5	---
GMW-32	4/9/03	Groundwater Technology Inc	---	---	---	---	2100	<1	1.18	<1	<2	---	<3	---
GMW-32	10/10/03	Parsons	---	---	---	---	530	<0.3	<0.3	<0.3	<0.3	---	<5	---
GMW-32	4/21/04	Parsons	---	---	---	---	1500	0.52	<1	<1	<1	---	<1	---
GMW-32	11/4/04	Parsons	---	---	---	---	910	<0.3	<0.3	<0.3	<0.3	---	<5	---
GMW-32	5/6/05	Parsons	---	---	---	---	700	0.31	0.64	<0.3	0.76	---	<5	---
GMW-32 DUP	5/6/05	Parsons	---	---	---	---	680	<0.3	0.43	<0.3	0.42	---	<5	---
GMW-32	11/8/05	PARSONS	---	---	---	---	480	< 0.3	0.41	< 0.3	0.7	---	< 5	---
GMW-32	5/4/06	PARSONS	---	---	---	---	690	0.46	0.39	0.62	1.4	---	< 5	---
GMW-32	12/8/06	PARSONS	---	---	---	---	110	< 0.50	< 0.50	< 0.50	< 1.0	---	< 5.0	---
GMW-32	5/3/07	PARSONS	---	---	---	---	190	< 0.50	< 0.50	< 0.50	< 1.0	---	< 5.0	---
GMW-32	11/16/07	PARSONS	---	---	---	---	< 100	< 0.50	< 0.50	< 0.50	< 1.0	---	< 5.0	---
GMW-32	4/17/08	PARSONS	---	---	---	---	150	< 0.50	< 0.50	< 0.50	< 1.0	---	< 5.0	---
GMW-32	10/16/08	PARSONS	< 100	---	---	---	---	< 0.50	< 0.50	< 0.50	< 1	< 0.50	< 0.50	< 10
GMW-32	4/24/09	PARSONS	< 100	---	---	---	---	< 0.50	< 0.50	< 0.50	< 1	< 0.50	< 0.50	< 10
GMW-32	10/20/09	PARSONS	250 J	---	---	---	---	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	< 10
GMW-32	4/16/10	PARSONS	230	---	---	---	---	< 0.5	< 0.5	0.41 J	< 1	---	< 0.5	< 10
GMW-32	10/7/10	PARSONS	180	---	---	---	---	< 0.50	< 0.50	< 0.50	< 1.0	< 0.50	< 0.50	< 10
GMW-32 DUP	10/7/10	PARSONS	210	---	---	---	---	< 0.50	< 0.50	< 0.50	< 1.0	< 0.50	< 0.50	< 10
GMW-32	4/14/11	PARSONS	160	---	---	---	---	< 0.50	< 0.50	0.25 J	< 1	< 0.50	< 0.50	< 10
GMW-32	10/12/11	PARSONS	< 100	---	---	---	---	< 0.50	< 0.50	< 0.50	< 1	< 0.50	< 0.50	< 10
GMW-33	11/21/96	GSI	---	<38	<500	<500	---	<0.5	<0.5	<0.5	<1.5	<0.5	---	---
GMW-33	7/10/97	Groundwater Technology Inc	---	<50	700	<400	---	<5	<5	<5	<5	<5	<5	---
GMW-33	1/6/98	Groundwater Technology Inc	---	<500	<100	<100	---	<0.5	<0.5	<0.5	<1	<0.5	<0.5	---
GMW-33	5/20/98	BBC	---	<300	---	---	---	<0.3	<0.5	<0.5	<1	<0.5	<0.5	---
GMW-33	11/5/98	Groundwater Technology Inc	---	<300	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
GMW-33	5/27/99	Groundwater Technology Inc	---	<300	---	---	122	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
GMW-33	11/18/99	IT Corporation	---	<300	---	---	120	<0.5	<1	<0.5	<0.5	<0.5	<0.5	---
GMW-33	5/17/00	IT Corporation	---	<300	---	---	210	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
GMW-33	11/30/00	IT Corporation	---	<300	---	---	430	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
GMW-33	5/9/01	IT Corporation	---	<300	---	---	150	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
GMW-33	11/7/01	IT Corporation	---	<300	---	---	200	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
GMW-33	2/1/02	Secor	---	---	---	---	---	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
GMW-33	4/11/02	IT Corporation	---	<300	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	0.8	---
GMW-34	11/18/99	IT Corporation	---	9500	---	---	17000	30	3.5	8.3	81	<0.5	24	---
GMW-34	5/17/00	IT Corporation	---	740	---	---	3700	<0.5	<0.5	1.5	11.4	<0.5	30	---
GMW-34	12/1/00	IT Corporation	---	<300	---	---	110	<0.5	<0.5	<0.5	<0.5	<0.5	10	---
GMW-34	5/10/01	IT Corporation	---	<300	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	7.3	---
GMW-34	11/8/01	IT Corporation	---	<300	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	1.2	---
GMW-34	4/12/02	IT Corporation	---	960	---	---	1500	240	1.4	33	81	<0.5	2.5	---
GMW-35	5/9/01	IT Corporation	---	20000	---	---	22000	1300	11	580	4100	<10	<10	---
GMW-35	4/10/03	Groundwater Technology Inc	---	---	---	---	15600	65.2	30.6	109	159	---	<3	---
GMW-35	10/10/03	Parsons	---	---	---	---	16000	100	<15	120	650	---	<250	---
GMW-35	4/21/04	Parsons	---	---	---	---	19000	110	<1	45	7.3	---	1.5	---
GMW-35	11/4/04	Parsons	---	---	---	---	18000	62	<3	13	28	---	<50	---
GMW-35	5/5/05	Parsons	---	---	---	---	4700	10	1.4	33	22	---	<10	---
GMW-35	11/5/05	PARSONS	---	---	---	---	3100	9.1	2.2	31	17	---	< 25	---

TABLE 9

**HISTORICAL ANALYTICAL RESULTS FOR TPH, BTEX, 1,2-DCA, AND MTBE IN GROUNDWATER
NOVEMBER 1996 THROUGH OCTOBER 2011**

Well	Date Sampled	Sampled By	TPH as JP-5 ¹	TPH as Gasoline	TPH as Diesel	TPH as JP-4 ²	TPH as FP ³	Benzene	Toulene	Ethylbenzene	Total Xylenes	1,2-DCA ⁴	MTBE ⁵	TBA ⁶
GMW-35	5/3/06	PARSONS	---	---	---	---	17000	7.9	2.9	20	12	---	< 5	---
GMW-35	12/8/06	PARSONS	---	---	---	---	4800	14	< 0.50	9	6.9	---	< 5.0	---
GMW-35	5/4/07	PARSONS	---	---	---	---	4700	21	0.86	1.3	5.3	---	6.1	---
GMW-35	11/15/07	PARSONS	---	---	---	---	2400	26	< 0.50	< 0.50	< 1.0	---	7.7	---
GMW-35	4/17/08	PARSONS	---	---	---	---	1300	18	< 0.50	1.8	2.5	---	< 5.0	---
GMW-35	4/24/09	PARSONS	520	---	---	---	---	63	< 5.0	< 5.0	< 10	---	210	---
GMW-35	4/16/10	PARSONS	1900	---	---	---	---	180	0.88 J	1.5	0.7 J	---	13	2200
GMW-36	7/10/97	Terra Services	---	430	<500	---	---	---	---	---	---	---	---	---
GMW-36	1/9/98	Terra Services	---	4000	4300	---	---	22	21	6.1	100	<5	7700	---
GMW-36	5/20/98	Terra Services	---	1400	---	---	---	<0.3	<0.3	<10	<20	<0.5	19600	---
GMW-36	11/17/98	Alton Geoscience	---	7900	---	---	6650	2100	1370	70	650	<50	34800	---
GMW-36	5/7/99	Alton Geoscience	---	2800	<500	---	---	<10	<10	<10	<10	<25	14000	---
GMW-36	11/18/99	Secor	---	51000	---	---	22000	8100	5600	<250	1770	<250	47000	---
GMW-36	5/17/00	Secor	---	59000	---	---	53000	14000	6700	480	4100	<130	45000	---
GMW-36	11/30/00	Secor	---	110000	---	---	66000	20000	19000	1600	8100	<0.5	13000	---
GMW-36	2/6/01	Secor	---	75000	---	---	55000	18000	13000	1400	6100	<50	9100	---
GMW-36	5/10/01	Secor	---	12000	---	---	5100	3700	2500	420	1730	<0.5	1600	---
GMW-36	9/19/01	Secor	---	21000	---	---	37000	5800	3600	580	2080	<13	1000	---
GMW-36	11/6/01	Secor	---	63000	---	---	40000	16000	13000	1600	7700	<25	3200	---
GMW-36	1/30/02	Secor	---	130000	---	---	68000	21000	20000	1700	9000	<125	42000	---
GMW-36	4/10/02	Secor	---	150000	---	---	49000	25000	22000	1800	10000	<50	67000	---
GMW-36	7/30/02	IT Corporation	---	81000	---	---	110000	28000	29000	2200	11800	<50	37000	---
GMW-36	12/6/06	SECOR	---	32000	---	---	10000 **	5300	4300	480	4300	< 50	1600	---
GMW-36	3/13/07	SECOR	---	54000	---	---	7200	9400	12000	1100	8200	< 200	3800	---
GMW-36	5/5/07	SECOR	---	69000	---	---	11000	9800	11000	1200	8000	< 200	3900	---
GMW-36	8/29/07	SECOR	---	30000	---	---	9800	4100	4200	420	4500	120	890	---
GMW-36	2/20/08	SECOR	---	34000	---	---	9100	3900	6000	750	4600	< 50	43	---
GMW-36	4/16/08	SECOR	---	42000	---	---	11000	5200	8300	940	6200	< 200	< 100	---
GMW-36	10/16/08	SECOR	---	17000	---	---	32000	2100	2000	160	2300	< 20	26	---
GMW-36 DUP	10/16/08	SECOR	---	17000	---	---	67000	2000	1900	160	2300	< 20	27	---
GMW-36	7/22/09	Blaine Tech	---	24000	---	---	15000	3800	5400	720	3380	< 50	28	< 500
GMW-36	3/16/10	CH2MHill	---	8000	---	---	22000	830	1100	140	700	< 10	16	690
GMW-36	4/16/10	CH2MHill	---	4200	---	---	25000	850	150	89	200	< 5	11	3700
GMW-36	6/25/10	CH2MHill	---	14000	---	---	43000	1100	1500	160	1260	< 20	11	2700
GMW-36	7/13/10	CH2MHill	---	500	---	---	4500	49	51	4.9	68	< 0.5	0.91	340
GMW-36	8/12/10	CH2MHill	---	9200	---	---	2200	1400	1100	52	1580	< 10	18	1600
GMW-36	9/20/10	CH2MHill	---	3300	---	---	5200	130	18	36	260	< 1	130	13000
GMW-36	10/5/10	CH2MHill	---	15000	---	---	3100	2500	1300	390	1790	< 20	30	1300
GMW-36	11/23/10	CH2MHill	---	31000	---	---	21000	5100	3400	890	3900	< 40	51	470
GMW-36	12/22/10	CH2MHill	---	63000	---	---	73000	6700	9600	1700	8300	< 50	28	< 500
GMW-36	1/12/11	CH2MHill	---	320000	---	---	130000	4600	2900	1400	13300	< 200	< 100	< 2000
GMW-36	2/24/11	CH2MHill	---	1600	---	---	3900	110	77	19	188	< 1	2.5	2200
GMW-36	3/23/11	CH2MHill	---	3200	---	---	2900	360	340	28	360	< 3	7.6	2400
GMW-36	4/29/11	CH2MHill	---	1500	---	---	10000	75	67	6.8	113	< 0.5	3.3	1700
GMW-36	5/13/11	CH2MHill	---	13000	---	---	11000	2300	2100	93	1640	< 20	43	< 200
GMW-36	6/22/11	CH2MHill	---	420	---	---	1500	24	12	2.8	29.3	< 0.5	110	5900
GMW-36	7/29/11	CH2MHill	---	7300	---	---	3200	560	570	61	990	< 10	350	4600
GMW-36	8/19/11	CH2MHill	---	13000	---	---	6200	570	1100	250	1890	< 20	260	9000
GMW-36	9/22/11	CH2MHill	---	5200	---	---	2200	490	240	52	470	< 5	660	7400
GMW-36	10/13/11	CH2MHill	---	22000	---	---	160000	610	490	430	2290	< 20	250	3700
GMW-37	11/25/96	Terra Services	---	---	---	---	---	<0.5	<0.5	<0.5	<1.5	<0.5	<5	---
GMW-37	7/11/97	Terra Services	---	<100	<500	---	---	<0.5	<0.5	<0.5	<1	<0.5	<5	---
GMW-37	1/6/98	Terra Services	---	<100	<500	---	---	<0.5	<0.5	<0.5	<1.5	<0.5	<5	---
GMW-37	5/26/98	Terra Services	---	<300	---	---	---	<0.3	<0.3	<0.5	0.6	<0.5	<0.5	---
GMW-37	11/11/98	Alton Geoscience	---	<300	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	11	---
GMW-37	5/7/99	Alton Geoscience	---	<500	<500	---	---	1.1	4.5	<0.5	1.9	<1	14	---
GMW-37	11/18/99	Secor	---	<416	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	16	---
GMW-37	5/17/00	Secor	---	<300	---	---	760	<0.5	<0.5	<0.5	<0.5	<0.5	16	---
GMW-37	11/30/00	Secor	---	<300	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	34	---
GMW-37	2/6/01	Secor	---	<300	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	54	---
GMW-37	5/8/01	Secor	---	<300	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
GMW-37	9/19/01	Secor	---	<300	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	11	---
GMW-37	11/6/01	Secor	---	<300	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	49	---
GMW-37	1/30/02	Secor	---	<300	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	1.3	---
GMW-37	4/10/02	Secor	---	<300	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	7.2	---
GMW-37	10/22/02	Secor	---	<300	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	49	---

TABLE 9

HISTORICAL ANALYTICAL RESULTS FOR TPH, BTEX, 1,2-DCA, AND MTBE IN GROUNDWATER
NOVEMBER 1996 THROUGH OCTOBER 2011

Well	Date Sampled	Sampled By	TPH as JP-5 ¹	TPH as Gasoline	TPH as Diesel	TPH as JP-4 ²	TPH as FP ³	Benzene	Toulene	Ethylbenz ene	Total Xylenes	1,2- DCA ⁴	MTBE ⁵	TBA ⁶
GMW-37	1/29/03	Secor	---	<300	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	0.75	---
GMW-37	4/9/03	Secor	---	<50	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	0.86	---
GMW-37	7/30/03	Secor	---	<50	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
GMW-37	10/6/03	Secor	---	<50	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	4.3	---
GMW-37	1/27/04	Secor	---	<50	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
GMW-37	4/20/04	Secor	---	<50	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
GMW-37	7/19/04	Secor	---	<50	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	2.6
GMW-37	11/2/04	Secor	---	<50	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
GMW-37	2/2/05	Secor	---	<50	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
GMW-37	5/4/05	Secor	---	<50	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
GMW-37	11/1/05	SECOR	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	---
GMW-37	2/27/06	SECOR	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	---
GMW-37	5/2/06	SECOR	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	---
GMW-37	9/18/06	SECOR	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	---
GMW-37	12/5/06	SECOR	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	---
GMW-37	5/4/07	SECOR	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	---
GMW-37	11/14/07	SECOR	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	---
GMW-37	4/16/08	SECOR	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	---
GMW-37	10/14/08	SECOR	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	---
GMW-37	4/23/09	Blaine Tech	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	< 10
GMW-37	10/19/09	Blaine Tech	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	< 10
GMW-37	5/26/10	CH2MHill	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	< 10
GMW-37	10/6/10	CH2MHill	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	< 10
GMW-37	4/12/11	CH2MHill	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	< 10
GMW-37	10/11/11	CH2MHill	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	< 10
GMW-38	11/26/96	Terra Services	---	---	---	---	---	1.8	<0.5	<0.5	<1.5	<0.5	7.7	---
GMW-38	7/10/97	Terra Services	---	<100	<500	---	---	<0.5	2	<0.5	0.83	<0.5	<5	---
GMW-38	1/5/98	Terra Services	---	<100	<500	---	---	<0.5	<0.5	<0.5	<1.5	<0.5	<5	---
GMW-38	5/21/98	Terra Services	---	<300	---	---	---	<0.3	<0.5	<0.5	<1	<0.5	1.2	---
GMW-38	11/12/98	Alton Geoscience	---	<300	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	25	---
GMW-38	5/7/99	Alton Geoscience	---	<500	<500	---	---	<0.5	1.5	<0.5	<0.5	<1	7.9	---
GMW-38	11/18/99	Secor	---	<416	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	1.7	---
GMW-38	5/17/00	Secor	---	<300	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
GMW-38	11/30/00	Secor	---	<300	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	0.8	---
GMW-38	5/8/01	Secor	---	<300	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
GMW-38	11/6/01	Secor	---	<300	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	1.6	---
GMW-38	2/1/02	Secor	---	---	---	---	---	<0.5	<0.5	<0.5	<0.5	<0.5	1.7	---
GMW-38	4/10/02	Secor	---	<300	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
GMW-38	10/23/02	Secor	---	<300	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
GMW-38	1/29/03	Secor	---	<300	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
GMW-38	4/9/03	Secor	---	<50	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	1.5	---
GMW-38	7/30/03	Secor	---	<50	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
GMW-38	10/6/03	Secor	---	<50	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
GMW-38	1/28/04	Secor	---	<50	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
GMW-38	4/20/04	Secor	---	<50	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	1.4	---
GMW-38	7/19/04	Secor	---	<50	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
GMW-38	11/2/04	Secor	---	<50	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
GMW-38	2/2/05	Secor	---	<50	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
GMW-38	5/4/05	Secor	---	<50	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	1.1	---
GMW-38	11/1/05	SECOR	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	---
GMW-38	2/28/06	SECOR	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	0.66	---
GMW-38	5/2/06	SECOR	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	---
GMW-38	9/18/06	SECOR	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	---
GMW-38	12/5/06	SECOR	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	---
GMW-38	3/13/07	SECOR	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	---
GMW-38	5/5/07	SECOR	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	---
GMW-38	8/30/07	SECOR	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	---
GMW-38	11/13/07	SECOR	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	---
GMW-38	4/22/09	Blaine Tech	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	0.74	< 10
GMW-38	7/21/09	Blaine Tech	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	0.55	27
GMW-38	10/21/09	Blaine Tech	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	29
GMW-38	3/15/10	CH2MHill	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	< 10
GMW-38	5/26/10	CH2MHill	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	< 10
GMW-38	7/13/10	CH2MHill	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	0.5	< 10
GMW-38	10/6/10	CH2MHill	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	< 10
GMW-38	1/11/11	CH2MHill	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	< 10

TABLE 9

**HISTORICAL ANALYTICAL RESULTS FOR TPH, BTEX, 1,2-DCA, AND MTBE IN GROUNDWATER
NOVEMBER 1996 THROUGH OCTOBER 2011**

Well	Date Sampled	Sampled By	TPH as JP-5 ¹	TPH as Gasoline	TPH as Diesel	TPH as JP-4 ²	TPH as FP ³	Benzene	Toulene	Ethylbenzene	Total Xylenes	1,2-DCA ⁴	MTBE ⁵	TBA ⁶
GMW-38	4/12/11	CH2MHill	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	< 10
GMW-38	7/12/11	CH2MHill	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	< 10
GMW-38	10/12/11	CH2MHill	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	< 10
GMW-39	11/21/96	Terra Services	---	---	---	---	---	< 0.5	< 0.5	< 0.5	< 1.5	< 0.5	< 5	---
GMW-39	7/10/97	Terra Services	---	< 100	< 500	---	---	< 0.5	0.5	< 0.5	< 1	< 0.5	< 5	---
GMW-39	1/5/98	Terra Services	---	< 100	< 500	---	---	< 0.5	< 0.5	< 0.5	< 1.5	< 0.5	< 5	---
GMW-39	5/19/98	Terra Services	---	---	---	---	---	< 0.3	< 0.5	< 0.5	< 1	< 0.5	0.9	---
GMW-39	11/12/98	Alton Geoscience	---	< 300	---	---	< 100	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	3.2	---
GMW-39	5/7/99	Alton Geoscience	---	< 500	< 500	---	---	< 0.5	< 0.5	< 0.5	< 0.5	< 1	2.9	---
GMW-39	11/18/99	Secor	---	< 416	---	---	< 100	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	12	---
GMW-39	5/17/00	Secor	---	< 300	---	---	< 100	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	9.4	---
GMW-39	11/29/00	Secor	---	< 300	---	---	< 100	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	16	---
GMW-39	5/8/01	Secor	---	< 300	---	---	< 100	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	---
GMW-39	11/6/01	Secor	---	< 300	---	---	< 100	1.2	< 0.5	< 0.5	< 0.5	< 0.5	39	---
GMW-39	2/1/02	Secor	---	---	---	---	---	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	36	---
GMW-39	4/10/02	Secor	---	< 300	---	---	< 100	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	20	---
GMW-39	10/22/02	Secor	---	< 300	---	---	< 100	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	89	---
GMW-39	1/29/03	Secor	---	< 300	---	---	< 100	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	32	---
GMW-39	4/9/03	Secor	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	23	---
GMW-39	7/30/03	Secor	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	3.3	---
GMW-39	10/6/03	Secor	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	6.6	---
GMW-39	1/28/04	Secor	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	3.6	---
GMW-39	4/20/04	Secor	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	4.8	---
GMW-39	7/19/04	Secor	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	3.7	---
GMW-39	11/3/04	Secor	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	3.7	---
GMW-39	2/2/05	Secor	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	1.7	---
GMW-39	5/4/05	Secor	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	---
GMW-39	11/1/05	SECOR	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	---
GMW-39	2/27/06	SECOR	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	0.59	---
GMW-39	5/2/06	SECOR	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	---
GMW-39	9/19/06	SECOR	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	3.7	---
GMW-39	12/6/06	SECOR	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	4	---
GMW-39 DUP	12/6/06	SECOR	---	< 50	---	---	130	< 0.5	< 0.5	< 0.5	< 1	< 0.5	3.5	---
GMW-39	3/13/07	SECOR	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	4.5	---
GMW-39	5/4/07	SECOR	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	2.9	---
GMW-39 DUP	5/4/07	SECOR	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	2.8	---
GMW-39	8/29/07	SECOR	---	< 500	---	---	< 100	< 2.5	< 2.5	< 2.5	< 5	< 5	3.6	---
GMW-39	11/13/07	SECOR	---	160	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 1	2.6	---
GMW-39 DUP	11/13/07	SECOR	---	120	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 1	2.4	---
GMW-39	2/20/08	SECOR	---	110	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	2.9	---
GMW-39	4/16/08	SECOR	---	90	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	1.9	---
GMW-39 DUP	4/16/08	SECOR	---	96	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	2	---
GMW-39	8/14/08	SECOR	---	< 100	---	---	120	< 0.5	< 0.5	< 0.5	< 1	< 1	1.1	---
GMW-39	10/15/08	SECOR	---	< 500	---	---	< 100	< 2.5	< 2.5	< 2.5	< 5	< 5	5.6	---
GMW-39	2/24/09	Blaine Tech	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	3400
GMW-39	4/22/09	Blaine Tech	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	4000
GMW-39 DUP	4/22/09	Blaine Tech	---	< 50	---	---	< 100	0.53	< 0.5	< 0.5	< 1	< 0.5	0.5	4200
GMW-39	7/21/09	Blaine Tech	---	< 100	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 1	< 0.5	2500
GMW-39 DUP	7/21/09	Blaine Tech	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	4400
GMW-39	10/22/09	Blaine Tech	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	0.5	2200
GMW-39 DUP	10/22/09	Blaine Tech	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	2000
GMW-39	3/16/10	CH2MHill	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	130
GMW-39	5/27/10	CH2MHill	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	< 10
GMW-39 DUP	5/27/10	CH2MHill	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	< 10
GMW-39	7/13/10	CH2MHill	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	230
GMW-39	10/7/10	CH2MHill	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	0.75	550
GMW-39 DUP	10/7/10	CH2MHill	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	590
GMW-39	1/11/11	CH2MHill	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	68
GMW-39	4/13/11	CH2MHill	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	< 10
GMW-39 DUP	4/13/11	CH2MHill	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	< 10
GMW-39	7/12/11	CH2MHill	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	< 10
GMW-39	10/11/11	CH2MHill	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	96
GMW-39 DUP	10/11/11	CH2MHill	---	< 50	---	---	210	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	97
GMW-4	7/15/97	Terra Services	---	1300	2100	---	---	38	< 0.5	35	45	< 0.5	< 5	---
GMW-4	1/8/98	Terra Services	---	380	530	---	---	14	1.2	12	18.8	1.6	< 5	---
GMW-4	5/26/98	Terra Services	---	2300	---	---	---	42	< 0.3	69	87	< 2.5	< 2.5	---

TABLE 9

**HISTORICAL ANALYTICAL RESULTS FOR TPH, BTEX, 1,2-DCA, AND MTBE IN GROUNDWATER
NOVEMBER 1996 THROUGH OCTOBER 2011**

Well	Date Sampled	Sampled By	TPH as JP-5 ¹	TPH as Gasoline	TPH as Diesel	TPH as JP-4 ²	TPH as FP ³	Benzene	Toulene	Ethylbenzene	Total Xylenes	1,2-DCA ⁴	MTBE ⁵	TBA ⁶
GMW-4	11/18/99	Secor	---	1600	---	---	4100	67	<0.5	51	24.1	<0.5	<0.5	---
GMW-4	5/19/00	Secor	---	2500	---	---	3400	48	0.5	29	36.9	<0.5	<0.5	---
GMW-4	4/10/03	Secor	---	500	---	---	1100	8	<0.5	8.2	26	<0.5	<0.5	---
GMW-4	5/4/07	SECOR	---	2000	---	---	13000	110	<1	27	12.1	<2	<1	---
GMW-4	4/16/08	PARSONS	---	16000	---	---	14000	270	<2.5	110	157	<2.5	<2.5	<50
GMW-4	4/17/08	SECOR	---	4400	---	---	40000	290	<5	89	102	<10	<5	---
GMW-4	11/21/08	SECOR	---	4900	---	---	16000	260	<2.5	45	27.9	<5	<2.5	---
GMW-4	4/23/09	Blaine Tech	---	2500	---	---	9500	120	<0.5	12	8.6	<1	3.9	<10
GMW-4	5/27/10	CH2MHill	---	2200	---	---	6100	170	1.1	6.3	10	<2	<1	<20
GMW-4	10/5/10	CH2MHill	---	1300	---	---	15000	8.2	<1	2.8	3.4	<2	3.2	22
GMW-4	4/4/11	CH2MHill	---	2800	---	---	24000	130	<1	2	3.4	<2	<1	<20
GMW-4	10/12/11	CH2MHill	---	1200	---	---	4200	62	<1	1.4	<2	<2	3.8	<20
GMW-40 DUP	11/27/96	GSI	---	---	---	---	---	<0.5	<0.5	<0.5	<1.5	<0.5	<0.5	---
GMW-40	11/27/96	Terra Services	---	400	<500	<500	---	0.5	<0.5	5.8	5.9	<0.5	<5	---
GMW-40	7/10/97	Groundwater Technology Inc	---	210	2600	<300	---	---	---	---	---	---	---	---
GMW-40	1/7/98	Groundwater Technology Inc	---	<500	<100	<100	---	<0.5	<0.5	<0.5	<1	<0.5	<0.5	---
GMW-40	5/21/98	BBC	---	<300	---	---	---	<0.3	<0.5	<0.5	<1	<0.5	<0.5	---
GMW-40	11/5/98	Groundwater Technology Inc	---	<300	---	---	<100	<0.5	<0.5	3.8	7.6	<0.5	<0.5	---
GMW-40	5/26/99	Groundwater Technology Inc	---	<300	---	---	<100	0.9	<0.5	<0.5	<0.5	<0.5	4.4	---
GMW-40	11/18/99	IT Corporation	---	<300	---	---	220	2.8	<0.5	0.9	2.8	<0.5	9.3	---
GMW-40	5/17/00	IT Corporation	---	<300	---	---	430	<0.5	<0.5	<0.5	<0.5	<0.5	11	---
GMW-40	12/1/00	IT Corporation	---	<300	---	---	320	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
GMW-40	5/10/01	IT Corporation	---	<300	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
GMW-40	11/8/01	IT Corporation	---	<300	---	---	<100	<0.5	<0.5	1.1	3.1	<0.5	19	---
GMW-40	4/12/02	IT Corporation	---	<300	---	---	<100	1.7	<0.5	0.7	0.9	<0.5	17	---
GMW-40	4/16/03	Groundwater Technology Inc	---	---	---	---	<100	5.17	<0.5	2.74	4.65	<0.5	54.7	---
GMW-40	10/8/03	Parsons	---	---	---	---	170	<0.5	<0.5	<0.5	<0.5	<0.5	52	---
GMW-40	4/22/04	Parsons	---	---	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	39	<10
GMW-40	11/6/04	Parsons	---	---	---	---	<100	<0.5	<0.5	<0.5	---	<0.5	<0.5	<10
GMW-40	5/7/05	Parsons	---	---	---	---	<100	<0.5	<0.5	<0.5	0.7	<0.5	0.76	<10
GMW-40	11/8/05	PARSONS	---	---	---	---	<100	<0.5	<0.5	<0.5	<1	<0.5	0.76	<10
GMW-40	5/5/06	PARSONS	---	---	---	---	<100	<0.5	<0.5	<0.5	<1	<0.5	4.9	<10
GMW-40 DUP	5/5/06	PARSONS	---	---	---	---	<100	<0.5	<0.5	<0.5	<1	<0.5	5.4	<10
GMW-40	12/8/06	PARSONS	---	---	---	---	110	0.87	<0.50	<0.50	13.7	<0.50	15	<10
GMW-40	5/3/07	PARSONS	---	---	---	---	440	3.7	<0.50	2.2	27	<0.50	46	63
GMW-40 DUP	5/3/07	PARSONS	---	---	---	---	660	3.8	<0.50	2.1	26.5	<0.50	46	53
GMW-40	11/16/07	PARSONS	---	---	---	---	<100	0.61	<0.50	1.9	8.4	<0.50	<0.50	<10
GMW-40	4/18/08	PARSONS	---	---	---	---	<100	<0.50	<0.50	<0.50	<1	<0.50	<0.50	<10
GMW-40	10/17/08	PARSONS	<100	---	---	---	---	<0.50	<0.50	<0.50	<1	<0.50	1.2	<10
GMW-40	4/24/09	PARSONS	<100	---	---	---	---	<0.50	<0.50	<0.50	<1	<0.50	<0.50	<10
GMW-40	10/21/09	PARSONS	<100	---	---	---	---	<0.50	<0.50	<0.50	<1	<0.50	0.4 J	<10
GMW-40	4/14/10	PARSONS	<100	---	---	---	---	<0.5	<0.5	<0.5	<1	---	<0.5	<10
GMW-40	10/6/10	CH2MHill	---	<50	---	---	<100	1.2	<0.5	<0.5	<1	<0.5	<0.5	<10
GMW-41	11/27/96	GSI	---	250	<500	<500	---	<0.5	<0.5	<0.5	<1	<0.5	---	---
GMW-41	7/10/97	Groundwater Technology Inc	---	75	1200	<1000	---	<5	<5	<5	<5	<5	<5	---
GMW-41	1/7/98	Groundwater Technology Inc	---	<500	<100	<100	---	<0.5	<0.5	<0.5	<1	<0.5	<0.5	---
GMW-41	5/21/98	BBC	---	<300	---	---	---	<0.3	<0.5	<0.5	<1	<0.5	<0.5	---
GMW-41	11/5/98	Groundwater Technology Inc	---	<300	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	1	---
GMW-41	5/26/99	Groundwater Technology Inc	---	<300	---	---	116	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
GMW-41	11/18/99	IT Corporation	---	<300	---	---	390	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
GMW-41	5/17/00	IT Corporation	---	<300	---	---	280	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
GMW-41	11/30/00	IT Corporation	---	<300	---	---	<100	<0.3	<0.3	<0.3	<0.6	---	<5	---
GMW-41	5/10/01	IT Corporation	---	<300	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
GMW-41	11/8/01	IT Corporation	---	<300	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
GMW-41	4/12/02	IT Corporation	---	<300	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	0.8	---
GMW-41	10/24/02	Groundwater Technology Inc	---	<300	---	---	1000	<0.5	<1	<1	<1	<0.5	1.1	---
GMW-41	4/16/03	Groundwater Technology Inc	---	---	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
GMW-41	10/8/03	Parsons	---	---	---	---	350	<0.5	<0.5	<0.5	<0.5	<0.5	2.4	---
GMW-41	4/22/04	Parsons	---	---	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	3.3	<10
GMW-41	11/6/04	Parsons	---	---	---	---	<100	<0.5	<0.5	<0.5	---	<0.5	3.6	<10
GMW-41	5/7/05	Parsons	---	---	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10
GMW-41	11/8/05	PARSONS	---	---	---	---	<100	<0.5	<0.5	<0.5	<1	<0.5	<0.5	<10
GMW-41 DUP	11/8/05	PARSONS	---	---	---	---	<100	<0.5	<0.5	<0.5	<1	<0.5	<0.5	<10
GMW-41	5/5/06	PARSONS	---	---	---	---	<100	<0.5	<0.5	<0.5	<1	<0.5	<0.5	<10
GMW-41	12/8/06	PARSONS	---	---	---	---	<100	<0.50	<0.50	<0.50	<1	<0.50	<0.50	<10
GMW-41	5/3/07	PARSONS	---	---	---	---	<100	<0.50	<0.50	<0.50	<1	<0.50	0.51	<10

TABLE 9

HISTORICAL ANALYTICAL RESULTS FOR TPH, BTEX, 1,2-DCA, AND MTBE IN GROUNDWATER
NOVEMBER 1996 THROUGH OCTOBER 2011

Well	Date Sampled	Sampled By	TPH as JP-5 ¹	TPH as Gasoline	TPH as Diesel	TPH as JP-4 ²	TPH as FP ³	Benzene	Toulene	Ethylbenzene	Total Xylenes	1,2-DCA ⁴	MTBE ⁵	TBA ⁶
GMW-41	11/16/07	PARSONS	---	---	---	---	< 100	< 0.50	< 0.50	< 0.50	< 1	< 0.50	< 0.50	< 10
GMW-41 DUP	11/16/07	PARSONS	---	---	---	---	< 100	< 0.50	< 0.50	< 0.50	< 1	< 0.50	< 0.50	< 10
GMW-41	4/18/08	PARSONS	---	---	---	---	< 100	< 0.50	< 0.50	< 0.50	< 1	< 0.50	< 0.50	< 10
GMW-41 DUP	4/18/08	PARSONS	---	---	---	---	< 100	< 0.50	< 0.50	< 0.50	< 1	< 0.50	< 0.50	< 10
GMW-41	10/17/08	PARSONS	< 100	---	---	---	---	< 0.50	< 0.50	< 0.50	< 1	< 0.50	< 0.50	< 10
GMW-41	4/22/09	PARSONS	< 100	---	---	---	---	< 0.50	< 0.50	< 0.50	< 1	< 0.50	< 0.50	< 10
GMW-41	10/21/09	PARSONS	< 100	---	---	---	---	< 0.50	< 0.50	< 0.50	< 1	< 0.50	0.43 J	< 10
GMW-41	4/14/10	PARSONS	< 100	---	---	---	---	< 0.5	< 0.5	< 0.5	< 1	---	0.33 J	5.7 J
GMW-41	10/6/10	CH2MHill	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	< 10
GMW-41	10/6/10	PARSONS	< 100	---	---	---	---	< 0.50	< 0.50	< 0.50	< 1.0	< 0.50	< 0.50	< 10
GMW-41	4/11/11	PARSONS	< 100	---	---	---	---	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	< 10
GMW-41	10/11/11	PARSONS	< 100	---	---	---	---	< 0.50	< 0.50	< 0.50	< 1	< 0.50	< 0.50	< 10
GMW-42	11/5/98	Groundwater Technology Inc	---	7530	---	---	3340	800	<7.5	55	810	---	---	---
GMW-42	5/27/99	Groundwater Technology Inc	---	6510	---	---	14200	1100	110	60	580	---	---	---
GMW-42	11/18/99	IT Corporation	---	7900	---	---	17000	810	490	180	1200	---	---	---
GMW-42	5/17/00	IT Corporation	---	3800	---	---	20000	9.9	1.2	26	230	---	---	---
GMW-42	12/1/00	IT Corporation	---	380	---	---	2700	1	<0.3	<0.3	<0.6	---	18	---
GMW-42	5/10/01	IT Corporation	---	490	---	---	620	24	40	11	79	---	5.3	---
GMW-42	11/7/01	IT Corporation	---	<300	---	---	<100	<0.3	<0.3	<0.3	1.6	---	<5	---
GMW-42	4/10/02	IT Corporation	---	<300	---	---	<100	<0.3	<0.3	<0.3	<0.6	---	7	---
GMW-43	11/27/96	GSI	---	620	<500	<500	---	<0.5	<0.5	<0.5	<1	---	---	---
GMW-43	7/10/97	Groundwater Technology Inc	---	<50	<50	<50	---	<0.5	<1	<1	<2	---	---	---
GMW-43	1/7/98	Groundwater Technology Inc	---	<500	<100	<100	---	0.3	<0.3	<0.3	<0.6	---	---	---
GMW-43	5/21/98	BBC	---	<300	---	---	---	<0.3	<0.3	<0.3	<0.6	---	---	---
GMW-43	11/5/98	Groundwater Technology Inc	---	<300	---	---	<100	<0.3	<0.3	<0.3	<0.6	---	---	---
GMW-43	5/27/99	Groundwater Technology Inc	---	<300	---	---	<100	<0.3	<0.3	<0.3	<0.6	---	---	---
GMW-43	11/18/99	IT Corporation	---	<300	---	---	<100	<0.3	<0.3	<0.3	<0.6	---	---	---
GMW-43	5/17/00	IT Corporation	---	<300	---	---	170	0.92	<0.3	0.45	<0.6	---	---	---
GMW-43	11/30/00	IT Corporation	---	<300	---	---	<100	<0.3	<0.3	<0.3	<0.6	---	<5	---
GMW-43	5/9/01	IT Corporation	---	<300	---	---	<100	<0.3	<0.3	<0.3	<0.6	---	<5	---
GMW-43	11/7/01	IT Corporation	---	<300	---	---	150	<0.3	<0.3	<0.3	<0.6	---	<5	---
GMW-43	4/11/02	IT Corporation	---	<300	---	---	<100	<0.3	<0.3	<0.3	<0.6	---	<5	---
GMW-43	10/23/02	Groundwater Technology Inc	---	<300	---	---	<100	<0.3	<0.3	<0.3	<0.3	---	<5	---
GMW-43	4/14/03	Groundwater Technology Inc	---	---	---	---	<100	<1	<1	<1	<2	---	<3	---
GMW-43	10/8/03	Parsons	---	---	---	---	<100	<0.3	<0.3	<0.3	<0.3	---	<5	---
GMW-43	4/21/04	Parsons	---	---	---	---	<100	<0.5	<1	<1	<1	---	<1	---
GMW-43	11/6/04	Parsons	---	---	---	---	<100	<0.3	<0.3	<0.3	<0.3	---	<5	---
GMW-43	5/10/05	Parsons	---	---	---	---	<100	<0.3	0.68	<0.3	<0.3	---	<5	---
GMW-43	11/8/05	PARSONS	---	---	---	---	200	< 0.3	0.47	< 0.3	0.31	---	< 5	---
GMW-43	5/4/06	PARSONS	---	---	---	---	180	< 0.3	< 0.3	< 0.3	< 0.3	---	< 5	---
GMW-43	12/8/06	PARSONS	---	---	---	---	< 100	< 0.50	< 0.50	< 0.50	< 1.0	---	< 5.0	---
GMW-43	5/3/07	PARSONS	---	---	---	---	< 100	< 0.50	< 0.50	< 0.50	< 1.0	---	8	---
GMW-43	11/15/07	PARSONS	---	---	---	---	< 100	< 0.50	< 0.50	< 0.50	< 1.0	---	< 5.0	---
GMW-43	4/17/08	PARSONS	---	---	---	---	< 100	< 0.50	< 0.50	< 0.50	< 1.0	---	< 5.0	---
GMW-43	10/16/08	PARSONS	< 100	---	---	---	---	< 0.50	< 0.50	< 0.50	< 1	< 0.50	< 0.50	< 10
GMW-43	4/23/09	PARSONS	< 100	---	---	---	---	< 0.50	< 0.50	< 0.50	< 1	---	< 0.50	---
GMW-43	10/21/09	PARSONS	< 100	---	---	---	---	< 0.50	< 0.50	< 0.50	< 1	< 0.50	< 0.50	< 10
GMW-43	4/15/10	PARSONS	< 100	---	---	---	---	< 0.5	< 0.5	< 0.5	< 1	---	< 0.5	< 10
GMW-43	10/8/10	PARSONS	< 100	---	---	---	---	< 0.50	< 0.50	< 0.50	< 1.0	< 0.50	< 0.50	< 10
GMW-43	4/11/11	PARSONS	< 100	---	---	---	---	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	< 10
GMW-43	10/11/11	PARSONS	< 100	---	---	---	---	< 0.50	< 0.50	< 0.50	< 1	< 0.50	< 0.50	< 10
GMW-44	11/27/96	GSI	---	820	<500	<500	---	<0.5	<0.5	<0.5	<1	---	---	---
GMW-44	7/10/97	Groundwater Technology Inc	---	68	1100	<1000	---	<0.5	<1	<1	<2	---	---	---
GMW-44	1/6/98	Groundwater Technology Inc	---	<500	700	<100	---	<0.3	<0.3	<0.3	<0.6	---	---	---
GMW-44	5/21/98	BBC	---	<300	---	---	---	<0.3	<0.3	<0.3	<0.6	---	---	---
GMW-44	11/5/98	Groundwater Technology Inc	---	<300	---	---	<100	<0.3	<0.3	<0.3	<0.6	---	---	---
GMW-44	5/27/99	Groundwater Technology Inc	---	<300	---	---	<100	<0.3	<0.3	<0.3	<0.6	---	---	---
GMW-44	11/18/99	IT Corporation	---	<300	---	---	310	<0.3	<0.3	<0.3	<0.6	---	---	---
GMW-44	5/17/00	IT Corporation	---	<300	---	---	240	<0.3	<0.3	<0.3	1.9	---	---	---
GMW-44	11/30/00	IT Corporation	---	<300	---	---	280	0.98	<0.3	0.95	<0.6	---	<5	---
GMW-44	5/9/01	IT Corporation	---	<300	---	---	190	<0.3	<0.3	<0.3	<0.6	---	<5	---
GMW-44	11/7/01	IT Corporation	---	<300	---	---	270	<0.3	<0.3	<0.3	<0.6	---	<5	---
GMW-44	4/11/02	IT Corporation	---	<300	---	---	<100	<0.3	<0.3	<0.3	<0.6	---	<5	---
GMW-44	10/23/02	Groundwater Technology Inc	---	<300	---	---	120	<0.3	<0.3	<0.3	<0.3	---	<5	---
GMW-44	4/14/03	Groundwater Technology Inc	---	---	---	---	<100	<1	<1	<1	<2	---	<3	---
GMW-44	10/8/03	Parsons	---	---	---	---	230	<0.3	<0.3	<0.3	<0.3	---	<5	---

TABLE 9

**HISTORICAL ANALYTICAL RESULTS FOR TPH, BTEX, 1,2-DCA, AND MTBE IN GROUNDWATER
NOVEMBER 1996 THROUGH OCTOBER 2011**

Well	Date Sampled	Sampled By	TPH as JP-5 ¹	TPH as Gasoline	TPH as Diesel	TPH as JP-4 ²	TPH as FP ³	Benzene	Toulene	Ethylbenzene	Total Xylenes	1,2-DCA ⁴	MTBE ⁵	TBA ⁶
GMW-44	4/21/04	Parsons	---	---	---	---	160	<0.5	<1	<1	<1	---	<1	---
GMW-44	11/4/04	Parsons	---	---	---	---	<100	<0.3	<0.3	<0.3	<0.3	---	<5	---
GMW-44	5/6/05	Parsons	---	---	---	---	120	0.45	0.68	<0.3	<0.3	---	<5	---
GMW-44	11/8/05	PARSONS	---	---	---	---	< 100	< 0.3	< 0.3	< 0.3	0.39	---	< 5	---
GMW-44	5/4/06	PARSONS	---	---	---	---	< 100	< 0.3	< 0.3	< 0.3	< 0.3	---	< 5	---
GMW-44	12/8/06	PARSONS	---	---	---	---	< 100	< 0.50	< 0.50	< 0.50	< 1.0	---	< 5.0	---
GMW-44	5/4/07	PARSONS	---	---	---	---	160	< 0.50	< 0.50	< 0.50	< 1.0	---	8.3	---
GMW-44	11/15/07	PARSONS	---	---	---	---	< 100	< 0.50	< 0.50	< 0.50	< 1.0	---	< 5.0	---
GMW-44	4/17/08	PARSONS	---	---	---	---	< 100	< 0.50	< 0.50	< 0.50	< 1.0	---	< 5.0	---
GMW-44	10/16/08	PARSONS	< 100	---	---	---	---	< 0.50	< 0.50	< 0.50	< 1	< 0.50	< 0.50	< 10
GMW-44	4/23/09	PARSONS	< 100	---	---	---	---	< 0.50	< 0.50	< 0.50	< 1	---	< 0.50	---
GMW-44	10/21/09	PARSONS	< 100	---	---	---	---	< 0.50	< 0.50	< 0.50	< 1	< 0.50	< 0.50	< 10
GMW-44	4/15/10	PARSONS	< 100	---	---	---	---	< 0.5	< 0.5	< 0.5	< 1	---	< 0.5	< 10
GMW-44	10/8/10	PARSONS	< 100	---	---	---	---	< 0.50	< 0.50	< 0.50	< 1.0	< 0.50	< 0.50	< 10
GMW-44	4/11/11	PARSONS	< 100	---	---	---	---	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	< 10
GMW-44	10/11/11	PARSONS	< 100	---	---	---	---	< 0.50	< 0.50	< 0.50	< 1	< 0.50	< 0.50	< 10
GMW-45	11/22/96	GSI	---	23000	<500	<500	---	1100	230	580	2900	<0.5	---	---
GMW-45	7/9/97	Groundwater Technology Inc	---	1100	2700	<2000	---	330	<5	280	930	---	---	---
GMW-45	1/6/98	Groundwater Technology Inc	---	3200	3400	4700	---	286	1.3	188	543	---	---	---
GMW-45	5/20/98	BBC	---	4200	---	---	---	270	221	109	569	---	---	---
GMW-45	11/5/98	Groundwater Technology Inc	---	1400	---	---	<100	81	<0.3	40	75	---	---	---
GMW-45	5/27/99	Groundwater Technology Inc	---	3750	---	---	3890	420	<0.6	180	390	---	---	---
GMW-45	11/18/99	IT Corporation	---	3960	---	---	3100	380	<3	140	100	---	---	---
GMW-45	5/17/00	IT Corporation	---	5200	---	---	5500	620	8	87	37	---	---	---
GMW-45	11/29/00	IT Corporation	---	2400	---	---	3100	330	1.3	6	4	---	<10	---
GMW-45	5/9/01	IT Corporation	---	6500	---	---	4100	620	74	51	420	---	<50	---
GMW-45	11/7/01	IT Corporation	---	5700	---	---	3000	730	<3	8.5	19	---	<50	---
GMW-45	4/10/02	IT Corporation	---	9800	---	---	6500	900	21	69	240	---	240	---
GMW-45	10/23/02	Groundwater Technology Inc	---	3200	---	---	1300	770	5.5	120	290	---	<5	---
GMW-45	4/10/03	Groundwater Technology Inc	---	---	---	---	1570	344	10.8	5.56	10.1	---	<6	---
GMW-45	10/8/03	Parsons	---	---	---	---	3400	470	<0.6	6.5	3.7	---	<10	---
GMW-45	4/21/04	Parsons	---	---	---	---	1400	140	<1	2.5	1.1	---	<1	---
GMW-45	11/4/04	Parsons	---	---	---	---	1500	84	<0.3	3	2.9	---	<5	---
GMW-45	5/5/05	Parsons	---	---	---	---	6900	670	17	520	720	---	<50	---
GMW-45	11/5/05	PARSONS	---	---	---	---	2200	340	0.46	130	250	---	10	---
GMW-45	5/3/06	PARSONS	---	---	---	---	2400	76	4.1	11	16	---	< 5	---
GMW-45 DUP	5/3/06	PARSONS	---	---	---	---	2600	79	< 0.3	12	17	---	< 5	---
GMW-45	12/5/06	PARSONS	---	---	---	---	1200	67	1.9	3.6	6.4	---	< 5.0	---
GMW-45	5/2/07	PARSONS	---	---	---	---	1500	37	0.56	2	3	---	11	---
GMW-45	11/14/07	PARSONS	---	---	---	---	590	42	< 0.5	< 0.5	< 1	---	9.6	---
GMW-45	4/16/08	PARSONS	---	---	---	---	1500	21	0.52	1.4	2.9	---	< 5.0	---
GMW-45	10/15/08	PARSONS	730	---	---	---	---	9.7	< 0.50	1.9	< 1	< 0.50	< 0.50	< 10
GMW-45	4/21/09	PARSONS	1200	---	---	---	---	11	< 2.0	< 2.0	< 4	---	< 2.0	---
GMW-45	10/21/09	PARSONS	1600	---	---	---	---	15	< 0.50	2.2	< 1	< 0.50	< 0.50	11
GMW-45	4/12/10	PARSONS	1700 J	---	---	---	---	85	< 0.5	2.6	0.28 J	---	< 0.5	11
GMW-45	10/7/10	PARSONS	1400	---	---	---	---	53	< 0.50	3.3	< 1.0	< 0.50	< 0.50	15
GMW-45	4/14/11	PARSONS	1400	---	---	---	---	150	< 0.50	3.6	0.94 J	< 0.50	< 0.50	< 10
GMW-45	10/11/11	PARSONS	1600	---	---	---	---	43	< 0.50	1.8	0.29 J	< 0.50	< 0.50	41
GMW-47	11/27/96	GSI	---	9600	<500	<500	---	1800	<25	160	660	---	---	---
GMW-47	7/9/97	Groundwater Technology Inc	---	420	93	<400	---	350	<1	170	79	---	---	---
GMW-47	1/6/98	Groundwater Technology Inc	---	1900	<100	1800	---	438	11	75	253	<2.5	<2.5	---
GMW-47	5/20/98	BBC	---	<300	---	---	---	1	<0.3	<0.3	<0.6	---	---	---
GMW-47	11/5/98	Groundwater Technology Inc	---	1700	---	---	<100	910	4.9	18	140	---	---	---
GMW-47	5/26/99	Groundwater Technology Inc	---	<300	---	---	<100	130	<0.3	0.33	3	---	---	---
GMW-47	11/18/99	IT Corporation	---	2100	---	---	1200	1100	0.77	5.8	27	---	---	---
GMW-47	5/17/00	IT Corporation	---	7200	---	---	8000	2300	700	200	1100	---	---	---
GMW-47	11/29/00	IT Corporation	---	990	---	---	1100	280	0.59	2.2	<0.6	---	<5	---
GMW-47	3/30/01	IT Corporation	---	---	---	---	<50	---	---	---	---	---	---	---
GMW-47	5/9/01	IT Corporation	---	7600	---	---	4100	1400	110	55	590	---	16	---
GMW-47	11/7/01	IT Corporation	---	1500	---	---	350	410	8.2	8.7	150	---	<50	---
GMW-47	4/10/02	IT Corporation	---	4100	---	---	1200	710	150	9.2	360	---	<25	---
GMW-47	10/23/02	Groundwater Technology Inc	---	4000	---	---	2900	430	<5	26	99.9	<2.5	<5	---
GMW-47	4/9/03	Groundwater Technology Inc	---	---	---	---	<100	1.37	<0.5	<0.5	<0.5	<1	<0.5	---
GMW-47	9/18/03	Parsons	---	---	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
GMW-47	10/8/03	Parsons	---	140	---	---	380	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
GMW-47	2/21/04	Parsons	---	---	---	<100	---	4.2	<0.5	<0.5	---	---	<0.5	---

TABLE 9

**HISTORICAL ANALYTICAL RESULTS FOR TPH, BTEX, 1,2-DCA, AND MTBE IN GROUNDWATER
NOVEMBER 1996 THROUGH OCTOBER 2011**

Well	Date Sampled	Sampled By	TPH as JP-5 ¹	TPH as Gasoline	TPH as Diesel	TPH as JP-4 ²	TPH as FP ³	Benzene	Toulene	Ethylbenzene	Total Xylenes	1,2-DCA ⁴	MTBE ⁵	TBA ⁶
GMW-47	4/21/04	Parsons	---	160	---	---	640	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	< 10
GMW-47	7/21/04	Parsons	---	330	---	---	330	<0.5	<0.5	<0.5	---	---	<0.5	---
GMW-47	11/3/04	Parsons	---	<100	---	---	430	<0.5	<0.5	<0.5	---	<0.5	<0.5	< 10
GMW-47	3/2/05	Parsons	---	170	---	---	110	33	<1	5.8	5.4	---	<1	---
GMW-47 DUP	3/2/05	Parsons	---	140	---	---	<100	30	<1	4.5	4.8	---	<1	---
GMW-47	5/5/05	Parsons	---	420	---	---	530	22	<0.5	6	17.55	<0.5	<0.5	< 10
GMW-47	8/4/05	PARSONS	---	< 100	---	---	110	3.4	< 0.5	< 0.5	< 1	< 0.5	< 0.5	< 10
GMW-47	11/5/05	PARSONS	---	< 100	---	---	250	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	< 10
GMW-47	3/8/06	PARSONS	---	< 100	---	---	160	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	< 10
GMW-47	5/3/06	PARSONS	---	< 100	---	---	340	2.3	< 0.5	< 0.5	< 1	< 0.5	< 0.5	< 10
GMW-47 DUP	5/3/06	PARSONS	---	< 100	---	---	300	3	< 0.5	< 0.5	< 1	< 0.5	< 0.5	< 10
GMW-47	7/28/06	PARSONS	---	< 100	---	---	440	0.95	< 0.5	< 0.5	< 1	< 0.5	< 0.5	< 10
GMW-47	12/5/06	PARSONS	---	< 100	---	---	200	5.4	< 0.50	< 0.50	< 1	< 0.50	< 0.50	< 10
GMW-47	3/23/07	PARSONS	---	< 100	---	---	420	11	< 0.50	< 0.50	< 1	< 0.50	< 0.50	< 10
GMW-47	5/2/07	PARSONS	---	< 100	---	---	320	4.8	< 0.50	< 0.50	< 1	< 0.50	< 0.50	< 10
GMW-47	8/31/07	PARSONS	---	< 100	---	---	400	1.8	< 0.50	< 0.50	< 1	< 0.50	< 0.50	< 10
GMW-47	11/13/07	PARSONS	---	< 100	---	---	180	0.83	< 0.50	< 0.50	< 1	< 0.50	< 0.50	< 10
GMW-47 DUP	11/13/07	PARSONS	---	< 100	---	---	130	1	< 0.50	< 0.50	< 1	< 0.50	< 0.50	< 10
GMW-47	2/7/08	PARSONS	---	< 100	---	---	290	1.7	< 0.50	< 0.50	< 1	< 0.50	< 0.50	< 10
GMW-47	4/16/08	PARSONS	---	< 100	---	---	270	1.6	< 0.50	< 0.50	< 1	< 0.50	< 0.50	< 10
GMW-47 DUP	4/16/08	PARSONS	---	< 100	---	---	290	1.6	< 0.50	< 0.50	< 1	< 0.50	< 0.50	< 10
GMW-47	7/29/08	PARSONS	---	< 100	---	---	450	< 0.50	< 0.50	< 0.50	< 1	< 0.50	< 0.50	< 10
GMW-47	10/15/08	PARSONS	300	< 100	---	---	---	< 0.50	< 0.50	< 0.50	< 1	< 0.50	< 0.50	< 10
GMW-47	2/12/09	PARSONS	460	170	---	---	---	< 0.50	< 0.50	< 0.50	< 1	< 0.50	< 0.50	< 10
GMW-47	4/20/09	PARSONS	730	180	---	---	---	< 0.50	< 0.50	< 0.50	< 1	< 0.50	< 0.50	< 10
GMW-47	7/20/09	PARSONS	1400	200	---	---	---	< 0.50	< 0.50	< 0.50	< 1	< 0.50	< 0.50	15
GMW-47	10/19/09	PARSONS	1200	170	---	---	---	< 0.50	< 0.50	< 0.50	< 1	< 0.50	< 0.50	15
GMW-47	1/11/10	PARSONS	1300	---	---	---	---	< 0.50	< 0.50	< 0.50	< 1.0	< 0.50	< 0.50	17
GMW-47 DUP	1/11/10	PARSONS	1200	---	---	---	---	< 0.50	< 0.50	< 0.50	< 1.0	< 0.50	< 0.50	15
GMW-47	4/19/10	PARSONS	930	---	---	---	---	< 0.50	< 0.50	< 0.50	< 1.0	---	< 0.50	13
GMW-47	7/13/10	PARSONS	1400	---	---	---	---	0.45 J	< 0.50	< 0.50	< 1.0	< 0.50	< 0.50	13
GMW-47	10/6/10	PARSONS	1800	---	---	---	---	0.35 J	< 0.50	< 0.50	< 1.0	< 0.50	< 0.50	16
GMW-47	1/11/11	PARSONS	1600	---	---	---	---	5.2	< 0.50	0.75	< 1	< 0.50	1.2	17
GMW-47	4/14/11	PARSONS	1800	---	---	---	---	0.36 J	< 0.50	0.27 J	< 1	< 0.50	2.6	< 10
GMW-47	7/12/11	PARSONS	3000	---	---	---	---	0.54	< 0.50	0.58	< 1	< 0.50	3.8	32
GMW-47	10/11/11	PARSONS	3900	---	---	---	---	0.55	< 0.50	0.99	0.32 J	< 0.50	6.1	46
GMW-48	11/22/96	GSI	---	56000	<500	<500	---	10000	1800	1500	6900	0.8	---	---
GMW-5	11/27/96	GSI	---	<50	<500	<500	---	<0.5	<0.5	<0.5	<1	---	---	---
GMW-5	7/11/97	Groundwater Technology Inc.	---	<50	<50	<50	---	<0.5	<1	<1	<2	---	---	---
GMW-5	1/6/98	Groundwater Technology Inc.	---	<500	<100	<100	---	<0.3	<0.3	<0.3	<0.6	---	---	---
GMW-5	5/18/98	BBC	---	---	---	---	---	<0.3	<0.3	<0.3	<0.6	---	---	---
GMW-5	11/4/98	Groundwater Technology Inc.	---	<300	---	---	<100	<0.3	<0.3	<0.3	<0.6	---	---	---
GMW-5	5/27/99	Groundwater Technology Inc.	---	<300	---	---	<100	<0.3	<0.3	<0.3	<0.6	---	---	---
GMW-5	11/18/99	IT Corporation	---	<300	---	---	<100	<0.3	<0.3	<0.3	<0.6	---	---	---
GMW-5	5/16/00	IT Corporation	---	<300	---	---	<100	<0.3	<0.3	<0.3	<0.6	---	---	---
GMW-5	11/29/00	IT Corporation	---	<300	---	---	<100	<0.3	<0.3	<0.3	<0.6	---	<5	---
GMW-5	5/9/01	IT Corporation	---	<300	---	---	<100	<0.3	<0.3	<0.3	<0.6	---	<5	---
GMW-5	11/7/01	IT Corporation	---	<300	---	---	<100	<0.3	<0.3	<0.3	<0.6	---	<5	---
GMW-5	4/10/02	IT Corporation	---	<300	---	---	<100	<0.3	<0.3	<0.3	<0.6	---	<5	---
GMW-56	11/5/98	Groundwater Technology Inc.	---	<300	---	---	<100	<0.3	<0.3	16	<0.6	---	---	---
GMW-56	5/27/99	Groundwater Technology Inc.	---	<300	---	---	<100	<0.3	<0.3	<0.3	<0.6	---	---	---
GMW-56	11/18/99	IT Corporation	---	<300	---	---	<100	<0.3	<0.3	<0.3	<0.6	---	---	---
GMW-56	5/17/00	IT Corporation	---	<300	---	---	<100	<0.3	<0.3	<0.3	<0.6	---	---	---
GMW-56	11/29/00	IT Corporation	---	<300	---	---	<100	<0.3	<0.3	<0.3	<0.6	---	<5	---
GMW-56	5/9/01	IT Corporation	---	<300	---	---	<100	<0.3	<0.3	<0.3	<0.6	---	<5	---
GMW-56	11/7/01	IT Corporation	---	<300	---	---	<100	<0.3	<0.3	<0.3	<0.6	---	<5	---
GMW-56	4/10/02	IT Corporation	---	<300	---	---	<100	<0.3	<0.3	<0.3	<0.6	---	12	---
GMW-56	4/10/03	Groundwater Technology Inc.	---	---	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
GMW-56	10/8/03	Parsons	---	---	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
GMW-56	4/21/04	Parsons	---	---	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	< 10
GMW-56	11/4/04	Parsons	---	---	---	---	<100	<0.5	<0.5	<0.5	---	<0.5	<0.5	< 10
GMW-56	5/5/05	Parsons	---	---	---	---	120	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	< 10
GMW-56	11/5/05	PARSONS	---	---	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	< 10
GMW-56	5/3/06	PARSONS	---	---	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	< 10
GMW-56	12/8/06	PARSONS	---	---	---	---	< 100	< 0.50	< 0.50	< 0.50	< 1	< 0.50	< 0.50	< 10
GMW-56	5/2/07	PARSONS	---	---	---	---	< 100	< 0.50	< 0.50	< 0.50	< 1	< 0.50	< 0.50	< 10

TABLE 9

HISTORICAL ANALYTICAL RESULTS FOR TPH, BTEX, 1,2-DCA, AND MTBE IN GROUNDWATER
 NOVEMBER 1996 THROUGH OCTOBER 2011

Well	Date Sampled	Sampled By	TPH as JP-5 ¹	TPH as Gasoline	TPH as Diesel	TPH as JP-4 ²	TPH as FP ³	Benzene	Toulene	Ethylbenzene	Total Xylenes	1,2-DCA ⁴	MTBE ⁵	TBA ⁶
GMW-56	11/14/07	PARSONS	---	---	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	< 10
GMW-56	4/16/08	PARSONS	---	---	---	---	< 100	< 0.50	< 0.50	< 0.50	0.94	< 0.50	< 0.50	< 10
GMW-56	10/15/08	PARSONS	< 100	---	---	---	---	< 0.50	< 0.50	< 0.50	< 1	< 0.50	< 0.50	< 10
GMW-56	4/21/09	PARSONS	< 100	---	---	---	---	< 0.50	< 0.50	< 0.50	< 1	< 0.50	< 0.50	< 10
GMW-56	10/21/09	PARSONS	< 100	---	---	---	---	< 0.50	< 0.50	< 0.50	< 1	< 0.50	< 0.50	4.2 J
GMW-56	4/12/10	PARSONS	< 100	---	---	---	---	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	< 10
GMW-56	4/15/11	PARSONS	< 100	---	---	---	---	< 0.50	< 0.50	< 0.50	< 1	< 0.50	< 0.50	< 10
GMW-57	11/5/98	Groundwater Technology Inc	---	<300	---	---	<100	12	0.63	4.5	0.97	---	---	---
GMW-57	5/26/99	Groundwater Technology Inc	---	379	---	---	<100	150	15	12	55	---	---	---
GMW-57	11/18/99	IT Corporation	---	4000	---	---	3600	950	240	150	750	---	---	---
GMW-57	5/17/00	IT Corporation	---	17000	---	---	<100	3200	2200	750	4300	---	---	---
GMW-57	11/29/00	IT Corporation	---	11000	---	---	7100	2300	21	340	1800	---	<100	---
GMW-57	3/30/01	IT Corporation	---	---	---	---	1800	---	---	---	---	---	---	---
GMW-57	5/9/01	IT Corporation	---	28000	---	---	12000	3300	3100	690	3600	---	<50	---
GMW-57	11/7/01	IT Corporation	---	19000	---	---	11000	3900	1600	390	3400	---	<500	---
GMW-57	4/10/02	IT Corporation	---	5000	---	---	5300	720	150	8.2	360	<2.5	<2.5	---
GMW-57	10/23/02	Groundwater Technology Inc	---	1700	---	---	2000	690	<0.3	3.2	5.7	---	<5	---
GMW-57	4/9/03	Groundwater Technology Inc	---	---	---	---	<100	<1	<1	<1	<2	---	<3	---
GMW-57	9/18/03	Parsons	---	---	---	---	170	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
GMW-57	10/11/03	Parsons	---	200	---	---	650	47	<0.5	0.57	<0.5	<0.5	<0.5	---
GMW-57	2/21/04	Parsons	---	---	---	470	---	190	<0.5	<0.5	---	---	<0.5	---
GMW-57	4/21/04	Parsons	---	110	---	---	710	21	<0.5	<0.5	<0.5	<0.5	<0.5	< 10
GMW-57	7/21/04	Parsons	---	340	---	---	720	48	<0.5	<0.5	---	---	<0.5	---
GMW-57	11/3/04	Parsons	---	120	---	---	270	22	<0.5	<0.5	---	<0.5	<0.5	< 10
GMW-57	3/2/05	Parsons	---	400	---	---	170	190	<1	2.5	5.8	---	<1	---
GMW-57	5/5/05	Parsons	---	280	---	---	170	57	<0.5	<0.5	<0.5	<0.5	<0.5	< 10
GMW-57 DUP	5/5/05	Parsons	---	230	---	---	160	61	<0.5	<0.5	<0.5	<0.5	<0.5	< 10
GMW-57	8/4/05	PARSONS	---	170	---	---	430	120	< 0.5	0.54	< 1	< 0.5	< 0.5	< 10
GMW-57	11/5/05	PARSONS	---	120	---	---	100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	< 10
GMW-57	3/8/06	PARSONS	---	180	---	---	180	4.8	< 0.5	< 0.5	< 1	< 0.5	< 0.5	< 10
GMW-57	5/3/06	PARSONS	---	< 100	---	---	280	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	< 10
GMW-57	7/28/06	PARSONS	---	180	---	---	1100	1.8	< 0.5	< 0.5	< 1	< 0.5	< 0.5	< 10
GMW-57	12/5/06	PARSONS	---	< 100	---	---	290	< 0.50	< 0.50	< 0.50	< 1	< 0.50	< 0.50	< 10
GMW-57	3/23/07	PARSONS	---	120	---	---	540	< 0.50	< 0.50	< 0.50	< 1	< 0.50	< 0.50	< 10
GMW-57	5/2/07	PARSONS	---	120	---	---	720	< 0.50	< 0.50	< 0.50	< 1	< 0.50	< 0.50	< 10
GMW-57	8/31/07	PARSONS	---	110	---	---	700	< 0.50	< 0.50	< 0.50	< 1	< 0.50	< 0.50	< 10
GMW-57	11/13/07	PARSONS	---	160	---	---	450	0.72	< 0.50	< 0.50	< 1	< 0.50	< 0.50	< 10
GMW-57	2/7/08	PARSONS	---	150	---	---	720	4	< 0.50	< 0.50	< 1	< 0.50	< 0.50	< 10
GMW-57	4/16/08	PARSONS	---	< 100	---	---	540	< 0.50	< 0.50	< 0.50	< 1	< 0.50	< 0.50	< 10
GMW-57	7/29/08	PARSONS	---	< 100	---	---	390	< 0.50	< 0.50	< 0.50	< 1	< 0.50	< 0.50	< 10
GMW-57	10/15/08	PARSONS	210	< 100	---	---	---	< 0.50	< 0.50	< 0.50	< 1	< 0.50	< 0.50	< 10
GMW-57	2/12/09	PARSONS	140	< 100	---	---	---	< 0.50	< 0.50	< 0.50	< 1	< 0.50	< 0.50	< 10
GMW-57	4/20/09	PARSONS	< 100	< 100	---	---	---	< 0.50	< 0.50	< 0.50	< 1	< 0.50	< 0.50	< 10
GMW-57	7/21/09	PARSONS	< 100	< 100	---	---	---	< 0.50	< 0.50	< 0.50	< 1	< 0.50	< 0.50	< 10
GMW-57	10/19/09	PARSONS	< 100	< 100	---	---	---	< 0.50	< 0.50	< 0.50	< 1	< 0.50	< 0.50	8.1 J
GMW-57	1/11/10	PARSONS	< 100	---	---	---	---	< 0.50	< 0.50	< 0.50	< 1.0	< 0.50	< 0.50	< 10
GMW-57	4/12/10	PARSONS	< 100	---	---	---	---	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	< 10
GMW-57	7/13/10	PARSONS	100	---	---	---	---	0.44 J	< 0.50	< 0.50	< 1.0	< 0.50	< 0.50	< 10
GMW-57	10/6/10	PARSONS	< 100	---	---	---	---	< 0.50	< 0.50	< 0.50	< 1.0	< 0.50	< 0.50	< 10
GMW-57 DUP	10/6/10	PARSONS	< 100	---	---	---	---	< 0.50	< 0.50	< 0.50	< 1.0	< 0.50	< 0.50	< 10
GMW-57	1/10/11	PARSONS	< 100	---	---	---	---	< 0.50	< 0.50	< 0.50	< 1	< 0.50	< 0.50	< 10
GMW-57	4/11/11	PARSONS	< 100	---	---	---	---	1.4	< 0.5	< 0.5	< 1	< 0.5	< 0.5	< 10
GMW-57	7/11/11	PARSONS	130	---	---	---	---	10	< 0.50	< 0.50	< 1	< 0.50	< 0.50	< 10
GMW-57	10/11/11	PARSONS	< 100	---	---	---	---	1.6	< 0.50	< 0.50	0.48 J	< 0.50	< 0.50	< 10
GMW-58	11/4/98	Groundwater Technology Inc	---	2590	---	---	1700	200	210	67	280	---	---	---
GMW-58	5/26/99	Groundwater Technology Inc	---	1360	---	---	451	310	62	42	170	---	---	---
GMW-58	11/18/99	IT Corporation	---	1600	---	---	1900	82	26	20	100	---	---	---
GMW-58	5/17/00	IT Corporation	---	21000	---	---	36000	3500	5900	730	3900	---	---	---
GMW-58	3/2/05	Parsons	---	5800	---	---	22000	1700	<20	250	400	---	<20	---
GMW-58	5/5/05	Parsons	---	12000	---	---	36000	410	<2.5	13	600	<2.5	<2.5	< 50
GMW-58	8/4/05	PARSONS	---	5800	---	---	24000	500	< 2.5	56	124	< 2.5	< 2.5	< 50
GMW-58	11/5/05	PARSONS	---	6300	---	---	9700	560	< 2.5	380	196	< 2.5	< 2.5	< 50
GMW-58	3/8/06	PARSONS	---	5300	---	---	34000	250	< 2.5	140	21.1	< 2.5	< 2.5	< 50
GMW-58	5/3/06	PARSONS	---	2900	---	---	16000	260	< 1	85	27.3	< 1	< 1	< 20
GMW-58	7/28/06	PARSONS	---	3200	---	---	15000	310	< 1	78	22.7	< 1	< 1	< 20
GMW-58	3/23/07	PARSONS	---	1700	---	---	4100	350	< 1.0	5.9	1.5	< 1.0	< 1.0	< 20

TABLE 9

**HISTORICAL ANALYTICAL RESULTS FOR TPH, BTEX, 1,2-DCA, AND MTBE IN GROUNDWATER
NOVEMBER 1996 THROUGH OCTOBER 2011**

Well	Date Sampled	Sampled By	TPH as JP-5 ¹	TPH as Gasoline	TPH as Diesel	TPH as JP-4 ²	TPH as FP ³	Benzene	Toulene	Ethylbenzene	Total Xylenes	1,2-DCA ⁴	MTBE ⁵	TBA ⁶
GMW-58	5/2/07	PARSONS	---	2200	---	---	2500	320	<1.0	9.5	2.4	<1.0	<1.0	<20
GMW-58	8/31/07	PARSONS	---	3000	---	---	2400	240	<2.5	<2.5	<5	<2.5	<2.5	<50
GMW-58	11/13/07	PARSONS	---	2000	---	---	720	240	<1.0	7.4	<2	<1.0	<1.0	<20
GMW-58	2/7/08	PARSONS	---	1100	---	---	5000	270	<1.0	1.8	6.4	<1.0	<1.0	<20
GMW-58	4/16/08	PARSONS	---	1100	---	---	720	310	<2.5	<2.5	<5	8.4	<2.5	<50
GMW-58	7/29/08	PARSONS	---	870	---	---	750	45	<0.50	<0.50	<1	<0.50	0.77	<10
GMW-58	10/15/08	PARSONS	840	1200	---	---	---	62	<0.50	0.67	0.62	<0.50	<0.50	<10
GMW-58 DUP	10/15/08	PARSONS	3600	1700	---	---	---	59	<0.50	0.65	0.57	<0.50	1.3	---
GMW-58	2/12/09	PARSONS	2200	1000 J	---	---	---	36	<0.50	0.85	<1	<0.50	0.55	<10
GMW-58	4/20/09	PARSONS	230	130 J	---	---	---	<0.50	<0.50	<0.50	<1	<0.50	13	<10
GMW-58 DUP	4/20/09	PARSONS	250	220 J	---	---	---	<0.50	<0.50	<0.50	<1	<0.50	13	<10
GMW-58	7/20/09	PARSONS	300	100	---	---	---	1.2	<0.50	<0.50	<1	<0.50	6.4	<10
GMW-58 DUP	7/20/09	PARSONS	290	---	---	---	---	1.2	<0.50	<0.50	<1	<0.50	6.1	<10
GMW-58	10/19/09	PARSONS	2200 J	1000	---	---	---	9.5	<0.50	0.24	<1	<0.50	1.5	6 J
GMW-58 DUP	10/19/09	PARSONS	16000 J	1100	---	---	---	11	<0.50	0.3	<1	<0.50	1.5	<10
GMW-58	1/11/10	PARSONS	190	---	---	---	---	9.7	<0.50	<0.50	<1.0	<0.50	1.7	3.8 J
GMW-58 DUP	1/11/10	PARSONS	170	---	---	---	---	9.5	<0.50	<0.50	<1.0	<0.50	1.6	<10
GMW-58	4/19/10	PARSONS	300	---	---	---	---	12	<0.50	<0.50	<1.0	---	0.81	5.7 J
GMW-58 DUP	4/19/10	PARSONS	210	---	---	---	---	12	<0.50	<0.50	<1.0	---	0.77	4.4 J
GMW-58	7/13/10	PARSONS	280	---	---	---	---	4.8	<0.50	<0.50	<1.0	<0.50	0.41 J	<10
GMW-58 DUP	7/13/10	PARSONS	380	---	---	---	---	4.8	<0.50	<0.50	<1.0	<0.50	0.4 J	<10
GMW-58	10/6/10	PARSONS	170	---	---	---	---	8.6	<0.50	0.3 J	1.9	<0.50	<0.50	<10
GMW-58	1/10/11	PARSONS	410	---	---	---	---	5.8	<0.50	<0.50	<1	<0.50	0.46 J	<10
GMW-58 DUP	1/10/11	PARSONS	410	---	---	---	---	5.8	<0.50	<0.50	<1	<0.50	0.43 J	<10
GMW-58	4/13/11	PARSONS	1300	---	---	---	---	94	<0.50	0.35 J	<1	<0.50	<0.50	<10
GMW-58 DUP	4/13/11	PARSONS	690	---	---	---	---	99	<0.50	0.4 J	<1	<0.50	<0.50	<10
GMW-58	7/11/11	PARSONS	220	---	---	---	---	31	<0.50	<0.50	<1	<0.50	<0.50	<10
GMW-58 DUP	7/11/11	PARSONS	220	---	---	---	---	32	<0.50	<0.50	<1	<0.50	<0.50	<10
GMW-58 DUP	7/11/11	PARSONS	---	---	---	---	---	---	---	---	---	---	---	---
GMW-58	10/11/11	PARSONS	350	---	---	---	---	27	<0.50	<0.50	<1	<0.50	0.65	<10
GMW-59	11/4/98	Groundwater Technology Inc	---	9880	---	---	12400	950	600	210	620	---	---	---
GMW-59	11/29/00	IT Corporation	---	67000	---	---	21000	3500	900	750	3600	---	<130	---
GMW-59	4/10/03	Groundwater Technology Inc	---	---	---	---	29600	261	4.8	18.4	110	---	<3	---
GMW-59	10/8/03	Parsons	---	---	---	---	4900	760	<3	65	450	---	<50	---
GMW-59	4/21/04	Parsons	---	---	---	---	5000	590	<1	100	275.6	---	380	---
GMW-59	11/3/04	Parsons	---	---	---	---	4000	95	<0.6	15	18	---	<10	---
GMW-59	3/2/05	Parsons	---	4200	---	---	23000	400	<5	130	22	---	35	---
GMW-59	5/5/05	Parsons	---	11000	---	---	9400	170	<0.5	60	7.8	<0.5	11	<10
GMW-59	8/4/05	PARSONS	---	6400	---	---	17000	140	<1	56	6.6	<1	<1	<20
GMW-59	11/5/05	PARSONS	---	9500	---	---	26000	270	<0.5	26	2.2	<0.5	<0.5	<10
GMW-59	3/8/06	PARSONS	---	4600	---	---	13000	260	<1	7.4	<2	<1	<1	<20
GMW-59 DUP	3/8/06	PARSONS	---	7600	---	---	13000	230	<1	6.7	<2	<1	<1	<20
GMW-59	5/3/06	PARSONS	---	9900	---	---	9300	210	<1	4	<2	<1	<1	<20
GMW-59	7/28/06	PARSONS	---	3200	---	---	37000	540	<1	3.1	<2	<1	4.8	<20
GMW-59	12/5/06	PARSONS	---	---	---	---	9000	800	4.3	5.2	11	---	<10	---
GMW-59	3/23/07	PARSONS	---	8200	---	---	15000	840	<2.5	<2.5	<5	<2.5	<2.5	<50
GMW-59	5/2/07	PARSONS	---	4800	---	---	7400	1100	<2.5	<2.5	<5	<2.5	<2.5	<50
GMW-59	8/31/07	PARSONS	---	4800	---	---	3500	720	<2.5	<2.5	<5	<2.5	<2.5	<50
GMW-59	11/13/07	PARSONS	---	4700	---	---	2200	660	<5.0	<5.0	<10	<5.0	<5.0	<100
GMW-59	2/7/08	PARSONS	---	3200	---	---	3900	490	<2.5	3.8	<5	<2.5	2.7	<50
GMW-59	4/16/08	PARSONS	---	3600	---	---	2100	580	<2.5	3.5	<5	15	3.7	<50
GMW-59	7/29/08	PARSONS	---	2300	---	---	2900	580	<2.5	<2.5	<5	<2.5	3.3	<50
GMW-59	10/15/08	PARSONS	2400	2500	---	---	---	830	<2.5	<2.5	<5	<2.5	5.5	<50
GMW-59 DUP	10/15/08	PARSONS	14000	2200	---	---	---	770	<2.5	<2.5	<5	<2.5	4	---
GMW-59	2/12/09	PARSONS	2600	2500 J	---	---	---	650	<2.5	<2.5	<5	<2.5	3.2	<50
GMW-59	4/20/09	PARSONS	19000 J	8500 J	---	---	---	610	<2.5	<2.5	<5	<2.5	2.7	<50
GMW-59 DUP	4/20/09	PARSONS	12000 J	7300 J	---	---	---	610	<2.5	<2.5	<5	<2.5	3	<50
GMW-59	7/20/09	PARSONS	11000	6700 J	---	---	---	520	<2.5	<2.5	<5	<2.5	3.5	<50
GMW-59 DUP	7/20/09	PARSONS	9100	---	---	---	---	520	<2.5	<2.5	<5	<2.5	3.4	<50
GMW-59	10/21/09	PARSONS	3000 J	2600 J	---	---	---	1700	<2.5	1.4	<5	<2.5	16	18 J
GMW-59 DUP	10/21/09	PARSONS	4200 J	3400 J	---	---	---	1600	<2.5	1.3	<5	<2.5	16	19 J
GMW-59	1/11/10	PARSONS	1900	---	---	---	---	2200	<10	<10	<20	<10	17	<200
GMW-59	4/19/10	PARSONS	1700	2900 J	---	---	---	570	<0.50	1.9	<1.0	---	2.3	11
GMW-59 DUP	4/19/10	PARSONS	2600	3000 J	---	---	---	510	<0.50	1.9	<1.0	---	2.3	13
GMW-59	7/13/10	PARSONS	1600	2400 J	---	---	---	210	<1.0	0.77 J	<2.0	<1.0	1.2	8.2 J
GMW-59 DUP	7/13/10	PARSONS	1400	---	---	---	---	210	<1.0	0.82 J	<2.0	<1.0	1.4	9.4 J

TABLE 9

**HISTORICAL ANALYTICAL RESULTS FOR TPH, BTEX, 1,2-DCA, AND MTBE IN GROUNDWATER
NOVEMBER 1996 THROUGH OCTOBER 2011**

Well	Date Sampled	Sampled By	TPH as JP-5 ¹	TPH as Gasoline	TPH as Diesel	TPH as JP-4 ²	TPH as FP ³	Benzene	Toulene	Ethylbenzene	Total Xylenes	1,2-DCA ⁴	MTBE ⁵	TBA ⁶
GMW-59	10/6/10	PARSONS	1500	850	---	---	---	87	< 0.50	0.67	< 1.0	< 0.50	3.5	17
GMW-59 DUP	10/6/10	PARSONS	1700	---	---	---	---	93	< 0.50	0.54	< 1.0	< 0.50	3.6	21
GMW-59	1/11/11	PARSONS	4100	2500	---	---	---	1100	< 0.50	1.1	< 1	< 0.50	8.8	23
GMW-59 DUP	1/11/11	PARSONS	3900	---	---	---	---	1100	< 0.50	1	< 1	< 0.50	8.3	19
GMW-59	4/14/11	PARSONS	3800	10000	---	---	---	130	< 0.50	0.85	< 1	< 0.50	< 0.50	< 10
GMW-59 DUP	4/14/11	PARSONS	5300	---	---	---	---	130	< 0.50	0.8	< 1	< 0.50	< 0.50	< 10
GMW-59	7/12/11	PARSONS	1700	1400	---	---	---	14	< 0.50	0.43 J	< 1	< 0.50	< 0.50	8 J
GMW-59 DUP	7/12/11	PARSONS	2000	---	---	---	---	14	< 0.50	0.41 J	< 1	< 0.50	< 0.50	7.5 J
GMW-59 DUP	7/12/11	PARSONS	---	---	---	---	---	---	---	---	---	---	---	---
GMW-59	10/11/11	PARSONS	2500	< 1800	---	---	---	130	< 0.50	0.78	< 1	< 0.50	2.1	13 J
GMW-59 DUP	10/11/11	PARSONS	2400	---	---	---	---	120	< 0.50	0.8	< 1	< 0.50	2.1	25 J
GMW-6	11/27/96	GSI	---	5300	<500	<500	---	330	<12	320	300	---	---	---
GMW-6	7/9/97	Groundwater Technology Inc.	---	<50	<50	<50	---	2.7	<1	1.4	<2	<5	---	---
GMW-6	1/7/98	Groundwater Technology Inc.	---	<500	<100	<100	---	<0.3	<0.3	<0.3	<0.6	---	---	---
GMW-6	5/21/98	BBC	---	<300	---	---	---	<0.5	<0.5	<0.5	<1	<0.5	<0.5	---
GMW-6	11/5/98	Groundwater Technology Inc.	---	<300	---	---	<100	<0.3	<0.3	<0.3	<0.6	---	---	---
GMW-6	5/27/99	Groundwater Technology Inc.	---	<300	---	---	<100	<0.3	<0.3	<0.3	<0.6	---	---	---
GMW-6	11/18/99	IT Corporation	---	<300	---	---	<100	<0.3	<0.3	<0.3	<0.6	---	---	---
GMW-6	5/16/00	IT Corporation	---	<300	---	---	<100	<0.3	<0.3	<0.3	<0.6	---	---	---
GMW-6	11/29/00	IT Corporation	---	<300	---	---	550	<0.3	<0.3	<0.3	<0.6	---	<5	---
GMW-6	5/9/01	IT Corporation	---	<300	---	---	<100	<0.3	<0.3	<0.3	<0.6	---	<5	---
GMW-6	11/7/01	IT Corporation	---	<300	---	---	<100	<0.3	<0.3	<0.3	<0.6	---	<5	---
GMW-6	4/10/02	IT Corporation	---	<300	---	---	<100	<0.3	<0.3	<0.3	<0.6	---	<5	---
GMW-6	10/23/02	Groundwater Technology Inc.	---	<300	---	---	<100	<0.3	<0.3	<0.3	<0.3	---	<5	---
GMW-6	4/10/03	Groundwater Technology Inc.	---	---	---	---	<100	<1	<1	<1	<2	---	<3	---
GMW-6	10/8/03	Parsons	---	---	---	---	130	<0.3	<0.3	<0.3	<0.3	---	<5	---
GMW-6	4/22/04	Parsons	---	---	---	---	<100	0.41	<0.3	<0.3	<0.3	---	<5	---
GMW-6	11/6/04	Parsons	---	---	---	---	4100	<0.3	<0.3	<0.3	<0.3	---	<5	---
GMW-6	5/6/05	Parsons	---	---	---	---	<100	<0.3	0.46	<0.3	<0.3	---	<5	---
GMW-6	11/8/05	PARSONS	---	---	---	---	< 100	< 0.3	< 0.3	< 0.3	< 0.3	---	< 5	---
GMW-6	5/3/06	PARSONS	---	---	---	---	< 100	< 0.3	< 0.3	< 0.3	< 0.3	---	< 5	---
GMW-6	12/8/06	PARSONS	---	---	---	---	< 100	< 0.50	< 0.50	< 0.50	1.3	---	< 5.0	---
GMW-6	5/2/07	PARSONS	---	---	---	---	< 100	0.58	0.54	< 0.50	< 1.0	---	< 5.0	---
GMW-6	11/14/07	PARSONS	---	---	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	---	< 5	---
GMW-6	4/16/08	PARSONS	---	---	---	---	< 100	< 0.50	< 0.50	< 0.50	< 1.0	---	< 5.0	---
GMW-6	10/15/08	PARSONS	< 100	---	---	---	---	< 0.50	< 0.50	< 0.50	< 1	< 0.50	1.1	< 10
GMW-6	4/21/09	PARSONS	< 100	---	---	---	---	< 0.50	< 0.50	< 0.50	< 1	---	43	---
GMW-6	10/20/09	PARSONS	110 J	---	---	---	---	1.5	< 0.5	< 0.5	< 1	< 0.5	350	< 10
GMW-6	4/12/10	PARSONS	< 100	---	---	---	---	< 0.5	< 0.5	< 0.5	< 1	---	7.2	< 10
GMW-6	10/5/10	PARSONS	170	---	---	---	---	0.35 J	< 0.50	< 0.50	< 1.0	< 0.50	130	210
GMW-6	2/24/11	CH2MHill	---	< 50	---	---	120	0.53	< 0.5	< 0.5	< 1	< 0.5	9.6	120
GMW-6 DUP	2/24/11	CH2MHill	---	---	---	---	---	0.51	< 0.5	< 0.5	< 1	< 0.5	9.9	130
GMW-6	4/13/11	PARSONS	< 100	< 100	---	---	---	< 0.50	< 0.50	< 0.50	< 1	< 0.50	< 0.50	< 10
GMW-6 DUP	4/13/11	PARSONS	< 100	---	---	---	---	< 0.50	< 0.50	< 0.50	< 1	< 0.50	< 0.50	< 10
GMW-6	10/10/11	PARSONS	290	---	---	---	---	< 0.50	< 0.50	< 0.50	< 1	< 0.50	1.8	220
GMW-60	7/21/04	Parsons	---	15000	---	---	5300	1700	160	710	---	---	<0.5	---
GMW-60	11/3/04	Parsons	---	12000	---	---	3500	1700	70	900	---	<5	<5	< 100
GMW-60	3/2/05	Parsons	---	8300	---	---	4900	1300	<20	860	2040	---	<20	---
GMW-60	5/5/05	Parsons	---	9400	---	---	4600	1100	<5	790	1740	<5	<5	< 100
GMW-60	8/4/05	PARSONS	---	6200	---	---	5600	1000	<5	680	1070	<5	<5	< 100
GMW-60	11/5/05	PARSONS	---	7200	---	---	4400	970	<5	710	1130	<5	<5	< 100
GMW-60	3/8/06	PARSONS	---	5900	---	---	5200	680	<5	640	800	<5	<5	< 100
GMW-60	5/3/06	PARSONS	---	3900	---	---	2200	770	<5	230	235	<5	<5	< 100
GMW-60	7/28/06	PARSONS	---	4600	---	---	4900	850	<5	170	102	<5	<5	< 100
GMW-60	12/5/06	PARSONS	---	4100	---	---	920	660	<5.0	130	92	<5.0	<5.0	< 100
GMW-60	3/23/07	PARSONS	---	3500	---	---	1700	490	<2.5	87	80	<2.5	<2.5	< 50
GMW-60	5/2/07	PARSONS	---	2800	---	---	630	300	<2.5	18	23	<2.5	<2.5	< 50
GMW-60	8/31/07	PARSONS	---	2000	---	---	660	250	<2.5	18	5.9	<2.5	<2.5	< 50
GMW-60	11/13/07	PARSONS	---	1500	---	---	< 100	180	< 0.50	21	4.3	< 0.50	< 0.50	< 10
GMW-60	2/7/08	PARSONS	---	1700	---	---	290	270	0.8	65	47.9	< 0.50	< 0.50	< 10
GMW-60	4/16/08	PARSONS	---	1400	---	---	920	160	< 1.0	24	2.6	< 1.0	< 1.0	< 20
GMW-60	7/29/08	PARSONS	---	2000	---	---	610	240	< 1.0	3.9	< 2	< 1.0	< 1.0	< 20
GMW-60	10/15/08	PARSONS	270	1400	---	---	---	220	< 1.0	2.7	< 2	< 1.0	< 1.0	< 20
GMW-60	2/12/09	PARSONS	490	1600 J	---	---	---	200	< 1.0	2.5	< 2	< 1.0	< 1.0	< 20
GMW-60	4/20/09	PARSONS	1100	3500 J	---	---	---	800	< 5.0	7.9	< 10	< 5.0	< 5.0	< 100
GMW-60	7/20/09	PARSONS	1700	3200 J	---	---	---	940	< 5.0	11	< 10	< 5.0	< 5.0	< 100

TABLE 9

**HISTORICAL ANALYTICAL RESULTS FOR TPH, BTEX, 1,2-DCA, AND MTBE IN GROUNDWATER
NOVEMBER 1996 THROUGH OCTOBER 2011**

Well	Date Sampled	Sampled By	TPH as JP-5 ¹	TPH as Gasoline	TPH as Diesel	TPH as JP-4 ²	TPH as FP ³	Benzene	Toulene	Ethylbenzene	Total Xylenes	1,2-DCA ⁴	MTBE ⁵	TBA ⁶
GMW-60	10/19/09	PARSONS	930	2600 J	---	---	---	800	<5.0	8.8	<10	<5.0	<5.0	<100
GMW-60	1/11/10	PARSONS	<100	---	---	---	---	940	<5.0	12	<10	<5.0	<1.0	<100
GMW-60	3/4/10	PARSONS	1800 J	1600 J	---	---	---	510	<2.5	8	<5	<2.5	<2.5	<50
GMW-60	4/13/10	PARSONS	1300	1900 J	---	---	---	580	<0.5	8.7	0.26 J	<0.5	<0.5	<10
GMW-60	7/13/10	PARSONS	1200	3100 J	---	---	---	700	<0.50	12	<1.0	<0.50	<0.50	<10
GMW-60	10/6/10	PARSONS	1900	560	---	---	---	770	<0.50	14	2.14	<0.50	<0.50	<10
GMW-60	1/11/11	PARSONS	2100	3200	---	---	---	870	<0.50	12	<1	<0.50	<0.50	<10
GMW-60	4/15/11	PARSONS	1200	2100	---	---	---	590	<0.50	9.8	<1	<0.50	<0.50	<10
GMW-60	7/12/11	PARSONS	1500	2200	---	---	---	560	<0.50	10	0.27 J	<0.50	<0.50	8.8 J
GMW-60	10/11/11	PARSONS	1500	2300	---	---	---	510	<0.50	9.1	0.38 J	<0.50	<0.50	<10
GMW-61	7/21/04	Parsons	---	19000	---	---	14000	2400	1700	1000	---	---	<0.5	---
GMW-61	11/3/04	Parsons	---	23000	---	---	5700	2500	2200	1200	---	<5	<5	<100
GMW-61	3/2/05	Parsons	---	20000	---	---	10000	2700	1900	1100	5900	---	<20	---
GMW-61	5/5/05	Parsons	---	11000	---	---	7000	2000	310	840	2500	<10	<10	<200
GMW-61	8/4/05	PARSONS	---	11000	---	---	12000	1900	740	740	3500	<10	<10	<200
GMW-61 DUP	8/4/05	PARSONS	---	11000	---	---	12000	1800	700	710	3400	<10	<10	<200
GMW-61	11/5/05	PARSONS	---	16000	---	---	10000	2600	480	1100	4900	<10	<10	<200
GMW-61	3/8/06	PARSONS	---	11000	---	---	7900	2100	280	1000	2700	<10	<10	<200
GMW-61	5/3/06	PARSONS	---	9600	---	---	7300	1900	89	810	2030	<10	<10	<200
GMW-61	7/28/06	PARSONS	---	7200	---	---	9900	1400	20	460	1290	<10	<10	<200
GMW-61 DUP	7/28/06	PARSONS	---	6700	---	---	8100	1300	19	470	1330	<10	<10	<200
GMW-61	12/5/06	PARSONS	---	7900	---	---	4000	1500	19	330	2050	<5.0	<5.0	<100
GMW-61	3/23/07	PARSONS	---	7500	---	---	3100	1200	16	220	1340	<5.0	<5.0	<100
GMW-61	5/2/07	PARSONS	---	11000	---	---	3000	1600	27	290	2090	<5.0	<5.0	<100
GMW-61	8/31/07	PARSONS	---	9200	---	---	1600	1500	17	190	1170	<0.50	<0.50	<10
GMW-61	11/13/07	PARSONS	---	2300	---	---	<100	580	6.3	99	360	<5.0	<5.0	<100
GMW-61	2/7/08	PARSONS	---	2600	---	---	890	330	8.6	70	363	<2.5	<2.5	<50
GMW-61	4/16/08	PARSONS	---	2000	---	---	1100	480	5	64	399	<2.5	<2.5	<50
GMW-61	7/29/08	PARSONS	---	1500	---	---	790	400	<2.5	28	129.3	<2.5	<2.5	<50
GMW-61	10/15/08	PARSONS	500	1300	---	---	---	450	<2.5	34	149.5	<2.5	<2.5	<50
GMW-61	2/12/09	PARSONS	<100	1100 J	---	---	---	340	<2.5	13	57	<2.5	<2.5	<50
GMW-61	4/20/09	PARSONS	550	1100 J	---	---	---	490	<2.5	<2.5	<5	<2.5	<2.5	<50
GMW-61	7/20/09	PARSONS	560	760 J	---	---	---	350	<2.5	<2.5	<5	<2.5	<2.5	<50
GMW-61	10/19/09	PARSONS	410	620 J	---	---	---	320	<2.5	1.2	<5	<2.5	<2.5	<50
GMW-61	1/11/10	PARSONS	<100	---	---	---	---	190	<1.0	0.99 J	<2.0	<1.0	<1.0	<20
GMW-61	4/15/10	PARSONS	500	740 J	---	---	---	380 J	<0.5	1.7 J	<1	<0.5	<0.5	3.7 J
GMW-61	7/13/10	PARSONS	710	970 J	---	---	---	320	0.46 J	1.2	0.54	<0.50	<0.50	<10
GMW-61	10/6/10	PARSONS	550	1200	---	---	---	100	0.49 J	2.2	2.8	<0.50	<0.50	<10
GMW-61	1/10/11	PARSONS	910	800	---	---	---	190	<0.50	1.8	0.48 J	<0.50	<0.50	<10
GMW-61	4/14/11	PARSONS	700	790	---	---	---	110	<0.50	1.2	<1	<0.50	<0.50	<10
GMW-61	7/12/11	PARSONS	240	230	---	---	---	6.4	<0.50	<0.50	<1	<0.50	<0.50	<10
GMW-61	10/11/11	PARSONS	<100	140	---	---	---	<0.50	<0.7	<0.50	<1	<0.50	<0.50	<10
GMW-61 DUP	10/11/11	PARSONS	<100	---	---	---	---	<0.50	<0.75	<0.50	<1	<0.50	<0.50	<10
GMW-62	7/17/07	PARSONS	---	11000	---	---	2500	1400	1200	360	1720	<0.5	<0.5	<10
GMW-62	8/31/07	PARSONS	---	3400	---	---	1100	400	96	45	188	<0.50	<0.50	<10
GMW-62 DUP	8/31/07	PARSONS	---	3200	---	---	1300	380	89	41	164	<0.50	<0.50	<10
GMW-62	11/14/07	PARSONS	---	4200	---	---	<100	1400	85	160	92	<5	<5	<100
GMW-62 DUP	11/14/07	PARSONS	---	3800	---	---	<100	1300	84	150	92	<5	<5	<100
GMW-62	2/7/08	PARSONS	---	4100	---	---	1400	2100	190	450	610	<5.0	<5.0	<100
GMW-62	4/17/08	PARSONS	---	1000	---	---	500	430	15	50	23.9	<5.0	<5.0	<100
GMW-62 DUP	4/17/08	PARSONS	---	1000	---	---	360	400	13	48	23.3	<5.0	<5.0	<100
GMW-62	7/29/08	PARSONS	---	2400	---	---	1000	1300	33	160	109	<2.5	<2.5	<50
GMW-62	10/15/08	PARSONS	180	2800	---	---	---	1700	19	220	161	<5.0	<5.0	<100
GMW-62	2/12/09	PARSONS	1600	3600 J	---	---	---	1800	5.1	150	164	<5.0	<5.0	<100
GMW-62	4/23/09	PARSONS	150	1500	---	---	---	370	<2.5	25	5.2	<2.5	<2.5	<50
GMW-62	7/21/09	PARSONS	1100	1800	---	---	---	1200	<2.5	67	36	<2.5	<2.5	<50
GMW-62	10/21/09	PARSONS	480	2200 J	---	---	---	1700	<2.5	43	12.9	<2.5	<2.5	<50
GMW-62	1/12/10	PARSONS	2200	---	---	---	---	3900	<10	22	30.4 J	100	<1.0	<200
GMW-62	3/4/10	PARSONS	2300	5000	---	---	---	3000	13	34	122	<2.5	<2.5	<50
GMW-62	4/14/10	PARSONS	430	2400 J	---	---	---	1600	0.6	26	45	<0.5	<0.5	<10
GMW-62	7/12/10	PARSONS	2600	4600 J	---	---	---	1000	0.49 J	200	159	<0.50	<0.50	<10
GMW-62	10/5/10	PARSONS	3400	6700	---	---	---	1200	10	110	360	<0.50	<0.50	<10
GMW-63	10/15/08	PARSONS	<100	<100	---	---	---	<0.50	<0.50	<0.50	<1	<0.50	<0.50	<10
GMW-63	2/12/09	PARSONS	<100	<100	---	---	---	<0.50	<0.50	<0.50	<1	<0.50	<0.50	<10
GMW-63	4/23/09	PARSONS	<100	<100	---	---	---	<0.50	<0.50	<0.50	<1	<0.50	<0.50	<10
GMW-63 DUP	4/23/09	PARSONS	<100	<100	---	---	---	<0.50	<0.50	<0.50	<1	<0.50	<0.50	<10

TABLE 9

**HISTORICAL ANALYTICAL RESULTS FOR TPH, BTEX, 1,2-DCA, AND MTBE IN GROUNDWATER
NOVEMBER 1996 THROUGH OCTOBER 2011**

Well	Date Sampled	Sampled By	TPH as JP-5 ¹	TPH as Gasoline	TPH as Diesel	TPH as JP-4 ²	TPH as FP ³	Benzene	Toulene	Ethylbenzene	Total Xylenes	1,2-DCA ⁴	MTBE ⁵	TBA ⁶
GMW-63	7/21/09	PARSONS	< 100	< 100	---	---	---	< 0.50	< 0.50	< 0.50	< 1	< 0.50	< 0.50	< 10
GMW-63	10/22/09	PARSONS	< 100	< 100	---	---	---	< 0.50	< 0.50	< 0.50	< 1	< 0.50	< 0.50	< 10
GMW-63 DUP	10/22/09	PARSONS	< 100	< 100	---	---	---	< 0.50	< 0.50	< 0.50	< 1	< 0.50	< 0.50	< 10
GMW-63	1/12/10	PARSONS	< 100	---	---	---	---	0.39 J	< 0.50	< 0.50	< 1.0	< 0.50	< 0.50	< 10
GMW-63	4/14/10	PARSONS	< 100	---	---	---	---	< 0.5	< 0.5	< 0.5	< 1.0	< 0.5	< 0.5	< 10
GMW-63	7/13/10	PARSONS	< 100	---	---	---	---	< 0.50	< 0.50	< 0.50	< 1.0	< 0.50	< 0.50	< 10
GMW-63	10/5/10	PARSONS	< 100	---	---	---	---	< 0.50	< 0.50	< 0.50	< 1.0	< 0.50	< 0.50	< 10
GMW-63	1/10/11	PARSONS	< 100	---	---	---	---	< 0.50	< 0.50	< 0.50	< 1	< 0.50	< 0.50	< 10
GMW-63	4/12/11	PARSONS	< 100	---	---	---	---	< 0.50	< 0.50	< 0.50	< 1	< 0.50	< 0.50	< 10
GMW-63	7/11/11	PARSONS	< 100	---	---	---	---	< 0.50	< 0.50	< 0.50	< 1	< 0.50	< 0.50	< 10
GMW-63	10/12/11	PARSONS	< 100	---	---	---	---	< 0.50	< 0.50	< 0.50	< 1	< 0.50	< 0.50	< 10
GMW-64	10/15/08	PARSONS	< 100	< 100	---	---	---	< 0.50	< 0.50	< 0.50	< 1	< 0.50	< 0.50	< 10
GMW-64	2/12/09	PARSONS	< 100	< 100	---	---	---	< 0.50	< 0.50	< 0.50	< 1	< 0.50	< 0.50	< 10
GMW-64	4/23/09	PARSONS	< 100	< 100	---	---	---	< 0.50	< 0.50	< 0.50	< 1	< 0.50	< 0.50	< 10
GMW-64	7/21/09	PARSONS	< 100	< 100	---	---	---	< 0.50	< 0.50	< 0.50	< 1	< 0.50	< 0.50	< 10
GMW-64	10/21/09	PARSONS	< 100	< 100	---	---	---	< 0.50	< 0.50	< 0.50	< 1	< 0.50	< 0.50	< 10
GMW-64	1/12/10	PARSONS	< 100	---	---	---	---	< 0.50	< 0.50	< 0.50	< 1.0	< 0.50	< 0.50	< 10
GMW-64	4/14/10	PARSONS	< 100	---	---	---	---	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	< 10
GMW-64	7/12/10	PARSONS	< 100	---	---	---	---	< 0.50	< 0.50	< 0.50	< 1.0	< 0.50	< 0.50	< 10
GMW-64	10/5/10	PARSONS	< 100	---	---	---	---	< 0.50	< 0.50	< 0.50	< 1.0	< 0.50	< 0.50	< 10
GMW-64	1/10/11	PARSONS	< 100	---	---	---	---	< 0.50	< 0.50	< 0.50	< 1	< 0.50	< 0.50	< 10
GMW-64	4/12/11	PARSONS	< 100	---	---	---	---	< 0.50	< 0.50	< 0.50	< 1	< 0.50	< 0.50	< 10
GMW-64	7/11/11	PARSONS	< 100	---	---	---	---	< 0.50	< 0.50	< 0.50	< 1	< 0.50	< 0.50	< 10
GMW-64	10/12/11	PARSONS	< 100	---	---	---	---	< 0.50	< 0.50	< 0.50	< 1	< 0.50	< 0.50	< 10
GMW-65	7/21/09	PARSONS	< 100	< 100	---	---	---	< 0.50	< 0.50	< 0.50	< 1	< 0.50	< 0.50	< 10
GMW-65	10/22/09	PARSONS	< 100	< 100	---	---	---	< 0.50	< 0.50	< 0.50	< 1	< 0.50	< 0.50	< 10
GMW-65	1/12/10	PARSONS	< 100	---	---	---	---	< 0.50	< 0.50	< 0.50	< 1.0	< 0.50	< 0.50	< 10
GMW-65	4/14/10	PARSONS	< 100	---	---	---	---	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	< 10
GMW-65	7/12/10	PARSONS	< 100	---	---	---	---	< 0.50	< 0.50	< 0.50	< 1.0	< 0.50	< 0.50	< 10
GMW-65	10/5/10	PARSONS	100	---	---	---	---	0.32 J	< 0.50	0.38 J	1.69	< 0.50	< 0.50	< 10
GMW-65	1/10/11	PARSONS	< 100	---	---	---	---	< 0.50	< 0.50	< 0.50	< 1	< 0.50	< 0.50	< 10
GMW-65	4/13/11	PARSONS	< 100	---	---	---	---	< 0.50	< 0.50	< 0.50	< 1	< 0.50	< 0.50	< 10
GMW-65	7/11/11	PARSONS	< 100	---	---	---	---	< 0.50	< 0.50	< 0.50	< 1	< 0.50	< 0.50	< 10
GMW-65	10/12/11	PARSONS	< 100	---	---	---	---	< 0.50	< 0.50	< 0.50	< 1	< 0.50	< 0.50	< 10
GMW-66	10/22/09	PARSONS	< 100	< 100	---	---	---	< 0.50	< 0.50	< 0.50	< 1	< 0.50	< 0.50	< 10
GMW-66	4/19/10	PARSONS	< 100	---	---	---	---	< 0.50	< 0.50	< 0.50	< 1.0	---	< 0.50	< 10
GMW-66	10/6/10	PARSONS	< 100	---	---	---	---	< 0.50	< 0.50	< 0.50	< 1.0	< 0.50	< 0.50	< 10
GMW-66	4/12/11	PARSONS	< 100	---	---	---	---	< 0.50	< 0.50	< 0.50	< 1	< 0.50	< 0.50	< 10
GMW-66	10/12/11	PARSONS	< 100	---	---	---	---	< 0.50	< 0.50	< 0.50	< 1	< 0.50	< 0.50	< 10
GMW-7	5/21/98	BBC	---	---	---	---	---	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	---
GMW-7	12/1/00	IT Corporation	---	520000	---	---	370000	4800	970	620	12000	---	< 2500	---
GMW-8	11/21/96	Terra Services	---	---	---	---	---	< 0.5	< 0.5	< 0.5	< 1.5	12	< 5	---
GMW-8	7/11/97	Terra Services	---	< 100	< 500	---	---	< 0.5	< 0.5	< 0.5	< 1	1.7	< 5	---
GMW-8	1/2/98	Terra Services	---	< 100	< 500	---	---	< 0.5	< 0.5	< 0.5	< 1.5	5	< 5	---
GMW-8	5/26/98	Terra Services	---	---	---	---	---	< 0.3	< 0.3	< 0.5	< 1	< 0.5	< 0.5	---
GMW-8	11/6/98	Alton Geoscience	---	< 300	---	---	< 100	< 0.5	< 0.5	< 0.5	< 0.5	8.6	0.9	---
GMW-8	5/5/99	Alton Geoscience	---	< 500	< 500	---	---	2	7.2	0.57	3	< 1	< 0.5	---
GMW-8	5/7/99	Alton Geoscience	---	< 500	< 500	---	---	< 0.5	1.7	< 0.5	0.51	4.4	< 0.5	---
GMW-8 DUP	5/7/99	Alton Geoscience	---	< 500	< 500	---	---	0.52	2.1	< 0.5	0.65	2.7	< 0.5	---
GMW-8	11/16/99	Secor	---	< 300	---	---	< 100	< 0.5	< 0.5	< 0.5	< 0.5	4.6	< 0.5	---
GMW-8	5/19/00	Secor	---	< 300	---	---	380	< 0.5	< 0.5	< 0.5	< 0.5	15	< 0.5	---
GMW-8	11/29/00	Secor	---	< 300	---	---	780	1	0.9	< 0.5	1.5	10	2.9	---
GMW-8	5/9/01	Secor	---	< 300	---	---	< 100	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	---
GMW-8	11/7/01	IT Corporation	---	< 300	---	---	< 100	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	---
GMW-8	4/11/02	Secor	---	< 300	---	---	< 100	< 0.5	< 0.5	< 0.5	< 0.5	2.5	2.4	---
GMW-8	10/24/02	Secor	---	< 300	---	---	120	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	---
GMW-8	4/10/03	Secor	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	0.62	---
GMW-8	10/8/03	Secor	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 0.5	0.52	< 0.5	---
GMW-8	4/21/04	Secor	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	---
GMW-8	11/5/04	Secor	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	---
GMW-8	5/5/05	Secor	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	---
GMW-8	11/3/05	SECOR	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	---
GMW-8	5/3/06	SECOR	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	0.78	---
GMW-8	12/7/06	SECOR	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	7.6	---
GMW-8	5/5/07	SECOR	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	6.5	---
GMW-8	11/14/07	SECOR	---	< 50	---	---	130	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	---

TABLE 9

**HISTORICAL ANALYTICAL RESULTS FOR TPH, BTEX, 1,2-DCA, AND MTBE IN GROUNDWATER
NOVEMBER 1996 THROUGH OCTOBER 2011**

Well	Date Sampled	Sampled By	TPH as JP-5 ¹	TPH as Gasoline	TPH as Diesel	TPH as JP-4 ²	TPH as FP ³	Benzene	Toulene	Ethylbenzene	Total Xylenes	1,2-DCA ⁴	MTBE ⁵	TBA ⁶
GMW-8	4/17/08	SECOR	---	< 50	---	---	130	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	---
GMW-8	10/21/08	SECOR	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	---
GMW-8	4/22/09	Blaine Tech	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	< 10
GMW-8	10/19/09	Blaine Tech	---	< 50	---	---	120	< 0.5	< 0.5	< 0.5	< 1	< 0.5	1.5	< 10
GMW-8	5/26/10	CH2MHill	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	< 10
GMW-8	10/6/10	CH2MHill	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	< 10
GMW-9	10/7/10	CH2MHill	---	6800	---	---	7200	890	62	120	870	< 10	56	1600
GMW-9	4/13/11	CH2MHill	---	54000	---	---	21000	20000	290	970	3800	< 200	3600	< 2000
GMW-9	10/13/11	CH2MHill	---	61000	---	---	7600	18000	6500	760	3450	< 200	2100	< 2000
GMW-O-1	11/21/96	Terra Services	---	---	---	---	---	< 0.5	< 0.5	< 0.5	< 1.5	0.53	< 5	---
GMW-O-1	7/9/97	Terra Services	---	< 100	< 500	---	---	< 0.5	< 0.5	< 0.5	< 1	0.85	< 5	---
GMW-O-1	1/6/98	Terra Services	---	< 100	< 500	---	---	< 0.5	< 0.5	< 0.5	< 1.5	< 0.5	< 5	---
GMW-O-1	5/20/98	Terra Services	---	< 300	---	---	---	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	---
GMW-O-1	8/24/98	Geomatrix	---	< 300	---	---	< 100	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	---
GMW-O-1	11/4/98	Alton Geoscience	---	< 300	---	---	< 100	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	---
GMW-O-1	2/2/99	Alton Geoscience	---	< 500	< 500	---	---	< 0.5	< 0.5	< 0.5	< 1	< 1	< 0.5	---
GMW-O-1	8/10/99	Alton Geoscience	---	< 500	< 1000	---	---	< 0.5	< 1	< 1	< 1	< 0.5	< 1	---
GMW-O-1	11/17/99	Secor	---	< 300	---	---	< 100	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	---
GMW-O-1	2/29/00	Secor	---	< 300	---	---	< 100	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	---
GMW-O-1	5/17/00	Secor	---	< 300	---	---	< 100	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	---
GMW-O-1	8/29/00	Secor	---	< 300	---	---	< 100	< 0.5	< 0.5	< 0.5	< 0.5	0.5	< 0.5	---
GMW-O-1	11/28/00	Secor	---	< 300	---	---	< 100	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	---
GMW-O-1	2/5/01	Secor	---	< 300	---	---	< 100	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	---
GMW-O-1	5/10/01	Secor	---	< 300	---	---	< 100	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	---
GMW-O-1	9/19/01	Secor	---	< 300	---	---	< 100	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	---
GMW-O-1	11/6/01	Secor	---	< 300	---	---	< 100	11	< 0.5	0.7	0.6	0.5	< 0.5	---
GMW-O-1	1/30/02	Secor	---	< 300	---	---	< 100	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	---
GMW-O-1	4/9/02	Secor	---	< 300	---	---	< 100	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	---
GMW-O-1	7/30/02	IT Corporation	---	< 300	---	---	< 100	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	---
GMW-O-1	10/24/02	Secor	---	< 300	---	---	< 100	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	---
GMW-O-1	1/28/03	Secor	---	< 300	---	---	< 100	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	---
GMW-O-1	4/8/03	Secor	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	---
GMW-O-1	7/30/03	Secor	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	---
GMW-O-1	10/8/03	Secor	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	---
GMW-O-1	1/29/04	Secor	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	---
GMW-O-1	4/20/04	Secor	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	---
GMW-O-1	7/20/04	Secor	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	---
GMW-O-1	11/4/04	Secor	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	---
GMW-O-1	2/3/05	Secor	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	---
GMW-O-1	5/4/05	Secor	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 0.5	1.1	< 0.5	---
GMW-O-1	11/1/05	SECOR	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	---
GMW-O-1	2/28/06	SECOR	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	---
GMW-O-1	5/5/06	SECOR	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	---
GMW-O-1	9/20/06	SECOR	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	---
GMW-O-1	12/8/06	SECOR	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	---
GMW-O-1	3/12/07	SECOR	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	---
GMW-O-1	5/4/07	SECOR	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	---
GMW-O-1 DUP	5/4/07	SECOR	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	---
GMW-O-1	8/28/07	SECOR	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	---
GMW-O-1	11/14/07	SECOR	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	---
GMW-O-1	2/20/08	SECOR	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	---
GMW-O-1	4/18/08	SECOR	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	---
GMW-O-1	8/13/08	SECOR	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	---
GMW-O-1	10/17/08	SECOR	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	---
GMW-O-1	2/23/09	Blaine Tech	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	< 10
GMW-O-1	4/21/09	Blaine Tech	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	< 10
GMW-O-1	7/20/09	Blaine Tech	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	< 10
GMW-O-1	10/20/09	Blaine Tech	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	< 10
GMW-O-1	3/15/10	CH2MHill	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	< 10
GMW-O-1	5/25/10	CH2MHill	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	< 10
GMW-O-1	7/12/10	CH2MHill	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	< 10
GMW-O-1	10/5/10	CH2MHill	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	< 10
GMW-O-1	1/11/11	CH2MHill	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	< 10
GMW-O-1	4/12/11	CH2MHill	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	< 10
GMW-O-1	7/11/11	CH2MHill	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	< 10
GMW-O-1	10/10/11	CH2MHill	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	< 10

TABLE 9

**HISTORICAL ANALYTICAL RESULTS FOR TPH, BTEX, 1,2-DCA, AND MTBE IN GROUNDWATER
NOVEMBER 1996 THROUGH OCTOBER 2011**

Well	Date Sampled	Sampled By	TPH as JP-5 ¹	TPH as Gasoline	TPH as Diesel	TPH as JP-4 ²	TPH as FP ³	Benzene	Toulene	Ethylbenzene	Total Xylenes	1,2-DCA ⁴	MTBE ⁵	TBA ⁶
GMW-O-10	11/26/96	Terra Services	---	---	---	---	---	450	18	37	21.8	81	1300	---
GMW-O-10	7/14/97	Terra Services	---	17000	900	---	---	4200	2800	650	1600	<30	890	---
GMW-O-10	1/9/98	Terra Services	---	25000	12000	---	---	3900	2800	510	1470	<10	1200	---
GMW-O-10	5/27/98	Terra Services	---	<300	---	---	---	1	<0.5	<0.5	0.8	<0.5	1	---
GMW-O-10	11/16/98	Alton Geoscience	---	6840	---	---	297	2900	540	320	310	<13	2000	---
GMW-O-10	5/7/99	Alton Geoscience	---	<500	<500	---	---	6.2	<0.5	0.61	<0.5	<1	0.64	---
GMW-O-10	11/16/99	Secor	---	32000	---	---	27000	8300	5700	860	2640	<25	2600	---
GMW-O-10	5/17/00	Secor	---	18000	---	---	32000	4500	3300	450	1420	<25	1300	---
GMW-O-10	11/29/00	Secor	---	18000	---	---	10000	4200	2900	430	1260	<25	1400	---
GMW-O-10	5/10/01	Secor	---	7900	---	---	4600	2400	810	150	280	<10	950	---
GMW-O-10	11/7/01	IT Corporation	---	8100	---	---	1300	1200	120	<10	540	<10	1100	---
GMW-O-10	4/11/02	Secor	---	960	---	---	1000	190	18	5.1	157	10	610	---
GMW-O-10	10/24/02	Secor	---	2000	---	---	2500	270	27	<5	60	<5	290	---
GMW-O-10	4/10/03	Secor	---	13000	---	---	1900	3600	370	460	780	<50	520	---
GMW-O-10	8/1/03	Secor	---	5800	---	---	1600	2600	220	320	460	20	580	---
GMW-O-10	10/8/03	Secor	---	4900	---	---	940	1500	240	160	275	24	460	---
GMW-O-10	4/21/04	Secor	---	<50	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
GMW-O-10	11/4/04	Secor	---	8900	---	---	1200	3900	85	400	409	<30	590	---
GMW-O-10	5/6/05	Secor	---	<50	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
GMW-O-10	11/2/05	SECOR	---	52	---	---	< 100	19	0.5	< 0.5	< 1	1	10	---
GMW-O-10	5/5/06	SECOR	---	12000	---	---	850	4100	1800	380	640	< 50	160	---
GMW-O-10	12/7/06	SECOR	---	8900	---	---	810	4000	470	320	310	< 50	190	---
GMW-O-10	5/4/07	SECOR	---	3800	---	---	260	1600	10	< 10	120	< 20	160	---
GMW-O-10	11/14/07	SECOR	---	12000	---	---	600	5100	54	340	325	< 50	190	---
GMW-O-10	4/18/08	SECOR	---	1300	---	---	130	680	< 5	14	11	< 10	23	---
GMW-O-10	8/14/08	SECOR	---	1600	---	---	160	820	5.3	31	42	< 10	< 5	---
GMW-O-10	10/21/08	SECOR	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	0.58	---
GMW-O-10	4/22/09	Blaine Tech	---	180	---	---	< 100	37	< 0.5	< 0.5	< 1	< 0.5	1.2	< 10
GMW-O-10	10/22/09	Blaine Tech	---	99	---	---	< 100	6.9	< 0.5	< 0.5	< 1	< 0.5	0.77	< 10
GMW-O-10	5/27/10	CH2MHill	---	370	---	---	< 100	77	1.2	< 0.5	< 1	< 1	0.87	< 10
GMW-O-10	10/7/10	CH2MHill	---	380	---	---	< 100	42	1.2	0.51	< 1	< 0.5	0.79	< 10
GMW-O-10	4/13/11	CH2MHill	---	270	---	---	140	39	1	< 0.5	< 1	< 0.5	0.77	< 10
GMW-O-10 DUP	4/13/11	CH2MHill	---	270	---	---	150	40	1	< 0.5	< 1	< 0.5	0.83	< 10
GMW-O-10	10/13/11	CH2MHill	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	< 10
GMW-O-11	10/4/10	CH2MHill	---	10000	---	---	2100	4200	220	89	236	< 30	160	560
GMW-O-12	10/5/10	CH2MHill	---	23000	---	---	99000	12000	< 50	< 50	< 100	< 100	71	< 1000
GMW-O-12	4/14/11	CH2MHill	---	16000	---	---	120000	7300	< 25	< 25	< 50	< 50	25	< 500
GMW-O-12	10/13/11	CH2MHill	---	20000	---	---	390000	11000	< 100	< 100	< 200	< 200	< 100	< 2000
GMW-O-14	11/27/96	Terra Services	---	88000	74000	---	---	4500	3200	520	2600	440	<300	---
GMW-O-14	7/17/97	Terra Services	---	160000	610000	---	---	7600	4900	2200	43000	<500	<5000	---
GMW-O-14	1/9/98	Terra Services	---	33000	780000	---	---	7200	4500	510	2300	<30	<300	---
GMW-O-14	5/27/98	Terra Services	---	3500	---	---	---	330	<2.5	80	88	<2.5	<0.5	---
GMW-O-14	11/17/98	Alton Geoscience	---	3850	---	---	---	5000	3840	1040	4510	<100	<100	---
GMW-O-14	11/17/98	Alton Geoscience	---	---	---	---	117000	---	---	---	---	---	---	---
GMW-O-14	5/7/99	Alton Geoscience	---	23000	54000	---	---	5100	3400	650	2800	<50	<20	---
GMW-O-14	11/18/99	Secor	---	26000	---	---	23000	5900	4100	780	2500	<50	<50	---
GMW-O-14	5/17/00	Secor	---	10000	---	---	9300	2300	630	370	820	<50	<100	---
GMW-O-14	11/29/00	Secor	---	42000	---	---	59000	8800	5000	1200	4400	<50	<50	---
GMW-O-14	5/10/01	Secor	---	5200	---	---	17000	100	34	96	237	<1	<1	---
GMW-O-14	11/7/01	IT Corporation	---	15000	---	---	20000	3900	890	640	1280	<1	<2	---
GMW-O-14	4/9/02	Secor	---	38000	---	---	13000	7400	2700	990	3200	<13	24	---
GMW-O-14	7/30/02	IT Corporation	---	11000	---	---	24000	4900	2300	550	1890	<13	14	---
GMW-O-14	10/24/02	Secor	---	26000	---	---	29000	7100	3500	970	3500	<25	<25	---
GMW-O-14	1/28/03	Secor	---	39000	---	---	47000	12000	8400	1500	5600	<25	38	---
GMW-O-14	3/12/03	Geomatrix	---	1500	---	---	710	760	72	66	115	<2.5	14	---
GMW-O-14	4/9/03	Secor	---	33000	---	---	27000	5100	2900	990	3300	<40	<20	---
GMW-O-14	7/30/03	Secor	---	20000	---	---	12000	3100	1900	790	3200	74	<15	---
GMW-O-14	10/9/03	Secor	---	43000	---	---	18000	8700	4200	1300	5300	180	<50	---
GMW-O-14	1/29/04	Secor	---	55000	---	---	19000	13000	6900	1400	5600	240	<50	---
GMW-O-14	4/20/04	Secor	---	54000	---	---	32000	11000	5700	1500	6100	170	<50	---
GMW-O-14	7/20/04	Secor	---	72000	---	---	18000	13000	8200	1700	7400	200	<50	---
GMW-O-14	11/4/04	Secor	---	41000	---	---	23000	9000	7000	1300	5500	<200	<100	---
GMW-O-14	2/3/05	Secor	---	34000	---	---	4600	8600	2300	950	3100	69	34	---
GMW-O-14	5/4/05	Secor	---	420	---	---	680	11	1.6	18	18.8	6.5	<0.5	---
GMW-O-14	11/2/05	SECOR	---	14000	---	---	14000	320	350	160	2690	< 40	< 20	---
GMW-O-14	2/28/06	SECOR	---	8200	---	---	12000**	860	87	18	1020	15	< 5	---

TABLE 9

**HISTORICAL ANALYTICAL RESULTS FOR TPH, BTEX, 1,2-DCA, AND MTBE IN GROUNDWATER
NOVEMBER 1996 THROUGH OCTOBER 2011**

Well	Date Sampled	Sampled By	TPH as JP-5 ¹	TPH as Gasoline	TPH as Diesel	TPH as JP-4 ²	TPH as FP ³	Benzene	Toulene	Ethylbenzene	Total Xylenes	1,2-DCA ⁴	MTBE ⁵	TBA ⁶
GMW-O-14	5/5/06	SECOR	---	6700	---	---	9600 **	1500	77	< 10	450	35	< 10	---
GMW-O-14	9/20/06	SECOR	---	6900	---	---	4200 **	1400	250	39	640	30	< 10	---
GMW-O-14	12/7/06	SECOR	---	9000	---	---	17000 **	1400	150	27	501	36	< 10	---
GMW-O-14 DUP	12/7/06	SECOR	---	9400	---	---	13000 **	1500	160	27	531	35	< 10	---
GMW-O-14	3/12/07	SECOR	---	4700	---	---	1300	1000	180	26	400	23	< 5	---
GMW-O-14 DUP	3/12/07	SECOR	---	4400	---	---	4800	1000	170	24	375	23	< 5	---
GMW-O-14	5/4/07	SECOR	---	8200	---	---	3300	1700	330	48	570	44	< 10	---
GMW-O-14 DUP	5/4/07	SECOR	---	8400	---	---	4300	1800	340	50	580	46	10	---
GMW-O-14	8/28/07	SECOR	---	12000	---	---	6200	75	110	200	1000	< 5	< 2.5	---
GMW-O-14 DUP	8/28/07	SECOR	---	8900	---	---	14000	83	110	170	840	< 5	< 2.5	---
GMW-O-14	11/15/07	SECOR	---	16000	---	---	74000	320	300	520	2470	< 20	< 10	---
GMW-O-14 DUP	11/15/07	SECOR	---	20000	---	---	14000	70	190	450	2500	< 10	< 5	---
GMW-O-14	2/20/08	SECOR	---	35000	---	---	7700	7900	1900	1200	3400	< 100	< 50	---
GMW-O-14 DUP	2/20/08	SECOR	---	35000	---	---	11000	7700	1900	1200	3400	< 100	< 50	---
GMW-O-14	4/15/08	SECOR	---	26000	---	---	31000	4900	1800	840	2800	59	< 25	---
GMW-O-14 DUP	4/15/08	SECOR	---	23000	---	---	42000	4200	1500	690	2400	50	< 20	---
GMW-O-14	8/14/08	SECOR	---	25000	---	---	44000	4300	1100	730	2800	70	< 25	---
GMW-O-14 DUP	8/14/08	SECOR	---	24000	---	---	63000	2900	750	500	2900	< 50	< 25	---
GMW-O-14	10/16/08	SECOR	---	21000	---	---	12000	3200	940	500	3000	< 30	< 15	---
GMW-O-14 DUP	10/16/08	SECOR	---	22000	---	---	9000	3000	910	630	3600	< 30	< 15	---
GMW-O-14	2/23/09	Blaine Tech	---	30000	---	---	12000	6100	3500	1200	3900	77	< 25	< 500
GMW-O-14 DUP	2/23/09	Blaine Tech	---	30000	---	---	12000	6100	3300	1200	3900	80	< 25	< 500
GMW-O-14	4/22/09	Blaine Tech	---	36000	---	---	8300	9300	2300	1300	3500	120	< 50	< 1000
GMW-O-14 DUP	4/22/09	Blaine Tech	---	36000	---	---	11000	9200	2400	1300	3500	120	< 50	< 1000
GMW-O-14	7/22/09	Blaine Tech	---	32000	---	---	12000	7800	1900	1500	4100	86	< 25	< 500
GMW-O-14 DUP	7/22/09	Blaine Tech	---	31000	---	---	15000	7800	1900	1400	3900	93	< 25	< 500
GMW-O-14	10/23/09	Blaine Tech	---	40000	---	---	21000	14000	1900	1500	3500	< 200	< 100	< 2000
GMW-O-14 DUP	10/23/09	Blaine Tech	---	39000	---	---	12000	14000	1800	1400	3500	< 200	< 100	< 2000
GMW-O-14	3/16/10	CH2MHill	---	57000	---	---	24000	14000	6200	1700	4700	< 200	< 100	< 2000
GMW-O-14 DUP	3/16/10	CH2MHill	---	50000	---	---	20000	12000	5700	1600	4300	< 200	< 100	< 2000
GMW-O-14	5/28/10	CH2MHill	---	26000	---	---	7400	7900	1500	370	2180	110	< 25	< 500
GMW-O-14 DUP	5/28/10	CH2MHill	---	27000	---	---	7800	8100	1500	370	2200	110	< 25	< 500
GMW-O-14	7/14/10	CH2MHill	---	22000	---	---	6700	7900	420	77	2440	100	< 50	< 1000
GMW-O-14 DUP	7/14/10	CH2MHill	---	22000	---	---	4200	8100	420	84	2430	100	< 50	< 1000
GMW-O-14	10/7/10	CH2MHill	---	16000	---	---	3200	5900	200	220	1150	< 100	< 50	< 1000
GMW-O-14 DUP	10/7/10	CH2MHill	---	15000	---	---	3100	5300	180	200	1040	< 100	< 50	< 1000
GMW-O-14	1/11/11	CH2MHill	---	49000	---	---	11000	12000	5500	1400	4500	120	< 50	< 1000
GMW-O-14 DUP	1/11/11	CH2MHill	---	54000	---	---	14000	13000	6000	1500	5000	120	< 50	< 1000
GMW-O-14	4/13/11	CH2MHill	---	26000	---	---	9800	8200	470	680	2300	< 100	< 50	< 1000
GMW-O-14 DUP	4/13/11	CH2MHill	---	27000	---	---	10000	8400	460	690	2300	< 100	< 50	< 1000
GMW-O-14	7/12/11	CH2MHill	---	12000	---	---	5500	3800	50	< 25	1810	< 50	< 25	< 500
GMW-O-14 DUP	7/12/11	CH2MHill	---	12000	---	---	4400	3700	49	< 25	1700	< 50	< 25	< 500
GMW-O-14	10/12/11	CH2MHill	---	16000	---	---	3400	4000	55	< 25	2510	< 50	< 25	< 500
GMW-O-14 DUP	10/12/11	CH2MHill	---	14000	---	---	3000	3600	52	< 25	2260	< 50	< 25	< 500
GMW-O-15	10/16/08	SECOR	---	1700	---	---	2800	550	3	37	34.1	< 5	110	---
GMW-O-15	3/16/10	CH2MHill	---	530	---	---	8900	10	1.1	0.64	2.7	< 0.5	400	< 10
GMW-O-15	4/16/10	CH2MHill	---	6700	---	---	62000	1700	54	120	176	< 10	1300	1800
GMW-O-15	5/25/10	CH2MHill	---	650	---	---	5600	82	16	8.4	44	< 2	180	1500
GMW-O-15	6/25/10	CH2MHill	---	490	---	---	900	96	9.7	9.6	33.4	< 1	240	2900
GMW-O-15	7/13/10	CH2MHill	---	580	---	---	250	110	7.5	11	33.7	< 1	300	5100
GMW-O-15	8/12/10	CH2MHill	---	710	---	---	370	120	4.1	10	43	< 1	260	5300
GMW-O-15	9/20/10	CH2MHill	---	620	---	---	500	120	3.3	13	29.4	< 1	230	6000
GMW-O-15	10/5/10	CH2MHill	---	14000	---	---	6000	1800	280	92	1120	< 20	3200	3000
GMW-O-15	11/23/10	CH2MHill	---	---	---	---	---	---	---	---	---	---	---	---
GMW-O-15	12/22/10	CH2MHill	---	28000	---	---	19000	3900	610	850	4200	< 40	1900	1300
GMW-O-15	1/12/11	CH2MHill	---	12000	---	---	15000	1300	49	280	1030	< 20	430	12000
GMW-O-15	2/24/11	CH2MHill	---	12000	---	---	10000	700	450	310	1770	< 10	970	4100
GMW-O-15	3/23/11	CH2MHill	---	2400	---	---	4300	210	47	39	250	< 2	310	3600
GMW-O-15	4/29/11	CH2MHill	---	1200	---	---	1500	250	27	27	154	< 2	350	3900
GMW-O-15	5/13/11	CH2MHill	---	1300	---	---	1600	200	18	22	127	< 2	350	6600
GMW-O-15	6/22/11	CH2MHill	---	1800	---	---	1200	190	95	34	219	< 1	310	6800
GMW-O-15	7/12/11	CH2MHill	---	1000	---	---	970	150	17	14	97	< 2	220	6400
GMW-O-15	8/19/11	CH2MHill	---	33000	---	---	550000	820	2200	610	4400	< 50	290	9200
GMW-O-15	9/22/11	CH2MHill	---	3400	---	---	1000	480	290	58	325	< 5	640	6800
GMW-O-15	10/13/11	CH2MHill	---	3900	---	---	1600	530	290	73	460	< 10	220	3200
GMW-O-16	11/27/96	Terra Services	---	---	---	---	---	570	67	14	360	< 5	120	---

TABLE 9

**HISTORICAL ANALYTICAL RESULTS FOR TPH, BTEX, 1,2-DCA, AND MTBE IN GROUNDWATER
NOVEMBER 1996 THROUGH OCTOBER 2011**

Well	Date Sampled	Sampled By	TPH as JP-5 ¹	TPH as Gasoline	TPH as Diesel	TPH as JP-4 ²	TPH as FP ³	Benzene	Toulene	Ethylbenzene	Total Xylenes	1,2-DCA ⁴	MTBE ⁵	TBA ⁶
GMW-O-16	7/17/97	Terra Services	---	<100	<500	---	---	<0.5	<0.5	<0.5	<1	<0.5	310	---
GMW-O-16	1/6/98	Terra Services	---	<100	<500	---	---	<0.5	<0.5	<0.5	<1.5	<0.5	<5	---
GMW-O-16 DUP	1/9/98	Terra Services	---	4600	730	---	---	---	---	---	---	---	---	---
GMW-O-16	5/20/98	Terra Services	---	<300	---	---	---	<0.5	<0.5	<0.5	<1	<0.5	76	---
GMW-O-16	11/13/98	Alton Geoscience	---	<300	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	0.7	---
GMW-O-16	5/7/99	Alton Geoscience	---	<500	<500	---	---	0.66	<0.5	<0.5	0.72	<1	7.6	---
GMW-O-16	11/18/99	Secor	---	<416	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
GMW-O-16	5/17/00	Secor	---	<300	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	0.8	---
GMW-O-16	11/30/00	Secor	---	<300	---	---	<100	0.8	<0.5	<0.5	<0.5	<0.5	0.6	---
GMW-O-16	5/10/01	Secor	---	<300	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
GMW-O-16	4/10/02	Secor	---	<300	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
GMW-O-16	10/22/02	Secor	---	<300	---	---	<100	1.6	0.98	<0.5	<0.5	<0.5	<0.5	---
GMW-O-16	4/9/03	Secor	---	<50	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
GMW-O-16	10/7/03	Secor	---	<50	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
GMW-O-16	4/22/04	Secor	---	<50	---	---	3600	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
GMW-O-16	7/20/04	Secor	---	---	---	---	<100	---	---	---	---	---	---	---
GMW-O-16	11/2/04	Secor	---	<50	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
GMW-O-16	5/5/05	Secor	---	92	---	---	<100	1.6	<0.5	<0.5	<0.5	<0.5	<0.5	110
GMW-O-16	11/2/05	SECOR	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	57	---
GMW-O-16	2/28/06	SECOR	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	5.3	---
GMW-O-16	5/4/06	SECOR	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	6.3	---
GMW-O-16	9/19/06	SECOR	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	0.57	---
GMW-O-16	12/5/06	SECOR	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	---
GMW-O-16	5/5/07	SECOR	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	---
GMW-O-16	11/14/07	SECOR	---	< 50	---	---	1400	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	---
GMW-O-16	2/20/08	SECOR	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	0.68	---
GMW-O-16	4/16/08	SECOR	---	< 50	---	---	< 100	< 0.5	1.2	0.59	5.5	< 0.5	0.63	---
GMW-O-16	10/14/08	SECOR	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	0.6	< 0.5	0.65	---
GMW-O-16	4/23/09	Blaine Tech	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	0.55	< 10
GMW-O-16	10/21/09	Blaine Tech	---	< 50	---	---	250	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	< 10
GMW-O-16	3/16/10	CH2MHill	---	< 50	---	---	140	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	< 10
GMW-O-16	4/16/10	CH2MHill	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	< 10
GMW-O-16	5/26/10	CH2MHill	---	< 50	---	---	120	< 0.5	< 0.5	< 0.5	< 1	< 0.5	0.88	< 10
GMW-O-16	6/22/10	CH2MHill	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	1.2	< 10
GMW-O-16	7/13/10	CH2MHill	---	< 50	---	---	< 100	0.73	< 0.5	< 0.5	< 1	< 0.5	1.9	< 10
GMW-O-16	8/12/10	CH2MHill	---	< 50	---	---	< 100	0.5	< 0.5	< 0.5	< 1	< 0.5	2.3	< 10
GMW-O-16	9/20/10	CH2MHill	---	< 50	---	---	170	0.69	< 0.5	< 0.5	< 1	< 0.5	3.1	< 10
GMW-O-16	10/6/10	CH2MHill	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	1.3	< 10
GMW-O-16	11/16/10	CH2MHill	---	< 50	---	---	160	< 0.5	< 0.5	< 0.5	< 1	< 0.5	4	< 10
GMW-O-16	12/22/10	CH2MHill	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	2	< 10
GMW-O-16	1/11/11	CH2MHill	---	< 50	---	---	< 100	0.52	< 0.5	< 0.5	< 1	< 0.5	0.94	< 10
GMW-O-16	2/24/11	CH2MHill	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	0.67	< 10
GMW-O-16	3/23/11	CH2MHill	---	< 50	---	---	100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	1.6	< 10
GMW-O-16	4/12/11	CH2MHill	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	1.3	< 10
GMW-O-16	5/13/11	CH2MHill	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	1.8	< 10
GMW-O-16	6/22/11	CH2MHill	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	1.9	< 10
GMW-O-16	7/12/11	CH2MHill	---	< 50	---	---	120	< 0.5	< 0.5	< 0.5	< 1	< 0.5	1.8	< 10
GMW-O-16	8/19/11	CH2MHill	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	1.5	< 10
GMW-O-16	9/22/11	CH2MHill	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	2.9	< 10
GMW-O-16	10/11/11	CH2MHill	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	1.1	< 10
GMW-O-17	11/22/96	Terra Services	---	---	---	---	---	<0.5	<0.5	<0.5	<1.5	<0.5	<5	---
GMW-O-17	7/10/97	Terra Services	---	<100	<500	---	---	<0.5	<0.5	<0.5	<1	<0.5	<5	---
GMW-O-17	1/7/98	Terra Services	---	<100	<500	---	---	<0.5	0.64	<0.5	<1.5	<0.5	<5	---
GMW-O-17	5/21/98	Terra Services	---	<300	---	---	---	<0.5	<0.5	<0.5	<1	<0.5	<0.5	---
GMW-O-17	11/4/98	Alton Geoscience	---	<300	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
GMW-O-17	5/5/99	Alton Geoscience	---	<500	<500	---	---	0.64	<0.5	<0.5	<0.5	<1	0.58	---
GMW-O-17	11/16/99	Secor	---	<300	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
GMW-O-17	5/17/00	Secor	---	<300	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
GMW-O-17	11/29/00	Secor	---	<300	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
GMW-O-17	5/10/01	Secor	---	<300	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
GMW-O-17	11/7/01	IT Corporation	---	<300	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
GMW-O-17	4/9/02	Secor	---	<300	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
GMW-O-17	10/24/02	Secor	---	<300	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
GMW-O-17	10/9/03	Secor	---	<50	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
GMW-O-17	5/4/05	Secor	---	<50	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
GMW-O-17	5/5/06	SECOR	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	---

TABLE 9

**HISTORICAL ANALYTICAL RESULTS FOR TPH, BTEX, 1,2-DCA, AND MTBE IN GROUNDWATER
NOVEMBER 1996 THROUGH OCTOBER 2011**

Well	Date Sampled	Sampled By	TPH as JP-5 ¹	TPH as Gasoline	TPH as Diesel	TPH as JP-4 ²	TPH as FP ³	Benzene	Toulene	Ethylbenzene	Total Xylenes	1,2-DCA ⁴	MTBE ⁵	TBA ⁶
GMW-O-17	5/3/07	SECOR	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	---
GMW-O-17	4/18/08	SECOR	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	---
GMW-O-17	4/22/09	Blaine Tech	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	< 10
GMW-O-17	5/25/10	CH2MHill	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	< 10
GMW-O-17	4/13/11	CH2MHill	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	< 10
GMW-O-18	11/26/96	Terra Services	---	---	---	---	---	< 10	< 10	< 10	< 30	< 10	10000	---
GMW-O-18 DUP	11/27/96	Terra Services	---	---	---	---	---	< 10	66	< 10	< 30	< 5	120	---
GMW-O-18	7/11/97	Terra Services	---	< 100	< 500	---	---	< 3	< 3	< 3	< 3	< 3	3000	---
GMW-O-18	1/7/98	Terra Services	---	< 100	< 500	---	---	< 5	< 5	< 5	< 15	< 5	3200	---
GMW-O-18	5/21/98	Terra Services	---	2000	---	---	---	< 100	< 100	< 100	< 200	< 100	5600	---
GMW-O-18	11/17/98	Alton Geoscience	---	543	---	---	< 100	< 0.5	1	< 0.5	2.6	< 0.5	1420	---
GMW-O-18	5/6/99	Alton Geoscience	---	2700	< 500	---	---	< 5	< 5	< 5	< 5	< 13	15000	---
GMW-O-18	11/18/99	Secor	---	2900	---	---	< 100	< 13	< 12.5	< 12.5	< 12.5	< 13	6700	---
GMW-O-18	5/19/00	Secor	---	3500	---	---	< 100	< 25	< 25	< 25	< 25	< 25	10000	---
GMW-O-18	11/2/05	SECOR	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	1.4	---
GMW-O-18	5/6/06	SECOR	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	2.1	---
GMW-O-18	12/7/06	SECOR	---	< 100	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 1	0.65	---
GMW-O-18	5/4/07	SECOR	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	0.62	---
GMW-O-18	11/15/07	SECOR	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	1.6	---
GMW-O-18	4/15/08	SECOR	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	---
GMW-O-18	10/15/08	SECOR	---	< 200	---	---	< 100	< 1	< 1	< 1	< 2	< 2	< 1	---
GMW-O-18	4/23/09	Blaine Tech	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	1	140
GMW-O-18 DUP	4/23/09	Blaine Tech	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	0.99	170
GMW-O-18	10/21/09	Blaine Tech	---	2400	---	---	680	170	440	17	410	< 5	490	480
GMW-O-18	3/16/10	CH2MHill	---	< 50	---	---	< 100	0.6	1.3	< 0.5	1.77	< 0.5	4.5	550
GMW-O-18 DUP	3/16/10	CH2MHill	---	< 50	---	---	< 100	0.5	1.1	< 0.5	1.48	< 0.5	3.6	450
GMW-O-18	4/16/10	CH2MHill	---	1300	---	---	6600	0.67	< 0.5	3.1	12.9	< 0.5	1.2	2400
GMW-O-18 DUP	4/16/10	CH2MHill	---	1000	---	---	7300	0.57	< 0.5	2.7	11.2	< 0.5	1.1	2400
GMW-O-18	5/25/10	CH2MHill	---	110	---	---	540	< 0.5	< 0.5	< 0.5	< 1	< 1	2.9	6500
GMW-O-18 DUP	5/25/10	CH2MHill	---	120	---	---	730	< 0.5	< 0.5	< 0.5	< 1	< 1	3	6100
GMW-O-18	6/25/10	CH2MHill	---	74	---	---	140	< 0.5	< 0.5	< 0.5	< 1	< 0.5	0.5	8300
GMW-O-18 DUP	6/25/10	CH2MHill	---	75	---	---	180	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	7400
GMW-O-18	7/14/10	CH2MHill	---	110	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	0.85	11000
GMW-O-18 DUP	7/14/10	CH2MHill	---	110	---	---	100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	0.8	12000
GMW-O-18	8/12/10	CH2MHill	---	220	---	---	< 100	0.64	< 0.5	< 0.5	< 1	< 1	0.93	15000
GMW-O-18	9/20/10	CH2MHill	---	290	---	---	< 100	1.1	< 0.5	< 0.5	< 1	< 1	1.2	23000
GMW-O-18	10/5/10	CH2MHill	---	4000	---	---	1100	1200	420	23	231	< 10	670	2600
GMW-O-18 DUP	10/5/10	CH2MHill	---	3700	---	---	1700	1200	410	21	225	< 10	630	2400
GMW-O-18	11/16/10	CH2MHill	---	2000	---	---	120	< 0.5	< 0.5	< 0.5	< 1	< 1	0.53	21000
GMW-O-18	12/22/10	CH2MHill	---	---	---	---	---	---	---	---	---	---	---	---
GMW-O-18	1/12/11	CH2MHill	---	3000	---	---	130	< 1	< 1	< 1	< 2	< 2	< 1	29000
GMW-O-18	2/24/11	CH2MHill	---	1400	---	---	2100	60	31	19	123	< 0.5	380	1600
GMW-O-18 DUP	2/24/11	CH2MHill	---	2700	---	---	500	130	70	56	306	< 1	400	1800
GMW-O-18	3/23/11	CH2MHill	---	110	---	---	230	6	1.4	1.1	8.1	< 0.5	2.9	3300
GMW-O-18	4/29/11	CH2MHill	---	< 50	---	---	120	3.7	< 0.5	< 0.5	1.7	< 0.5	7.5	780
GMW-O-18 DUP	4/29/11	CH2MHill	---	< 50	---	---	150	3.7	< 0.5	< 0.5	1.6	< 0.5	7.7	840
GMW-O-18	5/13/11	CH2MHill	---	< 100	---	---	230	< 0.5	< 0.5	< 0.5	< 1	< 1	< 0.5	< 10
GMW-O-18	6/22/11	CH2MHill	---	7500	---	---	37000	< 0.5	< 0.5	< 0.5	436	< 1	5.5	3200
GMW-O-18	8/19/11	CH2MHill	---	2600	---	---	12000	17	3.9	3.2	40	< 2	85	61
GMW-O-18	9/22/11	CH2MHill	---	34000	---	---	64000	700	110	690	5300	< 50	400	6100
GMW-O-18	10/14/11	CH2MHill	---	6000	---	---	36000	190	13	36	100	< 20	1600	6600
GMW-O-18 DUP	10/14/11	CH2MHill	---	7100	---	---	49000	190	13	40	108	< 5	1500	6400
GMW-O-19	11/25/96	Terra Services	---	---	---	---	---	< 0.5	< 0.87	2.8	5.1	< 0.5	< 5	---
GMW-O-19	7/16/97	Terra Services	---	< 100	< 500	---	---	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 5	---
GMW-O-19	1/6/98	Terra Services	---	< 100	< 500	---	---	< 0.5	< 0.5	< 0.5	< 1.5	< 0.5	< 5	---
GMW-O-19	5/20/98	Terra Services	---	< 300	---	---	---	< 0.5	< 0.5	< 0.5	< 1	< 0.5	2	---
GMW-O-19	11/12/98	Alton Geoscience	---	< 300	---	---	< 100	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	---
GMW-O-19	5/6/99	Alton Geoscience	---	< 500	< 500	---	---	< 0.5	< 0.5	< 0.5	< 0.5	< 1	0.51	---
GMW-O-19	11/18/99	Secor	---	< 416	---	---	< 100	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	0.5	---
GMW-O-19	5/17/00	Secor	---	< 300	---	---	180	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	---
GMW-O-19	9/19/01	Secor	---	< 300	---	---	< 100	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	---
GMW-O-19	11/7/01	IT Corporation	---	< 300	---	---	< 100	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	---
GMW-O-19	1/30/02	Secor	---	< 300	---	---	< 100	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	---
GMW-O-19	4/9/03	Secor	---	< 50	---	---	500	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	---
GMW-O-19	8/1/03	Secor	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	---
GMW-O-19	10/7/03	Secor	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	---

TABLE 9

**HISTORICAL ANALYTICAL RESULTS FOR TPH, BTEX, 1,2-DCA, AND MTBE IN GROUNDWATER
NOVEMBER 1996 THROUGH OCTOBER 2011**

Well	Date Sampled	Sampled By	TPH as JP-5 ¹	TPH as Gasoline	TPH as Diesel	TPH as JP-4 ²	TPH as FP ³	Benzene	Toulene	Ethylbenzene	Total Xylenes	1,2-DCA ⁴	MTBE ⁵	TBA ⁶
GMW-O-19	4/22/04	Secor	---	<50	---	---	1400	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
GMW-O-19	7/20/04	Secor	---	---	---	---	<100	---	---	---	---	---	---	---
GMW-O-19	11/2/04	Secor	---	<50	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
GMW-O-19	5/5/05	Secor	---	510	---	---	110	110	<0.5	17	24.5	<1	150	---
GMW-O-19	11/2/05	SECOR	---	<50	---	---	<100	<0.5	<0.5	<0.5	<1	<0.5	<0.5	---
GMW-O-19	2/28/06	SECOR	---	<50	---	---	<100	<0.5	<0.5	<0.5	<1	<0.5	<0.5	---
GMW-O-19	5/4/06	SECOR	---	<50	---	---	<100	<0.5	<0.5	<0.5	<1	<0.5	<0.5	---
GMW-O-19	12/5/06	SECOR	---	<50	---	---	<100	<0.5	<0.5	<0.5	<1	<0.5	<0.5	---
GMW-O-19	5/5/07	SECOR	---	<50	---	---	<100	<0.5	<0.5	<0.5	<1	<0.5	<0.5	---
GMW-O-19	11/15/07	SECOR	---	<50	---	---	<100	<0.5	<0.5	<0.5	<1	<0.5	<0.5	---
GMW-O-19	4/16/08	SECOR	---	<50	---	---	<100	<0.5	<0.5	<0.5	<1	<0.5	<0.5	---
GMW-O-19	10/14/08	SECOR	---	<50	---	---	<100	<0.5	<0.5	<0.5	<1	<0.5	<0.5	---
GMW-O-19	4/23/09	Blaine Tech	---	<50	---	---	<100	<0.5	<0.5	<0.5	<1	<0.5	<0.5	<10
GMW-O-19	10/20/09	Blaine Tech	---	<50	---	---	<200	<0.5	<0.5	<0.5	<1	<0.5	<0.5	<10
GMW-O-19	3/15/10	CH2MHill	---	<50	---	---	<100	<0.5	<0.5	<0.5	<1	<0.5	<0.5	<10
GMW-O-19	4/16/10	CH2MHill	---	<50	---	---	<100	<0.5	<0.5	<0.5	<1	<0.5	<0.5	<10
GMW-O-19	5/26/10	CH2MHill	---	<50	---	---	<100	<0.5	<0.5	<0.5	<1	<0.5	<0.5	<10
GMW-O-19	6/22/10	CH2MHill	---	<50	---	---	<100	<0.5	<0.5	<0.5	<1	<0.5	<0.5	<10
GMW-O-19	7/13/10	CH2MHill	---	<50	---	---	<100	<0.5	<0.5	<0.5	<1	<0.5	<0.5	<10
GMW-O-19	8/12/10	CH2MHill	---	<50	---	---	<100	0.52	<0.5	<0.5	<1	<0.5	<0.5	<10
GMW-O-19	9/20/10	CH2MHill	---	<50	---	---	<100	<0.5	<0.5	<0.5	<1	<0.5	<0.5	<10
GMW-O-19	10/6/10	CH2MHill	---	<50	---	---	340	<0.5	<0.5	<0.5	<1	<0.5	<0.5	<10
GMW-O-19	11/16/10	CH2MHill	---	<50	---	---	<100	<0.5	<0.5	<0.5	<1	<0.5	<0.5	<10
GMW-O-19	12/22/10	CH2MHill	---	<50	---	---	<100	<0.5	<0.5	<0.5	<1	<0.5	<0.5	<10
GMW-O-19	1/11/11	CH2MHill	---	<50	---	---	<100	<0.5	<0.5	<0.5	<1	<0.5	<0.5	<10
GMW-O-19	2/24/11	CH2MHill	---	<50	---	---	<100	<0.5	<0.5	<0.5	<1	<0.5	<0.5	<10
GMW-O-19	3/23/11	CH2MHill	---	<50	---	---	<100	<0.5	<0.5	<0.5	<1	<0.5	<0.5	<10
GMW-O-19	4/12/11	CH2MHill	---	<50	---	---	<100	<0.5	<0.5	<0.5	<1	<0.5	<0.5	<10
GMW-O-19	5/13/11	CH2MHill	---	<50	---	---	<100	<0.5	<0.5	<0.5	<1	<0.5	<0.5	<10
GMW-O-19	6/22/11	CH2MHill	---	<50	---	---	<100	<0.5	<0.5	<0.5	<1	<0.5	<0.5	<10
GMW-O-19	7/11/11	CH2MHill	---	<50	---	---	<100	<0.5	<0.5	<0.5	<1	<0.5	<0.5	<10
GMW-O-19	8/19/11	CH2MHill	---	<50	---	---	<100	<0.5	<0.5	<0.5	<1	<0.5	<0.5	<10
GMW-O-19	9/22/11	CH2MHill	---	<50	---	---	<100	<0.5	<0.5	<0.5	<1	<0.5	<0.5	<10
GMW-O-19	10/11/11	CH2MHill	---	<50	---	---	110	<0.5	<0.5	<0.5	<1	<0.5	<0.5	<10
GMW-O-2	11/21/96	Terra Services	---	---	---	---	---	<0.5	<0.5	<0.5	<1.5	12	<5	---
GMW-O-2	7/9/97	Terra Services	---	<100	<500	---	---	<0.5	0.5	<0.5	<1	<0.5	<5	---
GMW-O-2	1/7/98	Terra Services	---	<100	<500	---	---	<0.5	<0.5	<0.5	<1.5	13	<5	---
GMW-O-2	5/20/98	Terra Services	---	<300	---	---	---	<0.5	<0.5	<0.5	<1	14	<0.5	---
GMW-O-2	11/11/98	Alton Geoscience	---	<300	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
GMW-O-2	5/5/99	Alton Geoscience	---	<500	<500	---	---	<0.5	<0.5	<0.5	<0.5	<1	<0.5	---
GMW-O-2	11/16/99	Secor	---	<300	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
GMW-O-2	5/17/00	Secor	---	<300	---	---	<100	<0.5	<0.5	<0.5	<0.5	1.7	<0.5	---
GMW-O-2	11/28/00	Secor	---	<300	---	---	<100	<0.5	<0.5	<0.5	<0.5	0.6	<0.5	---
GMW-O-2	5/10/01	Secor	---	<300	---	---	<100	<0.5	<0.5	<0.5	<0.5	11	<0.5	---
GMW-O-2	11/6/01	Secor	---	<300	---	---	<100	<0.5	<0.5	<0.5	<0.5	0.6	<0.5	---
GMW-O-2	4/9/02	Secor	---	<300	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
GMW-O-2	7/30/02	IT Corporation	---	<300	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
GMW-O-2	10/24/02	Secor	---	<300	---	---	460	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
GMW-O-2	1/15/03	Geomatrix	---	<300	---	---	<100	---	---	---	---	---	---	---
GMW-O-2	1/28/03	Secor	---	<300	---	---	<100	<0.5	<0.5	<0.5	<0.5	4.1	<0.5	---
GMW-O-2	4/8/03	Secor	---	<50	---	---	<100	<0.5	<0.5	<0.5	<0.5	1	<0.5	---
GMW-O-2	7/30/03	Secor	---	<50	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
GMW-O-2	10/8/03	Secor	---	<50	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
GMW-O-2	1/29/04	Secor	---	<50	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
GMW-O-2	4/20/04	Secor	---	<50	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
GMW-O-2	7/20/04	Secor	---	<50	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
GMW-O-2	11/4/04	Secor	---	<50	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
GMW-O-2	2/3/05	Secor	---	<50	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
GMW-O-2	5/4/05	Secor	---	<50	---	---	<100	<0.5	<0.5	<0.5	<0.5	5	<0.5	---
GMW-O-2	11/1/05	SECOR	---	<50	---	---	<100	<0.5	<0.5	<0.5	<1	<0.5	<0.5	---
GMW-O-2	2/28/06	SECOR	---	<50	---	---	<100	<0.5	<0.5	<0.5	<1	<0.5	<0.5	---
GMW-O-2	5/5/06	SECOR	---	<50	---	---	<100	<0.5	<0.5	<0.5	<1	<0.5	<0.5	---
GMW-O-2	9/20/06	SECOR	---	<50	---	---	<100	<0.5	<0.5	<0.5	<1	<0.5	<0.5	---
GMW-O-2	12/8/06	SECOR	---	<50	---	---	<100	<0.5	<0.5	<0.5	<1	<0.5	<0.5	---
GMW-O-2	3/12/07	SECOR	---	<50	---	---	<100	<0.5	<0.5	<0.5	<1	<0.5	<0.5	---
GMW-O-2	5/3/07	SECOR	---	<50	---	---	<100	<0.5	<0.5	<0.5	<1	<0.5	<0.5	---

TABLE 9

**HISTORICAL ANALYTICAL RESULTS FOR TPH, BTEX, 1,2-DCA, AND MTBE IN GROUNDWATER
NOVEMBER 1996 THROUGH OCTOBER 2011**

Well	Date Sampled	Sampled By	TPH as JP-5 ¹	TPH as Gasoline	TPH as Diesel	TPH as JP-4 ²	TPH as FP ³	Benzene	Toulene	Ethylbenzene	Total Xylenes	1,2-DCA ⁴	MTBE ⁵	TBA ⁶
GMW-O-2	8/28/07	SECOR	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	---
GMW-O-2	11/14/07	SECOR	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	---
GMW-O-2	2/20/08	SECOR	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	---
GMW-O-2	4/18/08	SECOR	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	---
GMW-O-2	8/13/08	SECOR	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	---
GMW-O-2	10/16/08	SECOR	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	---
GMW-O-2	2/23/09	Blaine Tech	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	< 10
GMW-O-2	4/22/09	Blaine Tech	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	< 10
GMW-O-2	7/21/09	Blaine Tech	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	< 10
GMW-O-2	10/20/09	Blaine Tech	---	< 50	---	---	130	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	< 10
GMW-O-2	3/16/10	CH2MHill	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	< 10
GMW-O-2	5/25/10	CH2MHill	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	< 10
GMW-O-2	7/13/10	CH2MHill	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	< 10
GMW-O-2	10/5/10	CH2MHill	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	< 10
GMW-O-2	1/11/11	CH2MHill	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	< 10
GMW-O-2	4/12/11	CH2MHill	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	< 10
GMW-O-2	7/12/11	CH2MHill	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	< 10
GMW-O-2	10/10/11	CH2MHill	---	< 50	---	---	140	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	< 10
GMW-O-20	10/5/10	CH2MHill	---	46000	---	---	150000	17000	390	680	3470	< 200	< 100	< 2000
GMW-O-20	4/13/11	CH2MHill	---	42000	---	---	680000	12000	170	580	400	< 200	< 100	< 2000
GMW-O-20	10/13/11	CH2MHill	---	34000	---	---	2000000	6300	460	240	850	< 100	< 50	< 1000
GMW-O-21	10/7/03	Secor	---	47000	---	---	20000	15000	5200	500	3160	< 100	5200	---
GMW-O-21	10/8/10	CH2MHill	---	66000	---	---	8000	19000	8200	1200	5500	< 200	< 100	< 2000
GMW-O-21	4/29/11	CH2MHill	---	18000	---	---	5300	7400	2400	190	1940	< 50	95	< 500
GMW-O-21 DUP	4/29/11	CH2MHill	---	19000	---	---	2700	7700	2500	200	2070	< 50	96	< 500
GMW-O-21	10/14/11	CH2MHill	---	31000	---	---	6400	8300	4100	290	2380	< 100	51	< 1000
GMW-O-23	10/8/10	CH2MHill	---	120000	---	---	25000	22000	21000	1800	11900	< 200	2600	< 2000
GMW-O-23	4/13/11	CH2MHill	---	75000	---	---	12000	15000	13000	850	5800	< 200	1700	< 2000
GMW-O-23	10/13/11	CH2MHill	---	65000	---	---	7200	16000	11000	540	3800	< 200	1500	< 2000
GMW-O-3	11/27/96	Terra Services	---	---	---	---	---	2900	1000	1200	1950	< 10	260	---
GMW-O-3	7/14/97	Terra Services	---	14000	1300	---	---	1500	410	700	1200	< 10	< 100	---
GMW-O-3	1/9/98	Terra Services	---	3200	720	---	---	930	55	390	599	38	< 50	---
GMW-O-3	5/26/98	Terra Services	---	5400	---	---	---	850	20	170	140	< 5	< 5	---
GMW-O-3	8/26/98	Geomatrix	---	3290	---	---	1710	329	31	140	300	< 2.5	< 2.5	---
GMW-O-3	11/17/98	Alton Geoscience	---	4800	---	---	5810	1500	< 100	350	400	< 100	< 100	---
GMW-O-3	2/3/99	Alton Geoscience	---	3800	< 500	---	---	250	< 2.5	34	17	< 5	< 2.5	---
GMW-O-3	5/7/99	Alton Geoscience	---	2900	< 500	---	---	170	1.2	3.4	5.3	< 1	< 0.5	---
GMW-O-3	8/10/99	Alton Geoscience	---	< 500	< 1000	---	---	56	1.6	2.3	2.4	1.2	< 1	---
GMW-O-3	11/17/99	Secor	---	340	---	---	< 100	15	0.5	1.9	1.9	< 0.5	< 0.5	---
GMW-O-3	2/29/00	Secor	---	< 300	---	---	170	12	< 0.5	1.2	1.1	< 0.5	< 0.5	---
GMW-O-3	5/17/00	Secor	---	1800	---	---	1000	290	32	33	180	< 0.5	< 0.5	---
GMW-O-3	8/29/00	Secor	---	580	---	---	3600	130	2.5	13	23	< 0.5	< 0.5	---
GMW-O-3	11/28/00	Secor	---	1500	---	---	820	350	13	43	93.1	< 0.5	< 0.5	---
GMW-O-3	2/5/01	Secor	---	1800	---	---	770	420	26	40	55	< 10	< 10	---
GMW-O-3	5/10/01	Secor	---	2000	---	---	560	380	4.5	32	42	< 2.5	< 2.5	---
GMW-O-3	9/19/01	Secor	---	840	---	---	360	230	< 2.5	17	11	< 2.5	< 2.5	---
GMW-O-3	11/7/01	IT Corporation	---	520	---	---	< 100	120	< 2.5	7.2	6	< 2.5	< 2.5	---
GMW-O-3	1/30/02	Secor	---	< 300	---	---	< 100	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	---
GMW-O-3	4/9/02	Secor	---	1200	---	---	< 100	260	2.6	13	9.8	< 0.5	< 0.5	---
GMW-O-3	7/30/02	IT Corporation	---	380	---	---	250	150	1.6	5.1	4.6	< 0.5	< 0.5	---
GMW-O-3	10/24/02	Secor	---	310	---	---	120	79	0.65	1.9	1.2	< 0.5	< 0.5	---
GMW-O-3	1/15/03	Geomatrix	---	< 300	---	---	< 100	---	---	---	---	---	---	---
GMW-O-3	1/28/03	Secor	---	550	---	---	160	140	3	9.1	14.2	< 0.5	< 0.5	---
GMW-O-3	4/8/03	Secor	---	660	---	---	200	170	1.6	9.2	3.1	< 2	< 1	---
GMW-O-3	7/30/03	Secor	---	830	---	---	140	200	2	18	8.2	< 3	< 1.5	---
GMW-O-3	10/8/03	Secor	---	660	---	---	280	96	0.74	9.6	1.4	< 1	< 0.5	---
GMW-O-3	1/29/04	Secor	---	850	---	---	160	120	0.63	3	0.72	< 1	< 0.5	---
GMW-O-3	4/20/04	Secor	---	< 50	---	---	130	65	< 0.5	< 0.5	0.56	< 0.5	< 0.5	---
GMW-O-3	7/20/04	Secor	---	370	---	---	< 100	29	< 0.5	1.4	< 0.5	< 0.5	< 0.5	---
GMW-O-3	11/4/04	Secor	---	850	---	---	190	71	< 0.5	2.7	< 0.5	< 1	< 0.5	---
GMW-O-3	2/3/05	Secor	---	210	---	---	< 100	16	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	---
GMW-O-3	5/4/05	Secor	---	380	---	---	< 100	32	0.67	2.1	4.6	< 0.5	< 0.5	---
GMW-O-3	11/1/05	SECOR	---	1300	---	---	560	35	2.3	67	50	< 1	< 0.5	---
GMW-O-3	2/28/06	SECOR	---	640	---	---	320	26	< 0.5	7.1	6	< 0.5	< 0.5	---
GMW-O-3	5/4/06	SECOR	---	400	---	---	250	19	< 0.5	0.71	1.2	< 0.5	< 0.5	---
GMW-O-3	9/19/06	SECOR	---	110	---	---	< 100	0.71	< 0.5	< 0.5	< 1	< 0.5	< 0.5	---

TABLE 9
HISTORICAL ANALYTICAL RESULTS FOR TPH, BTEX, 1,2-DCA, AND MTBE IN GROUNDWATER
NOVEMBER 1996 THROUGH OCTOBER 2011

Well	Date Sampled	Sampled By	TPH as JP-5 ¹	TPH as Gasoline	TPH as Diesel	TPH as JP-4 ²	TPH as FP ³	Benzene	Toulene	Ethylbenzene	Total Xylenes	1,2-DCA ⁴	MTBE ⁵	TBA ⁶
GMW-O-3	12/8/06	SECOR	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	---
GMW-O-3	3/13/07	SECOR	---	51	---	---	< 100	< 0.5	< 0.5	1.1	< 1	< 0.5	< 0.5	---
GMW-O-3	5/3/07	SECOR	---	72	---	---	< 100	< 0.5	< 0.5	0.64	< 1	< 0.5	< 0.5	---
GMW-O-3	8/28/07	SECOR	---	65	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	---
GMW-O-3	11/14/07	SECOR	---	170	---	---	< 100	3.1	< 0.5	9.7	< 1	< 0.5	< 0.5	---
GMW-O-3	2/20/08	SECOR	---	96	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	---
GMW-O-3	4/15/08	SECOR	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	---
GMW-O-3	8/14/08	SECOR	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	---
GMW-O-3	10/16/08	SECOR	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	---
GMW-O-3	2/23/09	Blaine Tech	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	< 10
GMW-O-3	4/21/09	Blaine Tech	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	< 10
GMW-O-3	7/21/09	Blaine Tech	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	< 10
GMW-O-3	10/20/09	Blaine Tech	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	< 10
GMW-O-3	3/15/10	CH2MHill	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	< 10
GMW-O-3	5/25/10	CH2MHill	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	< 10
GMW-O-3	7/12/10	CH2MHill	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	< 10
GMW-O-3	10/5/10	CH2MHill	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	< 10
GMW-O-3	1/11/11	CH2MHill	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	< 10
GMW-O-3	4/12/11	CH2MHill	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	< 10
GMW-O-3	7/11/11	CH2MHill	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	< 10
GMW-O-3	10/10/11	CH2MHill	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	< 10
GMW-O-4	11/22/96	Terra Services	---	---	---	---	---	< 0.5	< 0.5	< 0.5	< 1.5	< 0.5	< 5	---
GMW-O-4	7/9/97	Terra Services	---	< 100	< 500	---	---	< 0.5	1.9	< 0.5	< 1	< 0.5	< 5	---
GMW-O-4	1/2/98	Terra Services	---	< 100	< 500	---	---	< 0.5	< 0.5	< 0.5	< 1.5	< 0.5	< 5	---
GMW-O-4	5/21/98	Terra Services	---	---	---	---	---	< 0.5	< 0.5	< 0.5	< 1	< 0.5	0.7	---
GMW-O-4	11/12/98	Alton Geoscience	---	< 300	---	---	< 100	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	---
GMW-O-4	5/6/99	Alton Geoscience	---	< 500	< 500	---	---	< 0.5	< 0.5	< 0.5	< 0.5	< 1	< 0.5	---
GMW-O-4	11/16/99	Secor	---	< 300	---	---	< 100	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	---
GMW-O-4	11/17/99	Secor	---	< 300	---	---	< 100	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	---
GMW-O-4	5/17/00	Secor	---	< 300	---	---	< 100	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	---
GMW-O-4	11/29/00	Secor	---	< 300	---	---	< 100	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	---
GMW-O-4	5/10/01	Secor	---	< 300	---	---	< 100	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	---
GMW-O-4	11/7/01	IT Corporation	---	< 300	---	---	< 100	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	---
GMW-O-4	4/9/02	Secor	---	< 300	---	---	< 100	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	---
GMW-O-4	10/24/02	Secor	---	< 300	---	---	< 100	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	---
GMW-O-4	4/9/03	Secor	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	---
GMW-O-4	10/8/03	Secor	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	---
GMW-O-4	4/20/04	Secor	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	---
GMW-O-4	11/4/04	Secor	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	---
GMW-O-4	5/4/05	Secor	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	---
GMW-O-4	11/1/05	SECOR	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	---
GMW-O-4	5/4/06	SECOR	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	---
GMW-O-4	12/7/06	SECOR	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	---
GMW-O-4	5/3/07	SECOR	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	---
GMW-O-4	11/15/07	SECOR	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	---
GMW-O-4	4/15/08	SECOR	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	---
GMW-O-4	10/15/08	SECOR	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	---
GMW-O-4	4/21/09	Blaine Tech	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	< 10
GMW-O-4	10/20/09	Blaine Tech	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	< 10
GMW-O-4	5/25/10	CH2MHill	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	< 10
GMW-O-4	10/5/10	CH2MHill	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	< 10
GMW-O-4	4/12/11	CH2MHill	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	< 10
GMW-O-4	10/11/11	CH2MHill	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	< 10
GMW-O-4 MID	11/22/96	Terra Services	---	---	---	---	---	< 0.5	< 0.5	< 0.5	< 1.5	< 0.5	< 5	---
GMW-O-4 MID	7/9/97	Terra Services	---	< 100	< 500	---	---	< 0.5	0.99	< 0.5	< 0.1	< 0.5	< 5	---
GMW-O-4 MID	1/2/98	Terra Services	---	< 100	< 500	---	---	< 0.5	< 0.5	< 0.5	< 1.5	< 0.5	< 5	---
GMW-O-4 MID	5/21/98	Terra Services	---	< 300	---	---	---	---	---	---	---	---	---	---
GMW-O-4 MID	11/4/98	Alton Geoscience	---	< 300	---	---	< 100	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	---
GMW-O-4 MID	5/6/99	Alton Geoscience	---	< 500	< 500	---	---	---	---	---	---	< 1	---	---
GMW-O-4 MID	5/6/99	Alton Geoscience	---	---	---	---	---	---	---	---	---	---	< 0.5	---
GMW-O-4 MID	5/17/00	Secor	---	< 300	---	---	< 100	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	---
GMW-O-4 MID	11/28/00	Secor	---	< 300	---	---	< 100	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	---
GMW-O-4 MID	5/10/01	Secor	---	< 300	---	---	< 100	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	---
GMW-O-4 MID	11/7/01	IT Corporation	---	< 300	---	---	< 100	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	---
GMW-O-4 MID	4/9/02	Secor	---	< 300	---	---	< 100	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	---
GMW-O-4 MID	10/24/02	Secor	---	< 300	---	---	< 100	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	---

TABLE 9

**HISTORICAL ANALYTICAL RESULTS FOR TPH, BTEX, 1,2-DCA, AND MTBE IN GROUNDWATER
NOVEMBER 1996 THROUGH OCTOBER 2011**

Well	Date Sampled	Sampled By	TPH as JP-5 ¹	TPH as Gasoline	TPH as Diesel	TPH as JP-4 ²	TPH as FP ³	Benzene	Toulene	Ethylbenzene	Total Xylenes	1,2-DCA ⁴	MTBE ⁵	TBA ⁶
GMW-O-4 MID	4/9/03	Secor	---	<50	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
GMW-O-4 MID	10/8/03	Secor	---	<50	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
GMW-O-4 MID	4/20/04	Secor	---	<50	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
GMW-O-4 MID	11/4/04	Secor	---	<50	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
GMW-O-4 MID	5/4/05	Secor	---	<50	---	---	220	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
GMW-O-4 MID	11/1/05	SECOR	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	---
GMW-O-4 MID	5/4/06	SECOR	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	---
GMW-O-4 MID	12/7/06	SECOR	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	---
GMW-O-4 MID	5/3/07	SECOR	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	---
GMW-O-4 MID	11/15/07	SECOR	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	---
GMW-O-4 MID	4/15/08	SECOR	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	---
GMW-O-4 MID	10/15/08	SECOR	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	---
GMW-O-4 MID	4/21/09	Blaine Tech	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	< 10
GMW-O-4 MID	10/20/09	Blaine Tech	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	< 10
GMW-O-4 MID	5/25/10	CH2MHill	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	< 10
GMW-O-4 MID	10/5/10	CH2MHill	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	< 10
GMW-O-4 MID	4/12/11	CH2MHill	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	< 10
GMW-O-4 MID	10/11/11	CH2MHill	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	< 10
GMW-O-5	11/22/96	Terra Services	---	---	---	---	---	11	5.7	9.2	32.1	<0.5	<5	---
GMW-O-5	7/9/97	Terra Services	---	<100	<500	---	---	<0.5	1.9	<0.5	<1	<0.5	<5	---
GMW-O-5	1/7/98	Terra Services	---	<100	<500	---	---	<0.5	<0.5	<0.5	<1.5	<0.5	15	---
GMW-O-5	5/21/98	Terra Services	---	---	---	---	---	<0.5	<0.5	<0.5	<1	<0.5	<0.5	---
GMW-O-5	8/24/98	Geomatrix	---	<300	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
GMW-O-5	11/4/98	Alton Geoscience	---	---	---	---	<100	---	---	---	---	---	---	---
GMW-O-5	11/4/98	Alton Geoscience	---	<300	---	---	---	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
GMW-O-5	2/3/99	Alton Geoscience	---	<500	<500	---	---	<0.5	<0.5	<0.5	<1	<1	<0.5	---
GMW-O-5	5/5/99	Alton Geoscience	---	<500	<500	---	---	<0.5	<0.5	<0.5	<0.5	<1	<0.5	---
GMW-O-5	8/10/99	Alton Geoscience	---	<500	<1000	---	---	2.3	4.4	<1	2.9	<0.5	<1	---
GMW-O-5	11/16/99	Secor	---	<300	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
GMW-O-5	2/29/00	Secor	---	<300	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
GMW-O-5	5/17/00	Secor	---	<300	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
GMW-O-5	8/29/00	Secor	---	<300	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
GMW-O-5	11/28/00	Secor	---	<300	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
GMW-O-5	2/5/01	Secor	---	<300	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
GMW-O-5	5/10/01	Secor	---	<300	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
GMW-O-5	9/19/01	Secor	---	<300	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
GMW-O-5	11/7/01	IT Corporation	---	<300	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
GMW-O-5	1/30/02	Secor	---	<300	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
GMW-O-5	4/9/02	Secor	---	<300	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
GMW-O-5	10/24/02	Secor	---	<300	---	---	2300	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
GMW-O-5	1/15/03	Geomatrix	---	<300	---	---	<100	---	---	---	---	---	---	---
GMW-O-5	4/9/03	Secor	---	<50	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
GMW-O-5	10/9/03	Secor	---	<50	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
GMW-O-5	4/21/04	Secor	---	<50	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
GMW-O-5	11/4/04	Secor	---	<50	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
GMW-O-5	5/4/05	Secor	---	<50	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
GMW-O-5	11/1/05	SECOR	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	---
GMW-O-5	5/5/06	SECOR	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	---
GMW-O-5	12/7/06	SECOR	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	---
GMW-O-5	5/3/07	SECOR	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	---
GMW-O-5	11/15/07	SECOR	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	---
GMW-O-5	4/18/08	SECOR	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	---
GMW-O-5	10/15/08	SECOR	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	---
GMW-O-5	4/21/09	Blaine Tech	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	< 10
GMW-O-5	10/20/09	Blaine Tech	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	< 10
GMW-O-5	5/25/10	CH2MHill	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	< 10
GMW-O-5	10/4/10	CH2MHill	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	< 10
GMW-O-5	4/12/11	CH2MHill	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	< 10
GMW-O-5	10/11/11	CH2MHill	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	< 10
GMW-O-6	11/22/96	Terra Services	---	---	---	---	---	<0.5	<0.5	<0.5	<1.5	<0.5	<5	---
GMW-O-6	7/9/97	Terra Services	---	<100	<500	---	---	<0.5	0.9	<0.5	<1	<0.5	<5	---
GMW-O-6	1/2/98	Terra Services	---	<100	<500	---	---	<0.5	<0.5	<0.5	<1	<0.5	<5	---
GMW-O-6	5/21/98	Terra Services	---	---	---	---	---	<0.5	<0.5	<0.5	<1	<0.5	<0.5	---
GMW-O-6	11/4/98	Alton Geoscience	---	<300	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
GMW-O-6	5/5/99	Alton Geoscience	---	<500	<500	---	---	<0.5	<0.5	<0.5	<0.5	<1	<0.5	---
GMW-O-6	11/17/99	Secor	---	<300	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---

TABLE 9

**HISTORICAL ANALYTICAL RESULTS FOR TPH, BTEX, 1,2-DCA, AND MTBE IN GROUNDWATER
NOVEMBER 1996 THROUGH OCTOBER 2011**

Well	Date Sampled	Sampled By	TPH as JP-5 ¹	TPH as Gasoline	TPH as Diesel	TPH as JP-4 ²	TPH as FP ³	Benzene	Toluene	Ethylbenzene	Total Xylenes	1,2-DCA ⁴	MTBE ⁵	TBA ⁶
GMW-O-6	5/17/00	Secor	---	<300	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
GMW-O-6	11/28/00	Secor	---	<300	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	1.9	---
GMW-O-6	5/10/01	Secor	---	<300	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
GMW-O-6	11/7/01	IT Corporation	---	<300	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
GMW-O-6	4/9/02	Secor	---	<300	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
GMW-O-6	10/24/02	Secor	---	<300	---	---	190	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
GMW-O-6	10/9/03	Secor	---	<50	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
GMW-O-6	5/4/05	Secor	---	<50	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
GMW-O-6	5/5/06	SECOR	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5
GMW-O-6	5/4/07	SECOR	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5
GMW-O-6	4/18/08	SECOR	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5
GMW-O-6	4/21/09	Blaine Tech	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5
GMW-O-6	5/26/10	CH2M Hill	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5
GMW-O-6	4/12/11	CH2M Hill	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5
GMW-O-7	5/7/99	Alton Geoscience	---	<500	<500	---	---	<0.5	<0.5	<0.5	<0.5	<1	<0.5	---
GMW-O-8	10/24/02	Secor	---	<300	---	---	<100	<0.5	<0.5	<0.5	<0.5	1.5	2.4	---
GMW-O-8	1/16/03	Geomatrix	---	---	---	---	---	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
GMW-O-8	4/8/03	Secor	---	<50	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
GMW-O-8	10/8/03	Secor	---	<50	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
GMW-O-8	4/20/04	Secor	---	<50	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
GMW-O-8	11/4/04	Secor	---	<50	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
GMW-O-8	5/4/05	Secor	---	<50	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
GMW-O-8	11/1/05	SECOR	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5
GMW-O-8	5/4/06	SECOR	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5
GMW-O-8	12/8/06	SECOR	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5
GMW-O-8	5/4/07	SECOR	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5
GMW-O-8	11/14/07	SECOR	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5
GMW-O-8	4/18/08	SECOR	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5
GMW-O-8	10/16/08	SECOR	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5
GMW-O-8	4/22/09	Blaine Tech	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5
GMW-O-8	10/21/09	Blaine Tech	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5
GMW-O-8	5/25/10	CH2M Hill	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5
GMW-O-8	10/5/10	CH2M Hill	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5
GMW-O-8	4/12/11	CH2M Hill	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5
GMW-O-8	10/11/11	CH2M Hill	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5
GMW-O-9	11/22/96	Terra Services	---	---	---	---	---	<0.5	<0.5	<0.5	<0.5	<1.5	46	<5
GMW-O-9	7/10/97	Terra Services	---	<100	<500	---	---	<0.5	3.6	<0.5	<1	<0.5	<5	---
GMW-O-9	1/7/98	Terra Services	---	<100	<500	---	---	<0.5	<0.5	<0.5	<1.5	<0.5	<5	---
GMW-O-9	5/21/98	Terra Services	---	---	---	---	---	<0.5	<0.5	<0.5	<0.6	12	<0.5	---
GMW-O-9	11/16/98	Alton Geoscience	---	<300	---	---	<100	3	7	1	6	5.8	<0.5	---
GMW-O-9	5/5/99	Alton Geoscience	---	<500	<500	---	---	<0.5	<0.5	<0.5	<0.5	<1	<0.5	---
GMW-O-9	11/17/99	Secor	---	<300	---	---	<100	<0.5	<0.5	<0.5	<0.5	17	<0.5	---
GMW-O-9	5/17/00	Secor	---	<300	---	---	<100	<0.5	<0.5	<0.5	<0.5	72	<0.5	---
GMW-O-9	11/29/00	Secor	---	<300	---	---	<100	<0.5	<0.5	<0.5	<0.5	53	<0.5	---
GMW-O-9	5/10/01	Secor	---	<300	---	---	<100	<0.5	<0.5	<0.5	<0.5	87	<0.5	---
GMW-O-9	11/7/01	IT Corporation	---	<300	---	---	<100	<0.5	<0.5	<0.5	<0.5	53	<0.5	---
GMW-O-9	4/9/02	Secor	---	<300	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
GMW-O-9	10/24/02	Secor	---	<300	---	---	<100	<0.5	<0.5	<0.5	<0.5	35	<0.5	---
GMW-O-9	4/9/03	Secor	---	<50	---	---	<100	<0.5	<0.5	<0.5	<0.5	50	<0.5	---
GMW-O-9	10/9/03	Secor	---	<50	---	---	<100	<0.5	<0.5	<0.5	<0.5	35	<0.5	---
GMW-O-9	4/20/04	Secor	---	<50	---	---	<100	<0.5	<0.5	<0.5	<0.5	15	<0.5	---
GMW-O-9	11/4/04	Secor	---	<50	---	---	<100	<0.5	<0.5	<0.5	<0.5	9.9	<0.5	---
GMW-O-9	5/6/05	Secor	---	<50	---	---	<100	<0.5	<0.5	<0.5	<0.5	61	<0.5	---
GMW-O-9	11/2/05	SECOR	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5
GMW-O-9	5/5/06	SECOR	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 0.5	< 1	1.8	< 0.5
GMW-O-9	12/7/06	SECOR	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 0.5	< 1	2.5	< 0.5
GMW-O-9	5/4/07	SECOR	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5
GMW-O-9	11/14/07	SECOR	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 0.5	< 1	5.9	< 0.5
GMW-O-9	4/18/08	SECOR	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5
GMW-O-9	10/17/08	SECOR	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5
GMW-O-9	4/22/09	Blaine Tech	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5
GMW-O-9	10/20/09	Blaine Tech	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5
GMW-O-9	5/26/10	CH2M Hill	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5
GMW-O-9	10/5/10	CH2M Hill	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5
GMW-O-9	4/12/11	CH2M Hill	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5
GMW-O-9	10/11/11	CH2M Hill	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5

TABLE 9

HISTORICAL ANALYTICAL RESULTS FOR TPH, BTEX, 1,2-DCA, AND MTBE IN GROUNDWATER
NOVEMBER 1996 THROUGH OCTOBER 2011

Well	Date Sampled	Sampled By	TPH as JP-5 ¹	TPH as Gasoline	TPH as Diesel	TPH as JP-4 ²	TPH as FP ³	Benzene	Toulene	Ethylbenzene	Total Xylenes	1,2-DCA ⁴	MTBE ⁵	TBA ⁶
GMW-SF-10	9/24/03	Secor	---	90	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	210	---
GMW-SF-10	10/10/03	Geomatrix	---	100	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	120	---
GMW-SF-10	10/7/10	CH2MHill	---	<50	---	---	<100	<0.5	<0.5	<0.5	<1	<0.5	<0.5	<10
GMW-SF-10	4/14/11	CH2MHill	---	<50	---	---	<100	<0.5	<0.5	<0.5	<1	<0.5	<0.5	<10
GMW-SF-10	10/12/11	CH2MHill	---	<50	---	---	<100	<0.5	<0.5	<0.5	<1	<0.5	<0.5	<10
GMW-SF-10 DUP	10/12/11	CH2MHill	---	<50	---	---	<100	<0.5	<0.5	<0.5	<1	<0.5	<0.5	<10
GMW-SF-7	11/25/96	Terra Services	---	---	---	---	---	<0.5	<0.5	<0.5	5.8	<0.5	<5	---
GMW-SF-7	7/11/97	Terra Services	---	<100	<500	---	---	<0.5	<0.5	<0.5	<1	<0.5	8.7	---
GMW-SF-7	1/2/98	Terra Services	---	<100	<500	---	---	<0.5	<0.5	<0.5	<1.5	<0.5	<5	---
GMW-SF-7	5/19/98	Terra Services	---	<300	---	---	---	<0.5	<0.5	<0.5	<1	<0.5	<0.5	---
GMW-SF-7	11/11/98	Alton Geoscience	---	<300	---	---	<100	0.96	<0.5	0.5	1.3	<0.5	<0.5	---
GMW-SF-7	5/7/99	Alton Geoscience	---	<500	<500	---	---	1	4.1	<0.5	1.8	<1	1.3	---
GMW-SF-7	11/18/99	Secor	---	350	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	200	---
GMW-SF-7	5/17/00	Secor	---	<300	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
GMW-SF-7	11/29/00	Secor	---	<300	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
GMW-SF-7	5/8/01	Secor	---	<300	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
GMW-SF-7	11/6/01	Secor	---	<300	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
GMW-SF-7	2/1/02	Secor	---	---	---	---	---	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
GMW-SF-7	4/10/02	Secor	---	<300	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	1.9	---
GMW-SF-7	10/22/02	Secor	---	<300	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	2.5	---
GMW-SF-7	1/29/03	Secor	---	<300	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	4.1	---
GMW-SF-7	4/9/03	Secor	---	<50	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	0.73	---
GMW-SF-7	7/30/03	Secor	---	<50	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
GMW-SF-7	10/6/03	Secor	---	<50	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
GMW-SF-7	1/28/04	Secor	---	<50	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
GMW-SF-7	4/20/04	Secor	---	<50	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	32	---
GMW-SF-7	7/19/04	Secor	---	550	---	---	<100	<1	<1	<1	<1	<2	680	---
GMW-SF-7	11/2/04	Secor	---	220	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	340	---
GMW-SF-7	2/2/05	Secor	---	<50	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
GMW-SF-7	5/4/05	Secor	---	<50	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
GMW-SF-7	11/1/05	SECOR	---	<50	---	---	<100	<0.5	<0.5	<0.5	<1	<0.5	<0.5	---
GMW-SF-7	2/27/06	SECOR	---	<50	---	---	<100	<0.5	<0.5	<0.5	<1	<0.5	<0.5	---
GMW-SF-7	5/2/06	SECOR	---	<50	---	---	<100	<0.5	<0.5	<0.5	<1	<0.5	<0.5	---
GMW-SF-7	9/18/06	SECOR	---	<50	---	---	<100	<0.5	<0.5	<0.5	<1	<0.5	<0.5	---
GMW-SF-7	12/5/06	SECOR	---	<50	---	---	<100	<0.5	<0.5	<0.5	<1	<0.5	<0.5	---
GMW-SF-7	3/13/07	SECOR	---	<50	---	---	<100	<0.5	<0.5	<0.5	<1	<0.5	<0.5	---
GMW-SF-7	5/5/07	SECOR	---	<50	---	---	<100	<0.5	<0.5	<0.5	<1	<0.5	<0.5	---
GMW-SF-7	8/30/07	SECOR	---	<50	---	---	<100	<0.5	<0.5	<0.5	<1	<0.5	<0.5	---
GMW-SF-7	11/13/07	SECOR	---	<50	---	---	<100	<0.5	<0.5	<0.5	<1	<0.5	<0.5	---
GMW-SF-7	4/16/08	SECOR	---	<50	---	---	<100	<0.5	<0.5	<0.5	<1	<0.5	<0.5	---
GMW-SF-7	10/14/08	SECOR	---	<50	---	---	<100	<0.5	<0.5	<0.5	<1	<0.5	<0.5	---
GMW-SF-7	4/22/09	Blaine Tech	---	<50	---	---	<100	<0.5	<0.5	<0.5	<1	<0.5	<0.5	<10
GMW-SF-7	10/21/09	Blaine Tech	---	<50	---	---	<100	<0.5	<0.5	<0.5	<1	<0.5	<0.5	<10
GMW-SF-7	5/26/10	CH2MHill	---	<50	---	---	<100	<0.5	<0.5	<0.5	<1	<0.5	<0.5	<10
GMW-SF-7	10/6/10	CH2MHill	---	<50	---	---	<100	<0.5	<0.5	<0.5	<1	<0.5	<0.5	<10
GMW-SF-7	4/12/11	CH2MHill	---	<50	---	---	<100	<0.5	<0.5	<0.5	<1	<0.5	<0.5	<10
GMW-SF-7	10/11/11	CH2MHill	---	<50	---	---	<100	<0.5	<0.5	<0.5	<1	<0.5	<0.5	<10
GMW-SF-8	11/22/96	Terra Services	---	<100	<500	---	---	4.5	<1	<1	<3	<1	920	---
GMW-SF-8	7/11/97	Terra Services	---	<100	<500	---	---	<0.5	<0.5	<0.5	<1	<0.5	140	---
GMW-SF-8	1/6/98	Terra Services	---	<100	<500	---	---	4.1	<0.5	<0.5	<1.5	<0.5	450	---
GMW-SF-8	5/22/98	Terra Services	---	<300	---	---	---	<0.5	<0.5	<0.5	<1	<1	0.9	---
GMW-SF-8	11/12/98	Alton Geoscience	---	<300	---	---	---	<0.5	<0.5	<0.5	<0.5	<0.5	40	---
GMW-SF-8	5/7/99	Alton Geoscience	---	<500	<500	---	---	<0.5	<0.5	<0.5	<0.5	<1	4.8	---
GMW-SF-8	11/18/99	Secor	---	660	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	800	---
GMW-SF-8	5/17/00	Secor	---	<300	---	---	250	<0.5	<0.5	<0.5	<0.5	<0.5	42	---
GMW-SF-8	11/30/00	Secor	---	<300	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	220	---
GMW-SF-8	5/8/01	Secor	---	<300	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	20	---
GMW-SF-8	11/6/01	Secor	---	<300	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	260	---
GMW-SF-8	4/10/02	Secor	---	<300	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	3.8	---
GMW-SF-8	10/22/02	Secor	---	<300	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	5.2	---
GMW-SF-8	1/29/03	Secor	---	<300	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	1.5	---
GMW-SF-8	4/9/03	Secor	---	<50	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	6.5	---
GMW-SF-8	7/30/03	Secor	---	<50	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
GMW-SF-8	10/6/03	Secor	---	<50	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
GMW-SF-8	1/27/04	Secor	---	<50	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
GMW-SF-8	4/20/04	Secor	---	<50	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---

TABLE 9

**HISTORICAL ANALYTICAL RESULTS FOR TPH, BTEX, 1,2-DCA, AND MTBE IN GROUNDWATER
NOVEMBER 1996 THROUGH OCTOBER 2011**

Well	Date Sampled	Sampled By	TPH as JP-5 ¹	TPH as Gasoline	TPH as Diesel	TPH as JP-4 ²	TPH as FP ³	Benzene	Toulene	Ethylbenzene	Total Xylenes	1,2-DCA ⁴	MTBE ⁵	TBA ⁶
GMW-SF-8	7/19/04	Secor	---	<50	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
GMW-SF-8	11/3/04	Secor	---	<50	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
GMW-SF-8	2/2/05	Secor	---	<50	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
GMW-SF-8	5/4/05	Secor	---	<50	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
GMW-SF-8	11/1/05	SECOR	---	<50	---	---	<100	<0.5	<0.5	<0.5	<1	<0.5	<0.5	---
GMW-SF-8	2/27/06	SECOR	---	<50	---	---	<100	<0.5	<0.5	<0.5	<1	<0.5	<0.5	---
GMW-SF-8	5/2/06	SECOR	---	<50	---	---	<100	<0.5	<0.5	<0.5	<1	<0.5	<0.5	---
GMW-SF-8	9/18/06	SECOR	---	<50	---	---	<100	<0.5	<0.5	<0.5	<1	<1	<0.5	---
GMW-SF-8	12/5/06	SECOR	---	<50	---	---	<100	<0.5	<0.5	<0.5	<1	<0.5	<0.5	---
GMW-SF-8	5/4/07	SECOR	---	<50	---	---	<100	<0.5	<0.5	<0.5	<1	<0.5	<0.5	---
GMW-SF-8	11/14/07	SECOR	---	<50	---	---	<100	<0.5	<0.5	<0.5	<1	<0.5	<0.5	---
GMW-SF-8	4/16/08	SECOR	---	<50	---	---	<100	<0.5	<0.5	<0.5	<1	<0.5	<0.5	---
GMW-SF-8	10/14/08	SECOR	---	<50	---	---	<100	<0.5	<0.5	<0.5	<1	<0.5	<0.5	---
GMW-SF-8	4/23/09	Blaine Tech	---	<50	---	---	<100	<0.5	<0.5	<0.5	<1	<0.5	<0.5	<10
GMW-SF-8	10/21/09	Blaine Tech	---	<50	---	---	<100	<0.5	<0.5	<0.5	<1	<0.5	<0.5	<10
GMW-SF-8	5/26/10	CH2MHill	---	<50	---	---	<100	<0.5	<0.5	<0.5	<1	<0.5	<0.5	<10
GMW-SF-8	10/6/10	CH2MHill	---	<50	---	---	<100	<0.5	<0.5	<0.5	<1	<0.5	<0.5	<10
GMW-SF-8	4/12/11	CH2MHill	---	<50	---	---	<100	<0.5	<0.5	<0.5	<1	<0.5	<0.5	<10
GMW-SF-8	10/11/11	CH2MHill	---	<50	---	---	<100	<0.5	<0.5	<0.5	<1	<0.5	<0.5	<10
GMW-SF-9	9/24/03	Secor	---	<50	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	9.2	---
GMW-SF-9	10/10/03	Geomatrix	---	79	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	14	---
GMW-SF-9	10/7/10	CH2MHill	---	<50	---	---	<100	<0.5	<0.5	<0.5	<1	<0.5	<0.5	<10
GMW-SF-9	4/13/11	CH2MHill	---	<50	---	---	<100	<0.5	<0.5	<0.5	<1	<0.5	<0.5	<10
GMW-SF-9 DUP	4/13/11	CH2MHill	---	<50	---	---	<100	<0.5	<0.5	<0.5	<1	<0.5	<0.5	<10
GMW-SF-9	10/11/11	CH2MHill	---	<50	---	---	<100	<0.5	<0.5	<0.5	<1	<0.5	<0.5	40
GMW-SF-9	10/12/11	CH2MHill	---	<100	---	---	1300	1.5	<0.5	<0.5	<1	<1	<0.5	<10
GW-13	5/3/07	PARSONS	---	---	---	---	2800	<0.50	<0.50	<0.50	<1	0.83	5.3	31
GW-13	11/15/07	PARSONS	---	---	---	---	1400	<0.50	<0.50	<0.50	<1	0.94	3.5	20
GW-13 DUP	11/15/07	PARSONS	---	---	---	---	1400	<0.50	<0.50	<0.50	<1	1	3.5	23
GW-13	4/17/08	PARSONS	---	230	---	---	1300	<0.50	<0.50	<0.50	<1	0.99	4.4	28
GW-13	10/17/08	PARSONS	<100	<100	---	---	---	<0.50	<0.50	<0.50	<1	0.84	2.3	<10
GW-13	4/24/09	PARSONS	<100	<100	---	---	---	<0.50	<0.50	<0.50	<1	14	11	<10
GW-13	10/23/09	PARSONS	<100	<100	---	---	---	<0.50	<0.50	<0.50	<1	23	9.5	<10
GW-13	1/12/10	PARSONS	<100	<100	---	---	---	<0.50	<0.50	<0.50	<1.0	21	4.8	5.2 J
GW-13	3/4/10	PARSONS	<100	<100	---	---	---	<0.5	<0.5	<0.5	<1	8.2	9.2	10 J
GW-13	4/13/10	PARSONS	<100	---	---	---	---	<0.5	<0.5	<0.5	<1	7.4	12	16
GW-13	10/8/10	PARSONS	120	<100	---	---	---	<0.50	<0.50	<0.50	<1.0	5	11	24
GW-13	4/22/11	PARSONS	---	---	---	---	---	<0.50	<0.50	<0.50	<1	3.7	6.8	16
GW-14	5/3/07	PARSONS	---	---	---	---	4000	200	5.2	220	900	---	39	---
GW-14	11/15/07	PARSONS	---	---	---	---	950	35	<0.50	14	3.94	<0.50	18	20
GW-14	4/18/08	PARSONS	---	900	---	---	1000	78	<0.50	<0.50	2.25	<0.50	18	13
GW-14	10/16/08	PARSONS	2700	820	---	---	---	40	<0.50	2.1	1	<0.50	22	16
GW-14	4/24/09	PARSONS	1600	690	---	---	---	66	<0.50	0.99	0.64	<0.50	13	14
GW-14	10/22/09	PARSONS	900	110	---	---	---	<0.50	<0.50	<0.50	<1	<0.50	<0.50	<10
GW-14	1/13/10	PARSONS	2100 J	950 J	---	---	---	62	0.35 J	1	1.45 J	<0.50	17	18
GW-14	4/15/11	PARSONS	2600	---	---	---	---	---	---	---	---	---	---	---
GW-14	4/22/11	PARSONS	---	---	---	---	---	76	<0.50	9.4	9.01	<0.50	17	7.8 J
GW-15	5/3/07	PARSONS	---	8500	---	---	1600	1100	1000	130	570	<0.50	<0.50	<10
GW-15	3/4/10	PARSONS	140	220	---	---	---	55	2.7	6	42.9	<0.5	1.6	<10
GW-16	8/3/09	PARSONS	<100	<100	---	---	---	<0.50	<0.50	<0.50	<1	<0.50	<0.50	<10
GW-16	10/23/09	PARSONS	<100	<100	---	---	---	<0.50	<0.50	<0.50	<1	<0.50	<0.50	<10
GW-16	1/13/10	PARSONS	460 J	<100	---	---	---	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	6.4 J
GW-16	3/3/10	PARSONS	<100	<100	---	---	---	<0.5	<0.5	1.1	<1	<0.5	<0.5	<10
GW-16	4/19/10	PARSONS	<100	---	---	---	---	<0.50	<0.50	2.6	<1.0	---	<0.50	<10
GW-16	10/8/10	PARSONS	<100	<100	---	---	---	1.7	<0.50	3.6	<1.0	<0.50	<0.50	5.5 J
GW-16	4/12/11	PARSONS	<100	<100	---	---	---	<0.50	<0.50	<0.50	<1	<0.50	<0.50	76
GW-2	1/12/10	PARSONS	120	<100	---	---	---	3.6	<0.50	<0.50	<1.0	23	1.8	8.8 J
GW-2	3/3/10	PARSONS	320	140	---	---	---	9.7	<0.5	2.4	2.7	12	3.1	13
GW-2	10/8/10	PARSONS	800	180	---	---	---	18	<0.50	1.1	1.31	4.6	1.4	21
GW-3	4/11/03	Groundwater Technology Inc	---	---	---	---	134	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
GW-3	10/11/03	Parsons	---	---	---	---	300	<0.5	<0.5	<0.5	<0.5	<0.5	2.9	---
GW-3	4/22/04	Parsons	---	---	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	1.3	<10
GW-3	11/4/04	Parsons	---	---	---	---	3900	<0.5	<0.5	<0.5	---	<0.5	<0.5	<10
GW-3	5/10/05	Parsons	---	---	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10
GW-3	11/8/05	PARSONS	---	---	---	---	<100	<0.5	<0.5	<0.5	<1	<0.5	<0.5	<10
GW-3	5/3/06	PARSONS	---	---	---	---	200	<0.5	<0.5	<0.5	<1	<0.5	<0.5	<10

TABLE 9

**HISTORICAL ANALYTICAL RESULTS FOR TPH, BTEX, 1,2-DCA, AND MTBE IN GROUNDWATER
NOVEMBER 1996 THROUGH OCTOBER 2011**

Well	Date Sampled	Sampled By	TPH as JP-5 ¹	TPH as Gasoline	TPH as Diesel	TPH as JP-4 ²	TPH as FP ³	Benzene	Toulene	Ethylbenzene	Total Xylenes	1,2-DCA ⁴	MTBE ⁵	TBA ⁶
GW-3	12/6/06	PARSONS	---	---	---	---	< 100	< 0.50	< 0.50	< 0.50	< 1	< 0.50	< 0.50	< 10
GW-3	5/3/07	PARSONS	---	---	---	---	< 100	< 0.50	< 0.50	< 0.50	< 1	< 0.50	< 0.50	< 10
GW-3	11/14/07	PARSONS	---	---	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	< 10
GW-3	4/17/08	PARSONS	---	---	---	---	< 100	< 0.50	< 0.50	< 0.50	< 1	< 0.50	< 0.50	< 10
GW-3	10/16/08	PARSONS	< 100	---	---	---	---	< 0.50	< 0.50	< 0.50	< 1	< 0.50	< 0.50	< 10
GW-3	4/24/09	PARSONS	< 100	---	---	---	---	< 0.50	< 0.50	< 0.50	< 1	< 0.50	< 0.50	17
GW-3	10/22/09	PARSONS	< 100	---	---	---	---	< 0.50	< 0.50	< 0.50	< 1	< 0.50	< 0.50	< 10
GW-3	4/15/10	PARSONS	< 100	---	---	---	---	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	18
GW-6	11/6/98	Groundwater Technology Inc	---	339	---	---	<100	9.3	1.1	8.4	6.6	<0.5	<0.5	---
GW-6	5/27/99	Groundwater Technology Inc	---	<300	---	---	<100	62	<0.5	12	<0.5	<0.5	<0.5	---
GW-6	11/18/99	IT Corporation	---	690	---	---	930	90	<1	80	<0.5	<0.5	<0.5	---
GW-6	5/17/00	IT Corporation	---	<300	---	---	160	1.7	<0.5	2.5	<0.5	<0.5	19	---
GW-6	12/1/00	IT Corporation	---	<300	---	---	180	3.7	<0.5	1.6	<0.5	<0.5	21	---
GW-6	5/10/01	IT Corporation	---	<300	---	---	140	0.7	<0.5	<0.5	<0.5	<0.5	23	---
GW-6	11/8/01	IT Corporation	---	<300	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	21	---
GW-6	10/24/02	Groundwater Technology Inc	---	<300	---	---	<100	<0.5	<1	<1	<1	<0.5	9.6	---
GW-6	4/11/03	Groundwater Technology Inc	---	---	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
GW-6	10/10/03	Parsons	---	---	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	0.71	---
GW-6	4/22/04	Parsons	---	---	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	< 10
GW-6	11/4/04	Parsons	---	---	---	---	<100	<0.5	<0.5	<0.5	---	<0.5	<0.5	< 10
GW-6	5/10/05	Parsons	---	---	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	< 10
GW-6	11/8/05	PARSONS	---	---	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	< 10
GW-6	5/5/06	PARSONS	---	---	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	< 10
GW-6	5/2/07	PARSONS	---	---	---	---	< 100	< 0.50	< 0.50	< 0.50	< 1	< 0.50	< 0.50	< 10
GW-6	11/15/07	PARSONS	---	---	---	---	< 100	< 0.50	< 0.50	< 0.50	< 1	< 0.50	< 0.50	< 10
GW-6	4/17/08	PARSONS	---	---	---	---	< 100	< 0.50	< 0.50	< 0.50	< 1	< 0.50	< 0.50	< 10
GW-6	10/15/08	PARSONS	< 100	---	---	---	---	< 0.50	< 0.50	< 0.50	< 1	< 0.50	< 0.50	< 10
GW-6	4/21/09	PARSONS	< 100	---	---	---	---	< 0.50	< 0.50	< 0.50	< 1	< 0.50	1.5	< 10
GW-6	10/22/09	PARSONS	< 100	---	---	---	---	< 0.50	< 0.50	< 0.50	< 1	< 0.50	1.8	< 10
GW-6	4/13/10	PARSONS	< 100	---	---	---	---	< 0.5	< 0.5	< 0.5	< 1	< 0.5	0.76	< 10
GW-6	10/5/10	PARSONS	110	---	---	---	---	< 0.50	< 0.50	< 0.50	< 1.0	< 0.50	1.1	4.7 J
GW-6	10/12/11	PARSONS	< 100	---	---	---	---	< 0.50	< 0.50	< 0.50	< 1	< 0.50	0.51	< 10
GW-7	4/12/02	IT Corporation	---	<300	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	1.8	---
GWR-1	11/26/96	Terra Services	---	---	---	---	---	1500	21	150	102	<5	2700	---
GWR-1	7/16/97	Terra Services	---	1300	920	---	---	220	<5	360	28.8	<5	1800	---
GWR-1	1/9/98	Terra Services	---	210	<500	---	---	2.9	<0.5	40	240	<0.5	330	---
GWR-1	5/27/98	Terra Services	---	4100	---	---	---	960	90	90	240	<0.5	630	---
GWR-1	11/17/98	Alton Geoscience	---	3830	---	---	3320	1200	74	99	387	<25	1070	---
GWR-1	5/7/99	Alton Geoscience	---	4200	530	---	---	1600	22	96	290	<13	910	---
GWR-1	11/18/99	Secor	---	1300	---	---	800	220	<10	14	14	<10	690	---
GWR-1	5/16/00	Secor	---	880	---	---	1400	160	<10	16	16	6.1	550	---
GWR-1	11/30/00	Secor	---	3200	---	---	5300	1600	8.6	87	33	<0.5	360	---
GWR-1	5/8/01	Secor	---	4400	---	---	6900	1800	170	160	235	<10	370	---
GWR-1	11/6/01	Secor	---	2300	---	---	710	240	13	31	56	<0.5	2400	---
GWR-1	4/9/02	Secor	---	2500	---	---	1000	580	<10	18	57	<10	4000	---
GWR-1	10/23/02	Secor	---	1900	---	---	1900	270	<10	<10	<10	<10	2500	---
GWR-1	10/7/03	Secor	---	1400	---	---	500	150	1.7	7.5	19.7	110	1300	---
GWR-1	5/6/05	Secor	---	16000	---	---	39000	260	610	460	2060	<5	11	---
GWR-1	5/4/06	SECOR	---	3700	---	---	1900 **	980	23	120	343	< 10	19	---
GWR-1	9/18/06	SECOR	---	960	---	---	880	220	4.4	19	63.6	<2	5.4	---
GWR-1	5/2/07	SECOR	---	750	---	---	720	170	1.3	12	22	<2	4.1	---
GWR-1	4/17/08	SECOR	---	3600	---	---	1500	1700	17	87	60	<30	21	---
GWR-1	4/20/09	Blaine Tech	---	5100	---	---	1700	3000	< 15	48	< 30	< 30	31	< 300
GWR-1	5/27/10	CH2MHill	---	2100	---	---	1100	800	9.5	16	34	< 10	23	< 100
GWR-1	4/13/11	CH2MHill	---	1300	---	---	2300	490	43	31	54	< 5	4.1	160
GWR-3	10/8/10	CH2MHill	---	21000	---	---	29000	10000	< 100	< 100	< 200	< 200	400	< 2000
GWR-3	4/13/11	CH2MHill	---	25000	---	---	36000	11000	< 50	< 50	< 100	< 100	300	< 1000
GWR-3	10/13/11	CH2MHill	---	20000	---	---	6600	9100	< 100	< 100	< 200	< 200	280	< 2000
HL-2	11/27/96	Terra Services	---	---	---	---	---	2600	100	560	390	170	3000	---
HL-2	7/16/97	Terra Services	---	1400	530	---	---	200	1.2	150	13.3	74	810	---
HL-2	1/9/98	Terra Services	---	150	---	---	---	<0.5	0.79	3.5	<1.5	40	570	---
HL-2	1/12/98	Terra Services	---	---	<500	---	---	---	---	---	---	---	---	---
HL-2	5/27/98	Terra Services	---	500	---	---	---	72	9	6	42	60	308	---
HL-2 DUP	5/27/98	Terra Services	---	---	---	---	---	33	4	3	19	72	202	---
HL-2	11/17/98	Alton Geoscience	---	<300	---	---	<100	0.95	<0.5	<0.5	0.6	0.94	13.8	---
HL-2	5/7/99	Alton Geoscience	---	<500	<500	---	---	1.8	5.1	<0.5	1.8	<1	4.8	---

TABLE 9

**HISTORICAL ANALYTICAL RESULTS FOR TPH, BTEX, 1,2-DCA, AND MTBE IN GROUNDWATER
NOVEMBER 1996 THROUGH OCTOBER 2011**

Well	Date Sampled	Sampled By	TPH as JP-5 ¹	TPH as Gasoline	TPH as Diesel	TPH as JP-4 ²	TPH as FP ³	Benzene	Toulene	Ethylbenzene	Total Xylenes	1,2-DCA ⁴	MTBE ⁵	TBA ⁶
HL-2	11/19/99	Secor	---	<300	---	---	<100	2	<0.5	<0.5	<0.5	2.6	36	---
HL-2	5/16/00	Secor	---	<300	---	---	<100	<0.5	<0.5	<0.5	<0.5	1.4	14	---
HL-2	11/29/00	Secor	---	<300	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	3.2	---
HL-2	5/8/01	Secor	---	<300	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	7.3	---
HL-2	11/6/01	Secor	---	<300	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	0.8	---
HL-2	4/9/02	Secor	---	<300	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
HL-2	4/8/03	Secor	---	<50	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	0.85	---
HL-2	7/8/03	Geomatrix	---	---	---	---	---	<0.5	<1	<1	<1	<0.5	<1	---
HL-2	10/7/03	Secor	---	<50	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	0.96	---
HL-2	4/21/04	Secor	---	<50	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	7.9	---
HL-2	7/8/04	Geomatrix	---	<50	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	0.67	---
HL-2	5/6/05	Secor	---	280	---	---	<100	78	<0.5	<0.5	1.2	15	130	---
HL-2	11/3/05	SECOR	---	<50	---	---	<100	<0.5	<0.5	<0.5	<1	<1	1.8	---
HL-2	5/6/06	SECOR	---	<50	---	---	<100	<0.5	<0.5	<0.5	<1	<0.5	1.7	---
HL-2	12/6/06	SECOR	---	<50	---	---	<100	<0.5	<0.5	<0.5	<1	<0.5	<0.5	---
HL-2	5/2/07	SECOR	---	<50	---	---	<100	<0.5	<0.5	<0.5	<1	<0.5	<0.5	---
HL-2	11/13/07	SECOR	---	<50	---	---	<100	<0.5	<0.5	<0.5	<1	<0.5	<0.5	---
HL-2	4/17/08	SECOR	---	<50	---	---	<100	<0.5	<0.5	<0.5	<1	<0.5	0.56	---
HL-2	10/17/08	SECOR	---	<50	---	---	<100	<0.5	<0.5	<0.5	<1	<0.5	<0.5	---
HL-2	4/20/09	Blaine Tech	---	<50	---	---	<100	<0.5	<0.5	<0.5	<1	<0.5	<0.5	<10
HL-2	10/21/09	Blaine Tech	---	<50	---	---	<100	<0.5	<0.5	<0.5	<1	<0.5	<0.5	<10
HL-2	5/26/10	CH2MHill	---	<50	---	---	<100	<0.5	<0.5	<0.5	<1	<0.5	<0.5	<10
HL-2	10/6/10	CH2MHill	---	<50	---	---	<100	<0.5	<0.5	<0.5	<1	<0.5	<0.5	<10
HL-2	4/12/11	CH2MHill	---	<50	---	---	<100	<0.5	<0.5	<0.5	<1	<0.5	0.57	<10
HL-2	10/11/11	CH2MHill	---	<50	---	---	<100	<0.5	<0.5	<0.5	<1	<0.5	<0.5	<10
HL-3	5/10/01	Secor	---	<300	---	---	300	<0.5	<0.5	<0.5	<0.5	1.4	110	---
HL-3	11/6/01	Secor	---	<300	---	---	<100	<0.5	<0.5	<0.5	<0.5	1.6	93	---
HL-3	4/10/02	Secor	---	<300	---	---	<100	<0.5	<0.5	<0.5	<0.5	1.1	77	---
HL-3	10/23/02	Secor	---	<300	---	---	360	<0.5	<0.5	<0.5	<0.5	<0.5	85	---
HL-3	10/7/03	Secor	---	80	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	67	---
HL-3	5/6/05	Secor	---	<50	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
HL-3	5/3/06	SECOR	---	<50	---	---	<100	<0.5	<0.5	<0.5	<1	<0.5	<0.5	---
HL-3	5/2/07	SECOR	---	81	---	---	290	<0.5	<0.5	<0.5	<1	<0.5	38	---
HL-3	4/17/08	SECOR	---	<50	---	---	100	<0.5	<0.5	<0.5	<1	<0.5	4.7	---
HL-3	4/20/09	Blaine Tech	---	<50	---	---	130	<0.5	<0.5	<0.5	<1	<0.5	1.2	<10
HL-3	5/27/10	CH2MHill	---	<50	---	---	<100	<0.5	<0.5	<0.5	<1	<0.5	<0.5	<10
HL-3	4/12/11	CH2MHill	---	<50	---	---	<100	<0.5	<0.5	<0.5	<1	<0.5	<0.5	<10
HL-4	11/25/96	Terra Services	---	---	---	---	---	<10	3.2	350	8.5	<3	1200	---
HL-4	7/16/97	Terra Services	---	270	<500	---	---	76	<1	<1	16.5	33	1500	---
HL-4	1/8/98	Terra Services	---	590	660	---	---	170	13	7.1	5	90	2300	---
HL-4	5/27/98	Terra Services	---	1100	---	---	---	156	26	15	120	28	440	---
HL-4 DUP	5/27/98	Terra Services	---	---	---	---	---	153	25	15	117000	28	5	---
HL-4	11/17/98	Alton Geoscience	---	2030	---	---	1380	700	76.2	20	107.8	<0.5	904	---
HL-4	5/7/99	Alton Geoscience	---	2800	<500	---	---	1100	31	130	84	<6	1500	---
HL-4	11/18/99	Secor	---	2500	---	---	1100	720	<10	<10	118	<10	520	---
HL-4	5/16/00	Secor	---	1200	---	---	1000	300	<10	<10	29	51	740	---
HL-4	11/29/00	Secor	---	1900	---	---	1200	26	<10	<10	<10	89	2800	---
HL-4	5/8/01	Secor	---	1700	---	---	1100	39	<0.5	0.5	1.7	27	3300	---
HL-4	11/6/01	Secor	---	950	---	---	140	97	<0.5	<0.5	0.9	<0.5	930	---
HL-4	4/9/02	Secor	---	1600	---	---	230	940	<5	<5	35	<5	200	---
HL-4	10/23/02	Secor	---	<300	---	---	320	8.5	<5	<5	<5	<5	1100	---
HL-4	4/8/03	Secor	---	1500	---	---	<100	2.8	<2.5	<2.5	<2.5	36	2200	---
HL-4	10/7/03	Secor	---	690	---	---	110	140	<1	<1	1.6	<2	480	---
HL-4	4/21/04	Secor	---	340	---	---	<100	39	<0.5	<0.5	<0.5	<1	370	---
HL-4	11/3/04	Secor	---	200	---	---	120	54	<0.5	<0.5	<0.5	<0.5	13	---
HL-5	7/14/97	Terra Services	---	950	3200	---	---	---	---	---	---	---	---	---
HP-1	8/7/97	Groundwater Technology Inc	---	---	---	170	---	<5	<5	<5	<10	<5	<5	---
HP-2	8/7/97	Groundwater Technology Inc	---	---	---	130	---	<5	<5	<5	<10	<5	<5	---
HP-3	8/7/97	Groundwater Technology Inc	---	---	---	<50	---	<5	<5	<5	<10	<5	<5	---
HP-6	8/8/97	Groundwater Technology Inc	---	---	---	230	---	<5	<5	<5	<10	<5	<5	---
HP-8	8/8/97	Groundwater Technology Inc	---	---	---	35000	---	11000	12000	1200	7300	<500	<500	---
MW-10	11/21/96	GSI	---	<38	<500	<500	---	<0.5	<0.5	5.1	2.3	<0.5	---	---
MW-10	7/9/97	Groundwater Technology Inc	---	<50	170	<50	---	<0.5	<1	2	<2	---	---	---
MW-10	1/6/98	Groundwater Technology Inc	---	<500	<100	<100	---	<0.3	<0.3	<0.3	<0.6	---	---	---
MW-10	5/20/98	BBC	---	<300	---	---	---	<0.3	<0.3	<0.3	<0.6	---	---	---
MW-10	11/4/98	Groundwater Technology Inc	---	<300	---	---	<100	<0.3	<0.3	<0.3	<0.6	---	---	---

TABLE 9

**HISTORICAL ANALYTICAL RESULTS FOR TPH, BTEX, 1,2-DCA, AND MTBE IN GROUNDWATER
NOVEMBER 1996 THROUGH OCTOBER 2011**

Well	Date Sampled	Sampled By	TPH as JP-5 ¹	TPH as Gasoline	TPH as Diesel	TPH as JP-4 ²	TPH as FP ³	Benzene	Toulene	Ethylbenzene	Total Xylenes	1,2-DCA ⁴	MTBE ⁵	TBA ⁶
MW-10	5/27/99	Groundwater Technology Inc	---	<300	---	---	<100	<0.3	<0.3	<0.3	<0.6	---	---	---
MW-10	11/18/99	IT Corporation	---	<300	---	---	<100	<0.3	<0.3	<0.3	<0.6	---	---	---
MW-10	5/16/00	IT Corporation	---	<300	---	---	120	<0.3	<0.3	<0.3	<0.6	---	---	---
MW-10	11/29/00	IT Corporation	---	<300	---	---	<100	<0.3	<0.3	<0.3	2.4	---	<5	---
MW-10	5/9/01	IT Corporation	---	<300	---	---	<100	<0.3	<0.3	<0.3	<0.6	---	<5	---
MW-10	11/7/01	IT Corporation	---	<300	---	---	<100	<0.3	<0.3	<0.3	<0.6	---	<5	---
MW-10	4/10/02	IT Corporation	---	<300	---	---	<100	<0.3	<0.3	<0.3	<0.6	---	<5	---
MW-11	12/1/00	IT Corporation	---	<300	---	---	290	<0.3	<0.3	<0.3	<0.6	---	<5	---
MW-11	5/10/01	IT Corporation	---	<300	---	---	180	1	<0.3	0.61	<0.6	---	13	---
MW-11	11/7/01	IT Corporation	---	<300	---	---	<100	<0.3	<0.3	<0.3	<0.6	---	<5	---
MW-11	4/10/02	IT Corporation	---	<300	---	---	<100	<0.3	<0.3	<0.3	<0.6	---	19	---
MW-11	4/14/03	Groundwater Technology Inc	---	---	---	---	6120	83.6	1.54	58.8	51	---	<3	---
MW-11	10/10/03	Parsons	---	---	---	---	1000	<0.3	<0.3	0.42	0.95	---	12	---
MW-11	4/22/04	Parsons	---	---	---	---	<100	<0.3	<0.3	<0.3	<0.3	---	6.4	---
MW-11	11/6/04	Parsons	---	---	---	---	1300	2.3	<0.3	0.64	5.9	---	8.1	---
MW-11	5/7/05	Parsons	---	---	---	---	<100	0.34	0.61	<0.3	0.6	---	13	---
MW-11	11/8/05	PARSONS	---	---	---	---	<100	0.33	<0.3	<0.3	0.69	---	37	---
MW-11	5/5/06	PARSONS	---	---	---	---	2300	1.6	3.4	3.4	6.9	---	11	---
MW-11	12/8/06	PARSONS	---	---	---	---	740	3.1	<0.50	<0.50	<1.0	---	20	---
MW-11	5/3/07	PARSONS	---	---	---	---	1300	4.3	<0.50	0.86	1.1	---	43	---
MW-11	11/14/07	PARSONS	---	---	---	---	450	<0.5	<0.5	<0.5	<1	---	18	---
MW-11	4/18/08	PARSONS	---	---	---	---	1100	<0.50	<0.50	1	1.5	---	<5.0	---
MW-11	10/17/08	PARSONS	880	---	---	---	---	<0.50	<0.50	<0.50	<1	<0.50	12	<10
MW-11	4/24/09	PARSONS	520	---	---	---	---	<0.50	<0.50	<0.50	<1	<0.50	8.7	<10
MW-11	10/22/09	PARSONS	670	---	---	---	---	<0.50	<0.50	<0.50	<1	<0.50	3.9	<10
MW-11	4/14/10	PARSONS	700	---	---	---	---	<0.5	<0.5	0.58	<1	---	3.8	<10
MW-12	5/22/98	Terra Services	---	<300	---	---	---	<0.5	<0.5	<0.5	<1	<0.1	<0.5	---
MW-12	11/11/98	Alton Geoscience	---	<300	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
MW-12	5/7/99	Alton Geoscience	---	<500	<500	---	---	1.2	4.8	<0.5	2.1	<1	<0.5	---
MW-12	11/16/99	Secor	---	<300	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
MW-12	5/19/00	Secor	---	<300	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
MW-12	11/30/00	Secor	---	<300	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
MW-12	5/9/01	Secor	---	<300	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
MW-12	11/7/01	IT Corporation	---	<300	---	---	<100	1.3	1.1	<0.5	0.7	<0.5	<0.5	---
MW-12	4/11/02	Secor	---	<300	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
MW-12	10/24/02	Secor	---	<300	---	---	2800	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
MW-12	4/10/03	Secor	---	<50	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
MW-12	10/8/03	Secor	---	<50	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
MW-12	4/22/04	Secor	---	<50	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
MW-12	11/5/04	Secor	---	<50	---	---	120	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
MW-12	5/5/05	Secor	---	<50	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
MW-12	11/3/05	SECOR	---	<50	---	---	<100	<0.5	<0.5	<0.5	<1	<0.5	<0.5	---
MW-12	5/3/06	SECOR	---	<50	---	---	<100	<0.5	<0.5	<0.5	<1	<0.5	<0.5	---
MW-12	12/7/06	SECOR	---	<50	---	---	<100	<0.5	<0.5	<0.5	<1	<0.5	<0.5	---
MW-12	5/5/07	SECOR	---	<50	---	---	<100	<0.5	<0.5	<0.5	<1	<0.5	<0.5	---
MW-12	11/14/07	SECOR	---	<50	---	---	190	<0.5	<0.5	<0.5	<1	<0.5	<0.5	---
MW-12	4/17/08	SECOR	---	<50	---	---	120	<0.5	<0.5	<0.5	<1	<0.5	<0.5	---
MW-12	10/21/08	SECOR	---	<50	---	---	170	<0.5	<0.5	<0.5	<1	<0.5	<0.5	---
MW-12	4/22/09	Blaine Tech	---	<50	---	---	100	<0.5	<0.5	<0.5	<1	<0.5	<0.5	<10
MW-12	10/21/09	Blaine Tech	---	<50	---	---	150	<0.5	<0.5	<0.5	<1	<0.5	<0.5	<10
MW-12	5/26/10	CH2MHill	---	<50	---	---	<100	<0.5	<0.5	<0.5	<1	<0.5	<0.5	<10
MW-12	10/6/10	CH2MHill	---	<50	---	---	<100	<0.5	<0.5	<0.5	<1	<0.5	<0.5	<10
MW-12	4/12/11	CH2MHill	---	<50	---	---	<100	<0.5	<0.5	<0.5	<1	<0.5	<0.5	<10
MW-12	10/11/11	CH2MHill	---	<50	---	---	<100	<0.5	<0.5	<0.5	<1	<0.5	<0.5	<10
MW-13	11/22/96	GSI	---	1100	<500	<500	---	<0.5	<0.5	<0.5	<1.5	<0.5	---	---
MW-13	7/9/97	Groundwater Technology Inc	---	<50	<50	<50	---	<0.5	<1	<1	<2	---	---	---
MW-13	1/6/98	Groundwater Technology Inc	---	<500	<100	<100	---	<0.3	<0.3	<0.3	<0.6	---	---	---
MW-13	5/20/98	BBC	---	<300	---	---	---	<0.3	<0.3	<0.3	<0.6	---	---	---
MW-13	11/5/98	Groundwater Technology Inc	---	<300	---	---	<100	<0.3	<0.3	<0.3	<0.6	---	---	---
MW-13	5/26/99	Groundwater Technology Inc	---	<300	---	---	<100	<0.3	<0.3	<0.3	<0.6	---	---	---
MW-13	11/18/99	IT Corporation	---	<300	---	---	<100	<0.3	<0.3	<0.3	<0.6	---	---	---
MW-13	5/17/00	IT Corporation	---	<300	---	---	20000	<0.3	1.2	<0.3	0.91	---	---	---
MW-13	11/29/00	IT Corporation	---	<300	---	---	410	<0.3	<0.3	<0.3	0.89	---	<5	---
MW-13	3/30/01	IT Corporation	---	---	---	---	<50	---	---	---	---	---	---	---
MW-13	5/9/01	IT Corporation	---	<300	---	---	<100	<0.3	<0.3	<0.3	<0.6	---	<5	---
MW-13	11/7/01	IT Corporation	---	<300	---	---	<100	<0.3	<0.3	<0.3	<0.6	---	14	---

TABLE 9

**HISTORICAL ANALYTICAL RESULTS FOR TPH, BTEX, 1,2-DCA, AND MTBE IN GROUNDWATER
NOVEMBER 1996 THROUGH OCTOBER 2011**

Well	Date Sampled	Sampled By	TPH as JP-5 ¹	TPH as Gasoline	TPH as Diesel	TPH as JP-4 ²	TPH as FP ³	Benzene	Toulene	Ethylbenzene	Total Xylenes	1,2-DCA ⁴	MTBE ⁵	TBA ⁶
MW-13	4/10/02	IT Corporation	---	<300	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
MW-13	10/23/02	Groundwater Technology Inc	---	<300	---	---	<100	<0.5	<1	<1	<1	<0.5	<1	---
MW-13	4/9/03	Groundwater Technology Inc	---	---	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
MW-13	10/8/03	Parsons	---	---	---	---	110	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
MW-13	4/21/04	Parsons	---	---	---	---	160	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10
MW-13	11/3/04	Parsons	---	---	---	---	320	<0.5	<0.5	<0.5	---	<0.5	<0.5	<10
MW-13	5/5/05	Parsons	---	---	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10
MW-13	11/5/05	PARSONS	---	---	---	---	<100	<0.5	<0.5	<0.5	<1	<0.5	<0.5	<10
MW-13	5/3/06	PARSONS	---	---	---	---	<100	<0.5	<0.5	<0.5	<1	<0.5	<0.5	<10
MW-13	12/5/06	PARSONS	---	---	---	---	<100	<0.50	<0.50	<0.50	<1	<0.50	<0.50	<10
MW-13	5/2/07	PARSONS	---	---	---	---	<100	<0.50	<0.50	<0.50	<1	<0.50	<0.50	<10
MW-13	11/13/07	PARSONS	---	<100	---	---	<100	<0.50	<0.50	<0.50	<1	<0.50	<0.50	<10
MW-13	4/16/08	PARSONS	---	---	---	---	<100	<0.50	<0.50	<0.50	<1	<0.50	<0.50	<10
MW-13	10/15/08	PARSONS	<100	---	---	---	---	<0.50	<0.50	<0.50	<1	<0.50	<0.50	<10
MW-13	4/20/09	PARSONS	<100	---	---	---	---	<0.50	<0.50	<0.50	<1	<0.50	<0.50	<10
MW-13	10/22/09	PARSONS	<100	---	---	---	---	<0.50	<0.50	<0.50	<1	<0.50	<0.50	<10
MW-13	4/19/10	PARSONS	<100	---	---	---	---	<0.50	<0.50	<0.50	<1.0	---	<0.50	<10
MW-13	10/6/10	PARSONS	<100	---	---	---	---	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	<10
MW-13	4/12/11	PARSONS	<100	---	---	---	---	<0.50	<0.50	<0.50	<1	<0.50	<0.50	<10
MW-13	10/12/11	PARSONS	<100	---	---	---	---	<0.50	<0.50	<0.50	<1	<0.50	<0.50	<10
MW-14	11/21/96	GSI	---	<50	<500	<500	---	<0.5	<0.5	<0.5	<1.5	<5	99	---
MW-14	7/9/97	Groundwater Technology Inc	---	<50	200	<50	---	<5	<5	<5	<5	<5	<5	---
MW-14	1/6/98	Groundwater Technology Inc	---	<500	<100	800	---	107	<0.5	4	10	2	15	---
MW-14	5/20/98	BBC	---	400	---	---	---	24	<0.5	7	14	<0.5	12	---
MW-14	8/26/98	Geomatrix	---	<300	---	---	367	<0.5	<0.5	0.7	2.1	<0.5	109	---
MW-14	11/4/98	Groundwater Technology Inc	---	<300	---	---	361	<0.5	2.8	4.8	24.6	<0.5	48.6	---
MW-14	2/3/99	Alton Geoscience	---	<500	<500	---	---	<0.5	<0.5	<0.5	<1	<1	86	---
MW-14	5/7/99	Alton Geoscience	---	<500	<500	---	---	<0.5	<0.5	<0.5	0.53	<1	450	---
MW-14	5/26/99	Groundwater Technology Inc	---	<300	---	---	<100	<0.5	<0.5	0.7	1.1	<0.5	230	---
MW-14	8/10/99	Alton Geoscience	---	<500	<1000	---	---	<0.5	<1	<1	<1	2.9	110	---
MW-14	11/18/99	IT Corporation	---	<300	---	---	<100	<2.5	<5	<5	<5	12	26	---
MW-14	2/29/00	Secor	---	<300	---	---	420	<0.5	<0.5	<0.5	<0.5	36	15	---
MW-14	5/16/00	IT Corporation	---	<300	---	---	370	<0.5	<0.5	<0.5	1.4	42	7.7	---
MW-14	8/29/00	Secor	---	<300	---	---	3800	<0.5	<0.5	<0.5	0.6	38	9.6	---
MW-14	11/29/00	IT Corporation	---	<300	---	---	130	<0.5	<0.5	0.5	0.9	15	18	---
MW-14	2/6/01	Secor	---	<300	---	---	230	<0.5	<0.5	<0.5	0.5	11	13	---
MW-14	5/9/01	IT Corporation	---	<300	---	---	310	<0.5	<0.5	1.8	7.4	32	8.2	---
MW-14	9/19/01	Secor	---	<300	---	---	<100	<0.5	<0.5	<0.5	1.1	23	15	---
MW-14	11/7/01	IT Corporation	---	<300	---	---	190	<0.5	<0.5	0.8	2.3	29	10	---
MW-14	1/30/02	Secor	---	<300	---	---	450	<0.5	<0.5	<0.5	1.5	8.1	25	---
MW-14	4/10/02	IT Corporation	---	<300	---	---	<100	<0.5	<0.5	2.7	6.4	4.1	24	---
MW-14	7/30/02	IT Corporation	---	<300	---	---	500	<0.5	<0.5	0.98	2.4	3.9	25	---
MW-14	10/23/02	Groundwater Technology Inc	---	<300	---	---	300	<0.5	<1	<1	<1	4.3	22	---
MW-14	1/28/03	Secor	---	<300	---	---	<100	<0.5	<0.5	<0.5	0.67	5.9	17	---
MW-14	4/11/03	Groundwater Technology Inc	---	---	---	---	<100	<0.5	<0.5	<0.5	<0.5	1.84	16.8	---
MW-14	10/10/03	Parsons	---	---	---	---	580	<0.5	<0.5	1.2	4.03	7.4	19	---
MW-14	4/22/04	Parsons	---	---	---	---	<100	<0.5	<0.5	<0.5	0.89	4.7	19	<10
MW-14	7/21/04	Parsons	---	250	---	---	290	<0.5	<0.5	0.61	---	---	22	---
MW-14	11/4/04	Parsons	---	---	---	---	610	<0.5	<0.5	<0.5	---	5.6	19	<10
MW-14	3/2/05	Parsons	---	---	---	---	320	<0.5	<1	<1	<1	---	14	---
MW-14	5/7/05	Parsons	---	---	---	---	430	1.3	<0.5	<0.5	<0.5	<0.5	9.3	22
MW-14	11/8/05	PARSONS	---	---	---	---	2200	6.5	<0.5	1.3	3.6	1	3.6	32
MW-14	5/3/06	PARSONS	---	---	---	---	2600	<0.5	<0.5	<0.5	<1	0.78	4.2	31
MW-14	7/28/06	PARSONS	---	290	---	---	4300	<0.5	<0.5	<0.5	<1	0.83	4.2	31
MW-14	12/6/06	PARSONS	---	---	---	---	1900	<0.50	<0.50	<0.50	<1	0.98	3.3	20
MW-14	3/23/07	PARSONS	---	670	---	---	3400	<0.50	<0.50	<0.50	<1	0.94	3.5	29
MW-14 DUP	3/23/07	PARSONS	---	570	---	---	3800	<0.50	<0.50	0.64	<1	0.96	3.4	29
MW-14	5/3/07	PARSONS	---	---	---	---	3100	<0.50	<0.50	<0.50	<1	0.94	3.6	<10
MW-14	8/31/07	PARSONS	---	480	---	---	2800	<0.50	<0.50	<0.50	<1	<0.50	3.6	27
MW-14	11/15/07	PARSONS	---	---	---	---	<100	<0.50	<0.50	<0.50	<1	0.97	4	20
MW-14	2/7/08	PARSONS	---	180	---	---	1400	<0.50	<0.50	<0.50	<1	0.86	5.2	28
MW-14 DUP	2/7/08	PARSONS	---	200	---	---	1200	<0.50	<0.50	<0.50	<1	0.78	5.1	30
MW-14	4/17/08	PARSONS	---	---	---	---	1700	<0.50	<0.50	<0.50	<1	1.2	4.6	32
MW-14	10/16/08	PARSONS	570	---	---	---	---	<0.50	<0.50	<0.50	<1	<0.50	2.3	10
MW-14	2/12/09	PARSONS	<100	<100	---	---	---	<0.50	<0.50	<0.50	<1	1.1	1.6	<10
MW-14 DUP	2/12/09	PARSONS	<100	<100	---	---	---	<0.50	<0.50	<0.50	<1	1	1.5	<10

TABLE 9

HISTORICAL ANALYTICAL RESULTS FOR TPH, BTEX, 1,2-DCA, AND MTBE IN GROUNDWATER
NOVEMBER 1996 THROUGH OCTOBER 2011

Well	Date Sampled	Sampled By	TPH as JP-5 ¹	TPH as Gasoline	TPH as Diesel	TPH as JP-4 ²	TPH as FP ³	Benzene	Toulene	Ethylbenzene	Total Xylenes	1,2-DCA ⁴	MTBE ⁵	TBA ⁶
MW-14	4/22/09	PARSONS	< 100	---	---	---	---	< 0.50	< 0.50	< 0.50	< 1	16	1.9	< 10
MW-14	7/20/09	PARSONS	< 100	---	---	---	---	< 0.50	< 0.50	< 0.50	< 1	13	1.5	< 10
MW-14	10/22/09	PARSONS	< 100	---	---	---	---	< 0.50	< 0.50	< 0.50	< 1	16	2.5	< 10
MW-14	1/12/10	PARSONS	< 100	< 100	---	---	---	< 0.50	< 0.50	< 0.50	< 1.0	13	2.7	4.2 J
MW-14	4/13/10	PARSONS	< 100	---	---	---	---	< 0.5	< 0.5	< 0.5	< 1	0.4 J	4.3	< 10
MW-14	7/12/10	PARSONS	< 100	---	---	---	---	< 0.50	< 0.50	< 0.50	< 1.0	< 0.50	3.5	< 10
MW-14	10/4/10	PARSONS	100	---	---	---	---	< 0.50	< 0.50	< 0.50	< 1.0	0.99	3.4	< 10
MW-14	1/10/11	PARSONS	< 100	---	---	---	---	< 0.50	< 0.50	< 0.50	< 1	< 0.50	0.66	< 10
MW-14	4/13/11	PARSONS	< 100	---	---	---	---	< 0.50	< 0.50	< 0.50	< 1	< 0.50	3	< 10
MW-14	7/11/11	PARSONS	< 100	---	---	---	---	< 0.50	< 0.50	< 0.50	< 1	< 0.50	0.48 J	11
MW-14	10/12/11	PARSONS	< 100	---	---	---	---	< 0.50	< 0.50	< 0.50	< 1	2.1	2.7	< 10
MW-15	11/26/96	Terra Services	---	---	---	---	---	1.4	0.66	1	0.62	<0.5	27	---
MW-15	7/14/97	Terra Services	---	1000	3500	---	---	1.5	1.1	<0.5	<1	<0.5	<5	---
MW-15 DUP	7/14/97	Terra Services	---	---	---	---	---	1.6	0.87	<0.5	<1	<0.5	<5	---
MW-15	1/7/98	Terra Services	---	<500	1500	---	---	0.62	0.73	<0.5	<1.5	<0.5	<5	---
MW-15 DUP	1/7/98	Terra Services	---	570	1600	---	---	0.51	<0.5	<0.5	<1.5	<0.5	<0.5	---
MW-15	5/22/98	Terra Services	---	<300	---	---	---	<0.5	<0.5	<0.5	0.7	<1	<0.5	---
MW-15	11/13/98	Alton Geoscience	---	<300	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
MW-15	5/7/99	Alton Geoscience	---	<500	<500	---	---	<0.5	<0.5	<0.5	<0.5	<1	<0.5	---
MW-15	11/17/99	Secor	---	<300	---	---	910	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
MW-15	5/16/00	Secor	---	340	---	---	1200	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
MW-15	11/30/00	Secor	---	2100	---	---	1700	<0.5	0.8	<0.5	1.1	<0.5	<0.5	---
MW-15	5/9/01	Secor	---	<300	---	---	690	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
MW-15	11/6/01	Secor	---	<300	---	---	740	<0.5	<0.5	<0.5	<0.5	<0.5	0.6	---
MW-15	4/10/02	Secor	---	59000	---	---	21000	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
MW-15	7/30/02	IT Corporation	---	780	---	---	550000	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
MW-15	12/8/06	SECOR	---	420	---	---	6400	< 0.5	< 0.5	< 0.5	1	< 0.5	0.6	---
MW-15	5/4/07	SECOR	---	< 500	---	---	6100	< 2.5	< 2.5	< 2.5	< 5	< 5	< 2.5	---
MW-15	10/5/10	CH2MHill	---	1100	---	---	47000	< 1	< 1	< 1	< 2	< 2	< 1	< 20
MW-15	4/14/11	CH2MHill	---	1900	---	---	220000	< 1	< 1	< 1	< 2	< 2	< 1	< 20
MW-15	10/12/11	CH2MHill	---	590	---	---	66000	< 1	< 1	< 1	< 2	< 2	< 1	< 20
MW-16	11/27/96	GSI	---	50	<500	<500	---	<0.5	<0.5	<0.5	1.5	140	71	---
MW-16	7/10/97	Groundwater Technology Inc	---	<50	<50	<50	---	<5	<5	<5	<5	<5	<5	---
MW-16	1/6/98	Groundwater Technology Inc	---	<500	<100	<100	---	<0.5	<0.5	<0.5	<1	<0.5	<0.5	---
MW-16	5/21/98	BBC	---	<300	---	---	---	<0.5	0.7	<0.5	0.6	<0.5	<0.5	---
MW-16	11/5/98	Groundwater Technology Inc	---	<300	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
MW-16	5/27/99	Groundwater Technology Inc	---	<300	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
MW-16	11/18/99	IT Corporation	---	<300	---	---	<100	<0.5	<1	<0.5	<0.5	<0.5	<0.5	---
MW-16	5/17/00	IT Corporation	---	<300	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
MW-16	11/30/00	IT Corporation	---	<300	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
MW-16	5/9/01	IT Corporation	---	<300	---	---	3100	2.6	<0.5	<0.5	0.6	<0.5	<0.5	---
MW-16	11/7/01	IT Corporation	---	<300	---	---	2100	1.2	<0.5	<0.5	<0.5	<0.5	31	---
MW-16	2/1/02	Secor	---	---	---	---	---	<0.5	<0.5	<0.5	<0.5	<0.5	220	---
MW-16	4/11/02	IT Corporation	---	<300	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	260	---
MW-16	10/23/02	Groundwater Technology Inc	---	<300	---	---	<100	<0.5	<1	<1	<1	<0.5	14	---
MW-16	1/29/03	Secor	---	<300	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	6.8	---
MW-16	4/9/03	Groundwater Technology Inc	---	---	---	---	<100	<0.5	<0.5	<0.5	<0.5	<1	16.2	---
MW-16	8/1/03	Secor	---	<50	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	110	---
MW-16	10/11/03	Parsons	---	---	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	100	---
MW-16	1/28/04	Secor	---	51	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	89	---
MW-16	4/21/04	Parsons	---	---	---	---	180	<0.5	<0.5	<0.5	<0.5	<0.5	83	110
MW-16	7/20/04	Secor	---	<50	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	22	---
MW-16	11/4/04	Parsons	---	---	---	---	300	<0.5	<0.5	<0.5	---	<0.5	3.3	120
MW-16	2/2/05	Secor	---	<50	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
MW-16	5/6/05	Parsons	---	---	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	< 10
MW-16	11/8/05	PARSONS	---	---	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	< 10
MW-16 DUP	11/8/05	PARSONS	---	---	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	< 10
MW-16	5/4/06	PARSONS	---	---	---	---	180	0.87	< 0.5	< 0.5	< 1	< 0.5	< 0.5	< 10
MW-16	9/19/06	SECOR	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	---
MW-16	12/8/06	PARSONS	---	---	---	---	< 100	< 0.50	< 0.50	< 0.50	< 1	< 0.50	< 0.50	< 10
MW-16	5/3/07	PARSONS	---	---	---	---	< 100	< 0.50	< 0.50	< 0.50	< 1	< 0.50	< 0.50	< 10
MW-16	11/16/07	PARSONS	---	---	---	---	< 100	< 0.50	< 0.50	< 0.50	< 1	< 0.50	< 0.50	< 10
MW-16	4/17/08	PARSONS	---	---	---	---	< 100	< 0.50	< 0.50	< 0.50	< 1	< 0.50	< 0.50	< 10
MW-16	10/16/08	PARSONS	< 100	---	---	---	---	< 0.50	< 0.50	< 0.50	< 1	< 0.50	< 0.50	< 10
MW-16	4/23/09	PARSONS	< 100	---	---	---	---	< 0.50	< 0.50	< 0.50	< 1	< 0.50	< 0.50	< 10
MW-16	10/23/09	PARSONS	< 100	---	---	---	---	< 0.50	< 0.50	< 0.50	< 1	< 0.50	< 0.50	< 10

TABLE 9

**HISTORICAL ANALYTICAL RESULTS FOR TPH, BTEX, 1,2-DCA, AND MTBE IN GROUNDWATER
NOVEMBER 1996 THROUGH OCTOBER 2011**

Well	Date Sampled	Sampled By	TPH as JP-5 ¹	TPH as Gasoline	TPH as Diesel	TPH as JP-4 ²	TPH as FP ³	Benzene	Toulene	Ethylbenzene	Total Xylenes	1,2-DCA ⁴	MTBE ⁵	TBA ⁶
MW-16	4/16/10	PARSONS	< 100	---	---	---	---	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	< 10
MW-16	10/7/10	PARSONS	< 100	---	---	---	---	< 0.50	< 0.50	< 0.50	< 1.0	< 0.50	< 0.50	< 10
MW-16	4/12/11	PARSONS	< 100	---	---	---	---	< 0.50	< 0.50	< 0.50	< 1	< 0.50	< 0.50	< 10
MW-16	10/12/11	PARSONS	< 100	---	---	---	---	< 0.50	< 0.50	< 0.50	< 1	< 0.50	< 0.50	< 10
MW-17	11/27/96	GSI	---	45	<500	<500	---	<0.5	<0.5	<0.5	<1	<0.5	---	---
MW-17	7/9/97	Groundwater Technology Inc	---	<50	<50	<50	---	<5	<5	<5	<5	<5	<5	---
MW-17	1/6/98	Groundwater Technology Inc	---	<500	<100	<100	---	<0.5	<0.5	<0.5	<1	<0.5	<0.5	---
MW-17	5/20/98	BBC	---	<300	---	---	---	<0.5	<0.5	<0.5	<1	<0.5	<0.5	---
MW-17	11/4/98	Groundwater Technology Inc	---	<300	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
MW-17	5/26/99	Groundwater Technology Inc	---	<300	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
MW-17	11/18/99	IT Corporation	---	<300	---	---	<100	<0.5	<1	<0.5	<0.5	<0.5	0.5	---
MW-17	5/17/00	IT Corporation	---	<300	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
MW-17	11/29/00	IT Corporation	---	<300	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
MW-17	5/9/01	IT Corporation	---	<300	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
MW-17	11/7/01	IT Corporation	---	<300	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
MW-17	4/10/02	IT Corporation	---	<300	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
MW-17	10/23/02	Groundwater Technology Inc	---	<300	---	---	<100	<0.5	<1	<1	<1	<0.5	<1	---
MW-17	4/10/03	Groundwater Technology Inc	---	---	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
MW-17	10/8/03	Parsons	---	---	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
MW-17	4/21/04	Parsons	---	---	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	< 10
MW-17	11/3/04	Parsons	---	---	---	---	<100	<0.5	<0.5	<0.5	---	<0.5	<0.5	< 10
MW-17	5/5/05	Parsons	---	---	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	< 10
MW-17	11/5/05	PARSONS	---	---	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	< 10
MW-17	5/3/06	PARSONS	---	---	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	< 10
MW-17	5/2/07	PARSONS	---	---	---	---	< 100	< 0.50	< 0.50	< 0.50	< 1	< 0.50	< 0.50	< 10
MW-17 DUP	5/2/07	PARSONS	---	---	---	---	< 100	< 0.50	< 0.50	< 0.50	< 1	< 0.50	< 0.50	< 10
MW-17	11/13/07	PARSONS	---	< 100	---	---	< 100	< 0.50	< 0.50	< 0.50	< 1	< 0.50	< 0.50	< 10
MW-17	4/16/08	PARSONS	---	---	---	---	< 100	< 0.50	< 0.50	< 0.50	< 1	< 0.50	< 0.50	< 10
MW-17	10/15/08	PARSONS	< 100	---	---	---	---	< 0.50	< 0.50	< 0.50	< 1	< 0.50	< 0.50	< 10
MW-17	4/20/09	PARSONS	< 100	---	---	---	---	< 0.50	< 0.50	< 0.50	< 1	< 0.50	< 0.50	< 10
MW-17	10/23/09	PARSONS	< 100	---	---	---	---	< 0.50	< 0.50	< 0.50	< 1	< 0.50	< 0.50	< 10
MW-17	4/16/10	PARSONS	< 100	---	---	---	---	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	< 10
MW-17	10/6/10	PARSONS	< 100	---	---	---	---	< 0.50	< 0.50	< 0.50	< 1.0	< 0.50	< 0.50	< 10
MW-17	4/12/11	PARSONS	< 100	---	---	---	---	< 0.50	< 0.50	< 0.50	< 1	< 0.50	< 0.50	< 10
MW-17	10/13/11	PARSONS	< 100	---	---	---	---	< 0.50	< 0.50	< 0.50	< 1	< 0.50	< 0.50	< 10
MW-18 MID	7/16/97	Terra Services	---	<100	<500	---	---	---	---	---	---	---	---	---
MW-18 MID	1/5/98	Terra Services	---	420	<500	---	---	---	---	---	---	---	---	---
MW-18 MID	10/8/03	Secor	---	530	---	---	240	1.2	<1	<1	<1	16	640	---
MW-18 MID	10/7/10	CH2MHill	---	1100	---	---	1000	290	< 1.5	< 1.5	< 3	< 3	12	150
MW-18 MID	4/13/11	CH2MHill	---	4100	---	---	910	1900	< 10	< 10	11	< 20	13	< 200
MW-18 MID	10/12/11	CH2MHill	---	1200	---	---	720	460	< 2.5	< 2.5	3.2	< 5	4.6	82
MW-19 MID	11/26/96	Terra Services	---	---	---	---	---	48	<0.5	17	1.76	7.7	600	---
MW-19 MID	7/16/97	Terra Services	---	<100	<500	---	---	<0.5	<0.5	<0.5	<1	9.1	810	---
MW-19 MID	1/5/98	Terra Services	---	<100	<500	---	---	<5	<50	<5	<15	<5	1400	---
MW-19 MID	5/27/98	Terra Services	---	500	---	---	---	<5	<0.5	<5	<10	14	590	---
MW-19 MID	8/26/98	Geomatrix	---	514	---	---	233	<2.5	<2.5	<2.5	<2.5	11.1	779	---
MW-19 MID	11/17/98	Alton Geoscience	---	491	---	---	<100	<5	<5	<5	<5	11	850	---
MW-19 MID	2/3/99	Alton Geoscience	---	<10000	<500	---	---	<10	<10	<10	<20	<20	1300	---
MW-19 MID	5/6/99	Alton Geoscience	---	540	<500	---	---	42	<1	<1	<1	<2.5	1500	---
MW-19 MID	8/10/99	Alton Geoscience	---	600	<1000	---	---	<0.5	<1	<1	<1	6.8	980	---
MW-19 MID DUP	8/10/99	Alton Geoscience	---	600	<1000	---	---	<5	<10	<10	<10	<5	990	---
MW-19 MID	11/17/99	Secor	---	1100	---	---	310	26	<5	<5	<5	<5	1100	---
MW-19 MID	2/29/00	Secor	---	2000	---	---	1800	530	<5	<5	<5	<5	1100	---
MW-19 MID	5/17/00	Secor	---	5200	---	---	5100	1900	<25	<25	<25	<25	2600	---
MW-19 MID	8/29/00	Secor	---	2700	---	---	19000	560	<10	<10	<10	<10	3200	---
MW-19 MID	11/30/00	Secor	---	2100	---	---	1200	520	3.6	0.9	6.1	<0.5	1200	---
MW-19 MID	2/6/01	Secor	---	780	---	---	410	66	<10	<10	<10	<10	720	---
MW-19 MID	5/9/01	Secor	---	360	---	---	230	4.4	<2.5	<2.5	<2.5	6.5	490	---
MW-19 MID	9/19/01	Secor	---	<300	---	---	<100	<2.5	<2.5	<2.5	<2.5	8.2	200	---
MW-19 MID	11/6/01	Secor	---	<300	---	---	120	<1	<1	<1	<1	6.5	180	---
MW-19 MID	1/30/02	Secor	---	<300	---	---	150	<0.5	<0.5	<0.5	<0.5	5.1	33	---
MW-19 MID	4/10/02	Secor	---	<300	---	---	<100	<0.5	<0.5	<0.5	<0.5	4.3	11	---
MW-19 MID	10/23/02	Secor	---	<300	---	---	330	1.1	<0.5	<0.5	<0.5	3.5	7.4	---
MW-19 MID	4/10/03	Secor	---	92	---	---	<100	<0.5	<0.5	<0.5	<0.5	2.5	4.3	---
MW-19 MID	10/7/03	Secor	---	84	---	---	<100	<0.5	<0.5	<0.5	<0.5	2.3	1	---
MW-19 MID	4/21/04	Secor	---	99	---	---	150	<0.5	<0.5	<0.5	<0.5	2.6	<0.5	---

TABLE 9

**HISTORICAL ANALYTICAL RESULTS FOR TPH, BTEX, 1,2-DCA, AND MTBE IN GROUNDWATER
NOVEMBER 1996 THROUGH OCTOBER 2011**

Well	Date Sampled	Sampled By	TPH as JP-5 ¹	TPH as Gasoline	TPH as Diesel	TPH as JP-4 ²	TPH as FP ³	Benzene	Toulene	Ethylbenzene	Total Xylenes	1,2-DCA ⁴	MTBE ⁵	TBA ⁶
MW-19 MID	11/3/04	Secor	---	<100	---	---	200	<0.5	<0.5	<0.5	<0.5	2	0.81	---
MW-19 MID	5/6/05	Secor	---	<50	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
MW-19 MID	11/3/05	SECOR	---	68	---	---	140	<0.5	<0.5	<0.5	<1	4.2	1.2	---
MW-19 MID	5/3/06	SECOR	---	76	---	---	110	<0.5	<0.5	<0.5	<1	13	2.2	---
MW-19 MID	12/6/06	SECOR	---	<50	---	---	260	<0.5	<0.5	<0.5	<1	1.3	<0.5	---
MW-19 MID	5/2/07	SECOR	---	61	---	---	200	<0.5	<0.5	<0.5	<1	2.2	1.1	---
MW-19 MID	11/13/07	SECOR	---	57	---	---	130	<0.5	<0.5	<0.5	<1	2.9	0.86	---
MW-19 MID	4/17/08	SECOR	---	<50	---	---	110	<0.5	<0.5	<0.5	<1	3	1.2	---
MW-19 MID	10/17/08	SECOR	---	<50	---	---	190	<0.5	<0.5	<0.5	<1	3.2	1.3	---
MW-19 MID	4/20/09	Blaine Tech	---	<50	---	---	120	<0.5	<0.5	<0.5	<1	3.8	0.81	66
MW-19 MID	10/21/09	Blaine Tech	---	<50	---	---	140	<0.5	<0.5	<0.5	<1	5	0.79	130
MW-19 MID	5/26/10	CH2MHill	---	<50	---	---	120	<0.5	<0.5	<0.5	<1	3.1	<0.5	<10
MW-19 MID	10/6/10	CH2MHill	---	62	---	---	140	<0.5	<0.5	<0.5	<1	3.5	0.91	130
MW-19 MID	4/12/11	CH2MHill	---	<50	---	---	<100	<0.5	<0.5	<0.5	<1	3.2	0.81	67
MW-19 MID	10/11/11	CH2MHill	---	<50	---	---	130	<0.5	<0.5	<0.5	<1	3.2	0.67	110
MW-20 MID	11/22/96	Terra Services	---	---	---	---	---	<0.5	<0.5	<0.5	1.5	66	36	---
MW-20 MID	7/11/97	Terra Services	---	<100	<500	---	---	<0.5	<0.5	<0.5	<1	33	13	---
MW-20 MID	1/5/98	Terra Services	---	<100	<500	---	---	<0.5	<0.5	<0.5	<1.5	17	9.2	---
MW-20 MID	5/27/98	Terra Services	---	<300	---	---	---	<0.5	<0.5	<0.5	<1	35	22	---
MW-20 MID	11/16/98	Alton Geoscience	---	<300	---	---	<100	14	41	4.8	29.8	31	33	---
MW-20 MID	5/7/99	Alton Geoscience	---	<500	<500	---	---	5.6	22	1.7	9.8	22	13	---
MW-20 MID	11/16/99	Secor	---	<300	---	---	<100	<0.5	<0.5	<0.5	<0.5	21	19	---
MW-20 MID	5/19/00	Secor	---	<300	---	---	220	<0.5	<0.5	<0.5	<0.5	22	11	---
MW-20 MID	11/28/00	Secor	---	<300	---	---	340	<0.5	<0.5	<0.5	<0.5	17	8.1	---
MW-20 MID	5/9/01	Secor	---	<300	---	---	180	<50	<50	<50	<50	2200	1300	---
MW-20 MID	9/19/01	Secor	---	<300	---	---	<100	<0.5	<0.5	<0.5	<0.5	23	11	---
MW-20 MID	11/7/01	IT Corporation	---	<300	---	---	170	<0.5	<0.5	<0.5	<0.5	23	14	---
MW-20 MID	4/11/02	Secor	---	<300	---	---	<100	<0.5	<0.5	<0.5	<0.5	17	12	---
MW-20 MID	10/24/02	Secor	---	<300	---	---	220	<0.5	<0.5	<0.5	<0.5	20	20	---
MW-20 MID	4/10/03	Secor	---	<50	---	---	<100	<0.5	<0.5	<0.5	<0.5	17	11	---
MW-20 MID	10/8/03	Secor	---	<100	---	---	<100	<0.5	<0.5	<0.5	<0.5	29	19	---
MW-20 MID	4/21/04	Secor	---	56	---	---	<100	<0.5	<0.5	<0.5	<0.5	27	18	---
MW-20 MID	11/5/04	Secor	---	<50	---	---	<100	<0.5	<0.5	<0.5	<0.5	23	15	---
MW-20 MID DUP	11/5/04	Secor	---	<50	---	---	<100	<0.5	<0.5	<0.5	<0.5	25	17	---
MW-20 MID	5/5/05	Secor	---	97	---	---	<100	<0.5	<0.5	<0.5	<0.5	33	57	---
MW-20 MID	11/3/05	SECOR	---	58	---	---	<100	<0.5	<0.5	<0.5	<1	25	46	---
MW-20 MID	5/3/06	SECOR	---	<50	---	---	<100	<0.5	<0.5	<0.5	<1	21	32	---
MW-20 MID	12/7/06	SECOR	---	<50	---	---	<100	<0.5	<0.5	<0.5	<1	21	25	---
MW-20 MID	5/5/07	SECOR	---	59	---	---	<100	<0.5	<0.5	<0.5	<1	20	25	---
MW-20 MID	11/14/07	SECOR	---	<50	---	---	<100	<0.5	<0.5	<0.5	<1	20	23	---
MW-20 MID	4/17/08	SECOR	---	<50	---	---	<100	<0.5	<0.5	<0.5	<1	15	21	---
MW-20 MID	10/17/08	SECOR	---	<50	---	---	100	<0.5	<0.5	<0.5	<1	17	18	---
MW-20 MID	4/22/09	Blaine Tech	---	<50	---	---	<100	<0.5	<0.5	<0.5	<1	17	16	28
MW-20 MID	10/21/09	Blaine Tech	---	<50	---	---	<100	<0.5	<0.5	<0.5	<1	16	18	32
MW-20 MID	5/27/10	CH2MHill	---	<50	---	---	<100	<0.5	<0.5	<0.5	<1	18	16	<10
MW-20 MID	10/6/10	CH2MHill	---	51	---	---	<100	<0.5	<0.5	<0.5	<1	15	19	40
MW-20 MID	4/12/11	CH2MHill	---	51	---	---	<100	<0.5	<0.5	<0.5	<1	17	18	<10
MW-20 MID	10/11/11	CH2MHill	---	<50	---	---	170	<0.5	<0.5	<0.5	<1	13	17	38
MW-21 MID	5/7/99	Alton Geoscience	---	<500	590	---	---	<1	<1	<1	<1	75	39	---
MW-21 MID	11/29/00	Secor	---	<300	---	---	4600	3.6	<0.5	<0.5	<0.5	16	62	---
MW-21 MID	5/9/01	Secor	---	<300	---	---	1900	<0.5	<0.5	<0.5	<0.5	9.8	50	---
MW-21 MID	11/6/01	Secor	---	<300	---	---	1400	0.5	<0.5	<0.5	<0.5	12	69	---
MW-21 MID	4/10/02	Secor	---	<300	---	---	1100	<0.5	<0.5	<0.5	<0.5	8.6	71	---
MW-21 MID	10/23/02	Secor	---	<300	---	---	1400	<0.5	<0.5	<0.5	<0.5	7.4	61	---
MW-21 MID	10/7/03	Secor	---	87	---	---	290	<0.5	<0.5	<0.5	<0.5	5.6	55	---
MW-21 MID	5/6/05	Secor	---	62	---	---	100	<0.5	<0.5	<0.5	<0.5	2.8	25	---
MW-21 MID	5/3/06	SECOR	---	<50	---	---	140*	<0.5	<0.5	<0.5	<1	1.5	13	---
MW-21 MID	5/2/07	SECOR	---	<50	---	---	110	<0.5	<0.5	<0.5	<1	0.73	3.3	---
MW-21 MID	4/17/08	SECOR	---	<50	---	---	100	<0.5	<0.5	<0.5	<1	0.88	6.4	---
MW-21 MID	4/20/09	Blaine Tech	---	<100	---	---	530	<0.5	<0.5	<0.5	<1	2.3	1.9	25
MW-21 MID	5/26/10	CH2MHill	---	<100	---	---	420	<0.5	<0.5	<0.5	<1	2.9	1.5	<10
MW-21 MID	4/12/11	CH2MHill	---	72	---	---	350	<0.5	<0.5	<0.5	<1	3.8	2.4	32
MW-22 MID	11/21/96	GSI	---	46	<500	<500	---	<0.5	<0.5	<0.5	<1.5	4.7	<5	---
MW-22 MID	7/10/97	Groundwater Technology Inc.	---	<50	650	<400	---	<5	<5	<5	<5	15	<5	---
MW-22 MID	1/6/98	Groundwater Technology Inc.	---	---	400	<100	---	<5	<5	<5	<1	<5	<5	---
MW-22 MID	5/21/98	BBC	---	<300	---	---	---	<0.5	<0.5	<0.5	<1	0.9	<0.5	---

TABLE 9

HISTORICAL ANALYTICAL RESULTS FOR TPH, BTEX, 1,2-DCA, AND MTBE IN GROUNDWATER
NOVEMBER 1996 THROUGH OCTOBER 2011

Well	Date Sampled	Sampled By	TPH as JP-5 ¹	TPH as Gasoline	TPH as Diesel	TPH as JP-4 ²	TPH as FP ³	Benzene	Toulene	Ethylbenzene	Total Xylenes	1,2-DCA ⁴	MTBE ⁵	TBA ⁶
MW-22 MID	8/26/98	Geomatrix	---	<300	---	---	545	<0.5	<0.5	<0.5	<0.5	2.1	<0.5	---
MW-22 MID	11/4/98	Groundwater Technology Inc	---	<300	---	---	<100	<0.5	<0.5	<0.5	<0.5	1.6	<0.5	---
MW-22 MID	2/2/99	Alton Geoscience	---	<500	<500	---	---	1.1	2.1	0.56	2.1	3.2	0.69	---
MW-22 MID	5/7/99	Alton Geoscience	---	---	<500	---	---	8	3.4	1.7	7.5	<1	6.9	---
MW-22 MID	5/26/99	Groundwater Technology Inc	---	<300	---	---	322	<0.5	<0.5	<0.5	<0.5	3.7	4.7	---
MW-22 MID	8/10/99	Alton Geoscience	---	<500	<1000	---	---	3.1	6.2	<1	4.9	8.9	<1	---
MW-22 MID	11/18/99	IT Corporation	---	<300	---	---	260	<0.5	<1	<0.5	<0.5	19	0.8	---
MW-22 MID	2/29/00	Secor	---	<300	---	---	470	<0.5	<0.5	<0.5	<0.5	29	3.3	---
MW-22 MID	5/16/00	IT Corporation	---	<300	---	---	380	<0.5	<0.5	<0.5	<0.5	16	2.4	---
MW-22 MID	8/29/00	Secor	---	<300	---	---	4400	<0.5	<0.5	<0.5	<0.5	45	14	---
MW-22 MID	11/28/00	Secor	---	<300	---	---	1100	<0.5	<0.5	<0.5	<0.5	88	13	---
MW-22 MID	11/29/00	IT Corporation	---	<300	---	---	870	<0.5	<0.5	<0.5	<0.5	88	13	---
MW-22 MID	2/6/01	Secor	---	<300	---	---	460	<1	<1	<1	<1	120	14	---
MW-22 MID	5/9/01	IT Corporation	---	<300	---	---	360	<0.5	<0.5	<0.5	<0.5	110	12	---
MW-22 MID	5/9/01	Secor	---	<300	---	---	230	<0.5	<0.5	<0.5	<0.5	83	11	---
MW-22 MID	9/19/01	Secor	---	<300	---	---	<100	<0.5	<0.5	<0.5	<0.5	30	4.5	---
MW-22 MID	11/7/01	IT Corporation	---	<300	---	---	130	<0.5	<0.5	<0.5	<0.5	36	6.5	---
MW-22 MID	1/30/02	Secor	---	<300	---	---	430	<0.5	<0.5	<0.5	<0.5	30	19	---
MW-22 MID	4/12/02	IT Corporation	---	<300	---	---	<100	<0.5	<0.5	<0.5	<0.5	22	11	---
MW-22 MID	7/30/02	IT Corporation	---	<300	---	---	210	<0.5	<0.5	<0.5	<0.5	24	8.7	---
MW-22 MID	10/24/02	Groundwater Technology Inc	---	<300	---	---	<100	<0.5	<1	<1	<1	18	5.4	---
MW-22 MID	1/28/03	Secor	---	<300	---	---	<100	<0.5	<0.5	<0.5	<0.5	18	4.8	---
MW-22 MID	4/11/03	Groundwater Technology Inc	---	---	---	---	<100	<0.5	<0.5	<0.5	<0.5	9.12	2.38	---
MW-22 MID	10/11/03	Parsons	---	---	---	---	380	<0.5	<0.5	<0.5	<0.5	12	2.8	---
MW-22 MID	4/22/04	Parsons	---	---	---	---	<100	<0.5	<0.5	<0.5	<0.5	19	4.8	21
MW-22 MID	7/21/04	Parsons	---	180	---	---	280	<0.5	<0.5	<0.5	---	---	11	---
MW-22 MID	11/4/04	Parsons	---	---	---	---	240	<0.5	<0.5	<0.5	---	31	11	17
MW-22 MID	3/2/05	Parsons	---	---	---	---	180	<0.5	<1	<1	<1	---	15	---
MW-22 MID	5/7/05	Parsons	---	---	---	---	290	<0.5	<0.5	<0.5	<0.5	1.8	30	< 10
MW-22 MID	11/8/05	PARSONS	---	---	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	2.1	30	13
MW-22 MID	5/5/06	PARSONS	---	---	---	---	500	< 0.5	< 0.5	< 0.5	< 1	6.1	14	< 10
MW-22 MID	12/5/06	PARSONS	---	---	---	---	130	< 0.50	< 0.50	< 0.50	< 1	5.3	16	13
MW-22 MID	5/2/07	PARSONS	---	---	---	---	200	< 0.50	< 0.50	< 0.50	< 1	4.4	14	17
MW-22 MID	11/14/07	PARSONS	---	---	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	10	15	19
MW-22 MID	4/17/08	PARSONS	---	---	---	---	< 100	< 0.50	< 0.50	< 0.50	< 1	8.3	11	18
MW-22 MID	10/16/08	PARSONS	110	---	---	---	---	< 0.50	< 0.50	< 0.50	< 1	9.7	16	16
MW-22 MID	2/12/09	PARSONS	< 100	< 100	---	---	---	< 0.50	< 0.50	< 0.50	< 1	15	18	22
MW-22 MID	4/22/09	PARSONS	110	---	---	---	---	< 0.50	< 0.50	< 0.50	< 1	11	23	22
MW-22 MID	7/20/09	PARSONS	150	---	---	---	---	< 0.50	< 0.50	< 0.50	< 1	11	19	34
MW-22 MID	10/23/09	PARSONS	130 J	---	---	---	---	< 0.50	< 0.50	< 0.50	< 1	13	16	27
MW-22 MID DUP	10/23/09	PARSONS	< 100	---	---	---	---	< 0.50	< 0.50	< 0.50	< 1	14	16	28
MW-22 MID	1/13/10	PARSONS	< 100	< 100	---	---	---	< 0.50	< 0.50	< 0.50	< 1.0	9.7	13	24
MW-22 MID	4/13/10	PARSONS	220 J	---	---	---	---	< 0.5	< 0.5	< 0.5	< 1	11	8.7	23
MW-22 MID	7/12/10	PARSONS	100 J	---	---	---	---	< 0.50	< 0.50	< 0.50	< 1.0	16	13	17
MW-22 MID	10/4/10	PARSONS	140	---	---	---	---	< 0.50	< 0.50	< 0.50	< 1.0	10	13	< 10
MW-22 MID	1/10/11	PARSONS	120	---	---	---	---	< 0.50	< 0.50	< 0.50	< 1	4.8	6.2	10
MW-22 MID	4/14/11	PARSONS	120	---	---	---	---	< 0.50	< 0.50	< 0.50	< 1	6.5	10	< 10
MW-22 MID	7/11/11	PARSONS	100	---	---	---	---	< 0.50	< 0.50	< 0.50	< 1	5.5	7.8	13
MW-22 MID	10/13/11	PARSONS	120	---	---	---	---	0.39 J	0.38 J	< 0.50	< 1	4.6	6.3	7.2 J
MW-23 MID	11/21/96	GSI	---	1400	<500	<500	---	62	<0.5	18	3.5	0.6	---	---
MW-23 MID	7/9/97	Groundwater Technology Inc	---	---	---	---	---	160	<1	21	26	---	---	---
MW-23 MID	7/9/97	Groundwater Technology Inc	---	140	970	<860	---	---	---	---	---	---	---	---
MW-23 MID	1/6/98	Groundwater Technology Inc	---	---	<100	<100	---	<0.3	---	<0.3	---	---	---	---
MW-23 MID	5/20/98	BBC	---	<300	---	---	---	---	---	---	---	---	---	---
MW-23 MID	11/4/98	Groundwater Technology Inc	---	<300	---	---	<100	<0.3	<0.3	<0.3	<0.6	---	---	---
MW-23 MID	5/27/99	Groundwater Technology Inc	---	<300	---	---	<100	<0.3	<0.3	<0.3	<0.6	---	---	---
MW-23 MID	11/18/99	IT Corporation	---	<300	---	---	<100	<0.3	<0.3	<0.3	<0.6	---	---	---
MW-23 MID	5/16/00	IT Corporation	---	<300	---	---	<100	<0.3	<0.3	<0.3	<0.6	---	---	---
MW-23 MID	11/29/00	IT Corporation	---	<300	---	---	2200	<0.3	<0.3	<0.3	<0.6	---	<5	---
MW-23 MID	5/10/01	IT Corporation	---	<300	---	---	1600	<0.3	<0.3	<0.3	<0.6	---	<5	---
MW-23 MID	11/7/01	IT Corporation	---	<300	---	---	600	<0.3	<0.3	<0.3	<0.6	---	<5	---
MW-23 MID	4/10/02	IT Corporation	---	<300	---	---	<100	<0.3	<0.3	<0.3	<0.6	---	<5	---
MW-23 MID	10/23/02	Groundwater Technology Inc	---	<300	---	---	<100	<0.3	<0.3	<0.3	<0.3	---	<5	---
MW-23 MID	4/10/03	Groundwater Technology Inc	---	---	---	---	<100	<1	<1	<1	<2	<3	<3	---
MW-23 MID	10/8/03	Parsons	---	---	---	---	160	<0.3	<0.3	<0.3	<0.3	---	<5	---
MW-23 MID	4/22/04	Parsons	---	---	---	---	<100	<0.3	<0.3	<0.3	<0.3	---	<5	---

TABLE 9

**HISTORICAL ANALYTICAL RESULTS FOR TPH, BTEX, 1,2-DCA, AND MTBE IN GROUNDWATER
NOVEMBER 1996 THROUGH OCTOBER 2011**

Well	Date Sampled	Sampled By	TPH as JP-5 ¹	TPH as Gasoline	TPH as Diesel	TPH as JP-4 ²	TPH as FP ³	Benzene	Toulene	Ethylbenzene	Total Xylenes	1,2-DCA ⁴	MTBE ⁵	TBA ⁶
MW-23 MID	11/4/04	Parsons	---	---	---	---	<100	<0.3	<0.3	<0.3	<0.3	---	<5	---
MW-23 MID	5/10/05	Parsons	---	---	---	---	650	0.4	0.79	0.41	<0.3	---	<5	---
MW-23 MID	11/8/05	PARSONS	---	---	---	---	1900	<0.3	0.4	<0.3	<0.3	---	<5	---
MW-23 MID	5/3/06	PARSONS	---	---	---	---	6000	<0.3	<0.3	<0.3	0.32	---	<5	---
MW-23 MID	12/6/06	PARSONS	---	---	---	---	240	<0.50	<0.50	<0.50	<1.0	---	<5.0	---
MW-23 MID	5/2/07	PARSONS	---	---	---	---	340	<0.50	<0.50	<0.50	<1.0	---	<5.0	---
MW-23 MID	11/14/07	PARSONS	---	---	---	---	<100	<0.5	<0.5	<0.5	<1	---	<5	---
MW-23 MID	4/16/08	PARSONS	---	---	---	---	120	<0.50	<0.50	<0.50	<1.0	---	<5.0	---
MW-23 MID	10/15/08	PARSONS	150	---	---	---	---	<0.50	<0.50	<0.50	<1	<0.50	<0.50	<10
MW-23 MID	4/21/09	PARSONS	<100	---	---	---	---	<0.50	<0.50	<0.50	<1	---	<0.50	---
MW-23 MID	10/23/09	PARSONS	150 J	---	---	---	---	<0.50	<0.50	<0.50	<1	<0.50	<0.50	<10
MW-23 MID	4/13/10	PARSONS	1000 J	---	---	---	---	<0.5	<0.5	<0.5	<1	---	<0.5	4.8 J
MW-23 MID	10/4/10	PARSONS	1400	---	---	---	---	<0.50	<0.50	<0.50	<1.0	<0.50	0.73	<10
MW-23 MID	4/14/11	PARSONS	1800	---	---	---	---	<0.50	<0.50	<0.50	<1	<0.50	2.9	<10
MW-23 MID	10/13/11	PARSONS	1900	---	---	---	---	<0.50	<0.50	<0.50	<1	<0.50	10	14
MW-24	11/21/96	GSI	---	92	<500	<500	---	<0.5	<0.5	<0.5	<1.5	<0.5	---	---
MW-24	7/9/97	Groundwater Technology Inc.	---	100	1400	<1000	---	11	<5	<5	<5	<5	<5	---
MW-24	1/6/98	Groundwater Technology Inc.	---	700	<100	<100	---	93	<0.5	4	<1	<0.5	<0.5	---
MW-24	5/20/98	BBC	---	<300	---	---	---	<0.3	<0.5	<0.5	<1	<0.5	<0.5	---
MW-24	11/4/98	Groundwater Technology Inc.	---	<300	---	---	129	11	2.7	2.1	18	<0.5	<0.5	---
MW-24	5/26/99	Groundwater Technology Inc.	---	<300	---	---	142	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
MW-24	11/18/99	IT Corporation	---	<300	---	---	<100	<0.5	<1	<0.5	<0.5	<0.5	<0.5	---
MW-24	5/16/00	IT Corporation	---	<300	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
MW-24	11/29/00	IT Corporation	---	<300	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
MW-24	5/9/01	IT Corporation	---	<300	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
MW-24	11/7/01	IT Corporation	---	<300	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
MW-24	4/10/02	IT Corporation	---	<300	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
MW-24	10/23/02	Groundwater Technology Inc.	---	<300	---	---	<100	<0.5	<1	<1	<1	<0.5	<1	---
MW-24	4/11/03	Groundwater Technology Inc.	---	---	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
MW-24	10/8/03	Parsons	---	---	---	---	140	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
MW-24	4/22/04	Parsons	---	---	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10
MW-24	11/4/04	Parsons	---	---	---	---	<100	<0.5	<0.5	<0.5	---	<0.5	<0.5	<10
MW-24	5/7/05	Parsons	---	---	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10
MW-24	11/8/05	PARSONS	---	---	---	---	<100	<0.5	<0.5	<0.5	<1	<0.5	<0.5	<10
MW-24	5/3/06	PARSONS	---	---	---	---	<100	<0.5	<0.5	<0.5	<1	<0.5	<0.5	<10
MW-24	12/6/06	PARSONS	---	---	---	---	<100	<0.50	<0.50	<0.50	<1	<0.50	<0.50	<10
MW-24	5/3/07	PARSONS	---	---	---	---	<100	<0.50	<0.50	<0.50	<1	<0.50	<0.50	<10
MW-24	11/14/07	PARSONS	---	---	---	---	<100	<0.5	<0.5	<0.5	<1	<0.5	<0.5	<10
MW-24	4/17/08	PARSONS	---	---	---	---	<100	<0.50	<0.50	<0.50	<1	<0.50	<0.50	<10
MW-24	10/16/08	PARSONS	<100	---	---	---	---	<0.50	<0.50	<0.50	<1	<0.50	<0.50	<10
MW-24	4/21/09	PARSONS	<100	---	---	---	---	<0.50	<0.50	<0.50	<1	<0.50	<0.50	<10
MW-24	10/23/09	PARSONS	<100	---	---	---	---	<0.50	<0.50	<0.50	<1	<0.50	<0.50	<10
MW-24	4/13/10	PARSONS	<100	---	---	---	---	<0.5	<0.5	<0.5	<1	<0.5	<0.5	<10
MW-24	10/4/10	PARSONS	<100	---	---	---	---	<0.50	<0.50	<0.50	<1.0	<0.50	0.51	<10
MW-24	4/13/11	PARSONS	<100	---	---	---	---	<0.50	<0.50	<0.50	<1	<0.50	<0.50	<10
MW-24	10/13/11	PARSONS	<100	---	---	---	---	<0.50	<0.50	<0.50	<1	<0.50	<0.50	<10
MW-25	11/21/96	GSI	---	<50	<500	<500	---	<0.5	<0.5	<0.5	<1.5	17	<5	---
MW-25	7/9/97	Groundwater Technology Inc.	---	<50	660	<400	---	<5	<5	<5	<5	17	<5	---
MW-25	1/6/98	Groundwater Technology Inc.	---	<500	<100	<100	---	<0.5	<0.5	<0.5	<1	15	<0.5	---
MW-25	5/21/98	BBC	---	<300	---	---	---	<0.3	<0.5	<0.5	<1	8.6	<0.5	---
MW-25	11/4/98	Groundwater Technology Inc.	---	<300	---	---	<100	<0.5	<0.5	<0.5	<0.5	11	<0.5	---
MW-25	5/6/99	Alton Geoscience	---	<500	<500	---	---	1.9	1.2	0.68	3.3	14	1.3	---
MW-25 DUP	5/6/99	Alton Geoscience	---	<500	<500	---	---	2.1	1.4	0.78	3.9	15	1.3	---
MW-25	5/26/99	Groundwater Technology Inc.	---	<300	---	---	<100	<0.5	<0.5	<0.5	<0.5	10	<0.5	---
MW-25	11/18/99	IT Corporation	---	<300	---	---	<100	<0.5	<1	<0.5	<0.5	27	0.7	---
MW-25	5/16/00	IT Corporation	---	<300	---	---	320	<0.5	<0.5	<0.5	<0.5	50	4.7	---
MW-25	11/28/00	Secor	---	<300	---	---	320	<0.5	<0.5	<0.5	<0.5	62	11	---
MW-25	11/29/00	IT Corporation	---	<300	---	---	<100	<0.5	0.6	<0.5	0.8	73	14	---
MW-25	5/9/01	IT Corporation	---	<300	---	---	240	<0.5	<0.5	<0.5	<0.5	45	7.1	---
MW-25	5/9/01	Secor	---	<300	---	---	150	<0.5	<0.5	<0.5	<0.5	36	6.2	---
MW-25	11/7/01	IT Corporation	---	<300	---	---	<100	<0.5	<0.5	<0.5	<0.5	39	9.3	---
MW-25	4/12/02	IT Corporation	---	<300	---	---	<100	<0.5	<0.5	<0.5	<0.5	23	9.4	---
MW-25	10/24/02	Groundwater Technology Inc.	---	<300	---	---	<100	<0.5	<1	<1	<1	15	5.1	---
MW-25	4/11/03	Groundwater Technology Inc.	---	---	---	---	<100	<0.5	<0.5	<0.5	<0.5	30.6	8.61	---
MW-25	10/11/03	Parsons	---	---	---	---	<100	<0.5	<0.5	<0.5	<0.5	13	3.4	---
MW-25	4/22/04	Parsons	---	---	---	---	<100	<0.5	<0.5	<0.5	<0.5	13	3.5	<10

TABLE 9

**HISTORICAL ANALYTICAL RESULTS FOR TPH, BTEX, 1,2-DCA, AND MTBE IN GROUNDWATER
NOVEMBER 1996 THROUGH OCTOBER 2011**

Well	Date Sampled	Sampled By	TPH as JP-5 ¹	TPH as Gasoline	TPH as Diesel	TPH as JP-4 ²	TPH as FP ³	Benzene	Toulene	Ethylbenzene	Total Xylenes	1,2-DCA ⁴	MTBE ⁵	TBA ⁶
MW-25	11/4/04	Parsons	---	---	---	---	<100	<0.5	<0.5	<0.5	---	17	3.4	< 10
MW-25	5/7/05	Parsons	---	---	---	---	<100	<0.5	<0.5	<0.5	<0.5	2.8	5	< 10
MW-25	11/8/05	PARSONS	---	---	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	0.95	1.9	< 10
MW-25	5/5/06	PARSONS	---	---	---	---	390	< 0.5	< 0.5	< 0.5	< 1	4.3	10	< 10
MW-25	12/5/06	PARSONS	---	---	---	---	< 100	< 0.50	< 0.50	< 0.50	< 1	3	3.5	< 10
MW-25 DUP	12/5/06	PARSONS	---	---	---	---	< 100	< 0.50	< 0.50	< 0.50	< 1	3.1	3.2	< 10
MW-25	5/3/07	PARSONS	---	---	---	---	< 100	< 0.50	< 0.50	< 0.50	< 1	2.8	2.3	< 10
MW-25	11/14/07	PARSONS	---	---	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	1.6	1.3	< 10
MW-25	4/17/08	PARSONS	---	---	---	---	< 100	< 0.50	< 0.50	< 0.50	< 1	4.5	4.3	< 10
MW-25	10/16/08	PARSONS	< 100	---	---	---	---	< 0.50	< 0.50	< 0.50	< 1	8.9	6.1	< 10
MW-25	4/22/09	PARSONS	< 100	---	---	---	---	< 0.50	< 0.50	< 0.50	< 1	8.3	2.9	< 10
MW-25	10/23/09	PARSONS	< 100	---	---	---	---	< 0.50	< 0.50	< 0.50	< 1	4.1	0.83	< 10
MW-25	4/13/10	PARSONS	< 100	---	---	---	---	< 0.5	< 0.5	< 0.5	< 1	10	2.7	< 10
MW-25	10/4/10	PARSONS	< 100	---	---	---	---	< 0.50	< 0.50	< 0.50	< 1.0	2	0.35 J	< 10
MW-25	4/12/11	PARSONS	< 100	---	---	---	---	< 0.50	< 0.50	< 0.50	< 1	7.1	1.4	< 10
MW-25	10/13/11	PARSONS	< 100	---	---	---	---	< 0.50	< 0.50	< 0.50	< 1	1.4	0.31 J	< 10
MW-26	11/21/96	GSI	---	6700	<500	<500	---	460	400	200	340	0.7	---	---
MW-26	7/10/97	Groundwater Technology Inc	---	<50	270	<200	---	<5	<5	<5	<5	<5	340	---
MW-26	1/6/98	Groundwater Technology Inc	---	<500	<100	<100	---	<2.5	<2.5	<2.5	<5	<2.5	407	---
MW-26	5/21/98	BBC	---	<300	---	---	---	<0.3	<0.5	<0.5	<1	<0.5	<0.5	---
MW-26	11/4/98	Groundwater Technology Inc	---	<300	---	---	<100	<0.5	1.3	<0.5	1.1	<0.5	146	---
MW-26	5/26/99	Groundwater Technology Inc	---	8260	---	---	8790	3000	170	400	1000	<0.5	380	---
MW-26	11/18/99	IT Corporation	---	<300	---	---	<100	<0.5	<1	<0.5	<0.5	<0.5	3.4	---
MW-26	5/16/00	IT Corporation	---	8400	---	---	7000	2300	<5	410	1480	<5	76	---
MW-26	11/29/00	IT Corporation	---	1800	---	---	1000	440	15	69	240	<10	69	---
MW-26	5/10/01	IT Corporation	---	<300	---	---	<100	2.1	<0.5	<0.5	<0.5	<0.5	1.9	---
MW-26	11/7/01	IT Corporation	---	1700	---	---	3700	370	79	37	171	<0.5	35	---
MW-26	4/11/02	IT Corporation	---	4000	---	---	5300	1200	<5	230	528	<5	65	---
MW-26	10/24/02	Groundwater Technology Inc	---	2100	---	---	5800	970	<5	<5	262	<2.5	74	---
MW-26	4/11/03	Groundwater Technology Inc	---	---	---	---	1390	858	<0.5	243	78.6	<0.5	108	---
MW-26	10/11/03	Parsons	---	---	---	---	900	4.6	<0.5	5.7	0.54	<0.5	29	---
MW-26	4/22/04	Parsons	---	---	---	---	570	<0.5	<0.5	<0.5	<0.5	<0.5	140	18
MW-26	11/4/04	Parsons	---	---	---	---	260	<0.5	<0.5	<0.5	---	<0.5	110	23
MW-26	5/7/05	Parsons	---	---	---	---	170	<0.5	<0.5	3.1	<0.5	<0.5	<0.5	< 10
MW-26	11/8/05	PARSONS	---	---	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	< 10
MW-26	5/5/06	PARSONS	---	---	---	---	120	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	< 10
MW-26	12/6/06	PARSONS	---	---	---	---	< 100	< 0.50	< 0.50	< 0.50	< 1	< 0.50	1.9	< 10
MW-26	5/3/07	PARSONS	---	---	---	---	< 100	< 0.50	< 0.50	< 0.50	< 1	< 0.50	2	< 10
MW-26	11/14/07	PARSONS	---	---	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	4.4	< 10
MW-26 DUP	11/14/07	PARSONS	---	---	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	4.5	< 10
MW-26	4/17/08	PARSONS	---	---	---	---	< 100	< 0.50	< 0.50	< 0.50	< 1	< 0.50	0.99	< 10
MW-26 DUP	4/17/08	PARSONS	---	---	---	---	< 100	< 0.50	< 0.50	< 0.50	< 1	< 0.50	0.65	< 10
MW-26	10/16/08	PARSONS	150	---	---	---	---	< 0.50	< 0.50	< 0.50	< 1	< 0.50	5	< 10
MW-26	4/22/09	PARSONS	< 100	---	---	---	---	< 0.50	< 0.50	< 0.50	< 1	< 0.50	< 0.50	< 10
MW-26	10/23/09	PARSONS	< 100	---	---	---	---	< 0.50	< 0.50	< 0.50	< 1	< 0.50	2	< 10
MW-26	4/13/10	PARSONS	< 100	---	---	---	---	< 0.5	< 0.5	< 0.5	< 1	< 0.5	0.66	< 10
MW-26	10/4/10	PARSONS	< 100	---	---	---	---	1.6	< 0.50	0.28 J	< 1.0	< 0.50	0.68	< 10
MW-26	4/13/11	PARSONS	< 100	---	---	---	---	< 0.50	< 0.50	< 0.50	< 1	< 0.50	2.3	< 10
MW-26	10/13/11	PARSONS	< 100	---	---	---	---	1.4	< 0.50	< 0.50	< 1	< 0.50	< 0.50	< 10
MW-27	11/22/96	GSI	---	<50	<500	<500	---	180	12	25	50	<0.5	---	---
MW-27	7/10/97	Groundwater Technology Inc	---	420	400	<400	---	1400	28	53	253	<5	79	---
MW-27	1/6/98	Groundwater Technology Inc	---	1500	<100	100	---	940	<5	70	20	20	90	---
MW-27	5/21/98	BBC	---	<300	---	---	---	<0.3	<0.5	<0.5	<1	<0.5	<0.5	---
MW-27	11/4/98	Groundwater Technology Inc	---	<300	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
MW-27	5/26/99	Groundwater Technology Inc	---	<300	---	---	<100	<0.5	<0.5	0.71	1.33	<0.5	1.1	---
MW-27	11/18/99	IT Corporation	---	7200	---	---	6400	1700	8.6	100	1110	<0.5	170	---
MW-27	5/16/00	IT Corporation	---	<300	---	---	<100	1.7	<0.5	<0.5	<0.5	<0.5	5	---
MW-27	11/29/00	IT Corporation	---	<300	---	---	<100	0.9	0.7	0.7	1	0.6	17	---
MW-27	5/10/01	IT Corporation	---	<300	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
MW-27	11/7/01	IT Corporation	---	<300	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
MW-27	4/11/02	IT Corporation	---	<300	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	0.9	---
MW-27	10/24/02	Groundwater Technology Inc	---	<300	---	---	<100	<0.5	<1	<1	<1	<0.5	9.7	---
MW-27	4/11/03	Groundwater Technology Inc	---	---	---	---	<100	<0.5	<0.5	2.76	<0.5	<0.5	16.7	---
MW-27	10/11/03	Parsons	---	---	---	---	150	6.2	<0.5	0.79	<0.5	<0.5	8.9	---
MW-27	4/22/04	Parsons	---	---	---	---	1600	130	<0.5	16	<0.5	<0.5	65	20
MW-27	11/6/04	Parsons	---	---	---	---	540	1.6	<0.5	17	---	<0.5	65	21

TABLE 9

**HISTORICAL ANALYTICAL RESULTS FOR TPH, BTEX, 1,2-DCA, AND MTBE IN GROUNDWATER
NOVEMBER 1996 THROUGH OCTOBER 2011**

Well	Date Sampled	Sampled By	TPH as JP-5 ¹	TPH as Gasoline	TPH as Diesel	TPH as JP-4 ²	TPH as FP ³	Benzene	Toulene	Ethylbenzene	Total Xylenes	1,2-DCA ⁴	MTBE ⁵	TBA ⁶
MW-27	5/7/05	Parsons	---	---	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	< 10
MW-27 DUP	5/7/05	Parsons	---	---	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	< 10
MW-27	11/8/05	PARSONS	---	---	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	0.59	< 10
MW-27	5/5/06	PARSONS	---	---	---	---	280	< 0.5	< 0.5	< 0.5	< 1	< 0.5	2	< 10
MW-27	12/6/06	PARSONS	---	---	---	---	180	< 0.50	< 0.50	< 0.50	< 1	< 0.50	2.3	< 10
MW-27	5/3/07	PARSONS	---	---	---	---	110	< 0.50	< 0.50	< 0.50	< 1	< 0.50	1.5	< 10
MW-27	11/14/07	PARSONS	---	---	---	---	< 100	1.3	< 0.5	< 0.5	< 1	< 0.5	< 0.5	< 10
MW-27	4/18/08	PARSONS	---	---	---	---	< 100	2.9	< 0.50	< 0.50	< 1	< 0.50	< 0.50	< 10
MW-27	10/17/08	PARSONS	< 100	---	---	---	---	< 0.50	< 0.50	< 0.50	< 1	< 0.50	< 0.50	< 10
MW-27	4/22/09	PARSONS	< 100	---	---	---	---	< 0.50	< 0.50	< 0.50	< 1	< 0.50	< 0.50	< 10
MW-27	10/26/09	PARSONS	< 100	---	---	---	---	< 0.50	< 0.50	< 0.50	< 1	< 0.50	0.54	< 10
MW-27	4/13/10	PARSONS	< 100	---	---	---	---	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	7.5 J
MW-27	10/4/10	PARSONS	< 100	---	---	---	---	< 0.50	< 0.50	< 0.50	< 1.0	< 0.50	< 0.50	< 10
MW-27	4/12/11	PARSONS	430	---	---	---	---	< 0.50	< 0.50	0.35 J	3.2	< 0.50	< 0.50	< 10
MW-27	10/13/11	PARSONS	180	---	---	---	---	< 0.50	< 0.50	< 0.50	< 1	< 0.50	< 0.50	< 10
MW-28	11/27/96	GSI	---	1500	<500	<500	---	<2.5	<2.5	<2.5	<5	<2.5	---	---
MW-28	7/10/97	Groundwater Technology Inc.	---	220	2200	<1900	---	<5	<5	<5	<5	<5	<5	---
MW-28	1/7/98	Groundwater Technology Inc.	---	<500	<100	<100	---	<0.5	<0.5	<0.5	<1	<0.5	<0.5	---
MW-28	5/21/98	BBC	---	<300	---	---	---	<0.3	<0.3	<0.3	<0.6	---	---	---
MW-28	11/5/98	Groundwater Technology Inc.	---	<300	---	---	<100	<0.3	<0.3	<0.3	<0.6	---	---	---
MW-28	5/26/99	Groundwater Technology Inc.	---	<300	---	---	<100	0.33	<0.3	<0.3	0.7	---	---	---
MW-28	11/18/99	IT Corporation	---	<300	---	---	330	<0.3	<0.3	<0.3	<0.6	---	---	---
MW-28	5/17/00	IT Corporation	---	<300	---	---	250	<0.3	<0.3	<0.3	<0.6	---	---	---
MW-28	12/1/00	IT Corporation	---	<300	---	---	470	<0.3	<0.3	<0.3	<0.6	---	<5	---
MW-28	5/10/01	IT Corporation	---	<300	---	---	3000	<0.3	<0.3	<0.3	<0.6	---	<5	---
MW-28	11/8/01	IT Corporation	---	300	---	---	160	<0.3	<0.3	<0.3	<0.6	---	<5	---
MW-28	4/12/02	IT Corporation	---	<300	---	---	170	<0.3	<0.3	<0.3	<0.6	---	<5	---
MW-29	5/21/98	BBC	---	84700	---	---	---	313	45.7	314	366	---	---	---
MW-29	11/5/98	Groundwater Technology Inc.	---	28600	---	---	19600	87	<0.3	2.2	31	---	---	---
MW-29	5/27/99	Groundwater Technology Inc.	---	1810	---	---	2540	150	<0.6	160	23	---	---	---
MW-29	11/18/99	IT Corporation	---	5100	---	---	17000	220	<0.3	190	21	---	---	---
MW-29	5/17/00	IT Corporation	---	1100	---	---	3400	23	<0.3	35	7.6	---	---	---
MW-29	11/30/00	IT Corporation	---	2400	---	---	14000	120	<0.3	160	4.4	---	<5	---
MW-29	5/9/01	IT Corporation	---	<300	---	---	<100	<0.3	<0.3	<0.3	<0.6	---	<5	---
MW-29	11/7/01	IT Corporation	---	1500	---	---	1500	14	<0.3	3.7	2.1	---	8.3	---
MW-29	2/1/02	Secor	---	---	---	---	---	100	7.3	160	990	<0.5	<0.5	---
MW-29	4/11/02	IT Corporation	---	860	---	---	5600	4.1	<0.3	4.3	12	---	<5	---
MW-6	11/22/96	Terra Services	---	---	---	---	---	<0.5	<0.5	<0.5	<1.5	130	70	---
MW-6	7/16/97	Terra Services	---	<100	<500	---	---	<0.5	<0.5	<0.5	<1	32	62	---
MW-6 DUP	7/16/97	Terra Services	---	---	---	---	---	<0.5	<0.5	<0.5	<1	33	63	---
MW-6	1/5/98	Terra Services	---	<100	<500	---	---	<0.5	<0.5	<0.5	<1.5	11	39	---
MW-6 DUP	1/5/98	Terra Services	---	---	---	---	---	<0.5	<0.5	<0.5	<1.5	10	36	---
MW-6	5/26/98	Terra Services	---	<300	---	---	---	<2.5	<2.5	<2.5	<5	118	107	---
MW-6	11/17/98	Alton Geoscience	---	<300	---	---	<100	4.8	11.6	1.5	9.9	9.2	12.7	---
MW-6	5/7/99	Alton Geoscience	---	<500	<500	---	---	<0.5	1.5	<0.5	<0.5	83	120	---
MW-6	11/16/99	Secor	---	<300	---	---	<100	<0.5	<0.5	<0.5	<0.5	20	18	---
MW-6	5/19/00	Secor	---	<300	---	---	<100	<0.5	<0.5	<0.5	<0.5	14	12	---
MW-6	11/28/00	Secor	---	<300	---	---	<100	<0.5	<0.5	<0.5	<0.5	12	3	---
MW-6	5/9/01	Secor	---	<300	---	---	<100	<0.5	<0.5	<0.5	<0.5	9.8	11	---
MW-6	11/7/01	IT Corporation	---	<300	---	---	<100	<0.5	<0.5	<0.5	<0.5	11	6.2	---
MW-6	4/11/02	Secor	---	<300	---	---	<100	<0.5	<0.5	<0.5	<0.5	7.6	6	---
MW-6	10/24/02	Secor	---	<300	---	---	<100	<0.5	<0.5	<0.5	<0.5	9.4	4.6	---
MW-6	4/10/03	Secor	---	<50	---	---	<100	<0.5	<0.5	<0.5	<0.5	7.4	3.2	---
MW-6	10/8/03	Secor	---	<50	---	---	<100	<0.5	<0.5	<0.5	<0.5	9.1	2.5	---
MW-6	4/21/04	Secor	---	<50	---	---	<100	<0.5	<0.5	<0.5	<0.5	4.9	2.8	---
MW-6	11/5/04	Secor	---	<50	---	---	<100	<0.5	<0.5	<0.5	<0.5	4	4	---
MW-6	5/5/05	Secor	---	89	---	---	100	<0.5	<0.5	<0.5	<0.5	16	61	---
MW-6	11/3/05	SECOR	---	< 50	---	---	120	< 0.5	< 0.5	< 0.5	< 1	9.9	30	---
MW-6	5/3/06	SECOR	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	6.8	2.5	---
MW-6	12/7/06	SECOR	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	7.1	2.7	---
MW-6	5/5/07	SECOR	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	4	2.5	---
MW-6	11/14/07	SECOR	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	3.4	2.3	---
MW-6	4/17/08	SECOR	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	2.2	2.7	---
MW-6	10/17/08	SECOR	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	2.5	4	---
MW-6	4/22/09	Blaine Tech	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	1.6	0.69	< 10
MW-6	10/21/09	Blaine Tech	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	1.5	1	< 10

TABLE 9

**HISTORICAL ANALYTICAL RESULTS FOR TPH, BTEX, 1,2-DCA, AND MTBE IN GROUNDWATER
NOVEMBER 1996 THROUGH OCTOBER 2011**

Well	Date Sampled	Sampled By	TPH as JP-5 ¹	TPH as Gasoline	TPH as Diesel	TPH as JP-4 ²	TPH as FP ³	Benzene	Toulene	Ethylbenzene	Total Xylenes	1,2-DCA ⁴	MTBE ⁵	TBA ⁶
MW-6	5/27/10	CH2MHill	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	1.5	1.9	< 10
MW-6	10/6/10	CH2MHill	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	2.7	2	< 10
MW-6	4/12/11	CH2MHill	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	1.7	2.3	< 10
MW-6	10/11/11	CH2MHill	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	1.2	1	< 10
MW-7	11/25/96	Terra Services	---	---	---	---	---	3.5	< 1	16	< 3	6.8	1000	---
MW-7	7/14/97	Terra Services	---	540	< 500	---	---	88	< 3	< 3	< 3	< 3	790	---
MW-7	1/8/98	Terra Services	---	150	< 500	---	---	9	< 0.5	< 0.5	< 1.5	4.1	400	---
MW-7 DUP	1/8/98	Terra Services	---	150	< 500	---	---	10	< 0.5	< 0.5	< 1.5	4.5	< 0.5	---
MW-7	5/26/98	Terra Services	---	400	---	---	---	< 5	< 5	< 5	7	10	380	---
MW-7	11/17/98	Alton Geoscience	---	< 300	---	---	< 100	5.4	7	< 5	< 5	< 5	351	---
MW-7	5/7/99	Alton Geoscience	---	< 500	< 500	---	---	0.79	2.2	< 0.5	0.71	6.8	540	---
MW-7	11/16/99	Secor	---	540	---	---	< 100	8.5	< 0.5	< 0.5	< 0.5	4.7	670	---
MW-7	5/17/00	Secor	---	590	---	---	880	< 5	< 5	< 5	< 5	14	900	---
MW-7	11/30/00	Secor	---	590	---	---	320	4.1	< 0.5	< 0.5	< 0.5	5.4	640	---
MW-7	5/9/01	Secor	---	< 300	---	---	< 100	< 0.5	< 0.5	< 0.5	< 0.5	3.1	36	---
MW-7	11/6/01	Secor	---	< 300	---	---	< 100	< 0.5	< 0.5	< 0.5	< 0.5	2.4	8.2	---
MW-7	4/10/02	Secor	---	< 300	---	---	< 100	< 0.5	< 0.5	< 0.5	< 0.5	1.6	71	---
MW-7	10/23/02	Secor	---	< 300	---	---	180	< 0.5	< 0.5	< 0.5	< 0.5	2	5	---
MW-7	4/10/03	Secor	---	57	---	---	< 100	< 0.5	< 0.5	< 0.5	< 0.5	1.6	1.3	---
MW-7	10/7/03	Secor	---	67	---	---	< 100	< 0.5	< 0.5	< 0.5	< 0.5	1.5	1.2	---
MW-7	4/21/04	Secor	---	62	---	---	120	< 0.5	< 0.5	< 0.5	< 0.5	0.68	1.4	---
MW-7	11/3/04	Secor	---	58	---	---	140	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	0.85	---
MW-7	5/6/05	Secor	---	58	---	---	< 100	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	0.82	---
MW-7	11/3/05	SECOR	---	< 100	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 1	< 0.5	---
MW-7	5/3/06	SECOR	---	< 50	---	---	110 *	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	---
MW-7	12/6/06	SECOR	---	< 50	---	---	270	< 0.5	< 0.5	< 0.5	< 1	0.65	1.5	---
MW-7	5/2/07	SECOR	---	< 50	---	---	160	< 0.5	< 0.5	< 0.5	< 1	0.64	0.83	---
MW-7	11/13/07	SECOR	---	< 50	---	---	120	< 0.5	< 0.5	< 0.5	< 1	0.57	0.83	---
MW-7	4/17/08	SECOR	---	< 50	---	---	110	< 0.5	< 0.5	< 0.5	< 1	< 0.5	0.8	---
MW-7	10/17/08	SECOR	---	< 50	---	---	190	< 0.5	< 0.5	< 0.5	< 1	1.8	0.94	---
MW-7	4/20/09	Blaine Tech	---	< 50	---	---	110	< 0.5	< 0.5	< 0.5	< 1	2.1	0.6	< 10
MW-7	10/21/09	Blaine Tech	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	2.8	0.56	< 10
MW-7	5/26/10	CH2MHill	---	< 50	---	---	110	< 0.5	< 0.5	< 0.5	< 1	0.87	< 0.5	< 10
MW-7	10/7/10	CH2MHill	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	1	0.64	260
MW-7	4/12/11	CH2MHill	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	1.4	< 0.5	98
MW-7	10/11/11	CH2MHill	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	0.99	< 0.5	25
MW-8	11/26/96	Terra Services	---	---	---	---	---	4400	< 30	< 30	< 80	< 30	26000	---
MW-8	7/17/97	Terra Services	---	< 100	520	---	---	< 10	< 10	< 10	< 20	< 10	11000	---
MW-8	1/2/98	Terra Services	---	< 100	< 500	---	---	< 0.5	< 0.5	< 0.5	< 1.5	< 0.5	14	---
MW-8	5/20/98	Terra Services	---	400	---	---	---	< 2.5	< 2.5	< 2.5	< 5	< 2.5	554	---
MW-8	11/17/98	Alton Geoscience	---	< 300	---	---	< 100	2.4	6	0.8	4.6	< 0.5	55.6	---
MW-8	5/7/99	Alton Geoscience	---	< 500	< 500	---	---	< 0.5	< 0.5	< 0.5	< 0.5	< 1	52	---
MW-8	11/18/99	Secor	---	< 416	---	---	< 100	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	7.2	---
MW-8	5/17/00	Secor	---	< 300	---	---	170	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	3	---
MW-8	11/29/00	Secor	---	< 300	---	---	< 100	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	15	---
MW-8	2/6/01	Secor	---	< 300	---	---	< 100	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	380	---
MW-8	5/8/01	Secor	---	< 300	---	---	< 100	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	430	---
MW-8	9/19/01	Secor	---	790	---	---	< 100	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	1000	---
MW-8	1/30/02	Secor	---	1700	---	---	< 100	< 10	< 10	< 10	< 10	< 10	1900	---
MW-8	4/10/02	Secor	---	1500	---	---	< 100	11	< 10	< 10	< 10	< 10	2200	---
MW-8	10/22/02	Secor	---	< 300	---	---	< 100	150	< 10	11.5	< 10	< 10	750	---
MW-8	1/29/03	Secor	---	< 300	---	---	< 100	< 1	< 1	< 1	< 1	< 1	190	---
MW-8	4/9/03	Secor	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	28	---
MW-8	7/30/03	Secor	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	13	---
MW-8	10/6/03	Secor	---	79	---	---	< 100	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	4.7	---
MW-8	1/28/04	Secor	---	100	---	---	< 100	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	4	---
MW-8	4/20/04	Secor	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	0.61	---
MW-8	7/19/04	Secor	---	80	---	---	< 100	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	0.95	---
MW-8	11/2/04	Secor	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	---
MW-8	2/2/05	Secor	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	1.8	---
MW-8	5/4/05	Secor	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	1.2	---
MW-8	11/1/05	SECOR	---	110	---	---	270	< 0.5	< 0.5	< 0.5	4.2	< 0.5	0.6	---
MW-8	2/27/06	SECOR	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	0.65	---
MW-8	5/2/06	SECOR	---	< 100	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 1	1.1	---
MW-8	9/19/06	SECOR	---	< 100	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 1	1.6	---
MW-8	12/6/06	SECOR	---	< 100	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 1	0.61	---

TABLE 9

**HISTORICAL ANALYTICAL RESULTS FOR TPH, BTEX, 1,2-DCA, AND MTBE IN GROUNDWATER
NOVEMBER 1996 THROUGH OCTOBER 2011**

Well	Date Sampled	Sampled By	TPH as JP-5 ¹	TPH as Gasoline	TPH as Diesel	TPH as JP-4 ²	TPH as FP ³	Benzene	Toulene	Ethylbenzene	Total Xylenes	1,2-DCA ⁴	MTBE ⁵	TBA ⁶
MW-8 DUP	12/6/06	SECOR	---	< 100	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 1	0.63	---
MW-8	3/13/07	SECOR	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	---
MW-8	5/4/07	SECOR	---	< 200	---	---	< 100	< 1	< 1	< 1	< 2	< 2	< 1	---
MW-8 DUP	5/4/07	SECOR	---	< 200	---	---	< 100	< 1	< 1	< 1	< 2	< 2	< 1	---
MW-8	8/29/07	SECOR	---	< 200	---	---	< 100	< 1	< 1	< 1	< 2	< 2	< 1	---
MW-8	11/13/07	SECOR	---	< 100	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 1	1.9	---
MW-8 DUP	11/13/07	SECOR	---	< 100	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 1	1.8	---
MW-8	2/20/08	SECOR	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	1.7	---
MW-8	4/18/08	SECOR	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	3.3	---
MW-8 DUP	4/18/08	SECOR	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	3.2	---
MW-8	10/14/08	SECOR	---	< 100	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 1	0.59	---
MW-8 DUP	10/14/08	SECOR	---	< 100	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 1	0.59	---
MW-8	4/23/09	Blaine Tech	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	1	2000
MW-8 DUP	4/23/09	Blaine Tech	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	0.86	1900
MW-8	10/21/09	Blaine Tech	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	0.69	570
MW-8 DUP	10/21/09	Blaine Tech	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	0.68	590
MW-8	5/27/10	CH2MHill	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	0.62	< 10
MW-8	10/7/10	CH2MHill	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	0.53	1600
MW-8	4/13/11	CH2MHill	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	1100
MW-8	10/11/11	CH2MHill	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	970
MW-9	11/26/96	Terra Services	---	---	---	---	---	18	< 0.5	69	1.6	< 0.5	< 5	---
MW-9	7/17/97	Terra Services	---	1400	2900	---	---	40	< 1	140	21.5	< 1	< 10	---
MW-9	1/8/98	Terra Services	---	1100	570	---	---	19	0.74	55	2.4	< 0.5	< 5	---
MW-9	5/26/98	Terra Services	---	4700	---	---	---	69	< 0.3	51	97.2	< 2.5	10	---
MW-9	11/18/99	Secor	---	1800	---	---	4500	24	< 0.5	2.7	2	< 0.5	< 0.5	---
MW-9	5/19/00	Secor	---	1300	---	---	3900	12	< 0.5	0.8	0.5	< 0.5	1.8	---
MW-9	11/5/04	Secor	---	2500	---	---	21000	27	< 0.5	0.84	0.52	< 1	52	---
MW-9	5/6/05	Secor	---	780	---	---	3300	2.3	< 1	25	< 1	< 2	110	---
MW-9	11/1/05	SECOR	---	1700	---	---	5400	9.3	< 1	4.7	5.3	< 2	120	---
MW-9	5/4/06	SECOR	---	1000	---	---	10000 *	13	< 0.5	2.2	1.4	< 1	140	---
MW-9	12/8/06	SECOR	---	1400	---	---	14000	16	< 0.5	< 0.5	< 1	< 0.5	160	---
MW-9	5/4/07	SECOR	---	1700	---	---	610000	9.2	< 0.5	0.5	< 1	< 1	130	---
MW-9	4/18/08	SECOR	---	2500	---	---	11000	51	< 1	1.7	1.9	< 2	16	---
MW-9	10/14/08	SECOR	---	1600	---	---	4700	27	< 1	< 1	< 2	< 2	26	---
MW-9	4/23/09	Blaine Tech	---	1600	---	---	11000	33	< 2.5	< 2.5	< 5	< 5	6.2	130
MW-9	5/27/10	CH2MHill	---	1600	---	---	11000	24	< 5	< 5	< 10	< 10	< 5	< 100
MW-9	10/7/10	CH2MHill	---	2400	---	---	12000	23	< 2	< 2	< 4	< 4	3.3	50
MW-9	4/14/11	CH2MHill	---	1400	---	---	28000	18	< 5	< 5	< 10	< 10	< 5	< 100
MW-9	10/12/11	CH2MHill	---	1200	---	---	8700	17	< 2.5	< 2.5	< 5	< 5	< 2.5	< 50
MW-O-1	10/8/10	CH2MHill	---	32000	---	---	30000	3700	1700	1100	4000	< 50	60	< 500
MW-O-1	4/13/11	CH2MHill	---	14000	---	---	40000	1900	370	400	2400	< 20	13	< 200
MW-O-1	10/14/11	CH2MHill	---	15000	---	---	22000	580	240	580	1810	< 20	< 10	< 200
MW-O-2	10/5/10	CH2MHill	---	570	---	---	540	87	5.6	7.2	41.8	< 1	81	33
MW-SF-1	3/11/03	Geomatrix	---	1700	---	---	1500	1400	16	76	54	< 1	620	---
MW-SF-1	8/1/03	Secor	---	13000	---	---	18000	4200	240	420	1020	< 30	910	---
MW-SF-1	10/7/03	Secor	---	15000	---	---	7300	4800	170	390	1060	< 40	800	---
MW-SF-1	4/22/04	Secor	---	27000	---	---	11000	11000	510	480	970	< 100	3800	---
MW-SF-1	11/3/04	Secor	---	34000	---	---	12000	13000	400	690	1170	< 100	2600	---
MW-SF-1	5/6/05	Secor	---	12000	---	---	8800	3900	220	240	340	< 30	670	---
MW-SF-1	11/2/05	SECOR	---	15000	---	---	9200	5600	340	330	1050	< 50	570	---
MW-SF-1	5/6/06	SECOR	---	20000	---	---	9000 **	8200	730	570	1050	< 100	1300	---
MW-SF-1	12/8/06	SECOR	---	19000	---	---	20000 **	7000	640	590	960	< 100	650	---
MW-SF-1	3/13/07	SECOR	---	10000	---	---	2700	3400	320	390	790	< 50	160	---
MW-SF-1	5/4/07	SECOR	---	11000	---	---	4600	3400	110	430	229	< 50	340	---
MW-SF-1	8/30/07	SECOR	---	16000	---	---	9000	6000	210	550	290	< 100	430	---
MW-SF-1	11/14/07	SECOR	---	16000	---	---	6300	6100	180	540	213	< 50	400	---
MW-SF-1	2/21/08	SECOR	---	23000	---	---	5600	11000	280	530	500	< 100	1100	---
MW-SF-1	4/16/08	SECOR	---	21000	---	---	11000	11000	350	440	550	< 200	740	---
MW-SF-1	8/14/08	SECOR	---	18000	---	---	27000	8200	240	390	253	< 100	490	---
MW-SF-1	10/16/08	SECOR	---	21000	---	---	12000	10000	280	490	477	< 100	770	---
MW-SF-1	2/24/09	Blaine Tech	---	11000	---	---	10000	6300	85	160	90 J	< 50	420	< 500
MW-SF-1	4/20/09	Blaine Tech	---	16000	---	---	11000	7500	210	340	261	< 100	340	< 1000
MW-SF-1	7/22/09	Blaine Tech	---	12000	---	---	34000	6300	110	180	89	< 50	510	540
MW-SF-1	10/23/09	Blaine Tech	---	21000	---	---	12000	11000	110	350	63	< 100	620	< 1000
MW-SF-1	3/16/10	CH2MHill	---	13000	---	---	12000	5900	56	120	55	< 50	650	< 500
MW-SF-1	5/27/10	CH2MHill	---	8800	---	---	3500	3900	46	150	51	< 40	140	< 400

TABLE 9

HISTORICAL ANALYTICAL RESULTS FOR TPH, BTEX, 1,2-DCA, AND MTBE IN GROUNDWATER
NOVEMBER 1996 THROUGH OCTOBER 2011

Well	Date Sampled	Sampled By	TPH as JP-5 ¹	TPH as Gasoline	TPH as Diesel	TPH as JP-4 ²	TPH as FP ³	Benzene	Toulene	Ethylbenzene	Total Xylenes	1,2-DCA ⁴	MTBE ⁵	TBA ⁶
MW-SF-1	7/13/10	CH2MHill	---	8600	---	---	11000	4000	41	64	< 50	< 50	350	< 500
MW-SF-1	10/7/10	CH2MHill	---	10000	---	---	5000	5200	58	67	< 100	< 100	440	< 1000
MW-SF-1	1/12/11	CH2MHill	---	15000	---	---	15000	8500	< 50	< 50	< 100	< 100	650	< 1000
MW-SF-1	4/13/11	CH2MHill	---	16000	---	---	9400	7800	62	97	93	< 100	450	< 1000
MW-SF-1	7/12/11	CH2MHill	---	8400	---	---	12000	4700	34	76	38	< 50	240	< 500
MW-SF-1	10/12/11	CH2MHill	---	9500	---	---	9800	4500	32	71	37	< 50	180	< 500
MW-SF-10	10/5/10	CH2MHill	---	30000	---	---	220000	1500	1200	600	4500	< 30	31	< 300
MW-SF-10	4/14/11	CH2MHill	---	31000	---	---	160000	520	68	410	6500	< 20	21	< 200
MW-SF-10	10/13/11	CH2MHill	---	18000	---	---	46000	320	320	260	2800	< 20	< 10	< 200
MW-SF-11	10/5/10	CH2MHill	---	7800	---	---	650	4000	210	< 15	166	< 30	140	940
MW-SF-11	4/29/11	CH2MHill	---	16000	---	---	2500	10000	60	95	140	< 100	130	< 1000
MW-SF-11	10/13/11	CH2MHill	---	30000	---	---	2300	14000	250	340	600	< 200	< 100	< 2000
MW-SF-12	10/5/10	CH2MHill	---	17000	---	---	1900	5300	1800	110	1050	< 50	2200	880
MW-SF-12 DUP	10/5/10	CH2MHill	---	18000	---	---	1800	5400	1800	110	1070	< 50	2100	630
MW-SF-12	4/29/11	CH2MHill	---	27000	---	---	19000	5900	4400	340	3400	< 50	2200	< 500
MW-SF-12	10/13/11	CH2MHill	---	110000	---	---	11000	24000	18000	1000	6400	< 200	7200	< 2000
MW-SF-12 DUP	10/13/11	CH2MHill	---	120000	---	---	13000	25000	20000	1300	7900	< 200	7100	< 2000
MW-SF-13	10/5/10	CH2MHill	---	9000	---	---	2900	2100	1000	83	760	< 20	680	280
MW-SF-13	4/29/11	CH2MHill	---	3400	---	---	6300	1000	64	20	189	< 10	39	270
MW-SF-13	10/14/11	CH2MHill	---	42000	---	---	13000	12000	5200	300	2210	< 200	580	< 2000
MW-SF-14	10/8/10	CH2MHill	---	30000	---	---	9300	10000	300	900	2700	< 200	1900	2300
MW-SF-14 DUP	10/8/10	CH2MHill	---	30000	---	---	10000	9800	310	910	2700	< 200	1900	3000
MW-SF-14	4/29/11	CH2MHill	---	18000	---	---	6500	12000	84	130	150	< 100	330	1800
MW-SF-14	10/13/11	CH2MHill	---	20000	---	---	6900	9100	120	< 100	660	< 200	760	< 2000
MW-SF-15	10/5/10	CH2MHill	---	8600	---	---	2000	1900	700	63	760	< 20	1000	9200
MW-SF-15 DUP	10/5/10	CH2MHill	---	8600	---	---	3400	2000	700	63	760	< 20	1000	9000
MW-SF-15	4/29/11	CH2MHill	---	10000	---	---	3800	5500	230	100	361	< 40	1200	3400
MW-SF-15	10/14/11	CH2MHill	---	35000	---	---	39000	11000	860	210	1760	< 200	780	2300
MW-SF-15 DUP	10/14/11	CH2MHill	---	52000	---	---	32000	10000	2300	380	4500	< 200	840	< 2000
MW-SF-16	10/4/10	CH2MHill	---	4100	---	---	1400	1600	150	39	198	< 20	170	1800
MW-SF-16	4/29/11	CH2MHill	---	5900	---	---	2400	2400	210	150	563	< 20	210	370
MW-SF-16	10/14/11	CH2MHill	---	7900	---	---	2500	2900	130	140	385	< 50	200	< 500
MW-SF-2	10/5/10	CH2MHill	---	110000	---	---	180000	21000	18000	1200	11500	< 200	1700	< 2000
MW-SF-2	4/14/11	CH2MHill	---	48000	---	---	26000	15000	1800	600	5400	< 200	930	< 2000
MW-SF-2	10/13/11	CH2MHill	---	72000	---	---	18000	18000	9600	660	5100	< 200	940	< 2000
MW-SF-3	10/4/10	CH2MHill	---	< 500	---	---	3700	32	10	< 2.5	11.6	< 5	50	3000
MW-SF-3	4/29/11	CH2MHill	---	15000	---	---	52000	5200	590	140	520	< 50	2300	1200
MW-SF-3	10/14/11	CH2MHill	---	9500	---	---	3400	4300	< 25	28	38	< 50	98	< 500
MW-SF-4	3/11/03	Geomatrix	---	3600	---	---	2500	1100	<13	180	120	<13	750	---
MW-SF-4	10/8/03	Secor	---	40000	---	---	86000	4600	1900	990	5200	<40	530	---
MW-SF-4	11/2/05	SECOR	---	5300	---	---	30000	1100	66	250	218	<10	190	---
MW-SF-4	2/21/08	SECOR	---	25000	---	---	9900	4100	89	1200	2730	<40	330	---
MW-SF-4	4/16/08	SECOR	---	21000	---	---	11000	4600	94	970	2920	<100	380	---
MW-SF-4	8/14/08	SECOR	---	20000	---	---	54000	4200	43	1100	770	<50	260	---
MW-SF-4	10/16/08	SECOR	---	17000	---	---	12000	3700	42	1100	1196	<40	170	---
MW-SF-4	2/23/09	Blaine Tech	---	20000	---	---	32000	6400	92	1000	1420	<50	950	<500
MW-SF-4	5/28/10	CH2MHill	---	17000	---	---	8800	7200	39	370	250	<50	440	<500
MW-SF-4	7/14/10	CH2MHill	---	13000	---	---	9500	4400	37	450	360	<50	320	<500
MW-SF-4	10/7/10	CH2MHill	---	30000	---	---	31000	8900	<50	940	770	<100	620	<1000
MW-SF-4	1/12/11	CH2MHill	---	20000	---	---	18000	8500	<50	350	280	<100	350	<1000
MW-SF-4 DUP	1/12/11	CH2MHill	---	19000	---	---	21000	8400	<50	320	260	<100	310	<1000
MW-SF-4	4/13/11	CH2MHill	---	11000	---	---	28000	2600	<15	320	297	<30	180	<300
MW-SF-4	7/12/11	CH2MHill	---	15000	---	---	10000	4500	36	530	538	<50	220	<500
MW-SF-5	10/8/10	CH2MHill	---	540	---	---	2700	110	1.1	<1	<2	<2	400	180
MW-SF-5	4/13/11	CH2MHill	---	570	---	---	2900	41	<2	<2	<4	<4	380	270
MW-SF-5	10/13/11	CH2MHill	---	<500	---	---	2900	6.9	<2.5	<2.5	<5	<5	240	100
MW-SF-6	10/8/10	CH2MHill	---	59000	---	---	9200	15000	7200	940	6400	<200	740	<2000
MW-SF-6	4/14/11	CH2MHill	---	32000	---	---	12000	12000	330	540	3800	<100	810	<1000
MW-SF-6	10/13/11	CH2MHill	---	40000	---	---	11000	14000	420	780	3660	<200	570	<2000
MW-SF-6 DUP	10/13/11	CH2MHill	---	39000	---	---	14000	14000	390	770	3530	<200	560	<2000
MW-SF-9	3/11/03	Geomatrix	---	24000	---	---	13000	3200	940	340	1040	<25	1600	---
MW-SF-9	8/1/03	Secor	---	6600	---	---	95000	980	72	140	430	17	2500	---
MW-SF-9	10/7/03	Secor	---	5800	---	---	3300	340	8.8	82	92	<5	3200	---
MW-SF-9	5/4/05	Secor	---	5700	---	---	9700	730	73	130	190	<10	54	---
MW-SF-9	11/3/05	SECOR	---	<500	---	---	690	9.4	<2.5	<2.5	<5	<5	<2.5	---
MW-SF-9	12/8/06	SECOR	---	<500	---	---	10000 [*]	35	<2.5	<2.5	3.6	<5	8.7	---

TABLE 9

HISTORICAL ANALYTICAL RESULTS FOR TPH, BTEX, 1,2-DCA, AND MTBE IN GROUNDWATER
NOVEMBER 1996 THROUGH OCTOBER 2011

Well	Date Sampled	Sampled By	TPH as JP-5 ¹	TPH as Gasoline	TPH as Diesel	TPH as JP-4 ²	TPH as FP ³	Benzene	Toulene	Ethylbenzene	Total Xylenes	1,2-DCA ⁴	MTBE ⁵	TBA ⁶
MW-SF-9	11/14/07	SECOR	---	110	---	---	1400	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	---
MW-SF-9	4/16/08	SECOR	---	920	---	---	5800	200	1.4	6.3	3.9	< 1	16	---
MW-SF-9	10/21/08	SECOR	---	350	---	---	770	10	< 0.5	2.3	< 1	< 1	< 0.5	---
MW-SF-9	4/23/09	Blaine Tech	---	430	---	---	3800	44	< 0.5	1.2	< 1	< 0.5	< 0.5	< 10
MW-SF-9	10/22/09	Blaine Tech	---	2400	---	---	5900	1300	< 10	11	< 20	< 20	13	< 200
MW-SF-9	5/27/10	CH2MHill	---	350	---	---	8200	100	1.3	< 1	< 2	< 2	< 1	< 20
MW-SF-9	10/7/10	CH2MHill	---	1100	---	---	7300	450	7.8	17	< 5	< 5	< 2.5	< 50
MW-SF-9	4/13/11	CH2MHill	---	310	---	---	5900	36	< 0.5	< 0.5	1.23	< 1	< 0.5	< 10
PO-7	11/8/05	PARSONS	---	< 100	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	< 10
PW-1	11/27/96	Terra Services	---	---	---	---	---	< 1	2.2	< 1	2	270	< 10	---
PW-1	7/15/97	Terra Services	---	190	< 500	---	---	< 0.5	< 0.5	< 0.5	< 1	180	< 5	---
PW-1	1/5/98	Terra Services	---	< 100	< 500	---	---	< 0.5	< 0.5	< 0.5	< 1.5	68	< 5	---
PW-1	5/22/98	Terra Services	---	< 300	---	---	---	< 0.5	< 0.5	< 0.5	< 1	38	< 0.5	---
PW-1	11/13/98	Alton Geoscience	---	< 300	---	---	---	< 0.5	< 0.5	< 0.5	< 0.5	73	8.1	---
PW-1	5/6/99	Alton Geoscience	---	< 500	< 500	---	---	< 0.5	< 0.5	< 0.5	< 0.5	5.7	< 0.5	---
PW-1	11/17/99	Secor	---	< 300	---	---	< 100	< 0.5	< 0.5	< 0.5	< 0.5	2.5	< 0.5	---
PW-1	5/17/00	Secor	---	< 300	---	---	< 100	< 0.5	< 0.5	< 0.5	< 0.5	1.5	< 0.5	---
PW-1	11/28/00	Secor	---	< 300	---	---	< 100	< 0.5	< 0.5	< 0.5	< 0.5	0.7	< 0.5	---
PW-1	5/9/01	Secor	---	< 300	---	---	< 100	< 0.5	< 0.5	< 0.5	< 0.5	0.6	< 0.5	---
PW-1	11/7/01	IT Corporation	---	< 300	---	---	< 100	< 0.5	< 0.5	< 0.5	< 0.5	1.3	< 0.5	---
PW-1	4/11/02	Secor	---	< 300	---	---	< 100	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	---
PW-1	10/23/02	Secor	---	< 300	---	---	< 100	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	---
PW-1	4/8/03	Secor	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	---
PW-1	10/8/03	Secor	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	---
PW-1	4/21/04	Secor	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	---
PW-1	11/4/04	Secor	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	---
PW-1	5/5/05	Secor	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 0.5	2.1	< 0.5	---
PW-1	5/6/06	SECOR	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	---
PW-1	12/7/06	SECOR	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	---
PW-1	5/5/07	SECOR	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	---
PW-1	11/14/07	SECOR	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	---
PW-1	4/18/08	SECOR	---	< 50	---	---	460	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	---
PW-1	11/21/08	SECOR	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	---
PW-1	4/20/09	Blaine Tech	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	< 10
PW-1	10/21/09	Blaine Tech	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	< 10
PW-1 DUP	10/21/09	Blaine Tech	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	< 10
PW-1	5/26/10	CH2MHill	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	< 10
PW-1	10/6/10	CH2MHill	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	< 10
PW-1	4/12/11	CH2MHill	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	< 10
PW-1	10/11/11	CH2MHill	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	< 10
PW-2	11/25/96	Terra Services	---	---	---	---	---	< 0.5	< 0.5	< 0.5	< 1.5	76	3.3	---
PW-2	7/14/97	Terra Services	---	140	< 500	---	---	< 0.5	< 0.5	< 0.5	< 1	160	< 5	---
PW-2	1/6/98	Terra Services	---	< 100	< 500	---	---	< 0.5	< 0.5	< 0.5	< 1.5	82	< 5	---
PW-2	5/22/98	Terra Services	---	< 300	---	---	---	< 0.5	< 0.5	< 0.5	< 1	37	0.9	---
PW-2	8/25/98	Geomatrix	---	< 300	---	---	< 100	< 0.5	< 0.5	< 0.5	< 0.5	6.8	< 0.5	---
PW-2	11/16/98	Alton Geoscience	---	< 300	---	---	---	16	18	2	10.9	35	58	---
PW-2	2/3/99	Alton Geoscience	---	< 500	< 500	---	---	< 0.5	< 0.5	< 0.5	< 1	79	2.4	---
PW-2	5/6/99	Alton Geoscience	---	< 500	< 500	---	---	< 0.5	< 0.5	< 0.5	< 0.5	3.4	< 0.5	---
PW-2	8/10/99	Alton Geoscience	---	< 500	< 1000	---	---	< 0.5	< 1	< 1	< 1	32	< 1	---
PW-2	11/19/99	Secor	---	< 300	---	---	< 100	< 0.5	< 0.5	< 0.5	< 0.5	45	0.7	---
PW-2	2/29/00	Secor	---	< 300	---	---	< 100	< 0.5	< 0.5	< 0.5	< 0.5	58	< 0.5	---
PW-2	5/16/00	Secor	---	< 300	---	---	< 100	< 0.5	< 0.5	< 0.5	< 0.5	50	0.8	---
PW-2	8/29/00	Secor	---	< 300	---	---	760	< 0.5	< 0.5	< 0.5	< 0.5	56	0.6	---
PW-2	11/29/00	Secor	---	< 300	---	---	< 100	< 0.5	< 0.5	< 0.5	< 0.5	35	0.6	---
PW-2	2/6/01	Secor	---	< 300	---	---	< 100	< 0.5	< 0.5	< 0.5	< 0.5	28	0.8	---
PW-2	5/8/01	Secor	---	< 300	---	---	< 100	< 0.5	< 0.5	< 0.5	< 0.5	14	< 0.5	---
PW-2 DUP	5/8/01	Secor	---	< 300	---	---	< 100	< 0.5	< 0.5	< 0.5	< 0.5	12	< 0.5	---
PW-2	9/19/01	Secor	---	< 300	---	---	< 100	< 0.5	< 0.5	< 0.5	< 0.5	24	< 0.5	---
PW-2	11/6/01	Secor	---	< 300	---	---	< 100	< 0.5	< 0.5	< 0.5	< 0.5	23	< 0.5	---
PW-2	1/30/02	Secor	---	< 300	---	---	< 100	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	---
PW-2	4/9/02	Secor	---	< 300	---	---	< 100	< 0.5	< 0.5	< 0.5	1.7	19	< 0.5	---
PW-2	10/24/02	Secor	---	< 300	---	---	1000	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	---
PW-2	1/16/03	Geomatrix	---	< 300	---	---	< 100	---	---	---	---	---	---	---
PW-2	4/8/03	Secor	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	---
PW-2	7/7/03	Geomatrix	---	---	---	---	---	< 0.5	< 1	< 1	< 1	< 0.5	< 1	---
PW-2	10/7/03	Secor	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 0.5	8.8	< 0.5	---

TABLE 9

**HISTORICAL ANALYTICAL RESULTS FOR TPH, BTEX, 1,2-DCA, AND MTBE IN GROUNDWATER
NOVEMBER 1996 THROUGH OCTOBER 2011**

Well	Date Sampled	Sampled By	TPH as JP-5 ¹	TPH as Gasoline	TPH as Diesel	TPH as JP-4 ²	TPH as FP ³	Benzene	Toulene	Ethylbenzene	Total Xylenes	1,2-DCA ⁴	MTBE ⁵	TBA ⁶
PW-2	4/21/04	Secor	---	<50	---	---	<100	<0.5	<0.5	<0.5	<0.5	18	0.56	---
PW-2	7/8/04	Geomatrix	---	<50	---	---	250	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
PW-2	11/3/04	Secor	---	83	---	---	140	<0.5	<0.5	<0.5	<0.5	52	1.5	---
PW-2	5/6/05	Secor	---	110	---	---	<100	<0.5	<0.5	<0.5	<0.5	70	6.2	---
PW-2	11/3/05	SECOR	---	<50	---	---	<100	<0.5	<0.5	<0.5	<1	<0.5	<0.5	---
PW-2	5/4/06	SECOR	---	<50	---	---	<100	<0.5	<0.5	<0.5	<1	<0.5	<0.5	---
PW-2	12/6/06	SECOR	---	<50	---	---	<100	<0.5	<0.5	<0.5	<1	6.8	<0.5	---
PW-2 DUP	12/6/06	SECOR	---	<50	---	---	<100	<0.5	<0.5	<0.5	<1	6.9	<0.5	---
PW-2	5/2/07	SECOR	---	<50	---	---	<100	<0.5	<0.5	<0.5	<1	0.57	<0.5	---
PW-2 DUP	5/2/07	SECOR	---	<50	---	---	<100	<0.5	<0.5	<0.5	<1	0.62	<0.5	---
PW-2	11/13/07	SECOR	---	<50	---	---	<100	<0.5	<0.5	<0.5	<1	<0.5	<0.5	---
PW-2 DUP	11/13/07	SECOR	---	<50	---	---	<100	<0.5	<0.5	<0.5	<1	<0.5	<0.5	---
PW-2	4/17/08	SECOR	---	<50	---	---	<100	<0.5	<0.5	<0.5	<1	<0.5	<0.5	---
PW-2 DUP	4/17/08	SECOR	---	<50	---	---	<100	<0.5	<0.5	<0.5	<1	<0.5	<0.5	---
PW-3	11/25/96	Terra Services	---	---	---	---	---	<0.5	<0.5	<0.5	<1.5	110	<5	---
PW-3 DUP	11/25/96	Terra Services	---	---	---	---	---	79	16	140	49	12	610	---
PW-3	7/14/97	Terra Services	---	140	<500	---	---	5.9	2.4	2.9	8.4	67	<5	---
PW-3	1/8/98	Terra Services	---	<100	<500	---	---	1.2	1.1	<0.5	<1.5	46	<5	---
PW-3	5/22/98	Terra Services	---	<300	---	---	---	<0.5	<0.5	<0.5	<1	48	1.6	---
PW-3 DUP	5/22/98	Terra Services	---	<300	---	---	---	<0.5	<0.5	<0.5	<1	49	<0.5	---
PW-3	8/25/98	Geomatrix	---	<300	---	---	<100	<0.5	<0.5	<0.5	<0.5	35.3	<0.5	---
PW-3	11/16/98	Alton Geoscience	---	<300	---	---	---	<0.5	4.5	0.6	3.6	21	<0.5	---
PW-3	2/3/99	Alton Geoscience	---	<500	<500	---	---	<0.5	<0.5	<0.5	<1	25	<0.5	---
PW-3	5/6/99	Alton Geoscience	---	<500	<500	---	---	<0.5	<0.5	<0.5	<0.5	21	<0.5	---
PW-3	8/10/99	Alton Geoscience	---	<500	<1000	---	---	<0.5	<1	<1	<1	13	<1	---
PW-3	11/28/00	Secor	---	<300	---	---	<100	<0.5	<0.5	<0.5	<0.5	3.5	<0.5	---
PW-3	5/8/01	Secor	---	<300	---	---	<100	<0.5	<0.5	<0.5	<0.5	4.4	<0.5	---
PW-3	9/19/01	Secor	---	<300	---	---	<100	<0.5	<0.5	<0.5	<0.5	2.7	<0.5	---
PW-3	11/6/01	Secor	---	<300	---	---	<100	<0.5	<0.5	<0.5	<0.5	4.8	<0.5	---
PW-3	1/30/02	Secor	---	<300	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
PW-3	4/9/02	Secor	---	<300	---	---	<100	<0.5	<0.5	<0.5	<0.5	3	<0.5	---
PW-3	10/24/02	Secor	---	<300	---	---	1600	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
PW-3	1/16/03	Geomatrix	---	<300	---	---	<100	---	---	---	---	---	---	---
PW-3	4/8/03	Secor	---	<50	---	---	<100	<0.5	<0.5	<0.5	<0.5	0.73	<0.5	---
PW-3	7/7/03	Geomatrix	---	---	---	---	---	<0.5	<1	<1	<1	<0.5	<1	---
PW-3	10/7/03	Secor	---	<50	---	---	<100	<0.5	<0.5	<0.5	<0.5	2.6	<0.5	---
PW-3	4/21/04	Secor	---	<50	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
PW-3	7/13/04	Geomatrix	---	<50	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
PW-3	11/3/04	Secor	---	<50	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
PW-3	5/6/05	Secor	---	<50	---	---	<100	<0.5	<0.5	<0.5	<0.5	0.53	<0.5	---
PW-3	11/3/05	SECOR	---	<50	---	---	<100	<0.5	<0.5	<0.5	<1	<0.5	<0.5	---
PW-3	5/3/06	SECOR	---	<50	---	---	<100	<0.5	<0.5	<0.5	<1	<0.5	<0.5	---
PW-3	12/6/06	SECOR	---	<50	---	---	<100	<0.5	<0.5	<0.5	<1	1.1	<0.5	---
PW-3	5/2/07	SECOR	---	<50	---	---	<100	<0.5	<0.5	<0.5	<1	<0.5	<0.5	---
PW-3	11/15/07	SECOR	---	<50	---	---	<100	<0.5	<0.5	<0.5	<1	<0.5	<0.5	---
PW-3	4/17/08	SECOR	---	<50	---	---	<100	<0.5	<0.5	<0.5	<1	<0.5	<0.5	---
PW-3	10/17/08	SECOR	---	<50	---	---	<100	<0.5	<0.5	<0.5	<1	<0.5	<0.5	---
PW-3	4/20/09	Blaine Tech	---	<50	---	---	<100	<0.5	<0.5	<0.5	<1	0.64	<0.5	<10
PW-3	10/21/09	Blaine Tech	---	<50	---	---	<100	<0.5	<0.5	<0.5	<1	0.86	<0.5	<10
PW-3	5/26/10	CH2MHill	---	<50	---	---	<100	<0.5	<0.5	<0.5	<1	1.3	<0.5	<10
PW-3	10/6/10	CH2MHill	---	<50	---	---	<100	<0.5	<0.5	<0.5	<1	<0.5	<0.5	<10
PW-3	4/12/11	CH2MHill	---	<50	---	---	<100	<0.5	<0.5	<0.5	<1	1.4	<0.5	<10
PW-3	10/11/11	CH2MHill	---	<50	---	---	<100	<0.5	<0.5	<0.5	<1	<0.5	<0.5	<10
PZ-1	11/27/96	Terra Services	---	---	---	---	---	79	16	140	49	15	610	---
PZ-1	7/16/97	Terra Services	---	220	<500	---	---	<0.5	<0.5	13	<1	3	480	---
PZ-1	1/6/98	Terra Services	---	<100	<500	---	---	<0.5	<0.5	<0.5	<1.5	1.3	17	---
PZ-1	5/26/98	Terra Services	---	400	---	---	---	<5	<5	<5	<10	<5	370	---
PZ-1 DUP	5/26/98	Terra Services	---	400	---	---	---	<5	<5	<5	<10	<5	360	---
PZ-1	11/16/98	Alton Geoscience	---	516	---	---	<100	110	67	8	38	7.2	320	---
PZ-1	5/6/99	Alton Geoscience	---	2000	<500	---	---	500	<2	13	120	<5	230	---
PZ-1	11/17/99	Secor	---	<300	---	---	<100	<2.5	<2.5	<2.5	<2.5	<2.5	210	---
PZ-1	5/17/00	Secor	---	350	---	---	740	51	<2.5	2.7	<2.5	<2.5	250	---
PZ-1	11/29/00	Secor	---	390	---	---	720	79	<2.5	<2.5	<2.5	<2.5	260	---
PZ-1	5/8/01	Secor	---	<300	---	---	380	15	<0.5	<0.5	<0.5	<0.5	330	---
PZ-1	11/6/01	Secor	---	550	---	---	140	8.4	<0.5	<0.5	0.7	1.4	470	---
PZ-1	4/9/02	Secor	---	<300	---	---	<100	<2.5	<2.5	<2.5	<2.5	<2.5	270	---

TABLE 9

**HISTORICAL ANALYTICAL RESULTS FOR TPH, BTEX, 1,2-DCA, AND MTBE IN GROUNDWATER
NOVEMBER 1996 THROUGH OCTOBER 2011**

Well	Date Sampled	Sampled By	TPH as JP-5 ¹	TPH as Gasoline	TPH as Diesel	TPH as JP-4 ²	TPH as FP ³	Benzene	Toulene	Ethylbenzene	Total Xylenes	1,2-DCA ⁴	MTBE ⁵	TBA ⁶
PZ-10	8/1/03	Secor	---	6300	---	---	1800	710	130	150	890	<10	47	---
PZ-10	10/7/03	Secor	---	6200	---	---	1900	1000	21	230	600	<10	55	---
PZ-10	1/27/04	Secor	---	3100	---	---	1800	560	5.4	63	201	<5	28	---
PZ-10	4/22/04	Secor	---	11000	---	---	8300	2100	29	470	1490	<20	110	---
PZ-10	7/19/04	Secor	---	4800	---	---	2500	890	<5	210	278	<10	45	---
PZ-10	11/3/04	Secor	---	4600	---	---	2800	920	9.1	280	580	<10	50	---
PZ-10	2/3/05	Secor	---	1000	---	---	1200	250	1.4	34	108	<2	42	---
PZ-10	5/4/05	Secor	---	<50	---	---	350	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
PZ-10	11/2/05	SECOR	---	<100	---	---	220	<0.5	<0.5	<0.5	<1	<1	<0.5	---
PZ-10	2/27/06	SECOR	---	<200	---	---	1600 *	<1	<1	<1	<2	<2	6.1	---
PZ-10	5/6/06	SECOR	---	<1000	---	---	1600 *	5.1	<5	<5	<10	<10	36	---
PZ-10	9/20/06	SECOR	---	<200	---	---	640 *	<1	<1	<1	<2	<2	3.6	---
PZ-10	12/6/06	SECOR	---	<500	---	---	2400 *	<2.5	<2.5	<2.5	<5	<5	5.5	---
PZ-10	3/13/07	SECOR	---	<500	---	---	1100	<2.5	<2.5	<2.5	<5	<5	<2.5	---
PZ-10	5/3/07	SECOR	---	<1000	---	---	7100	6.1	<5	<5	<10	<10	<5	---
PZ-10	8/30/07	SECOR	---	<200	---	---	1000	<1	<1	<1	<2	<2	<1	---
PZ-10	11/14/07	SECOR	---	<50	---	---	360	<0.5	<0.5	<0.5	<1	<0.5	<0.5	---
PZ-10	2/21/08	SECOR	---	<200	---	---	510	65	<1	3.1	9.4	<2	<1	---
PZ-10	4/16/08	SECOR	---	950	---	---	670	360	5	20	85	<5	11	---
PZ-10	10/16/08	SECOR	---	<200	---	---	1100	18	<1	<1	<2	<2	1.7	---
PZ-10	4/20/09	Blaine Tech	---	560	---	---	2600	26	<1	3.2	2.5	<2	12	38
PZ-10	7/21/09	Blaine Tech	---	<200	---	---	1700	1.4	<1	<1	<2	<2	9.6	55
PZ-10	10/22/09	Blaine Tech	---	<200	---	---	1200	<1	<1	<1	<2	<2	4.4	30
PZ-10	5/27/10	CH2MHill	---	<100	---	---	940	0.92	<0.5	<0.5	<1	<1	1.4	<10
PZ-10	10/7/10	CH2MHill	---	<100	---	---	830	<0.5	<0.5	<0.5	<1	<1	<0.5	<10
PZ-10	4/13/11	CH2MHill	---	<200	---	---	910	2.8	<1	<1	<2	<2	<1	<20
PZ-3	4/22/04	Parsons	---	---	---	---	56000	6300	<1500	4100	24000	---	<25000	---
PZ-3	4/22/09	PARSONS	2200	---	---	---	---	<2.5	<2.5	<2.5	<5	<2.5	<2.5	<50
PZ-3	4/15/10	PARSONS	1600	---	---	---	---	2.2	<0.5	<0.5	<1	<0.5	0.74	<10
PZ-3	10/8/10	PARSONS	430	---	---	---	---	0.6	<0.50	<0.50	0.51	<0.50	0.69	<10
PZ-3	4/14/11	PARSONS	2700	---	---	---	---	1.3	<0.50	<0.50	<1	<0.50	0.71	<10
PZ-3	10/14/11	PARSONS	<100	---	---	---	---	<0.50	<0.50	<0.50	<1	<0.50	<0.50	<10
PZ-5	10/7/03	Secor	---	6900	---	---	<100	11	<10	<10	<10	<20	9100	---
PZ-5	5/5/05	Secor	---	<50	---	---	<100	0.87	<0.5	<0.5	<0.5	<0.5	43	---
PZ-5	11/2/05	SECOR	---	1200	---	---	<100	<2.5	<2.5	<2.5	<5	<5	2100	---
PZ-5	2/28/06	SECOR	---	160	---	---	<100	<0.5	<0.5	<0.5	<1	<1	380	---
PZ-5	5/4/06	SECOR	---	1200	---	---	<100	<2	<2	<2	<4	<4	1900	---
PZ-5	9/19/06	SECOR	---	480	---	---	<100	<1	<1	<1	<2	<2	1200	---
PZ-5	12/7/06	SECOR	---	480	---	---	<100	<1.5	<1.5	<1.5	<3	<3	960	---
PZ-5	3/13/07	SECOR	---	320	---	---	<100	<1	<1	<1	<2	<2	690	---
PZ-5 DUP	3/13/07	SECOR	---	340	---	---	<100	<1	<1	<1	<2	<2	740	---
PZ-5	5/4/07	SECOR	---	400	---	---	<100	<0.5	<0.5	<0.5	<1	<1	610	---
PZ-5 DUP	5/4/07	SECOR	---	480	---	---	<100	<1	<1	<1	<2	<2	640	---
PZ-5 DUP	8/28/07	SECOR	---	360	---	---	<100	<1	<1	<1	<2	<2	460	---
PZ-5	8/29/07	SECOR	---	380	---	---	<100	<1	<1	<1	<2	<2	480	---
PZ-5	11/15/07	SECOR	---	370	---	---	<100	<0.5	<0.5	<0.5	<1	<1	470	---
PZ-5	2/20/08	SECOR	---	940	---	---	560	<1	<1	<1	<2	<2	750	---
PZ-5 DUP	2/20/08	SECOR	---	1000	---	---	530	<1	<1	<1	<2	<2	780	---
PZ-5	4/15/08	SECOR	---	750	---	---	330	<1	<1	<1	<2	<2	740	---
PZ-5 DUP	4/15/08	SECOR	---	730	---	---	420	<1	<1	<1	<2	<2	740	---
PZ-5	8/12/08	SECOR	---	1500	---	---	370	<2	<2	<2	<4	<4	2000	---
PZ-5 DUP	8/12/08	SECOR	---	1600	---	---	410	<1	<1	<1	<2	<2	2000	---
PZ-5	10/16/08	SECOR	---	<3000	---	---	210	22	<15	<15	<30	<30	1900	---
PZ-5 DUP	10/16/08	SECOR	---	<3000	---	---	330	21	<15	<15	<30	<30	2200	---
PZ-5	2/24/09	Blaine Tech	---	1000	---	---	440	61	<1	<1	<2	<2	1200	37000
PZ-5 DUP	2/24/09	Blaine Tech	---	1000	---	---	450	61	<1	<1	<2	<2	1200	37000
PZ-5 SPLIT ¹²	2/24/09	Blaine Tech	---	2400	---	---	1000	71	<100	<100	<200	<50	1400	47000
PZ-5	4/23/09	Blaine Tech	---	1200	---	---	760	250	<2	5.7	<4	<4	1200	35000
PZ-5 DUP	4/23/09	Blaine Tech	---	1200	---	---	790	270	<2	6.8	<4	<4	1200	41000
PZ-5	7/22/09	Blaine Tech	---	3800	---	---	1800	2000	20	98	77	<5	800	54000
PZ-5 DUP	7/22/09	Blaine Tech	---	3500	---	---	1900	1900	19	92	72	<5	780	52000
PZ-5	10/23/09	Blaine Tech	---	2900	---	---	1300	1100	18	53	69	<10	500	50000
PZ-5 DUP	10/23/09	Blaine Tech	---	3000	---	---	1300	1100	18	55	74	<10	530	48000
PZ-5	3/16/10	CH2MHill	---	1700	---	---	890	370	2.1	33	9.4	<4	350	58000
PZ-5 DUP	3/16/10	CH2MHill	---	1700	---	---	850	360	<2	33	9.7	<4	340	60000
PZ-5	4/16/10	CH2MHill	---	1600	---	---	1100	110	<2.5	9.7	4.6	<5	340	91000

TABLE 9

**HISTORICAL ANALYTICAL RESULTS FOR TPH, BTEX, 1,2-DCA, AND MTBE IN GROUNDWATER
NOVEMBER 1996 THROUGH OCTOBER 2011**

Well	Date Sampled	Sampled By	TPH as JP-5 ¹	TPH as Gasoline	TPH as Diesel	TPH as JP-4 ²	TPH as FP ³	Benzene	Toulene	Ethylbenzene	Total Xylenes	1,2-DCA ⁴	MTBE ⁵	TBA ⁶
PZ-5	5/27/10	CH2MHill	---	5000	---	---	1300	1100	<25	66	<50	<50	360	69000
PZ-5 DUP	5/27/10	CH2MHill	---	5000	---	---	1400	1000	<25	63	<50	<50	350	68000
PZ-5	6/22/10	CH2MHill	---	3600	---	---	900	1500	<10	96	<20	<20	450	73000
PZ-5	7/14/10	CH2MHill	---	4600	---	---	1300	1900	<10	180	<20	<20	530	82000
PZ-5 DUP	7/14/10	CH2MHill	---	4500	---	---	990	1800	<10	170	<20	<20	500	84000
PZ-5	8/12/10	CH2MHill	---	9100	---	---	1600	4400	<5	340	50.6	<10	490	64000
PZ-5 DUP	8/12/10	CH2MHill	---	8300	---	---	1600	4200	<5	300	45.9	<10	450	60000
PZ-5	9/20/10	CH2MHill	---	8500	---	---	1800	4200	2.8	110	16.8	<4	370	43000
PZ-5 DUP	9/20/10	CH2MHill	---	8400	---	---	1800	4100	2.8	110	16.6	<4	370	44000
PZ-5	10/7/10	CH2MHill	---	6300	---	---	1000	3100	<20	56	<40	<40	150	40000
PZ-5 DUP	10/7/10	CH2MHill	---	9000	---	---	1800	3800	<20	68	<40	<40	190	51000
PZ-5	11/16/10	CH2MHill	---	3400	---	---	1600	1600	<10	10	15	<20	130	20000
PZ-5 DUP	11/16/10	CH2MHill	---	4400	---	---	1600	2000	<10	13	17	<20	190	26000
PZ-5	12/22/10	CH2MHill	---	3400	---	---	1700	1600	<10	<10	<20	<20	100	22000
PZ-5	1/12/11	CH2MHill	---	4000	---	---	1200	1500	<5	<5	<10	<10	130	38000
PZ-5 DUP	1/12/11	CH2MHill	---	4000	---	---	1200	1500	<5	<5	<10	<10	130	40000
PZ-5	2/24/11	CH2MHill	---	1400	---	---	400	390	<2	<2	3.8	<4	84	27000
PZ-5	3/23/11	CH2MHill	---	1100	---	---	820	210	<1	<1	2.4	<2	140	29000
PZ-5 DUP	3/23/11	CH2MHill	---	1100	---	---	820	220	<1	<1	2.2	<2	140	30000
PZ-5	4/13/11	CH2MHill	---	830	---	---	520	59	<1	<1	<2	<2	120	28000
PZ-5	5/13/11	CH2MHill	---	2000	---	---	830	710	4.7	25	25.8	<5	140	34000
PZ-5 DUP	5/13/11	CH2MHill	---	2200	---	---	750	770	4.9	27	28	<5	150	33000
PZ-5	6/22/11	CH2MHill	---	4500	---	---	1100	960	9	30	80	<10	100	33000
PZ-5 DUP	6/22/11	CH2MHill	---	3000	---	---	1300	990	9.1	30	80	<10	110	33000
PZ-5	7/12/11	CH2MHill	---	3300	---	---	1200	1500	16	50	77	<20	110	34000
PZ-5 DUP	7/12/11	CH2MHill	---	3200	---	---	1300	1400	15	48	70	<20	110	35000
PZ-5	8/19/11	CH2MHill	---	2600	---	---	1200	750	9	63	45.4	<10	150	47000
PZ-5 DUP	8/19/11	CH2MHill	---	2600	---	---	1300	740	9	61	44.2	<10	150	80000
PZ-5	9/22/11	CH2MHill	---	4700	---	---	1400	1600	33	100	197	<20	200	64000
PZ-5 DUP	9/22/11	CH2MHill	---	4600	---	---	1600	1600	32	99	193	<20	190	63000
PZ-5	10/14/11	CH2MHill	---	4600	---	---	1500	1500	31	130	189	<10	170	58000
PZ-5 DUP	10/14/11	CH2MHill	---	4600	---	---	1500	1400	32	130	197	<10	170	65000
PZ-6	11/30/00	Secor	---	<300	---	---	<100	<0.5	0.5	<0.5	<0.5	<0.5	<0.5	---
PZ-6	5/8/01	Secor	---	<300	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
PZ-6	7/8/03	Geomatrix	---	---	---	---	---	<0.5	<1	<1	<1	<0.5	<1	---
PZ-6	4/27/04	Geomatrix	---	<50	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
PZ-6	7/8/04	Geomatrix	---	<50	---	---	<100	<0.5	<0.5	<0.5	<0.5	0.5	<0.5	---
PZ-7A	6/13/03	Secor	---	340	---	---	<100	<0.5	<0.5	<0.5	<0.5	<1	660	---
PZ-7A	9/24/03	Secor	---	160	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	390	---
PZ-7A	10/10/03	Geomatrix	---	240	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	340	---
PZ-7B	6/13/03	Secor	---	98	---	---	<100	<0.5	<0.5	<0.5	<0.5	0.51	51	---
PZ-7B	9/24/03	Secor	---	61	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	67	---
PZ-7B	10/10/03	Geomatrix	---	90	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	2.3	---
PZ-8A	6/13/03	Secor	---	<50	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	12	---
PZ-8A	9/24/03	Secor	---	<50	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	1.7	---
PZ-8A	10/10/03	Geomatrix	---	<50	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	2.8	---
PZ-8A	12/6/06	SECOR	---	<50	---	---	<100	<0.5	<0.5	<0.5	<1	<0.5	<0.5	---
PZ-8B	6/13/03	Secor	---	<50	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	31	---
PZ-8B	9/24/03	Secor	---	86	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	180	---
PZ-8B	10/10/03	Geomatrix	---	310	---	---	<100	<0.5	<0.5	<0.5	<0.5	<1	440	---
PZ-8B	12/6/06	SECOR	---	<50	---	---	<100	<0.5	<0.5	<0.5	<1	<0.5	<0.5	---
PZ-9A	6/13/03	Secor	---	<50	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
PZ-9A	9/24/03	Secor	---	<50	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
PZ-9A	10/10/03	Geomatrix	---	<50	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
PZ-9B	6/13/03	Secor	---	75	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	50	---
PZ-9B	9/24/03	Secor	---	<50	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	7.9	---
PZ-9B	10/10/03	Geomatrix	---	<50	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	3.9	---
TF-14	9/18/03	Parsons	---	---	---	---	20000	210	<2.5	62	88.8	<2.5	<2.5	---
TF-14	2/21/04	Parsons	---	---	---	12000	---	370	<1	130	---	---	1.2	---
TF-16	4/14/03	Groundwater Technology Inc	---	---	---	---	4450	23.8	5.03	15.3	16.8	---	9.51	---
TF-16	9/18/03	Parsons	---	---	---	---	59000	280	8.3	24	211	<0.5	9.1	---
TF-16	10/11/03	Parsons	---	---	---	---	7400	150	7	27	91	---	<25	---
TF-16	2/21/04	Parsons	---	---	---	48000	---	120	2.4	23	---	---	5.6	---
TF-16	4/21/04	Parsons	---	---	---	---	23000	200	30	40	320	---	4.6	---
TF-16	11/4/04	Parsons	---	---	---	---	16000	180	4	20	320	---	<10	---
TF-16	5/6/05	Parsons	---	---	---	---	27000	43	10	4.6	73	---	<25	---

TABLE 9

**HISTORICAL ANALYTICAL RESULTS FOR TPH, BTEX, 1,2-DCA, AND MTBE IN GROUNDWATER
NOVEMBER 1996 THROUGH OCTOBER 2011**

Well	Date Sampled	Sampled By	TPH as JP-5 ¹	TPH as Gasoline	TPH as Diesel	TPH as JP-4 ²	TPH as FP ³	Benzene	Toulene	Ethylbenzene	Total Xylenes	1,2-DCA ⁴	MTBE ⁵	TBA ⁶
TF-16	11/8/05	PARSONS	---	---	---	---	4200	25	0.86	3.4	20	---	8.5	---
TF-16	5/4/06	PARSONS	---	---	---	---	33000	52	0.89	10	49	---	< 5	---
TF-16	12/8/06	PARSONS	---	---	---	---	3500	28	< 0.50	1.5	3	---	< 5.0	---
TF-16	5/4/07	PARSONS	---	---	---	---	13000	520	< 2.5	5.4	10	---	< 25	---
TF-16	11/15/07	PARSONS	---	---	---	---	5200	450	< 0.50	< 0.50	< 1.0	---	9.3	---
TF-16	4/17/08	PARSONS	---	---	---	---	4300	570	1.3	3.2	4.1	---	< 10	---
TF-16	10/16/08	PARSONS	3100	---	---	---	---	330	< 2.5	< 2.5	< 5	< 2.5	6.3	< 50
TF-16	4/24/09	PARSONS	2200	---	---	---	---	24	< 0.50	< 0.50	< 1	< 0.50	4.1	11
TF-16	10/26/09	PARSONS	960	---	---	---	---	7.6	< 0.50	0.34	< 1	< 0.50	3.9	11
TF-16	4/15/10	PARSONS	1000	---	---	---	---	10	< 0.5	0.38 J	< 1	---	3.5	8.2 J
TF-16	4/15/11	PARSONS	870	---	---	---	---	---	---	---	---	---	---	---
TF-16	4/22/11	PARSONS	---	---	---	---	---	40	< 0.50	1.1	0.80 J	< 0.50	3.4	11
TF-21	4/10/03	Groundwater Technology Inc.	---	---	---	---	476	267	1.63	8.13	9.83	---	< 3	---
TF-21	9/18/03	Parsons	---	---	---	---	1800	560	< 5	5.6	< 5	< 5	< 5	---
TF-21	10/8/03	Parsons	---	---	---	---	2500	390	< 0.6	4.2	< 0.6	---	< 10	---
TF-21	2/21/04	Parsons	---	---	---	1500	---	820	< 2.5	< 2.5	---	---	3.6	---
TF-21	4/21/04	Parsons	---	---	---	---	2000	550	< 1	1.6	5.8	---	2.7	---
TF-21	11/4/04	Parsons	---	---	---	---	860	10	< 0.3	< 0.3	1.2	---	< 5	---
TF-21	5/5/05	Parsons	---	---	---	---	3600	190	13	45	310	---	< 100	---
TF-21	11/5/05	PARSONS	---	---	---	---	2200	140	0.61	3.7	39	---	6.1	---
TF-21 DUP	11/5/05	PARSONS	---	---	---	---	2500	150	2.9	4.1	38	---	< 25	---
TF-21	5/3/06	PARSONS	---	---	---	---	3200	140	4.3	3.9	10	---	5.1	---
TF-21	12/6/06	PARSONS	---	---	---	---	1100	44	< 0.50	< 0.50	5	---	< 5.0	---
TF-21	5/4/07	PARSONS	---	---	---	---	3200	80	0.93	0.86	2.2	---	7.2	---
TF-21	11/16/07	PARSONS	---	---	---	---	790	170	< 0.50	< 0.50	< 1.0	---	< 5.0	---
TF-21	4/17/08	PARSONS	---	---	---	---	980	190	< 0.50	4.4	2.4	---	< 5.0	---
TF-21	10/15/08	PARSONS	810	---	---	---	---	37	< 0.50	< 0.50	< 1	< 0.50	1	23
TF-21	4/24/09	PARSONS	350	---	---	---	---	40	< 0.50	< 0.50	< 1	< 0.50	< 0.50	18
TF-21	10/26/09	PARSONS	960	---	---	---	---	50	< 0.50	0.46	< 1	< 0.50	0.74	19
TF-21	4/16/10	PARSONS	1100	---	---	---	---	120	0.37 J	1.1	1.16 J	---	< 0.5	15
TF-21	4/15/11	PARSONS	2000	---	---	---	---	---	---	---	---	---	---	---
TF-21	4/22/11	PARSONS	---	---	---	---	---	160	< 0.50	1.4	3.1	< 0.50	0.71	20
TF-8	9/18/03	Parsons	---	---	---	---	< 100	1.2	< 0.5	0.77	2.74	< 0.5	24	---
TF-8	2/21/04	Parsons	---	---	---	520	---	3.2	< 0.5	< 0.5	---	---	46	---
WCW-1	11/25/96	GSI	---	< 50	< 500	< 500	---	< 0.5	< 0.5	< 0.5	< 1.5	0.6	< 5	---
WCW-1	7/15/97	Terra Services	---	< 100	< 500	---	---	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 5	---
WCW-1	1/5/98	Groundwater Technology Inc.	---	< 500	< 100	< 100	---	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	---
WCW-1	5/23/98	Terra Services	---	< 300	---	---	---	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	---
WCW-1	8/25/98	Geomatrix	---	< 300	---	---	< 100	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	---
WCW-1	11/4/98	Groundwater Technology Inc.	---	< 300	---	---	< 100	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	---
WCW-1	2/2/99	Alton Geoscience	---	< 500	< 500	---	---	< 0.5	< 0.5	< 0.5	< 1	< 1	< 0.5	---
WCW-1 DUP	2/2/99	Alton Geoscience	---	< 500	< 500	---	---	< 0.5	< 0.5	< 0.5	< 1	< 1	< 0.5	---
WCW-1	5/6/99	Alton Geoscience	---	< 500	< 500	---	---	2.1	9.8	0.8	4.4	< 1	< 0.5	---
WCW-1	8/10/99	Alton Geoscience	---	< 500	< 1000	---	---	< 0.5	< 1	< 1	< 1	< 0.5	< 1	---
WCW-1	11/18/99	IT Corporation	---	< 300	---	---	< 100	< 0.5	< 1	< 0.5	< 0.5	< 0.5	< 0.5	---
WCW-1	2/28/00	Secor	---	< 300	---	---	< 100	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	---
WCW-1	5/19/00	Secor	---	< 300	---	---	< 100	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	---
WCW-1	8/28/00	Secor	---	< 300	---	---	< 100	< 0.5	< 0.5	< 0.5	< 0.5	0.5	< 0.5	---
WCW-1	11/30/00	IT Corporation	---	< 300	---	---	< 100	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	---
WCW-1	2/5/01	Secor	---	< 300	---	---	< 100	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	---
WCW-1	5/10/01	Secor	---	< 300	---	---	< 100	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	---
WCW-1	9/18/01	Secor	---	< 300	---	---	< 100	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	---
WCW-1	11/8/01	IT Corporation	---	< 300	---	---	< 100	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	---
WCW-1	1/30/02	Secor	---	< 300	---	---	< 100	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	---
WCW-1	4/11/02	Secor	---	< 300	---	---	< 100	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	---
WCW-1	10/24/02	Groundwater Technology Inc.	---	< 300	---	---	< 100	< 0.5	< 1	< 1	< 1	< 0.5	< 1	---
WCW-1	10/11/03	Parsons	---	< 100	---	---	< 100	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	1.5
WCW-1	5/6/05	Secor	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	---
WCW-1	5/3/07	SECOR	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	---
WCW-1	11/13/07	PARSONS	---	< 100	---	---	< 100	< 0.50	< 0.50	< 0.50	< 1	< 0.50	< 0.50	< 10
WCW-1	4/18/08	SECOR	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	---
WCW-1	4/21/09	Blaine Tech	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	< 10
WCW-1	5/25/10	CH2MHill	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	< 10
WCW-1	4/11/11	CH2MHill	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	< 10
WCW-10	11/25/96	GSI	---	< 50	< 500	< 500	---	< 0.5	< 0.5	< 0.5	< 1.5	< 0.5	< 5	---
WCW-10	7/8/97	Terra Services	---	< 100	< 500	---	---	< 0.5	2.2	< 0.5	< 1	< 0.5	< 5	---

TABLE 9

HISTORICAL ANALYTICAL RESULTS FOR TPH, BTEX, 1,2-DCA, AND MTBE IN GROUNDWATER
NOVEMBER 1996 THROUGH OCTOBER 2011

Well	Date Sampled	Sampled By	TPH as JP-5 ¹	TPH as Gasoline	TPH as Diesel	TPH as JP-4 ²	TPH as FP ³	Benzene	Toulene	Ethylbenzene	Total Xylenes	1,2-DCA ⁴	MTBE ⁵	TBA ⁶
WCW-10 DUP	7/10/97	Terra Services	---	---	---	---	---	<0.5	2.2	<0.5	<1	<0.5	<5	---
WCW-10	1/5/98	Groundwater Technology Inc	---	<500	<100	<100	---	<0.5	<0.5	<0.5	<1	<0.5	<0.5	---
WCW-10	5/19/98	Terra Services	---	---	---	---	---	<0.5	<0.5	<0.5	<1	<0.5	<0.5	---
WCW-10	11/4/98	Groundwater Technology Inc	---	<300	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
WCW-10	5/5/99	Alton Geoscience	---	<500	<500	---	---	<0.5	0.8	<0.5	<0.5	<1	<0.5	---
WCW-10	11/17/99	IT Corporation	---	<300	---	---	<100	<0.5	<0.5	<0.5	0.8	<0.5	<0.5	---
WCW-10	5/19/00	Secor	---	<300	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
WCW-10	11/30/00	IT Corporation	---	<300	---	---	<100	1	<0.5	<0.5	0.7	<0.5	<0.5	---
WCW-10	5/10/01	Secor	---	<300	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
WCW-10	11/8/01	IT Corporation	---	<300	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
WCW-10	4/9/02	Secor	---	<300	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
WCW-11	11/25/96	GSI	---	<50	<500	<500	---	<0.5	<0.5	<0.5	<1.5	<0.5	<5	---
WCW-11	7/8/97	Terra Services	---	<100	<500	---	---	<0.5	2.5	<0.5	<1	<0.5	<5	---
WCW-11	1/5/98	Groundwater Technology Inc	---	<500	<100	<100	---	<0.5	<0.5	<0.5	<1	<0.5	<0.5	---
WCW-11	5/18/98	Terra Services	---	---	---	---	---	<0.5	<0.5	<0.5	<1	<0.5	<0.5	---
WCW-11	11/3/98	Groundwater Technology Inc	---	<300	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
WCW-11	5/6/99	Alton Geoscience	---	<500	<500	---	---	<0.5	<0.5	<0.5	<0.5	<1	<0.5	---
WCW-11	11/17/99	IT Corporation	---	<300	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
WCW-11	5/18/00	Secor	---	<300	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
WCW-11	11/30/00	IT Corporation	---	<300	---	---	<100	0.8	<0.5	<0.5	<0.5	<0.5	<0.5	---
WCW-11	5/9/01	Secor	---	<300	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
WCW-11	11/8/01	IT Corporation	---	<300	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
WCW-11	4/9/02	Secor	---	<300	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
WCW-12	11/25/96	GSI	---	<50	<500	<500	---	<0.5	<0.5	<0.5	<1.5	<0.5	<5	---
WCW-12	7/9/97	Terra Services	---	<100	<500	---	---	<0.5	2.5	<0.5	<1	<0.5	<5	---
WCW-12	1/5/98	Groundwater Technology Inc	---	<500	<100	<100	---	<0.5	<0.5	<0.5	<1	<0.5	<0.5	---
WCW-12	5/18/98	Terra Services	---	---	---	---	---	<0.5	<0.5	<0.5	<1	<0.5	<0.5	---
WCW-12	11/3/98	Groundwater Technology Inc	---	<300	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
WCW-12	5/6/99	Alton Geoscience	---	<500	<500	---	---	1.4	5.3	<0.5	2.3	<1	<0.5	---
WCW-12	11/17/99	IT Corporation	---	<300	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
WCW-12	5/18/00	Secor	---	<300	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
WCW-12	11/30/00	IT Corporation	---	<300	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
WCW-12	5/9/01	Secor	---	<300	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
WCW-12	11/8/01	IT Corporation	---	<300	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
WCW-12	4/9/02	Secor	---	<300	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
WCW-12	10/24/02	Groundwater Technology Inc	---	<300	---	---	<100	<0.5	<1	<1	<1	<0.5	<1	---
WCW-12	4/9/03	Secor	---	<50	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
WCW-12	5/10/04	Secor	---	<50	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
WCW-12	11/3/04	PARSONS	---	<100	---	---	3600	<0.5	<0.5	<0.5	---	<0.5	<0.5	<10
WCW-12	3/2/05	PARSONS	---	<100	---	---	<100	<0.5	<1	<1	<1	---	<1	---
WCW-12	5/5/05	Secor	---	<50	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
WCW-12	11/5/05	PARSONS	---	<100	---	---	<100	<0.5	<0.5	<0.5	<1	<0.5	<0.5	<10
WCW-12	5/5/06	SECOR	---	<50	---	---	<100	<0.5	<0.5	<0.5	<1	<0.5	<0.5	---
WCW-12	12/8/06	PARSONS	---	<100	---	---	<100	<0.50	<0.50	<0.50	<1	<0.50	<0.50	<10
WCW-12	5/1/07	SECOR	---	<50	---	---	<100	<0.5	<0.5	<0.5	<1	<0.5	<0.5	---
WCW-12	11/13/07	PARSONS	---	<100	---	---	<100	<0.50	<0.50	<0.50	<1	<0.50	<0.50	<10
WCW-12	4/18/08	SECOR	---	<50	---	---	<100	<0.5	<0.5	<0.5	<1	<0.5	<0.5	---
WCW-12	10/17/08	PARSONS	<100	<100	---	---	---	<0.50	<0.50	<0.50	<1	<0.50	<0.50	<10
WCW-12	4/21/09	Blaine Tech	---	<50	---	---	<100	<0.5	<0.5	<0.5	<1	<0.5	<0.5	<10
WCW-12	10/27/09	PARSONS	<100	<100	---	---	---	<0.50	<0.50	<0.50	<1	<0.50	<0.50	<10
WCW-12	5/24/10	CH2MHill	---	<50	---	---	<100	<0.5	<0.5	<0.5	<1	<0.5	<0.5	<10
WCW-12	10/7/10	PARSONS	<100	<100	---	---	---	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	<10
WCW-12	4/11/11	CH2MHill	<---	<50	---	---	<100	<0.5	<0.5	<0.5	<1	<0.5	<0.5	<10
WCW-12	10/14/11	PARSONS	<100	---	---	---	---	<0.50	<0.50	<0.50	<1	<0.50	<0.50	<10
WCW-13	11/25/96	GSI	---	<50	<500	<500	---	<0.5	<0.5	<0.5	<1.5	<0.5	<5	---
WCW-13	7/9/97	Terra Services	---	<100	<500	---	---	<0.5	<0.5	<0.5	<1	<0.5	<5	---
WCW-13	1/5/98	Groundwater Technology Inc	---	<500	<100	<100	---	<0.5	<0.5	<0.5	<1	<0.5	<0.5	---
WCW-13	5/18/98	Terra Services	---	---	---	---	---	<0.5	<0.5	<0.5	<1	<0.5	1.4	---
WCW-13	11/3/98	Groundwater Technology Inc	---	<300	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
WCW-13	5/6/99	Alton Geoscience	---	<500	<500	---	---	0.88	3.1	<0.5	0.87	<1	<0.5	---
WCW-13	11/17/99	IT Corporation	---	<300	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
WCW-13	5/18/00	Secor	---	<300	---	---	<100	<0.5	<0.5	<0.5	<0.5	0.8	<0.5	---
WCW-13	8/28/00	Secor	---	<300	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
WCW-13	11/30/00	IT Corporation	---	<300	---	---	<100	0.6	<0.5	<0.5	<0.5	1	<0.5	---
WCW-13	2/5/01	Secor	---	<300	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
WCW-13	5/9/01	Secor	---	<300	---	---	<100	<0.5	<0.5	<0.5	<0.5	0.6	<0.5	---

TABLE 9

**HISTORICAL ANALYTICAL RESULTS FOR TPH, BTEX, 1,2-DCA, AND MTBE IN GROUNDWATER
NOVEMBER 1996 THROUGH OCTOBER 2011**

Well	Date Sampled	Sampled By	TPH as JP-5 ¹	TPH as Gasoline	TPH as Diesel	TPH as JP-4 ²	TPH as FP ³	Benzene	Toulene	Ethylbenzene	Total Xylenes	1,2-DCA ⁴	MTBE ⁵	TBA ⁶
WCW-13	9/18/01	Secor	---	<300	---	---	<100	<0.5	<0.5	<0.5	<0.5	1	<0.5	---
WCW-13	11/8/01	IT Corporation	---	<300	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
WCW-13	1/30/02	Secor	---	<300	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
WCW-13	4/9/02	Secor	---	<300	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
WCW-13	7/30/02	IT Corporation	---	<300	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
WCW-13	10/24/02	Groundwater Technology Inc	---	<300	---	---	<100	<0.5	<1	<1	<1	<0.5	<1	---
WCW-13	1/28/03	Secor	---	<300	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
WCW-13	4/9/03	Secor	---	<50	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
WCW-13	7/30/03	Secor	---	<50	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
WCW-13	1/28/04	Secor	---	<50	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
WCW-13	5/10/04	Secor	---	<50	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
WCW-13	7/20/04	Secor	---	<50	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
WCW-13	11/3/04	Parsons	---	<100	---	---	<100	<0.5	<0.5	<0.5	---	<0.5	<0.5	<10
WCW-13	2/3/05	Secor	---	<50	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
WCW-13	5/5/05	Secor	---	<50	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
WCW-13	11/5/05	PARSONS	---	<100	---	---	<100	<0.5	<0.5	<0.5	<1	<0.5	<0.5	<10
WCW-13	2/28/06	SECOR	---	<50	---	---	<100	<0.5	<0.5	<0.5	<1	<0.5	<0.5	---
WCW-13	5/5/06	SECOR	---	<50	---	---	<100	<0.5	<0.5	<0.5	<1	<0.5	<0.5	---
WCW-13	9/20/06	SECOR	---	<50	---	---	<100	<0.5	<0.5	<0.5	<1	<0.5	<0.5	---
WCW-13	12/8/06	PARSONS	---	<100	---	---	<100	<0.50	<0.50	<0.50	<1	<0.50	<0.50	<10
WCW-13	3/13/07	SECOR	---	<50	---	---	<100	<0.5	<0.5	<0.5	<1	<0.5	<0.5	---
WCW-13	5/1/07	SECOR	---	<50	---	---	<100	<0.5	<0.5	<0.5	<1	<0.5	<0.5	---
WCW-13	8/28/07	SECOR	---	<50	---	---	<100	<0.5	<0.5	<0.5	<1	<0.5	<0.5	---
WCW-13	11/13/07	PARSONS	---	<100	---	---	<100	<0.50	<0.50	<0.50	<1	<0.50	<0.50	<10
WCW-13	2/21/08	SECOR	---	<50	---	---	<100	<0.5	<0.5	<0.5	<1	<0.5	<0.5	---
WCW-13	4/18/08	SECOR	---	<50	---	---	<100	<0.5	<0.5	<0.5	<1	<0.5	<0.5	---
WCW-13	8/13/08	SECOR	---	<50	---	---	<100	<0.5	<0.5	<0.5	<1	<0.5	<0.5	---
WCW-13	10/17/08	PARSONS	<100	<100	---	---	---	<0.50	<0.50	<0.50	<1	<0.50	<0.50	<10
WCW-13	2/23/09	Blaine Tech	---	<50	---	---	<100	<0.5	<0.5	<0.5	<1	<0.5	<0.5	---
WCW-13	4/21/09	Blaine Tech	---	<50	---	---	<100	<0.5	<0.5	<0.5	<1	<0.5	<0.5	<10
WCW-13	7/20/09	Blaine Tech	---	<50	---	---	<100	<0.5	<0.5	<0.5	<1	<0.5	<0.5	<10
WCW-13	10/27/09	PARSONS	<100	<100	---	---	---	<0.50	<0.50	<0.50	<1	<0.50	<0.50	<10
WCW-13	3/15/10	CH2MHill	---	<50	---	---	<100	<0.5	<0.5	<0.5	<1	<0.5	<0.5	<10
WCW-13	5/24/10	CH2MHill	---	<50	---	---	<100	<0.5	<0.5	<0.5	<1	<0.5	<0.5	<10
WCW-13	7/12/10	CH2MHill	---	<50	---	---	<100	<0.5	<0.5	<0.5	<1	<0.5	<0.5	<10
WCW-13	10/8/10	CH2MHill	---	<50	---	---	<100	<0.5	<0.5	<0.5	<1	<0.5	<0.5	<10
WCW-13	1/10/11	CH2MHill	---	<50	---	---	<100	<0.5	<0.5	<0.5	<1	<0.5	<0.5	<10
WCW-13	4/11/11	CH2MHill	---	<50	---	---	<100	<0.5	<0.5	<0.5	<1	<0.5	<0.5	<10
WCW-13	7/11/11	CH2MHill	---	<50	---	---	<100	<0.5	<0.5	<0.5	<1	<0.5	<0.5	<10
WCW-13	10/11/11	CH2MHill	---	<50	---	---	<100	<0.5	<0.5	<0.5	<1	<0.5	<0.5	<10
WCW-14	11/3/98	Groundwater Technology Inc	---	<300	---	---	<100	<0.5	<0.5	<0.5	<0.5	1.5	<0.5	---
WCW-14	5/6/99	Alton Geoscience	---	<500	<500	---	---	1.8	6.6	0.55	3	<1	<0.5	---
WCW-14	11/17/99	IT Corporation	---	<300	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
WCW-14	5/18/00	Secor	---	<300	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
WCW-14	11/30/00	IT Corporation	---	<300	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
WCW-14	5/9/01	Secor	---	<300	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
WCW-14	11/8/01	IT Corporation	---	<300	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
WCW-14	4/9/02	Secor	---	<300	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
WCW-14	10/24/02	Groundwater Technology Inc	---	<300	---	---	<100	<0.5	<1	<1	<1	<0.5	<1	---
WCW-14	4/9/03	Secor	---	<50	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
WCW-14	5/10/04	Secor	---	<50	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
WCW-14	11/3/04	Parsons	---	<100	---	---	<100	<0.5	<0.5	<0.5	---	<0.5	<0.5	<10
WCW-14	5/5/05	Secor	---	<50	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
WCW-14	11/5/05	PARSONS	---	<100	---	---	<100	<0.5	<0.5	<0.5	<1	<0.5	<0.5	<10
WCW-14	5/5/06	SECOR	---	<50	---	---	<100	<0.5	<0.5	<0.5	<1	<0.5	<0.5	---
WCW-14	12/8/06	PARSONS	---	<100	---	---	<100	<0.50	<0.50	<0.50	<1	<0.50	<0.50	<10
WCW-14	5/1/07	SECOR	---	<50	---	---	<100	<0.5	<0.5	<0.5	<1	<0.5	<0.5	---
WCW-14	11/13/07	PARSONS	---	<100	---	---	<100	<0.50	<0.50	<0.50	<1	<0.50	<0.50	<10
WCW-14	4/18/08	SECOR	---	<50	---	---	<100	<0.5	<0.5	<0.5	<1	<0.5	<0.5	---
WCW-14	10/17/08	PARSONS	<100	<100	---	---	---	<0.50	<0.50	<0.50	<1	<0.50	<0.50	<10
WCW-14	4/21/09	Blaine Tech	---	<50	---	---	<100	<0.5	<0.5	<0.5	<1	<0.5	<0.5	<10
WCW-14	10/27/09	PARSONS	<100	<100	---	---	---	<0.50	<0.50	<0.50	<1	<0.50	<0.50	<10
WCW-14	5/25/10	CH2MHill	---	<50	---	---	<100	<0.5	<0.5	<0.5	<1	<0.5	<0.5	<10
WCW-14	10/7/10	PARSONS	<100	<100	---	---	---	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	<10
WCW-14	4/12/11	CH2MHill	---	<50	---	---	<100	<0.5	<0.5	<0.5	<1	<0.5	<0.5	<10
WCW-14	10/14/11	PARSONS	<100	---	---	---	---	<0.50	<0.50	<0.50	<1	<0.50	<0.50	<10

TABLE 9

**HISTORICAL ANALYTICAL RESULTS FOR TPH, BTEX, 1,2-DCA, AND MTBE IN GROUNDWATER
NOVEMBER 1996 THROUGH OCTOBER 2011**

Well	Date Sampled	Sampled By	TPH as JP-5 ¹	TPH as Gasoline	TPH as Diesel	TPH as JP-4 ²	TPH as FP ³	Benzene	Toulene	Ethylbenzene	Total Xylenes	1,2-DCA ⁴	MTBE ⁵	TBA ⁶
WCW-2	11/25/96	GSI	---	<50	<500	<500	---	<0.5	<0.5	<0.5	<1.5	<1.7	<5	---
WCW-2	7/8/97	Terra Services	---	<100	<500	---	---	<0.5	3.5	1.4	7.4	0.57	<5	---
WCW-2	1/5/98	Groundwater Technology Inc	---	<500	<100	<100	---	<0.5	<0.5	<0.5	<1	1	<0.5	---
WCW-2	5/19/98	Terra Services	---	<300	---	---	---	<0.5	<0.5	<0.5	<1	<0.5	<0.5	---
WCW-2	8/25/98	Geomatrix	---	<300	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
WCW-2	11/4/98	Groundwater Technology Inc	---	<300	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
WCW-2	2/2/99	Alton Geoscience	---	<500	<500	---	---	<0.5	<0.5	<0.5	<1	<1	<0.5	---
WCW-2	5/6/99	Alton Geoscience	---	<500	<500	---	---	<0.5	0.8	<0.5	<0.5	<1	<0.5	---
WCW-2	8/10/99	Alton Geoscience	---	<500	<1000	---	---	<0.5	<1	<1	<1	<0.5	<1	---
WCW-2	11/17/99	IT Corporation	---	<300	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
WCW-2	2/28/00	Secor	---	<300	---	---	<100	<0.5	<0.5	<0.5	<0.5	2	<0.5	---
WCW-2	5/18/00	Secor	---	<300	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
WCW-2	8/28/00	Secor	---	<300	---	---	<100	<0.5	<0.5	<0.5	<0.5	0.6	<0.5	---
WCW-2	11/30/00	IT Corporation	---	<300	---	---	<100	0.6	<0.5	<0.5	<0.5	<0.5	<0.5	---
WCW-2	2/5/01	Secor	---	<300	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
WCW-2	5/9/01	Secor	---	<300	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
WCW-2	9/18/01	Secor	---	<300	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
WCW-2	11/8/01	IT Corporation	---	<300	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
WCW-2	1/30/02	Secor	---	<300	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
WCW-2	4/9/02	Secor	---	<300	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
WCW-2	10/24/02	Groundwater Technology Inc	---	<300	---	---	<100	<0.5	<1	<1	<1	<0.5	<1	---
WCW-2	4/10/03	Secor	---	<50	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
WCW-2	10/11/03	Parsons	---	<100	---	---	110	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
WCW-2	4/21/04	Secor	---	<50	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
WCW-2	11/3/04	Parsons	---	<100	---	---	<100	<0.5	<0.5	<0.5	---	<0.5	<0.5	<10
WCW-2	5/5/05	Secor	---	<50	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
WCW-2	11/5/05	PARSONS	---	<100	---	---	<100	<0.5	<0.5	<0.5	<1	<0.5	<0.5	<10
WCW-2	5/5/06	SECOR	---	<50	---	---	<100	<0.5	<0.5	<0.5	<1	<0.5	<0.5	---
WCW-2	12/5/06	PARSONS	---	<100	---	---	<100	<0.50	<0.50	<0.50	<1	<0.50	<0.50	<10
WCW-2	5/1/07	SECOR	---	<50	---	---	<100	<0.5	<0.5	<0.5	<1	<0.5	<0.5	---
WCW-2	11/13/07	PARSONS	---	<100	---	---	<100	<0.50	<0.50	<0.50	<1	<0.50	<0.50	<10
WCW-2	4/18/08	SECOR	---	<50	---	---	<100	<0.5	<0.5	<0.5	<1	<0.5	<0.5	---
WCW-2	10/17/08	PARSONS	<100	<100	---	---	---	<0.50	<0.50	<0.50	<1	<0.50	<0.50	<10
WCW-2	4/21/09	Blaine Tech	---	<50	---	---	<100	<0.5	<0.5	<0.5	<1	<0.5	<0.5	<10
WCW-2	10/26/09	PARSONS	<100	<100	---	---	---	<0.50	<0.50	<0.50	<1	<0.50	<0.50	<10
WCW-2	5/24/10	CH2MHill	---	<50	---	---	<100	<0.5	<0.5	<0.5	<1	<0.5	<0.5	<10
WCW-2	10/7/10	PARSONS	<100	<100	---	---	---	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	<10
WCW-2	4/11/11	CH2MHill	---	<50	---	---	<100	<0.5	<0.5	<0.5	<1	<0.5	<0.5	<10
WCW-2	10/13/11	PARSONS	<100	---	---	---	---	<0.50	<0.50	<0.50	<1	<0.50	<0.50	<10
WCW-3	11/25/96	GSI	---	120	<500	<500	---	<0.7	<0.5	<0.5	<1.5	190	<5	---
WCW-3	7/15/97	Terra Services	---	100	<500	---	---	<0.5	<0.5	<0.5	<1	190	<5	---
WCW-3	1/5/98	Groundwater Technology Inc	---	<500	200	<100	---	<0.5	<0.5	<0.5	<1	220	<0.5	---
WCW-3	5/23/98	Terra Services	---	<300	---	---	---	<0.5	<0.5	<0.5	<1	201	<0.5	---
WCW-3	8/26/98	Geomatrix	---	<300	---	---	304	<2.5	<2.5	<2.5	<2.5	200	<2.5	---
WCW-3	11/3/98	Groundwater Technology Inc	---	<300	---	---	228	<0.5	<0.5	<0.5	<0.5	190	<0.5	---
WCW-3	2/3/99	Alton Geoscience	---	<1000	<500	---	---	<1	<1	<1	<2	200	<1	---
WCW-3	5/6/99	Alton Geoscience	---	<500	<500	---	---	<0.5	1.3	<0.5	<0.5	<1	1.1	---
WCW-3	8/10/99	Alton Geoscience	---	<500	<1000	---	---	<0.5	<1	<1	<1	130	1.8	---
WCW-3	11/17/99	IT Corporation	---	<300	---	---	<100	<0.5	<0.5	<0.5	<0.5	100	3.3	---
WCW-3	2/28/00	Secor	---	<300	---	---	<100	<0.5	<0.5	<0.5	<0.5	100	<0.5	---
WCW-3	5/18/00	Secor	---	<300	---	---	110	<0.5	<0.5	<0.5	<0.5	92	1	---
WCW-3	8/28/00	Secor	---	<300	---	---	200	<0.5	<0.5	<0.5	<0.5	90	0.7	---
WCW-3	11/30/00	IT Corporation	---	<300	---	---	<100	<0.5	<0.5	<0.5	<0.5	68	<0.5	---
WCW-3	2/5/01	Secor	---	<300	---	---	<100	<0.5	<0.5	<0.5	<0.5	81	<0.5	---
WCW-3	5/9/01	Secor	---	<300	---	---	120	<0.5	<0.5	<0.5	<0.5	63	<0.5	---
WCW-3	9/19/01	Secor	---	<300	---	---	<100	<0.5	<0.5	<0.5	<0.5	69	<0.5	---
WCW-3	11/8/01	IT Corporation	---	<300	---	---	<100	<0.5	<0.5	<0.5	<0.5	51	<0.5	---
WCW-3	1/30/02	Secor	---	<300	---	---	<100	<0.5	<0.5	<0.5	<0.5	34	<0.5	---
WCW-3	4/9/02	Secor	---	<300	---	---	<100	<0.5	<0.5	<0.5	<0.5	29	<0.5	---
WCW-3	7/30/02	IT Corporation	---	<300	---	---	<100	<0.5	<0.5	<0.5	<0.5	47	0.55	---
WCW-3	10/24/02	Groundwater Technology Inc	---	<300	---	---	<100	<0.5	<1	<1	<1	39	<1	---
WCW-3	1/28/03	Secor	---	<300	---	---	<100	<0.5	<0.5	<0.5	<0.5	44	<0.5	---
WCW-3	4/10/03	Secor	---	<50	---	---	<100	<0.5	<0.5	<0.5	<0.5	34	<0.5	---
WCW-3	7/30/03	Secor	---	<50	---	---	<100	<0.5	<0.5	<0.5	<0.5	23	<0.5	---
WCW-3	10/11/03	Parsons	---	<100	---	---	<100	<0.5	<0.5	<0.5	<0.5	22	<0.5	---
WCW-3	1/28/04	Secor	---	<50	---	---	<100	<0.5	<0.5	<0.5	<0.5	43	<0.5	---

TABLE 9

HISTORICAL ANALYTICAL RESULTS FOR TPH, BTEX, 1,2-DCA, AND MTBE IN GROUNDWATER
NOVEMBER 1996 THROUGH OCTOBER 2011

Well	Date Sampled	Sampled By	TPH as JP-5 ¹	TPH as Gasoline	TPH as Diesel	TPH as JP-4 ²	TPH as FP ³	Benzene	Toulene	Ethylbenzene	Total Xylenes	1,2-DCA ⁴	MTBE ⁵	TBA ⁶
WCW-3	5/10/04	Secor	---	<50	---	---	<100	<0.5	<0.5	<0.5	<0.5	33	<0.5	---
WCW-3	7/20/04	Secor	---	<50	---	---	<100	<0.5	<0.5	<0.5	<0.5	46	<0.5	---
WCW-3	11/3/04	Parsons	---	<100	---	---	<100	<0.5	<0.5	<0.5	---	33	<0.5	<10
WCW-3	2/3/05	Secor	---	<50	---	---	<100	<0.5	<0.5	<0.5	<0.5	39	<0.5	---
WCW-3	5/5/05	Secor	---	<50	---	---	<100	<0.5	<0.5	<0.5	<0.5	31	<0.5	---
WCW-3	11/5/05	PARSONS	---	<100	---	---	<100	<0.5	<0.5	<0.5	<1	19	<0.5	<10
WCW-3	2/28/06	SECOR	---	<50	---	---	<100	<0.5	<0.5	<0.5	<1	8.8	<0.5	---
WCW-3	5/5/06	SECOR	---	<50	---	---	<100	<0.5	<0.5	<0.5	<1	10	<0.5	---
WCW-3	9/20/06	SECOR	---	<50	---	---	<100	<0.5	<0.5	<0.5	<1	16	<0.5	---
WCW-3	12/5/06	PARSONS	---	<100	---	---	<100	<0.50	<0.50	<0.50	<1	6.6	<0.50	<10
WCW-3	3/13/07	SECOR	---	<50	---	---	<100	<0.5	<0.5	<0.5	<1	<0.5	<0.5	---
WCW-3	5/1/07	SECOR	---	<50	---	---	<100	<0.5	<0.5	<0.5	<1	<0.5	<0.5	---
WCW-3	8/28/07	SECOR	---	<50	---	---	<100	<0.5	<0.5	<0.5	<1	<0.5	<0.5	---
WCW-3	11/13/07	PARSONS	---	<100	---	---	<100	<0.50	<0.50	<0.50	<1	<0.50	<0.50	<10
WCW-3	2/21/08	SECOR	---	<50	---	---	<100	<0.5	<0.5	<0.5	<1	<0.5	<0.5	---
WCW-3	4/18/08	SECOR	---	<50	---	---	<100	<0.5	<0.5	<0.5	<1	<0.5	<0.5	---
WCW-3	8/13/08	SECOR	---	<50	---	---	<100	<0.5	<0.5	<0.5	<1	3.6	<0.5	---
WCW-3	10/17/08	PARSONS	<100	<100	---	---	---	<0.50	<0.50	<0.50	<1	1.3	<0.50	<10
WCW-3	2/23/09	Blaine Tech	---	<50	---	---	<100	<0.5	<0.5	<0.5	<1	<0.5	<0.5	<10
WCW-3	4/21/09	Blaine Tech	---	<50	---	---	<100	<0.5	<0.5	<0.5	<1	<0.5	<0.5	<10
WCW-3	7/20/09	Blaine Tech	---	<50	---	---	<100	<0.5	<0.5	<0.5	<1	1.7	<0.5	<10
WCW-3	10/26/09	PARSONS	<100	<100	---	---	---	<0.50	<0.50	<0.50	<1	4	<0.50	<10
WCW-3	3/15/10	CH2MHill	---	<50	---	---	<100	<0.5	<0.5	<0.5	<1	3.5	<0.5	<10
WCW-3	5/24/10	CH2MHill	---	<50	---	---	<100	<0.5	<0.5	<0.5	<1	2.8	<0.5	<10
WCW-3	7/12/10	CH2MHill	---	<50	---	---	<100	<0.5	<0.5	<0.5	<1	4.4	<0.5	<10
WCW-3	10/8/10	CH2MHill	---	<50	---	---	<100	<0.5	<0.5	<0.5	<1	2.8	<0.5	<10
WCW-3	1/11/11	CH2MHill	---	<50	---	---	<100	<0.5	<0.5	<0.5	<1	3.3	<0.5	<10
WCW-3	4/11/11	CH2MHill	---	<50	---	---	<100	<0.5	<0.5	<0.5	<1	4.1	<0.5	<10
WCW-3	7/12/11	CH2MHill	---	<50	---	---	<100	<0.5	<0.5	<0.5	<1	4.5	<0.5	<10
WCW-3	10/11/11	CH2MHill	---	<50	---	---	<100	<0.5	<0.5	<0.5	<1	3.4	<0.5	<10
WCW-4	11/22/96	GSI	---	<50	<500	<500	---	<0.5	<0.5	<0.5	<1.5	<0.5	<5	---
WCW-4	7/8/97	Terra Services	---	<100	<500	---	---	0.5	0.78	<0.5	<1	<0.5	<5	---
WCW-4	1/5/98	Groundwater Technology Inc	---	<500	<100	300	---	<0.5	<0.5	<0.5	<1	<0.5	<0.5	---
WCW-4	5/19/98	Terra Services	---	<300	---	---	---	<0.5	<0.5	<0.5	<1	<0.5	<0.5	---
WCW-4	11/3/98	Groundwater Technology Inc	---	<300	---	---	475	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
WCW-4	5/6/99	Alton Geoscience	---	<500	<500	---	---	2.1	7.7	0.62	3.4	<1	<0.5	---
WCW-4	11/17/99	IT Corporation	---	<300	---	---	110	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
WCW-4	5/18/00	Secor	---	<300	---	---	120	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
WCW-4	11/30/00	IT Corporation	---	<300	---	---	160	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
WCW-4	5/9/01	Secor	---	<300	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
WCW-4	11/8/01	IT Corporation	---	<300	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
WCW-4	4/9/02	Secor	---	<300	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
WCW-4	10/24/02	Groundwater Technology Inc	---	<300	---	---	<100	<0.5	<1	<1	<1	<0.5	<1	---
WCW-4	4/10/03	Secor	---	<50	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
WCW-4	10/11/03	Parsons	---	<100	---	---	280	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
WCW-4	5/10/04	Secor	---	<50	---	---	120	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
WCW-4	11/3/04	Parsons	---	<100	---	---	<100	<0.5	<0.5	<0.5	---	<0.5	<0.5	<10
WCW-4	5/5/05	Secor	---	<50	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
WCW-4	11/5/05	PARSONS	---	<100	---	---	110	<0.5	<0.5	<0.5	<1	<0.5	<0.5	<10
WCW-4	5/5/06	SECOR	---	<50	---	---	<100	<0.5	<0.5	<0.5	<1	<0.5	<0.5	---
WCW-4	12/5/06	PARSONS	---	<100	---	---	120	<0.50	<0.50	<0.50	<1	<0.50	<0.50	<10
WCW-4	5/1/07	SECOR	---	<50	---	---	250	<0.5	<0.5	<0.5	<1	<0.5	<0.5	---
WCW-4	11/13/07	PARSONS	---	<100	---	---	<100	<0.50	<0.50	<0.50	<1	<0.50	0.72	<10
WCW-4	4/18/08	SECOR	---	<50	---	---	<100	<0.5	<0.5	<0.5	<1	<0.5	0.61	---
WCW-4	10/17/08	PARSONS	<100	<100	---	---	---	<0.50	<0.50	<0.50	<1	<0.50	0.65	<10
WCW-4	4/21/09	Blaine Tech	---	<50	---	---	<100	<0.5	<0.5	<0.5	<1	<0.5	0.51	<10
WCW-4	10/26/09	PARSONS	<100	<100	---	---	---	<0.50	<0.50	<0.50	<1	<0.50	0.64	<10
WCW-4	5/27/10	CH2MHill	---	<50	---	---	<100	<0.5	<0.5	<0.5	<1	<0.5	<0.5	<10
WCW-4	10/7/10	PARSONS	130	<100	---	---	---	<0.50	<0.50	<0.50	<1.0	<0.50	0.89	<10
WCW-4	4/13/11	CH2MHill	---	<50	---	---	120	<0.5	<0.5	<0.5	<1	<0.5	0.7	<10
WCW-4	10/14/11	PARSONS	<100	---	---	---	---	<0.50	<0.50	<0.50	<1	<0.50	0.62	<10
WCW-5	11/22/96	GSI	---	<50	<500	<500	---	<0.5	<0.5	<0.5	<1.5	<0.5	<5	---
WCW-5	7/8/97	Terra Services	---	<100	<500	---	---	<0.5	7.7	<0.5	1.4	<0.5	<5	---
WCW-5	1/5/98	Groundwater Technology Inc	---	<500	<100	<100	---	<0.5	<0.5	<0.5	<1	0.7	<0.5	---
WCW-5	5/19/98	Terra Services	---	<300	---	---	---	<0.5	<0.5	<0.5	<1	<0.5	<0.5	---
WCW-5	11/4/98	Groundwater Technology Inc	---	<300	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---

TABLE 9

HISTORICAL ANALYTICAL RESULTS FOR TPH, BTEX, 1,2-DCA, AND MTBE IN GROUNDWATER
NOVEMBER 1996 THROUGH OCTOBER 2011

Well	Date Sampled	Sampled By	TPH as JP-5 ¹	TPH as Gasoline	TPH as Diesel	TPH as JP-4 ²	TPH as FP ³	Benzene	Toulene	Ethylbenzene	Total Xylenes	1,2-DCA ⁴	MTBE ⁵	TBA ⁶
WCW-5	5/5/99	Alton Geoscience	---	<500	<500	---	---	10	43	3.8	21	<1	<0.5	---
WCW-5	11/17/99	IT Corporation	---	<300	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
WCW-5	5/16/00	Secor	---	<300	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
WCW-5	11/30/00	IT Corporation	---	<300	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
WCW-5	5/10/01	Secor	---	<300	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
WCW-5	11/8/01	IT Corporation	---	<300	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
WCW-5	4/11/02	Secor	---	<300	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
WCW-5	10/24/02	Groundwater Technology Inc	---	<300	---	---	<100	<0.5	<1	<1	<1	<0.5	<1	---
WCW-5	4/10/03	Secor	---	<50	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
WCW-5	10/11/03	Parsons	---	<100	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
WCW-5	5/10/04	Secor	---	<50	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
WCW-5	11/3/04	Parsons	---	<100	---	---	<100	<0.5	<0.5	<0.5	---	<0.5	<0.5	<10
WCW-5	5/6/05	Secor	---	<50	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
WCW-5	11/5/05	PARSONS	---	<100	---	---	<100	<0.5	<0.5	<0.5	<1	<0.5	<0.5	<10
WCW-5	5/5/06	SECOR	---	<50	---	---	<100	<0.5	<0.5	<0.5	<1	<0.5	<0.5	---
WCW-5	12/5/06	PARSONS	---	<100	---	---	<100	<0.50	<0.50	<0.50	<1	<0.50	<0.50	<10
WCW-5	5/1/07	SECOR	---	<50	---	---	<100	<0.5	<0.5	<0.5	<1	<0.5	<0.5	---
WCW-5	11/13/07	PARSONS	---	<100	---	---	<100	<0.50	<0.50	<0.50	<1	<0.50	<0.50	<10
WCW-5	4/18/08	SECOR	---	<50	---	---	<100	<0.5	<0.5	<0.5	<1	<0.5	<0.5	---
WCW-5	10/17/08	PARSONS	<100	<100	---	---	---	<0.50	<0.50	<0.50	<1	<0.50	<0.50	<10
WCW-5	4/21/09	Blaine Tech	---	<50	---	---	<100	<0.5	<0.5	<0.5	<1	<0.5	<0.5	<10
WCW-5	10/26/09	PARSONS	<100	<100	---	---	---	<0.50	<0.50	<0.50	<1	<0.50	<0.50	<10
WCW-5	5/25/10	CH2MHill	---	<50	---	---	<100	<0.5	<0.5	<0.5	<1	<0.5	<0.5	<10
WCW-5	10/7/10	PARSONS	<100	<100	---	---	---	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	<10
WCW-5	4/11/11	CH2MHill	---	<50	---	---	<100	<0.5	<0.5	<0.5	<1	<0.5	<0.5	<10
WCW-5	10/14/11	PARSONS	<100	---	---	---	---	<0.50	<0.50	<0.50	<1	<0.50	<0.50	<10
WCW-5 DUP	10/14/11	PARSONS	<100	---	---	---	---	<0.50	<0.50	<0.50	<1	<0.50	<0.50	<10
WCW-6	11/22/96	GSI	---	230	<500	<500	---	<0.5	<0.5	<0.5	<1.5	220	24	---
WCW-6	7/15/97	Terra Services	---	<100	<500	---	---	<0.5	<0.5	<0.5	<1	65	10	---
WCW-6	1/5/98	Groundwater Technology Inc	---	<500	<100	<100	---	<0.5	<0.5	<0.5	<1	159	3	---
WCW-6	5/26/98	Terra Services	---	<300	---	---	---	<0.5	<0.5	<0.5	<1	83	2	---
WCW-6	11/4/98	Groundwater Technology Inc	---	<300	---	---	<100	<0.5	<0.5	<0.5	<0.5	46	1.8	---
WCW-6	5/6/99	Alton Geoscience	---	<500	<500	---	---	<0.5	<0.5	<0.5	<0.5	53	0.68	---
WCW-6	11/17/99	IT Corporation	---	<300	---	---	<100	<0.5	<0.5	<0.5	<0.5	11	<0.5	---
WCW-6	5/16/00	Secor	---	<300	---	---	<100	<0.5	<0.5	<0.5	<0.5	16	0.7	---
WCW-6	11/30/00	IT Corporation	---	<300	---	---	<100	<0.5	<0.5	<0.5	<0.5	2.7	<0.5	---
WCW-6	5/9/01	Secor	---	<300	---	---	<100	<0.5	<0.5	<0.5	<0.5	5.7	<0.5	---
WCW-6	11/8/01	IT Corporation	---	<300	---	---	<100	<0.5	<0.5	<0.5	<0.5	2.7	<0.5	---
WCW-6	4/11/02	Secor	---	<300	---	---	<100	<0.5	<0.5	<0.5	<0.5	1.7	<0.5	---
WCW-6	10/24/02	Groundwater Technology Inc	---	<300	---	---	<100	<0.5	<1	<1	<1	<0.5	<1	---
WCW-6	4/10/03	Secor	---	<50	---	---	<100	<0.5	<0.5	<0.5	<0.5	1.4	<0.5	---
WCW-6	10/11/03	Parsons	---	<100	---	---	<100	<0.5	<0.5	<0.5	<0.5	0.93	<0.5	---
WCW-6	5/10/04	Secor	---	<50	---	---	<100	<0.5	<0.5	<0.5	<0.5	0.64	<0.5	---
WCW-6	11/3/04	Parsons	---	<100	---	---	<100	<0.5	<0.5	<0.5	---	<0.5	<0.5	<10
WCW-6	5/5/05	Secor	---	<50	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
WCW-6	11/5/05	PARSONS	---	<100	---	---	<100	<0.5	<0.5	<0.5	<1	1.1	<0.5	<10
WCW-6 DUP	11/5/05	PARSONS	---	<100	---	---	<100	<0.5	<0.5	<0.5	<1	0.82	<0.5	<10
WCW-6	5/5/06	SECOR	---	<50	---	---	<100	<0.5	<0.5	<0.5	<1	<0.5	<0.5	---
WCW-6	12/5/06	PARSONS	---	<100	---	---	<100	<0.50	<0.50	<0.50	<1	<0.50	<0.50	<10
WCW-6	5/2/07	SECOR	---	<50	---	---	<100	<0.5	<0.5	<0.5	<1	<0.5	<0.5	---
WCW-6	11/13/07	PARSONS	---	<100	---	---	<100	<0.50	<0.50	<0.50	<1	<0.50	<0.50	<10
WCW-6	4/18/08	SECOR	---	<50	---	---	<100	<0.5	<0.5	<0.5	<1	<0.5	<0.5	---
WCW-6	10/17/08	PARSONS	<100	<100	---	---	---	<0.50	<0.50	<0.50	<1	<0.50	<0.50	<10
WCW-6	4/21/09	Blaine Tech	---	<50	---	---	<100	<0.5	<0.5	<0.5	<1	<0.5	<0.5	<10
WCW-6	10/26/09	PARSONS	<100	<100	---	---	---	<0.50	<0.50	<0.50	<1	<0.50	<0.50	<10
WCW-6	5/24/10	CH2MHill	---	<50	---	---	<100	<0.5	<0.5	<0.5	<1	<0.5	<0.5	<10
WCW-6	10/7/10	PARSONS	<100	<100	---	---	---	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	<10
WCW-6	4/11/11	CH2MHill	---	<50	---	---	<100	<0.5	<0.5	<0.5	<1	0.69	<0.5	<10
WCW-6	10/13/11	PARSONS	<100	---	---	---	---	<0.50	<0.50	<0.50	<1	0.28 J	<0.50	<10
WCW-7	11/22/96	GSI	---	<50	<500	<500	---	<0.5	<0.5	<0.5	<1.5	31	<5	---
WCW-7	7/15/97	Terra Services	---	<100	<500	---	---	<0.5	<0.5	<0.5	<1	<0.5	<5	---
WCW-7	1/5/98	Groundwater Technology Inc	---	<500	<100	<100	---	<0.5	<0.5	<0.5	<1	30	<0.5	---
WCW-7	5/23/98	Terra Services	---	<300	---	---	---	<0.5	<0.5	<0.5	<1	30	<0.5	---
WCW-7	11/4/98	Groundwater Technology Inc	---	<300	---	---	<100	<0.5	<0.5	<0.5	<0.5	35	<0.5	---
WCW-7	5/6/99	Alton Geoscience	---	<500	<500	---	---	<0.5	<0.5	<0.5	<0.5	45	<0.5	---
WCW-7	11/18/99	IT Corporation	---	<300	---	---	190	<0.5	<1	<0.5	0.6	62	1.3	---

TABLE 9

**HISTORICAL ANALYTICAL RESULTS FOR TPH, BTEX, 1,2-DCA, AND MTBE IN GROUNDWATER
NOVEMBER 1996 THROUGH OCTOBER 2011**

Well	Date Sampled	Sampled By	TPH as JP-5 ¹	TPH as Gasoline	TPH as Diesel	TPH as JP-4 ²	TPH as FP ³	Benzene	Toulene	Ethylbenzene	Total Xylenes	1,2-DCA ⁴	MTBE ⁵	TBA ⁶
WCW-7	5/16/00	Secor	---	<300	---	---	420	<0.5	<0.5	<0.5	<0.5	120	6.4	---
WCW-7	11/30/00	IT Corporation	---	<300	---	---	<100	<0.5	<0.5	<0.5	<0.5	83	6	---
WCW-7	2/5/01	Secor	---	<300	---	---	230	<0.5	<0.5	<0.5	<0.5	95	6.1	---
WCW-7	5/10/01	Secor	---	<300	---	---	180	<0.5	<0.5	<0.5	<0.5	91	9.3	---
WCW-7	9/18/01	Secor	---	<300	---	---	<100	<0.5	<0.5	<0.5	<0.5	140	12	---
WCW-7	11/8/01	IT Corporation	---	<300	---	---	<100	<0.5	<0.5	<0.5	<0.5	91	11	---
WCW-7	1/30/02	Secor	---	<300	---	---	110	<0.5	<0.5	<0.5	<0.5	84	8.8	---
WCW-7	4/11/02	Secor	---	<300	---	---	<100	<0.5	<0.5	<0.5	<0.5	66	8.4	---
WCW-7	7/30/02	IT Corporation	---	<300	---	---	260	<0.5	<0.5	<0.5	<0.5	74	8.6	---
WCW-7	10/24/02	Groundwater Technology Inc	---	<300	---	---	<100	<0.5	<1	<1	<1	78	9.3	---
WCW-7	1/28/03	Secor	---	<300	---	---	<100	<0.5	<0.5	<0.5	<0.5	80	7.3	---
WCW-7	4/10/03	Secor	---	<100	---	---	<100	<0.5	<0.5	<0.5	<0.5	69	6.8	---
WCW-7	7/30/03	Secor	---	<100	---	---	<100	<0.5	<0.5	<0.5	<0.5	69	7.6	---
WCW-7	10/11/03	Parsons	---	<100	---	---	260	<0.5	<0.5	<0.5	<0.5	84	9.4	---
WCW-7	1/28/04	Secor	---	<100	---	---	<100	<0.5	<0.5	<0.5	<0.5	100	10	---
WCW-7	5/10/04	Secor	---	<100	---	---	170	<0.5	<0.5	<0.5	<0.5	73	6.7	---
WCW-7	7/20/04	Secor	---	140	---	---	<100	<0.5	<0.5	<0.5	<0.5	110	9	---
WCW-7	11/3/04	Parsons	---	<100	---	---	330	<0.5	<0.5	<0.5	---	84	11	51
WCW-7	2/3/05	Secor	---	72	---	---	110	<0.5	<0.5	<0.5	<0.5	91	8.8	---
WCW-7	5/5/05	Secor	---	<100	---	---	<100	<0.5	<0.5	<0.5	<0.5	83	6.9	---
WCW-7	11/5/05	PARSONS	---	<100	---	---	<100	<0.5	<0.5	<0.5	<1	14	6.7	<10
WCW-7	2/28/06	SECOR	---	<50	---	---	<100	<0.5	<0.5	<0.5	<1	2.5	0.84	---
WCW-7	5/5/06	SECOR	---	<50	---	---	<100	<0.5	<0.5	<0.5	<1	6	2.5	---
WCW-7	9/20/06	SECOR	---	<100	---	---	<100	<0.5	<0.5	<0.5	<1	33	7.2	---
WCW-7	12/5/06	PARSONS	---	<100	---	---	210	<0.50	<0.50	<0.50	<1	36	8	<10
WCW-7	3/13/07	SECOR	---	<50	---	---	<100	<0.5	<0.5	<0.5	<1	32	5.4	---
WCW-7	5/2/07	SECOR	---	<50	---	---	<100	<0.5	<0.5	<0.5	<1	49	6.4	---
WCW-7	8/28/07	SECOR	---	<50	---	---	<100	<0.5	<0.5	<0.5	<1	56	7.1	---
WCW-7	11/14/07	PARSONS	---	<100	---	---	<100	<0.5	<0.5	<0.5	<1	50	6.5	<10
WCW-7	2/21/08	SECOR	---	<50	---	---	110	<0.5	<0.5	<0.5	<1	43	5.9	---
WCW-7	4/18/08	SECOR	---	<50	---	---	<100	<0.5	<0.5	<0.5	<1	54	5.9	---
WCW-7	8/13/08	SECOR	---	<50	---	---	<100	<0.5	<0.5	<0.5	<1	55	5.3	---
WCW-7	10/17/08	PARSONS	100	<100	---	---	---	<0.50	<0.50	<0.50	<1	45	5.4	<10
WCW-7	2/24/09	Blaine Tech	---	<50	---	---	<100	<0.5	<0.5	<0.5	<1	40	2.4	<10
WCW-7	4/22/09	Blaine Tech	---	<50	---	---	<100	<0.5	<0.5	<0.5	<1	40	2.8	<10
WCW-7	7/21/09	Blaine Tech	---	<50	---	---	120	<0.5	<0.5	<0.5	<1	31	1.9	<10
WCW-7	10/26/09	PARSONS	<100	<100	---	---	---	<0.50	<0.50	<0.50	<1	40	1.8	<10
WCW-7	3/15/10	CH2MHill	---	<50	---	---	130	<0.5	<0.5	<0.5	<1	30	1.8	<10
WCW-7	5/27/10	CH2MHill	---	<50	---	---	<100	<0.5	<0.5	<0.5	<1	23	1.2	<10
WCW-7	7/13/10	CH2MHill	---	<50	---	---	<100	<0.5	<0.5	<0.5	<1	20	1.6	<10
WCW-7	10/7/10	CH2MHill	---	<50	---	---	<100	<0.5	<0.5	<0.5	<1	26	1.7	<10
WCW-7	1/11/11	CH2MHill	---	<50	---	---	<100	<0.5	<0.5	<0.5	<1	25	1.4	<10
WCW-7	4/13/11	CH2MHill	---	<50	---	---	130	<0.5	<0.5	<0.5	<1	23	1.4	<10
WCW-7	7/12/11	CH2MHill	---	<50	---	---	<100	<0.5	<0.5	<0.5	<1	21	1.2	<10
WCW-7 DUP	7/12/11	CH2MHill	---	<50	---	---	110	<0.5	<0.5	<0.5	<1	18	0.95	<10
WCW-7	10/12/11	CH2MHill	---	<500	---	---	120	<0.5	<0.5	<0.5	<1	21	1	<10
WCW-8	11/22/96	GSI	---	84	<500	<500	---	<0.5	<0.5	<0.5	<1.5	0.5	<5	---
WCW-8	7/15/97	Terra Services	---	<100	1700	---	---	<0.5	<0.5	<0.5	<1	<0.5	<5	---
WCW-8	1/5/98	Groundwater Technology Inc	---	<500	<100	1300	---	<0.5	<0.5	<0.5	<1	<0.5	<0.5	---
WCW-8	5/26/98	Terra Services	---	<300	---	---	---	<0.5	<0.5	<0.5	<1	<0.5	<0.5	---
WCW-8	11/3/98	Groundwater Technology Inc	---	<300	---	---	2590	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
WCW-8	5/6/99	Alton Geoscience	---	<500	<500	---	---	<0.5	<0.5	<0.5	<0.5	<1	<0.5	---
WCW-8	11/18/99	IT Corporation	---	<300	---	---	1100	<0.5	<1	<0.5	<0.5	<0.5	<0.5	---
WCW-8	5/16/00	Secor	---	<300	---	---	1500	<0.5	<0.5	<0.5	<0.5	1.8	120	---
WCW-8	8/28/00	Secor	---	<300	---	---	1100	<0.5	<0.5	<0.5	<0.5	0.7	<0.5	---
WCW-8	11/30/00	IT Corporation	---	<300	---	---	790	0.9	<0.5	<0.5	0.8	<0.5	<0.5	---
WCW-8	2/5/01	Secor	---	<300	---	---	940	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
WCW-8	5/9/01	Secor	---	<300	---	---	520	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
WCW-8	9/18/01	Secor	---	<300	---	---	380	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
WCW-8	11/8/01	IT Corporation	---	<300	---	---	220	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
WCW-8	1/30/02	Secor	---	<300	---	---	530	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
WCW-8	4/11/02	Secor	---	<300	---	---	470	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
WCW-8	10/24/02	Groundwater Technology Inc	---	<300	---	---	360	<0.5	<1	<1	<1	<0.5	<1	---
WCW-8	4/10/03	Secor	---	61	---	---	270	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
WCW-8	10/11/03	Parsons	---	<100	---	---	430	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
WCW-8	5/10/04	Secor	---	55	---	---	160	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---

TABLE 9

HISTORICAL ANALYTICAL RESULTS FOR TPH, BTEX, 1,2-DCA, AND MTBE IN GROUNDWATER
NOVEMBER 1996 THROUGH OCTOBER 2011

Well	Date Sampled	Sampled By	TPH as JP-5 ¹	TPH as Gasoline	TPH as Diesel	TPH as JP-4 ²	TPH as FP ³	Benzene	Toluene	Ethylbenzene	Total Xylenes	1,2-DCA ⁴	MTBE ⁵	TBA ⁶
WCW-8	11/3/04	Parsons	---	<100	---	---	<100	<0.5	<0.5	<0.5	---	<0.5	<0.5	< 10
WCW-8	5/5/05	Secor	---	<50	---	---	100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
WCW-8	11/5/05	PARSONS	---	< 100	---	---	210	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	< 10
WCW-8	5/5/06	SECOR	---	< 50	---	---	110	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	---
WCW-8	12/5/06	PARSONS	---	< 100	---	---	450	< 0.50	< 0.50	< 0.50	< 1	< 0.50	< 0.50	< 10
WCW-8	5/2/07	SECOR	---	< 50	---	---	160	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	---
WCW-8	11/14/07	PARSONS	---	< 100	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	< 10
WCW-8	4/18/08	SECOR	---	< 50	---	---	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	0.6	---
WCW-8	10/17/08	PARSONS	230	< 100	---	---	---	< 0.50	< 0.50	< 0.50	< 1	< 0.50	1.1	< 10
WCW-8	4/21/09	Blaine Tech	---	< 50	---	---	210	< 0.5	< 0.5	< 0.5	< 1	< 0.5	0.59	< 10
WCW-8	10/26/09	PARSONS	200	< 100	---	---	---	< 0.50	< 0.50	< 0.50	< 1	< 0.50	1.1	< 10
WCW-8	5/27/10	CH2MHill	---	< 50	---	---	100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	< 10
WCW-8	10/7/10	PARSONS	200	< 100	---	---	---	< 0.50	< 0.50	< 0.50	< 1.0	< 0.50	0.9	3.7 J
WCW-8	4/13/11	CH2MHill	---	< 50	---	---	130	< 0.5	< 0.5	< 0.5	< 1	< 0.5	0.96	< 10
WCW-8 DUP	4/13/11	CH2MHill	---	< 50	---	---	170	< 0.5	< 0.5	< 0.5	< 1	< 0.5	1	< 10
WCW-8	10/14/11	PARSONS	170	---	---	---	---	< 0.50	< 0.50	< 0.50	< 1	< 0.50	0.92	< 10
WCW-9	11/22/96	GSI	---	<50	<500	<500	---	<0.5	<0.5	<0.5	<1.5	<0.5	<5	---
WCW-9	7/8/97	Terra Services	---	<100	<500	---	---	<0.5	1.1	<0.5	1.1	<0.5	<5	---
WCW-9	1/5/98	Groundwater Technology Inc	---	<500	<100	<100	---	<0.5	<0.5	<0.5	<1	<0.5	<0.5	---
WCW-9	5/19/98	Terra Services	---	---	---	---	---	<0.5	<0.5	<0.5	<1	<0.5	<0.5	---
WCW-9 DUP	5/19/98	Terra Services	---	<300	---	---	---	<0.5	<0.5	<0.5	<1	<0.5	<0.5	---
WCW-9	11/3/98	Groundwater Technology Inc	---	<300	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
WCW-9	5/6/99	Alton Geoscience	---	<500	<500	---	---	<0.5	<0.5	<0.5	<0.5	<1	<0.5	---
WCW-9	11/18/99	IT Corporation	---	<300	---	---	<100	<0.5	<1	<0.5	<0.5	<0.5	<0.5	---
WCW-9	5/16/00	Secor	---	<300	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
WCW-9	11/30/00	IT Corporation	---	<300	---	---	<100	0.6	<0.5	<0.5	<0.5	<0.5	<0.5	---
WCW-9	5/10/01	Secor	---	<300	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
WCW-9	11/8/01	IT Corporation	---	<300	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
WCW-9	4/11/02	Secor	---	<300	---	---	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---

Notes:

1. JP-5 = jet propellant No. 5.
2. JP-4 = jet propellant No. 4.
3. FP = fuel product (collected from north-central plume).
4. 1,2-DCA = 1,2-dichloroethane.
5. MTBE = methyl tert-butyl ether.
6. TBA = Tert-Butyl Alcohol.
7. --- = not analyzed.
8. <500 = not detected above the indicated laboratory reporting limit.
9. DUP = duplicate sample.
10. J = Estimated value
11. J1 = numeric result reported is below the reporting limit and above the method detection limit.
12. SPLIT = A split groundwater sample analyzed by Calscience Environmental Laboratories, Inc.