

SECOND SEMIANNUAL 2010 GROUNDWATER MONITORING REPORT

**DEFENSE FUEL SUPPORT POINT NORWALK
15306 NORWALK BOULEVARD
NORWALK, CALIFORNIA**

Prepared for

**Defense Energy Support Center
8725 John J. Kingman Road
Fort Belvoir, Virginia 22060-6222**

January 31, 2011

Prepared by



100 WEST WALNUT STREET • PASADENA • CALIFORNIA 91124

APPENDIX E

**Summary of KMEP Monthly Sampling Events
Conducted During Second Semiannual 2010
in the 24-Inch Block Valve Area**

Monthly Monitoring Events

Groundwater samples were collected monthly in the 24-inch block valve area located in the southeast corner of the site by Blaine Tech on behalf of SFPP. Samples were collected from the following wells in August, September, November, and December 2010: GMW-36, GMW-O-15, GMW-O-16, GMW-O-18, GMW-O-19, and PZ-5. All wells were purged and sampled using low-flow methods prior to sample collection.

Table E-1 lists the wells that were gauged during the second half of 2010 monthly events and Table E-2 summarizes the analytical results for detected compounds each month. These results are not reflected on the Figures included in this report for the semiannual sampling event.

TABLE E-1

**SUMMARY OF GROUNDWATER ELEVATIONS
MONTHLY MONITORING EVENTS**
Defense Fuel Support Point Norwalk
Norwalk, California

Well	Date	Top of Casing Elevation (feet msl)	Depth to Product (feet btoc)	Depth to Water (feet btoc)	Apparent Product Thickness (feet)	Groundwater Elevation (feet msl)
GMW-36	08/12/10	74.53	NM	NM	NC	NC
	09/20/10	74.53	NM	NM	NC	NC
	11/23/10	74.53	27.1	27.35	0.25	NC
	12/22/10	74.53	26.84	28.35	1.51	NC
GMW-O-15	08/12/10	74.23	NM	NM	NC	NC
	09/20/10	74.23	NM	NM	NC	NC
	11/23/10	74.23	NM	NM	NC	NC
	12/22/10	74.23	---	26.31	---	47.92
GMW-O-16	08/12/10	74.10	---	26.43	---	47.67
	09/20/10	74.10	---	26.95	---	47.15
	11/16/10	74.10	---	26.58	---	47.52
	12/22/10	74.10	---	27.00	---	47.10
GMW-O-18	08/12/10	74.36	NM	NM	NC	NC
	09/20/10	74.36	NM	NM	NC	NC
	11/16/10	74.36	NM	NM	NC	NC
	12/22/10	74.36	NM	NM	NC	NC
GMW-O-19	08/12/10	74.46	---	26.23	---	48.23
	09/20/10	74.46	---	26.52	---	47.94
	11/16/10	74.46	---	26.67	---	47.79
	12/22/10	74.46	---	26.70	---	47.76
PZ-5	08/12/10	73.97	---	26.16	---	47.81
	09/20/10	73.97	---	26.52	---	47.45
	11/16/10	73.97	---	26.46	---	47.51
	12/22/10	73.97	---	25.12	---	48.85

Notes

--- = not detected or not applicable.

feet btoc = feet below top of casing.

feet msl = feet above mean sea level based on the National Geodetic Vertical Datum of 1929.

NC = not calculated.

NM = not measured since extraction pump was in operation.

TABLE E-2

SUMMARY OF GROUNDWATER ANALYTICAL DATA
MONTHLY MONITORING EVENTS
 Defense Fuel Support Point Norwalk
 Norwalk, California

Results reported in micrograms per liter (µg/L)

Sample ID	Date	TPH-g	TPH-fp	Benzene	Toluene	Ethyl-benzene	Total Xylenes ¹	1,2-DCA	MTBE	TBA	DIPE	ETBE	TAME
GMW-36	8/12/2010 ²	9200	2200	1400	1100	52	1580	< 10	18	1600	< 10	< 10	< 10
GMW-36	9/20/2010 ²	3300	5200	130	18	36	260	< 1	130	13000	< 1	< 1	1.6
GMW-36	11/23/10	31000	21000	5100	3400	890	3900	< 40	51	470	< 40	< 40	< 40
GMW-36	12/22/10	63000	73000	6700	9600	1700	8300	< 50	28	< 500	< 50	< 50	< 50
GMW-O-15	08/12/10 ²	710	370	120	4.1	10	43	< 1	260	5300	< 1	< 1	1.5
GMW-O-15	09/20/10 ²	620	500	120	3.3	13	29.4	< 1	230	6000	< 1	< 1	1.4
GMW-O-15	11/23/10	---	---	---	---	---	---	---	---	---	---	---	---
GMW-O-15	12/22/10	28000	19000	3900	610	850	4200	< 40	1900	1300	< 40	< 40	< 40
GMW-O-16	08/12/10	< 50	< 100	0.5	< 0.5	< 0.5	< 1	< 0.5	2.3	< 10	< 1	< 1	< 1
GMW-O-16	09/20/10	< 50	170	0.69	< 0.5	< 0.5	< 1	< 0.5	3.1	< 10	< 1	< 1	< 1
GMW-O-16	11/16/10	< 50	160	< 0.5	< 0.5	< 0.5	< 1	< 0.5	4	< 10	< 1	< 1	< 1
GMW-O-16	12/22/10	< 50	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	2	< 10	< 1	< 1	< 1
GMW-O-18	08/12/10 ²	220	< 100	0.64	< 0.5	< 0.5	< 1	< 1	0.93	15000	< 1	< 1	< 1
GMW-O-18	09/20/10 ²	290	< 100	1.1	< 0.5	< 0.5	< 1	< 1	1.2	23000	< 1	< 1	< 1
GMW-O-18	11/16/2010 ²	2000	120	< 0.5	< 0.5	< 0.5	< 1	< 1	0.53	21000	< 1	< 1	< 1
GMW-O-18	12/22/10	---	---	---	---	---	---	---	---	---	---	---	---
GMW-O-19	08/12/10	< 50	< 100	0.52	< 0.5	< 0.5	< 1	< 0.5	< 0.5	< 10	< 1	< 1	< 1
GMW-O-19	09/20/10	< 50	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	< 10	< 1	< 1	< 1
GMW-O-19	11/16/10	< 50	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	< 10	< 1	< 1	< 1
GMW-O-19	12/22/10	< 50	< 100	< 0.5	< 0.5	< 0.5	< 1	< 0.5	< 0.5	< 10	< 1	< 1	< 1
PZ-5	08/12/10	9100	1600	4400	< 5	340	50.6	< 10	490	64000	< 10	< 10	< 10
PZ-5 DUP	08/12/10	8300	1600	4200	< 5	300	45.9	< 10	450	60000	< 10	< 10	< 10
PZ-5	09/20/10	8500	1800	4200	2.8	110	16.8	< 4	370	43000	< 4	< 4	< 4
PZ-5 DUP	09/20/10	8400	1800	4100	2.8	110	16.6	< 4	370	44000	< 4	< 4	< 4
PZ-5	11/16/10	3400	1600	1600	< 10	10	15	< 20	130	20000	< 20	< 20	< 20
PZ-5 DUP	11/16/10	4400	1600	2000	< 10	13	17	< 20	190	26000	< 20	< 20	< 20
PZ-5	12/22/10	3400	1700	1600	< 10	< 10	< 20	< 20	100	22000	< 20	< 20	< 20

Notes

- The total xylenes result is the sum of m,p-xylenes and o-xylenes when detected.
- Groundwater sample collected through a sampling port.
- Free product was present.
- Split groundwater sample analyzed by CalScience Environmental Laboratories, Inc. Results were evaluated to laboratory method detection limits.

Abbreviations

- = not analyzed or not applicable.
- <5.0 = not detected at or above the laboratory reporting limit shown.
- 1,2-DCA = 1,2-dichloroethane.
- DIPE = di-isopropyl ether.
- ETBE = ethyl tertiary butyl ether.
- MTBE = methyl tertiary butyl ether.
- TAME = tertiary amyl methyl ether.
- TBA = tertiary butyl alcohol.
- TPH-fp = total extractable petroleum hydrocarbons quantified using a site fuel product standard.
- TPH-g = total purgeable petroleum hydrocarbons quantified using a gasoline standard (C4-C13).

August 2010

KMEP August 2010 Monthly Monitoring Results

ProjectName	Client Sample ID	Analyte	Date Sampled	Result	Units	PQL
KMEP Norwalk	GMW-O-15	TPH-P (GRO)	08/12/2010	0.71	mg/L	0.1
KMEP Norwalk	GMW-O-15	TPH-E (Fuel Product)	08/12/2010	0.37	mg/L	0.1
KMEP Norwalk	GMW-O-15	Tertiary Butyl Alcohol (TBA)	08/12/2010	5300	µg/L	50
KMEP Norwalk	GMW-O-15	1,1,1,2-Tetrachloroethane	08/12/2010	ND<1	µg/L	1
KMEP Norwalk	GMW-O-15	1,1,1-Trichloroethane	08/12/2010	ND<1	µg/L	1
KMEP Norwalk	GMW-O-15	1,1,2,2-Tetrachloroethane	08/12/2010	ND<1	µg/L	1
KMEP Norwalk	GMW-O-15	1,1,2-Trichloroethane	08/12/2010	ND<1	µg/L	1
KMEP Norwalk	GMW-O-15	1,1-Dichloroethane	08/12/2010	ND<1	µg/L	1
KMEP Norwalk	GMW-O-15	1,1-Dichloroethene	08/12/2010	ND<1	µg/L	1
KMEP Norwalk	GMW-O-15	1,1-Dichloropropene	08/12/2010	ND<1	µg/L	1
KMEP Norwalk	GMW-O-15	1,2,3-Trichlorobenzene	08/12/2010	ND<4	µg/L	4
KMEP Norwalk	GMW-O-15	1,2,3-Trichloropropane	08/12/2010	ND<4	µg/L	4
KMEP Norwalk	GMW-O-15	1,2,4-Trichlorobenzene	08/12/2010	ND<4	µg/L	4
KMEP Norwalk	GMW-O-15	1,2,4-Trimethylbenzene	08/12/2010	14	µg/L	1
KMEP Norwalk	GMW-O-15	1,2-Dibromo-3-chloropropane (DBCP)	08/12/2010	ND<6	µg/L	6
KMEP Norwalk	GMW-O-15	1,2-Dibromoethane (EDB)	08/12/2010	ND<2	µg/L	2
KMEP Norwalk	GMW-O-15	1,2-Dichlorobenzene	08/12/2010	ND<1	µg/L	1
KMEP Norwalk	GMW-O-15	1,2-Dichloroethane	08/12/2010	ND<1	µg/L	1
KMEP Norwalk	GMW-O-15	1,2-Dichloropropane	08/12/2010	ND<1	µg/L	1
KMEP Norwalk	GMW-O-15	1,3,5-Trimethylbenzene	08/12/2010	5.7	µg/L	1
KMEP Norwalk	GMW-O-15	1,3-Dichlorobenzene	08/12/2010	ND<1	µg/L	1
KMEP Norwalk	GMW-O-15	1,3-Dichloropropane	08/12/2010	ND<1	µg/L	1
KMEP Norwalk	GMW-O-15	1,4-Dichlorobenzene	08/12/2010	ND<1	µg/L	1
KMEP Norwalk	GMW-O-15	2,2-Dichloropropane	08/12/2010	ND<1	µg/L	1
KMEP Norwalk	GMW-O-15	2-Butanone (MEK)	08/12/2010	ND<20	µg/L	20
KMEP Norwalk	GMW-O-15	2-Chlorotoluene	08/12/2010	ND<1	µg/L	1
KMEP Norwalk	GMW-O-15	2-Hexanone	08/12/2010	ND<10	µg/L	10
KMEP Norwalk	GMW-O-15	4-Chlorotoluene	08/12/2010	ND<1	µg/L	1
KMEP Norwalk	GMW-O-15	4-Isopropyltoluene	08/12/2010	ND<1	µg/L	1
KMEP Norwalk	GMW-O-15	4-Methyl-2-pentanone (MIBK)	08/12/2010	ND<10	µg/L	10
KMEP Norwalk	GMW-O-15	Acetone	08/12/2010	ND<20	µg/L	20
KMEP Norwalk	GMW-O-15	Benzene	08/12/2010	120	µg/L	0.5
KMEP Norwalk	GMW-O-15	Bromobenzene	08/12/2010	ND<1	µg/L	1
KMEP Norwalk	GMW-O-15	Bromochloromethane	08/12/2010	ND<1	µg/L	1
KMEP Norwalk	GMW-O-15	Bromodichloromethane	08/12/2010	ND<1	µg/L	1
KMEP Norwalk	GMW-O-15	Bromoform	08/12/2010	ND<1	µg/L	1
KMEP Norwalk	GMW-O-15	Bromomethane	08/12/2010	ND<4	µg/L	4
KMEP Norwalk	GMW-O-15	Carbon disulfide	08/12/2010	ND<5	µg/L	5
KMEP Norwalk	GMW-O-15	Carbon tetrachloride	08/12/2010	ND<1	µg/L	1
KMEP Norwalk	GMW-O-15	Chlorobenzene	08/12/2010	ND<1	µg/L	1
KMEP Norwalk	GMW-O-15	Chloroethane	08/12/2010	ND<1	µg/L	1
KMEP Norwalk	GMW-O-15	Chloroform	08/12/2010	ND<1	µg/L	1
KMEP Norwalk	GMW-O-15	Chloromethane	08/12/2010	ND<4	µg/L	4
KMEP Norwalk	GMW-O-15	cis-1,2-Dichloroethene	08/12/2010	ND<1	µg/L	1
KMEP Norwalk	GMW-O-15	cis-1,3-Dichloropropene	08/12/2010	ND<1	µg/L	1
KMEP Norwalk	GMW-O-15	Dibromochloromethane	08/12/2010	ND<1	µg/L	1
KMEP Norwalk	GMW-O-15	Dibromomethane	08/12/2010	ND<1	µg/L	1
KMEP Norwalk	GMW-O-15	Dichlorodifluoromethane	08/12/2010	ND<1	µg/L	1
KMEP Norwalk	GMW-O-15	Dichloromethane	08/12/2010	ND<5	µg/L	5
KMEP Norwalk	GMW-O-15	Di-isopropyl Ether (DIPE)	08/12/2010	ND<1	µg/L	1
KMEP Norwalk	GMW-O-15	Ethyl Tertiary Butyl Ether (ETBE)	08/12/2010	ND<1	µg/L	1
KMEP Norwalk	GMW-O-15	Ethylbenzene	08/12/2010	10	µg/L	0.5
KMEP Norwalk	GMW-O-15	Freon-113	08/12/2010	ND<10	µg/L	10
KMEP Norwalk	GMW-O-15	Isopropylbenzene	08/12/2010	ND<1	µg/L	1
KMEP Norwalk	GMW-O-15	m,p-Xylene	08/12/2010	34	µg/L	0.5

KMEP August 2010 Monthly Monitoring Results

ProjectName	Client Sample ID	Analyte	Date Sampled	Result	Units	PQL
KMEP Norwalk	GMW-O-15	Methyl tert-butyl ether (MTBE)	08/12/2010	260	µg/L	0.5
KMEP Norwalk	GMW-O-15	Naphthalene	08/12/2010	ND<10	µg/L	10
KMEP Norwalk	GMW-O-15	n-Butylbenzene	08/12/2010	ND<1	µg/L	1
KMEP Norwalk	GMW-O-15	n-Propylbenzene	08/12/2010	1	µg/L	1
KMEP Norwalk	GMW-O-15	o-Xylene	08/12/2010	9	µg/L	0.5
KMEP Norwalk	GMW-O-15	sec-Butylbenzene	08/12/2010	ND<1	µg/L	1
KMEP Norwalk	GMW-O-15	Styrene	08/12/2010	ND<1	µg/L	1
KMEP Norwalk	GMW-O-15	tert-Butylbenzene	08/12/2010	ND<1	µg/L	1
KMEP Norwalk	GMW-O-15	Tertiary Amyl Methyl Ether (TAME)	08/12/2010	1.5	µg/L	1
KMEP Norwalk	GMW-O-15	Tetrachloroethene	08/12/2010	ND<1	µg/L	1
KMEP Norwalk	GMW-O-15	Toluene	08/12/2010	4.1	µg/L	0.5
KMEP Norwalk	GMW-O-15	trans-1,2-Dichloroethene	08/12/2010	ND<1	µg/L	1
KMEP Norwalk	GMW-O-15	trans-1,3-Dichloropropene	08/12/2010	ND<1	µg/L	1
KMEP Norwalk	GMW-O-15	Trichloroethene	08/12/2010	ND<1	µg/L	1
KMEP Norwalk	GMW-O-15	Trichlorofluoromethane	08/12/2010	ND<10	µg/L	10
KMEP Norwalk	GMW-O-15	Vinyl acetate	08/12/2010	ND<100	µg/L	100
KMEP Norwalk	GMW-O-15	Vinyl chloride	08/12/2010	ND<1	µg/L	1
KMEP Norwalk	GMW-O-16	TPH-P (GRO)	08/12/2010	ND<0.05	mg/L	0.05
KMEP Norwalk	GMW-O-16	TPH-E (Fuel Product)	08/12/2010	ND<0.1	mg/L	0.1
KMEP Norwalk	GMW-O-16	1,1,1,2-Tetrachloroethane	08/12/2010	ND<1	µg/L	1
KMEP Norwalk	GMW-O-16	1,1,1-Trichloroethane	08/12/2010	ND<1	µg/L	1
KMEP Norwalk	GMW-O-16	1,1,1,2-Tetrachloroethane	08/12/2010	ND<1	µg/L	1
KMEP Norwalk	GMW-O-16	1,1,2-Trichloroethane	08/12/2010	ND<1	µg/L	1
KMEP Norwalk	GMW-O-16	1,1-Dichloroethane	08/12/2010	ND<1	µg/L	1
KMEP Norwalk	GMW-O-16	1,1-Dichloroethene	08/12/2010	ND<1	µg/L	1
KMEP Norwalk	GMW-O-16	1,1-Dichloropropene	08/12/2010	ND<1	µg/L	1
KMEP Norwalk	GMW-O-16	1,2,3-Trichlorobenzene	08/12/2010	ND<2	µg/L	2
KMEP Norwalk	GMW-O-16	1,2,3-Trichloropropane	08/12/2010	ND<2	µg/L	2
KMEP Norwalk	GMW-O-16	1,2,4-Trichlorobenzene	08/12/2010	ND<2	µg/L	2
KMEP Norwalk	GMW-O-16	1,2,4-Trimethylbenzene	08/12/2010	ND<1	µg/L	1
KMEP Norwalk	GMW-O-16	1,2-Dibromo-3-chloropropane (DBCP)	08/12/2010	ND<5	µg/L	5
KMEP Norwalk	GMW-O-16	1,2-Dibromoethane (EDB)	08/12/2010	ND<2	µg/L	2
KMEP Norwalk	GMW-O-16	1,2-Dichlorobenzene	08/12/2010	ND<1	µg/L	1
KMEP Norwalk	GMW-O-16	1,2-Dichloroethane	08/12/2010	ND<0.5	µg/L	0.5
KMEP Norwalk	GMW-O-16	1,2-Dichloropropane	08/12/2010	ND<1	µg/L	1
KMEP Norwalk	GMW-O-16	1,3,5-Trimethylbenzene	08/12/2010	ND<1	µg/L	1
KMEP Norwalk	GMW-O-16	1,3-Dichlorobenzene	08/12/2010	ND<1	µg/L	1
KMEP Norwalk	GMW-O-16	1,3-Dichloropropane	08/12/2010	ND<1	µg/L	1
KMEP Norwalk	GMW-O-16	1,4-Dichlorobenzene	08/12/2010	ND<1	µg/L	1
KMEP Norwalk	GMW-O-16	2,2-Dichloropropane	08/12/2010	ND<1	µg/L	1
KMEP Norwalk	GMW-O-16	2-Butanone (MEK)	08/12/2010	ND<10	µg/L	10
KMEP Norwalk	GMW-O-16	2-Chlorotoluene	08/12/2010	ND<1	µg/L	1
KMEP Norwalk	GMW-O-16	2-Hexanone	08/12/2010	ND<5	µg/L	5
KMEP Norwalk	GMW-O-16	4-Chlorotoluene	08/12/2010	ND<1	µg/L	1
KMEP Norwalk	GMW-O-16	4-Isopropyltoluene	08/12/2010	ND<1	µg/L	1
KMEP Norwalk	GMW-O-16	4-Methyl-2-pentanone (MIBK)	08/12/2010	ND<10	µg/L	10
KMEP Norwalk	GMW-O-16	Acetone	08/12/2010	ND<10	µg/L	10
KMEP Norwalk	GMW-O-16	Benzene	08/12/2010	0.5	µg/L	0.5
KMEP Norwalk	GMW-O-16	Bromobenzene	08/12/2010	ND<1	µg/L	1
KMEP Norwalk	GMW-O-16	Bromochloromethane	08/12/2010	ND<1	µg/L	1
KMEP Norwalk	GMW-O-16	Bromodichloromethane	08/12/2010	ND<1	µg/L	1
KMEP Norwalk	GMW-O-16	Bromoform	08/12/2010	ND<1	µg/L	1
KMEP Norwalk	GMW-O-16	Bromomethane	08/12/2010	ND<2	µg/L	2
KMEP Norwalk	GMW-O-16	Carbon disulfide	08/12/2010	ND<2.5	µg/L	2.5
KMEP Norwalk	GMW-O-16	Carbon tetrachloride	08/12/2010	ND<1	µg/L	1

KMEP August 2010 Monthly Monitoring Results

ProjectName	Client Sample ID	Analyte	Date Sampled	Result	Units	PQL
KMEP Norwalk	GMW-O-16	Chlorobenzene	08/12/2010	ND<1	µg/L	1
KMEP Norwalk	GMW-O-16	Chloroethane	08/12/2010	ND<1	µg/L	1
KMEP Norwalk	GMW-O-16	Chloroform	08/12/2010	ND<1	µg/L	1
KMEP Norwalk	GMW-O-16	Chloromethane	08/12/2010	ND<2	µg/L	2
KMEP Norwalk	GMW-O-16	cis-1,2-Dichloroethene	08/12/2010	ND<1	µg/L	1
KMEP Norwalk	GMW-O-16	cis-1,3-Dichloropropene	08/12/2010	ND<0.5	µg/L	0.5
KMEP Norwalk	GMW-O-16	Dibromochloromethane	08/12/2010	ND<1	µg/L	1
KMEP Norwalk	GMW-O-16	Dibromomethane	08/12/2010	ND<1	µg/L	1
KMEP Norwalk	GMW-O-16	Dichlorodifluoromethane	08/12/2010	ND<1	µg/L	1
KMEP Norwalk	GMW-O-16	Dichloromethane	08/12/2010	ND<5	µg/L	5
KMEP Norwalk	GMW-O-16	Di-isopropyl Ether (DIPE)	08/12/2010	ND<1	µg/L	1
KMEP Norwalk	GMW-O-16	Ethyl Tertiary Butyl Ether (ETBE)	08/12/2010	ND<1	µg/L	1
KMEP Norwalk	GMW-O-16	Ethylbenzene	08/12/2010	ND<0.5	µg/L	0.5
KMEP Norwalk	GMW-O-16	Freon-113	08/12/2010	ND<10	µg/L	10
KMEP Norwalk	GMW-O-16	Isopropylbenzene	08/12/2010	ND<1	µg/L	1
KMEP Norwalk	GMW-O-16	m,p-Xylene	08/12/2010	ND<0.5	µg/L	0.5
KMEP Norwalk	GMW-O-16	Methyl tert-butyl ether (MTBE)	08/12/2010	2.3	µg/L	0.5
KMEP Norwalk	GMW-O-16	Naphthalene	08/12/2010	ND<10	µg/L	10
KMEP Norwalk	GMW-O-16	n-Butylbenzene	08/12/2010	ND<1	µg/L	1
KMEP Norwalk	GMW-O-16	n-Propylbenzene	08/12/2010	ND<1	µg/L	1
KMEP Norwalk	GMW-O-16	o-Xylene	08/12/2010	ND<0.5	µg/L	0.5
KMEP Norwalk	GMW-O-16	sec-Butylbenzene	08/12/2010	ND<1	µg/L	1
KMEP Norwalk	GMW-O-16	Styrene	08/12/2010	ND<1	µg/L	1
KMEP Norwalk	GMW-O-16	tert-Butylbenzene	08/12/2010	ND<1	µg/L	1
KMEP Norwalk	GMW-O-16	Tertiary Amyl Methyl Ether (TAME)	08/12/2010	ND<1	µg/L	1
KMEP Norwalk	GMW-O-16	Tertiary Butyl Alcohol (TBA)	08/12/2010	ND<10	µg/L	10
KMEP Norwalk	GMW-O-16	Tetrachloroethene	08/12/2010	ND<1	µg/L	1
KMEP Norwalk	GMW-O-16	Toluene	08/12/2010	ND<0.5	µg/L	0.5
KMEP Norwalk	GMW-O-16	trans-1,2-Dichloroethene	08/12/2010	ND<1	µg/L	1
KMEP Norwalk	GMW-O-16	trans-1,3-Dichloropropene	08/12/2010	ND<0.5	µg/L	0.5
KMEP Norwalk	GMW-O-16	Trichloroethene	08/12/2010	ND<1	µg/L	1
KMEP Norwalk	GMW-O-16	Trichlorofluoromethane	08/12/2010	ND<10	µg/L	10
KMEP Norwalk	GMW-O-16	Vinyl acetate	08/12/2010	ND<50	µg/L	50
KMEP Norwalk	GMW-O-16	Vinyl chloride	08/12/2010	ND<0.5	µg/L	0.5
KMEP Norwalk	GMW-O-18	TPH-P (GRO)	08/12/2010	0.22	mg/L	0.1
KMEP Norwalk	GMW-O-18	TPH-E (Fuel Product)	08/12/2010	ND<0.1	mg/L	0.1
KMEP Norwalk	GMW-O-18	Tertiary Butyl Alcohol (TBA)	08/12/2010	15000	µg/L	100
KMEP Norwalk	GMW-O-18	1,1,1,2-Tetrachloroethane	08/12/2010	ND<1	µg/L	1
KMEP Norwalk	GMW-O-18	1,1,1-Trichloroethane	08/12/2010	ND<1	µg/L	1
KMEP Norwalk	GMW-O-18	1,1,2,2-Tetrachloroethane	08/12/2010	ND<1	µg/L	1
KMEP Norwalk	GMW-O-18	1,1,2-Trichloroethane	08/12/2010	ND<1	µg/L	1
KMEP Norwalk	GMW-O-18	1,1-Dichloroethane	08/12/2010	ND<1	µg/L	1
KMEP Norwalk	GMW-O-18	1,1-Dichloroethene	08/12/2010	ND<1	µg/L	1
KMEP Norwalk	GMW-O-18	1,1-Dichloropropene	08/12/2010	ND<1	µg/L	1
KMEP Norwalk	GMW-O-18	1,2,3-Trichlorobenzene	08/12/2010	ND<4	µg/L	4
KMEP Norwalk	GMW-O-18	1,2,3-Trichloropropane	08/12/2010	ND<4	µg/L	4
KMEP Norwalk	GMW-O-18	1,2,4-Trichlorobenzene	08/12/2010	ND<4	µg/L	4
KMEP Norwalk	GMW-O-18	1,2,4-Trimethylbenzene	08/12/2010	ND<1	µg/L	1
KMEP Norwalk	GMW-O-18	1,2-Dibromo-3-chloropropane (DBCP)	08/12/2010	ND<6	µg/L	6
KMEP Norwalk	GMW-O-18	1,2-Dibromoethane (EDB)	08/12/2010	ND<2	µg/L	2
KMEP Norwalk	GMW-O-18	1,2-Dichlorobenzene	08/12/2010	ND<1	µg/L	1
KMEP Norwalk	GMW-O-18	1,2-Dichloroethane	08/12/2010	ND<1	µg/L	1
KMEP Norwalk	GMW-O-18	1,2-Dichloropropane	08/12/2010	ND<1	µg/L	1
KMEP Norwalk	GMW-O-18	1,3,5-Trimethylbenzene	08/12/2010	ND<1	µg/L	1
KMEP Norwalk	GMW-O-18	1,3-Dichlorobenzene	08/12/2010	ND<1	µg/L	1

KMEP August 2010 Monthly Monitoring Results

ProjectName	Client Sample ID	Analyte	Date Sampled	Result	Units	PQL
KMEP Norwalk	GMW-O-18	1,3-Dichloropropane	08/12/2010	ND<1	µg/L	1
KMEP Norwalk	GMW-O-18	1,4-Dichlorobenzene	08/12/2010	ND<1	µg/L	1
KMEP Norwalk	GMW-O-18	2,2-Dichloropropane	08/12/2010	ND<1	µg/L	1
KMEP Norwalk	GMW-O-18	2-Butanone (MEK)	08/12/2010	ND<20	µg/L	20
KMEP Norwalk	GMW-O-18	2-Chlorotoluene	08/12/2010	ND<1	µg/L	1
KMEP Norwalk	GMW-O-18	2-Hexanone	08/12/2010	ND<10	µg/L	10
KMEP Norwalk	GMW-O-18	4-Chlorotoluene	08/12/2010	ND<1	µg/L	1
KMEP Norwalk	GMW-O-18	4-Isopropyltoluene	08/12/2010	ND<1	µg/L	1
KMEP Norwalk	GMW-O-18	4-Methyl-2-pentanone (MIBK)	08/12/2010	ND<10	µg/L	10
KMEP Norwalk	GMW-O-18	Acetone	08/12/2010	ND<20	µg/L	20
KMEP Norwalk	GMW-O-18	Benzene	08/12/2010	0.64	µg/L	0.5
KMEP Norwalk	GMW-O-18	Bromobenzene	08/12/2010	ND<1	µg/L	1
KMEP Norwalk	GMW-O-18	Bromochloromethane	08/12/2010	ND<1	µg/L	1
KMEP Norwalk	GMW-O-18	Bromodichloromethane	08/12/2010	ND<1	µg/L	1
KMEP Norwalk	GMW-O-18	Bromoform	08/12/2010	ND<1	µg/L	1
KMEP Norwalk	GMW-O-18	Bromomethane	08/12/2010	ND<4	µg/L	4
KMEP Norwalk	GMW-O-18	Carbon disulfide	08/12/2010	ND<5	µg/L	5
KMEP Norwalk	GMW-O-18	Carbon tetrachloride	08/12/2010	ND<1	µg/L	1
KMEP Norwalk	GMW-O-18	Chlorobenzene	08/12/2010	ND<1	µg/L	1
KMEP Norwalk	GMW-O-18	Chloroethane	08/12/2010	ND<1	µg/L	1
KMEP Norwalk	GMW-O-18	Chloroform	08/12/2010	ND<1	µg/L	1
KMEP Norwalk	GMW-O-18	Chloromethane	08/12/2010	ND<4	µg/L	4
KMEP Norwalk	GMW-O-18	cis-1,2-Dichloroethene	08/12/2010	ND<1	µg/L	1
KMEP Norwalk	GMW-O-18	cis-1,3-Dichloropropene	08/12/2010	ND<1	µg/L	1
KMEP Norwalk	GMW-O-18	Dibromochloromethane	08/12/2010	ND<1	µg/L	1
KMEP Norwalk	GMW-O-18	Dibromomethane	08/12/2010	ND<1	µg/L	1
KMEP Norwalk	GMW-O-18	Dichlorodifluoromethane	08/12/2010	ND<1	µg/L	1
KMEP Norwalk	GMW-O-18	Dichloromethane	08/12/2010	ND<5	µg/L	5
KMEP Norwalk	GMW-O-18	Di-isopropyl Ether (DIPE)	08/12/2010	ND<1	µg/L	1
KMEP Norwalk	GMW-O-18	Ethyl Tertiary Butyl Ether (ETBE)	08/12/2010	ND<1	µg/L	1
KMEP Norwalk	GMW-O-18	Ethylbenzene	08/12/2010	ND<0.5	µg/L	0.5
KMEP Norwalk	GMW-O-18	Freon-113	08/12/2010	ND<10	µg/L	10
KMEP Norwalk	GMW-O-18	Isopropylbenzene	08/12/2010	ND<1	µg/L	1
KMEP Norwalk	GMW-O-18	m,p-Xylene	08/12/2010	ND<0.5	µg/L	0.5
KMEP Norwalk	GMW-O-18	Methyl tert-butyl ether (MTBE)	08/12/2010	0.93	µg/L	0.5
KMEP Norwalk	GMW-O-18	Naphthalene	08/12/2010	ND<10	µg/L	10
KMEP Norwalk	GMW-O-18	n-Butylbenzene	08/12/2010	ND<1	µg/L	1
KMEP Norwalk	GMW-O-18	n-Propylbenzene	08/12/2010	ND<1	µg/L	1
KMEP Norwalk	GMW-O-18	o-Xylene	08/12/2010	ND<0.5	µg/L	0.5
KMEP Norwalk	GMW-O-18	sec-Butylbenzene	08/12/2010	ND<1	µg/L	1
KMEP Norwalk	GMW-O-18	Styrene	08/12/2010	ND<1	µg/L	1
KMEP Norwalk	GMW-O-18	tert-Butylbenzene	08/12/2010	ND<1	µg/L	1
KMEP Norwalk	GMW-O-18	Tertiary Amyl Methyl Ether (TAME)	08/12/2010	ND<1	µg/L	1
KMEP Norwalk	GMW-O-18	Tetrachloroethene	08/12/2010	ND<1	µg/L	1
KMEP Norwalk	GMW-O-18	Toluene	08/12/2010	ND<0.5	µg/L	0.5
KMEP Norwalk	GMW-O-18	trans-1,2-Dichloroethene	08/12/2010	ND<1	µg/L	1
KMEP Norwalk	GMW-O-18	trans-1,3-Dichloropropene	08/12/2010	ND<1	µg/L	1
KMEP Norwalk	GMW-O-18	Trichloroethene	08/12/2010	ND<1	µg/L	1
KMEP Norwalk	GMW-O-18	Trichlorofluoromethane	08/12/2010	ND<10	µg/L	10
KMEP Norwalk	GMW-O-18	Vinyl acetate	08/12/2010	ND<100	µg/L	100
KMEP Norwalk	GMW-O-18	Vinyl chloride	08/12/2010	ND<1	µg/L	1
KMEP Norwalk	GMW-O-19	TPH-P (GRO)	08/12/2010	ND<0.05	mg/L	0.05
KMEP Norwalk	GMW-O-19	TPH-E (Fuel Product)	08/12/2010	ND<0.1	mg/L	0.1
KMEP Norwalk	GMW-O-19	1,1,1,2-Tetrachloroethane	08/12/2010	ND<1	µg/L	1
KMEP Norwalk	GMW-O-19	1,1,1-Trichloroethane	08/12/2010	ND<1	µg/L	1

KMEP August 2010 Monthly Monitoring Results

ProjectName	Client Sample ID	Analyte	Date Sampled	Result	Units	PQL
KMEP Norwalk	GMW-O-19	1,1,2,2-Tetrachloroethane	08/12/2010	ND<1	µg/L	1
KMEP Norwalk	GMW-O-19	1,1,2-Trichloroethane	08/12/2010	ND<1	µg/L	1
KMEP Norwalk	GMW-O-19	1,1-Dichloroethane	08/12/2010	ND<1	µg/L	1
KMEP Norwalk	GMW-O-19	1,1-Dichloroethene	08/12/2010	ND<1	µg/L	1
KMEP Norwalk	GMW-O-19	1,1-Dichloropropene	08/12/2010	ND<1	µg/L	1
KMEP Norwalk	GMW-O-19	1,2,3-Trichlorobenzene	08/12/2010	ND<2	µg/L	2
KMEP Norwalk	GMW-O-19	1,2,3-Trichloropropane	08/12/2010	ND<2	µg/L	2
KMEP Norwalk	GMW-O-19	1,2,4-Trichlorobenzene	08/12/2010	ND<2	µg/L	2
KMEP Norwalk	GMW-O-19	1,2,4-Trimethylbenzene	08/12/2010	ND<1	µg/L	1
KMEP Norwalk	GMW-O-19	1,2-Dibromo-3-chloropropane (DBCP)	08/12/2010	ND<5	µg/L	5
KMEP Norwalk	GMW-O-19	1,2-Dibromoethane (EDB)	08/12/2010	ND<2	µg/L	2
KMEP Norwalk	GMW-O-19	1,2-Dichlorobenzene	08/12/2010	ND<1	µg/L	1
KMEP Norwalk	GMW-O-19	1,2-Dichloroethane	08/12/2010	ND<0.5	µg/L	0.5
KMEP Norwalk	GMW-O-19	1,2-Dichloropropane	08/12/2010	ND<1	µg/L	1
KMEP Norwalk	GMW-O-19	1,3,5-Trimethylbenzene	08/12/2010	ND<1	µg/L	1
KMEP Norwalk	GMW-O-19	1,3-Dichlorobenzene	08/12/2010	ND<1	µg/L	1
KMEP Norwalk	GMW-O-19	1,3-Dichloropropane	08/12/2010	ND<1	µg/L	1
KMEP Norwalk	GMW-O-19	1,4-Dichlorobenzene	08/12/2010	ND<1	µg/L	1
KMEP Norwalk	GMW-O-19	2,2-Dichloropropane	08/12/2010	ND<1	µg/L	1
KMEP Norwalk	GMW-O-19	2-Butanone (MEK)	08/12/2010	ND<10	µg/L	10
KMEP Norwalk	GMW-O-19	2-Chlorotoluene	08/12/2010	ND<1	µg/L	1
KMEP Norwalk	GMW-O-19	2-Hexanone	08/12/2010	ND<5	µg/L	5
KMEP Norwalk	GMW-O-19	4-Chlorotoluene	08/12/2010	ND<1	µg/L	1
KMEP Norwalk	GMW-O-19	4-Isopropyltoluene	08/12/2010	ND<1	µg/L	1
KMEP Norwalk	GMW-O-19	4-Methyl-2-pentanone (MIBK)	08/12/2010	ND<10	µg/L	10
KMEP Norwalk	GMW-O-19	Acetone	08/12/2010	ND<10	µg/L	10
KMEP Norwalk	GMW-O-19	Benzene	08/12/2010	0.52	µg/L	0.5
KMEP Norwalk	GMW-O-19	Bromobenzene	08/12/2010	ND<1	µg/L	1
KMEP Norwalk	GMW-O-19	Bromochloromethane	08/12/2010	ND<1	µg/L	1
KMEP Norwalk	GMW-O-19	Bromodichloromethane	08/12/2010	ND<1	µg/L	1
KMEP Norwalk	GMW-O-19	Bromoform	08/12/2010	ND<1	µg/L	1
KMEP Norwalk	GMW-O-19	Bromomethane	08/12/2010	ND<2	µg/L	2
KMEP Norwalk	GMW-O-19	Carbon disulfide	08/12/2010	ND<2.5	µg/L	2.5
KMEP Norwalk	GMW-O-19	Carbon tetrachloride	08/12/2010	ND<1	µg/L	1
KMEP Norwalk	GMW-O-19	Chlorobenzene	08/12/2010	ND<1	µg/L	1
KMEP Norwalk	GMW-O-19	Chloroethane	08/12/2010	ND<1	µg/L	1
KMEP Norwalk	GMW-O-19	Chloroform	08/12/2010	ND<1	µg/L	1
KMEP Norwalk	GMW-O-19	Chloromethane	08/12/2010	ND<2	µg/L	2
KMEP Norwalk	GMW-O-19	cis-1,2-Dichloroethene	08/12/2010	ND<1	µg/L	1
KMEP Norwalk	GMW-O-19	cis-1,3-Dichloropropene	08/12/2010	ND<0.5	µg/L	0.5
KMEP Norwalk	GMW-O-19	Dibromochloromethane	08/12/2010	ND<1	µg/L	1
KMEP Norwalk	GMW-O-19	Dibromomethane	08/12/2010	ND<1	µg/L	1
KMEP Norwalk	GMW-O-19	Dichlorodifluoromethane	08/12/2010	ND<1	µg/L	1
KMEP Norwalk	GMW-O-19	Dichloromethane	08/12/2010	ND<5	µg/L	5
KMEP Norwalk	GMW-O-19	Di-isopropyl Ether (DIPE)	08/12/2010	ND<1	µg/L	1
KMEP Norwalk	GMW-O-19	Ethyl Tertiary Butyl Ether (ETBE)	08/12/2010	ND<1	µg/L	1
KMEP Norwalk	GMW-O-19	Ethylbenzene	08/12/2010	ND<0.5	µg/L	0.5
KMEP Norwalk	GMW-O-19	Freon-113	08/12/2010	ND<10	µg/L	10
KMEP Norwalk	GMW-O-19	Isopropylbenzene	08/12/2010	ND<1	µg/L	1
KMEP Norwalk	GMW-O-19	m,p-Xylene	08/12/2010	ND<0.5	µg/L	0.5
KMEP Norwalk	GMW-O-19	Methyl tert-butyl ether (MTBE)	08/12/2010	ND<0.5	µg/L	0.5
KMEP Norwalk	GMW-O-19	Naphthalene	08/12/2010	ND<10	µg/L	10
KMEP Norwalk	GMW-O-19	n-Butylbenzene	08/12/2010	ND<1	µg/L	1
KMEP Norwalk	GMW-O-19	n-Propylbenzene	08/12/2010	ND<1	µg/L	1
KMEP Norwalk	GMW-O-19	o-Xylene	08/12/2010	ND<0.5	µg/L	0.5

KMEP August 2010 Monthly Monitoring Results

ProjectName	Client Sample ID	Analyte	Date Sampled	Result	Units	PQL
KMEP Norwalk	GMW-O-19	sec-Butylbenzene	08/12/2010	ND<1	µg/L	1
KMEP Norwalk	GMW-O-19	Styrene	08/12/2010	ND<1	µg/L	1
KMEP Norwalk	GMW-O-19	tert-Butylbenzene	08/12/2010	ND<1	µg/L	1
KMEP Norwalk	GMW-O-19	Tertiary Amyl Methyl Ether (TAME)	08/12/2010	ND<1	µg/L	1
KMEP Norwalk	GMW-O-19	Tertiary Butyl Alcohol (TBA)	08/12/2010	ND<10	µg/L	10
KMEP Norwalk	GMW-O-19	Tetrachloroethene	08/12/2010	ND<1	µg/L	1
KMEP Norwalk	GMW-O-19	Toluene	08/12/2010	ND<0.5	µg/L	0.5
KMEP Norwalk	GMW-O-19	trans-1,2-Dichloroethene	08/12/2010	ND<1	µg/L	1
KMEP Norwalk	GMW-O-19	trans-1,3-Dichloropropene	08/12/2010	ND<0.5	µg/L	0.5
KMEP Norwalk	GMW-O-19	Trichloroethene	08/12/2010	ND<1	µg/L	1
KMEP Norwalk	GMW-O-19	Trichlorofluoromethane	08/12/2010	ND<10	µg/L	10
KMEP Norwalk	GMW-O-19	Vinyl acetate	08/12/2010	ND<50	µg/L	50
KMEP Norwalk	GMW-O-19	Vinyl chloride	08/12/2010	ND<0.5	µg/L	0.5
KMEP Norwalk	GMW-36	TPH-P (GRO)	08/12/2010	9.2	mg/L	1
KMEP Norwalk	GMW-36	TPH-E (Fuel Product)	08/12/2010	2.2	mg/L	0.1
KMEP Norwalk	GMW-36	1,1,1,2-Tetrachloroethane	08/12/2010	ND<10	µg/L	10
KMEP Norwalk	GMW-36	1,1,1-Trichloroethane	08/12/2010	ND<10	µg/L	10
KMEP Norwalk	GMW-36	1,1,2,2-Tetrachloroethane	08/12/2010	ND<10	µg/L	10
KMEP Norwalk	GMW-36	1,1,2-Trichloroethane	08/12/2010	ND<10	µg/L	10
KMEP Norwalk	GMW-36	1,1-Dichloroethane	08/12/2010	ND<10	µg/L	10
KMEP Norwalk	GMW-36	1,1-Dichloroethene	08/12/2010	ND<10	µg/L	10
KMEP Norwalk	GMW-36	1,1-Dichloropropene	08/12/2010	ND<10	µg/L	10
KMEP Norwalk	GMW-36	1,2,3-Trichlorobenzene	08/12/2010	ND<40	µg/L	40
KMEP Norwalk	GMW-36	1,2,3-Trichloropropane	08/12/2010	ND<40	µg/L	40
KMEP Norwalk	GMW-36	1,2,4-Trichlorobenzene	08/12/2010	ND<40	µg/L	40
KMEP Norwalk	GMW-36	1,2,4-Trimethylbenzene	08/12/2010	200	µg/L	10
KMEP Norwalk	GMW-36	1,2-Dibromo-3-chloropropane (DBCP)	08/12/2010	ND<60	µg/L	60
KMEP Norwalk	GMW-36	1,2-Dibromoethane (EDB)	08/12/2010	ND<20	µg/L	20
KMEP Norwalk	GMW-36	1,2-Dichlorobenzene	08/12/2010	ND<10	µg/L	10
KMEP Norwalk	GMW-36	1,2-Dichloroethane	08/12/2010	ND<10	µg/L	10
KMEP Norwalk	GMW-36	1,2-Dichloropropane	08/12/2010	ND<10	µg/L	10
KMEP Norwalk	GMW-36	1,3,5-Trimethylbenzene	08/12/2010	87	µg/L	10
KMEP Norwalk	GMW-36	1,3-Dichlorobenzene	08/12/2010	ND<10	µg/L	10
KMEP Norwalk	GMW-36	1,3-Dichloropropane	08/12/2010	ND<10	µg/L	10
KMEP Norwalk	GMW-36	1,4-Dichlorobenzene	08/12/2010	ND<10	µg/L	10
KMEP Norwalk	GMW-36	2,2-Dichloropropane	08/12/2010	ND<10	µg/L	10
KMEP Norwalk	GMW-36	2-Butanone (MEK)	08/12/2010	ND<200	µg/L	200
KMEP Norwalk	GMW-36	2-Chlorotoluene	08/12/2010	ND<10	µg/L	10
KMEP Norwalk	GMW-36	2-Hexanone	08/12/2010	ND<100	µg/L	100
KMEP Norwalk	GMW-36	4-Chlorotoluene	08/12/2010	ND<10	µg/L	10
KMEP Norwalk	GMW-36	4-Isopropyltoluene	08/12/2010	ND<10	µg/L	10
KMEP Norwalk	GMW-36	4-Methyl-2-pentanone (MIBK)	08/12/2010	ND<50	µg/L	50
KMEP Norwalk	GMW-36	Acetone	08/12/2010	ND<200	µg/L	200
KMEP Norwalk	GMW-36	Benzene	08/12/2010	1400	µg/L	5
KMEP Norwalk	GMW-36	Bromobenzene	08/12/2010	ND<10	µg/L	10
KMEP Norwalk	GMW-36	Bromochloromethane	08/12/2010	ND<10	µg/L	10
KMEP Norwalk	GMW-36	Bromodichloromethane	08/12/2010	ND<10	µg/L	10
KMEP Norwalk	GMW-36	Bromoform	08/12/2010	ND<10	µg/L	10
KMEP Norwalk	GMW-36	Bromomethane	08/12/2010	ND<40	µg/L	40
KMEP Norwalk	GMW-36	Carbon disulfide	08/12/2010	ND<50	µg/L	50
KMEP Norwalk	GMW-36	Carbon tetrachloride	08/12/2010	ND<10	µg/L	10
KMEP Norwalk	GMW-36	Chlorobenzene	08/12/2010	ND<10	µg/L	10
KMEP Norwalk	GMW-36	Chloroethane	08/12/2010	ND<10	µg/L	10
KMEP Norwalk	GMW-36	Chloroform	08/12/2010	ND<10	µg/L	10
KMEP Norwalk	GMW-36	Chloromethane	08/12/2010	ND<40	µg/L	40

KMEP August 2010 Monthly Monitoring Results

ProjectName	Client Sample		Analyte	Date		Result	Units	PQL
	ID			Sampled				
KMEP Norwalk	GMW-36		cis-1,2-Dichloroethene	08/12/2010		ND<10	µg/L	10
KMEP Norwalk	GMW-36		cis-1,3-Dichloropropene	08/12/2010		ND<10	µg/L	10
KMEP Norwalk	GMW-36		Dibromochloromethane	08/12/2010		ND<10	µg/L	10
KMEP Norwalk	GMW-36		Dibromomethane	08/12/2010		ND<10	µg/L	10
KMEP Norwalk	GMW-36		Dichlorodifluoromethane	08/12/2010		ND<10	µg/L	10
KMEP Norwalk	GMW-36		Dichloromethane	08/12/2010		ND<40	µg/L	40
KMEP Norwalk	GMW-36		Di-isopropyl Ether (DIPE)	08/12/2010		ND<10	µg/L	10
KMEP Norwalk	GMW-36		Ethyl Tertiary Butyl Ether (ETBE)	08/12/2010		ND<10	µg/L	10
KMEP Norwalk	GMW-36		Ethylbenzene	08/12/2010		52	µg/L	5
KMEP Norwalk	GMW-36		Freon-113	08/12/2010		ND<10	µg/L	10
KMEP Norwalk	GMW-36		Isopropylbenzene	08/12/2010		ND<10	µg/L	10
KMEP Norwalk	GMW-36		m,p-Xylene	08/12/2010		980	µg/L	5
KMEP Norwalk	GMW-36		Methyl tert-butyl ether (MTBE)	08/12/2010		18	µg/L	5
KMEP Norwalk	GMW-36		Naphthalene	08/12/2010		86	µg/L	40
KMEP Norwalk	GMW-36		n-Butylbenzene	08/12/2010		ND<10	µg/L	10
KMEP Norwalk	GMW-36		n-Propylbenzene	08/12/2010		ND<10	µg/L	10
KMEP Norwalk	GMW-36		o-Xylene	08/12/2010		600	µg/L	5
KMEP Norwalk	GMW-36		sec-Butylbenzene	08/12/2010		ND<10	µg/L	10
KMEP Norwalk	GMW-36		Styrene	08/12/2010		ND<10	µg/L	10
KMEP Norwalk	GMW-36		tert-Butylbenzene	08/12/2010		ND<10	µg/L	10
KMEP Norwalk	GMW-36		Tertiary Amyl Methyl Ether (TAME)	08/12/2010		ND<10	µg/L	10
KMEP Norwalk	GMW-36		Tertiary Butyl Alcohol (TBA)	08/12/2010		1600	µg/L	100
KMEP Norwalk	GMW-36		Tetrachloroethene	08/12/2010		ND<10	µg/L	10
KMEP Norwalk	GMW-36		Toluene	08/12/2010		1100	µg/L	5
KMEP Norwalk	GMW-36		trans-1,2-Dichloroethene	08/12/2010		ND<10	µg/L	10
KMEP Norwalk	GMW-36		trans-1,3-Dichloropropene	08/12/2010		ND<10	µg/L	10
KMEP Norwalk	GMW-36		Trichloroethene	08/12/2010		ND<10	µg/L	10
KMEP Norwalk	GMW-36		Trichlorofluoromethane	08/12/2010		ND<10	µg/L	10
KMEP Norwalk	GMW-36		Vinyl acetate	08/12/2010		ND<1000	µg/L	1000
KMEP Norwalk	GMW-36		Vinyl chloride	08/12/2010		ND<10	µg/L	10
KMEP Norwalk	PZ-5		TPH-P (GRO)	08/12/2010		9.1	mg/L	1
KMEP Norwalk	PZ-5		TPH-E (Fuel Product)	08/12/2010		1.6	mg/L	0.1
KMEP Norwalk	PZ-5		Benzene	08/12/2010		4400	µg/L	50
KMEP Norwalk	PZ-5		Tertiary Butyl Alcohol (TBA)	08/12/2010		64000	µg/L	1000
KMEP Norwalk	PZ-5		1,1,1,2-Tetrachloroethane	08/12/2010		ND<10	µg/L	10
KMEP Norwalk	PZ-5		1,1,1-Trichloroethane	08/12/2010		ND<10	µg/L	10
KMEP Norwalk	PZ-5		1,1,2,2-Tetrachloroethane	08/12/2010		ND<10	µg/L	10
KMEP Norwalk	PZ-5		1,1,2-Trichloroethane	08/12/2010		ND<10	µg/L	10
KMEP Norwalk	PZ-5		1,1-Dichloroethane	08/12/2010		ND<10	µg/L	10
KMEP Norwalk	PZ-5		1,1-Dichloroethene	08/12/2010		ND<10	µg/L	10
KMEP Norwalk	PZ-5		1,1-Dichloropropene	08/12/2010		ND<10	µg/L	10
KMEP Norwalk	PZ-5		1,2,3-Trichlorobenzene	08/12/2010		ND<40	µg/L	40
KMEP Norwalk	PZ-5		1,2,3-Trichloropropane	08/12/2010		ND<40	µg/L	40
KMEP Norwalk	PZ-5		1,2,4-Trichlorobenzene	08/12/2010		ND<40	µg/L	40
KMEP Norwalk	PZ-5		1,2,4-Trimethylbenzene	08/12/2010		18	µg/L	10
KMEP Norwalk	PZ-5		1,2-Dibromo-3-chloropropane (DBCP)	08/12/2010		ND<60	µg/L	60
KMEP Norwalk	PZ-5		1,2-Dibromoethane (EDB)	08/12/2010		ND<20	µg/L	20
KMEP Norwalk	PZ-5		1,2-Dichlorobenzene	08/12/2010		ND<10	µg/L	10
KMEP Norwalk	PZ-5		1,2-Dichloroethane	08/12/2010		ND<10	µg/L	10
KMEP Norwalk	PZ-5		1,2-Dichloropropane	08/12/2010		ND<10	µg/L	10
KMEP Norwalk	PZ-5		1,3,5-Trimethylbenzene	08/12/2010		34	µg/L	10
KMEP Norwalk	PZ-5		1,3-Dichlorobenzene	08/12/2010		ND<10	µg/L	10
KMEP Norwalk	PZ-5		1,3-Dichloropropane	08/12/2010		ND<10	µg/L	10
KMEP Norwalk	PZ-5		1,4-Dichlorobenzene	08/12/2010		ND<10	µg/L	10
KMEP Norwalk	PZ-5		2,2-Dichloropropane	08/12/2010		ND<10	µg/L	10

KMEP August 2010 Monthly Monitoring Results

ProjectName	Client Sample		Analyte	Date		Result	Units	PQL
	ID			Sampled				
KMEP Norwalk	PZ-5		2-Butanone (MEK)	08/12/2010		ND<200	µg/L	200
KMEP Norwalk	PZ-5		2-Chlorotoluene	08/12/2010		ND<10	µg/L	10
KMEP Norwalk	PZ-5		2-Hexanone	08/12/2010		ND<100	µg/L	100
KMEP Norwalk	PZ-5		4-Chlorotoluene	08/12/2010		ND<10	µg/L	10
KMEP Norwalk	PZ-5		4-Isopropyltoluene	08/12/2010		ND<10	µg/L	10
KMEP Norwalk	PZ-5		4-Methyl-2-pentanone (MIBK)	08/12/2010		ND<50	µg/L	50
KMEP Norwalk	PZ-5		Acetone	08/12/2010		ND<200	µg/L	200
KMEP Norwalk	PZ-5		Bromobenzene	08/12/2010		ND<10	µg/L	10
KMEP Norwalk	PZ-5		Bromochloromethane	08/12/2010		ND<10	µg/L	10
KMEP Norwalk	PZ-5		Bromodichloromethane	08/12/2010		ND<10	µg/L	10
KMEP Norwalk	PZ-5		Bromoform	08/12/2010		ND<10	µg/L	10
KMEP Norwalk	PZ-5		Bromomethane	08/12/2010		ND<40	µg/L	40
KMEP Norwalk	PZ-5		Carbon disulfide	08/12/2010		ND<50	µg/L	50
KMEP Norwalk	PZ-5		Carbon tetrachloride	08/12/2010		ND<10	µg/L	10
KMEP Norwalk	PZ-5		Chlorobenzene	08/12/2010		ND<10	µg/L	10
KMEP Norwalk	PZ-5		Chloroethane	08/12/2010		ND<10	µg/L	10
KMEP Norwalk	PZ-5		Chloroform	08/12/2010		ND<10	µg/L	10
KMEP Norwalk	PZ-5		Chloromethane	08/12/2010		ND<40	µg/L	40
KMEP Norwalk	PZ-5		cis-1,2-Dichloroethene	08/12/2010		ND<10	µg/L	10
KMEP Norwalk	PZ-5		cis-1,3-Dichloropropene	08/12/2010		ND<10	µg/L	10
KMEP Norwalk	PZ-5		Dibromochloromethane	08/12/2010		ND<10	µg/L	10
KMEP Norwalk	PZ-5		Dibromomethane	08/12/2010		ND<10	µg/L	10
KMEP Norwalk	PZ-5		Dichlorodifluoromethane	08/12/2010		ND<10	µg/L	10
KMEP Norwalk	PZ-5		Dichloromethane	08/12/2010		ND<40	µg/L	40
KMEP Norwalk	PZ-5		Di-isopropyl Ether (DIPE)	08/12/2010		ND<10	µg/L	10
KMEP Norwalk	PZ-5		Ethyl Tertiary Butyl Ether (ETBE)	08/12/2010		ND<10	µg/L	10
KMEP Norwalk	PZ-5		Ethylbenzene	08/12/2010		340	µg/L	5
KMEP Norwalk	PZ-5		Freon-113	08/12/2010		ND<10	µg/L	10
KMEP Norwalk	PZ-5		Isopropylbenzene	08/12/2010		13	µg/L	10
KMEP Norwalk	PZ-5		m,p-Xylene	08/12/2010		42	µg/L	5
KMEP Norwalk	PZ-5		Methyl tert-butyl ether (MTBE)	08/12/2010		490	µg/L	5
KMEP Norwalk	PZ-5		Naphthalene	08/12/2010		ND<40	µg/L	40
KMEP Norwalk	PZ-5		n-Butylbenzene	08/12/2010		ND<10	µg/L	10
KMEP Norwalk	PZ-5		n-Propylbenzene	08/12/2010		25	µg/L	10
KMEP Norwalk	PZ-5		o-Xylene	08/12/2010		8.6	µg/L	5
KMEP Norwalk	PZ-5		sec-Butylbenzene	08/12/2010		ND<10	µg/L	10
KMEP Norwalk	PZ-5		Styrene	08/12/2010		ND<10	µg/L	10
KMEP Norwalk	PZ-5		tert-Butylbenzene	08/12/2010		ND<10	µg/L	10
KMEP Norwalk	PZ-5		Tertiary Amyl Methyl Ether (TAME)	08/12/2010		ND<10	µg/L	10
KMEP Norwalk	PZ-5		Tetrachloroethene	08/12/2010		ND<10	µg/L	10
KMEP Norwalk	PZ-5		Toluene	08/12/2010		ND<5	µg/L	5
KMEP Norwalk	PZ-5		trans-1,2-Dichloroethene	08/12/2010		ND<10	µg/L	10
KMEP Norwalk	PZ-5		trans-1,3-Dichloropropene	08/12/2010		ND<10	µg/L	10
KMEP Norwalk	PZ-5		Trichloroethene	08/12/2010		ND<10	µg/L	10
KMEP Norwalk	PZ-5		Trichlorofluoromethane	08/12/2010		ND<10	µg/L	10
KMEP Norwalk	PZ-5		Vinyl acetate	08/12/2010		ND<1000	µg/L	1000
KMEP Norwalk	PZ-5		Vinyl chloride	08/12/2010		ND<10	µg/L	10
KMEP Norwalk	DUP-1		TPH-P (GRO)	08/12/2010		8.3	mg/L	1
KMEP Norwalk	DUP-1		TPH-E (Fuel Product)	08/12/2010		1.6	mg/L	0.1
KMEP Norwalk	DUP-1		Benzene	08/12/2010		4200	µg/L	50
KMEP Norwalk	DUP-1		Tertiary Butyl Alcohol (TBA)	08/12/2010		60000	µg/L	1000
KMEP Norwalk	DUP-1		1,1,1,2-Tetrachloroethane	08/12/2010		ND<10	µg/L	10
KMEP Norwalk	DUP-1		1,1,1-Trichloroethane	08/12/2010		ND<10	µg/L	10
KMEP Norwalk	DUP-1		1,1,2,2-Tetrachloroethane	08/12/2010		ND<10	µg/L	10
KMEP Norwalk	DUP-1		1,1,2-Trichloroethane	08/12/2010		ND<10	µg/L	10

KMEP August 2010 Monthly Monitoring Results

ProjectName	Client Sample ID	Analyte	Date Sampled	Result	Units	PQL
KMEP Norwalk	DUP-1	1,1-Dichloroethane	08/12/2010	ND<10	µg/L	10
KMEP Norwalk	DUP-1	1,1-Dichloroethene	08/12/2010	ND<10	µg/L	10
KMEP Norwalk	DUP-1	1,1-Dichloropropene	08/12/2010	ND<10	µg/L	10
KMEP Norwalk	DUP-1	1,2,3-Trichlorobenzene	08/12/2010	ND<40	µg/L	40
KMEP Norwalk	DUP-1	1,2,3-Trichloropropane	08/12/2010	ND<40	µg/L	40
KMEP Norwalk	DUP-1	1,2,4-Trichlorobenzene	08/12/2010	ND<40	µg/L	40
KMEP Norwalk	DUP-1	1,2,4-Trimethylbenzene	08/12/2010	17	µg/L	10
KMEP Norwalk	DUP-1	1,2-Dibromo-3-chloropropane (DBCP)	08/12/2010	ND<60	µg/L	60
KMEP Norwalk	DUP-1	1,2-Dibromoethane (EDB)	08/12/2010	ND<20	µg/L	20
KMEP Norwalk	DUP-1	1,2-Dichlorobenzene	08/12/2010	ND<10	µg/L	10
KMEP Norwalk	DUP-1	1,2-Dichloroethane	08/12/2010	ND<10	µg/L	10
KMEP Norwalk	DUP-1	1,2-Dichloropropane	08/12/2010	ND<10	µg/L	10
KMEP Norwalk	DUP-1	1,3,5-Trimethylbenzene	08/12/2010	31	µg/L	10
KMEP Norwalk	DUP-1	1,3-Dichlorobenzene	08/12/2010	ND<10	µg/L	10
KMEP Norwalk	DUP-1	1,3-Dichloropropane	08/12/2010	ND<10	µg/L	10
KMEP Norwalk	DUP-1	1,4-Dichlorobenzene	08/12/2010	ND<10	µg/L	10
KMEP Norwalk	DUP-1	2,2-Dichloropropane	08/12/2010	ND<10	µg/L	10
KMEP Norwalk	DUP-1	2-Butanone (MEK)	08/12/2010	ND<200	µg/L	200
KMEP Norwalk	DUP-1	2-Chlorotoluene	08/12/2010	ND<10	µg/L	10
KMEP Norwalk	DUP-1	2-Hexanone	08/12/2010	ND<100	µg/L	100
KMEP Norwalk	DUP-1	4-Chlorotoluene	08/12/2010	ND<10	µg/L	10
KMEP Norwalk	DUP-1	4-Isopropyltoluene	08/12/2010	ND<10	µg/L	10
KMEP Norwalk	DUP-1	4-Methyl-2-pentanone (MIBK)	08/12/2010	ND<50	µg/L	50
KMEP Norwalk	DUP-1	Acetone	08/12/2010	ND<200	µg/L	200
KMEP Norwalk	DUP-1	Bromobenzene	08/12/2010	ND<10	µg/L	10
KMEP Norwalk	DUP-1	Bromochloromethane	08/12/2010	ND<10	µg/L	10
KMEP Norwalk	DUP-1	Bromodichloromethane	08/12/2010	ND<10	µg/L	10
KMEP Norwalk	DUP-1	Bromoform	08/12/2010	ND<10	µg/L	10
KMEP Norwalk	DUP-1	Bromomethane	08/12/2010	ND<40	µg/L	40
KMEP Norwalk	DUP-1	Carbon disulfide	08/12/2010	ND<50	µg/L	50
KMEP Norwalk	DUP-1	Carbon tetrachloride	08/12/2010	ND<10	µg/L	10
KMEP Norwalk	DUP-1	Chlorobenzene	08/12/2010	ND<10	µg/L	10
KMEP Norwalk	DUP-1	Chloroethane	08/12/2010	ND<10	µg/L	10
KMEP Norwalk	DUP-1	Chloroform	08/12/2010	ND<10	µg/L	10
KMEP Norwalk	DUP-1	Chloromethane	08/12/2010	ND<40	µg/L	40
KMEP Norwalk	DUP-1	cis-1,2-Dichloroethene	08/12/2010	ND<10	µg/L	10
KMEP Norwalk	DUP-1	cis-1,3-Dichloropropene	08/12/2010	ND<10	µg/L	10
KMEP Norwalk	DUP-1	Dibromochloromethane	08/12/2010	ND<10	µg/L	10
KMEP Norwalk	DUP-1	Dibromomethane	08/12/2010	ND<10	µg/L	10
KMEP Norwalk	DUP-1	Dichlorodifluoromethane	08/12/2010	ND<10	µg/L	10
KMEP Norwalk	DUP-1	Dichloromethane	08/12/2010	ND<40	µg/L	40
KMEP Norwalk	DUP-1	Di-isopropyl Ether (DIPE)	08/12/2010	ND<10	µg/L	10
KMEP Norwalk	DUP-1	Ethyl Tertiary Butyl Ether (ETBE)	08/12/2010	ND<10	µg/L	10
KMEP Norwalk	DUP-1	Ethylbenzene	08/12/2010	300	µg/L	5
KMEP Norwalk	DUP-1	Freon-113	08/12/2010	ND<10	µg/L	10
KMEP Norwalk	DUP-1	Isopropylbenzene	08/12/2010	12	µg/L	10
KMEP Norwalk	DUP-1	m,p-Xylene	08/12/2010	38	µg/L	5
KMEP Norwalk	DUP-1	Methyl tert-butyl ether (MTBE)	08/12/2010	450	µg/L	5
KMEP Norwalk	DUP-1	Naphthalene	08/12/2010	43	µg/L	40
KMEP Norwalk	DUP-1	n-Butylbenzene	08/12/2010	ND<10	µg/L	10
KMEP Norwalk	DUP-1	n-Propylbenzene	08/12/2010	22	µg/L	10
KMEP Norwalk	DUP-1	o-Xylene	08/12/2010	7.9	µg/L	5
KMEP Norwalk	DUP-1	sec-Butylbenzene	08/12/2010	ND<10	µg/L	10
KMEP Norwalk	DUP-1	Styrene	08/12/2010	ND<10	µg/L	10
KMEP Norwalk	DUP-1	tert-Butylbenzene	08/12/2010	ND<10	µg/L	10

KMEP August 2010 Monthly Monitoring Results

ProjectName	Client Sample ID	Analyte	Date Sampled	Result	Units	PQL
KMEP Norwalk	DUP-1	Tertiary Amyl Methyl Ether (TAME)	08/12/2010	ND<10	µg/L	10
KMEP Norwalk	DUP-1	Tetrachloroethene	08/12/2010	ND<10	µg/L	10
KMEP Norwalk	DUP-1	Toluene	08/12/2010	ND<5	µg/L	5
KMEP Norwalk	DUP-1	trans-1,2-Dichloroethene	08/12/2010	ND<10	µg/L	10
KMEP Norwalk	DUP-1	trans-1,3-Dichloropropene	08/12/2010	ND<10	µg/L	10
KMEP Norwalk	DUP-1	Trichloroethene	08/12/2010	ND<10	µg/L	10
KMEP Norwalk	DUP-1	Trichlorofluoromethane	08/12/2010	ND<10	µg/L	10
KMEP Norwalk	DUP-1	Vinyl acetate	08/12/2010	ND<1000	µg/L	1000
KMEP Norwalk	DUP-1	Vinyl chloride	08/12/2010	ND<10	µg/L	10
KMEP Norwalk	EB-1	TPH-P (GRO)	08/12/2010	ND<0.05	mg/L	0.05
KMEP Norwalk	EB-1	TPH-E (Fuel Product)	08/12/2010	ND<0.1	mg/L	0.1
KMEP Norwalk	EB-1	1,1,1,2-Tetrachloroethane	08/12/2010	ND<1	µg/L	1
KMEP Norwalk	EB-1	1,1,1-Trichloroethane	08/12/2010	ND<1	µg/L	1
KMEP Norwalk	EB-1	1,1,2,2-Tetrachloroethane	08/12/2010	ND<1	µg/L	1
KMEP Norwalk	EB-1	1,1,2-Trichloroethane	08/12/2010	ND<1	µg/L	1
KMEP Norwalk	EB-1	1,1-Dichloroethane	08/12/2010	ND<1	µg/L	1
KMEP Norwalk	EB-1	1,1-Dichloroethene	08/12/2010	ND<1	µg/L	1
KMEP Norwalk	EB-1	1,1-Dichloropropene	08/12/2010	ND<1	µg/L	1
KMEP Norwalk	EB-1	1,2,3-Trichlorobenzene	08/12/2010	ND<2	µg/L	2
KMEP Norwalk	EB-1	1,2,3-Trichloropropane	08/12/2010	ND<2	µg/L	2
KMEP Norwalk	EB-1	1,2,4-Trichlorobenzene	08/12/2010	ND<2	µg/L	2
KMEP Norwalk	EB-1	1,2,4-Trimethylbenzene	08/12/2010	ND<1	µg/L	1
KMEP Norwalk	EB-1	1,2-Dibromo-3-chloropropane (DBCP)	08/12/2010	ND<5	µg/L	5
KMEP Norwalk	EB-1	1,2-Dibromoethane (EDB)	08/12/2010	ND<2	µg/L	2
KMEP Norwalk	EB-1	1,2-Dichlorobenzene	08/12/2010	ND<1	µg/L	1
KMEP Norwalk	EB-1	1,2-Dichloroethane	08/12/2010	ND<0.5	µg/L	0.5
KMEP Norwalk	EB-1	1,2-Dichloropropane	08/12/2010	ND<1	µg/L	1
KMEP Norwalk	EB-1	1,3,5-Trimethylbenzene	08/12/2010	ND<1	µg/L	1
KMEP Norwalk	EB-1	1,3-Dichlorobenzene	08/12/2010	ND<1	µg/L	1
KMEP Norwalk	EB-1	1,3-Dichloropropane	08/12/2010	ND<1	µg/L	1
KMEP Norwalk	EB-1	1,4-Dichlorobenzene	08/12/2010	ND<1	µg/L	1
KMEP Norwalk	EB-1	2,2-Dichloropropane	08/12/2010	ND<1	µg/L	1
KMEP Norwalk	EB-1	2-Butanone (MEK)	08/12/2010	ND<10	µg/L	10
KMEP Norwalk	EB-1	2-Chlorotoluene	08/12/2010	ND<1	µg/L	1
KMEP Norwalk	EB-1	2-Hexanone	08/12/2010	ND<5	µg/L	5
KMEP Norwalk	EB-1	4-Chlorotoluene	08/12/2010	ND<1	µg/L	1
KMEP Norwalk	EB-1	4-Isopropyltoluene	08/12/2010	ND<1	µg/L	1
KMEP Norwalk	EB-1	4-Methyl-2-pentanone (MIBK)	08/12/2010	ND<10	µg/L	10
KMEP Norwalk	EB-1	Acetone	08/12/2010	ND<10	µg/L	10
KMEP Norwalk	EB-1	Benzene	08/12/2010	ND<0.5	µg/L	0.5
KMEP Norwalk	EB-1	Bromobenzene	08/12/2010	ND<1	µg/L	1
KMEP Norwalk	EB-1	Bromochloromethane	08/12/2010	ND<1	µg/L	1
KMEP Norwalk	EB-1	Bromodichloromethane	08/12/2010	ND<1	µg/L	1
KMEP Norwalk	EB-1	Bromoform	08/12/2010	ND<1	µg/L	1
KMEP Norwalk	EB-1	Bromomethane	08/12/2010	ND<2	µg/L	2
KMEP Norwalk	EB-1	Carbon disulfide	08/12/2010	ND<2.5	µg/L	2.5
KMEP Norwalk	EB-1	Carbon tetrachloride	08/12/2010	ND<1	µg/L	1
KMEP Norwalk	EB-1	Chlorobenzene	08/12/2010	ND<1	µg/L	1
KMEP Norwalk	EB-1	Chloroethane	08/12/2010	ND<1	µg/L	1
KMEP Norwalk	EB-1	Chloroform	08/12/2010	ND<1	µg/L	1
KMEP Norwalk	EB-1	Chloromethane	08/12/2010	ND<2	µg/L	2
KMEP Norwalk	EB-1	cis-1,2-Dichloroethene	08/12/2010	ND<1	µg/L	1
KMEP Norwalk	EB-1	cis-1,3-Dichloropropene	08/12/2010	ND<0.5	µg/L	0.5
KMEP Norwalk	EB-1	Dibromochloromethane	08/12/2010	ND<1	µg/L	1
KMEP Norwalk	EB-1	Dibromomethane	08/12/2010	ND<1	µg/L	1

KMEP August 2010 Monthly Monitoring Results

ProjectName	Client Sample		Analyte	Date		Result	Units	PQL
	ID			Sampled				
KMEP Norwalk	EB-1		Dichlorodifluoromethane	08/12/2010		ND<1	µg/L	1
KMEP Norwalk	EB-1		Dichloromethane	08/12/2010		ND<5	µg/L	5
KMEP Norwalk	EB-1		Di-isopropyl Ether (DIPE)	08/12/2010		ND<1	µg/L	1
KMEP Norwalk	EB-1		Ethyl Tertiary Butyl Ether (ETBE)	08/12/2010		ND<1	µg/L	1
KMEP Norwalk	EB-1		Ethylbenzene	08/12/2010		ND<0.5	µg/L	0.5
KMEP Norwalk	EB-1		Freon-113	08/12/2010		ND<10	µg/L	10
KMEP Norwalk	EB-1		Isopropylbenzene	08/12/2010		ND<1	µg/L	1
KMEP Norwalk	EB-1		m,p-Xylene	08/12/2010		ND<0.5	µg/L	0.5
KMEP Norwalk	EB-1		Methyl tert-butyl ether (MTBE)	08/12/2010		ND<0.5	µg/L	0.5
KMEP Norwalk	EB-1		Naphthalene	08/12/2010		ND<10	µg/L	10
KMEP Norwalk	EB-1		n-Butylbenzene	08/12/2010		ND<1	µg/L	1
KMEP Norwalk	EB-1		n-Propylbenzene	08/12/2010		ND<1	µg/L	1
KMEP Norwalk	EB-1		o-Xylene	08/12/2010		ND<0.5	µg/L	0.5
KMEP Norwalk	EB-1		sec-Butylbenzene	08/12/2010		ND<1	µg/L	1
KMEP Norwalk	EB-1		Styrene	08/12/2010		ND<1	µg/L	1
KMEP Norwalk	EB-1		tert-Butylbenzene	08/12/2010		ND<1	µg/L	1
KMEP Norwalk	EB-1		Tertiary Amyl Methyl Ether (TAME)	08/12/2010		ND<1	µg/L	1
KMEP Norwalk	EB-1		Tertiary Butyl Alcohol (TBA)	08/12/2010		ND<10	µg/L	10
KMEP Norwalk	EB-1		Tetrachloroethene	08/12/2010		ND<1	µg/L	1
KMEP Norwalk	EB-1		Toluene	08/12/2010		ND<0.5	µg/L	0.5
KMEP Norwalk	EB-1		trans-1,2-Dichloroethene	08/12/2010		ND<1	µg/L	1
KMEP Norwalk	EB-1		trans-1,3-Dichloropropene	08/12/2010		ND<0.5	µg/L	0.5
KMEP Norwalk	EB-1		Trichloroethene	08/12/2010		ND<1	µg/L	1
KMEP Norwalk	EB-1		Trichlorofluoromethane	08/12/2010		ND<10	µg/L	10
KMEP Norwalk	EB-1		Vinyl acetate	08/12/2010		ND<50	µg/L	50
KMEP Norwalk	EB-1		Vinyl chloride	08/12/2010		ND<0.5	µg/L	0.5
KMEP Norwalk	TB-1		1,1,1,2-Tetrachloroethane	08/12/2010		ND<1	µg/L	1
KMEP Norwalk	TB-1		1,1,1-Trichloroethane	08/12/2010		ND<1	µg/L	1
KMEP Norwalk	TB-1		1,1,2,2-Tetrachloroethane	08/12/2010		ND<1	µg/L	1
KMEP Norwalk	TB-1		1,1,2-Trichloroethane	08/12/2010		ND<1	µg/L	1
KMEP Norwalk	TB-1		1,1-Dichloroethane	08/12/2010		ND<1	µg/L	1
KMEP Norwalk	TB-1		1,1-Dichloroethene	08/12/2010		ND<1	µg/L	1
KMEP Norwalk	TB-1		1,1-Dichloropropene	08/12/2010		ND<1	µg/L	1
KMEP Norwalk	TB-1		1,2,3-Trichlorobenzene	08/12/2010		ND<2	µg/L	2
KMEP Norwalk	TB-1		1,2,3-Trichloropropane	08/12/2010		ND<2	µg/L	2
KMEP Norwalk	TB-1		1,2,4-Trichlorobenzene	08/12/2010		ND<2	µg/L	2
KMEP Norwalk	TB-1		1,2,4-Trimethylbenzene	08/12/2010		ND<1	µg/L	1
KMEP Norwalk	TB-1		1,2-Dibromo-3-chloropropane (DBCP)	08/12/2010		ND<5	µg/L	5
KMEP Norwalk	TB-1		1,2-Dibromoethane (EDB)	08/12/2010		ND<2	µg/L	2
KMEP Norwalk	TB-1		1,2-Dichlorobenzene	08/12/2010		ND<1	µg/L	1
KMEP Norwalk	TB-1		1,2-Dichloroethane	08/12/2010		ND<0.5	µg/L	0.5
KMEP Norwalk	TB-1		1,2-Dichloropropane	08/12/2010		ND<1	µg/L	1
KMEP Norwalk	TB-1		1,3,5-Trimethylbenzene	08/12/2010		ND<1	µg/L	1
KMEP Norwalk	TB-1		1,3-Dichlorobenzene	08/12/2010		ND<1	µg/L	1
KMEP Norwalk	TB-1		1,3-Dichloropropane	08/12/2010		ND<1	µg/L	1
KMEP Norwalk	TB-1		1,4-Dichlorobenzene	08/12/2010		ND<1	µg/L	1
KMEP Norwalk	TB-1		2,2-Dichloropropane	08/12/2010		ND<1	µg/L	1
KMEP Norwalk	TB-1		2-Butanone (MEK)	08/12/2010		ND<10	µg/L	10
KMEP Norwalk	TB-1		2-Chlorotoluene	08/12/2010		ND<1	µg/L	1
KMEP Norwalk	TB-1		2-Hexanone	08/12/2010		ND<5	µg/L	5
KMEP Norwalk	TB-1		4-Chlorotoluene	08/12/2010		ND<1	µg/L	1
KMEP Norwalk	TB-1		4-Isopropyltoluene	08/12/2010		ND<1	µg/L	1
KMEP Norwalk	TB-1		4-Methyl-2-pentanone (MIBK)	08/12/2010		ND<10	µg/L	10
KMEP Norwalk	TB-1		Acetone	08/12/2010		ND<10	µg/L	10
KMEP Norwalk	TB-1		Benzene	08/12/2010		ND<0.5	µg/L	0.5

KMEP August 2010 Monthly Monitoring Results

ProjectName	Client Sample		Date Sampled	Result	Units	PQL
	ID	Analyte				
KMEP Norwalk	TB-1	Bromobenzene	08/12/2010	ND<1	µg/L	1
KMEP Norwalk	TB-1	Bromochloromethane	08/12/2010	ND<1	µg/L	1
KMEP Norwalk	TB-1	Bromodichloromethane	08/12/2010	ND<1	µg/L	1
KMEP Norwalk	TB-1	Bromoform	08/12/2010	ND<1	µg/L	1
KMEP Norwalk	TB-1	Bromomethane	08/12/2010	ND<2	µg/L	2
KMEP Norwalk	TB-1	Carbon disulfide	08/12/2010	ND<2.5	µg/L	2.5
KMEP Norwalk	TB-1	Carbon tetrachloride	08/12/2010	ND<1	µg/L	1
KMEP Norwalk	TB-1	Chlorobenzene	08/12/2010	ND<1	µg/L	1
KMEP Norwalk	TB-1	Chloroethane	08/12/2010	ND<1	µg/L	1
KMEP Norwalk	TB-1	Chloroform	08/12/2010	ND<1	µg/L	1
KMEP Norwalk	TB-1	Chloromethane	08/12/2010	ND<2	µg/L	2
KMEP Norwalk	TB-1	cis-1,2-Dichloroethene	08/12/2010	ND<1	µg/L	1
KMEP Norwalk	TB-1	cis-1,3-Dichloropropene	08/12/2010	ND<0.5	µg/L	0.5
KMEP Norwalk	TB-1	Dibromochloromethane	08/12/2010	ND<1	µg/L	1
KMEP Norwalk	TB-1	Dibromomethane	08/12/2010	ND<1	µg/L	1
KMEP Norwalk	TB-1	Dichlorodifluoromethane	08/12/2010	ND<1	µg/L	1
KMEP Norwalk	TB-1	Dichloromethane	08/12/2010	ND<5	µg/L	5
KMEP Norwalk	TB-1	Di-isopropyl Ether (DIPE)	08/12/2010	ND<1	µg/L	1
KMEP Norwalk	TB-1	Ethyl Tertiary Butyl Ether (ETBE)	08/12/2010	ND<1	µg/L	1
KMEP Norwalk	TB-1	Ethylbenzene	08/12/2010	ND<0.5	µg/L	0.5
KMEP Norwalk	TB-1	Freon-113	08/12/2010	ND<10	µg/L	10
KMEP Norwalk	TB-1	Isopropylbenzene	08/12/2010	ND<1	µg/L	1
KMEP Norwalk	TB-1	m,p-Xylene	08/12/2010	ND<0.5	µg/L	0.5
KMEP Norwalk	TB-1	Methyl tert-butyl ether (MTBE)	08/12/2010	ND<0.5	µg/L	0.5
KMEP Norwalk	TB-1	Naphthalene	08/12/2010	ND<10	µg/L	10
KMEP Norwalk	TB-1	n-Butylbenzene	08/12/2010	ND<1	µg/L	1
KMEP Norwalk	TB-1	n-Propylbenzene	08/12/2010	ND<1	µg/L	1
KMEP Norwalk	TB-1	o-Xylene	08/12/2010	ND<0.5	µg/L	0.5
KMEP Norwalk	TB-1	sec-Butylbenzene	08/12/2010	ND<1	µg/L	1
KMEP Norwalk	TB-1	Styrene	08/12/2010	ND<1	µg/L	1
KMEP Norwalk	TB-1	tert-Butylbenzene	08/12/2010	ND<1	µg/L	1
KMEP Norwalk	TB-1	Tertiary Amyl Methyl Ether (TAME)	08/12/2010	ND<1	µg/L	1
KMEP Norwalk	TB-1	Tertiary Butyl Alcohol (TBA)	08/12/2010	ND<10	µg/L	10
KMEP Norwalk	TB-1	Tetrachloroethene	08/12/2010	ND<1	µg/L	1
KMEP Norwalk	TB-1	Toluene	08/12/2010	ND<0.5	µg/L	0.5
KMEP Norwalk	TB-1	trans-1,2-Dichloroethene	08/12/2010	ND<1	µg/L	1
KMEP Norwalk	TB-1	trans-1,3-Dichloropropene	08/12/2010	ND<0.5	µg/L	0.5
KMEP Norwalk	TB-1	Trichloroethene	08/12/2010	ND<1	µg/L	1
KMEP Norwalk	TB-1	Trichlorofluoromethane	08/12/2010	ND<10	µg/L	10
KMEP Norwalk	TB-1	Vinyl acetate	08/12/2010	ND<50	µg/L	50
KMEP Norwalk	TB-1	Vinyl chloride	08/12/2010	ND<0.5	µg/L	0.5

WELL GAUGING DATA

Project # 100812-MR1 Date 8/12/10 Client KMEP

Site 15306 Norwalk Blvd., Norwalk

Well ID	Time	Well Size (in.)	Sheen / Odor	Depth to Immiscible Liquid (ft.)	Thickness of Immiscible Liquid (ft.)	Volume of Immiscibles Removed (ml)	Depth to water (ft.)	Depth to well bottom (ft.)	Survey Point: TOB or TOC	Notes
GMW-0-15			Extraction	System		Running	- Port	Sampled		
GMW-0-16	0928	4					26.43	48.71	TOC	Slingshot
GMW-0-18			Extraction	System		Running	- Port	Sampled		
GMW-0-19	0857	4					26.23	39.79	TOC	
GMW-36			Extraction	System		Running	- Port	Sampled		
PZ-5	0730	4					26.16	38.05	TOC	

LOW FLOW WELL MONITORING DATA SHEET

Project #: <u>100812-MN1</u>	Client: <u>KMEP</u>
Sampler: <u>ma</u>	Start Date: <u>8/12/10</u>
Well I.D.: <u>GMW-0-15</u>	Well Diameter: 2 3 <u>4</u> 6 8
Total Well Depth: <u>—</u>	Depth to Water: Pre: <u>—</u> Post: <u>—</u>
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: <u>PVC</u> <u>Grade</u>	Flow Cell Type: <u>YSI 556</u>

Purge Method: 2" Grundfos Pump Peristaltic Pump Bladder Pump
 Sampling Method: Dedicated Tubing New Tubing Other Ext. Port
 Start Purge Time: — Flow Rate: — Pump Depth: —

Time	Temp. (°C or °F)	pH	Cond. (mS or μ S)	Turbidity (NTUs)	D.O. (mg/L)	ORP (mV)	Water Removed (gals. or mL)	Depth to water
—	<u>Extraction System Running in well.</u>							
—	<u>Let port Run for 10 mins.</u>							
—	<u>Port Sampled.</u>							
<u>1005</u> <u>0905</u>	<u>23.3</u>	<u>7.34</u>	<u>2546</u>	<u>2</u>	<u>0.69</u>	<u>-59.4</u>	<u>—</u>	<u>—</u>

Did well dewater? Yes <u>—</u> No <u>—</u>	Amount actually evacuated: <u>—</u>
Sampling Time: <u>0905</u> <u>1005</u>	Sampling Date: <u>8/12/10</u>
Sample I.D.: <u>GMW-0-15</u>	Laboratory: <u>Alpha Analytical</u>
Analyzed for: <u>TRHg</u> <u>TPHfp</u> <u>VOC's</u> <u>MTBE</u>	Other: <u>Oxygens</u>
Equipment Blank I.D.: <u> </u> @ <u> </u> Time	Duplicate I.D.: <u> </u>

LOW FLOW WELL MONITORING DATA SHEET

Project #: <u>100812-ma1</u>	Client: <u>KMEP</u>
Sampler: <u>Ma</u>	Start Date: <u>8/12/10</u>
Well I.D.: <u>GMW-0-16</u>	Well Diameter: 2 3 <u>4</u> 6 8 _____
Total Well Depth: <u>48.71</u>	Depth to Water: Pre: <u>26.43</u> Post: <u>26.54</u>
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: <u>PVC</u> Grade	Flow Cell Type: <u>Y81556</u>

Purge Method: 2" Grundfos Pump Peristaltic Pump Bladder Pump
 Sampling Method: Dedicated Tubing New Tubing Other _____
 Start Purge Time: 0930 Flow Rate: 500 mL/min Pump Depth: 43'

Time	Temp. (<u>C</u> or °F)	pH	Cond. (mS or <u>µS</u>)	Turbidity (NTUs)	D.O. (mg/L)	ORP (mV)	Water Removed (gals. or <u>mL</u>)	Depth to water
<u>0933</u>	<u>20.7</u>	<u>7.18</u>	<u>2110</u>	<u>4</u>	<u>0.20</u>	<u>71.5</u>	<u>1500</u>	<u>26.54</u>
<u>0936</u>	<u>21.8</u>	<u>7.18</u>	<u>2119</u>	<u>4</u>	<u>0.23</u>	<u>73.6</u>	<u>3000</u>	<u>26.54</u>
<u>0939</u>	<u>22.5</u>	<u>7.17</u>	<u>2118</u>	<u>3</u>	<u>0.19</u>	<u>72.1</u>	<u>4500</u>	<u>26.54</u>
<u>0942</u>	<u>22.8</u>	<u>7.17</u>	<u>2116</u>	<u>3</u>	<u>0.15</u>	<u>71.5</u>	<u>6000</u>	<u>26.54</u>
<u>0945</u>	<u>23.0</u>	<u>7.17</u>	<u>2117</u>	<u>3</u>	<u>0.14</u>	<u>71.2</u>	<u>7500</u>	<u>26.54</u>

Did well dewater? Yes <input checked="" type="checkbox"/> <u>No</u>	Amount actually evacuated: <u>7500 mL</u>
Sampling Time: <u>0946</u>	Sampling Date: <u>8/12/10</u>
Sample I.D.: <u>GMW-0-16</u>	Laboratory: <u>Alpha Analytical</u>
Analyzed for: <u>TPHg</u> <u>TPHfp</u> <u>VOC's</u> <u>MTBE</u>	Other: <u>Oxygenates</u>
Equipment Blank I.D.: _____ @ _____ Time	Duplicate I.D.: _____

LOW FLOW WELL MONITORING DATA SHEET

Project #: 100812-MW1	Client: KMEP
Sampler: MW	Start Date: 8/12/10
Well I.D.: GMW-0-18	Well Diameter: 2 3 ④ 6 8
Total Well Depth: —	Depth to Water: Pre: — Post: —
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: PVC Grade	Flow Cell Type: YSI 586

Purge Method: 2" Grundfos Pump Peristaltic Pump Bladder Pump
 Sampling Method: Dedicated Tubing New Tubing Other Ext. Port

Start Purge Time: — Flow Rate: — Pump Depth: —

Time	Temp. (Cor °F)	pH	Cond. (mS or μ S)	Turbidity (NTUs)	D.O. (mg/L)	ORP (mV)	Water Removed (gals. or μ gal)	Depth to water
—	Extraction System Running in well.							
—	Let Port Run for 10 mins.							
—	Port Sampled.							
0825	19.3	7.20	2604	2	0.98	-62.5	—	—

Did well dewater? Yes <input checked="" type="checkbox"/> No	Amount actually evacuated: —
Sampling Time: 0825	Sampling Date: 8/12/10
Sample I.D.: GMW-0-18	Laboratory: Alpha Analytical
Analyzed for: TPHg TPHfp VOC's MTBE	Other: Oxygenates
Equipment Blank I.D.: @	Duplicate I.D.:

LOW FLOW WELL MONITORING DATA SHEET

Project #: 100812-MMI	Client: KMEP
Sampler: MM	Start Date: 8/12/10
Well I.D.: GMW-0-19	Well Diameter: 2 3 ④ 6 8
Total Well Depth: 39.79	Depth to Water: Pre: 26.23 Post: 26.43
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: PVC Grade	Flow Cell Type: YSI 556

Purge Method: 2" Grundfos Pump Peristaltic Pump Bladder Pump
 Sampling Method: Dedicated Tubing New Tubing Other _____
 Start Purge Time: 0859 Flow Rate: 500 mL/min Pump Depth: >5'

Time	Temp. (C or °F)	pH	Cond. (mS or µS)	Turbidity (NTUs)	D.O. (mg/L)	ORP (mV)	Water Removed (gals. or mL)	Depth to water
0902	21.2	7.22	1803	4	0.19	34.5	1500	26.41
0905	21.5	7.19	1807	4	0.20	36.1	3000	26.43
0908	22.0	7.18	1807	3	0.15	33.0	4500	26.43
0911	22.3	7.17	1807	3	0.15	32.8	6000	26.43
0914	22.4	7.17	1806	3	0.15	32.8	7500	26.43

Did well dewater? Yes <input checked="" type="radio"/> No <input type="radio"/>	Amount actually evacuated: 7500 mL
Sampling Time: 0915	Sampling Date: 8/12/10
Sample I.D.: GMW-0-19	Laboratory: Alpha Analytical
Analyzed for: TPHg TPHp VOC's MTBE	Other: Oxygenates
Equipment Blank I.D.: @ Time	Duplicate I.D.:

LOW FLOW WELL MONITORING DATA SHEET

Project #: <u>100812 - MCL1</u>	Client: <u>KMEP</u>
Sampler: <u>MA</u>	Start Date: <u>8/12/10</u>
Well I.D.: <u>GMW-36</u>	Well Diameter: 2 3 <u>4</u> 6 8 _____
Total Well Depth: <u>—</u>	Depth to Water: Pre: <u>—</u> Post: <u>—</u>
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: <u>PVC</u> <u>Grade</u>	Flow Cell Type: <u>YSI 556</u>

Purge Method: 2" Grundfos Pump Peristaltic Pump Bladder Pump
 Sampling Method: Dedicated Tubing New Tubing Other Ext. Port

Start Purge Time: — Flow Rate: — Pump Depth: —

Time	Temp. (°C or °F)	pH	Cond. (mS or μ S)	Turbidity (NTUs)	D.O. (mg/L)	ORP (mV)	Water Removed (gals. or mL)	Depth to water
—	Extraction system running in well.							
—	Let port run for 10 mins.							
—	port sampled.							
1020	25.2	7.24	2470	20	0.58	-78.7	—	—

Did well dewater? Yes <u>—</u> No	Amount actually evacuated: <u>—</u>
Sampling Time: <u>1020</u>	Sampling Date: <u>8/12/10</u>
Sample I.D.: <u>GMW-36</u>	Laboratory: <u>Alpha Analytical</u>
Analyzed for: <u>TPHg</u> <u>TPHp</u> <u>VOC's</u> <u>MTBE</u>	<u>Other</u> : <u>Oxygenator</u>
Equipment Blank I.D.: <u>EB-1</u> @ Time <u>1030</u>	Duplicate I.D.:

LOW FLOW WELL MONITORING DATA SHEET

Project #: 100812 - M&I	Client: KMEP
Sampler: MA	Start Date: 8/12/10
Well I.D.: PZ-5	Well Diameter: 2 3 <u>(4)</u> 6 8
Total Well Depth: 38.05	Depth to Water: Pre: 26.16 Post: 26.39
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: <u>PVC</u> Grade	Flow Cell Type: <u>YSI 556</u>

Purge Method: 2" Grundfos Pump Peristaltic Pump Bladder Pump
 Sampling Method: Dedicated Tubing New Tubing Other _____
 Start Purge Time: 0742 Flow Rate: 500 mL/min Pump Depth: 35'

Time	Temp. (<u>C</u> or °F)	pH	Cond. (mS or <u>µS</u>)	Turbidity (NTUs)	D.O. (mg/L)	ORP (mV)	Water Removed (gals. or <u>mL</u>)	Depth to water
0745	20.3	6.78	2547	3	0.64	-93.2	1500	26.35
0748	20.7	6.85	2558	3	0.65	-104.7	3000	26.38
0751	21.8	6.87	2563	2	0.54	-107.9	4500	26.39
0754	22.0	6.87	2570	3	0.53	-107.4	6000	26.39
0757	22.3	6.88	2571	3	0.47	-106.3	7500	26.39
0800	22.4	6.88	2574	3	0.46	-105.9	9000	26.39

Did well dewater? Yes <input type="checkbox"/> <u>No</u>	Amount actually evacuated: 9000 mL
Sampling Time: 0801	Sampling Date: 8/12/10
Sample I.D.: PZ-5	Laboratory: <u>Alpha Analytical</u>
Analyzed for: <u>TPH</u> g <u>TPH</u> fp <u>VOO</u> 's MTBE	Other: <u>Oxygenates</u>
Equipment Blank I.D.: @	Duplicate I.D.: <u>DUP-1</u>

BLAINE

TECH SERVICES, INC.

1680 ROGERS AVENUE
SAN JOSE, CALIFORNIA 95112-1105
FAX (408) 573-7771
PHONE (408) 573-0555

CONDUCT ANALYSIS TO DETECT

LAB Alpha Analytical COC 1 of 1

Billing Information:
Kinder Morgan
1100 Town and Country Rd.
Orange CA 95112

Kinder Morgan Norwalk
Report to:
Dan Jablonski
CH2MHILL
1000 Wilshire Blvd 21st floor
Los Angeles, CA 90017

CHAIN OF CUSTODY

CLIENT

Kinder Morgan

SITE

DFSP Norwalk

15306 Norwalk Blvd, Norwalk

SAMPLE I.D.	DATE	TIME	MATRIX	CONTAINERS		TPHq, TPHp (EPA 8015M)	VOC's & Oxygenates (EPA 8260B)	ADD'L INFORMATION	STATUS	CONDITION	LAB SAMPLE #
				#	Preservation Type						
GMW-0-15	8/12/10		AQ	6	HCl Vials	X	X				
GMW-0-16				6		X	X				
GMW-0-18				6		X	X				
GMW-0-19				6		X	X				
GMW-36				6		X	X				
PZ-5				6		X	X				
DUP-1				6		X	X				
EB-1				6		X	X				
TB-1				3		X	X				

SAMPLING COMPLETED 8/12/10 1500
 RESULTS NEEDED NO LATER THAN Standard

RELEASED BY [Signature] (Blaine Tech) TIME 1630 RECEIVED BY [Signature] DATE TIME
 RELEASED BY [Signature] (Blaine Tech) TIME RECEIVED BY [Signature] DATE TIME
 RELEASED BY [Signature] TIME RECEIVED BY [Signature] DATE TIME

SHIPPED VIA TIME SENT COOLER #

WELLHEAD INSPECTION CHECKLIST

Page 1 of 1

Client KMEP Date 8/12/10

Site Address 15306 Norwalk Blvd, Norwalk

Job Number 100812-M21 Technician Jon Renard

Well ID	Well Inspected - No Corrective Action Required	WELL IS SECURABLE BY DESIGN (12" or less)	WELL IS CLEARLY MARKED WITH THE WORDS "MONITORING WELL" (12" or less)	Water Bailed From Wellbox	Wellbox Components Cleaned	Cap Replaced	Lock Replaced	Other Action Taken (explain below)	Well Not Inspected (explain below)	Repair Order Submitted
GMW-0-15	X	Square vault								
GMW-0-16	X	X	X							
GMW-0-18	X	Square vault								
GMW-0-19	X	X	X							
GMW-36	X	Square vault								
PZ-5	X	X	X							

NOTES: _____



Alpha Analytical, Inc.

255 Glendale Ave. • Suite 21 • Sparks, Nevada 89431-5778
(775) 355-1044 • (775) 355-0406 FAX • 1-800-283-1183

ANALYTICAL REPORT

CH2M Hill
1000 Wilshire Boulevard
Los Angeles, CA 90017

Attn: Daniel Jablonski
Phone: (213) 228-8271
Fax: (714) 424-2135
Date Received : 08/14/10

Job: KMEP Norwalk

Total Petroleum Hydrocarbons - Extractable (TPH-E) EPA Method SW8015B
Total Petroleum Hydrocarbons - Purgeable (TPH-P) EPA Method SW8015B

Client ID	Lab ID	Date Sampled	Parameter	Concentration	Reporting Limit	Date Extracted	Date Analyzed
Client ID : GMW-O-15	Lab ID : CHH10081602-01A	Date Sampled 08/12/10 10:05	TPH-E (Fuel Product)	0.37 **	0.10 mg/L	08/18/10 10:37	08/18/10
			Surr: Nonane	104	(57-147) %REC	08/18/10 10:37	08/18/10
			TPH-P (GRO)	0.71	0.10 mg/L	08/20/10	08/20/10
			Surr: 1,2-Dichloroethane-d4	98	(70-130) %REC	08/20/10	08/20/10
			Surr: Toluene-d8	100	(70-130) %REC	08/20/10	08/20/10
Surr: 4-Bromofluorobenzene	101	(70-130) %REC	08/20/10	08/20/10			
Client ID : GMW-O-16	Lab ID : CHH10081602-02A	Date Sampled 08/12/10 09:46	TPH-E (Fuel Product)	ND	0.10 mg/L	08/18/10 10:37	08/18/10
			Surr: Nonane	102	(57-147) %REC	08/18/10 10:37	08/18/10
			TPH-P (GRO)	ND	0.050 mg/L	08/18/10	08/18/10
			Surr: 1,2-Dichloroethane-d4	97	(70-130) %REC	08/18/10	08/18/10
			Surr: Toluene-d8	104	(70-130) %REC	08/18/10	08/18/10
Surr: 4-Bromofluorobenzene	104	(70-130) %REC	08/18/10	08/18/10			
Client ID : GMW-O-18	Lab ID : CHH10081602-03A	Date Sampled 08/12/10 08:25	TPH-E (Fuel Product)	ND	0.10 mg/L	08/18/10 10:37	08/18/10
			Surr: Nonane	57	(57-147) %REC	08/18/10 10:37	08/18/10
			TPH-P (GRO)	0.22	0.10 mg/L	08/20/10	08/20/10
			Surr: 1,2-Dichloroethane-d4	96	(70-130) %REC	08/20/10	08/20/10
			Surr: Toluene-d8	103	(70-130) %REC	08/20/10	08/20/10
Surr: 4-Bromofluorobenzene	103	(70-130) %REC	08/20/10	08/20/10			
Client ID : GMW-O-19	Lab ID : CHH10081602-04A	Date Sampled 08/12/10 09:15	TPH-E (Fuel Product)	ND	0.10 mg/L	08/18/10 10:37	08/18/10
			Surr: Nonane	100	(57-147) %REC	08/18/10 10:37	08/18/10
			TPH-P (GRO)	ND	0.050 mg/L	08/18/10	08/18/10
			Surr: 1,2-Dichloroethane-d4	99	(70-130) %REC	08/18/10	08/18/10
			Surr: Toluene-d8	105	(70-130) %REC	08/18/10	08/18/10
Surr: 4-Bromofluorobenzene	107	(70-130) %REC	08/18/10	08/18/10			
Client ID : GMW-36	Lab ID : CHH10081602-05A	Date Sampled 08/12/10 10:20	TPH-E (Fuel Product)	2.2 **	0.10 mg/L	08/18/10 10:37	08/18/10
			Surr: Nonane	97	(57-147) %REC	08/18/10 10:37	08/18/10
			TPH-P (GRO)	9.2	1.0 mg/L	08/18/10	08/18/10
			Surr: 1,2-Dichloroethane-d4	98	(70-130) %REC	08/18/10	08/18/10
			Surr: Toluene-d8	99	(70-130) %REC	08/18/10	08/18/10
Surr: 4-Bromofluorobenzene	100	(70-130) %REC	08/18/10	08/18/10			
Client ID : PZ-5	Lab ID : CHH10081602-06A	Date Sampled 08/12/10 08:01	TPH-E (Fuel Product)	1.6	0.10 mg/L	08/18/10 10:37	08/18/10
			Surr: Nonane	100	(57-147) %REC	08/18/10 10:37	08/18/10
			TPH-P (GRO)	9.1	1.0 mg/L	08/20/10	08/20/10
			Surr: 1,2-Dichloroethane-d4	98	(70-130) %REC	08/20/10	08/20/10
			Surr: Toluene-d8	99	(70-130) %REC	08/20/10	08/20/10
Surr: 4-Bromofluorobenzene	101	(70-130) %REC	08/20/10	08/20/10			



Alpha Analytical, Inc.

255 Glendale Ave. • Suite 21 • Sparks, Nevada 89431-5778
(775) 355-1044 • (775) 355-0406 FAX • 1-800-283-1183

Client ID : **DUP-1**

Lab ID :	CHH10081602-07A	TPH-E (Fuel Product)	1.6	0.10 mg/L	08/18/10 10:37	08/18/10
Date Sampled	08/12/10 00:00	Surr: Nonane	102	(57-147) %REC	08/18/10 10:37	08/18/10
		TPH-P (GRO)	8.3	1.0 mg/L	08/20/10	08/20/10
		Surr: 1,2-Dichloroethane-d4	98	(70-130) %REC	08/20/10	08/20/10
		Surr: Toluene-d8	95	(70-130) %REC	08/20/10	08/20/10
		Surr: 4-Bromofluorobenzene	103	(70-130) %REC	08/20/10	08/20/10

Client ID : **EB-1**

Lab ID :	CHH10081602-08A	TPH-E (Fuel Product)	ND	0.10 mg/L	08/18/10 10:37	08/18/10
Date Sampled	08/12/10 10:30	Surr: Nonane	94	(57-147) %REC	08/18/10 10:37	08/18/10
		TPH-P (GRO)	ND	0.050 mg/L	08/18/10	08/18/10
		Surr: 1,2-Dichloroethane-d4	102	(70-130) %REC	08/18/10	08/18/10
		Surr: Toluene-d8	104	(70-130) %REC	08/18/10	08/18/10
		Surr: 4-Bromofluorobenzene	107	(70-130) %REC	08/18/10	08/18/10

**Note: Reported TPH-E (Fuel Product) may contain undifferentiated diesel range hydrocarbons.

Gasoline Range Organics (GRO) C4-C13

ND = Not Detected

Roger Scholl *Randy Gardner* *Walter Hinchman*

Roger L. Scholl, Ph.D., Laboratory Director • Randy Gardner, Laboratory Manager • Walter Hinchman, Quality Assurance Officer
Sacramento, CA • (916) 366-9089 / Las Vegas, NV • (702) 736-7522 / Carson, CA • (714) 386-2901 / info@alpha-analytical.com

Alpha certifies that the test results meet all requirements of NELAC unless footnoted otherwise.

Alpha Analytical, Inc. currently holds appropriate and available California (#2019) and NELAC (01154CA) certifications for the data reported. Test results relate only to reported samples.

8/24/10

Report Date



Alpha Analytical, Inc.

255 Glendale Ave. • Suite 21 • Sparks, Nevada 89431-5778
(775) 355-1044 • (775) 355-0406 FAX • 1-800-283-1183

ANALYTICAL REPORT

CH2M Hill
1000 Wilshire Boulevard
Los Angeles, CA 90017
Job: KMEP Norwalk

Attn: Daniel Jablonski
Phone: (213) 228-8271
Fax: (714) 424-2135

Alpha Analytical Number: CHH10081602-01A
Client I.D. Number: GMW-O-15

Sampled: 08/12/10 10:05
Received: 08/14/10
Extracted: 08/20/10
Analyzed: 08/20/10

Volatile Organics by GC/MS EPA Method SW8260B

Compound	Concentration	Reporting Limit	Compound	Concentration	Reporting Limit
1 Dichlorodifluoromethane	ND	1.0 µg/L	45 Chlorobenzene	ND	1.0 µg/L
2 Chloromethane	ND	4.0 µg/L	46 Ethylbenzene	10	0.50 µg/L
3 Vinyl chloride	ND	1.0 µg/L	47 m,p-Xylene	34	0.50 µg/L
4 Chloroethane	ND	1.0 µg/L	48 Bromoform	ND	1.0 µg/L
5 Bromomethane	ND	4.0 µg/L	49 Styrene	ND	1.0 µg/L
6 Trichlorofluoromethane	ND	10 µg/L	50 o-Xylene	9.0	0.50 µg/L
7 Acetone	ND	20 µg/L	51 1,1,2,2-Tetrachloroethane	ND	1.0 µg/L
8 1,1-Dichloroethene	ND	1.0 µg/L	52 1,2,3-Trichloropropane	ND	4.0 µg/L
9 Tertiary Butyl Alcohol (TBA)	5,300	50 µg/L	53 Isopropylbenzene	ND	1.0 µg/L
10 Dichloromethane	ND	5.0 µg/L	54 Bromobenzene	ND	1.0 µg/L
11 Freon-113	ND	10 µg/L	55 n-Propylbenzene	1.0	1.0 µg/L
12 Carbon disulfide	ND	5.0 µg/L	56 4-Chlorotoluene	ND	1.0 µg/L
13 trans-1,2-Dichloroethene	ND	1.0 µg/L	57 2-Chlorotoluene	ND	1.0 µg/L
14 Methyl tert-butyl ether (MTBE)	260	0.50 µg/L	58 1,3,5-Trimethylbenzene	5.7	1.0 µg/L
15 1,1-Dichloroethane	ND	1.0 µg/L	59 tert-Butylbenzene	ND	1.0 µg/L
16 Vinyl acetate	ND	100 µg/L	60 1,2,4-Trimethylbenzene	14	1.0 µg/L
17 2-Butanone (MEK)	ND	20 µg/L	61 sec-Butylbenzene	ND	1.0 µg/L
18 Di-isopropyl Ether (DIPE)	ND	1.0 µg/L	62 1,3-Dichlorobenzene	ND	1.0 µg/L
19 cis-1,2-Dichloroethene	ND	1.0 µg/L	63 1,4-Dichlorobenzene	ND	1.0 µg/L
20 Bromochloromethane	ND	1.0 µg/L	64 4-Isopropyltoluene	ND	1.0 µg/L
21 Chloroform	ND	1.0 µg/L	65 1,2-Dichlorobenzene	ND	1.0 µg/L
22 Ethyl Tertiary Butyl Ether (ETBE)	ND	1.0 µg/L	66 n-Butylbenzene	ND	1.0 µg/L
23 2,2-Dichloropropane	ND	1.0 µg/L	67 1,2-Dibromo-3-chloropropane (DBCP)	ND	6.0 µg/L
24 1,2-Dichloroethane	ND	1.0 µg/L	68 1,2,4-Trichlorobenzene	ND	4.0 µg/L
25 1,1,1-Trichloroethane	ND	1.0 µg/L	69 Naphthalene	ND	10 µg/L
26 1,1-Dichloropropene	ND	1.0 µg/L	70 1,2,3-Trichlorobenzene	ND	4.0 µg/L
27 Carbon tetrachloride	ND	1.0 µg/L	71 Surr: 1,2-Dichloroethane-d4	98	(70-130) %REC
28 Benzene	120	0.50 µg/L	72 Surr: Toluene-d8	100	(70-130) %REC
29 Tertiary Amyl Methyl Ether (TAME)	1.5	1.0 µg/L	73 Surr: 4-Bromofluorobenzene	101	(70-130) %REC
30 Dibromomethane	ND	1.0 µg/L			
31 1,2-Dichloropropane	ND	1.0 µg/L			
32 Trichloroethene	ND	1.0 µg/L			
33 Bromodichloromethane	ND	1.0 µg/L			
34 4-Methyl-2-pentanone (MIBK)	ND	10 µg/L			
35 cis-1,3-Dichloropropene	ND	1.0 µg/L			
36 trans-1,3-Dichloropropene	ND	1.0 µg/L			
37 1,1,2-Trichloroethane	ND	1.0 µg/L			
38 Toluene	4.1	0.50 µg/L			
39 1,3-Dichloropropane	ND	1.0 µg/L			
40 2-Hexanone	ND	10 µg/L			
41 Dibromochloromethane	ND	1.0 µg/L			
42 1,2-Dibromoethane (EDB)	ND	2.0 µg/L			
43 Tetrachloroethene	ND	1.0 µg/L			
44 1,1,1,2-Tetrachloroethane	ND	1.0 µg/L			

*This analyte was analyzed separately on 8/18/10 in order to achieve lower reporting limits for the other analytes.

Some Reporting Limits were increased due to high concentrations of target analytes.

ND = Not Detected

Roger L. Scholl, Ph.D., Laboratory Director • Randy Gardner, Laboratory Manager • Walter Hinchman, Quality Assurance Officer
Sacramento, CA • (916) 366-9089 / Las Vegas, NV • (702) 736-7522 / Carson, CA • (714) 386-2901 / info@alpha-analytical.com

Alpha certifies that the test results meet all requirements of NELAC unless footnoted otherwise.

Alpha Analytical, Inc. currently holds appropriate and available California (#2019) and NELAC (01154CA) certifications for the data reported. Test results relate only to reported samples.

8/24/10

Report Date



Alpha Analytical, Inc.

255 Glendale Ave. • Suite 21 • Sparks, Nevada 89431-5778

(775) 355-1044 • (775) 355-0406 FAX • 1-800-283-1183

ANALYTICAL REPORT

CH2M Hill
1000 Wilshire Boulevard
Los Angeles, CA 90017
Job: KMEP Norwalk

Attn: Daniel Jablonski
Phone: (213) 228-8271
Fax: (714) 424-2135

Alpha Analytical Number: CHH10081602-02A
Client I.D. Number: GMW-O-16

Sampled: 08/12/10 09:46
Received: 08/14/10
Extracted: 08/18/10
Analyzed: 08/18/10

Volatile Organics by GC/MS EPA Method SW8260B

Compound	Concentration	Reporting Limit	Compound	Concentration	Reporting Limit
1 Dichlorodifluoromethane	ND	1.0 µg/L	45 Chlorobenzene	ND	1.0 µg/L
2 Chloromethane	ND	2.0 µg/L	46 Ethylbenzene	ND	0.50 µg/L
3 Vinyl chloride	ND	0.50 µg/L	47 m,p-Xylene	ND	0.50 µg/L
4 Chloroethane	ND	1.0 µg/L	48 Bromoform	ND	1.0 µg/L
5 Bromomethane	ND	2.0 µg/L	49 Styrene	ND	1.0 µg/L
6 Trichlorofluoromethane	ND	10 µg/L	50 o-Xylene	ND	0.50 µg/L
7 Acetone	ND	10 µg/L	51 1,1,2,2-Tetrachloroethane	ND	1.0 µg/L
8 1,1-Dichloroethene	ND	1.0 µg/L	52 1,2,3-Trichloropropane	ND	2.0 µg/L
9 Tertiary Butyl Alcohol (TBA)	ND	10 µg/L	53 Isopropylbenzene	ND	1.0 µg/L
10 Dichloromethane	ND	5.0 µg/L	54 Bromobenzene	ND	1.0 µg/L
11 Freon-113	ND	10 µg/L	55 n-Propylbenzene	ND	1.0 µg/L
12 Carbon disulfide	ND	2.5 µg/L	56 4-Chlorotoluene	ND	1.0 µg/L
13 trans-1,2-Dichloroethene	ND	1.0 µg/L	57 2-Chlorotoluene	ND	1.0 µg/L
14 Methyl tert-butyl ether (MTBE)	2.3	0.50 µg/L	58 1,3,5-Trimethylbenzene	ND	1.0 µg/L
15 1,1-Dichloroethane	ND	1.0 µg/L	59 tert-Butylbenzene	ND	1.0 µg/L
16 Vinyl acetate	ND	50 µg/L	60 1,2,4-Trimethylbenzene	ND	1.0 µg/L
17 2-Butanone (MEK)	ND	10 µg/L	61 sec-Butylbenzene	ND	1.0 µg/L
18 Di-isopropyl Ether (DIPE)	ND	1.0 µg/L	62 1,3-Dichlorobenzene	ND	1.0 µg/L
19 cis-1,2-Dichloroethene	ND	1.0 µg/L	63 1,4-Dichlorobenzene	ND	1.0 µg/L
20 Bromochloromethane	ND	1.0 µg/L	64 4-Isopropyltoluene	ND	1.0 µg/L
21 Chloroform	ND	1.0 µg/L	65 1,2-Dichlorobenzene	ND	1.0 µg/L
22 Ethyl Tertiary Butyl Ether (ETBE)	ND	1.0 µg/L	66 n-Butylbenzene	ND	1.0 µg/L
23 2,2-Dichloropropane	ND	1.0 µg/L	67 1,2-Dibromo-3-chloropropane (DBCP)	ND	5.0 µg/L
24 1,2-Dichloroethane	ND	0.50 µg/L	68 1,2,4-Trichlorobenzene	ND	2.0 µg/L
25 1,1,1-Trichloroethane	ND	1.0 µg/L	69 Naphthalene	ND	10 µg/L
26 1,1-Dichloropropene	ND	1.0 µg/L	70 1,2,3-Trichlorobenzene	ND	2.0 µg/L
27 Carbon tetrachloride	ND	1.0 µg/L	71 Surr: 1,2-Dichloroethane-d4	97	(70-130) %REC
28 Benzene	0.50	0.50 µg/L	72 Surr: Toluene-d8	104	(70-130) %REC
29 Tertiary Amyl Methyl Ether (TAME)	ND	1.0 µg/L	73 Surr: 4-Bromofluorobenzene	104	(70-130) %REC
30 Dibromomethane	ND	1.0 µg/L			
31 1,2-Dichloropropane	ND	1.0 µg/L			
32 Trichloroethene	ND	1.0 µg/L			
33 Bromodichloromethane	ND	1.0 µg/L			
34 4-Methyl-2-pentanone (MIBK)	ND	10 µg/L			
35 cis-1,3-Dichloropropene	ND	0.50 µg/L			
36 trans-1,3-Dichloropropene	ND	0.50 µg/L			
37 1,1,2-Trichloroethane	ND	1.0 µg/L			
38 Toluene	ND	0.50 µg/L			
39 1,3-Dichloropropane	ND	1.0 µg/L			
40 2-Hexanone	ND	5.0 µg/L			
41 Dibromochloromethane	ND	1.0 µg/L			
42 1,2-Dibromoethane (EDB)	ND	2.0 µg/L			
43 Tetrachloroethene	ND	1.0 µg/L			
44 1,1,1,2-Tetrachloroethane	ND	1.0 µg/L			

ND = Not Detected

Roger Scholl

Randy Gardner

Walter Hinchman

Roger L. Scholl, Ph.D., Laboratory Director • Randy Gardner, Laboratory Manager • Walter Hinchman, Quality Assurance Officer
Sacramento, CA • (916) 366-9089 / Las Vegas, NV • (702) 736-7522 / Carson, CA • (714) 386-2901 / info@alpha-analytical.com

Alpha certifies that the test results meet all requirements of NELAC unless footnoted otherwise.

Alpha Analytical, Inc. currently holds appropriate and available California (#2019) and NELAC (01154CA) certifications for the data reported. Test results relate only to reported samples.

PS

8/24/10

Report Date



Alpha Analytical, Inc.

255 Glendale Ave. • Suite 21 • Sparks, Nevada 89431-5778
(775) 355-1044 • (775) 355-0406 FAX • 1-800-283-1183

ANALYTICAL REPORT

CH2M Hill
1000 Wilshire Boulevard
Los Angeles, CA 90017
Job: KMEP Norwalk

Attn: Daniel Jablonski
Phone: (213) 228-8271
Fax: (714) 424-2135

Alpha Analytical Number: CHH10081602-03A
Client I.D. Number: GMW-O-18

Sampled: 08/12/10 08:25
Received: 08/14/10
Extracted: 08/20/10
Analyzed: 08/20/10

Volatile Organics by GC/MS EPA Method SW8260B

Compound	Concentration	Reporting Limit	Compound	Concentration	Reporting Limit
1 Dichlorodifluoromethane	ND	1.0 µg/L	45 Chlorobenzene	ND	1.0 µg/L
2 Chloromethane	ND	4.0 µg/L	46 Ethylbenzene	ND	0.50 µg/L
3 Vinyl chloride	ND	1.0 µg/L	47 m,p-Xylene	ND	0.50 µg/L
4 Chloroethane	ND	1.0 µg/L	48 Bromoform	ND	1.0 µg/L
5 Bromomethane	ND	4.0 µg/L	49 Styrene	ND	1.0 µg/L
6 Trichlorofluoromethane	ND	10 µg/L	50 o-Xylene	ND	0.50 µg/L
7 Acetone	ND	20 µg/L	51 1,1,2,2-Tetrachloroethane	ND	1.0 µg/L
8 1,1-Dichloroethene	ND	1.0 µg/L	52 1,2,3-Trichloropropane	ND	4.0 µg/L
9 Tertiary Butyl Alcohol (TBA)	15,000	100 µg/L	53 Isopropylbenzene	ND	1.0 µg/L
10 Dichloromethane	ND	5.0 µg/L	54 Bromobenzene	ND	1.0 µg/L
11 Freon-113	ND	10 µg/L	55 n-Propylbenzene	ND	1.0 µg/L
12 Carbon disulfide	ND	5.0 µg/L	56 4-Chlorotoluene	ND	1.0 µg/L
13 trans-1,2-Dichloroethene	ND	1.0 µg/L	57 2-Chlorotoluene	ND	1.0 µg/L
14 Methyl tert-butyl ether (MTBE)	0.93	0.50 µg/L	58 1,3,5-Trimethylbenzene	ND	1.0 µg/L
15 1,1-Dichloroethane	ND	1.0 µg/L	59 tert-Butylbenzene	ND	1.0 µg/L
16 Vinyl acetate	ND	100 µg/L	60 1,2,4-Trimethylbenzene	ND	1.0 µg/L
17 2-Butanone (MEK)	ND	20 µg/L	61 sec-Butylbenzene	ND	1.0 µg/L
18 Di-isopropyl Ether (DIPE)	ND	1.0 µg/L	62 1,3-Dichlorobenzene	ND	1.0 µg/L
19 cis-1,2-Dichloroethene	ND	1.0 µg/L	63 1,4-Dichlorobenzene	ND	1.0 µg/L
20 Bromochloromethane	ND	1.0 µg/L	64 4-Isopropyltoluene	ND	1.0 µg/L
21 Chloroform	ND	1.0 µg/L	65 1,2-Dichlorobenzene	ND	1.0 µg/L
22 Ethyl Tertiary Butyl Ether (ETBE)	ND	1.0 µg/L	66 n-Butylbenzene	ND	1.0 µg/L
23 2,2-Dichloropropane	ND	1.0 µg/L	67 1,2-Dibromo-3-chloropropane (DBCP)	ND	6.0 µg/L
24 1,2-Dichloroethane	ND	1.0 µg/L	68 1,2,4-Trichlorobenzene	ND	4.0 µg/L
25 1,1,1-Trichloroethane	ND	1.0 µg/L	69 Naphthalene	ND	10 µg/L
26 1,1-Dichloropropene	ND	1.0 µg/L	70 1,2,3-Trichlorobenzene	ND	4.0 µg/L
27 Carbon tetrachloride	ND	1.0 µg/L	71 Surr: 1,2-Dichloroethane-d4	96	(70-130) %REC
28 Benzene	0.64	0.50 µg/L	72 Surr: Toluene-d8	103	(70-130) %REC
29 Tertiary Amyl Methyl Ether (TAME)	ND	1.0 µg/L	73 Surr: 4-Bromofluorobenzene	103	(70-130) %REC
30 Dibromomethane	ND	1.0 µg/L			
31 1,2-Dichloropropane	ND	1.0 µg/L			
32 Trichloroethene	ND	1.0 µg/L			
33 Bromodichloromethane	ND	1.0 µg/L			
34 4-Methyl-2-pentanone (MIBK)	ND	10 µg/L			
35 cis-1,3-Dichloropropene	ND	1.0 µg/L			
36 trans-1,3-Dichloropropene	ND	1.0 µg/L			
37 1,1,2-Trichloroethane	ND	1.0 µg/L			
38 Toluene	ND	0.50 µg/L			
39 1,3-Dichloropropane	ND	1.0 µg/L			
40 2-Hexanone	ND	10 µg/L			
41 Dibromochloromethane	ND	1.0 µg/L			
42 1,2-Dibromoethane (EDB)	ND	2.0 µg/L			
43 Tetrachloroethene	ND	1.0 µg/L			
44 1,1,1,2-Tetrachloroethane	ND	1.0 µg/L			

*This analyte was analyzed separately on 8/18/10 in order to achieve better reporting limits for the other analytes.

Some Reporting Limits were increased due to high concentrations of target analytes.

ND = Not Detected

Roger L. Scholl, Ph.D., Laboratory Director • Randy Gardner, Laboratory Manager • Walter Hinchman, Quality Assurance Officer
Sacramento, CA • (916) 366-9089 / Las Vegas, NV • (702) 736-7522 / Carson, CA • (714) 386-2901 / info@alpha-analytical.com

Alpha certifies that the test results meet all requirements of NELAC unless footnoted otherwise.

Alpha Analytical, Inc. currently holds appropriate and available California (#2019) and NELAC (01154CA) certifications for the data reported. Test results relate only to reported samples.

8/24/10

Report Date



Alpha Analytical, Inc.

255 Glendale Ave. • Suite 21 • Sparks, Nevada 89431-5778
(775) 355-1044 • (775) 355-0406 FAX • 1-800-283-1183

ANALYTICAL REPORT

CH2M Hill
1000 Wilshire Boulevard
Los Angeles, CA 90017
Job: KMEP Norwalk

Attn: Daniel Jablonski
Phone: (213) 228-8271
Fax: (714) 424-2135

Alpha Analytical Number: CHH10081602-04A
Client I.D. Number: GMW-O-19

Sampled: 08/12/10 09:15
Received: 08/14/10
Extracted: 08/18/10
Analyzed: 08/18/10

Volatile Organics by GC/MS EPA Method SW8260B

Compound	Concentration	Reporting Limit	Compound	Concentration	Reporting Limit
1 Dichlorodifluoromethane	ND	1.0 µg/L	45 Chlorobenzene	ND	1.0 µg/L
2 Chloromethane	ND	2.0 µg/L	46 Ethylbenzene	ND	0.50 µg/L
3 Vinyl chloride	ND	0.50 µg/L	47 m,p-Xylene	ND	0.50 µg/L
4 Chloroethane	ND	1.0 µg/L	48 Bromoform	ND	1.0 µg/L
5 Bromomethane	ND	2.0 µg/L	49 Styrene	ND	1.0 µg/L
6 Trichlorofluoromethane	ND	10 µg/L	50 o-Xylene	ND	0.50 µg/L
7 Acetone	ND	10 µg/L	51 1,1,2,2-Tetrachloroethane	ND	1.0 µg/L
8 1,1-Dichloroethene	ND	1.0 µg/L	52 1,2,3-Trichloropropane	ND	2.0 µg/L
9 Tertiary Butyl Alcohol (TBA)	ND	10 µg/L	53 Isopropylbenzene	ND	1.0 µg/L
10 Dichloromethane	ND	5.0 µg/L	54 Bromobenzene	ND	1.0 µg/L
11 Freon-113	ND	10 µg/L	55 n-Propylbenzene	ND	1.0 µg/L
12 Carbon disulfide	ND	2.5 µg/L	56 4-Chlorotoluene	ND	1.0 µg/L
13 trans-1,2-Dichloroethene	ND	1.0 µg/L	57 2-Chlorotoluene	ND	1.0 µg/L
14 Methyl tert-butyl ether (MTBE)	ND	0.50 µg/L	58 1,3,5-Trimethylbenzene	ND	1.0 µg/L
15 1,1-Dichloroethane	ND	1.0 µg/L	59 tert-Butylbenzene	ND	1.0 µg/L
16 Vinyl acetate	ND	50 µg/L	60 1,2,4-Trimethylbenzene	ND	1.0 µg/L
17 2-Butanone (MEK)	ND	10 µg/L	61 sec-Butylbenzene	ND	1.0 µg/L
18 Di-isopropyl Ether (DIPE)	ND	1.0 µg/L	62 1,3-Dichlorobenzene	ND	1.0 µg/L
19 cis-1,2-Dichloroethene	ND	1.0 µg/L	63 1,4-Dichlorobenzene	ND	1.0 µg/L
20 Bromochloromethane	ND	1.0 µg/L	64 4-Isopropyltoluene	ND	1.0 µg/L
21 Chloroform	ND	1.0 µg/L	65 1,2-Dichlorobenzene	ND	1.0 µg/L
22 Ethyl Tertiary Butyl Ether (ETBE)	ND	1.0 µg/L	66 n-Butylbenzene	ND	1.0 µg/L
23 2,2-Dichloropropane	ND	1.0 µg/L	67 1,2-Dibromo-3-chloropropane (DBCP)	ND	5.0 µg/L
24 1,2-Dichloroethane	ND	0.50 µg/L	68 1,2,4-Trichlorobenzene	ND	2.0 µg/L
25 1,1,1-Trichloroethane	ND	1.0 µg/L	69 Naphthalene	ND	10 µg/L
26 1,1-Dichloropropene	ND	1.0 µg/L	70 1,2,3-Trichlorobenzene	ND	2.0 µg/L
27 Carbon tetrachloride	ND	1.0 µg/L	71 Surr: 1,2-Dichloroethane-d4	99	(70-130) %REC
28 Benzene	0.52	0.50 µg/L	72 Surr: Toluene-d8	105	(70-130) %REC
29 Tertiary Amyl Methyl Ether (TAME)	ND	1.0 µg/L	73 Surr: 4-Bromofluorobenzene	107	(70-130) %REC
30 Dibromomethane	ND	1.0 µg/L			
31 1,2-Dichloropropane	ND	1.0 µg/L			
32 Trichloroethene	ND	1.0 µg/L			
33 Bromodichloromethane	ND	1.0 µg/L			
34 4-Methyl-2-pentanone (MIBK)	ND	10 µg/L			
35 cis-1,3-Dichloropropene	ND	0.50 µg/L			
36 trans-1,3-Dichloropropene	ND	0.50 µg/L			
37 1,1,2-Trichloroethane	ND	1.0 µg/L			
38 Toluene	ND	0.50 µg/L			
39 1,3-Dichloropropane	ND	1.0 µg/L			
40 2-Hexanone	ND	5.0 µg/L			
41 Dibromochloromethane	ND	1.0 µg/L			
42 1,2-Dibromoethane (EDB)	ND	2.0 µg/L			
43 Tetrachloroethene	ND	1.0 µg/L			
44 1,1,1,2-Tetrachloroethane	ND	1.0 µg/L			

ND = Not Detected

Roger Scholl

Randy Gardner

Walter Hinchman

Roger L. Scholl, Ph.D., Laboratory Director • • Randy Gardner, Laboratory Manager • • Walter Hinchman, Quality Assurance Officer
Sacramento, CA • (916) 366-9089 / Las Vegas, NV • (702) 736-7522 / Carson, CA • (714) 386-2901 / info@alpha-analytical.com

Alpha certifies that the test results meet all requirements of NELAC unless footnoted otherwise.

Alpha Analytical, Inc. currently holds appropriate and available California (#2019) and NELAC (01154CA) certifications for the data reported. Test results relate only to reported samples.

VB
8/24/10

Report Date

Page 1 of 1



Alpha Analytical, Inc.

255 Glendale Ave. • Suite 21 • Sparks, Nevada 89431-5778
(775) 355-1044 • (775) 355-0406 FAX • 1-800-283-1183

ANALYTICAL REPORT

CH2M Hill
1000 Wilshire Boulevard
Los Angeles, CA 90017
Job: KMEP Norwalk

Attn: Daniel Jablonski
Phone: (213) 228-8271
Fax: (714) 424-2135

Alpha Analytical Number: CHH10081602-05A
Client I.D. Number: GMW-36

Sampled: 08/12/10 10:20
Received: 08/14/10
Extracted: 08/18/10
Analyzed: 08/18/10

Volatile Organics by GC/MS EPA Method SW8260B

Compound	Concentration	Reporting Limit	Compound	Concentration	Reporting Limit
1 Dichlorodifluoromethane	ND	10 µg/L	45 Chlorobenzene	ND	10 µg/L
2 Chloromethane	ND	40 µg/L	46 Ethylbenzene	52	5.0 µg/L
3 Vinyl chloride	ND	10 µg/L	47 m,p-Xylene	980	5.0 µg/L
4 Chloroethane	ND	10 µg/L	48 Bromoform	ND	10 µg/L
5 Bromomethane	ND	40 µg/L	49 Styrene	ND	10 µg/L
6 Trichlorofluoromethane	ND	10 µg/L	50 o-Xylene	600	5.0 µg/L
7 Acetone	ND	200 µg/L	51 1,1,2,2-Tetrachloroethane	ND	10 µg/L
8 1,1-Dichloroethene	ND	10 µg/L	52 1,2,3-Trichloropropane	ND	40 µg/L
9 Tertiary Butyl Alcohol (TBA)	1,600	100 µg/L	53 Isopropylbenzene	ND	10 µg/L
10 Dichloromethane	ND	40 µg/L	54 Bromobenzene	ND	10 µg/L
11 Freon-113	ND	10 µg/L	55 n-Propylbenzene	ND	10 µg/L
12 Carbon disulfide	ND	50 µg/L	56 4-Chlorotoluene	ND	10 µg/L
13 trans-1,2-Dichloroethene	ND	10 µg/L	57 2-Chlorotoluene	ND	10 µg/L
14 Methyl tert-butyl ether (MTBE)	18	5.0 µg/L	58 1,3,5-Trimethylbenzene	87	10 µg/L
15 1,1-Dichloroethane	ND	10 µg/L	59 tert-Butylbenzene	ND	10 µg/L
16 Vinyl acetate	ND	1,000 µg/L	60 1,2,4-Trimethylbenzene	200	10 µg/L
17 2-Butanone (MEK)	ND	200 µg/L	61 sec-Butylbenzene	ND	10 µg/L
18 Di-isopropyl Ether (DIPE)	ND	10 µg/L	62 1,3-Dichlorobenzene	ND	10 µg/L
19 cis-1,2-Dichloroethene	ND	10 µg/L	63 1,4-Dichlorobenzene	ND	10 µg/L
20 Bromochloromethane	ND	10 µg/L	64 4-Isopropyltoluene	ND	10 µg/L
21 Chloroform	ND	10 µg/L	65 1,2-Dichlorobenzene	ND	10 µg/L
22 Ethyl Tertiary Butyl Ether (ETBE)	ND	10 µg/L	66 n-Butylbenzene	ND	10 µg/L
23 2,2-Dichloropropane	ND	10 µg/L	67 1,2-Dibromo-3-chloropropane (DBCP)	ND	60 µg/L
24 1,2-Dichloroethane	ND	10 µg/L	68 1,2,4-Trichlorobenzene	ND	40 µg/L
25 1,1,1-Trichloroethane	ND	10 µg/L	69 Naphthalene	86	40 µg/L
26 1,1-Dichloropropene	ND	10 µg/L	70 1,2,3-Trichlorobenzene	ND	40 µg/L
27 Carbon tetrachloride	ND	10 µg/L	71 Surr: 1,2-Dichloroethane-d4	98	(70-130) %REC
28 Benzene	1,400	5.0 µg/L	72 Surr: Toluene-d8	99	(70-130) %REC
29 Tertiary Amyl Methyl Ether (TAME)	ND	10 µg/L	73 Surr: 4-Bromofluorobenzene	100	(70-130) %REC
30 Dibromomethane	ND	10 µg/L			
31 1,2-Dichloropropane	ND	10 µg/L			
32 Trichloroethene	ND	10 µg/L			
33 Bromodichloromethane	ND	10 µg/L			
34 4-Methyl-2-pentanone (MIBK)	ND	50 µg/L			
35 cis-1,3-Dichloropropene	ND	10 µg/L			
36 trans-1,3-Dichloropropene	ND	10 µg/L			
37 1,1,2-Trichloroethane	ND	10 µg/L			
38 Toluene	1,100	5.0 µg/L			
39 1,3-Dichloropropane	ND	10 µg/L			
40 2-Hexanone	ND	100 µg/L			
41 Dibromochloromethane	ND	10 µg/L			
42 1,2-Dibromoethane (EDB)	ND	20 µg/L			
43 Tetrachloroethene	ND	10 µg/L			
44 1,1,1,2-Tetrachloroethane	ND	10 µg/L			

Reporting Limits were increased due to high concentrations of target analytes.

ND = Not Detected

Roger Scholl

Randy Gardner

Walter Hinchman

Roger L. Scholl, Ph.D., Laboratory Director • Randy Gardner, Laboratory Manager • Walter Hinchman, Quality Assurance Officer
Sacramento, CA • (916) 366-9089 / Las Vegas, NV • (702) 736-7522 / Carson, CA • (714) 386-2901 / info@alpha-analytical.com

Alpha certifies that the test results meet all requirements of NELAC unless footnoted otherwise.

Alpha Analytical, Inc. currently holds appropriate and available California (#2019) and NELAC (01154CA) certifications for the data reported. Test results relate only to reported samples.

VAG

8/24/10

Report Date



Alpha Analytical, Inc.

255 Glendale Ave. • Suite 21 • Sparks, Nevada 89431-5778
(775) 355-1044 • (775) 355-0406 FAX • 1-800-283-1183

ANALYTICAL REPORT

CH2M Hill
1000 Wilshire Boulevard
Los Angeles, CA 90017
Job: KMEP Norwalk

Attn: Daniel Jablonski
Phone: (213) 228-8271
Fax: (714) 424-2135

Alpha Analytical Number: CHH10081602-06A
Client I.D. Number: PZ-5

Sampled: 08/12/10 08:01
Received: 08/14/10
Extracted: 08/20/10
Analyzed: 08/20/10

Volatile Organics by GC/MS EPA Method SW8260B

Reporting			Reporting		
Compound	Concentration	Limit	Compound	Concentration	Limit
1 Dichlorodifluoromethane	ND	10 µg/L	45 Chlorobenzene	ND	10 µg/L
2 Chloromethane	ND	40 µg/L	46 Ethylbenzene	340	5.0 µg/L
3 Vinyl chloride	ND	10 µg/L	47 m,p-Xylene	42	5.0 µg/L
4 Chloroethane	ND	10 µg/L	48 Bromoform	ND	10 µg/L
5 Bromomethane	ND	40 µg/L	49 Styrene	ND	10 µg/L
6 Trichlorofluoromethane	ND	10 µg/L	50 o-Xylene	8.6	5.0 µg/L
7 Acetone	200	µg/L	51 1,1,2,2-Tetrachloroethane	ND	10 µg/L
8 1,1-Dichloroethene	ND	10 µg/L	52 1,2,3-Trichloropropane	ND	40 µg/L
9 Tertiary Butyl Alcohol (TBA)	64,000	1,000 µg/L	53 Isopropylbenzene	13	10 µg/L
10 Dichloromethane	ND	40 µg/L	54 Bromobenzene	ND	10 µg/L
11 Freon-113	ND	10 µg/L	55 n-Propylbenzene	25	10 µg/L
12 Carbon disulfide	ND	50 µg/L	56 4-Chlorotoluene	ND	10 µg/L
13 trans-1,2-Dichloroethene	ND	10 µg/L	57 2-Chlorotoluene	ND	10 µg/L
14 Methyl tert-butyl ether (MTBE)	490	5.0 µg/L	58 1,3,5-Trimethylbenzene	34	10 µg/L
15 1,1-Dichloroethane	ND	10 µg/L	59 tert-Butylbenzene	ND	10 µg/L
16 Vinyl acetate	ND	1,000 µg/L	60 1,2,4-Trimethylbenzene	18	10 µg/L
17 2-Butanone (MEK)	ND	200 µg/L	61 sec-Butylbenzene	ND	10 µg/L
18 Di-isopropyl Ether (DIPE)	ND	10 µg/L	62 1,3-Dichlorobenzene	ND	10 µg/L
19 cis-1,2-Dichloroethene	ND	10 µg/L	63 1,4-Dichlorobenzene	ND	10 µg/L
20 Bromochloromethane	ND	10 µg/L	64 4-Isopropyltoluene	ND	10 µg/L
21 Chloroform	ND	10 µg/L	65 1,2-Dichlorobenzene	ND	10 µg/L
22 Ethyl Tertiary Butyl Ether (ETBE)	ND	10 µg/L	66 n-Butylbenzene	ND	10 µg/L
23 2,2-Dichloropropane	ND	10 µg/L	67 1,2-Dibromo-3-chloropropane (DBCP)	ND	60 µg/L
24 1,2-Dichloroethane	ND	10 µg/L	68 1,2,4-Trichlorobenzene	ND	40 µg/L
25 1,1,1-Trichloroethane	ND	10 µg/L	69 Naphthalene	ND	40 µg/L
26 1,1-Dichloropropene	ND	10 µg/L	70 1,2,3-Trichlorobenzene	ND	40 µg/L
27 Carbon tetrachloride	ND	10 µg/L	71 Surr: 1,2-Dichloroethane-d4	98	(70-130) %REC
28 Benzene	4,400	50 µg/L	72 Surr: Toluene-d8	99	(70-130) %REC
29 Tertiary Amyl Methyl Ether (TAME)	ND	10 µg/L	73 Surr: 4-Bromofluorobenzene	101	(70-130) %REC
30 Dibromomethane	ND	10 µg/L			
31 1,2-Dichloropropane	ND	10 µg/L			
32 Trichloroethene	ND	10 µg/L			
33 Bromodichloromethane	ND	10 µg/L			
34 4-Methyl-2-pentanone (MIBK)	ND	50 µg/L			
35 cis-1,3-Dichloropropene	ND	10 µg/L			
36 trans-1,3-Dichloropropene	ND	10 µg/L			
37 1,1,2-Trichloroethane	ND	10 µg/L			
38 Toluene	ND	5.0 µg/L			
39 1,3-Dichloropropane	ND	10 µg/L			
40 2-Hexanone	ND	100 µg/L			
41 Dibromochloromethane	ND	10 µg/L			
42 1,2-Dibromoethane (EDB)	ND	20 µg/L			
43 Tetrachloroethene	ND	10 µg/L			
44 1,1,1,2-Tetrachloroethane	ND	10 µg/L			

*This analyte was analyzed separately on 8/18/10 in order to achieve lower reporting limits for the other analytes.

Reporting Limits were increased due to high concentrations of target analytes.

ND = Not Detected

Roger Scholl

Randy Gardner

Walter Hinchman

Roger L. Scholl, Ph.D., Laboratory Director • Randy Gardner, Laboratory Manager • Walter Hinchman, Quality Assurance Officer
Sacramento, CA • (916) 366-9089 / Las Vegas, NV • (702) 736-7522 / Carson, CA • (714) 386-2901 / info@alpha-analytical.com

Alpha certifies that the test results meet all requirements of NELAC unless footnoted otherwise.

Alpha Analytical, Inc. currently holds appropriate and available California (#2019) and NELAC (01154CA) certifications for the data reported. Test results relate only to reported samples.

PS
8/24/10

Report Date



Alpha Analytical, Inc.

255 Glendale Ave. • Suite 21 • Sparks, Nevada 89431-5778
(775) 355-1044 • (775) 355-0406 FAX • 1-800-283-1183

ANALYTICAL REPORT

CH2M Hill
1000 Wilshire Boulevard
Los Angeles, CA 90017
Job: KMEP Norwalk

Attn: Daniel Jablonski
Phone: (213) 228-8271
Fax: (714) 424-2135

Alpha Analytical Number: CHH10081602-07A
Client I.D. Number: DUP-1

Sampled: 08/12/10 00:00
Received: 08/14/10
Extracted: 08/20/10
Analyzed: 08/20/10

Volatile Organics by GC/MS EPA Method SW8260B

Compound	Concentration	Reporting Limit	Compound	Concentration	Reporting Limit
1 Dichlorodifluoromethane	ND	10 µg/L	45 Chlorobenzene	ND	10 µg/L
2 Chloromethane	ND	40 µg/L	46 Ethylbenzene	300	5.0 µg/L
3 Vinyl chloride	ND	10 µg/L	47 m,p-Xylene	38	5.0 µg/L
4 Chloroethane	ND	10 µg/L	48 Bromoform	ND	10 µg/L
5 Bromomethane	ND	40 µg/L	49 Styrene	ND	10 µg/L
6 Trichlorofluoromethane	ND	10 µg/L	50 o-Xylene	7.9	5.0 µg/L
7 Acetone	ND	200 µg/L	51 1,1,2,2-Tetrachloroethane	ND	10 µg/L
8 1,1-Dichloroethene	ND	10 µg/L	52 1,2,3-Trichloropropane	ND	40 µg/L
9 Tertiary Butyl Alcohol (TBA)	60,000	1,000 µg/L	53 Isopropylbenzene	12	10 µg/L
10 Dichloromethane	ND	40 µg/L	54 Bromobenzene	ND	10 µg/L
11 Freon-113	ND	10 µg/L	55 n-Propylbenzene	22	10 µg/L
12 Carbon disulfide	ND	50 µg/L	56 4-Chlorotoluene	ND	10 µg/L
13 trans-1,2-Dichloroethene	ND	10 µg/L	57 2-Chlorotoluene	ND	10 µg/L
14 Methyl tert-butyl ether (MTBE)	450	5.0 µg/L	58 1,3,5-Trimethylbenzene	31	10 µg/L
15 1,1-Dichloroethane	ND	10 µg/L	59 tert-Butylbenzene	ND	10 µg/L
16 Vinyl acetate	ND	1,000 µg/L	60 1,2,4-Trimethylbenzene	17	10 µg/L
17 2-Butanone (MEK)	ND	200 µg/L	61 sec-Butylbenzene	ND	10 µg/L
18 Di-isopropyl Ether (DIPE)	ND	10 µg/L	62 1,3-Dichlorobenzene	ND	10 µg/L
19 cis-1,2-Dichloroethene	ND	10 µg/L	63 1,4-Dichlorobenzene	ND	10 µg/L
20 Bromochloromethane	ND	10 µg/L	64 4-Isopropyltoluene	ND	10 µg/L
21 Chloroform	ND	10 µg/L	65 1,2-Dichlorobenzene	ND	10 µg/L
22 Ethyl Tertiary Butyl Ether (ETBE)	ND	10 µg/L	66 n-Butylbenzene	ND	10 µg/L
23 2,2-Dichloropropane	ND	10 µg/L	67 1,2-Dibromo-3-chloropropane (DBCP)	ND	60 µg/L
24 1,2-Dichloroethane	ND	10 µg/L	68 1,2,4-Trichlorobenzene	ND	40 µg/L
25 1,1,1-Trichloroethane	ND	10 µg/L	69 Naphthalene	43	40 µg/L
26 1,1-Dichloropropene	ND	10 µg/L	70 1,2,3-Trichlorobenzene	ND	40 µg/L
27 Carbon tetrachloride	ND	10 µg/L	71 Surr: 1,2-Dichloroethane-d4	98	(70-130) %REC
28 Benzene	4,200	50 µg/L	72 Surr: Toluene-d8	95	(70-130) %REC
29 Tertiary Amyl Methyl Ether (TAME)	ND	10 µg/L	73 Surr: 4-Bromofluorobenzene	103	(70-130) %REC
30 Dibromomethane	ND	10 µg/L			
31 1,2-Dichloropropane	ND	10 µg/L			
32 Trichloroethene	ND	10 µg/L			
33 Bromodichloromethane	ND	10 µg/L			
34 4-Methyl-2-pentanone (MIBK)	ND	50 µg/L			
35 cis-1,3-Dichloropropene	ND	10 µg/L			
36 trans-1,3-Dichloropropene	ND	10 µg/L			
37 1,1,2-Trichloroethane	ND	10 µg/L			
38 Toluene	ND	5.0 µg/L			
39 1,3-Dichloropropane	ND	10 µg/L			
40 2-Hexanone	ND	100 µg/L			
41 Dibromochloromethane	ND	10 µg/L			
42 1,2-Dibromoethane (EDB)	ND	20 µg/L			
43 Tetrachloroethene	ND	10 µg/L			
44 1,1,1,2-Tetrachloroethane	ND	10 µg/L			

*This analyte was analyzed separately on 8/18/10 in order to achieve lower reporting limits for the other analytes.

Reporting Limits were increased due to high concentrations of non-target analytes.

ND = Not Detected

Roger Scholl *Randy Gardner* *Walter Hinchman*

Roger L. Scholl, Ph.D., Laboratory Director • Randy Gardner, Laboratory Manager • Walter Hinchman, Quality Assurance Officer
Sacramento, CA • (916) 366-9089 / Las Vegas, NV • (702) 736-7522 / Carson, CA • (714) 386-2901 / info@alpha-analytical.com

Alpha certifies that the test results meet all requirements of NELAC unless footnoted otherwise.

Alpha Analytical, Inc. currently holds appropriate and available California (#2019) and NELAC (01154CA) certifications for the data reported. Test results relate only to reported samples.

8/24/10

Report Date



Alpha Analytical, Inc.

255 Glendale Ave. • Suite 21 • Sparks, Nevada 89431-5778
(775) 355-1044 • (775) 355-0406 FAX • 1-800-283-1183

ANALYTICAL REPORT

CH2M Hill
1000 Wilshire Boulevard
Los Angeles, CA 90017
Job: KMEP Norwalk

Attn: Daniel Jablonski
Phone: (213) 228-8271
Fax: (714) 424-2135

Alpha Analytical Number: CHH10081602-08A
Client I.D. Number: EB-1

Sampled: 08/12/10 10:30
Received: 08/14/10
Extracted: 08/18/10
Analyzed: 08/18/10

Volatile Organics by GC/MS EPA Method SW8260B

Compound	Concentration	Reporting Limit	Compound	Concentration	Reporting Limit
1 Dichlorodifluoromethane	ND	1.0 µg/L	45 Chlorobenzene	ND	1.0 µg/L
2 Chloromethane	ND	2.0 µg/L	46 Ethylbenzene	ND	0.50 µg/L
3 Vinyl chloride	ND	0.50 µg/L	47 m,p-Xylene	ND	0.50 µg/L
4 Chloroethane	ND	1.0 µg/L	48 Bromoform	ND	1.0 µg/L
5 Bromomethane	ND	2.0 µg/L	49 Styrene	ND	1.0 µg/L
6 Trichlorofluoromethane	ND	10 µg/L	50 o-Xylene	ND	0.50 µg/L
7 Acetone	ND	10 µg/L	51 1,1,2,2-Tetrachloroethane	ND	1.0 µg/L
8 1,1-Dichloroethene	ND	1.0 µg/L	52 1,2,3-Trichloropropane	ND	2.0 µg/L
9 Tertiary Butyl Alcohol (TBA)	ND	10 µg/L	53 Isopropylbenzene	ND	1.0 µg/L
10 Dichloromethane	ND	5.0 µg/L	54 Bromobenzene	ND	1.0 µg/L
11 Freon-113	ND	10 µg/L	55 n-Propylbenzene	ND	1.0 µg/L
12 Carbon disulfide	ND	2.5 µg/L	56 4-Chlorotoluene	ND	1.0 µg/L
13 trans-1,2-Dichloroethene	ND	1.0 µg/L	57 2-Chlorotoluene	ND	1.0 µg/L
14 Methyl tert-butyl ether (MTBE)	ND	0.50 µg/L	58 1,3,5-Trimethylbenzene	ND	1.0 µg/L
15 1,1-Dichloroethane	ND	1.0 µg/L	59 tert-Butylbenzene	ND	1.0 µg/L
16 Vinyl acetate	ND	50 µg/L	60 1,2,4-Trimethylbenzene	ND	1.0 µg/L
17 2-Butanone (MEK)	ND	10 µg/L	61 sec-Butylbenzene	ND	1.0 µg/L
18 Di-isopropyl Ether (DIPE)	ND	1.0 µg/L	62 1,3-Dichlorobenzene	ND	1.0 µg/L
19 cis-1,2-Dichloroethene	ND	1.0 µg/L	63 1,4-Dichlorobenzene	ND	1.0 µg/L
20 Bromochloromethane	ND	1.0 µg/L	64 4-Isopropyltoluene	ND	1.0 µg/L
21 Chloroform	ND	1.0 µg/L	65 1,2-Dichlorobenzene	ND	1.0 µg/L
22 Ethyl Tertiary Butyl Ether (ETBE)	ND	1.0 µg/L	66 n-Butylbenzene	ND	1.0 µg/L
23 2,2-Dichloropropane	ND	1.0 µg/L	67 1,2-Dibromo-3-chloropropane (DBCP)	ND	5.0 µg/L
24 1,2-Dichloroethane	ND	0.50 µg/L	68 1,2,4-Trichlorobenzene	ND	2.0 µg/L
25 1,1,1-Trichloroethane	ND	1.0 µg/L	69 Naphthalene	ND	10 µg/L
26 1,1-Dichloropropene	ND	1.0 µg/L	70 1,2,3-Trichlorobenzene	ND	2.0 µg/L
27 Carbon tetrachloride	ND	1.0 µg/L	71 Surr: 1,2-Dichloroethane-d4	102	(70-130) %REC
28 Benzene	ND	0.50 µg/L	72 Surr: Toluene-d8	104	(70-130) %REC
29 Tertiary Amyl Methyl Ether (TAME)	ND	1.0 µg/L	73 Surr: 4-Bromofluorobenzene	107	(70-130) %REC
30 Dibromomethane	ND	1.0 µg/L			
31 1,2-Dichloropropane	ND	1.0 µg/L			
32 Trichloroethene	ND	1.0 µg/L			
33 Bromodichloromethane	ND	1.0 µg/L			
34 4-Methyl-2-pentanone (MIBK)	ND	10 µg/L			
35 cis-1,3-Dichloropropene	ND	0.50 µg/L			
36 trans-1,3-Dichloropropene	ND	0.50 µg/L			
37 1,1,2-Trichloroethane	ND	1.0 µg/L			
38 Toluene	ND	0.50 µg/L			
39 1,3-Dichloropropane	ND	1.0 µg/L			
40 2-Hexanone	ND	5.0 µg/L			
41 Dibromochloromethane	ND	1.0 µg/L			
42 1,2-Dibromoethane (EDB)	ND	2.0 µg/L			
43 Tetrachloroethene	ND	1.0 µg/L			
44 1,1,1,2-Tetrachloroethane	ND	1.0 µg/L			

ND = Not Detected

Roger Scholl

Randy Gardner

Walter Hinchman

Roger L. Scholl, Ph.D., Laboratory Director • • Randy Gardner, Laboratory Manager • • Walter Hinchman, Quality Assurance Officer
Sacramento, CA • (916) 366-9089 / Las Vegas, NV • (702) 736-7522 / Carson, CA • (714) 386-2901 / info@alpha-analytical.com

Alpha certifies that the test results meet all requirements of NELAC unless footnoted otherwise.

Alpha Analytical, Inc. currently holds appropriate and available California (#2019) and NELAC (01154CA) certifications for the data reported. Test results relate only to reported samples.

[Signature]

8/24/10

Report Date



Alpha Analytical, Inc.

255 Glendale Ave. • Suite 21 • Sparks, Nevada 89431-5778
(775) 355-1044 • (775) 355-0406 FAX • 1-800-283-1183

ANALYTICAL REPORT

CH2M Hill
1000 Wilshire Boulevard
Los Angeles, CA 90017
Job: KMEP Norwalk

Attn: Daniel Jablonski
Phone: (213) 228-8271
Fax: (714) 424-2135

Alpha Analytical Number: CHH10081602-09A
Client I.D. Number: TB-1

Sampled: 08/12/10 07:10
Received: 08/14/10
Extracted: 08/18/10
Analyzed: 08/18/10

Volatile Organics by GC/MS EPA Method SW8260B

Compound	Concentration	Reporting Limit	Compound	Concentration	Reporting Limit
1 Dichlorodifluoromethane	ND	1.0 µg/L	45 Chlorobenzene	ND	1.0 µg/L
2 Chloromethane	ND	2.0 µg/L	46 Ethylbenzene	ND	0.50 µg/L
3 Vinyl chloride	ND	0.50 µg/L	47 m,p-Xylene	ND	0.50 µg/L
4 Chloroethane	ND	1.0 µg/L	48 Bromoform	ND	1.0 µg/L
5 Bromomethane	ND	2.0 µg/L	49 Styrene	ND	1.0 µg/L
6 Trichlorofluoromethane	ND	10 µg/L	50 o-Xylene	ND	0.50 µg/L
7 Acetone	ND	10 µg/L	51 1,1,2,2-Tetrachloroethane	ND	1.0 µg/L
8 1,1-Dichloroethene	ND	1.0 µg/L	52 1,2,3-Trichloropropane	ND	2.0 µg/L
9 Tertiary Butyl Alcohol (TBA)	ND	10 µg/L	53 Isopropylbenzene	ND	1.0 µg/L
10 Dichloromethane	ND	5.0 µg/L	54 Bromobenzene	ND	1.0 µg/L
11 Freon-113	ND	10 µg/L	55 n-Propylbenzene	ND	1.0 µg/L
12 Carbon disulfide	ND	2.5 µg/L	56 4-Chlorotoluene	ND	1.0 µg/L
13 trans-1,2-Dichloroethene	ND	1.0 µg/L	57 2-Chlorotoluene	ND	1.0 µg/L
14 Methyl tert-butyl ether (MTBE)	ND	0.50 µg/L	58 1,3,5-Trimethylbenzene	ND	1.0 µg/L
15 1,1-Dichloroethane	ND	1.0 µg/L	59 tert-Butylbenzene	ND	1.0 µg/L
16 Vinyl acetate	ND	50 µg/L	60 1,2,4-Trimethylbenzene	ND	1.0 µg/L
17 2-Butanone (MEK)	ND	10 µg/L	61 sec-Butylbenzene	ND	1.0 µg/L
18 Di-isopropyl Ether (DIPE)	ND	1.0 µg/L	62 1,3-Dichlorobenzene	ND	1.0 µg/L
19 cis-1,2-Dichloroethene	ND	1.0 µg/L	63 1,4-Dichlorobenzene	ND	1.0 µg/L
20 Bromochloromethane	ND	1.0 µg/L	64 4-Isopropyltoluene	ND	1.0 µg/L
21 Chloroform	ND	1.0 µg/L	65 1,2-Dichlorobenzene	ND	1.0 µg/L
22 Ethyl Tertiary Butyl Ether (ETBE)	ND	1.0 µg/L	66 n-Butylbenzene	ND	1.0 µg/L
23 2,2-Dichloropropane	ND	1.0 µg/L	67 1,2-Dibromo-3-chloropropane (DBCP)	ND	5.0 µg/L
24 1,2-Dichloroethane	ND	0.50 µg/L	68 1,2,4-Trichlorobenzene	ND	2.0 µg/L
25 1,1,1-Trichloroethane	ND	1.0 µg/L	69 Naphthalene	ND	10 µg/L
26 1,1-Dichloropropene	ND	1.0 µg/L	70 1,2,3-Trichlorobenzene	ND	2.0 µg/L
27 Carbon tetrachloride	ND	1.0 µg/L	71 Surr: 1,2-Dichloroethane-d4	102	(70-130) %REC
28 Benzene	ND	0.50 µg/L	72 Surr: Toluene-d8	102	(70-130) %REC
29 Tertiary Amyl Methyl Ether (TAME)	ND	1.0 µg/L	73 Surr: 4-Bromofluorobenzene	110	(70-130) %REC
30 Dibromomethane	ND	1.0 µg/L			
31 1,2-Dichloropropane	ND	1.0 µg/L			
32 Trichloroethene	ND	1.0 µg/L			
33 Bromodichloromethane	ND	1.0 µg/L			
34 4-Methyl-2-pentanone (MIBK)	ND	10 µg/L			
35 cis-1,3-Dichloropropene	ND	0.50 µg/L			
36 trans-1,3-Dichloropropene	ND	0.50 µg/L			
37 1,1,2-Trichloroethane	ND	1.0 µg/L			
38 Toluene	ND	0.50 µg/L			
39 1,3-Dichloropropane	ND	1.0 µg/L			
40 2-Hexanone	ND	5.0 µg/L			
41 Dibromochloromethane	ND	1.0 µg/L			
42 1,2-Dibromoethane (EDB)	ND	2.0 µg/L			
43 Tetrachloroethene	ND	1.0 µg/L			
44 1,1,1,2-Tetrachloroethane	ND	1.0 µg/L			

ND = Not Detected

Roger L. Scholl, Ph.D., Laboratory Director • Randy Gardner, Laboratory Manager • Walter Hinchman, Quality Assurance Officer
Sacramento, CA • (916) 366-9089 / Las Vegas, NV • (702) 736-7522 / Carson, CA • (714) 386-2901 / info@alpha-analytical.com

Alpha certifies that the test results meet all requirements of NELAC unless footnoted otherwise.

Alpha Analytical, Inc. currently holds appropriate and available California (#2019) and NELAC (01154CA) certifications for the data reported. Test results relate only to reported samples.

8/24/10

Report Date



Alpha Analytical, Inc.

255 Glendale Ave. • Suite 21 • Sparks, Nevada 89431-5778

(775) 355-1044 • (775) 355-0406 FAX • 1-800-283-1183

VOC Sample Preservation Report

Work Order: CHH10081602

Job: KMEP Norwalk

Alpha's Sample ID	Client's Sample ID	Matrix	pH
10081602-01A	GMW-O-15	Aqueous	2
10081602-02A	GMW-O-16	Aqueous	2
10081602-03A	GMW-O-18	Aqueous	2
10081602-04A	GMW-O-19	Aqueous	2
10081602-05A	GMW-36	Aqueous	2
10081602-06A	PZ-5	Aqueous	2
10081602-07A	DUP-1	Aqueous	5
10081602-08A	EB-1	Aqueous	2
10081602-09A	TB-1	Aqueous	2

8/25/10

Report Date

Page 1 of 1



Alpha Analytical, Inc.

255 Glendale Ave. • Suite 21 • Sparks, Nevada 89431-5778
(775) 355-1044 • (775) 355-0406 FAX • 1-800-283-1183

Date:
23-Aug-2010

QC Summary Report

Work Order:
10081602

Method Blank

Type **MBLK** Test Code: **EPA Method SW8015B / E**

File ID: **7A08161070.D**

Batch ID: **24880**

Analysis Date: **08/18/2010 15:02**

Sample ID: **MBLK-24880**

Units : **mg/L**

Run ID: **FID_7_100818A**

Prep Date: **08/18/2010 10:37**

Analyte	Result	PQL	SpkVal	SpkRefVal	%REC	LCL(ME)	UCL(ME)	RPDRefVal	%RPD(Limit)	Qual
TPH-E (Fuel Product)	ND	0.1								
Surr: Nonane	0.154		0.15		103	57	147			

Laboratory Control Spike

Type **LCS** Test Code: **EPA Method SW8015B / E**

File ID: **7A08161072.D**

Batch ID: **24880**

Analysis Date: **08/18/2010 15:55**

Sample ID: **LCS-24880**

Units : **mg/L**

Run ID: **FID_7_100818A**

Prep Date: **08/18/2010 10:37**

Analyte	Result	PQL	SpkVal	SpkRefVal	%REC	LCL(ME)	UCL(ME)	RPDRefVal	%RPD(Limit)	Qual
TPH-E (DRO)	2.55	0.05	2.5		102	67	130			
Surr: Nonane	0.15		0.15		100	57	147			

Sample Matrix Spike

Type **MS** Test Code: **EPA Method SW8015B / E**

File ID: **7A08161102.D**

Batch ID: **24880**

Analysis Date: **08/19/2010 11:15**

Sample ID: **10081746-01AMS**

Units : **mg/L**

Run ID: **FID_7_100818A**

Prep Date: **08/18/2010 10:37**

Analyte	Result	PQL	SpkVal	SpkRefVal	%REC	LCL(ME)	UCL(ME)	RPDRefVal	%RPD(Limit)	Qual
TPH-E (DRO)	3.23	0.05	2.5	0	129	49	150			
Surr: Nonane	0.193		0.15		129	57	147			

Sample Matrix Spike Duplicate

Type **MSD** Test Code: **EPA Method SW8015B / E**

File ID: **7A08161103.D**

Batch ID: **24880**

Analysis Date: **08/19/2010 11:42**

Sample ID: **10081746-01AMSD**

Units : **mg/L**

Run ID: **FID_7_100818A**

Prep Date: **08/18/2010 10:37**

Analyte	Result	PQL	SpkVal	SpkRefVal	%REC	LCL(ME)	UCL(ME)	RPDRefVal	%RPD(Limit)	Qual
TPH-E (DRO)	2.62	0.05	2.5	0	105	49	150	3.234	21.1(38)	
Surr: Nonane	0.191		0.15		127	57	147			

Comments:

Calculations are based off of raw (non-rounded) data. However, for reporting purposes, all QC data is rounded to three significant figures. Therefore, hand calculated values may differ slightly.



Alpha Analytical, Inc.

255 Glendale Ave. • Suite 21 • Sparks, Nevada 89431-5778
(775) 355-1044 • (775) 355-0406 FAX • 1-800-283-1183

Date:
23-Aug-2010

QC Summary Report

Work Order:
10081602

Method Blank

Type **MBLK** Test Code: **EPA Method SW8015**

File ID: **10081807.D**

Batch ID: **MS15W0818B**

Analysis Date: **08/18/2010 10:13**

Sample ID: **MBLK MS15W0818B**

Units : **mg/L**

Run ID: **MSD_15_100818A**

Prep Date: **08/18/2010 10:13**

Analyte	Result	PQL	SpkVal	SpkRefVal	%REC	LCL(ME)	UCL(ME)	RPDRefVal	%RPD(Limit)	Qual
TPH-P (GRO)	ND	0.05								
Surr: 1,2-Dichloroethane-d4	0.00945		0.01		95	70	130			
Surr: Toluene-d8	0.0106		0.01		106	70	130			
Surr: 4-Bromofluorobenzene	0.0103		0.01		103	70	130			

Laboratory Control Spike

Type **LCS** Test Code: **EPA Method SW8015**

File ID: **10081804.D**

Batch ID: **MS15W0818B**

Analysis Date: **08/18/2010 09:00**

Sample ID: **GLCS MS15W0818B**

Units : **mg/L**

Run ID: **MSD_15_100818A**

Prep Date: **08/18/2010 09:00**

Analyte	Result	PQL	SpkVal	SpkRefVal	%REC	LCL(ME)	UCL(ME)	RPDRefVal	%RPD(Limit)	Qual
TPH-P (GRO)	0.421	0.05	0.4		105	70	130			
Surr: 1,2-Dichloroethane-d4	0.00979		0.01		98	70	130			
Surr: Toluene-d8	0.00963		0.01		96	70	130			
Surr: 4-Bromofluorobenzene	0.0105		0.01		105	70	130			

Sample Matrix Spike

Type **MS** Test Code: **EPA Method SW8015**

File ID: **10081811.D**

Batch ID: **MS15W0818B**

Analysis Date: **08/18/2010 11:41**

Sample ID: **10081602-02AGS**

Units : **mg/L**

Run ID: **MSD_15_100818A**

Prep Date: **08/18/2010 11:41**

Analyte	Result	PQL	SpkVal	SpkRefVal	%REC	LCL(ME)	UCL(ME)	RPDRefVal	%RPD(Limit)	Qual
TPH-P (GRO)	2.12	0.25	2	0	106	58	135			
Surr: 1,2-Dichloroethane-d4	0.0508		0.05		102	70	130			
Surr: Toluene-d8	0.0484		0.05		97	70	130			
Surr: 4-Bromofluorobenzene	0.0537		0.05		107	70	130			

Sample Matrix Spike Duplicate

Type **MSD** Test Code: **EPA Method SW8015**

File ID: **10081812.D**

Batch ID: **MS15W0818B**

Analysis Date: **08/18/2010 12:03**

Sample ID: **10081602-02AGSD**

Units : **mg/L**

Run ID: **MSD_15_100818A**

Prep Date: **08/18/2010 12:03**

Analyte	Result	PQL	SpkVal	SpkRefVal	%REC	LCL(ME)	UCL(ME)	RPDRefVal	%RPD(Limit)	Qual
TPH-P (GRO)	2.18	0.25	2	0	109	58	135	2.121	2.7(20)	
Surr: 1,2-Dichloroethane-d4	0.0505		0.05		101	70	130			
Surr: Toluene-d8	0.0488		0.05		98	70	130			
Surr: 4-Bromofluorobenzene	0.0538		0.05		108	70	130			

Comments:

Calculations are based off of raw (non-rounded) data. However, for reporting purposes, all QC data is rounded to three significant figures. Therefore, hand calculated values may differ slightly.



Alpha Analytical, Inc.

255 Glendale Ave. • Suite 21 • Sparks, Nevada 89431-5778
(775) 355-1044 • (775) 355-0406 FAX • 1-800-283-1183

Date:
23-Aug-2010

QC Summary Report

Work Order:
10081602

n-Butylbenzene	ND	1				
1,2-Dibromo-3-chloropropane (DBCP)	ND	5				
1,2,4-Trichlorobenzene	ND	2				
Naphthalene	ND	10				
1,2,3-Trichlorobenzene	ND	2				
Surr: 1,2-Dichloroethane-d4	9.45		10	95	70	130
Surr: Toluene-d8	10.6		10	106	70	130
Surr: 4-Bromofluorobenzene	10.3		10	103	70	130

Laboratory Control Spike

Type **LCS** Test Code: **EPA Method SW8260B**

File ID: **10081803.D**

Batch ID: **MS15W0818A**

Analysis Date: **08/18/2010 08:38**

Sample ID: **LCS MS15W0818A**

Units: **µg/L**

Run ID: **MSD_15_100818A**

Prep Date: **08/18/2010 08:38**

Analyte	Result	PQL	SpkVal	SpkRefVal	%REC	LCL(ME)	UCL(ME)	RPDRefVal	%RPD(Limit)	Qual
1,1-Dichloroethene	11	1	10		110	80	120			
Methyl tert-butyl ether (MTBE)	8.97	0.5	10		90	62	136			
Benzene	11.2	0.5	10		112	70	130			
Trichloroethene	10.6	1	10		106	70	130			
Toluene	9.8	0.5	10		98	80	120			
Chlorobenzene	10.1	1	10		101	70	130			
Ethylbenzene	10.7	0.5	10		107	80	120			
m,p-Xylene	10.9	0.5	10		109	70	130			
o-Xylene	11.2	0.5	10		112	70	130			
Surr: 1,2-Dichloroethane-d4	9.52		10		95	70	130			
Surr: Toluene-d8	9.37		10		94	70	130			
Surr: 4-Bromofluorobenzene	9.69		10		97	70	130			

Sample Matrix Spike

Type **MS** Test Code: **EPA Method SW8260B**

File ID: **10081809.D**

Batch ID: **MS15W0818A**

Analysis Date: **08/18/2010 10:57**

Sample ID: **10081601-17AMS**

Units: **µg/L**

Run ID: **MSD_15_100818A**

Prep Date: **08/18/2010 10:57**

Analyte	Result	PQL	SpkVal	SpkRefVal	%REC	LCL(ME)	UCL(ME)	RPDRefVal	%RPD(Limit)	Qual
1,1-Dichloroethene	54	2.5	50		0 108	60	130			
Methyl tert-butyl ether (MTBE)	49.6	1.3	50		0.77 98	56	141			
Benzene	58.7	1.3	50		3.09 111	67	130			
Trichloroethene	53.3	2.5	50		0 107	69	130			
Toluene	49.5	1.3	50		0 99	66	130			
Chlorobenzene	49.9	2.5	50		0 99.8	70	130			
Ethylbenzene	52.8	1.3	50		0 106	68	130			
m,p-Xylene	54.4	1.3	50		0 109	64	130			
o-Xylene	55.6	1.3	50		0 111	70	130			
Surr: 1,2-Dichloroethane-d4	48.7		50			97	70	130		
Surr: Toluene-d8	45.5		50			91	70	130		
Surr: 4-Bromofluorobenzene	48.6		50			97	70	130		

Sample Matrix Spike Duplicate

Type **MSD** Test Code: **EPA Method SW8260B**

File ID: **10081810.D**

Batch ID: **MS15W0818A**

Analysis Date: **08/18/2010 11:19**

Sample ID: **10081601-17AMSD**

Units: **µg/L**

Run ID: **MSD_15_100818A**

Prep Date: **08/18/2010 11:19**

Analyte	Result	PQL	SpkVal	SpkRefVal	%REC	LCL(ME)	UCL(ME)	RPDRefVal	%RPD(Limit)	Qual
1,1-Dichloroethene	55.1	2.5	50		0 110	60	130	53.97	2.0(20)	
Methyl tert-butyl ether (MTBE)	52	1.3	50		0.77 102	56	141	49.57	4.7(20)	
Benzene	60.4	1.3	50		3.09 115	67	130	58.69	2.8(20)	
Trichloroethene	53.5	2.5	50		0 107	69	130	53.34	0.3(20)	
Toluene	49.9	1.3	50		0 99.8	66	130	49.49	0.8(20)	
Chlorobenzene	50.6	2.5	50		0 101	70	130	49.92	1.3(20)	
Ethylbenzene	53.1	1.3	50		0 106	68	130	52.84	0.4(20)	
m,p-Xylene	54.9	1.3	50		0 110	64	130	54.37	1.0(20)	
o-Xylene	55.8	1.3	50		0 112	70	130	55.58	0.4(20)	
Surr: 1,2-Dichloroethane-d4	48.8		50			98	70	130		
Surr: Toluene-d8	45.5		50			91	70	130		
Surr: 4-Bromofluorobenzene	51.1		50			102	70	130		



Alpha Analytical, Inc.

255 Glendale Ave. • Suite 21 • Sparks, Nevada 89431-5778
(775) 355-1044 • (775) 355-0406 FAX • 1-800-283-1183

Date:
23-Aug-2010

QC Summary Report

Work Order:
10081602

Comments:

Calculations are based off of raw (non-rounded) data. However, for reporting purposes, all QC data is rounded to three significant figures. Therefore, hand calculated values may differ slightly.

CHAIN-OF-CUSTODY RECORD

CA

Alpha Analytical, Inc.

255 Glendale Avenue, Suite 21 Sparks, Nevada 89431-5778
 TEL: (775) 355-1044 FAX: (775) 355-0406

WorkOrder : **CHHL10081602**

Report Due By : **5:00 PM On : 25-Aug-2010**

Client:

CH2M Hill
 1000 Wilshire Boulevard
 21st Floor
 Los Angeles, CA 90017

Report Attention

Daniel Jablonski (213) 228-8271 x daniel.jablonski@ch2m.com

Phone Number

E-Mail Address

EDD Required : **No**

Sampled by : **Client**

PO :

Date Printed

Cooler Temp **2 °C**

Samples Received

14-Aug-2010 **16-Aug-2010**

Job : **KMEP Norwalk**

Client's COC # : none = Final Rpt. MBLK, LCS, MS/MSD With Surrogates

QC Level : S3

Alpha Sample ID	Client Sample ID	Matrix	Collection Date	No. of Bottles		Requested Tests			Sample Remarks
				Alpha	Sub	TPHE_W	TPHP_W	VOC_W	
CHH10081602-01A	GMW-O-15	AQ	08/12/10 10:05	6	0	7	TPHE(0.10) +Vinyl acetate	TPHE(0.10) +Vinyl acetate	
CHH10081602-02A	GMW-O-16	AQ	08/12/10 09:46	6	0	7	TPHE(0.10) +Vinyl acetate	TPHE(0.10) +Vinyl acetate	
CHH10081602-03A	GMW-O-18	AQ	08/12/10 08:25	6	0	7	TPHE(0.10) +Vinyl acetate	TPHE(0.10) +Vinyl acetate	
CHH10081602-04A	GMW-O-19	AQ	08/12/10 09:15	6	0	7	TPHE(0.10) +Vinyl acetate	TPHE(0.10) +Vinyl acetate	
CHH10081602-05A	GMW-36	AQ	08/12/10 10:20	6	0	7	TPHE(0.10) +Vinyl acetate	TPHE(0.10) +Vinyl acetate	
CHH10081602-06A	PZ-5	AQ	08/12/10 08:01	6	0	7	TPHE(0.10) +Vinyl acetate	TPHE(0.10) +Vinyl acetate	
CHH10081602-07A	DUP-1	AQ	08/12/10 00:00	6	0	7	TPHE(0.10) +Vinyl acetate	TPHE(0.10) +Vinyl acetate	
CHH10081602-08A	EB-1	AQ	08/12/10 10:30	6	0	7	TPHE(0.10) +Vinyl acetate	TPHE(0.10) +Vinyl acetate	

Comments: Security seals intact. Frozen ice. Saturday delivery. Samples received 8/14/10 kept cold and secure until login on 8/16/10. Analysts: Run two analyses in order to achieve lower reporting limits for all other analytes due to high TBA values. .

Logged in by: Elizabeth Adcox **Signature** Elizabeth Adcox **Print Name** Alpha Analytical, Inc. **Company** 8-16-10 9:57 **Date/Time**

NOTE: Samples are discarded 60 days after results are reported unless other arrangements are made. Hazardous samples will be returned to client or disposed of at client expense. The report for the analysis of the above samples is applicable only to those samples received by the laboratory with this COC. The liability of the laboratory is limited to the amount paid for the report. Matrix Type : AQ(Aqueous) AR(Air) SO(Soil) WS(Waste) DW(Drinking Water) OT(Other) Bottle Type: L-Liter V-Voa S-Soil Jar O-Orbo T-Tedlar B-Brass P-Plastic OT-Other

CHAIN-OF-CUSTODY RECORD

CA

Alpha Analytical, Inc.

255 Glendale Avenue, Suite 21 Sparks, Nevada 89431-5778
TEL: (775) 355-1044 FAX: (775) 355-0406

WorkOrder : **CHHL10081602**

Report Due By : **5:00 PM On : 25-Aug-2010**

Client:

CH2M Hill
1000 Wilshire Boulevard
21st Floor
Los Angeles, CA 90017

Report Attention

Daniel Jablonski (213) 228-8271 x daniel.jablonski@ch2m.com

Phone Number

E-Mail Address

EDD Required : **No**

Sampled by : **Client**

PO :

Client's COC # : none

Job : KMEP Nonwalk

Date Printed

Samples Received

Cooler Temp

16-Aug-2010

14-Aug-2010

2 °C

QC Level : S3 = Final Rpt, MBLK, LCS, MS/MSD With Surrogates

Alpha Sample ID	Client Sample ID	Matrix	Collection Date	No. of Bottles		Requested Tests			Sample Remarks	
				Alpha	Sub	TAT	TPHE_W	TPHP_W		VOC_W
CHH10081602-09A	TB-1	AQ	08/12/10 07:10	3	0	7				Client provided trip blanks.

Comments:

Security seals intact. Frozen ice. Saturday delivery. Samples received 8/14/10 kept cold and secure until login on 8/16/10. Analysts: Run two analyses in order to achieve lower reporting limits for all other analytes due to high TBA values. :

Signature

Elizabeth Adcox

Print Name

Elizabeth Adcox

Company

Alpha Analytical, Inc.

Date/Time

8-16-10 9:57

Logged in by:

NOTE: Samples are discarded 60 days after results are reported unless other arrangements are made. Hazardous samples will be returned to client or disposed of at client expense.

The report for the analysis of the above samples is applicable only to those samples received by the laboratory with this COC. The liability of the laboratory is limited to the amount paid for the report.

Matrix Type : AQ(Aqueous) AR(Air) SO(Soil) WS(Waste) DW(Drinking Water) OT(Other) Bottle Type: L-Liter V-Voa S-Soil Jar O-Orbo T-Tedlar B-Brass P-Plastic OT-Other

BLAINE

TECH SERVICES, INC.

1680 ROGERS AVENUE
 SAN JOSE, CALIFORNIA 95112-1105
 FAX (408) 573-7771
 PHONE (408) 573-0555

LAB Alpha Analytical COC 1 of 1

Billing Information:
 Kinder Morgan
 1100 Town and Country Rd.
 Orange CA 95112

Kinder Morgan Norwalk
 Report to:
 Dan Jablonski
 CH2MHILL
 1000 Wilshire Blvd 21st floor
 Los Angeles, CA 90017

CHAIN OF CUSTODY

CLIENT Kinder Morgan

SITE DFSP Norwalk

15306 Norwalk Blvd, Norwalk

SAMPLE I.D.	DATE	TIME	MATRIX	CONTAINERS	
				#	Preservation Type
GMW-0-15	8/12/10	1005	AQ	6	HCl VOCs
GMW-0-16		946		6	
GMW-0-18		825		6	
GMW-0-19		915		6	
GMW-36		1020		6	
PZ-5		801		6	
DUP-1				6	
EB-1		1030		6	
TB-1		710		3	

SAMPLING COMPLETED 8/12/10 1500

RELEASED BY *[Signature]* (Blaine Tech)

RECEIVED BY *[Signature]* (Blaine Tech) TIME 1630

RECEIVED BY *[Signature]* AS TIME 1100

RECEIVED BY *[Signature]* TIME 1100

SHIPPED VIA

CONDUCT ANALYSIS TO DETECT		STATUS	CONDITION	LAB SAMPLE #
TPHg, TPHp (EPA 8015M)	VOC's & Oxygenates (EPA 8260B)			
X	X			CHH10081602-01
X	X			.02
X	X			.03
X	X			.04
X	X			.05
X	X			.06
X	X			.07
X	X			.08
X	X			.09

RESULTS NEEDED NO LATER THAN Standard

DATE 8/12 TIME 1630

DATE 8/13/10 TIME 1100

DATE 8.11.10 TIME 9:57

September 2010

KMEP September Monthly Monitoring Results

ProjectName	Client Sample ID	Analyte	Date Sampled	Result	Units	PQL
KMEP DFSP Norwalk	TB-1	1,1,1,2-Tetrachloroethane	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	TB-1	1,1,1-Trichloroethane	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	TB-1	1,1,2,2-Tetrachloroethane	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	TB-1	1,1,2-Trichloroethane	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	TB-1	1,1-Dichloroethane	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	TB-1	1,1-Dichloroethene	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	TB-1	1,1-Dichloropropene	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	TB-1	1,2,3-Trichlorobenzene	09/20/2010	ND<2	µg/L	2
KMEP DFSP Norwalk	TB-1	1,2,3-Trichloropropane	09/20/2010	ND<2	µg/L	2
KMEP DFSP Norwalk	TB-1	1,2,4-Trichlorobenzene	09/20/2010	ND<2	µg/L	2
KMEP DFSP Norwalk	TB-1	1,2,4-Trimethylbenzene	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	TB-1	1,2-Dibromo-3-chloropropane (DBCP)	09/20/2010	ND<5	µg/L	5
KMEP DFSP Norwalk	TB-1	1,2-Dibromoethane (EDB)	09/20/2010	ND<2	µg/L	2
KMEP DFSP Norwalk	TB-1	1,2-Dichlorobenzene	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	TB-1	1,2-Dichloroethane	09/20/2010	ND<0.5	µg/L	0.5
KMEP DFSP Norwalk	TB-1	1,2-Dichloropropane	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	TB-1	1,3,5-Trimethylbenzene	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	TB-1	1,3-Dichlorobenzene	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	TB-1	1,3-Dichloropropane	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	TB-1	1,4-Dichlorobenzene	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	TB-1	2,2-Dichloropropane	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	TB-1	2-Butanone (MEK)	09/20/2010	ND<10	µg/L	10
KMEP DFSP Norwalk	TB-1	2-Chlorotoluene	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	TB-1	2-Hexanone	09/20/2010	ND<5	µg/L	5
KMEP DFSP Norwalk	TB-1	4-Chlorotoluene	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	TB-1	4-Isopropyltoluene	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	TB-1	4-Methyl-2-pentanone (MIBK)	09/20/2010	ND<10	µg/L	10
KMEP DFSP Norwalk	TB-1	Acetone	09/20/2010	ND<10	µg/L	10
KMEP DFSP Norwalk	TB-1	Benzene	09/20/2010	ND<0.5	µg/L	0.5
KMEP DFSP Norwalk	TB-1	Bromobenzene	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	TB-1	Bromochloromethane	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	TB-1	Bromodichloromethane	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	TB-1	Bromoform	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	TB-1	Bromomethane	09/20/2010	ND<2	µg/L	2
KMEP DFSP Norwalk	TB-1	Carbon disulfide	09/20/2010	ND<2.5	µg/L	2.5
KMEP DFSP Norwalk	TB-1	Carbon tetrachloride	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	TB-1	Chlorobenzene	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	TB-1	Chloroethane	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	TB-1	Chloroform	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	TB-1	Chloromethane	09/20/2010	ND<2	µg/L	2
KMEP DFSP Norwalk	TB-1	cis-1,2-Dichloroethene	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	TB-1	cis-1,3-Dichloropropene	09/20/2010	ND<0.5	µg/L	0.5
KMEP DFSP Norwalk	TB-1	Dibromochloromethane	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	TB-1	Dibromomethane	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	TB-1	Dichlorodifluoromethane	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	TB-1	Dichloromethane	09/20/2010	ND<5	µg/L	5
KMEP DFSP Norwalk	TB-1	Di-isopropyl Ether (DIPE)	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	TB-1	Ethyl Tertiary Butyl Ether (ETBE)	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	TB-1	Ethylbenzene	09/20/2010	ND<0.5	µg/L	0.5
KMEP DFSP Norwalk	TB-1	Freon-113	09/20/2010	ND<10	µg/L	10
KMEP DFSP Norwalk	TB-1	Isopropylbenzene	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	TB-1	m,p-Xylene	09/20/2010	ND<0.5	µg/L	0.5
KMEP DFSP Norwalk	TB-1	Methyl tert-butyl ether (MTBE)	09/20/2010	ND<0.5	µg/L	0.5
KMEP DFSP Norwalk	TB-1	Naphthalene	09/20/2010	ND<10	µg/L	10
KMEP DFSP Norwalk	TB-1	n-Butylbenzene	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	TB-1	n-Propylbenzene	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	TB-1	o-Xylene	09/20/2010	ND<0.5	µg/L	0.5
KMEP DFSP Norwalk	TB-1	sec-Butylbenzene	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	TB-1	Styrene	09/20/2010	ND<1	µg/L	1

KMEP September Monthly Monitoring Results

ProjectName	Client Sample ID	Analyte	Date Sampled	Result	Units	PQL
KMEP DFSP Norwalk	TB-1	tert-Butylbenzene	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	TB-1	Tertiary Amyl Methyl Ether (TAME)	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	TB-1	Tertiary Butyl Alcohol (TBA)	09/20/2010	ND<10	µg/L	10
KMEP DFSP Norwalk	TB-1	Tetrachloroethene	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	TB-1	Toluene	09/20/2010	ND<0.5	µg/L	0.5
KMEP DFSP Norwalk	TB-1	trans-1,2-Dichloroethene	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	TB-1	trans-1,3-Dichloropropene	09/20/2010	ND<0.5	µg/L	0.5
KMEP DFSP Norwalk	TB-1	Trichloroethene	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	TB-1	Trichlorofluoromethane	09/20/2010	ND<10	µg/L	10
KMEP DFSP Norwalk	TB-1	Vinyl acetate	09/20/2010	ND<50	µg/L	50
KMEP DFSP Norwalk	TB-1	Vinyl chloride	09/20/2010	ND<0.5	µg/L	0.5
KMEP DFSP Norwalk	GMW-36	TPH-P (GRO)	09/20/2010	3.3	mg/L	1
KMEP DFSP Norwalk	GMW-36	TPH-E (Fuel Product)	09/20/2010	5.2	mg/L	0.1
KMEP DFSP Norwalk	GMW-36	1,1,1,2-Tetrachloroethane	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	GMW-36	1,1,1-Trichloroethane	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	GMW-36	1,1,2,2-Tetrachloroethane	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	GMW-36	1,1,2-Trichloroethane	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	GMW-36	1,1-Dichloroethane	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	GMW-36	1,1-Dichloroethene	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	GMW-36	1,1-Dichloropropene	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	GMW-36	1,2,3-Trichlorobenzene	09/20/2010	ND<4	µg/L	4
KMEP DFSP Norwalk	GMW-36	1,2,3-Trichloropropane	09/20/2010	ND<4	µg/L	4
KMEP DFSP Norwalk	GMW-36	1,2,4-Trichlorobenzene	09/20/2010	ND<10	µg/L	10
KMEP DFSP Norwalk	GMW-36	1,2,4-Trimethylbenzene	09/20/2010	230	µg/L	10
KMEP DFSP Norwalk	GMW-36	1,2-Dibromo-3-chloropropane (DBCP)	09/20/2010	ND<6	µg/L	6
KMEP DFSP Norwalk	GMW-36	1,2-Dibromoethane (EDB)	09/20/2010	ND<2	µg/L	2
KMEP DFSP Norwalk	GMW-36	1,2-Dichlorobenzene	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	GMW-36	1,2-Dichloroethane	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	GMW-36	1,2-Dichloropropane	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	GMW-36	1,3,5-Trimethylbenzene	09/20/2010	120	µg/L	1
KMEP DFSP Norwalk	GMW-36	1,3-Dichlorobenzene	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	GMW-36	1,3-Dichloropropane	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	GMW-36	1,4-Dichlorobenzene	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	GMW-36	2,2-Dichloropropane	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	GMW-36	2-Butanone (MEK)	09/20/2010	ND<20	µg/L	20
KMEP DFSP Norwalk	GMW-36	2-Chlorotoluene	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	GMW-36	2-Hexanone	09/20/2010	ND<10	µg/L	10
KMEP DFSP Norwalk	GMW-36	4-Chlorotoluene	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	GMW-36	4-Isopropyltoluene	09/20/2010	3.4	µg/L	1
KMEP DFSP Norwalk	GMW-36	4-Methyl-2-pentanone (MIBK)	09/20/2010	ND<10	µg/L	10
KMEP DFSP Norwalk	GMW-36	Acetone	09/20/2010	ND<20	µg/L	20
KMEP DFSP Norwalk	GMW-36	Benzene	09/20/2010	130	µg/L	0.5
KMEP DFSP Norwalk	GMW-36	Bromobenzene	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	GMW-36	Bromochloromethane	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	GMW-36	Bromodichloromethane	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	GMW-36	Bromoform	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	GMW-36	Bromomethane	09/20/2010	ND<4	µg/L	4
KMEP DFSP Norwalk	GMW-36	Carbon disulfide	09/20/2010	ND<5	µg/L	5
KMEP DFSP Norwalk	GMW-36	Carbon tetrachloride	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	GMW-36	Chlorobenzene	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	GMW-36	Chloroethane	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	GMW-36	Chloroform	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	GMW-36	Chloromethane	09/20/2010	ND<4	µg/L	4
KMEP DFSP Norwalk	GMW-36	cis-1,2-Dichloroethene	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	GMW-36	cis-1,3-Dichloropropene	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	GMW-36	Dibromochloromethane	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	GMW-36	Dibromomethane	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	GMW-36	Dichlorodifluoromethane	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	GMW-36	Dichloromethane	09/20/2010	ND<5	µg/L	5

KMEP September Monthly Monitoring Results

ProjectName	Client Sample ID	Analyte	Date Sampled	Result	Units	PQL
KMEP DFSP Norwalk	GMW-36	Di-isopropyl Ether (DIPE)	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	GMW-36	Ethyl Tertiary Butyl Ether (ETBE)	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	GMW-36	Ethylbenzene	09/20/2010	36	µg/L	0.5
KMEP DFSP Norwalk	GMW-36	Freon-113	09/20/2010	ND<10	µg/L	10
KMEP DFSP Norwalk	GMW-36	Isopropylbenzene	09/20/2010	2	µg/L	1
KMEP DFSP Norwalk	GMW-36	m,p-Xylene	09/20/2010	120	µg/L	0.5
KMEP DFSP Norwalk	GMW-36	Methyl tert-butyl ether (MTBE)	09/20/2010	130	µg/L	0.5
KMEP DFSP Norwalk	GMW-36	Naphthalene	09/20/2010	75	µg/L	10
KMEP DFSP Norwalk	GMW-36	n-Butylbenzene	09/20/2010	18	µg/L	1
KMEP DFSP Norwalk	GMW-36	n-Propylbenzene	09/20/2010	4.5	µg/L	1
KMEP DFSP Norwalk	GMW-36	o-Xylene	09/20/2010	140	µg/L	0.5
KMEP DFSP Norwalk	GMW-36	sec-Butylbenzene	09/20/2010	2.9	µg/L	1
KMEP DFSP Norwalk	GMW-36	Styrene	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	GMW-36	tert-Butylbenzene	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	GMW-36	Tertiary Amyl Methyl Ether (TAME)	09/20/2010	1.6	µg/L	1
KMEP DFSP Norwalk	GMW-36	Tertiary Butyl Alcohol (TBA)	09/20/2010	13000	µg/L	100
KMEP DFSP Norwalk	GMW-36	Tetrachloroethene	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	GMW-36	Toluene	09/20/2010	18	µg/L	0.5
KMEP DFSP Norwalk	GMW-36	trans-1,2-Dichloroethene	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	GMW-36	trans-1,3-Dichloropropene	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	GMW-36	Trichloroethene	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	GMW-36	Trichlorofluoromethane	09/20/2010	ND<10	µg/L	10
KMEP DFSP Norwalk	GMW-36	Vinyl acetate	09/20/2010	ND<100	µg/L	100
KMEP DFSP Norwalk	GMW-36	Vinyl chloride	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	GMW-O-19	TPH-P (GRO)	09/20/2010	ND<0.05	mg/L	0.05
KMEP DFSP Norwalk	GMW-O-19	TPH-E (Fuel Product)	09/20/2010	ND<0.1	mg/L	0.1
KMEP DFSP Norwalk	GMW-O-19	1,1,1,2-Tetrachloroethane	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	GMW-O-19	1,1,1-Trichloroethane	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	GMW-O-19	1,1,2,2-Tetrachloroethane	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	GMW-O-19	1,1,2-Trichloroethane	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	GMW-O-19	1,1-Dichloroethane	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	GMW-O-19	1,1-Dichloroethene	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	GMW-O-19	1,1-Dichloropropene	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	GMW-O-19	1,2,3-Trichlorobenzene	09/20/2010	ND<2	µg/L	2
KMEP DFSP Norwalk	GMW-O-19	1,2,3-Trichloropropane	09/20/2010	ND<2	µg/L	2
KMEP DFSP Norwalk	GMW-O-19	1,2,4-Trichlorobenzene	09/20/2010	ND<2	µg/L	2
KMEP DFSP Norwalk	GMW-O-19	1,2,4-Trimethylbenzene	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	GMW-O-19	1,2-Dibromo-3-chloropropane (DBCP)	09/20/2010	ND<5	µg/L	5
KMEP DFSP Norwalk	GMW-O-19	1,2-Dibromoethane (EDB)	09/20/2010	ND<2	µg/L	2
KMEP DFSP Norwalk	GMW-O-19	1,2-Dichlorobenzene	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	GMW-O-19	1,2-Dichloroethane	09/20/2010	ND<0.5	µg/L	0.5
KMEP DFSP Norwalk	GMW-O-19	1,2-Dichloropropane	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	GMW-O-19	1,3,5-Trimethylbenzene	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	GMW-O-19	1,3-Dichlorobenzene	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	GMW-O-19	1,3-Dichloropropane	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	GMW-O-19	1,4-Dichlorobenzene	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	GMW-O-19	2,2-Dichloropropane	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	GMW-O-19	2-Butanone (MEK)	09/20/2010	ND<10	µg/L	10
KMEP DFSP Norwalk	GMW-O-19	2-Chlorotoluene	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	GMW-O-19	2-Hexanone	09/20/2010	ND<5	µg/L	5
KMEP DFSP Norwalk	GMW-O-19	4-Chlorotoluene	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	GMW-O-19	4-Isopropyltoluene	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	GMW-O-19	4-Methyl-2-pentanone (MIBK)	09/20/2010	ND<10	µg/L	10
KMEP DFSP Norwalk	GMW-O-19	Acetone	09/20/2010	ND<10	µg/L	10
KMEP DFSP Norwalk	GMW-O-19	Benzene	09/20/2010	ND<0.5	µg/L	0.5
KMEP DFSP Norwalk	GMW-O-19	Bromobenzene	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	GMW-O-19	Bromochloromethane	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	GMW-O-19	Bromodichloromethane	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	GMW-O-19	Bromoform	09/20/2010	ND<1	µg/L	1

KMEP September Monthly Monitoring Results

ProjectName	Client Sample ID	Analyte	Date Sampled	Result	Units	PQL
KMEP DFSP Norwalk	GMW-O-19	Bromomethane	09/20/2010	ND<2	µg/L	2
KMEP DFSP Norwalk	GMW-O-19	Carbon disulfide	09/20/2010	ND<2.5	µg/L	2.5
KMEP DFSP Norwalk	GMW-O-19	Carbon tetrachloride	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	GMW-O-19	Chlorobenzene	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	GMW-O-19	Chloroethane	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	GMW-O-19	Chloroform	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	GMW-O-19	Chloromethane	09/20/2010	ND<2	µg/L	2
KMEP DFSP Norwalk	GMW-O-19	cis-1,2-Dichloroethene	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	GMW-O-19	cis-1,3-Dichloropropene	09/20/2010	ND<0.5	µg/L	0.5
KMEP DFSP Norwalk	GMW-O-19	Dibromochloromethane	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	GMW-O-19	Dibromomethane	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	GMW-O-19	Dichlorodifluoromethane	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	GMW-O-19	Dichloromethane	09/20/2010	ND<5	µg/L	5
KMEP DFSP Norwalk	GMW-O-19	Di-isopropyl Ether (DIPE)	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	GMW-O-19	Ethyl Tertiary Butyl Ether (ETBE)	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	GMW-O-19	Ethylbenzene	09/20/2010	ND<0.5	µg/L	0.5
KMEP DFSP Norwalk	GMW-O-19	Freon-113	09/20/2010	ND<10	µg/L	10
KMEP DFSP Norwalk	GMW-O-19	Isopropylbenzene	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	GMW-O-19	m,p-Xylene	09/20/2010	ND<0.5	µg/L	0.5
KMEP DFSP Norwalk	GMW-O-19	Methyl tert-butyl ether (MTBE)	09/20/2010	ND<0.5	µg/L	0.5
KMEP DFSP Norwalk	GMW-O-19	Naphthalene	09/20/2010	ND<10	µg/L	10
KMEP DFSP Norwalk	GMW-O-19	n-Butylbenzene	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	GMW-O-19	n-Propylbenzene	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	GMW-O-19	o-Xylene	09/20/2010	ND<0.5	µg/L	0.5
KMEP DFSP Norwalk	GMW-O-19	sec-Butylbenzene	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	GMW-O-19	Styrene	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	GMW-O-19	tert-Butylbenzene	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	GMW-O-19	Tertiary Amyl Methyl Ether (TAME)	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	GMW-O-19	Tertiary Butyl Alcohol (TBA)	09/20/2010	ND<10	µg/L	10
KMEP DFSP Norwalk	GMW-O-19	Tetrachloroethene	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	GMW-O-19	Toluene	09/20/2010	ND<0.5	µg/L	0.5
KMEP DFSP Norwalk	GMW-O-19	trans-1,2-Dichloroethene	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	GMW-O-19	trans-1,3-Dichloropropene	09/20/2010	ND<0.5	µg/L	0.5
KMEP DFSP Norwalk	GMW-O-19	Trichloroethene	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	GMW-O-19	Trichlorofluoromethane	09/20/2010	ND<10	µg/L	10
KMEP DFSP Norwalk	GMW-O-19	Vinyl acetate	09/20/2010	ND<50	µg/L	50
KMEP DFSP Norwalk	GMW-O-19	Vinyl chloride	09/20/2010	ND<0.5	µg/L	0.5
KMEP DFSP Norwalk	GMW-O-16	TPH-P (GRO)	09/20/2010	ND<0.05	mg/L	0.05
KMEP DFSP Norwalk	GMW-O-16	TPH-E (Fuel Product)	09/20/2010	0.17	mg/L	0.1
KMEP DFSP Norwalk	GMW-O-16	1,1,1,2-Tetrachloroethane	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	GMW-O-16	1,1,1-Trichloroethane	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	GMW-O-16	1,1,2,2-Tetrachloroethane	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	GMW-O-16	1,1,2-Trichloroethane	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	GMW-O-16	1,1-Dichloroethane	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	GMW-O-16	1,1-Dichloroethene	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	GMW-O-16	1,1-Dichloropropene	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	GMW-O-16	1,2,3-Trichlorobenzene	09/20/2010	ND<2	µg/L	2
KMEP DFSP Norwalk	GMW-O-16	1,2,3-Trichloropropane	09/20/2010	ND<2	µg/L	2
KMEP DFSP Norwalk	GMW-O-16	1,2,4-Trichlorobenzene	09/20/2010	ND<2	µg/L	2
KMEP DFSP Norwalk	GMW-O-16	1,2,4-Trimethylbenzene	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	GMW-O-16	1,2-Dibromo-3-chloropropane (DBCP)	09/20/2010	ND<5	µg/L	5
KMEP DFSP Norwalk	GMW-O-16	1,2-Dibromoethane (EDB)	09/20/2010	ND<2	µg/L	2
KMEP DFSP Norwalk	GMW-O-16	1,2-Dichlorobenzene	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	GMW-O-16	1,2-Dichloroethane	09/20/2010	ND<0.5	µg/L	0.5
KMEP DFSP Norwalk	GMW-O-16	1,2-Dichloropropane	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	GMW-O-16	1,3,5-Trimethylbenzene	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	GMW-O-16	1,3-Dichlorobenzene	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	GMW-O-16	1,3-Dichloropropane	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	GMW-O-16	1,4-Dichlorobenzene	09/20/2010	ND<1	µg/L	1

KMEP September Monthly Monitoring Results

ProjectName	Client Sample ID	Analyte	Date Sampled	Result	Units	PQL
KMEP DFSP Norwalk	GMW-O-16	2,2-Dichloropropane	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	GMW-O-16	2-Butanone (MEK)	09/20/2010	ND<10	µg/L	10
KMEP DFSP Norwalk	GMW-O-16	2-Chlorotoluene	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	GMW-O-16	2-Hexanone	09/20/2010	ND<5	µg/L	5
KMEP DFSP Norwalk	GMW-O-16	4-Chlorotoluene	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	GMW-O-16	4-Isopropyltoluene	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	GMW-O-16	4-Methyl-2-pentanone (MIBK)	09/20/2010	ND<10	µg/L	10
KMEP DFSP Norwalk	GMW-O-16	Acetone	09/20/2010	ND<10	µg/L	10
KMEP DFSP Norwalk	GMW-O-16	Benzene	09/20/2010	0.69	µg/L	0.5
KMEP DFSP Norwalk	GMW-O-16	Bromobenzene	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	GMW-O-16	Bromochloromethane	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	GMW-O-16	Bromodichloromethane	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	GMW-O-16	Bromoform	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	GMW-O-16	Bromomethane	09/20/2010	ND<2	µg/L	2
KMEP DFSP Norwalk	GMW-O-16	Carbon disulfide	09/20/2010	ND<2.5	µg/L	2.5
KMEP DFSP Norwalk	GMW-O-16	Carbon tetrachloride	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	GMW-O-16	Chlorobenzene	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	GMW-O-16	Chloroethane	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	GMW-O-16	Chloroform	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	GMW-O-16	Chloromethane	09/20/2010	ND<2	µg/L	2
KMEP DFSP Norwalk	GMW-O-16	cis-1,2-Dichloroethene	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	GMW-O-16	cis-1,3-Dichloropropene	09/20/2010	ND<0.5	µg/L	0.5
KMEP DFSP Norwalk	GMW-O-16	Dibromochloromethane	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	GMW-O-16	Dibromomethane	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	GMW-O-16	Dichlorodifluoromethane	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	GMW-O-16	Dichloromethane	09/20/2010	ND<5	µg/L	5
KMEP DFSP Norwalk	GMW-O-16	Di-isopropyl Ether (DIPE)	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	GMW-O-16	Ethyl Tertiary Butyl Ether (ETBE)	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	GMW-O-16	Ethylbenzene	09/20/2010	ND<0.5	µg/L	0.5
KMEP DFSP Norwalk	GMW-O-16	Freon-113	09/20/2010	ND<10	µg/L	10
KMEP DFSP Norwalk	GMW-O-16	Isopropylbenzene	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	GMW-O-16	m,p-Xylene	09/20/2010	ND<0.5	µg/L	0.5
KMEP DFSP Norwalk	GMW-O-16	Methyl tert-butyl ether (MTBE)	09/20/2010	3.1	µg/L	0.5
KMEP DFSP Norwalk	GMW-O-16	Naphthalene	09/20/2010	ND<10	µg/L	10
KMEP DFSP Norwalk	GMW-O-16	n-Butylbenzene	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	GMW-O-16	n-Propylbenzene	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	GMW-O-16	o-Xylene	09/20/2010	ND<0.5	µg/L	0.5
KMEP DFSP Norwalk	GMW-O-16	sec-Butylbenzene	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	GMW-O-16	Styrene	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	GMW-O-16	tert-Butylbenzene	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	GMW-O-16	Tertiary Amyl Methyl Ether (TAME)	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	GMW-O-16	Tertiary Butyl Alcohol (TBA)	09/20/2010	ND<10	µg/L	10
KMEP DFSP Norwalk	GMW-O-16	Tetrachloroethene	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	GMW-O-16	Toluene	09/20/2010	ND<0.5	µg/L	0.5
KMEP DFSP Norwalk	GMW-O-16	trans-1,2-Dichloroethene	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	GMW-O-16	trans-1,3-Dichloropropene	09/20/2010	ND<0.5	µg/L	0.5
KMEP DFSP Norwalk	GMW-O-16	Trichloroethene	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	GMW-O-16	Trichlorofluoromethane	09/20/2010	ND<10	µg/L	10
KMEP DFSP Norwalk	GMW-O-16	Vinyl acetate	09/20/2010	ND<50	µg/L	50
KMEP DFSP Norwalk	GMW-O-16	Vinyl chloride	09/20/2010	ND<0.5	µg/L	0.5
KMEP DFSP Norwalk	GMW-O-15	TPH-P (GRO)	09/20/2010	0.62	mg/L	0.4
KMEP DFSP Norwalk	GMW-O-15	TPH-E (Fuel Product)	09/20/2010	0.5	mg/L	0.1
KMEP DFSP Norwalk	GMW-O-15	1,1,1,2-Tetrachloroethane	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	GMW-O-15	1,1,1-Trichloroethane	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	GMW-O-15	1,1,2,2-Tetrachloroethane	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	GMW-O-15	1,1,2-Trichloroethane	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	GMW-O-15	1,1-Dichloroethane	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	GMW-O-15	1,1-Dichloroethene	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	GMW-O-15	1,1-Dichloropropene	09/20/2010	ND<1	µg/L	1

KMEP September Monthly Monitoring Results

ProjectName	Client Sample ID	Analyte	Date Sampled	Result	Units	PQL
KMEP DFSP Norwalk	GMW-O-15	1,2,3-Trichlorobenzene	09/20/2010	ND<4	µg/L	4
KMEP DFSP Norwalk	GMW-O-15	1,2,3-Trichloropropane	09/20/2010	ND<4	µg/L	4
KMEP DFSP Norwalk	GMW-O-15	1,2,4-Trichlorobenzene	09/20/2010	ND<4	µg/L	4
KMEP DFSP Norwalk	GMW-O-15	1,2,4-Trimethylbenzene	09/20/2010	11	µg/L	1
KMEP DFSP Norwalk	GMW-O-15	1,2-Dibromo-3-chloropropane (DBCP)	09/20/2010	ND<6	µg/L	6
KMEP DFSP Norwalk	GMW-O-15	1,2-Dibromoethane (EDB)	09/20/2010	ND<2	µg/L	2
KMEP DFSP Norwalk	GMW-O-15	1,2-Dichlorobenzene	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	GMW-O-15	1,2-Dichloroethane	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	GMW-O-15	1,2-Dichloropropane	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	GMW-O-15	1,3,5-Trimethylbenzene	09/20/2010	5	µg/L	1
KMEP DFSP Norwalk	GMW-O-15	1,3-Dichlorobenzene	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	GMW-O-15	1,3-Dichloropropane	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	GMW-O-15	1,4-Dichlorobenzene	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	GMW-O-15	2,2-Dichloropropane	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	GMW-O-15	2-Butanone (MEK)	09/20/2010	ND<20	µg/L	20
KMEP DFSP Norwalk	GMW-O-15	2-Chlorotoluene	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	GMW-O-15	2-Hexanone	09/20/2010	ND<10	µg/L	10
KMEP DFSP Norwalk	GMW-O-15	4-Chlorotoluene	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	GMW-O-15	4-Isopropyltoluene	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	GMW-O-15	4-Methyl-2-pentanone (MIBK)	09/20/2010	ND<10	µg/L	10
KMEP DFSP Norwalk	GMW-O-15	Acetone	09/20/2010	ND<20	µg/L	20
KMEP DFSP Norwalk	GMW-O-15	Benzene	09/20/2010	120	µg/L	0.5
KMEP DFSP Norwalk	GMW-O-15	Bromobenzene	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	GMW-O-15	Bromochloromethane	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	GMW-O-15	Bromodichloromethane	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	GMW-O-15	Bromoform	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	GMW-O-15	Bromomethane	09/20/2010	ND<4	µg/L	4
KMEP DFSP Norwalk	GMW-O-15	Carbon disulfide	09/20/2010	ND<5	µg/L	5
KMEP DFSP Norwalk	GMW-O-15	Carbon tetrachloride	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	GMW-O-15	Chlorobenzene	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	GMW-O-15	Chloroethane	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	GMW-O-15	Chloroform	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	GMW-O-15	Chloromethane	09/20/2010	ND<4	µg/L	4
KMEP DFSP Norwalk	GMW-O-15	cis-1,2-Dichloroethene	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	GMW-O-15	cis-1,3-Dichloropropene	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	GMW-O-15	Dibromochloromethane	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	GMW-O-15	Dibromomethane	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	GMW-O-15	Dichlorodifluoromethane	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	GMW-O-15	Dichloromethane	09/20/2010	ND<5	µg/L	5
KMEP DFSP Norwalk	GMW-O-15	Di-isopropyl Ether (DIPE)	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	GMW-O-15	Ethyl Tertiary Butyl Ether (ETBE)	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	GMW-O-15	Ethylbenzene	09/20/2010	13	µg/L	0.5
KMEP DFSP Norwalk	GMW-O-15	Freon-113	09/20/2010	ND<10	µg/L	10
KMEP DFSP Norwalk	GMW-O-15	Isopropylbenzene	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	GMW-O-15	m,p-Xylene	09/20/2010	24	µg/L	0.5
KMEP DFSP Norwalk	GMW-O-15	Methyl tert-butyl ether (MTBE)	09/20/2010	230	µg/L	0.5
KMEP DFSP Norwalk	GMW-O-15	Naphthalene	09/20/2010	ND<10	µg/L	10
KMEP DFSP Norwalk	GMW-O-15	n-Butylbenzene	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	GMW-O-15	n-Propylbenzene	09/20/2010	1.3	µg/L	1
KMEP DFSP Norwalk	GMW-O-15	o-Xylene	09/20/2010	5.4	µg/L	0.5
KMEP DFSP Norwalk	GMW-O-15	sec-Butylbenzene	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	GMW-O-15	Styrene	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	GMW-O-15	tert-Butylbenzene	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	GMW-O-15	Tertiary Amyl Methyl Ether (TAME)	09/20/2010	1.4	µg/L	1
KMEP DFSP Norwalk	GMW-O-15	Tertiary Butyl Alcohol (TBA)	09/20/2010	6000	µg/L	40
KMEP DFSP Norwalk	GMW-O-15	Tetrachloroethene	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	GMW-O-15	Toluene	09/20/2010	3.3	µg/L	0.5
KMEP DFSP Norwalk	GMW-O-15	trans-1,2-Dichloroethene	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	GMW-O-15	trans-1,3-Dichloropropene	09/20/2010	ND<1	µg/L	1

KMEP September Monthly Monitoring Results

ProjectName	Client Sample ID	Analyte	Date Sampled	Result	Units	PQL
KMEP DFSP Norwalk	GMW-O-15	Trichloroethene	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	GMW-O-15	Trichlorofluoromethane	09/20/2010	ND<10	µg/L	10
KMEP DFSP Norwalk	GMW-O-15	Vinyl acetate	09/20/2010	ND<100	µg/L	100
KMEP DFSP Norwalk	GMW-O-15	Vinyl chloride	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	PZ-5	TPH-P (GRO)	09/20/2010	8.5	mg/L	4
KMEP DFSP Norwalk	PZ-5	TPH-E (Fuel Product)	09/20/2010	1.8	mg/L	0.1
KMEP DFSP Norwalk	PZ-5	1,1,1,2-Tetrachloroethane	09/20/2010	ND<4	µg/L	4
KMEP DFSP Norwalk	PZ-5	1,1,1-Trichloroethane	09/20/2010	ND<4	µg/L	4
KMEP DFSP Norwalk	PZ-5	1,1,2,2-Tetrachloroethane	09/20/2010	ND<4	µg/L	4
KMEP DFSP Norwalk	PZ-5	1,1,2-Trichloroethane	09/20/2010	ND<4	µg/L	4
KMEP DFSP Norwalk	PZ-5	1,1-Dichloroethane	09/20/2010	ND<4	µg/L	4
KMEP DFSP Norwalk	PZ-5	1,1-Dichloroethene	09/20/2010	ND<4	µg/L	4
KMEP DFSP Norwalk	PZ-5	1,1-Dichloropropene	09/20/2010	ND<4	µg/L	4
KMEP DFSP Norwalk	PZ-5	1,2,3-Trichlorobenzene	09/20/2010	ND<16	µg/L	16
KMEP DFSP Norwalk	PZ-5	1,2,3-Trichloropropane	09/20/2010	ND<16	µg/L	16
KMEP DFSP Norwalk	PZ-5	1,2,4-Trichlorobenzene	09/20/2010	ND<16	µg/L	16
KMEP DFSP Norwalk	PZ-5	1,2,4-Trimethylbenzene	09/20/2010	22	µg/L	4
KMEP DFSP Norwalk	PZ-5	1,2-Dibromo-3-chloropropane (DBCP)	09/20/2010	ND<24	µg/L	24
KMEP DFSP Norwalk	PZ-5	1,2-Dibromoethane (EDB)	09/20/2010	ND<8	µg/L	8
KMEP DFSP Norwalk	PZ-5	1,2-Dichlorobenzene	09/20/2010	ND<4	µg/L	4
KMEP DFSP Norwalk	PZ-5	1,2-Dichloroethane	09/20/2010	ND<4	µg/L	4
KMEP DFSP Norwalk	PZ-5	1,2-Dichloropropane	09/20/2010	ND<4	µg/L	4
KMEP DFSP Norwalk	PZ-5	1,3,5-Trimethylbenzene	09/20/2010	17	µg/L	4
KMEP DFSP Norwalk	PZ-5	1,3-Dichlorobenzene	09/20/2010	ND<4	µg/L	4
KMEP DFSP Norwalk	PZ-5	1,3-Dichloropropane	09/20/2010	ND<4	µg/L	4
KMEP DFSP Norwalk	PZ-5	1,4-Dichlorobenzene	09/20/2010	ND<4	µg/L	4
KMEP DFSP Norwalk	PZ-5	2,2-Dichloropropane	09/20/2010	ND<4	µg/L	4
KMEP DFSP Norwalk	PZ-5	2-Butanone (MEK)	09/20/2010	ND<80	µg/L	80
KMEP DFSP Norwalk	PZ-5	2-Chlorotoluene	09/20/2010	ND<4	µg/L	4
KMEP DFSP Norwalk	PZ-5	2-Hexanone	09/20/2010	ND<40	µg/L	40
KMEP DFSP Norwalk	PZ-5	4-Chlorotoluene	09/20/2010	ND<4	µg/L	4
KMEP DFSP Norwalk	PZ-5	4-Isopropyltoluene	09/20/2010	ND<4	µg/L	4
KMEP DFSP Norwalk	PZ-5	4-Methyl-2-pentanone (MIBK)	09/20/2010	ND<20	µg/L	20
KMEP DFSP Norwalk	PZ-5	Acetone	09/20/2010	ND<80	µg/L	80
KMEP DFSP Norwalk	PZ-5	Benzene	09/20/2010	4200	µg/L	20
KMEP DFSP Norwalk	PZ-5	Bromobenzene	09/20/2010	ND<4	µg/L	4
KMEP DFSP Norwalk	PZ-5	Bromochloromethane	09/20/2010	ND<4	µg/L	4
KMEP DFSP Norwalk	PZ-5	Bromodichloromethane	09/20/2010	ND<4	µg/L	4
KMEP DFSP Norwalk	PZ-5	Bromoform	09/20/2010	ND<4	µg/L	4
KMEP DFSP Norwalk	PZ-5	Bromomethane	09/20/2010	ND<16	µg/L	16
KMEP DFSP Norwalk	PZ-5	Carbon disulfide	09/20/2010	ND<20	µg/L	20
KMEP DFSP Norwalk	PZ-5	Carbon tetrachloride	09/20/2010	ND<4	µg/L	4
KMEP DFSP Norwalk	PZ-5	Chlorobenzene	09/20/2010	ND<4	µg/L	4
KMEP DFSP Norwalk	PZ-5	Chloroethane	09/20/2010	ND<4	µg/L	4
KMEP DFSP Norwalk	PZ-5	Chloroform	09/20/2010	ND<4	µg/L	4
KMEP DFSP Norwalk	PZ-5	Chloromethane	09/20/2010	ND<16	µg/L	16
KMEP DFSP Norwalk	PZ-5	cis-1,2-Dichloroethene	09/20/2010	ND<4	µg/L	4
KMEP DFSP Norwalk	PZ-5	cis-1,3-Dichloropropene	09/20/2010	ND<4	µg/L	4
KMEP DFSP Norwalk	PZ-5	Dibromochloromethane	09/20/2010	ND<4	µg/L	4
KMEP DFSP Norwalk	PZ-5	Dibromomethane	09/20/2010	ND<4	µg/L	4
KMEP DFSP Norwalk	PZ-5	Dichlorodifluoromethane	09/20/2010	ND<4	µg/L	4
KMEP DFSP Norwalk	PZ-5	Dichloromethane	09/20/2010	ND<16	µg/L	16
KMEP DFSP Norwalk	PZ-5	Di-isopropyl Ether (DIPE)	09/20/2010	ND<4	µg/L	4
KMEP DFSP Norwalk	PZ-5	Ethyl Tertiary Butyl Ether (ETBE)	09/20/2010	ND<4	µg/L	4
KMEP DFSP Norwalk	PZ-5	Ethylbenzene	09/20/2010	110	µg/L	2
KMEP DFSP Norwalk	PZ-5	Freon-113	09/20/2010	ND<10	µg/L	10
KMEP DFSP Norwalk	PZ-5	Isopropylbenzene	09/20/2010	11	µg/L	4
KMEP DFSP Norwalk	PZ-5	m,p-Xylene	09/20/2010	12	µg/L	2
KMEP DFSP Norwalk	PZ-5	Methyl tert-butyl ether (MTBE)	09/20/2010	370	µg/L	2

KMEP September Monthly Monitoring Results

ProjectName	Client Sample ID	Analyte	Date Sampled	Result	Units	PQL
KMEP DFSP Norwalk	PZ-5	Naphthalene	09/20/2010	18	µg/L	16
KMEP DFSP Norwalk	PZ-5	n-Butylbenzene	09/20/2010	ND<4	µg/L	4
KMEP DFSP Norwalk	PZ-5	n-Propylbenzene	09/20/2010	15	µg/L	4
KMEP DFSP Norwalk	PZ-5	o-Xylene	09/20/2010	4.8	µg/L	2
KMEP DFSP Norwalk	PZ-5	sec-Butylbenzene	09/20/2010	ND<4	µg/L	4
KMEP DFSP Norwalk	PZ-5	Styrene	09/20/2010	ND<4	µg/L	4
KMEP DFSP Norwalk	PZ-5	tert-Butylbenzene	09/20/2010	ND<4	µg/L	4
KMEP DFSP Norwalk	PZ-5	Tertiary Amyl Methyl Ether (TAME)	09/20/2010	ND<4	µg/L	4
KMEP DFSP Norwalk	PZ-5	Tertiary Butyl Alcohol (TBA)	09/20/2010	43000	µg/L	400
KMEP DFSP Norwalk	PZ-5	Tetrachloroethene	09/20/2010	ND<4	µg/L	4
KMEP DFSP Norwalk	PZ-5	Toluene	09/20/2010	2.8	µg/L	2
KMEP DFSP Norwalk	PZ-5	trans-1,2-Dichloroethene	09/20/2010	ND<4	µg/L	4
KMEP DFSP Norwalk	PZ-5	trans-1,3-Dichloropropene	09/20/2010	ND<4	µg/L	4
KMEP DFSP Norwalk	PZ-5	Trichloroethene	09/20/2010	ND<4	µg/L	4
KMEP DFSP Norwalk	PZ-5	Trichlorofluoromethane	09/20/2010	ND<10	µg/L	10
KMEP DFSP Norwalk	PZ-5	Vinyl acetate	09/20/2010	ND<400	µg/L	400
KMEP DFSP Norwalk	PZ-5	Vinyl chloride	09/20/2010	ND<4	µg/L	4
KMEP DFSP Norwalk	DUP-1	TPH-P (GRO)	09/20/2010	8.4	mg/L	4
KMEP DFSP Norwalk	DUP-1	TPH-E (Fuel Product)	09/20/2010	1.8	mg/L	0.1
KMEP DFSP Norwalk	DUP-1	1,1,1,2-Tetrachloroethane	09/20/2010	ND<4	µg/L	4
KMEP DFSP Norwalk	DUP-1	1,1,1-Trichloroethane	09/20/2010	ND<4	µg/L	4
KMEP DFSP Norwalk	DUP-1	1,1,2,2-Tetrachloroethane	09/20/2010	ND<4	µg/L	4
KMEP DFSP Norwalk	DUP-1	1,1,2-Trichloroethane	09/20/2010	ND<4	µg/L	4
KMEP DFSP Norwalk	DUP-1	1,1-Dichloroethane	09/20/2010	ND<4	µg/L	4
KMEP DFSP Norwalk	DUP-1	1,1-Dichloroethene	09/20/2010	ND<4	µg/L	4
KMEP DFSP Norwalk	DUP-1	1,1-Dichloropropene	09/20/2010	ND<4	µg/L	4
KMEP DFSP Norwalk	DUP-1	1,2,3-Trichlorobenzene	09/20/2010	ND<16	µg/L	16
KMEP DFSP Norwalk	DUP-1	1,2,3-Trichloropropane	09/20/2010	ND<16	µg/L	16
KMEP DFSP Norwalk	DUP-1	1,2,4-Trichlorobenzene	09/20/2010	ND<16	µg/L	16
KMEP DFSP Norwalk	DUP-1	1,2,4-Trimethylbenzene	09/20/2010	21	µg/L	4
KMEP DFSP Norwalk	DUP-1	1,2-Dibromo-3-chloropropane (DBCP)	09/20/2010	ND<24	µg/L	24
KMEP DFSP Norwalk	DUP-1	1,2-Dibromoethane (EDB)	09/20/2010	ND<8	µg/L	8
KMEP DFSP Norwalk	DUP-1	1,2-Dichlorobenzene	09/20/2010	ND<4	µg/L	4
KMEP DFSP Norwalk	DUP-1	1,2-Dichloroethane	09/20/2010	ND<4	µg/L	4
KMEP DFSP Norwalk	DUP-1	1,2-Dichloropropane	09/20/2010	ND<4	µg/L	4
KMEP DFSP Norwalk	DUP-1	1,3,5-Trimethylbenzene	09/20/2010	17	µg/L	4
KMEP DFSP Norwalk	DUP-1	1,3-Dichlorobenzene	09/20/2010	ND<4	µg/L	4
KMEP DFSP Norwalk	DUP-1	1,3-Dichloropropane	09/20/2010	ND<4	µg/L	4
KMEP DFSP Norwalk	DUP-1	1,4-Dichlorobenzene	09/20/2010	ND<4	µg/L	4
KMEP DFSP Norwalk	DUP-1	2,2-Dichloropropane	09/20/2010	ND<4	µg/L	4
KMEP DFSP Norwalk	DUP-1	2-Butanone (MEK)	09/20/2010	ND<80	µg/L	80
KMEP DFSP Norwalk	DUP-1	2-Chlorotoluene	09/20/2010	ND<4	µg/L	4
KMEP DFSP Norwalk	DUP-1	2-Hexanone	09/20/2010	ND<40	µg/L	40
KMEP DFSP Norwalk	DUP-1	4-Chlorotoluene	09/20/2010	ND<4	µg/L	4
KMEP DFSP Norwalk	DUP-1	4-Isopropyltoluene	09/20/2010	ND<4	µg/L	4
KMEP DFSP Norwalk	DUP-1	4-Methyl-2-pentanone (MIBK)	09/20/2010	ND<20	µg/L	20
KMEP DFSP Norwalk	DUP-1	Acetone	09/20/2010	ND<80	µg/L	80
KMEP DFSP Norwalk	DUP-1	Benzene	09/20/2010	4100	µg/L	20
KMEP DFSP Norwalk	DUP-1	Bromobenzene	09/20/2010	ND<4	µg/L	4
KMEP DFSP Norwalk	DUP-1	Bromochloromethane	09/20/2010	ND<4	µg/L	4
KMEP DFSP Norwalk	DUP-1	Bromodichloromethane	09/20/2010	ND<4	µg/L	4
KMEP DFSP Norwalk	DUP-1	Bromoform	09/20/2010	ND<4	µg/L	4
KMEP DFSP Norwalk	DUP-1	Bromomethane	09/20/2010	ND<16	µg/L	16
KMEP DFSP Norwalk	DUP-1	Carbon disulfide	09/20/2010	ND<20	µg/L	20
KMEP DFSP Norwalk	DUP-1	Carbon tetrachloride	09/20/2010	ND<4	µg/L	4
KMEP DFSP Norwalk	DUP-1	Chlorobenzene	09/20/2010	ND<4	µg/L	4
KMEP DFSP Norwalk	DUP-1	Chloroethane	09/20/2010	ND<4	µg/L	4
KMEP DFSP Norwalk	DUP-1	Chloroform	09/20/2010	ND<4	µg/L	4
KMEP DFSP Norwalk	DUP-1	Chloromethane	09/20/2010	ND<16	µg/L	16

KMEP September Monthly Monitoring Results

ProjectName	Client Sample ID	Analyte	Date Sampled	Result	Units	PQL
KMEP DFSP Norwalk	DUP-1	cis-1,2-Dichloroethene	09/20/2010	ND<4	µg/L	4
KMEP DFSP Norwalk	DUP-1	cis-1,3-Dichloropropene	09/20/2010	ND<4	µg/L	4
KMEP DFSP Norwalk	DUP-1	Dibromochloromethane	09/20/2010	ND<4	µg/L	4
KMEP DFSP Norwalk	DUP-1	Dibromomethane	09/20/2010	ND<4	µg/L	4
KMEP DFSP Norwalk	DUP-1	Dichlorodifluoromethane	09/20/2010	ND<4	µg/L	4
KMEP DFSP Norwalk	DUP-1	Dichloromethane	09/20/2010	ND<16	µg/L	16
KMEP DFSP Norwalk	DUP-1	Di-isopropyl Ether (DIPE)	09/20/2010	ND<4	µg/L	4
KMEP DFSP Norwalk	DUP-1	Ethyl Tertiary Butyl Ether (ETBE)	09/20/2010	ND<4	µg/L	4
KMEP DFSP Norwalk	DUP-1	Ethylbenzene	09/20/2010	110	µg/L	2
KMEP DFSP Norwalk	DUP-1	Freon-113	09/20/2010	ND<10	µg/L	10
KMEP DFSP Norwalk	DUP-1	Isopropylbenzene	09/20/2010	11	µg/L	4
KMEP DFSP Norwalk	DUP-1	m,p-Xylene	09/20/2010	12	µg/L	2
KMEP DFSP Norwalk	DUP-1	Methyl tert-butyl ether (MTBE)	09/20/2010	370	µg/L	2
KMEP DFSP Norwalk	DUP-1	Naphthalene	09/20/2010	17	µg/L	16
KMEP DFSP Norwalk	DUP-1	n-Butylbenzene	09/20/2010	ND<4	µg/L	4
KMEP DFSP Norwalk	DUP-1	n-Propylbenzene	09/20/2010	14	µg/L	4
KMEP DFSP Norwalk	DUP-1	o-Xylene	09/20/2010	4.6	µg/L	2
KMEP DFSP Norwalk	DUP-1	sec-Butylbenzene	09/20/2010	ND<4	µg/L	4
KMEP DFSP Norwalk	DUP-1	Styrene	09/20/2010	ND<4	µg/L	4
KMEP DFSP Norwalk	DUP-1	tert-Butylbenzene	09/20/2010	ND<4	µg/L	4
KMEP DFSP Norwalk	DUP-1	Tertiary Amyl Methyl Ether (TAME)	09/20/2010	ND<4	µg/L	4
KMEP DFSP Norwalk	DUP-1	Tertiary Butyl Alcohol (TBA)	09/20/2010	44000	µg/L	400
KMEP DFSP Norwalk	DUP-1	Tetrachloroethene	09/20/2010	ND<4	µg/L	4
KMEP DFSP Norwalk	DUP-1	Toluene	09/20/2010	2.8	µg/L	2
KMEP DFSP Norwalk	DUP-1	trans-1,2-Dichloroethene	09/20/2010	ND<4	µg/L	4
KMEP DFSP Norwalk	DUP-1	trans-1,3-Dichloropropene	09/20/2010	ND<4	µg/L	4
KMEP DFSP Norwalk	DUP-1	Trichloroethene	09/20/2010	ND<4	µg/L	4
KMEP DFSP Norwalk	DUP-1	Trichlorofluoromethane	09/20/2010	ND<10	µg/L	10
KMEP DFSP Norwalk	DUP-1	Vinyl acetate	09/20/2010	ND<400	µg/L	400
KMEP DFSP Norwalk	DUP-1	Vinyl chloride	09/20/2010	ND<4	µg/L	4
KMEP DFSP Norwalk	EB-1	TPH-P (GRO)	09/20/2010	ND<0.05	mg/L	0.05
KMEP DFSP Norwalk	EB-1	TPH-E (Fuel Product)	09/20/2010	ND<0.1	mg/L	0.1
KMEP DFSP Norwalk	EB-1	1,1,1,2-Tetrachloroethane	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	EB-1	1,1,1-Trichloroethane	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	EB-1	1,1,2,2-Tetrachloroethane	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	EB-1	1,1,2-Trichloroethane	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	EB-1	1,1-Dichloroethane	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	EB-1	1,1-Dichloroethene	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	EB-1	1,1-Dichloropropene	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	EB-1	1,2,3-Trichlorobenzene	09/20/2010	ND<2	µg/L	2
KMEP DFSP Norwalk	EB-1	1,2,3-Trichloropropane	09/20/2010	ND<2	µg/L	2
KMEP DFSP Norwalk	EB-1	1,2,4-Trichlorobenzene	09/20/2010	ND<2	µg/L	2
KMEP DFSP Norwalk	EB-1	1,2,4-Trimethylbenzene	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	EB-1	1,2-Dibromo-3-chloropropane (DBCP)	09/20/2010	ND<5	µg/L	5
KMEP DFSP Norwalk	EB-1	1,2-Dibromoethane (EDB)	09/20/2010	ND<2	µg/L	2
KMEP DFSP Norwalk	EB-1	1,2-Dichlorobenzene	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	EB-1	1,2-Dichloroethane	09/20/2010	ND<0.5	µg/L	0.5
KMEP DFSP Norwalk	EB-1	1,2-Dichloropropane	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	EB-1	1,3,5-Trimethylbenzene	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	EB-1	1,3-Dichlorobenzene	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	EB-1	1,3-Dichloropropane	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	EB-1	1,4-Dichlorobenzene	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	EB-1	2,2-Dichloropropane	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	EB-1	2-Butanone (MEK)	09/20/2010	ND<10	µg/L	10
KMEP DFSP Norwalk	EB-1	2-Chlorotoluene	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	EB-1	2-Hexanone	09/20/2010	ND<5	µg/L	5
KMEP DFSP Norwalk	EB-1	4-Chlorotoluene	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	EB-1	4-Isopropyltoluene	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	EB-1	4-Methyl-2-pentanone (MIBK)	09/20/2010	ND<10	µg/L	10

KMEP September Monthly Monitoring Results

ProjectName	Client Sample ID	Analyte	Date Sampled	Result	Units	PQL
KMEP DFSP Norwalk	EB-1	Acetone	09/20/2010	ND<10	µg/L	10
KMEP DFSP Norwalk	EB-1	Benzene	09/20/2010	ND<0.5	µg/L	0.5
KMEP DFSP Norwalk	EB-1	Bromobenzene	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	EB-1	Bromochloromethane	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	EB-1	Bromodichloromethane	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	EB-1	Bromoform	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	EB-1	Bromomethane	09/20/2010	ND<2	µg/L	2
KMEP DFSP Norwalk	EB-1	Carbon disulfide	09/20/2010	ND<2.5	µg/L	2.5
KMEP DFSP Norwalk	EB-1	Carbon tetrachloride	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	EB-1	Chlorobenzene	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	EB-1	Chloroethane	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	EB-1	Chloroform	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	EB-1	Chloromethane	09/20/2010	ND<2	µg/L	2
KMEP DFSP Norwalk	EB-1	cis-1,2-Dichloroethene	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	EB-1	cis-1,3-Dichloropropene	09/20/2010	ND<0.5	µg/L	0.5
KMEP DFSP Norwalk	EB-1	Dibromochloromethane	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	EB-1	Dibromomethane	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	EB-1	Dichlorodifluoromethane	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	EB-1	Dichloromethane	09/20/2010	ND<5	µg/L	5
KMEP DFSP Norwalk	EB-1	Di-isopropyl Ether (DIPE)	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	EB-1	Ethyl Tertiary Butyl Ether (ETBE)	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	EB-1	Ethylbenzene	09/20/2010	ND<0.5	µg/L	0.5
KMEP DFSP Norwalk	EB-1	Freon-113	09/20/2010	ND<10	µg/L	10
KMEP DFSP Norwalk	EB-1	Isopropylbenzene	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	EB-1	m,p-Xylene	09/20/2010	ND<0.5	µg/L	0.5
KMEP DFSP Norwalk	EB-1	Methyl tert-butyl ether (MTBE)	09/20/2010	ND<0.5	µg/L	0.5
KMEP DFSP Norwalk	EB-1	Naphthalene	09/20/2010	ND<10	µg/L	10
KMEP DFSP Norwalk	EB-1	n-Butylbenzene	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	EB-1	n-Propylbenzene	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	EB-1	o-Xylene	09/20/2010	ND<0.5	µg/L	0.5
KMEP DFSP Norwalk	EB-1	sec-Butylbenzene	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	EB-1	Styrene	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	EB-1	tert-Butylbenzene	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	EB-1	Tertiary Amyl Methyl Ether (TAME)	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	EB-1	Tertiary Butyl Alcohol (TBA)	09/20/2010	44	µg/L	10
KMEP DFSP Norwalk	EB-1	Tetrachloroethene	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	EB-1	Toluene	09/20/2010	ND<0.5	µg/L	0.5
KMEP DFSP Norwalk	EB-1	trans-1,2-Dichloroethene	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	EB-1	trans-1,3-Dichloropropene	09/20/2010	ND<0.5	µg/L	0.5
KMEP DFSP Norwalk	EB-1	Trichloroethene	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	EB-1	Trichlorofluoromethane	09/20/2010	ND<10	µg/L	10
KMEP DFSP Norwalk	EB-1	Vinyl acetate	09/20/2010	ND<50	µg/L	50
KMEP DFSP Norwalk	EB-1	Vinyl chloride	09/20/2010	ND<0.5	µg/L	0.5
KMEP DFSP Norwalk	GMW-O-18	TPH-P (GRO)	09/20/2010	0.29	mg/L	0.1
KMEP DFSP Norwalk	GMW-O-18	TPH-E (Fuel Product)	09/20/2010	ND<0.1	mg/L	0.1
KMEP DFSP Norwalk	GMW-O-18	1,1,1,2-Tetrachloroethane	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	GMW-O-18	1,1,1-Trichloroethane	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	GMW-O-18	1,1,2,2-Tetrachloroethane	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	GMW-O-18	1,1,2-Trichloroethane	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	GMW-O-18	1,1-Dichloroethane	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	GMW-O-18	1,1-Dichloroethene	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	GMW-O-18	1,1-Dichloropropene	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	GMW-O-18	1,2,3-Trichlorobenzene	09/20/2010	ND<4	µg/L	4
KMEP DFSP Norwalk	GMW-O-18	1,2,3-Trichloropropane	09/20/2010	ND<4	µg/L	4
KMEP DFSP Norwalk	GMW-O-18	1,2,4-Trichlorobenzene	09/20/2010	ND<4	µg/L	4
KMEP DFSP Norwalk	GMW-O-18	1,2,4-Trimethylbenzene	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	GMW-O-18	1,2-Dibromo-3-chloropropane (DBCP)	09/20/2010	ND<6	µg/L	6
KMEP DFSP Norwalk	GMW-O-18	1,2-Dibromoethane (EDB)	09/20/2010	ND<2	µg/L	2
KMEP DFSP Norwalk	GMW-O-18	1,2-Dichlorobenzene	09/20/2010	ND<1	µg/L	1

KMEP September Monthly Monitoring Results

ProjectName	Client Sample ID	Analyte	Date Sampled	Result	Units	PQL
KMEP DFSP Norwalk	GMW-O-18	1,2-Dichloroethane	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	GMW-O-18	1,2-Dichloropropane	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	GMW-O-18	1,3,5-Trimethylbenzene	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	GMW-O-18	1,3-Dichlorobenzene	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	GMW-O-18	1,3-Dichloropropane	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	GMW-O-18	1,4-Dichlorobenzene	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	GMW-O-18	2,2-Dichloropropane	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	GMW-O-18	2-Butanone (MEK)	09/20/2010	ND<20	µg/L	20
KMEP DFSP Norwalk	GMW-O-18	2-Chlorotoluene	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	GMW-O-18	2-Hexanone	09/20/2010	ND<10	µg/L	10
KMEP DFSP Norwalk	GMW-O-18	4-Chlorotoluene	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	GMW-O-18	4-Isopropyltoluene	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	GMW-O-18	4-Methyl-2-pentanone (MIBK)	09/20/2010	ND<10	µg/L	10
KMEP DFSP Norwalk	GMW-O-18	Acetone	09/20/2010	ND<20	µg/L	20
KMEP DFSP Norwalk	GMW-O-18	Benzene	09/20/2010	1.1	µg/L	0.5
KMEP DFSP Norwalk	GMW-O-18	Bromobenzene	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	GMW-O-18	Bromochloromethane	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	GMW-O-18	Bromodichloromethane	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	GMW-O-18	Bromoform	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	GMW-O-18	Bromomethane	09/20/2010	ND<4	µg/L	4
KMEP DFSP Norwalk	GMW-O-18	Carbon disulfide	09/20/2010	ND<5	µg/L	5
KMEP DFSP Norwalk	GMW-O-18	Carbon tetrachloride	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	GMW-O-18	Chlorobenzene	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	GMW-O-18	Chloroethane	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	GMW-O-18	Chloroform	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	GMW-O-18	Chloromethane	09/20/2010	ND<4	µg/L	4
KMEP DFSP Norwalk	GMW-O-18	cis-1,2-Dichloroethene	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	GMW-O-18	cis-1,3-Dichloropropene	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	GMW-O-18	Dibromochloromethane	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	GMW-O-18	Dibromomethane	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	GMW-O-18	Dichlorodifluoromethane	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	GMW-O-18	Dichloromethane	09/20/2010	ND<5	µg/L	5
KMEP DFSP Norwalk	GMW-O-18	Di-isopropyl Ether (DIPE)	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	GMW-O-18	Ethyl Tertiary Butyl Ether (ETBE)	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	GMW-O-18	Ethylbenzene	09/20/2010	ND<0.5	µg/L	0.5
KMEP DFSP Norwalk	GMW-O-18	Freon-113	09/20/2010	ND<10	µg/L	10
KMEP DFSP Norwalk	GMW-O-18	Isopropylbenzene	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	GMW-O-18	m,p-Xylene	09/20/2010	0.55	µg/L	0.5
KMEP DFSP Norwalk	GMW-O-18	Methyl tert-butyl ether (MTBE)	09/20/2010	1.2	µg/L	0.5
KMEP DFSP Norwalk	GMW-O-18	Naphthalene	09/20/2010	ND<10	µg/L	10
KMEP DFSP Norwalk	GMW-O-18	n-Butylbenzene	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	GMW-O-18	n-Propylbenzene	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	GMW-O-18	o-Xylene	09/20/2010	ND<0.5	µg/L	0.5
KMEP DFSP Norwalk	GMW-O-18	sec-Butylbenzene	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	GMW-O-18	Styrene	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	GMW-O-18	tert-Butylbenzene	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	GMW-O-18	Tertiary Amyl Methyl Ether (TAME)	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	GMW-O-18	Tertiary Butyl Alcohol (TBA)	09/20/2010	2300	µg/L	200
KMEP DFSP Norwalk	GMW-O-18	Tetrachloroethene	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	GMW-O-18	Toluene	09/20/2010	ND<0.5	µg/L	0.5
KMEP DFSP Norwalk	GMW-O-18	trans-1,2-Dichloroethene	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	GMW-O-18	trans-1,3-Dichloropropene	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	GMW-O-18	Trichloroethene	09/20/2010	ND<1	µg/L	1
KMEP DFSP Norwalk	GMW-O-18	Trichlorofluoromethane	09/20/2010	ND<10	µg/L	10
KMEP DFSP Norwalk	GMW-O-18	Vinyl acetate	09/20/2010	ND<100	µg/L	100
KMEP DFSP Norwalk	GMW-O-18	Vinyl chloride	09/20/2010	ND<1	µg/L	1

WELL GAUGING DATA

Project # 100920-252 Date 9/20/10 Client KMEP @ NORWALK

Site 15306 Norwalk Blvd, Norwalk

Well ID	Time	Well Size (in.)	Sheen / Odor	Depth to Immiscible Liquid (ft.)	Thickness of Immiscible Liquid (ft.)	Volume of Immiscibles Removed (ml)	Depth to water (ft.)	Depth to well bottom (ft.)	Survey Point: TOB or TOC	Notes
GMW-0-8	1105	12					N/A	N/A	-	EXT PUMP
GMW-0-16	1040	4					26.95	49.00	TOC	
GMW-0-18	1220	12					N/A	N/A	-	EXT. PUMP
GMW-0-19	1005	4					26.52	40.02	TOC	
GMW-36	0930	4	sheen odor				N/A	N/A	-	EXT PUMP
P2-5	1157	4					26.52	37.88	TOC	

LOW FLOW WELL MONITORING DATA SHEET

Project #: 100920-R52	Client: KMEP
Sampler: RS	Start Date: 9/20/10
Well I.D.: GMW-0-15	Well Diameter: 2 3 4 6 8 <u>12</u>
Total Well Depth: N/A	Depth to Water: Pre: N/A Post:
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: PVC Grade	Flow Cell Type: YSI 556

Purge Method: 2" Grundfos Pump Peristaltic Pump Bladder Pump
 Sampling Method: Dedicated Tubing New Tubing Other Port Sample

Start Purge Time: 1110 Flow Rate: _____ Pump Depth: _____

Time	Temp. (°C or °F)	pH	Cond. (mS or <u>µS</u>)	Turbidity (NTUs)	D.O. (mg/L)	ORP (mV)	Water Removed (<u>gals</u> or mL)	Depth to water
— let part run			5 min	—				N/A
1115	21.8	7.14	2523	3	3.80	-77.5	1	↓
1118	21.8	7.13	2532	3	2.39	-84.0	2	
1121	21.8	7.13	2531	3	2.24	-84.6	3	

Did well dewater? Yes <input type="radio"/> No <input checked="" type="radio"/>	Amount actually evacuated: 3 gallons
Sampling Time: 1122	Sampling Date: 9/20/10
Sample I.D.: GMW-0-15	Laboratory: Alpha Analytical
Analyzed for: <u>TPHg</u> <u>TPHf</u> <u>VOC's</u> MTBE	Other: <u>oxys</u>
Equipment Blank I.D.: @ _____	Duplicate I.D.: _____

LOW FLOW WELL MONITORING DATA SHEET

Project #: 100920-R52	Client: KMEP
Sampler: RJ	Start Date: 9/20/10
Well I.D.: GMW-0-16	Well Diameter: 2 3 <u>4</u> 6 8
Total Well Depth: 49.00	Depth to Water: Pre: 26.95 Post: 27.11
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: <u>PVC</u> Grade	Flow Cell Type: YSI 556

Purge Method: 2" Grundfos Pump Peristaltic Pump Bladder Pump
 Sampling Method: Dedicated Tubing New Tubing Other _____
 Start Purge Time: 1045 Flow Rate: 500 mL/min Pump Depth: 45'

Time	Temp. (°C or °F)	pH	Cond. (mS or <u>µS</u>)	Turbidity (NTUs)	D.O. (mg/L)	ORP (mV)	Water Removed (gals. or <u>mL</u>)	Depth to water
1048	23.0	7.30	2124	11	0.52	-57.9	1500	27.11
1051	23.3	7.28	2127	8	0.58	-70.8	3000	27.11
1054	23.3	7.29	2125	4	0.28	-77.2	4500	27.11
1057	23.2	7.29	2126	4	0.28	-79.5	6000	27.11
1100	23.3	7.30	2127	4	0.25	-82.1	7500	27.11

Did well dewater? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	Amount actually evacuated: 7500 mL
Sampling Time: 1101	Sampling Date: 9/20/10
Sample I.D.: GMW-0-16	Laboratory: Alpha Analytical
Analyzed for: <u>TPHg</u> <u>TPHf</u> <u>VOC's</u> MTBE	Other: <u>oxy's</u>
Equipment Blank I.D.: @	Duplicate I.D.:

LOW FLOW WELL MONITORING DATA SHEET

Project #: 100920-R52	Client: KMEP
Sampler: RS	Start Date: 9/20/10
Well I.D.: GMW-0-18	Well Diameter: 2 3 4 6 8 <u>12</u>
Total Well Depth: N/A	Depth to Water: Pre: N/A Post:
Depth to Free Product: -	Thickness of Free Product (feet): -
Referenced to: <u>PVC</u> Grade	Flow Cell Type: YSI 556

Purge Method: 2" Grundfos Pump Peristaltic Pump Bladder Pump
 Sampling Method: Dedicated Tubing New Tubing Other Port Sample
 Start Purge Time: 1225 Flow Rate: Pump Depth:

Time	Temp. (°C or °F)	pH	Cond. (mS or µS)	Turbidity (NTUs)	D.O. (mg/L)	ORP (mV)	Water Removed (gals or mL)	Depth to water
<u>Let port run for 5 minutes</u>								N/A
1230	20.1	7.01	2569	2	8.97	-119.8	1	↓
1233	20.2	7.02	2572	2	8.39	-120.2	2	
1236	20.1	7.02	2581	2	8.17	-121.2	3	

Did well dewater? Yes <input checked="" type="radio"/> No <input type="radio"/>	Amount actually evacuated: <u>3</u> gallons
Sampling Time: <u>1237</u>	Sampling Date: <u>9/20/10</u>
Sample I.D.: <u>GMW-0-18</u>	Laboratory: Alpha Analytical
Analyzed for: <u>TPHg</u> <u>TPHfp</u> <u>VOC's</u> MTBE	Other: <u>Oxy's</u>
Equipment Blank I.D.: @ Time	Duplicate I.D.:

LOW FLOW WELL MONITORING DATA SHEET

Project #: 100920-R52	Client: KMEP
Sampler: RS	Start Date: 9/20/10
Well I.D.: 6MW-0-19	Well Diameter: 2 3 (4) 6 8
Total Well Depth: 40.02	Depth to Water: Pre: 26.52 Post: 26.67
Depth to Free Product: —	Thickness of Free Product (feet): —
Referenced to: (PVC) Grade	Flow Cell Type: YSI 556

Purge Method: 2" Grundfos Pump Peristaltic Pump Bladder Pump
 Sampling Method: Dedicated Tubing New Tubing Other _____
 Start Purge Time: 1010 Flow Rate: 500 mL/min Pump Depth: 35'

Time	Temp. (°C or °F)	pH	Cond. (mS or μS)	Turbidity (NTUs)	D.O. (mg/L)	ORP (mV)	Water Removed (gals. or mL)	Depth to water
1013	23.1	7.23	1774	5	0.78	4.4	1500	26.67
1016	23.5	7.18	1777	5	0.81	-8.6	3000	26.67
1019	23.6	7.21	1774	4	0.85	-17.4	4500	26.67
1022	23.6	7.22	1773	4	0.83	-17.2	6000	26.67
1025	23.7	7.21	1773	4	0.82	-18.1	7500	26.67

Did well dewater? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	Amount actually evacuated: 7500 mL
Sampling Time: 1026	Sampling Date: 9/20/10
Sample I.D.: 6MW-0-19	Laboratory: Alpha Analytical
Analyzed for: (TPHg) (TPHf) (VOCs) MTBE	Other: OXYS
Equipment Blank I.D.: @ _____	Duplicate I.D.: _____

LOW FLOW WELL MONITORING DATA SHEET

Project #: 100920-R52	Client: KMEP
Sampler: RJ	Start Date: 9/20/10
Well I.D.: GMW-36	Well Diameter: 2 3 <u>4</u> 6 8
Total Well Depth: N/A	Depth to Water: Pre: N/A Post:
Depth to Free Product: —	Thickness of Free Product (feet): —
Referenced to: PVC Grade	Flow Cell Type: YSI 556

Purge Method: 2" Grundfos Pump Peristaltic Pump Bladder Pump
 Sampling Method: Dedicated Tubing New Tubing Other Port Sample
 Start Purge Time: 0935 Flow Rate: Pump Depth:

Time	Temp. (°C or °F)	pH	Cond. (mS or <u>µS</u>)	Turbidity (NTUs)	D.O. (mg/L)	ORP (mV)	Water Removed (gal. or <u>ml</u>)	Depth to water
<u>— let port run 5 minutes —</u>								
0940	17.9	7.07	2377	31	0.79	-135.8	1	N/A
0943	20.1	7.03	2530	8	0.92	-118.2	2	↓
0946	20.8	7.03	2533	7	0.90	-117.6	3	↓

Did well dewater? Yes <input type="radio"/> No <input checked="" type="radio"/>	Amount actually evacuated: 3 gallons
Sampling Time: 0947	Sampling Date: 9/20/10
Sample I.D.: GMW-36	Laboratory: Alpha Analytical
Analyzed for: <u>TPHg</u> <u>TPHfp</u> <u>VOC's</u> MTBE	Other: <u>oxy's</u>
Equipment Blank I.D.: @ <small>Time</small>	Duplicate I.D.:

LOW FLOW WELL MONITORING DATA SHEET

Project #: 100920-PJ2	Client: KMEP
Sampler: RJ	Start Date: 9/20/10
Well I.D.: PJ-5	Well Diameter: 2 3 4 6 8
Total Well Depth: 37.88	Depth to Water: Pre: 26.52 Post: 26.68
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: PVC Grade	Flow Cell Type: YSI 556

Purge Method: **2" Grundfos Pump** Peristaltic Pump Bladder Pump
 Sampling Method: **Dedicated Tubing** New Tubing Other _____
 Start Purge Time: 1203 Flow Rate: 500 mL/min Pump Depth: 35'

Time	Temp. (°C or °F)	pH	Cond. (mS or µS)	Turbidity (NTUs)	D.O. (mg/L)	ORP (mV)	Water Removed (gals. or mL)	Depth to water
1206	21.8	6.89	2465	3	1.17	-117.4	1500	26.60
1209	22.9	6.81	2467	2	0.45	-121.1	3000	26.61
1212	23.0	6.84	2469	2	0.41	-120.9	4500	26.64
1215	23.0	6.84	2470	2	0.38	-121.4	6000	26.68
1218	23.0	6.85	2472	2	0.39	-120.5	7500	26.68

Did well dewater? Yes <input type="radio"/> No <input checked="" type="radio"/>	Amount actually evacuated: 7500 mL
Sampling Time: 1219	Sampling Date: 9/20/10
Sample I.D.: PJ-5	Laboratory: Alpha Analytical
Analyzed for: TPHg TPHsp VOCs MTBE	Other: oxyg
Equipment Blank I.D.: EB-1 @ Time 1200	Duplicate I.D.: Dup-1

BLAINE

TECH SERVICES, INC.

1680 ROGERS AVENUE
SAN JOSE, CALIFORNIA 95112-1105
FAX (408) 573-7771
PHONE (408) 573-0555

CHAIN OF CUSTODY

CLIENT

Kinder Morgan

SITE

DFSP Norwalk

15306 Norwalk Blvd, Norwalk

CONDUCT ANALYSIS TO DETECT

TPHg, TPHp (EPA 8015M)
VOC's & Oxygenates (EPA 8260B)

LAB

Billing Information:
Kinder Morgan
1100 Town and Country Rd.
Orange CA 95112

Report to:

Dan Jablonski
CH2MHILL
1000 Wilshire Blvd 21st floor
Los Angeles, CA 90017

Alpha Analytical COC 1 of 1

CONTAINERS

SAMPLE I.D.	DATE	TIME	MATRIX	#	Preservation	Type	ADD'L INFORMATION	STATUS	CONDITION	LAB SAMPLE #
TR-1	9/24/10	0900	AQ	2	HCl	VOC				
GMW-36		0947		6						
GMW-0-19		1026		6						
GMW-0-16		1101		6						
GMW-0-15		1122		6						
PZ-5		1219		6						
DUP-1		-		6						
EB-1		1200		6						
GMW-0-18		1237		6						

RESULTS NEEDED
NO LATER THAN

Standard

SAMPLING PERFORMED BY

Robert Sujanara

RECEIVED BY

[Signature]

TIME

1430

DATE

9/20/10

TIME

1430

RECEIVED BY

[Signature]

TIME

RECEIVED BY

TIME

DATE

TIME

SHIPPED VIA

TIME SENT

COOLER #

WELLHEAD INSPECTION CHECKLIST

Client KMEP @ NORWALK Date 9/20/10
 Site Address 15306 Norwalk Blvd, Norwalk
 Job Number 100920-R52 Technician RS

Well ID	Well Inspected - No Corrective Action Required	WELL IS SECURABLE BY DESIGN (12" or less)	WELL IS CLEARLY MARKED WITH THE WORDS "MONITORING WELL" (12" or less)	Water Bailed From Wellbox	Wellbox Components Cleaned	Cap Replaced	Lock Replaced	Other Action Taken (explain below)	Well Not Inspected (explain below)	Repair Order Submitted
GMW-0-15		X								
GMW-0-16	X	X	X							
GMW-0-18		X								
GMW-0-19	X	X	X							
GMW-0-36		X								
P2-5	X	X	X							

NOTES: GMW-0-15 2/2 bolts missing (weight secured vault)
GMW-0-18 2/2 bolts missing (weight secured vault)
GMW-36 4/4 bolts missing



Alpha Analytical, Inc.

255 Glendale Ave. • Suite 21 • Sparks, Nevada 89431-5778
(775) 355-1044 • (775) 355-0406 FAX • 1-800-283-1183

ANALYTICAL REPORT

CH2M Hill
1000 Wilshire Boulevard
Los Angeles, CA 90017

Attn: Daniel Jablonski
Phone: (213) 228-8271
Fax: (714) 424-2135
Date Received : 09/22/10

Job: KMEP DFSP Norwalk

Total Petroleum Hydrocarbons - Extractable (TPH-E) EPA Method SW8015B
Total Petroleum Hydrocarbons - Purgeable (TPH-P) EPA Method SW8015B

	Parameter	Concentration	Reporting Limit	Date Extracted	Date Analyzed
Client ID :	GMW-36				
Lab ID :	CHH10092206-02A	TPH-E (Fuel Product)	5.2 *	0.10 mg/L	09/28/10 11:53
Date Sampled	09/20/10 09:47	Surr: Nonane	105	(57-147) %REC	09/28/10 11:53
		TPH-P (GRO)	3.3	1.0 mg/L	09/23/10
		Surr: 1,2-Dichloroethane-d4	95	(70-130) %REC	09/23/10
		Surr: Toluene-d8	99	(70-130) %REC	09/23/10
		Surr: 4-Bromofluorobenzene	96	(70-130) %REC	09/23/10
Client ID :	GMW-O-19				
Lab ID :	CHH10092206-03A	TPH-E (Fuel Product)	ND	0.10 mg/L	09/28/10 11:53
Date Sampled	09/20/10 10:26	Surr: Nonane	109	(57-147) %REC	09/28/10 11:53
		TPH-P (GRO)	ND	0.050 mg/L	09/23/10
		Surr: 1,2-Dichloroethane-d4	98	(70-130) %REC	09/23/10
		Surr: Toluene-d8	104	(70-130) %REC	09/23/10
		Surr: 4-Bromofluorobenzene	96	(70-130) %REC	09/23/10
Client ID :	GMW-O-16				
Lab ID :	CHH10092206-04A	TPH-E (Fuel Product)	0.17	0.10 mg/L	09/28/10 11:53
Date Sampled	09/20/10 11:01	Surr: Nonane	113	(57-147) %REC	09/28/10 11:53
		TPH-P (GRO)	ND	0.050 mg/L	09/23/10
		Surr: 1,2-Dichloroethane-d4	99	(70-130) %REC	09/23/10
		Surr: Toluene-d8	102	(70-130) %REC	09/23/10
		Surr: 4-Bromofluorobenzene	95	(70-130) %REC	09/23/10
Client ID :	GMW-O-15				
Lab ID :	CHH10092206-05A	TPH-E (Fuel Product)	0.50 *	0.10 mg/L	09/28/10 11:53
Date Sampled	09/20/10 11:22	Surr: Nonane	104	(57-147) %REC	09/28/10 11:53
		TPH-P (GRO)	0.62	0.40 mg/L	09/23/10
		Surr: 1,2-Dichloroethane-d4	99	(70-130) %REC	09/23/10
		Surr: Toluene-d8	98	(70-130) %REC	09/23/10
		Surr: 4-Bromofluorobenzene	98	(70-130) %REC	09/23/10
Client ID :	PZ-5				
Lab ID :	CHH10092206-06A	TPH-E (Fuel Product)	1.8	0.10 mg/L	09/28/10 11:53
Date Sampled	09/20/10 12:19	Surr: Nonane	91	(57-147) %REC	09/28/10 11:53
		TPH-P (GRO)	8.5	4.0 mg/L	09/24/10
		Surr: 1,2-Dichloroethane-d4	96	(70-130) %REC	09/24/10
		Surr: Toluene-d8	103	(70-130) %REC	09/24/10
		Surr: 4-Bromofluorobenzene	101	(70-130) %REC	09/24/10
Client ID :	DUP-1				
Lab ID :	CHH10092206-07A	TPH-E (Fuel Product)	1.8	0.10 mg/L	09/28/10 11:53
Date Sampled	09/20/10 00:00	Surr: Nonane	104	(57-147) %REC	09/28/10 11:53
		TPH-P (GRO)	8.4	4.0 mg/L	09/24/10
		Surr: 1,2-Dichloroethane-d4	94	(70-130) %REC	09/24/10
		Surr: Toluene-d8	102	(70-130) %REC	09/24/10
		Surr: 4-Bromofluorobenzene	98	(70-130) %REC	09/24/10



Alpha Analytical, Inc.

255 Glendale Ave. • Suite 21 • Sparks, Nevada 89431-5778
(775) 355-1044 • (775) 355-0406 FAX • 1-800-283-1183

Client ID :	EB-1					
Lab ID :	CHH10092206-08A	TPH-E (Fuel Product)	ND	0.10 mg/L	09/28/10 11:53	09/29/10
Date Sampled	09/20/10 12:00	Surr: Nonane	106	(57-147) %REC	09/28/10 11:53	09/29/10
		TPH-P (GRO)	ND	0.050 mg/L	09/23/10	09/23/10
		Surr: 1,2-Dichloroethane-d4	99	(70-130) %REC	09/23/10	09/23/10
		Surr: Toluene-d8	106	(70-130) %REC	09/23/10	09/23/10
		Surr: 4-Bromofluorobenzene	102	(70-130) %REC	09/23/10	09/23/10
Client ID :	GMW-O-18					
Lab ID :	CHH10092206-09A	TPH-E (Fuel Product)	ND	0.10 mg/L	09/28/10 11:53	09/29/10
Date Sampled	09/20/10 12:37	Surr: Nonane	108	(57-147) %REC	09/28/10 11:53	09/29/10
		TPH-P (GRO)	0.29	0.10 mg/L	09/24/10	09/24/10
		Surr: 1,2-Dichloroethane-d4	94	(70-130) %REC	09/24/10	09/24/10
		Surr: Toluene-d8	102	(70-130) %REC	09/24/10	09/24/10
		Surr: 4-Bromofluorobenzene	100	(70-130) %REC	09/24/10	09/24/10

*Note: Reported TPH-E (Fuel Product) is composed primarily of diesel range hydrocarbons.

Gasoline Range Organics (GRO) C4-C13

ND = Not Detected

Roger Scholl *Randy Gardner* *Walter Hinchman*

Roger L. Scholl, Ph.D., Laboratory Director • • Randy Gardner, Laboratory Manager • • Walter Hinchman, Quality Assurance Officer
Sacramento, CA • (916) 366-9089 / Las Vegas, NV • (702) 736-7522 / Carson, CA • (714) 386-2901 / info@alpha-analytical.com

Alpha certifies that the test results meet all requirements of NELAC unless footnoted otherwise.

Alpha Analytical, Inc. currently holds appropriate and available California (#2019) and NELAC (01154CA) certifications for the data reported. Test results relate only to reported samples.

9/29/10

Report Date



Alpha Analytical, Inc.

255 Glendale Ave. • Suite 21 • Sparks, Nevada 89431-5778
(775) 355-1044 • (775) 355-0406 FAX • 1-800-283-1183

ANALYTICAL REPORT

CH2M Hill
1000 Wilshire Boulevard
Los Angeles, CA 90017
Job: KMEP DFSP Norwalk

Attn: Daniel Jablonski
Phone: (213) 228-8271
Fax: (714) 424-2135

Alpha Analytical Number: CHH10092206-01A
Client I.D. Number: TB-1

Sampled: 09/20/10 09:00
Received: 09/22/10
Extracted: 09/23/10
Analyzed: 09/23/10

Volatile Organics by GC/MS EPA Method SW8260B

Compound	Concentration	Reporting Limit	Compound	Concentration	Reporting Limit
1 Dichlorodifluoromethane	ND	1.0 µg/L	45 Chlorobenzene	ND	1.0 µg/L
2 Chloromethane	ND	2.0 µg/L	46 Ethylbenzene	ND	0.50 µg/L
3 Vinyl chloride	ND	0.50 µg/L	47 m,p-Xylene	ND	0.50 µg/L
4 Chloroethane	ND	1.0 µg/L	48 Bromoform	ND	1.0 µg/L
5 Bromomethane	ND	2.0 µg/L	49 Styrene	ND	1.0 µg/L
6 Trichlorofluoromethane	ND	10 µg/L	50 o-Xylene	ND	0.50 µg/L
7 Acetone	ND	10 µg/L	51 1,1,2,2-Tetrachloroethane	ND	1.0 µg/L
8 1,1-Dichloroethene	ND	1.0 µg/L	52 1,2,3-Trichloropropane	ND	2.0 µg/L
9 Tertiary Butyl Alcohol (TBA)	ND	10 µg/L	53 Isopropylbenzene	ND	1.0 µg/L
10 Dichloromethane	ND	5.0 µg/L	54 Bromobenzene	ND	1.0 µg/L
11 Freon-113	ND	10 µg/L	55 n-Propylbenzene	ND	1.0 µg/L
12 Carbon disulfide	ND	2.5 µg/L	56 4-Chlorotoluene	ND	1.0 µg/L
13 trans-1,2-Dichloroethene	ND	1.0 µg/L	57 2-Chlorotoluene	ND	1.0 µg/L
14 Methyl tert-butyl ether (MTBE)	ND	0.50 µg/L	58 1,3,5-Trimethylbenzene	ND	1.0 µg/L
15 1,1-Dichloroethane	ND	1.0 µg/L	59 tert-Butylbenzene	ND	1.0 µg/L
16 Vinyl acetate	ND	50 µg/L	60 1,2,4-Trimethylbenzene	ND	1.0 µg/L
17 2-Butanone (MEK)	ND	10 µg/L	61 sec-Butylbenzene	ND	1.0 µg/L
18 Di-isopropyl Ether (DIPE)	ND	1.0 µg/L	62 1,3-Dichlorobenzene	ND	1.0 µg/L
19 cis-1,2-Dichloroethene	ND	1.0 µg/L	63 1,4-Dichlorobenzene	ND	1.0 µg/L
20 Bromochloromethane	ND	1.0 µg/L	64 4-Isopropyltoluene	ND	1.0 µg/L
21 Chloroform	ND	1.0 µg/L	65 1,2-Dichlorobenzene	ND	1.0 µg/L
22 Ethyl Tertiary Butyl Ether (ETBE)	ND	1.0 µg/L	66 n-Butylbenzene	ND	1.0 µg/L
23 2,2-Dichloropropane	ND	1.0 µg/L	67 1,2-Dibromo-3-chloropropane (DBCP)	ND	5.0 µg/L
24 1,2-Dichloroethane	ND	0.50 µg/L	68 1,2,4-Trichlorobenzene	ND	2.0 µg/L
25 1,1,1-Trichloroethane	ND	1.0 µg/L	69 Naphthalene	ND	10 µg/L
26 1,1-Dichloropropene	ND	1.0 µg/L	70 1,2,3-Trichlorobenzene	ND	2.0 µg/L
27 Carbon tetrachloride	ND	1.0 µg/L	71 Surr: 1,2-Dichloroethane-d4	95	(70-130) %REC
28 Benzene	ND	0.50 µg/L	72 Surr: Toluene-d8	104	(70-130) %REC
29 Tertiary Amyl Methyl Ether (TAME)	ND	1.0 µg/L	73 Surr: 4-Bromofluorobenzene	99	(70-130) %REC
30 Dibromomethane	ND	1.0 µg/L			
31 1,2-Dichloropropane	ND	1.0 µg/L			
32 Trichloroethene	ND	1.0 µg/L			
33 Bromodichloromethane	ND	1.0 µg/L			
34 4-Methyl-2-pentanone (MIBK)	ND	10 µg/L			
35 cis-1,3-Dichloropropene	ND	0.50 µg/L			
36 trans-1,3-Dichloropropene	ND	0.50 µg/L			
37 1,1,2-Trichloroethane	ND	1.0 µg/L			
38 Toluene	ND	0.50 µg/L			
39 1,3-Dichloropropane	ND	1.0 µg/L			
40 2-Hexanone	ND	5.0 µg/L			
41 Dibromochloromethane	ND	1.0 µg/L			
42 1,2-Dibromoethane (EDB)	ND	2.0 µg/L			
43 Tetrachloroethene	ND	1.0 µg/L			
44 1,1,1,2-Tetrachloroethane	ND	1.0 µg/L			

ND = Not Detected

Roger Scholl

Randy Gardner

Walter Hinchman

Roger L. Scholl, Ph.D., Laboratory Director • Randy Gardner, Laboratory Manager • Walter Hinchman, Quality Assurance Officer
Sacramento, CA • (916) 366-9089 / Las Vegas, NV • (702) 736-7522 / Carson, CA • (714) 386-2901 / info@alpha-analytical.com

Alpha certifies that the test results meet all requirements of NELAC unless footnoted otherwise.

Alpha Analytical, Inc. currently holds appropriate and available California (#2019) and NELAC (01154CA) certifications for the data reported. Test results relate only to reported samples.

[Signature]
9/29/10

Report Date



Alpha Analytical, Inc.

255 Glendale Ave. • Suite 21 • Sparks, Nevada 89431-5778
(775) 355-1044 • (775) 355-0406 FAX • 1-800-283-1183

ANALYTICAL REPORT

CH2M Hill
1000 Wilshire Boulevard
Los Angeles, CA 90017
Job: KMEP DFSP Norwalk

Attn: Daniel Jablonski
Phone: (213) 228-8271
Fax: (714) 424-2135

Alpha Analytical Number: CHH10092206-02A
Client I.D. Number: GMW-36

Sampled: 09/20/10 09:47
Received: 09/22/10
Extracted: 09/23/10
Analyzed: 09/23/10

Volatile Organics by GC/MS EPA Method SW8260B

Compound	Concentration	Reporting Limit	Compound	Concentration	Reporting Limit
1 Dichlorodifluoromethane	ND	1.0 µg/L	45 Chlorobenzene	ND	1.0 µg/L
2 Chloromethane	ND	4.0 µg/L	46 Ethylbenzene	36	0.50 µg/L
3 Vinyl chloride	ND	1.0 µg/L	47 m,p-Xylene	120	0.50 µg/L
4 Chloroethane	ND	1.0 µg/L	48 Bromoform	ND	1.0 µg/L
5 Bromomethane	ND	4.0 µg/L	49 Styrene	ND	1.0 µg/L
6 Trichlorofluoromethane	ND	10 µg/L	50 o-Xylene	140	0.50 µg/L
7 Acetone	ND	20 µg/L	51 1,1,2,2-Tetrachloroethane	ND	1.0 µg/L
8 1,1-Dichloroethene	ND	1.0 µg/L	52 1,2,3-Trichloropropane	ND	4.0 µg/L
9 Tertiary Butyl Alcohol (TBA)	13,000	100 µg/L	53 Isopropylbenzene	2.0	1.0 µg/L
10 Dichloromethane	ND	5.0 µg/L	54 Bromobenzene	ND	1.0 µg/L
11 Freon-113	ND	10 µg/L	55 n-Propylbenzene	4.5	1.0 µg/L
12 Carbon disulfide	ND	5.0 µg/L	56 4-Chlorotoluene	ND	1.0 µg/L
13 trans-1,2-Dichloroethene	ND	1.0 µg/L	57 2-Chlorotoluene	ND	1.0 µg/L
14 Methyl tert-butyl ether (MTBE)	130	0.50 µg/L	58 1,3,5-Trimethylbenzene	120	1.0 µg/L
15 1,1-Dichloroethane	ND	1.0 µg/L	59 tert-Butylbenzene	ND	1.0 µg/L
16 Vinyl acetate	ND	100 µg/L	60 1,2,4-Trimethylbenzene	230	10 µg/L
17 2-Butanone (MEK)	ND	20 µg/L	61 sec-Butylbenzene	2.9	1.0 µg/L
18 Di-isopropyl Ether (DIPE)	ND	1.0 µg/L	62 1,3-Dichlorobenzene	ND	1.0 µg/L
19 cis-1,2-Dichloroethene	ND	1.0 µg/L	63 1,4-Dichlorobenzene	ND	1.0 µg/L
20 Bromochloromethane	ND	1.0 µg/L	64 4-Isopropyltoluene	3.4	1.0 µg/L
21 Chloroform	ND	1.0 µg/L	65 1,2-Dichlorobenzene	ND	1.0 µg/L
22 Ethyl Tertiary Butyl Ether (ETBE)	ND	1.0 µg/L	66 n-Butylbenzene	18	1.0 µg/L
23 2,2-Dichloropropane	ND	1.0 µg/L	67 1,2-Dibromo-3-chloropropane (DBCP)	ND	6.0 µg/L
24 1,2-Dichloroethane	ND	1.0 µg/L	68 1,2,4-Trichlorobenzene	ND	10 µg/L
25 1,1,1-Trichloroethane	ND	1.0 µg/L	69 Naphthalene	75	10 µg/L
26 1,1-Dichloropropene	ND	1.0 µg/L	70 1,2,3-Trichlorobenzene	ND	4.0 µg/L
27 Carbon tetrachloride	ND	1.0 µg/L	71 Surr: 1,2-Dichloroethane-d4	96	(70-130) %REC
28 Benzene	130	0.50 µg/L	72 Surr: Toluene-d8	96	(70-130) %REC
29 Tertiary Amyl Methyl Ether (TAME)	1.6	1.0 µg/L	73 Surr: 4-Bromofluorobenzene	90	(70-130) %REC
30 Dibromomethane	ND	1.0 µg/L			
31 1,2-Dichloropropane	ND	1.0 µg/L			
32 Trichloroethene	ND	1.0 µg/L			
33 Bromodichloromethane	ND	1.0 µg/L			
34 4-Methyl-2-pentanone (MIBK)	ND	10 µg/L			
35 cis-1,3-Dichloropropene	ND	1.0 µg/L			
36 trans-1,3-Dichloropropene	ND	1.0 µg/L			
37 1,1,2-Trichloroethane	ND	1.0 µg/L			
38 Toluene	18	0.50 µg/L			
39 1,3-Dichloropropane	ND	1.0 µg/L			
40 2-Hexanone	ND	10 µg/L			
41 Dibromochloromethane	ND	1.0 µg/L			
42 1,2-Dibromoethane (EDB)	ND	2.0 µg/L			
43 Tetrachloroethene	ND	1.0 µg/L			
44 1,1,1,2-Tetrachloroethane	ND	1.0 µg/L			

*This analyte was analyzed separately in order to achieve lower reporting limits for the other analytes.

Some Reporting Limits were increased due to high concentrations of target analytes.

ND = Not Detected

Roger L. Scholl, Ph.D., Laboratory Director • Randy Gardner, Laboratory Manager • Walter Hinchman, Quality Assurance Officer
Sacramento, CA • (916) 366-9089 / Las Vegas, NV • (702) 736-7522 / Carson, CA • (714) 386-2901 / info@alpha-analytical.com

9/29/10

Report Date

Alpha certifies that the test results meet all requirements of NELAC unless footnoted otherwise.

Alpha Analytical, Inc. currently holds appropriate and available California (#2019) and NELAC (01154CA) certifications for the data reported. Test results relate only to reported samples.



Alpha Analytical, Inc.

255 Glendale Ave. • Suite 21 • Sparks, Nevada 89431-5778
(775) 355-1044 • (775) 355-0406 FAX • 1-800-283-1183

ANALYTICAL REPORT

CH2M Hill
1000 Wilshire Boulevard
Los Angeles, CA 90017
Job: KMEP DFSP Norwalk

Attn: Daniel Jablonski
Phone: (213) 228-8271
Fax: (714) 424-2135

Alpha Analytical Number: CHH10092206-03A
Client I.D. Number: GMW-O-19

Sampled: 09/20/10 10:26
Received: 09/22/10
Extracted: 09/23/10
Analyzed: 09/23/10

Volatile Organics by GC/MS EPA Method SW8260B

Compound	Concentration	Reporting Limit	Compound	Concentration	Reporting Limit
1 Dichlorodifluoromethane	ND	1.0 µg/L	45 Chlorobenzene	ND	1.0 µg/L
2 Chloromethane	ND	2.0 µg/L	46 Ethylbenzene	ND	0.50 µg/L
3 Vinyl chloride	ND	0.50 µg/L	47 m,p-Xylene	ND	0.50 µg/L
4 Chloroethane	ND	1.0 µg/L	48 Bromoform	ND	1.0 µg/L
5 Bromomethane	ND	2.0 µg/L	49 Styrene	ND	1.0 µg/L
6 Trichlorofluoromethane	ND	10 µg/L	50 o-Xylene	ND	0.50 µg/L
7 Acetone	ND	10 µg/L	51 1,1,2,2-Tetrachloroethane	ND	1.0 µg/L
8 1,1-Dichloroethene	ND	1.0 µg/L	52 1,2,3-Trichloropropane	ND	2.0 µg/L
9 Tertiary Butyl Alcohol (TBA)	ND	10 µg/L	53 Isopropylbenzene	ND	1.0 µg/L
10 Dichloromethane	ND	5.0 µg/L	54 Bromobenzene	ND	1.0 µg/L
11 Freon-113	ND	10 µg/L	55 n-Propylbenzene	ND	1.0 µg/L
12 Carbon disulfide	ND	2.5 µg/L	56 4-Chlorotoluene	ND	1.0 µg/L
13 trans-1,2-Dichloroethene	ND	1.0 µg/L	57 2-Chlorotoluene	ND	1.0 µg/L
14 Methyl tert-butyl ether (MTBE)	ND	0.50 µg/L	58 1,3,5-Trimethylbenzene	ND	1.0 µg/L
15 1,1-Dichloroethane	ND	1.0 µg/L	59 tert-Butylbenzene	ND	1.0 µg/L
16 Vinyl acetate	ND	50 µg/L	60 1,2,4-Trimethylbenzene	ND	1.0 µg/L
17 2-Butanone (MEK)	ND	10 µg/L	61 sec-Butylbenzene	ND	1.0 µg/L
18 Di-isopropyl Ether (DIPE)	ND	1.0 µg/L	62 1,3-Dichlorobenzene	ND	1.0 µg/L
19 cis-1,2-Dichloroethene	ND	1.0 µg/L	63 1,4-Dichlorobenzene	ND	1.0 µg/L
20 Bromochloromethane	ND	1.0 µg/L	64 4-Isopropyltoluene	ND	1.0 µg/L
21 Chloroform	ND	1.0 µg/L	65 1,2-Dichlorobenzene	ND	1.0 µg/L
22 Ethyl Tertiary Butyl Ether (ETBE)	ND	1.0 µg/L	66 n-Butylbenzene	ND	1.0 µg/L
23 2,2-Dichloropropane	ND	1.0 µg/L	67 1,2-Dibromo-3-chloropropane (DBCP)	ND	5.0 µg/L
24 1,2-Dichloroethane	ND	0.50 µg/L	68 1,2,4-Trichlorobenzene	ND	2.0 µg/L
25 1,1,1-Trichloroethane	ND	1.0 µg/L	69 Naphthalene	ND	10 µg/L
26 1,1-Dichloropropene	ND	1.0 µg/L	70 1,2,3-Trichloroethane-d4	ND	2.0 µg/L
27 Carbon tetrachloride	ND	1.0 µg/L	71 Surr: 1,2-Dichloroethane-d4	98	(70-130) %REC
28 Benzene	ND	0.50 µg/L	72 Surr: Toluene-d8	104	(70-130) %REC
29 Tertiary Amyl Methyl Ether (TAME)	ND	1.0 µg/L	73 Surr: 4-Bromofluorobenzene	96	(70-130) %REC
30 Dibromomethane	ND	1.0 µg/L			
31 1,2-Dichloropropane	ND	1.0 µg/L			
32 Trichloroethene	ND	1.0 µg/L			
33 Bromodichloromethane	ND	1.0 µg/L			
34 4-Methyl-2-pentanone (MIBK)	ND	10 µg/L			
35 cis-1,3-Dichloropropene	ND	0.50 µg/L			
36 trans-1,3-Dichloropropene	ND	0.50 µg/L			
37 1,1,2-Trichloroethane	ND	1.0 µg/L			
38 Toluene	ND	0.50 µg/L			
39 1,3-Dichloropropane	ND	1.0 µg/L			
40 2-Hexanone	ND	5.0 µg/L			
41 Dibromochloromethane	ND	1.0 µg/L			
42 1,2-Dibromoethane (EDB)	ND	2.0 µg/L			
43 Tetrachloroethene	ND	1.0 µg/L			
44 1,1,1,2-Tetrachloroethane	ND	1.0 µg/L			

ND = Not Detected

Roger Scholl

Randy Gardner

Walter Hinchman

Roger L. Scholl, Ph.D., Laboratory Director • Randy Gardner, Laboratory Manager • Walter Hinchman, Quality Assurance Officer
Sacramento, CA • (916) 366-9089 / Las Vegas, NV • (702) 736-7522 / Carson, CA • (714) 386-2901 / info@alpha-analytical.com

Alpha certifies that the test results meet all requirements of NELAC unless footnoted otherwise.

Alpha Analytical, Inc. currently holds appropriate and available California (#2019) and NELAC (01154CA) certifications for the data reported. Test results relate only to reported samples.

VS
9/29/10

Report Date



Alpha Analytical, Inc.

255 Glendale Ave. • Suite 21 • Sparks, Nevada 89431-5778
(775) 355-1044 • (775) 355-0406 FAX • 1-800-283-1183

ANALYTICAL REPORT

CH2M Hill
1000 Wilshire Boulevard
Los Angeles, CA 90017
Job: KMEP DFSP Norwalk

Attn: Daniel Jablonski
Phone: (213) 228-8271
Fax: (714) 424-2135

Alpha Analytical Number: CHH10092206-04A
Client I.D. Number: GMW-O-16

Sampled: 09/20/10 11:01
Received: 09/22/10
Extracted: 09/23/10
Analyzed: 09/23/10

Volatile Organics by GC/MS EPA Method SW8260B

Compound	Concentration	Reporting Limit	Compound	Concentration	Reporting Limit
1 Dichlorodifluoromethane	ND	1.0 µg/L	45 Chlorobenzene	ND	1.0 µg/L
2 Chloromethane	ND	2.0 µg/L	46 Ethylbenzene	ND	0.50 µg/L
3 Vinyl chloride	ND	0.50 µg/L	47 m,p-Xylene	ND	0.50 µg/L
4 Chloroethane	ND	1.0 µg/L	48 Bromoform	ND	1.0 µg/L
5 Bromomethane	ND	2.0 µg/L	49 Styrene	ND	1.0 µg/L
6 Trichlorofluoromethane	ND	10 µg/L	50 o-Xylene	ND	0.50 µg/L
7 Acetone	ND	10 µg/L	51 1,1,2,2-Tetrachloroethane	ND	1.0 µg/L
8 1,1-Dichloroethene	ND	1.0 µg/L	52 1,2,3-Trichloropropane	ND	2.0 µg/L
9 Tertiary Butyl Alcohol (TBA)	ND	10 µg/L	53 Isopropylbenzene	ND	1.0 µg/L
10 Dichloromethane	ND	5.0 µg/L	54 Bromobenzene	ND	1.0 µg/L
11 Freon-113	ND	10 µg/L	55 n-Propylbenzene	ND	1.0 µg/L
12 Carbon disulfide	ND	2.5 µg/L	56 4-Chlorotoluene	ND	1.0 µg/L
13 trans-1,2-Dichloroethene	ND	1.0 µg/L	57 2-Chlorotoluene	ND	1.0 µg/L
14 Methyl tert-butyl ether (MTBE)	3.1	0.50 µg/L	58 1,3,5-Trimethylbenzene	ND	1.0 µg/L
15 1,1-Dichloroethane	ND	1.0 µg/L	59 tert-Butylbenzene	ND	1.0 µg/L
16 Vinyl acetate	ND	50 µg/L	60 1,2,4-Trimethylbenzene	ND	1.0 µg/L
17 2-Butanone (MEK)	ND	10 µg/L	61 sec-Butylbenzene	ND	1.0 µg/L
18 Di-isopropyl Ether (DIPE)	ND	1.0 µg/L	62 1,3-Dichlorobenzene	ND	1.0 µg/L
19 cis-1,2-Dichloroethene	ND	1.0 µg/L	63 1,4-Dichlorobenzene	ND	1.0 µg/L
20 Bromochloromethane	ND	1.0 µg/L	64 4-Isopropyltoluene	ND	1.0 µg/L
21 Chloroform	ND	1.0 µg/L	65 1,2-Dichlorobenzene	ND	1.0 µg/L
22 Ethyl Tertiary Butyl Ether (ETBE)	ND	1.0 µg/L	66 n-Butylbenzene	ND	1.0 µg/L
23 2,2-Dichloropropane	ND	1.0 µg/L	67 1,2-Dibromo-3-chloropropane (DBCP)	ND	5.0 µg/L
24 1,2-Dichloroethane	ND	0.50 µg/L	68 1,2,4-Trichlorobenzene	ND	2.0 µg/L
25 1,1,1-Trichloroethane	ND	1.0 µg/L	69 Naphthalene	ND	10 µg/L
26 1,1-Dichloropropene	ND	1.0 µg/L	70 1,2,3-Trichlorobenzene	ND	2.0 µg/L
27 Carbon tetrachloride	ND	1.0 µg/L	71 Surr: 1,2-Dichloroethane-d4	99	(70-130) %REC
28 Benzene	0.69	0.50 µg/L	72 Surr: Toluene-d8	102	(70-130) %REC
29 Tertiary Amyl Methyl Ether (TAME)	ND	1.0 µg/L	73 Surr: 4-Bromofluorobenzene	95	(70-130) %REC
30 Dibromomethane	ND	1.0 µg/L			
31 1,2-Dichloropropane	ND	1.0 µg/L			
32 Trichloroethene	ND	1.0 µg/L			
33 Bromodichloromethane	ND	1.0 µg/L			
34 4-Methyl-2-pentanone (MIBK)	ND	10 µg/L			
35 cis-1,3-Dichloropropene	ND	0.50 µg/L			
36 trans-1,3-Dichloropropene	ND	0.50 µg/L			
37 1,1,2-Trichloroethane	ND	1.0 µg/L			
38 Toluene	ND	0.50 µg/L			
39 1,3-Dichloropropane	ND	1.0 µg/L			
40 2-Hexanone	ND	5.0 µg/L			
41 Dibromochloromethane	ND	1.0 µg/L			
42 1,2-Dibromoethane (EDB)	ND	2.0 µg/L			
43 Tetrachloroethene	ND	1.0 µg/L			
44 1,1,1,2-Tetrachloroethane	ND	1.0 µg/L			

ND = Not Detected

Roger L. Scholl, Ph.D., Laboratory Director • Randy Gardner, Laboratory Manager • Walter Hinchman, Quality Assurance Officer
Sacramento, CA • (916) 366-9089 / Las Vegas, NV • (702) 736-7522 / Carson, CA • (714) 386-2901 / info@alpha-analytical.com

Alpha certifies that the test results meet all requirements of NELAC unless footnoted otherwise.

Alpha Analytical, Inc. currently holds appropriate and available California (#2019) and NELAC (01154CA) certifications for the data reported. Test results relate only to reported samples.

9/29/10

Report Date



Alpha Analytical, Inc.

255 Glendale Ave. • Suite 21 • Sparks, Nevada 89431-5778
(775) 355-1044 • (775) 355-0406 FAX • 1-800-283-1183

ANALYTICAL REPORT

CH2M Hill
1000 Wilshire Boulevard
Los Angeles, CA 90017
Job: KMEP DFSP Norwalk

Attn: Daniel Jablonski
Phone: (213) 228-8271
Fax: (714) 424-2135

Alpha Analytical Number: CHH10092206-05A
Client I.D. Number: GMW-O-15

Sampled: 09/20/10 11:22
Received: 09/22/10
Extracted: 09/23/10
Analyzed: 09/23/10

Volatile Organics by GC/MS EPA Method SW8260B

Compound	Concentration	Reporting Limit	Compound	Concentration	Reporting Limit
1 Dichlorodifluoromethane	ND	1.0 µg/L	45 Chlorobenzene	ND	1.0 µg/L
2 Chloromethane	ND	4.0 µg/L	46 Ethylbenzene	13	0.50 µg/L
3 Vinyl chloride	ND	1.0 µg/L	47 m,p-Xylene	24	0.50 µg/L
4 Chloroethane	ND	1.0 µg/L	48 Bromoform	ND	1.0 µg/L
5 Bromomethane	ND	4.0 µg/L	49 Styrene	ND	1.0 µg/L
6 Trichlorofluoromethane	ND	10 µg/L	50 o-Xylene	5.4	0.50 µg/L
7 Acetone	ND	20 µg/L	51 1,1,2,2-Tetrachloroethane	ND	1.0 µg/L
8 1,1-Dichloroethene	ND	1.0 µg/L	52 1,2,3-Trichloropropane	ND	4.0 µg/L
9 Tertiary Butyl Alcohol (TBA)	6,000	40 µg/L	53 Isopropylbenzene	ND	1.0 µg/L
10 Dichloromethane	ND	5.0 µg/L	54 Bromobenzene	ND	1.0 µg/L
11 Freon-113	ND	10 µg/L	55 n-Propylbenzene	1.3	1.0 µg/L
12 Carbon disulfide	ND	5.0 µg/L	56 4-Chlorotoluene	ND	1.0 µg/L
13 trans-1,2-Dichloroethene	ND	1.0 µg/L	57 2-Chlorotoluene	ND	1.0 µg/L
14 Methyl tert-butyl ether (MTBE)	230	0.50 µg/L	58 1,3,5-Trimethylbenzene	5.0	1.0 µg/L
15 1,1-Dichloroethane	ND	1.0 µg/L	59 tert-Butylbenzene	ND	1.0 µg/L
16 Vinyl acetate	ND	100 µg/L	60 1,2,4-Trimethylbenzene	11	1.0 µg/L
17 2-Butanone (MEK)	ND	20 µg/L	61 sec-Butylbenzene	ND	1.0 µg/L
18 Di-isopropyl Ether (DIPE)	ND	1.0 µg/L	62 1,3-Dichlorobenzene	ND	1.0 µg/L
19 cis-1,2-Dichloroethene	ND	1.0 µg/L	63 1,4-Dichlorobenzene	ND	1.0 µg/L
20 Bromochloromethane	ND	1.0 µg/L	64 4-Isopropyltoluene	ND	1.0 µg/L
21 Chloroform	ND	1.0 µg/L	65 1,2-Dichlorobenzene	ND	1.0 µg/L
22 Ethyl Tertiary Butyl Ether (ETBE)	ND	1.0 µg/L	66 n-Butylbenzene	ND	1.0 µg/L
23 2,2-Dichloropropane	ND	1.0 µg/L	67 1,2-Dibromo-3-chloropropane (DBCP)	ND	6.0 µg/L
24 1,2-Dichloroethane	ND	1.0 µg/L	68 1,2,4-Trichlorobenzene	ND	4.0 µg/L
25 1,1,1-Trichloroethane	ND	1.0 µg/L	69 Naphthalene	ND	10 µg/L
26 1,1-Dichloropropene	ND	1.0 µg/L	70 1,2,3-Trichlorobenzene	ND	4.0 µg/L
27 Carbon tetrachloride	ND	1.0 µg/L	71 Surr: 1,2-Dichloroethane-d4	98	(70-130) %REC
28 Benzene	120	0.50 µg/L	72 Surr: Toluene-d8	99	(70-130) %REC
29 Tertiary Amyl Methyl Ether (TAME)	1.4	1.0 µg/L	73 Surr: 4-Bromofluorobenzene	94	(70-130) %REC
30 Dibromomethane	ND	1.0 µg/L			
31 1,2-Dichloropropane	ND	1.0 µg/L			
32 Trichloroethene	ND	1.0 µg/L			
33 Bromodichloromethane	ND	1.0 µg/L			
34 4-Methyl-2-pentanone (MIBK)	ND	10 µg/L			
35 cis-1,3-Dichloropropene	ND	1.0 µg/L			
36 trans-1,3-Dichloropropene	ND	1.0 µg/L			
37 1,1,2-Trichloroethane	ND	1.0 µg/L			
38 Toluene	3.3	0.50 µg/L			
39 1,3-Dichloropropane	ND	1.0 µg/L			
40 2-Hexanone	ND	10 µg/L			
41 Dibromochloromethane	ND	1.0 µg/L			
42 1,2-Dibromoethane (EDB)	ND	2.0 µg/L			
43 Tetrachloroethene	ND	1.0 µg/L			
44 1,1,1,2-Tetrachloroethane	ND	1.0 µg/L			

*This analyte was analyzed separately in order to achieve lower reporting limits for the other analytes.

Some Reporting Limits were increased due to high concentrations of target analytes.

ND = Not Detected

Roger L. Scholl, Ph.D., Laboratory Director • Randy Gardner, Laboratory Manager • Walter Hinchman, Quality Assurance Officer
Sacramento, CA • (916) 366-9089 / Las Vegas, NV • (702) 736-7522 / Carson, CA • (714) 386-2901 / info@alpha-analytical.com

Alpha certifies that the test results meet all requirements of NELAC unless footnoted otherwise.

Alpha Analytical, Inc. currently holds appropriate and available California (#2019) and NELAC (01154CA) certifications for the data reported. Test results relate only to reported samples.

9/29/10

Report Date



Alpha Analytical, Inc.

255 Glendale Ave. • Suite 21 • Sparks, Nevada 89431-5778
(775) 355-1044 • (775) 355-0406 FAX • 1-800-283-1183

ANALYTICAL REPORT

CH2M Hill
1000 Wilshire Boulevard
Los Angeles, CA 90017
Job: KMEP DFSP Norwalk

Attn: Daniel Jablonski
Phone: (213) 228-8271
Fax: (714) 424-2135

Alpha Analytical Number: CHH10092206-06A
Client I.D. Number: PZ-5

Sampled: 09/20/10 12:19
Received: 09/22/10
Extracted: 09/24/10
Analyzed: 09/24/10

Volatile Organics by GC/MS EPA Method SW8260B

Compound	Concentration	Reporting Limit	Compound	Concentration	Reporting Limit
1 Dichlorodifluoromethane	ND	4.0 µg/L	45 Chlorobenzene	ND	4.0 µg/L
2 Chloromethane	ND	16 µg/L	46 Ethylbenzene	110	2.0 µg/L
3 Vinyl chloride	ND	4.0 µg/L	47 m,p-Xylene	12	2.0 µg/L
4 Chloroethane	ND	4.0 µg/L	48 Bromoform	ND	4.0 µg/L
5 Bromomethane	ND	16 µg/L	49 Styrene	ND	4.0 µg/L
6 Trichlorofluoromethane	ND	10 µg/L	50 o-Xylene	4.8	2.0 µg/L
7 Acetone	ND	80 µg/L	51 1,1,2,2-Tetrachloroethane	ND	4.0 µg/L
8 1,1-Dichloroethene	ND	4.0 µg/L	52 1,2,3-Trichloropropane	ND	16 µg/L
9 Tertiary Butyl Alcohol (TBA)	43,000	400 µg/L	53 Isopropylbenzene	11	4.0 µg/L
10 Dichloromethane	ND	16 µg/L	54 Bromobenzene	ND	4.0 µg/L
11 Freon-113	ND	10 µg/L	55 n-Propylbenzene	15	4.0 µg/L
12 Carbon disulfide	ND	20 µg/L	56 4-Chlorotoluene	ND	4.0 µg/L
13 trans-1,2-Dichloroethene	ND	4.0 µg/L	57 2-Chlorotoluene	ND	4.0 µg/L
14 Methyl tert-butyl ether (MTBE)	370	2.0 µg/L	58 1,3,5-Trimethylbenzene	17	4.0 µg/L
15 1,1-Dichloroethane	ND	4.0 µg/L	59 tert-Butylbenzene	ND	4.0 µg/L
16 Vinyl acetate	ND	400 µg/L	60 1,2,4-Trimethylbenzene	22	4.0 µg/L
17 2-Butanone (MEK)	ND	80 µg/L	61 sec-Butylbenzene	ND	4.0 µg/L
18 Di-isopropyl Ether (DIPE)	ND	4.0 µg/L	62 1,3-Dichlorobenzene	ND	4.0 µg/L
19 cis-1,2-Dichloroethene	ND	4.0 µg/L	63 1,4-Dichlorobenzene	ND	4.0 µg/L
20 Bromochloromethane	ND	4.0 µg/L	64 4-Isopropyltoluene	ND	4.0 µg/L
21 Chloroform	ND	4.0 µg/L	65 1,2-Dichlorobenzene	ND	4.0 µg/L
22 Ethyl Tertiary Butyl Ether (ETBE)	ND	4.0 µg/L	66 n-Butylbenzene	ND	4.0 µg/L
23 2,2-Dichloropropane	ND	4.0 µg/L	67 1,2-Dibromo-3-chloropropane (DBCP)	ND	24 µg/L
24 1,2-Dichloroethane	ND	4.0 µg/L	68 1,2,4-Trichlorobenzene	ND	16 µg/L
25 1,1,1-Trichloroethane	ND	4.0 µg/L	69 Naphthalene	18	16 µg/L
26 1,1-Dichloropropene	ND	4.0 µg/L	70 1,2,3-Trichlorobenzene	ND	16 µg/L
27 Carbon tetrachloride	ND	4.0 µg/L	71 Surr: 1,2-Dichloroethane-d4	93	(70-130) %REC
28 Benzene	4,200	20 µg/L	72 Surr: Toluene-d8	96	(70-130) %REC
29 Tertiary Amyl Methyl Ether (TAME)	ND	4.0 µg/L	73 Surr: 4-Bromofluorobenzene	98	(70-130) %REC
30 Dibromomethane	ND	4.0 µg/L			
31 1,2-Dichloropropane	ND	4.0 µg/L			
32 Trichloroethene	ND	4.0 µg/L			
33 Bromodichloromethane	ND	4.0 µg/L			
34 4-Methyl-2-pentanone (MIBK)	ND	20 µg/L			
35 cis-1,3-Dichloropropene	ND	4.0 µg/L			
36 trans-1,3-Dichloropropene	ND	4.0 µg/L			
37 1,1,2-Trichloroethane	ND	4.0 µg/L			
38 Toluene	2.8	2.0 µg/L			
39 1,3-Dichloropropane	ND	4.0 µg/L			
40 2-Hexanone	ND	40 µg/L			
41 Dibromochloromethane	ND	4.0 µg/L			
42 1,2-Dibromoethane (EDB)	ND	8.0 µg/L			
43 Tetrachloroethene	ND	4.0 µg/L			
44 1,1,1,2-Tetrachloroethane	ND	4.0 µg/L			

*This analyte was analyzed separately on 9/23/10 in order to achieve lower reporting limits for the other analytes.

Reporting Limits were increased due to high concentrations of target analytes.

ND = Not Detected

Roger L. Scholl, Ph.D., Laboratory Director • Randy Gardner, Laboratory Manager • Walter Hinchman, Quality Assurance Officer
Sacramento, CA • (916) 366-9089 / Las Vegas, NV • (702) 736-7522 / Carson, CA • (714) 386-2901 / info@alpha-analytical.com

Alpha certifies that the test results meet all requirements of NELAC unless footnoted otherwise.

Alpha Analytical, Inc. currently holds appropriate and available California (#2019) and NELAC (01154CA) certifications for the data reported. Test results relate only to reported samples.

9/29/10

Report Date



Alpha Analytical, Inc.

255 Glendale Ave. • Suite 21 • Sparks, Nevada 89431-5778
(775) 355-1044 • (775) 355-0406 FAX • 1-800-283-1183

ANALYTICAL REPORT

CH2M Hill
1000 Wilshire Boulevard
Los Angeles, CA 90017
Job: KMEP DFSP Norwalk

Attn: Daniel Jablonski
Phone: (213) 228-8271
Fax: (714) 424-2135

Alpha Analytical Number: CHH10092206-07A
Client I.D. Number: DUP-1

Sampled: 09/20/10 00:00
Received: 09/22/10
Extracted: 09/24/10
Analyzed: 09/24/10

Volatile Organics by GC/MS EPA Method SW8260B

Compound	Concentration	Reporting Limit	Compound	Concentration	Reporting Limit
1 Dichlorodifluoromethane	ND	4.0 µg/L	45 Chlorobenzene	ND	4.0 µg/L
2 Chloromethane	ND	16 µg/L	46 Ethylbenzene	110	2.0 µg/L
3 Vinyl chloride	ND	4.0 µg/L	47 m,p-Xylene	12	2.0 µg/L
4 Chloroethane	ND	4.0 µg/L	48 Bromoform	ND	4.0 µg/L
5 Bromomethane	ND	16 µg/L	49 Styrene	ND	4.0 µg/L
6 Trichlorofluoromethane	ND	10 µg/L	50 o-Xylene	4.6	2.0 µg/L
7 Acetone	ND	80 µg/L	51 1,1,2,2-Tetrachloroethane	ND	4.0 µg/L
8 1,1-Dichloroethene	ND	4.0 µg/L	52 1,2,3-Trichloropropane	ND	16 µg/L
9 Tertiary Butyl Alcohol (TBA)	44,000	400 µg/L	53 Isopropylbenzene	11	4.0 µg/L
10 Dichloromethane	ND	16 µg/L	54 Bromobenzene	ND	4.0 µg/L
11 Freon-113	ND	10 µg/L	55 n-Propylbenzene	14	4.0 µg/L
12 Carbon disulfide	ND	20 µg/L	56 4-Chlorotoluene	ND	4.0 µg/L
13 trans-1,2-Dichloroethene	ND	4.0 µg/L	57 2-Chlorotoluene	ND	4.0 µg/L
14 Methyl tert-butyl ether (MTBE)	370	2.0 µg/L	58 1,3,5-Trimethylbenzene	17	4.0 µg/L
15 1,1-Dichloroethane	ND	4.0 µg/L	59 tert-Butylbenzene	ND	4.0 µg/L
16 Vinyl acetate	ND	400 µg/L	60 1,2,4-Trimethylbenzene	21	4.0 µg/L
17 2-Butanone (MEK)	ND	80 µg/L	61 sec-Butylbenzene	ND	4.0 µg/L
18 Di-isopropyl Ether (DIPE)	ND	4.0 µg/L	62 1,3-Dichlorobenzene	ND	4.0 µg/L
19 cis-1,2-Dichloroethene	ND	4.0 µg/L	63 1,4-Dichlorobenzene	ND	4.0 µg/L
20 Bromochloromethane	ND	4.0 µg/L	64 4-Isopropyltoluene	ND	4.0 µg/L
21 Chloroform	ND	4.0 µg/L	65 1,2-Dichlorobenzene	ND	4.0 µg/L
22 Ethyl Tertiary Butyl Ether (ETBE)	ND	4.0 µg/L	66 n-Butylbenzene	ND	4.0 µg/L
23 2,2-Dichloropropane	ND	4.0 µg/L	67 1,2-Dibromo-3-chloropropane (DBCP)	ND	24 µg/L
24 1,2-Dichloroethane	ND	4.0 µg/L	68 1,2,4-Trichlorobenzene	ND	16 µg/L
25 1,1,1-Trichloroethane	ND	4.0 µg/L	69 Naphthalene	17	16 µg/L
26 1,1-Dichloropropene	ND	4.0 µg/L	70 1,2,3-Trichlorobenzene	ND	16 µg/L
27 Carbon tetrachloride	ND	4.0 µg/L	71 Surr: 1,2-Dichloroethane-d4	98	(70-130) %REC
28 Benzene	4,100	20 µg/L	72 Surr: Toluene-d8	99	(70-130) %REC
29 Tertiary Amyl Methyl Ether (TAME)	ND	4.0 µg/L	73 Surr: 4-Bromofluorobenzene	99	(70-130) %REC
30 Dibromomethane	ND	4.0 µg/L			
31 1,2-Dichloropropane	ND	4.0 µg/L			
32 Trichloroethene	ND	4.0 µg/L			
33 Bromodichloromethane	ND	4.0 µg/L			
34 4-Methyl-2-pentanone (MIBK)	ND	20 µg/L			
35 cis-1,3-Dichloropropene	ND	4.0 µg/L			
36 trans-1,3-Dichloropropene	ND	4.0 µg/L			
37 1,1,2-Trichloroethane	ND	4.0 µg/L			
38 Toluene	2.8	2.0 µg/L			
39 1,3-Dichloropropane	ND	4.0 µg/L			
40 2-Hexanone	ND	40 µg/L			
41 Dibromochloromethane	ND	4.0 µg/L			
42 1,2-Dibromoethane (EDB)	ND	8.0 µg/L			
43 Tetrachloroethene	ND	4.0 µg/L			
44 1,1,1,2-Tetrachloroethane	ND	4.0 µg/L			

*This analyte was analyzed separately on 9/23/10 in order to achieve lower reporting limits for the other analytes.

Reporting Limits were increased due to high concentrations of target analytes.

ND = Not Detected

Roger L. Scholl, Ph.D., Laboratory Director • Randy Gardner, Laboratory Manager • Walter Hinchman, Quality Assurance Officer
Sacramento, CA • (916) 366-9089 / Las Vegas, NV • (702) 736-7522 / Carson, CA • (714) 386-2901 / info@alpha-analytical.com

Alpha certifies that the test results meet all requirements of NELAC unless footnoted otherwise.

Alpha Analytical, Inc. currently holds appropriate and available California (#2019) and NELAC (01154CA) certifications for the data reported. Test results relate only to reported samples.

9/29/10

Report Date



Alpha Analytical, Inc.

255 Glendale Ave. • Suite 21 • Sparks, Nevada 89431-5778
(775) 355-1044 • (775) 355-0406 FAX • 1-800-283-1183

ANALYTICAL REPORT

CH2M Hill
1000 Wilshire Boulevard
Los Angeles, CA 90017
Job: KMEP DFSP Norwalk

Attn: Daniel Jablonski
Phone: (213) 228-8271
Fax: (714) 424-2135

Alpha Analytical Number: CHH10092206-08A
Client I.D. Number: EB-1

Sampled: 09/20/10 12:00
Received: 09/22/10
Extracted: 09/23/10
Analyzed: 09/23/10

Volatile Organics by GC/MS EPA Method SW8260B

Compound	Concentration	Reporting Limit	Compound	Concentration	Reporting Limit
1 Dichlorodifluoromethane	ND	1.0 µg/L	45 Chlorobenzene	ND	1.0 µg/L
2 Chloromethane	ND	2.0 µg/L	46 Ethylbenzene	ND	0.50 µg/L
3 Vinyl chloride	ND	0.50 µg/L	47 m,p-Xylene	ND	0.50 µg/L
4 Chloroethane	ND	1.0 µg/L	48 Bromoform	ND	1.0 µg/L
5 Bromomethane	ND	2.0 µg/L	49 Styrene	ND	1.0 µg/L
6 Trichlorofluoromethane	ND	10 µg/L	50 o-Xylene	ND	0.50 µg/L
7 Acetone	ND	10 µg/L	51 1,1,2,2-Tetrachloroethane	ND	1.0 µg/L
8 1,1-Dichloroethene	ND	1.0 µg/L	52 1,2,3-Trichloropropane	ND	2.0 µg/L
9 Tertiary Butyl Alcohol (TBA)	44	10 µg/L	53 Isopropylbenzene	ND	1.0 µg/L
10 Dichloromethane	ND	5.0 µg/L	54 Bromobenzene	ND	1.0 µg/L
11 Freon-113	ND	10 µg/L	55 n-Propylbenzene	ND	1.0 µg/L
12 Carbon disulfide	ND	2.5 µg/L	56 4-Chlorotoluene	ND	1.0 µg/L
13 trans-1,2-Dichloroethene	ND	1.0 µg/L	57 2-Chlorotoluene	ND	1.0 µg/L
14 Methyl tert-butyl ether (MTBE)	ND	0.50 µg/L	58 1,3,5-Trimethylbenzene	ND	1.0 µg/L
15 1,1-Dichloroethane	ND	1.0 µg/L	59 tert-Butylbenzene	ND	1.0 µg/L
16 Vinyl acetate	ND	50 µg/L	60 1,2,4-Trimethylbenzene	ND	1.0 µg/L
17 2-Butanone (MEK)	ND	10 µg/L	61 sec-Butylbenzene	ND	1.0 µg/L
18 Di-isopropyl Ether (DIPE)	ND	1.0 µg/L	62 1,3-Dichlorobenzene	ND	1.0 µg/L
19 cis-1,2-Dichloroethene	ND	1.0 µg/L	63 1,4-Dichlorobenzene	ND	1.0 µg/L
20 Bromochloromethane	ND	1.0 µg/L	64 4-Isopropyltoluene	ND	1.0 µg/L
21 Chloroform	ND	1.0 µg/L	65 1,2-Dichlorobenzene	ND	1.0 µg/L
22 Ethyl Tertiary Butyl Ether (ETBE)	ND	1.0 µg/L	66 n-Butylbenzene	ND	1.0 µg/L
23 2,2-Dichloropropane	ND	1.0 µg/L	67 1,2-Dibromo-3-chloropropane (DBCP)	ND	5.0 µg/L
24 1,2-Dichloroethane	ND	0.50 µg/L	68 1,2,4-Trichlorobenzene	ND	2.0 µg/L
25 1,1,1-Trichloroethane	ND	1.0 µg/L	69 Naphthalene	ND	10 µg/L
26 1,1-Dichloropropene	ND	1.0 µg/L	70 1,2,3-Trichlorobenzene	ND	2.0 µg/L
27 Carbon tetrachloride	ND	1.0 µg/L	71 Surr: 1,2-Dichloroethane-d4	99	(70-130) %REC
28 Benzene	ND	0.50 µg/L	72 Surr: Toluene-d8	106	(70-130) %REC
29 Tertiary Amyl Methyl Ether (TAME)	ND	1.0 µg/L	73 Surr: 4-Bromofluorobenzene	102	(70-130) %REC
30 Dibromomethane	ND	1.0 µg/L			
31 1,2-Dichloropropane	ND	1.0 µg/L			
32 Trichloroethene	ND	1.0 µg/L			
33 Bromodichloromethane	ND	1.0 µg/L			
34 4-Methyl-2-pentanone (MIBK)	ND	10 µg/L			
35 cis-1,3-Dichloropropene	ND	0.50 µg/L			
36 trans-1,3-Dichloropropene	ND	0.50 µg/L			
37 1,1,2-Trichloroethane	ND	1.0 µg/L			
38 Toluene	ND	0.50 µg/L			
39 1,3-Dichloropropane	ND	1.0 µg/L			
40 2-Hexanone	ND	5.0 µg/L			
41 Dibromochloromethane	ND	1.0 µg/L			
42 1,2-Dibromoethane (EDB)	ND	2.0 µg/L			
43 Tetrachloroethene	ND	1.0 µg/L			
44 1,1,1,2-Tetrachloroethane	ND	1.0 µg/L			

ND = Not Detected

Roger L. Scholl, Ph.D., Laboratory Director • Randy Gardner, Laboratory Manager • Walter Hinchman, Quality Assurance Officer
Sacramento, CA • (916) 366-9089 / Las Vegas, NV • (702) 736-7522 / Carson, CA • (714) 386-2901 / info@alpha-analytical.com

Alpha certifies that the test results meet all requirements of NELAC unless footnoted otherwise.

Alpha Analytical, Inc. currently holds appropriate and available California (#2019) and NELAC (01154CA) certifications for the data reported. Test results relate only to reported samples.

9/29/10

Report Date



Alpha Analytical, Inc.

255 Glendale Ave. • Suite 21 • Sparks, Nevada 89431-5778
(775) 355-1044 • (775) 355-0406 FAX • 1-800-283-1183

ANALYTICAL REPORT

CH2M Hill
1000 Wilshire Boulevard
Los Angeles, CA 90017
Job: KMEP DFSP Norwalk

Attn: Daniel Jablonski
Phone: (213) 228-8271
Fax: (714) 424-2135

Alpha Analytical Number: CHH10092206-09A
Client I.D. Number: GMW-O-18

Sampled: 09/20/10 12:37
Received: 09/22/10
Extracted: 09/24/10
Analyzed: 09/24/10

Volatile Organics by GC/MS EPA Method SW8260B

Compound	Concentration	Reporting Limit	Compound	Concentration	Reporting Limit
1 Dichlorodifluoromethane	ND	1.0 µg/L	45 Chlorobenzene	ND	1.0 µg/L
2 Chloromethane	ND	4.0 µg/L	46 Ethylbenzene	ND	0.50 µg/L
3 Vinyl chloride	ND	1.0 µg/L	47 m,p-Xylene	0.55	0.50 µg/L
4 Chloroethane	ND	1.0 µg/L	48 Bromoform	ND	1.0 µg/L
5 Bromomethane	ND	4.0 µg/L	49 Styrene	ND	1.0 µg/L
6 Trichlorofluoromethane	ND	10 µg/L	50 o-Xylene	ND	0.50 µg/L
7 Acetone	ND	20 µg/L	51 1,1,2,2-Tetrachloroethane	ND	1.0 µg/L
8 1,1-Dichloroethene	ND	1.0 µg/L	52 1,2,3-Trichloropropane	ND	4.0 µg/L
9 Tertiary Butyl Alcohol (TBA)	23,000	200 µg/L	53 Isopropylbenzene	ND	1.0 µg/L
10 Dichloromethane	ND	5.0 µg/L	54 Bromobenzene	ND	1.0 µg/L
11 Freon-113	ND	10 µg/L	55 n-Propylbenzene	ND	1.0 µg/L
12 Carbon disulfide	ND	5.0 µg/L	56 4-Chlorotoluene	ND	1.0 µg/L
13 trans-1,2-Dichloroethene	ND	1.0 µg/L	57 2-Chlorotoluene	ND	1.0 µg/L
14 Methyl tert-butyl ether (MTBE)	1.2	0.50 µg/L	58 1,3,5-Trimethylbenzene	ND	1.0 µg/L
15 1,1-Dichloroethane	ND	1.0 µg/L	59 tert-Butylbenzene	ND	1.0 µg/L
16 Vinyl acetate	ND	100 µg/L	60 1,2,4-Trimethylbenzene	ND	1.0 µg/L
17 2-Butanone (MEK)	ND	20 µg/L	61 sec-Butylbenzene	ND	1.0 µg/L
18 Di-isopropyl Ether (DIPE)	ND	1.0 µg/L	62 1,3-Dichlorobenzene	ND	1.0 µg/L
19 cis-1,2-Dichloroethene	ND	1.0 µg/L	63 1,4-Dichlorobenzene	ND	1.0 µg/L
20 Bromochloromethane	ND	1.0 µg/L	64 4-Isopropyltoluene	ND	1.0 µg/L
21 Chloroform	ND	1.0 µg/L	65 1,2-Dichlorobenzene	ND	1.0 µg/L
22 Ethyl Tertiary Butyl Ether (ETBE)	ND	1.0 µg/L	66 n-Butylbenzene	ND	1.0 µg/L
23 2,2-Dichloropropane	ND	1.0 µg/L	67 1,2-Dibromo-3-chloropropane (DBCP)	ND	6.0 µg/L
24 1,2-Dichloroethane	ND	1.0 µg/L	68 1,2,4-Trichlorobenzene	ND	4.0 µg/L
25 1,1,1-Trichloroethane	ND	1.0 µg/L	69 Naphthalene	ND	10 µg/L
26 1,1-Dichloropropene	ND	1.0 µg/L	70 1,2,3-Trichlorobenzene	ND	4.0 µg/L
27 Carbon tetrachloride	ND	1.0 µg/L	71 Surr: 1,2-Dichloroethane-d4	94	(70-130) %REC
28 Benzene	1.1	0.50 µg/L	72 Surr: Toluene-d8	102	(70-130) %REC
29 Tertiary Amyl Methyl Ether (TAME)	ND	1.0 µg/L	73 Surr: 4-Bromofluorobenzene	100	(70-130) %REC
30 Dibromomethane	ND	1.0 µg/L			
31 1,2-Dichloropropane	ND	1.0 µg/L			
32 Trichloroethene	ND	1.0 µg/L			
33 Bromodichloromethane	ND	1.0 µg/L			
34 4-Methyl-2-pentanone (MIBK)	ND	10 µg/L			
35 cis-1,3-Dichloropropene	ND	1.0 µg/L			
36 trans-1,3-Dichloropropene	ND	1.0 µg/L			
37 1,1,2-Trichloroethane	ND	1.0 µg/L			
38 Toluene	ND	0.50 µg/L			
39 1,3-Dichloropropane	ND	1.0 µg/L			
40 2-Hexanone	ND	10 µg/L			
41 Dibromochloromethane	ND	1.0 µg/L			
42 1,2-Dibromoethane (EDB)	ND	2.0 µg/L			
43 Tetrachloroethene	ND	1.0 µg/L			
44 1,1,1,2-Tetrachloroethane	ND	1.0 µg/L			

*This analyte was analyzed separately on 9/23/10 in order to achieve lower reporting limits for the other analytes.

Some Reporting Limits were increased due to high concentrations of target analytes.

ND = Not Detected

Roger Scholl *Randy Gardner* *Walter Hinchman*

Roger L. Scholl, Ph.D., Laboratory Director • Randy Gardner, Laboratory Manager • Walter Hinchman, Quality Assurance Officer
Sacramento, CA • (916) 366-9089 / Las Vegas, NV • (702) 736-7522 / Carson, CA • (714) 386-2901 / info@alpha-analytical.com

Alpha certifies that the test results meet all requirements of NELAC unless footnoted otherwise.

Alpha Analytical, Inc. currently holds appropriate and available California (#2019) and NELAC (01154CA) certifications for the data reported. Test results relate only to reported samples.

9/29/10

Report Date



Alpha Analytical, Inc.

255 Glendale Ave. • Suite 21 • Sparks, Nevada 89431-5778

(775) 355-1044 • (775) 355-0406 FAX • 1-800-283-1183

VOC Sample Preservation Report

Work Order: CHH10092206

Job: KMEP DFSP Norwalk

Alpha's Sample ID	Client's Sample ID	Matrix	pH
10092206-01A	TB-1	Aqueous	2
10092206-02A	GMW-36	Aqueous	2
10092206-03A	GMW-O-19	Aqueous	2
10092206-04A	GMW-O-16	Aqueous	2
10092206-05A	GMW-O-15	Aqueous	2
10092206-06A	PZ-5	Aqueous	5
10092206-07A	DUP-1	Aqueous	5
10092206-08A	EB-1	Aqueous	2
10092206-09A	GMW-O-18	Aqueous	5

9/29/10
Report Date

Page 1 of 1



Alpha Analytical, Inc.

255 Glendale Ave. • Suite 21 • Sparks, Nevada 89431-5778

(775) 355-1044 • (775) 355-0406 FAX • 1-800-283-1183

Date:
29-Sep-10

QC Summary Report

Work Order:
10092206

Method Blank

File ID: 2A09281006.D

Sample ID: MBLK-25137

Analyte	Result	PQL	SpkVal	SpkRefVal	%REC	LCL(ME)	UCL(ME)	RPDRefVal	%RPD(Limit)	Qual
TPH-E (Fuel Product)	ND	0.1								
Surr: Nonane	0.145		0.15		97	57	147			

Laboratory Control Spike

File ID: 2A09281007.D

Sample ID: LCS-25137

Analyte	Result	PQL	SpkVal	SpkRefVal	%REC	LCL(ME)	UCL(ME)	RPDRefVal	%RPD(Limit)	Qual
TPH-E (DRO)	2.6	0.05	2.5		104	67	130			
Surr: Nonane	0.157		0.15		105	57	147			

Sample Matrix Spike

File ID: 2A09281009.D

Sample ID: 10092804-01AMS

Analyte	Result	PQL	SpkVal	SpkRefVal	%REC	LCL(ME)	UCL(ME)	RPDRefVal	%RPD(Limit)	Qual
TPH-E (DRO)	2.61	0.05	2.5	0	104	49	150			
Surr: Nonane	0.139		0.15		93	57	147			

Sample Matrix Spike Duplicate

File ID: 2A09281010.D

Sample ID: 10092804-01AMSD

Analyte	Result	PQL	SpkVal	SpkRefVal	%REC	LCL(ME)	UCL(ME)	RPDRefVal	%RPD(Limit)	Qual
TPH-E (DRO)	2.54	0.05	2.5	0	101	49	150	2.612	3.0(38)	
Surr: Nonane	0.075		0.15		50	57	147			S54

Comments:

Calculations are based off of raw (non-rounded) data. However, for reporting purposes, all QC data is rounded to three significant figures. Therefore, hand calculated values may differ slightly.

S54 = Surrogate recovery was below laboratory acceptance limits.



Alpha Analytical, Inc.

255 Glendale Ave. • Suite 21 • Sparks, Nevada 89431-5778
(775) 355-1044 • (775) 355-0406 FAX • 1-800-283-1183

Date:
29-Sep-10

QC Summary Report

Work Order:
10092206

Method Blank

File ID: 10092326.D

Sample ID: MBLK MS15W0923B

Analyte	Result	PQL	SpkVal	SpkRefVal	%REC	LCL(ME)	UCL(ME)	RPDRefVal	%RPD(Limit)	Qual
TPH-P (GRO)	ND	0.05								
Surr: 1,2-Dichloroethane-d4	0.00974		0.01		97	70	130			
Surr: Toluene-d8	0.0104		0.01		104	70	130			
Surr: 4-Bromofluorobenzene	0.0101		0.01		101	70	130			

Laboratory Control Spike

File ID: 10092321.D

Sample ID: GLCS MS15W0923B

Analyte	Result	PQL	SpkVal	SpkRefVal	%REC	LCL(ME)	UCL(ME)	RPDRefVal	%RPD(Limit)	Qual
TPH-P (GRO)	0.379	0.05	0.4		95	70	130			
Surr: 1,2-Dichloroethane-d4	0.00973		0.01		97	70	130			
Surr: Toluene-d8	0.00985		0.01		99	70	130			
Surr: 4-Bromofluorobenzene	0.00977		0.01		98	70	130			

Sample Matrix Spike

File ID: 10092329.D

Sample ID: 10092206-04AGS

Analyte	Result	PQL	SpkVal	SpkRefVal	%REC	LCL(ME)	UCL(ME)	RPDRefVal	%RPD(Limit)	Qual
TPH-P (GRO)	1.95	0.25	2	0	98	58	135			
Surr: 1,2-Dichloroethane-d4	0.0494		0.05		99	70	130			
Surr: Toluene-d8	0.0494		0.05		99	70	130			
Surr: 4-Bromofluorobenzene	0.0494		0.05		99	70	130			

Sample Matrix Spike Duplicate

File ID: 10092330.D

Sample ID: 10092206-04AGSD

Analyte	Result	PQL	SpkVal	SpkRefVal	%REC	LCL(ME)	UCL(ME)	RPDRefVal	%RPD(Limit)	Qual
TPH-P (GRO)	1.84	0.25	2	0	92	58	135	1.951	5.7(20)	
Surr: 1,2-Dichloroethane-d4	0.0488		0.05		98	70	130			
Surr: Toluene-d8	0.0492		0.05		98	70	130			
Surr: 4-Bromofluorobenzene	0.0496		0.05		99	70	130			

Comments:

Calculations are based off of raw (non-rounded) data. However, for reporting purposes, all QC data is rounded to three significant figures. Therefore, hand calculated values may differ slightly.



Alpha Analytical, Inc.

255 Glendale Ave. • Suite 21 • Sparks, Nevada 89431-5778
(775) 355-1044 • (775) 355-0406 FAX • 1-800-283-1183

Date:
29-Sep-10

QC Summary Report

Work Order:
10092206

n-Butylbenzene	ND	1				
1,2-Dibromo-3-chloropropane (DBCP)	ND	5				
1,2,4-Trichlorobenzene	ND	2				
Naphthalene	ND	10				
1,2,3-Trichlorobenzene	ND	2				
Surr: 1,2-Dichloroethane-d4	9.74		10	97	70	130
Surr: Toluene-d8	10.4		10	104	70	130
Surr: 4-Bromofluorobenzene	10.1		10	101	70	130

Laboratory Control Spike

Type **LCS** Test Code: **EPA Method SW8260B**

File ID: **10092319.D**

Batch ID: **MS15W0923A**

Analysis Date: **09/23/2010 14:36**

Sample ID: **LCS MS15W0923A**

Units: **µg/L**

Run ID: **MSD_15_100923A**

Prep Date: **09/23/2010 14:36**

Analyte	Result	PQL	SpkVal	SpkRefVal	%REC	LCL(ME)	UCL(ME)	RPDRefVal	%RPD(Limit)	Qual
1,1-Dichloroethene	10.3	1	10		103	80	120			
Methyl tert-butyl ether (MTBE)	10.8	0.5	10		108	62	136			
Benzene	10.4	0.5	10		104	70	130			
Trichloroethene	11.1	1	10		111	70	130			
Toluene	9.98	0.5	10		99.8	80	120			
Chlorobenzene	9.94	1	10		99	70	130			
Ethylbenzene	10.1	0.5	10		101	80	120			
m,p-Xylene	11.1	0.5	10		111	70	130			
o-Xylene	11.2	0.5	10		112	70	130			
Surr: 1,2-Dichloroethane-d4	9.76		10		98	70	130			
Surr: Toluene-d8	9.69		10		97	70	130			
Surr: 4-Bromofluorobenzene	9.92		10		99	70	130			

Sample Matrix Spike

Type **MS** Test Code: **EPA Method SW8260B**

File ID: **10092327.D**

Batch ID: **MS15W0923A**

Analysis Date: **09/23/2010 17:29**

Sample ID: **10092206-04AMS**

Units: **µg/L**

Run ID: **MSD_15_100923A**

Prep Date: **09/23/2010 17:29**

Analyte	Result	PQL	SpkVal	SpkRefVal	%REC	LCL(ME)	UCL(ME)	RPDRefVal	%RPD(Limit)	Qual
1,1-Dichloroethene	49.4	2.5	50	0	99	60	130			
Methyl tert-butyl ether (MTBE)	54.7	1.3	50	3.13	103	56	141			
Benzene	50.3	1.3	50	0.69	99	67	130			
Trichloroethene	51.4	2.5	50	0	103	69	130			
Toluene	47.3	1.3	50	0	95	66	130			
Chlorobenzene	47.2	2.5	50	0	94	70	130			
Ethylbenzene	47.9	1.3	50	0	96	68	130			
m,p-Xylene	52.8	1.3	50	0	106	64	130			
o-Xylene	52.9	1.3	50	0	106	70	130			
Surr: 1,2-Dichloroethane-d4	48.4		50		97	70	130			
Surr: Toluene-d8	47.8		50		96	70	130			
Surr: 4-Bromofluorobenzene	48.1		50		96	70	130			

Sample Matrix Spike Duplicate

Type **MSD** Test Code: **EPA Method SW8260B**

File ID: **10092328.D**

Batch ID: **MS15W0923A**

Analysis Date: **09/23/2010 17:51**

Sample ID: **10092206-04AMSD**

Units: **µg/L**

Run ID: **MSD_15_100923A**

Prep Date: **09/23/2010 17:51**

Analyte	Result	PQL	SpkVal	SpkRefVal	%REC	LCL(ME)	UCL(ME)	RPDRefVal	%RPD(Limit)	Qual
1,1-Dichloroethene	47	2.5	50	0	94	60	130	49.35	4.9(20)	
Methyl tert-butyl ether (MTBE)	53.6	1.3	50	3.13	101	56	141	54.73	2.2(20)	
Benzene	48.5	1.3	50	0.69	96	67	130	50.32	3.7(20)	
Trichloroethene	49.4	2.5	50	0	99	69	130	51.37	4.0(20)	
Toluene	45.4	1.3	50	0	91	66	130	47.26	4.1(20)	
Chlorobenzene	45.7	2.5	50	0	91	70	130	47.16	3.1(20)	
Ethylbenzene	46.4	1.3	50	0	93	68	130	47.91	3.2(20)	
m,p-Xylene	50.3	1.3	50	0	101	64	130	52.78	4.8(20)	
o-Xylene	51.3	1.3	50	0	103	70	130	52.92	3.2(20)	
Surr: 1,2-Dichloroethane-d4	47.1		50		94	70	130			
Surr: Toluene-d8	48.2		50		96	70	130			
Surr: 4-Bromofluorobenzene	50		50		99.9	70	130			



Alpha Analytical, Inc.

255 Glendale Ave. • Suite 21 • Sparks, Nevada 89431-5778

(775) 355-1044 • (775) 355-0406 FAX • 1-800-283-1183

QC Summary Report

Date:
29-Sep-10

Work Order:
10092206

Comments:

Calculations are based off of raw (non-rounded) data. However, for reporting purposes, all QC data is rounded to three significant figures. Therefore, hand calculated values may differ slightly.

CHAIN-OF-CUSTODY RECORD

CA

Alpha Analytical, Inc.

255 Glendale Avenue, Suite 21 Sparks, Nevada 89431-5778
 TEL: (775) 355-1044 FAX: (775) 355-0406

WorkOrder : CHHL10092206

Report Due By : 5:00 PM On : 30-Sep-2010

Report Attention	Phone Number	E-Mail Address
Daniel Jablonski	(213) 228-8271 x	daniel.jablonski@ch2m.com
Susan Clark	(213) 228-8271 x	susan.clark@ch2m.com
Vladimir Canino	(213) 228-8271 x	vladimir.canino@ch2m.com

Client: CH2M Hill
 1000 Wilshire Boulevard
 21st Floor
 Los Angeles, CA 90017

EDD Required : No

Sampled by : Robert Sunjara

Cooler Temp 3 °C Samples Received 22-Sep-2010 Date Printed 22-Sep-2010

PO : Client's COC # : none Job : KMEP DFSP Norwalk = Final Rpt, MBLK, LCS, MS/MSD With Surrogates
 QC Level : S3

Alpha Sample ID	Client Sample ID	Matrix	Collection Date	No. of Bottles Alpha Sub TAT	Requested Tests			Sample Remarks	
					TPHE_W	TPHP_W	VOC_W		
CHH10092206-01A	TB-1	AQ	09/20/10 09:00	2	0	6	TPHE(0.10) +Vinyl acetate		Reno Trip Blank 8/17/10
CHH10092206-02A	GMW-36	AQ	09/20/10 09:47	6	0	6	TPHE(0.10) +Vinyl acetate		
CHH10092206-03A	GMW-O-19	AQ	09/20/10 10:26	6	0	6	TPHE(0.10) +Vinyl acetate		
CHH10092206-04A	GMW-O-16	AQ	09/20/10 11:01	6	0	6	TPHE(0.10) +Vinyl acetate		
CHH10092206-05A	GMW-O-15	AQ	09/20/10 11:22	6	0	6	TPHE(0.10) +Vinyl acetate		
CHH10092206-06A	PZ-5	AQ	09/20/10 12:19	6	0	6	TPHE(0.10) +Vinyl acetate		
CHH10092206-07A	DUP-1	AQ	09/20/10 00:00	6	0	6	TPHE(0.10) +Vinyl acetate		
CHH10092206-08A	EB-1	AQ	09/20/10 12:00	6	0	6	TPHE(0.10) +Vinyl acetate		

Comments: Security seals intact. Frozen ice. Analysis: Run two analyses in order to achieve lower reporting limits for all other analytes due to high TBA values. :

Logged in by: Elizabeth Adcox Signature Elizabeth Adcox Print Name Elizabeth Adcox Company Alpha Analytical, Inc. Date/Time 9-22-10 1332

NOTE: Samples are discarded 60 days after results are reported unless other arrangements are made. Hazardous samples will be returned to client or disposed of at client expense. The report for the analysis of the above samples is applicable only to those samples received by the laboratory with this COC. The liability of the laboratory is limited to the amount paid for the report.
 Matrix Type : AQ(Aqueous) AR(Air) SO(Soil) WS(Waste) DW(Drinking Water) OT(Other) Bottle Type: L-Liter V-Voa S-Soil Jar O-Orbo T-Tedlar B-Brass P-Plastic OT-Other

CHAIN-OF-CUSTODY RECORD

CA

WorkOrder : CHHL10092206
Report Due By : 5:00 PM On : 30-Sep-2010

Alpha Analytical, Inc.
 255 Glendale Avenue, Suite 21 Sparks, Nevada 89431-5778
 TEL: (775) 355-1044 FAX: (775) 355-0406

Report Attention Phone Number EMail Address

Daniel Jablonski	(213) 228-8271	x	daniel.jablonski@ch2m.com
Susan Clark	(213) 228-8271	x	susan.clark@ch2m.com
Vladimir Carino	(213) 228-8271	x	vladimir.carino@ch2m.com

Client:
 CH2M Hill
 1000 Wilshire Boulevard
 21st Floor
 Los Angeles, CA 90017

EDD Required : No

Sampled by : Robert Sunjara

Cooler Temp 3 °C
 Samples Received 22-Sep-2010
 Date Printed 22-Sep-2010

PO :
 Client's COC # : none
 Job : KMFP DFSP Norwalk
 QC Level : S3 = Final Rpt, MBLK, LCS, MS/MSD With Surrogates

Requested Tests

Alpha Sample ID	Client Sample ID	Matrix	Collection Date	No. of Bottles			TPHE_W	TPHP_W	VOC_W	Requested Tests	Sample Remarks
				Alpha	Sub	TAT					
CHH10092206-09A	GMW-O-18	AQ	09/20/10 12:37	6	0	6	TPHE(0.10) +Vinyl acetate	TPHP(0.10) +Vinyl acetate	VOC(0.10) +Vinyl acetate		

Comments: Security seals intact. Frozen ice. Analysts: Run two analyses in order to achieve lower reporting limits for all other analytes due to high TBA values. .

Logged in by: Elizabeth Adcox Signature: Elizabeth Adcox Print Name: Elizabeth Adcox Company: Alpha Analytical, Inc. Date/Time: 9-22-10 12:32

NOTE: Samples are discarded 60 days after results are reported unless other arrangements are made. Hazardous samples will be returned to client or disposed of at client expense. The report for the analysis of the above samples is applicable only to those samples received by the laboratory with this COC. The liability of the laboratory is limited to the amount paid for the report. Matrix Type : AQ(Aqueous) AR(Air) SO(Soil) WS(Waste) DW(Drinking Water) OT(Other) Bottle Type: L-Liter V-Voa S-Soil Jar O-Orbo T-Tedlar B-Brass P-Plastic OT-Other

BLAINE

TECH SERVICES, INC.

1680 ROGERS AVENUE
SAN JOSE, CALIFORNIA 95112-1105
FAX (408) 573-7771
PHONE (408) 573-0555

LAB Alpha Analytical COC 1 of 1

Billing Information:
Kinder Morgan
1100 Town and Country Rd.
Orange CA 95112

Kinder Morgan Norwalk
Report to:
Dan Jablonski
CH2MHILL
1000 Wilshire Blvd 21st floor
Los Angeles, CA 90017

CHAIN OF CUSTODY

CLIENT Kinder Morgan
SITE DFSP Norwalk
15306 Norwalk Blvd, Norwalk

CONTAINERS

SAMPLE I.D.	DATE	TIME	MATRIX	CONTAINERS	
				#	Preservation Type
TR-1	9/20/10	0900	AQ	2	HQ VOA
GMW-36		0947		6	
GMW-0-19		1026		6	
GMW-0-16		1101		6	
GMW-0-15		1122		6	
PZ-5		1219		6	
DUT-1		-		6	
EB-1		1200		6	
GMW-0-18		1237		6	

CONDUCT ANALYSIS TO DETECT		ADD'L INFORMATION	STATUS	CONDITION	LAB SAMPLE #
TPHg, TPHp (EPA 8015M)	VOC's & Oxygenates (EPA 8260B)				
X	X				CH110072206-01
X	X				.02
X	X				.03
X	X				.04
X	X				.05
X	X				.06
X	X				.07
X	X				.08
X	X				.09

SAMPLING COMPLETED 9/20/10 1237 PERFORMED BY Robert Sujanara

RELEASED BY *[Signature]* TIME 1430 RECEIVED BY *[Signature]* DATE 9/20/10 TIME 1730

RELEASED BY *[Signature]* TIME 1030 RECEIVED BY *[Signature]* DATE 9/21/10 TIME 1030

RELEASED BY *[Signature]* TIME 1030 RECEIVED BY *[Signature]* DATE 9/22/10 TIME 1030

SHIPPED VIA COOLER # *[Signature]*

RESULTS NEEDED NO LATER THAN Standard

DATE	TIME
9/20/10	1730
9/21/10	1030
9/22/10	1030

November 2010

KMEP November Monthly Monitoring Results

Project_Id	Sample Name	Sample Date	Analyte	Result Value	Result Value Units
KMEP DFSP - Norwalk	TB-1	11/16/10 07:00	1,2-Dichloroethane-d4	108	%
KMEP DFSP - Norwalk	TB-1	11/16/10 07:00	4-Bromofluorobenzene	99.4	%
KMEP DFSP - Norwalk	TB-1	11/16/10 07:00	Toluene-d8	100	%
KMEP DFSP - Norwalk	TB-1	11/16/10 07:00	1,1,1,2-Tetrachloroethane	1	ug/L
KMEP DFSP - Norwalk	TB-1	11/16/10 07:00	1,1,1-Trichloroethane	1	ug/L
KMEP DFSP - Norwalk	TB-1	11/16/10 07:00	1,1,2,2-Tetrachloroethane	1	ug/L
KMEP DFSP - Norwalk	TB-1	11/16/10 07:00	1,1,2-Trichloroethane	1	ug/L
KMEP DFSP - Norwalk	TB-1	11/16/10 07:00	1,1-Dichloroethane	1	ug/L
KMEP DFSP - Norwalk	TB-1	11/16/10 07:00	1,1-Dichloroethene	1	ug/L
KMEP DFSP - Norwalk	TB-1	11/16/10 07:00	1,1-Dichloropropene	1	ug/L
KMEP DFSP - Norwalk	TB-1	11/16/10 07:00	1,2,3-Trichlorobenzene	2	ug/L
KMEP DFSP - Norwalk	TB-1	11/16/10 07:00	1,2,3-Trichloropropane	2	ug/L
KMEP DFSP - Norwalk	TB-1	11/16/10 07:00	1,2,4-Trichlorobenzene	2	ug/L
KMEP DFSP - Norwalk	TB-1	11/16/10 07:00	1,2,4-Trimethylbenzene	1	ug/L
KMEP DFSP - Norwalk	TB-1	11/16/10 07:00	1,2-Dibromo-3-chloropropane (DBCP)	5	ug/L
KMEP DFSP - Norwalk	TB-1	11/16/10 07:00	1,2-Dibromoethane (EDB)	2	ug/L
KMEP DFSP - Norwalk	TB-1	11/16/10 07:00	1,2-Dichlorobenzene	1	ug/L
KMEP DFSP - Norwalk	TB-1	11/16/10 07:00	1,2-Dichloroethane	0.5	ug/L
KMEP DFSP - Norwalk	TB-1	11/16/10 07:00	1,2-Dichloropropane	1	ug/L
KMEP DFSP - Norwalk	TB-1	11/16/10 07:00	1,3,5-Trimethylbenzene	1	ug/L
KMEP DFSP - Norwalk	TB-1	11/16/10 07:00	1,3-Dichlorobenzene	1	ug/L
KMEP DFSP - Norwalk	TB-1	11/16/10 07:00	1,3-Dichloropropane	1	ug/L
KMEP DFSP - Norwalk	TB-1	11/16/10 07:00	1,4-Dichlorobenzene	1	ug/L
KMEP DFSP - Norwalk	TB-1	11/16/10 07:00	2,2-Dichloropropane	1	ug/L
KMEP DFSP - Norwalk	TB-1	11/16/10 07:00	2-Butanone (MEK)	10	ug/L
KMEP DFSP - Norwalk	TB-1	11/16/10 07:00	2-Chlorotoluene	1	ug/L
KMEP DFSP - Norwalk	TB-1	11/16/10 07:00	2-Hexanone	5	ug/L
KMEP DFSP - Norwalk	TB-1	11/16/10 07:00	4-Chlorotoluene	1	ug/L
KMEP DFSP - Norwalk	TB-1	11/16/10 07:00	4-Isopropyltoluene	1	ug/L
KMEP DFSP - Norwalk	TB-1	11/16/10 07:00	4-Methyl-2-pentanone (MIBK)	10	ug/L
KMEP DFSP - Norwalk	TB-1	11/16/10 07:00	Acetone	10	ug/L
KMEP DFSP - Norwalk	TB-1	11/16/10 07:00	Benzene	0.5	ug/L
KMEP DFSP - Norwalk	TB-1	11/16/10 07:00	Bromobenzene	1	ug/L
KMEP DFSP - Norwalk	TB-1	11/16/10 07:00	Bromochloromethane	1	ug/L
KMEP DFSP - Norwalk	TB-1	11/16/10 07:00	Bromodichloromethane	1	ug/L

KMEP November Monthly Monitoring Results

Project_Id	Sample Name	Sample Date	Analyte	Result Value	Result Value Units
KMEP DFSP - Norwalk	TB-1	11/16/10 07:00	Bromoform	1	ug/L
KMEP DFSP - Norwalk	TB-1	11/16/10 07:00	Bromomethane	2	ug/L
KMEP DFSP - Norwalk	TB-1	11/16/10 07:00	Carbon disulfide	2.5	ug/L
KMEP DFSP - Norwalk	TB-1	11/16/10 07:00	Carbon tetrachloride	1	ug/L
KMEP DFSP - Norwalk	TB-1	11/16/10 07:00	Chlorobenzene	1	ug/L
KMEP DFSP - Norwalk	TB-1	11/16/10 07:00	Chloroethane	1	ug/L
KMEP DFSP - Norwalk	TB-1	11/16/10 07:00	Chloroform	1	ug/L
KMEP DFSP - Norwalk	TB-1	11/16/10 07:00	Chloromethane	2	ug/L
KMEP DFSP - Norwalk	TB-1	11/16/10 07:00	cis-1,2-Dichloroethene	1	ug/L
KMEP DFSP - Norwalk	TB-1	11/16/10 07:00	cis-1,3-Dichloropropene	0.5	ug/L
KMEP DFSP - Norwalk	TB-1	11/16/10 07:00	Dibromochloromethane	1	ug/L
KMEP DFSP - Norwalk	TB-1	11/16/10 07:00	Dibromomethane	1	ug/L
KMEP DFSP - Norwalk	TB-1	11/16/10 07:00	Dichlorodifluoromethane	1	ug/L
KMEP DFSP - Norwalk	TB-1	11/16/10 07:00	Dichloromethane	5	ug/L
KMEP DFSP - Norwalk	TB-1	11/16/10 07:00	Di-isopropyl Ether (DIPE)	1	ug/L
KMEP DFSP - Norwalk	TB-1	11/16/10 07:00	Ethyl Tertiary Butyl Ether (ETBE)	1	ug/L
KMEP DFSP - Norwalk	TB-1	11/16/10 07:00	Ethylbenzene	0.5	ug/L
KMEP DFSP - Norwalk	TB-1	11/16/10 07:00	Freon-113	10	ug/L
KMEP DFSP - Norwalk	TB-1	11/16/10 07:00	Isopropylbenzene	1	ug/L
KMEP DFSP - Norwalk	TB-1	11/16/10 07:00	m,p-Xylene	0.5	ug/L
KMEP DFSP - Norwalk	TB-1	11/16/10 07:00	Methyl tert-butyl ether (MTBE)	0.5	ug/L
KMEP DFSP - Norwalk	TB-1	11/16/10 07:00	Naphthalene	10	ug/L
KMEP DFSP - Norwalk	TB-1	11/16/10 07:00	n-Butylbenzene	1	ug/L
KMEP DFSP - Norwalk	TB-1	11/16/10 07:00	n-Propylbenzene	1	ug/L
KMEP DFSP - Norwalk	TB-1	11/16/10 07:00	o-Xylene	0.5	ug/L
KMEP DFSP - Norwalk	TB-1	11/16/10 07:00	sec-Butylbenzene	1	ug/L
KMEP DFSP - Norwalk	TB-1	11/16/10 07:00	Styrene	1	ug/L
KMEP DFSP - Norwalk	TB-1	11/16/10 07:00	tert-Butylbenzene	1	ug/L
KMEP DFSP - Norwalk	TB-1	11/16/10 07:00	Tertiary Amyl Methyl Ether (TAME)	1	ug/L
KMEP DFSP - Norwalk	TB-1	11/16/10 07:00	Tertiary Butyl Alcohol (TBA)	10	ug/L
KMEP DFSP - Norwalk	TB-1	11/16/10 07:00	Tetrachloroethene	1	ug/L
KMEP DFSP - Norwalk	TB-1	11/16/10 07:00	Toluene	0.5	ug/L
KMEP DFSP - Norwalk	TB-1	11/16/10 07:00	trans-1,2-Dichloroethene	1	ug/L
KMEP DFSP - Norwalk	TB-1	11/16/10 07:00	trans-1,3-Dichloropropene	0.5	ug/L
KMEP DFSP - Norwalk	TB-1	11/16/10 07:00	Trichloroethene	1	ug/L

KMEP November Monthly Monitoring Results

Project_Id	Sample Name	Sample Date	Analyte	Result Value	Result Value Units
KMEP DFSP - Norwalk	TB-1	11/16/10 07:00	Trichlorofluoromethane	10	ug/L
KMEP DFSP - Norwalk	TB-1	11/16/10 07:00	Vinyl acetate	50	ug/L
KMEP DFSP - Norwalk	TB-1	11/16/10 07:00	Vinyl chloride	0.5	ug/L
KMEP DFSP - Norwalk	GMW-O-16	11/16/10 08:45	1,2-Dichloroethane-d4	113	%
KMEP DFSP - Norwalk	GMW-O-16	11/16/10 08:45	1,2-Dichloroethane-d4	113	%
KMEP DFSP - Norwalk	GMW-O-16	11/16/10 08:45	4-Bromofluorobenzene	99.2	%
KMEP DFSP - Norwalk	GMW-O-16	11/16/10 08:45	4-Bromofluorobenzene	99.2	%
KMEP DFSP - Norwalk	GMW-O-16	11/16/10 08:45	Nonane	121	%
KMEP DFSP - Norwalk	GMW-O-16	11/16/10 08:45	Toluene-d8	99.2	%
KMEP DFSP - Norwalk	GMW-O-16	11/16/10 08:45	Toluene-d8	99.2	%
KMEP DFSP - Norwalk	GMW-O-16	11/16/10 08:45	1,1,1,2-Tetrachloroethane	1	ug/L
KMEP DFSP - Norwalk	GMW-O-16	11/16/10 08:45	1,1,1-Trichloroethane	1	ug/L
KMEP DFSP - Norwalk	GMW-O-16	11/16/10 08:45	1,1,2,2-Tetrachloroethane	1	ug/L
KMEP DFSP - Norwalk	GMW-O-16	11/16/10 08:45	1,1,2-Trichloroethane	1	ug/L
KMEP DFSP - Norwalk	GMW-O-16	11/16/10 08:45	1,1-Dichloroethane	1	ug/L
KMEP DFSP - Norwalk	GMW-O-16	11/16/10 08:45	1,1-Dichloroethane	1	ug/L
KMEP DFSP - Norwalk	GMW-O-16	11/16/10 08:45	1,1-Dichloropropene	1	ug/L
KMEP DFSP - Norwalk	GMW-O-16	11/16/10 08:45	1,2,3-Trichlorobenzene	2	ug/L
KMEP DFSP - Norwalk	GMW-O-16	11/16/10 08:45	1,2,3-Trichloropropene	2	ug/L
KMEP DFSP - Norwalk	GMW-O-16	11/16/10 08:45	1,2,4-Trichlorobenzene	2	ug/L
KMEP DFSP - Norwalk	GMW-O-16	11/16/10 08:45	1,2,4-Trimethylbenzene	1	ug/L
KMEP DFSP - Norwalk	GMW-O-16	11/16/10 08:45	1,2-Dibromo-3-chloropropane (DBCP)	5	ug/L
KMEP DFSP - Norwalk	GMW-O-16	11/16/10 08:45	1,2-Dibromoethane (EDB)	2	ug/L
KMEP DFSP - Norwalk	GMW-O-16	11/16/10 08:45	1,2-Dichlorobenzene	1	ug/L
KMEP DFSP - Norwalk	GMW-O-16	11/16/10 08:45	1,2-Dichloroethane	0.5	ug/L
KMEP DFSP - Norwalk	GMW-O-16	11/16/10 08:45	1,2-Dichloropropane	1	ug/L
KMEP DFSP - Norwalk	GMW-O-16	11/16/10 08:45	1,3,5-Trimethylbenzene	1	ug/L
KMEP DFSP - Norwalk	GMW-O-16	11/16/10 08:45	1,3-Dichlorobenzene	1	ug/L
KMEP DFSP - Norwalk	GMW-O-16	11/16/10 08:45	1,3-Dichloropropane	1	ug/L
KMEP DFSP - Norwalk	GMW-O-16	11/16/10 08:45	1,4-Dichlorobenzene	1	ug/L
KMEP DFSP - Norwalk	GMW-O-16	11/16/10 08:45	2,2-Dichloropropane	1	ug/L
KMEP DFSP - Norwalk	GMW-O-16	11/16/10 08:45	2-Butanone (MEK)	10	ug/L
KMEP DFSP - Norwalk	GMW-O-16	11/16/10 08:45	2-Chlorotoluene	1	ug/L
KMEP DFSP - Norwalk	GMW-O-16	11/16/10 08:45	2-Hexanone	5	ug/L
KMEP DFSP - Norwalk	GMW-O-16	11/16/10 08:45	4-Chlorotoluene	1	ug/L

KMEP November Monthly Monitoring Results

Project_Id	Sample Name	Sample Date	Analyte	Result Value	Result Value Units
KMEP DFSP - Norwalk	GMW-O-16	11/16/10 08:45	4-Isopropyltoluene	1	ug/L
KMEP DFSP - Norwalk	GMW-O-16	11/16/10 08:45	4-Methyl-2-pentanone (MIBK)	10	ug/L
KMEP DFSP - Norwalk	GMW-O-16	11/16/10 08:45	Acetone	10	ug/L
KMEP DFSP - Norwalk	GMW-O-16	11/16/10 08:45	Benzene	0.5	ug/L
KMEP DFSP - Norwalk	GMW-O-16	11/16/10 08:45	Bromobenzene	1	ug/L
KMEP DFSP - Norwalk	GMW-O-16	11/16/10 08:45	Bromochloromethane	1	ug/L
KMEP DFSP - Norwalk	GMW-O-16	11/16/10 08:45	Bromodichloromethane	1	ug/L
KMEP DFSP - Norwalk	GMW-O-16	11/16/10 08:45	Bromoform	1	ug/L
KMEP DFSP - Norwalk	GMW-O-16	11/16/10 08:45	Bromomethane	2	ug/L
KMEP DFSP - Norwalk	GMW-O-16	11/16/10 08:45	Carbon disulfide	2.5	ug/L
KMEP DFSP - Norwalk	GMW-O-16	11/16/10 08:45	Carbon tetrachloride	1	ug/L
KMEP DFSP - Norwalk	GMW-O-16	11/16/10 08:45	Chlorobenzene	1	ug/L
KMEP DFSP - Norwalk	GMW-O-16	11/16/10 08:45	Chloroethane	1	ug/L
KMEP DFSP - Norwalk	GMW-O-16	11/16/10 08:45	Chloroform	1	ug/L
KMEP DFSP - Norwalk	GMW-O-16	11/16/10 08:45	Chloromethane	2	ug/L
KMEP DFSP - Norwalk	GMW-O-16	11/16/10 08:45	cis-1,2-Dichloroethene	1	ug/L
KMEP DFSP - Norwalk	GMW-O-16	11/16/10 08:45	cis-1,3-Dichloropropene	0.5	ug/L
KMEP DFSP - Norwalk	GMW-O-16	11/16/10 08:45	Dibromochloromethane	1	ug/L
KMEP DFSP - Norwalk	GMW-O-16	11/16/10 08:45	Dibromomethane	1	ug/L
KMEP DFSP - Norwalk	GMW-O-16	11/16/10 08:45	Dichlorodifluoromethane	1	ug/L
KMEP DFSP - Norwalk	GMW-O-16	11/16/10 08:45	Dichloromethane	5	ug/L
KMEP DFSP - Norwalk	GMW-O-16	11/16/10 08:45	Di-isopropyl Ether (DIPE)	1	ug/L
KMEP DFSP - Norwalk	GMW-O-16	11/16/10 08:45	Ethyl Tertiary Butyl Ether (ETBE)	1	ug/L
KMEP DFSP - Norwalk	GMW-O-16	11/16/10 08:45	Ethylbenzene	0.5	ug/L
KMEP DFSP - Norwalk	GMW-O-16	11/16/10 08:45	Freon-113	10	ug/L
KMEP DFSP - Norwalk	GMW-O-16	11/16/10 08:45	Isopropylbenzene	1	ug/L
KMEP DFSP - Norwalk	GMW-O-16	11/16/10 08:45	m,p-Xylene	0.5	ug/L
KMEP DFSP - Norwalk	GMW-O-16	11/16/10 08:45	Methyl tert-butyl ether (MTBE)	4	ug/L
KMEP DFSP - Norwalk	GMW-O-16	11/16/10 08:45	Naphthalene	10	ug/L
KMEP DFSP - Norwalk	GMW-O-16	11/16/10 08:45	n-Butylbenzene	1	ug/L
KMEP DFSP - Norwalk	GMW-O-16	11/16/10 08:45	n-Propylbenzene	1	ug/L
KMEP DFSP - Norwalk	GMW-O-16	11/16/10 08:45	o-Xylene	0.5	ug/L
KMEP DFSP - Norwalk	GMW-O-16	11/16/10 08:45	sec-Butylbenzene	1	ug/L
KMEP DFSP - Norwalk	GMW-O-16	11/16/10 08:45	Styrene	1	ug/L
KMEP DFSP - Norwalk	GMW-O-16	11/16/10 08:45	tert-Butylbenzene	1	ug/L

KMEP November Monthly Monitoring Results

Project_Id	Sample Name	Sample Date	Analyte	Result Value	Result Value Units
KMEP DFSP - Norwalk	GMW-O-16	11/16/10 08:45	Tertiary Amyl Methyl Ether (TAME)	1	ug/L
KMEP DFSP - Norwalk	GMW-O-16	11/16/10 08:45	Tertiary Butyl Alcohol (TBA)	10	ug/L
KMEP DFSP - Norwalk	GMW-O-16	11/16/10 08:45	Tetrachloroethene	1	ug/L
KMEP DFSP - Norwalk	GMW-O-16	11/16/10 08:45	Toluene	0.5	ug/L
KMEP DFSP - Norwalk	GMW-O-16	11/16/10 08:45	TPH-E (Fuel Product)	0.16	mg/L
KMEP DFSP - Norwalk	GMW-O-16	11/16/10 08:45	TPH-P (GRO)	0.05	mg/L
KMEP DFSP - Norwalk	GMW-O-16	11/16/10 08:45	trans-1,2-Dichloroethene	1	ug/L
KMEP DFSP - Norwalk	GMW-O-16	11/16/10 08:45	trans-1,3-Dichloropropene	0.5	ug/L
KMEP DFSP - Norwalk	GMW-O-16	11/16/10 08:45	Trichloroethene	1	ug/L
KMEP DFSP - Norwalk	GMW-O-16	11/16/10 08:45	Trichlorofluoromethane	10	ug/L
KMEP DFSP - Norwalk	GMW-O-16	11/16/10 08:45	Vinyl acetate	50	ug/L
KMEP DFSP - Norwalk	GMW-O-16	11/16/10 08:45	Vinyl chloride	0.5	ug/L
KMEP DFSP - Norwalk	GMW-O-18	11/16/10 09:53	1,2-Dichloroethane-d4	94.0	%
KMEP DFSP - Norwalk	GMW-O-18	11/16/10 09:53	1,2-Dichloroethane-d4	104	%
KMEP DFSP - Norwalk	GMW-O-18	11/16/10 09:53	4-Bromofluorobenzene	110	%
KMEP DFSP - Norwalk	GMW-O-18	11/16/10 09:53	4-Bromofluorobenzene	120	%
KMEP DFSP - Norwalk	GMW-O-18	11/16/10 09:53	Nonane	115	%
KMEP DFSP - Norwalk	GMW-O-18	11/16/10 09:53	Toluene-d8	90.0	%
KMEP DFSP - Norwalk	GMW-O-18	11/16/10 09:53	Toluene-d8	103	%
KMEP DFSP - Norwalk	GMW-O-18	11/16/10 09:53	1,1,1,2-Tetrachloroethane	1	ug/L
KMEP DFSP - Norwalk	GMW-O-18	11/16/10 09:53	1,1,1-Trichloroethane	1	ug/L
KMEP DFSP - Norwalk	GMW-O-18	11/16/10 09:53	1,1,2,2-Tetrachloroethane	1	ug/L
KMEP DFSP - Norwalk	GMW-O-18	11/16/10 09:53	1,1,2-Trichloroethane	1	ug/L
KMEP DFSP - Norwalk	GMW-O-18	11/16/10 09:53	1,1-Dichloroethane	1	ug/L
KMEP DFSP - Norwalk	GMW-O-18	11/16/10 09:53	1,1-Dichloroethene	1	ug/L
KMEP DFSP - Norwalk	GMW-O-18	11/16/10 09:53	1,1-Dichloropropene	1	ug/L
KMEP DFSP - Norwalk	GMW-O-18	11/16/10 09:53	1,2,3-Trichlorobenzene	4	ug/L
KMEP DFSP - Norwalk	GMW-O-18	11/16/10 09:53	1,2,3-Trichloropropane	4	ug/L
KMEP DFSP - Norwalk	GMW-O-18	11/16/10 09:53	1,2,4-Trichlorobenzene	4	ug/L
KMEP DFSP - Norwalk	GMW-O-18	11/16/10 09:53	1,2,4-Trimethylbenzene	1	ug/L
KMEP DFSP - Norwalk	GMW-O-18	11/16/10 09:53	1,2-Dibromo-3-chloropropane (DBCP)	6	ug/L
KMEP DFSP - Norwalk	GMW-O-18	11/16/10 09:53	1,2-Dibromoethane (EDB)	2	ug/L
KMEP DFSP - Norwalk	GMW-O-18	11/16/10 09:53	1,2-Dichlorobenzene	1	ug/L
KMEP DFSP - Norwalk	GMW-O-18	11/16/10 09:53	1,2-Dichloroethane	1	ug/L
KMEP DFSP - Norwalk	GMW-O-18	11/16/10 09:53	1,2-Dichloropropane	1	ug/L

KMEP November Monthly Monitoring Results

Project Id	Sample Name	Sample Date	Analyte	Result Value	Result Value Units
KMEP DFSP - Norwalk	GMW-O-18	11/16/10 09:53	1,3,5-Trimethylbenzene	1	ug/L
KMEP DFSP - Norwalk	GMW-O-18	11/16/10 09:53	1,3-Dichlorobenzene	1	ug/L
KMEP DFSP - Norwalk	GMW-O-18	11/16/10 09:53	1,3-Dichloropropane	1	ug/L
KMEP DFSP - Norwalk	GMW-O-18	11/16/10 09:53	1,4-Dichlorobenzene	1	ug/L
KMEP DFSP - Norwalk	GMW-O-18	11/16/10 09:53	2,2-Dichloropropane	1	ug/L
KMEP DFSP - Norwalk	GMW-O-18	11/16/10 09:53	2-Butanone (MEK)	20	ug/L
KMEP DFSP - Norwalk	GMW-O-18	11/16/10 09:53	2-Chlorotoluene	1	ug/L
KMEP DFSP - Norwalk	GMW-O-18	11/16/10 09:53	2-Hexanone	10	ug/L
KMEP DFSP - Norwalk	GMW-O-18	11/16/10 09:53	4-Chlorotoluene	1	ug/L
KMEP DFSP - Norwalk	GMW-O-18	11/16/10 09:53	4-Isopropyltoluene	1	ug/L
KMEP DFSP - Norwalk	GMW-O-18	11/16/10 09:53	4-Methyl-2-pentanone (MIBK)	10	ug/L
KMEP DFSP - Norwalk	GMW-O-18	11/16/10 09:53	Acetone	20	ug/L
KMEP DFSP - Norwalk	GMW-O-18	11/16/10 09:53	Benzene	0.5	ug/L
KMEP DFSP - Norwalk	GMW-O-18	11/16/10 09:53	Bromobenzene	1	ug/L
KMEP DFSP - Norwalk	GMW-O-18	11/16/10 09:53	Bromochloromethane	1	ug/L
KMEP DFSP - Norwalk	GMW-O-18	11/16/10 09:53	Bromodichloromethane	1	ug/L
KMEP DFSP - Norwalk	GMW-O-18	11/16/10 09:53	Bromoform	1	ug/L
KMEP DFSP - Norwalk	GMW-O-18	11/16/10 09:53	Bromomethane	4	ug/L
KMEP DFSP - Norwalk	GMW-O-18	11/16/10 09:53	Carbon disulfide	5	ug/L
KMEP DFSP - Norwalk	GMW-O-18	11/16/10 09:53	Carbon tetrachloride	1	ug/L
KMEP DFSP - Norwalk	GMW-O-18	11/16/10 09:53	Chlorobenzene	1	ug/L
KMEP DFSP - Norwalk	GMW-O-18	11/16/10 09:53	Chloroethane	1	ug/L
KMEP DFSP - Norwalk	GMW-O-18	11/16/10 09:53	Chloroform	1	ug/L
KMEP DFSP - Norwalk	GMW-O-18	11/16/10 09:53	Chloromethane	4	ug/L
KMEP DFSP - Norwalk	GMW-O-18	11/16/10 09:53	cis-1,2-Dichloroethene	1	ug/L
KMEP DFSP - Norwalk	GMW-O-18	11/16/10 09:53	cis-1,3-Dichloropropene	1	ug/L
KMEP DFSP - Norwalk	GMW-O-18	11/16/10 09:53	Dibromochloromethane	1	ug/L
KMEP DFSP - Norwalk	GMW-O-18	11/16/10 09:53	Dibromomethane	1	ug/L
KMEP DFSP - Norwalk	GMW-O-18	11/16/10 09:53	Dichlorodifluoromethane	1	ug/L
KMEP DFSP - Norwalk	GMW-O-18	11/16/10 09:53	Dichloromethane	5	ug/L
KMEP DFSP - Norwalk	GMW-O-18	11/16/10 09:53	Di-isopropyl Ether (DIPE)	1	ug/L
KMEP DFSP - Norwalk	GMW-O-18	11/16/10 09:53	Ethyl Tertiary Butyl Ether (ETBE)	1	ug/L
KMEP DFSP - Norwalk	GMW-O-18	11/16/10 09:53	Ethylbenzene	0.5	ug/L
KMEP DFSP - Norwalk	GMW-O-18	11/16/10 09:53	Freon-113	10	ug/L
KMEP DFSP - Norwalk	GMW-O-18	11/16/10 09:53	Isopropylbenzene	1	ug/L

KMEP November Monthly Monitoring Results

Project_Id	Sample Name	Sample Date	Analyte	Result Value	Result Value Units
KMEP DFSP - Norwalk	GMW-O-18	11/16/10 09:53	m,p-Xylene	0.5	ug/L
KMEP DFSP - Norwalk	GMW-O-18	11/16/10 09:53	Methyl tert-butyl ether (MTBE)	0.53	ug/L
KMEP DFSP - Norwalk	GMW-O-18	11/16/10 09:53	Naphthalene	10	ug/L
KMEP DFSP - Norwalk	GMW-O-18	11/16/10 09:53	n-Butylbenzene	1	ug/L
KMEP DFSP - Norwalk	GMW-O-18	11/16/10 09:53	n-Propylbenzene	1	ug/L
KMEP DFSP - Norwalk	GMW-O-18	11/16/10 09:53	o-Xylene	0.5	ug/L
KMEP DFSP - Norwalk	GMW-O-18	11/16/10 09:53	sec-Butylbenzene	1	ug/L
KMEP DFSP - Norwalk	GMW-O-18	11/16/10 09:53	Styrene	1	ug/L
KMEP DFSP - Norwalk	GMW-O-18	11/16/10 09:53	tert-Butylbenzene	1	ug/L
KMEP DFSP - Norwalk	GMW-O-18	11/16/10 09:53	Tertiary Amyl Methyl Ether (TAME)	1	ug/L
KMEP DFSP - Norwalk	GMW-O-18	11/16/10 09:53	Tertiary Butyl Alcohol (TBA)	21000	ug/L
KMEP DFSP - Norwalk	GMW-O-18	11/16/10 09:53	Tetrachloroethene	1	ug/L
KMEP DFSP - Norwalk	GMW-O-18	11/16/10 09:53	Toluene	0.5	ug/L
KMEP DFSP - Norwalk	GMW-O-18	11/16/10 09:53	TPH-E (Fuel Product)	0.12	mg/L
KMEP DFSP - Norwalk	GMW-O-18	11/16/10 09:53	TPH-P (GRO)	2	mg/L
KMEP DFSP - Norwalk	GMW-O-18	11/16/10 09:53	trans-1,2-Dichloroethene	1	ug/L
KMEP DFSP - Norwalk	GMW-O-18	11/16/10 09:53	trans-1,3-Dichloropropene	1	ug/L
KMEP DFSP - Norwalk	GMW-O-18	11/16/10 09:53	Trichloroethene	1	ug/L
KMEP DFSP - Norwalk	GMW-O-18	11/16/10 09:53	Trichlorofluoromethane	10	ug/L
KMEP DFSP - Norwalk	GMW-O-18	11/16/10 09:53	Vinyl acetate	100	ug/L
KMEP DFSP - Norwalk	GMW-O-18	11/16/10 09:53	Vinyl chloride	1	ug/L
KMEP DFSP - Norwalk	GMW-O-19	11/16/10 08:03	1,2-Dichloroethane-d4	112	%
KMEP DFSP - Norwalk	GMW-O-19	11/16/10 08:03	1,2-Dichloroethane-d4	112	%
KMEP DFSP - Norwalk	GMW-O-19	11/16/10 08:03	4-Bromofluorobenzene	99.7	%
KMEP DFSP - Norwalk	GMW-O-19	11/16/10 08:03	4-Bromofluorobenzene	99.7	%
KMEP DFSP - Norwalk	GMW-O-19	11/16/10 08:03	Nonane	120	%
KMEP DFSP - Norwalk	GMW-O-19	11/16/10 08:03	Toluene-d8	99.1	%
KMEP DFSP - Norwalk	GMW-O-19	11/16/10 08:03	Toluene-d8	99.1	%
KMEP DFSP - Norwalk	GMW-O-19	11/16/10 08:03	1,1,1,2-Tetrachloroethane	1	ug/L
KMEP DFSP - Norwalk	GMW-O-19	11/16/10 08:03	1,1,1-Trichloroethane	1	ug/L
KMEP DFSP - Norwalk	GMW-O-19	11/16/10 08:03	1,1,2,2-Tetrachloroethane	1	ug/L
KMEP DFSP - Norwalk	GMW-O-19	11/16/10 08:03	1,1,2-Trichloroethane	1	ug/L
KMEP DFSP - Norwalk	GMW-O-19	11/16/10 08:03	1,1-Dichloroethane	1	ug/L
KMEP DFSP - Norwalk	GMW-O-19	11/16/10 08:03	1,1-Dichloroethane	1	ug/L
KMEP DFSP - Norwalk	GMW-O-19	11/16/10 08:03	1,1-Dichloropropene	1	ug/L

KMEP November Monthly Monitoring Results

Project Id	Sample Name	Sample Date	Analyte	Result Value	Result Value Units
KMEP DFSP - Norwalk	GMW-O-19	11/16/10 08:03	1,2,3-Trichlorobenzene	2	ug/L
KMEP DFSP - Norwalk	GMW-O-19	11/16/10 08:03	1,2,3-Trichloropropane	2	ug/L
KMEP DFSP - Norwalk	GMW-O-19	11/16/10 08:03	1,2,4-Trichlorobenzene	2	ug/L
KMEP DFSP - Norwalk	GMW-O-19	11/16/10 08:03	1,2,4-Trimethylbenzene	1	ug/L
KMEP DFSP - Norwalk	GMW-O-19	11/16/10 08:03	1,2-Dibromo-3-chloropropane (DBCP)	5	ug/L
KMEP DFSP - Norwalk	GMW-O-19	11/16/10 08:03	1,2-Dibromoethane (EDB)	2	ug/L
KMEP DFSP - Norwalk	GMW-O-19	11/16/10 08:03	1,2-Dichlorobenzene	1	ug/L
KMEP DFSP - Norwalk	GMW-O-19	11/16/10 08:03	1,2-Dichloroethane	0.5	ug/L
KMEP DFSP - Norwalk	GMW-O-19	11/16/10 08:03	1,2-Dichloropropane	1	ug/L
KMEP DFSP - Norwalk	GMW-O-19	11/16/10 08:03	1,3,5-Trimethylbenzene	1	ug/L
KMEP DFSP - Norwalk	GMW-O-19	11/16/10 08:03	1,3-Dichlorobenzene	1	ug/L
KMEP DFSP - Norwalk	GMW-O-19	11/16/10 08:03	1,3-Dichloropropane	1	ug/L
KMEP DFSP - Norwalk	GMW-O-19	11/16/10 08:03	1,4-Dichlorobenzene	1	ug/L
KMEP DFSP - Norwalk	GMW-O-19	11/16/10 08:03	2,2-Dichloropropane	1	ug/L
KMEP DFSP - Norwalk	GMW-O-19	11/16/10 08:03	2-Butanone (MEK)	10	ug/L
KMEP DFSP - Norwalk	GMW-O-19	11/16/10 08:03	2-Chlorotoluene	1	ug/L
KMEP DFSP - Norwalk	GMW-O-19	11/16/10 08:03	2-Hexanone	5	ug/L
KMEP DFSP - Norwalk	GMW-O-19	11/16/10 08:03	4-Chlorotoluene	1	ug/L
KMEP DFSP - Norwalk	GMW-O-19	11/16/10 08:03	4-Isopropyltoluene	1	ug/L
KMEP DFSP - Norwalk	GMW-O-19	11/16/10 08:03	4-Methyl-2-pentanone (MIBK)	10	ug/L
KMEP DFSP - Norwalk	GMW-O-19	11/16/10 08:03	Acetone	10	ug/L
KMEP DFSP - Norwalk	GMW-O-19	11/16/10 08:03	Benzene	0.5	ug/L
KMEP DFSP - Norwalk	GMW-O-19	11/16/10 08:03	Bromobenzene	1	ug/L
KMEP DFSP - Norwalk	GMW-O-19	11/16/10 08:03	Bromochloromethane	1	ug/L
KMEP DFSP - Norwalk	GMW-O-19	11/16/10 08:03	Bromodichloromethane	1	ug/L
KMEP DFSP - Norwalk	GMW-O-19	11/16/10 08:03	Bromoform	1	ug/L
KMEP DFSP - Norwalk	GMW-O-19	11/16/10 08:03	Bromomethane	2	ug/L
KMEP DFSP - Norwalk	GMW-O-19	11/16/10 08:03	Carbon disulfide	2.5	ug/L
KMEP DFSP - Norwalk	GMW-O-19	11/16/10 08:03	Carbon tetrachloride	1	ug/L
KMEP DFSP - Norwalk	GMW-O-19	11/16/10 08:03	Chlorobenzene	1	ug/L
KMEP DFSP - Norwalk	GMW-O-19	11/16/10 08:03	Chloroethane	1	ug/L
KMEP DFSP - Norwalk	GMW-O-19	11/16/10 08:03	Chloroform	1	ug/L
KMEP DFSP - Norwalk	GMW-O-19	11/16/10 08:03	Chloromethane	2	ug/L
KMEP DFSP - Norwalk	GMW-O-19	11/16/10 08:03	cis-1,2-Dichloroethene	1	ug/L
KMEP DFSP - Norwalk	GMW-O-19	11/16/10 08:03	cis-1,3-Dichloropropene	0.5	ug/L

KMEP November Monthly Monitoring Results

Project_Id	Sample Name	Sample Date	Analyte	Result Value	Result Value Units
KMEP DFSP - Norwalk	GMW-O-19	11/16/10 08:03	Dibromochloromethane	1	ug/L
KMEP DFSP - Norwalk	GMW-O-19	11/16/10 08:03	Dibromomethane	1	ug/L
KMEP DFSP - Norwalk	GMW-O-19	11/16/10 08:03	Dichlorodifluoromethane	1	ug/L
KMEP DFSP - Norwalk	GMW-O-19	11/16/10 08:03	Dichloromethane	5	ug/L
KMEP DFSP - Norwalk	GMW-O-19	11/16/10 08:03	Di-isopropyl Ether (DIPE)	1	ug/L
KMEP DFSP - Norwalk	GMW-O-19	11/16/10 08:03	Ethyl Tertiary Butyl Ether (ETBE)	1	ug/L
KMEP DFSP - Norwalk	GMW-O-19	11/16/10 08:03	Ethylbenzene	0.5	ug/L
KMEP DFSP - Norwalk	GMW-O-19	11/16/10 08:03	Freon-113	10	ug/L
KMEP DFSP - Norwalk	GMW-O-19	11/16/10 08:03	Isopropylbenzene	1	ug/L
KMEP DFSP - Norwalk	GMW-O-19	11/16/10 08:03	m,p-Xylene	0.5	ug/L
KMEP DFSP - Norwalk	GMW-O-19	11/16/10 08:03	Methyl tert-butyl ether (MTBE)	0.5	ug/L
KMEP DFSP - Norwalk	GMW-O-19	11/16/10 08:03	Naphthalene	10	ug/L
KMEP DFSP - Norwalk	GMW-O-19	11/16/10 08:03	n-Butylbenzene	1	ug/L
KMEP DFSP - Norwalk	GMW-O-19	11/16/10 08:03	n-Propylbenzene	1	ug/L
KMEP DFSP - Norwalk	GMW-O-19	11/16/10 08:03	o-Xylene	0.5	ug/L
KMEP DFSP - Norwalk	GMW-O-19	11/16/10 08:03	sec-Butylbenzene	1	ug/L
KMEP DFSP - Norwalk	GMW-O-19	11/16/10 08:03	Styrene	1	ug/L
KMEP DFSP - Norwalk	GMW-O-19	11/16/10 08:03	tert-Butylbenzene	1	ug/L
KMEP DFSP - Norwalk	GMW-O-19	11/16/10 08:03	Tertiary Amyl Methyl Ether (TAME)	1	ug/L
KMEP DFSP - Norwalk	GMW-O-19	11/16/10 08:03	Tertiary Butyl Alcohol (TBA)	10	ug/L
KMEP DFSP - Norwalk	GMW-O-19	11/16/10 08:03	Tetrachloroethene	1	ug/L
KMEP DFSP - Norwalk	GMW-O-19	11/16/10 08:03	Toluene	0.5	ug/L
KMEP DFSP - Norwalk	GMW-O-19	11/16/10 08:03	TPH-E (Fuel Product)	0.1	mg/L
KMEP DFSP - Norwalk	GMW-O-19	11/16/10 08:03	TPH-P (GRO)	0.05	mg/L
KMEP DFSP - Norwalk	GMW-O-19	11/16/10 08:03	trans-1,2-Dichloroethene	1	ug/L
KMEP DFSP - Norwalk	GMW-O-19	11/16/10 08:03	trans-1,3-Dichloropropene	0.5	ug/L
KMEP DFSP - Norwalk	GMW-O-19	11/16/10 08:03	Trichloroethene	1	ug/L
KMEP DFSP - Norwalk	GMW-O-19	11/16/10 08:03	Trichlorofluoromethane	10	ug/L
KMEP DFSP - Norwalk	GMW-O-19	11/16/10 08:03	Vinyl acetate	50	ug/L
KMEP DFSP - Norwalk	GMW-O-19	11/16/10 08:03	Vinyl chloride	0.5	ug/L
KMEP DFSP - Norwalk	PZ-5	11/16/10 10:34	1,2-Dichloroethane-d4	106	%
KMEP DFSP - Norwalk	PZ-5	11/16/10 10:34	1,2-Dichloroethane-d4	106	%
KMEP DFSP - Norwalk	PZ-5	11/16/10 10:34	4-Bromofluorobenzene	97.8	%
KMEP DFSP - Norwalk	PZ-5	11/16/10 10:34	4-Bromofluorobenzene	97.8	%
KMEP DFSP - Norwalk	PZ-5	11/16/10 10:34	Nonane	105	%

KMEP November Monthly Monitoring Results

Project_Id	Sample Name	Sample Date	Analyte	Result Value	Result Value Units
KMEP DFSP - Norwalk	PZ-5	11/16/10 10:34	Toluene-d8	101	%
KMEP DFSP - Norwalk	PZ-5	11/16/10 10:34	Toluene-d8	101	%
KMEP DFSP - Norwalk	PZ-5	11/16/10 10:34	1,1,1,2-Tetrachloroethane	20	ug/L
KMEP DFSP - Norwalk	PZ-5	11/16/10 10:34	1,1,1-Trichloroethane	20	ug/L
KMEP DFSP - Norwalk	PZ-5	11/16/10 10:34	1,1,2,2-Tetrachloroethane	20	ug/L
KMEP DFSP - Norwalk	PZ-5	11/16/10 10:34	1,1,2-Trichloroethane	20	ug/L
KMEP DFSP - Norwalk	PZ-5	11/16/10 10:34	1,1-Dichloroethane	20	ug/L
KMEP DFSP - Norwalk	PZ-5	11/16/10 10:34	1,1-Dichloroethane	20	ug/L
KMEP DFSP - Norwalk	PZ-5	11/16/10 10:34	1,1-Dichloropropene	20	ug/L
KMEP DFSP - Norwalk	PZ-5	11/16/10 10:34	1,2,3-Trichlorobenzene	80	ug/L
KMEP DFSP - Norwalk	PZ-5	11/16/10 10:34	1,2,3-Trichloropropane	80	ug/L
KMEP DFSP - Norwalk	PZ-5	11/16/10 10:34	1,2,4-Trichlorobenzene	80	ug/L
KMEP DFSP - Norwalk	PZ-5	11/16/10 10:34	1,2,4-Trimethylbenzene	20	ug/L
KMEP DFSP - Norwalk	PZ-5	11/16/10 10:34	1,2-Dibromo-3-chloropropane (DBCP)	120	ug/L
KMEP DFSP - Norwalk	PZ-5	11/16/10 10:34	1,2-Dibromoethane (EDB)	40	ug/L
KMEP DFSP - Norwalk	PZ-5	11/16/10 10:34	1,2-Dichlorobenzene	20	ug/L
KMEP DFSP - Norwalk	PZ-5	11/16/10 10:34	1,2-Dichloroethane	20	ug/L
KMEP DFSP - Norwalk	PZ-5	11/16/10 10:34	1,2-Dichloropropane	20	ug/L
KMEP DFSP - Norwalk	PZ-5	11/16/10 10:34	1,3,5-Trimethylbenzene	20	ug/L
KMEP DFSP - Norwalk	PZ-5	11/16/10 10:34	1,3-Dichlorobenzene	20	ug/L
KMEP DFSP - Norwalk	PZ-5	11/16/10 10:34	1,3-Dichloropropane	20	ug/L
KMEP DFSP - Norwalk	PZ-5	11/16/10 10:34	1,4-Dichlorobenzene	20	ug/L
KMEP DFSP - Norwalk	PZ-5	11/16/10 10:34	2,2-Dichloropropane	20	ug/L
KMEP DFSP - Norwalk	PZ-5	11/16/10 10:34	2-Butanone (MEK)	400	ug/L
KMEP DFSP - Norwalk	PZ-5	11/16/10 10:34	2-Chlorotoluene	20	ug/L
KMEP DFSP - Norwalk	PZ-5	11/16/10 10:34	2-Hexanone	200	ug/L
KMEP DFSP - Norwalk	PZ-5	11/16/10 10:34	4-Chlorotoluene	20	ug/L
KMEP DFSP - Norwalk	PZ-5	11/16/10 10:34	4-Isopropyltoluene	20	ug/L
KMEP DFSP - Norwalk	PZ-5	11/16/10 10:34	4-Methyl-2-pentanone (MIBK)	100	ug/L
KMEP DFSP - Norwalk	PZ-5	11/16/10 10:34	Acetone	400	ug/L
KMEP DFSP - Norwalk	PZ-5	11/16/10 10:34	Benzene	1600	ug/L
KMEP DFSP - Norwalk	PZ-5	11/16/10 10:34	Bromobenzene	20	ug/L
KMEP DFSP - Norwalk	PZ-5	11/16/10 10:34	Bromochloromethane	20	ug/L
KMEP DFSP - Norwalk	PZ-5	11/16/10 10:34	Bromodichloromethane	20	ug/L
KMEP DFSP - Norwalk	PZ-5	11/16/10 10:34	Bromoform	20	ug/L

KMEP November Monthly Monitoring Results

Project Id	Sample Name	Sample Date	Analyte	Result Value	Result Value Units
KMEP DFSP - Norwalk	PZ-5	11/16/10 10:34	Bromomethane	80	ug/L
KMEP DFSP - Norwalk	PZ-5	11/16/10 10:34	Carbon disulfide	100	ug/L
KMEP DFSP - Norwalk	PZ-5	11/16/10 10:34	Carbon tetrachloride	20	ug/L
KMEP DFSP - Norwalk	PZ-5	11/16/10 10:34	Chlorobenzene	20	ug/L
KMEP DFSP - Norwalk	PZ-5	11/16/10 10:34	Chloroethane	20	ug/L
KMEP DFSP - Norwalk	PZ-5	11/16/10 10:34	Chloroform	20	ug/L
KMEP DFSP - Norwalk	PZ-5	11/16/10 10:34	Chloromethane	80	ug/L
KMEP DFSP - Norwalk	PZ-5	11/16/10 10:34	cis-1,2-Dichloroethene	20	ug/L
KMEP DFSP - Norwalk	PZ-5	11/16/10 10:34	cis-1,3-Dichloropropene	20	ug/L
KMEP DFSP - Norwalk	PZ-5	11/16/10 10:34	Dibromochloromethane	20	ug/L
KMEP DFSP - Norwalk	PZ-5	11/16/10 10:34	Dibromomethane	20	ug/L
KMEP DFSP - Norwalk	PZ-5	11/16/10 10:34	Dichlorodifluoromethane	20	ug/L
KMEP DFSP - Norwalk	PZ-5	11/16/10 10:34	Dichloromethane	80	ug/L
KMEP DFSP - Norwalk	PZ-5	11/16/10 10:34	Diisopropyl Ether (DIPE)	20	ug/L
KMEP DFSP - Norwalk	PZ-5	11/16/10 10:34	Ethyl Tertiary Butyl Ether (ETBE)	20	ug/L
KMEP DFSP - Norwalk	PZ-5	11/16/10 10:34	Ethylbenzene	10	ug/L
KMEP DFSP - Norwalk	PZ-5	11/16/10 10:34	Freon-113	20	ug/L
KMEP DFSP - Norwalk	PZ-5	11/16/10 10:34	Isopropylbenzene	20	ug/L
KMEP DFSP - Norwalk	PZ-5	11/16/10 10:34	m,p-Xylene	15	ug/L
KMEP DFSP - Norwalk	PZ-5	11/16/10 10:34	Methyl tert-butyl ether (MTBE)	130	ug/L
KMEP DFSP - Norwalk	PZ-5	11/16/10 10:34	Naphthalene	80	ug/L
KMEP DFSP - Norwalk	PZ-5	11/16/10 10:34	n-Butylbenzene	20	ug/L
KMEP DFSP - Norwalk	PZ-5	11/16/10 10:34	n-Propylbenzene	20	ug/L
KMEP DFSP - Norwalk	PZ-5	11/16/10 10:34	o-Xylene	10	ug/L
KMEP DFSP - Norwalk	PZ-5	11/16/10 10:34	sec-Butylbenzene	20	ug/L
KMEP DFSP - Norwalk	PZ-5	11/16/10 10:34	Styrene	20	ug/L
KMEP DFSP - Norwalk	PZ-5	11/16/10 10:34	tert-Butylbenzene	20	ug/L
KMEP DFSP - Norwalk	PZ-5	11/16/10 10:34	Tertiary Amyl Methyl Ether (TAME)	20	ug/L
KMEP DFSP - Norwalk	PZ-5	11/16/10 10:34	Tertiary Butyl Alcohol (TBA)	20000	ug/L
KMEP DFSP - Norwalk	PZ-5	11/16/10 10:34	Tetrachloroethene	20	ug/L
KMEP DFSP - Norwalk	PZ-5	11/16/10 10:34	Toluene	10	ug/L
KMEP DFSP - Norwalk	PZ-5	11/16/10 10:34	TPH-E (Fuel Product)	1.6	mg/L
KMEP DFSP - Norwalk	PZ-5	11/16/10 10:34	TPH-P (GRO)	3.4	mg/L
KMEP DFSP - Norwalk	PZ-5	11/16/10 10:34	trans-1,2-Dichloroethene	20	ug/L
KMEP DFSP - Norwalk	PZ-5	11/16/10 10:34	trans-1,3-Dichloropropene	20	ug/L

KMEP November Monthly Monitoring Results

Project_Id	Sample Name	Sample Date	Analyte	Result Value	Result Value Units
KMEP DFSP - Norwalk	PZ-5	11/16/10 10:34	Trichloroethene	20	ug/L
KMEP DFSP - Norwalk	PZ-5	11/16/10 10:34	Trichlorofluoromethane	20	ug/L
KMEP DFSP - Norwalk	PZ-5	11/16/10 10:34	Vinyl acetate	2000	ug/L
KMEP DFSP - Norwalk	PZ-5	11/16/10 10:34	Vinyl chloride	20	ug/L
KMEP DFSP - Norwalk	DUP-1	11/16/10 00:00	1,2-Dichloroethane-d4	113	%
KMEP DFSP - Norwalk	DUP-1	11/16/10 00:00	1,2-Dichloroethane-d4	113	%
KMEP DFSP - Norwalk	DUP-1	11/16/10 00:00	4-Bromofluorobenzene	97.8	%
KMEP DFSP - Norwalk	DUP-1	11/16/10 00:00	4-Bromofluorobenzene	97.8	%
KMEP DFSP - Norwalk	DUP-1	11/16/10 00:00	Nonane	117	%
KMEP DFSP - Norwalk	DUP-1	11/16/10 00:00	Toluene-d8	101	%
KMEP DFSP - Norwalk	DUP-1	11/16/10 00:00	Toluene-d8	101	%
KMEP DFSP - Norwalk	DUP-1	11/16/10 00:00	1,1,1,2-Tetrachloroethane	20	ug/L
KMEP DFSP - Norwalk	DUP-1	11/16/10 00:00	1,1,1-Trichloroethane	20	ug/L
KMEP DFSP - Norwalk	DUP-1	11/16/10 00:00	1,1,2,2-Tetrachloroethane	20	ug/L
KMEP DFSP - Norwalk	DUP-1	11/16/10 00:00	1,1,2-Trichloroethane	20	ug/L
KMEP DFSP - Norwalk	DUP-1	11/16/10 00:00	1,1-Dichloroethane	20	ug/L
KMEP DFSP - Norwalk	DUP-1	11/16/10 00:00	1,1-Dichloroethene	20	ug/L
KMEP DFSP - Norwalk	DUP-1	11/16/10 00:00	1,1-Dichloropropene	20	ug/L
KMEP DFSP - Norwalk	DUP-1	11/16/10 00:00	1,2,3-Trichlorobenzene	80	ug/L
KMEP DFSP - Norwalk	DUP-1	11/16/10 00:00	1,2,3-Trichloropropane	80	ug/L
KMEP DFSP - Norwalk	DUP-1	11/16/10 00:00	1,2,4-Trichlorobenzene	80	ug/L
KMEP DFSP - Norwalk	DUP-1	11/16/10 00:00	1,2,4-Trimethylbenzene	20	ug/L
KMEP DFSP - Norwalk	DUP-1	11/16/10 00:00	1,2-Dibromo-3-chloropropane (DBCP)	120	ug/L
KMEP DFSP - Norwalk	DUP-1	11/16/10 00:00	1,2-Dibromoethane (EDB)	40	ug/L
KMEP DFSP - Norwalk	DUP-1	11/16/10 00:00	1,2-Dichlorobenzene	20	ug/L
KMEP DFSP - Norwalk	DUP-1	11/16/10 00:00	1,2-Dichloroethane	20	ug/L
KMEP DFSP - Norwalk	DUP-1	11/16/10 00:00	1,2-Dichloropropane	20	ug/L
KMEP DFSP - Norwalk	DUP-1	11/16/10 00:00	1,3,5-Trimethylbenzene	20	ug/L
KMEP DFSP - Norwalk	DUP-1	11/16/10 00:00	1,3-Dichlorobenzene	20	ug/L
KMEP DFSP - Norwalk	DUP-1	11/16/10 00:00	1,3-Dichloropropane	20	ug/L
KMEP DFSP - Norwalk	DUP-1	11/16/10 00:00	1,4-Dichlorobenzene	20	ug/L
KMEP DFSP - Norwalk	DUP-1	11/16/10 00:00	2,2-Dichloropropane	20	ug/L
KMEP DFSP - Norwalk	DUP-1	11/16/10 00:00	2-Butanone (MEK)	400	ug/L
KMEP DFSP - Norwalk	DUP-1	11/16/10 00:00	2-Chlorotoluene	20	ug/L
KMEP DFSP - Norwalk	DUP-1	11/16/10 00:00	2-Hexanone	200	ug/L

KMEP November Monthly Monitoring Results

Project_Id	Sample Name	Sample Date	Analyte	Result Value	Result Value Units
KMEP DFSP - Norwalk	DUP-1	11/16/10 00:00	4-Chlorotoluene	20	ug/L
KMEP DFSP - Norwalk	DUP-1	11/16/10 00:00	4-Isopropyltoluene	20	ug/L
KMEP DFSP - Norwalk	DUP-1	11/16/10 00:00	4-Methyl-2-pentanone (MIBK)	100	ug/L
KMEP DFSP - Norwalk	DUP-1	11/16/10 00:00	Acetone	400	ug/L
KMEP DFSP - Norwalk	DUP-1	11/16/10 00:00	Benzene	2000	ug/L
KMEP DFSP - Norwalk	DUP-1	11/16/10 00:00	Bromobenzene	20	ug/L
KMEP DFSP - Norwalk	DUP-1	11/16/10 00:00	Bromochloromethane	20	ug/L
KMEP DFSP - Norwalk	DUP-1	11/16/10 00:00	Bromodichloromethane	20	ug/L
KMEP DFSP - Norwalk	DUP-1	11/16/10 00:00	Bromoform	20	ug/L
KMEP DFSP - Norwalk	DUP-1	11/16/10 00:00	Bromomethane	80	ug/L
KMEP DFSP - Norwalk	DUP-1	11/16/10 00:00	Carbon disulfide	100	ug/L
KMEP DFSP - Norwalk	DUP-1	11/16/10 00:00	Carbon tetrachloride	20	ug/L
KMEP DFSP - Norwalk	DUP-1	11/16/10 00:00	Chlorobenzene	20	ug/L
KMEP DFSP - Norwalk	DUP-1	11/16/10 00:00	Chloroethane	20	ug/L
KMEP DFSP - Norwalk	DUP-1	11/16/10 00:00	Chloroform	20	ug/L
KMEP DFSP - Norwalk	DUP-1	11/16/10 00:00	Chloromethane	80	ug/L
KMEP DFSP - Norwalk	DUP-1	11/16/10 00:00	cis-1,2-Dichloroethene	20	ug/L
KMEP DFSP - Norwalk	DUP-1	11/16/10 00:00	cis-1,3-Dichloropropene	20	ug/L
KMEP DFSP - Norwalk	DUP-1	11/16/10 00:00	Dibromochloromethane	20	ug/L
KMEP DFSP - Norwalk	DUP-1	11/16/10 00:00	Dibromomethane	20	ug/L
KMEP DFSP - Norwalk	DUP-1	11/16/10 00:00	Dichlorodifluoromethane	20	ug/L
KMEP DFSP - Norwalk	DUP-1	11/16/10 00:00	Dichloromethane	80	ug/L
KMEP DFSP - Norwalk	DUP-1	11/16/10 00:00	Di-isopropyl Ether (DIPE)	20	ug/L
KMEP DFSP - Norwalk	DUP-1	11/16/10 00:00	Ethyl Tertiary Butyl Ether (ETBE)	20	ug/L
KMEP DFSP - Norwalk	DUP-1	11/16/10 00:00	Ethylbenzene	13	ug/L
KMEP DFSP - Norwalk	DUP-1	11/16/10 00:00	Freon-113	20	ug/L
KMEP DFSP - Norwalk	DUP-1	11/16/10 00:00	Isopropylbenzene	20	ug/L
KMEP DFSP - Norwalk	DUP-1	11/16/10 00:00	m,p-Xylene	17	ug/L
KMEP DFSP - Norwalk	DUP-1	11/16/10 00:00	Methyl tert-butyl ether (MTBE)	190	ug/L
KMEP DFSP - Norwalk	DUP-1	11/16/10 00:00	Naphthalene	80	ug/L
KMEP DFSP - Norwalk	DUP-1	11/16/10 00:00	n-Butylbenzene	20	ug/L
KMEP DFSP - Norwalk	DUP-1	11/16/10 00:00	n-Propylbenzene	20	ug/L
KMEP DFSP - Norwalk	DUP-1	11/16/10 00:00	o-Xylene	10	ug/L
KMEP DFSP - Norwalk	DUP-1	11/16/10 00:00	sec-Butylbenzene	20	ug/L
KMEP DFSP - Norwalk	DUP-1	11/16/10 00:00	Styrene	20	ug/L

KMEP November Monthly Monitoring Results

Project_Id	Sample Name	Sample Date	Analyte	Result Value	Result Value Units
KMEP DFSP - Norwalk	DUP-1	11/16/10 00:00	tert-Butylbenzene	20	ug/L
KMEP DFSP - Norwalk	DUP-1	11/16/10 00:00	Tertiary Amyl Methyl Ether (TAME)	20	ug/L
KMEP DFSP - Norwalk	DUP-1	11/16/10 00:00	Tertiary Butyl Alcohol (TBA)	26000	ug/L
KMEP DFSP - Norwalk	DUP-1	11/16/10 00:00	Tetrachloroethene	20	ug/L
KMEP DFSP - Norwalk	DUP-1	11/16/10 00:00	Toluene	10	ug/L
KMEP DFSP - Norwalk	DUP-1	11/16/10 00:00	TPH-E (Fuel Product)	1.6	mg/L
KMEP DFSP - Norwalk	DUP-1	11/16/10 00:00	TPH-P (GRO)	4.4	mg/L
KMEP DFSP - Norwalk	DUP-1	11/16/10 00:00	trans-1,2-Dichloroethene	20	ug/L
KMEP DFSP - Norwalk	DUP-1	11/16/10 00:00	trans-1,3-Dichloropropene	20	ug/L
KMEP DFSP - Norwalk	DUP-1	11/16/10 00:00	Trichloroethene	20	ug/L
KMEP DFSP - Norwalk	DUP-1	11/16/10 00:00	Trichlorofluoromethane	20	ug/L
KMEP DFSP - Norwalk	DUP-1	11/16/10 00:00	Vinyl acetate	2000	ug/L
KMEP DFSP - Norwalk	DUP-1	11/16/10 00:00	Vinyl chloride	20	ug/L
KMEP DFSP - Norwalk	EB-1	11/16/10 11:30	1,2-Dichloroethane-d4	111	%
KMEP DFSP - Norwalk	EB-1	11/16/10 11:30	1,2-Dichloroethane-d4	111	%
KMEP DFSP - Norwalk	EB-1	11/16/10 11:30	4-Bromofluorobenzene	101	%
KMEP DFSP - Norwalk	EB-1	11/16/10 11:30	4-Bromofluorobenzene	101	%
KMEP DFSP - Norwalk	EB-1	11/16/10 11:30	Nonane	113	%
KMEP DFSP - Norwalk	EB-1	11/16/10 11:30	Toluene-d8	102	%
KMEP DFSP - Norwalk	EB-1	11/16/10 11:30	Toluene-d8	102	%
KMEP DFSP - Norwalk	EB-1	11/16/10 11:30	1,1,1,2-Tetrachloroethane	1	ug/L
KMEP DFSP - Norwalk	EB-1	11/16/10 11:30	1,1,1-Trichloroethane	1	ug/L
KMEP DFSP - Norwalk	EB-1	11/16/10 11:30	1,1,2,2-Tetrachloroethane	1	ug/L
KMEP DFSP - Norwalk	EB-1	11/16/10 11:30	1,1,2-Trichloroethane	1	ug/L
KMEP DFSP - Norwalk	EB-1	11/16/10 11:30	1,1-Dichloroethane	1	ug/L
KMEP DFSP - Norwalk	EB-1	11/16/10 11:30	1,1-Dichloroethane	1	ug/L
KMEP DFSP - Norwalk	EB-1	11/16/10 11:30	1,1-Dichloropropene	1	ug/L
KMEP DFSP - Norwalk	EB-1	11/16/10 11:30	1,2,3-Trichlorobenzene	2	ug/L
KMEP DFSP - Norwalk	EB-1	11/16/10 11:30	1,2,3-Trichloropropane	2	ug/L
KMEP DFSP - Norwalk	EB-1	11/16/10 11:30	1,2,4-Trichlorobenzene	2	ug/L
KMEP DFSP - Norwalk	EB-1	11/16/10 11:30	1,2,4-Trimethylbenzene	1	ug/L
KMEP DFSP - Norwalk	EB-1	11/16/10 11:30	1,2-Dibromo-3-chloropropane (DBCP)	5	ug/L
KMEP DFSP - Norwalk	EB-1	11/16/10 11:30	1,2-Dibromoethane (EDB)	2	ug/L
KMEP DFSP - Norwalk	EB-1	11/16/10 11:30	1,2-Dichlorobenzene	1	ug/L
KMEP DFSP - Norwalk	EB-1	11/16/10 11:30	1,2-Dichloroethane	0.5	ug/L

KMEP November Monthly Monitoring Results

Project_Id	Sample Name	Sample Date	Analyte	Result Value	Result Value Units
KMEP DFSP - Norwalk	EB-1	11/16/10 11:30	1,2-Dichloropropane	1	ug/L
KMEP DFSP - Norwalk	EB-1	11/16/10 11:30	1,3,5-Trimethylbenzene	1	ug/L
KMEP DFSP - Norwalk	EB-1	11/16/10 11:30	1,3-Dichlorobenzene	1	ug/L
KMEP DFSP - Norwalk	EB-1	11/16/10 11:30	1,3-Dichloropropane	1	ug/L
KMEP DFSP - Norwalk	EB-1	11/16/10 11:30	1,4-Dichlorobenzene	1	ug/L
KMEP DFSP - Norwalk	EB-1	11/16/10 11:30	2,2-Dichloropropane	1	ug/L
KMEP DFSP - Norwalk	EB-1	11/16/10 11:30	2-Butanone (MEK)	10	ug/L
KMEP DFSP - Norwalk	EB-1	11/16/10 11:30	2-Chlorotoluene	1	ug/L
KMEP DFSP - Norwalk	EB-1	11/16/10 11:30	2-Hexanone	5	ug/L
KMEP DFSP - Norwalk	EB-1	11/16/10 11:30	4-Chlorotoluene	1	ug/L
KMEP DFSP - Norwalk	EB-1	11/16/10 11:30	4-Isopropyltoluene	1	ug/L
KMEP DFSP - Norwalk	EB-1	11/16/10 11:30	4-Methyl-2-pentanone (MIBK)	10	ug/L
KMEP DFSP - Norwalk	EB-1	11/16/10 11:30	Acetone	10	ug/L
KMEP DFSP - Norwalk	EB-1	11/16/10 11:30	Benzene	0.5	ug/L
KMEP DFSP - Norwalk	EB-1	11/16/10 11:30	Bromobenzene	1	ug/L
KMEP DFSP - Norwalk	EB-1	11/16/10 11:30	Bromochloromethane	1	ug/L
KMEP DFSP - Norwalk	EB-1	11/16/10 11:30	Bromodichloromethane	1	ug/L
KMEP DFSP - Norwalk	EB-1	11/16/10 11:30	Bromoform	1	ug/L
KMEP DFSP - Norwalk	EB-1	11/16/10 11:30	Bromomethane	2	ug/L
KMEP DFSP - Norwalk	EB-1	11/16/10 11:30	Carbon disulfide	2.5	ug/L
KMEP DFSP - Norwalk	EB-1	11/16/10 11:30	Carbon tetrachloride	1	ug/L
KMEP DFSP - Norwalk	EB-1	11/16/10 11:30	Chlorobenzene	1	ug/L
KMEP DFSP - Norwalk	EB-1	11/16/10 11:30	Chloroethane	1	ug/L
KMEP DFSP - Norwalk	EB-1	11/16/10 11:30	Chloroform	1	ug/L
KMEP DFSP - Norwalk	EB-1	11/16/10 11:30	Chloromethane	2	ug/L
KMEP DFSP - Norwalk	EB-1	11/16/10 11:30	cis-1,2-Dichloroethene	1	ug/L
KMEP DFSP - Norwalk	EB-1	11/16/10 11:30	cis-1,3-Dichloropropene	0.5	ug/L
KMEP DFSP - Norwalk	EB-1	11/16/10 11:30	Dibromochloromethane	1	ug/L
KMEP DFSP - Norwalk	EB-1	11/16/10 11:30	Dibromomethane	1	ug/L
KMEP DFSP - Norwalk	EB-1	11/16/10 11:30	Dichlorodifluoromethane	1	ug/L
KMEP DFSP - Norwalk	EB-1	11/16/10 11:30	Dichloromethane	5	ug/L
KMEP DFSP - Norwalk	EB-1	11/16/10 11:30	Di-isopropyl Ether (DIPE)	1	ug/L
KMEP DFSP - Norwalk	EB-1	11/16/10 11:30	Ethyl Tertiary Butyl Ether (ETBE)	1	ug/L
KMEP DFSP - Norwalk	EB-1	11/16/10 11:30	Ethylbenzene	0.5	ug/L
KMEP DFSP - Norwalk	EB-1	11/16/10 11:30	Freon-113	10	ug/L

KMEP November Monthly Monitoring Results

Project_Id	Sample Name	Sample Date	Analyte	Result Value	Result Value Units
KMEP DFSP - Norwalk	EB-1	11/16/10 11:30	Isopropylbenzene	1	ug/L
KMEP DFSP - Norwalk	EB-1	11/16/10 11:30	m,p-Xylene	0.5	ug/L
KMEP DFSP - Norwalk	EB-1	11/16/10 11:30	Methyl tert-butyl ether (MTBE)	0.5	ug/L
KMEP DFSP - Norwalk	EB-1	11/16/10 11:30	Naphthalene	10	ug/L
KMEP DFSP - Norwalk	EB-1	11/16/10 11:30	n-Butylbenzene	1	ug/L
KMEP DFSP - Norwalk	EB-1	11/16/10 11:30	n-Propylbenzene	1	ug/L
KMEP DFSP - Norwalk	EB-1	11/16/10 11:30	o-Xylene	0.5	ug/L
KMEP DFSP - Norwalk	EB-1	11/16/10 11:30	sec-Butylbenzene	1	ug/L
KMEP DFSP - Norwalk	EB-1	11/16/10 11:30	Styrene	1	ug/L
KMEP DFSP - Norwalk	EB-1	11/16/10 11:30	tert-Butylbenzene	1	ug/L
KMEP DFSP - Norwalk	EB-1	11/16/10 11:30	Tertiary Amyl Methyl Ether (TAME)	1	ug/L
KMEP DFSP - Norwalk	EB-1	11/16/10 11:30	Tertiary Butyl Alcohol (TBA)	10	ug/L
KMEP DFSP - Norwalk	EB-1	11/16/10 11:30	Tetrachloroethene	1	ug/L
KMEP DFSP - Norwalk	EB-1	11/16/10 11:30	Toluene	0.5	ug/L
KMEP DFSP - Norwalk	EB-1	11/16/10 11:30	TPH-E (Fuel Product)	0.1	mg/L
KMEP DFSP - Norwalk	EB-1	11/16/10 11:30	TPH-P (GRO)	0.05	mg/L
KMEP DFSP - Norwalk	EB-1	11/16/10 11:30	trans-1,2-Dichloroethene	1	ug/L
KMEP DFSP - Norwalk	EB-1	11/16/10 11:30	trans-1,3-Dichloropropene	0.5	ug/L
KMEP DFSP - Norwalk	EB-1	11/16/10 11:30	Trichloroethene	1	ug/L
KMEP DFSP - Norwalk	EB-1	11/16/10 11:30	Trichlorofluoromethane	10	ug/L
KMEP DFSP - Norwalk	EB-1	11/16/10 11:30	Vinyl acetate	50	ug/L
KMEP DFSP - Norwalk	EB-1	11/16/10 11:30	Vinyl chloride	0.5	ug/L
KMEP DFSP - Norwalk	10111806_MBLK MS07W1122A	11/22/10 17:35	1,1,1,2-Tetrachloroethane	1	ug/L
KMEP DFSP - Norwalk	10111806_MBLK MS07W1122A	11/22/10 17:35	1,1,1-Trichloroethane	1	ug/L
KMEP DFSP - Norwalk	10111806_MBLK MS07W1122A	11/22/10 17:35	1,1,2,2-Tetrachloroethane	1	ug/L
KMEP DFSP - Norwalk	10111806_MBLK MS07W1122A	11/22/10 17:35	1,1,2-Trichloroethane	1	ug/L
KMEP DFSP - Norwalk	10111806_MBLK MS07W1122A	11/22/10 17:35	1,1-Dichloroethane	1	ug/L
KMEP DFSP - Norwalk	10111806_MBLK MS07W1122A	11/22/10 17:35	1,1-Dichloroethene	1	ug/L
KMEP DFSP - Norwalk	10111806_MBLK MS07W1122A	11/22/10 17:35	1,1-Dichloropropene	1	ug/L
KMEP DFSP - Norwalk	10111806_MBLK MS07W1122A	11/22/10 17:35	1,2,3-Trichlorobenzene	2	ug/L
KMEP DFSP - Norwalk	10111806_MBLK MS07W1122A	11/22/10 17:35	1,2,3-Trichloropropane	2	ug/L
KMEP DFSP - Norwalk	10111806_MBLK MS07W1122A	11/22/10 17:35	1,2,4-Trichlorobenzene	2	ug/L
KMEP DFSP - Norwalk	10111806_MBLK MS07W1122A	11/22/10 17:35	1,2,4-Trimethylbenzene	1	ug/L
KMEP DFSP - Norwalk	10111806_MBLK MS07W1122A	11/22/10 17:35	1,2-Dibromo-3-chloropropane (DBCP)	3	ug/L
KMEP DFSP - Norwalk	10111806_MBLK MS07W1122A	11/22/10 17:35	1,2-Dibromoethane (EDB)	2	ug/L

KMEP November Monthly Monitoring Results

Project_Id	Sample Name	Sample Date	Analyte	Result Value	Result Value Units
KMEP DFSP - Norwalk	10111806_MBLK MS07W1122A	11/22/10 17:35	1,2-Dichlorobenzene	1	ug/L
KMEP DFSP - Norwalk	10111806_MBLK MS07W1122A	11/22/10 17:35	1,2-Dichloroethane	1	ug/L
KMEP DFSP - Norwalk	10111806_MBLK MS07W1122A	11/22/10 17:35	1,2-Dichloropropane	1	ug/L
KMEP DFSP - Norwalk	10111806_MBLK MS07W1122A	11/22/10 17:35	1,3,5-Trimethylbenzene	1	ug/L
KMEP DFSP - Norwalk	10111806_MBLK MS07W1122A	11/22/10 17:35	1,3-Dichlorobenzene	1	ug/L
KMEP DFSP - Norwalk	10111806_MBLK MS07W1122A	11/22/10 17:35	1,3-Dichloropropane	1	ug/L
KMEP DFSP - Norwalk	10111806_MBLK MS07W1122A	11/22/10 17:35	1,4-Dichlorobenzene	1	ug/L
KMEP DFSP - Norwalk	10111806_MBLK MS07W1122A	11/22/10 17:35	2,2-Dichloropropane	1	ug/L
KMEP DFSP - Norwalk	10111806_MBLK MS07W1122A	11/22/10 17:35	2-Butanone (MEK)	10	ug/L
KMEP DFSP - Norwalk	10111806_MBLK MS07W1122A	11/22/10 17:35	2-Chlorotoluene	1	ug/L
KMEP DFSP - Norwalk	10111806_MBLK MS07W1122A	11/22/10 17:35	2-Hexanone	5	ug/L
KMEP DFSP - Norwalk	10111806_MBLK MS07W1122A	11/22/10 17:35	4-Chlorotoluene	1	ug/L
KMEP DFSP - Norwalk	10111806_MBLK MS07W1122A	11/22/10 17:35	4-Isopropyltoluene	1	ug/L
KMEP DFSP - Norwalk	10111806_MBLK MS07W1122A	11/22/10 17:35	4-Methyl-2-pentanone (MIBK)	2.5	ug/L
KMEP DFSP - Norwalk	10111806_MBLK MS07W1122A	11/22/10 17:35	Acetone	10	ug/L
KMEP DFSP - Norwalk	10111806_MBLK MS07W1122A	11/22/10 17:35	Benzene	0.5	ug/L
KMEP DFSP - Norwalk	10111806_MBLK MS07W1122A	11/22/10 17:35	Bromobenzene	1	ug/L
KMEP DFSP - Norwalk	10111806_MBLK MS07W1122A	11/22/10 17:35	Bromochloromethane	1	ug/L
KMEP DFSP - Norwalk	10111806_MBLK MS07W1122A	11/22/10 17:35	Bromodichloromethane	1	ug/L
KMEP DFSP - Norwalk	10111806_MBLK MS07W1122A	11/22/10 17:35	Bromoform	1	ug/L
KMEP DFSP - Norwalk	10111806_MBLK MS07W1122A	11/22/10 17:35	Bromomethane	2	ug/L
KMEP DFSP - Norwalk	10111806_MBLK MS07W1122A	11/22/10 17:35	Carbon disulfide	2.5	ug/L
KMEP DFSP - Norwalk	10111806_MBLK MS07W1122A	11/22/10 17:35	Carbon tetrachloride	1	ug/L
KMEP DFSP - Norwalk	10111806_MBLK MS07W1122A	11/22/10 17:35	Chlorobenzene	1	ug/L
KMEP DFSP - Norwalk	10111806_MBLK MS07W1122A	11/22/10 17:35	Chloroethane	1	ug/L
KMEP DFSP - Norwalk	10111806_MBLK MS07W1122A	11/22/10 17:35	Chloroform	1	ug/L
KMEP DFSP - Norwalk	10111806_MBLK MS07W1122A	11/22/10 17:35	Chloromethane	2	ug/L
KMEP DFSP - Norwalk	10111806_MBLK MS07W1122A	11/22/10 17:35	cis-1,2-Dichloroethene	1	ug/L
KMEP DFSP - Norwalk	10111806_MBLK MS07W1122A	11/22/10 17:35	cis-1,3-Dichloropropene	1	ug/L
KMEP DFSP - Norwalk	10111806_MBLK MS07W1122A	11/22/10 17:35	Dibromochloromethane	1	ug/L
KMEP DFSP - Norwalk	10111806_MBLK MS07W1122A	11/22/10 17:35	Dibromomethane	1	ug/L
KMEP DFSP - Norwalk	10111806_MBLK MS07W1122A	11/22/10 17:35	Dichlorodifluoromethane	1	ug/L
KMEP DFSP - Norwalk	10111806_MBLK MS07W1122A	11/22/10 17:35	Dichloromethane	2	ug/L
KMEP DFSP - Norwalk	10111806_MBLK MS07W1122A	11/22/10 17:35	Di-isopropyl Ether (DIPE)	1	ug/L
KMEP DFSP - Norwalk	10111806_MBLK MS07W1122A	11/22/10 17:35	Ethyl Tertiary Butyl Ether (ETBE)	1	ug/L

KMEP November Monthly Monitoring Results

Project_Id	Sample Name	Sample Date	Analyte	Result Value	Result Value Units
KMEP DFSP - Norwalk	10111806_MBLK MS07W1122A	11/22/10 17:35	Ethylbenzene	0.5	ug/L
KMEP DFSP - Norwalk	10111806_MBLK MS07W1122A	11/22/10 17:35	Freon-113	1	ug/L
KMEP DFSP - Norwalk	10111806_MBLK MS07W1122A	11/22/10 17:35	Isopropylbenzene	1	ug/L
KMEP DFSP - Norwalk	10111806_MBLK MS07W1122A	11/22/10 17:35	m,p-Xylene	0.5	ug/L
KMEP DFSP - Norwalk	10111806_MBLK MS07W1122A	11/22/10 17:35	Methyl tert-butyl ether (MTBE)	0.5	ug/L
KMEP DFSP - Norwalk	10111806_MBLK MS07W1122A	11/22/10 17:35	Naphthalene	2	ug/L
KMEP DFSP - Norwalk	10111806_MBLK MS07W1122A	11/22/10 17:35	n-Butylbenzene	1	ug/L
KMEP DFSP - Norwalk	10111806_MBLK MS07W1122A	11/22/10 17:35	n-Propylbenzene	1	ug/L
KMEP DFSP - Norwalk	10111806_MBLK MS07W1122A	11/22/10 17:35	o-Xylene	0.5	ug/L
KMEP DFSP - Norwalk	10111806_MBLK MS07W1122A	11/22/10 17:35	sec-Butylbenzene	1	ug/L
KMEP DFSP - Norwalk	10111806_MBLK MS07W1122A	11/22/10 17:35	Styrene	1	ug/L
KMEP DFSP - Norwalk	10111806_MBLK MS07W1122A	11/22/10 17:35	tert-Butylbenzene	1	ug/L
KMEP DFSP - Norwalk	10111806_MBLK MS07W1122A	11/22/10 17:35	Tertiary Amyl Methyl Ether (TAME)	1	ug/L
KMEP DFSP - Norwalk	10111806_MBLK MS07W1122A	11/22/10 17:35	Tertiary Butyl Alcohol (TBA)	10	ug/L
KMEP DFSP - Norwalk	10111806_MBLK MS07W1122A	11/22/10 17:35	Tetrachloroethene	1	ug/L
KMEP DFSP - Norwalk	10111806_MBLK MS07W1122A	11/22/10 17:35	Toluene	0.5	ug/L
KMEP DFSP - Norwalk	10111806_MBLK MS07W1122A	11/22/10 17:35	trans-1,2-Dichloroethene	1	ug/L
KMEP DFSP - Norwalk	10111806_MBLK MS07W1122A	11/22/10 17:35	trans-1,3-Dichloropropene	1	ug/L
KMEP DFSP - Norwalk	10111806_MBLK MS07W1122A	11/22/10 17:35	Trichloroethene	1	ug/L
KMEP DFSP - Norwalk	10111806_MBLK MS07W1122A	11/22/10 17:35	Trichlorofluoromethane	1	ug/L
KMEP DFSP - Norwalk	10111806_MBLK MS07W1122A	11/22/10 17:35	Vinyl acetate	50	ug/L
KMEP DFSP - Norwalk	10111806_MBLK MS07W1122A	11/22/10 17:35	Vinyl chloride	1	ug/L
KMEP DFSP - Norwalk	10111806_MBLK MS07W1122A	11/22/10 17:35	1,2-Dichloroethane-d4	115	%
KMEP DFSP - Norwalk	10111806_MBLK MS07W1122A	11/22/10 17:35	4-Bromofluorobenzene	102	%
KMEP DFSP - Norwalk	10111806_MBLK MS07W1122A	11/22/10 17:35	Toluene-d8	99.2	%
KMEP DFSP - Norwalk	10111806_MBLK MS07W1122B	11/22/10 17:35	TPH-P (GRO)	0.05	mg/L
KMEP DFSP - Norwalk	10111806_MBLK MS07W1122B	11/22/10 17:35	TPH-P (Purgeable)	0.05	mg/L
KMEP DFSP - Norwalk	10111806_MBLK MS07W1122B	11/22/10 17:35	1,2-Dichloroethane-d4	115	%
KMEP DFSP - Norwalk	10111806_MBLK MS07W1122B	11/22/10 17:35	4-Bromofluorobenzene	102	%
KMEP DFSP - Norwalk	10111806_MBLK MS07W1122B	11/22/10 17:35	Toluene-d8	99.2	%
KMEP DFSP - Norwalk	10111806_MBLK MS07W1122I	11/22/10 17:35	1,1,1,2-Tetrachloroethane	1	ug/L
KMEP DFSP - Norwalk	10111806_MBLK MS07W1122I	11/22/10 17:35	1,1,1-Trichloroethane	1	ug/L
KMEP DFSP - Norwalk	10111806_MBLK MS07W1122I	11/22/10 17:35	1,1,2,2-Tetrachloroethane	1	ug/L
KMEP DFSP - Norwalk	10111806_MBLK MS07W1122I	11/22/10 17:35	1,1,2-Trichloroethane	1	ug/L
KMEP DFSP - Norwalk	10111806_MBLK MS07W1122I	11/22/10 17:35	1,1-Dichloroethane	1	ug/L

KMEP November Monthly Monitoring Results

Project_Id	Sample Name	Sample Date	Analyte	Result Value	Result Value Units
KMEP DFSP - Norwalk	10111806_MBLK MS07W11221	11/22/10 17:35	1,1-Dichloroethene	1	ug/L
KMEP DFSP - Norwalk	10111806_MBLK MS07W11221	11/22/10 17:35	1,1-Dichloropropene	1	ug/L
KMEP DFSP - Norwalk	10111806_MBLK MS07W11221	11/22/10 17:35	1,2,3-Trichlorobenzene	2	ug/L
KMEP DFSP - Norwalk	10111806_MBLK MS07W11221	11/22/10 17:35	1,2,3-Trichloropropane	2	ug/L
KMEP DFSP - Norwalk	10111806_MBLK MS07W11221	11/22/10 17:35	1,2,4-Trichlorobenzene	2	ug/L
KMEP DFSP - Norwalk	10111806_MBLK MS07W11221	11/22/10 17:35	1,2,4-Trimethylbenzene	1	ug/L
KMEP DFSP - Norwalk	10111806_MBLK MS07W11221	11/22/10 17:35	1,2-Dibromo-3-chloropropane (DBCP)	3	ug/L
KMEP DFSP - Norwalk	10111806_MBLK MS07W11221	11/22/10 17:35	1,2-Dibromoethane (EDB)	2	ug/L
KMEP DFSP - Norwalk	10111806_MBLK MS07W11221	11/22/10 17:35	1,2-Dichlorobenzene	1	ug/L
KMEP DFSP - Norwalk	10111806_MBLK MS07W11221	11/22/10 17:35	1,2-Dichloroethane	1	ug/L
KMEP DFSP - Norwalk	10111806_MBLK MS07W11221	11/22/10 17:35	1,2-Dichloropropane	1	ug/L
KMEP DFSP - Norwalk	10111806_MBLK MS07W11221	11/22/10 17:35	1,3,5-Trimethylbenzene	1	ug/L
KMEP DFSP - Norwalk	10111806_MBLK MS07W11221	11/22/10 17:35	1,3-Dichlorobenzene	1	ug/L
KMEP DFSP - Norwalk	10111806_MBLK MS07W11221	11/22/10 17:35	1,3-Dichloropropane	1	ug/L
KMEP DFSP - Norwalk	10111806_MBLK MS07W11221	11/22/10 17:35	1,4-Dichlorobenzene	1	ug/L
KMEP DFSP - Norwalk	10111806_MBLK MS07W11221	11/22/10 17:35	2,2-Dichloropropane	1	ug/L
KMEP DFSP - Norwalk	10111806_MBLK MS07W11221	11/22/10 17:35	2-Butanone (MEK)	10	ug/L
KMEP DFSP - Norwalk	10111806_MBLK MS07W11221	11/22/10 17:35	2-Chlorotoluene	1	ug/L
KMEP DFSP - Norwalk	10111806_MBLK MS07W11221	11/22/10 17:35	2-Hexanone	5	ug/L
KMEP DFSP - Norwalk	10111806_MBLK MS07W11221	11/22/10 17:35	4-Chlorotoluene	1	ug/L
KMEP DFSP - Norwalk	10111806_MBLK MS07W11221	11/22/10 17:35	4-Isopropyltoluene	1	ug/L
KMEP DFSP - Norwalk	10111806_MBLK MS07W11221	11/22/10 17:35	4-Methyl-2-pentanone (MIBK)	2.5	ug/L
KMEP DFSP - Norwalk	10111806_MBLK MS07W11221	11/22/10 17:35	Acetone	10	ug/L
KMEP DFSP - Norwalk	10111806_MBLK MS07W11221	11/22/10 17:35	Benzene	0.5	ug/L
KMEP DFSP - Norwalk	10111806_MBLK MS07W11221	11/22/10 17:35	Bromobenzene	1	ug/L
KMEP DFSP - Norwalk	10111806_MBLK MS07W11221	11/22/10 17:35	Bromochloromethane	1	ug/L
KMEP DFSP - Norwalk	10111806_MBLK MS07W11221	11/22/10 17:35	Bromodichloromethane	1	ug/L
KMEP DFSP - Norwalk	10111806_MBLK MS07W11221	11/22/10 17:35	Bromoform	1	ug/L
KMEP DFSP - Norwalk	10111806_MBLK MS07W11221	11/22/10 17:35	Bromomethane	2	ug/L
KMEP DFSP - Norwalk	10111806_MBLK MS07W11221	11/22/10 17:35	Carbon disulfide	2.5	ug/L
KMEP DFSP - Norwalk	10111806_MBLK MS07W11221	11/22/10 17:35	Carbon tetrachloride	1	ug/L
KMEP DFSP - Norwalk	10111806_MBLK MS07W11221	11/22/10 17:35	Chlorobenzene	1	ug/L
KMEP DFSP - Norwalk	10111806_MBLK MS07W11221	11/22/10 17:35	Chloroethane	1	ug/L
KMEP DFSP - Norwalk	10111806_MBLK MS07W11221	11/22/10 17:35	Chloroform	1	ug/L
KMEP DFSP - Norwalk	10111806_MBLK MS07W11221	11/22/10 17:35	Chloromethane	2	ug/L

KMEP November Monthly Monitoring Results

Project_Id	Sample Name	Sample Date	Analyte	Result Value	Result Value Units
KMEP DFSP - Norwalk	10111806_MBLK MS07W1122I	11/22/10 17:35	cis-1,2-Dichloroethene	1	ug/L
KMEP DFSP - Norwalk	10111806_MBLK MS07W1122I	11/22/10 17:35	cis-1,3-Dichloropropene	1	ug/L
KMEP DFSP - Norwalk	10111806_MBLK MS07W1122I	11/22/10 17:35	Dibromochloromethane	1	ug/L
KMEP DFSP - Norwalk	10111806_MBLK MS07W1122I	11/22/10 17:35	Dibromomethane	1	ug/L
KMEP DFSP - Norwalk	10111806_MBLK MS07W1122I	11/22/10 17:35	Dichlorodifluoromethane	1	ug/L
KMEP DFSP - Norwalk	10111806_MBLK MS07W1122I	11/22/10 17:35	Dichloromethane	2	ug/L
KMEP DFSP - Norwalk	10111806_MBLK MS07W1122I	11/22/10 17:35	Di-isopropyl Ether (DIPE)	1	ug/L
KMEP DFSP - Norwalk	10111806_MBLK MS07W1122I	11/22/10 17:35	Ethyl Tertiary Butyl Ether (ETBE)	1	ug/L
KMEP DFSP - Norwalk	10111806_MBLK MS07W1122I	11/22/10 17:35	Ethylbenzene	0.5	ug/L
KMEP DFSP - Norwalk	10111806_MBLK MS07W1122I	11/22/10 17:35	Freon-113	1	ug/L
KMEP DFSP - Norwalk	10111806_MBLK MS07W1122I	11/22/10 17:35	Isopropylbenzene	1	ug/L
KMEP DFSP - Norwalk	10111806_MBLK MS07W1122I	11/22/10 17:35	m,p-Xylene	0.5	ug/L
KMEP DFSP - Norwalk	10111806_MBLK MS07W1122I	11/22/10 17:35	Methyl tert-butyl ether (MTBE)	0.5	ug/L
KMEP DFSP - Norwalk	10111806_MBLK MS07W1122I	11/22/10 17:35	Naphthalene	2	ug/L
KMEP DFSP - Norwalk	10111806_MBLK MS07W1122I	11/22/10 17:35	n-Butylbenzene	1	ug/L
KMEP DFSP - Norwalk	10111806_MBLK MS07W1122I	11/22/10 17:35	n-Propylbenzene	1	ug/L
KMEP DFSP - Norwalk	10111806_MBLK MS07W1122I	11/22/10 17:35	o-Xylene	0.5	ug/L
KMEP DFSP - Norwalk	10111806_MBLK MS07W1122I	11/22/10 17:35	sec-Butylbenzene	1	ug/L
KMEP DFSP - Norwalk	10111806_MBLK MS07W1122I	11/22/10 17:35	Styrene	1	ug/L
KMEP DFSP - Norwalk	10111806_MBLK MS07W1122I	11/22/10 17:35	tert-Butylbenzene	1	ug/L
KMEP DFSP - Norwalk	10111806_MBLK MS07W1122I	11/22/10 17:35	Tertiary Amyl Methyl Ether (TAME)	1	ug/L
KMEP DFSP - Norwalk	10111806_MBLK MS07W1122I	11/22/10 17:35	Tertiary Butyl Alcohol (TBA)	10	ug/L
KMEP DFSP - Norwalk	10111806_MBLK MS07W1122I	11/22/10 17:35	Tetrachloroethene	1	ug/L
KMEP DFSP - Norwalk	10111806_MBLK MS07W1122I	11/22/10 17:35	Toluene	0.5	ug/L
KMEP DFSP - Norwalk	10111806_MBLK MS07W1122I	11/22/10 17:35	trans-1,2-Dichloroethene	1	ug/L
KMEP DFSP - Norwalk	10111806_MBLK MS07W1122I	11/22/10 17:35	trans-1,3-Dichloropropene	1	ug/L
KMEP DFSP - Norwalk	10111806_MBLK MS07W1122I	11/22/10 17:35	Trichloroethene	1	ug/L
KMEP DFSP - Norwalk	10111806_MBLK MS07W1122I	11/22/10 17:35	Trichlorofluoromethane	1	ug/L
KMEP DFSP - Norwalk	10111806_MBLK MS07W1122I	11/22/10 17:35	Vinyl acetate	50	ug/L
KMEP DFSP - Norwalk	10111806_MBLK MS07W1122I	11/22/10 17:35	Vinyl chloride	1	ug/L
KMEP DFSP - Norwalk	10111806_MBLK MS07W1122I	11/22/10 17:35	1,2-Dichloroethane-d4	115	%
KMEP DFSP - Norwalk	10111806_MBLK MS07W1122I	11/22/10 17:35	4-Bromofluorobenzene	102	%
KMEP DFSP - Norwalk	10111806_MBLK MS07W1122I	11/22/10 17:35	Toluene-d8	99.2	%
KMEP DFSP - Norwalk	10111806_MBLK MS07W1122I	11/22/10 17:35	1,1,1,2-Tetrachloroethane	1	ug/L
KMEP DFSP - Norwalk	10111806_MBLK MS07W1122K	11/22/10 17:35	1,1,1-Trichloroethane	1	ug/L

KMEP November Monthly Monitoring Results

Project_Id	Sample Name	Sample Date	Analyte	Result Value	Result Value Units
KMEP DFSP - Norwalk	10111806_MBLK MS07W1122K	11/22/10 17:35	1,1,2,2-Tetrachloroethane	1	ug/L
KMEP DFSP - Norwalk	10111806_MBLK MS07W1122K	11/22/10 17:35	1,1,2-Trichloroethane	1	ug/L
KMEP DFSP - Norwalk	10111806_MBLK MS07W1122K	11/22/10 17:35	1,1-Dichloroethane	1	ug/L
KMEP DFSP - Norwalk	10111806_MBLK MS07W1122K	11/22/10 17:35	1,1-Dichloroethene	1	ug/L
KMEP DFSP - Norwalk	10111806_MBLK MS07W1122K	11/22/10 17:35	1,1-Dichloropropene	1	ug/L
KMEP DFSP - Norwalk	10111806_MBLK MS07W1122K	11/22/10 17:35	1,2,3-Trichlorobenzene	2	ug/L
KMEP DFSP - Norwalk	10111806_MBLK MS07W1122K	11/22/10 17:35	1,2,3-Trichloropropane	2	ug/L
KMEP DFSP - Norwalk	10111806_MBLK MS07W1122K	11/22/10 17:35	1,2,4-Trichlorobenzene	2	ug/L
KMEP DFSP - Norwalk	10111806_MBLK MS07W1122K	11/22/10 17:35	1,2,4-Trimethylbenzene	1	ug/L
KMEP DFSP - Norwalk	10111806_MBLK MS07W1122K	11/22/10 17:35	1,2-Dibromo-3-chloropropane (DBCP)	3	ug/L
KMEP DFSP - Norwalk	10111806_MBLK MS07W1122K	11/22/10 17:35	1,2-Dibromoethane (EDB)	2	ug/L
KMEP DFSP - Norwalk	10111806_MBLK MS07W1122K	11/22/10 17:35	1,2-Dichlorobenzene	1	ug/L
KMEP DFSP - Norwalk	10111806_MBLK MS07W1122K	11/22/10 17:35	1,2-Dichloroethane	1	ug/L
KMEP DFSP - Norwalk	10111806_MBLK MS07W1122K	11/22/10 17:35	1,2-Dichloropropane	1	ug/L
KMEP DFSP - Norwalk	10111806_MBLK MS07W1122K	11/22/10 17:35	1,3,5-Trimethylbenzene	1	ug/L
KMEP DFSP - Norwalk	10111806_MBLK MS07W1122K	11/22/10 17:35	1,3-Dichlorobenzene	1	ug/L
KMEP DFSP - Norwalk	10111806_MBLK MS07W1122K	11/22/10 17:35	1,3-Dichloropropane	1	ug/L
KMEP DFSP - Norwalk	10111806_MBLK MS07W1122K	11/22/10 17:35	1,4-Dichlorobenzene	1	ug/L
KMEP DFSP - Norwalk	10111806_MBLK MS07W1122K	11/22/10 17:35	2,2-Dichloropropane	1	ug/L
KMEP DFSP - Norwalk	10111806_MBLK MS07W1122K	11/22/10 17:35	2-Butanone (MEK)	10	ug/L
KMEP DFSP - Norwalk	10111806_MBLK MS07W1122K	11/22/10 17:35	2-Chlorotoluene	1	ug/L
KMEP DFSP - Norwalk	10111806_MBLK MS07W1122K	11/22/10 17:35	2-Hexanone	5	ug/L
KMEP DFSP - Norwalk	10111806_MBLK MS07W1122K	11/22/10 17:35	4-Chlorotoluene	1	ug/L
KMEP DFSP - Norwalk	10111806_MBLK MS07W1122K	11/22/10 17:35	4-Isopropyltoluene	1	ug/L
KMEP DFSP - Norwalk	10111806_MBLK MS07W1122K	11/22/10 17:35	4-Methyl-2-pentanone (MIBK)	2.5	ug/L
KMEP DFSP - Norwalk	10111806_MBLK MS07W1122K	11/22/10 17:35	Acetone	10	ug/L
KMEP DFSP - Norwalk	10111806_MBLK MS07W1122K	11/22/10 17:35	Benzene	0.5	ug/L
KMEP DFSP - Norwalk	10111806_MBLK MS07W1122K	11/22/10 17:35	Bromobenzene	1	ug/L
KMEP DFSP - Norwalk	10111806_MBLK MS07W1122K	11/22/10 17:35	Bromochloromethane	1	ug/L
KMEP DFSP - Norwalk	10111806_MBLK MS07W1122K	11/22/10 17:35	Bromodichloromethane	1	ug/L
KMEP DFSP - Norwalk	10111806_MBLK MS07W1122K	11/22/10 17:35	Bromoform	1	ug/L
KMEP DFSP - Norwalk	10111806_MBLK MS07W1122K	11/22/10 17:35	Bromomethane	2	ug/L
KMEP DFSP - Norwalk	10111806_MBLK MS07W1122K	11/22/10 17:35	Carbon disulfide	2.5	ug/L
KMEP DFSP - Norwalk	10111806_MBLK MS07W1122K	11/22/10 17:35	Carbon tetrachloride	1	ug/L
KMEP DFSP - Norwalk	10111806_MBLK MS07W1122K	11/22/10 17:35	Chlorobenzene	1	ug/L

KMEP November Monthly Monitoring Results

Project_Id	Sample Name	Sample Date	Analyte	Result Value	Result Value Units
KMEP DFSP - Norwalk	10111806_MBLK MS07W1122K	11/22/10 17:35	Chloroethane	1	ug/L
KMEP DFSP - Norwalk	10111806_MBLK MS07W1122K	11/22/10 17:35	Chloroform	1	ug/L
KMEP DFSP - Norwalk	10111806_MBLK MS07W1122K	11/22/10 17:35	Chloromethane	2	ug/L
KMEP DFSP - Norwalk	10111806_MBLK MS07W1122K	11/22/10 17:35	cis-1,2-Dichloroethene	1	ug/L
KMEP DFSP - Norwalk	10111806_MBLK MS07W1122K	11/22/10 17:35	cis-1,3-Dichloropropene	1	ug/L
KMEP DFSP - Norwalk	10111806_MBLK MS07W1122K	11/22/10 17:35	Dibromochloromethane	1	ug/L
KMEP DFSP - Norwalk	10111806_MBLK MS07W1122K	11/22/10 17:35	Dibromomethane	1	ug/L
KMEP DFSP - Norwalk	10111806_MBLK MS07W1122K	11/22/10 17:35	Dichlorodifluoromethane	1	ug/L
KMEP DFSP - Norwalk	10111806_MBLK MS07W1122K	11/22/10 17:35	Dichloromethane	2	ug/L
KMEP DFSP - Norwalk	10111806_MBLK MS07W1122K	11/22/10 17:35	Di-isopropyl Ether (DIPE)	1	ug/L
KMEP DFSP - Norwalk	10111806_MBLK MS07W1122K	11/22/10 17:35	Ethyl Tertiary Butyl Ether (ETBE)	1	ug/L
KMEP DFSP - Norwalk	10111806_MBLK MS07W1122K	11/22/10 17:35	Ethylbenzene	0.5	ug/L
KMEP DFSP - Norwalk	10111806_MBLK MS07W1122K	11/22/10 17:35	Freon-113	1	ug/L
KMEP DFSP - Norwalk	10111806_MBLK MS07W1122K	11/22/10 17:35	Isopropylbenzene	1	ug/L
KMEP DFSP - Norwalk	10111806_MBLK MS07W1122K	11/22/10 17:35	m,p-Xylene	0.5	ug/L
KMEP DFSP - Norwalk	10111806_MBLK MS07W1122K	11/22/10 17:35	Methyl tert-butyl ether (MTBE)	0.5	ug/L
KMEP DFSP - Norwalk	10111806_MBLK MS07W1122K	11/22/10 17:35	Naphthalene	2	ug/L
KMEP DFSP - Norwalk	10111806_MBLK MS07W1122K	11/22/10 17:35	n-Butylbenzene	1	ug/L
KMEP DFSP - Norwalk	10111806_MBLK MS07W1122K	11/22/10 17:35	n-Propylbenzene	1	ug/L
KMEP DFSP - Norwalk	10111806_MBLK MS07W1122K	11/22/10 17:35	o-Xylene	0.5	ug/L
KMEP DFSP - Norwalk	10111806_MBLK MS07W1122K	11/22/10 17:35	sec-Butylbenzene	1	ug/L
KMEP DFSP - Norwalk	10111806_MBLK MS07W1122K	11/22/10 17:35	Styrene	1	ug/L
KMEP DFSP - Norwalk	10111806_MBLK MS07W1122K	11/22/10 17:35	tert-Butylbenzene	1	ug/L
KMEP DFSP - Norwalk	10111806_MBLK MS07W1122K	11/22/10 17:35	Tertiary Amyl Methyl Ether (TAME)	1	ug/L
KMEP DFSP - Norwalk	10111806_MBLK MS07W1122K	11/22/10 17:35	Tertiary Butyl Alcohol (TBA)	10	ug/L
KMEP DFSP - Norwalk	10111806_MBLK MS07W1122K	11/22/10 17:35	Tetrachloroethene	1	ug/L
KMEP DFSP - Norwalk	10111806_MBLK MS07W1122K	11/22/10 17:35	Toluene	0.5	ug/L
KMEP DFSP - Norwalk	10111806_MBLK MS07W1122K	11/22/10 17:35	trans-1,2-Dichloroethene	1	ug/L
KMEP DFSP - Norwalk	10111806_MBLK MS07W1122K	11/22/10 17:35	trans-1,3-Dichloropropene	1	ug/L
KMEP DFSP - Norwalk	10111806_MBLK MS07W1122K	11/22/10 17:35	Trichloroethene	1	ug/L
KMEP DFSP - Norwalk	10111806_MBLK MS07W1122K	11/22/10 17:35	Trichlorofluoromethane	1	ug/L
KMEP DFSP - Norwalk	10111806_MBLK MS07W1122K	11/22/10 17:35	Vinyl acetate	50	ug/L
KMEP DFSP - Norwalk	10111806_MBLK MS07W1122K	11/22/10 17:35	Vinyl chloride	1	ug/L
KMEP DFSP - Norwalk	10111806_MBLK MS07W1122K	11/22/10 17:35	1,2-Dichloroethane-d4	115	%
KMEP DFSP - Norwalk	10111806_MBLK MS07W1122K	11/22/10 17:35	4-Bromofluorobenzene	102	%

KMEP November Monthly Monitoring Results

Project_Id	Sample Name	Sample Date	Analyte	Result Value	Result Value Units
KMEP DFSP - Norwalk	10111806_MBLK MS07W1122K	11/22/10 17:35	Toluene-d8	99.2	%
KMEP DFSP - Norwalk	10111806_MBLK MS10W1124B	11/24/10 11:37	TPH-P (GRO)	0.05	mg/L
KMEP DFSP - Norwalk	10111806_MBLK MS10W1124B	11/24/10 11:37	TPH-P (Purgeable)	0.05	mg/L
KMEP DFSP - Norwalk	10111806_MBLK MS10W1124B	11/24/10 11:37	1,2-Dichloroethane-d4	94.8	%
KMEP DFSP - Norwalk	10111806_MBLK MS10W1124B	11/24/10 11:37	4-Bromofluorobenzene	107	%
KMEP DFSP - Norwalk	10111806_MBLK MS10W1124B	11/24/10 11:37	Toluene-d8	88.3	%
KMEP DFSP - Norwalk	10111806_MBLK-25523	11/19/10 11:34	TPH-E (Diesel)	0.05	mg/L
KMEP DFSP - Norwalk	10111806_MBLK-25523	11/19/10 11:34	TPH-E (Fuel Product)	0.05	mg/L
KMEP DFSP - Norwalk	10111806_MBLK-25523	11/19/10 11:34	Nonane	103	%

KMEP November Monthly Monitoring Results

Project Id	Sample Name	Sample Date	Received Date Time	Analyte	Result Value	Result Value Units
KMEP DFSP Norwalk	GMW-36	11/23/10 15:10	11/24/10 00:00	1,2-Dichloroethane-d4	100	%
KMEP DFSP Norwalk	GMW-36	11/23/10 15:10	11/24/10 00:00	1,2-Dichloroethane-d4	100	%
KMEP DFSP Norwalk	GMW-36	11/23/10 15:10	11/24/10 00:00	4-Bromofluorobenzene	102	%
KMEP DFSP Norwalk	GMW-36	11/23/10 15:10	11/24/10 00:00	4-Bromofluorobenzene	102	%
KMEP DFSP Norwalk	GMW-36	11/23/10 15:10	11/24/10 00:00	Nonane	130	%
KMEP DFSP Norwalk	GMW-36	11/23/10 15:10	11/24/10 00:00	Toluene-d8	100	%
KMEP DFSP Norwalk	GMW-36	11/23/10 15:10	11/24/10 00:00	Toluene-d8	100	%
KMEP DFSP Norwalk	GMW-36	11/23/10 15:10	11/24/10 00:00	1,1,1,2-Tetrachloroethane	40	ug/L
KMEP DFSP Norwalk	GMW-36	11/23/10 15:10	11/24/10 00:00	1,1,1-Trichloroethane	40	ug/L
KMEP DFSP Norwalk	GMW-36	11/23/10 15:10	11/24/10 00:00	1,1,2,2-Tetrachloroethane	40	ug/L
KMEP DFSP Norwalk	GMW-36	11/23/10 15:10	11/24/10 00:00	1,1,2-Trichloroethane	40	ug/L
KMEP DFSP Norwalk	GMW-36	11/23/10 15:10	11/24/10 00:00	1,1-Dichloroethane	40	ug/L
KMEP DFSP Norwalk	GMW-36	11/23/10 15:10	11/24/10 00:00	1,1-Dichloroethane	40	ug/L
KMEP DFSP Norwalk	GMW-36	11/23/10 15:10	11/24/10 00:00	1,1-Dichloropropane	40	ug/L
KMEP DFSP Norwalk	GMW-36	11/23/10 15:10	11/24/10 00:00	1,2,3-Trichlorobenzene	160	ug/L
KMEP DFSP Norwalk	GMW-36	11/23/10 15:10	11/24/10 00:00	1,2,3-Trichloropropane	160	ug/L
KMEP DFSP Norwalk	GMW-36	11/23/10 15:10	11/24/10 00:00	1,2,4-Trichlorobenzene	160	ug/L
KMEP DFSP Norwalk	GMW-36	11/23/10 15:10	11/24/10 00:00	1,2,4-Trimethylbenzene	750	ug/L
KMEP DFSP Norwalk	GMW-36	11/23/10 15:10	11/24/10 00:00	1,2-Dibromo-3-chloropropane (DBCP)	240	ug/L
KMEP DFSP Norwalk	GMW-36	11/23/10 15:10	11/24/10 00:00	1,2-Dibromoethane (EDB)	80	ug/L
KMEP DFSP Norwalk	GMW-36	11/23/10 15:10	11/24/10 00:00	1,2-Dichlorobenzene	40	ug/L
KMEP DFSP Norwalk	GMW-36	11/23/10 15:10	11/24/10 00:00	1,2-Dichloroethane	40	ug/L
KMEP DFSP Norwalk	GMW-36	11/23/10 15:10	11/24/10 00:00	1,2-Dichloropropane	40	ug/L
KMEP DFSP Norwalk	GMW-36	11/23/10 15:10	11/24/10 00:00	1,3,5-Trimethylbenzene	280	ug/L
KMEP DFSP Norwalk	GMW-36	11/23/10 15:10	11/24/10 00:00	1,3-Dichlorobenzene	40	ug/L
KMEP DFSP Norwalk	GMW-36	11/23/10 15:10	11/24/10 00:00	1,3-Dichloropropane	40	ug/L
KMEP DFSP Norwalk	GMW-36	11/23/10 15:10	11/24/10 00:00	1,4-Dichlorobenzene	40	ug/L
KMEP DFSP Norwalk	GMW-36	11/23/10 15:10	11/24/10 00:00	2,2-Dichloropropane	40	ug/L
KMEP DFSP Norwalk	GMW-36	11/23/10 15:10	11/24/10 00:00	2-Butanone (MEK)	800	ug/L
KMEP DFSP Norwalk	GMW-36	11/23/10 15:10	11/24/10 00:00	2-Chlorotoluene	40	ug/L
KMEP DFSP Norwalk	GMW-36	11/23/10 15:10	11/24/10 00:00	2-Hexanone	400	ug/L
KMEP DFSP Norwalk	GMW-36	11/23/10 15:10	11/24/10 00:00	4-Chlorotoluene	40	ug/L
KMEP DFSP Norwalk	GMW-36	11/23/10 15:10	11/24/10 00:00	4-Isopropyltoluene	40	ug/L
KMEP DFSP Norwalk	GMW-36	11/23/10 15:10	11/24/10 00:00	4-Methyl-2-pentanone (MIBK)	200	ug/L
KMEP DFSP Norwalk	GMW-36	11/23/10 15:10	11/24/10 00:00	Acetone	800	ug/L
KMEP DFSP Norwalk	GMW-36	11/23/10 15:10	11/24/10 00:00	Benzene	5100	ug/L
KMEP DFSP Norwalk	GMW-36	11/23/10 15:10	11/24/10 00:00	Bromobenzene	40	ug/L
KMEP DFSP Norwalk	GMW-36	11/23/10 15:10	11/24/10 00:00	Bromochloromethane	40	ug/L
KMEP DFSP Norwalk	GMW-36	11/23/10 15:10	11/24/10 00:00	Bromodichloromethane	40	ug/L
KMEP DFSP Norwalk	GMW-36	11/23/10 15:10	11/24/10 00:00	Bromoform	40	ug/L
KMEP DFSP Norwalk	GMW-36	11/23/10 15:10	11/24/10 00:00	Bromomethane	160	ug/L
KMEP DFSP Norwalk	GMW-36	11/23/10 15:10	11/24/10 00:00	Carbon disulfide	200	ug/L
KMEP DFSP Norwalk	GMW-36	11/23/10 15:10	11/24/10 00:00	Carbon tetrachloride	40	ug/L
KMEP DFSP Norwalk	GMW-36	11/23/10 15:10	11/24/10 00:00	Chlorobenzene	40	ug/L

KMEP November Monthly Monitoring Results

Project_Id	Sample Name	Sample Date	Received Date Time	Analyte	Result Value	Result Value Units
KMEP DFSP Norwalk	GMW-36	11/23/10 15:10	11/24/10 00:00	Chloroethane	40	ug/L
KMEP DFSP Norwalk	GMW-36	11/23/10 15:10	11/24/10 00:00	Chloroform	40	ug/L
KMEP DFSP Norwalk	GMW-36	11/23/10 15:10	11/24/10 00:00	Chloromethane	160	ug/L
KMEP DFSP Norwalk	GMW-36	11/23/10 15:10	11/24/10 00:00	cis-1,2-Dichloroethene	40	ug/L
KMEP DFSP Norwalk	GMW-36	11/23/10 15:10	11/24/10 00:00	cis-1,3-Dichloropropene	40	ug/L
KMEP DFSP Norwalk	GMW-36	11/23/10 15:10	11/24/10 00:00	Dibromochloromethane	40	ug/L
KMEP DFSP Norwalk	GMW-36	11/23/10 15:10	11/24/10 00:00	Dibromomethane	40	ug/L
KMEP DFSP Norwalk	GMW-36	11/23/10 15:10	11/24/10 00:00	Dichlorodifluoromethane	40	ug/L
KMEP DFSP Norwalk	GMW-36	11/23/10 15:10	11/24/10 00:00	Dichloromethane	160	ug/L
KMEP DFSP Norwalk	GMW-36	11/23/10 15:10	11/24/10 00:00	Di-isopropyl Ether (DIPE)	40	ug/L
KMEP DFSP Norwalk	GMW-36	11/23/10 15:10	11/24/10 00:00	Ethyl Tertiary Butyl Ether (ETBE)	40	ug/L
KMEP DFSP Norwalk	GMW-36	11/23/10 15:10	11/24/10 00:00	Ethylbenzene	890	ug/L
KMEP DFSP Norwalk	GMW-36	11/23/10 15:10	11/24/10 00:00	Freon-113	40	ug/L
KMEP DFSP Norwalk	GMW-36	11/23/10 15:10	11/24/10 00:00	Isopropylbenzene	40	ug/L
KMEP DFSP Norwalk	GMW-36	11/23/10 15:10	11/24/10 00:00	m,p-Xylene	2600	ug/L
KMEP DFSP Norwalk	GMW-36	11/23/10 15:10	11/24/10 00:00	Methyl tert-butyl ether (MTBE)	51	ug/L
KMEP DFSP Norwalk	GMW-36	11/23/10 15:10	11/24/10 00:00	Naphthalene	160	ug/L
KMEP DFSP Norwalk	GMW-36	11/23/10 15:10	11/24/10 00:00	n-Butylbenzene	40	ug/L
KMEP DFSP Norwalk	GMW-36	11/23/10 15:10	11/24/10 00:00	n-Propylbenzene	65	ug/L
KMEP DFSP Norwalk	GMW-36	11/23/10 15:10	11/24/10 00:00	o-Xylene	1300	ug/L
KMEP DFSP Norwalk	GMW-36	11/23/10 15:10	11/24/10 00:00	sec-Butylbenzene	40	ug/L
KMEP DFSP Norwalk	GMW-36	11/23/10 15:10	11/24/10 00:00	Styrene	40	ug/L
KMEP DFSP Norwalk	GMW-36	11/23/10 15:10	11/24/10 00:00	tert-Butylbenzene	40	ug/L
KMEP DFSP Norwalk	GMW-36	11/23/10 15:10	11/24/10 00:00	Tertiary Amyl Methyl Ether (TAME)	40	ug/L
KMEP DFSP Norwalk	GMW-36	11/23/10 15:10	11/24/10 00:00	Tertiary Butyl Alcohol (TBA)	470	ug/L
KMEP DFSP Norwalk	GMW-36	11/23/10 15:10	11/24/10 00:00	Tetrachloroethene	40	ug/L
KMEP DFSP Norwalk	GMW-36	11/23/10 15:10	11/24/10 00:00	Toluene	3400	ug/L
KMEP DFSP Norwalk	GMW-36	11/23/10 15:10	11/24/10 00:00	TPH-E (Fuel Product)	21	mg/L
KMEP DFSP Norwalk	GMW-36	11/23/10 15:10	11/24/10 00:00	TPH-P (GRO)	31	mg/L
KMEP DFSP Norwalk	GMW-36	11/23/10 15:10	11/24/10 00:00	trans-1,2-Dichloroethene	40	ug/L
KMEP DFSP Norwalk	GMW-36	11/23/10 15:10	11/24/10 00:00	trans-1,3-Dichloropropene	40	ug/L
KMEP DFSP Norwalk	GMW-36	11/23/10 15:10	11/24/10 00:00	Trichloroethene	40	ug/L
KMEP DFSP Norwalk	GMW-36	11/23/10 15:10	11/24/10 00:00	Trichlorofluoromethane	40	ug/L
KMEP DFSP Norwalk	GMW-36	11/23/10 15:10	11/24/10 00:00	Vinyl acetate	4000	ug/L
KMEP DFSP Norwalk	GMW-36	11/23/10 15:10	11/24/10 00:00	Vinyl chloride	40	ug/L
KMEP DFSP Norwalk	10112406_MBLK MS15W1129A	11/29/10 10:40	11/24/10 00:00	1,1,1,2-Tetrachloroethane	1	ug/L
KMEP DFSP Norwalk	10112406_MBLK MS15W1129A	11/29/10 10:40	11/24/10 00:00	1,1,1-Trichloroethane	1	ug/L
KMEP DFSP Norwalk	10112406_MBLK MS15W1129A	11/29/10 10:40	11/24/10 00:00	1,1,2,2-Tetrachloroethane	1	ug/L
KMEP DFSP Norwalk	10112406_MBLK MS15W1129A	11/29/10 10:40	11/24/10 00:00	1,1,2-Trichloroethane	1	ug/L
KMEP DFSP Norwalk	10112406_MBLK MS15W1129A	11/29/10 10:40	11/24/10 00:00	1,1-Dichloroethane	1	ug/L
KMEP DFSP Norwalk	10112406_MBLK MS15W1129A	11/29/10 10:40	11/24/10 00:00	1,1-Dichloroethene	1	ug/L
KMEP DFSP Norwalk	10112406_MBLK MS15W1129A	11/29/10 10:40	11/24/10 00:00	1,1-Dichloropropene	1	ug/L
KMEP DFSP Norwalk	10112406_MBLK MS15W1129A	11/29/10 10:40	11/24/10 00:00	1,2,3-Trichlorobenzene	2	ug/L
KMEP DFSP Norwalk	10112406_MBLK MS15W1129A	11/29/10 10:40	11/24/10 00:00	1,2,3-Trichloropropane	2	ug/L

KMEP November Monthly Monitoring Results

Project Id	Sample Name	Sample Date	Received Date Time	Analyte	Result Value	Result Value Units
KMEP DFSP Norwalk	10112406_MBLK MS15W1129A	11/29/10 10:40	11/24/10 00:00	1,2,4-Trichlorobenzene	2	ug/L
KMEP DFSP Norwalk	10112406_MBLK MS15W1129A	11/29/10 10:40	11/24/10 00:00	1,2,4-Trimethylbenzene	1	ug/L
KMEP DFSP Norwalk	10112406_MBLK MS15W1129A	11/29/10 10:40	11/24/10 00:00	1,2-Dibromo-3-chloropropane (DBCP)	3	ug/L
KMEP DFSP Norwalk	10112406_MBLK MS15W1129A	11/29/10 10:40	11/24/10 00:00	1,2-Dibromoethane (EDB)	2	ug/L
KMEP DFSP Norwalk	10112406_MBLK MS15W1129A	11/29/10 10:40	11/24/10 00:00	1,2-Dichlorobenzene	1	ug/L
KMEP DFSP Norwalk	10112406_MBLK MS15W1129A	11/29/10 10:40	11/24/10 00:00	1,2-Dichloroethane	1	ug/L
KMEP DFSP Norwalk	10112406_MBLK MS15W1129A	11/29/10 10:40	11/24/10 00:00	1,2-Dichloropropane	1	ug/L
KMEP DFSP Norwalk	10112406_MBLK MS15W1129A	11/29/10 10:40	11/24/10 00:00	1,3,5-Trimethylbenzene	1	ug/L
KMEP DFSP Norwalk	10112406_MBLK MS15W1129A	11/29/10 10:40	11/24/10 00:00	1,3-Dichlorobenzene	1	ug/L
KMEP DFSP Norwalk	10112406_MBLK MS15W1129A	11/29/10 10:40	11/24/10 00:00	1,3-Dichloropropane	1	ug/L
KMEP DFSP Norwalk	10112406_MBLK MS15W1129A	11/29/10 10:40	11/24/10 00:00	1,4-Dichlorobenzene	1	ug/L
KMEP DFSP Norwalk	10112406_MBLK MS15W1129A	11/29/10 10:40	11/24/10 00:00	2,2-Dichloropropane	1	ug/L
KMEP DFSP Norwalk	10112406_MBLK MS15W1129A	11/29/10 10:40	11/24/10 00:00	2-Butanone (MEK)	10	ug/L
KMEP DFSP Norwalk	10112406_MBLK MS15W1129A	11/29/10 10:40	11/24/10 00:00	2-Chlorotoluene	1	ug/L
KMEP DFSP Norwalk	10112406_MBLK MS15W1129A	11/29/10 10:40	11/24/10 00:00	2-Hexanone	5	ug/L
KMEP DFSP Norwalk	10112406_MBLK MS15W1129A	11/29/10 10:40	11/24/10 00:00	4-Chlorotoluene	1	ug/L
KMEP DFSP Norwalk	10112406_MBLK MS15W1129A	11/29/10 10:40	11/24/10 00:00	4-Isopropyltoluene	1	ug/L
KMEP DFSP Norwalk	10112406_MBLK MS15W1129A	11/29/10 10:40	11/24/10 00:00	4-Methyl-2-pentanone (MIBK)	2.5	ug/L
KMEP DFSP Norwalk	10112406_MBLK MS15W1129A	11/29/10 10:40	11/24/10 00:00	Acetone	10	ug/L
KMEP DFSP Norwalk	10112406_MBLK MS15W1129A	11/29/10 10:40	11/24/10 00:00	Benzene	0.5	ug/L
KMEP DFSP Norwalk	10112406_MBLK MS15W1129A	11/29/10 10:40	11/24/10 00:00	Bromobenzene	1	ug/L
KMEP DFSP Norwalk	10112406_MBLK MS15W1129A	11/29/10 10:40	11/24/10 00:00	Bromochloromethane	1	ug/L
KMEP DFSP Norwalk	10112406_MBLK MS15W1129A	11/29/10 10:40	11/24/10 00:00	Bromodichloromethane	1	ug/L
KMEP DFSP Norwalk	10112406_MBLK MS15W1129A	11/29/10 10:40	11/24/10 00:00	Bromoform	1	ug/L
KMEP DFSP Norwalk	10112406_MBLK MS15W1129A	11/29/10 10:40	11/24/10 00:00	Bromomethane	2	ug/L
KMEP DFSP Norwalk	10112406_MBLK MS15W1129A	11/29/10 10:40	11/24/10 00:00	Carbon disulfide	2.5	ug/L
KMEP DFSP Norwalk	10112406_MBLK MS15W1129A	11/29/10 10:40	11/24/10 00:00	Carbon tetrachloride	1	ug/L
KMEP DFSP Norwalk	10112406_MBLK MS15W1129A	11/29/10 10:40	11/24/10 00:00	Chlorobenzene	1	ug/L
KMEP DFSP Norwalk	10112406_MBLK MS15W1129A	11/29/10 10:40	11/24/10 00:00	Chloroethane	1	ug/L
KMEP DFSP Norwalk	10112406_MBLK MS15W1129A	11/29/10 10:40	11/24/10 00:00	Chloroform	1	ug/L
KMEP DFSP Norwalk	10112406_MBLK MS15W1129A	11/29/10 10:40	11/24/10 00:00	Chloromethane	2	ug/L
KMEP DFSP Norwalk	10112406_MBLK MS15W1129A	11/29/10 10:40	11/24/10 00:00	cis-1,2-Dichloroethene	1	ug/L
KMEP DFSP Norwalk	10112406_MBLK MS15W1129A	11/29/10 10:40	11/24/10 00:00	cis-1,3-Dichloropropene	1	ug/L
KMEP DFSP Norwalk	10112406_MBLK MS15W1129A	11/29/10 10:40	11/24/10 00:00	Dibromochloromethane	1	ug/L
KMEP DFSP Norwalk	10112406_MBLK MS15W1129A	11/29/10 10:40	11/24/10 00:00	Dibromomethane	1	ug/L
KMEP DFSP Norwalk	10112406_MBLK MS15W1129A	11/29/10 10:40	11/24/10 00:00	Dichlorodifluoromethane	1	ug/L
KMEP DFSP Norwalk	10112406_MBLK MS15W1129A	11/29/10 10:40	11/24/10 00:00	Dichloromethane	2	ug/L
KMEP DFSP Norwalk	10112406_MBLK MS15W1129A	11/29/10 10:40	11/24/10 00:00	Di-isopropyl Ether (DIPE)	1	ug/L
KMEP DFSP Norwalk	10112406_MBLK MS15W1129A	11/29/10 10:40	11/24/10 00:00	Ethyl Tertiary Butyl Ether (ETBE)	1	ug/L
KMEP DFSP Norwalk	10112406_MBLK MS15W1129A	11/29/10 10:40	11/24/10 00:00	Ethylbenzene	0.5	ug/L
KMEP DFSP Norwalk	10112406_MBLK MS15W1129A	11/29/10 10:40	11/24/10 00:00	Freon-113	1	ug/L
KMEP DFSP Norwalk	10112406_MBLK MS15W1129A	11/29/10 10:40	11/24/10 00:00	Isopropylbenzene	1	ug/L
KMEP DFSP Norwalk	10112406_MBLK MS15W1129A	11/29/10 10:40	11/24/10 00:00	m,p-Xylene	0.5	ug/L
KMEP DFSP Norwalk	10112406_MBLK MS15W1129A	11/29/10 10:40	11/24/10 00:00	Methyl tert-butyl ether (MTBE)	0.5	ug/L

KMEP November Monthly Monitoring Results

Project Id	Sample Name	Sample Date	Received Date Time	Analyte	Result Value	Result Value Units
KMEP DFSP Norwalk	10112406_MBLK MS15W1129A	11/29/10 10:40	11/24/10 00:00	Naphthalene	2	ug/L
KMEP DFSP Norwalk	10112406_MBLK MS15W1129A	11/29/10 10:40	11/24/10 00:00	n-Butylbenzene	1	ug/L
KMEP DFSP Norwalk	10112406_MBLK MS15W1129A	11/29/10 10:40	11/24/10 00:00	n-Propylbenzene	1	ug/L
KMEP DFSP Norwalk	10112406_MBLK MS15W1129A	11/29/10 10:40	11/24/10 00:00	o-Xylene	0.5	ug/L
KMEP DFSP Norwalk	10112406_MBLK MS15W1129A	11/29/10 10:40	11/24/10 00:00	sec-Butylbenzene	1	ug/L
KMEP DFSP Norwalk	10112406_MBLK MS15W1129A	11/29/10 10:40	11/24/10 00:00	Styrene	1	ug/L
KMEP DFSP Norwalk	10112406_MBLK MS15W1129A	11/29/10 10:40	11/24/10 00:00	tert-Butylbenzene	1	ug/L
KMEP DFSP Norwalk	10112406_MBLK MS15W1129A	11/29/10 10:40	11/24/10 00:00	Tertiary Amyl Methyl Ether (TAME)	1	ug/L
KMEP DFSP Norwalk	10112406_MBLK MS15W1129A	11/29/10 10:40	11/24/10 00:00	Tertiary Butyl Alcohol (TBA)	10	ug/L
KMEP DFSP Norwalk	10112406_MBLK MS15W1129A	11/29/10 10:40	11/24/10 00:00	Tetrachloroethene	1	ug/L
KMEP DFSP Norwalk	10112406_MBLK MS15W1129A	11/29/10 10:40	11/24/10 00:00	Toluene	0.5	ug/L
KMEP DFSP Norwalk	10112406_MBLK MS15W1129A	11/29/10 10:40	11/24/10 00:00	trans-1,2-Dichloroethene	1	ug/L
KMEP DFSP Norwalk	10112406_MBLK MS15W1129A	11/29/10 10:40	11/24/10 00:00	trans-1,3-Dichloropropene	1	ug/L
KMEP DFSP Norwalk	10112406_MBLK MS15W1129A	11/29/10 10:40	11/24/10 00:00	Trichloroethene	1	ug/L
KMEP DFSP Norwalk	10112406_MBLK MS15W1129A	11/29/10 10:40	11/24/10 00:00	Trichlorofluoromethane	1	ug/L
KMEP DFSP Norwalk	10112406_MBLK MS15W1129A	11/29/10 10:40	11/24/10 00:00	Vinyl acetate	50	ug/L
KMEP DFSP Norwalk	10112406_MBLK MS15W1129A	11/29/10 10:40	11/24/10 00:00	Vinyl chloride	1	ug/L
KMEP DFSP Norwalk	10112406_MBLK MS15W1129A	11/29/10 10:40	11/24/10 00:00	1,2-Dichloroethane-d4	104	%
KMEP DFSP Norwalk	10112406_MBLK MS15W1129A	11/29/10 10:40	11/24/10 00:00	4-Bromofluorobenzene	105	%
KMEP DFSP Norwalk	10112406_MBLK MS15W1129A	11/29/10 10:40	11/24/10 00:00	Toluene-d8	105	%
KMEP DFSP Norwalk	10112406_MBLK MS15W1129B	11/29/10 10:40	11/24/10 00:00	TPH-P (GRO)	0.05	mg/L
KMEP DFSP Norwalk	10112406_MBLK MS15W1129B	11/29/10 10:40	11/24/10 00:00	TPH-P (Purgeable)	0.05	mg/L
KMEP DFSP Norwalk	10112406_MBLK MS15W1129B	11/29/10 10:40	11/24/10 00:00	1,2-Dichloroethane-d4	104	%
KMEP DFSP Norwalk	10112406_MBLK MS15W1129B	11/29/10 10:40	11/24/10 00:00	4-Bromofluorobenzene	105	%
KMEP DFSP Norwalk	10112406_MBLK MS15W1129B	11/29/10 10:40	11/24/10 00:00	Toluene-d8	105	%
KMEP DFSP Norwalk	10112406_MBLK MS15W1201A	12/01/10 10:16	11/24/10 00:00	1,1,1,2-Tetrachloroethane	1	ug/L
KMEP DFSP Norwalk	10112406_MBLK MS15W1201A	12/01/10 10:16	11/24/10 00:00	1,1,1-Trichloroethane	1	ug/L
KMEP DFSP Norwalk	10112406_MBLK MS15W1201A	12/01/10 10:16	11/24/10 00:00	1,1,2,2-Tetrachloroethane	1	ug/L
KMEP DFSP Norwalk	10112406_MBLK MS15W1201A	12/01/10 10:16	11/24/10 00:00	1,1,2-Trichloroethane	1	ug/L
KMEP DFSP Norwalk	10112406_MBLK MS15W1201A	12/01/10 10:16	11/24/10 00:00	1,1-Dichloroethane	1	ug/L
KMEP DFSP Norwalk	10112406_MBLK MS15W1201A	12/01/10 10:16	11/24/10 00:00	1,1-Dichloroethene	1	ug/L
KMEP DFSP Norwalk	10112406_MBLK MS15W1201A	12/01/10 10:16	11/24/10 00:00	1,1-Dichloropropene	1	ug/L
KMEP DFSP Norwalk	10112406_MBLK MS15W1201A	12/01/10 10:16	11/24/10 00:00	1,2,3-Trichlorobenzene	2	ug/L
KMEP DFSP Norwalk	10112406_MBLK MS15W1201A	12/01/10 10:16	11/24/10 00:00	1,2,3-Trichloropropene	2	ug/L
KMEP DFSP Norwalk	10112406_MBLK MS15W1201A	12/01/10 10:16	11/24/10 00:00	1,2,4-Trichlorobenzene	2	ug/L
KMEP DFSP Norwalk	10112406_MBLK MS15W1201A	12/01/10 10:16	11/24/10 00:00	1,2,4-Trimethylbenzene	1	ug/L
KMEP DFSP Norwalk	10112406_MBLK MS15W1201A	12/01/10 10:16	11/24/10 00:00	1,2-Dibromo-3-chloropropane (DBCP)	3	ug/L
KMEP DFSP Norwalk	10112406_MBLK MS15W1201A	12/01/10 10:16	11/24/10 00:00	1,2-Dibromoethane (EDB)	2	ug/L
KMEP DFSP Norwalk	10112406_MBLK MS15W1201A	12/01/10 10:16	11/24/10 00:00	1,2-Dichlorobenzene	1	ug/L
KMEP DFSP Norwalk	10112406_MBLK MS15W1201A	12/01/10 10:16	11/24/10 00:00	1,2-Dichloroethane	1	ug/L
KMEP DFSP Norwalk	10112406_MBLK MS15W1201A	12/01/10 10:16	11/24/10 00:00	1,2-Dichloropropene	1	ug/L
KMEP DFSP Norwalk	10112406_MBLK MS15W1201A	12/01/10 10:16	11/24/10 00:00	1,3,5-Trimethylbenzene	1	ug/L
KMEP DFSP Norwalk	10112406_MBLK MS15W1201A	12/01/10 10:16	11/24/10 00:00	1,3-Dichlorobenzene	1	ug/L
KMEP DFSP Norwalk	10112406_MBLK MS15W1201A	12/01/10 10:16	11/24/10 00:00	1,3-Dichloropropene	1	ug/L

KMEP November Monthly Monitoring Results

Project Id	Sample Name	Sample Date	Received Date Time	Analyte	Result Value	Result Value Units
KMEP DFSP Norwalk	10112406_MBLK MS15W1201A	12/01/10 10:16	11/24/10 00:00	1,4-Dichlorobenzene	1	ug/L
KMEP DFSP Norwalk	10112406_MBLK MS15W1201A	12/01/10 10:16	11/24/10 00:00	2,2-Dichloropropane	1	ug/L
KMEP DFSP Norwalk	10112406_MBLK MS15W1201A	12/01/10 10:16	11/24/10 00:00	2-Butanone (MEK)	10	ug/L
KMEP DFSP Norwalk	10112406_MBLK MS15W1201A	12/01/10 10:16	11/24/10 00:00	2-Chlorotoluene	1	ug/L
KMEP DFSP Norwalk	10112406_MBLK MS15W1201A	12/01/10 10:16	11/24/10 00:00	2-Hexanone	5	ug/L
KMEP DFSP Norwalk	10112406_MBLK MS15W1201A	12/01/10 10:16	11/24/10 00:00	4-Chlorotoluene	1	ug/L
KMEP DFSP Norwalk	10112406_MBLK MS15W1201A	12/01/10 10:16	11/24/10 00:00	4-isopropyltoluene	1	ug/L
KMEP DFSP Norwalk	10112406_MBLK MS15W1201A	12/01/10 10:16	11/24/10 00:00	4-Methyl-2-pentanone (MIBK)	2.5	ug/L
KMEP DFSP Norwalk	10112406_MBLK MS15W1201A	12/01/10 10:16	11/24/10 00:00	Acetone	10	ug/L
KMEP DFSP Norwalk	10112406_MBLK MS15W1201A	12/01/10 10:16	11/24/10 00:00	Benzene	0.5	ug/L
KMEP DFSP Norwalk	10112406_MBLK MS15W1201A	12/01/10 10:16	11/24/10 00:00	Bromobenzene	1	ug/L
KMEP DFSP Norwalk	10112406_MBLK MS15W1201A	12/01/10 10:16	11/24/10 00:00	Bromochloromethane	1	ug/L
KMEP DFSP Norwalk	10112406_MBLK MS15W1201A	12/01/10 10:16	11/24/10 00:00	Bromodichloromethane	1	ug/L
KMEP DFSP Norwalk	10112406_MBLK MS15W1201A	12/01/10 10:16	11/24/10 00:00	Bromoform	1	ug/L
KMEP DFSP Norwalk	10112406_MBLK MS15W1201A	12/01/10 10:16	11/24/10 00:00	Bromomethane	2	ug/L
KMEP DFSP Norwalk	10112406_MBLK MS15W1201A	12/01/10 10:16	11/24/10 00:00	Carbon disulfide	2.5	ug/L
KMEP DFSP Norwalk	10112406_MBLK MS15W1201A	12/01/10 10:16	11/24/10 00:00	Carbon tetrachloride	1	ug/L
KMEP DFSP Norwalk	10112406_MBLK MS15W1201A	12/01/10 10:16	11/24/10 00:00	Chlorobenzene	1	ug/L
KMEP DFSP Norwalk	10112406_MBLK MS15W1201A	12/01/10 10:16	11/24/10 00:00	Chloroethane	1	ug/L
KMEP DFSP Norwalk	10112406_MBLK MS15W1201A	12/01/10 10:16	11/24/10 00:00	Chloroform	1	ug/L
KMEP DFSP Norwalk	10112406_MBLK MS15W1201A	12/01/10 10:16	11/24/10 00:00	Chloromethane	2	ug/L
KMEP DFSP Norwalk	10112406_MBLK MS15W1201A	12/01/10 10:16	11/24/10 00:00	cis-1,2-Dichloroethene	1	ug/L
KMEP DFSP Norwalk	10112406_MBLK MS15W1201A	12/01/10 10:16	11/24/10 00:00	cis-1,3-Dichloropropene	1	ug/L
KMEP DFSP Norwalk	10112406_MBLK MS15W1201A	12/01/10 10:16	11/24/10 00:00	Dibromochloromethane	1	ug/L
KMEP DFSP Norwalk	10112406_MBLK MS15W1201A	12/01/10 10:16	11/24/10 00:00	Dibromomethane	1	ug/L
KMEP DFSP Norwalk	10112406_MBLK MS15W1201A	12/01/10 10:16	11/24/10 00:00	Dichlorodifluoromethane	1	ug/L
KMEP DFSP Norwalk	10112406_MBLK MS15W1201A	12/01/10 10:16	11/24/10 00:00	Dichloromethane	2	ug/L
KMEP DFSP Norwalk	10112406_MBLK MS15W1201A	12/01/10 10:16	11/24/10 00:00	Di-isopropyl Ether (DIPE)	1	ug/L
KMEP DFSP Norwalk	10112406_MBLK MS15W1201A	12/01/10 10:16	11/24/10 00:00	Ethyl Tertiary Butyl Ether (ETBE)	1	ug/L
KMEP DFSP Norwalk	10112406_MBLK MS15W1201A	12/01/10 10:16	11/24/10 00:00	Ethylbenzene	0.5	ug/L
KMEP DFSP Norwalk	10112406_MBLK MS15W1201A	12/01/10 10:16	11/24/10 00:00	Freon-113	1	ug/L
KMEP DFSP Norwalk	10112406_MBLK MS15W1201A	12/01/10 10:16	11/24/10 00:00	Isopropylbenzene	1	ug/L
KMEP DFSP Norwalk	10112406_MBLK MS15W1201A	12/01/10 10:16	11/24/10 00:00	m,p-Xylene	0.5	ug/L
KMEP DFSP Norwalk	10112406_MBLK MS15W1201A	12/01/10 10:16	11/24/10 00:00	Methyl tert-butyl ether (MTBE)	0.5	ug/L
KMEP DFSP Norwalk	10112406_MBLK MS15W1201A	12/01/10 10:16	11/24/10 00:00	Naphthalene	2	ug/L
KMEP DFSP Norwalk	10112406_MBLK MS15W1201A	12/01/10 10:16	11/24/10 00:00	n-Butylbenzene	1	ug/L
KMEP DFSP Norwalk	10112406_MBLK MS15W1201A	12/01/10 10:16	11/24/10 00:00	n-Propylbenzene	1	ug/L
KMEP DFSP Norwalk	10112406_MBLK MS15W1201A	12/01/10 10:16	11/24/10 00:00	o-Xylene	0.5	ug/L
KMEP DFSP Norwalk	10112406_MBLK MS15W1201A	12/01/10 10:16	11/24/10 00:00	sec-Butylbenzene	1	ug/L
KMEP DFSP Norwalk	10112406_MBLK MS15W1201A	12/01/10 10:16	11/24/10 00:00	Styrene	1	ug/L
KMEP DFSP Norwalk	10112406_MBLK MS15W1201A	12/01/10 10:16	11/24/10 00:00	tert-Butylbenzene	1	ug/L
KMEP DFSP Norwalk	10112406_MBLK MS15W1201A	12/01/10 10:16	11/24/10 00:00	Tertiary Amyl Methyl Ether (TAME)	1	ug/L
KMEP DFSP Norwalk	10112406_MBLK MS15W1201A	12/01/10 10:16	11/24/10 00:00	Tertiary Butyl Alcohol (TBA)	10	ug/L
KMEP DFSP Norwalk	10112406_MBLK MS15W1201A	12/01/10 10:16	11/24/10 00:00	Tetrachloroethene	1	ug/L

KMEP November Monthly Monitoring Results

Project_Id	Sample Name	Sample Date	Received Date Time	Analyte	Result Value	Result Value Units
KMEP DFSP Norwalk	10112406_MBLK MS15W1201A	12/01/10 10:16	11/24/10 00:00	Toluene	0.5	ug/L
KMEP DFSP Norwalk	10112406_MBLK MS15W1201A	12/01/10 10:16	11/24/10 00:00	trans-1,2-Dichloroethene	1	ug/L
KMEP DFSP Norwalk	10112406_MBLK MS15W1201A	12/01/10 10:16	11/24/10 00:00	trans-1,3-Dichloropropene	1	ug/L
KMEP DFSP Norwalk	10112406_MBLK MS15W1201A	12/01/10 10:16	11/24/10 00:00	Trichloroethene	1	ug/L
KMEP DFSP Norwalk	10112406_MBLK MS15W1201A	12/01/10 10:16	11/24/10 00:00	Trichlorofluoromethane	1	ug/L
KMEP DFSP Norwalk	10112406_MBLK MS15W1201A	12/01/10 10:16	11/24/10 00:00	Vinyl acetate	50	ug/L
KMEP DFSP Norwalk	10112406_MBLK MS15W1201A	12/01/10 10:16	11/24/10 00:00	Vinyl chloride	1	ug/L
KMEP DFSP Norwalk	10112406_MBLK MS15W1201A	12/01/10 10:16	11/24/10 00:00	1,2-Dichloroethane-d4	103	%
KMEP DFSP Norwalk	10112406_MBLK MS15W1201A	12/01/10 10:16	11/24/10 00:00	4-Bromofluorobenzene	102	%
KMEP DFSP Norwalk	10112406_MBLK MS15W1201A	12/01/10 10:16	11/24/10 00:00	Toluene-d8	105	%
KMEP DFSP Norwalk	10112406_MBLK MS15W1201B	12/01/10 10:16	11/24/10 00:00	TPH-P (GRO)	0.05	mg/L
KMEP DFSP Norwalk	10112406_MBLK MS15W1201B	12/01/10 10:16	11/24/10 00:00	TPH-P (Purgeable)	0.05	mg/L
KMEP DFSP Norwalk	10112406_MBLK MS15W1201B	12/01/10 10:16	11/24/10 00:00	1,2-Dichloroethane-d4	103	%
KMEP DFSP Norwalk	10112406_MBLK MS15W1201B	12/01/10 10:16	11/24/10 00:00	4-Bromofluorobenzene	102	%
KMEP DFSP Norwalk	10112406_MBLK MS15W1201B	12/01/10 10:16	11/24/10 00:00	Toluene-d8	105	%
KMEP DFSP Norwalk	10112406_MBLK-25559	11/29/10 11:17	11/24/10 00:00	TPH-E (Diesel)	0.05	mg/L
KMEP DFSP Norwalk	10112406_MBLK-25559	11/29/10 11:17	11/24/10 00:00	TPH-E (Fuel Product)	0.05	mg/L
KMEP DFSP Norwalk	10112406_MBLK-25559	11/29/10 11:17	11/24/10 00:00	Norane	96.7	%

WELL GAUGING DATA

Project # 10123 MH3 Date 11/23/10 Client Kinetic Magn

Site 15306 Newark Blvd Newark

Well ID	Time	Well Size (in.)	Sheen / Odor	Depth to Immiscible Liquid (ft.)	Thickness of Immiscible Liquid (ft.)	Volume of Immiscibles Removed (ml)	Depth to water (ft.)	Depth to well bottom (ft.)	Survey Point: TOB or TOC	Notes
GMW-36	1420	4		27.10	0.25		27.35	49.72	↓	
GMW-015	1530	2					53.17	>300'	↓	

LOW FLOW WELL MONITORING DATA SHEET

Project #: 101123-MH3	Client: KMEP
Sampler: MLH	Start Date: 11/23/10
Well I.D.: GML-36	Well Diameter: 2 3 <u>4</u> 6 8
Total Well Depth: 49.72	Depth to Water: Pre: 27.35 Post: 27.40
Depth to Free Product: 27.10	Thickness of Free Product (feet): 0.25
Referenced to: <u>(PVE)</u> Grade	Flow Cell Type: YSI 556

Purge Method: 2" Grundfos Pump Peristaltic Pump Bladder Pump
 Sampling Method: Dedicated Tubing New (Tubing) Other WATER
 Start Purge Time: 1454 Flow Rate: 300ML Pump Depth: 38.5

Time	Temp. (°C or °F)	pH	Cond. (mS or <u>(µS)</u>)	Turbidity (NTUs)	D.O. (mg/L)	ORP (mV)	Water Removed (gals. or <u>(mL)</u>)	Depth to water
1457	21.56	6.95	2392	32	0.77	-128.6	900	27.38
1500	21.79	6.95	2413	28	0.82	-167.4	1800	27.40
1503	21.82	6.95	2414	20	0.91	-173.0	2700	27.40
1506	21.83	6.95	2417	19	0.92	-174.6	3600	27.40
1509	21.86	6.96	2417	19	0.94	-175.3	4200	27.40

Did well dewater? Yes <input type="radio"/> No <input checked="" type="radio"/>	Amount actually evacuated: 4200
Sampling Time: 1510	Sampling Date: 11/23/10
Sample I.D.: GML-36	Laboratory: Alpha Analytical
Analyzed for: TPHg TPHfp VOC's MTBE	Other:
Equipment Blank I.D.: @ <small>Time</small>	Duplicate I.D.:

BLAINE

1680 ROGERS AVENUE
 SAN JOSE, CALIFORNIA 95112-1105
 FAX (408) 573-7771
 PHONE (408) 573-0555

TECH SERVICES, INC.

CHAIN OF CUSTODY

CLIENT Kinder Morgan
 SITE DFSP Norwalk
 15306 Norwalk Blvd, Norwalk

SAMPLE I.D.	DATE	TIME	MATRIX	CONTAINERS	
				Water #	Preservation Type
6106-06	11/23/10	1510	AQ	5	H2C VOCs
6106-05	11/23/10	1554	AQ	5	H2C VOCs

LAB Alpha Analytical COC 1 of 1
 Billing Information:
 Kinder Morgan
 1100 Town and Country Rd.
 Orange CA 95112
 Kinder Morgan Norwalk
 Report to:
 Dan Jablonski
 CH2MHILL
 1000 Wilshire Blvd 21st floor
 Los Angeles, CA 90017

CONDUCT ANALYSIS TO DETECT	ADD'L INFORMATION	STATUS	CONDITION	LAB SAMPLE #
TPHg, TPHTp (EPA 8015M)				
VOCs & Oxygenates (EPA 8260B)				

SAMPLING PERFORMED BY *M.A.H.*
 COMPLETED 11/23/10 1600
 RESULTS NEEDED NO LATER THAN Standard
 RECEIVED BY *M.A.H.* TIME 1645 DATE 11/23/10 TIME 1645
 RECEIVED BY *S. Castledine*
 RECEIVED BY TIME DATE
 RECEIVED BY TIME DATE
 SHIPPED VIA TIME SENT COOLER # TIME

WELLHEAD INSPECTION CHECKLIST

Client Kindle Morgan Date 11/23/10

Site Address 15306 Newark Blvd Newark CA

Job Number 101123 MH3 Technician MAK

Well ID	Well Inspected - No Corrective Action Required	WELL IS SECURABLE BY DESIGN (12" or less)	WELL IS CLEARLY MARKED WITH THE WORDS "MONITORING WELL" (12" or less)	Water Bailed From Wellbox	Wellbox Components Cleaned	Cap Replaced	Lock Replaced	Other Action Taken (explain below)	Well Not Inspected (explain below)	Repair Order Submitted
GML-36	X	VAULT ID								
GML-07K	X	VAULT lid								

NOTES: _____

WELL GAUGING DATA

Project # 101116 - TRI Date 11/16/10 Client KMEP

Site KMEP @ NORWALK

Well ID	Time	Well Size (in.)	Sheen / Odor	Depth to Immiscible Liquid (ft.)	Thickness of Immiscible Liquid (ft.)	Volume of Immiscibles Removed (ml)	Depth to water (ft.)	Depth to well bottom (ft.)	Survey Point: TOB or TOC	Notes
GMW-0-15	0800	—	EXTRACTION EQUIPMENT				IN WELL	—		
GMW-0-16	0820	4					26.58	48.84	TOC	
GMW-0-18	0930	—	EXTRACTION EQUIPMENT				IN WELL	—		
GMW-0-19	0730	4					26.67	39.98	TOC	
GMW-36	0746	—	EXTRACTION EQUIPMENT				IN WELL	—		
P2-5	1000	4					26.46	37.85	TOC	

LOW FLOW WELL MONITORING DATA SHEET

Project #: 101116-TR1	Client: KMEP
Sampler: TR	Start Date: 11/16/10
Well I.D.: GMW-0-15	Well Diameter: 2 3 4 6 8 <u> </u>
Total Well Depth: <u> </u>	Depth to Water: Pre: <u> </u> Post: <u> </u>
Depth to Free Product: <u> </u>	Thickness of Free Product (feet): <u> </u>
Referenced to: PVC Grade	Flow Cell Type: YSI 556

Purge Method: ~~2" Grundfos Pump~~ Peristaltic Pump Bladder Pump
 Sampling Method: ~~Dedicated Tubing~~ New Tubing Other:
 Start Purge Time: Flow Rate: Pump Depth:

Time	Temp. (°C or °F)	pH	Cond. (mS or µS)	Turbidity (NTUs)	D.O. (mg/L)	ORP (mV)	Water Removed (gals. or mL)	Depth to water
EXTRACTION EQUIPMENT IN WELL								
UNABLE TO GAUGE WELL								
EXTRACTION PORT NOT PRODUCING								
NO SAMPLES TAKEN								

Did well dewater? Yes No	Amount actually evacuated: <u> </u>
Sampling Time: <u> </u>	Sampling Date: <u> </u>
Sample I.D.: <u> </u>	Laboratory: Alpha Analytical
Analyzed for: TPHg TPHfp VOC's MTBE	Other: <u> </u>
Equipment Blank I.D.: <u> </u> @ <u> </u> Time	Duplicate I.D.: <u> </u>

LOW FLOW WELL MONITORING DATA SHEET

Project #: 10116-TR1	Client: KMEP
Sampler: TR	Start Date: 11/16/10
Well I.D.: GMW-0-16	Well Diameter: 2 3 <u>4</u> 6 8
Total Well Depth: 48.84	Depth to Water: Pre: 26.58 Post: 26.66
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: <u>PVO</u> Grade	Flow Cell Type: <u>YSI-556</u>

Purge Method: 2" Grundfos Pump Peristaltic Pump Bladder Pump
 Sampling Method: Dedicated Tubing New Tubing Other _____
 Start Purge Time: 0826 Flow Rate: 500ML/MIN Pump Depth: 43'

Time	Temp. (°C or °F)	pH	Cond. (mS or <u>µS</u>)	Turbidity (NTUs)	D.O. (mg/L)	ORP (mV)	Water Removed (gals. or mL)	Depth to water
0829	21.6	7.07	2007	6	0.80	109.8	1500	26.66
0832	21.6	7.06	2200	4	0.68	106.6	3000	26.66
0835	21.6	7.06	2163	4	0.65	104.5	4500	26.66
0838	21.7	7.05	2180	4	0.62	104.0	6000	26.66
0841	21.7	7.05	2183	3	0.62	103.5	7500	26.66
0844	21.7	7.05	2185	3	0.60	103.2	9000	26.66

Did well dewater? Yes <u>No</u>	Amount actually evacuated: 9.0L
Sampling Time: 0845	Sampling Date: 11/16/10
Sample I.D.: GMW-0-16	Laboratory: <u>Alpha Analytical</u>
Analyzed for: <u>TPHg</u> <u>TPHfp</u> <u>VOCs</u> <u>MTBE</u>	Other:
Equipment Blank I.D.: @ _____	Duplicate I.D.:

LOW FLOW WELL MONITORING DATA SHEET

Project #: 10116-TR1	Client: KMEP
Sampler: TR	Start Date: 11/16/10
Well I.D.: GMW-0-18	Well Diameter: 2 3 4 6 8 <u>12</u>
Total Well Depth: —	Depth to Water: Pre: — Post: —
Depth to Free Product: —	Thickness of Free Product (feet): —
Referenced to: PVC Grade	Flow Cell Type: YSI 556

Purge Method: 2" Grundfos Pump Peristaltic Pump Bladder Pump
 Sampling Method: Dedicated Tubing New Tubing Other EXT PORT
 Start Purge Time: 0937 Flow Rate: 500 mL/MIN Pump Depth: —

Time	Temp. (°C or °F)	pH	Cond. (mS or <u>µS</u>)	Turbidity (NTUs)	D.O. (mg/L)	ORP (mV)	Water Removed (gals. or <u>mL</u>)	Depth to water
0940	18.3	7.29	2497	8	3.69	-8.3	1500	—
0943	18.3	7.20	2443	5	3.20	-31.1	3000	—
0946	18.3	7.17	2454	5	3.11	-38.3	4500	—
0949	18.3	7.15	2460	5	3.05	-40.5	6000	—
0952	18.4	7.15	2463	5	3.02	-41.0	7500	—

Did well dewater? Yes <input type="checkbox"/> <u>No</u>	Amount actually evacuated: <u>7.5L</u>
Sampling Time: <u>0953</u>	Sampling Date: <u>11/16/10</u>
Sample I.D.: <u>GMW-0-18</u>	Laboratory: <u>Alpha Analytical</u>
Analyzed for: <u>TPHg</u> <u>TPHfp</u> <u>VOCs</u> <u>MTBE</u>	Other: —
Equipment Blank I.D.: @	Duplicate I.D.: —

LOW FLOW WELL MONITORING DATA SHEET

Project #: 10116-TR1	Client: KMEP
Sampler: M	Start Date: 11/16/10
Well I.D.: GMW-0-19	Well Diameter: 2 3 4 6 8
Total Well Depth: 39.98	Depth to Water: Pre: 26.67 Post: 26.75
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: PVC Grade	Flow Cell Type: YSI 536

Purge Method: 2" Grundfos Pump Peristaltic Pump Bladder Pump
 Sampling Method: Dedicated Tubing New Tubing Other _____
 Start Purge Time: 0744 Flow Rate: 500 mL/min Pump Depth: 35'

Time	Temp. (°C or °F)	pH	Cond. (mS or µS)	Turbidity (NTUs)	D.O. (mg/L)	ORP (mV)	Water Removed (gals. or ml)	Depth to water
0747	21.6	6.99	1524	5	1.02	111.3	1500	26.75
0750	21.6	7.02	1546	4	0.98	107.6	3000	26.75
0753	21.7	7.02	1550	4	0.95	106.2	4500	26.75
0756	21.7	7.03	1555	4	0.91	105.8	6000	26.75
0759	21.7	7.03	1556	4	0.90	105.5	7500	26.75
0802	21.8	7.03	1558	4	0.90	105.1	9000	26.75

Did well dewater? Yes <input type="radio"/> No <input checked="" type="radio"/>	Amount actually evacuated: 9.0 L
Sampling Time: 0803	Sampling Date: 11/16/10
Sample I.D.: GMW-0-19	Laboratory: Alpha Analytical
Analyzed for: TPHg TRHPp VOC's MTBE	Other:
Equipment Blank I.D.: @	Duplicate I.D.:

LOW FLOW WELL MONITORING DATA SHEET

Project #: 10116-TR1	Client: KMEP
Sampler: TR	Start Date: 11/16/10
Well I.D.: GMW-36	Well Diameter: 2 3 <u>4</u> 6 8
Total Well Depth: _____	Depth to Water: Pre: _____ Post: _____
Depth to Free Product: _____	Thickness of Free Product (feet): _____
Referenced to: PVC Grade	Flow Cell Type: YSI 556

Purge Method: ~~2" Grundfos Pump~~ Peristaltic Pump ~~Bladder Pump~~
 Sampling Method: ~~Dedicated Tubing~~ New Tubing Other _____
 Start Purge Time: _____ Flow Rate: _____ Pump Depth: _____

Time	Temp. (°C or °F)	pH	Cond. (mS or µS)	Turbidity (NTUs)	D.O. (mg/L)	ORP (mV)	Water Removed (gals. or mL)	Depth to water
— EXTRACTION EQUIPMENT IN WELL —								
— UNABLE TO GAUGE WELL —								
— EXTRACTION PORT PRODUCING PRODUCT —								
— REMOVED 1.5 GAL OF PRODUCT/WATER MIX —								
— MIXTURE CONTAINERIZED IN EXT. COMPOND —								
— NO SAMPLES TAKEN —								

Did well dewater? Yes ~~No~~ Amount actually evacuated: _____
 Sampling Time: _____ Sampling Date: _____
 Sample I.D.: _____ Laboratory: Alpha Analytical
 Analyzed for: TPHg TPHfp VOC's MTBE Other: _____
 Equipment Blank I.D.: _____ @ _____ Duplicate I.D.: _____

LOW FLOW WELL MONITORING DATA SHEET

Project #: 10116-TR1	Client: KMEP
Sampler: M	Start Date: 11/16/10
Well I.D.: P2-5	Well Diameter: 2 3 <u>4</u> 6 8
Total Well Depth: 37.85	Depth to Water: Pre: 26.46 Post: 26.51
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: <u>PVC</u> Grade	Flow Cell Type: <u>YSI 556</u>

Purge Method: 2" Grundfos Pump Peristaltic Pump Bladder Pump
 Sampling Method: Dedicated Tubing New Tubing Other _____
 Start Purge Time: 1012 Flow Rate: 500 mL / MIN Pump Depth: 32'

Time	Temp. (°C or °F)	pH	Cond. (mS or μ S)	Turbidity (NTUs)	D.O. (mg/L)	ORP (mV)	Water Removed (gals. or mL)	Depth to water
1015	21.3	6.85	2306	5	0.72	-88.1	1500	26.50
1018	21.6	6.84	2303	5	0.65	-93.2	3000	26.50
1021	21.8	6.84	2301	4	0.65	-95.9	4500	26.50
1024	21.8	6.84	2282	4	0.62	-100.5	6000	26.50
1027	22.0	6.84	2280	4	0.60	-102.5	7500	26.50
1030	22.0	6.83	2272	4	0.58	-104.3	9000	26.51
1033	22.1	6.82	2268	4	0.54	-105.0	10500	26.51

Did well dewater? Yes <input type="radio"/> No <input checked="" type="radio"/>	Amount actually evacuated: 10.5 L
Sampling Time: 1034	Sampling Date: 11/16/10
Sample I.D.: P2-5	Laboratory: <u>Alpha Analytical</u>
Analyzed for: <u>CPHg</u> <u>TPHfp</u> <u>VOCs</u> <u>MTBE</u>	Other: _____
Equipment Blank I.D.: <u>EB-1</u> @ <u>1130</u> Time	Duplicate I.D.: <u>DVP-1</u> @ _____

BLAINE

TECH SERVICES, INC.

1680 ROGERS AVENUE
 SAN JOSE, CALIFORNIA 95112-1105
 FAX (408) 573-7774
 PHONE (408) 573-0555

LAB Alpha Analytical COC / of

Billing Information:
 Kinder Morgan
 1100 Town and Country Rd.
 Orange CA 95112

CHAIN OF CUSTODY

CLIENT

Kinder Morgan

SITE

DFSP Norwalk

15306 Norwalk Blvd, Norwalk

Kinder Morgan Norwalk
 Report to:
 Dan Jablonski
 CH2MHILL
 1000 Wilshire Blvd 21st floor
 Los Angeles, CA 90017

CONDUCT ANALYSIS TO DETECT



TPHg, TPHfp (EPA 8015M)
 VOC's & Oxygenates (EPA 8260B)



CONTAINERS



SAMPLE I.D.	DATE	TIME	MATRIX	#	Preservation	Type	ADD'L INFORMATION	STATUS	CONDITION	LAB SAMPLE #
T6-1	11/14/10	0700	AQ	2	HCl	VOA				
GMM-0-16	1	0845		6						
GMM-0-18	1	0953		6						
GMM-0-19	1	0803		6						
P2-5	1	1034		6						
DUP-1	1	---		6						
EB-1	1	1130		6						

SAMPLING PERFORMED BY T. RHYMES

SAMPLING COMPLETED 11/16/10 12:00

RELEASED BY  TIME 1545 RECEIVED BY  DATE 11-16-10 TIME 1545

RELEASED BY  TIME 1330 RECEIVED BY  DATE 11-17-10 TIME 1330

RELEASED BY  TIME 1330 RECEIVED BY  DATE DATE TIME

SHIPPED VIA TIME SENT COOLER #

WELLHEAD INSPECTION CHECKLIST

Client KMEP Date 11/16/10

Site Address NORWALK BLVD - NORWALK

Job Number 101116-TR1 Technician TR

Well ID	Well Inspected - No Corrective Action Required	WELL IS SECURABLE BY DESIGN (12" or less)	WELL IS CLEARLY MARKED WITH THE WORDS "MONITORING WELL" (12" or less)	Water Bailed From Wellbox	Wellbox Components Cleaned	Cap Replaced	Lock Replaced	Other Action Taken (explain below)	Well Not Inspected (explain below)	Repair Order Submitted
GMW-0-15										
GMW-0-16	X	X	X							
GMW-0-18										
GMW-0-19	X	X	X							
GMW-36										
P2-5	X	X	X							

NOTES: GMW-0-15, 18, GMW-36: VAULTS



Alpha Analytical, Inc.

255 Glendale Ave. • Suite 21 • Sparks, Nevada 89431-5778
(775) 355-1044 • (775) 355-0406 FAX • 1-800-283-1183

ANALYTICAL REPORT

CH2M Hill
1000 Wilshire Boulevard
Los Angeles, CA 90017

Attn: Daniel Jablonski
Phone: (213) 228-8271
Fax: (714) 424-2135
Date Received : 11/18/10

Job: KMEP DFSP - Norwalk

Total Petroleum Hydrocarbons - Extractable (TPH-E) EPA Method SW8015B
Total Petroleum Hydrocarbons - Purgeable (TPH-P) EPA Method SW8015B

Client ID	Lab ID	Date Sampled	Parameter	Concentration	Reporting Limit	Date Extracted	Date Analyzed
Client ID : GMW-O-16	Lab ID : CHH10111806-02A	Date Sampled 11/16/10 08:45	TPH-E (Fuel Product)	0.16 C	0.10 mg/L	11/19/10 09:05	11/19/10
			Surr: Nonane	121	(57-147) %REC	11/19/10 09:05	11/19/10
			TPH-P (GRO)	ND	0.050 mg/L	11/23/10	11/23/10
			Surr: 1,2-Dichloroethane-d4	113	(70-130) %REC	11/23/10	11/23/10
			Surr: Toluene-d8	99	(70-130) %REC	11/23/10	11/23/10
			Surr: 4-Bromofluorobenzene	99	(70-130) %REC	11/23/10	11/23/10
Client ID : GMW-O-18	Lab ID : CHH10111806-03A	Date Sampled 11/16/10 09:53	TPH-E (Fuel Product)	0.12 C	0.10 mg/L	11/19/10 09:05	11/19/10
			Surr: Nonane	116	(57-147) %REC	11/19/10 09:05	11/19/10
			TPH-P (GRO)	ND V	2.0 mg/L	11/24/10	11/24/10
			Surr: 1,2-Dichloroethane-d4	94	(70-130) %REC	11/24/10	11/24/10
			Surr: Toluene-d8	90	(70-130) %REC	11/24/10	11/24/10
			Surr: 4-Bromofluorobenzene	110	(70-130) %REC	11/24/10	11/24/10
Client ID : GMW-O-19	Lab ID : CHH10111806-04A	Date Sampled 11/16/10 08:03	TPH-E (Fuel Product)	ND	0.10 mg/L	11/19/10 09:05	11/19/10
			Surr: Nonane	120	(57-147) %REC	11/19/10 09:05	11/19/10
			TPH-P (GRO)	ND	0.050 mg/L	11/23/10	11/23/10
			Surr: 1,2-Dichloroethane-d4	112	(70-130) %REC	11/23/10	11/23/10
			Surr: Toluene-d8	99	(70-130) %REC	11/23/10	11/23/10
			Surr: 4-Bromofluorobenzene	100	(70-130) %REC	11/23/10	11/23/10
Client ID : PZ-5	Lab ID : CHH10111806-05A	Date Sampled 11/16/10 10:34	TPH-E (Fuel Product)	1.6 **	0.10 mg/L	11/19/10 09:05	11/19/10
			Surr: Nonane	105	(57-147) %REC	11/19/10 09:05	11/19/10
			TPH-P (GRO)	3.4	2.0 mg/L	11/23/10	11/23/10
			Surr: 1,2-Dichloroethane-d4	106	(70-130) %REC	11/23/10	11/23/10
			Surr: Toluene-d8	101	(70-130) %REC	11/23/10	11/23/10
			Surr: 4-Bromofluorobenzene	98	(70-130) %REC	11/23/10	11/23/10
Client ID : DUP-1	Lab ID : CHH10111806-06A	Date Sampled 11/16/10 00:00	TPH-E (Fuel Product)	1.6 *	0.10 mg/L	11/19/10 09:05	11/19/10
			Surr: Nonane	117	(57-147) %REC	11/19/10 09:05	11/19/10
			TPH-P (GRO)	4.4	2.0 mg/L	11/23/10	11/23/10
			Surr: 1,2-Dichloroethane-d4	113	(70-130) %REC	11/23/10	11/23/10
			Surr: Toluene-d8	101	(70-130) %REC	11/23/10	11/23/10
			Surr: 4-Bromofluorobenzene	98	(70-130) %REC	11/23/10	11/23/10
Client ID : EB-1	Lab ID : CHH10111806-07A	Date Sampled 11/16/10 11:30	TPH-E (Fuel Product)	ND	0.10 mg/L	11/19/10 09:05	11/19/10
			Surr: Nonane	113	(57-147) %REC	11/19/10 09:05	11/19/10
			TPH-P (GRO)	ND	0.050 mg/L	11/23/10	11/23/10
			Surr: 1,2-Dichloroethane-d4	111	(70-130) %REC	11/23/10	11/23/10
			Surr: Toluene-d8	102	(70-130) %REC	11/23/10	11/23/10
			Surr: 4-Bromofluorobenzene	101	(70-130) %REC	11/23/10	11/23/10



Alpha Analytical, Inc.

255 Glendale Ave. • Suite 21 • Sparks, Nevada 89431-5778
(775) 355-1044 • (775) 355-0406 FAX • 1-800-283-1183

**Note: Reported TPH-E (Fuel Product) may contain undifferentiated diesel range hydrocarbons.

*Note: Reported TPH-E (Fuel Product) is composed primarily of diesel range hydrocarbons.

C = Reported concentration includes additional compounds uncharacteristic of common fuels and lubricants.

Gasoline Range Organics (GRO) C4-C13

V = Reporting Limits were increased due to high concentrations of target analytes.

ND = Not Detected

Roger Scholl

Randy Gardner

Walter Hinchman

Roger L. Scholl, Ph.D., Laboratory Director • • Randy Gardner, Laboratory Manager • • Walter Hinchman, Quality Assurance Officer
Sacramento, CA • (916) 366-9089 / Las Vegas, NV • (702) 736-7522 / Carson, CA • (714) 386-2901 / info@alpha-analytical.com

Alpha certifies that the test results meet all requirements of NELAC unless footnoted otherwise.

Alpha Analytical, Inc. currently holds appropriate and available California (#2019) and NELAC (01154CA) certifications for the data reported. Test results relate only to reported samples.

e
11/29/10

Report Date



Alpha Analytical, Inc.

255 Glendale Ave. • Suite 21 • Sparks, Nevada 89431-5778
(775) 355-1044 • (775) 355-0406 FAX • 1-800-283-1183

ANALYTICAL REPORT

CH2M Hill
1000 Wilshire Boulevard
Los Angeles, CA 90017
Job: KMEP DFSP - Norwalk

Attn: Daniel Jablonski
Phone: (213) 228-8271
Fax: (714) 424-2135

Alpha Analytical Number: CHH10111806-01A
Client I.D. Number: TB-1

Sampled: 11/16/10 07:00
Received: 11/18/10
Extracted: 11/22/10
Analyzed: 11/22/10

Volatile Organics by GC/MS EPA Method SW8260B

Compound	Concentration	Reporting Limit	Compound	Concentration	Reporting Limit
1 Dichlorodifluoromethane	ND	1.0 µg/L	45 Chlorobenzene	ND	1.0 µg/L
2 Chloromethane	ND	2.0 µg/L	46 Ethylbenzene	ND	0.50 µg/L
3 Vinyl chloride	ND	0.50 µg/L	47 m,p-Xylene	ND	0.50 µg/L
4 Chloroethane	ND	1.0 µg/L	48 Bromoform	ND	1.0 µg/L
5 Bromomethane	ND	2.0 µg/L	49 Styrene	ND	1.0 µg/L
6 Trichlorofluoromethane	ND	10 µg/L	50 o-Xylene	ND	0.50 µg/L
7 Acetone	ND	10 µg/L	51 1,1,2,2-Tetrachloroethane	ND	1.0 µg/L
8 1,1-Dichloroethene	ND	1.0 µg/L	52 1,2,3-Trichloropropane	ND	2.0 µg/L
9 Tertiary Butyl Alcohol (TBA)	ND	10 µg/L	53 Isopropylbenzene	ND	1.0 µg/L
10 Dichloromethane	ND	5.0 µg/L	54 Bromobenzene	ND	1.0 µg/L
11 Freon-113	ND	10 µg/L	55 n-Propylbenzene	ND	1.0 µg/L
12 Carbon disulfide	ND	2.5 µg/L	56 4-Chlorotoluene	ND	1.0 µg/L
13 trans-1,2-Dichloroethene	ND	1.0 µg/L	57 2-Chlorotoluene	ND	1.0 µg/L
14 Methyl tert-butyl ether (MTBE)	ND	0.50 µg/L	58 1,3,5-Trimethylbenzene	ND	1.0 µg/L
15 1,1-Dichloroethane	ND	1.0 µg/L	59 tert-Butylbenzene	ND	1.0 µg/L
16 Vinyl acetate	ND	50 µg/L	60 1,2,4-Trimethylbenzene	ND	1.0 µg/L
17 2-Butanone (MEK)	ND	10 µg/L	61 sec-Butylbenzene	ND	1.0 µg/L
18 Di-isopropyl Ether (DIPE)	ND	1.0 µg/L	62 1,3-Dichlorobenzene	ND	1.0 µg/L
19 cis-1,2-Dichloroethene	ND	1.0 µg/L	63 1,4-Dichlorobenzene	ND	1.0 µg/L
20 Bromochloromethane	ND	1.0 µg/L	64 4-Isopropyltoluene	ND	1.0 µg/L
21 Chloroform	ND	1.0 µg/L	65 1,2-Dichlorobenzene	ND	1.0 µg/L
22 Ethyl Tertiary Butyl Ether (ETBE)	ND	1.0 µg/L	66 n-Butylbenzene	ND	1.0 µg/L
23 2,2-Dichloropropane	ND	1.0 µg/L	67 1,2-Dibromo-3-chloropropane (DBCP)	ND	5.0 µg/L
24 1,2-Dichloroethane	ND	0.50 µg/L	68 1,2,4-Trichlorobenzene	ND	2.0 µg/L
25 1,1,1-Trichloroethane	ND	1.0 µg/L	69 Naphthalene	ND	10 µg/L
26 1,1-Dichloropropene	ND	1.0 µg/L	70 1,2,3-Trichlorobenzene	ND	2.0 µg/L
27 Carbon tetrachloride	ND	1.0 µg/L	71 Surr: 1,2-Dichloroethane-d4	108	(70-130) %REC
28 Benzene	ND	0.50 µg/L	72 Surr: Toluene-d8	100	(70-130) %REC
29 Tertiary Amyl Methyl Ether (TAME)	ND	1.0 µg/L	73 Surr: 4-Bromofluorobenzene	99	(70-130) %REC
30 Dibromomethane	ND	1.0 µg/L			
31 1,2-Dichloropropane	ND	1.0 µg/L			
32 Trichloroethene	ND	1.0 µg/L			
33 Bromodichloromethane	ND	1.0 µg/L			
34 4-Methyl-2-pentanone (MIBK)	ND	10 µg/L			
35 cis-1,3-Dichloropropene	ND	0.50 µg/L			
36 trans-1,3-Dichloropropene	ND	0.50 µg/L			
37 1,1,2-Trichloroethane	ND	1.0 µg/L			
38 Toluene	ND	0.50 µg/L			
39 1,3-Dichloropropane	ND	1.0 µg/L			
40 2-Hexanone	ND	5.0 µg/L			
41 Dibromochloromethane	ND	1.0 µg/L			
42 1,2-Dibromoethane (EDB)	ND	2.0 µg/L			
43 Tetrachloroethene	ND	1.0 µg/L			
44 1,1,1,2-Tetrachloroethane	ND	1.0 µg/L			

ND = Not Detected

Roger L. Scholl, Ph.D., Laboratory Director • Randy Gardner, Laboratory Manager • Walter Hinchman, Quality Assurance Officer
Sacramento, CA • (916) 366-9089 / Las Vegas, NV • (702) 736-7522 / Carson, CA • (714) 386-2901 / info@alpha-analytical.com

Alpha certifies that the test results meet all requirements of NELAC unless footnoted otherwise.

Alpha Analytical, Inc. currently holds appropriate and available California (#2019) and NELAC (01154CA) certifications for the data reported. Test results relate only to reported samples.

11/29/10

Report Date

Page 1 of 1



Alpha Analytical, Inc.

255 Glendale Ave. • Suite 21 • Sparks, Nevada 89431-5778
(775) 355-1044 • (775) 355-0406 FAX • 1-800-283-1183

ANALYTICAL REPORT

CH2M Hill
1000 Wilshire Boulevard
Los Angeles, CA 90017
Job: KMEP DFSP - Norwalk

Attn: Daniel Jablonski
Phone: (213) 228-8271
Fax: (714) 424-2135

Alpha Analytical Number: CHH10111806-02A
Client I.D. Number: GMW-O-16

Sampled: 11/16/10 08:45
Received: 11/18/10
Extracted: 11/23/10
Analyzed: 11/23/10

Volatile Organics by GC/MS EPA Method SW8260B

Compound		Concentration	Reporting Limit	Compound		Concentration	Reporting Limit
1	Dichlorodifluoromethane	ND	1.0 µg/L	45	Chlorobenzene	ND	1.0 µg/L
2	Chloromethane	ND	2.0 µg/L	46	Ethylbenzene	ND	0.50 µg/L
3	Vinyl chloride	ND	0.50 µg/L	47	m,p-Xylene	ND	0.50 µg/L
4	Chloroethane	ND	1.0 µg/L	48	Bromoforn	ND	1.0 µg/L
5	Bromomethane	ND	2.0 µg/L	49	Styrene	ND	1.0 µg/L
6	Trichlorofluoromethane	ND	10 µg/L	50	o-Xylene	ND	0.50 µg/L
7	Acetone	ND	10 µg/L	51	1,1,2,2-Tetrachloroethane	ND	1.0 µg/L
8	1,1-Dichloroethene	ND	1.0 µg/L	52	1,2,3-Trichloropropane	ND	2.0 µg/L
9	Tertiary Butyl Alcohol (TBA)	ND	10 µg/L	53	Isopropylbenzene	ND	1.0 µg/L
10	Dichloromethane	ND	5.0 µg/L	54	Bromobenzene	ND	1.0 µg/L
11	Freon-113	ND	10 µg/L	55	n-Propylbenzene	ND	1.0 µg/L
12	Carbon disulfide	ND	2.5 µg/L	56	4-Chlorotoluene	ND	1.0 µg/L
13	trans-1,2-Dichloroethene	ND	1.0 µg/L	57	2-Chlorotoluene	ND	1.0 µg/L
14	Methyl tert-butyl ether (MTBE)	4.0	0.50 µg/L	58	1,3,5-Trimethylbenzene	ND	1.0 µg/L
15	1,1-Dichloroethane	ND	1.0 µg/L	59	tert-Butylbenzene	ND	1.0 µg/L
16	Vinyl acetate	ND	50 µg/L	60	1,2,4-Trimethylbenzene	ND	1.0 µg/L
17	2-Butanone (MEK)	ND	10 µg/L	61	sec-Butylbenzene	ND	1.0 µg/L
18	Di-isopropyl Ether (DIPE)	ND	1.0 µg/L	62	1,3-Dichlorobenzene	ND	1.0 µg/L
19	cis-1,2-Dichloroethene	ND	1.0 µg/L	63	1,4-Dichlorobenzene	ND	1.0 µg/L
20	Bromochloromethane	ND	1.0 µg/L	64	4-Isopropyltoluene	ND	1.0 µg/L
21	Chloroform	ND	1.0 µg/L	65	1,2-Dichlorobenzene	ND	1.0 µg/L
22	Ethyl Tertiary Butyl Ether (ETBE)	ND	1.0 µg/L	66	n-Butylbenzene	ND	1.0 µg/L
23	2,2-Dichloropropane	ND	1.0 µg/L	67	1,2-Dibromo-3-chloropropane (DBCP)	ND	5.0 µg/L
24	1,2-Dichloroethane	ND	0.50 µg/L	68	1,2,4-Trichlorobenzene	ND	2.0 µg/L
25	1,1,1-Trichloroethane	ND	1.0 µg/L	69	Naphthalene	ND	10 µg/L
26	1,1-Dichloropropene	ND	1.0 µg/L	70	1,2,3-Trichlorobenzene	ND	2.0 µg/L
27	Carbon tetrachloride	ND	1.0 µg/L	71	Surr: 1,2-Dichloroethane-d4	113	(70-130) %REC
28	Benzene	ND	0.50 µg/L	72	Surr: Toluene-d8	99	(70-130) %REC
29	Tertiary Amyl Methyl Ether (TAME)	ND	1.0 µg/L	73	Surr: 4-Bromofluorobenzene	99	(70-130) %REC
30	Dibromomethane	ND	1.0 µg/L				
31	1,2-Dichloropropane	ND	1.0 µg/L				
32	Trichloroethene	ND	1.0 µg/L				
33	Bromodichloromethane	ND	1.0 µg/L				
34	4-Methyl-2-pentanone (MIBK)	ND	10 µg/L				
35	cis-1,3-Dichloropropene	ND	0.50 µg/L				
36	trans-1,3-Dichloropropene	ND	0.50 µg/L				
37	1,1,2-Trichloroethane	ND	1.0 µg/L				
38	Toluene	ND	0.50 µg/L				
39	1,3-Dichloropropane	ND	1.0 µg/L				
40	2-Hexanone	ND	5.0 µg/L				
41	Dibromochloromethane	ND	1.0 µg/L				
42	1,2-Dibromoethane (EDB)	ND	2.0 µg/L				
43	Tetrachloroethene	ND	1.0 µg/L				
44	1,1,1,2-Tetrachloroethane	ND	1.0 µg/L				

ND = Not Detected

Roger Scholl *Randy Gardner* *Walter Hinchman*
Roger L. Scholl, Ph.D., Laboratory Director • • Randy Gardner, Laboratory Manager • • Walter Hinchman, Quality Assurance Officer
Sacramento, CA • (916) 366-9089 / Las Vegas, NV • (702) 736-7522 / Carson, CA • (714) 386-2901 / info@alpha-analytical.com

11/29/10
Report Date

Alpha certifies that the test results meet all requirements of NELAC unless footnoted otherwise.

Alpha Analytical, Inc. currently holds appropriate and available California (#2019) and NELAC (01154CA) certifications for the data reported. Test results relate only to reported samples.



Alpha Analytical, Inc.

255 Glendale Ave. • Suite 21 • Sparks, Nevada 89431-5778
(775) 355-1044 • (775) 355-0406 FAX • 1-800-283-1183

ANALYTICAL REPORT

CH2M Hill
1000 Wilshire Boulevard
Los Angeles, CA 90017
Job: KMEP DFSP - Norwalk

Attn: Daniel Jablonski
Phone: (213) 228-8271
Fax: (714) 424-2135

Alpha Analytical Number: CHH10111806-03A
Client I.D. Number: GMW-O-18

Sampled: 11/16/10 09:53
Received: 11/18/10
Extracted: 11/23/10
Analyzed: 11/23/10

Volatile Organics by GC/MS EPA Method SW8260B

Compound	Concentration	Reporting Limit	Compound	Concentration	Reporting Limit
1 Dichlorodifluoromethane	ND	1.0 µg/L	45 Chlorobenzene	ND	1.0 µg/L
2 Chloromethane	ND	4.0 µg/L	46 Ethylbenzene	ND	0.50 µg/L
3 Vinyl chloride	ND	1.0 µg/L	47 m,p-Xylene	ND	0.50 µg/L
4 Chloroethane	ND	1.0 µg/L	48 Bromoform	ND	1.0 µg/L
5 Bromomethane	ND	4.0 µg/L	49 Styrene	ND	1.0 µg/L
6 Trichlorofluoromethane	ND	10 µg/L	50 o-Xylene	ND	0.50 µg/L
7 Acetone	ND	20 µg/L	51 1,1,2,2-Tetrachloroethane	ND	1.0 µg/L
8 1,1-Dichloroethene	ND	1.0 µg/L	52 1,2,3-Trichloropropane	ND	4.0 µg/L
9 Tertiary Butyl Alcohol (TBA)	21,000	200 µg/L	53 Isopropylbenzene	ND	1.0 µg/L
10 Dichloromethane	ND	5.0 µg/L	54 Bromobenzene	ND	1.0 µg/L
11 Freon-113	ND	10 µg/L	55 n-Propylbenzene	ND	1.0 µg/L
12 Carbon disulfide	ND	5.0 µg/L	56 4-Chlorotoluene	ND	1.0 µg/L
13 trans-1,2-Dichloroethene	ND	1.0 µg/L	57 2-Chlorotoluene	ND	1.0 µg/L
14 Methyl tert-butyl ether (MTBE)	0.53	0.50 µg/L	58 1,3,5-Trimethylbenzene	ND	1.0 µg/L
15 1,1-Dichloroethane	ND	1.0 µg/L	59 tert-Butylbenzene	ND	1.0 µg/L
16 Vinyl acetate	ND	100 µg/L	60 1,2,4-Trimethylbenzene	ND	1.0 µg/L
17 2-Butanone (MEK)	ND	20 µg/L	61 sec-Butylbenzene	ND	1.0 µg/L
18 Di-isopropyl Ether (DIPE)	ND	1.0 µg/L	62 1,3-Dichlorobenzene	ND	1.0 µg/L
19 cis-1,2-Dichloroethene	ND	1.0 µg/L	63 1,4-Dichlorobenzene	ND	1.0 µg/L
20 Bromochloromethane	ND	1.0 µg/L	64 4-Isopropyltoluene	ND	1.0 µg/L
21 Chloroform	ND	1.0 µg/L	65 1,2-Dichlorobenzene	ND	1.0 µg/L
22 Ethyl Tertiary Butyl Ether (ETBE)	ND	1.0 µg/L	66 n-Butylbenzene	ND	1.0 µg/L
23 2,2-Dichloropropane	ND	1.0 µg/L	67 1,2-Dibromo-3-chloropropane (DBCP)	ND	6.0 µg/L
24 1,2-Dichloroethane	ND	1.0 µg/L	68 1,2,4-Trichlorobenzene	ND	4.0 µg/L
25 1,1,1-Trichloroethane	ND	1.0 µg/L	69 Naphthalene	ND	10 µg/L
26 1,1-Dichloropropene	ND	1.0 µg/L	70 1,2,3-Trichlorobenzene	ND	4.0 µg/L
27 Carbon tetrachloride	ND	1.0 µg/L	71 Surr: 1,2-Dichloroethane-d4	103	(70-130) %REC
28 Benzene	ND	0.50 µg/L	72 Surr: Toluene-d8	103	(70-130) %REC
29 Tertiary Amyl Methyl Ether (TAME)	ND	1.0 µg/L	73 Surr: 4-Bromofluorobenzene	120	(70-130) %REC
30 Dibromomethane	ND	1.0 µg/L			
31 1,2-Dichloropropane	ND	1.0 µg/L			
32 Trichloroethene	ND	1.0 µg/L			
33 Bromodichloromethane	ND	1.0 µg/L			
34 4-Methyl-2-pentanone (MIBK)	ND	10 µg/L			
35 cis-1,3-Dichloropropene	ND	1.0 µg/L			
36 trans-1,3-Dichloropropene	ND	1.0 µg/L			
37 1,1,2-Trichloroethane	ND	1.0 µg/L			
38 Toluene	ND	0.50 µg/L			
39 1,3-Dichloropropane	ND	1.0 µg/L			
40 2-Hexanone	ND	10 µg/L			
41 Dibromochloromethane	ND	1.0 µg/L			
42 1,2-Dibromoethane (EDB)	ND	2.0 µg/L			
43 Tetrachloroethene	ND	1.0 µg/L			
44 1,1,1,2-Tetrachloroethane	ND	1.0 µg/L			

*This analyte was analyzed separately on 11/24/10 in order to achieve lower reporting limits for the other analytes.

Some Reporting Limits were increased due to sample foaming.

ND = Not Detected

Roger L. Scholl, Ph.D., Laboratory Director • Randy Gardner, Laboratory Manager • Walter Hinchman, Quality Assurance Officer
Sacramento, CA • (916) 366-9089 / Las Vegas, NV • (702) 736-7522 / Carson, CA • (714) 386-2901 / info@alpha-analytical.com

Alpha certifies that the test results meet all requirements of NELAC unless footnoted otherwise.

Alpha Analytical, Inc. currently holds appropriate and available California (#2019) and NELAC (01154CA) certifications for the data reported. Test results relate only to reported samples.

11/29/10

Report Date

Page 1 of 1



Alpha Analytical, Inc.

255 Glendale Ave. • Suite 21 • Sparks, Nevada 89431-5778
(775) 355-1044 • (775) 355-0406 FAX • 1-800-283-1183

ANALYTICAL REPORT

CH2M Hill
1000 Wilshire Boulevard
Los Angeles, CA 90017
Job: KMEP DFSP - Norwalk

Attn: Daniel Jablonski
Phone: (213) 228-8271
Fax: (714) 424-2135

Alpha Analytical Number: CHH10111806-04A
Client I.D. Number: GMW-O-19

Sampled: 11/16/10 08:03
Received: 11/18/10
Extracted: 11/23/10
Analyzed: 11/23/10

Volatile Organics by GC/MS EPA Method SW8260B

Compound	Concentration	Reporting Limit	Compound	Concentration	Reporting Limit
1 Dichlorodifluoromethane	ND	1.0 µg/L	45 Chlorobenzene	ND	1.0 µg/L
2 Chloromethane	ND	2.0 µg/L	46 Ethylbenzene	ND	0.50 µg/L
3 Vinyl chloride	ND	0.50 µg/L	47 m,p-Xylene	ND	0.50 µg/L
4 Chloroethane	ND	1.0 µg/L	48 Bromoform	ND	1.0 µg/L
5 Bromomethane	ND	2.0 µg/L	49 Styrene	ND	1.0 µg/L
6 Trichlorofluoromethane	ND	10 µg/L	50 o-Xylene	ND	0.50 µg/L
7 Acetone	ND	10 µg/L	51 1,1,2,2-Tetrachloroethane	ND	1.0 µg/L
8 1,1-Dichloroethene	ND	1.0 µg/L	52 1,2,3-Trichloropropane	ND	2.0 µg/L
9 Tertiary Butyl Alcohol (TBA)	ND	10 µg/L	53 Isopropylbenzene	ND	1.0 µg/L
10 Dichloromethane	ND	5.0 µg/L	54 Bromobenzene	ND	1.0 µg/L
11 Freon-113	ND	10 µg/L	55 n-Propylbenzene	ND	1.0 µg/L
12 Carbon disulfide	ND	2.5 µg/L	56 4-Chlorotoluene	ND	1.0 µg/L
13 trans-1,2-Dichloroethene	ND	1.0 µg/L	57 2-Chlorotoluene	ND	1.0 µg/L
14 Methyl tert-butyl ether (MTBE)	ND	0.50 µg/L	58 1,3,5-Trimethylbenzene	ND	1.0 µg/L
15 1,1-Dichloroethane	ND	1.0 µg/L	59 tert-Butylbenzene	ND	1.0 µg/L
16 Vinyl acetate	ND	50 µg/L	60 1,2,4-Trimethylbenzene	ND	1.0 µg/L
17 2-Butanone (MEK)	ND	10 µg/L	61 sec-Butylbenzene	ND	1.0 µg/L
18 Di-isopropyl Ether (DIPE)	ND	1.0 µg/L	62 1,3-Dichlorobenzene	ND	1.0 µg/L
19 cis-1,2-Dichloroethene	ND	1.0 µg/L	63 1,4-Dichlorobenzene	ND	1.0 µg/L
20 Bromochloromethane	ND	1.0 µg/L	64 4-Isopropyltoluene	ND	1.0 µg/L
21 Chloroform	ND	1.0 µg/L	65 1,2-Dichlorobenzene	ND	1.0 µg/L
22 Ethyl Tertiary Butyl Ether (ETBE)	ND	1.0 µg/L	66 n-Butylbenzene	ND	1.0 µg/L
23 2,2-Dichloropropane	ND	1.0 µg/L	67 1,2-Dibromo-3-chloropropane (DBCP)	ND	5.0 µg/L
24 1,2-Dichloroethane	ND	0.50 µg/L	68 1,2,4-Trichlorobenzene	ND	2.0 µg/L
25 1,1,1-Trichloroethane	ND	1.0 µg/L	69 Naphthalene	ND	10 µg/L
26 1,1-Dichloropropene	ND	1.0 µg/L	70 1,2,3-Trichlorobenzene	ND	2.0 µg/L
27 Carbon tetrachloride	ND	1.0 µg/L	71 Surr: 1,2-Dichloroethane-d4	112	(70-130) %REC
28 Benzene	ND	0.50 µg/L	72 Surr: Toluene-d8	99	(70-130) %REC
29 Tertiary Amyl Methyl Ether (TAME)	ND	1.0 µg/L	73 Surr: 4-Bromofluorobenzene	100	(70-130) %REC
30 Dibromomethane	ND	1.0 µg/L			
31 1,2-Dichloropropane	ND	1.0 µg/L			
32 Trichloroethene	ND	1.0 µg/L			
33 Bromodichloromethane	ND	1.0 µg/L			
34 4-Methyl-2-pentanone (MIBK)	ND	10 µg/L			
35 cis-1,3-Dichloropropene	ND	0.50 µg/L			
36 trans-1,3-Dichloropropene	ND	0.50 µg/L			
37 1,1,2-Trichloroethane	ND	1.0 µg/L			
38 Toluene	ND	0.50 µg/L			
39 1,3-Dichloropropane	ND	1.0 µg/L			
40 2-Hexanone	ND	5.0 µg/L			
41 Dibromochloromethane	ND	1.0 µg/L			
42 1,2-Dibromoethane (EDB)	ND	2.0 µg/L			
43 Tetrachloroethene	ND	1.0 µg/L			
44 1,1,1,2-Tetrachloroethane	ND	1.0 µg/L			

ND = Not Detected

Roger Scholl *Randy Gardner* *Walter Hinchman*
Roger L. Scholl, Ph.D., Laboratory Director • • Randy Gardner, Laboratory Manager • • Walter Hinchman, Quality Assurance Officer
Sacramento, CA • (916) 366-9089 / Las Vegas, NV • (702) 736-7522 / Carson, CA • (714) 386-2901 / info@alpha-analytical.com

Alpha certifies that the test results meet all requirements of NELAC unless footnoted otherwise.

Alpha Analytical, Inc. currently holds appropriate and available California (#2019) and NELAC (01154CA) certifications for the data reported. Test results relate only to reported samples.

11/29/10
Report Date



Alpha Analytical, Inc.

255 Glendale Ave. • Suite 21 • Sparks, Nevada 89431-5778
(775) 355-1044 • (775) 355-0406 FAX • 1-800-283-1183

ANALYTICAL REPORT

CH2M Hill
1000 Wilshire Boulevard
Los Angeles, CA 90017
Job: KMEP DFSP - Norwalk

Attn: Daniel Jablonski
Phone: (213) 228-8271
Fax: (714) 424-2135

Alpha Analytical Number: CHH10111806-05A
Client I.D. Number: PZ-5

Sampled: 11/16/10 10:34
Received: 11/18/10
Extracted: 11/23/10
Analyzed: 11/23/10

Volatile Organics by GC/MS EPA Method SW8260B

Compound	Concentration	Reporting Limit	Compound	Concentration	Reporting Limit
1 Dichlorodifluoromethane	ND	20 µg/L	45 Chlorobenzene	ND	20 µg/L
2 Chloromethane	ND	80 µg/L	46 Ethylbenzene	10	10 µg/L
3 Vinyl chloride	ND	20 µg/L	47 m,p-Xylene	15	10 µg/L
4 Chloroethane	ND	20 µg/L	48 Bromoform	ND	20 µg/L
5 Bromomethane	ND	80 µg/L	49 Styrene	ND	20 µg/L
6 Trichlorofluoromethane	ND	20 µg/L	50 o-Xylene	ND	10 µg/L
7 Acetone	ND	400 µg/L	51 1,1,2,2-Tetrachloroethane	ND	20 µg/L
8 1,1-Dichloroethene	ND	20 µg/L	52 1,2,3-Trichloropropane	ND	80 µg/L
9 Tertiary Butyl Alcohol (TBA)	20,000	200 µg/L	53 Isopropylbenzene	ND	20 µg/L
10 Dichloromethane	ND	80 µg/L	54 Bromobenzene	ND	20 µg/L
11 Freon-113	ND	20 µg/L	55 n-Propylbenzene	ND	20 µg/L
12 Carbon disulfide	ND	100 µg/L	56 4-Chlorotoluene	ND	20 µg/L
13 trans-1,2-Dichloroethene	ND	20 µg/L	57 2-Chlorotoluene	ND	20 µg/L
14 Methyl tert-butyl ether (MTBE)	130	10 µg/L	58 1,3,5-Trimethylbenzene	ND	20 µg/L
15 1,1-Dichloroethane	ND	20 µg/L	59 tert-Butylbenzene	ND	20 µg/L
16 Vinyl acetate	ND	2,000 µg/L	60 1,2,4-Trimethylbenzene	ND	20 µg/L
17 2-Butanone (MEK)	ND	400 µg/L	61 sec-Butylbenzene	ND	20 µg/L
18 Di-isopropyl Ether (DIPE)	ND	20 µg/L	62 1,3-Dichlorobenzene	ND	20 µg/L
19 cis-1,2-Dichloroethene	ND	20 µg/L	63 1,4-Dichlorobenzene	ND	20 µg/L
20 Bromochloromethane	ND	20 µg/L	64 4-Isopropyltoluene	ND	20 µg/L
21 Chloroform	ND	20 µg/L	65 1,2-Dichlorobenzene	ND	20 µg/L
22 Ethyl Tertiary Butyl Ether (ETBE)	ND	20 µg/L	66 n-Butylbenzene	ND	20 µg/L
23 2,2-Dichloropropane	ND	20 µg/L	67 1,2-Dibromo-3-chloropropane (DBCP)	ND	120 µg/L
24 1,2-Dichloroethane	ND	20 µg/L	68 1,2,4-Trichlorobenzene	ND	80 µg/L
25 1,1,1-Trichloroethane	ND	20 µg/L	69 Naphthalene	ND	80 µg/L
26 1,1-Dichloropropene	ND	20 µg/L	70 1,2,3-Trichlorobenzene	ND	80 µg/L
27 Carbon tetrachloride	ND	20 µg/L	71 Surr: 1,2-Dichloroethane-d4	106	(70-130) %REC
28 Benzene	1,600	10 µg/L	72 Surr: Toluene-d8	101	(70-130) %REC
29 Tertiary Amyl Methyl Ether (TAME)	ND	20 µg/L	73 Surr: 4-Bromofluorobenzene	98	(70-130) %REC
30 Dibromomethane	ND	20 µg/L			
31 1,2-Dichloropropane	ND	20 µg/L			
32 Trichloroethene	ND	20 µg/L			
33 Bromodichloromethane	ND	20 µg/L			
34 4-Methyl-2-pentanone (MIBK)	ND	100 µg/L			
35 cis-1,3-Dichloropropene	ND	20 µg/L			
36 trans-1,3-Dichloropropene	ND	20 µg/L			
37 1,1,2-Trichloroethane	ND	20 µg/L			
38 Toluene	ND	10 µg/L			
39 1,3-Dichloropropane	ND	20 µg/L			
40 2-Hexanone	ND	200 µg/L			
41 Dibromochloromethane	ND	20 µg/L			
42 1,2-Dibromoethane (EDB)	ND	40 µg/L			
43 Tetrachloroethene	ND	20 µg/L			
44 1,1,1,2-Tetrachloroethane	ND	20 µg/L			

Reporting Limits were increased due to high concentrations of target analytes.

ND = Not Detected

Roger L. Scholl, Ph.D., Laboratory Director • Randy Gardner, Laboratory Manager • Walter Hinchman, Quality Assurance Officer
Sacramento, CA • (916) 366-9089 / Las Vegas, NV • (702) 736-7522 / Carson, CA • (714) 386-2901 / info@alpha-analytical.com

Alpha certifies that the test results meet all requirements of NELAC unless footnoted otherwise.

Alpha Analytical, Inc. currently holds appropriate and available California (#2019) and NELAC (01154CA) certifications for the data reported. Test results relate only to reported samples.

11/29/10

Report Date

Page 1 of 1



Alpha Analytical, Inc.

255 Glendale Ave. • Suite 21 • Sparks, Nevada 89431-5778
(775) 355-1044 • (775) 355-0406 FAX • 1-800-283-1183

ANALYTICAL REPORT

CH2M Hill
1000 Wilshire Boulevard
Los Angeles, CA 90017
Job: KMEP DFSP - Norwalk

Attn: Daniel Jablonski
Phone: (213) 228-8271
Fax: (714) 424-2135

Alpha Analytical Number: CHH10111806-06A
Client I.D. Number: DUP-1

Sampled: 11/16/10 00:00
Received: 11/18/10
Extracted: 11/23/10
Analyzed: 11/23/10

Volatile Organics by GC/MS EPA Method SW8260B

Reporting			Reporting		
Compound	Concentration	Limit	Compound	Concentration	Limit
1 Dichlorodifluoromethane	ND	20 µg/L	45 Chlorobenzene	ND	20 µg/L
2 Chloromethane	ND	80 µg/L	46 Ethylbenzene	13	10 µg/L
3 Vinyl chloride	ND	20 µg/L	47 m,p-Xylene	17	10 µg/L
4 Chloroethane	ND	20 µg/L	48 Bromoform	ND	20 µg/L
5 Bromomethane	ND	80 µg/L	49 Styrene	ND	20 µg/L
6 Trichlorofluoromethane	ND	20 µg/L	50 o-Xylene	ND	10 µg/L
7 Acetone	ND	400 µg/L	51 1,1,2,2-Tetrachloroethane	ND	20 µg/L
8 1,1-Dichloroethene	ND	20 µg/L	52 1,2,3-Trichloropropane	ND	80 µg/L
9 Tertiary Butyl Alcohol (TBA)	26,000	200 µg/L	53 Isopropylbenzene	ND	20 µg/L
10 Dichloromethane	ND	80 µg/L	54 Bromobenzene	ND	20 µg/L
11 Freon-113	ND	20 µg/L	55 n-Propylbenzene	ND	20 µg/L
12 Carbon disulfide	ND	100 µg/L	56 4-Chlorotoluene	ND	20 µg/L
13 trans-1,2-Dichloroethene	ND	20 µg/L	57 2-Chlorotoluene	ND	20 µg/L
14 Methyl tert-butyl ether (MTBE)	190	10 µg/L	58 1,3,5-Trimethylbenzene	ND	20 µg/L
15 1,1-Dichloroethane	ND	20 µg/L	59 tert-Butylbenzene	ND	20 µg/L
16 Vinyl acetate	ND	2,000 µg/L	60 1,2,4-Trimethylbenzene	ND	20 µg/L
17 2-Butanone (MEK)	ND	400 µg/L	61 sec-Butylbenzene	ND	20 µg/L
18 Di-isopropyl Ether (DIPE)	ND	20 µg/L	62 1,3-Dichlorobenzene	ND	20 µg/L
19 cis-1,2-Dichloroethene	ND	20 µg/L	63 1,4-Dichlorobenzene	ND	20 µg/L
20 Bromochloromethane	ND	20 µg/L	64 4-Isopropyltoluene	ND	20 µg/L
21 Chloroform	ND	20 µg/L	65 1,2-Dichlorobenzene	ND	20 µg/L
22 Ethyl Tertiary Butyl Ether (ETBE)	ND	20 µg/L	66 n-Butylbenzene	ND	20 µg/L
23 2,2-Dichloropropane	ND	20 µg/L	67 1,2-Dibromo-3-chloropropane (DBCP)	ND	120 µg/L
24 1,2-Dichloroethane	ND	20 µg/L	68 1,2,4-Trichlorobenzene	ND	80 µg/L
25 1,1,1-Trichloroethane	ND	20 µg/L	69 Naphthalene	ND	80 µg/L
26 1,1-Dichloropropene	ND	20 µg/L	70 1,2,3-Trichlorobenzene	ND	80 µg/L
27 Carbon tetrachloride	ND	20 µg/L	71 Surr: 1,2-Dichloroethane-d4	113	(70-130) %REC
28 Benzene	2,000	10 µg/L	72 Surr: Toluene-d8	101	(70-130) %REC
29 Tertiary Amyl Methyl Ether (TAME)	ND	20 µg/L	73 Surr: 4-Bromofluorobenzene	98	(70-130) %REC
30 Dibromomethane	ND	20 µg/L			
31 1,2-Dichloropropane	ND	20 µg/L			
32 Trichloroethene	ND	20 µg/L			
33 Bromodichloromethane	ND	20 µg/L			
34 4-Methyl-2-pentanone (MIBK)	ND	100 µg/L			
35 cis-1,3-Dichloropropene	ND	20 µg/L			
36 trans-1,3-Dichloropropene	ND	20 µg/L			
37 1,1,2-Trichloroethane	ND	20 µg/L			
38 Toluene	ND	10 µg/L			
39 1,3-Dichloropropane	ND	20 µg/L			
40 2-Hexanone	ND	20 µg/L			
41 Dibromochloromethane	ND	20 µg/L			
42 1,2-Dibromoethane (EDB)	ND	40 µg/L			
43 Tetrachloroethene	ND	20 µg/L			
44 1,1,1,2-Tetrachloroethane	ND	20 µg/L			

Reporting Limits were increased due to high concentrations of target analytes.

ND = Not Detected

Roger L. Scholl, Ph.D., Laboratory Director • Randy Gardner, Laboratory Manager • Walter Hinchman, Quality Assurance Officer
Sacramento, CA • (916) 366-9089 / Las Vegas, NV • (702) 736-7522 / Carson, CA • (714) 386-2901 / info@alpha-analytical.com

Alpha certifies that the test results meet all requirements of NELAC unless footnoted otherwise.

Alpha Analytical, Inc. currently holds appropriate and available California (#2019) and NELAC (01154CA) certifications for the data reported. Test results relate only to reported samples.

11/29/10

Report Date



Alpha Analytical, Inc.

255 Glendale Ave. • Suite 21 • Sparks, Nevada 89431-5778
(775) 355-1044 • (775) 355-0406 FAX • 1-800-283-1183

ANALYTICAL REPORT

CH2M Hill
1000 Wilshire Boulevard
Los Angeles, CA 90017
Job: KMEP DFSP - Norwalk

Attn: Daniel Jablonski
Phone: (213) 228-8271
Fax: (714) 424-2135

Alpha Analytical Number: CHH10111806-07A
Client I.D. Number: EB-1

Sampled: 11/16/10 11:30
Received: 11/18/10
Extracted: 11/23/10
Analyzed: 11/23/10

Volatile Organics by GC/MS EPA Method SW8260B

Compound	Concentration	Reporting		Compound	Concentration	Reporting	
		Limit	Limit			Limit	Limit
1 Dichlorodifluoromethane	ND	1.0	µg/L	45 Chlorobenzene	ND	1.0	µg/L
2 Chloromethane	ND	2.0	µg/L	46 Ethylbenzene	ND	0.50	µg/L
3 Vinyl chloride	ND	0.50	µg/L	47 m,p-Xylene	ND	0.50	µg/L
4 Chloroethane	ND	1.0	µg/L	48 Bromoform	ND	1.0	µg/L
5 Bromomethane	ND	2.0	µg/L	49 Styrene	ND	1.0	µg/L
6 Trichlorofluoromethane	ND	10	µg/L	50 o-Xylene	ND	0.50	µg/L
7 Acetone	ND	10	µg/L	51 1,1,2,2-Tetrachloroethane	ND	1.0	µg/L
8 1,1-Dichloroethene	ND	1.0	µg/L	52 1,2,3-Trichloropropane	ND	2.0	µg/L
9 Tertiary Butyl Alcohol (TBA)	ND	10	µg/L	53 Isopropylbenzene	ND	1.0	µg/L
10 Dichloromethane	ND	5.0	µg/L	54 Bromobenzene	ND	1.0	µg/L
11 Freon-113	ND	10	µg/L	55 n-Propylbenzene	ND	1.0	µg/L
12 Carbon disulfide	ND	2.5	µg/L	56 4-Chlorotoluene	ND	1.0	µg/L
13 trans-1,2-Dichloroethene	ND	1.0	µg/L	57 2-Chlorotoluene	ND	1.0	µg/L
14 Methyl tert-butyl ether (MTBE)	ND	0.50	µg/L	58 1,3,5-Trimethylbenzene	ND	1.0	µg/L
15 1,1-Dichloroethane	ND	1.0	µg/L	59 tert-Butylbenzene	ND	1.0	µg/L
16 Vinyl acetate	ND	50	µg/L	60 1,2,4-Trimethylbenzene	ND	1.0	µg/L
17 2-Butanone (MEK)	ND	10	µg/L	61 sec-Butylbenzene	ND	1.0	µg/L
18 Di-isopropyl Ether (DIPE)	ND	1.0	µg/L	62 1,3-Dichlorobenzene	ND	1.0	µg/L
19 cis-1,2-Dichloroethene	ND	1.0	µg/L	63 1,4-Dichlorobenzene	ND	1.0	µg/L
20 Bromochloromethane	ND	1.0	µg/L	64 4-Isopropyltoluene	ND	1.0	µg/L
21 Chloroform	ND	1.0	µg/L	65 1,2-Dichlorobenzene	ND	1.0	µg/L
22 Ethyl Tertiary Butyl Ether (ETBE)	ND	1.0	µg/L	66 n-Butylbenzene	ND	1.0	µg/L
23 2,2-Dichloropropane	ND	1.0	µg/L	67 1,2-Dibromo-3-chloropropane (DBCP)	ND	5.0	µg/L
24 1,2-Dichloroethane	ND	0.50	µg/L	68 1,2,4-Trichlorobenzene	ND	2.0	µg/L
25 1,1,1-Trichloroethane	ND	1.0	µg/L	69 Naphthalene	ND	10	µg/L
26 1,1-Dichloropropene	ND	1.0	µg/L	70 1,2,3-Trichlorobenzene	ND	2.0	µg/L
27 Carbon tetrachloride	ND	1.0	µg/L	71 Surr: 1,2-Dichloroethane-d4	111	(70-130)	%REC
28 Benzene	ND	0.50	µg/L	72 Surr: Toluene-d8	102	(70-130)	%REC
29 Tertiary Amyl Methyl Ether (TAME)	ND	1.0	µg/L	73 Surr: 4-Bromofluorobenzene	101	(70-130)	%REC
30 Dibromomethane	ND	1.0	µg/L				
31 1,2-Dichloropropane	ND	1.0	µg/L				
32 Trichloroethene	ND	1.0	µg/L				
33 Bromodichloromethane	ND	1.0	µg/L				
34 4-Methyl-2-pentanone (MIBK)	ND	10	µg/L				
35 cis-1,3-Dichloropropene	ND	0.50	µg/L				
36 trans-1,3-Dichloropropene	ND	0.50	µg/L				
37 1,1,2-Trichloroethane	ND	1.0	µg/L				
38 Toluene	ND	0.50	µg/L				
39 1,3-Dichloropropane	ND	1.0	µg/L				
40 2-Hexanone	ND	5.0	µg/L				
41 Dibromochloromethane	ND	1.0	µg/L				
42 1,2-Dibromoethane (EDB)	ND	2.0	µg/L				
43 Tetrachloroethene	ND	1.0	µg/L				
44 1,1,1,2-Tetrachloroethane	ND	1.0	µg/L				

ND = Not Detected

Roger Scholl *Randy Gardner* *Walter Hinchman*
Roger L. Scholl, Ph.D., Laboratory Director • • Randy Gardner, Laboratory Manager • • Walter Hinchman, Quality Assurance Officer
Sacramento, CA • (916) 366-9089 / Las Vegas, NV • (702) 736-7522 / Carson, CA • (714) 386-2901 / info@alpha-analytical.com

11/29/10

Report Date

Alpha certifies that the test results meet all requirements of NELAC unless footnoted otherwise.

Alpha Analytical, Inc. currently holds appropriate and available California (#2019) and NELAC (01154CA) certifications for the data reported. Test results relate only to reported samples.



Alpha Analytical, Inc.

255 Glendale Ave. • Suite 21 • Sparks, Nevada 89431-5778

(775) 355-1044 • (775) 355-0406 FAX • 1-800-283-1183

VOC Sample Preservation Report

Work Order: CHH10111806

Job: KMEP DFSP - Norwalk

Alpha's Sample ID	Client's Sample ID	Matrix	pH
10111806-01A	TB-1	Aqueous	2
10111806-02A	GMW-O-16	Aqueous	2
10111806-03A	GMW-O-18	Aqueous	2
10111806-04A	GMW-O-19	Aqueous	2
10111806-05A	PZ-5	Aqueous	2
10111806-06A	DUP-1	Aqueous	6
10111806-07A	EB-1	Aqueous	2

11/29/10
Report Date

Page 1 of 1



Alpha Analytical, Inc.

255 Glendale Ave. • Suite 21 • Sparks, Nevada 89431-5778

(775) 355-1044 • (775) 355-0406 FAX • 1-800-283-1183

Date:
29-Nov-10

QC Summary Report

Work Order:
10111806

Method Blank

Type **MBLK** Test Code: **EPA Method SW8015B / E**

File ID: **2A11171065.D**

Batch ID: **25523**

Analysis Date: **11/19/2010 11:34**

Sample ID: **MBLK-25523**

Units : **mg/L**

Run ID: **FID_1_101119A**

Prep Date: **11/19/2010 09:05**

Analyte	Result	PQL	SpkVal	SpkRefVal	%REC	LCL(ME)	UCL(ME)	RPDRefVal	%RPD(Limit)	Qual
TPH-E (Fuel Product)	ND	0.1								
Surr: Nonane	0.154		0.15		103	57	147			

Laboratory Control Spike

Type **LCS** Test Code: **EPA Method SW8015B / E**

File ID: **2A11171064.D**

Batch ID: **25523**

Analysis Date: **11/19/2010 11:09**

Sample ID: **LCS-25523**

Units : **mg/L**

Run ID: **FID_1_101119A**

Prep Date: **11/19/2010 09:05**

Analyte	Result	PQL	SpkVal	SpkRefVal	%REC	LCL(ME)	UCL(ME)	RPDRefVal	%RPD(Limit)	Qual
TPH-E (DRO)	2.39	0.05	2.5		96	67	130			
Surr: Nonane	0.177		0.15		118	57	147			

Sample Matrix Spike

Type **MS** Test Code: **EPA Method SW8015B / E**

File ID: **2A11171075.D**

Batch ID: **25523**

Analysis Date: **11/19/2010 15:50**

Sample ID: **10111741-04AMS**

Units : **mg/L**

Run ID: **FID_1_101119A**

Prep Date: **11/19/2010 09:05**

Analyte	Result	PQL	SpkVal	SpkRefVal	%REC	LCL(ME)	UCL(ME)	RPDRefVal	%RPD(Limit)	Qual
TPH-E (DRO)	2.5	0.05	2.5	0	99.9	49	150			
Surr: Nonane	0.181		0.15		121	57	147			

Sample Matrix Spike Duplicate

Type **MSD** Test Code: **EPA Method SW8015B / E**

File ID: **2A11171076.D**

Batch ID: **25523**

Analysis Date: **11/19/2010 16:15**

Sample ID: **10111741-04AMSD**

Units : **mg/L**

Run ID: **FID_1_101119A**

Prep Date: **11/19/2010 09:05**

Analyte	Result	PQL	SpkVal	SpkRefVal	%REC	LCL(ME)	UCL(ME)	RPDRefVal	%RPD(Limit)	Qual
TPH-E (DRO)	2.39	0.05	2.5	0	95	49	150	2.497	4.6(38)	
Surr: Nonane	0.192		0.15		128	57	147			

Comments:

Calculations are based off of raw (non-rounded) data. However, for reporting purposes, all QC data is rounded to three significant figures. Therefore, hand calculated values may differ slightly.



Alpha Analytical, Inc.

255 Glendale Ave. • Suite 21 • Sparks, Nevada 89431-5778
(775) 355-1044 • (775) 355-0406 FAX • 1-800-283-1183

Date:
29-Nov-10

QC Summary Report

Work Order:
10111806

Method Blank

Type **MBLK** Test Code: **EPA Method SW8015**

File ID: C:\HPCHEM\MS07\DATA\101122\10112206.D

Batch ID: **MS07W1122B**

Analysis Date: **11/22/2010 17:35**

Sample ID: **MBLK MS07W1122B**

Units : **mg/L**

Run ID: **MSD_07_101122A**

Prep Date: **11/22/2010 17:35**

Analyte	Result	PQL	SpkVal	SpkRefVal	%REC	LCL(ME)	UCL(ME)	RPDRefVal	%RPD(Limit)	Qual
TPH-P (GRO)	ND	0.05								
Surr: 1,2-Dichloroethane-d4	0.0115		0.01		115	70	130			
Surr: Toluene-d8	0.00992		0.01		99	70	130			
Surr: 4-Bromofluorobenzene	0.0102		0.01		102	70	130			

Laboratory Control Spike

Type **LCS** Test Code: **EPA Method SW8015**

File ID: C:\HPCHEM\MS07\DATA\101122\10112203.D

Batch ID: **MS07W1122B**

Analysis Date: **11/22/2010 16:24**

Sample ID: **GLCS MS07W1122B**

Units : **mg/L**

Run ID: **MSD_07_101122A**

Prep Date: **11/22/2010 16:24**

Analyte	Result	PQL	SpkVal	SpkRefVal	%REC	LCL(ME)	UCL(ME)	RPDRefVal	%RPD(Limit)	Qual
TPH-P (GRO)	0.348	0.05	0.4		87	70	130			
Surr: 1,2-Dichloroethane-d4	0.0108		0.01		108	70	130			
Surr: Toluene-d8	0.0114		0.01		114	70	130			
Surr: 4-Bromofluorobenzene	0.0101		0.01		101	70	130			

Sample Matrix Spike

Type **MS** Test Code: **EPA Method SW8015**

File ID: C:\HPCHEM\MS07\DATA\101122\10112210.D

Batch ID: **MS07W1122B**

Analysis Date: **11/22/2010 19:11**

Sample ID: **10111806-02AGS**

Units : **mg/L**

Run ID: **MSD_07_101122A**

Prep Date: **11/22/2010 19:11**

Analyte	Result	PQL	SpkVal	SpkRefVal	%REC	LCL(ME)	UCL(ME)	RPDRefVal	%RPD(Limit)	Qual
TPH-P (GRO)	2.12	0.25	2	0	106	58	135			
Surr: 1,2-Dichloroethane-d4	0.0534		0.05		107	70	130			
Surr: Toluene-d8	0.0492		0.05		98	70	130			
Surr: 4-Bromofluorobenzene	0.0492		0.05		98	70	130			

Sample Matrix Spike Duplicate

Type **MSD** Test Code: **EPA Method SW8015**

File ID: C:\HPCHEM\MS07\DATA\101122\10112211.D

Batch ID: **MS07W1122B**

Analysis Date: **11/22/2010 19:35**

Sample ID: **10111806-02AGSD**

Units : **mg/L**

Run ID: **MSD_07_101122A**

Prep Date: **11/22/2010 19:35**

Analyte	Result	PQL	SpkVal	SpkRefVal	%REC	LCL(ME)	UCL(ME)	RPDRefVal	%RPD(Limit)	Qual
TPH-P (GRO)	2.04	0.25	2	0	102	58	135	2.124	4.2(20)	
Surr: 1,2-Dichloroethane-d4	0.0534		0.05		107	70	130			
Surr: Toluene-d8	0.0491		0.05		98	70	130			
Surr: 4-Bromofluorobenzene	0.0496		0.05		99	70	130			

Comments:

Calculations are based off of raw (non-rounded) data. However, for reporting purposes, all QC data is rounded to three significant figures. Therefore, hand calculated values may differ slightly.



Alpha Analytical, Inc.

255 Glendale Ave. • Suite 21 • Sparks, Nevada 89431-5778

(775) 355-1044 • (775) 355-0406 FAX • 1-800-283-1183

Date: 29-Nov-10 **QC Summary Report** Work Order: 10111806

n-Butylbenzene	ND	1				
1,2-Dibromo-3-chloropropane (DBCP)	ND	5				
1,2,4-Trichlorobenzene	ND	2				
Naphthalene	ND	10				
1,2,3-Trichlorobenzene	ND	2				
Surr: 1,2-Dichloroethane-d4	11.5		10	115	70	130
Surr: Toluene-d8	9.92		10	99	70	130
Surr: 4-Bromofluorobenzene	10.2		10	102	70	130

Laboratory Control Spike

Type **LCS** Test Code: **EPA Method SW8260B**

File ID: C:\HPCHEM\MS07\DATA\101122\10112204.D

Batch ID: **MS07W1122A**

Analysis Date: **11/22/2010 16:48**

Sample ID: **LCS MS07W1122A**

Units: **µg/L**

Run ID: **MSD_07_101122A**

Prep Date: **11/22/2010 16:48**

Analyte	Result	PQL	SpkVal	SpkRefVal	%REC	LCL(ME)	UCL(ME)	RPDRefVal	%RPD(Limit)	Qual
1,1-Dichloroethene	11.2	1	10		112	80	120			
Methyl tert-butyl ether (MTBE)	10.3	0.5	10		103	62	136			
Benzene	10.1	0.5	10		101	70	130			
Trichloroethene	10.1	1	10		101	70	130			
Toluene	9.63	0.5	10		96	80	120			
Chlorobenzene	9.41	1	10		94	70	130			
Ethylbenzene	9.48	0.5	10		95	80	120			
m,p-Xylene	9.63	0.5	10		96	70	130			
o-Xylene	10.8	0.5	10		108	70	130			
Surr: 1,2-Dichloroethane-d4	11.4		10		114	70	130			
Surr: Toluene-d8	9.85		10		99	70	130			
Surr: 4-Bromofluorobenzene	9.84		10		98	70	130			

Sample Matrix Spike

Type **MS** Test Code: **EPA Method SW8260B**

File ID: C:\HPCHEM\MS07\DATA\101122\10112208.D

Batch ID: **MS07W1122A**

Analysis Date: **11/22/2010 18:23**

Sample ID: **10111806-02AMS**

Units: **µg/L**

Run ID: **MSD_07_101122A**

Prep Date: **11/22/2010 18:23**

Analyte	Result	PQL	SpkVal	SpkRefVal	%REC	LCL(ME)	UCL(ME)	RPDRefVal	%RPD(Limit)	Qual
1,1-Dichloroethene	54.3	2.5	50	0	109	60	130			
Methyl tert-butyl ether (MTBE)	50.7	1.3	50	3.99	93	56	141			
Benzene	48.7	1.3	50	0	97	67	130			
Trichloroethene	48.5	2.5	50	0	97	69	130			
Toluene	46.3	1.3	50	0	93	66	130			
Chlorobenzene	45.9	2.5	50	0	92	70	130			
Ethylbenzene	45.6	1.3	50	0	91	68	130			
m,p-Xylene	46.6	1.3	50	0	93	64	130			
o-Xylene	52.4	1.3	50	0	105	70	130			
Surr: 1,2-Dichloroethane-d4	57.9		50		116	70	130			
Surr: Toluene-d8	48.2		50		96	70	130			
Surr: 4-Bromofluorobenzene	49.1		50		98	70	130			

Sample Matrix Spike Duplicate

Type **MSD** Test Code: **EPA Method SW8260B**

File ID: C:\HPCHEM\MS07\DATA\101122\10112209.D

Batch ID: **MS07W1122A**

Analysis Date: **11/22/2010 18:47**

Sample ID: **10111806-02AMSD**

Units: **µg/L**

Run ID: **MSD_07_101122A**

Prep Date: **11/22/2010 18:47**

Analyte	Result	PQL	SpkVal	SpkRefVal	%REC	LCL(ME)	UCL(ME)	RPDRefVal	%RPD(Limit)	Qual
1,1-Dichloroethene	56.6	2.5	50	0	113	60	130	54.26	4.2(20)	
Methyl tert-butyl ether (MTBE)	51.6	1.3	50	3.99	95	56	141	50.72	1.7(20)	
Benzene	48.4	1.3	50	0	97	67	130	48.66	0.5(20)	
Trichloroethene	47.6	2.5	50	0	95	69	130	48.54	2.0(20)	
Toluene	46.4	1.3	50	0	93	66	130	46.34	0.1(20)	
Chlorobenzene	46	2.5	50	0	92	70	130	45.93	0.1(20)	
Ethylbenzene	45.6	1.3	50	0	91	68	130	45.57	0.1(20)	
m,p-Xylene	46.3	1.3	50	0	93	64	130	46.6	0.6(20)	
o-Xylene	52.1	1.3	50	0	104	70	130	52.4	0.6(20)	
Surr: 1,2-Dichloroethane-d4	57.2		50		114	70	130			
Surr: Toluene-d8	48.6		50		97	70	130			
Surr: 4-Bromofluorobenzene	49.7		50		99	70	130			



Alpha Analytical, Inc.

255 Glendale Ave. • Suite 21 • Sparks, Nevada 89431-5778
(775) 355-1044 • (775) 355-0406 FAX • 1-800-283-1183

Date:
29-Nov-10

QC Summary Report

Work Order:
10111806

Comments:

Calculations are based off of raw (non-rounded) data. However, for reporting purposes, all QC data is rounded to three significant figures. Therefore, hand calculated values may differ slightly.

CHAIN-OF-CUSTODY RECORD

CA

Alpha Analytical, Inc.

WorkOrder : CHHL10111806

255 Glendale Avenue, Suite 21 Sparks, Nevada 89431-5778
 TEL: (775) 355-1044 FAX: (775) 355-0406

Report Due By : 5:00 PM On : 29-Nov-2010

Report Attention	Phone Number	Email Address
Daniel Jablonski	(213) 228-8271 x	daniel.jablonski@ch2m.com
Vladimir Carino	(213) 228-8271 x	vladimir.carino@ch2m.com

Client: CH2M Hill
 1000 Wilshire Boulevard
 21st Floor
 Los Angeles, CA 90017

EDD Required : Yes

Sampled by : T. Rhymes

PO : Client's COC# : none = Final Rpt, MBLK, LCS, MS/MSD With Surrogates Job : KMEP DFSP - Norwalk Cooler Temp : 4 °C Samples Received : 18-Nov-2010 Date Printed : 18-Nov-2010

Alpha Sample ID	Client Sample ID	Matrix	Collection Date	No. of Bottles		TPHE_W	TPHP_W	VOC_W	Requested Tests	Sample Remarks
				Alpha	Sub					
CHH10111806-01A	TB-1	AQ	11/16/10 07:00	2	0	6			TPHE(0.10) +Vinyl acetate	Client provided trip blanks.
CHH10111806-02A	GMW-O-16	AQ	11/16/10 08:45	6	0	6			TPHE(0.10) +Vinyl acetate	
CHH10111806-03A	GMW-O-18	AQ	11/16/10 09:53	6	0	6			TPHE(0.10) +Vinyl acetate	
CHH10111806-04A	GMW-O-19	AQ	11/16/10 08:03	6	0	6			TPHE(0.10) +Vinyl acetate	
CHH10111806-05A	PZ-5	AQ	11/16/10 10:34	6	0	6			TPHE(0.10) +Vinyl acetate	
CHH10111806-06A	DUP-1	AQ	11/16/10 00:00	6	0	6			TPHE(0.10) +Vinyl acetate	
CHH10111806-07A	EB-1	AQ	11/16/10 11:30	6	0	6			TPHE(0.10) +Vinyl acetate	

Comments: Security seals intact. Frozen ice. Analysis: Run two analyses in order to achieve lower reporting limits for all other analytes due to high TBA values.:

Logged in by: *Elizabeth Adcox* Signature: *Elizabeth Adcox* Print Name: Elizabeth Adcox Company: Alpha Analytical, Inc. Date/Time: 11-18-10 12:05

NOTE: Samples are discarded 60 days after results are reported unless other arrangements are made. Hazardous samples will be returned to client or disposed of at client expense. The report for the analysis of the above samples is applicable only to those samples received by the laboratory with this COC. The liability of the laboratory is limited to the amount paid for the report. Matrix Type : AQ(Aqueous) AR(Air) SO(Soil) WS(Waste) DW(Drinking Water) OT(Other) Bottle Type: L-Liter V-Voa S-Soil Jar O-Orbo T-Tedlar B-Brass P-Plastic OT-Other

BLAINE

TECH SERVICES, INC.

1680 ROGERS AVENUE
 SAN JOSE, CALIFORNIA 95112-1105
 FAX (408) 573-7771
 PHONE (408) 573-0555

Alpha Analytical COC

(of)

CHAIN OF CUSTODY

CLIENT

Kinder Morgan

SITE

DFSP Norwalk

15306 Norwalk Blvd, Norwalk

CONTAINERS

SAMPLE I.D.	DATE	TIME	MATRIX	#	Preservation Type
TB-1	11/14/10	0700	AQ	2	HCl VOA
GMN-0-16		0845		6	
GMN-0-18		0953		6	
GMN-0-19		0803		6	
PZ-5		1034		6	
DUP-1				6	
EB-1		1130		6	

CONDUCT ANALYSIS TO DETECT

TPHg, TPHp (EPA 8015M)	VOCs & Oxygenates (EPA 8260B)
X	X
X	X
X	X
X	X
X	X
X	X
X	X

Billing Information:

Kinder Morgan
 1100 Town and Country Rd.
 Orange CA 95112

Report to:

Dan Jablonski
 CH2MHILL
 1000 Wilshire Blvd 21st floor
 Los Angeles, CA 90017

ADD'L INFORMATION	STATUS	CONDITION	LAB SAMPLE #
			CHH10111806
			-01
			-02
			-03
			-04
			-05
			-06
			-07

SAMPLING COMPLETED

DATE 11/16/10

TIME 1200

SAMPLING PERFORMED BY T. RHYMES

RESULTS NEEDED NO LATER THAN

Standard

RELEASED BY

TIME 1545

RECEIVED BY

DATE 11-16-10

TIME 1545

RELEASED BY

TIME 1330

RECEIVED BY

DATE 11-17-10

TIME 1330

RELEASED BY

TIME 1330

RECEIVED BY

DATE 11-18-10

TIME 1205

SHIPPED VIA

TIME SENT

COOLER #



Alpha Analytical, Inc.

255 Glendale Ave. • Suite 21 • Sparks, Nevada 89431-5778
(775) 355-1044 • (775) 355-0406 FAX • 1-800-283-1183

ANALYTICAL REPORT

CH2M Hill
1000 Wilshire Boulevard
Los Angeles, CA 90017

Attn: Daniel Jablonski
Phone: (213) 228-8271
Fax: (714) 424-2135
Date Received : 11/24/10

Job: KMEP DFSP Norwalk

Total Petroleum Hydrocarbons - Extractable (TPH-E) EPA Method SW8015B
Total Petroleum Hydrocarbons - Purgeable (TPH-P) EPA Method SW8015B

Parameter	Concentration	Reporting Limit	Date Extracted	Date Analyzed
Client ID : GMW-36				
Lab ID : CHH10112406-01A	TPH-E (Fuel Product) 21 **	0.50 mg/L	11/29/10	11/30/10
Date Sampled 11/23/10 15:10	Surr: Nonane 130	(57-147) %REC	11/29/10	11/30/10
	TPH-P (GRO) 31	4.0 mg/L	11/29/10	11/29/10
	Surr: 1,2-Dichloroethane-d4 100	(70-130) %REC	11/29/10	11/29/10
	Surr: Toluene-d8 100	(70-130) %REC	11/29/10	11/29/10
	Surr: 4-Bromofluorobenzene 102	(70-130) %REC	11/29/10	11/29/10

**Note: Reported TPH-E (Fuel Product) may contain undifferentiated diesel range hydrocarbons.
Gasoline Range Organics (GRO) C4-C13
This replaces the report signed 12/2/10 due to a change in the reported samples, per client request.

Roger L. Scholl, Ph.D., Laboratory Director • Randy Gardner, Laboratory Manager • Walter Hinchman, Quality Assurance Officer
Sacramento, CA • (916) 366-9089 / Las Vegas, NV • (702) 736-7522 / Carson, CA • (714) 386-2901 / info@alpha-analytical.com

Alpha certifies that the test results meet all requirements of NELAC unless footnoted otherwise.

Alpha Analytical, Inc. currently holds appropriate and available California (#2019) and NELAC (01154CA) certifications for the data reported. Test results relate only to reported samples.

1/20/11

Report Date



Alpha Analytical, Inc.

255 Glendale Ave. • Suite 21 • Sparks, Nevada 89431-5778
(775) 355-1044 • (775) 355-0406 FAX • 1-800-283-1183

ANALYTICAL REPORT

CH2M Hill
1000 Wilshire Boulevard
Los Angeles, CA 90017
Job: KMEP DFSP Norwalk

Attn: Daniel Jablonski
Phone: (213) 228-8271
Fax: (714) 424-2135

Alpha Analytical Number: CHH10112406-01A
Client I.D. Number: GMW-36

Sampled: 11/23/10 15:10
Received: 11/24/10
Extracted: 11/29/10
Analyzed: 11/29/10

Volatile Organics by GC/MS EPA Method SW8260B

Compound	Concentration	Reporting Limit	Compound	Concentration	Reporting Limit
1 Dichlorodifluoromethane	ND	40 µg/L	45 Chlorobenzene	ND	40 µg/L
2 Chloromethane	ND	160 µg/L	46 Ethylbenzene	890	20 µg/L
3 Vinyl chloride	ND	40 µg/L	47 m,p-Xylene	2,600	20 µg/L
4 Chloroethane	ND	40 µg/L	48 Bromoform	ND	40 µg/L
5 Bromomethane	ND	160 µg/L	49 Styrene	ND	40 µg/L
6 Trichlorofluoromethane	ND	40 µg/L	50 o-Xylene	1,300	20 µg/L
7 Acetone	ND	800 µg/L	51 1,1,2,2-Tetrachloroethane	ND	40 µg/L
8 1,1-Dichloroethene	ND	40 µg/L	52 1,2,3-Trichloropropane	ND	160 µg/L
9 Tertiary Butyl Alcohol (TBA)	470	400 µg/L	53 Isopropylbenzene	ND	40 µg/L
10 Dichloromethane	ND	160 µg/L	54 Bromobenzene	ND	40 µg/L
11 Freon-113	ND	40 µg/L	55 n-Propylbenzene	65	40 µg/L
12 Carbon disulfide	ND	200 µg/L	56 4-Chlorotoluene	ND	40 µg/L
13 trans-1,2-Dichloroethene	ND	40 µg/L	57 2-Chlorotoluene	ND	40 µg/L
14 Methyl tert-butyl ether (MTBE)	51	20 µg/L	58 1,3,5-Trimethylbenzene	280	40 µg/L
15 1,1-Dichloroethane	ND	40 µg/L	59 tert-Butylbenzene	ND	40 µg/L
16 Vinyl acetate	ND	4,000 µg/L	60 1,2,4-Trimethylbenzene	750	40 µg/L
17 2-Butanone (MEK)	ND	800 µg/L	61 sec-Butylbenzene	ND	40 µg/L
18 Di-isopropyl Ether (DIPE)	ND	40 µg/L	62 1,3-Dichlorobenzene	ND	40 µg/L
19 cis-1,2-Dichloroethene	ND	40 µg/L	63 1,4-Dichlorobenzene	ND	40 µg/L
20 Bromochloromethane	ND	40 µg/L	64 4-Isopropyltoluene	ND	40 µg/L
21 Chloroform	ND	40 µg/L	65 1,2-Dichlorobenzene	ND	40 µg/L
22 Ethyl Tertiary Butyl Ether (ETBE)	ND	40 µg/L	66 n-Butylbenzene	ND	40 µg/L
23 2,2-Dichloropropane	ND	40 µg/L	67 1,2-Dibromo-3-chloropropane (DBCP)	ND	240 µg/L
24 1,2-Dichloroethane	ND	40 µg/L	68 1,2,4-Trichlorobenzene	ND	160 µg/L
25 1,1,1-Trichloroethane	ND	40 µg/L	69 Naphthalene	ND	160 µg/L
26 1,1-Dichloropropene	ND	40 µg/L	70 1,2,3-Trichlorobenzene	ND	160 µg/L
27 Carbon tetrachloride	ND	40 µg/L	71 Surr: 1,2-Dichloroethane-d4	100	(70-130) %REC
28 Benzene	5,100	20 µg/L	72 Surr: Toluene-d8	100	(70-130) %REC
29 Tertiary Amyl Methyl Ether (TAME)	ND	40 µg/L	73 Surr: 4-Bromofluorobenzene	102	(70-130) %REC
30 Dibromomethane	ND	40 µg/L			
31 1,2-Dichloropropane	ND	40 µg/L			
32 Trichloroethene	ND	40 µg/L			
33 Bromodichloromethane	ND	40 µg/L			
34 4-Methyl-2-pentanone (MIBK)	ND	200 µg/L			
35 cis-1,3-Dichloropropene	ND	40 µg/L			
36 trans-1,3-Dichloropropene	ND	40 µg/L			
37 1,1,2-Trichloroethane	ND	40 µg/L			
38 Toluene	3,400	20 µg/L			
39 1,3-Dichloropropane	ND	40 µg/L			
40 2-Hexanone	ND	400 µg/L			
41 Dibromochloromethane	ND	40 µg/L			
42 1,2-Dibromoethane (EDB)	ND	80 µg/L			
43 Tetrachloroethene	ND	40 µg/L			
44 1,1,1,2-Tetrachloroethane	ND	40 µg/L			

Reporting Limits were increased due to high concentrations of target analytes.

ND = Not Detected

Roger Scholl

Randy Gardner

Walter Hinchman

Roger L. Scholl, Ph.D., Laboratory Director • Randy Gardner, Laboratory Manager • Walter Hinchman, Quality Assurance Officer
Sacramento, CA • (916) 366-9089 / Las Vegas, NV • (702) 736-7522 / Carson, CA • (714) 386-2901 / info@alpha-analytical.com

Alpha certifies that the test results meet all requirements of NELAC unless footnoted otherwise.

Alpha Analytical, Inc. currently holds appropriate and available California (#2019) and NELAC (01154CA) certifications for the data reported. Test results relate only to reported samples.

PS
12/2/10

Report Date



Alpha Analytical, Inc.

255 Glendale Ave. • Suite 21 • Sparks, Nevada 89431-5778

(775) 355-1044 • (775) 355-0406 FAX • 1-800-283-1183

VOC Sample Preservation Report

Work Order: CHH10112406

Job: KMED DFSP Norwalk

Alpha's Sample ID	Client's Sample ID	Matrix	pH
10112406-01A	GMW-36	Aqueous	2

1/20/11
Report Date

Page 1 of 1



Alpha Analytical, Inc.

255 Glendale Ave. • Suite 21 • Sparks, Nevada 89431-5778
(775) 355-1044 • (775) 355-0406 FAX • 1-800-283-1183

Date:
02-Dec-10

QC Summary Report

Work Order:
10112406

Method Blank

File ID: 7A11231074.D	Type: MBLK	Test Code: EPA Method SW8015B / E	Batch ID: 25559	Analysis Date: 11/29/2010 11:17						
Sample ID: MBLK-25559	Units : mg/L	Run ID: FID_7_101129A	Prep Date: 11/29/2010 10:00							
Analyte	Result	PQL	SpkVal	SpkRefVal	%REC	LCL(ME)	UCL(ME)	RPDRefVal	%RPD(Limit)	Qual
TPH-E (Fuel Product)	ND	0.1								
Surr: Nonane	0.145		0.15		97	57	147			

Laboratory Control Spike

File ID: 7A11231075.D	Type: LCS	Test Code: EPA Method SW8015B / E	Batch ID: 25559	Analysis Date: 11/29/2010 11:43						
Sample ID: LCS-25559	Units : mg/L	Run ID: FID_7_101129A	Prep Date: 11/29/2010 10:00							
Analyte	Result	PQL	SpkVal	SpkRefVal	%REC	LCL(ME)	UCL(ME)	RPDRefVal	%RPD(Limit)	Qual
TPH-E (DRO)	2.36	0.05	2.5		95	67	130			
Surr: Nonane	0.156		0.15		104	57	147			

Sample Matrix Spike

File ID: 7A11231083.D	Type: MS	Test Code: EPA Method SW8015B / E	Batch ID: 25559	Analysis Date: 11/29/2010 15:13						
Sample ID: 10112403-01AMS	Units : mg/L	Run ID: FID_7_101129A	Prep Date: 11/29/2010 10:00							
Analyte	Result	PQL	SpkVal	SpkRefVal	%REC	LCL(ME)	UCL(ME)	RPDRefVal	%RPD(Limit)	Qual
TPH-E (DRO)	2.66	0.05	2.5	0	106	49	150			
Surr: Nonane	0.147		0.15		98	57	147			

Sample Matrix Spike Duplicate

File ID: 7A11231084.D	Type: MSD	Test Code: EPA Method SW8015B / E	Batch ID: 25559	Analysis Date: 11/29/2010 15:39						
Sample ID: 10112403-01AMSD	Units : mg/L	Run ID: FID_7_101129A	Prep Date: 11/29/2010 10:00							
Analyte	Result	PQL	SpkVal	SpkRefVal	%REC	LCL(ME)	UCL(ME)	RPDRefVal	%RPD(Limit)	Qual
TPH-E (DRO)	2.32	0.05	2.5	0	93	49	150	2.655	13.6(38)	
Surr: Nonane	0.158		0.15		105	57	147			

Comments:

Calculations are based off of raw (non-rounded) data. However, for reporting purposes, all QC data is rounded to three significant figures. Therefore, hand calculated values may differ slightly.



Alpha Analytical, Inc.

255 Glendale Ave. • Suite 21 • Sparks, Nevada 89431-5778
(775) 355-1044 • (775) 355-0406 FAX • 1-800-283-1183

Date:
02-Dec-10

QC Summary Report

Work Order:
10112406

Method Blank

File ID: 10112908.D

Type: MBLK Test Code: EPA Method SW8015

Batch ID: MS15W1129B

Analysis Date: 11/29/2010 10:40

Sample ID: MBLK MS15W1129B

Units : mg/L

Run ID: MSD_15_101129A

Prep Date: 11/29/2010 10:40

Analyte	Result	PQL	SpkVal	SpkRefVal	%REC	LCL(ME)	UCL(ME)	RPDRefVal	%RPD(Limit)	Qual
TPH-P (GRO)	ND	0.05								
Surr: 1,2-Dichloroethane-d4	0.0104		0.01		104	70	130			
Surr: Toluene-d8	0.0105		0.01		105	70	130			
Surr: 4-Bromofluorobenzene	0.0105		0.01		105	70	130			

Laboratory Control Spike

File ID: 10112904.D

Type: LCS Test Code: EPA Method SW8015

Batch ID: MS15W1129B

Analysis Date: 11/29/2010 08:58

Sample ID: GLCS MS15W1129B

Units : mg/L

Run ID: MSD_15_101129A

Prep Date: 11/29/2010 08:58

Analyte	Result	PQL	SpkVal	SpkRefVal	%REC	LCL(ME)	UCL(ME)	RPDRefVal	%RPD(Limit)	Qual
TPH-P (GRO)	0.39	0.05	0.4		97	70	130			
Surr: 1,2-Dichloroethane-d4	0.0103		0.01		103	70	130			
Surr: Toluene-d8	0.00995		0.01		100	70	130			
Surr: 4-Bromofluorobenzene	0.0102		0.01		102	70	130			

Sample Matrix Spike

File ID: 10112914.D

Type: MS Test Code: EPA Method SW8015

Batch ID: MS15W1129B

Analysis Date: 11/29/2010 12:50

Sample ID: 10112621-01AGS

Units : mg/L

Run ID: MSD_15_101129A

Prep Date: 11/29/2010 12:50

Analyte	Result	PQL	SpkVal	SpkRefVal	%REC	LCL(ME)	UCL(ME)	RPDRefVal	%RPD(Limit)	Qual
TPH-P (GRO)	1.37	0.25	2	0	69	58	135			
Surr: 1,2-Dichloroethane-d4	0.0503		0.05		101	70	130			
Surr: Toluene-d8	0.0501		0.05		100	70	130			
Surr: 4-Bromofluorobenzene	0.0507		0.05		101	70	130			

Sample Matrix Spike Duplicate

File ID: 10112915.D

Type: MSD Test Code: EPA Method SW8015

Batch ID: MS15W1129B

Analysis Date: 11/29/2010 13:13

Sample ID: 10112621-01AGSD

Units : mg/L

Run ID: MSD_15_101129A

Prep Date: 11/29/2010 13:13

Analyte	Result	PQL	SpkVal	SpkRefVal	%REC	LCL(ME)	UCL(ME)	RPDRefVal	%RPD(Limit)	Qual
TPH-P (GRO)	1.37	0.25	2	0	68	58	135	1.373	0.5(20)	
Surr: 1,2-Dichloroethane-d4	0.0505		0.05		101	70	130			
Surr: Toluene-d8	0.0509		0.05		102	70	130			
Surr: 4-Bromofluorobenzene	0.0496		0.05		99	70	130			

Comments:

Calculations are based off of raw (non-rounded) data. However, for reporting purposes, all QC data is rounded to three significant figures. Therefore, hand calculated values may differ slightly.



Alpha Analytical, Inc.

255 Glendale Ave. • Suite 21 • Sparks, Nevada 89431-5778

(775) 355-1044 • (775) 355-0406 FAX • 1-800-283-1183

Date:
02-Dec-10

QC Summary Report

Work Order:
10112406

Method Blank

Type: MBLK Test Code: EPA Method SW8260B

File ID: 10112908.D

Batch ID: MS15W1129A

Analysis Date: 11/29/2010 10:40

Sample ID: MBLK MS15W1129A

Units: µg/L

Run ID: MSD_15_101129A

Prep Date: 11/29/2010 10:40

Analyte	Result	PQL	SpkVal	SpkRefVal	%REC	LCL(ME)	UCL(ME)	RPDRefVal	%RPD(Limit)	Qual
Dichlorodifluoromethane	ND		1							
Chloromethane	ND		2							
Vinyl chloride	ND	0.5								
Chloroethane	ND		1							
Bromomethane	ND		2							
Trichlorofluoromethane	ND		10							
Acetone	ND		10							
1,1-Dichloroethene	ND		1							
Tertiary Butyl Alcohol (TBA)	ND		10							
Dichloromethane	ND		5							
Freon-113	ND		10							
Carbon disulfide	ND	2.5								
trans-1,2-Dichloroethene	ND		1							
Methyl tert-butyl ether (MTBE)	ND	0.5								
1,1-Dichloroethane	ND		1							
Vinyl acetate	ND		50							
2-Butanone (MEK)	ND		10							
Di-isopropyl Ether (DIPE)	ND		1							
cis-1,2-Dichloroethene	ND		1							
Bromochloromethane	ND		1							
Chloroform	ND		1							
Ethyl Tertiary Butyl Ether (ETBE)	ND		1							
2,2-Dichloropropane	ND		1							
1,2-Dichloroethane	ND	0.5								
1,1,1-Trichloroethane	ND		1							
1,1-Dichloropropene	ND		1							
Carbon tetrachloride	ND		1							
Benzene	ND	0.5								
Tertiary Amyl Methyl Ether (TAME)	ND		1							
Dibromomethane	ND		1							
1,2-Dichloropropane	ND		1							
Trichloroethene	ND		1							
Bromodichloromethane	ND		1							
4-Methyl-2-pentanone (MIBK)	ND		10							
cis-1,3-Dichloropropene	ND	0.5								
trans-1,3-Dichloropropene	ND	0.5								
1,1,2-Trichloroethane	ND		1							
Toluene	ND	0.5								
1,3-Dichloropropane	ND		1							
2-Hexanone	ND		5							
Dibromochloromethane	ND		1							
1,2-Dibromoethane (EDB)	ND		2							
Tetrachloroethene	ND		1							
1,1,1,2-Tetrachloroethane	ND		1							
Chlorobenzene	ND		1							
Ethylbenzene	ND	0.5								
m,p-Xylene	ND	0.5								
Bromoform	ND		1							
Styrene	ND		1							
o-Xylene	ND	0.5								
1,1,2,2-Tetrachloroethane	ND		1							
1,2,3-Trichloropropane	ND		2							
Isopropylbenzene	ND		1							
Bromobenzene	ND		1							
n-Propylbenzene	ND		1							
4-Chlorotoluene	ND		1							
2-Chlorotoluene	ND		1							
1,3,5-Trimethylbenzene	ND		1							
tert-Butylbenzene	ND		1							
1,2,4-Trimethylbenzene	ND		1							
sec-Butylbenzene	ND		1							
1,3-Dichlorobenzene	ND		1							
1,4-Dichlorobenzene	ND		1							
4-Isopropyltoluene	ND		1							
1,2-Dichlorobenzene	ND		1							



Alpha Analytical, Inc.

255 Glendale Ave. • Suite 21 • Sparks, Nevada 89431-5778
(775) 355-1044 • (775) 355-0406 FAX • 1-800-283-1183

Date:
02-Dec-10

QC Summary Report

Work Order:
10112406

n-Butylbenzene	ND	1				
1,2-Dibromo-3-chloropropane (DBCP)	ND	5				
1,2,4-Trichlorobenzene	ND	2				
Naphthalene	ND	10				
1,2,3-Trichlorobenzene	ND	2				
Surr: 1,2-Dichloroethane-d4	10.4		10	104	70	130
Surr: Toluene-d8	10.5		10	105	70	130
Surr: 4-Bromofluorobenzene	10.5		10	105	70	130

Laboratory Control Spike

Type: LCS Test Code: EPA Method SW8260B

File ID: 10112903.D

Batch ID: MS15W1129A

Analysis Date: 11/29/2010 08:36

Sample ID: LCS MS15W1129A

Units: µg/L

Run ID: MSD_15_101129A

Prep Date: 11/29/2010 08:36

Analyte	Result	PQL	SpkVal	SpkRefVal	%REC	LCL(ME)	UCL(ME)	RPDRefVal	%RPD(Limit)	Qual
1,1-Dichloroethene	10.4	1	10		104	80	120			
Methyl tert-butyl ether (MTBE)	9.62	0.5	10		96	62	136			
Benzene	10.1	0.5	10		101	70	130			
Trichloroethene	9.88	1	10		99	70	130			
Toluene	9.58	0.5	10		96	80	120			
Chlorobenzene	9.32	1	10		93	70	130			
Ethylbenzene	10	0.5	10		100	80	120			
m,p-Xylene	9.96	0.5	10		99.6	70	130			
o-Xylene	9.87	0.5	10		99	70	130			
Surr: 1,2-Dichloroethane-d4	10		10		100	70	130			
Surr: Toluene-d8	9.77		10		98	70	130			
Surr: 4-Bromofluorobenzene	10.2		10		102	70	130			

Sample Matrix Spike

Type: MS Test Code: EPA Method SW8260B

File ID: 10112912.D

Batch ID: MS15W1129A

Analysis Date: 11/29/2010 12:07

Sample ID: 10112404-16AMS

Units: µg/L

Run ID: MSD_15_101129A

Prep Date: 11/29/2010 12:07

Analyte	Result	PQL	SpkVal	SpkRefVal	%REC	LCL(ME)	UCL(ME)	RPDRefVal	%RPD(Limit)	Qual
1,1-Dichloroethene	46.6	2.5	50	0	93	60	130			
Methyl tert-butyl ether (MTBE)	48.6	1.3	50	0	97	56	141			
Benzene	46.8	1.3	50	0	94	67	130			
Trichloroethene	45.6	2.5	50	0	91	69	130			
Toluene	44.3	1.3	50	0	89	66	130			
Chlorobenzene	43.2	2.5	50	0	86	70	130			
Ethylbenzene	46.2	1.3	50	0	92	68	130			
m,p-Xylene	45.8	1.3	50	0	92	64	130			
o-Xylene	45.6	1.3	50	0	91	70	130			
Surr: 1,2-Dichloroethane-d4	50.7		50		101	70	130			
Surr: Toluene-d8	48.3		50		97	70	130			
Surr: 4-Bromofluorobenzene	48.8		50		98	70	130			

Sample Matrix Spike Duplicate

Type: MSD Test Code: EPA Method SW8260B

File ID: 10112913.D

Batch ID: MS15W1129A

Analysis Date: 11/29/2010 12:28

Sample ID: 10112404-16AMSD

Units: µg/L

Run ID: MSD_15_101129A

Prep Date: 11/29/2010 12:28

Analyte	Result	PQL	SpkVal	SpkRefVal	%REC	LCL(ME)	UCL(ME)	RPDRefVal	%RPD(Limit)	Qual
1,1-Dichloroethene	49.9	2.5	50	0	99.8	60	130	46.57	6.9(20)	
Methyl tert-butyl ether (MTBE)	52.7	1.3	50	0	105	56	141	48.59	8.1(20)	
Benzene	50.2	1.3	50	0	100	67	130	46.83	7.0(20)	
Trichloroethene	48.7	2.5	50	0	97	69	130	45.56	6.6(20)	
Toluene	46.9	1.3	50	0	94	66	130	44.26	5.9(20)	
Chlorobenzene	46.4	2.5	50	0	93	70	130	43.18	7.2(20)	
Ethylbenzene	49	1.3	50	0	98	68	130	46.15	6.0(20)	
m,p-Xylene	48.6	1.3	50	0	97	64	130	45.81	6.0(20)	
o-Xylene	48.3	1.3	50	0	97	70	130	45.56	5.9(20)	
Surr: 1,2-Dichloroethane-d4	51.3		50		103	70	130			
Surr: Toluene-d8	48		50		96	70	130			
Surr: 4-Bromofluorobenzene	49.5		50		99	70	130			



Alpha Analytical, Inc.

255 Glendale Ave. • Suite 21 • Sparks, Nevada 89431-5778
(775) 355-1044 • (775) 355-0406 FAX • 1-800-283-1183

Date:
02-Dec-10

QC Summary Report

Work Order:
10112406

Comments:

Calculations are based off of raw (non-rounded) data. However, for reporting purposes, all QC data is rounded to three significant figures. Therefore, hand calculated values may differ slightly.

CHAIN-OF-CUSTODY RECORD CA

Alpha Analytical, Inc.

WorkOrder : CHHL10112406
Report Due By : 5:00 PM On : 03-Dec-2010

255 Glendale Avenue, Suite 21 Sparks, Nevada 89431-5778
TEL: (775) 355-1044 FAX: (775) 355-0406

Report Attention **Phone Number** **E-Mail Address**
Daniel Jablonski (213) 228-8271 x daniel.jablonski@ch2m.com
Vladimir Carino (213) 228-8271 x vladimir.carino@ch2m.com

Client:
CH2M Hill
1000 Wilshire Boulevard
21st Floor
Los Angeles, CA 90017

EDD Required : No
Sampled by : M.H.

Cooler Temp Samples Received Date Printed
4 °C 24-Nov-2010 24-Nov-2010

PO :
Client's COC # : none Job : KMEP DFSP Norwalk
QC Level : S3 = Final Rpt, MBLK, LCS, MS/MSD With Surrogates

Alpha Sample ID	Client Sample ID	Collection Matrix	Date	No. of Bottles		Requested Tests			Sample Remarks
				Alpha	Sub	TPHE_W	TPHIP_W	VOC_W	
CHH10112406-01A	GMW-36	AQ	11/23/10 15:10	5	0	6	TPHE(0.10) +Vinyl acetate	TPHE(0.10) +Vinyl acetate	
CHH10112406-02A	GMW-O-15	AQ	11/23/10 15:54	5	0	6	TPHE(0.10) +Vinyl acetate	TPHE(0.10) +Vinyl acetate	

Comments: Security seals intact. Frozen ice. Analysis: Run two analyses in order to achieve lower reporting limits for all other analytes due to high TBA values.

Logged in by: *Elizabeth Adcox* **Signature** *Elizabeth Adcox* **Print Name** Elizabeth Adcox **Company** Alpha Analytical, Inc. **Date/Time** 11-24-10 16:39

NOTE: Samples are discarded 60 days after results are reported unless other arrangements are made. Hazardous samples will be returned to client or disposed of at client expense. The report for the analysis of the above samples is applicable only to those samples received by the laboratory with this COC. The liability of the laboratory is limited to the amount paid for the report.
Matrix Type : AQ(Aqueous) AR(Air) SQ(Soil) WS(Waste) DW(Drinking Water) OT(Other) Bottle Type: L-Liter V-Voa S-Soil Jar O-Orbo T-Tedlar B-Brass P-Plastic OT-Other

BLAINE
TECH SERVICES, INC.

1680 ROGERS AVENUE
SAN JOSE, CALIFORNIA 95112-1105
FAX (408) 573-7771
PHONE (408) 573-0555

LAB Alpha Analytical COC 1 of 1

Billing Information:
Kinder Morgan
1100 Town and Country Rd.
Orange CA 95112

Kinder Morgan Norwalk
Report to:
Dan Jablonski
CH2MHILL
1000 Wilshire Blvd 21st floor
Los Angeles, CA 90017

CHAIN OF CUSTODY

CLIENT Kinder Morgan

SITE DFSP Norwalk

15306 Norwalk Blvd, Norwalk

CONDUCT ANALYSIS TO DETECT		ADDITIONAL INFORMATION	STATUS	CONDITION	LAB SAMPLE #
TPH _g , TPH _f (EPA 8015M)	X				
VOC's & Oxygenates (EPA 8260B)	X				CHH 10112701
	X				-01
	X				-02

SAMPLE I.D.	DATE	TIME	MATRIX	#	CONTAINERS		SAMPLING PERFORMED BY	RESULTS NEEDED NO LATER THAN
					Preservation	Type		
GMW-36	11/23/10	1510	AQ	5	H2C	VOC	M.H.	Standard
GMW-05	11/23/10	1554	AQ	5	H2C	VOC	M.H.	Standard

SAMPLING COMPLETED 11/23/10 1600

RELEASED BY *M.H.* RECEIVED BY *S. Custodiano* TIME 1645 DATE 11/23/10

RELEASED BY *M.H.* RECEIVED BY *[Signature]* TIME 1655 DATE 11/23/10

RELEASED BY *[Signature]* RECEIVED BY *[Signature]* TIME 1655 DATE 11/23/10

SHIPPED VIA COOLER # *11-24-10-1639* TIME SENT *1655* DATE 11-24-10

December 2010

KMEP Décembre Monthly Monitoring Results

Project_Id	Sample Name	Sample Date	Analyte	Result Value	Result Value Units
KMEP DFSP Norwalk	TB-1	12/22/10 07:00	1,2-Dichloroethane-d4	87.2	%
KMEP DFSP Norwalk	TB-1	12/22/10 07:00	4-Bromofluorobenzene	92.6	%
KMEP DFSP Norwalk	TB-1	12/22/10 07:00	Toluene-d8	106	%
KMEP DFSP Norwalk	TB-1	12/22/10 07:00	1,1,1,2-Tetrachloroethane	1	ug/L
KMEP DFSP Norwalk	TB-1	12/22/10 07:00	1,1,1-Trichloroethane	1	ug/L
KMEP DFSP Norwalk	TB-1	12/22/10 07:00	1,1,2,2-Tetrachloroethane	1	ug/L
KMEP DFSP Norwalk	TB-1	12/22/10 07:00	1,1,2-Trichloroethane	1	ug/L
KMEP DFSP Norwalk	TB-1	12/22/10 07:00	1,1-Dichloroethane	1	ug/L
KMEP DFSP Norwalk	TB-1	12/22/10 07:00	1,1-Dichloroethene	1	ug/L
KMEP DFSP Norwalk	TB-1	12/22/10 07:00	1,1-Dichloropropene	1	ug/L
KMEP DFSP Norwalk	TB-1	12/22/10 07:00	1,2,3-Trichlorobenzene	2	ug/L
KMEP DFSP Norwalk	TB-1	12/22/10 07:00	1,2,3-Trichloropropane	2	ug/L
KMEP DFSP Norwalk	TB-1	12/22/10 07:00	1,2,4-Trichlorobenzene	2	ug/L
KMEP DFSP Norwalk	TB-1	12/22/10 07:00	1,2,4-Trimethylbenzene	1	ug/L
KMEP DFSP Norwalk	TB-1	12/22/10 07:00	1,2-Dibromo-3-chloropropane (DBCP)	5	ug/L
KMEP DFSP Norwalk	TB-1	12/22/10 07:00	1,2-Dibromoethane (EDB)	2	ug/L
KMEP DFSP Norwalk	TB-1	12/22/10 07:00	1,2-Dichlorobenzene	1	ug/L
KMEP DFSP Norwalk	TB-1	12/22/10 07:00	1,2-Dichloroethane	0.5	ug/L
KMEP DFSP Norwalk	TB-1	12/22/10 07:00	1,2-Dichloropropane	1	ug/L
KMEP DFSP Norwalk	TB-1	12/22/10 07:00	1,3,5-Trimethylbenzene	1	ug/L
KMEP DFSP Norwalk	TB-1	12/22/10 07:00	1,3-Dichlorobenzene	1	ug/L
KMEP DFSP Norwalk	TB-1	12/22/10 07:00	1,3-Dichloropropane	1	ug/L
KMEP DFSP Norwalk	TB-1	12/22/10 07:00	1,4-Dichlorobenzene	1	ug/L
KMEP DFSP Norwalk	TB-1	12/22/10 07:00	2,2-Dichloropropane	1	ug/L
KMEP DFSP Norwalk	TB-1	12/22/10 07:00	2-Butanone (MEK)	10	ug/L
KMEP DFSP Norwalk	TB-1	12/22/10 07:00	2-Chlorotoluene	1	ug/L
KMEP DFSP Norwalk	TB-1	12/22/10 07:00	2-Hexanone	5	ug/L
KMEP DFSP Norwalk	TB-1	12/22/10 07:00	4-Chlorotoluene	1	ug/L
KMEP DFSP Norwalk	TB-1	12/22/10 07:00	4-Isopropyltoluene	1	ug/L
KMEP DFSP Norwalk	TB-1	12/22/10 07:00	4-Methyl-2-pentanone (MIBK)	10	ug/L
KMEP DFSP Norwalk	TB-1	12/22/10 07:00	Acetone	10	ug/L
KMEP DFSP Norwalk	TB-1	12/22/10 07:00	Benzene	0.5	ug/L
KMEP DFSP Norwalk	TB-1	12/22/10 07:00	Bromobenzene	1	ug/L
KMEP DFSP Norwalk	TB-1	12/22/10 07:00	Bromochloromethane	1	ug/L
KMEP DFSP Norwalk	TB-1	12/22/10 07:00	Bromodichloromethane	1	ug/L

KMEP December Monthly Monitoring Results

Project_Id	Sample Name	Sample Date	Analyte	Result Value	Result Value Units
KMEP DFSP Norwalk	TB-1	12/22/10 07:00	Bromoform	1	ug/L
KMEP DFSP Norwalk	TB-1	12/22/10 07:00	Bromomethane	2	ug/L
KMEP DFSP Norwalk	TB-1	12/22/10 07:00	Carbon disulfide	2.5	ug/L
KMEP DFSP Norwalk	TB-1	12/22/10 07:00	Carbon tetrachloride	1	ug/L
KMEP DFSP Norwalk	TB-1	12/22/10 07:00	Chlorobenzene	1	ug/L
KMEP DFSP Norwalk	TB-1	12/22/10 07:00	Chloroethane	1	ug/L
KMEP DFSP Norwalk	TB-1	12/22/10 07:00	Chloroform	1	ug/L
KMEP DFSP Norwalk	TB-1	12/22/10 07:00	Chloromethane	2	ug/L
KMEP DFSP Norwalk	TB-1	12/22/10 07:00	cis-1,2-Dichloroethene	1	ug/L
KMEP DFSP Norwalk	TB-1	12/22/10 07:00	cis-1,3-Dichloropropene	0.5	ug/L
KMEP DFSP Norwalk	TB-1	12/22/10 07:00	Dibromochloromethane	1	ug/L
KMEP DFSP Norwalk	TB-1	12/22/10 07:00	Dibromomethane	1	ug/L
KMEP DFSP Norwalk	TB-1	12/22/10 07:00	Dichlorodifluoromethane	1	ug/L
KMEP DFSP Norwalk	TB-1	12/22/10 07:00	Dichloromethane	5	ug/L
KMEP DFSP Norwalk	TB-1	12/22/10 07:00	Di-isopropyl Ether (DIPE)	1	ug/L
KMEP DFSP Norwalk	TB-1	12/22/10 07:00	Ethyl Tertiary Butyl Ether (ETBE)	1	ug/L
KMEP DFSP Norwalk	TB-1	12/22/10 07:00	Ethylbenzene	0.5	ug/L
KMEP DFSP Norwalk	TB-1	12/22/10 07:00	Freon-113	10	ug/L
KMEP DFSP Norwalk	TB-1	12/22/10 07:00	Isopropylbenzene	1	ug/L
KMEP DFSP Norwalk	TB-1	12/22/10 07:00	m,p-Xylene	0.5	ug/L
KMEP DFSP Norwalk	TB-1	12/22/10 07:00	Methyl tert-butyl ether (MTBE)	0.5	ug/L
KMEP DFSP Norwalk	TB-1	12/22/10 07:00	Naphthalene	10	ug/L
KMEP DFSP Norwalk	TB-1	12/22/10 07:00	n-Butylbenzene	1	ug/L
KMEP DFSP Norwalk	TB-1	12/22/10 07:00	n-Propylbenzene	1	ug/L
KMEP DFSP Norwalk	TB-1	12/22/10 07:00	o-Xylene	0.5	ug/L
KMEP DFSP Norwalk	TB-1	12/22/10 07:00	sec-Butylbenzene	1	ug/L
KMEP DFSP Norwalk	TB-1	12/22/10 07:00	Styrene	1	ug/L
KMEP DFSP Norwalk	TB-1	12/22/10 07:00	tert-Butylbenzene	1	ug/L
KMEP DFSP Norwalk	TB-1	12/22/10 07:00	Tertiary Amyl Methyl Ether (TAME)	1	ug/L
KMEP DFSP Norwalk	TB-1	12/22/10 07:00	Tertiary Butyl Alcohol (TBA)	10	ug/L
KMEP DFSP Norwalk	TB-1	12/22/10 07:00	Tetrachloroethene	1	ug/L
KMEP DFSP Norwalk	TB-1	12/22/10 07:00	Toluene	0.5	ug/L
KMEP DFSP Norwalk	TB-1	12/22/10 07:00	trans-1,2-Dichloroethene	1	ug/L
KMEP DFSP Norwalk	TB-1	12/22/10 07:00	trans-1,3-Dichloropropene	0.5	ug/L
KMEP DFSP Norwalk	TB-1	12/22/10 07:00	Trichloroethene	1	ug/L

KMEP December Monthly Monitoring Results

Project_Id	Sample Name	Sample Date	Analyte	Result Value	Result Value Units
KMEP DFSP Norwalk	TB-1	12/22/10 07:00	Trichlorofluoromethane	10	ug/L
KMEP DFSP Norwalk	TB-1	12/22/10 07:00	Vinyl acetate	50	ug/L
KMEP DFSP Norwalk	TB-1	12/22/10 07:00	Vinyl chloride	0.5	ug/L
KMEP DFSP Norwalk	GMW-36	12/22/10 10:30	1,2-Dichloroethane-d4	83.5	%
KMEP DFSP Norwalk	GMW-36	12/22/10 10:30	1,2-Dichloroethane-d4	83.5	%
KMEP DFSP Norwalk	GMW-36	12/22/10 10:30	4-Bromofluorobenzene	92.7	%
KMEP DFSP Norwalk	GMW-36	12/22/10 10:30	4-Bromofluorobenzene	92.7	%
KMEP DFSP Norwalk	GMW-36	12/22/10 10:30	Nonane	0	%
KMEP DFSP Norwalk	GMW-36	12/22/10 10:30	Toluene-d8	107	%
KMEP DFSP Norwalk	GMW-36	12/22/10 10:30	Toluene-d8	107	%
KMEP DFSP Norwalk	GMW-36	12/22/10 10:30	1,1,1,2-Tetrachloroethane	50	ug/L
KMEP DFSP Norwalk	GMW-36	12/22/10 10:30	1,1,1-Trichloroethane	50	ug/L
KMEP DFSP Norwalk	GMW-36	12/22/10 10:30	1,1,2,2-Tetrachloroethane	50	ug/L
KMEP DFSP Norwalk	GMW-36	12/22/10 10:30	1,1,2-Trichloroethane	50	ug/L
KMEP DFSP Norwalk	GMW-36	12/22/10 10:30	1,1-Dichloroethane	50	ug/L
KMEP DFSP Norwalk	GMW-36	12/22/10 10:30	1,1-Dichloroethane	50	ug/L
KMEP DFSP Norwalk	GMW-36	12/22/10 10:30	1,1-Dichloropropene	50	ug/L
KMEP DFSP Norwalk	GMW-36	12/22/10 10:30	1,2,3-Trichlorobenzene	200	ug/L
KMEP DFSP Norwalk	GMW-36	12/22/10 10:30	1,2,3-Trichloropropane	200	ug/L
KMEP DFSP Norwalk	GMW-36	12/22/10 10:30	1,2,4-Trichlorobenzene	200	ug/L
KMEP DFSP Norwalk	GMW-36	12/22/10 10:30	1,2,4-Trichloropropene	1300	ug/L
KMEP DFSP Norwalk	GMW-36	12/22/10 10:30	1,2,4-Trimethylbenzene	300	ug/L
KMEP DFSP Norwalk	GMW-36	12/22/10 10:30	1,2-Dibromo-3-chloropropane (DBCP)	100	ug/L
KMEP DFSP Norwalk	GMW-36	12/22/10 10:30	1,2-Dibromoethane (EDB)	50	ug/L
KMEP DFSP Norwalk	GMW-36	12/22/10 10:30	1,2-Dichlorobenzene	50	ug/L
KMEP DFSP Norwalk	GMW-36	12/22/10 10:30	1,2-Dichloroethane	50	ug/L
KMEP DFSP Norwalk	GMW-36	12/22/10 10:30	1,2-Dichloropropane	50	ug/L
KMEP DFSP Norwalk	GMW-36	12/22/10 10:30	1,3,5-Trimethylbenzene	520	ug/L
KMEP DFSP Norwalk	GMW-36	12/22/10 10:30	1,3-Dichlorobenzene	50	ug/L
KMEP DFSP Norwalk	GMW-36	12/22/10 10:30	1,3-Dichloropropane	50	ug/L
KMEP DFSP Norwalk	GMW-36	12/22/10 10:30	1,4-Dichlorobenzene	50	ug/L
KMEP DFSP Norwalk	GMW-36	12/22/10 10:30	2,2-Dichloropropane	50	ug/L
KMEP DFSP Norwalk	GMW-36	12/22/10 10:30	2-Butanone (MEK)	1000	ug/L
KMEP DFSP Norwalk	GMW-36	12/22/10 10:30	2-Chlorotoluene	50	ug/L
KMEP DFSP Norwalk	GMW-36	12/22/10 10:30	2-Hexanone	500	ug/L
KMEP DFSP Norwalk	GMW-36	12/22/10 10:30	4-Chlorotoluene	50	ug/L

KMEP December Monthly Monitoring Results

Project_Id	Sample Name	Sample Date	Analyte	Result Value	Result Value Units
KMEP DFSP Norwalk	GMW-36	12/22/10 10:30	4-Isopropyltoluene	50	ug/L
KMEP DFSP Norwalk	GMW-36	12/22/10 10:30	4-Methyl-2-pentanone (MIBK)	250	ug/L
KMEP DFSP Norwalk	GMW-36	12/22/10 10:30	Acetone	1000	ug/L
KMEP DFSP Norwalk	GMW-36	12/22/10 10:30	Benzene	6700	ug/L
KMEP DFSP Norwalk	GMW-36	12/22/10 10:30	Bromobenzene	50	ug/L
KMEP DFSP Norwalk	GMW-36	12/22/10 10:30	Bromochloromethane	50	ug/L
KMEP DFSP Norwalk	GMW-36	12/22/10 10:30	Bromodichloromethane	50	ug/L
KMEP DFSP Norwalk	GMW-36	12/22/10 10:30	Bromoform	50	ug/L
KMEP DFSP Norwalk	GMW-36	12/22/10 10:30	Bromomethane	200	ug/L
KMEP DFSP Norwalk	GMW-36	12/22/10 10:30	Carbon disulfide	250	ug/L
KMEP DFSP Norwalk	GMW-36	12/22/10 10:30	Carbon tetrachloride	50	ug/L
KMEP DFSP Norwalk	GMW-36	12/22/10 10:30	Chlorobenzene	50	ug/L
KMEP DFSP Norwalk	GMW-36	12/22/10 10:30	Chloroethane	50	ug/L
KMEP DFSP Norwalk	GMW-36	12/22/10 10:30	Chloroform	50	ug/L
KMEP DFSP Norwalk	GMW-36	12/22/10 10:30	Chloromethane	200	ug/L
KMEP DFSP Norwalk	GMW-36	12/22/10 10:30	cis-1,2-Dichloroethene	50	ug/L
KMEP DFSP Norwalk	GMW-36	12/22/10 10:30	cis-1,3-Dichloropropene	50	ug/L
KMEP DFSP Norwalk	GMW-36	12/22/10 10:30	Dibromochloromethane	50	ug/L
KMEP DFSP Norwalk	GMW-36	12/22/10 10:30	Dibromomethane	50	ug/L
KMEP DFSP Norwalk	GMW-36	12/22/10 10:30	Dichlorodifluoromethane	50	ug/L
KMEP DFSP Norwalk	GMW-36	12/22/10 10:30	Dichloromethane	200	ug/L
KMEP DFSP Norwalk	GMW-36	12/22/10 10:30	Di-isopropyl Ether (DIPE)	50	ug/L
KMEP DFSP Norwalk	GMW-36	12/22/10 10:30	Ethyl Tertiary Butyl Ether (ETBE)	50	ug/L
KMEP DFSP Norwalk	GMW-36	12/22/10 10:30	Ethylbenzene	1700	ug/L
KMEP DFSP Norwalk	GMW-36	12/22/10 10:30	Freon-113	50	ug/L
KMEP DFSP Norwalk	GMW-36	12/22/10 10:30	Isopropylbenzene	50	ug/L
KMEP DFSP Norwalk	GMW-36	12/22/10 10:30	m,p-Xylene	5600	ug/L
KMEP DFSP Norwalk	GMW-36	12/22/10 10:30	Methyl tert-butyl ether (MTBE)	28	ug/L
KMEP DFSP Norwalk	GMW-36	12/22/10 10:30	Naphthalene	520	ug/L
KMEP DFSP Norwalk	GMW-36	12/22/10 10:30	n-Butylbenzene	50	ug/L
KMEP DFSP Norwalk	GMW-36	12/22/10 10:30	n-Propylbenzene	98	ug/L
KMEP DFSP Norwalk	GMW-36	12/22/10 10:30	o-Xylene	2700	ug/L
KMEP DFSP Norwalk	GMW-36	12/22/10 10:30	sec-Butylbenzene	50	ug/L
KMEP DFSP Norwalk	GMW-36	12/22/10 10:30	Styrene	50	ug/L
KMEP DFSP Norwalk	GMW-36	12/22/10 10:30	tert-Butylbenzene	50	ug/L

KMEP December Monthly Monitoring Results

Project_Id	Sample Name	Sample Date	Analyte	Result Value	Result Value Units
KMEP DFSP Norwalk	GMW-36	12/22/10 10:30	Tertiary Amyl Methyl Ether (TAME)	50	ug/L
KMEP DFSP Norwalk	GMW-36	12/22/10 10:30	Tertiary Butyl Alcohol (TBA)	500	ug/L
KMEP DFSP Norwalk	GMW-36	12/22/10 10:30	Tetrachloroethene	50	ug/L
KMEP DFSP Norwalk	GMW-36	12/22/10 10:30	Toluene	9600	ug/L
KMEP DFSP Norwalk	GMW-36	12/22/10 10:30	TPH-E (Fuel Product)	73	mg/L
KMEP DFSP Norwalk	GMW-36	12/22/10 10:30	TPH-P (GRO)	63	mg/L
KMEP DFSP Norwalk	GMW-36	12/22/10 10:30	trans-1,2-Dichloroethene	50	ug/L
KMEP DFSP Norwalk	GMW-36	12/22/10 10:30	trans-1,3-Dichloropropene	50	ug/L
KMEP DFSP Norwalk	GMW-36	12/22/10 10:30	Trichloroethene	50	ug/L
KMEP DFSP Norwalk	GMW-36	12/22/10 10:30	Trichlorofluoromethane	50	ug/L
KMEP DFSP Norwalk	GMW-36	12/22/10 10:30	Vinyl acetate	5000	ug/L
KMEP DFSP Norwalk	GMW-36	12/22/10 10:30	Vinyl chloride	50	ug/L
KMEP DFSP Norwalk	GMW-O-15	12/22/10 09:27	1,2-Dichloroethane-d4	86.4	%
KMEP DFSP Norwalk	GMW-O-15	12/22/10 09:27	1,2-Dichloroethane-d4	86.4	%
KMEP DFSP Norwalk	GMW-O-15	12/22/10 09:27	4-Bromofluorobenzene	94.8	%
KMEP DFSP Norwalk	GMW-O-15	12/22/10 09:27	4-Bromofluorobenzene	94.8	%
KMEP DFSP Norwalk	GMW-O-15	12/22/10 09:27	Nonane	0	%
KMEP DFSP Norwalk	GMW-O-15	12/22/10 09:27	Toluene-d8	107	%
KMEP DFSP Norwalk	GMW-O-15	12/22/10 09:27	Toluene-d8	107	%
KMEP DFSP Norwalk	GMW-O-15	12/22/10 09:27	1,1,1,2-Tetrachloroethane	40	ug/L
KMEP DFSP Norwalk	GMW-O-15	12/22/10 09:27	1,1,1-Trichloroethane	40	ug/L
KMEP DFSP Norwalk	GMW-O-15	12/22/10 09:27	1,1,2,2-Tetrachloroethane	40	ug/L
KMEP DFSP Norwalk	GMW-O-15	12/22/10 09:27	1,1,2-Trichloroethane	40	ug/L
KMEP DFSP Norwalk	GMW-O-15	12/22/10 09:27	1,1-Dichloroethane	40	ug/L
KMEP DFSP Norwalk	GMW-O-15	12/22/10 09:27	1,1-Dichloroethane	40	ug/L
KMEP DFSP Norwalk	GMW-O-15	12/22/10 09:27	1,1-Dichloropropene	40	ug/L
KMEP DFSP Norwalk	GMW-O-15	12/22/10 09:27	1,2,3-Trichlorobenzene	160	ug/L
KMEP DFSP Norwalk	GMW-O-15	12/22/10 09:27	1,2,3-Trichloropropene	160	ug/L
KMEP DFSP Norwalk	GMW-O-15	12/22/10 09:27	1,2,4-Trichlorobenzene	160	ug/L
KMEP DFSP Norwalk	GMW-O-15	12/22/10 09:27	1,2,4-Trimethylbenzene	1100	ug/L
KMEP DFSP Norwalk	GMW-O-15	12/22/10 09:27	1,2-Dibromo-3-chloropropane (DBCP)	240	ug/L
KMEP DFSP Norwalk	GMW-O-15	12/22/10 09:27	1,2-Dibromoethane (EDB)	80	ug/L
KMEP DFSP Norwalk	GMW-O-15	12/22/10 09:27	1,2-Dichlorobenzene	40	ug/L
KMEP DFSP Norwalk	GMW-O-15	12/22/10 09:27	1,2-Dichloroethane	40	ug/L
KMEP DFSP Norwalk	GMW-O-15	12/22/10 09:27	1,2-Dichloropropane	40	ug/L

KMEP December Monthly Monitoring Results

Project_Id	Sample Name	Sample Date	Analyte	Result Value	Result Value Units
KMEP DFSP Norwalk	GMW-O-15	12/22/10 09:27	1,3,5-Trimethylbenzene	300	ug/L
KMEP DFSP Norwalk	GMW-O-15	12/22/10 09:27	1,3-Dichlorobenzene	40	ug/L
KMEP DFSP Norwalk	GMW-O-15	12/22/10 09:27	1,3-Dichloropropane	40	ug/L
KMEP DFSP Norwalk	GMW-O-15	12/22/10 09:27	1,4-Dichlorobenzene	40	ug/L
KMEP DFSP Norwalk	GMW-O-15	12/22/10 09:27	2,2-Dichloropropane	40	ug/L
KMEP DFSP Norwalk	GMW-O-15	12/22/10 09:27	2-Butanone (MEK)	800	ug/L
KMEP DFSP Norwalk	GMW-O-15	12/22/10 09:27	2-Chlorotoluene	40	ug/L
KMEP DFSP Norwalk	GMW-O-15	12/22/10 09:27	2-Hexanone	400	ug/L
KMEP DFSP Norwalk	GMW-O-15	12/22/10 09:27	4-Chlorotoluene	40	ug/L
KMEP DFSP Norwalk	GMW-O-15	12/22/10 09:27	4-Isopropyltoluene	40	ug/L
KMEP DFSP Norwalk	GMW-O-15	12/22/10 09:27	4-Methyl-2-pentanone (MIBK)	200	ug/L
KMEP DFSP Norwalk	GMW-O-15	12/22/10 09:27	Acetone	800	ug/L
KMEP DFSP Norwalk	GMW-O-15	12/22/10 09:27	Benzene	3900	ug/L
KMEP DFSP Norwalk	GMW-O-15	12/22/10 09:27	Bromobenzene	40	ug/L
KMEP DFSP Norwalk	GMW-O-15	12/22/10 09:27	Bromochloromethane	40	ug/L
KMEP DFSP Norwalk	GMW-O-15	12/22/10 09:27	Bromodichloromethane	40	ug/L
KMEP DFSP Norwalk	GMW-O-15	12/22/10 09:27	Bromoform	40	ug/L
KMEP DFSP Norwalk	GMW-O-15	12/22/10 09:27	Bromomethane	160	ug/L
KMEP DFSP Norwalk	GMW-O-15	12/22/10 09:27	Carbon disulfide	200	ug/L
KMEP DFSP Norwalk	GMW-O-15	12/22/10 09:27	Carbon tetrachloride	40	ug/L
KMEP DFSP Norwalk	GMW-O-15	12/22/10 09:27	Chlorobenzene	40	ug/L
KMEP DFSP Norwalk	GMW-O-15	12/22/10 09:27	Chloroethane	40	ug/L
KMEP DFSP Norwalk	GMW-O-15	12/22/10 09:27	Chloroform	40	ug/L
KMEP DFSP Norwalk	GMW-O-15	12/22/10 09:27	Chloromethane	160	ug/L
KMEP DFSP Norwalk	GMW-O-15	12/22/10 09:27	cis-1,2-Dichloroethene	40	ug/L
KMEP DFSP Norwalk	GMW-O-15	12/22/10 09:27	cis-1,3-Dichloropropene	40	ug/L
KMEP DFSP Norwalk	GMW-O-15	12/22/10 09:27	Dibromochloromethane	40	ug/L
KMEP DFSP Norwalk	GMW-O-15	12/22/10 09:27	Dibromomethane	40	ug/L
KMEP DFSP Norwalk	GMW-O-15	12/22/10 09:27	Dichlorodifluoromethane	40	ug/L
KMEP DFSP Norwalk	GMW-O-15	12/22/10 09:27	Dichloromethane	160	ug/L
KMEP DFSP Norwalk	GMW-O-15	12/22/10 09:27	Di-isopropyl Ether (DIPE)	40	ug/L
KMEP DFSP Norwalk	GMW-O-15	12/22/10 09:27	Ethyl Tertiary Butyl Ether (ETBE)	40	ug/L
KMEP DFSP Norwalk	GMW-O-15	12/22/10 09:27	Ethylbenzene	850	ug/L
KMEP DFSP Norwalk	GMW-O-15	12/22/10 09:27	Freon-113	40	ug/L
KMEP DFSP Norwalk	GMW-O-15	12/22/10 09:27	Isopropylbenzene	40	ug/L

KMEP December Monthly Monitoring Results

Project_Id	Sample Name	Sample Date	Analyte	Result Value	Result Value Units
KMEP DFSP Norwalk	GMW-O-15	12/22/10 09:27	m,p-Xylene	3000	ug/L
KMEP DFSP Norwalk	GMW-O-15	12/22/10 09:27	Methyl tert-butyl ether (MTBE)	1900	ug/L
KMEP DFSP Norwalk	GMW-O-15	12/22/10 09:27	Naphthalene	300	ug/L
KMEP DFSP Norwalk	GMW-O-15	12/22/10 09:27	n-Butylbenzene	40	ug/L
KMEP DFSP Norwalk	GMW-O-15	12/22/10 09:27	n-Propylbenzene	87	ug/L
KMEP DFSP Norwalk	GMW-O-15	12/22/10 09:27	o-Xylene	1200	ug/L
KMEP DFSP Norwalk	GMW-O-15	12/22/10 09:27	sec-Butylbenzene	40	ug/L
KMEP DFSP Norwalk	GMW-O-15	12/22/10 09:27	Styrene	40	ug/L
KMEP DFSP Norwalk	GMW-O-15	12/22/10 09:27	tert-Butylbenzene	40	ug/L
KMEP DFSP Norwalk	GMW-O-15	12/22/10 09:27	Tertiary Amyl Methyl Ether (TAME)	40	ug/L
KMEP DFSP Norwalk	GMW-O-15	12/22/10 09:27	Tertiary Butyl Alcohol (TBA)	1300	ug/L
KMEP DFSP Norwalk	GMW-O-15	12/22/10 09:27	Tetrachloroethene	40	ug/L
KMEP DFSP Norwalk	GMW-O-15	12/22/10 09:27	Toluene	610	ug/L
KMEP DFSP Norwalk	GMW-O-15	12/22/10 09:27	TPH-E (Fuel Product)	19	mg/L
KMEP DFSP Norwalk	GMW-O-15	12/22/10 09:27	TPH-P (GRO)	28	mg/L
KMEP DFSP Norwalk	GMW-O-15	12/22/10 09:27	trans-1,2-Dichloroethene	40	ug/L
KMEP DFSP Norwalk	GMW-O-15	12/22/10 09:27	trans-1,3-Dichloropropene	40	ug/L
KMEP DFSP Norwalk	GMW-O-15	12/22/10 09:27	Trichloroethene	40	ug/L
KMEP DFSP Norwalk	GMW-O-15	12/22/10 09:27	Trichlorofluoromethane	40	ug/L
KMEP DFSP Norwalk	GMW-O-15	12/22/10 09:27	Vinyl acetate	4000	ug/L
KMEP DFSP Norwalk	GMW-O-15	12/22/10 09:27	Vinyl chloride	40	ug/L
KMEP DFSP Norwalk	GMW-O-16	12/22/10 08:49	1,2-Dichloroethane-d4	85.7	%
KMEP DFSP Norwalk	GMW-O-16	12/22/10 08:49	1,2-Dichloroethane-d4	85.7	%
KMEP DFSP Norwalk	GMW-O-16	12/22/10 08:49	4-Bromofluorobenzene	95.5	%
KMEP DFSP Norwalk	GMW-O-16	12/22/10 08:49	4-Bromofluorobenzene	95.5	%
KMEP DFSP Norwalk	GMW-O-16	12/22/10 08:49	Nonane	97.3	%
KMEP DFSP Norwalk	GMW-O-16	12/22/10 08:49	Toluene-d8	107	%
KMEP DFSP Norwalk	GMW-O-16	12/22/10 08:49	Toluene-d8	107	%
KMEP DFSP Norwalk	GMW-O-16	12/22/10 08:49	1,1,1,2-Tetrachloroethane	1	ug/L
KMEP DFSP Norwalk	GMW-O-16	12/22/10 08:49	1,1,1-Trichloroethane	1	ug/L
KMEP DFSP Norwalk	GMW-O-16	12/22/10 08:49	1,1,2,2-Tetrachloroethane	1	ug/L
KMEP DFSP Norwalk	GMW-O-16	12/22/10 08:49	1,1,2-Trichloroethane	1	ug/L
KMEP DFSP Norwalk	GMW-O-16	12/22/10 08:49	1,1-Dichloroethane	1	ug/L
KMEP DFSP Norwalk	GMW-O-16	12/22/10 08:49	1,1-Dichloroethane	1	ug/L
KMEP DFSP Norwalk	GMW-O-16	12/22/10 08:49	1,1-Dichloropropene	1	ug/L

KMEP December Monthly Monitoring Results

Project_id	Sample Name	Sample Date	Analyte	Result Value	Result Value Units
KMEP DFSP Norwalk	GMW-O-16	12/22/10 08:49	1,2,3-Trichlorobenzene	2	ug/L
KMEP DFSP Norwalk	GMW-O-16	12/22/10 08:49	1,2,3-Trichloropropane	2	ug/L
KMEP DFSP Norwalk	GMW-O-16	12/22/10 08:49	1,2,4-Trichlorobenzene	2	ug/L
KMEP DFSP Norwalk	GMW-O-16	12/22/10 08:49	1,2,4-Trimethylbenzene	1	ug/L
KMEP DFSP Norwalk	GMW-O-16	12/22/10 08:49	1,2-Dibromo-3-chloropropane (DBCP)	5	ug/L
KMEP DFSP Norwalk	GMW-O-16	12/22/10 08:49	1,2-Dibromoethane (EDB)	2	ug/L
KMEP DFSP Norwalk	GMW-O-16	12/22/10 08:49	1,2-Dichlorobenzene	1	ug/L
KMEP DFSP Norwalk	GMW-O-16	12/22/10 08:49	1,2-Dichloroethane	0.5	ug/L
KMEP DFSP Norwalk	GMW-O-16	12/22/10 08:49	1,2-Dichloropropane	1	ug/L
KMEP DFSP Norwalk	GMW-O-16	12/22/10 08:49	1,3,5-Trimethylbenzene	1	ug/L
KMEP DFSP Norwalk	GMW-O-16	12/22/10 08:49	1,3-Dichlorobenzene	1	ug/L
KMEP DFSP Norwalk	GMW-O-16	12/22/10 08:49	1,3-Dichloropropane	1	ug/L
KMEP DFSP Norwalk	GMW-O-16	12/22/10 08:49	1,4-Dichlorobenzene	1	ug/L
KMEP DFSP Norwalk	GMW-O-16	12/22/10 08:49	2,2-Dichloropropane	1	ug/L
KMEP DFSP Norwalk	GMW-O-16	12/22/10 08:49	2-Butanone (MEK)	10	ug/L
KMEP DFSP Norwalk	GMW-O-16	12/22/10 08:49	2-Chlorotoluene	1	ug/L
KMEP DFSP Norwalk	GMW-O-16	12/22/10 08:49	2-Hexanone	5	ug/L
KMEP DFSP Norwalk	GMW-O-16	12/22/10 08:49	4-Chlorotoluene	1	ug/L
KMEP DFSP Norwalk	GMW-O-16	12/22/10 08:49	4-Isopropyltoluene	1	ug/L
KMEP DFSP Norwalk	GMW-O-16	12/22/10 08:49	4-Methyl-2-pentanone (MIBK)	10	ug/L
KMEP DFSP Norwalk	GMW-O-16	12/22/10 08:49	Acetone	10	ug/L
KMEP DFSP Norwalk	GMW-O-16	12/22/10 08:49	Benzene	0.5	ug/L
KMEP DFSP Norwalk	GMW-O-16	12/22/10 08:49	Bromobenzene	1	ug/L
KMEP DFSP Norwalk	GMW-O-16	12/22/10 08:49	Bromochloromethane	1	ug/L
KMEP DFSP Norwalk	GMW-O-16	12/22/10 08:49	Bromodichloromethane	1	ug/L
KMEP DFSP Norwalk	GMW-O-16	12/22/10 08:49	Bromoform	1	ug/L
KMEP DFSP Norwalk	GMW-O-16	12/22/10 08:49	Bromomethane	2	ug/L
KMEP DFSP Norwalk	GMW-O-16	12/22/10 08:49	Carbon disulfide	2.5	ug/L
KMEP DFSP Norwalk	GMW-O-16	12/22/10 08:49	Carbon tetrachloride	1	ug/L
KMEP DFSP Norwalk	GMW-O-16	12/22/10 08:49	Chlorobenzene	1	ug/L
KMEP DFSP Norwalk	GMW-O-16	12/22/10 08:49	Chloroethane	1	ug/L
KMEP DFSP Norwalk	GMW-O-16	12/22/10 08:49	Chloroform	1	ug/L
KMEP DFSP Norwalk	GMW-O-16	12/22/10 08:49	Chloromethane	2	ug/L
KMEP DFSP Norwalk	GMW-O-16	12/22/10 08:49	cis-1,2-Dichloroethene	1	ug/L
KMEP DFSP Norwalk	GMW-O-16	12/22/10 08:49	cis-1,3-Dichloropropene	0.5	ug/L

KMEP December Monthly Monitoring Results

Project_Id	Sample Name	Sample Date	Analyte	Result Value	Result Value Units
KMEP DFSP Norwalk	GMW-O-16	12/22/10 08:49	Dibromochloromethane	1	ug/L
KMEP DFSP Norwalk	GMW-O-16	12/22/10 08:49	Dibromomethane	1	ug/L
KMEP DFSP Norwalk	GMW-O-16	12/22/10 08:49	Dichlorodifluoromethane	1	ug/L
KMEP DFSP Norwalk	GMW-O-16	12/22/10 08:49	Dichloromethane	5	ug/L
KMEP DFSP Norwalk	GMW-O-16	12/22/10 08:49	Di-isopropyl Ether (DIPE)	1	ug/L
KMEP DFSP Norwalk	GMW-O-16	12/22/10 08:49	Ethyl Tertiary Butyl Ether (ETBE)	1	ug/L
KMEP DFSP Norwalk	GMW-O-16	12/22/10 08:49	Ethylbenzene	0.5	ug/L
KMEP DFSP Norwalk	GMW-O-16	12/22/10 08:49	Freon-113	10	ug/L
KMEP DFSP Norwalk	GMW-O-16	12/22/10 08:49	Isopropylbenzene	1	ug/L
KMEP DFSP Norwalk	GMW-O-16	12/22/10 08:49	m,p-Xylene	0.5	ug/L
KMEP DFSP Norwalk	GMW-O-16	12/22/10 08:49	Methyl tert-butyl ether (MTBE)	2	ug/L
KMEP DFSP Norwalk	GMW-O-16	12/22/10 08:49	Naphthalene	10	ug/L
KMEP DFSP Norwalk	GMW-O-16	12/22/10 08:49	n-Butylbenzene	1	ug/L
KMEP DFSP Norwalk	GMW-O-16	12/22/10 08:49	n-Propylbenzene	1	ug/L
KMEP DFSP Norwalk	GMW-O-16	12/22/10 08:49	o-Xylene	0.5	ug/L
KMEP DFSP Norwalk	GMW-O-16	12/22/10 08:49	sec-Butylbenzene	1	ug/L
KMEP DFSP Norwalk	GMW-O-16	12/22/10 08:49	Styrene	1	ug/L
KMEP DFSP Norwalk	GMW-O-16	12/22/10 08:49	tert-Butylbenzene	1	ug/L
KMEP DFSP Norwalk	GMW-O-16	12/22/10 08:49	Tertiary Amyl Methyl Ether (TAME)	1	ug/L
KMEP DFSP Norwalk	GMW-O-16	12/22/10 08:49	Tertiary Butyl Alcohol (TBA)	10	ug/L
KMEP DFSP Norwalk	GMW-O-16	12/22/10 08:49	Tetrachloroethene	1	ug/L
KMEP DFSP Norwalk	GMW-O-16	12/22/10 08:49	Toluene	0.5	ug/L
KMEP DFSP Norwalk	GMW-O-16	12/22/10 08:49	TPH-E (Fuel Product)	0.1	mg/L
KMEP DFSP Norwalk	GMW-O-16	12/22/10 08:49	TPH-P (GRO)	0.05	mg/L
KMEP DFSP Norwalk	GMW-O-16	12/22/10 08:49	trans-1,2-Dichloroethene	1	ug/L
KMEP DFSP Norwalk	GMW-O-16	12/22/10 08:49	trans-1,3-Dichloropropene	0.5	ug/L
KMEP DFSP Norwalk	GMW-O-16	12/22/10 08:49	Trichloroethene	1	ug/L
KMEP DFSP Norwalk	GMW-O-16	12/22/10 08:49	Trichlorofluoromethane	10	ug/L
KMEP DFSP Norwalk	GMW-O-16	12/22/10 08:49	Vinyl acetate	50	ug/L
KMEP DFSP Norwalk	GMW-O-16	12/22/10 08:49	Vinyl chloride	0.5	ug/L
KMEP DFSP Norwalk	GMW-O-19	12/22/10 08:11	1,2-Dichloroethane-d4	86.6	%
KMEP DFSP Norwalk	GMW-O-19	12/22/10 08:11	1,2-Dichloroethane-d4	86.6	%
KMEP DFSP Norwalk	GMW-O-19	12/22/10 08:11	4-Bromofluorobenzene	94.9	%
KMEP DFSP Norwalk	GMW-O-19	12/22/10 08:11	4-Bromofluorobenzene	94.9	%
KMEP DFSP Norwalk	GMW-O-19	12/22/10 08:11	Nonane	97.3	%

KMEP December Monthly Monitoring Results

Project_Id	Sample Name	Sample Date	Analyte	Result Value	Result Value Units
KMEP DFSP Norwalk	GMW-O-19	12/22/10 08:11	Toluene-d8	105	%
KMEP DFSP Norwalk	GMW-O-19	12/22/10 08:11	Toluene-d8	105	%
KMEP DFSP Norwalk	GMW-O-19	12/22/10 08:11	1,1,1,2-Tetrachloroethane	1	ug/L
KMEP DFSP Norwalk	GMW-O-19	12/22/10 08:11	1,1,1-Trichloroethane	1	ug/L
KMEP DFSP Norwalk	GMW-O-19	12/22/10 08:11	1,1,2,2-Tetrachloroethane	1	ug/L
KMEP DFSP Norwalk	GMW-O-19	12/22/10 08:11	1,1,2-Trichloroethane	1	ug/L
KMEP DFSP Norwalk	GMW-O-19	12/22/10 08:11	1,1-Dichloroethane	1	ug/L
KMEP DFSP Norwalk	GMW-O-19	12/22/10 08:11	1,1-Dichloroethene	1	ug/L
KMEP DFSP Norwalk	GMW-O-19	12/22/10 08:11	1,1-Dichloropropene	1	ug/L
KMEP DFSP Norwalk	GMW-O-19	12/22/10 08:11	1,2,3-Trichlorobenzene	2	ug/L
KMEP DFSP Norwalk	GMW-O-19	12/22/10 08:11	1,2,3-Trichloropropane	2	ug/L
KMEP DFSP Norwalk	GMW-O-19	12/22/10 08:11	1,2,4-Trichlorobenzene	2	ug/L
KMEP DFSP Norwalk	GMW-O-19	12/22/10 08:11	1,2,4-Trimethylbenzene	1	ug/L
KMEP DFSP Norwalk	GMW-O-19	12/22/10 08:11	1,2-Dibromo-3-chloropropane (DBCP)	5	ug/L
KMEP DFSP Norwalk	GMW-O-19	12/22/10 08:11	1,2-Dibromoethane (EDB)	2	ug/L
KMEP DFSP Norwalk	GMW-O-19	12/22/10 08:11	1,2-Dichlorobenzene	1	ug/L
KMEP DFSP Norwalk	GMW-O-19	12/22/10 08:11	1,2-Dichloroethane	0.5	ug/L
KMEP DFSP Norwalk	GMW-O-19	12/22/10 08:11	1,2-Dichloropropane	1	ug/L
KMEP DFSP Norwalk	GMW-O-19	12/22/10 08:11	1,3,5-Trimethylbenzene	1	ug/L
KMEP DFSP Norwalk	GMW-O-19	12/22/10 08:11	1,3-Dichlorobenzene	1	ug/L
KMEP DFSP Norwalk	GMW-O-19	12/22/10 08:11	1,3-Dichloropropane	1	ug/L
KMEP DFSP Norwalk	GMW-O-19	12/22/10 08:11	1,4-Dichlorobenzene	1	ug/L
KMEP DFSP Norwalk	GMW-O-19	12/22/10 08:11	2,2-Dichloropropane	1	ug/L
KMEP DFSP Norwalk	GMW-O-19	12/22/10 08:11	2-Butanone (MEK)	10	ug/L
KMEP DFSP Norwalk	GMW-O-19	12/22/10 08:11	2-Chlorotoluene	1	ug/L
KMEP DFSP Norwalk	GMW-O-19	12/22/10 08:11	2-Hexanone	5	ug/L
KMEP DFSP Norwalk	GMW-O-19	12/22/10 08:11	4-Chlorotoluene	1	ug/L
KMEP DFSP Norwalk	GMW-O-19	12/22/10 08:11	4-Isopropyltoluene	1	ug/L
KMEP DFSP Norwalk	GMW-O-19	12/22/10 08:11	4-Methyl-2-pentanone (MIBK)	10	ug/L
KMEP DFSP Norwalk	GMW-O-19	12/22/10 08:11	Acetone	10	ug/L
KMEP DFSP Norwalk	GMW-O-19	12/22/10 08:11	Benzene	0.5	ug/L
KMEP DFSP Norwalk	GMW-O-19	12/22/10 08:11	Bromobenzene	1	ug/L
KMEP DFSP Norwalk	GMW-O-19	12/22/10 08:11	Bromochloromethane	1	ug/L
KMEP DFSP Norwalk	GMW-O-19	12/22/10 08:11	Bromodichloromethane	1	ug/L
KMEP DFSP Norwalk	GMW-O-19	12/22/10 08:11	Bromoform	1	ug/L

KMEP December Monthly Monitoring Results

Project_Id	Sample Name	Sample Date	Analyte	Result Value	Result Value Units
KMEP DFSP Norwalk	GMW-O-19	12/22/10 08:11	Bromomethane	2	ug/L
KMEP DFSP Norwalk	GMW-O-19	12/22/10 08:11	Carbon disulfide	2.5	ug/L
KMEP DFSP Norwalk	GMW-O-19	12/22/10 08:11	Carbon tetrachloride	1	ug/L
KMEP DFSP Norwalk	GMW-O-19	12/22/10 08:11	Chlorobenzene	1	ug/L
KMEP DFSP Norwalk	GMW-O-19	12/22/10 08:11	Chloroethane	1	ug/L
KMEP DFSP Norwalk	GMW-O-19	12/22/10 08:11	Chloroform	1	ug/L
KMEP DFSP Norwalk	GMW-O-19	12/22/10 08:11	Chloromethane	2	ug/L
KMEP DFSP Norwalk	GMW-O-19	12/22/10 08:11	cis-1,2-Dichloroethene	1	ug/L
KMEP DFSP Norwalk	GMW-O-19	12/22/10 08:11	cis-1,3-Dichloropropene	0.5	ug/L
KMEP DFSP Norwalk	GMW-O-19	12/22/10 08:11	Dibromochloromethane	1	ug/L
KMEP DFSP Norwalk	GMW-O-19	12/22/10 08:11	Dibromomethane	1	ug/L
KMEP DFSP Norwalk	GMW-O-19	12/22/10 08:11	Dichlorodifluoromethane	1	ug/L
KMEP DFSP Norwalk	GMW-O-19	12/22/10 08:11	Dichloromethane	5	ug/L
KMEP DFSP Norwalk	GMW-O-19	12/22/10 08:11	Di-isopropyl Ether (DIPE)	1	ug/L
KMEP DFSP Norwalk	GMW-O-19	12/22/10 08:11	Ethyl Tertiary Butyl Ether (ETBE)	1	ug/L
KMEP DFSP Norwalk	GMW-O-19	12/22/10 08:11	Ethylbenzene	0.5	ug/L
KMEP DFSP Norwalk	GMW-O-19	12/22/10 08:11	Freon-113	10	ug/L
KMEP DFSP Norwalk	GMW-O-19	12/22/10 08:11	Isopropylbenzene	1	ug/L
KMEP DFSP Norwalk	GMW-O-19	12/22/10 08:11	m,p-Xylene	0.5	ug/L
KMEP DFSP Norwalk	GMW-O-19	12/22/10 08:11	Methyl tert-butyl ether (MTBE)	0.5	ug/L
KMEP DFSP Norwalk	GMW-O-19	12/22/10 08:11	Naphthalene	10	ug/L
KMEP DFSP Norwalk	GMW-O-19	12/22/10 08:11	n-Butylbenzene	1	ug/L
KMEP DFSP Norwalk	GMW-O-19	12/22/10 08:11	n-Propylbenzene	1	ug/L
KMEP DFSP Norwalk	GMW-O-19	12/22/10 08:11	o-Xylene	0.5	ug/L
KMEP DFSP Norwalk	GMW-O-19	12/22/10 08:11	sec-Butylbenzene	1	ug/L
KMEP DFSP Norwalk	GMW-O-19	12/22/10 08:11	Styrene	1	ug/L
KMEP DFSP Norwalk	GMW-O-19	12/22/10 08:11	tert-Butylbenzene	1	ug/L
KMEP DFSP Norwalk	GMW-O-19	12/22/10 08:11	Tertiary Amyl Methyl Ether (TAME)	1	ug/L
KMEP DFSP Norwalk	GMW-O-19	12/22/10 08:11	Tertiary Butyl Alcohol (TBA)	10	ug/L
KMEP DFSP Norwalk	GMW-O-19	12/22/10 08:11	Tetrachloroethene	1	ug/L
KMEP DFSP Norwalk	GMW-O-19	12/22/10 08:11	Toluene	0.5	ug/L
KMEP DFSP Norwalk	GMW-O-19	12/22/10 08:11	TPHE (Fuel Product)	0.1	mg/L
KMEP DFSP Norwalk	GMW-O-19	12/22/10 08:11	TPH-P (GRO)	0.05	mg/L
KMEP DFSP Norwalk	GMW-O-19	12/22/10 08:11	trans-1,2-Dichloroethene	1	ug/L
KMEP DFSP Norwalk	GMW-O-19	12/22/10 08:11	trans-1,3-Dichloropropene	0.5	ug/L

KMEP December Monthly Monitoring Results

Project_id	Sample Name	Sample Date	Analyte	Result Value	Result Value Units
KMEP DFSP Norwalk	GMW-O-19	12/22/10 08:11	Trichloroethene	1	ug/L
KMEP DFSP Norwalk	GMW-O-19	12/22/10 08:11	Trichlorofluoromethane	10	ug/L
KMEP DFSP Norwalk	GMW-O-19	12/22/10 08:11	Vinyl acetate	50	ug/L
KMEP DFSP Norwalk	GMW-O-19	12/22/10 08:11	Vinyl chloride	0.5	ug/L
KMEP DFSP Norwalk	PZ-5	12/22/10 07:30	1,2-Dichloroethane-d4	85.5	%
KMEP DFSP Norwalk	PZ-5	12/22/10 07:30	1,2-Dichloroethane-d4	85.5	%
KMEP DFSP Norwalk	PZ-5	12/22/10 07:30	4-Bromofluorobenzene	92.3	%
KMEP DFSP Norwalk	PZ-5	12/22/10 07:30	4-Bromofluorobenzene	92.3	%
KMEP DFSP Norwalk	PZ-5	12/22/10 07:30	Nonane	0	%
KMEP DFSP Norwalk	PZ-5	12/22/10 07:30	Toluene-d8	107	%
KMEP DFSP Norwalk	PZ-5	12/22/10 07:30	Toluene-d8	107	%
KMEP DFSP Norwalk	PZ-5	12/22/10 07:30	1,1,1,2-Tetrachloroethane	20	ug/L
KMEP DFSP Norwalk	PZ-5	12/22/10 07:30	1,1,1-Trichloroethane	20	ug/L
KMEP DFSP Norwalk	PZ-5	12/22/10 07:30	1,1,2,2-Tetrachloroethane	20	ug/L
KMEP DFSP Norwalk	PZ-5	12/22/10 07:30	1,1,2-Trichloroethane	20	ug/L
KMEP DFSP Norwalk	PZ-5	12/22/10 07:30	1,1-Dichloroethane	20	ug/L
KMEP DFSP Norwalk	PZ-5	12/22/10 07:30	1,1-Dichloroethane	20	ug/L
KMEP DFSP Norwalk	PZ-5	12/22/10 07:30	1,1-Dichloropropene	20	ug/L
KMEP DFSP Norwalk	PZ-5	12/22/10 07:30	1,2,3-Trichlorobenzene	80	ug/L
KMEP DFSP Norwalk	PZ-5	12/22/10 07:30	1,2,3-Trichloropropane	80	ug/L
KMEP DFSP Norwalk	PZ-5	12/22/10 07:30	1,2,4-Trichlorobenzene	80	ug/L
KMEP DFSP Norwalk	PZ-5	12/22/10 07:30	1,2,4-Trimethylbenzene	20	ug/L
KMEP DFSP Norwalk	PZ-5	12/22/10 07:30	1,2-Dibromo-3-chloropropane (DBCP)	120	ug/L
KMEP DFSP Norwalk	PZ-5	12/22/10 07:30	1,2-Dibromoethane (EDB)	40	ug/L
KMEP DFSP Norwalk	PZ-5	12/22/10 07:30	1,2-Dichlorobenzene	20	ug/L
KMEP DFSP Norwalk	PZ-5	12/22/10 07:30	1,2-Dichloroethane	20	ug/L
KMEP DFSP Norwalk	PZ-5	12/22/10 07:30	1,2-Dichloropropane	20	ug/L
KMEP DFSP Norwalk	PZ-5	12/22/10 07:30	1,3,5-Trimethylbenzene	20	ug/L
KMEP DFSP Norwalk	PZ-5	12/22/10 07:30	1,3-Dichlorobenzene	20	ug/L
KMEP DFSP Norwalk	PZ-5	12/22/10 07:30	1,3-Dichloropropane	20	ug/L
KMEP DFSP Norwalk	PZ-5	12/22/10 07:30	1,4-Dichlorobenzene	20	ug/L
KMEP DFSP Norwalk	PZ-5	12/22/10 07:30	2,2-Dichloropropane	20	ug/L
KMEP DFSP Norwalk	PZ-5	12/22/10 07:30	2-Butanone (MEK)	400	ug/L
KMEP DFSP Norwalk	PZ-5	12/22/10 07:30	2-Chlorotoluene	20	ug/L
KMEP DFSP Norwalk	PZ-5	12/22/10 07:30	2-Hexanone	200	ug/L

KMEP December Monthly Monitoring Results

Project_Id	Sample Name	Sample Date	Analyte	Result Value	Result Value Units
KMEP DFSP Norwalk	PZ-5	12/22/10 07:30	4-Chlorotoluene	20	ug/L
KMEP DFSP Norwalk	PZ-5	12/22/10 07:30	4-Isopropyltoluene	20	ug/L
KMEP DFSP Norwalk	PZ-5	12/22/10 07:30	4-Methyl-2-pentanone (MIBK)	100	ug/L
KMEP DFSP Norwalk	PZ-5	12/22/10 07:30	Acetone	400	ug/L
KMEP DFSP Norwalk	PZ-5	12/22/10 07:30	Benzene	1600	ug/L
KMEP DFSP Norwalk	PZ-5	12/22/10 07:30	Bromobenzene	20	ug/L
KMEP DFSP Norwalk	PZ-5	12/22/10 07:30	Bromochloromethane	20	ug/L
KMEP DFSP Norwalk	PZ-5	12/22/10 07:30	Bromodichloromethane	20	ug/L
KMEP DFSP Norwalk	PZ-5	12/22/10 07:30	Bromoform	20	ug/L
KMEP DFSP Norwalk	PZ-5	12/22/10 07:30	Bromomethane	80	ug/L
KMEP DFSP Norwalk	PZ-5	12/22/10 07:30	Carbon disulfide	100	ug/L
KMEP DFSP Norwalk	PZ-5	12/22/10 07:30	Carbon tetrachloride	20	ug/L
KMEP DFSP Norwalk	PZ-5	12/22/10 07:30	Chlorobenzene	20	ug/L
KMEP DFSP Norwalk	PZ-5	12/22/10 07:30	Chloroethane	20	ug/L
KMEP DFSP Norwalk	PZ-5	12/22/10 07:30	Chloroform	20	ug/L
KMEP DFSP Norwalk	PZ-5	12/22/10 07:30	Chloromethane	80	ug/L
KMEP DFSP Norwalk	PZ-5	12/22/10 07:30	cis-1,2-Dichloroethene	20	ug/L
KMEP DFSP Norwalk	PZ-5	12/22/10 07:30	cis-1,3-Dichloropropene	20	ug/L
KMEP DFSP Norwalk	PZ-5	12/22/10 07:30	Dibromochloromethane	20	ug/L
KMEP DFSP Norwalk	PZ-5	12/22/10 07:30	Dibromomethane	20	ug/L
KMEP DFSP Norwalk	PZ-5	12/22/10 07:30	Dichlorodifluoromethane	20	ug/L
KMEP DFSP Norwalk	PZ-5	12/22/10 07:30	Dichloromethane	80	ug/L
KMEP DFSP Norwalk	PZ-5	12/22/10 07:30	Di-isopropyl Ether (DIPE)	20	ug/L
KMEP DFSP Norwalk	PZ-5	12/22/10 07:30	Ethyl Tertiary Butyl Ether (ETBE)	20	ug/L
KMEP DFSP Norwalk	PZ-5	12/22/10 07:30	Ethylbenzene	10	ug/L
KMEP DFSP Norwalk	PZ-5	12/22/10 07:30	Freon-113	20	ug/L
KMEP DFSP Norwalk	PZ-5	12/22/10 07:30	Isopropylbenzene	20	ug/L
KMEP DFSP Norwalk	PZ-5	12/22/10 07:30	m,p-Xylene	10	ug/L
KMEP DFSP Norwalk	PZ-5	12/22/10 07:30	Methyl tert-butyl ether (MTBE)	100	ug/L
KMEP DFSP Norwalk	PZ-5	12/22/10 07:30	Naphthalene	80	ug/L
KMEP DFSP Norwalk	PZ-5	12/22/10 07:30	n-Butylbenzene	20	ug/L
KMEP DFSP Norwalk	PZ-5	12/22/10 07:30	n-Propylbenzene	20	ug/L
KMEP DFSP Norwalk	PZ-5	12/22/10 07:30	o-Xylene	10	ug/L
KMEP DFSP Norwalk	PZ-5	12/22/10 07:30	sec-Butylbenzene	20	ug/L
KMEP DFSP Norwalk	PZ-5	12/22/10 07:30	Styrene	20	ug/L

KMEP December Monthly Monitoring Results

Project_Id	Sample Name	Sample Date	Analyte	Result Value	Result Value Units
KMEP DFSP Norwalk	PZ-5	12/22/10 07:30	tert-Butylbenzene	20	ug/L
KMEP DFSP Norwalk	PZ-5	12/22/10 07:30	Tertiary Amyl Methyl Ether (TAME)	20	ug/L
KMEP DFSP Norwalk	PZ-5	12/22/10 07:30	Tertiary Butyl Alcohol (TBA)	22000	ug/L
KMEP DFSP Norwalk	PZ-5	12/22/10 07:30	Tetrachloroethene	20	ug/L
KMEP DFSP Norwalk	PZ-5	12/22/10 07:30	Toluene	10	ug/L
KMEP DFSP Norwalk	PZ-5	12/22/10 07:30	TPH-E (Fuel Product)	1.7	mg/L
KMEP DFSP Norwalk	PZ-5	12/22/10 07:30	TPH-P (GRO)	3.4	mg/L
KMEP DFSP Norwalk	PZ-5	12/22/10 07:30	trans-1,2-Dichloroethene	20	ug/L
KMEP DFSP Norwalk	PZ-5	12/22/10 07:30	trans-1,3-Dichloropropene	20	ug/L
KMEP DFSP Norwalk	PZ-5	12/22/10 07:30	Trichloroethene	20	ug/L
KMEP DFSP Norwalk	PZ-5	12/22/10 07:30	Trichlorofluoromethane	20	ug/L
KMEP DFSP Norwalk	PZ-5	12/22/10 07:30	Vinyl acetate	2000	ug/L
KMEP DFSP Norwalk	PZ-5	12/22/10 07:30	Vinyl chloride	20	ug/L
KMEP DFSP Norwalk	EB-1	12/22/10 10:45	1,2-Dichloroethane-d4	88.7	%
KMEP DFSP Norwalk	EB-1	12/22/10 10:45	1,2-Dichloroethane-d4	88.7	%
KMEP DFSP Norwalk	EB-1	12/22/10 10:45	4-Bromofluorobenzene	94.5	%
KMEP DFSP Norwalk	EB-1	12/22/10 10:45	4-Bromofluorobenzene	94.5	%
KMEP DFSP Norwalk	EB-1	12/22/10 10:45	Nonane	96.0	%
KMEP DFSP Norwalk	EB-1	12/22/10 10:45	Toluene-d8	105	%
KMEP DFSP Norwalk	EB-1	12/22/10 10:45	Toluene-d8	105	%
KMEP DFSP Norwalk	EB-1	12/22/10 10:45	1,1,1,2-Tetrachloroethane	1	ug/L
KMEP DFSP Norwalk	EB-1	12/22/10 10:45	1,1,1-Trichloroethane	1	ug/L
KMEP DFSP Norwalk	EB-1	12/22/10 10:45	1,1,2,2-Tetrachloroethane	1	ug/L
KMEP DFSP Norwalk	EB-1	12/22/10 10:45	1,1,2-Trichloroethane	1	ug/L
KMEP DFSP Norwalk	EB-1	12/22/10 10:45	1,1-Dichloroethane	1	ug/L
KMEP DFSP Norwalk	EB-1	12/22/10 10:45	1,1-Dichloroethane	1	ug/L
KMEP DFSP Norwalk	EB-1	12/22/10 10:45	1,1-Dichloropropene	1	ug/L
KMEP DFSP Norwalk	EB-1	12/22/10 10:45	1,2,3-Trichlorobenzene	2	ug/L
KMEP DFSP Norwalk	EB-1	12/22/10 10:45	1,2,3-Trichloropropene	2	ug/L
KMEP DFSP Norwalk	EB-1	12/22/10 10:45	1,2,4-Trichlorobenzene	2	ug/L
KMEP DFSP Norwalk	EB-1	12/22/10 10:45	1,2,4-Trimethylbenzene	1	ug/L
KMEP DFSP Norwalk	EB-1	12/22/10 10:45	1,2-Dibromo-3-chloropropane (DBCP)	5	ug/L
KMEP DFSP Norwalk	EB-1	12/22/10 10:45	1,2-Dibromoethane (EDB)	2	ug/L
KMEP DFSP Norwalk	EB-1	12/22/10 10:45	1,2-Dichlorobenzene	1	ug/L
KMEP DFSP Norwalk	EB-1	12/22/10 10:45	1,2-Dichloroethane	0.5	ug/L

KMEP December Monthly Monitoring Results

Project_Id	Sample Name	Sample Date	Analyte	Result Value	Result Value Units
KMEP DFSP Norwalk	EB-1	12/22/10 10:45	1,2-Dichloropropane	1	ug/L
KMEP DFSP Norwalk	EB-1	12/22/10 10:45	1,3,5-Trimethylbenzene	1	ug/L
KMEP DFSP Norwalk	EB-1	12/22/10 10:45	1,3-Dichlorobenzene	1	ug/L
KMEP DFSP Norwalk	EB-1	12/22/10 10:45	1,3-Dichloropropane	1	ug/L
KMEP DFSP Norwalk	EB-1	12/22/10 10:45	1,4-Dichlorobenzene	1	ug/L
KMEP DFSP Norwalk	EB-1	12/22/10 10:45	2,2-Dichloropropane	1	ug/L
KMEP DFSP Norwalk	EB-1	12/22/10 10:45	2-Butanone (MEK)	10	ug/L
KMEP DFSP Norwalk	EB-1	12/22/10 10:45	2-Chlorotoluene	1	ug/L
KMEP DFSP Norwalk	EB-1	12/22/10 10:45	2-Hexanone	5	ug/L
KMEP DFSP Norwalk	EB-1	12/22/10 10:45	4-Chlorotoluene	1	ug/L
KMEP DFSP Norwalk	EB-1	12/22/10 10:45	4-Isopropyltoluene	1	ug/L
KMEP DFSP Norwalk	EB-1	12/22/10 10:45	4-Methyl-2-pentanone (MIBK)	10	ug/L
KMEP DFSP Norwalk	EB-1	12/22/10 10:45	Acetone	10	ug/L
KMEP DFSP Norwalk	EB-1	12/22/10 10:45	Benzene	0.5	ug/L
KMEP DFSP Norwalk	EB-1	12/22/10 10:45	Bromobenzene	1	ug/L
KMEP DFSP Norwalk	EB-1	12/22/10 10:45	Bromochloromethane	1	ug/L
KMEP DFSP Norwalk	EB-1	12/22/10 10:45	Bromodichloromethane	1	ug/L
KMEP DFSP Norwalk	EB-1	12/22/10 10:45	Bromoform	1	ug/L
KMEP DFSP Norwalk	EB-1	12/22/10 10:45	Bromomethane	2	ug/L
KMEP DFSP Norwalk	EB-1	12/22/10 10:45	Carbon disulfide	2.5	ug/L
KMEP DFSP Norwalk	EB-1	12/22/10 10:45	Carbon tetrachloride	1	ug/L
KMEP DFSP Norwalk	EB-1	12/22/10 10:45	Chlorobenzene	1	ug/L
KMEP DFSP Norwalk	EB-1	12/22/10 10:45	Chloroethane	1	ug/L
KMEP DFSP Norwalk	EB-1	12/22/10 10:45	Chloroform	1	ug/L
KMEP DFSP Norwalk	EB-1	12/22/10 10:45	Chloromethane	2	ug/L
KMEP DFSP Norwalk	EB-1	12/22/10 10:45	cis-1,2-Dichloroethene	1	ug/L
KMEP DFSP Norwalk	EB-1	12/22/10 10:45	cis-1,3-Dichloropropene	0.5	ug/L
KMEP DFSP Norwalk	EB-1	12/22/10 10:45	Dibromochloromethane	1	ug/L
KMEP DFSP Norwalk	EB-1	12/22/10 10:45	Dibromomethane	1	ug/L
KMEP DFSP Norwalk	EB-1	12/22/10 10:45	Dichlorodifluoromethane	1	ug/L
KMEP DFSP Norwalk	EB-1	12/22/10 10:45	Dichloromethane	5	ug/L
KMEP DFSP Norwalk	EB-1	12/22/10 10:45	Di-isopropyl Ether (DIPE)	1	ug/L
KMEP DFSP Norwalk	EB-1	12/22/10 10:45	Ethyl Tertiary Butyl Ether (ETBE)	1	ug/L
KMEP DFSP Norwalk	EB-1	12/22/10 10:45	Ethylbenzene	0.5	ug/L
KMEP DFSP Norwalk	EB-1	12/22/10 10:45	Freon-113	10	ug/L

KMEP December Monthly Monitoring Results

Project_Id	Sample Name	Sample Date	Analyte	Result Value	Result Value Units
KMEP DFSP Norwalk	EB-1	12/22/10 10:45	Isopropylbenzene	1	ug/L
KMEP DFSP Norwalk	EB-1	12/22/10 10:45	m,p-Xylene	0.5	ug/L
KMEP DFSP Norwalk	EB-1	12/22/10 10:45	Methyl tert-butyl ether (MTBE)	0.5	ug/L
KMEP DFSP Norwalk	EB-1	12/22/10 10:45	Naphthalene	10	ug/L
KMEP DFSP Norwalk	EB-1	12/22/10 10:45	n-Butylbenzene	1	ug/L
KMEP DFSP Norwalk	EB-1	12/22/10 10:45	n-Propylbenzene	1	ug/L
KMEP DFSP Norwalk	EB-1	12/22/10 10:45	o-Xylene	0.5	ug/L
KMEP DFSP Norwalk	EB-1	12/22/10 10:45	sec-Butylbenzene	1	ug/L
KMEP DFSP Norwalk	EB-1	12/22/10 10:45	Styrene	1	ug/L
KMEP DFSP Norwalk	EB-1	12/22/10 10:45	tert-Butylbenzene	1	ug/L
KMEP DFSP Norwalk	EB-1	12/22/10 10:45	Tertiary Amyl Methyl Ether (TAME)	1	ug/L
KMEP DFSP Norwalk	EB-1	12/22/10 10:45	Tertiary Butyl Alcohol (TBA)	10	ug/L
KMEP DFSP Norwalk	EB-1	12/22/10 10:45	Tetrachloroethene	1	ug/L
KMEP DFSP Norwalk	EB-1	12/22/10 10:45	Toluene	0.5	ug/L
KMEP DFSP Norwalk	EB-1	12/22/10 10:45	TPH-E (Fuel Product)	0.1	mg/L
KMEP DFSP Norwalk	EB-1	12/22/10 10:45	TPH-P (GRO)	0.05	mg/L
KMEP DFSP Norwalk	EB-1	12/22/10 10:45	trans-1,2-Dichloroethene	1	ug/L
KMEP DFSP Norwalk	EB-1	12/22/10 10:45	trans-1,3-Dichloropropene	0.5	ug/L
KMEP DFSP Norwalk	EB-1	12/22/10 10:45	Trichloroethene	1	ug/L
KMEP DFSP Norwalk	EB-1	12/22/10 10:45	Trichlorofluoromethane	10	ug/L
KMEP DFSP Norwalk	EB-1	12/22/10 10:45	Vinyl acetate	50	ug/L
KMEP DFSP Norwalk	EB-1	12/22/10 10:45	Vinyl chloride	0.5	ug/L
KMEP DFSP Norwalk	10122347_MBLK MS07W1229A	12/29/10 17:21	1,1,1,2-Tetrachloroethane	1	ug/L
KMEP DFSP Norwalk	10122347_MBLK MS07W1229A	12/29/10 17:21	1,1,1-Trichloroethane	1	ug/L
KMEP DFSP Norwalk	10122347_MBLK MS07W1229A	12/29/10 17:21	1,1,2,2-Tetrachloroethane	1	ug/L
KMEP DFSP Norwalk	10122347_MBLK MS07W1229A	12/29/10 17:21	1,1,2-Trichloroethane	1	ug/L
KMEP DFSP Norwalk	10122347_MBLK MS07W1229A	12/29/10 17:21	1,1-Dichloroethane	1	ug/L
KMEP DFSP Norwalk	10122347_MBLK MS07W1229A	12/29/10 17:21	1,1-Dichloroethene	1	ug/L
KMEP DFSP Norwalk	10122347_MBLK MS07W1229A	12/29/10 17:21	1,1-Dichloropropene	1	ug/L
KMEP DFSP Norwalk	10122347_MBLK MS07W1229A	12/29/10 17:21	1,2,3-Trichlorobenzene	2	ug/L
KMEP DFSP Norwalk	10122347_MBLK MS07W1229A	12/29/10 17:21	1,2,3-Trichloropropane	2	ug/L
KMEP DFSP Norwalk	10122347_MBLK MS07W1229A	12/29/10 17:21	1,2,4-Trichlorobenzene	2	ug/L
KMEP DFSP Norwalk	10122347_MBLK MS07W1229A	12/29/10 17:21	1,2,4-Trimethylbenzene	1	ug/L
KMEP DFSP Norwalk	10122347_MBLK MS07W1229A	12/29/10 17:21	1,2-Dibromo-3-chloropropane (DBCP)	3	ug/L
KMEP DFSP Norwalk	10122347_MBLK MS07W1229A	12/29/10 17:21	1,2-Dibromoethane (EDB)	2	ug/L

KMEP December Monthly Monitoring Results

Project_Id	Sample Name	Sample Date	Analyte	Result Value	Result Value Units
KMEP DFSP Norwalk	10122347_MBLK MS07W1229A	12/29/10 17:21	1,2-Dichlorobenzene	1	ug/L
KMEP DFSP Norwalk	10122347_MBLK MS07W1229A	12/29/10 17:21	1,2-Dichloroethane	1	ug/L
KMEP DFSP Norwalk	10122347_MBLK MS07W1229A	12/29/10 17:21	1,2-Dichloropropane	1	ug/L
KMEP DFSP Norwalk	10122347_MBLK MS07W1229A	12/29/10 17:21	1,3,5-Trimethylbenzene	1	ug/L
KMEP DFSP Norwalk	10122347_MBLK MS07W1229A	12/29/10 17:21	1,3-Dichlorobenzene	1	ug/L
KMEP DFSP Norwalk	10122347_MBLK MS07W1229A	12/29/10 17:21	1,3-Dichloropropane	1	ug/L
KMEP DFSP Norwalk	10122347_MBLK MS07W1229A	12/29/10 17:21	1,4-Dichlorobenzene	1	ug/L
KMEP DFSP Norwalk	10122347_MBLK MS07W1229A	12/29/10 17:21	2,2-Dichloropropane	1	ug/L
KMEP DFSP Norwalk	10122347_MBLK MS07W1229A	12/29/10 17:21	2-Butanone (MEK)	10	ug/L
KMEP DFSP Norwalk	10122347_MBLK MS07W1229A	12/29/10 17:21	2-Chlorotoluene	1	ug/L
KMEP DFSP Norwalk	10122347_MBLK MS07W1229A	12/29/10 17:21	2-Hexanone	5	ug/L
KMEP DFSP Norwalk	10122347_MBLK MS07W1229A	12/29/10 17:21	4-Chlorotoluene	1	ug/L
KMEP DFSP Norwalk	10122347_MBLK MS07W1229A	12/29/10 17:21	4-Isopropyltoluene	1	ug/L
KMEP DFSP Norwalk	10122347_MBLK MS07W1229A	12/29/10 17:21	4-Methyl-2-pentanone (MIBK)	2.5	ug/L
KMEP DFSP Norwalk	10122347_MBLK MS07W1229A	12/29/10 17:21	Acetone	10	ug/L
KMEP DFSP Norwalk	10122347_MBLK MS07W1229A	12/29/10 17:21	Benzene	0.5	ug/L
KMEP DFSP Norwalk	10122347_MBLK MS07W1229A	12/29/10 17:21	Bromobenzene	1	ug/L
KMEP DFSP Norwalk	10122347_MBLK MS07W1229A	12/29/10 17:21	Bromochloromethane	1	ug/L
KMEP DFSP Norwalk	10122347_MBLK MS07W1229A	12/29/10 17:21	Bromodichloromethane	1	ug/L
KMEP DFSP Norwalk	10122347_MBLK MS07W1229A	12/29/10 17:21	Bromoform	1	ug/L
KMEP DFSP Norwalk	10122347_MBLK MS07W1229A	12/29/10 17:21	Bromomethane	2	ug/L
KMEP DFSP Norwalk	10122347_MBLK MS07W1229A	12/29/10 17:21	Carbon disulfide	2.5	ug/L
KMEP DFSP Norwalk	10122347_MBLK MS07W1229A	12/29/10 17:21	Carbon tetrachloride	1	ug/L
KMEP DFSP Norwalk	10122347_MBLK MS07W1229A	12/29/10 17:21	Chlorobenzene	1	ug/L
KMEP DFSP Norwalk	10122347_MBLK MS07W1229A	12/29/10 17:21	Chloroethane	1	ug/L
KMEP DFSP Norwalk	10122347_MBLK MS07W1229A	12/29/10 17:21	Chloroform	1	ug/L
KMEP DFSP Norwalk	10122347_MBLK MS07W1229A	12/29/10 17:21	Chloromethane	2	ug/L
KMEP DFSP Norwalk	10122347_MBLK MS07W1229A	12/29/10 17:21	cis-1,2-Dichloroethene	1	ug/L
KMEP DFSP Norwalk	10122347_MBLK MS07W1229A	12/29/10 17:21	cis-1,3-Dichloropropene	1	ug/L
KMEP DFSP Norwalk	10122347_MBLK MS07W1229A	12/29/10 17:21	Dibromochloromethane	1	ug/L
KMEP DFSP Norwalk	10122347_MBLK MS07W1229A	12/29/10 17:21	Dibromomethane	1	ug/L
KMEP DFSP Norwalk	10122347_MBLK MS07W1229A	12/29/10 17:21	Dichlorodifluoromethane	1	ug/L
KMEP DFSP Norwalk	10122347_MBLK MS07W1229A	12/29/10 17:21	Dichloromethane	2	ug/L
KMEP DFSP Norwalk	10122347_MBLK MS07W1229A	12/29/10 17:21	Di-isopropyl Ether (DIPE)	1	ug/L
KMEP DFSP Norwalk	10122347_MBLK MS07W1229A	12/29/10 17:21	Ethyl Tertiary Butyl Ether (ETBE)	1	ug/L

KMEP December Monthly Monitoring Results

Project_Id	Sample Name	Sample Date	Analyte	Result Value	Result Value Units
KMEP DFSP Norwalk	10122347_MBLK MS07W1229A	12/29/10 17:21	Ethylbenzene	0.5	ug/L
KMEP DFSP Norwalk	10122347_MBLK MS07W1229A	12/29/10 17:21	Freon-113	1	ug/L
KMEP DFSP Norwalk	10122347_MBLK MS07W1229A	12/29/10 17:21	Isopropylbenzene	1	ug/L
KMEP DFSP Norwalk	10122347_MBLK MS07W1229A	12/29/10 17:21	m,p-Xylene	0.5	ug/L
KMEP DFSP Norwalk	10122347_MBLK MS07W1229A	12/29/10 17:21	Methyl tert-butyl ether (MTBE)	0.5	ug/L
KMEP DFSP Norwalk	10122347_MBLK MS07W1229A	12/29/10 17:21	Naphthalene	2	ug/L
KMEP DFSP Norwalk	10122347_MBLK MS07W1229A	12/29/10 17:21	n-Butylbenzene	1	ug/L
KMEP DFSP Norwalk	10122347_MBLK MS07W1229A	12/29/10 17:21	n-Propylbenzene	1	ug/L
KMEP DFSP Norwalk	10122347_MBLK MS07W1229A	12/29/10 17:21	o-Xylene	0.5	ug/L
KMEP DFSP Norwalk	10122347_MBLK MS07W1229A	12/29/10 17:21	sec-Butylbenzene	1	ug/L
KMEP DFSP Norwalk	10122347_MBLK MS07W1229A	12/29/10 17:21	Styrene	1	ug/L
KMEP DFSP Norwalk	10122347_MBLK MS07W1229A	12/29/10 17:21	tert-Butylbenzene	1	ug/L
KMEP DFSP Norwalk	10122347_MBLK MS07W1229A	12/29/10 17:21	Tertiary Amyl Methyl Ether (TAME)	1	ug/L
KMEP DFSP Norwalk	10122347_MBLK MS07W1229A	12/29/10 17:21	Tertiary Butyl Alcohol (TBA)	10	ug/L
KMEP DFSP Norwalk	10122347_MBLK MS07W1229A	12/29/10 17:21	Tetrachloroethene	1	ug/L
KMEP DFSP Norwalk	10122347_MBLK MS07W1229A	12/29/10 17:21	Toluene	0.5	ug/L
KMEP DFSP Norwalk	10122347_MBLK MS07W1229A	12/29/10 17:21	trans-1,2-Dichloroethene	1	ug/L
KMEP DFSP Norwalk	10122347_MBLK MS07W1229A	12/29/10 17:21	trans-1,3-Dichloropropene	1	ug/L
KMEP DFSP Norwalk	10122347_MBLK MS07W1229A	12/29/10 17:21	Trichloroethene	1	ug/L
KMEP DFSP Norwalk	10122347_MBLK MS07W1229A	12/29/10 17:21	Trichlorofluoromethane	1	ug/L
KMEP DFSP Norwalk	10122347_MBLK MS07W1229A	12/29/10 17:21	Vinyl acetate	50	ug/L
KMEP DFSP Norwalk	10122347_MBLK MS07W1229A	12/29/10 17:21	Vinyl chloride	1	ug/L
KMEP DFSP Norwalk	10122347_MBLK MS07W1229A	12/29/10 17:21	1,2-Dichloroethane-d4	89.6	%
KMEP DFSP Norwalk	10122347_MBLK MS07W1229A	12/29/10 17:21	4-Bromofluorobenzene	98.2	%
KMEP DFSP Norwalk	10122347_MBLK MS07W1229A	12/29/10 17:21	Toluene-d8	104	%
KMEP DFSP Norwalk	10122347_MBLK MS07W1229B	12/29/10 17:21	TPH-P (GRO)	0.05	mg/L
KMEP DFSP Norwalk	10122347_MBLK MS07W1229B	12/29/10 17:21	TPH-P (Purgeable)	0.05	mg/L
KMEP DFSP Norwalk	10122347_MBLK MS07W1229B	12/29/10 17:21	1,2-Dichloroethane-d4	89.6	%
KMEP DFSP Norwalk	10122347_MBLK MS07W1229B	12/29/10 17:21	4-Bromofluorobenzene	98.2	%
KMEP DFSP Norwalk	10122347_MBLK MS07W1229B	12/29/10 17:21	Toluene-d8	104	%
KMEP DFSP Norwalk	10122347_MBLK-25713	12/28/10 15:45	TPH-E (Diesel)	0.05	mg/L
KMEP DFSP Norwalk	10122347_MBLK-25713	12/28/10 15:45	TPH-E (Fuel Product)	0.05	mg/L
KMEP DFSP Norwalk	10122347_MBLK-25713	12/28/10 15:45	Nonane	96.0	%

WELL GAUGING DATA

Project # 101222-TR1 Date 12/22/10 Client KMEP

Site 15306 NORWALK BLVD - NORWALK

Well ID	Time	Well Size (in.)	Sheen / Odor	Depth to Immiscible Liquid (ft.)	Thickness of Immiscible Liquid (ft.)	Volume of Immiscibles Removed (ml)	Depth to water (ft.)	Depth to well bottom (ft.)	Survey Point: TOB or TOC	Notes
GMW-0-15	0905	4					26.31	49.33		
GMW-0-16	0830	4					27.00	48.62		
GMW-0-18	—	UNABLE TO ACCESS — EXT PUMP —								
GMW-0-19	0755	4					26.70	39.95		
GMW-36	0935	4		26.84	1.51	—	28.35	49.92		
P2-5	0720	4					25.12	38.50		

LOW FLOW WELL MONITORING DATA SHEET

Project #: 101222-TR1	Client: KMEP
Sampler: K	Start Date: 12/22/10
Well I.D.: 6MW-0-15	Well Diameter: 2 3 (4) 6 8
Total Well Depth: 49.33	Depth to Water: Pre: 26.31 Post: 26.41
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: PVC Grade	Flow Cell Type: YSI 556

Purge Method: 2" Grundfos Pump Peristaltic Pump Bladder Pump
 Sampling Method: Dedicated Tubing New Tubing Other _____
 Start Purge Time: 0908 Flow Rate: 500 mL/MIN Pump Depth: 44'

Time	Temp. (°C or °F)	pH	Cond. (mS or µS)	Turbidity (NTUs)	D.O. (mg/L)	ORP (mV)	Water Removed (gals. or mL)	Depth to water
0911	20.8	7.50	568	10	0.73	-69.7	1500	26.40
0914	20.9	7.58	552	8	0.52	-75.3	3000	26.40
0917	21.1	7.60	558	8	0.42	-77.0	4500	26.41
0920	21.2	7.62	559	5	0.40	-78.5	6000	26.41
0923	21.2	7.62	552	5	0.40	-79.0	7500	26.41
0926	21.2	7.63	559	4	0.41	-80.0	9000	26.41

Did well dewater? Yes <input type="radio"/> No <input checked="" type="radio"/>	Amount actually evacuated: 9.0 L
Sampling Time: 0927	Sampling Date: 12/22/10
Sample I.D.: 6MW-0-15	Laboratory: Alpha Analytical
Analyzed for: TPHg TPHfp VOCs MTBE	Other:
Equipment Blank I.D.: @	Duplicate I.D.:

LOW FLOW WELL MONITORING DATA SHEET

Project #: 101222-TR1	Client: KMEP
Sampler: M	Start Date: 12/22/10
Well I.D.: 5MW-0-16	Well Diameter: 2 3 <u>4</u> 6 8
Total Well Depth: 48.62	Depth to Water: Pre: 27.00 Post: 27.02
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: PVC Grade	Flow Cell Type: YSI 556

Purge Method: 2" Grundfos Pump Peristaltic Pump Bladder Pump
 Sampling Method: Dedicated Tubing New Tubing Other _____
 Start Purge Time: 0833 Flow Rate: 500ML/MIN Pump Depth: 45'

Time	Temp. (°C or °F)	pH	Cond. (mS or μ S)	Turbidity (NTUs)	D.O. (mg/L)	ORP (mV)	Water Removed (gals. or ml)	Depth to water
0836	21.4	7.17	2133	5	1.11	121.0	1500	27.07
0839	21.5	7.20	2180	6	1.03	112.5	3000	27.07
0842	21.8	7.21	2185	2	0.80	110.5	4500	27.07
0845	21.8	7.24	2188	2	0.77	110.0	6000	27.07
0848	21.8	7.24	2189	2	0.75	110.5	7500	27.02

Did well dewater? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	Amount actually evacuated: 7500
Sampling Time: 0849	Sampling Date: 12/22/10
Sample I.D.: 5MW-0-16	Laboratory: Alpha Analytical
Analyzed for: TPHg TPHfp VOCs MTBE	Other:
Equipment Blank I.D.: @	Duplicate I.D.:

LOW FLOW WELL MONITORING DATA SHEET

Project #: 101222-TR1	Client: KMEP
Sampler: M	Start Date: 12/22/16
Well I.D.: G MW-0-18	Well Diameter: 2 3 4 6 8 _____
Total Well Depth: _____	Depth to Water: Pre: _____ Post: _____
Depth to Free Product: _____	Thickness of Free Product (feet): _____
Referenced to: RVC Grade	Flow Cell Type: YSI 556

Purge Method: 2" Grundfos Pump Peristaltic Pump Bladder Pump
 Sampling Method: Dedicated Tubing New Tubing Other _____

Start Purge Time: _____ Flow Rate: _____ Pump Depth: _____

Time	Temp. (°C or °F)	pH	Cond. (mS or µS)	Turbidity (NTUs)	D.O. (mg/L)	ORP (mV)	Water Removed (gals. or mL)	Depth to water
- ATTEMPTED TO SAMPLE WELL VIA EXT PORT -								
- EXTRACTION PUMP INSTALLED IN WELL -								
- PORT NOT PRODUCING -								
- NO SAMPLES TAKEN -								

Did well dewater? Yes No Amount actually evacuated: _____

Sampling Time: _____ Sampling Date: _____

Sample I.D.: _____ Laboratory: Alpha Analytical

Analyzed for: TPHg TPHfp VOC's MTBE Other: _____

Equipment Blank I.D.: _____ @ _____ Duplicate I.D.: _____

LOW FLOW WELL MONITORING DATA SHEET

Project #: 101222-TR1	Client: KMEP
Sampler: TR	Start Date: 12/22/10
Well I.D.: 6MW-0-19	Well Diameter: 2 3 <u>4</u> 6 8
Total Well Depth: 39.95	Depth to Water: Pre: 26.70 Post: 26.77
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: <u>PVC</u> Grade	Flow Cell Type: <u>YSI 556</u>

Purge Method: 2" Grundfos Pump Peristaltic Pump Bladder Pump
 Sampling Method: Dedicated Tubing New Tubing Other _____
 Start Purge Time: 0755 Flow Rate: 500 ML/MIN Pump Depth: 35'

Time	Temp. (°C or °F)	pH	Cond. (mS or <u>µS</u>)	Turbidity (NTUs)	D.O. (mg/L)	ORP (mV)	Water Removed (gals. or <u>mL</u>)	Depth to water
0758	21.3	6.97	1518	5	1.82	171.3	1500	26.75
0801	22.0	7.00	1528	4	1.24	178.0	3000	26.77
0804	22.0	7.02	1533	4	1.03	168.0	4500	26.77
0807	22.1	7.05	1535	3	0.97	165.2	6000	26.77
0810	22.0	7.05	1539	3	0.94	164.3	7500	26.77

Did well dewater? Yes <input type="checkbox"/> <u>No</u> <input checked="" type="checkbox"/>	Amount actually evacuated: 7500
Sampling Time: 0811	Sampling Date: 12/22/10
Sample I.D.: 6MW-0-19	Laboratory: <u>Alpha Analytical</u>
Analyzed for: <u>TPHg</u> <u>TPHfp</u> <u>VOCs</u> <u>MTBE</u>	Other:
Equipment Blank I.D.: @ _____	Duplicate I.D.:

LOW FLOW WELL MONITORING DATA SHEET

Project #: 101222-TR1	Client: KMEP
Sampler: TR	Start Date: 12/22/10
Well I.D.: GMW-36	Well Diameter: 2 3 4 6 8
Total Well Depth: 49.92	Depth to Water: Pre: 28.35 Post: 29.34
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: <input checked="" type="checkbox"/> Grade	Flow Cell Type: YSI 556

Purge Method: 2" Grundfos Pump Peristaltic Pump Bladder Pump **WATERRA**
 Sampling Method: Dedicated Tubing New Tubing Other _____
 Start Purge Time: **0951** Flow Rate: **500 mL/min** Pump Depth: **40'**

Time	Temp. (°C or °F)	pH	Cond. (mS or µS)	Turbidity (NTUs)	D.O. (mg/L)	ORP (mV)	Water Removed (gals. or <input checked="" type="checkbox"/> mL)	Depth to water
- 1.51 OF SPH DETECTED IN WELL W/ INTERFACE PROBE								
- UNABLE TO FLOW PURGE W/ 2" GRUNDFOS PUMP -								
- PURGED USING LOW FLOW & WATERRA PUMP								
1026 0954	20.1	7.14	1447	120	0.67	-194.7	1500	
1023 0954	20.4	7.70	2142	115	0.85	-204.3	3000	
1026	20.8	7.24	2142	86	0.85	-210.7	4500	
1024	20.9	7.25	2180	59	0.84	-212.4	6000	

Did well dewater? Yes <input checked="" type="checkbox"/> No	Amount actually evacuated: 6000 mL
Sampling Time: 1030	Sampling Date: 12/22/10
Sample I.D.: GMW-36	Laboratory: Alpha Analytical
Analyzed for: <input checked="" type="checkbox"/> TPEg <input checked="" type="checkbox"/> TPEhp <input checked="" type="checkbox"/> VOC's <input checked="" type="checkbox"/> MTBE	Other: _____
Equipment Blank I.D.: _____ @ _____ Time	Duplicate I.D.: _____

LOW FLOW WELL MONITORING DATA SHEET

Project #: <u>101ZZZ-TR1</u>	Client: <u>KMEP</u>
Sampler: <u>TR</u>	Start Date:
Well I.D.: <u>P2-5</u>	Well Diameter: 2 3 <u>4</u> 6 8 _____
Total Well Depth: <u>38.50</u>	Depth to Water: Pre: <u>25.12</u> Post:
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: <u>PVC</u> Grade	Flow Cell Type: <u>YSI 336</u>

Purge Method: 2" Grundfos Pump Peristaltic Pump Bladder Pump
 Sampling Method: Dedicated Tubing New Tubing Other _____
 Start Purge Time: 0717 Flow Rate: 500 mL/min Pump Depth: 35'

Time	Temp. (°C or °F)	pH	Cond. (mS or μ S)	Turbidity (NTUs)	D.O. (mg/L)	ORP (mV)	Water Removed (gals. or mL)	Depth to water
0720	17.3	7.0	2531	7	0.84	-123	1500	25.31
0723	17.1	7.0	2519	8	0.87	-122	3000	25.30
0725	16.9	6.9	2520	8	0.84	-120	4500	25.30
0727	16.7	6.9	2518	7	0.91	-119	6000	25.30
0730	16.8	7.0	2522	8	0.87	-127	7500	25.30

Did well dewater? Yes <input type="radio"/> No <input checked="" type="radio"/>	Amount actually evacuated: <u>7500 mL</u>
Sampling Time: <u>0730</u>	Sampling Date: <u>12/22/10</u>
Sample I.D.: <u>P2-5</u>	Laboratory: <u>Alpha Analytical</u>
Analyzed for: <u>TRP</u> g <u>TPH</u> g <u>VOC's</u> <u>MTBE</u>	Other:
Equipment Blank I.D.: _____ @ _____ Time	Duplicate I.D.:

BLAINE

TECH SERVICES, INC.

1680 ROGERS AVENUE
 SAN JOSE, CALIFORNIA 95112-1105
 FAX (408) 573-7774
 PHONE (408) 573-0555

LAB Alpha Analytical COC 1 of /
 Billing Information:
 Kinder Morgan
 1100 Town and Country Rd.
 Orange CA 95112

CHAIN OF CUSTODY

CLIENT Kinder Morgan
 SITE DFSP Norwalk
 15306 Norwalk Blvd, Norwalk

Report to:
 Kinder Morgan Norwalk
 Dan Jablonski
 CH2MHILL
 1000 Wilshire Blvd 21st floor
 Los Angeles, CA 90017

SAMPLE I.D.	DATE	TIME	MATRIX	CONTAINERS		PRESERVATION	Type
				#	Type		
TB-1	12.22.10	0700	AQ	2	HCl	VOA	
GMW-30		1030		6			
GMW-0-15		0927		6			
GMW-0-16		0849		6			
GMW-0-19		0811		6			
P2-S		0730		6			
EB-1		1045		6			

CONDUCT ANALYSIS TO DETECT		ADD'L INFORMATION	STATUS	CONDITION	LAB SAMPLE
TPHg, TPHp (EPA 8015M)	VOC's & Oxygenates (EPA 8260B)				
X	X				
X	X				
X	X				
X	X				
X	X				
X	X				
X	X				

RESULTS NEEDED NO LATER THAN **Standard**

RELEASING BY: TIME 1545 DATE 12/22/10

RECEIVED BY: TIME 1545 DATE 12/22/10

RELEASING BY: TIME _____ DATE _____

RECEIVED BY: TIME _____ DATE _____

SHIPPED VIA: _____ TIME SENT _____ COOLER # _____

WELLHEAD INSPECTION CHECKLIST

Client KMEP Date 12/22/10

Site Address 15306 NORWALK - NORWALK

Job Number 101222-TR1 Technician TR

Well ID	Well Inspected - No Corrective Action Required	WELL IS SECURABLE BY DESIGN (12" or less)	WELL IS CLEARLY MARKED WITH CORRECT IDENTIFICATION	Water Bailed From Wellbox	Wellbox Components Cleaned	Cap Replaced	Lock Replaced	Other Action Taken (explain below)	Well Not Inspected (explain below)	Repair Order Submitted
GMW-0-15	X									
GMW-0-10	X	X	X							
GMW-0-18	X									
GMW-0-19	X	X	X							
GMW-36	X									
P2-5	X	X	X							

NOTES: GMW-0-15, GMW-0-18, GMW-36 : VAULTS



Alpha Analytical, Inc.

255 Glendale Ave. • Suite 21 • Sparks, Nevada 89431-5778
(775) 355-1044 • (775) 355-0406 FAX • 1-800-283-1183

ANALYTICAL REPORT

CH2M Hill
1000 Wilshire Boulevard
Los Angeles, CA 90017

Attn: Daniel Jablonski
Phone: (213) 228-8271
Fax: (714) 424-2135
Date Received : 12/23/10

Job: KMEP DFSP Norwalk

Total Petroleum Hydrocarbons - Extractable (TPH-E) EPA Method SW8015B
Total Petroleum Hydrocarbons - Purgeable (TPH-P) EPA Method SW8015B

Client ID :	Parameter	Concentration	Reporting Limit	Date Extracted	Date Analyzed
GMW-36	TPH-E (Fuel Product)	73 *	1.0 mg/L	12/28/10	12/28/10
Lab ID : CHH10122347-02A	Surr: Nonane	0 S50	(57-147) %REC	12/28/10	12/28/10
Date Sampled 12/22/10 10:30	TPH-P (GRO)	63	5.0 mg/L	12/30/10	12/30/10
	Surr: 1,2-Dichloroethane-d4	83	(70-130) %REC	12/30/10	12/30/10
	Surr: Toluene-d8	107	(70-130) %REC	12/30/10	12/30/10
	Surr: 4-Bromofluorobenzene	93	(70-130) %REC	12/30/10	12/30/10
GMW-O-15	TPH-E (Fuel Product)	19 *	1.0 mg/L	12/28/10	12/28/10
Lab ID : CHH10122347-03A	Surr: Nonane	0 S50	(57-147) %REC	12/28/10	12/28/10
Date Sampled 12/22/10 09:27	TPH-P (GRO)	28	4.0 mg/L	12/30/10	12/30/10
	Surr: 1,2-Dichloroethane-d4	86	(70-130) %REC	12/30/10	12/30/10
	Surr: Toluene-d8	107	(70-130) %REC	12/30/10	12/30/10
	Surr: 4-Bromofluorobenzene	95	(70-130) %REC	12/30/10	12/30/10
GMW-O-16	TPH-E (Fuel Product)	ND	0.10 mg/L	12/28/10	12/28/10
Lab ID : CHH10122347-04A	Surr: Nonane	97	(57-147) %REC	12/28/10	12/28/10
Date Sampled 12/22/10 08:49	TPH-P (GRO)	ND	0.050 mg/L	12/30/10	12/30/10
	Surr: 1,2-Dichloroethane-d4	86	(70-130) %REC	12/30/10	12/30/10
	Surr: Toluene-d8	107	(70-130) %REC	12/30/10	12/30/10
	Surr: 4-Bromofluorobenzene	96	(70-130) %REC	12/30/10	12/30/10
GMW-O-19	TPH-E (Fuel Product)	ND	0.10 mg/L	12/28/10	12/28/10
Lab ID : CHH10122347-05A	Surr: Nonane	97	(57-147) %REC	12/28/10	12/28/10
Date Sampled 12/22/10 08:11	TPH-P (GRO)	ND	0.050 mg/L	12/30/10	12/30/10
	Surr: 1,2-Dichloroethane-d4	87	(70-130) %REC	12/30/10	12/30/10
	Surr: Toluene-d8	105	(70-130) %REC	12/30/10	12/30/10
	Surr: 4-Bromofluorobenzene	95	(70-130) %REC	12/30/10	12/30/10
PZ-5	TPH-E (Fuel Product)	1.7 **	1.0 mg/L	12/28/10	12/28/10
Lab ID : CHH10122347-06A	Surr: Nonane	0 S50	(57-147) %REC	12/28/10	12/28/10
Date Sampled 12/22/10 07:30	TPH-P (GRO)	3.4	2.0 mg/L	12/30/10	12/30/10
	Surr: 1,2-Dichloroethane-d4	86	(70-130) %REC	12/30/10	12/30/10
	Surr: Toluene-d8	107	(70-130) %REC	12/30/10	12/30/10
	Surr: 4-Bromofluorobenzene	92	(70-130) %REC	12/30/10	12/30/10
EB-1	TPH-E (Fuel Product)	ND	0.10 mg/L	12/28/10	12/28/10
Lab ID : CHH10122347-07A	Surr: Nonane	96	(57-147) %REC	12/28/10	12/28/10
Date Sampled 12/22/10 10:45	TPH-P (GRO)	ND	0.050 mg/L	12/29/10	12/29/10
	Surr: 1,2-Dichloroethane-d4	89	(70-130) %REC	12/29/10	12/29/10
	Surr: Toluene-d8	105	(70-130) %REC	12/29/10	12/29/10
	Surr: 4-Bromofluorobenzene	95	(70-130) %REC	12/29/10	12/29/10



Alpha Analytical, Inc.

255 Glendale Ave. • Suite 21 • Sparks, Nevada 89431-5778
(775) 355-1044 • (775) 355-0406 FAX • 1-800-283-1183

**Note: Reported TPH-E (Fuel Product) may contain undifferentiated diesel range hydrocarbons.

*Note: Reported TPH-E (Fuel Product) is composed primarily of diesel range hydrocarbons.

Gasoline Range Organics (GRO) C4-C13

S50 = The analysis of the sample required a dilution such that the surrogate concentration was diluted below the laboratory acceptance criteria. The laboratory control sample was acceptable.

ND = Not Detected

Roger Scholl *Randy Gardner* *Walter Hinchman*

Roger L. Scholl, Ph.D., Laboratory Director • Randy Gardner, Laboratory Manager • Walter Hinchman, Quality Assurance Officer
Sacramento, CA • (916) 366-9089 / Las Vegas, NV • (702) 736-7522 / Carson, CA • (714) 386-2901 / info@alpha-analytical.com

Alpha certifies that the test results meet all requirements of NELAC unless footnoted otherwise.

Alpha Analytical, Inc. currently holds appropriate and available California (#2019) and NELAC (01154CA) certifications for the data reported. Test results relate only to reported samples.

[Signature]
1/3/11

Report Date



Alpha Analytical, Inc.

255 Glendale Ave. • Suite 21 • Sparks, Nevada 89431-5778
(775) 355-1044 • (775) 355-0406 FAX • 1-800-283-1183

ANALYTICAL REPORT

CH2M Hill
1000 Wilshire Boulevard
Los Angeles, CA 90017
Job: KMEP DFSP Norwalk

Attn: Daniel Jablonski
Phone: (213) 228-8271
Fax: (714) 424-2135

Alpha Analytical Number: CHH10122347-01A
Client I.D. Number: TB-1

Sampled: 12/22/10 07:00
Received: 12/23/10
Extracted: 12/29/10
Analyzed: 12/29/10

Volatile Organics by GC/MS EPA Method SW8260B

Compound	Concentration	Reporting Limit	Compound	Concentration	Reporting Limit
1 Dichlorodifluoromethane	ND	1.0 µg/L	45 Chlorobenzene	ND	1.0 µg/L
2 Chloromethane	ND	2.0 µg/L	46 Ethylbenzene	ND	0.50 µg/L
3 Vinyl chloride	ND	0.50 µg/L	47 m,p-Xylene	ND	0.50 µg/L
4 Chloroethane	ND	1.0 µg/L	48 Bromoform	ND	1.0 µg/L
5 Bromomethane	ND	2.0 µg/L	49 Styrene	ND	1.0 µg/L
6 Trichlorofluoromethane	ND	10 µg/L	50 o-Xylene	ND	0.50 µg/L
7 Acetone	ND	10 µg/L	51 1,1,2,2-Tetrachloroethane	ND	1.0 µg/L
8 1,1-Dichloroethene	ND	1.0 µg/L	52 1,2,3-Trichloropropane	ND	2.0 µg/L
9 Tertiary Butyl Alcohol (TBA)	ND	10 µg/L	53 Isopropylbenzene	ND	1.0 µg/L
10 Dichloromethane	ND	5.0 µg/L	54 Bromobenzene	ND	1.0 µg/L
11 Freon-113	ND	10 µg/L	55 n-Propylbenzene	ND	1.0 µg/L
12 Carbon disulfide	ND	2.5 µg/L	56 4-Chlorotoluene	ND	1.0 µg/L
13 trans-1,2-Dichloroethene	ND	1.0 µg/L	57 2-Chlorotoluene	ND	1.0 µg/L
14 Methyl tert-butyl ether (MTBE)	ND	0.50 µg/L	58 1,3,5-Trimethylbenzene	ND	1.0 µg/L
15 1,1-Dichloroethane	ND	1.0 µg/L	59 tert-Butylbenzene	ND	1.0 µg/L
16 Vinyl acetate	ND	50 µg/L	60 1,2,4-Trimethylbenzene	ND	1.0 µg/L
17 2-Butanone (MEK)	ND	10 µg/L	61 sec-Butylbenzene	ND	1.0 µg/L
18 Di-isopropyl Ether (DIPE)	ND	1.0 µg/L	62 1,3-Dichlorobenzene	ND	1.0 µg/L
19 cis-1,2-Dichloroethene	ND	1.0 µg/L	63 1,4-Dichlorobenzene	ND	1.0 µg/L
20 Bromochloromethane	ND	1.0 µg/L	64 4-Isopropyltoluene	ND	1.0 µg/L
21 Chloroform	ND	1.0 µg/L	65 1,2-Dichlorobenzene	ND	1.0 µg/L
22 Ethyl Tertiary Butyl Ether (ETBE)	ND	1.0 µg/L	66 n-Butylbenzene	ND	1.0 µg/L
23 2,2-Dichloropropane	ND	1.0 µg/L	67 1,2-Dibromo-3-chloropropane (DBCP)	ND	5.0 µg/L
24 1,2-Dichloroethane	ND	0.50 µg/L	68 1,2,4-Trichlorobenzene	ND	2.0 µg/L
25 1,1,1-Trichloroethane	ND	1.0 µg/L	69 Naphthalene	ND	10 µg/L
26 1,1-Dichloropropene	ND	1.0 µg/L	70 1,2,3-Trichlorobenzene	ND	2.0 µg/L
27 Carbon tetrachloride	ND	1.0 µg/L	71 Surr: 1,2-Dichloroethane-d4	87	(70-130) %REC
28 Benzene	ND	0.50 µg/L	72 Surr: Toluene-d8	106	(70-130) %REC
29 Tertiary Amyl Methyl Ether (TAME)	ND	1.0 µg/L	73 Surr: 4-Bromofluorobenzene	93	(70-130) %REC
30 Dibromomethane	ND	1.0 µg/L			
31 1,2-Dichloropropane	ND	1.0 µg/L			
32 Trichloroethene	ND	1.0 µg/L			
33 Bromodichloromethane	ND	1.0 µg/L			
34 4-Methyl-2-pentanone (MIBK)	ND	10 µg/L			
35 cis-1,3-Dichloropropene	ND	0.50 µg/L			
36 trans-1,3-Dichloropropene	ND	0.50 µg/L			
37 1,1,2-Trichloroethane	ND	1.0 µg/L			
38 Toluene	ND	0.50 µg/L			
39 1,3-Dichloropropane	ND	1.0 µg/L			
40 2-Hexanone	ND	5.0 µg/L			
41 Dibromochloromethane	ND	1.0 µg/L			
42 1,2-Dibromoethane (EDB)	ND	2.0 µg/L			
43 Tetrachloroethene	ND	1.0 µg/L			
44 1,1,1,2-Tetrachloroethane	ND	1.0 µg/L			

ND = Not Detected

Roger Scholl

Randy Gardner

Walter Hinchman

Roger L. Scholl, Ph.D., Laboratory Director • Randy Gardner, Laboratory Manager • Walter Hinchman, Quality Assurance Officer
Sacramento, CA • (916) 366-9089 / Las Vegas, NV • (702) 736-7522 / Carson, CA • (714) 386-2901 / info@alpha-analytical.com

Alpha certifies that the test results meet all requirements of NELAC unless footnoted otherwise.

Alpha Analytical, Inc. currently holds appropriate and available California (#2019) and NELAC (01154CA) certifications for the data reported. Test results relate only to reported samples.

1/3/11

Report Date

Page 1 of 1



Alpha Analytical, Inc.

255 Glendale Ave. • Suite 21 • Sparks, Nevada 89431-5778
(775) 355-1044 • (775) 355-0406 FAX • 1-800-283-1183

ANALYTICAL REPORT

CH2M Hill
1000 Wilshire Boulevard
Los Angeles, CA 90017
Job: KMEP DFSP Norwalk

Attn: Daniel Jablonski
Phone: (213) 228-8271
Fax: (714) 424-2135

Alpha Analytical Number: CHH10122347-02A
Client I.D. Number: GMW-36

Sampled: 12/22/10 10:30
Received: 12/23/10
Extracted: 12/30/10
Analyzed: 12/30/10

Volatile Organics by GC/MS EPA Method SW8260B

Compound	Concentration	Reporting Limit	Compound	Concentration	Reporting Limit
1 Dichlorodifluoromethane	ND	50 µg/L	45 Chlorobenzene	ND	50 µg/L
2 Chloromethane	ND	200 µg/L	46 Ethylbenzene	1,700	25 µg/L
3 Vinyl chloride	ND	50 µg/L	47 m,p-Xylene	5,600	25 µg/L
4 Chloroethane	ND	50 µg/L	48 Bromoform	ND	50 µg/L
5 Bromomethane	ND	200 µg/L	49 Styrene	ND	50 µg/L
6 Trichlorofluoromethane	ND	50 µg/L	50 o-Xylene	2,700	25 µg/L
7 Acetone	ND	1,000 µg/L	51 1,1,2,2-Tetrachloroethane	ND	50 µg/L
8 1,1-Dichloroethene	ND	50 µg/L	52 1,2,3-Trichloropropane	ND	200 µg/L
9 Tertiary Butyl Alcohol (TBA)	ND	500 µg/L	53 Isopropylbenzene	ND	50 µg/L
10 Dichloromethane	ND	200 µg/L	54 Bromobenzene	ND	50 µg/L
11 Freon-113	ND	50 µg/L	55 n-Propylbenzene	98	50 µg/L
12 Carbon disulfide	ND	250 µg/L	56 4-Chlorotoluene	ND	50 µg/L
13 trans-1,2-Dichloroethene	ND	50 µg/L	57 2-Chlorotoluene	ND	50 µg/L
14 Methyl tert-butyl ether (MTBE)	28	25 µg/L	58 1,3,5-Trimethylbenzene	520	50 µg/L
15 1,1-Dichloroethane	ND	50 µg/L	59 tert-Butylbenzene	ND	50 µg/L
16 Vinyl acetate	ND	5,000 µg/L	60 1,2,4-Trimethylbenzene	1,300	50 µg/L
17 2-Butanone (MEK)	ND	1,000 µg/L	61 sec-Butylbenzene	ND	50 µg/L
18 Di-isopropyl Ether (DIPE)	ND	50 µg/L	62 1,3-Dichlorobenzene	ND	50 µg/L
19 cis-1,2-Dichloroethene	ND	50 µg/L	63 1,4-Dichlorobenzene	ND	50 µg/L
20 Bromochloromethane	ND	50 µg/L	64 4-Isopropyltoluene	ND	50 µg/L
21 Chloroform	ND	50 µg/L	65 1,2-Dichlorobenzene	ND	50 µg/L
22 Ethyl Tertiary Butyl Ether (ETBE)	ND	50 µg/L	66 n-Butylbenzene	ND	50 µg/L
23 2,2-Dichloropropane	ND	50 µg/L	67 1,2-Dibromo-3-chloropropane (DBCP)	ND	300 µg/L
24 1,2-Dichloroethane	ND	50 µg/L	68 1,2,4-Trichlorobenzene	ND	200 µg/L
25 1,1,1-Trichloroethane	ND	50 µg/L	69 Naphthalene	520	200 µg/L
26 1,1-Dichloropropene	ND	50 µg/L	70 1,2,3-Trichlorobenzene	ND	200 µg/L
27 Carbon tetrachloride	ND	50 µg/L	71 Surr: 1,2-Dichloroethane-d4	83	(70-130) %REC
28 Benzene	6,700	25 µg/L	72 Surr: Toluene-d8	107	(70-130) %REC
29 Tertiary Amyl Methyl Ether (TAME)	ND	50 µg/L	73 Surr: 4-Bromofluorobenzene	93	(70-130) %REC
30 Dibromomethane	ND	50 µg/L			
31 1,2-Dichloropropane	ND	50 µg/L			
32 Trichloroethene	ND	50 µg/L			
33 Bromodichloromethane	ND	50 µg/L			
34 4-Methyl-2-pentanone (MIBK)	ND	250 µg/L			
35 cis-1,3-Dichloropropene	ND	50 µg/L			
36 trans-1,3-Dichloropropene	ND	50 µg/L			
37 1,1,2-Trichloroethane	ND	50 µg/L			
38 Toluene	9,600	50 µg/L			
39 1,3-Dichloropropane	ND	50 µg/L			
40 2-Hexanone	ND	500 µg/L			
41 Dibromochloromethane	ND	50 µg/L			
42 1,2-Dibromoethane (EDB)	ND	100 µg/L			
43 Tetrachloroethene	ND	50 µg/L			
44 1,1,1,2-Tetrachloroethane	ND	50 µg/L			

*This compound was analyzed separately on 1/3/11 to be within its calibration, while achieving the lowest possible reporting limits for the other compounds.

Reporting Limits were increased due to high concentrations of target analytes.

ND = Not Detected

Roger Scholl *Randy Gardner* *Walter Hinchman*
Roger L. Scholl, Ph.D., Laboratory Director • Randy Gardner, Laboratory Manager • Walter Hinchman, Quality Assurance Officer
Sacramento, CA • (916) 366-9089 / Las Vegas, NV • (702) 736-7522 / Carson, CA • (714) 386-2901 / info@alpha-analytical.com

Alpha certifies that the test results meet all requirements of NELAC unless footnoted otherwise.

Alpha Analytical, Inc. currently holds appropriate and available California (#2019) and NELAC (01154CA) certifications for the data reported. Test results relate only to reported samples.

n
11/3/11
Reporting Date



Alpha Analytical, Inc.

255 Glendale Ave. • Suite 21 • Sparks, Nevada 89431-5778
(775) 355-1044 • (775) 355-0406 FAX • 1-800-283-1183

ANALYTICAL REPORT

CH2M Hill
1000 Wilshire Boulevard
Los Angeles, CA 90017
Job: KMEP DFSP Norwalk

Attn: Daniel Jablonski
Phone: (213) 228-8271
Fax: (714) 424-2135

Alpha Analytical Number: CHH10122347-03A
Client I.D. Number: GMW-O-15

Sampled: 12/22/10 09:27
Received: 12/23/10
Extracted: 12/30/10
Analyzed: 12/30/10

Volatile Organics by GC/MS EPA Method SW8260B

Compound	Concentration	Reporting Limit	Compound	Concentration	Reporting Limit
1 Dichlorodifluoromethane	ND	40 µg/L	45 Chlorobenzene	ND	40 µg/L
2 Chloromethane	ND	160 µg/L	46 Ethylbenzene	850	20 µg/L
3 Vinyl chloride	ND	40 µg/L	47 m,p-Xylene	3,000	20 µg/L
4 Chloroethane	ND	40 µg/L	48 Bromoform	ND	40 µg/L
5 Bromomethane	ND	160 µg/L	49 Styrene	ND	40 µg/L
6 Trichlorofluoromethane	ND	40 µg/L	50 o-Xylene	1,200	20 µg/L
7 Acetone	ND	800 µg/L	51 1,1,2,2-Tetrachloroethane	ND	40 µg/L
8 1,1-Dichloroethene	ND	40 µg/L	52 1,2,3-Trichloropropane	ND	160 µg/L
9 Tertiary Butyl Alcohol (TBA)	1,300	400 µg/L	53 Isopropylbenzene	ND	40 µg/L
10 Dichloromethane	ND	160 µg/L	54 Bromobenzene	ND	40 µg/L
11 Freon-113	ND	40 µg/L	55 n-Propylbenzene	87	40 µg/L
12 Carbon disulfide	ND	200 µg/L	56 4-Chlorotoluene	ND	40 µg/L
13 trans-1,2-Dichloroethene	ND	40 µg/L	57 2-Chlorotoluene	ND	40 µg/L
14 Methyl tert-butyl ether (MTBE)	1,900	20 µg/L	58 1,3,5-Trimethylbenzene	300	40 µg/L
15 1,1-Dichloroethane	ND	40 µg/L	59 tert-Butylbenzene	ND	40 µg/L
16 Vinyl acetate	ND	4,000 µg/L	60 1,2,4-Trimethylbenzene	1,100	40 µg/L
17 2-Butanone (MEK)	ND	800 µg/L	61 sec-Butylbenzene	ND	40 µg/L
18 Di-isopropyl Ether (DIPE)	ND	40 µg/L	62 1,3-Dichlorobenzene	ND	40 µg/L
19 cis-1,2-Dichloroethene	ND	40 µg/L	63 1,4-Dichlorobenzene	ND	40 µg/L
20 Bromochloromethane	ND	40 µg/L	64 4-Isopropyltoluene	ND	40 µg/L
21 Chloroform	ND	40 µg/L	65 1,2-Dichlorobenzene	ND	40 µg/L
22 Ethyl Tertiary Butyl Ether (ETBE)	ND	40 µg/L	66 n-Butylbenzene	ND	40 µg/L
23 2,2-Dichloropropane	ND	40 µg/L	67 1,2-Dibromo-3-chloropropane (DBCP)	ND	240 µg/L
24 1,2-Dichloroethane	ND	40 µg/L	68 1,2,4-Trichlorobenzene	ND	160 µg/L
25 1,1,1-Trichloroethane	ND	40 µg/L	69 Naphthalene	300	160 µg/L
26 1,1-Dichloropropene	ND	40 µg/L	70 1,2,3-Trichlorobenzene	ND	160 µg/L
27 Carbon tetrachloride	ND	40 µg/L	71 Surr: 1,2-Dichloroethane-d4	86	(70-130) %REC
28 Benzene	3,900	20 µg/L	72 Surr: Toluene-d8	107	(70-130) %REC
29 Tertiary Amyl Methyl Ether (TAME)	ND	40 µg/L	73 Surr: 4-Bromofluorobenzene	95	(70-130) %REC
30 Dibromomethane	ND	40 µg/L			
31 1,2-Dichloropropane	ND	40 µg/L			
32 Trichloroethene	ND	40 µg/L			
33 Bromodichloromethane	ND	40 µg/L			
34 4-Methyl-2-pentanone (MIBK)	ND	200 µg/L			
35 cis-1,3-Dichloropropene	ND	40 µg/L			
36 trans-1,3-Dichloropropene	ND	40 µg/L			
37 1,1,2-Trichloroethane	ND	40 µg/L			
38 Toluene	610	20 µg/L			
39 1,3-Dichloropropane	ND	40 µg/L			
40 2-Hexanone	ND	400 µg/L			
41 Dibromochloromethane	ND	40 µg/L			
42 1,2-Dibromoethane (EDB)	ND	80 µg/L			
43 Tetrachloroethene	ND	40 µg/L			
44 1,1,1,2-Tetrachloroethane	ND	40 µg/L			

Reporting Limits were increased due to high concentrations of target analytes.

ND = Not Detected

Roger Scholl

Randy Gardner

Walter Hinchman

Roger L. Scholl, Ph.D., Laboratory Director • Randy Gardner, Laboratory Manager • Walter Hinchman, Quality Assurance Officer
Sacramento, CA • (916) 366-9089 / Las Vegas, NV • (702) 736-7522 / Carson, CA • (714) 386-2901 / info@alpha-analytical.com

Alpha certifies that the test results meet all requirements of NELAC unless footnoted otherwise.

Alpha Analytical, Inc. currently holds appropriate and available California (#2019) and NELAC (01154CA) certifications for the data reported. Test results relate only to reported samples.

1
1/3/11

Report Date

Page 1 of 1



Alpha Analytical, Inc.

255 Glendale Ave. • Suite 21 • Sparks, Nevada 89431-5778

(775) 355-1044 • (775) 355-0406 FAX • 1-800-283-1183

ANALYTICAL REPORT

CH2M Hill
1000 Wilshire Boulevard
Los Angeles, CA 90017
Job: KMEP DFSP Norwalk

Attn: Daniel Jablonski
Phone: (213) 228-8271
Fax: (714) 424-2135

Alpha Analytical Number: CHH10122347-04A
Client I.D. Number: GMW-O-16

Sampled: 12/22/10 08:49
Received: 12/23/10
Extracted: 12/30/10
Analyzed: 12/30/10

Volatile Organics by GC/MS EPA Method SW8260B

Compound	Concentration	Reporting Limit	Compound	Concentration	Reporting Limit
1 Dichlorodifluoromethane	ND	1.0 µg/L	45 Chlorobenzene	ND	1.0 µg/L
2 Chloromethane	ND	2.0 µg/L	46 Ethylbenzene	ND	0.50 µg/L
3 Vinyl chloride	ND	0.50 µg/L	47 m,p-Xylene	ND	0.50 µg/L
4 Chloroethane	ND	1.0 µg/L	48 Bromoform	ND	1.0 µg/L
5 Bromomethane	ND	2.0 µg/L	49 Styrene	ND	1.0 µg/L
6 Trichlorofluoromethane	ND	10 µg/L	50 o-Xylene	ND	0.50 µg/L
7 Acetone	ND	10 µg/L	51 1,1,2,2-Tetrachloroethane	ND	1.0 µg/L
8 1,1-Dichloroethene	ND	1.0 µg/L	52 1,2,3-Trichloropropane	ND	2.0 µg/L
9 Tertiary Butyl Alcohol (TBA)	ND	10 µg/L	53 Isopropylbenzene	ND	1.0 µg/L
10 Dichloromethane	ND	5.0 µg/L	54 Bromobenzene	ND	1.0 µg/L
11 Freon-113	ND	10 µg/L	55 n-Propylbenzene	ND	1.0 µg/L
12 Carbon disulfide	ND	2.5 µg/L	56 4-Chlorotoluene	ND	1.0 µg/L
13 trans-1,2-Dichloroethene	ND	1.0 µg/L	57 2-Chlorotoluene	ND	1.0 µg/L
14 Methyl tert-butyl ether (MTBE)	2.0	0.50 µg/L	58 1,3,5-Trimethylbenzene	ND	1.0 µg/L
15 1,1-Dichloroethane	ND	1.0 µg/L	59 tert-Butylbenzene	ND	1.0 µg/L
16 Vinyl acetate	ND	50 µg/L	60 1,2,4-Trimethylbenzene	ND	1.0 µg/L
17 2-Butanone (MEK)	ND	10 µg/L	61 sec-Butylbenzene	ND	1.0 µg/L
18 Di-isopropyl Ether (DIPE)	ND	1.0 µg/L	62 1,3-Dichlorobenzene	ND	1.0 µg/L
19 cis-1,2-Dichloroethene	ND	1.0 µg/L	63 1,4-Dichlorobenzene	ND	1.0 µg/L
20 Bromochloromethane	ND	1.0 µg/L	64 4-Isopropyltoluene	ND	1.0 µg/L
21 Chloroform	ND	1.0 µg/L	65 1,2-Dichlorobenzene	ND	1.0 µg/L
22 Ethyl Tertiary Butyl Ether (ETBE)	ND	1.0 µg/L	66 n-Butylbenzene	ND	1.0 µg/L
23 2,2-Dichloropropane	ND	1.0 µg/L	67 1,2-Dibromo-3-chloropropane (DBCP)	ND	5.0 µg/L
24 1,2-Dichloroethane	ND	0.50 µg/L	68 1,2,4-Trichlorobenzene	ND	2.0 µg/L
25 1,1,1-Trichloroethane	ND	1.0 µg/L	69 Naphthalene	ND	10 µg/L
26 1,1-Dichloropropene	ND	1.0 µg/L	70 1,2,3-Trichlorobenzene	ND	2.0 µg/L
27 Carbon tetrachloride	ND	1.0 µg/L	71 Surr: 1,2-Dichloroethane-d4	86	(70-130) %REC
28 Benzene	ND	0.50 µg/L	72 Surr: Toluene-d8	107	(70-130) %REC
29 Tertiary Amyl Methyl Ether (TAME)	ND	1.0 µg/L	73 Surr: 4-Bromofluorobenzene	96	(70-130) %REC
30 Dibromomethane	ND	1.0 µg/L			
31 1,2-Dichloropropane	ND	1.0 µg/L			
32 Trichloroethene	ND	1.0 µg/L			
33 Bromodichloromethane	ND	1.0 µg/L			
34 4-Methyl-2-pentanone (MIBK)	ND	10 µg/L			
35 cis-1,3-Dichloropropene	ND	0.50 µg/L			
36 trans-1,3-Dichloropropene	ND	0.50 µg/L			
37 1,1,2-Trichloroethane	ND	1.0 µg/L			
38 Toluene	ND	0.50 µg/L			
39 1,3-Dichloropropane	ND	1.0 µg/L			
40 2-Hexanone	ND	5.0 µg/L			
41 Dibromochloromethane	ND	1.0 µg/L			
42 1,2-Dibromoethane (EDB)	ND	2.0 µg/L			
43 Tetrachloroethene	ND	1.0 µg/L			
44 1,1,1,2-Tetrachloroethane	ND	1.0 µg/L			

ND = Not Detected

Roger Scholl

Randy Gardner

Walter Hinchman

Roger L. Scholl, Ph.D., Laboratory Director • Randy Gardner, Laboratory Manager • Walter Hinchman, Quality Assurance Officer
Sacramento, CA • (916) 366-9089 / Las Vegas, NV • (702) 736-7522 / Carson, CA • (714) 386-2901 / info@alpha-analytical.com

Alpha certifies that the test results meet all requirements of NELAC unless footnoted otherwise.

Alpha Analytical, Inc. currently holds appropriate and available California (#2019) and NELAC (01154CA) certifications for the data reported. Test results relate only to reported samples.

1/3/11

Report Date

Page 1 of 1



Alpha Analytical, Inc.

255 Glendale Ave. • Suite 21 • Sparks, Nevada 89431-5778
(775) 355-1044 • (775) 355-0406 FAX • 1-800-283-1183

ANALYTICAL REPORT

CH2M Hill
1000 Wilshire Boulevard
Los Angeles, CA 90017
Job: KMEP DFSP Norwalk

Attn: Daniel Jablonski
Phone: (213) 228-8271
Fax: (714) 424-2135

Alpha Analytical Number: CHH10122347-05A
Client I.D. Number: GMW-O-19

Sampled: 12/22/10 08:11
Received: 12/23/10
Extracted: 12/30/10
Analyzed: 12/30/10

Volatile Organics by GC/MS EPA Method SW8260B

Compound	Concentration	Reporting Limit	Compound	Concentration	Reporting Limit
1 Dichlorodifluoromethane	ND	1.0 µg/L	45 Chlorobenzene	ND	1.0 µg/L
2 Chloromethane	ND	2.0 µg/L	46 Ethylbenzene	ND	0.50 µg/L
3 Vinyl chloride	ND	0.50 µg/L	47 m,p-Xylene	ND	0.50 µg/L
4 Chloroethane	ND	1.0 µg/L	48 Bromoform	ND	1.0 µg/L
5 Bromomethane	ND	2.0 µg/L	49 Styrene	ND	1.0 µg/L
6 Trichlorofluoromethane	ND	10 µg/L	50 o-Xylene	ND	0.50 µg/L
7 Acetone	ND	10 µg/L	51 1,1,2,2-Tetrachloroethane	ND	1.0 µg/L
8 1,1-Dichloroethene	ND	1.0 µg/L	52 1,2,3-Trichloropropane	ND	2.0 µg/L
9 Tertiary Butyl Alcohol (TBA)	ND	10 µg/L	53 Isopropylbenzene	ND	1.0 µg/L
10 Dichloromethane	ND	5.0 µg/L	54 Bromobenzene	ND	1.0 µg/L
11 Freon-113	ND	10 µg/L	55 n-Propylbenzene	ND	1.0 µg/L
12 Carbon disulfide	ND	2.5 µg/L	56 4-Chlorotoluene	ND	1.0 µg/L
13 trans-1,2-Dichloroethene	ND	1.0 µg/L	57 2-Chlorotoluene	ND	1.0 µg/L
14 Methyl tert-butyl ether (MTBE)	ND	0.50 µg/L	58 1,3,5-Trimethylbenzene	ND	1.0 µg/L
15 1,1-Dichloroethane	ND	1.0 µg/L	59 tert-Butylbenzene	ND	1.0 µg/L
16 Vinyl acetate	ND	50 µg/L	60 1,2,4-Trimethylbenzene	ND	1.0 µg/L
17 2-Butanone (MEK)	ND	10 µg/L	61 sec-Butylbenzene	ND	1.0 µg/L
18 Di-isopropyl Ether (DIPE)	ND	1.0 µg/L	62 1,3-Dichlorobenzene	ND	1.0 µg/L
19 cis-1,2-Dichloroethene	ND	1.0 µg/L	63 1,4-Dichlorobenzene	ND	1.0 µg/L
20 Bromochloromethane	ND	1.0 µg/L	64 4-Isopropyltoluene	ND	1.0 µg/L
21 Chloroform	ND	1.0 µg/L	65 1,2-Dichlorobenzene	ND	1.0 µg/L
22 Ethyl Tertiary Butyl Ether (ETBE)	ND	1.0 µg/L	66 n-Butylbenzene	ND	1.0 µg/L
23 2,2-Dichloropropane	ND	1.0 µg/L	67 1,2-Dibromo-3-chloropropane (DBCP)	ND	5.0 µg/L
24 1,2-Dichloroethane	ND	0.50 µg/L	68 1,2,4-Trichlorobenzene	ND	2.0 µg/L
25 1,1,1-Trichloroethane	ND	1.0 µg/L	69 Naphthalene	ND	10 µg/L
26 1,1-Dichloropropene	ND	1.0 µg/L	70 1,2,3-Trichlorobenzene	ND	2.0 µg/L
27 Carbon tetrachloride	ND	1.0 µg/L	71 Surr: 1,2-Dichloroethane-d4	87	(70-130) %REC
28 Benzene	ND	0.50 µg/L	72 Surr: Toluene-d8	105	(70-130) %REC
29 Tertiary Amyl Methyl Ether (TAME)	ND	1.0 µg/L	73 Surr: 4-Bromofluorobenzene	95	(70-130) %REC
30 Dibromomethane	ND	1.0 µg/L			
31 1,2-Dichloropropane	ND	1.0 µg/L			
32 Trichloroethene	ND	1.0 µg/L			
33 Bromodichloromethane	ND	1.0 µg/L			
34 4-Methyl-2-pentanone (MIBK)	ND	10 µg/L			
35 cis-1,3-Dichloropropene	ND	0.50 µg/L			
36 trans-1,3-Dichloropropene	ND	0.50 µg/L			
37 1,1,2-Trichloroethane	ND	1.0 µg/L			
38 Toluene	ND	0.50 µg/L			
39 1,3-Dichloropropane	ND	1.0 µg/L			
40 2-Hexanone	ND	5.0 µg/L			
41 Dibromochloromethane	ND	1.0 µg/L			
42 1,2-Dibromoethane (EDB)	ND	2.0 µg/L			
43 Tetrachloroethene	ND	1.0 µg/L			
44 1,1,1,2-Tetrachloroethane	ND	1.0 µg/L			

ND = Not Detected

Roger L. Scholl, Ph.D., Laboratory Director • • Randy Gardner, Laboratory Manager • • Walter Hinchman, Quality Assurance Officer
Sacramento, CA • (916) 366-9089 / Las Vegas, NV • (702) 736-7522 / Carson, CA • (714) 386-2901 / info@alpha-analytical.com

Alpha certifies that the test results meet all requirements of NELAC unless footnoted otherwise.

Alpha Analytical, Inc. currently holds appropriate and available California (#2019) and NELAC (01154CA) certifications for the data reported. Test results relate only to reported samples.

1/3/11

Report Date

Page 1 of 1



Alpha Analytical, Inc.

255 Glendale Ave. • Suite 21 • Sparks, Nevada 89431-5778
(775) 355-1044 • (775) 355-0406 FAX • 1-800-283-1183

ANALYTICAL REPORT

CH2M Hill
1000 Wilshire Boulevard
Los Angeles, CA 90017
Job: KMEP DFSP Norwalk

Attn: Daniel Jablonski
Phone: (213) 228-8271
Fax: (714) 424-2135

Alpha Analytical Number: CHH10122347-06A
Client I.D. Number: PZ-5

Sampled: 12/22/10 07:30
Received: 12/23/10
Extracted: 12/30/10
Analyzed: 12/30/10

Volatile Organics by GC/MS EPA Method SW8260B

Compound	Concentration	Reporting Limit	Compound	Concentration	Reporting Limit
1 Dichlorodifluoromethane	ND	20 µg/L	45 Chlorobenzene	ND	20 µg/L
2 Chloromethane	ND	80 µg/L	46 Ethylbenzene	ND	10 µg/L
3 Vinyl chloride	ND	20 µg/L	47 m,p-Xylene	ND	10 µg/L
4 Chloroethane	ND	20 µg/L	48 Bromoform	ND	20 µg/L
5 Bromomethane	ND	80 µg/L	49 Styrene	ND	20 µg/L
6 Trichlorofluoromethane	ND	20 µg/L	50 o-Xylene	ND	10 µg/L
7 Acetone	400 µg/L	51 1,1,2,2-Tetrachloroethane	ND	20 µg/L	
8 1,1-Dichloroethene	ND	20 µg/L	52 1,2,3-Trichloropropane	ND	80 µg/L
9 Tertiary Butyl Alcohol (TBA)	22,000	200 µg/L	53 Isopropylbenzene	ND	20 µg/L
10 Dichloromethane	ND	80 µg/L	54 Bromobenzene	ND	20 µg/L
11 Freon-113	ND	20 µg/L	55 n-Propylbenzene	ND	20 µg/L
12 Carbon disulfide	ND	100 µg/L	56 4-Chlorotoluene	ND	20 µg/L
13 trans-1,2-Dichloroethene	ND	20 µg/L	57 2-Chlorotoluene	ND	20 µg/L
14 Methyl tert-butyl ether (MTBE)	100	10 µg/L	58 1,3,5-Trimethylbenzene	ND	20 µg/L
15 1,1-Dichloroethane	ND	20 µg/L	59 tert-Butylbenzene	ND	20 µg/L
16 Vinyl acetate	ND	2,000 µg/L	60 1,2,4-Trimethylbenzene	ND	20 µg/L
17 2-Butanone (MEK)	ND	400 µg/L	61 sec-Butylbenzene	ND	20 µg/L
18 Di-isopropyl Ether (DIPE)	ND	20 µg/L	62 1,3-Dichlorobenzene	ND	20 µg/L
19 cis-1,2-Dichloroethene	ND	20 µg/L	63 1,4-Dichlorobenzene	ND	20 µg/L
20 Bromochloromethane	ND	20 µg/L	64 4-Isopropyltoluene	ND	20 µg/L
21 Chloroform	ND	20 µg/L	65 1,2-Dichlorobenzene	ND	20 µg/L
22 Ethyl Tertiary Butyl Ether (ETBE)	ND	20 µg/L	66 n-Butylbenzene	ND	20 µg/L
23 2,2-Dichloropropane	ND	20 µg/L	67 1,2-Dibromo-3-chloropropane (DBCP)	ND	120 µg/L
24 1,2-Dichloroethane	ND	20 µg/L	68 1,2,4-Trichlorobenzene	ND	80 µg/L
25 1,1,1-Trichloroethane	ND	20 µg/L	69 Naphthalene	ND	80 µg/L
26 1,1-Dichloropropene	ND	20 µg/L	70 1,2,3-Trichlorobenzene	ND	80 µg/L
27 Carbon tetrachloride	ND	20 µg/L	71 Surr: 1,2-Dichloroethane-d4	86	(70-130) %REC
28 Benzene	1,600	10 µg/L	72 Surr: Toluene-d8	107	(70-130) %REC
29 Tertiary Amyl Methyl Ether (TAME)	ND	20 µg/L	73 Surr: 4-Bromofluorobenzene	92	(70-130) %REC
30 Dibromomethane	ND	20 µg/L			
31 1,2-Dichloropropane	ND	20 µg/L			
32 Trichloroethene	ND	20 µg/L			
33 Bromodichloromethane	ND	20 µg/L			
34 4-Methyl-2-pentanone (MIBK)	ND	100 µg/L			
35 cis-1,3-Dichloropropene	ND	20 µg/L			
36 trans-1,3-Dichloropropene	ND	20 µg/L			
37 1,1,2-Trichloroethane	ND	20 µg/L			
38 Toluene	ND	10 µg/L			
39 1,3-Dichloropropane	ND	20 µg/L			
40 2-Hexanone	ND	200 µg/L			
41 Dibromochloromethane	ND	20 µg/L			
42 1,2-Dibromoethane (EDB)	ND	40 µg/L			
43 Tetrachloroethene	ND	20 µg/L			
44 1,1,1,2-Tetrachloroethane	ND	20 µg/L			

Reporting Limits were increased due to high concentrations of target analytes.

ND = Not Detected

Roger L. Scholl, Ph.D., Laboratory Director • Randy Gardner, Laboratory Manager • Walter Hinchman, Quality Assurance Officer
Sacramento, CA • (916) 366-9089 / Las Vegas, NV • (702) 736-7522 / Carson, CA • (714) 386-2901 / info@alpha-analytical.com

Alpha certifies that the test results meet all requirements of NELAC unless footnoted otherwise.

Alpha Analytical, Inc. currently holds appropriate and available California (#2019) and NELAC (01154CA) certifications for the data reported. Test results relate only to reported samples.

A
1/3/11
Report Date



Alpha Analytical, Inc.

255 Glendale Ave. • Suite 21 • Sparks, Nevada 89431-5778
(775) 355-1044 • (775) 355-0406 FAX • 1-800-283-1183

ANALYTICAL REPORT

CH2M Hill
1000 Wilshire Boulevard
Los Angeles, CA 90017
Job: KMEP DFSP Norwalk

Attn: Daniel Jablonski
Phone: (213) 228-8271
Fax: (714) 424-2135

Alpha Analytical Number: CHH10122347-07A
Client I.D. Number: EB-1

Sampled: 12/22/10 10:45
Received: 12/23/10
Extracted: 12/29/10
Analyzed: 12/29/10

Volatile Organics by GC/MS EPA Method SW8260B

Compound	Concentration	Reporting Limit	Compound	Concentration	Reporting Limit
1 Dichlorodifluoromethane	ND	1.0 µg/L	45 Chlorobenzene	ND	1.0 µg/L
2 Chloromethane	ND	2.0 µg/L	46 Ethylbenzene	ND	0.50 µg/L
3 Vinyl chloride	ND	0.50 µg/L	47 m,p-Xylene	ND	0.50 µg/L
4 Chloroethane	ND	1.0 µg/L	48 Bromoform	ND	1.0 µg/L
5 Bromomethane	ND	2.0 µg/L	49 Styrene	ND	1.0 µg/L
6 Trichlorofluoromethane	ND	10 µg/L	50 o-Xylene	ND	0.50 µg/L
7 Acetone	ND	10 µg/L	51 1,1,2,2-Tetrachloroethane	ND	1.0 µg/L
8 1,1-Dichloroethene	ND	1.0 µg/L	52 1,2,3-Trichloropropane	ND	2.0 µg/L
9 Tertiary Butyl Alcohol (TBA)	ND	10 µg/L	53 Isopropylbenzene	ND	1.0 µg/L
10 Dichloromethane	ND	5.0 µg/L	54 Bromobenzene	ND	1.0 µg/L
11 Freon-113	ND	10 µg/L	55 n-Propylbenzene	ND	1.0 µg/L
12 Carbon disulfide	ND	2.5 µg/L	56 4-Chlorotoluene	ND	1.0 µg/L
13 trans-1,2-Dichloroethene	ND	1.0 µg/L	57 2-Chlorotoluene	ND	1.0 µg/L
14 Methyl tert-butyl ether (MTBE)	ND	0.50 µg/L	58 1,3,5-Trimethylbenzene	ND	1.0 µg/L
15 1,1-Dichloroethane	ND	1.0 µg/L	59 tert-Butylbenzene	ND	1.0 µg/L
16 Vinyl acetate	ND	50 µg/L	60 1,2,4-Trimethylbenzene	ND	1.0 µg/L
17 2-Butanone (MEK)	ND	10 µg/L	61 sec-Butylbenzene	ND	1.0 µg/L
18 Di-isopropyl Ether (DIPE)	ND	1.0 µg/L	62 1,3-Dichlorobenzene	ND	1.0 µg/L
19 cis-1,2-Dichloroethene	ND	1.0 µg/L	63 1,4-Dichlorobenzene	ND	1.0 µg/L
20 Bromochloromethane	ND	1.0 µg/L	64 4-Isopropyltoluene	ND	1.0 µg/L
21 Chloroform	ND	1.0 µg/L	65 1,2-Dichlorobenzene	ND	1.0 µg/L
22 Ethyl Tertiary Butyl Ether (ETBE)	ND	1.0 µg/L	66 n-Butylbenzene	ND	1.0 µg/L
23 2,2-Dichloropropane	ND	1.0 µg/L	67 1,2-Dibromo-3-chloropropane (DBCP)	ND	5.0 µg/L
24 1,2-Dichloroethane	ND	0.50 µg/L	68 1,2,4-Trichlorobenzene	ND	2.0 µg/L
25 1,1,1-Trichloroethane	ND	1.0 µg/L	69 Naphthalene	ND	10 µg/L
26 1,1-Dichloropropene	ND	1.0 µg/L	70 1,2,3-Trichlorobenzene	ND	2.0 µg/L
27 Carbon tetrachloride	ND	1.0 µg/L	71 Surr: 1,2-Dichloroethane-d4	89	(70-130) %REC
28 Benzene	ND	0.50 µg/L	72 Surr: Toluene-d8	105	(70-130) %REC
29 Tertiary Amyl Methyl Ether (TAME)	ND	1.0 µg/L	73 Surr: 4-Bromofluorobenzene	95	(70-130) %REC
30 Dibromomethane	ND	1.0 µg/L			
31 1,2-Dichloropropane	ND	1.0 µg/L			
32 Trichloroethene	ND	1.0 µg/L			
33 Bromodichloromethane	ND	1.0 µg/L			
34 4-Methyl-2-pentanone (MIBK)	ND	10 µg/L			
35 cis-1,3-Dichloropropene	ND	0.50 µg/L			
36 trans-1,3-Dichloropropene	ND	0.50 µg/L			
37 1,1,2-Trichloroethane	ND	1.0 µg/L			
38 Toluene	ND	0.50 µg/L			
39 1,3-Dichloropropane	ND	1.0 µg/L			
40 2-Hexanone	ND	5.0 µg/L			
41 Dibromochloromethane	ND	1.0 µg/L			
42 1,2-Dibromoethane (EDB)	ND	2.0 µg/L			
43 Tetrachloroethene	ND	1.0 µg/L			
44 1,1,1,2-Tetrachloroethane	ND	1.0 µg/L			

ND = Not Detected

Roger L. Scholl, Ph.D., Laboratory Director • Randy Gardner, Laboratory Manager • Walter Hinchman, Quality Assurance Officer
Sacramento, CA • (916) 366-9089 / Las Vegas, NV • (702) 736-7522 / Carson, CA • (714) 386-2901 / info@alpha-analytical.com

Alpha certifies that the test results meet all requirements of NELAC unless footnoted otherwise.

Alpha Analytical, Inc. currently holds appropriate and available California (#2019) and NELAC (01154CA) certifications for the data reported. Test results relate only to reported samples.

1/3/11

Report Date

Page 1 of 1



Alpha Analytical, Inc.

255 Glendale Ave. • Suite 21 • Sparks, Nevada 89431-5778
(775) 355-1044 • (775) 355-0406 FAX • 1-800-283-1183

VOC Sample Preservation Report

Work Order: CHH10122347

Job: KMEP DFSP Norwalk

Alpha's Sample ID	Client's Sample ID	Matrix	pH
10122347-01A	TB-1	Aqueous	2
10122347-02A	GMW-36	Aqueous	2
10122347-03A	GMW-O-15	Aqueous	2
10122347-04A	GMW-O-16	Aqueous	2
10122347-05A	GMW-O-19	Aqueous	2
10122347-06A	PZ-5	Aqueous	2
10122347-07A	EB-1	Aqueous	3

1/3/11
Report Date



Alpha Analytical, Inc.

255 Glendale Ave. • Suite 21 • Sparks, Nevada 89431-5778
(775) 355-1044 • (775) 355-0406 FAX • 1-800-283-1183

Date:
03-Jan-11

QC Summary Report

Work Order:
10122347

Method Blank

Type: **MBLK** Test Code: **EPA Method SW8015B / E**

File ID: **7A12281006.D**

Batch ID: **25713**

Analysis Date: **12/28/2010 15:45**

Sample ID: **MBLK-25713**

Units : **mg/L**

Run ID: **FID_7_101228A**

Prep Date: **12/28/2010 13:10**

Analyte	Result	PQL	SpkVal	SpkRefVal	%REC	LCL(ME)	UCL(ME)	RPDRefVal	%RPD(Limit)	Qual
TPH-E (Fuel Product)	ND	0.1								
Surr: Nonane	0.144		0.15		96	57	147			

Laboratory Control Spike

Type: **LCS** Test Code: **EPA Method SW8015B / E**

File ID: **7A12281008.D**

Batch ID: **25713**

Analysis Date: **12/28/2010 16:38**

Sample ID: **LCS-25713**

Units : **mg/L**

Run ID: **FID_7_101228A**

Prep Date: **12/28/2010 13:10**

Analyte	Result	PQL	SpkVal	SpkRefVal	%REC	LCL(ME)	UCL(ME)	RPDRefVal	%RPD(Limit)	Qual
TPH-E (DRO)	1.91	0.05	2.5		76	67	130			
Surr: Nonane	0.107		0.15		71	57	147			

Sample Matrix Spike

Type: **MS** Test Code: **EPA Method SW8015B / E**

File ID: **7A12281025.D**

Batch ID: **25713**

Analysis Date: **12/29/2010 00:13**

Sample ID: **10122252-01AMS**

Units : **mg/L**

Run ID: **FID_7_101228A**

Prep Date: **12/28/2010 13:10**

Analyte	Result	PQL	SpkVal	SpkRefVal	%REC	LCL(ME)	UCL(ME)	RPDRefVal	%RPD(Limit)	Qual
TPH-E (DRO)	1.66	0.05	2.5	0	66	49	150			
Surr: Nonane	0.08		0.15		53	57	147			S54

Sample Matrix Spike Duplicate

Type: **MSD** Test Code: **EPA Method SW8015B / E**

File ID: **7A12281026.D**

Batch ID: **25713**

Analysis Date: **12/29/2010 00:39**

Sample ID: **10122252-01AMSD**

Units : **mg/L**

Run ID: **FID_7_101228A**

Prep Date: **12/28/2010 13:10**

Analyte	Result	PQL	SpkVal	SpkRefVal	%REC	LCL(ME)	UCL(ME)	RPDRefVal	%RPD(Limit)	Qual
TPH-E (DRO)	1.91	0.05	2.5	0	76	49	150	1.658	13.9(38)	
Surr: Nonane	0.151		0.15		101	57	147			

Comments:

Calculations are based off of raw (non-rounded) data. However, for reporting purposes, all QC data is rounded to three significant figures. Therefore, hand calculated values may differ slightly.

S54 = Surrogate recovery was below laboratory acceptance limits.



Alpha Analytical, Inc.

255 Glendale Ave. • Suite 21 • Sparks, Nevada 89431-5778

(775) 355-1044 • (775) 355-0406 FAX • 1-800-283-1183

Date:
03-Jan-11

QC Summary Report

Work Order:
10122347

Method Blank

Method Blank		Type	Test Code: EPA Method SW8015							
File ID: C:\HPCHEM\MS07\DATA\101229\10122909.D			Batch ID: MS07W1229B				Analysis Date: 12/29/2010 17:21			
Sample ID: MBLK MS07W1229B	Units : mg/L		Run ID: MSD_07_101229A				Prep Date: 12/29/2010 17:21			
Analyte	Result	PQL	SpkVal	SpkRefVal	%REC	LCL(ME)	UCL(ME)	RPDRefVal	%RPD(Limit)	Qual
TPH-P (GRO)	ND	0.05								
Surr: 1,2-Dichloroethane-d4	0.00896		0.01		90	70	130			
Surr: Toluene-d8	0.0104		0.01		104	70	130			
Surr: 4-Bromofluorobenzene	0.00982		0.01		98	70	130			

Laboratory Control Spike

Laboratory Control Spike		Type	Test Code: EPA Method SW8015							
File ID: C:\HPCHEM\MS07\DATA\101229\10122905.D			Batch ID: MS07W1229B				Analysis Date: 12/29/2010 15:46			
Sample ID: GLCS MS07W1229B	Units : mg/L		Run ID: MSD_07_101229A				Prep Date: 12/29/2010 15:46			
Analyte	Result	PQL	SpkVal	SpkRefVal	%REC	LCL(ME)	UCL(ME)	RPDRefVal	%RPD(Limit)	Qual
TPH-P (GRO)	0.452	0.05	0.4		113	70	130			
Surr: 1,2-Dichloroethane-d4	0.00879		0.01		88	70	130			
Surr: Toluene-d8	0.0101		0.01		101	70	130			
Surr: 4-Bromofluorobenzene	0.00973		0.01		97	70	130			

Sample Matrix Spike

Sample Matrix Spike		Type	Test Code: EPA Method SW8015							
File ID: C:\HPCHEM\MS07\DATA\101229\10122914.D			Batch ID: MS07W1229B				Analysis Date: 12/29/2010 19:21			
Sample ID: 10122347-05AGS	Units : mg/L		Run ID: MSD_07_101229A				Prep Date: 12/29/2010 19:21			
Analyte	Result	PQL	SpkVal	SpkRefVal	%REC	LCL(ME)	UCL(ME)	RPDRefVal	%RPD(Limit)	Qual
TPH-P (GRO)	2.31	0.25	2	0	115	58	135			
Surr: 1,2-Dichloroethane-d4	0.0442		0.05		88	70	130			
Surr: Toluene-d8	0.0498		0.05		100	70	130			
Surr: 4-Bromofluorobenzene	0.0487		0.05		97	70	130			

Sample Matrix Spike Duplicate

Sample Matrix Spike Duplicate		Type	Test Code: EPA Method SW8015							
File ID: C:\HPCHEM\MS07\DATA\101229\10122915.D			Batch ID: MS07W1229B				Analysis Date: 12/29/2010 19:45			
Sample ID: 10122347-05AGSD	Units : mg/L		Run ID: MSD_07_101229A				Prep Date: 12/29/2010 19:45			
Analyte	Result	PQL	SpkVal	SpkRefVal	%REC	LCL(ME)	UCL(ME)	RPDRefVal	%RPD(Limit)	Qual
TPH-P (GRO)	2.1	0.25	2	0	105	58	135	2.306	9.5(20)	
Surr: 1,2-Dichloroethane-d4	0.0438		0.05		88	70	130			
Surr: Toluene-d8	0.0502		0.05		100	70	130			
Surr: 4-Bromofluorobenzene	0.0485		0.05		97	70	130			

Comments:

Calculations are based off of raw (non-rounded) data. However, for reporting purposes, all QC data is rounded to three significant figures. Therefore, hand calculated values may differ slightly.



Alpha Analytical, Inc.

255 Glendale Ave. • Suite 21 • Sparks, Nevada 89431-5778

(775) 355-1044 • (775) 355-0406 FAX • 1-800-283-1183

Date:
03-Jan-11

QC Summary Report

Work Order:
10122347

n-Butylbenzene	ND	1				
1,2-Dibromo-3-chloropropane (DBCP)	ND	5				
1,2,4-Trichlorobenzene	ND	2				
Naphthalene	ND	10				
1,2,3-Trichlorobenzene	ND	2				
Surr: 1,2-Dichloroethane-d4	8.96	10	90	70	130	
Surr: Toluene-d8	10.4	10	104	70	130	
Surr: 4-Bromofluorobenzene	9.82	10	98	70	130	

Laboratory Control Spike

Type **LCS**

Test Code: **EPA Method SW8260B**

File ID: C:\HPCHEM\MS07\DATA\101229\10122906.D

Batch ID: **MS07W1229A**

Analysis Date: **12/29/2010 16:10**

Sample ID: **LCS MS07W1229A**

Units : **µg/L**

Run ID: **MSD_07_101229A**

Prep Date: **12/29/2010 16:10**

Analyte	Result	PQL	SpkVal	SpkRefVal	%REC	LCL(ME)	UCL(ME)	RPDRefVal	%RPD(Limit)	Qual
1,1-Dichloroethene	10.9	1	10		109	80	120			
Methyl tert-butyl ether (MTBE)	8.2	0.5	10		82	62	136			
Benzene	10.8	0.5	10		108	70	130			
Trichloroethene	10.6	1	10		106	70	130			
Toluene	10.8	0.5	10		108	80	120			
Chlorobenzene	10.4	1	10		104	70	130			
Ethylbenzene	10.4	0.5	10		104	80	120			
m,p-Xylene	10.7	0.5	10		107	70	130			
o-Xylene	11.9	0.5	10		119	70	130			
Surr: 1,2-Dichloroethane-d4	8.91		10		89	70	130			
Surr: Toluene-d8	10.3		10		103	70	130			
Surr: 4-Bromofluorobenzene	9.58		10		96	70	130			

Sample Matrix Spike

Type **MS**

Test Code: **EPA Method SW8260B**

File ID: C:\HPCHEM\MS07\DATA\101229\10122912.D

Batch ID: **MS07W1229A**

Analysis Date: **12/29/2010 18:33**

Sample ID: **10122347-05AMS**

Units : **µg/L**

Run ID: **MSD_07_101229A**

Prep Date: **12/29/2010 18:33**

Analyte	Result	PQL	SpkVal	SpkRefVal	%REC	LCL(ME)	UCL(ME)	RPDRefVal	%RPD(Limit)	Qual
1,1-Dichloroethene	48.8	2.5	50	0	98	60	130			
Methyl tert-butyl ether (MTBE)	38.3	1.3	50	0	77	56	141			
Benzene	49.9	1.3	50	0	99.9	67	130			
Trichloroethene	48.9	2.5	50	0	98	69	130			
Toluene	48.6	1.3	50	0	97	66	130			
Chlorobenzene	47.7	2.5	50	0	95	70	130			
Ethylbenzene	47.6	1.3	50	0	95	68	130			
m,p-Xylene	48.5	1.3	50	0	97	64	130			
o-Xylene	54.1	1.3	50	0	108	70	130			
Surr: 1,2-Dichloroethane-d4	44.9		50		90	70	130			
Surr: Toluene-d8	50.7		50		101	70	130			
Surr: 4-Bromofluorobenzene	47.4		50		95	70	130			

Sample Matrix Spike Duplicate

Type **MSD**

Test Code: **EPA Method SW8260B**

File ID: C:\HPCHEM\MS07\DATA\101229\10122913.D

Batch ID: **MS07W1229A**

Analysis Date: **12/29/2010 18:57**

Sample ID: **10122347-05AMSD**

Units : **µg/L**

Run ID: **MSD_07_101229A**

Prep Date: **12/29/2010 18:57**

Analyte	Result	PQL	SpkVal	SpkRefVal	%REC	LCL(ME)	UCL(ME)	RPDRefVal	%RPD(Limit)	Qual
1,1-Dichloroethene	53.1	2.5	50	0	106	60	130	48.75	8.6(20)	
Methyl tert-butyl ether (MTBE)	38.9	1.3	50	0	78	56	141	38.26	1.6(20)	
Benzene	52.3	1.3	50	0	105	67	130	49.94	4.6(20)	
Trichloroethene	51.6	2.5	50	0	103	69	130	48.91	5.4(20)	
Toluene	51.5	1.3	50	0	103	66	130	48.55	5.9(20)	
Chlorobenzene	50.4	2.5	50	0	101	70	130	47.68	5.6(20)	
Ethylbenzene	51	1.3	50	0	102	68	130	47.58	7.0(20)	
m,p-Xylene	51.6	1.3	50	0	103	64	130	48.54	6.1(20)	
o-Xylene	57.6	1.3	50	0	115	70	130	54.13	6.3(20)	
Surr: 1,2-Dichloroethane-d4	43.2		50		86	70	130			
Surr: Toluene-d8	50.8		50		102	70	130			
Surr: 4-Bromofluorobenzene	47.7		50		95	70	130			



Alpha Analytical, Inc.

255 Glendale Ave. • Suite 21 • Sparks, Nevada 89431-5778

(775) 355-1044 • (775) 355-0406 FAX • 1-800-283-1183

Date:
03-Jan-11

QC Summary Report

Work Order:
10122347

Comments:

Calculations are based off of raw (non-rounded) data. However, for reporting purposes, all QC data is rounded to three significant figures. Therefore, hand calculated values may differ slightly.

CHAIN-OF-CUSTODY RECORD

CA

Alpha Analytical, Inc.

255 Glendale Avenue, Suite 21 Sparks, Nevada 89431-5778
 TEL: (775) 355-1044 FAX: (775) 355-0406

WorkOrder : CHHL10122347

Report Due By : 5:00 PM On : 04-Jan-11

Client:

CH2M Hill
 1000 Wilshire Boulevard
 21st Floor
 Los Angeles, CA 90017

Report Attention **Phone Number** **E-Mail Address**

Daniel Jablonski (213) 228-8271 x daniel.jablonski@ch2m.com
 Vladimir Carino (213) 228-8271 x vladimir.carino@ch2m.com

EDD Required : No

Sampled by : T. Rhymes

Cooler Temp Samples Received Date Printed
 3 °C 23-Dec-10 23-Dec-10

PO :

Client's COC # : none Job : KMEP DFSP Norwalk

QC Level : S3 = Final Rpt, MBLK, LCS, MS/MSD With Surrogates

Alpha Sample ID	Client Sample ID	Matrix	Collection Date	No. of Bottles		Requested Tests			Sample Remarks
				Alpha	Sub	TPHE_W	TPHIP_W	VOC_W	
CHH10122347-01A	TB-1	AQ	12/22/10 07:00	2	0	6	TPHE(0.10) +Vinyl acetate	TPHE(0.10) +Vinyl acetate	Client provided TBs
CHH10122347-02A	GMW-36	AQ	12/22/10 10:30	6	0	6	TPHE(0.10) +Vinyl acetate	TPHE(0.10) +Vinyl acetate	
CHH10122347-03A	GMW-O-15	AQ	12/22/10 09:27	6	0	6	TPHE(0.10) +Vinyl acetate	TPHE(0.10) +Vinyl acetate	
CHH10122347-04A	GMW-O-16	AQ	12/22/10 08:49	6	0	6	TPHE(0.10) +Vinyl acetate	TPHE(0.10) +Vinyl acetate	
CHH10122347-05A	GMW-O-19	AQ	12/22/10 08:11	6	0	6	TPHE(0.10) +Vinyl acetate	TPHE(0.10) +Vinyl acetate	
CHH10122347-06A	PZ-5	AQ	12/22/10 07:30	6	0	6	TPHE(0.10) +Vinyl acetate	TPHE(0.10) +Vinyl acetate	
CHH10122347-07A	EB-1	AQ	12/22/10 10:45	6	0	6	TPHE(0.10) +Vinyl acetate	TPHE(0.10) +Vinyl acetate	

Comments: Security seals intact. Frozen ice. Analyses: Run two analyses in order to achieve lower reporting limits for all other analytes due to high TBA values. .

Logged in by: *Clare Johnson* **Signature** **Print Name** **Company** **Date/Time**
 Clare Johnson Alpha Analytical, Inc. 12/23/10 12:09

NOTE: Samples are discarded 60 days after results are reported unless other arrangements are made. Hazardous samples will be returned to client or disposed of at client expense. The report for the analysis of the above samples is applicable only to those samples received by the laboratory with this COC. The liability of the laboratory is limited to the amount paid for the report.
 Matrix Type : AQ(Aqueous) AR(Air) SO(Soil) WS(Waste) DW(Drinking Water) OT(Other) Bottle Type: L-Liter V-Voa S-Soil Jar O-Orbo T-Tedlar B-Brass P-Plastic OT-Other

BLAINE

1680 ROGERS AVENUE
 SAN JOSE, CALIFORNIA 95112-1105
 FAX (408) 573-7771
 PHONE (408) 573-0555

TECH SERVICES, INC.

LAB Alpha Analytical COC 1 of 1

Billing Information:
 Kinder Morgan
 1100 Town and Country Rd.
 Orange CA 95112

Kinder Morgan Norwalk
 Report to:
 Dan Jablonski
 CH2MHILL
 1000 Wilshire Blvd 21st floor
 Los Angeles, CA 90017

CHH10122347

CHAIN OF CUSTODY

CLIENT Kinder Morgan

SITE DFSP Norwalk

15306 Norwalk Blvd, Norwalk

SAMPLE I.D.	DATE	TIME	MATRIX	CONTAINERS		LAB SAMPLE #
				#	Preservation Type	
TB-1	12.22.10	0700	AQ	2	HCl VOA	-01
GMW-36		1030		6		-02
GMW-0-15		0927		6		-03
GMW-0-16		0849		6		-04
GMW-0-19		0811		6		-05
P2-S		0730		6		-06
EB-1		1045		6		-07

CONDUCT ANALYSIS TO DETECT	ADD'L INFORMATION	STATUS	CONDITION	DATE	TIME	RECEIVED BY	RESULTS NEEDED NO LATER THAN	DATE	TIME
							Standard		
					1545	<i>[Signature]</i>		12/22/10	1545
					1700	<i>[Signature]</i>		12/22/10	1700
						<i>[Signature]</i>		12/23/10	1805

RELEASING BY *[Signature]* TIME SENT

RECEIVED BY *[Signature]* COOLER #

SHIPPED VIA