

## **Tables**

---

**TABLE 1**

**MONITORING WELL SUMMARY**  
 Defense Fuel Support Point Norwalk  
 Norwalk, California

<b>Well</b>	<b>Installation Date</b>	<b>Installed By</b>	<b>Total Depth (feet bgs)</b>	<b>Casing Diameter (inches)</b>	<b>Screen Interval (feet bgs)</b>	<b>Slot Size (inches)</b>	<b>Casing Elevation (feet msl)</b>
BW-1	5/16/96	GMX	55	5	31.9 - 51.4	0.01	73.17
BW-2	5/20/96	GMX	53.5	5	27 - 46.5	0.01	73.57
BW-3	5/17/96	GMX	55.5	5	30.6 - 50	0.01	74.16
BW-4	5/20/96	GMX	53.1	5	28.2 - 47	0.01	74.61
BW-5	5/23/96	GMX	52.5	5	27 - 45.5	0.01	73.59
BW-6	5/22/96	GMX	52.4	5	27.6 - 46.9	0.01	73.48
BW-7	5/22/96	GMX	52	5	27.1 - 46.3	0.01	74.65
BW-8	5/21/96	GMX	51.5	5	27 - 46.4	0.01	75.08
BW-9	5/21/96	GMX	52.5	5	26.9 - 46.4	0.01	76.19
EXP-1	3/6/92	WC <sup>4</sup>	128.5	4	82 - 122	0.01	78.44
EXP-2	10/15/92	WC	149	4	90 - 120	0.02	79.43
EXP-3	10/20/92	WC	150	4	85 - 115	0.01	77.58
EXP-4	7/7/98	GMX	118	4	96.1 - 115.2	0.02	79.81
EXP-5	7/8/98	GMX	120	4	94.4 - 113.4	0.02	72.41
GMW-1	5/16/91	GTI <sup>5</sup>	50	4	20 - 50	0.01	74.77
GMW-2	5/16/91	GTI	50	4	20 - 50	0.01	73.57
GMW-3	5/17/91	GTI	50	4	20 - 50	0.01	75.10
GMW-4	5/21/91	GTI	50	4	20 - 50	0.01	75.45
GMW-5	5/21/91	GTI	50	4	20 - 50	0.01	77.61
GMW-6	7/9/91	GTI	50	4	25 - 50	0.01	77.31
GMW-7	7/9/91	GTI	50	4	25 - 50	0.01	75.84
GMW-8	7/10/91	GTI	50	4	25 - 50	0.01	73.20
GMW-9	7/8/91	GTI	50	4	20 - 50	0.01	74.44
GMW-10	7/8/91	GTI	50	4	25 - 50	0.01	74.67
GMW-11	7/9/91	GTI	50	4	20 - 50	0.01	72.90
GMW-12	7/9/91	GTI	50	4	25 - 50	0.01	75.21
GMW-13	7/8/91	GTI	50	4	25 - 50	0.01	74.17
GMW-14	7/10/91	GTI	50	4	25 - 50	0.01	74.72
GMW-15	7/30/91	GTI	50	4	25 - 50	0.01	76.21
GMW-16	8/1/91	GTI	50	4	25 - 50	0.01	77.00
GMW-17	8/1/91	GTI	50	4	25 - 50	0.01	74.66
GMW-18	7/31/91	GTI	50	4	25 - 50	0.01	75.36
GMW-19	7/31/91	GTI	50	4	25 - 50	0.01	76.83
GMW-20	8/1/91	GTI	50	4	25 - 50	0.01	75.10
GMW-21	8/2/91	GTI	50	4	25 - 50	0.01	76.23
GMW-22	8/2/91	GTI	61	4	25 - 60	0.01	74.17
GMW-23	8/2/91	GTI	60	4	25 - 60	0.01	74.85
GMW-24	8/5/91	GTI	60	4	25 - 60	0.01	74.04
GMW-25	1/10/92	GTI	50	6	20 - 50	0.01	74.29
GMW-26	1/7/92	GTI	51.5	4	20 - 50	0.01	74.90
GMW-27	1/10/92	GTI	50	4	20 - 50	0.01	75.10

**TABLE 1**

**MONITORING WELL SUMMARY**  
 Defense Fuel Support Point Norwalk  
 Norwalk, California

<b>Well</b>	<b>Installation Date</b>	<b>Installed By</b>	<b>Total Depth (feet bgs)</b>	<b>Casing Diameter (inches)</b>	<b>Screen Interval (feet bgs)</b>	<b>Slot Size (inches)</b>	<b>Casing Elevation (feet msl)</b>
GMW-28	1/7/92	GTI	50	4	20 - 50	0.01	74.80
GMW-29	1/9/92	GTI	50	4	20 - 50	0.01	75.00
GMW-30	1/9/92	GTI	51.5	6	20 - 50	0.01	74.91
GMW-31	6/2/93	GTI	65	4	25 - 65	0.01	76.50
GMW-32	6/1/93	GTI	50	4	20 - 50	0.02	74.62
GMW-33	6/1/93	GTI	50	4	20 - 50	0.02	74.88
GMW-34	6/3/93	GTI	50	4	20 - 50	0.02	75.25
GMW-35	6/4/93	GTI	50	4	20 - 50	0.02	76.12
GMW-36	4/11/94	GTI	50	4	20 - 50	0.01	74.53
GMW-37	4/11/94	GTI	50	4	20 - 50	0.01	77.32
GMW-38	4/12/94	GTI	50	4	20 - 50	0.01	75.47
GMW-39	4/12/94	GTI	50	4	20 - 50	0.01	75.05
GMW-40	6/29/94	GTI	50.5	4	20 - 50	0.01	73.13
GMW-41	6/30/94	GTI	50.5	4	20 - 50	0.01	74.46
GMW-42	6/30/94	GTI	50.5	4	20 - 50	0.01	75.50
GMW-43	7/1/94	GTI	50.5	4	20 - 50	0.01	74.44
GMW-44	7/1/94	GTI	50.5	4	20 - 50	0.01	74.45
GMW-45	7/1/94	GTI	50.5	4	20 - 50	0.01	75.67
GMW-46	7/5/94	GTI	50.5	4	20 - 50	0.01	76.10
GMW-47	7/5/94	GTI	50.5	4	20 - 50	0.01	75.98
GMW-48	7/5/94	GTI	50.5	4	20 - 50	0.01	75.03
GMW-49	7/6/94	GTI	50.5	4	20 - 50	0.01	74.75
GMW-50	12/19/94	GTI	46.5	4	15 - 45	0.01	75.51
GMW-51	12/19/94	GTI	41.5	4	15 - 40	0.01	75.93
GMW-52	12/19/94	GTI	41.5	4	15 - 40	0.01	75.03
GMW-53	12/19/94	GTI	46.5	4	15 - 45	0.01	74.90
GMW-54	12/20/94	GTI	46.5	4	15 - 45	0.01	75.16
GMW-55	12/20/94	GTI	41.5	4	15 - 40	0.01	74.60
GMW-56	8/12/98	FDGTI <sup>7</sup>	55	2	20 - 55	0.02	76.50
GMW-56	8/12/98	FDGTI	55	4	20 - 55	0.02	76.52
GMW-57	8/13/98	FDGTI	55	2	19 - 54	0.02	76.66
GMW-57	8/13/98	FDGTI	55	4	19 - 54	0.02	76.66
GMW-58	8/14/98	FDGTI	55	2	20 - 55	0.02	75.46
GMW-58	8/14/98	FDGTI	55	4	20 - 55	0.02	75.48
GMW-59	8/14/98	FDGTI	55	2	20 - 55	0.02	75.28
GMW-59	8/14/98	FDGTI	55	4	20 - 55	0.02	75.28
GMW-60	4/14/04	Parsons	50	4	25 - 40	0.01	76.48
GMW-61	4/14/04	Parsons	50	4	30 - 40	0.01	75.91
GMW-62	6/2/07	Parsons	40.5	4	20 - 40	0.02	76.5
GMW-63	9/29/08	Parsons	41	4	20 - 40	0.02	77.8
GMW-64	9/29/08	Parsons	41	4	19.5 - 39.5	0.02	76.3

**TABLE 1**

**MONITORING WELL SUMMARY**  
 Defense Fuel Support Point Norwalk  
 Norwalk, California

Well	Installation Date	Installed By	Total Depth (feet bgs)	Casing Diameter (inches)	Screen Interval (feet bgs)	Slot Size (inches)	Casing Elevation (feet msl)
GMW-65	7/6/2009	Parsons	41.5	4	21 - 41	0.02	77.3
GMW-66	9/8/2009	Parsons	40.5	4	20 - 40	0.02	77.10
GMW-O-1	3/4/92	GTI	51.5	4	19 - 49.5	0.01	71.45
GMW-O-2	3/2/92	GTI	51.5	4	20 - 50	0.01	72.54
GMW-O-3	3/2/92	GTI	51.5	4	20 - 50	0.01	72.19
GMW-O-4	3/3/92	GTI	51.5	4	20 - 50	0.01	71.95
GMW-O-4 (MID)	3/3/92	GTI	66.5	4	54.5 - 64.5	0.01	72.24
GMW-O-5	3/4/92	GTI	51.5	4	20 - 50	0.01	72.36
GMW-O-6	5/18/92	GTI	51.5	4	20 - 50	0.01	71.41
GMW-O-7	5/19/92	GTI	51.5	4	20 - 50	0.01	70.98
GMW-O-8	5/18/92	GTI	51	4	19.5 - 49.5	0.01	70.91
GMW-O-9	7/29/92	GTI	51.5	4	20 - 50	0.01	73.50
GMW-O-10	7/29/92	GTI	51.5	4	20 - 50	0.01	73.98
GMW-O-11	5/20/92	GTI	51.5	4	20 - 50	0.01	74.17
GMW-O-12	5/21/92	GTI	51.5	4	20 - 50	0.01	73.49
GMW-O-14	5/20/92	GTI	51.5	4	20 - 50	0.01	74.08
GMW-O-15	4/19/94	GTI	50	4	20 - 50	0.02	74.23
GMW-O-16	4/19/94	GTI	50	4	20 - 50	0.02	74.10
GMW-O-17	7/26/94	GMX	41	4	20.4 - 39.5	0.01	73.78
GMW-O-18	7/25/94	GMX	41	4	20.8 - 40.4	0.01	74.36
GMW-O-19	7/29/94	GMX	41.5	4	20.2 - 39.9	0.01	74.46
GMW-O-20	6/15/95	GMX	45.9	4	---	---	74.06
GMW-O-21	10/1/97	GMX	45.9	4	25.5 - 45.5	0.01	74.00
GMW-O-22	---	GMX	41	4	---	---	74.36
GMW-O-23	6/25/07	GMX	44	4	20 - 40	0.02	74.83
GMW-SF-7	7/27/94	GMX	41	4	20.1 - 39.9	0.01	75.26
GMW-SF-8	7/28/94	GMX	41	4	19.5 - 39.5	0.01	76.75
GMW-SF-9	4/1/03	GMX	47	4	36.6 - 46.2	0.02	72.80
GMW-SF-10	9/23/03	GMX	47	4	36.7 - 46.4	0.02	75.22
GW-1	6/12/95	GTI	63	1	25 - 60	0.02	75.46
GW-1	6/12/95	GTI	63	4	25 - 60	0.02	75.97
GW-2	6/12/95	GTI	63	1	25 - 60	0.02	76.39
GW-2	6/12/95	GTI	63	4	25 - 60	0.02	75.78
GW-3	6/13/95	GTI	63	1	25 - 60	0.02	76.56
GW-3	6/13/95	GTI	63	4	25 - 60	0.02	75.79
GW-4	6/13/95	GTI	63	1	24 - 59	0.02	74.77
GW-4	6/13/95	GTI	63	4	24 - 59	0.02	73.86
GW-5	6/15/95	GTI	63	1	25.5 - 60.5	0.02	77.09
GW-5	6/15/95	GTI	63	4	25.5 - 60.5	0.02	76.99
GW-6	6/15/95	GTI	63	1	25 - 60	0.02	77.41
GW-6	6/15/95	GTI	63	4	25 - 60	0.02	76.38

**TABLE 1**

**MONITORING WELL SUMMARY**  
 Defense Fuel Support Point Norwalk  
 Norwalk, California

Well	Installation Date	Installed By	Total Depth (feet bgs)	Casing Diameter (inches)	Screen Interval (feet bgs)	Slot Size (inches)	Casing Elevation (feet msl)
GW-7	6/16/95	GTI	63	1	25 - 60	0.02	76.76
GW-7	6/16/95	GTI	63	4	25 - 60	0.02	75.02
GW-8	6/14/95	GTI	63	1	24 - 59	0.02	76.88
GW-8	6/14/95	GTI	63	4	24 - 59	0.02	76.15
GW-13	4/26/07	Parsons	65	1	25 - 65	0.02	77.10
GW-13	4/26/07	Parsons	67	6	25 - 65	0.02	77.10
GW-14	4/26/07	Parsons	65	1	25 - 65	0.02	77.00
GW-14	4/26/07	Parsons	67	6	25 - 65	0.02	77.00
GW-15	4/26/07	Parsons	62.5	1	20.5 - 60.5	0.02	75.40
GW-15	4/24/07	Parsons	62.5	6	20.5 - 60.5	0.02	75.40
GW-16	7/7/2009	Parsons	61.3	1	21 - 61	0.02	76.90
GW-16	7/7/2009	Parsons	62.5	6	20.5 - 60.5	0.02	76.96
GWR-1	7/11/91	GTI	50	4	25 - 50	0.01	73.65
GWR-2	7/12/91	GTI	50	4	25 - 50	0.01	73.66
GWR-3	1/10/92	GTI	50	6	20 - 50	0.01	74.93
HL-1	10/14/86	HLA <sup>9</sup>	39	4	18 - 38	0.01	75.83
HL-2	10/13/86	HLA	39	4	16.5 - 36.5	0.01	76.94
HL-3	10/15/86	HLA	44	4	19 - 39	0.01	76.86
HL-4	10/16/86	HLA	39	4	18 - 38.5	0.01	75.75
HL-5	10/16/86	HLA	39.5	4	18.5 - 39	0.01	74.60
MW-6	8/9/90	WC	50	4	18 - 48	0.01	77.20
MW-7	8/27/90	WC	50	4	19 - 48	0.01	78.13
MW-8	8/24/90	WC	51	4	18 - 48	0.01	76.06
MW-9	8/8/90	WC	50	4	18 - 48	0.01	77.11
MW-10	8/24/90	WC	51	4	18 - 48	0.01	79.12
MW-11	8/9/90	WC	50	4	18 - 48	0.01	78.17
MW-12	8/27/90	WC	50	4	18 - 48	0.01	75.76
MW-13	8/23/90	WC	50	4	18 - 48	0.01	78.25
MW-14	8/7/90	WC	50	4	18 - 48	0.01	78.60
MW-15	8/7/90	WC	50	4	18 - 48	0.01	76.99
MW-16	8/8/90	WC	50	4	18 - 48	0.01	76.87
MW-17	8/6/90	WC	50	4	18 - 48	0.01	77.86
MW-18 (MID)	6/10/91	WC	62.2	4	50 - 60	0.01	75.67
MW-19 (MID)	6/11/91	WC	62.2	4	49.5 - 59.5	0.01	78.14
MW-20 (MID)	6/12/91	WC	65.7	4	43 - 53	0.01	77.19
MW-21 (MID)	6/12/91	WC	62.4	4	47 - 57	0.01	77.55
MW-22 (MID)	6/13/91	WC	57.9	4	42 - 52	0.01	79.57
MW-23 (MID)	6/14/91	WC	57.1	4	42 - 52	0.01	79.59
MW-24	6/14/91	WC	47	4	14 - 44	0.01	78.51
MW-25	6/17/91	WC	47.2	4	22.5 - 42.5	0.01	79.15
MW-26	6/17/91	WC	47.3	4	23.5 - 43.5	0.01	77.40

**TABLE 1**

**MONITORING WELL SUMMARY**  
 Defense Fuel Support Point Norwalk  
 Norwalk, California

Well	Installation Date	Installed By	Total Depth (feet bgs)	Casing Diameter (inches)	Screen Interval (feet bgs)	Slot Size (inches)	Casing Elevation (feet msl)
MW-27	6/17/91	WC	52.3	4	18 - 48	0.01	78.46
MW-28	6/19/91	WC	51.5	4	16.5 - 46.5	0.01	78.53
MW-29	6/19/91	WC	52.4	4	17.5 - 47.5	0.01	79.13
MW-O-1	1/22/91	GMX	40	2	25 - 40	0.02	75.48
MW-O-2	1/23/91	GMX	40	2	25 - 40	0.02	74.60
MW-SF-1	6/18/90	GMX	40	4	25 - 40	0.02	75.10
MW-SF-2	6/19/90	GMX	40	4	25 - 40	0.02	74.70
MW-SF-3	6/18/90	GMX	40	4	25 - 40	0.02	74.80
MW-SF-4	6/19/90	GMX	40	4	25 - 40	0.02	79.38
MW-SF-5	9/19/90	GMX	40	4	23 - 38	0.02	74.70
MW-SF-6	9/19/90	GMX	40	4	24 - 39	0.02	74.80
MW-SF-9	6/15/95	GMX	40	4	25 - 40	---	74.40
MW-SF-10	9/23/2003	GMX	30.5	4	10.3 - 29.9	0.02	72.63
MW-SF-11	6/19/07	GMX	44	4	20 - 40	0.02	74.90
MW-SF-12	6/18/07	GMX	44	4	20 - 40	0.02	74.90
MW-SF-13	6/19/07	GMX	44	4	20 - 40	0.02	74.90
MW-SF-14	6/21/07	GMX	44	4	20 - 40	0.02	74.70
MW-SF-15	6/21/07	GMX	44	4	20 - 40	0.02	75.10
MW-SF-16	6/20/07	GMX	44	4	20 - 40	0.02	74.70
PO-7	5/1/89	GW <sup>10</sup>	56	4	29 - 49	0.02	80.26
PW-1	1/6/92	GTI	51.5	4	20 - 50	0.01	75.52
PW-2	1/6/92	GTI	50	4	20 - 50	0.01	74.80
PW-3	1/6/92	GTI	50	4	20 - 50	0.01	74.10
PZ-1	7/12/91	GTI	50	2	25 - 50	0.01	73.74
PZ-2	7/12/91	GTI	50	2	25 - 50	0.01	73.96
PZ-3	6/3/93	GTI	65	2	25 - 65	0.02	76.17
PZ-4	6/2/93	GTI	60	2	25 - 60	0.02	76.13
PZ-5	9/26/00	GMX	40.3	4	20.6 - 39.4	0.01	74.50
PZ-6	9/26/00	GMX	37.5	4	22.8 - 37.8	0.01	74.50
PZ-7A	4/7/03	GMX	32	2	21.5 - 31.2	0.01	73.69
PZ-7B	4/7/03	GMX	47.5	2	42 - 46.7	0.01	73.75
PZ-8A	4/8/03	GMX	31.5	2	21.2 - 31	0.01	72.91
PZ-8B	4/8/03	GMX	47	2	41.4 - 46.2	0.01	72.90
PZ-9A	4/9/03	GMX	32	2	21.6 - 30.9	0.01	73.25
PZ-9B	4/9/03	GMX	47	2	41.5 - 46.2	0.01	73.25
PZ-10	4/10/03	GMX	38.5	2	23.2 - 37.9	0.02	74.41
TF-8	9/22/95	GTI	63	1.5	25 - 60	0.02	75.60
TF-8	9/22/95	GTI	63	4	25 - 60	0.02	74.86
TF-9	9/22/95	GTI	63	1.5	25 - 60	0.02	75.27
TF-9	9/22/95	GTI	63	4	25 - 60	0.02	74.47
TF-10	9/25/95	GTI	63	1.5	25 - 60	0.02	74.19

**TABLE 1**

**MONITORING WELL SUMMARY**  
 Defense Fuel Support Point Norwalk  
 Norwalk, California

Well	Installation Date	Installed By	Total Depth (feet bgs)	Casing Diameter (inches)	Screen Interval (feet bgs)	Slot Size (inches)	Casing Elevation (feet msl)
TF-10	9/25/95	GTI	63	4	25 - 60	0.02	73.61
TF-11	9/25/95	GTI	63	1.5	25 - 60	0.02	74.95
TF-11	9/25/95	GTI	63	4	25 - 60	0.02	74.40
TF-13	9/26/95	GTI	63	1.5	25 - 60	0.02	75.90
TF-13	9/26/95	GTI	63	4	25 - 60	0.02	75.47
TF-14	9/27/95	GTI	63	1.5	25 - 60	0.02	74.78
TF-14	9/27/95	GTI	63	4	25 - 60	0.02	74.35
TF-15	9/28/95	GTI	63	1.5	25 - 60	0.02	75.40
TF-15	9/28/95	GTI	63	4	25 - 60	0.02	74.78
TF-16	9/28/95	GTI	63	1.5	25 - 60	0.02	76.48
TF-16	9/28/95	GTI	63	4	25 - 60	0.02	75.89
TF-17	9/29/95	GTI	63	1.5	25 - 60	0.02	75.26
TF-17	9/29/95	GTI	63	4	25 - 60	0.02	74.88
TF-18	7/6/94	GTI	50.5	4	20 - 50	0.02	73.94
TF-19	10/3/95	GTI	63	1.5	25 - 60	0.02	75.61
TF-19	10/3/95	GTI	63	4	25 - 60	0.02	75.07
TF-20	10/3/95	GTI	63	1.5	25 - 60	0.02	75.59
TF-20	10/3/95	GTI	63	4	25 - 60	0.02	75.08
TF-21	9/29/95	GTI	63	1.5	25 - 60	0.02	75.60
TF-21	9/29/95	GTI	63	4	25 - 60	0.02	74.96
TF-22	10/2/95	GTI	63	1.5	25 - 60	0.02	74.95
TF-22	10/2/95	GTI	63	4	25 - 60	0.02	74.76
TF-23	7/5/94	GTI	50.5	4	20 - 50	0.02	75.31
TF-24	9/26/95	GTI	63	1.5	25 - 60	0.02	76.35
TF-24	9/26/95	GTI	63	4	25 - 60	0.02	76.43
TF-25	4/4/01	GTI	47	1.5	41 - 46	0.02	75.81
TF-25	4/4/01	GTI	47	5	26 - 36	0.02	74.85
TF-26	4/3/01	GTI	47	1.5	41 - 46	0.02	76.15
TF-26	4/3/01	GTI	47	5	26 - 36	0.02	75.85
WCW-1	2/18/92	WC	52	4	20 - 50	0.01	72.86
WCW-2	2/21/92	WC	52	4	20 - 50	0.01	75.34
WCW-3	2/19/92	WC	56.5	4	19 - 49	0.01	76.16
WCW-4	2/20/92	WC	56.5	4	20 - 50	0.01	78.05
WCW-5	4/30/92	WC	52	4	19 - 49	0.01	73.49
WCW-6	4/20/92	WC	53.5	4	20 - 50	0.01	75.52
WCW-7	4/29/92	WC	53	4	20 - 50	0.01	76.44
WCW-8	4/21/92	WC	53.5	4	20 - 50	0.01	77.34
WCW-9	4/28/92	WC	53.5	4	20 - 50	0.01	77.74
WCW-10	9/11/92	WC	56.5	4	25 - 55	0.01	74.06
WCW-11	9/9/92	WC	61.5	4	30 - 60	0.01	75.29
WCW-12	9/8/92	WC	61.5	4	30 - 60	0.01	76.27

**TABLE 1**

**MONITORING WELL SUMMARY**  
Defense Fuel Support Point Norwalk  
Norwalk, California

<b>Well</b>	<b>Installation Date</b>	<b>Installed By</b>	<b>Total Depth (feet bgs)</b>	<b>Casing Diameter (inches)</b>	<b>Screen Interval (feet bgs)</b>	<b>Slot Size (inches)</b>	<b>Casing Elevation (feet msl)</b>
WCW-13	9/10/92	WC	61.5	4	30 - 60	0.01	77.70
WCW-14	8/12/98	FDGTI	59	4	24 - 59	0.01	78.81

**Notes:**

feet bgs = feet below ground surface.

feet msl = feet above mean sea level.

GMX = Geomatrix Consultants, Inc.

WC = Woodward-Clyde.

GTI = Groundwater Technology/Groundwater Technology Government Services.

GMW-21 is also referred to as TF-24.

TF-24 is also referred to as "old TF-24" or "former TF-24".

FDGTI - Fluor Daniel GTI.

--- = information not available.

HLA = Harding Lawson Associates.

GW = Golden West.

Biosparge and additional soil vapor extraction wells used for remediation purposes only are not listed here.



TABLE 2

**SUMMARY OF GROUNDWATER ELEVATIONS  
FIRST QUARTER 2010 SENTRY EVENT**  
Defense Fuel Support Point Norwalk  
Norwalk, California

Well	Date	Top of Casing Elevation (feet msl)	Depth to Product (feet btoc)	Depth to Water (feet btoc)	Apparent Product Thickness (feet)	Groundwater Elevation (feet msl)	Monitoring Requirement Reference
EXP-1	1/11/2010	78.44	---	55.80	---	22.64	MRP
EXP-1	3/15/2010	78.44	---	55.01	---	23.43	MRP
EXP-2	1/11/2010	79.43	---	55.93	---	23.50	MRP
EXP-2	3/15/2010	79.43	---	55.22	---	24.21	MRP
EXP-3	1/11/2010	77.58	---	54.51	---	23.07	MRP
EXP-3	3/15/2010	77.58	---	54.10	---	23.48	MRP
EXP-5	3/15/2010	72.41	---	49.02	---	23.39	MRP
GMW-36	3/15/2010	74.53	---	26.80	---	47.73	RWQCB (2/26/2010)
GMW-38	3/15/2010	75.47	---	27.92	---	47.55	RWQCB (11/18/02)
GMW-39	3/15/2010	75.05	---	27.41	---	47.64	RWQCB (11/18/02)
GMW-47	1/11/2010	75.98	---	29.1	---	46.88	RWQCB (9/13/02)
GMW-57	1/11/2010	76.66	---	29.93	---	46.73	RWQCB (2/16/05)
GMW-58	1/11/2010	75.48	---	27.43	---	48.05	RWQCB (2/16/05)
GMW-59	1/11/2010	75.28	---	27.20	---	48.08	RWQCB (2/16/05)
GMW-60	1/11/2010	76.24	---	29.53	---	46.71	RWQCB (2/16/05)
GMW-61	1/11/2010	75.60	---	28.81	---	46.79	RWQCB (2/16/05)
GMW-62	1/11/2010	76.34	---	29.51	---	46.83	Voluntary
GMW-63	1/11/2010	77.32	---	30.12	---	47.20	Voluntary
GMW-64	1/11/2010	75.84	---	28.53	---	47.31	Voluntary
GMW-65	1/11/2010	76.78	---	29.8	---	46.98	Voluntary
GMW-O-1	3/15/2010	71.45	---	23.9	---	47.55	MRP
GMW-O-14	3/15/2010	74.08	---	26.71	---	47.37	RWQCB (9/13/02)
GMW-O-15	3/15/2010	74.23	---	NA	---	NA	RWQCB (2/26/2010)
GMW-O-16	3/15/2010	74.10	---	26.3	---	47.80	RWQCB (2/26/2010)
GMW-O-18	3/15/2010	74.36	---	26.54	---	47.82	RWQCB (2/26/2010)
GMW-O-19	3/15/2010	74.46	---	26.16	---	48.30	RWQCB (2/26/2010)
GMW-O-2	3/15/2010	72.54	---	25.1	---	47.44	MRP
GMW-O-3	3/15/2010	72.19	---	24.77	---	47.42	RWQCB (9/13/02)
GW-13(1")	1/11/2010	77.00	---	30.24	---	46.76	Voluntary
GW-14(1")	1/12/2010	76.54	---	29.84	---	46.70	Voluntary
GW-16	1/12/2010	76.55	---	29.94	---	46.61	Voluntary
GW-2	1/11/2010	76.39	---	29.26	---	47.13	Voluntary
MW-14	1/11/2010	78.60	---	31.94	---	46.66	MRP
MW-22 (MID)	1/11/2010	79.57	---	34.14	---	45.43	MRP
MW-SF-1	3/15/2010	78.93	---	31.74	---	47.19	Voluntary
MW-SF-4	3/15/2010	79.38	31.91	31.95	0.04	NC	Voluntary
PZ-5	3/15/2010	73.97	---	25.99	---	47.98	RWQCB (2/26/2010)
WCW-1	1/12/2010	72.86	---	25.91	---	46.95	MRP
WCW-10	1/12/2010	74.06	---	26.4	---	47.66	MRP
WCW-11	1/12/2010	75.29	---	27.83	---	47.46	MRP
WCW-12	1/12/2010	76.27	---	29.04	---	47.23	MRP
WCW-13	1/12/2010	77.70	---	31.56	---	46.14	MRP
WCW-13	3/15/2010	77.70	---	31.34	---	46.36	MRP
WCW-14	1/12/2010	78.81	---	32.24	---	46.57	MRP
WCW-2	1/12/2010	75.34	---	28.11	---	47.23	MRP
WCW-3	1/12/2010	76.16	---	30.40	---	45.76	MRP
WCW-3	3/15/2010	76.16	---	29.44	---	46.72	MRP
WCW-4	1/12/2010	78.05	---	31.40	---	46.65	MRP
WCW-5	1/12/2010	73.49	---	26.53	---	46.96	MRP
WCW-6	1/12/2010	75.52	---	28.24	---	47.28	MRP
WCW-7	1/12/2010	76.44	---	29.94	---	46.50	MRP
WCW-7	3/15/2010	76.44	---	30	---	46.44	MRP
WCW-8	1/12/2010	77.34	---	31.3	---	46.04	MRP

**Notes:**

feet msl = Feet above mean sea level, based on Los Angeles County Datum, 1980.

--- = product not detected or not applicable.

MRP = Monitoring and Reporting Program approved by the California Regional Water Quality Control Board, Los Angeles Region in May 2002.

RWQCB (11/18/02) = California Regional Water Quality Control Board, Los Angeles Region letter dated as shown in parentheses.

NA = Not available due to extraction pump in operation.

NC = Not calculated due to presence of product in well.

January data from wells gauged by Blaine Tech Services, Inc., on behalf of DESC.

March data from wells gauged by Blaine Tech Services, Inc., on behalf of DESC.

**TABLE 3**

**SUMMARY OF GROUNDWATER ELEVATIONS  
APRIL 2010 MONTHLY MONITORING EVENT**

Defense Fuel Support Point Norwalk  
Norwalk, California

<b>Well</b>	<b>Date</b>	<b>Top of Casing Elevation (feet msl)</b>	<b>Depth to Product (feet btoc)</b>	<b>Depth to Water (feet btoc)</b>	<b>Apparent Product Thickness (feet)</b>	<b>Groundwater Elevation (feet msl)</b>	<b>Monitoring Requirement Reference</b>
GMW-36	04/16/10	74.53	---	26.90	---	47.63	RWQCB (2/26/10)
GMW-O-15	04/16/10	74.23	---	23.10	---	51.13	RWQCB (2/26/10)
GMW-O-16	04/16/10	74.10	---	25.20	---	48.90	RWQCB (2/26/10)
GMW-O-18	04/16/10	74.36	---	24.25	---	50.11	RWQCB (2/26/10)
GMW-O-19	04/16/10	74.46	---	25.30	---	49.16	RWQCB (2/26/10)
PZ-5	04/16/10	73.97	---	25.12	---	48.85	RWQCB (2/26/10)

**Notes:**

--- = not detected or applicable.

feet btoc = feet below top of casing.

feet msl = feet above mean sea level based on the National Geodetic Vertical Datum of 1929.

NC = not calculated.

NM = not measured.

RWQCB (2/26/10) = California Regional Water Quality Control Board, Los Angeles Region letter dated as shown in parentheses.

TABLE 4

**SUMMARY OF GROUNDWATER ELEVATIONS  
FIRST SEMIANNUAL 2010 MONITORING EVENT**  
Defense Fuel Support Point Norwalk  
Norwalk, California

Well	Date	Top of Casing Elevation (feet msl)	Depth to Product (feet btoc)	Depth to Water (feet btoc)	Apparent Product Thickness (feet)	Groundwater Elevation (feet msl)
EXP-1	4/7/2010	78.44	---	55.29	---	23.15
EXP-1	4/12/2010	78.44	---	55.24	---	23.20
EXP-1	5/24/2010	78.44	---	55.38	---	23.06
EXP-1	5/28/2010	78.44	---	55.40	---	23.04
EXP-2	4/7/2010	79.43	---	55.52	---	23.91
EXP-2	4/12/2010	79.43	---	55.82	---	23.61
EXP-2	5/24/2010	79.43	---	55.66	---	23.77
EXP-2	5/28/2010	79.43	---	55.69	---	23.74
EXP-3	4/7/2010	77.58	---	54.36	---	23.22
EXP-3	4/12/2010	77.58	---	54.82	---	22.76
EXP-3	5/24/2010	77.58	---	54.54	---	23.04
EXP-3	5/28/2010	77.58	---	54.51	---	23.07
EXP-4	5/24/2010	79.81	---	55.10	---	24.71
EXP-4	5/28/2010	79.81	---	55.10	---	24.71
EXP-5	5/24/2010	72.41	---	49.54	---	22.87
EXP-5	5/28/2010	72.41	---	49.49	---	22.92
GMW-1	5/24/2010	74.77	---	26.95	---	47.82
GMW-1	5/28/2010	74.77	---	26.91	---	47.86
GMW-2	5/24/2010	73.57	---	25.80	---	47.77
GMW-2	5/28/2010	73.57	---	25.80	---	47.77
GMW-3	5/24/2010	75.10	---	27.18	---	47.92
GMW-3	5/28/2010	75.10	---	27.11	---	47.99
GMW-4	5/24/2010	75.45	---	27.55	---	47.90
GMW-4	5/28/2010	75.45	---	27.48	---	47.97
GMW-5	4/7/2010	77.61	---	30.35	---	47.26
GMW-6	4/7/2010	77.31	---	29.74	---	47.57
GMW-6	4/12/2010	77.31	---	29.42	---	47.89
GMW-7	4/8/2010	75.84	---	28.9	---	46.94
GMW-8	5/24/2010	73.20	---	25.98	---	47.22
GMW-8	5/28/2010	73.20	---	25.87	---	47.33
GMW-9	5/24/2010	74.44	---	30.47	---	43.97
GMW-9	5/28/2010	74.44	---	30.35	---	44.09
GMW-10	5/24/2010	74.67	---	26.72	---	47.95
GMW-10	5/28/2010	74.67	---	26.70	---	47.97
GMW-11	5/24/2010	72.90	---	25.45	---	47.45
GMW-11	5/28/2010	72.90	---	25.39	---	47.51
GMW-12	4/8/2010	75.21	---	27.17	---	48.04
GMW-12	4/12/2010	75.21	---	26.83	---	48.38
GMW-13	5/24/2010	74.17	---	25.86	---	48.31
GMW-13	5/28/2010	74.17	---	25.63	---	48.54
GMW-15	4/8/2010	76.21	---	28.51	---	47.70
GMW-15	4/12/2010	76.21	---	28.24	---	47.97
GMW-16	4/7/2010	77.00	---	29.68	---	47.32
GMW-16	4/12/2010	77.00	---	29.38	---	47.62
GMW-17	4/8/2010	74.66	---	25.92	---	48.74
GMW-17	4/12/2010	74.66	---	25.83	---	48.83
GMW-18	4/8/2010	75.36	---	27.3	---	48.06
GMW-18	4/12/2010	75.36	---	27.44	---	47.92
GMW-19	4/8/2010	76.83	---	29.05	---	47.78
GMW-19	4/12/2010	76.83	---	29.16	---	47.67
GMW-21	4/7/2010	76.23	---	28.81	---	47.42

TABLE 4

**SUMMARY OF GROUNDWATER ELEVATIONS  
FIRST SEMIANNUAL 2010 MONITORING EVENT**  
Defense Fuel Support Point Norwalk  
Norwalk, California

Well	Date	Top of Casing Elevation (feet msl)	Depth to Product (feet btoc)	Depth to Water (feet btoc)	Apparent Product Thickness (feet)	Groundwater Elevation (feet msl)
GMW-23	5/24/2010	74.85	---	27.32	---	47.53
GMW-23	5/28/2010	74.85	---	27.27	---	47.58
GMW-26	5/24/2010	74.52	---	27.70	---	46.82
GMW-26	5/28/2010	74.52	---	27.47	---	47.05
GMW-27	5/24/2010	74.41	---	26.90	---	47.51
GMW-27	5/28/2010	74.41	---	26.96	---	47.45
GMW-28	5/24/2010	74.68	---	27.11	---	47.57
GMW-28	5/28/2010	74.68	---	27.12	---	47.56
GMW-29	5/24/2010	77.57	---	29.92	---	47.65
GMW-29	5/28/2010	77.57	---	29.88	---	47.69
GMW-30	5/24/2010	74.91	---	27.32	---	47.59
GMW-30	5/28/2010	74.91	---	27.18	---	47.73
GMW-31	4/8/2010	76.50	---	28.91	---	47.59
GMW-31	4/12/2010	76.50	---	28.71	---	47.79
GMW-32	4/8/2010	74.62	---	26.61	---	48.01
GMW-32	4/12/2010	74.62	---	26.82	---	47.80
GMW-33	4/7/2010	74.88	---	26.82	---	48.06
GMW-35	4/8/2010	76.12	---	27.07	---	49.05
GMW-35	4/12/2010	76.12	---	28.41	---	47.71
GMW-36	5/24/2010	74.53	25.9	25.96	0.06	NC
GMW-36	5/28/2010	74.53	25.88	25.94	0.06	NC
GMW-37	5/24/2010	77.32	---	29.25	---	48.07
GMW-37	5/28/2010	77.32	---	29.20	---	48.12
GMW-38	5/24/2010	75.47	---	27.50	---	47.97
GMW-38	5/28/2010	75.47	---	27.40	---	48.07
GMW-39	5/24/2010	75.05	---	27.12	---	47.93
GMW-39	5/28/2010	75.05	---	27.09	---	47.96
GMW-40	4/8/2010	73.13	---	25.31	---	47.82
GMW-40	4/12/2010	73.13	---	25.20	---	47.93
GMW-41	4/8/2010	74.46	---	26.64	---	47.82
GMW-41	4/12/2010	74.46	---	26.44	---	48.02
GMW-42	4/7/2010	75.50	---	27.6	---	47.90
GMW-43	4/8/2010	74.44	---	26.52	---	47.92
GMW-43	4/12/2010	74.44	---	26.24	---	48.20
GMW-44	4/8/2010	74.45	---	26.77	---	47.68
GMW-44	4/12/2010	74.45	---	26.51	---	47.94
GMW-45	4/7/2010	75.67	---	28.22	---	47.45
GMW-45	4/12/2010	75.67	---	27.85	---	47.82
GMW-47	4/7/2010	75.98	---	---	---	---
GMW-47	4/12/2010	75.98	---	28.52	---	47.46
GMW-48	4/7/2010	75.03	---	26.4	---	48.63
GMW-50	4/7/2010	75.51	---	27.68	---	47.83
GMW-51	4/7/2010	75.93	---	28.08	---	47.85
GMW-52	4/8/2010	75.03	---	26.71	---	48.32
GMW-53	4/8/2010	74.9	26.83	26.84	0.01	NC
GMW-54	4/8/2010	75.16	---	27.25	---	47.91
GMW-56	4/7/2010	76.5	---	29.08	---	47.42
GMW-56	4/12/2010	76.50	---	28.71	---	47.79
GMW-57	4/7/2010	76.66	---	29.05	---	47.61
GMW-57	4/12/2010	76.66	---	28.55	---	48.11

TABLE 4

**SUMMARY OF GROUNDWATER ELEVATIONS  
FIRST SEMIANNUAL 2010 MONITORING EVENT**  
Defense Fuel Support Point Norwalk  
Norwalk, California

Well	Date	Top of Casing Elevation (feet msl)	Depth to Product (feet btoc)	Depth to Water (feet btoc)	Apparent Product Thickness (feet)	Groundwater Elevation (feet msl)
GMW-58	4/7/2010	75.48	---	---	---	---
GMW-58	4/12/2010	75.46	---	27.14	---	48.32
GMW-59	4/7/2010	75.28	---	26.12	---	49.16
GMW-59	4/12/2010	75.28	---	26.15	---	49.13
GMW-60	4/7/2010	76.24	---	28.54	---	47.7
GMW-60	4/12/2010	76.24	---	28.04	---	48.20
GMW-61	4/7/2010	75.6	---	27.67	---	47.93
GMW-61	4/12/2010	75.60	---	27.22	---	48.38
GMW-62	4/12/2010	76.34	---	28.24	---	48.10
GMW-63	4/12/2010	77.32	---	29.22	---	48.10
GMW-64	4/12/2010	75.84	---	27.10	---	48.74
GMW-65	4/12/2010	76.78	---	28.68	---	48.10
GMW-66	4/12/2010	77.00	---	29.64	---	47.36
GMW-O-1	5/24/2010	71.45	---	23.48	---	47.97
GMW-O-1	5/28/2010	71.45	---	23.47	---	47.98
GMW-O-2	5/24/2010	72.54	---	24.48	---	48.06
GMW-O-2	5/28/2010	72.54	---	24.43	---	48.11
GMW-O-3	5/24/2010	72.19	---	24.00	---	48.19
GMW-O-3	5/28/2010	72.19	---	23.97	---	48.22
GMW-O-4	5/24/2010	71.95	---	23.50	---	48.45
GMW-O-4	5/28/2010	71.95	---	23.47	---	48.48
GMW-O-4 (MID)	5/24/2010	72.24	---	31.92	---	40.32
GMW-O-4 (MID)	5/28/2010	72.24	---	31.95	---	40.29
GMW-O-5	5/24/2010	72.36	---	24.02	---	48.34
GMW-O-5	5/28/2010	72.36	---	23.90	---	48.46
GMW-O-6	5/24/2010	71.41	---	22.77	---	48.64
GMW-O-6	5/28/2010	71.41	---	22.94	---	48.47
GMW-O-7	5/24/2010	70.98	---	21.90	---	49.08
GMW-O-7	5/28/2010	70.98	---	21.95	---	49.03
GMW-O-8	5/24/2010	70.91	---	22.50	---	48.41
GMW-O-8	5/28/2010	70.91	---	22.41	---	48.50
GMW-O-9	5/24/2010	73.50	---	25.57	---	47.93
GMW-O-9	5/28/2010	73.50	---	25.50	---	48.00
GMW-O-10	5/24/2010	73.98	---	26.92	---	47.06
GMW-O-10	5/28/2010	73.98	---	29.10	---	44.88
GMW-O-12	5/24/2010	73.49	---	24.80	---	48.69
GMW-O-12	5/28/2010	73.49	---	24.74	---	48.75
GMW-O-14	5/24/2010	74.08	---	26.11	---	47.97
GMW-O-14	5/28/2010	74.08	---	26.11	---	47.97
GMW-O-15	5/24/2010	74.23	---	25.67	---	48.56
GMW-O-15	5/28/2010	74.23	---	25.35	---	48.88
GMW-O-16	5/24/2010	74.10	---	25.14	---	48.96
GMW-O-16	5/28/2010	74.10	---	25.13	---	48.97
GMW-O-17	5/24/2010	73.78	---	24.78	---	49.00
GMW-O-17	5/28/2010	73.78	---	28.75	---	45.03
GMW-O-18	5/24/2010	74.36	---	26.26	---	48.10
GMW-O-18	5/28/2010	74.36	---	26.03	---	48.33
GMW-O-19	5/24/2010	74.46	---	25.53	---	48.93
GMW-O-19	5/28/2010	74.46	---	25.47	---	48.99
GMW-SF-7	5/24/2010	75.26	---	27.07	---	48.19

TABLE 4

**SUMMARY OF GROUNDWATER ELEVATIONS  
FIRST SEMIANNUAL 2010 MONITORING EVENT**

Defense Fuel Support Point Norwalk  
Norwalk, California

Well	Date	Top of Casing Elevation (feet msl)	Depth to Product (feet btoc)	Depth to Water (feet btoc)	Apparent Product Thickness (feet)	Groundwater Elevation (feet msl)
GMW-SF-7	5/28/2010	75.26	---	27.06	---	48.20
GMW-SF-8	5/24/2010	76.75	---	28.34	---	48.41
GMW-SF-8	5/28/2010	76.75	---	28.30	---	48.45
GMW-SF-9	5/24/2010	73.00	---	28.31	---	44.69
GMW-SF-9	5/28/2010	73.00	---	28.37	---	44.63
GW-1	4/7/2010	75.46	---	29.76	---	45.7
GW-13(1")	4/7/2010	77	---	30.08	---	46.92
GW-13	4/12/2010	76.85	---	29.91	---	46.94
GW-14(6")	4/8/2010	76.54	---	28.7	---	47.84
GW-14	4/12/2010	76.54	---	28.40	---	48.14
GW-15(1")	4/8/2010	75.36	27.74	29.43	1.69	NC
GW-15	4/12/2010	74.94	27.58	29.63	2.05	NC
GW-16	4/12/2010	76.33	---	28.71	---	47.62
GW-2	4/7/2010	76.39	---	29.45	---	46.94
GW-3	4/7/2010	76.56	---	55.57	---	20.99
GW-3	4/12/2010	75.79	---	28.84	---	46.95
GW-4	4/7/2010	74.77	---	28.12	---	46.65
GW-5	4/7/2010	76.99	---	29.88	---	47.11
GW-6	4/7/2010	76.38	---	30.21	---	46.17
GW-6	4/12/2010	76.38	---	29.61	---	46.77
GW-7	4/8/2010	76.76	---	29.04	---	47.72
GW-8	4/7/2010	76.15	---	29.04	---	47.11
GWR-1	5/24/2010	77.40	---	26.37	---	51.03
GWR-1	5/28/2010	77.40	---	25.91	---	51.49
HL-2	5/24/2010	76.94	---	29.36	---	47.58
HL-2	5/28/2010	76.94	---	29.38	---	47.56
HL-3	5/24/2010	76.86	---	29.27	---	47.59
HL-3	5/28/2010	76.86	---	29.34	---	47.52
MW-6	5/24/2010	77.20	---	30.33	---	46.87
MW-6	5/28/2010	77.20	---	30.17	---	47.03
MW-7	5/24/2010	78.13	---	30.70	---	47.43
MW-7	5/28/2010	78.13	---	30.68	---	47.45
MW-8	5/24/2010	76.06	---	27.91	---	48.15
MW-8	5/28/2010	76.06	---	27.90	---	48.16
MW-9	5/24/2010	77.11	---	29.11	---	48.00
MW-9	5/28/2010	77.11	---	29.04	---	48.07
MW-10	4/7/2010	79.12	---	32	---	47.12
MW-11	4/7/2010	78.17	---	30.72	---	47.45
MW-11	4/12/2010	78.17	---	30.55	---	47.62
MW-12	4/8/2010	75.76	---	27.93	---	47.83
MW-12	5/24/2010	75.76	---	28.16	---	47.60
MW-12	5/28/2010	75.76	---	28.10	---	47.66
MW-13	4/7/2010	78.25	---	30.83	---	47.42
MW-13	4/12/2010	78.25	---	30.82	---	47.43
MW-14	4/7/2010	78.6	---	31.79	---	46.81
MW-14	4/12/2010	78.60	---	31.44	---	47.16
MW-15	5/24/2010	76.99	28.6	29.49	0.89	NC
MW-15	5/28/2010	76.99	28.57	29.46	0.89	NC
MW-16	4/8/2010	76.87	---	28.71	---	48.16
MW-16	4/12/2010	76.87	---	28.83	---	48.04

TABLE 4

**SUMMARY OF GROUNDWATER ELEVATIONS  
FIRST SEMIANNUAL 2010 MONITORING EVENT**  
Defense Fuel Support Point Norwalk  
Norwalk, California

Well	Date	Top of Casing Elevation (feet msl)	Depth to Product (feet btoc)	Depth to Water (feet btoc)	Apparent Product Thickness (feet)	Groundwater Elevation (feet msl)
MW-17	4/7/2010	77.86	---	29.92	---	47.94
MW-17	4/12/2010	77.86	---	29.92	---	47.94
MW-18 (MID)	5/24/2010	75.67	---	32.26	---	43.41
MW-18 (MID)	5/28/2010	75.67	---	32.17	---	43.50
MW-19 (MID)	5/24/2010	78.14	---	33.16	---	44.98
MW-19 (MID)	5/28/2010	78.14	---	33.11	---	45.03
MW-20 (MID)	5/24/2010	77.19	---	32.33	---	44.86
MW-20 (MID)	5/28/2010	77.19	---	32.29	---	44.90
MW-21 (MID)	5/24/2010	77.55	---	30.00	---	47.55
MW-21 (MID)	5/28/2010	77.55	---	29.97	---	47.58
MW-22 (MID)	4/7/2010	79.57	---	34.02	---	45.55
MW-22 (MID)	4/12/2010	79.57	---	33.62	---	45.95
MW-23 (MID)	4/7/2010	79.59	---	32.29	---	47.3
MW-23 (MID)	4/12/2010	79.59	---	31.83	---	47.76
MW-24	4/7/2010	78.51	---	31.62	---	46.89
MW-24	4/12/2010	78.51	---	31.26	---	47.25
MW-25	4/7/2010	79.15	---	32.39	---	46.76
MW-25	4/12/2010	79.15	---	31.86	---	47.29
MW-26	4/7/2010	77.4	---	30.24	---	47.16
MW-26	4/12/2010	77.40	---	29.82	---	47.58
MW-27	4/7/2010	78.46	---	30.95	---	47.51
MW-27	4/12/2010	78.46	---	30.79	---	47.67
MW-28	4/8/2010	78.53	---	30.58	---	47.95
MW-29	4/8/2010	79.13	---	31.04	---	48.09
MW-SF-1	5/24/2010	78.93	---	30.79	---	48.14
MW-SF-1	5/28/2010	78.93	---	30.57	---	48.36
MW-SF-4	5/24/2010	79.38	---	31.60	---	47.78
MW-SF-4	5/28/2010	79.38	---	26.40	---	52.98
MW-SF-5	5/24/2010	79.74	---	31.55	---	48.19
MW-SF-5	5/28/2010	79.74	---	31.44	---	48.30
MW-SF-9	5/24/2010	74.10	---	25.80	---	48.30
MW-SF-9	5/28/2010	74.10	---	25.66	---	48.44
PW-1	5/24/2010	75.52	---	28.00	---	47.52
PW-1	5/28/2010	75.52	---	27.98	---	47.54
PW-3	5/24/2010	73.71	---	26.45	---	47.26
PW-3	5/28/2010	73.71	---	26.41	---	47.30
PZ-2	5/24/2010	73.96	---	26.30	---	47.66
PZ-2	5/28/2010	73.96	---	26.30	---	47.66
PZ-3	4/8/2010	76.17	---	28.4	---	47.77
PZ-3	4/12/2010	76.17	---	28.14	---	48.03
PZ-4	4/8/2010	76.13	---	28.41	---	47.72
PZ-5	5/24/2010	73.97	---	25.71	---	48.26
PZ-5	5/28/2010	73.97	---	25.68	---	48.29
PZ-7A	5/24/2010	73.87	---	25.30	---	48.57
PZ-7A	5/28/2010	73.87	---	25.29	---	48.58
PZ-7B	5/24/2010	73.79	---	25.32	---	48.47
PZ-7B	5/28/2010	73.79	---	25.30	---	48.49
PZ-8A	5/24/2010	75.81	---	27.60	---	48.21
PZ-8A	5/28/2010	75.81	---	27.38	---	48.43
PZ-8B	5/24/2010	75.69	---	27.37	---	48.32

TABLE 4

**SUMMARY OF GROUNDWATER ELEVATIONS  
FIRST SEMIANNUAL 2010 MONITORING EVENT**  
Defense Fuel Support Point Norwalk  
Norwalk, California

Well	Date	Top of Casing Elevation (feet msl)	Depth to Product (feet btoc)	Depth to Water (feet btoc)	Apparent Product Thickness (feet)	Groundwater Elevation (feet msl)
PZ-8B	5/28/2010	75.69	---	27.66	---	48.03
PZ-10	5/24/2010	74.34	---	26.51	---	47.83
PZ-10	5/28/2010	74.34	---	26.46	---	47.88
TF-8	4/8/2010	75.6	---	28.3	---	47.3
TF-9	4/7/2010	75.27	---	27.79	---	47.48
TF-10	4/8/2010	73.61	---	25.75	---	47.86
TF-11	4/8/2010	74.95	---	27.11	---	47.84
TF-13	4/8/2010	75.9	---	28.14	---	47.76
TF-14	4/8/2010	74.78	---	26.92	---	47.86
TF-15	4/8/2010	75.4	---	27.43	---	47.97
TF-16	4/8/2010	76.48	---	27.06	---	49.42
TF-16	4/12/2010	75.89	---	27.36	---	48.53
TF-17	4/8/2010	74.88	26.76	26.78	0.02	NC
TF-18	4/8/2010	73.94	25.7	25.73	0.03	NC
TF-19	4/8/2010	75.61	---	27.48	---	48.13
TF-20	4/8/2010	75.08	---	27.59	---	47.49
TF-21	4/8/2010	75.6	---	27.3	---	48.3
TF-21	4/12/2010	74.96	---	27.00	---	47.96
TF-22	4/8/2010	74.95	---	28.24	---	46.71
TF-23	4/8/2010	75.31	---	27.2	---	48.11
TF-24	4/7/2010	76.43	---	29.2	---	47.23
TF-25	4/8/2010	74.85	---	27.95	---	46.9
TF-26	4/7/2010	75.85	---	28.11	---	47.74
VE-1	4/8/2010	---	---	30.02	---	---
VE-2	4/7/2010	---	---	30.36	---	---
VS-03 (shallow)	4/8/2010	---	---	26.48	---	---
VS-03 (deep)	4/8/2010	---	---	27.1	---	---
WCW-1	5/24/2010	72.86	---	25.10	---	47.76
WCW-1	5/28/2010	72.86	---	25.05	---	47.81
WCW-2	5/24/2010	75.34	---	28.00	---	47.34
WCW-2	5/28/2010	75.34	---	27.95	---	47.39
WCW-3	5/24/2010	76.16	---	29.30	---	46.86
WCW-3	5/28/2010	76.16	---	29.21	---	46.95
WCW-4	5/24/2010	78.05	---	31.26	---	46.79
WCW-4	5/28/2010	78.05	---	31.23	---	46.82
WCW-5	5/24/2010	73.49	---	25.70	---	47.79
WCW-5	5/28/2010	73.49	---	25.65	---	47.84
WCW-6	5/24/2010	75.52	---	28.10	---	47.42
WCW-6	5/28/2010	75.52	---	28.02	---	47.50
WCW-7	5/24/2010	76.44	---	29.75	---	46.69
WCW-7	5/28/2010	76.44	---	29.65	---	46.79
WCW-8	5/24/2010	77.34	---	30.75	---	46.59
WCW-8	5/28/2010	77.34	---	30.74	---	46.60
WCW-9	5/24/2010	77.74	---	31.02	---	46.72
WCW-9	5/28/2010	77.74	---	31.00	---	46.74
WCW-10	5/24/2010	74.06	---	25.70	---	48.36
WCW-10	5/28/2010	74.06	---	25.67	---	48.39
WCW-11	5/24/2010	75.29	---	27.77	---	47.52
WCW-11	5/28/2010	75.29	---	27.46	---	47.83
WCW-12	5/24/2010	76.27	---	28.90	---	47.37



**TABLE 4**

**SUMMARY OF GROUNDWATER ELEVATIONS  
FIRST SEMIANNUAL 2010 MONITORING EVENT**  
Defense Fuel Support Point Norwalk  
Norwalk, California

<b>Well</b>	<b>Date</b>	<b>Top of Casing Elevation (feet msl)</b>	<b>Depth to Product (feet btoc)</b>	<b>Depth to Water (feet btoc)</b>	<b>Apparent Product Thickness (feet)</b>	<b>Groundwater Elevation (feet msl)</b>
WCW-12	5/28/2010	76.27	---	28.90	---	47.37
WCW-13	5/24/2010	77.70	---	30.65	---	47.05
WCW-13	5/28/2010	77.70	---	30.68	---	47.02
WCW-14	5/24/2010	78.81	---	31.87	---	46.94
WCW-14	5/28/2010	78.81	---	31.84	---	46.97

**Notes:**

--- = not detected or applicable.

feet btoc = feet below top of casing.

feet msl = feet above mean sea level, based on Los Angeles County Datum, 1980.

April 7 and 8, 2010 data gauged by Parsons on behalf of DESC.

April 12, 2010 data from wells gauged by Blain Tech Services, Inc., on behalf of DESC.

May 24 and 28, 2010 data from wells gauged by Blaine Tech Services, Inc., on behalf of SFPP.

NC = Not calculated due to presence of product in well.

TABLE 5

**SUMMARY OF HISTORICAL GROUNDWATER ELEVATIONS  
NOVEMBER 1986 THROUGH MAY 2010**  
Defense Fuel Support Point Norwalk  
Norwalk, California

Well	Date	Top of Casing Elevation (feet msl)	Depth to Product (feet btoc)	Depth to Water (feet btoc)	Apparent Product Thickness (feet)	Groundwater Elevation (feet msl)
EXP-1	05/28/1996	78.44	---	48.29	---	30.15
EXP-1	11/20/1996	78.44	---	49.1	---	29.34
EXP-1	07/01/1997	78.44	---	47.89	---	30.55
EXP-1	12/31/1997	78.44	---	47.08	---	31.36
EXP-1	05/01/1998	78.44	---	45.16	---	33.28
EXP-1	05/25/1999	78.44	---	45.44	---	33
EXP-1	08/09/1999	78.44	---	47.6	---	30.84
EXP-1	09/23/1999	78.44	---	48.53	---	29.91
EXP-1	10/12/1999	78.44	---	48.51	---	29.93
EXP-1	11/15/1999	78.44	---	48.39	---	30.05
EXP-1	12/21/1999	78.44	---	47.69	---	30.75
EXP-1	01/20/2000	78.44	---	47.45	---	30.99
EXP-1	02/28/2000	78.44	---	46.92	---	31.52
EXP-1	03/28/2000	78.44	---	46.65	---	31.79
EXP-1	04/20/2000	78.44	---	47.2	---	31.24
EXP-1	05/15/2000	78.44	---	47.55	---	30.89
EXP-1	05/15/2000	78.44	---	47.51	---	30.93
EXP-1	06/30/2000	78.44	---	48.51	---	29.93
EXP-1	08/28/2000	78.44	---	49.5	---	28.94
EXP-1	11/13/2001	78.44	---	49.32	---	29.12
EXP-1	11/13/2001	78.44	---	49.31	---	29.13
EXP-1	02/05/2001	78.44	---	48.47	---	29.97
EXP-1	05/07/2001	78.44	---	48.09	---	30.35
EXP-1	05/07/2001	78.44	---	48.15	---	30.29
EXP-1	09/18/2001	78.44	---	50.22	---	28.22
EXP-1	11/05/2001	78.44	---	50.17	---	28.27
EXP-1	01/29/2002	78.44	---	49.07	---	29.37
EXP-1	04/08/2002	78.44	---	48.96	---	29.48
EXP-1	04/08/2002	78.44	---	49.2	---	29.24
EXP-1	07/29/2002	78.44	---	51.35	---	27.09
EXP-1	10/21/2002	78.44	---	51.94	---	26.5
EXP-1	10/21/2002	78.44	---	51.91	---	26.53
EXP-1	01/27/2003	78.44	---	49.6	---	28.84
EXP-1	04/07/2003	78.44	---	50.3	---	28.14
EXP-1	04/07/2003	78.44	---	50.28	---	28.16
EXP-1	07/30/2003	78.44	---	51.42	---	27.02
EXP-1	10/06/2003	78.44	---	51.76	---	26.68
EXP-1	10/06/2003	78.44	---	51.77	---	26.67
EXP-1	01/27/2004	78.44	---	51.25	---	27.19
EXP-1	04/19/2004	78.44	---	51.09	---	27.35
EXP-1	04/19/2004	78.44	---	51.09	---	27.35
EXP-1	07/19/2004	78.44	---	52.91	---	25.53
EXP-1	11/01/2004	78.44	---	54.14	---	24.3
EXP-1	02/01/2005	78.44	---	52.9	---	25.54
EXP-1	05/02/2005	78.44	---	51.91	---	26.53
EXP-1	05/02/2005	78.44	---	51.77	---	26.67
EXP-1	08/01/2005	78.44	---	52.61	---	25.83
EXP-1	10/31/2005	78.44	---	52.59	---	25.85
EXP-1	02/27/2006	78.44	---	50.28	---	28.16
EXP-1	03/06/2006	78.44	---	50.63	---	27.81
EXP-1	05/01/2006	78.44	---	49.7	---	28.74
EXP-1	05/01/2006	78.44	---	49.3	---	29.14
EXP-1	08/26/2006	78.44	---	50.53	---	27.91
EXP-1	09/18/2006	78.44	---	50.56	---	27.88

TABLE 5

**SUMMARY OF HISTORICAL GROUNDWATER ELEVATIONS  
NOVEMBER 1986 THROUGH MAY 2010**  
Defense Fuel Support Point Norwalk  
Norwalk, California

Well	Date	Top of Casing Elevation (feet msl)	Depth to Product (feet btoc)	Depth to Water (feet btoc)	Apparent Product Thickness (feet)	Groundwater Elevation (feet msl)
EXP-1	12/01/2006	78.44	---	50.74	---	27.7
EXP-1	12/04/2006	78.44	---	50.28	---	28.16
EXP-1	03/12/2007	78.44	---	48.91	---	29.53
EXP-1	03/21/2007	78.44	---	48.82	---	29.62
EXP-1	04/27/2007	78.44	---	49.2	---	29.24
EXP-1	04/30/2007	78.44	---	48.85	---	29.59
EXP-1	08/28/2007	78.44	---	51.38	---	27.06
EXP-1	08/28/2007	78.44	---	51.38	---	27.06
EXP-1	11/12/2007	78.44	---	52.37	---	26.07
EXP-1	11/12/2007	78.44	---	52.27	---	26.17
EXP-1	02/05/2008	78.44	---	52.15	---	26.29
EXP-1	02/19/2008	78.44	---	51.63	---	26.81
EXP-1	04/11/2008	78.44	---	51.51	---	26.93
EXP-1	04/14/2008	78.44	---	51.4	---	27.04
EXP-1	7/24/2008	78.44	---	52.92	---	25.52
EXP-1	08/11/2008	78.44	---	53.21	---	25.23
EXP-1	10/13/2008	78.44	---	53.75	---	24.69
EXP-1	10/14/2008	78.44	---	53.75	---	24.69
EXP-1	2/9/2009	78.44	---	52.56	---	25.88
EXP-1	4/20/2009	78.44	---	53.41	---	25.03
EXP-1	4/20/2009	78.44	---	53.41	---	25.03
EXP-1	7/16/2009	78.44	---	55.06	---	23.38
EXP-1	7/20/2009	78.44	---	54.83	---	23.61
EXP-1	10/19/2009	78.44	---	55.86	---	22.58
EXP-1	10/19/2009	78.44	---	55.86	---	22.58
EXP-1	1/11/2010	78.44	---	55.8	---	22.64
EXP-1	3/15/2010	78.44	---	55.01	---	23.43
EXP-1	4/7/2010	78.44	---	55.29	---	23.15
EXP-1	4/12/2010	78.44	---	55.24	---	23.2
EXP-1	5/24/2010	78.44	---	55.38	---	23.06
EXP-1	5/28/2010	78.44	---	55.4	---	23.04
EXP-2	05/28/1996	79.43	---	47.58	---	31.85
EXP-2	11/20/1996	79.43	---	48.2	---	31.23
EXP-2	07/01/1997	79.43	---	47.19	---	32.24
EXP-2	12/31/1997	79.43	---	46.33	---	33.1
EXP-2	05/01/1998	79.43	---	44.4	---	35.03
EXP-2	05/04/1999	79.43	---	44.05	---	35.38
EXP-2	05/25/1999	79.43	---	44.85	---	34.58
EXP-2	07/21/1999	79.43	---	46.67	---	32.76
EXP-2	08/09/1999	79.43	---	47.02	---	32.41
EXP-2	09/23/1999	79.43	---	48.9	---	30.53
EXP-2	10/12/1999	79.43	---	48.93	---	30.5
EXP-2	11/15/1999	79.43	---	47.76	---	31.67
EXP-2	12/21/1999	79.43	---	47.03	---	32.4
EXP-2	01/20/2000	79.43	---	46.85	---	32.58
EXP-2	02/28/2000	79.43	---	46.39	---	33.04
EXP-2	03/28/2000	79.43	---	46.15	---	33.28
EXP-2	04/20/2000	79.43	---	46.69	---	32.74
EXP-2	05/15/2000	79.43	---	47.05	---	32.38
EXP-2	05/15/2000	79.43	---	47.04	---	32.39
EXP-2	06/30/2000	79.43	---	48.01	---	31.42
EXP-2	08/28/2000	79.43	---	48.96	---	30.47
EXP-2	11/13/2000	79.43	---	48.71	---	30.72
EXP-2	11/13/2000	79.43	---	48.74	---	30.69

TABLE 5

**SUMMARY OF HISTORICAL GROUNDWATER ELEVATIONS  
NOVEMBER 1986 THROUGH MAY 2010**  
Defense Fuel Support Point Norwalk  
Norwalk, California

Well	Date	Top of Casing Elevation (feet msl)	Depth to Product (feet btoc)	Depth to Water (feet btoc)	Apparent Product Thickness (feet)	Groundwater Elevation (feet msl)
EXP-2	02/05/2001	79.43	---	47.83	---	31.6
EXP-2	05/07/2001	79.43	---	47.61	---	31.82
EXP-2	05/07/2001	79.43	---	47.58	---	31.85
EXP-2	09/18/2001	79.43	---	49.75	---	29.68
EXP-2	11/05/2001	79.43	---	49.6	---	29.83
EXP-2	01/29/2002	79.43	---	48.56	---	30.87
EXP-2	04/08/2002	79.43	---	48.63	---	30.8
EXP-2	04/08/2002	79.43	---	48.72	---	30.71
EXP-2	07/29/2002	79.43	---	50.9	---	28.53
EXP-2	10/21/2002	79.43	---	51.46	---	27.97
EXP-2	10/21/2002	79.43	---	51.51	---	27.92
EXP-2	01/27/2003	79.43	---	49.29	---	30.14
EXP-2	04/07/2003	79.43	---	50.05	---	29.38
EXP-2	04/07/2003	79.43	---	49.95	---	29.48
EXP-2	07/30/2003	79.43	---	51.15	---	28.28
EXP-2	10/06/2003	79.43	---	51.62	---	27.81
EXP-2	10/06/2003	79.43	---	51.62	---	27.81
EXP-2	01/27/2004	79.43	---	51.09	---	28.34
EXP-2	04/19/2004	79.43	---	50	---	29.43
EXP-2	04/19/2004	79.43	---	51.08	---	28.35
EXP-2	07/19/2004	79.43	---	52.9	---	26.53
EXP-2	11/01/2004	79.43	---	53.98	---	25.45
EXP-2	02/01/2005	79.43	---	52.89	---	26.54
EXP-2	05/02/2005	79.43	---	51.75	---	27.68
EXP-2	05/02/2005	79.43	---	51.87	---	27.56
EXP-2	08/01/2005	79.43	---	52.65	---	26.78
EXP-2	10/31/2005	79.43	---	52.55	---	26.88
EXP-2	02/27/2006	79.43	---	50.3	---	29.13
EXP-2	05/01/2006	79.43	---	49.31	---	30.12
EXP-2	05/01/2006	79.43	---	49.69	---	29.74
EXP-2	09/18/2006	79.43	---	51.53	---	27.9
EXP-2	12/01/2006	79.43	---	50.6	---	28.83
EXP-2	12/04/2006	79.43	---	50.19	---	29.24
EXP-2	03/12/2007	79.43	---	48.92	---	30.51
EXP-2	04/30/2007	79.43	---	49.31	---	30.12
EXP-2	04/30/2007	79.43	---	48.87	---	30.56
EXP-2	08/28/2007	79.43	---	51.31	---	28.12
EXP-2	11/12/2007	79.43	---	52.27	---	27.16
EXP-2	11/12/2007	79.43	---	52.27	---	27.16
EXP-2	02/19/2008	79.43	---	51.49	---	27.94
EXP-2	04/11/2008	79.43	---	51.46	---	27.97
EXP-2	04/14/2008	79.43	---	51.35	---	28.08
EXP-2	7/24/2008	79.43	---	53.08	---	26.35
EXP-2	08/11/2008	79.43	---	53.28	---	26.15
EXP-2	10/13/2008	79.43	---	53.76	---	25.67
EXP-2	10/14/2008	79.43	---	53.76	---	25.67
EXP-2	2/9/2009	79.43	---	52.81	---	26.62
EXP-2	4/20/2009	79.43	---	54.83	---	24.6
EXP-2	4/20/2009	79.43	---	54.83	---	24.6
EXP-2	7/16/2009	79.43	---	54.91	---	24.52
EXP-2	7/20/2009	79.43	---	54.91	---	24.52
EXP-2	10/19/2009	79.43	---	55.9	---	23.53
EXP-2	10/19/2009	79.43	---	55.9	---	23.53
EXP-2	1/11/2010	79.43	---	55.93	---	23.5

TABLE 5

**SUMMARY OF HISTORICAL GROUNDWATER ELEVATIONS  
NOVEMBER 1986 THROUGH MAY 2010**  
Defense Fuel Support Point Norwalk  
Norwalk, California

Well	Date	Top of Casing Elevation (feet msl)	Depth to Product (feet btoc)	Depth to Water (feet btoc)	Apparent Product Thickness (feet)	Groundwater Elevation (feet msl)
EXP-2	3/15/2010	79.43	---	55.22	---	24.21
EXP-2	4/7/2010	79.43	---	55.52	---	23.91
EXP-2	4/12/2010	79.43	---	55.82	---	23.61
EXP-2	5/24/2010	79.43	---	55.66	---	23.77
EXP-2	5/28/2010	79.43	---	55.69	---	23.74
EXP-3	05/28/1996	77.58	---	47.4	---	30.18
EXP-3	11/20/1996	77.58	---	48.25	---	29.33
EXP-3	07/01/1997	77.58	---	47.15	---	30.43
EXP-3	12/31/1997	77.58	---	46.21	---	31.37
EXP-3	05/01/1998	77.58	---	44.19	---	33.39
EXP-3	05/04/1999	77.58	---	43.88	---	33.7
EXP-3	05/26/1999	77.58	---	44.72	---	32.86
EXP-3	08/09/1999	77.58	---	46.98	---	30.6
EXP-3	09/23/1999	77.58	---	47.78	---	29.8
EXP-3	10/12/1999	77.58	---	47.76	---	29.82
EXP-3	11/15/1999	77.58	---	47.65	---	29.93
EXP-3	12/21/1999	77.58	---	46.85	---	30.73
EXP-3	01/20/2000	77.58	---	46.57	---	31.01
EXP-3	02/28/2000	77.58	---	46.01	---	31.57
EXP-3	03/28/2000	77.58	---	45.79	---	31.79
EXP-3	04/20/2000	77.58	---	46.35	---	31.23
EXP-3	05/15/2000	77.58	---	46.68	---	30.9
EXP-3	05/15/2000	77.58	---	46.63	---	30.95
EXP-3	06/30/2000	77.58	---	47.75	---	29.83
EXP-3	08/28/2000	77.58	---	48.77	---	28.81
EXP-3	11/13/2000	77.58	---	48.51	---	29.07
EXP-3	11/13/2000	77.58	---	48.41	---	29.17
EXP-3	02/05/2001	77.58	---	47.58	---	30
EXP-3	05/07/2001	77.58	---	47.26	---	30.32
EXP-3	05/07/2001	77.58	---	47.29	---	30.29
EXP-3	09/18/2001	77.58	---	49.46	---	28.12
EXP-3	11/05/2001	77.58	---	49.32	---	28.26
EXP-3	01/29/2002	77.58	---	48.19	---	29.39
EXP-3	04/08/2002	77.58	---	48.21	---	29.37
EXP-3	04/08/2002	77.58	---	48.25	---	29.33
EXP-3	07/29/2002	77.58	---	50.59	---	26.99
EXP-3	10/21/2002	77.58	---	51.16	---	26.42
EXP-3	10/21/2002	77.58	---	51.11	---	26.47
EXP-3	01/27/2003	77.58	---	48.62	---	28.96
EXP-3	04/07/2003	77.58	---	49.55	---	28.03
EXP-3	04/07/2003	77.58	---	49.46	---	28.12
EXP-3	07/30/2003	77.58	---	50.59	---	26.99
EXP-3	10/06/2003	77.58	---	51.01	---	26.57
EXP-3	10/06/2003	77.58	---	50.95	---	26.63
EXP-3	01/27/2004	77.58	---	50.35	---	27.23
EXP-3	04/19/2004	77.58	---	50.22	---	27.36
EXP-3	04/19/2004	77.58	---	50.19	---	27.39
EXP-3	07/19/2004	77.58	---	52.19	---	25.39
EXP-3	11/01/2004	77.58	---	53.26	---	24.32
EXP-3	02/01/2005	77.58	---	51.94	---	25.64
EXP-3	05/02/2005	77.58	---	49.83	---	27.75
EXP-3	05/02/2005	77.58	---	50.9	---	26.68
EXP-3	08/01/2005	77.58	---	51.82	---	25.76
EXP-3	10/31/2005	77.58	---	51.71	---	25.87

TABLE 5

**SUMMARY OF HISTORICAL GROUNDWATER ELEVATIONS  
NOVEMBER 1986 THROUGH MAY 2010**  
Defense Fuel Support Point Norwalk  
Norwalk, California

Well	Date	Top of Casing Elevation (feet msl)	Depth to Product (feet btoc)	Depth to Water (feet btoc)	Apparent Product Thickness (feet)	Groundwater Elevation (feet msl)
EXP-3	02/27/2006	77.58	---	49.29	---	28.29
EXP-3	05/01/2006	77.58	---	48.31	---	29.27
EXP-3	05/01/2006	77.58	---	48.74	---	28.84
EXP-3	09/18/2006	77.58	---	50.14	---	27.44
EXP-3	12/01/2006	77.58	---	49.74	---	27.84
EXP-3	12/04/2006	77.58	---	49.41	---	28.17
EXP-3	03/12/2007	77.58	---	47.95	---	29.63
EXP-3	04/30/2007	77.58	---	48.31	---	29.27
EXP-3	04/30/2007	77.58	---	47.86	---	29.72
EXP-3	08/28/2007	77.58	---	50.61	---	26.97
EXP-3	11/12/2007	77.58	---	51.56	---	26.02
EXP-3	11/12/2007	77.58	---	51.57	---	26.01
EXP-3	02/05/2008	77.58	---	51.23	---	26.35
EXP-3	02/19/2008	77.58	---	50.7	---	26.88
EXP-3	04/14/2008	77.58	---	50.63	---	26.95
EXP-3	04/14/2008	77.58	---	50.6	---	26.98
EXP-3	7/24/2008	77.58	---	52.78	---	24.8
EXP-3	08/11/2008	77.58	---	52.45	---	25.13
EXP-3	10/13/2008	77.58	---	52.97	---	24.61
EXP-3	10/14/2008	77.58	---	52.97	---	24.61
EXP-3	2/10/2009	77.58	---	52.16	---	25.42
EXP-3	4/20/2009	77.58	---	52.97	---	24.61
EXP-3	4/20/2009	77.58	---	52.97	---	24.61
EXP-3	7/16/2009	77.58	---	54.02	---	23.56
EXP-3	7/20/2009	77.58	---	53.93	---	23.65
EXP-3	10/19/2009	77.58	---	55.4	---	22.18
EXP-3	10/19/2009	77.58	---	55.4	---	22.18
EXP-3	1/11/2010	77.58	---	54.51	---	23.07
EXP-3	3/15/2010	77.58	---	54.1	---	23.48
EXP-3	4/7/2010	77.58	---	54.36	---	23.22
EXP-3	4/12/2010	77.58	---	54.82	---	22.76
EXP-3	5/24/2010	77.58	---	54.54	---	23.04
EXP-3	5/28/2010	77.58	---	54.51	---	23.07
EXP-4	02/03/1999	79.81	---	43.49	---	36.32
EXP-4	05/04/1999	79.81	---	43.43	---	36.38
EXP-4	07/21/1999	79.81	---	46.03	---	33.78
EXP-4	08/09/1999	79.81	---	46.49	---	33.32
EXP-4	09/23/1999	79.81	---	47.29	---	32.52
EXP-4	10/12/1999	79.81	---	47.3	---	32.51
EXP-4	11/15/1999	79.81	---	47.18	---	32.63
EXP-4	12/21/1999	79.81	---	46.42	---	33.39
EXP-4	01/20/2000	79.81	---	46.29	---	33.52
EXP-4	02/28/2000	79.81	---	45.89	---	33.92
EXP-4	03/28/2000	79.81	---	45.61	---	34.2
EXP-4	04/20/2000	79.81	---	46.12	---	33.69
EXP-4	05/15/2000	79.81	---	46.39	---	33.42
EXP-4	06/30/2000	79.81	---	47.42	---	32.39
EXP-4	08/28/2000	79.81	---	48.35	---	31.46
EXP-4	11/13/2000	79.81	---	48.15	---	31.66
EXP-4	02/05/2001	79.81	---	47.26	---	32.55
EXP-4	05/07/2001	79.81	---	47.01	---	32.8
EXP-4	09/18/2001	79.81	---	49.1	---	30.71
EXP-4	11/05/2001	79.81	---	48.97	---	30.84
EXP-4	01/29/2002	79.81	---	47.97	---	31.84

TABLE 5

**SUMMARY OF HISTORICAL GROUNDWATER ELEVATIONS  
NOVEMBER 1986 THROUGH MAY 2010**  
Defense Fuel Support Point Norwalk  
Norwalk, California

Well	Date	Top of Casing Elevation (feet msl)	Depth to Product (feet btoc)	Depth to Water (feet btoc)	Apparent Product Thickness (feet)	Groundwater Elevation (feet msl)
EXP-4	04/08/2002	79.81	---	48.01	---	31.8
EXP-4	10/21/2002	79.81	---	51.45	---	28.36
EXP-4	04/07/2003	79.81	---	49.51	---	30.3
EXP-4	10/06/2003	79.81	---	51.14	---	28.67
EXP-4	01/11/2004	79.81	---	53.61	---	26.2
EXP-4	04/19/2004	79.81	---	50.59	---	29.22
EXP-4	05/02/2005	79.81	---	51.43	---	28.38
EXP-4	10/31/2005	79.81	---	49.21	---	30.6
EXP-4	05/01/2006	79.81	---	49	---	30.81
EXP-4	09/18/2006	79.81	---	49.73	---	30.08
EXP-4	12/04/2006	79.81	---	44.51	---	35.3
EXP-4	04/30/2007	79.81	---	48.59	---	31.22
EXP-4	11/12/2007	79.81	---	51.35	---	28.46
EXP-4	04/14/2008	79.81	---	50.95	---	28.86
EXP-4	10/13/2008	79.81	---	53.29	---	26.52
EXP-4	4/20/2009	79.81	---	53.54	---	26.27
EXP-4	7/20/2009	79.81	---	54.51	---	25.3
EXP-4	10/19/2009	79.81	---	55.42	---	24.39
EXP-4	5/24/2010	79.81	---	55.1	---	24.71
EXP-4	5/28/2010	79.81	---	55.1	---	24.71
EXP-5	02/03/1999	72.41	---	39.5	---	32.91
EXP-5	05/03/1999	72.41	---	39.3	---	33.11
EXP-5	07/21/1999	72.41	---	42.1	---	30.31
EXP-5	08/09/1999	72.41	---	42.6	---	29.81
EXP-5	09/23/1999	72.41	---	43.41	---	29
EXP-5	10/12/1999	72.41	---	43.39	---	29.02
EXP-5	11/15/1999	72.41	---	43.21	---	29.2
EXP-5	12/21/1999	72.41	---	42.3	---	30.11
EXP-5	01/20/2000	72.41	---	42.07	---	30.34
EXP-5	02/28/2000	72.41	---	41.45	---	30.96
EXP-5	03/28/2000	72.41	---	41.2	---	31.21
EXP-5	04/20/2000	72.41	---	41.78	---	30.63
EXP-5	05/15/2000	72.41	---	42.16	---	30.25
EXP-5	06/30/2000	72.41	---	43.26	---	29.15
EXP-5	08/28/2000	72.41	---	44.32	---	28.09
EXP-5	11/13/2000	72.41	---	44.02	---	28.39
EXP-5	02/05/2001	72.41	---	42.95	---	29.46
EXP-5	05/07/2001	72.41	---	43.46	---	28.95
EXP-5	09/18/2001	72.41	---	45.01	---	27.4
EXP-5	11/05/2001	72.41	---	44.81	---	27.6
EXP-5	01/29/2002	72.41	---	43.55	---	28.86
EXP-5	04/08/2002	72.41	---	43.72	---	28.69
EXP-5	07/29/2002	72.41	---	46.12	---	26.29
EXP-5	10/21/2002	72.41	---	46.61	---	25.8
EXP-5	01/27/2003	72.41	---	43.89	---	28.52
EXP-5	04/07/2003	72.41	---	44.7	---	27.71
EXP-5	07/30/2003	72.41	---	45.89	---	26.52
EXP-5	10/06/2003	72.41	---	46.35	---	26.06
EXP-5	01/11/2004	72.41	---	48.53	---	23.88
EXP-5	01/27/2004	72.41	---	45.57	---	26.84
EXP-5	04/19/2004	72.41	---	45.41	---	27
EXP-5	07/19/2004	72.41	---	47.55	---	24.86
EXP-5	02/01/2005	72.41	---	47.07	---	25.34
EXP-5	05/02/2005	72.41	---	45.81	---	26.6

TABLE 5

**SUMMARY OF HISTORICAL GROUNDWATER ELEVATIONS**  
**NOVEMBER 1986 THROUGH MAY 2010**  
 Defense Fuel Support Point Norwalk  
 Norwalk, California

Well	Date	Top of Casing Elevation (feet msl)	Depth to Product (feet btoc)	Depth to Water (feet btoc)	Apparent Product Thickness (feet)	Groundwater Elevation (feet msl)
EXP-5	08/01/2005	72.41	---	45.37	---	27.04
EXP-5	10/31/2005	72.41	---	46.83	---	25.58
EXP-5	02/27/2006	72.41	---	47.21	---	25.2
EXP-5	05/01/2006	72.41	---	43.34	---	29.07
EXP-5	09/18/2006	72.41	---	44.88	---	27.53
EXP-5	12/04/2006	72.41	---	49.73	---	22.68
EXP-5	03/12/2007	72.41	---	43.02	---	29.39
EXP-5	04/30/2007	72.41	---	43.02	---	29.39
EXP-5	08/28/2007	72.41	---	45.86	---	26.55
EXP-5	11/12/2007	72.41	---	46.37	---	26.04
EXP-5	02/19/2008	72.41	---	45.9	---	26.51
EXP-5	04/14/2008	72.41	---	45.73	---	26.68
EXP-5	08/11/2008	72.41	---	47.68	---	24.73
EXP-5	10/13/2008	72.41	---	48.19	---	24.22
EXP-5	4/20/2009	72.41	---	47.86	---	24.55
EXP-5	7/20/2009	72.41	---	49.1	---	23.31
EXP-5	10/19/2009	72.41	---	50.61	---	21.8
EXP-5	3/15/2010	72.41	---	49.02	---	23.39
EXP-5	5/24/2010	72.41	---	49.54	---	22.87
EXP-5	5/28/2010	72.41	---	49.49	---	22.92
GMW-1	05/28/1996	74.77	---	26.93	---	47.84
GMW-1	11/20/1996	74.77	---	27.73	---	47.04
GMW-1	07/01/1997	74.77	---	27.97	---	46.8
GMW-1	12/31/1997	74.77	---	27.85	---	46.92
GMW-1	05/01/1998	74.77	---	24.77	---	50
GMW-1	05/04/1999	74.77	---	25.75	---	49.02
GMW-1	08/09/1999	74.77	---	26.24	---	48.53
GMW-1	11/15/1999	74.77	---	26.39	---	48.38
GMW-1	05/15/2000	74.77	---	26.26	---	48.51
GMW-1	11/13/2000	74.77	---	26.95	---	47.82
GMW-1	05/07/2001	74.77	---	25.5	---	49.27
GMW-1	11/05/2001	74.77	---	25.53	---	49.24
GMW-1	04/08/2002	74.77	---	26.1	---	48.67
GMW-1	10/21/2002	74.77	---	26.82	---	47.95
GMW-1	04/07/2003	74.77	---	26.17	---	48.6
GMW-1	07/30/2003	74.77	---	26.11	---	48.66
GMW-1	10/06/2003	74.77	---	26.22	---	48.55
GMW-1	01/11/2004	74.77	---	27.59	---	47.18
GMW-1	01/27/2004	74.77	---	26.57	---	48.2
GMW-1	04/19/2004	74.77	---	27.25	---	47.52
GMW-1	07/19/2004	74.77	---	26.84	---	47.93
GMW-1	02/01/2005	74.77	---	25.79	---	48.98
GMW-1	05/02/2005	74.77	---	20.84	---	53.93
GMW-1	08/01/2005	74.77	---	21.92	---	52.85
GMW-1	10/31/2005	74.77	---	26.96	---	47.81
GMW-1	02/27/2006	74.77	---	23.15	---	51.62
GMW-1	05/01/2006	74.77	---	23.3	---	51.47
GMW-1	09/18/2006	74.77	---	23.7	---	51.07
GMW-1	12/04/2006	74.77	---	24.06	---	50.71
GMW-1	03/12/2007	74.77	---	24.18	---	50.59
GMW-1	04/30/2007	74.77	---	23.21	---	51.56
GMW-1	08/28/2007	74.77	---	19.7	---	55.07
GMW-1	11/12/2007	74.77	---	23.7	---	51.07
GMW-1	02/19/2008	74.77	---	25.2	---	49.57



TABLE 5

**SUMMARY OF HISTORICAL GROUNDWATER ELEVATIONS  
NOVEMBER 1986 THROUGH MAY 2010**  
Defense Fuel Support Point Norwalk  
Norwalk, California

Well	Date	Top of Casing Elevation (feet msl)	Depth to Product (feet btoc)	Depth to Water (feet btoc)	Apparent Product Thickness (feet)	Groundwater Elevation (feet msl)
GMW-1	04/14/2008	74.77	---	25.12	---	49.65
GMW-1	10/13/2008	74.77	---	25.84	---	48.93
GMW-1	4/20/2009	74.77	---	26.18	---	48.59
GMW-1	10/19/2009	74.77	---	27.52	---	47.25
GMW-1	5/24/2010	74.77	---	26.95	---	47.82
GMW-1	5/28/2010	74.77	---	26.91	---	47.86
GMW-2	05/28/1996	73.57	---	26.1	---	47.47
GMW-2	11/20/1996	73.57	---	26.77	---	46.8
GMW-2	07/01/1997	73.57	---	27.63	---	45.94
GMW-2	12/31/1997	73.57	---	26.94	---	46.63
GMW-2	05/01/1998	73.57	---	24.02	---	49.55
GMW-2	05/04/1999	73.57	---	25.38	---	48.19
GMW-2	08/09/1999	73.57	---	25.68	---	47.89
GMW-2	11/15/1999	73.57	---	25.49	---	48.08
GMW-2	05/15/2000	73.57	---	25.63	---	47.94
GMW-2	11/13/2000	73.57	---	26.42	---	47.15
GMW-2	05/07/2001	73.57	---	25.65	---	47.92
GMW-2	11/05/2001	73.57	---	24.61	---	48.96
GMW-2	04/08/2002	73.57	---	25.36	---	48.21
GMW-2	10/21/2002	73.57	---	25.91	---	47.66
GMW-2	04/07/2003	73.57	---	25.09	---	48.48
GMW-2	10/06/2003	73.57	---	25.47	---	48.1
GMW-2	01/11/2004	73.57	---	26.76	---	46.81
GMW-2	04/19/2004	73.57	---	26.63	---	46.94
GMW-2	05/02/2005	73.57	---	21.51	---	52.06
GMW-2	10/31/2005	73.57	---	26.42	---	47.15
GMW-2	05/09/2006	73.57	---	22.53	---	51.04
GMW-2	12/04/2006	73.57	---	23.4	---	50.17
GMW-2	04/30/2007	73.57	---	23.61	---	49.96
GMW-2	11/12/2007	73.57	---	23.94	---	49.63
GMW-2	04/14/2008	73.57	---	24.24	---	49.33
GMW-2	10/13/2008	73.57	---	24.95	---	48.62
GMW-2	4/20/2009	73.57	---	25	---	48.57
GMW-2	10/19/2009	73.57	---	26.22	---	47.35
GMW-2	5/24/2010	73.57	---	25.8	---	47.77
GMW-2	5/28/2010	73.57	---	25.8	---	47.77
GMW-3	11/20/1996	75.1	---	27.76	---	47.34
GMW-3	07/01/1997	75.1	---	27.02	---	48.08
GMW-3	12/31/1997	75.1	---	27.66	---	47.44
GMW-3	05/01/1998	75.1	---	34.12	---	40.98
GMW-3	05/04/1999	75.1	---	25.69	---	49.41
GMW-3	08/09/1999	75.1	---	26.15	---	48.95
GMW-3	11/15/1999	75.1	---	26.54	---	48.56
GMW-3	05/15/2000	75.1	---	26.29	---	48.81
GMW-3	11/13/2000	75.1	---	26.97	---	48.13
GMW-3	05/07/2001	75.1	---	25.1	---	50
GMW-3	08/07/2001	75.1	---	28.61	---	46.49
GMW-3	11/05/2001	75.1	---	25.63	---	49.47
GMW-3	04/08/2002	75.1	---	26.26	---	48.84
GMW-3	10/21/2002	75.1	---	27.05	---	48.05
GMW-3	01/27/2003	75.1	---	26.74	---	48.36
GMW-3	04/07/2003	75.1	---	26.26	---	48.84
GMW-3	07/31/2003	75.1	---	25.96	---	49.14
GMW-3	10/06/2003	75.1	---	26.23	---	48.87

TABLE 5

**SUMMARY OF HISTORICAL GROUNDWATER ELEVATIONS**  
**NOVEMBER 1986 THROUGH MAY 2010**  
 Defense Fuel Support Point Norwalk  
 Norwalk, California

Well	Date	Top of Casing Elevation (feet msl)	Depth to Product (feet btoc)	Depth to Water (feet btoc)	Apparent Product Thickness (feet)	Groundwater Elevation (feet msl)
GMW-3	01/11/2004	75.1	---	27.56	---	47.54
GMW-3	01/27/2004	75.1	---	26.68	---	48.42
GMW-3	04/19/2004	75.1	---	26.93	---	48.17
GMW-3	07/19/2004	75.1	---	26.92	---	48.18
GMW-3	05/02/2005	75.1	---	21.53	---	53.57
GMW-3	10/31/2005	75.1	26.13	26.11	-0.02	NC <sup>+</sup>
GMW-3	02/27/2006	75.1	---	23.73	---	51.37
GMW-3	05/01/2006	75.1	---	23.78	---	51.32
GMW-3	12/04/2006	75.1	---	24.73	---	50.37
GMW-3	04/30/2007	75.1	---	24.99	---	50.11
GMW-3	11/12/2007	75.1	---	25	---	50.1
GMW-3	04/14/2008	75.1	---	25.52	---	49.58
GMW-3	04/14/2008	75.1	---	25.4	---	49.7
GMW-3	10/13/2008	75.1	---	26.35	---	48.75
GMW-3	4/20/2009	75.1	---	26.26	---	48.84
GMW-3	10/19/2009	75.1	---	27.81	---	47.29
GMW-3	5/24/2010	75.1	---	27.18	---	47.92
GMW-3	5/28/2010	75.1	---	27.11	---	47.99
GMW-4	05/28/1996	75.45	27.34	28.02	0.68	47.43
GMW-4	11/20/1996	75.45	28.25	28.32	0.07	47.13
GMW-4	07/01/1997	75.45	---	27.76	---	47.69
GMW-4	12/31/1997	75.45	---	27.25	---	48.2
GMW-4	05/01/1998	75.45	---	24.69	---	50.76
GMW-4	05/04/1999	75.45	26.15	26.23	0.08	NC
GMW-4	08/09/1999	75.45	26.65	26.7	0.05	NC
GMW-4	11/15/1999	75.45	---	27.04	---	48.41
GMW-4	05/15/2000	75.45	---	27.42	---	48.03
GMW-4	11/13/2000	75.45	27.4	27.46	0.06	NC
GMW-4	05/07/2001	75.45	---	25.72	---	49.73
GMW-4	09/18/2001	75.45	25.89	25.92	0.03	NC
GMW-4	11/05/2001	75.45	26.01	26.02	0.01	NC
GMW-4	04/08/2002	75.45	26.7	26.74	0.04	NC
GMW-4	10/21/2002	75.45	27.56	27.59	0.03	NC
GMW-4	04/07/2003	75.45	26.84	26.84	Sheen	48.61
GMW-4	04/22/2003	75.45	---	26.7	---	48.75
GMW-4	10/06/2003	75.45	26.68	26.7	0.02	NC
GMW-4	04/19/2004	75.45	26.15	26.19	0.04	NC
GMW-4	05/02/2005	75.45	22.3	22.31	0.01	NC
GMW-4	10/31/2005	75.45	18.1	23.84	5.74	NC
GMW-4	05/01/2006	75.45	23.98	24.08	0.1	NC
GMW-4	12/04/2006	75.45	25.08	25.12	0.04	NC
GMW-4	04/30/2007	75.45	---	25.31	---	50.14
GMW-4	11/12/2007	75.45	25.64	25.65	0.01	NC
GMW-4	04/14/2008	75.45	---	25.99	---	49.46
GMW-4	04/14/2008	75.45	---	26	---	49.45
GMW-4	11/21/2008	75.45	---	27	---	48.45
GMW-4	4/20/2009	75.45	---	26.76	---	48.69
GMW-4	10/19/2009	75.45	27.81	27.86	0.05	NC
GMW-4	5/24/2010	75.45	---	27.55	---	47.9
GMW-4	5/28/2010	75.45	---	27.48	---	47.97
GMW-5	05/28/1996	77.61	---	30.52	---	47.09
GMW-5	11/20/1996	77.61	---	31.25	---	46.36
GMW-5	07/01/1997	77.61	---	30.95	---	46.66
GMW-5	12/31/1997	77.61	---	31.16	---	46.45

TABLE 5

**SUMMARY OF HISTORICAL GROUNDWATER ELEVATIONS  
NOVEMBER 1986 THROUGH MAY 2010**  
Defense Fuel Support Point Norwalk  
Norwalk, California

Well	Date	Top of Casing Elevation (feet msl)	Depth to Product (feet btoc)	Depth to Water (feet btoc)	Apparent Product Thickness (feet)	Groundwater Elevation (feet msl)
GMW-5	05/01/1998	77.61	---	28.2	---	49.41
GMW-5	05/25/1999	77.61	---	29.01	---	48.6
GMW-5	05/15/2000	77.61	---	29.91	---	47.7
GMW-5	11/13/2000	77.61	---	29.23	---	48.38
GMW-5	05/07/2001	77.61	---	28.82	---	48.79
GMW-5	04/08/2002	77.61	---	29.95	---	47.66
GMW-5	10/21/2002	77.61	---	30.11	---	47.5
GMW-5	04/07/2003	77.61	---	29.68	---	47.93
GMW-5	10/06/2003	77.61	---	29.55	---	48.06
GMW-5	04/19/2004	77.61	---	30.53	---	47.08
GMW-5	05/02/2005	77.61	25.73	25.73	Sheen	NC
GMW-5	03/06/2006	77.61	---	27.02	---	50.59
GMW-5	05/01/2006	77.61	---	27.32	---	50.29
GMW-5	08/26/2006	77.61	---	27.67	---	49.94
GMW-5	12/01/2006	77.61	---	28.03	---	49.58
GMW-5	03/21/2007	77.61	---	27.91	---	49.7
GMW-5	04/27/2007	77.61	---	28.5	---	49.11
GMW-5	08/28/2007	77.61	---	28.19	---	49.42
GMW-5	11/12/2007	77.61	---	28.98	---	48.63
GMW-5	02/05/2008	77.61	---	28.93	---	48.68
GMW-5	04/11/2008	77.61	---	28.86	---	48.75
GMW-5	7/24/2008	77.61	---	29.41	---	48.2
GMW-5	10/13/2008	77.61	---	29.97	---	47.64
GMW-5	2/9/2009	77.61	---	29.88	---	47.73
GMW-5	7/16/2009	77.61	---	29.93	---	47.68
GMW-5	4/7/2010	77.61	---	30.35	---	47.26
GMW-6	11/20/1996	77.31	---	30.76	---	46.55
GMW-6	07/01/1997	77.31	---	30.12	---	47.19
GMW-6	12/31/1997	77.31	---	30.52	---	46.79
GMW-6	05/01/1998	77.31	---	27.48	---	49.83
GMW-6	05/25/1999	77.31	---	28.44	---	48.87
GMW-6	05/15/2000	77.31	---	29.34	---	47.97
GMW-6	11/13/2000	77.31	---	28.67	---	48.64
GMW-6	05/07/2001	77.31	---	28.05	---	49.26
GMW-6	04/08/2002	77.31	---	29.35	---	47.96
GMW-6	10/21/2002	77.31	---	29.9	---	47.41
GMW-6	04/07/2003	77.31	---	29.2	---	48.11
GMW-6	10/06/2003	77.31	---	29.04	---	48.27
GMW-6	04/19/2004	77.31	---	29.97	---	47.34
GMW-6	11/01/2004	77.31	---	29.9	---	47.41
GMW-6	05/02/2005	77.31	---	24.97	---	52.34
GMW-6	03/06/2006	77.31	---	26.54	---	50.77
GMW-6	05/01/2006	77.31	---	26.75	---	50.56
GMW-6	08/26/2006	77.31	---	27.12	---	50.19
GMW-6	12/01/2006	77.31	---	27.52	---	49.79
GMW-6	03/21/2007	77.31	---	28.06	---	49.25
GMW-6	04/27/2007	77.31	---	28.02	---	49.29
GMW-6	08/28/2007	77.31	---	28.51	---	48.8
GMW-6	11/12/2007	77.31	---	28.48	---	48.83
GMW-6	02/05/2008	77.31	---	29.32	---	47.99
GMW-6	04/11/2008	77.31	---	28.34	---	48.97
GMW-6	7/24/2008	77.31	---	28.81	---	48.5
GMW-6	10/13/2008	77.31	---	29.48	---	47.83
GMW-6	2/9/2009	77.31	---	29.62	---	47.69

TABLE 5

**SUMMARY OF HISTORICAL GROUNDWATER ELEVATIONS  
NOVEMBER 1986 THROUGH MAY 2010**  
Defense Fuel Support Point Norwalk  
Norwalk, California

Well	Date	Top of Casing Elevation (feet msl)	Depth to Product (feet btoc)	Depth to Water (feet btoc)	Apparent Product Thickness (feet)	Groundwater Elevation (feet msl)
GMW-6	4/20/2009	77.31	---	29.21	---	48.1
GMW-6	7/16/2009	77.31	---	29.51	---	47.8
GMW-6	10/19/2009	77.31	---	29.94	---	47.37
GMW-6	4/7/2010	77.31	---	29.74	---	47.57
GMW-6	4/12/2010	77.31	---	29.42	---	47.89
GMW-7	05/28/1996	75.84	27.21	32.89	5.68	42.95
GMW-7	07/01/1997	75.84	28.3	31.57	3.27	44.27
GMW-7	12/31/1997	75.84	28.3	32.1	3.8	43.74
GMW-7	05/01/1998	75.84	20.8	25.9	5.1	49.94
GMW-7	05/25/1999	75.84	26.18	30.37	4.19	NC
GMW-7	05/15/2000	75.84	---	30.13	---	45.71
GMW-7	11/13/2000	75.84	---	29.17	---	46.67
GMW-7	05/07/2001	75.84	26.45	27.4	0.95	NC
GMW-7	04/08/2002	75.84	---	28.77	Sheen	NC
GMW-7	09/19/2002	75.84	---	28.73	---	47.11
GMW-7	10/21/2002	75.84	---	28.05	---	47.79
GMW-7	04/07/2003	75.84	27.77	28.15	0.38	NC
GMW-7	10/06/2003	75.84	27.6	27.78	0.18	NC
GMW-7	04/19/2004	75.84	29.05	29.17	0.12	NC
GMW-7	11/01/2004	75.84	27.76	28.01	0.25	NC
GMW-7	02/28/2005	75.84	---	24.65	---	51.19
GMW-7	05/02/2005	75.84	---	23.9	---	51.94
GMW-7	03/06/2006	75.84	---	25.4	---	50.44
GMW-7	05/01/2006	75.84	---	25.3	---	50.54
GMW-7	08/26/2006	75.84	---	25.66	---	50.18
GMW-7	12/01/2006	75.84	---	25.98	---	49.86
GMW-7	03/21/2007	75.84	---	26.58	---	49.26
GMW-7	04/30/2007	75.84	---	26.49	---	49.35
GMW-7	08/28/2007	75.84	---	26.92	---	48.92
GMW-7	11/12/2007	75.84	---	27.08	---	48.76
GMW-7	02/05/2008	75.84	---	27.61	---	48.23
GMW-7	04/14/2008	75.84	---	26.7	---	49.14
GMW-7	10/14/2008	75.84	27.76	27.79	0.03	NC
GMW-7	2/10/2009	75.84	---	26.23	---	49.61
GMW-7	7/17/2009	75.84	---	27.65	---	48.19
GMW-7	4/8/2010	75.84	---	28.9	---	46.94
GMW-8	05/28/1996	73.2	---	26.42	---	46.78
GMW-8	11/20/1996	73.2	---	26.72	---	46.48
GMW-8	07/01/1997	73.2	---	28.07	---	45.13
GMW-8	12/31/1997	73.2	---	26.85	---	46.35
GMW-8	05/01/1998	73.2	---	24.24	---	48.96
GMW-8	05/04/1999	73.2	---	25.51	---	47.69
GMW-8	11/15/1999	73.2	---	25.66	---	47.54
GMW-8	05/15/2000	73.2	---	26.03	---	47.17
GMW-8	11/13/2000	73.2	---	26.45	---	46.75
GMW-8	05/07/2001	73.2	---	24.49	---	48.71
GMW-8	11/05/2001	73.2	---	24.38	---	48.82
GMW-8	04/08/2002	73.2	---	25.49	---	47.71
GMW-8	10/21/2002	73.2	---	26.43	---	46.77
GMW-8	04/07/2003	73.2	---	24.93	---	48.27
GMW-8	10/06/2003	73.2	---	25.72	---	47.48
GMW-8	01/11/2004	73.2	---	26.95	---	46.25
GMW-8	04/19/2004	73.2	---	27	---	46.2
GMW-8	05/02/2005	73.2	---	21.74	---	51.46

TABLE 5

**SUMMARY OF HISTORICAL GROUNDWATER ELEVATIONS  
NOVEMBER 1986 THROUGH MAY 2010**  
Defense Fuel Support Point Norwalk  
Norwalk, California

Well	Date	Top of Casing Elevation (feet msl)	Depth to Product (feet btoc)	Depth to Water (feet btoc)	Apparent Product Thickness (feet)	Groundwater Elevation (feet msl)
GMW-8	10/31/2005	73.2	---	27.13	---	46.07
GMW-8	05/01/2006	73.2	---	22.59	---	50.61
GMW-8	12/04/2006	73.2	---	23.34	---	49.86
GMW-8	04/30/2007	73.2	---	23.46	---	49.74
GMW-8	11/12/2007	73.2	---	23.83	---	49.37
GMW-8	04/14/2008	73.2	---	24.29	---	48.91
GMW-8	10/13/2008	73.2	---	24.43	---	48.77
GMW-8	4/20/2009	73.2	---	24.88	---	48.32
GMW-8	10/19/2009	73.2	---	25.69	---	47.51
GMW-8	5/24/2010	73.2	---	25.98	---	47.22
GMW-8	5/28/2010	73.2	---	25.87	---	47.33
GMW-9	08/07/2001	74.44	27.23	27.74	0.51	NC
GMW-9	10/21/2002	74.44	28.95	28.97	0.02	NC
GMW-9	04/07/2003	74.44	29.56	29.59	0.02	NC
GMW-9	10/06/2003	74.44	28.14	28.3	0.16	NC
GMW-9	04/19/2004	74.44	---	28.71	---	45.73
GMW-9	05/02/2005	74.44	---	24.72	---	49.72
GMW-9	10/31/2005	74.44	25.31	25.56	0.25	NC
GMW-9	05/01/2006	74.44	25.65	25.86	0.21	NC
GMW-9	12/04/2006	74.44	27.79	27.88	0.9	NC
GMW-9	04/30/2007	74.44	---	26.71	---	47.73
GMW-9	11/12/2007	74.44	27.04	27.32	0.28	NC
GMW-9	08/08/2008	74.44	27.96	28.01	0.05	NC
GMW-9	10/16/2008	74.77	28.35	28.36	0.01	NC
GMW-9	4/21/2009	74.44	---	28.16	---	46.28
GMW-9	5/24/2010	74.44	---	30.47	---	43.97
GMW-9	5/28/2010	74.44	---	30.35	---	44.09
GMW-10	10/21/2002	74.67	---	33.71	---	40.96
GMW-10	11/04/2002	74.67	26.25	34	7.75	NC
GMW-10	04/07/2003	74.67	26.47	26.47	0.23	NC
GMW-10	10/06/2003	72.9	26.51	26.72	0.21	NC
GMW-10	04/19/2004	74.67	---	28.42	---	46.25
GMW-10	05/02/2005	74.67	21.16	27.53	6.37	NC
GMW-10	10/31/2005	74.67	26.03	26.1	0.07	NC
GMW-10	05/01/2006	74.67	23.65	24.18	0.53	NC
GMW-10	12/04/2006	74.67	24.38	25.55	1.17	NC
GMW-10	04/30/2007	74.67	---	25.9	---	48.77
GMW-10	11/12/2007	74.67	25.02	25.82	0.83	NC
GMW-10	04/14/2008	74.67	25.38	25.44	0.06	NC
GMW-10	10/13/2008	74.67	---	24.16	---	50.51
GMW-10	4/20/2009	74.67	---	24.46	---	50.21
GMW-10	10/19/2009	74.67	---	27.2	---	47.47
GMW-10	5/24/2010	74.67	---	26.72	---	47.95
GMW-10	5/28/2010	74.67	---	26.7	---	47.97
GMW-11	05/28/1996	72.9	---	25.19	---	47.71
GMW-11	11/20/1996	72.9	---	26.35	---	46.55
GMW-11	07/01/1997	72.9	---	26.17	---	46.73
GMW-11	12/31/1997	72.9	---	26.73	---	46.17
GMW-11	05/01/1998	72.9	---	23.37	---	49.53
GMW-11	05/04/1999	72.9	---	24.46	---	48.44
GMW-11	11/15/1999	72.9	---	25.11	---	47.79
GMW-11	05/15/2000	72.9	---	24.96	---	47.94
GMW-11	11/13/2000	72.9	---	25.64	---	47.26
GMW-11	05/07/2001	72.9	---	23.81	---	49.09

TABLE 5

**SUMMARY OF HISTORICAL GROUNDWATER ELEVATIONS**  
**NOVEMBER 1986 THROUGH MAY 2010**  
 Defense Fuel Support Point Norwalk  
 Norwalk, California

Well	Date	Top of Casing Elevation (feet msl)	Depth to Product (feet btoc)	Depth to Water (feet btoc)	Apparent Product Thickness (feet)	Groundwater Elevation (feet msl)
GMW-11	08/07/2001	72.9	25.21	27.21	2	NC
GMW-11	11/05/2001	72.9	---	23.79	---	49.11
GMW-11	04/08/2002	72.9	---	25.62	---	47.28
GMW-11	10/21/2002	72.9	---	25.38	---	47.52
GMW-11	04/07/2003	72.9	---	24.37	---	48.53
GMW-11	10/06/2003	72.9	---	24.67	---	48.23
GMW-11	04/19/2004	72.9	---	25.16	---	47.74
GMW-11	10/31/2005	72.9	---	23.1	---	49.8
GMW-11	05/01/2006	72.9	---	22.26	---	50.64
GMW-11	05/09/2006	72.9	---	22.09	---	50.81
GMW-11	12/01/2006	72.9	---	23.2	---	49.7
GMW-11	04/30/2007	72.9	---	23.32	---	49.58
GMW-11	04/30/2007	72.9	---	23.26	---	49.64
GMW-11	04/14/2008	72.9	---	23.75	---	49.15
GMW-11	04/14/2008	72.9	---	23.77	---	49.13
GMW-11	10/13/2008	72.9	---	24.62	---	48.28
GMW-11	10/14/2008	72.9	---	24.82	---	48.08
GMW-11	4/20/2009	72.9	---	24.65	---	48.25
GMW-11	10/19/2009	72.9	---	25.69	---	47.21
GMW-11	5/24/2010	72.9	---	25.45	---	47.45
GMW-11	5/28/2010	72.9	---	25.39	---	47.51
GMW-12	05/28/1996	75.21	27.36	28.02	0.66	47.19
GMW-12	11/20/1996	75.21	---	28.25	---	46.96
GMW-12	07/01/1997	75.21	---	27.65	---	47.56
GMW-12	12/31/1997	75.21	---	28.05	---	47.16
GMW-12	05/01/1998	75.21	---	25.06	---	50.15
GMW-12	05/25/1999	75.21	---	26.17	---	49.04
GMW-12	05/15/2000	75.21	---	26.81	---	48.4
GMW-12	11/13/2000	75.21	---	27.4	---	47.81
GMW-12	05/07/2001	75.21	---	25.65	---	49.56
GMW-12	08/07/2001	75.21	25.74	26.15	0.41	NC
GMW-12	04/08/2002	75.21	---	26.89	---	48.32
GMW-12	10/21/2002	75.21	---	27.4	---	47.81
GMW-12	04/07/2003	75.21	---	26.6	---	48.61
GMW-12	04/07/2003	75.21	---	26.6	---	48.61
GMW-12	10/06/2003	75.21	---	26.45	---	48.76
GMW-12	04/19/2004	75.21	---	27.54	---	47.67
GMW-12	11/01/2004	75.21	---	27.76	---	47.45
GMW-12	05/02/2005	75.21	---	21.2	---	54.01
GMW-12	05/01/2006	75.21	---	24.03	---	51.18
GMW-12	12/04/2006	75.21	---	25.03	---	50.18
GMW-12	04/30/2007	75.21	---	25.51	---	49.7
GMW-12	11/12/2007	75.21	---	25.46	---	49.75
GMW-12	04/14/2008	75.21	---	25.72	---	49.49
GMW-12	7/24/2008	75.21	---	26.06	---	49.15
GMW-12	10/14/2008	75.21	---	26.83	---	48.38
GMW-12	2/10/2009	75.21	---	26.39	---	48.82
GMW-12	4/20/2009	75.21	---	26.38	---	48.83
GMW-12	10/19/2009	75.21	---	27.62	---	47.59
GMW-12	4/8/2010	75.21	---	27.17	---	48.04
GMW-12	4/12/2010	75.21	---	26.83	---	48.38
GMW-13	05/28/1996	74.17	---	26.91	---	47.26
GMW-13	11/20/1996	74.17	---	26.89	---	47.28
GMW-13	07/01/1997	74.17	---	25.92	---	48.25

**TABLE 5**

**SUMMARY OF HISTORICAL GROUNDWATER ELEVATIONS  
NOVEMBER 1986 THROUGH MAY 2010  
Defense Fuel Support Point Norwalk  
Norwalk, California**

Well	Date	Top of Casing Elevation (feet msl)	Depth to Product (feet btoc)	Depth to Water (feet btoc)	Apparent Product Thickness (feet)	Groundwater Elevation (feet msl)
GMW-13	12/31/1997	74.17	---	25.58	---	48.59
GMW-13	05/01/1998	74.17	---	23.1	---	51.07
GMW-13	05/04/1999	74.17	---	24.75	---	49.42
GMW-13	11/15/1999	74.17	---	25.65	---	48.52
GMW-13	05/15/2000	74.17	---	25.38	---	48.79
GMW-13	11/13/2000	74.17	---	26.02	---	48.15
GMW-13	05/07/2001	74.17	---	24.28	---	49.89
GMW-13	11/05/2001	74.17	---	24.67	---	49.5
GMW-13	02/01/2002	74.17	---	24.65	---	49.52
GMW-13	04/08/2002	74.17	---	25.4	---	48.77
GMW-13	10/21/2002	74.17	---	26.15	---	48.02
GMW-13	04/07/2003	74.17	---	25.32	---	48.85
GMW-13	10/06/2003	74.17	---	25.13	---	49.04
GMW-13	01/11/2004	74.17	---	26.58	---	47.59
GMW-13	04/19/2004	74.17	---	26.96	---	47.21
GMW-13	05/02/2005	74.17	---	20.54	---	53.63
GMW-13	10/31/2005	74.17	---	22.32	---	51.85
GMW-13	05/01/2006	74.17	---	22.82	---	51.35
GMW-13	12/04/2006	74.17	---	23.75	---	50.42
GMW-13	04/30/2007	74.17	---	24.1	---	50.07
GMW-13	11/12/2007	74.17	---	24.89	---	49.28
GMW-13	04/14/2008	74.17	---	24.6	---	49.57
GMW-13	10/13/2008	74.17	---	26.27	---	47.9
GMW-13	4/20/2009	74.17	---	25.41	---	48.76
GMW-13	10/19/2009	74.17	---	26.45	---	47.72
GMW-13	5/24/2010	74.17	---	25.86	---	48.31
GMW-13	5/28/2010	74.17	---	25.63	---	48.54
GMW-14	05/04/1999	74.72	---	25.37	---	49.35
GMW-14	08/09/1999	74.72	---	25.95	---	48.77
GMW-14	11/15/1999	74.72	---	26.27	---	48.45
GMW-14	05/15/2000	74.72	---	26.02	---	48.7
GMW-14	11/13/2000	74.72	---	26.67	---	48.05
GMW-14	05/07/2001	74.72	---	24.92	---	49.8
GMW-14	11/05/2001	74.72	---	25.28	---	49.44
GMW-14	04/08/2002	74.72	---	26	---	48.72
GMW-14	10/21/2002	74.72	---	26.79	---	47.93
GMW-14	04/07/2003	74.72	---	25.25	---	49.47
GMW-14	10/06/2003	74.72	---	25.91	---	48.81
GMW-14	01/11/2004	74.72	---	27.21	---	47.51
GMW-14	04/19/2004	74.72	---	28.69	---	46.03
GMW-14	05/02/2005	74.72	---	21.29	---	53.43
GMW-14	10/31/2005	74.72	---	22.96	---	51.76
GMW-14	05/01/2006	74.72	---	23.44	---	51.28
GMW-14	12/04/2006	74.72	---	24.39	---	50.33
GMW-14	04/30/2007	74.72	---	24.61	---	50.11
GMW-14	11/12/2007	74.72	---	24.55	---	50.17
GMW-14	04/14/2008	74.72	---	28.15	---	46.57
GMW-14	10/13/2008	74.72	---	27.23	---	47.49
GMW-14	4/20/2009	74.72	---	25.97	---	48.75
GMW-14	10/19/2009	74.72	---	27.31	---	47.41
GMW-15	05/28/1996	76.21	28.71	29.16	0.45	47.05
GMW-15	11/20/1996	76.21	---	29.7	---	46.51
GMW-15	07/01/1997	76.21	---	29.39	---	46.82
GMW-15	12/31/1997	76.21	---	29.4	---	46.81

TABLE 5

**SUMMARY OF HISTORICAL GROUNDWATER ELEVATIONS  
NOVEMBER 1986 THROUGH MAY 2010**  
Defense Fuel Support Point Norwalk  
Norwalk, California

Well	Date	Top of Casing Elevation (feet msl)	Depth to Product (feet btoc)	Depth to Water (feet btoc)	Apparent Product Thickness (feet)	Groundwater Elevation (feet msl)
GMW-15	05/01/1998	76.21	---	26.71	---	49.5
GMW-15	05/25/1999	76.21	---	27.51	---	48.7
GMW-15	05/15/2000	76.21	---	28.39	---	47.82
GMW-15	05/15/2000	76.21	---	22.59	---	53.62
GMW-15	11/13/2000	76.21	---	27.75	---	48.46
GMW-15	11/13/2000	76.21	---	28.8	---	47.41
GMW-15	05/07/2001	76.21	---	27.02	---	49.19
GMW-15	05/07/2001	76.21	---	26.6	---	49.61
GMW-15	04/08/2002	76.21	---	28.51	---	47.7
GMW-15	10/21/2002	76.21	---	28.49	---	47.72
GMW-15	04/07/2003	76.21	---	28.25	---	47.96
GMW-15	10/06/2003	76.21	---	28	---	48.21
GMW-15	04/19/2004	76.21	---	29.23	---	46.98
GMW-15	11/01/2004	76.21	---	28.91	---	47.3
GMW-15	05/02/2005	76.21	---	23.85	---	52.36
GMW-15	03/06/2006	76.21	---	25.42	---	50.79
GMW-15	05/01/2006	76.21	---	25.7	---	50.51
GMW-15	08/26/2006	76.21	---	26.05	---	50.16
GMW-15	12/01/2006	76.21	---	26.45	---	49.76
GMW-15	03/21/2007	76.21	---	26.38	---	49.83
GMW-15	04/27/2007	76.21	---	26.9	---	49.31
GMW-15	08/28/2007	76.21	---	26.7	---	49.51
GMW-15	11/12/2007	76.21	---	27.38	---	48.83
GMW-15	02/05/2008	76.21	---	27.78	---	48.43
GMW-15	04/11/2008	76.21	---	27.29	---	48.92
GMW-15	7/24/2008	76.21	---	27.52	---	48.69
GMW-15	10/13/2008	76.21	---	28.36	---	47.85
GMW-15	2/9/2009	76.21	---	28.51	---	47.7
GMW-15	4/20/2009	76.21	---	28.31	---	47.9
GMW-15	7/16/2009	76.21	---	28.32	---	47.89
GMW-15	10/19/2009	76.21	---	28.9	---	47.31
GMW-15	4/8/2010	76.21	---	28.51	---	47.7
GMW-15	4/12/2010	76.21	---	28.24	---	47.97
GMW-16	05/28/1996	77	---	29.86	---	47.14
GMW-16	11/20/1996	77	---	30.6	---	46.4
GMW-16	07/01/1997	77	---	31.61	---	45.39
GMW-16	12/31/1997	77	---	30.6	---	46.4
GMW-16	05/01/1998	77	---	27.73	---	49.27
GMW-16	05/25/1999	77	---	28.46	---	48.54
GMW-16	05/15/2000	77	---	29.5	---	47.5
GMW-16	11/13/2000	77	---	28.67	---	48.33
GMW-16	05/07/2001	77	---	28.38	---	48.62
GMW-16	04/08/2002	77	---	29.42	---	47.58
GMW-16	10/21/2002	77	---	29.15	---	47.85
GMW-16	04/07/2003	77	---	29.2	---	47.8
GMW-16	10/06/2003	77	---	28.92	---	48.08
GMW-16	04/19/2004	77	---	30.03	---	46.97
GMW-16	11/05/2004	77	---	29.53	---	47.47
GMW-16	05/02/2005	77	---	25.05	---	51.95
GMW-16	03/06/2006	77	---	26.35	---	50.65
GMW-16	05/01/2006	77	---	26.65	---	50.35
GMW-16	08/26/2006	77	---	26.98	---	50.02
GMW-16	12/01/2006	77	---	27.31	---	49.69
GMW-16	03/21/2007	77	---	27.51	---	49.49



TABLE 5

**SUMMARY OF HISTORICAL GROUNDWATER ELEVATIONS  
NOVEMBER 1986 THROUGH MAY 2010**  
Defense Fuel Support Point Norwalk  
Norwalk, California

Well	Date	Top of Casing Elevation (feet msl)	Depth to Product (feet btoc)	Depth to Water (feet btoc)	Apparent Product Thickness (feet)	Groundwater Elevation (feet msl)
GMW-16	04/27/2007	77	---	27.72	---	49.28
GMW-16	08/28/2007	77	---	27.99	---	49.01
GMW-16	11/12/2007	77	---	28.33	---	48.67
GMW-16	02/05/2008	77	---	28.68	---	48.32
GMW-16	04/11/2008	77	---	28.13	---	48.87
GMW-16	7/24/2008	77	---	28.56	---	48.44
GMW-16	10/13/2008	77	---	29.21	---	47.79
GMW-16	2/9/2009	77	---	29.18	---	47.82
GMW-16	4/20/2009	77	---	30.5	---	46.5
GMW-16	7/16/2009	77	---	29.52	---	47.48
GMW-16	10/19/2009	77	---	30.24	---	46.76
GMW-16	4/7/2010	77	---	29.68	---	47.32
GMW-16	4/12/2010	77	---	29.38	---	47.62
GMW-17	05/28/1996	74.66	26.65	30.51	3.86	44.15
GMW-17	11/20/1996	74.66	27.27	31.79	4.52	42.87
GMW-17	07/01/1997	74.66	27.38	32.71	5.33	41.95
GMW-17	12/31/1997	74.66	26.92	32.74	5.82	41.92
GMW-17	05/01/1998	74.66	25.04	25.19	0.15	49.47
GMW-17	05/25/1999	74.66	---	27.06	---	47.6
GMW-17	05/15/2000	74.66	25.13	25.18	0.05	NC
GMW-17	11/13/2000	74.66	---	26.52	---	48.14
GMW-17	05/07/2001	74.66	---	25.32	---	49.34
GMW-17	04/08/2002	74.66	---	26.7	Sheen	NC
GMW-17	09/19/2002	74.66	27.7	27.89	0.19	NC
GMW-17	10/21/2002	74.66	---	27.67	---	46.99
GMW-17	04/07/2003	74.66	---	26.6	---	48.06
GMW-17	10/06/2003	74.66	---	26.6	---	48.06
GMW-17	04/19/2004	74.66	---	25.58	---	49.08
GMW-17	11/01/2004	74.66	---	27.51	---	47.15
GMW-17	02/28/2005	74.66	---	22.85	---	51.81
GMW-17	05/02/2005	74.66	---	21.23	---	53.43
GMW-17	03/06/2006	74.66	---	23.76	---	50.9
GMW-17	05/01/2006	74.66	---	23.75	---	50.91
GMW-17	08/26/2006	74.66	---	24.36	---	50.3
GMW-17	12/01/2006	74.66	---	24.86	---	49.8
GMW-17	03/21/2007	74.66	---	25.04	---	49.62
GMW-17	04/30/2007	74.66	---	25.23	---	49.43
GMW-17	08/28/2007	74.66	---	25.42	---	49.24
GMW-17	11/12/2007	74.66	---	25.63	---	49.03
GMW-17	02/05/2008	74.66	---	26.25	---	48.41
GMW-17	04/11/2008	74.66	---	25.1	---	49.56
GMW-17	7/24/2008	74.66	---	25.91	---	48.75
GMW-17	10/14/2008	74.66	---	26.35	---	48.31
GMW-17	2/10/2009	74.66	---	27.05	---	47.61
GMW-17	4/20/2009	74.66	---	26	---	48.66
GMW-17	7/16/2009	74.66	---	27.15	---	47.51
GMW-17	10/19/2009	74.66	---	27.51	---	47.15
GMW-17	4/8/2010	74.66	---	25.92	---	48.74
GMW-17	4/12/2010	74.66	---	25.83	---	48.83
GMW-18	11/20/1996	75.36	28.4	32.5	4.1	42.86
GMW-18	07/01/1997	75.36	27.7	31.5	3.8	43.86
GMW-18	12/31/1997	75.36	28.01	32.08	4.07	43.28
GMW-18	05/01/1998	75.36	18.61	24.64	6.03	50.72
GMW-18	05/25/1999	75.36	25.77	29.48	3.71	NC

TABLE 5

**SUMMARY OF HISTORICAL GROUNDWATER ELEVATIONS  
NOVEMBER 1986 THROUGH MAY 2010**  
Defense Fuel Support Point Norwalk  
Norwalk, California

Well	Date	Top of Casing Elevation (feet msl)	Depth to Product (feet btoc)	Depth to Water (feet btoc)	Apparent Product Thickness (feet)	Groundwater Elevation (feet msl)
GMW-18	05/15/2000	75.36	26.28	30.35	4.07	NC
GMW-18	11/18/2000	75.36	---	28.77	---	46.59
GMW-18	05/07/2001	75.36	24.8	29.7	4.9	NC
GMW-18	04/08/2002	75.36	---	27.74	Sheen	NC
GMW-18	09/19/2002	75.36	27.97	28.02	0.05	NC
GMW-18	10/21/2002	75.36	---	28.74	---	46.62
GMW-18	04/07/2003	75.36	27.06	27.06	Sheen	48.3
GMW-18	10/06/2003	75.36	26.66	27.4	0.74	NC
GMW-18	04/19/2004	75.36	---	27.33	---	48.03
GMW-18	11/01/2004	75.36	27.27	27.44	0.17	NC
GMW-18	02/28/2005	75.36	23.85	23.87	0.02	NC
GMW-18	05/02/2005	75.36	---	22.4	---	52.96
GMW-18	03/06/2006	75.36	---	24.21	---	51.15
GMW-18	05/01/2006	75.36	---	24.5	---	50.86
GMW-18	08/26/2006	75.36	---	24.91	---	50.45
GMW-18	12/01/2006	75.36	---	25.2	---	50.16
GMW-18	03/21/2007	75.36	---	25.18	---	50.18
GMW-18	04/30/2007	75.36	---	25.72	---	49.64
GMW-18	08/28/2007	75.36	---	25.62	---	49.74
GMW-18	11/12/2007	75.36	---	26.29	---	49.07
GMW-18	02/05/2008	75.36	---	26.73	---	48.63
GMW-18	04/14/2008	75.36	---	25.91	---	49.45
GMW-18	10/14/2008	75.36	---	27	---	48.36
GMW-18	2/10/2009	75.36	---	26.5	---	48.86
GMW-18	4/20/2009	75.36	---	26.8	---	48.56
GMW-18	7/17/2009	75.36	---	27.41	---	47.95
GMW-18	10/19/2009	75.36	---	27.91	---	47.45
GMW-18	4/8/2010	75.36	---	27.3	---	48.06
GMW-18	4/12/2010	75.36	---	27.44	---	47.92
GMW-19	05/28/1996	76.83	---	30.39	---	46.44
GMW-19	11/20/1996	76.83	---	30.39	---	46.44
GMW-19	07/01/1997	76.83	---	29.82	---	47.01
GMW-19	12/31/1997	76.83	---	30.08	---	46.75
GMW-19	05/01/1998	76.83	---	26.97	---	49.86
GMW-19	05/25/1999	76.83	---	28	---	48.83
GMW-19	05/15/2000	76.83	---	28.85	---	47.98
GMW-19	11/13/2000	76.83	---	28.21	---	48.62
GMW-19	05/07/2001	76.83	---	27.44	---	49.39
GMW-19	04/08/2002	76.83	---	29.08	---	47.75
GMW-19	09/19/2002	76.83	---	28.63	---	48.2
GMW-19	10/21/2002	76.83	---	29.22	---	47.61
GMW-19	04/07/2003	76.83	---	28.58	---	48.25
GMW-19	10/06/2003	76.83	---	28.45	---	48.38
GMW-19	04/19/2004	76.83	---	29.44	---	47.39
GMW-19	11/01/2004	76.83	---	27.92	---	48.91
GMW-19	02/28/2005	76.83	---	25.69	---	51.14
GMW-19	05/02/2005	76.83	---	24.47	---	52.36
GMW-19	03/06/2006	76.83	---	26.32	---	50.51
GMW-19	05/01/2006	76.83	---	26.24	---	50.59
GMW-19	08/26/2006	76.83	---	26.64	---	50.19
GMW-19	12/01/2006	76.83	---	26.92	---	49.91
GMW-19	03/21/2007	76.83	---	27.41	---	49.42
GMW-19	04/30/2007	76.83	---	27.48	---	49.35
GMW-19	08/28/2007	76.83	---	28	---	48.83

TABLE 5

**SUMMARY OF HISTORICAL GROUNDWATER ELEVATIONS  
NOVEMBER 1986 THROUGH MAY 2010**  
Defense Fuel Support Point Norwalk  
Norwalk, California

Well	Date	Top of Casing Elevation (feet msl)	Depth to Product (feet btoc)	Depth to Water (feet btoc)	Apparent Product Thickness (feet)	Groundwater Elevation (feet msl)
GMW-19	11/12/2007	76.83	---	28.04	---	48.79
GMW-19	02/05/2008	76.83	---	28.67	---	48.16
GMW-19	04/14/2008	76.83	---	27.64	---	49.19
GMW-19	7/24/2008	76.83	---	27.97	---	48.86
GMW-19	10/14/2008	76.83	---	28.76	---	48.07
GMW-19	2/10/2009	76.83	---	27.35	---	49.48
GMW-19	4/20/2009	76.83	---	28.71	---	48.12
GMW-19	7/17/2009	76.83	---	28.79	---	48.04
GMW-19	10/19/2009	76.83	---	29.54	---	47.29
GMW-19	4/8/2010	76.83	---	29.05	---	47.78
GMW-19	4/12/2010	76.83	---	29.16	---	47.67
GMW-20	05/28/1996	75.1	---	27.65	---	47.45
GMW-20	11/20/1996	75.1	---	28.53	---	46.57
GMW-20	07/01/1997	75.1	---	28.26	---	46.84
GMW-20	12/31/1997	75.1	---	28.23	---	46.87
GMW-20	05/01/1998	75.1	---	25.5	---	49.6
GMW-20	05/25/1999	75.1	---	26.25	---	48.85
GMW-20	05/15/2000	75.1	---	26.95	---	48.15
GMW-20	11/13/2000	75.1	---	27.56	---	47.54
GMW-20	05/07/2001	75.1	---	25.75	---	49.35
GMW-20	08/07/2001	75.1	25.55	26.67	1.12	NC
GMW-20	04/08/2002	75.1	---	26.77	---	48.33
GMW-20	10/21/2002	75.1	---	27.16	---	47.94
GMW-20	04/07/2003	75.1	---	26.62	---	48.48
GMW-20	10/06/2003	75.1	---	26.62	---	48.48
GMW-20	04/19/2004	75.1	---	27.88	---	47.22
GMW-20	11/01/2004	75.1	---	27.79	---	47.31
GMW-20	05/02/2005	75.1	---	22.2	---	52.9
GMW-20	05/01/2006	75.1	---	24.28	---	50.82
GMW-20	12/01/2006	75.1	---	25.17	---	49.93
GMW-20	04/30/2007	75.1	---	25.63	---	49.47
GMW-20	11/12/2007	75.1	---	26.08	---	49.02
GMW-20	04/14/2008	75.1	---	25.74	---	49.36
GMW-20	10/14/2008	75.1	---	26.89	---	48.21
GMW-21	05/28/1996	76.23	27.89	33.21	5.32	43.02
GMW-21	11/20/1996	76.23	28.95	33.05	4.1	43.18
GMW-21	07/01/1997	76.23	29.13	30.13	1	46.1
GMW-21	04/08/2002	76.23	---	28.84	---	47.39
GMW-21	10/06/2003	76.23	27.9	28.17	0.27	NC
GMW-21	04/19/2004	76.23	29.14	29.57	0.43	NC
GMW-21	11/01/2004	76.23	28.68	28.91	0.23	NC
GMW-21	05/02/2005	76.23	23.79	24.56	0.77	NC
GMW-21	05/01/2006	76.23	25.21	26.99	1.78	NC
GMW-21	08/26/2006	76.23	25.54	25.79	0.25	NC
GMW-21	12/01/2006	76.23	25.99	27.83	1.84	NC
GMW-21	04/27/2007	76.23	---	26.41	---	49.82
GMW-21	11/09/2007	76.23	27.34	27.37	0.03	NC
GMW-21	02/05/2008	76.23	---	27.79	---	48.44
GMW-21	10/13/2008	76.23	---	28.18	---	48.05
GMW-21	2/9/2009	76.23	---	27.48	---	48.75
GMW-21	7/17/2009	76.23	---	28.4	---	47.83
GMW-21	4/7/2010	76.23	---	28.81	---	47.42
GMW-22	05/28/1996	74.17	29.75	34.31	4.56	39.86
GMW-22	11/20/1996	74.17	29.78	33.02	3.24	41.15

TABLE 5

**SUMMARY OF HISTORICAL GROUNDWATER ELEVATIONS  
NOVEMBER 1986 THROUGH MAY 2010**  
Defense Fuel Support Point Norwalk  
Norwalk, California

Well	Date	Top of Casing Elevation (feet msl)	Depth to Product (feet btoc)	Depth to Water (feet btoc)	Apparent Product Thickness (feet)	Groundwater Elevation (feet msl)
GMW-22	07/01/1997	74.17	30.91	34.32	3.41	39.85
GMW-22	12/31/1997	74.17	29.98	33.75	3.77	40.42
GMW-22	05/01/1998	74.17	19.13	26.55	7.42	47.62
GMW-22	05/15/2000	74.17	26.45	30.67	4.22	NC
GMW-22	11/13/2000	74.17	28.67	31.82	3.15	NC
GMW-22	05/07/2001	74.17	27.88	32.3	4.42	NC
GMW-22	08/07/2001	74.17	25.78	29.76	3.98	NC
GMW-22	11/05/2001	74.17	25.95	31.05	5.1	NC
GMW-22	04/08/2002	74.17	26.55	26.59	0.04	NC
GMW-22	05/02/2005	74.17	23.09	26.46	3.37	NC
GMW-22	10/31/2005	74.17	---	27.8	---	46.37
GMW-22	05/01/2006	74.17	24.7	24.94	0.24	NC
GMW-22	12/04/2006	74.17	25.43	25.43	Sheen	NC
GMW-22	04/30/2007	74.17	---	25.79	---	48.38
GMW-22	11/12/2007	74.17	25.91	26.45	0.54	NC
GMW-22	08/12/2008	74.17	---	26.7	---	47.47
GMW-22	10/31/2008	74.17	27.04	28.25	1.21	NC
GMW-22	11/4/2008	74.17	---	26.97	---	47.2
GMW-22	4/21/2009	74.17	27.2	27.3	0.1	46.87
GMW-23	05/28/1996	74.85	27.12	28.07	0.95	46.78
GMW-23	11/20/1996	74.85	26.66	28.42	1.76	46.43
GMW-23	07/01/1997	74.85	28.99	30.34	1.35	44.51
GMW-23	12/31/1997	74.85	28.04	28.92	0.88	45.93
GMW-23	05/01/1998	74.85	25.43	25.44	0.01	49.41
GMW-23	05/04/1999	74.85	26.65	27.09	0.44	NC
GMW-23	08/09/1999	74.85	26.39	28.52	2.13	NC
GMW-23	11/15/1999	74.85	26.79	29.6	2.81	NC
GMW-23	05/15/2000	74.85	26.9	29.87	2.97	NC
GMW-23	11/13/2000	74.85	27	31.18	4.18	NC
GMW-23	05/07/2001	74.85	28.62	28.63	0.01	NC
GMW-23	08/07/2001	74.85	25.54	26.07	0.53	NC
GMW-23	11/05/2001	74.85	25.85	26.32	0.47	NC
GMW-23	04/08/2002	74.85	26.4	26.81	0.41	NC
GMW-23	10/21/2002	74.85	28.07	28.94	0.87	NC
GMW-23	04/07/2003	74.85	26.67	26.7	0.03	NC
GMW-23	10/06/2003	74.85	26.35	27.32	0.03	NC
GMW-23	04/19/2004	74.85	26.94	26.95	0.01	NC
GMW-23	05/02/2005	74.85	---	23.34	---	51.51
GMW-23	10/31/2005	74.85	26.08	26.13	0.05	NC
GMW-23	05/01/2006	74.85	---	23.99	---	50.86
GMW-23	12/04/2006	74.85	---	24.82	---	50.03
GMW-23	04/30/2007	74.85	---	24.98	---	49.87
GMW-23	11/12/2007	74.85	---	25.41	---	49.44
GMW-23	04/14/2008	74.85	---	25.62	---	49.23
GMW-23	10/13/2008	74.85	---	26.21	---	48.64
GMW-23	4/20/2009	74.85	---	26.29	---	48.56
GMW-23	10/19/2009	74.85	---	27.51	---	47.34
GMW-23	5/24/2010	74.85	---	27.32	---	47.53
GMW-23	5/28/2010	74.85	---	27.27	---	47.58
GMW-24	08/07/2001	74.04	27.8	28.68	0.88	NC
GMW-24	05/02/2005	74.04	25.49	25.7	0.21	NC
GMW-24	10/31/2005	74.04	26.29	26.34	0.05	NC
GMW-24	05/01/2006	74.04	26.07	27.29	1.22	NC
GMW-24	12/04/2006	74.04	26.73	27.26	0.53	NC

TABLE 5

**SUMMARY OF HISTORICAL GROUNDWATER ELEVATIONS  
NOVEMBER 1986 THROUGH MAY 2010**  
Defense Fuel Support Point Norwalk  
Norwalk, California

Well	Date	Top of Casing Elevation (feet msl)	Depth to Product (feet btoc)	Depth to Water (feet btoc)	Apparent Product Thickness (feet)	Groundwater Elevation (feet msl)
GMW-24	04/30/2007	74.04	---	27.07	---	46.97
GMW-24	11/12/2007	74.04	27.46	27.5	0.04	NC
GMW-24	10/17/2008	74.04	29.9	30.88	0.98	NC
GMW-24	10/21/2008	74.04	28.3	29.64	1.34	NC
GMW-24	4/21/2009	74.04	---	29.91	---	44.13
GMW-25	05/28/1996	74.29	27.88	32.71	4.83	41.58
GMW-25	11/20/1996	74.29	27.75	31.91	4.16	42.38
GMW-25	07/01/1997	74.29	28.37	34.58	6.21	39.71
GMW-25	12/31/1997	74.29	27.86	33.59	5.73	40.7
GMW-25	05/01/1998	74.29	16.76	24.44	7.68	49.85
GMW-25	05/04/1999	74.29	26.58	30.4	3.82	NC
GMW-25	08/09/1999	74.29	26.73	29.99	3.26	NC
GMW-25	11/15/1999	74.29	27.75	28.95	1.2	NC
GMW-25	05/15/2000	74.29	27.39	28.17	0.78	NC
GMW-25	11/13/2000	74.29	27.97	29.52	1.55	NC
GMW-25	05/07/2001	74.29	26.27	28.62	2.35	NC
GMW-25	08/07/2001	74.29	25.73	28.14	2.41	NC
GMW-25	11/05/2001	74.29	26.07	28.4	2.33	NC
GMW-25	04/08/2002	74.29	27	27.07	0.07	NC
GMW-25	10/21/2002	74.29	29.41	29.45	0.04	NC
GMW-25	05/02/2005	74.29	---	24.78	---	49.51
GMW-25	10/31/2005	74.29	25.41	25.47	0.06	NC
GMW-25	05/01/2006	74.29	---	25.87	---	48.42
GMW-25	12/04/2006	74.29	---	26.65	---	47.64
GMW-25	04/30/2007	74.29	---	26.6	---	47.69
GMW-25	11/12/2007	74.29	27.25	27.3	0.05	NC
GMW-25	08/12/2008	74.29	---	27.81	---	46.48
GMW-25	10/17/2008	74.29	---	28.26	---	46.03
GMW-25	4/21/2009	74.29	---	28.35	---	45.94
GMW-25	10/19/2009	74.29	---	30.28	---	44.01
GMW-26	05/28/1996	74.45	---	27.2	---	47.25
GMW-26	11/20/1996	74.45	---	27.82	---	46.63
GMW-26	07/01/1997	74.45	---	29.03	---	45.42
GMW-26	12/31/1997	74.45	---	29.14	---	45.31
GMW-26	05/01/1998	74.45	---	25.45	---	49
GMW-26	05/04/1999	74.45	---	26.52	---	47.93
GMW-26	08/09/1999	74.45	---	26.55	---	47.9
GMW-26	11/15/1999	74.45	---	25.46	---	48.99
GMW-26	05/15/2000	74.45	---	26.54	---	47.91
GMW-26	11/13/2000	74.45	---	27.67	---	46.78
GMW-26	05/07/2001	74.45	---	25.84	---	48.61
GMW-26	11/05/2001	74.45	---	25.73	---	48.72
GMW-26	04/08/2002	74.45	---	26.4	---	48.05
GMW-26	10/21/2002	74.45	---	26.82	---	47.63
GMW-26	04/07/2003	74.45	---	25.28	---	49.17
GMW-26	07/07/2003	74.52	---	26.53	---	47.99
GMW-26	10/06/2003	74.52	---	26.3	---	48.22
GMW-26	01/11/2004	74.52	---	27.87	---	46.65
GMW-26	01/20/2004	74.52	---	26.83	---	47.69
GMW-26	04/19/2004	74.52	---	27.91	---	46.61
GMW-26	04/27/2004	74.52	---	27.32	---	47.2
GMW-26	06/07/2004	74.52	---	27.95	---	46.57
GMW-26	07/08/2004	74.52	---	27.72	---	46.8
GMW-26	05/02/2005	74.52	---	23.05	---	51.47

TABLE 5

**SUMMARY OF HISTORICAL GROUNDWATER ELEVATIONS  
NOVEMBER 1986 THROUGH MAY 2010**  
Defense Fuel Support Point Norwalk  
Norwalk, California

Well	Date	Top of Casing Elevation (feet msl)	Depth to Product (feet btoc)	Depth to Water (feet btoc)	Apparent Product Thickness (feet)	Groundwater Elevation (feet msl)
GMW-26	10/31/2005	74.52	---	23.62	---	50.9
GMW-26	05/22/2006	74.52	---	24.14	---	50.38
GMW-26	12/04/2006	74.52	---	24.69	---	49.83
GMW-26	04/30/2007	74.52	---	24.68	---	49.84
GMW-26	11/12/2007	74.52	---	25.06	---	49.46
GMW-26	04/14/2008	74.52	---	25.39	---	49.13
GMW-26	10/13/2008	74.52	---	25.92	---	48.6
GMW-26	4/20/2009	74.52	---	26.12	---	48.4
GMW-26	10/19/2009	74.52	---	26.96	---	47.56
GMW-26	5/24/2010	74.52	---	27.7	---	46.82
GMW-26	5/28/2010	74.52	---	27.47	---	47.05
GMW-27	05/28/1996	74.39	---	27	---	47.39
GMW-27	12/31/1997	74.39	27.76	28.43	0.67	45.96
GMW-27	05/01/1998	74.39	---	25.07	---	49.32
GMW-27	05/07/1999	74.39	---	26.44	---	47.95
GMW-27	08/09/1999	74.39	---	26.46	---	47.93
GMW-27	11/15/1999	74.39	---	26.71	---	47.68
GMW-27	05/15/2000	74.39	---	26.44	---	47.95
GMW-27	11/13/2000	74.39	---	27.52	---	46.87
GMW-27	05/07/2001	74.39	---	25.67	---	48.72
GMW-27	08/07/2001	74.39	---	25.25	---	49.14
GMW-27	11/05/2001	74.39	---	25.65	---	48.74
GMW-27	04/08/2002	74.39	---	28.79	---	45.6
GMW-27	10/21/2002	74.39	---	26.72	---	47.67
GMW-27	04/07/2003	74.39	---	26.13	---	48.26
GMW-27	10/06/2003	74.39	---	26.32	---	48.07
GMW-27	01/11/2004	74.41	---	27.82	---	46.59
GMW-27	01/27/2004	74.39	---	26.52	---	47.87
GMW-27	04/19/2004	74.41	---	27.62	---	46.79
GMW-27	04/27/2004	74.41	---	27	---	47.41
GMW-27	06/07/2004	74.41	---	27.7	---	46.71
GMW-27	07/08/2004	74.41	---	27.46	---	46.95
GMW-27	05/02/2005	74.41	---	24.01	---	50.4
GMW-27	10/31/2005	74.41	---	23.03	---	51.38
GMW-27	05/09/2006	74.41	---	23.51	---	50.9
GMW-27	12/04/2006	74.41	---	24.45	---	49.96
GMW-27	04/30/2007	74.41	---	24.52	---	49.89
GMW-27	11/12/2007	74.41	---	24.9	---	49.51
GMW-27	04/14/2008	74.41	---	25.21	---	49.2
GMW-27	08/11/2008	74.41	---	29.68	---	44.73
GMW-27	10/13/2008	74.41	---	25.81	---	48.6
GMW-27	11/21/2008	74.41	---	26.2	---	48.21
GMW-27	4/20/2009	74.41	---	26.04	---	48.37
GMW-27	10/19/2009	74.41	---	27.39	---	47.02
GMW-27	5/24/2010	74.41	---	26.9	---	47.51
GMW-27	5/28/2010	74.41	---	26.96	---	47.45
GMW-28	05/28/1996	74.62	---	27.22	---	47.4
GMW-28	11/20/1996	74.62	---	27.86	---	46.76
GMW-28	07/01/1997	74.62	---	29.03	---	45.59
GMW-28	12/31/1997	74.62	28	28.65	0.65	45.97
GMW-28	05/01/1998	74.62	24.77	25.42	0.65	49.2
GMW-28	08/09/1999	74.62	---	26.64	---	47.98
GMW-28	11/15/1999	74.62	---	26.8	---	47.82
GMW-28	11/13/2000	74.62	---	27.5	---	47.12

TABLE 5

**SUMMARY OF HISTORICAL GROUNDWATER ELEVATIONS  
NOVEMBER 1986 THROUGH MAY 2010**  
Defense Fuel Support Point Norwalk  
Norwalk, California

Well	Date	Top of Casing Elevation (feet msl)	Depth to Product (feet btoc)	Depth to Water (feet btoc)	Apparent Product Thickness (feet)	Groundwater Elevation (feet msl)
GMW-28	08/07/2001	74.62	---	25.47	---	49.15
GMW-28	11/05/2001	74.62	---	25.85	---	48.77
GMW-28	04/08/2002	74.62	---	26.21	---	48.41
GMW-28	10/21/2002	74.62	---	26.96	---	47.66
GMW-28	04/07/2003	74.62	---	26.35	---	48.27
GMW-28	07/07/2003	74.68	---	26.43	---	48.25
GMW-28	10/06/2003	74.62	---	26.31	---	48.31
GMW-28	01/11/2004	74.68	---	27.68	---	47
GMW-28	01/20/2004	74.68	---	26.85	---	47.83
GMW-28	04/19/2004	74.68	---	27.58	---	47.1
GMW-28	04/27/2004	74.68	---	27.13	---	47.55
GMW-28	06/07/2004	74.68	---	27.7	---	46.98
GMW-28	07/08/2004	74.68	---	27.59	---	47.09
GMW-28	05/02/2005	74.68	---	23.71	---	50.97
GMW-28	10/31/2005	74.68	---	25.16	---	49.52
GMW-28	11/12/2007	74.62	---	25.16	---	49.46
GMW-28	04/14/2008	74.62	---	25.5	---	49.12
GMW-28	11/4/2008	74.62	---	26.61	---	48.01
GMW-28	4/20/2009	74.68	---	26.18	---	48.5
GMW-28	10/19/2009	74.68	---	27.21	---	47.47
GMW-28	5/24/2010	74.68	---	27.11	---	47.57
GMW-28	5/28/2010	74.68	---	27.12	---	47.56
GMW-29	11/20/1996	74.86	---	30.6	---	44.26
GMW-29	07/01/1997	74.86	---	29.58	---	45.28
GMW-29	12/31/1997	74.86	30.91	31.7	0.79	43.16
GMW-29	05/01/1998	74.86	27.81	28.43	0.62	46.43
GMW-29	05/04/1999	74.86	---	31.35	---	43.51
GMW-29	08/09/1999	74.86	---	28.9	---	45.96
GMW-29	11/13/2000	74.86	---	31.3	---	43.56
GMW-29	11/13/2000	74.86	---	28.51	---	46.35
GMW-29	05/07/2001	74.86	---	28.64	---	46.22
GMW-29	05/10/2001	74.86	---	28.43	---	46.43
GMW-29	08/07/2001	74.86	---	28.25	---	46.61
GMW-29	11/05/2001	74.86	---	28.46	---	46.4
GMW-29	04/08/2002	74.86	---	26.54	---	48.32
GMW-29	10/21/2002	74.86	---	26.98	---	47.88
GMW-29	04/07/2003	74.86	---	29.2	---	45.66
GMW-29	07/07/2003	77.57	---	29.09	---	48.48
GMW-29	10/06/2003	74.86	---	29	---	45.86
GMW-29	01/11/2004	77.57	---	27.47	---	50.1
GMW-29	01/20/2004	77.57	---	29.46	---	48.11
GMW-29	04/19/2004	77.57	---	29.94	---	47.63
GMW-29	04/27/2004	77.57	---	29.8	---	47.77
GMW-29	06/07/2004	77.57	---	29.93	---	47.64
GMW-29	07/08/2004	77.57	---	30.06	---	47.51
GMW-29	05/02/2005	77.57	---	26.63	---	50.94
GMW-29	10/31/2005	77.57	---	25.42	---	52.15
GMW-29	05/01/2006	77.57	---	26.64	---	50.93
GMW-29	12/04/2006	77.57	---	27.34	---	50.23
GMW-29	04/30/2007	77.57	---	27.48	---	50.09
GMW-29	11/12/2007	77.57	---	27.95	---	49.62
GMW-29	04/14/2008	77.57	---	29.46	---	48.11
GMW-29	04/14/2008	77.57	---	28.31	---	49.26
GMW-29	10/13/2008	77.57	---	28.72	---	48.85

TABLE 5

**SUMMARY OF HISTORICAL GROUNDWATER ELEVATIONS  
NOVEMBER 1986 THROUGH MAY 2010**  
Defense Fuel Support Point Norwalk  
Norwalk, California

Well	Date	Top of Casing Elevation (feet msl)	Depth to Product (feet btoc)	Depth to Water (feet btoc)	Apparent Product Thickness (feet)	Groundwater Elevation (feet msl)
GMW-29	4/20/2009	77.57	---	28.86	---	48.71
GMW-29	10/19/2009	77.57	---	29.7	---	47.87
GMW-29	5/24/2010	77.57	---	29.92	---	47.65
GMW-29	5/28/2010	77.57	---	29.88	---	47.69
GMW-30	05/28/1996	74.91	26.69	29.41	2.72	45.5
GMW-30	11/20/1996	74.91	27.51	29.6	2.09	45.31
GMW-30	07/01/1997	74.91	28.96	30.32	1.36	44.59
GMW-30	12/31/1997	74.91	27.8	29.74	1.94	45.17
GMW-30	05/01/1998	74.91	19.11	24.27	5.16	50.64
GMW-30	05/04/1999	74.91	25.45	31.56	6.11	NC
GMW-30	08/09/1999	74.91	25.76	30.1	4.34	NC
GMW-30	11/15/1999	74.91	27.2	27.57	0.37	NC
GMW-30	05/15/2000	74.91	27.27	27.6	0.33	NC
GMW-30	11/13/2000	74.91	26.55	26.59	0.04	NC
GMW-30	05/07/2001	74.91	---	28.47	---	46.44
GMW-30	08/07/2001	74.91	---	25.6	---	49.31
GMW-30	11/05/2001	74.91	25.96	26	0.04	NC
GMW-30	04/08/2002	74.91	26.35	26.53	0.18	NC
GMW-30	10/21/2002	74.91	27.32	27.51	0.19	NC
GMW-30	04/07/2003	74.91	26.75	26.77	0.02	NC
GMW-30	10/06/2003	74.91	26.45	26.51	0.06	NC
GMW-30	01/11/2004	74.91	27.91	27.97	0.06	NC
GMW-30	04/19/2004	74.91	27.49	27.6	0.11	NC
GMW-30	05/10/2005	74.91	---	23.63	---	51.28
GMW-30	10/31/2005	74.91	26.71	26.71	Sheen	NC
GMW-30	05/01/2006	74.91	---	23.91	---	51
GMW-30	12/04/2006	74.91	---	24.73	---	50.18
GMW-30	04/30/2007	74.91	---	24.99	---	49.92
GMW-30	08/28/2007	74.91	---	24.65	---	50.26
GMW-30	08/28/2007	74.91	---	24.65	---	50.26
GMW-30	11/12/2007	74.91	---	25.38	---	49.53
GMW-30	04/14/2008	74.91	---	25.65	---	49.26
GMW-30	11/4/2008	74.91	---	26.52	---	48.39
GMW-30	4/20/2009	74.91	---	26.3	---	48.61
GMW-30	10/19/2009	74.91	---	27.4	---	47.51
GMW-30	5/24/2010	74.91	---	27.32	---	47.59
GMW-30	5/28/2010	74.91	---	27.18	---	47.73
GMW-31	05/28/1996	76.5	---	29.31	---	47.19
GMW-31	11/20/1996	76.5	---	30.18	---	46.32
GMW-31	07/01/1997	76.5	---	30.11	---	46.39
GMW-31	12/31/1997	76.5	---	30.03	---	46.47
GMW-31	05/01/1998	76.5	---	27.26	---	49.24
GMW-31	05/25/1999	76.5	---	28.07	---	48.43
GMW-31	05/15/2000	76.5	---	28.7	---	47.8
GMW-31	11/13/2000	76.5	---	28.33	---	48.17
GMW-31	05/07/2001	76.5	---	27.48	---	49.02
GMW-31	04/08/2002	76.5	---	28.94	---	47.56
GMW-31	10/21/2002	76.5	---	28.72	---	47.78
GMW-31	04/07/2003	76.5	---	28.44	---	48.06
GMW-31	10/06/2003	76.5	---	28.48	---	48.02
GMW-31	04/19/2004	76.5	---	29.99	---	46.51
GMW-31	11/01/2004	76.5	---	29.16	---	47.34
GMW-31	05/02/2005	76.5	---	24.57	---	51.93
GMW-31	05/01/2006	76.5	---	26.1	---	50.4



TABLE 5

**SUMMARY OF HISTORICAL GROUNDWATER ELEVATIONS  
NOVEMBER 1986 THROUGH MAY 2010**  
Defense Fuel Support Point Norwalk  
Norwalk, California

Well	Date	Top of Casing Elevation (feet msl)	Depth to Product (feet btoc)	Depth to Water (feet btoc)	Apparent Product Thickness (feet)	Groundwater Elevation (feet msl)
GMW-31	08/26/2006	76.5	---	26.49	---	50.01
GMW-31	12/01/2006	76.5	---	26.84	---	49.66
GMW-31	04/30/2007	76.5	---	27.34	---	49.16
GMW-31	11/12/2007	76.5	---	27.91	---	48.59
GMW-31	04/11/2008	76.5	---	27.57	---	48.93
GMW-31	7/24/2008	76.5	---	27.91	---	48.59
GMW-31	10/14/2008	76.5	---	28.57	---	47.93
GMW-31	2/10/2009	76.5	---	28.87	---	47.63
GMW-31	4/20/2009	76.5	---	28.41	---	48.09
GMW-31	10/19/2009	76.5	---	29.28	---	47.22
GMW-31	4/8/2010	76.5	---	28.91	---	47.59
GMW-31	4/12/2010	76.5	---	28.71	---	47.79
GMW-32	05/28/1996	74.62	---	26.78	---	47.84
GMW-32	11/20/1996	74.62	---	27.79	---	46.83
GMW-32	07/01/1997	74.62	---	26.99	---	47.63
GMW-32	12/31/1997	74.62	---	27.38	---	47.24
GMW-32	05/01/1998	74.62	---	24.23	---	50.39
GMW-32	05/25/1999	74.62	---	25.52	---	49.1
GMW-32	05/15/2000	74.62	---	26.16	---	48.46
GMW-32	11/13/2000	74.62	---	26.73	---	47.89
GMW-32	05/07/2001	74.62	---	24.93	---	49.69
GMW-32	02/01/2002	74.62	---	25.35	---	49.27
GMW-32	04/08/2002	74.62	---	26.52	---	48.1
GMW-32	10/21/2002	74.62	---	27.09	---	47.53
GMW-32	04/07/2003	74.62	---	25.15	---	49.47
GMW-32	10/06/2003	74.62	---	25.89	---	48.73
GMW-32	04/19/2004	74.62	---	26.78	---	47.84
GMW-32	11/01/2004	74.62	---	27.3	---	47.32
GMW-32	05/02/2005	74.62	---	20.42	---	54.2
GMW-32	03/06/2006	74.62	---	23.1	---	51.52
GMW-32	05/01/2006	74.62	---	22.98	---	51.64
GMW-32	08/26/2006	74.62	---	23.64	---	50.98
GMW-32	12/01/2006	74.62	---	24.5	---	50.12
GMW-32	03/21/2007	74.62	---	24.51	---	50.11
GMW-32	04/30/2007	74.62	---	25.03	---	49.59
GMW-32	08/28/2007	74.62	---	24.78	---	49.84
GMW-32	11/12/2007	74.62	---	25.62	---	49
GMW-32	02/05/2008	74.62	---	25.93	---	48.69
GMW-32	04/14/2008	74.62	---	25.11	---	49.51
GMW-32	7/24/2008	74.62	---	25.52	---	49.1
GMW-32	10/14/2008	74.62	---	26.35	---	48.27
GMW-32	2/10/2009	74.62	---	26.15	---	48.47
GMW-32	4/20/2009	74.62	---	27.28	---	47.34
GMW-32	7/16/2009	74.62	---	26.71	---	47.91
GMW-32	10/19/2009	74.62	---	27.24	---	47.38
GMW-32	4/8/2010	74.62	---	26.61	---	48.01
GMW-32	4/12/2010	74.62	---	26.82	---	47.8
GMW-33	05/28/1996	74.88	---	27.02	---	47.86
GMW-33	11/20/1996	74.88	---	27.97	---	46.91
GMW-33	07/01/1997	74.88	---	26.84	---	48.04
GMW-33	12/31/1997	74.88	---	27.52	---	47.36
GMW-33	05/01/1998	74.88	---	24.08	---	50.8
GMW-33	05/25/1999	74.88	---	25.62	---	49.26
GMW-33	05/15/2000	74.88	---	26.5	---	48.38

TABLE 5

**SUMMARY OF HISTORICAL GROUNDWATER ELEVATIONS  
NOVEMBER 1986 THROUGH MAY 2010**  
Defense Fuel Support Point Norwalk  
Norwalk, California

Well	Date	Top of Casing Elevation (feet msl)	Depth to Product (feet btoc)	Depth to Water (feet btoc)	Apparent Product Thickness (feet)	Groundwater Elevation (feet msl)
GMW-33	11/13/2000	74.88	---	26.9	---	47.98
GMW-33	05/07/2001	74.88	---	25.18	---	49.7
GMW-33	02/01/2002	74.88	---	25.32	---	49.56
GMW-33	04/08/2002	74.88	---	26.55	---	48.33
GMW-33	10/21/2002	74.88	---	27.15	---	47.73
GMW-33	04/07/2003	74.88	---	26.22	---	48.66
GMW-33	10/06/2003	74.88	---	26.06	---	48.82
GMW-33	04/19/2004	74.88	---	28.89	---	45.99
GMW-33	11/01/2004	74.88	---	27.47	---	47.41
GMW-33	05/02/2005	74.88	---	21.5	---	53.38
GMW-33	03/06/2006	74.88	---	23.94	---	50.94
GMW-33	05/01/2006	74.88	---	23.9	---	50.98
GMW-33	08/26/2006	74.88	---	24.38	---	50.5
GMW-33	12/01/2006	74.88	---	24.9	---	49.98
GMW-33	03/21/2007	74.88	---	25.61	---	49.27
GMW-33	04/30/2007	74.88	---	25.44	---	49.44
GMW-33	08/28/2007	74.88	---	25.94	---	48.94
GMW-33	11/12/2007	74.88	---	25.97	---	48.91
GMW-33	02/05/2008	74.88	---	26.87	---	48.01
GMW-33	04/11/2008	74.88	---	25.58	---	49.3
GMW-33	7/24/2008	74.88	---	26.11	---	48.77
GMW-33	10/13/2008	74.88	---	26.93	---	47.95
GMW-33	2/10/2009	74.88	---	27.05	---	47.83
GMW-33	7/16/2009	74.88	---	27.41	---	47.47
GMW-33	4/7/2010	74.88	---	26.82	---	48.06
GMW-34	05/28/1996	75.25	26.83	30.96	4.13	44.29
GMW-34	11/20/1996	75.25	27.69	31.87	4.18	43.38
GMW-34	07/01/1997	75.25	28.1	32.06	3.96	43.19
GMW-34	12/31/1997	75.25	27.88	31.81	3.93	43.44
GMW-34	05/01/1998	75.25	25.66	25.92	0.26	49.33
GMW-34	05/25/1999	75.25	---	26.8	---	48.45
GMW-34	05/15/2000	75.25	---	27.46	---	47.79
GMW-34	11/13/2000	75.25	---	27.05	---	48.2
GMW-34	05/07/2001	75.25	---	26.12	---	49.13
GMW-34	04/08/2002	75.25	---	27.26	---	47.99
GMW-34	10/21/2002	75.25	---	27.64	---	47.61
GMW-34	04/07/2003	75.25	---	26.98	---	48.27
GMW-34	10/06/2003	75.25	---	27.03	---	48.22
GMW-34	04/19/2004	75.25	---	28.53	---	46.72
GMW-34	11/01/2004	75.25	---	28.26	---	46.99
GMW-34	05/02/2005	75.25	---	22.79	---	52.46
GMW-34	05/01/2006	75.25	---	24.5	---	50.75
GMW-34	12/01/2006	75.25	---	25.56	---	49.69
GMW-34	04/30/2007	75.25	---	25.88	---	49.37
GMW-35	05/28/1996	76.12	27.54	32.06	4.52	44.06
GMW-35	11/20/1996	76.12	28.69	33.01	4.32	43.11
GMW-35	07/01/1997	76.12	27.75	31.38	3.63	44.74
GMW-35	12/31/1997	76.12	28.1	32.18	4.08	43.94
GMW-35	05/01/1998	76.12	24.97	25.28	0.31	50.84
GMW-35	05/25/1999	76.12	26.93	27.65	0.72	NC
GMW-35	05/15/2000	76.12	27.67	28.26	0.59	NC
GMW-35	11/13/2000	76.12	---	29.38	---	46.74
GMW-35	05/07/2001	76.12	---	26.8	---	49.32
GMW-35	04/08/2002	76.12	---	28.39	Sheen	NC

TABLE 5

**SUMMARY OF HISTORICAL GROUNDWATER ELEVATIONS  
NOVEMBER 1986 THROUGH MAY 2010**

Defense Fuel Support Point Norwalk  
Norwalk, California

Well	Date	Top of Casing Elevation (feet msl)	Depth to Product (feet btoc)	Depth to Water (feet btoc)	Apparent Product Thickness (feet)	Groundwater Elevation (feet msl)
GMW-35	09/19/2002	76.12	28.56	28.95	0.39	NC
GMW-35	10/21/2002	76.12	---	29.03	---	47.09
GMW-35	04/07/2003	76.12	28.1	28.15	0.05	NC
GMW-35	10/06/2003	76.12	---	27.58	---	48.54
GMW-35	04/19/2004	76.12	28.46	28.49	0.03	NC
GMW-35	11/01/2004	76.12	28.71	28.78	0.07	NC
GMW-35	02/28/2005	76.12	---	24.73	---	51.39
GMW-35	05/02/2005	76.12	---	23.26	---	52.86
GMW-35	03/06/2006	76.12	---	25.14	---	50.98
GMW-35	05/01/2006	76.12	---	25.37	---	50.75
GMW-35	08/26/2006	76.12	---	25.83	---	50.29
GMW-35	12/01/2006	76.12	---	26.27	---	49.85
GMW-35	03/21/2007	76.12	---	26.72	---	49.4
GMW-35	04/30/2007	76.12	---	26.74	---	49.38
GMW-35	08/28/2007	76.12	---	27.02	---	49.1
GMW-35	11/12/2007	76.12	---	27.32	---	48.8
GMW-35	02/05/2008	76.12	---	27.98	---	48.14
GMW-35	04/14/2008	76.12	---	26.85	---	49.27
GMW-35	10/13/2008	76.12	28.28	28.31	0.03	NC
GMW-35	2/10/2009	76.12	---	27.7	---	48.42
GMW-35	4/20/2009	76.12	---	28.94	---	47.18
GMW-35	7/17/2009	76.12	---	28.12	---	48
GMW-35	4/8/2010	76.12	---	27.07	---	49.05
GMW-35	4/12/2010	76.12	---	28.41	---	47.71
GMW-36	05/28/1996	74.53	25.71	26.88	1.17	47.65
GMW-36	11/20/1996	74.53	26.56	26.82	0.26	47.71
GMW-36	07/01/1997	74.53	25.09	25.71	0.62	48.82
GMW-36	12/31/1997	74.53	---	26.74	---	47.79
GMW-36	05/04/1999	74.53	---	23.68	---	50.85
GMW-36	08/09/1999	74.53	---	24.8	---	49.73
GMW-36	11/15/1999	74.53	---	25.48	---	49.05
GMW-36	05/15/2000	74.53	---	25.01	---	49.52
GMW-36	11/13/2000	74.53	---	25.96	---	48.57
GMW-36	02/05/2001	74.53	---	25.41	---	49.12
GMW-36	05/07/2001	74.53	---	23.37	---	51.16
GMW-36	05/10/2001	74.53	---	23.43	---	51.1
GMW-36	09/18/2001	74.53	---	23.95	---	50.58
GMW-36	11/05/2001	74.53	---	24.24	---	50.29
GMW-36	01/29/2002	74.53	---	24.6	---	49.93
GMW-36	04/08/2002	74.53	---	24.92	---	49.61
GMW-36	07/29/2002	74.53	---	25.92	---	48.61
GMW-36	10/21/2002	74.53	25.54	29.46	3.92	NC
GMW-36	11/04/2002	74.53	25.55	29.05	3.5	NC
GMW-36	01/27/2003	74.53	26.75	28.02	1.27	NC
GMW-36	04/07/2003	74.53	26.63	27.47	0.84	NC
GMW-36	05/02/2005	74.53	20.03	21.23	1.2	NC
GMW-36	10/31/2005	74.53	22.69	22.73	0.04	NC
GMW-36	05/01/2006	74.53	22.8	22.91	0.11	NC
GMW-36	12/04/2006	74.53	---	23.86	---	50.67
GMW-36	03/12/2007	74.53	---	24.29	---	50.24
GMW-36	04/30/2007	74.53	---	24.4	---	50.13
GMW-36	08/28/2007	74.53	---	24.31	---	50.22
GMW-36	11/12/2007	74.53	24.85	24.86	0.01	NC
GMW-36	02/19/2008	74.53	---	25.5	---	49.03

TABLE 5

**SUMMARY OF HISTORICAL GROUNDWATER ELEVATIONS  
NOVEMBER 1986 THROUGH MAY 2010**  
Defense Fuel Support Point Norwalk  
Norwalk, California

Well	Date	Top of Casing Elevation (feet msl)	Depth to Product (feet btoc)	Depth to Water (feet btoc)	Apparent Product Thickness (feet)	Groundwater Elevation (feet msl)
GMW-36	04/14/2008	74.53	---	24.61	---	49.92
GMW-36	08/08/2008	74.53	26.14	26.2	0.06	NC
GMW-36	10/16/2008	74.77	26.09	26.11	0.02	NC
GMW-36	4/20/2009	74.53	25.59	25.63	0.04	48.9
GMW-36	4/21/2009	74.53	---	25.6	---	48.93
GMW-36	7/20/2009	74.53	---	25.9	---	48.63
GMW-36	10/19/2009	74.53	26.45	26.56	0.11	NC
GMW-36	3/15/2010	74.53	---	26.8	---	47.73
GMW-36	4/16/2010	74.53	---	26.9	---	47.63
GMW-36	5/24/2010	74.53	25.9	25.96	0.06	NC
GMW-36	5/28/2010	74.53	25.88	25.94	0.06	NC
GMW-37	11/20/1996	77.32	---	29.76	---	47.56
GMW-37	07/01/1997	77.32	---	28.37	---	48.95
GMW-37	12/31/1997	77.32	---	28.71	---	48.61
GMW-37	05/03/1999	77.32	---	27.76	---	49.56
GMW-37	08/09/1999	77.32	---	28.1	---	49.22
GMW-37	11/15/1999	77.32	---	28.57	---	48.75
GMW-37	05/15/2000	77.32	---	28.19	---	49.13
GMW-37	11/13/2000	77.32	---	28.89	---	48.43
GMW-37	02/05/2001	77.32	---	28.65	---	48.67
GMW-37	05/07/2001	77.32	---	26.94	---	50.38
GMW-37	09/18/2001	77.32	---	27.43	---	49.89
GMW-37	11/05/2001	77.32	---	27.56	---	49.76
GMW-37	01/29/2002	77.32	---	27.89	---	49.43
GMW-37	04/08/2002	77.32	---	27.94	---	49.38
GMW-37	10/21/2002	77.32	---	29.11	---	48.21
GMW-37	01/27/2003	77.32	---	28.74	---	48.58
GMW-37	04/07/2003	77.32	---	28.3	---	49.02
GMW-37	07/31/2003	77.32	---	28.02	---	49.3
GMW-37	10/06/2003	77.32	---	27.92	---	49.4
GMW-37	01/11/2004	77.32	---	29.62	---	47.7
GMW-37	01/27/2004	77.32	---	28.81	---	48.51
GMW-37	04/19/2004	77.32	---	28.91	---	48.41
GMW-37	07/19/2004	77.32	---	28.91	---	48.41
GMW-37	02/01/2005	77.32	---	27.77	---	49.55
GMW-37	05/02/2005	77.32	---	23.34	---	53.98
GMW-37	08/01/2005	77.32	---	24.61	---	52.71
GMW-37	10/31/2005	77.32	---	25.35	---	51.97
GMW-37	02/27/2006	77.32	---	25.81	---	51.51
GMW-37	05/01/2006	77.32	---	25.86	---	51.46
GMW-37	09/18/2006	77.32	---	24.62	---	52.7
GMW-37	12/04/2006	77.32	---	26.83	---	50.49
GMW-37	04/30/2007	77.32	---	27.18	---	50.14
GMW-37	11/12/2007	77.32	---	27.61	---	49.71
GMW-37	04/14/2008	77.32	---	27.6	---	49.72
GMW-37	10/13/2008	77.32	---	28.56	---	48.76
GMW-37	4/20/2009	77.32	---	28.54	---	48.78
GMW-37	10/19/2009	77.32	---	29.47	---	47.85
GMW-37	5/24/2010	77.32	---	29.25	---	48.07
GMW-37	5/28/2010	77.32	---	29.2	---	48.12
GMW-38	05/28/1996	75.47	---	27.15	---	48.32
GMW-38	11/20/1996	75.47	---	28.09	---	47.38
GMW-38	05/03/1999	75.47	---	26.08	---	49.39
GMW-38	08/09/1999	75.47	---	26.42	---	49.05

TABLE 5

**SUMMARY OF HISTORICAL GROUNDWATER ELEVATIONS  
NOVEMBER 1986 THROUGH MAY 2010**

Defense Fuel Support Point Norwalk  
Norwalk, California

Well	Date	Top of Casing Elevation (feet msl)	Depth to Product (feet btoc)	Depth to Water (feet btoc)	Apparent Product Thickness (feet)	Groundwater Elevation (feet msl)
GMW-38	11/15/1999	75.47	---	26.97	---	48.5
GMW-38	05/15/2000	75.47	---	26.53	---	48.94
GMW-38	11/13/2000	75.47	---	27.24	---	48.23
GMW-38	05/07/2001	75.47	---	25.14	---	50.33
GMW-38	11/05/2001	75.47	---	25.84	---	49.63
GMW-38	02/01/2002	75.47	---	25.91	---	49.56
GMW-38	04/08/2002	75.47	---	26.52	---	48.95
GMW-38	10/21/2002	75.47	---	27.39	---	48.08
GMW-38	01/27/2003	75.47	---	27.05	---	48.42
GMW-38	04/07/2003	75.47	---	26.47	---	49
GMW-38	07/31/2003	75.47	---	26.26	---	49.21
GMW-38	10/06/2003	75.47	---	26.51	---	48.96
GMW-38	01/11/2004	75.47	---	27.91	---	47.56
GMW-38	01/27/2004	75.47	---	27.04	---	48.43
GMW-38	04/19/2004	75.47	---	27.15	---	48.32
GMW-38	07/19/2004	75.47	---	27.26	---	48.21
GMW-38	02/01/2005	75.47	---	25.99	---	49.48
GMW-38	05/02/2005	75.47	---	28.53	---	46.94
GMW-38	08/01/2005	75.47	---	22.91	---	52.56
GMW-38	10/31/2005	75.47	---	23.65	---	51.82
GMW-38	02/27/2006	75.47	---	24.04	---	51.43
GMW-38	05/01/2006	75.47	---	24.09	---	51.38
GMW-38	09/18/2006	75.47	---	24.85	---	50.62
GMW-38	12/04/2006	75.47	---	25.07	---	50.4
GMW-38	03/12/2007	75.47	---	25.48	---	49.99
GMW-38	04/30/2007	75.47	---	25.42	---	50.05
GMW-38	08/28/2007	75.47	---	25.29	---	50.18
GMW-38	11/12/2007	75.47	---	25.89	---	49.58
GMW-38	04/14/2008	75.47	---	25.81	---	49.66
GMW-38	10/13/2008	75.47	---	26.72	---	48.75
GMW-38	4/20/2009	75.47	---	27.05	---	48.42
GMW-38	7/20/2009	75.47	---	27.21	---	48.26
GMW-38	10/19/2009	75.47	---	27.78	---	47.69
GMW-38	3/15/2010	75.47	---	27.92	---	47.55
GMW-38	5/24/2010	75.47	---	27.5	---	47.97
GMW-38	5/28/2010	75.47	---	27.4	---	48.07
GMW-39	05/28/1996	75.05	---	26.67	---	48.38
GMW-39	11/20/1996	75.05	---	27.68	---	47.37
GMW-39	05/03/1999	75.05	---	25.5	---	49.55
GMW-39	08/09/1999	75.05	---	25.99	---	49.06
GMW-39	11/15/1999	75.05	---	26.52	---	48.53
GMW-39	05/15/2000	75.05	---	25.95	---	49.1
GMW-39	11/13/2000	75.05	---	26.88	---	48.17
GMW-39	05/07/2001	75.05	---	24.64	---	50.41
GMW-39	11/05/2001	75.05	---	25.28	---	49.77
GMW-39	02/01/2002	75.05	---	25.2	---	49.85
GMW-39	04/08/2002	75.05	---	26.11	---	48.94
GMW-39	10/21/2002	75.05	---	27.19	---	47.86
GMW-39	01/27/2003	75.05	---	26.67	---	48.38
GMW-39	04/07/2003	75.05	---	26.05	---	49
GMW-39	07/31/2003	75.05	---	25.79	---	49.26
GMW-39	10/06/2003	75.05	---	26.04	---	49.01
GMW-39	01/11/2004	75.05	---	27.54	---	47.51
GMW-39	01/27/2004	75.05	---	26.63	---	48.42

TABLE 5

**SUMMARY OF HISTORICAL GROUNDWATER ELEVATIONS  
NOVEMBER 1986 THROUGH MAY 2010**  
Defense Fuel Support Point Norwalk  
Norwalk, California

Well	Date	Top of Casing Elevation (feet msl)	Depth to Product (feet btoc)	Depth to Water (feet btoc)	Apparent Product Thickness (feet)	Groundwater Elevation (feet msl)
GMW-39	04/19/2004	75.05	---	26.04	---	49.01
GMW-39	07/19/2004	75.05	---	26.78	---	48.27
GMW-39	02/01/2005	75.05	---	25.41	---	49.64
GMW-39	05/02/2005	75.05	---	20.34	---	54.71
GMW-39	08/01/2005	75.05	---	22.23	---	52.82
GMW-39	10/31/2005	75.05	---	22.9	---	52.15
GMW-39	02/27/2006	75.05	---	23.48	---	51.57
GMW-39	05/01/2006	75.05	---	23.6	---	51.45
GMW-39	09/18/2006	75.05	---	24.37	---	50.68
GMW-39	12/04/2006	75.05	---	24.64	---	50.41
GMW-39	03/12/2007	75.05	---	25.12	---	49.93
GMW-39	04/30/2007	75.05	---	25.12	---	49.93
GMW-39	08/28/2007	75.05	---	25.15	---	49.9
GMW-39	11/12/2007	75.05	---	25.62	---	49.43
GMW-39	02/19/2008	75.05	---	25.91	---	49.14
GMW-39	04/14/2008	75.05	---	25.44	---	49.61
GMW-39	08/11/2008	75.05	---	26.21	---	48.84
GMW-39	10/13/2008	75.05	---	26.51	---	48.54
GMW-39	4/20/2009	75.05	---	26.43	---	48.62
GMW-39	7/20/2009	75.05	---	26.85	---	48.2
GMW-39	10/19/2009	75.05	---	27.58	---	47.47
GMW-39	3/15/2010	75.05	---	27.41	---	47.64
GMW-39	5/24/2010	75.05	---	27.12	---	47.93
GMW-39	5/28/2010	75.05	---	27.09	---	47.96
GMW-40	05/28/1996	73.13	---	26	---	47.13
GMW-40	11/20/1996	73.13	---	26.74	---	46.39
GMW-40	07/01/1997	73.13	---	27.43	---	45.7
GMW-40	12/31/1997	73.13	---	26.66	---	46.47
GMW-40	05/01/1998	73.13	---	24.03	---	49.1
GMW-40	05/25/1999	73.13	---	24.84	---	48.29
GMW-40	05/15/2000	73.13	---	25.65	---	47.48
GMW-40	11/13/2000	73.13	---	26.21	---	46.92
GMW-40	05/07/2001	73.13	---	24.26	---	48.87
GMW-40	04/08/2002	73.13	---	25.14	---	47.99
GMW-40	10/21/2002	73.13	---	25.49	---	47.64
GMW-40	04/07/2003	73.13	---	24.6	---	48.53
GMW-40	10/06/2003	73.13	---	25.02	---	48.11
GMW-40	04/19/2004	73.13	---	26.59	---	46.54
GMW-40	11/05/2004	73.13	---	24.1	---	49.03
GMW-40	05/02/2005	73.13	---	21.17	---	51.96
GMW-40	05/01/2006	73.13	---	22.54	---	50.59
GMW-40	12/01/2006	73.13	---	23.51	---	49.62
GMW-40	04/30/2007	73.13	---	23.74	---	49.39
GMW-40	11/12/2007	73.13	---	24.6	---	48.53
GMW-40	04/11/2008	73.13	---	24.09	---	49.04
GMW-40	10/14/2008	73.13	---	25.01	---	48.12
GMW-40	2/10/2009	73.13	---	25.05	---	48.08
GMW-40	4/20/2009	73.13	---	27.4	---	45.73
GMW-40	10/19/2009	73.13	---	26	---	47.13
GMW-40	4/8/2010	73.13	---	25.31	---	47.82
GMW-40	4/12/2010	73.13	---	25.2	---	47.93
GMW-41	05/28/1996	74.46	---	27.01	---	47.45
GMW-41	11/20/1996	74.46	---	27.92	---	46.54
GMW-41	07/01/1997	74.46	---	28.31	---	46.15

TABLE 5

**SUMMARY OF HISTORICAL GROUNDWATER ELEVATIONS  
NOVEMBER 1986 THROUGH MAY 2010**  
Defense Fuel Support Point Norwalk  
Norwalk, California

Well	Date	Top of Casing Elevation (feet msl)	Depth to Product (feet btoc)	Depth to Water (feet btoc)	Apparent Product Thickness (feet)	Groundwater Elevation (feet msl)
GMW-41	12/31/1997	74.46	---	27.81	---	46.65
GMW-41	05/01/1998	74.46	---	25.1	---	49.36
GMW-41	05/25/1999	74.46	---	26.02	---	48.44
GMW-41	05/15/2000	74.46	---	26.69	---	47.77
GMW-41	11/13/2000	74.46	---	27.32	---	47.14
GMW-41	05/07/2001	74.46	---	25.45	---	49.01
GMW-41	04/08/2002	74.46	---	26.36	---	48.1
GMW-41	10/21/2002	74.46	---	26.85	---	47.61
GMW-41	04/07/2003	74.46	---	26.15	---	48.31
GMW-41	10/06/2003	74.46	---	26.22	---	48.24
GMW-41	04/19/2004	74.46	---	27.64	---	46.82
GMW-41	11/01/2004	74.46	---	27.54	---	46.92
GMW-41	05/02/2005	74.46	---	22.28	---	52.18
GMW-41	05/01/2006	74.46	---	23.87	---	50.59
GMW-41	12/01/2006	74.46	---	24.71	---	49.75
GMW-41	04/30/2007	74.46	---	25.06	---	49.4
GMW-41	11/12/2007	74.46	---	25.87	---	48.59
GMW-41	04/11/2008	74.46	---	25.44	---	49.02
GMW-41	7/24/2008	74.46	---	25.8	---	48.66
GMW-41	10/14/2008	74.46	---	26.35	---	48.11
GMW-41	2/10/2009	74.46	---	26.58	---	47.88
GMW-41	4/20/2009	74.46	---	26.61	---	47.85
GMW-41	10/19/2009	74.46	---	27.34	---	47.12
GMW-41	4/8/2010	74.46	---	26.64	---	47.82
GMW-41	4/12/2010	74.46	---	26.44	---	48.02
GMW-42	05/28/1996	75.5	27.89	29.36	1.47	46.14
GMW-42	11/20/1996	75.5	28.87	29.55	0.68	45.95
GMW-42	07/01/1997	75.5	29.06	29.52	0.46	45.98
GMW-42	12/31/1997	75.5	---	28.87	---	46.63
GMW-42	05/01/1998	75.5	---	26.18	---	49.32
GMW-42	05/25/1999	75.5	---	26.99	---	48.51
GMW-42	05/15/2000	75.5	---	27.54	---	47.96
GMW-42	11/13/2000	75.5	---	28.32	---	47.18
GMW-42	05/07/2001	75.5	---	26.25	---	49.25
GMW-42	04/08/2002	75.5	---	27.57	---	47.93
GMW-42	10/21/2002	75.5	---	27.96	---	47.54
GMW-42	04/07/2003	75.5	---	27.25	---	48.25
GMW-42	10/06/2003	75.5	---	27.3	---	48.2
GMW-42	04/19/2004	75.5	---	28.78	---	46.72
GMW-42	11/01/2004	75.5	---	28.4	---	47.1
GMW-42	05/03/2005	75.5	---	22.32	---	53.18
GMW-42	05/01/2006	75.5	---	24.46	---	51.04
GMW-42	12/01/2006	75.5	---	23.51	---	51.99
GMW-42	04/30/2007	75.5	---	26.07	---	49.43
GMW-42	11/12/2007	75.5	---	26.38	---	49.12
GMW-42	04/11/2008	75.5	---	25.95	---	49.55
GMW-42	10/16/2008	75.5	---	26.92	---	48.58
GMW-42	4/7/2010	75.5	---	27.6	---	47.9
GMW-43	05/28/1996	74.44	---	27.03	---	47.41
GMW-43	11/20/1996	74.44	---	28.03	---	46.41
GMW-43	07/01/1997	74.44	---	27.66	---	46.78
GMW-43	12/31/1997	74.44	---	27.7	---	46.74
GMW-43	05/01/1998	74.44	---	24.93	---	49.51
GMW-43	05/25/1999	74.44	---	25.72	---	48.72

TABLE 5

**SUMMARY OF HISTORICAL GROUNDWATER ELEVATIONS  
NOVEMBER 1986 THROUGH MAY 2010**  
Defense Fuel Support Point Norwalk  
Norwalk, California

Well	Date	Top of Casing Elevation (feet msl)	Depth to Product (feet btoc)	Depth to Water (feet btoc)	Apparent Product Thickness (feet)	Groundwater Elevation (feet msl)
GMW-43	05/15/2000	74.44	---	26.41	---	48.03
GMW-43	11/13/2000	74.44	---	26.97	---	47.47
GMW-43	05/07/2001	74.44	---	25.11	---	49.33
GMW-43	04/08/2002	74.44	---	26.7	---	47.74
GMW-43	10/21/2002	74.44	---	26.66	---	47.78
GMW-43	04/07/2003	74.44	---	26	---	48.44
GMW-43	10/06/2003	74.44	---	26.12	---	48.32
GMW-43	04/19/2004	74.44	---	27.4	---	47.04
GMW-43	11/03/2004	74.44	---	26.63	---	47.81
GMW-43	05/02/2005	74.44	---	21.03	---	53.41
GMW-43	05/01/2006	74.44	---	23.36	---	51.08
GMW-43	12/01/2006	74.44	---	24.59	---	49.85
GMW-43	04/30/2007	74.44	---	25	---	49.44
GMW-43	11/12/2007	74.44	---	25.6	---	48.84
GMW-43	04/14/2008	74.44	---	25.17	---	49.27
GMW-43	7/24/2008	74.44	---	25.77	---	48.67
GMW-43	10/14/2008	74.44	---	26.34	---	48.1
GMW-43	2/10/2009	74.44	---	26.79	---	47.65
GMW-43	4/20/2009	74.44	---	27.11	---	47.33
GMW-43	10/19/2009	74.44	---	27.31	---	47.13
GMW-43	4/8/2010	74.44	---	26.52	---	47.92
GMW-43	4/12/2010	74.44	---	26.24	---	48.2
GMW-44	05/28/1996	74.45	---	27.19	---	47.26
GMW-44	11/20/1996	74.45	---	28.29	---	46.16
GMW-44	07/01/1997	74.45	---	27.75	---	46.7
GMW-44	12/31/1997	74.45	---	27.9	---	46.55
GMW-44	05/01/1998	74.45	---	25.13	---	49.32
GMW-44	05/25/1999	74.45	---	25.88	---	48.57
GMW-44	05/15/2000	74.45	---	26.63	---	47.82
GMW-44	11/13/2000	74.45	---	27.16	---	47.29
GMW-44	05/07/2001	74.45	---	25.38	---	49.07
GMW-44	04/08/2002	74.45	---	26.7	---	47.75
GMW-44	10/21/2002	74.45	---	26.88	---	47.57
GMW-44	04/07/2003	74.45	---	26.3	---	48.15
GMW-44	10/06/2003	74.45	---	26.29	---	48.16
GMW-44	04/19/2004	74.45	---	28.45	---	46
GMW-44	11/03/2005	74.45	---	27.21	---	47.24
GMW-44	05/02/2005	74.45	---	22	---	52.45
GMW-44	05/01/2006	74.45	---	23.98	---	50.47
GMW-44	12/01/2006	74.45	---	24.81	---	49.64
GMW-44	04/30/2007	74.45	---	25.32	---	49.13
GMW-44	11/12/2007	74.45	---	25.82	---	48.63
GMW-44	04/14/2008	74.45	---	25.45	---	49
GMW-44	7/24/2008	74.45	---	25.95	---	48.5
GMW-44	10/14/2008	74.45	---	26.6	---	47.85
GMW-44	2/10/2009	74.45	---	26.87	---	47.58
GMW-44	4/20/2009	74.45	---	26.51	---	47.94
GMW-44	10/19/2009	74.45	---	27.43	---	47.02
GMW-44	4/8/2010	74.45	---	26.77	---	47.68
GMW-44	4/12/2010	74.45	---	26.51	---	47.94
GMW-45	05/28/1996	75.67	---	28.3	---	47.37
GMW-45	11/20/1996	75.67	---	29.21	---	46.46
GMW-45	07/01/1997	75.67	---	28.32	---	47.35
GMW-45	12/31/1997	75.67	---	28.81	---	46.86



TABLE 5

**SUMMARY OF HISTORICAL GROUNDWATER ELEVATIONS  
NOVEMBER 1986 THROUGH MAY 2010**  
Defense Fuel Support Point Norwalk  
Norwalk, California

Well	Date	Top of Casing Elevation (feet msl)	Depth to Product (feet btoc)	Depth to Water (feet btoc)	Apparent Product Thickness (feet)	Groundwater Elevation (feet msl)
GMW-45	05/01/1998	75.67	---	25.75	---	49.92
GMW-45	05/25/1999	75.67	---	26.74	---	48.93
GMW-45	05/15/2000	75.67	---	27.68	---	47.99
GMW-45	11/13/2000	75.67	---	28.02	---	47.65
GMW-45	05/07/2001	75.67	---	28.65	---	47.02
GMW-45	04/08/2002	75.67	---	27.92	---	47.75
GMW-45	10/21/2002	75.67	---	28.33	---	47.34
GMW-45	04/07/2003	75.67	---	27.5	---	48.17
GMW-45	10/06/2003	75.67	---	27.26	---	48.41
GMW-45	04/19/2004	75.67	---	28.17	---	47.5
GMW-45	11/01/2004	75.67	---	28.35	---	47.32
GMW-45	05/02/2005	75.67	---	23.15	---	52.52
GMW-45	03/06/2006	75.67	---	25.21	---	50.46
GMW-45	05/01/2006	75.67	---	25.15	---	50.52
GMW-45	08/26/2006	75.67	---	25.53	---	50.14
GMW-45	12/01/2006	75.67	---	25.96	---	49.71
GMW-45	03/21/2007	75.67	---	26.09	---	49.58
GMW-45	04/27/2007	75.67	---	26.48	---	49.19
GMW-45	08/28/2007	75.67	---	26.42	---	49.25
GMW-45	11/12/2007	75.67	---	26.94	---	48.73
GMW-45	02/05/2008	74.45	---	27.52	---	46.93
GMW-45	04/11/2008	75.67	---	26.76	---	48.91
GMW-45	7/24/2008	75.67	---	27.27	---	48.4
GMW-45	10/13/2008	75.67	---	27.95	---	47.72
GMW-45	2/9/2009	74.45	---	27.68	---	46.77
GMW-45	4/20/2009	75.67	---	27.58	---	48.09
GMW-45	7/16/2009	75.67	---	27.91	---	47.76
GMW-45	10/19/2009	75.67	---	28.54	---	47.13
GMW-45	4/7/2010	75.67	---	28.22	---	47.45
GMW-45	4/12/2010	75.67	---	27.85	---	47.82
GMW-46	08/26/2006	76.1	---	24.72	---	51.38
GMW-46	08/28/2007	75.31	---	25.89	---	49.42
GMW-47	05/28/1996	75.98	---	28.45	---	47.53
GMW-47	11/20/1996	75.98	---	29.43	---	46.55
GMW-47	07/01/1997	75.98	---	28.34	---	47.64
GMW-47	12/31/1997	75.98	---	28.9	---	47.08
GMW-47	05/01/1998	75.98	---	25.79	---	50.19
GMW-47	05/25/1999	75.98	---	26.91	---	49.07
GMW-47	05/15/2000	75.98	---	27.61	---	48.37
GMW-47	11/13/2000	75.98	---	28.13	---	47.85
GMW-47	02/05/2001	75.98	---	27.17	---	48.81
GMW-47	05/07/2001	75.98	---	26.71	---	49.27
GMW-47	04/08/2002	75.98	---	27.21	---	48.77
GMW-47	09/19/2002	75.98	---	28.5	---	47.48
GMW-47	10/21/2002	75.98	---	29.04	---	46.94
GMW-47	04/07/2003	75.98	---	27.82	---	48.16
GMW-47	10/06/2003	75.98	---	27.44	---	48.54
GMW-47	04/19/2004	75.98	---	28.27	---	47.71
GMW-47	11/01/2004	75.98	---	28.6	---	47.38
GMW-47	02/28/2005	75.98	---	24.87	---	51.11
GMW-47	05/02/2005	75.98	---	23.17	---	52.81
GMW-47	03/06/2006	75.98	---	24.67	---	51.31
GMW-47	05/01/2006	75.98	---	25.16	---	50.82
GMW-47	08/26/2006	75.98	---	25.62	---	50.36

TABLE 5

**SUMMARY OF HISTORICAL GROUNDWATER ELEVATIONS  
NOVEMBER 1986 THROUGH MAY 2010**

Defense Fuel Support Point Norwalk  
Norwalk, California

Well	Date	Top of Casing Elevation (feet msl)	Depth to Product (feet btoc)	Depth to Water (feet btoc)	Apparent Product Thickness (feet)	Groundwater Elevation (feet msl)
GMW-47	12/01/2006	75.98	---	26.15	---	49.83
GMW-47	03/21/2007	75.98	---	26.3	---	49.68
GMW-47	04/27/2007	75.98	---	26.71	---	49.27
GMW-47	08/28/2007	75.98	---	26.74	---	49.24
GMW-47	11/12/2007	75.98	---	27.12	---	48.86
GMW-47	02/05/2008	75.98	---	27.75	---	48.23
GMW-47	04/11/2008	75.98	---	26.93	---	49.05
GMW-47	7/24/2008	75.98	---	27.49	---	48.49
GMW-47	10/13/2008	75.98	---	28.19	---	47.79
GMW-47	2/9/2009	75.98	---	28.07	---	47.91
GMW-47	4/20/2009	75.98	---	27.66	---	48.32
GMW-47	7/16/2009	75.98	---	28.22	---	47.76
GMW-47	7/20/2009	75.98	---	28.1	---	47.88
GMW-47	10/19/2009	75.98	---	28.48	---	47.5
GMW-47	1/11/2010	75.98	---	29.1	---	46.88
GMW-47	4/12/2010	75.98	---	28.52	---	47.46
GMW-48	05/28/1996	75.03	---	27.4	---	47.63
GMW-48	11/20/1996	75.03	---	28.4	---	46.63
GMW-48	07/01/1997	75.03	27.11	27.58	0.47	47.45
GMW-48	12/31/1997	75.03	27.37	29.58	2.21	45.45
GMW-48	05/01/1998	75.03	23.63	24.46	0.83	50.57
GMW-48	05/26/1999	75.03	25.72	27.01	1.29	NC
GMW-48	05/15/2000	75.03	26.31	26.49	0.18	NC
GMW-48	11/13/2000	75.03	---	27.21	---	47.82
GMW-48	05/07/2001	75.03	25.65	26.1	0.45	NC
GMW-48	09/19/2002	75.03	---	26.5	---	48.53
GMW-48	10/21/2002	75.03	---	27.1	---	47.93
GMW-48	04/07/2003	75.03	25.89	25.9	0.01	NC
GMW-48	10/06/2003	75.03	---	25.59	---	49.44
GMW-48	04/19/2004	75.03	---	26.41	---	48.62
GMW-48	11/01/2004	75.03	---	26.9	---	48.13
GMW-48	02/28/2005	75.03	---	23	---	52.03
GMW-48	05/02/2005	75.03	---	20.8	---	54.23
GMW-48	03/06/2006	75.03	---	23.61	---	51.42
GMW-48	05/01/2006	75.03	---	23.07	---	51.96
GMW-48	08/26/2006	75.03	---	23.5	---	51.53
GMW-48	12/01/2006	75.03	---	24.54	---	50.49
GMW-48	03/21/2007	75.03	---	24.57	---	50.46
GMW-48	04/27/2007	75.03	---	24.85	---	50.18
GMW-48	08/28/2007	75.03	---	24.92	---	50.11
GMW-48	11/12/2007	75.03	---	25.37	---	49.66
GMW-48	04/11/2008	75.03	---	25.07	---	49.96
GMW-48	10/13/2008	75.03	---	26.39	---	48.64
GMW-48	4/7/2010	75.03	---	26.4	---	48.63
GMW-50	05/25/1999	75.51	---	26.36	---	49.15
GMW-50	05/15/2000	75.51	27.34	27.34	Sheen	NC
GMW-50	05/07/2001	75.51	25.95	26.26	0.31	NC
GMW-50	09/19/2002	75.51	---	27.82	---	47.69
GMW-50	10/21/2002	75.51	---	28.7	---	46.81
GMW-50	04/07/2003	75.51	---	27	---	48.51
GMW-50	10/06/2003	75.51	---	26.83	---	48.68
GMW-50	04/19/2004	75.51	---	27.66	---	47.85
GMW-50	11/01/2004	75.51	---	28.11	---	47.4
GMW-50	02/28/2005	75.51	---	23.8	---	51.71

TABLE 5

**SUMMARY OF HISTORICAL GROUNDWATER ELEVATIONS  
NOVEMBER 1986 THROUGH MAY 2010**  
Defense Fuel Support Point Norwalk  
Norwalk, California

Well	Date	Top of Casing Elevation (feet msl)	Depth to Product (feet btoc)	Depth to Water (feet btoc)	Apparent Product Thickness (feet)	Groundwater Elevation (feet msl)
GMW-50	05/02/2005	75.51	---	22.42	---	53.09
GMW-50	03/06/2006	75.51	---	24.53	---	50.98
GMW-50	05/01/2006	75.51	---	24.63	---	50.88
GMW-50	08/26/2006	75.51	---	25.1	---	50.41
GMW-50	12/01/2006	75.51	---	25.61	---	49.9
GMW-50	03/21/2007	75.51	---	25.75	---	49.76
GMW-50	04/27/2007	75.51	---	26.17	---	49.34
GMW-50	08/28/2007	75.51	---	26.15	---	49.36
GMW-50	11/12/2007	75.51	---	26.58	---	48.93
GMW-50	02/05/2008	75.51	---	27.24	---	48.27
GMW-50	04/11/2008	75.51	---	26.32	---	49.19
GMW-50	7/24/2008	75.51	---	26.97	---	48.54
GMW-50	10/13/2008	75.51	---	27.67	---	47.84
GMW-50	2/9/2009	75.51	---	27.4	---	48.11
GMW-50	7/16/2009	75.51	---	27.87	---	47.64
GMW-50	4/7/2010	75.51	---	27.68	---	47.83
GMW-51	05/25/1999	75.93	---	26.71	---	49.22
GMW-51	05/15/2000	75.93	---	27.7	---	48.23
GMW-51	11/13/2000	75.93	---	27.94	---	47.99
GMW-51	05/07/2001	75.93	26.43	28.44	2.01	NC
GMW-51	09/19/2002	75.93	---	28.22	---	47.71
GMW-51	10/21/2002	75.93	---	29.13	---	46.8
GMW-51	04/07/2003	75.93	---	27.55	---	48.38
GMW-51	10/06/2003	75.93	---	27.15	---	48.78
GMW-51	04/19/2004	75.93	---	27.99	---	47.94
GMW-51	11/01/2004	75.93	---	28.47	---	47.46
GMW-51	02/28/2005	75.93	---	24.24	---	51.69
GMW-51	05/02/2005	75.93	---	22.61	---	53.32
GMW-51	03/06/2006	75.93	---	25.02	---	50.91
GMW-51	05/01/2006	75.93	---	25.04	---	50.89
GMW-51	08/26/2006	75.93	---	25.51	---	50.42
GMW-51	12/01/2006	75.93	---	25.98	---	49.95
GMW-51	03/21/2007	75.93	---	26.12	---	49.81
GMW-51	04/27/2007	75.93	---	26.54	---	49.39
GMW-51	08/28/2007	75.93	---	26.5	---	49.43
GMW-51	11/12/2007	75.93	---	26.95	---	48.98
GMW-51	02/05/2008	75.93	---	27.59	---	48.34
GMW-51	04/11/2008	75.93	---	26.69	---	49.24
GMW-51	7/24/2008	75.93	---	27.15	---	48.78
GMW-51	10/13/2008	75.93	---	28.05	---	47.88
GMW-51	2/9/2009	75.93	---	27.49	---	48.44
GMW-51	7/16/2009	75.93	---	28.15	---	47.78
GMW-51	4/7/2010	75.93	---	28.08	---	47.85
GMW-52	05/25/1999	75.03	---	25.73	---	49.3
GMW-52	05/15/2000	75.03	---	26.33	---	48.7
GMW-52	11/13/2000	75.03	---	26.99	---	48.04
GMW-52	05/07/2001	75.03	---	25.15	---	49.88
GMW-52	04/08/2002	75.03	---	26.61	---	48.42
GMW-52	10/21/2002	75.03	---	27.15	---	47.88
GMW-52	04/07/2003	75.03	---	26.34	---	48.69
GMW-52	10/06/2003	75.03	---	26.21	---	48.82
GMW-52	04/19/2004	75.03	---	26.97	---	48.06
GMW-52	11/01/2004	75.03	---	27.62	---	47.41
GMW-52	05/02/2005	75.03	---	21.16	---	53.87

TABLE 5

**SUMMARY OF HISTORICAL GROUNDWATER ELEVATIONS  
NOVEMBER 1986 THROUGH MAY 2010**  
Defense Fuel Support Point Norwalk  
Norwalk, California

Well	Date	Top of Casing Elevation (feet msl)	Depth to Product (feet btoc)	Depth to Water (feet btoc)	Apparent Product Thickness (feet)	Groundwater Elevation (feet msl)
GMW-52	03/06/2006	75.03	---	23.95	---	51.08
GMW-52	05/01/2006	75.03	---	23.95	---	51.08
GMW-52	08/26/2006	75.03	24.4	24.4	Sheen	NC
GMW-52	12/01/2006	75.03	---	24.92	---	50.11
GMW-52	03/21/2007	75.03	---	25.17	---	49.86
GMW-52	04/30/2007	75.03	---	25.38	---	49.65
GMW-52	08/28/2007	75.03	---	25.8	---	49.23
GMW-52	11/12/2007	75.03	---	25.93	---	49.1
GMW-52	02/05/2008	75.03	---	26.71	---	48.32
GMW-52	04/14/2008	75.03	---	25.46	---	49.57
GMW-52	7/24/2008	75.03	---	25.89	---	49.14
GMW-52	10/14/2008	75.03	---	26.69	---	48.34
GMW-52	2/10/2009	75.03	---	26.95	---	48.08
GMW-52	7/16/2009	75.03	---	27.25	---	47.78
GMW-52	4/8/2010	75.03	---	26.71	---	48.32
GMW-53	05/25/1999	74.9	---	25.6	---	49.3
GMW-53	05/15/2000	74.9	---	26.2	---	48.7
GMW-53	05/07/2001	74.9	---	25	---	49.9
GMW-53	04/08/2002	74.9	---	26.47	---	48.43
GMW-53	10/21/2002	74.9	---	27.04	---	47.86
GMW-53	04/07/2003	74.9	---	26.24	---	48.66
GMW-53	10/06/2003	74.9	---	26.08	---	48.82
GMW-53	04/19/2004	74.9	---	26.83	---	48.07
GMW-53	11/01/2004	74.9	---	27.54	---	47.36
GMW-53	05/02/2005	74.9	---	21.34	---	53.56
GMW-53	03/06/2006	74.9	---	23.87	---	51.03
GMW-53	05/01/2006	74.9	---	23.85	---	51.05
GMW-53	08/26/2006	74.9	---	24.34	---	50.56
GMW-53	12/01/2006	74.9	---	24.85	---	50.05
GMW-53	03/21/2007	74.9	---	24.92	---	49.98
GMW-53	04/30/2007	74.9	---	25.26	---	49.64
GMW-53	08/28/2007	74.9	---	25.11	---	49.79
GMW-53	11/12/2007	74.9	---	25.83	---	49.07
GMW-53	02/05/2008	74.9	---	26.25	---	48.65
GMW-53	04/14/2008	74.9	---	25.38	---	49.52
GMW-53	10/14/2008	74.9	---	26.58	---	48.32
GMW-53	2/10/2009	74.9	---	26.78	---	48.12
GMW-53	7/16/2009	74.9	---	27.04	---	47.86
GMW-53	4/8/2010	74.9	26.83	26.84	0.01	NC
GMW-54	05/25/1999	75.16	---	26.68	---	48.48
GMW-54	05/15/2000	75.16	---	27.4	---	47.76
GMW-54	11/13/2000	75.16	---	26.93	---	48.23
GMW-54	05/07/2001	75.16	---	25.63	---	49.53
GMW-54	04/08/2002	75.16	---	27.06	---	48.1
GMW-54	10/21/2002	75.16	---	27.43	---	47.73
GMW-54	04/07/2003	75.16	---	26.78	---	48.38
GMW-54	10/06/2003	75.16	---	26.95	---	48.21
GMW-54	04/19/2004	75.16	---	28.33	---	46.83
GMW-54	11/01/2004	75.16	---	28.11	---	47.05
GMW-54	05/02/2005	75.16	---	22.06	---	53.1
GMW-54	05/01/2006	75.16	---	24.45	---	50.71
GMW-54	12/01/2006	75.16	---	25.36	---	49.8
GMW-54	04/30/2007	75.16	---	25.74	---	49.42
GMW-54	11/12/2007	75.16	---	26.35	---	48.81

TABLE 5

**SUMMARY OF HISTORICAL GROUNDWATER ELEVATIONS  
NOVEMBER 1986 THROUGH MAY 2010**

Defense Fuel Support Point Norwalk  
Norwalk, California

Well	Date	Top of Casing Elevation (feet msl)	Depth to Product (feet btoc)	Depth to Water (feet btoc)	Apparent Product Thickness (feet)	Groundwater Elevation (feet msl)
GMW-54	04/11/2008	75.16	---	25.91	---	49.25
GMW-54	7/24/2008	75.16	---	26.05	---	49.11
GMW-54	10/14/2008	75.16	---	26.94	---	48.22
GMW-54	2/10/2009	75.16	---	26.78	---	48.38
GMW-54	4/8/2010	75.16	---	27.25	---	47.91
GMW-55	05/25/1999	74.6	---	26.11	---	48.49
GMW-55	05/15/2000	74.6	---	26.83	---	47.77
GMW-55	11/13/2000	74.6	---	26.36	---	48.24
GMW-55	05/07/2001	74.6	---	24.91	---	49.69
GMW-55	04/08/2002	74.6	---	26.43	---	48.17
GMW-55	10/21/2002	74.6	---	26.85	---	47.75
GMW-55	04/07/2003	74.6	---	26.22	---	48.38
GMW-55	10/06/2003	74.6	---	26.35	---	48.25
GMW-55	04/19/2004	74.6	---	27.77	---	46.83
GMW-55	11/01/2004	74.6	---	27.59	---	47.01
GMW-55	05/02/2005	74.6	---	22.33	---	52.27
GMW-55	05/01/2006	74.6	---	23.94	---	50.66
GMW-55	12/01/2006	74.6	---	24.78	---	49.82
GMW-55	04/30/2007	74.6	---	25.11	---	49.49
GMW-55	11/12/2007	74.6	---	25.89	---	48.71
GMW-55	04/11/2008	74.6	---	25.46	---	49.14
GMW-55	10/14/2008	74.6	---	26.38	---	48.22
GMW-55	4/20/2009	74.6	---	28.31	---	46.29
GMW-55	4/8/2010	74.6	---	26.66	---	47.94
GMW-56	05/25/1999	76.5	---	27.58	---	48.92
GMW-56	11/01/2004	76.5	---	29.11	---	47.39
GMW-56	12/01/2006	76.5	---	26.75	---	49.75
GMW-56	05/25/1999	76.52	---	27.58	---	48.94
GMW-56	05/15/2000	76.52	---	28.42	---	48.1
GMW-56	11/13/2000	76.52	---	28.85	---	47.67
GMW-56	05/07/2001	76.52	---	27.39	---	49.13
GMW-56	04/08/2002	76.52	---	28.64	---	47.88
GMW-56	10/21/2002	76.52	---	29.01	---	47.51
GMW-56	04/07/2003	76.52	---	28.3	---	48.22
GMW-56	10/06/2003	76.52	---	28.19	---	48.33
GMW-56	04/19/2004	76.52	---	29.01	---	47.51
GMW-56	05/02/2005	76.52	24.11	24.11	Sheen	NC
GMW-56	03/06/2006	76.52	---	25.88	---	50.64
GMW-56	05/01/2006	76.52	---	25.98	---	50.54
GMW-56	08/26/2006	76.52	---	26.31	---	50.21
GMW-56	03/21/2007	76.52	---	26.85	---	49.67
GMW-56	04/27/2007	76.52	---	27.23	---	49.29
GMW-56	08/28/2007	76.5	---	27.33	---	49.17
GMW-56	11/12/2007	76.5	---	27.7	---	48.8
GMW-56	02/05/2008	76.52	---	28.25	---	48.27
GMW-56	04/11/2008	76.52	---	27.55	---	48.97
GMW-56	7/24/2008	76.52	---	28.02	---	48.5
GMW-56	10/13/2008	76.52	---	28.71	---	47.81
GMW-56	2/9/2009	76.52	---	28.59	---	47.93
GMW-56	7/16/2009	76.5	---	29.03	---	47.47
GMW-56	10/19/2009	76.5	---	29.34	---	47.16
GMW-56	4/7/2010	76.5	---	29.08	---	47.42
GMW-56	4/12/2010	76.5	---	28.71	---	47.79
GMW-57	05/25/1999	76.52	---	27.52	---	49

TABLE 5

**SUMMARY OF HISTORICAL GROUNDWATER ELEVATIONS  
NOVEMBER 1986 THROUGH MAY 2010**  
Defense Fuel Support Point Norwalk  
Norwalk, California

Well	Date	Top of Casing Elevation (feet msl)	Depth to Product (feet btoc)	Depth to Water (feet btoc)	Apparent Product Thickness (feet)	Groundwater Elevation (feet msl)
GMW-57	02/28/2005	76.52	---	25.51	---	51.01
GMW-57	05/02/2005	76.52	---	23.73	---	52.79
GMW-57	03/06/2006	76.66	---	25.71	---	50.95
GMW-57	05/25/1999	76.66	---	27.49	---	49.17
GMW-57	05/15/2000	76.66	---	28.17	---	48.49
GMW-57	11/13/2000	76.66	---	28.76	---	47.9
GMW-57	02/05/2001	76.66	---	27.58	---	49.08
GMW-57	05/07/2001	76.66	---	27.21	Sheen	49.45
GMW-57	04/08/2002	76.66	---	29.13	---	47.53
GMW-57	09/19/2002	76.66	---	29.02	---	47.64
GMW-57	10/21/2002	76.66	---	29.68	---	46.98
GMW-57	04/07/2003	76.66	---	28.33	---	48.33
GMW-57	10/10/2003	76.66	---	28.04	---	48.62
GMW-57	04/19/2004	76.66	---	28.76	---	47.9
GMW-57	11/01/2004	76.66	---	29.2	---	47.46
GMW-57	05/01/2006	76.66	25.92	25.92	Sheen	NC
GMW-57	08/26/2006	76.66	---	26.35	---	50.31
GMW-57	12/01/2006	76.66	---	26.82	---	49.84
GMW-57	03/21/2007	76.66	---	26.92	---	49.74
GMW-57	04/27/2007	76.66	27.35	27.35	Sheen	NC
GMW-57	08/28/2007	76.66	---	27.42	---	49.24
GMW-57	11/12/2007	76.66	---	27.81	---	48.85
GMW-57	02/05/2008	76.66	---	28.36	---	48.3
GMW-57	04/11/2008	76.66	---	27.56	---	49.1
GMW-57	7/24/2008	76.66	---	28.14	---	48.52
GMW-57	10/13/2008	76.66	---	28.86	---	47.8
GMW-57	2/9/2009	76.66	---	28.72	---	47.94
GMW-57	4/20/2009	76.66	---	28.33	---	48.33
GMW-57	7/16/2009	76.66	---	28.87	---	47.79
GMW-57	7/21/2009	76.66	---	28.9	---	47.76
GMW-57	10/19/2009	76.66	---	29.3	---	47.36
GMW-57	1/11/2010	76.66	---	29.93	---	46.73
GMW-57	4/7/2010	76.66	---	29.05	---	47.61
GMW-57	4/12/2010	76.66	---	28.55	---	48.11
GMW-58	05/25/1999	75.46	---	26.58	---	48.88
GMW-58	02/28/2005	75.46	---	23.21	---	52.25
GMW-58	05/02/2005	75.46	---	21.45	---	54.01
GMW-58	05/01/2006	75.46	---	23.88	---	51.58
GMW-58	12/01/2006	75.46	---	24.88	---	50.58
GMW-58	05/25/1999	75.48	---	26.29	---	49.19
GMW-58	05/15/2000	75.48	---	27.69	---	47.79
GMW-58	11/13/2000	75.48	---	27.61	---	47.87
GMW-58	02/05/2001	75.48	26.46	26.63	0.17	NC
GMW-58	05/07/2001	75.48	25.25	27.96	2.71	NC
GMW-58	09/19/2002	75.48	---	27.14	---	48.34
GMW-58	10/21/2002	75.48	27.5	27.61	0.11	NC
GMW-58	04/07/2003	75.46	26.15	26.17	0.02	NC
GMW-58	10/06/2003	75.46	25.99	26.33	0.34	NC
GMW-58	04/19/2004	75.48	---	26.27	---	49.21
GMW-58	11/01/2004	75.48	27.33	27.38	0.05	NC
GMW-58	03/06/2006	75.48	---	23.72	---	51.76
GMW-58	08/26/2006	75.48	---	24.34	---	51.14
GMW-58	03/21/2007	75.48	---	24.92	---	50.56
GMW-58	04/30/2007	75.48	---	25.42	---	50.06

TABLE 5

**SUMMARY OF HISTORICAL GROUNDWATER ELEVATIONS  
NOVEMBER 1986 THROUGH MAY 2010**  
Defense Fuel Support Point Norwalk  
Norwalk, California

Well	Date	Top of Casing Elevation (feet msl)	Depth to Product (feet btoc)	Depth to Water (feet btoc)	Apparent Product Thickness (feet)	Groundwater Elevation (feet msl)
GMW-58	08/28/2007	75.48	---	25.57	---	49.91
GMW-58	11/12/2007	75.48	---	25.82	---	49.66
GMW-58	02/05/2008	75.48	---	26.42	---	49.06
GMW-58	04/11/2008	75.48	---	25.57	---	49.91
GMW-58	7/24/2008	75.48	---	26.17	---	49.31
GMW-58	10/13/2008	75.48	---	26.89	---	48.59
GMW-58	2/9/2009	75.48	---	26.78	---	48.7
GMW-58	4/20/2009	75.48	---	26.45	---	49.03
GMW-58	7/16/2009	75.46	---	26.92	---	48.54
GMW-58	7/20/2009	75.46	---	26.73	---	48.73
GMW-58	10/19/2009	75.46	---	27.44	---	48.02
GMW-58	1/11/2010	75.48	---	27.43	---	48.05
GMW-58	4/12/2010	75.46	---	27.14	---	48.32
GMW-59	05/25/1999	75.28	25.68	26.92	1.24	NC
GMW-59	02/28/2005	75.28	22.28	22.28	Sheen	NC
GMW-59	05/02/2005	75.28	---	20.59	---	54.69
GMW-59	03/06/2006	75.28	22.97	22.97	Sheen	52.31
GMW-59	05/01/2006	75.28	---	23.05	---	52.23
GMW-59	12/01/2006	75.28	---	24.2	---	51.08
GMW-59	05/25/1999	75.28	25.68	26.87	1.19	NC
GMW-59	05/15/2000	75.28	26.18	28.35	2.17	NC
GMW-59	11/13/2000	75.28	---	27.23	---	48.05
GMW-59	09/19/2002	75.28	---	26.04	---	49.24
GMW-59	10/21/2002	75.28	---	26.74	---	48.54
GMW-59	04/07/2003	75.28	25.59	25.6	0.01	NC
GMW-59	10/06/2003	75.28	---	25.32	---	49.96
GMW-59	04/19/2004	75.28	---	26.12	---	49.16
GMW-59	11/01/2004	75.28	---	26.45	---	48.83
GMW-59	08/26/2006	75.28	---	23.54	---	51.74
GMW-59	03/21/2007	75.28	---	24.26	---	51.02
GMW-59	04/30/2007	75.28	---	24.72	---	50.56
GMW-59	08/28/2007	75.28	---	24.92	---	50.36
GMW-59	11/12/2007	75.28	---	24.98	---	50.3
GMW-59	02/05/2008	75.28	---	25.98	---	49.3
GMW-59	04/11/2008	75.28	---	25.06	---	50.22
GMW-59	7/24/2008	75.28	---	25.49	---	49.79
GMW-59	10/13/2008	75.28	---	26.19	---	49.09
GMW-59	2/9/2009	75.28	---	26.05	---	49.23
GMW-59	4/20/2009	75.28	---	25.7	---	49.58
GMW-59	7/16/2009	75.28	---	26.2	---	49.08
GMW-59	7/20/2009	75.28	---	26.55	---	48.73
GMW-59	10/19/2009	75.28	---	26.93	---	48.35
GMW-59	1/11/2010	75.28	---	27.2	---	48.08
GMW-59	4/7/2010	75.28	---	26.12	---	49.16
GMW-59	4/12/2010	75.28	---	26.15	---	49.13
GMW-60	11/01/2004	76.24	---	28.7	---	47.54
GMW-60	02/28/2005	76.24	---	24.9	---	51.34
GMW-60	05/02/2005	76.24	---	23.04	---	53.2
GMW-60	03/06/2006	76.24	---	25.3	---	50.94
GMW-60	05/01/2006	76.24	---	25.54	---	50.7
GMW-60	08/26/2006	76.24	---	25.87	---	50.37
GMW-60	12/01/2006	76.24	---	26.34	---	49.9
GMW-60	03/21/2007	76.24	---	26.75	---	49.49
GMW-60	04/27/2007	76.24	---	26.94	---	49.3

TABLE 5

**SUMMARY OF HISTORICAL GROUNDWATER ELEVATIONS  
NOVEMBER 1986 THROUGH MAY 2010**

Defense Fuel Support Point Norwalk  
Norwalk, California

Well	Date	Top of Casing Elevation (feet msl)	Depth to Product (feet btoc)	Depth to Water (feet btoc)	Apparent Product Thickness (feet)	Groundwater Elevation (feet msl)
GMW-60	08/28/2007	76.24	---	27.03	---	49.21
GMW-60	11/12/2007	76.24	---	27.41	---	48.83
GMW-60	02/05/2008	76.24	---	27.92	---	48.32
GMW-60	04/11/2008	76.24	---	27.05	---	49.19
GMW-60	7/24/2008	76.24	---	27.64	---	48.6
GMW-60	10/13/2008	76.24	---	28.46	---	47.78
GMW-60	2/9/2009	76.24	---	28.27	---	47.97
GMW-60	4/20/2009	76.24	---	28.21	---	48.03
GMW-60	7/16/2009	76.24	---	28.37	---	47.87
GMW-60	7/20/2009	76.24	---	28.61	---	47.63
GMW-60	10/19/2009	76.24	---	28.81	---	47.43
GMW-60	1/11/2010	76.24	---	29.53	---	46.71
GMW-60	4/7/2010	76.24	---	28.54	---	47.7
GMW-60	4/12/2010	76.24	---	28.04	---	48.2
GMW-61	11/01/2004	75.6	---	28.02	---	47.58
GMW-61	02/28/2005	75.6	---	23.81	---	51.79
GMW-61	05/02/2005	75.6	---	22.18	---	53.42
GMW-61	03/06/2006	75.6	---	24.53	---	51.07
GMW-61	05/01/2006	75.6	---	24.64	---	50.96
GMW-61	08/26/2006	75.6	---	25.13	---	50.47
GMW-61	12/01/2006	75.6	---	25.6	---	50
GMW-61	03/21/2007	75.6	---	26.01	---	49.59
GMW-61	04/27/2007	75.6	---	26.25	---	49.35
GMW-61	08/28/2007	75.6	---	26.21	---	49.39
GMW-61	11/12/2007	75.6	---	26.67	---	48.93
GMW-61	02/05/2008	75.6	---	27.17	---	48.43
GMW-61	04/11/2008	75.6	---	26.29	---	49.31
GMW-61	7/24/2008	75.6	---	27.01	---	48.59
GMW-61	10/13/2008	75.6	---	27.73	---	47.87
GMW-61	2/9/2009	75.6	---	27.56	---	48.04
GMW-61	4/20/2009	75.6	---	27.14	---	48.46
GMW-61	7/16/2009	75.6	---	27.69	---	47.91
GMW-61	7/20/2009	75.6	---	27.84	---	47.76
GMW-61	10/19/2009	75.6	---	28.22	---	47.38
GMW-61	1/11/2010	75.6	---	28.81	---	46.79
GMW-61	4/7/2010	75.6	---	27.67	---	47.93
GMW-61	4/12/2010	75.6	---	27.22	---	48.38
GMW-62	07/02/2007	76.34	---	27.03	---	49.31
GMW-62	02/05/2008	76.34	---	27.79	---	48.55
GMW-62	04/14/2008	76.34	---	26.87	---	49.47
GMW-62	7/24/2008	76.34	---	27.98	---	48.36
GMW-62	10/14/2008	76.34	---	28.24	---	48.1
GMW-62	2/10/2009	76.34	---	28.31	---	48.03
GMW-62	4/20/2009	76.34	---	27.94	---	48.4
GMW-62	7/17/2009	76.34	---	28.15	---	48.19
GMW-62	7/21/2009	76.34	---	28.3	---	48.04
GMW-62	10/19/2009	76.34	---	29	---	47.34
GMW-62	1/11/2010	76.34	---	29.51	---	46.83
GMW-62	4/12/2010	76.34	---	28.24	---	48.1
GMW-63	10/14/2008	77.32	---	29.17	---	48.15
GMW-63	2/10/2009	77.32	---	29.08	---	48.24
GMW-63	4/20/2009	77.32	---	28.71	---	48.61
GMW-63	7/17/2009	77.32	---	29.11	---	48.21
GMW-63	7/21/2009	77.32	---	29.15	---	48.17



TABLE 5

**SUMMARY OF HISTORICAL GROUNDWATER ELEVATIONS  
NOVEMBER 1986 THROUGH MAY 2010**  
Defense Fuel Support Point Norwalk  
Norwalk, California

Well	Date	Top of Casing Elevation (feet msl)	Depth to Product (feet btoc)	Depth to Water (feet btoc)	Apparent Product Thickness (feet)	Groundwater Elevation (feet msl)
GMW-63	10/19/2009	77.32	---	29.84	---	47.48
GMW-63	1/11/2010	77.32	---	30.12	---	47.2
GMW-63	4/12/2010	77.32	---	29.22	---	48.1
GMW-64	10/14/2008	75.84	---	27.6	---	48.24
GMW-64	2/10/2009	75.84	---	27.47	---	48.37
GMW-64	4/20/2009	75.84	---	27	---	48.84
GMW-64	7/17/2009	75.84	---	27.37	---	48.47
GMW-64	7/21/2009	75.84	---	27.52	---	48.32
GMW-64	10/19/2009	75.84	---	28.11	---	47.73
GMW-64	1/11/2010	75.84	---	28.53	---	47.31
GMW-64	4/12/2010	75.84	---	27.1	---	48.74
GMW-65	7/17/2009	76.78	---	28.65	---	48.13
GMW-65	7/21/2009	76.78	---	28.83	---	47.95
GMW-65	10/19/2009	76.78	---	29.6	---	47.18
GMW-65	1/11/2010	76.78	---	29.8	---	46.98
GMW-65	4/12/2010	76.78	---	28.68	---	48.1
GMW-66	10/19/2009	77	---	29.73	---	47.27
GMW-66	4/12/2010	77	---	29.64	---	47.36
GMW-O-1	05/28/1996	71.45	---	24.16	---	47.29
GMW-O-1	11/20/1996	71.45	---	24.51	---	46.94
GMW-O-1	07/01/1997	71.45	---	24.93	---	46.52
GMW-O-1	12/31/1997	71.45	---	24.57	---	46.88
GMW-O-1	05/01/1998	71.45	---	22.51	---	48.94
GMW-O-1	02/02/1999	71.45	---	21.57	---	49.88
GMW-O-1	05/05/1999	71.45	---	22.2	---	49.25
GMW-O-1	08/09/1999	71.45	---	22.52	---	48.93
GMW-O-1	11/15/1999	71.45	---	22.68	---	48.77
GMW-O-1	02/29/2000	71.45	---	22.78	---	48.67
GMW-O-1	05/15/2000	71.45	---	22.75	---	48.7
GMW-O-1	08/28/2000	71.45	---	23.02	---	48.43
GMW-O-1	11/13/2000	71.45	---	23.26	---	48.19
GMW-O-1	02/05/2001	71.45	---	23.01	---	48.44
GMW-O-1	05/07/2001	71.45	---	22.39	---	49.06
GMW-O-1	09/18/2001	71.45	---	21.96	---	49.49
GMW-O-1	11/05/2001	71.45	---	22.18	---	49.27
GMW-O-1	01/29/2002	71.45	---	22.18	---	49.27
GMW-O-1	04/08/2002	71.45	---	22.51	---	48.94
GMW-O-1	07/29/2002	71.45	---	22.97	---	48.48
GMW-O-1	10/21/2002	71.45	---	23.14	---	48.31
GMW-O-1	01/27/2003	71.45	---	23.03	---	48.42
GMW-O-1	04/07/2003	71.45	---	23.11	---	48.34
GMW-O-1	07/30/2003	71.45	---	22.84	---	48.61
GMW-O-1	10/06/2003	71.45	---	22.76	---	48.69
GMW-O-1	01/11/2004	71.45	---	23.77	---	47.68
GMW-O-1	01/27/2004	71.45	---	23.06	---	48.39
GMW-O-1	04/19/2004	71.45	---	23.45	---	48
GMW-O-1	07/19/2004	71.45	---	23.45	---	48
GMW-O-1	02/01/2005	71.45	---	23.34	---	48.11
GMW-O-1	05/02/2005	71.45	---	21.02	---	50.43
GMW-O-1	08/01/2005	71.45	---	20.26	---	51.19
GMW-O-1	10/31/2005	71.45	---	20.21	---	51.24
GMW-O-1	02/27/2006	71.45	---	20.52	---	50.93
GMW-O-1	05/01/2006	71.45	---	20.59	---	50.86
GMW-O-1	09/18/2006	71.45	---	20.93	---	50.52

TABLE 5

**SUMMARY OF HISTORICAL GROUNDWATER ELEVATIONS**  
**NOVEMBER 1986 THROUGH MAY 2010**  
 Defense Fuel Support Point Norwalk  
 Norwalk, California

Well	Date	Top of Casing Elevation (feet msl)	Depth to Product (feet btoc)	Depth to Water (feet btoc)	Apparent Product Thickness (feet)	Groundwater Elevation (feet msl)
GMW-O-1	12/04/2006	71.45	---	27.16	---	44.29
GMW-O-1	03/12/2007	71.45	---	21.32	---	50.13
GMW-O-1	04/30/2007	71.45	---	21.4	---	50.05
GMW-O-1	08/28/2007	71.45	---	22.5	---	48.95
GMW-O-1	11/12/2007	71.45	---	21.79	---	49.66
GMW-O-1	02/19/2008	71.45	---	27.25	---	44.2
GMW-O-1	04/14/2008	71.45	---	22.15	---	49.3
GMW-O-1	08/11/2008	71.45	---	22.41	---	49.04
GMW-O-1	10/13/2008	71.45	---	22.45	---	49
GMW-O-1	4/20/2009	71.45	---	22.41	---	49.04
GMW-O-1	7/20/2009	71.45	---	23.15	---	48.3
GMW-O-1	10/19/2009	71.45	---	23.39	---	48.06
GMW-O-1	3/15/2010	71.45	---	23.9	---	47.55
GMW-O-1	5/24/2010	71.45	---	23.48	---	47.97
GMW-O-1	5/28/2010	71.45	---	23.47	---	47.98
GMW-O-2	11/20/1996	72.54	---	25.33	---	47.21
GMW-O-2	07/01/1997	72.54	---	25.29	---	47.25
GMW-O-2	12/31/1997	72.54	---	25.32	---	47.22
GMW-O-2	05/01/1998	72.54	---	23.1	---	49.44
GMW-O-2	05/05/1999	72.54	---	23.15	---	49.39
GMW-O-2	08/09/1999	72.54	---	23.39	---	49.15
GMW-O-2	11/15/1999	72.54	---	23.62	---	48.92
GMW-O-2	05/15/2000	72.54	---	23.59	---	48.95
GMW-O-2	11/13/2000	72.54	---	24.11	---	48.43
GMW-O-2	05/07/2001	72.54	---	23.26	---	49.28
GMW-O-2	11/05/2001	72.54	---	23.25	---	49.29
GMW-O-2	04/08/2002	72.54	---	23.52	---	49.02
GMW-O-2	07/29/2002	72.54	---	24.13	---	48.41
GMW-O-2	10/21/2002	72.54	---	24.28	---	48.26
GMW-O-2	01/14/2003	72.54	---	24.23	---	48.31
GMW-O-2	01/27/2003	72.54	---	24.1	---	48.44
GMW-O-2	04/07/2003	72.54	---	24.05	---	48.49
GMW-O-2	07/30/2003	72.54	---	23.75	---	48.79
GMW-O-2	10/06/2003	72.54	---	23.75	---	48.79
GMW-O-2	01/11/2004	72.54	---	24.78	---	47.76
GMW-O-2	01/27/2004	72.54	---	24.09	---	48.45
GMW-O-2	04/19/2004	72.54	---	24.39	---	48.15
GMW-O-2	07/19/2004	72.54	---	24.39	---	48.15
GMW-O-2	02/01/2005	72.54	---	24.06	---	48.48
GMW-O-2	05/02/2005	72.54	---	21.4	---	51.14
GMW-O-2	08/01/2005	72.54	---	20.97	---	51.57
GMW-O-2	10/31/2005	72.54	---	21.22	---	51.32
GMW-O-2	02/27/2006	72.54	---	23.1	---	49.44
GMW-O-2	05/01/2006	72.54	---	21.59	---	50.95
GMW-O-2	09/18/2006	72.54	---	22.08	---	50.46
GMW-O-2	12/04/2006	72.54	---	22.21	---	50.33
GMW-O-2	03/12/2007	72.54	---	22.5	---	50.04
GMW-O-2	04/30/2007	72.54	---	22.53	---	50.01
GMW-O-2	08/28/2007	72.54	---	22.54	---	50
GMW-O-2	11/12/2007	72.54	---	22.96	---	49.58
GMW-O-2	02/19/2008	72.54	---	23.39	---	49.15
GMW-O-2	04/14/2008	72.54	---	23.24	---	49.3
GMW-O-2	08/11/2008	72.54	---	23.57	---	48.97
GMW-O-2	10/13/2008	72.54	---	23.64	---	48.9

TABLE 5

**SUMMARY OF HISTORICAL GROUNDWATER ELEVATIONS  
NOVEMBER 1986 THROUGH MAY 2010**  
Defense Fuel Support Point Norwalk  
Norwalk, California

Well	Date	Top of Casing Elevation (feet msl)	Depth to Product (feet btoc)	Depth to Water (feet btoc)	Apparent Product Thickness (feet)	Groundwater Elevation (feet msl)
GMW-O-2	4/20/2009	72.54	---	23.7	---	48.84
GMW-O-2	7/20/2009	72.54	---	24.4	---	48.14
GMW-O-2	10/19/2009	72.54	---	24.81	---	47.73
GMW-O-2	3/15/2010	72.54	---	25.1	---	47.44
GMW-O-2	5/24/2010	72.54	---	24.48	---	48.06
GMW-O-2	5/28/2010	72.54	---	24.43	---	48.11
GMW-O-3	05/28/1996	72.19	---	24.19	---	48
GMW-O-3	11/20/1996	72.19	---	24.87	---	47.32
GMW-O-3	07/01/1997	72.19	---	24.77	---	47.42
GMW-O-3	12/31/1997	72.19	---	24.8	---	47.39
GMW-O-3	05/01/1998	72.19	---	22.06	---	50.13
GMW-O-3	02/03/1999	72.19	---	22.07	---	50.12
GMW-O-3	05/07/1999	72.19	---	23.11	---	49.08
GMW-O-3	08/09/1999	72.19	---	23.2	---	48.99
GMW-O-3	11/15/1999	72.19	---	23.4	---	48.79
GMW-O-3	02/29/2000	72.19	---	23.45	---	48.74
GMW-O-3	05/15/2000	72.19	---	23.36	---	48.83
GMW-O-3	08/28/2000	72.19	---	23.95	---	48.24
GMW-O-3	11/13/2000	72.19	---	23.9	---	48.29
GMW-O-3	02/05/2001	72.19	---	23.61	---	48.58
GMW-O-3	05/07/2001	72.19	---	22.81	---	49.38
GMW-O-3	09/18/2001	72.19	---	22.55	---	49.64
GMW-O-3	11/05/2001	72.19	---	22.9	---	49.29
GMW-O-3	01/29/2002	72.19	---	23.18	---	49.01
GMW-O-3	04/08/2002	72.19	---	23.18	---	49.01
GMW-O-3	07/29/2002	72.39	---	24.05	---	48.34
GMW-O-3	10/21/2002	72.19	---	24.07	---	48.12
GMW-O-3	01/14/2003	72.19	---	23.9	---	48.29
GMW-O-3	01/27/2003	72.19	---	23.75	---	48.44
GMW-O-3	04/07/2003	72.19	---	23.53	---	48.66
GMW-O-3	07/30/2003	72.19	---	23.35	---	48.84
GMW-O-3	10/06/2003	72.19	---	23.52	---	48.67
GMW-O-3	01/11/2004	72.19	---	24.67	---	47.52
GMW-O-3	01/27/2004	72.19	---	23.79	---	48.4
GMW-O-3	04/19/2004	72.19	---	24.08	---	48.11
GMW-O-3	07/19/2004	72.19	---	24.13	---	48.06
GMW-O-3	02/01/2005	72.19	---	23.52	---	48.67
GMW-O-3	05/02/2005	72.19	---	20.03	---	52.16
GMW-O-3	08/01/2005	72.19	---	20.18	---	52.01
GMW-O-3	10/31/2005	72.19	---	20.56	---	51.63
GMW-O-3	02/27/2006	72.19	---	21.04	---	51.15
GMW-O-3	05/01/2006	72.19	---	21.09	---	51.1
GMW-O-3	09/18/2006	72.19	---	21.84	---	50.35
GMW-O-3	12/04/2006	72.19	---	22.87	---	49.32
GMW-O-3	03/12/2007	72.19	---	22.22	---	49.97
GMW-O-3	04/30/2007	72.19	---	22.16	---	50.03
GMW-O-3	08/28/2007	72.19	---	21.87	---	50.32
GMW-O-3	11/12/2007	72.19	---	22.52	---	49.67
GMW-O-3	02/19/2008	72.19	---	23.1	---	49.09
GMW-O-3	04/14/2008	72.19	---	22.83	---	49.36
GMW-O-3	08/11/2008	72.19	---	23.26	---	48.93
GMW-O-3	10/13/2008	74.93	---	23.42	---	51.51
GMW-O-3	4/20/2009	72.19	---	23.18	---	49.01
GMW-O-3	7/20/2009	72.19	---	24.21	---	47.98

TABLE 5

**SUMMARY OF HISTORICAL GROUNDWATER ELEVATIONS  
NOVEMBER 1986 THROUGH MAY 2010**  
Defense Fuel Support Point Norwalk  
Norwalk, California

Well	Date	Top of Casing Elevation (feet msl)	Depth to Product (feet btoc)	Depth to Water (feet btoc)	Apparent Product Thickness (feet)	Groundwater Elevation (feet msl)
GMW-O-3	10/19/2009	72.19	---	24.49	---	47.7
GMW-O-3	3/15/2010	72.19	---	24.77	---	47.42
GMW-O-3	5/24/2010	72.19	---	24	---	48.19
GMW-O-3	5/28/2010	72.19	---	23.97	---	48.22
GMW-O-4	05/28/1996	71.95	---	23.69	---	48.26
GMW-O-4	11/20/1996	71.95	---	24.37	---	47.58
GMW-O-4	07/01/1997	71.95	---	23.69	---	48.26
GMW-O-4	12/31/1997	71.95	---	24.25	---	47.7
GMW-O-4	05/01/1998	71.95	---	20.89	---	51.06
GMW-O-4	05/06/1999	71.95	---	22.33	---	49.62
GMW-O-4	08/09/1999	71.95	---	22.55	---	49.4
GMW-O-4	11/15/1999	71.95	---	22.91	---	49.04
GMW-O-4	05/15/2000	71.95	---	27.74	---	44.21
GMW-O-4	11/13/2000	71.95	---	23.38	---	48.57
GMW-O-4	05/07/2001	71.95	---	21.86	---	50.09
GMW-O-4	11/05/2001	71.95	---	22.29	---	49.66
GMW-O-4	04/08/2002	71.95	---	22.71	---	49.24
GMW-O-4	10/21/2002	71.95	---	23.56	---	48.39
GMW-O-4	04/07/2003	71.95	---	29.99	---	41.96
GMW-O-4	10/06/2003	71.95	---	22.75	---	49.2
GMW-O-4	01/11/2004	71.95	---	24.02	---	47.93
GMW-O-4	04/19/2004	71.95	---	24.44	---	47.51
GMW-O-4	05/02/2005	71.95	---	18.86	---	53.09
GMW-O-4	10/31/2005	71.95	---	19.91	---	52.04
GMW-O-4	05/01/2006	71.95	---	20.52	---	51.43
GMW-O-4	12/04/2006	71.95	---	21.17	---	50.78
GMW-O-4	04/30/2007	71.95	---	21.74	---	50.21
GMW-O-4	11/12/2007	71.95	---	22.1	---	49.85
GMW-O-4	04/14/2008	71.95	---	22.28	---	49.67
GMW-O-4	10/13/2008	71.95	---	22.93	---	49.02
GMW-O-4	4/20/2009	71.95	---	25.29	---	46.66
GMW-O-4	10/19/2009	71.95	---	24.14	---	47.81
GMW-O-4	5/24/2010	71.95	---	23.5	---	48.45
GMW-O-4	5/28/2010	71.95	---	23.47	---	48.48
GMW-O-4	05/28/1996	72.24	---	31.73	---	40.51
GMW-O-4	11/20/1996	72.24	---	31.86	---	40.38
GMW-O-4	07/01/1997	72.24	---	29.66	---	42.58
GMW-O-4	12/31/1997	72.24	---	29.41	---	42.83
GMW-O-4	05/01/1998	72.24	---	26.77	---	45.47
GMW-O-4	05/06/1999	72.24	---	27.34	---	44.9
GMW-O-4	08/09/1999	72.24	---	28.59	---	43.65
GMW-O-4	11/15/1999	72.24	---	28.91	---	43.33
GMW-O-4	05/15/2000	72.24	---	28.49	---	43.75
GMW-O-4	11/13/2000	72.24	---	29.82	---	42.42
GMW-O-4	05/07/2001	72.24	---	29.02	---	43.22
GMW-O-4	11/05/2001	72.24	---	30	---	42.24
GMW-O-4	04/08/2002	72.24	---	29.8	---	42.44
GMW-O-4	10/21/2002	72.24	---	31.1	---	41.14
GMW-O-4	04/07/2003	72.24	---	30.26	---	41.98
GMW-O-4	10/06/2003	72.24	---	31.12	---	41.12
GMW-O-4	01/11/2004	72.24	---	32.81	---	39.43
GMW-O-4	04/19/2004	72.24	---	37.77	---	34.47
GMW-O-4	05/02/2005	72.24	---	29.73	---	42.51
GMW-O-4	10/31/2005	72.24	---	30.04	---	42.2

TABLE 5

**SUMMARY OF HISTORICAL GROUNDWATER ELEVATIONS  
NOVEMBER 1986 THROUGH MAY 2010**  
Defense Fuel Support Point Norwalk  
Norwalk, California

Well	Date	Top of Casing Elevation (feet msl)	Depth to Product (feet btoc)	Depth to Water (feet btoc)	Apparent Product Thickness (feet)	Groundwater Elevation (feet msl)
GMW-O-4	05/01/2006	72.24	---	28.81	---	43.43
GMW-O-4	12/04/2006	72.24	---	29.09	---	43.15
GMW-O-4	04/30/2007	72.24	---	28.95	---	43.29
GMW-O-4	11/12/2007	72.24	---	29.34	---	42.9
GMW-O-4	04/14/2008	72.24	---	30.1	---	42.14
GMW-O-4	10/13/2008	72.24	---	31.4	---	40.84
GMW-O-4	4/20/2009	72.24	---	31.15	---	41.09
GMW-O-4	10/19/2009	72.24	---	32.71	---	39.53
GMW-O-4	5/24/2010	72.24	---	31.92	---	40.32
GMW-O-4	5/28/2010	72.24	---	31.95	---	40.29
GMW-O-5	05/28/1996	72.36	---	24.1	---	48.26
GMW-O-5	11/20/1996	72.36	---	24.88	---	47.48
GMW-O-5	07/01/1997	72.36	---	24.13	---	48.23
GMW-O-5	12/31/1997	72.36	---	24.72	---	47.64
GMW-O-5	05/01/1998	72.36	---	21.22	---	51.14
GMW-O-5	02/03/1999	72.36	---	22.11	---	50.25
GMW-O-5	05/03/1999	72.36	---	22.9	---	49.46
GMW-O-5	08/09/1999	72.36	---	23.14	---	49.22
GMW-O-5	11/15/1999	72.36	---	23.5	---	48.86
GMW-O-5	02/29/2000	72.36	---	23.55	---	48.81
GMW-O-5	05/15/2000	72.36	---	23.33	---	49.03
GMW-O-5	08/28/2000	72.36	---	23.95	---	48.41
GMW-O-5	11/13/2000	72.36	---	23.98	---	48.38
GMW-O-5	02/05/2001	72.36	---	23.66	---	48.7
GMW-O-5	05/07/2001	72.36	---	22.32	---	50.04
GMW-O-5	09/18/2001	72.36	---	22.47	---	49.89
GMW-O-5	11/05/2001	72.36	---	22.79	---	49.57
GMW-O-5	01/29/2002	72.36	---	22.83	---	49.53
GMW-O-5	04/08/2002	72.36	---	23.25	---	49.11
GMW-O-5	10/21/2002	72.36	---	24.1	---	48.26
GMW-O-5	01/14/2003	72.36	---	23.98	---	48.38
GMW-O-5	04/07/2003	72.36	---	23.45	---	48.91
GMW-O-5	10/06/2003	72.36	---	23.28	---	49.08
GMW-O-5	01/11/2004	72.36	---	24.57	---	47.79
GMW-O-5	04/19/2004	72.36	---	23.94	---	48.42
GMW-O-5	05/02/2005	72.36	---	19.09	---	53.27
GMW-O-5	10/31/2005	72.36	---	20.41	---	51.95
GMW-O-5	05/01/2006	72.36	---	20.96	---	51.4
GMW-O-5	12/04/2006	72.36	---	21.86	---	50.5
GMW-O-5	04/30/2007	72.36	---	22.18	---	50.18
GMW-O-5	08/29/2007	72.36	---	28.19	---	44.17
GMW-O-5	11/12/2007	72.36	---	22.61	---	49.75
GMW-O-5	04/14/2008	72.36	---	22.72	---	49.64
GMW-O-5	10/13/2008	72.36	---	23.42	---	48.94
GMW-O-5	4/20/2009	72.36	---	23.34	---	49.02
GMW-O-5	10/19/2009	72.36	---	25.21	---	47.15
GMW-O-5	5/24/2010	72.36	---	24.02	---	48.34
GMW-O-5	5/28/2010	72.36	---	23.9	---	48.46
GMW-O-6	05/28/1996	71.41	---	23.19	---	48.22
GMW-O-6	11/20/1996	71.41	---	23.59	---	47.82
GMW-O-6	07/01/1997	71.41	---	23.28	---	48.13
GMW-O-6	12/31/1997	71.41	---	23.78	---	47.63
GMW-O-6	05/01/1998	71.41	---	20.81	---	50.6
GMW-O-6	05/05/1999	71.41	---	21.24	---	50.17

TABLE 5

**SUMMARY OF HISTORICAL GROUNDWATER ELEVATIONS  
NOVEMBER 1986 THROUGH MAY 2010**  
Defense Fuel Support Point Norwalk  
Norwalk, California

Well	Date	Top of Casing Elevation (feet msl)	Depth to Product (feet btoc)	Depth to Water (feet btoc)	Apparent Product Thickness (feet)	Groundwater Elevation (feet msl)
GMW-O-6	08/09/1999	71.41	---	21.58	---	49.83
GMW-O-6	11/15/1999	71.41	---	21.98	---	49.43
GMW-O-6	05/15/2000	71.41	---	21.86	---	49.55
GMW-O-6	11/13/2000	71.41	---	27.25	---	44.16
GMW-O-6	05/07/2001	71.41	---	21.23	---	50.18
GMW-O-6	11/05/2001	71.41	---	21.55	---	49.86
GMW-O-6	04/08/2002	71.41	---	21.95	---	49.46
GMW-O-6	10/21/2002	71.41	---	22.67	---	48.74
GMW-O-6	01/14/2003	71.41	---	22.82	---	48.59
GMW-O-6	04/07/2003	71.41	---	22.49	---	48.92
GMW-O-6	10/06/2003	71.41	---	22.02	---	49.39
GMW-O-6	01/11/2004	71.41	---	23.01	---	48.4
GMW-O-6	04/19/2004	71.41	---	22.69	---	48.72
GMW-O-6	05/02/2005	71.41	---	19.45	---	51.96
GMW-O-6	10/31/2005	71.41	---	19.74	---	51.67
GMW-O-6	05/01/2006	71.41	---	20.33	---	51.08
GMW-O-6	12/04/2006	71.41	---	20.89	---	50.52
GMW-O-6	04/30/2007	71.41	---	21.23	---	50.18
GMW-O-6	11/12/2007	71.41	---	21.55	---	49.86
GMW-O-6	04/14/2008	71.41	---	21.63	---	49.78
GMW-O-6	10/13/2008	71.41	---	22.2	---	49.21
GMW-O-6	4/20/2009	71.41	---	22.18	---	49.23
GMW-O-6	10/19/2009	71.41	---	22.98	---	48.43
GMW-O-6	5/24/2010	71.41	---	22.77	---	48.64
GMW-O-6	5/28/2010	71.41	---	22.94	---	48.47
GMW-O-7	05/07/1999	70.98	---	20.17	---	50.81
GMW-O-7	08/09/1999	70.98	---	20.36	---	50.62
GMW-O-7	11/15/1999	70.98	---	20.76	---	50.22
GMW-O-7	05/15/2000	70.98	---	23.52	---	47.46
GMW-O-7	11/13/2000	70.98	---	21.18	---	49.8
GMW-O-7	05/07/2001	70.98	---	20.21	---	50.77
GMW-O-7	11/05/2001	70.98	---	20.51	---	50.47
GMW-O-7	04/08/2002	70.98	---	21.38	---	49.6
GMW-O-7	10/21/2002	70.98	---	21.59	---	49.39
GMW-O-7	04/07/2003	70.98	---	21.55	---	49.43
GMW-O-7	10/06/2003	70.98	---	21.2	---	49.78
GMW-O-7	01/11/2004	70.98	---	22.16	---	48.82
GMW-O-7	04/19/2004	70.98	---	21.75	---	49.23
GMW-O-7	05/02/2005	70.98	---	18.83	---	52.15
GMW-O-7	10/31/2005	70.98	---	19.16	---	51.82
GMW-O-7	05/01/2006	70.98	---	19.42	---	51.56
GMW-O-7	12/04/2006	70.98	---	19.92	---	51.06
GMW-O-7	04/30/2007	70.98	---	20.32	---	50.66
GMW-O-7	11/12/2007	70.98	---	20.93	---	50.05
GMW-O-7	10/13/2008	70.98	---	21.43	---	49.55
GMW-O-7	4/20/2009	70.98	---	21.49	---	49.49
GMW-O-7	10/19/2009	70.98	---	21.91	---	49.07
GMW-O-7	5/24/2010	70.98	---	21.9	---	49.08
GMW-O-7	5/28/2010	70.98	---	21.95	---	49.03
GMW-O-8	05/28/1996	70.91	---	23.35	---	47.56
GMW-O-8	11/20/1996	70.91	---	23.49	---	47.42
GMW-O-8	07/01/1997	70.91	---	23.25	---	47.66
GMW-O-8	12/31/1997	70.91	---	23.89	---	47.02
GMW-O-8	05/01/1998	70.91	---	21.52	---	49.39

TABLE 5

**SUMMARY OF HISTORICAL GROUNDWATER ELEVATIONS  
NOVEMBER 1986 THROUGH MAY 2010**  
Defense Fuel Support Point Norwalk  
Norwalk, California

Well	Date	Top of Casing Elevation (feet msl)	Depth to Product (feet btoc)	Depth to Water (feet btoc)	Apparent Product Thickness (feet)	Groundwater Elevation (feet msl)
GMW-O-8	05/03/1999	70.91	---	21	---	49.91
GMW-O-8	08/09/1999	70.91	---	21.2	---	49.71
GMW-O-8	11/15/1999	70.91	---	21.48	---	49.43
GMW-O-8	05/15/2000	70.91	---	21.6	---	49.31
GMW-O-8	11/13/2000	70.91	---	29.81	---	41.1
GMW-O-8	05/07/2001	70.91	---	21.3	---	49.61
GMW-O-8	11/05/2001	70.91	---	21.13	---	49.78
GMW-O-8	04/08/2002	70.91	---	21.36	---	49.55
GMW-O-8	10/21/2002	70.91	---	22	---	48.91
GMW-O-8	01/14/2003	70.91	---	22.25	---	48.66
GMW-O-8	04/07/2003	70.91	---	22.19	---	48.72
GMW-O-8	10/06/2003	70.91	---	21.76	---	49.15
GMW-O-8	01/11/2004	70.91	---	22.58	---	48.33
GMW-O-8	04/19/2004	70.91	---	22.33	---	48.58
GMW-O-8	05/02/2005	70.91	---	20.09	---	50.82
GMW-O-8	10/31/2005	70.91	---	19.38	---	51.53
GMW-O-8	05/01/2006	70.91	---	19.77	---	51.14
GMW-O-8	12/04/2006	70.91	---	20.17	---	50.74
GMW-O-8	04/30/2007	70.91	---	20.54	---	50.37
GMW-O-8	11/12/2007	70.91	---	20.91	---	50
GMW-O-8	04/14/2008	70.91	---	21.27	---	49.64
GMW-O-8	10/13/2008	70.91	---	21.57	---	49.34
GMW-O-8	4/20/2009	70.91	---	21.8	---	49.11
GMW-O-8	10/19/2009	70.91	---	22.41	---	48.5
GMW-O-8	5/24/2010	70.91	---	22.5	---	48.41
GMW-O-8	5/28/2010	70.91	---	22.41	---	48.5
GMW-O-9	05/28/1996	73.5	---	25.93	---	47.57
GMW-O-9	11/20/1996	73.5	---	26.53	---	46.97
GMW-O-9	07/01/1997	73.5	---	26.9	---	46.6
GMW-O-9	12/31/1997	73.5	---	26.3	---	47.2
GMW-O-9	05/01/1998	73.5	---	24.05	---	49.45
GMW-O-9	05/04/1999	73.5	---	24.39	---	49.11
GMW-O-9	08/09/1999	73.5	---	24.96	---	48.54
GMW-O-9	11/15/1999	73.5	---	24.91	---	48.59
GMW-O-9	05/15/2000	73.5	---	24.93	---	48.57
GMW-O-9	11/13/2000	73.5	---	25.61	---	47.89
GMW-O-9	05/07/2001	73.5	---	24.54	---	48.96
GMW-O-9	11/05/2001	73.5	---	24.55	---	48.95
GMW-O-9	04/08/2002	73.5	---	30.07	---	43.43
GMW-O-9	10/21/2002	73.5	---	25.62	---	47.88
GMW-O-9	04/07/2003	73.5	---	25.13	---	48.37
GMW-O-9	10/06/2003	73.5	---	24.92	---	48.58
GMW-O-9	01/11/2004	73.5	---	26.12	---	47.38
GMW-O-9	04/19/2004	73.5	---	25.74	---	47.76
GMW-O-9	05/02/2005	73.5	---	22.61	---	50.89
GMW-O-9	10/31/2005	73.5	---	22.14	---	51.36
GMW-O-9	05/05/2006	73.5	---	23.61	---	49.89
GMW-O-9	12/04/2006	73.5	---	23.84	---	49.66
GMW-O-9	04/30/2007	73.5	---	23.52	---	49.98
GMW-O-9	11/12/2007	73.5	---	23.94	---	49.56
GMW-O-9	04/14/2008	73.5	---	24.31	---	49.19
GMW-O-9	10/13/2008	73.5	---	24.71	---	48.79
GMW-O-9	4/20/2009	73.5	---	24.86	---	48.64
GMW-O-9	10/19/2009	73.5	---	25.86	---	47.64

TABLE 5

**SUMMARY OF HISTORICAL GROUNDWATER ELEVATIONS  
NOVEMBER 1986 THROUGH MAY 2010**  
Defense Fuel Support Point Norwalk  
Norwalk, California

Well	Date	Top of Casing Elevation (feet msl)	Depth to Product (feet btoc)	Depth to Water (feet btoc)	Apparent Product Thickness (feet)	Groundwater Elevation (feet msl)
GMW-O-9	5/24/2010	73.5	---	25.57	---	47.93
GMW-O-9	5/28/2010	73.5	---	25.5	---	48
GMW-O-10	05/28/1996	73.98	---	26.49	---	47.49
GMW-O-10	11/20/1996	73.98	---	27.1	---	46.88
GMW-O-10	07/01/1997	73.98	---	28.23	---	45.75
GMW-O-10	12/31/1997	73.98	---	27.94	---	46.04
GMW-O-10	05/01/1998	73.98	---	24.56	---	49.42
GMW-O-10	05/07/1999	73.98	---	25.1	---	48.88
GMW-O-10	08/09/1999	73.98	---	26.1	---	47.88
GMW-O-10	11/15/1999	73.98	---	25.67	---	48.31
GMW-O-10	11/13/2000	73.98	---	26.54	---	47.44
GMW-O-10	05/07/2001	73.98	---	25.23	---	48.75
GMW-O-10	11/05/2001	73.98	---	25.22	---	48.76
GMW-O-10	04/08/2002	73.98	---	25.35	---	48.63
GMW-O-10	10/21/2002	73.98	---	26.39	---	47.59
GMW-O-10	04/07/2003	73.98	---	25.64	---	48.34
GMW-O-10	07/30/2003	73.98	---	25.6	---	48.38
GMW-O-10	10/06/2003	73.98	---	25.67	---	48.31
GMW-O-10	01/11/2004	73.98	---	26.96	---	47.02
GMW-O-10	04/19/2004	73.98	---	26.6	---	47.38
GMW-O-10	05/02/2005	73.98	---	23.71	---	50.27
GMW-O-10	10/31/2005	73.98	---	22.65	---	51.33
GMW-O-10	05/05/2006	73.98	---	22.33	---	51.65
GMW-O-10	12/04/2006	73.98	---	23.24	---	50.74
GMW-O-10	04/30/2007	73.98	---	24.07	---	49.91
GMW-O-10	11/12/2007	73.98	---	24.45	---	49.53
GMW-O-10	04/14/2008	73.98	---	24.83	---	49.15
GMW-O-10	08/11/2008	73.98	---	25.22	---	48.76
GMW-O-10	10/13/2008	73.98	---	25.25	---	48.73
GMW-O-10	4/20/2009	73.98	---	25.58	---	48.4
GMW-O-10	10/19/2009	73.98	---	26.72	---	47.26
GMW-O-10	5/24/2010	73.98	---	26.92	---	47.06
GMW-O-10	5/28/2010	73.98	---	29.1	---	44.88
GMW-O-11	04/08/2002	74.17	---	23.96	---	50.21
GMW-O-11	04/19/2004	74.17	---	27.4	---	46.77
GMW-O-11	05/02/2005	74.17	22.46	22.48	0.02	NC
GMW-O-11	10/31/2005	74.17	21.73	21.92	0.19	NC
GMW-O-11	05/01/2006	74.17	---	21.51	---	52.66
GMW-O-11	12/04/2006	74.17	---	22.38	---	51.79
GMW-O-11	04/30/2007	74.17	23.9	23.91	0.01	NC
GMW-O-11	11/12/2007	74.17	---	24.4	---	49.77
GMW-O-11	08/15/2008	74.17	---	29.3	---	44.87
GMW-O-11	10/17/2008	74.17	---	24.45	---	49.72
GMW-O-11	4/21/2009	74.17	25.34	25.36	0.02	48.81
GMW-O-12	12/31/1997	73.49	25.45	31.02	5.57	42.47
GMW-O-12	05/01/1998	73.49	19.94	22.69	2.75	50.8
GMW-O-12	05/04/1999	73.49	22.99	24.63	1.64	NC
GMW-O-12	11/13/2000	73.49	0	0.7	Sheen	NC
GMW-O-12	05/07/2001	73.49	---	22.28	---	51.21
GMW-O-12	05/10/2001	73.49	---	24.25	---	49.24
GMW-O-12	11/05/2001	73.49	---	22.63	---	50.86
GMW-O-12	04/08/2002	73.49	---	23.81	---	49.68
GMW-O-12	10/06/2003	73.49	---	24.82	---	48.67
GMW-O-12	04/19/2004	73.49	---	26.91	---	46.58



TABLE 5

**SUMMARY OF HISTORICAL GROUNDWATER ELEVATIONS  
NOVEMBER 1986 THROUGH MAY 2010**  
Defense Fuel Support Point Norwalk  
Norwalk, California

Well	Date	Top of Casing Elevation (feet msl)	Depth to Product (feet btoc)	Depth to Water (feet btoc)	Apparent Product Thickness (feet)	Groundwater Elevation (feet msl)
GMW-O-12	05/02/2005	73.49	---	21.79	---	51.7
GMW-O-12	10/31/2005	73.49	---	26.67	---	46.82
GMW-O-12	05/01/2006	73.49	---	21.8	---	51.69
GMW-O-12	12/04/2006	73.49	---	22.58	---	50.91
GMW-O-12	04/30/2007	73.49	---	22.81	---	50.68
GMW-O-12	11/12/2007	73.49	---	23.13	---	50.36
GMW-O-12	04/14/2008	73.49	23.36	23.36	---	NC
GMW-O-12	10/13/2008	73.49	---	24.2	---	49.29
GMW-O-12	4/20/2009	73.49	---	24.21	---	49.28
GMW-O-12	10/19/2009	73.49	---	25.08	---	48.41
GMW-O-12	5/24/2010	73.49	---	24.8	---	48.69
GMW-O-12	5/28/2010	73.49	---	24.74	---	48.75
GMW-O-13	05/28/1996	74.19	25.84	27.69	1.85	46.5
GMW-O-13	11/20/1996	74.19	26.48	28.92	2.44	45.27
GMW-O-13	07/01/1997	74.19	26.55	28.87	2.32	45.32
GMW-O-13	12/31/1997	74.19	26.83	28.91	2.08	45.28
GMW-O-13	05/01/1998	74.19	22.55	23.06	0.51	51.13
GMW-O-13	05/04/1999	74.19	24.46	25.78	1.32	NC
GMW-O-13	08/09/1999	74.19	---	25.2	---	48.99
GMW-O-13	04/08/2002	74.19	---	25.47	---	48.72
GMW-O-14	05/28/1996	74.08	---	26.03	---	48.05
GMW-O-14	11/20/1996	74.08	---	25.52	---	48.56
GMW-O-14	07/01/1997	74.08	---	26.39	---	47.69
GMW-O-14	12/31/1997	74.08	25.03	25.06	0.03	49.02
GMW-O-14	05/01/1998	74.08	---	23.72	---	50.36
GMW-O-14	08/09/1999	74.08	---	25.04	---	49.04
GMW-O-14	05/15/2000	74.08	---	26.67	---	47.41
GMW-O-14	11/13/2000	74.08	---	25.85	---	48.23
GMW-O-14	05/07/2001	74.08	---	24.34	---	49.74
GMW-O-14	11/05/2001	74.08	---	24.65	---	49.43
GMW-O-14	04/08/2002	74.08	---	25.19	---	48.89
GMW-O-14	07/29/2002	74.08	---	25.65	---	48.43
GMW-O-14	10/21/2002	74.08	---	26	---	48.08
GMW-O-14	01/27/2003	74.08	25.64	25.64	Sheen	NC
GMW-O-14	04/07/2003	74.08	25.36	25.36	Sheen	48.72
GMW-O-14	07/30/2003	74.08	25.14	25.14	Sheen	48.94
GMW-O-14	10/06/2003	74.08	25.12	25.12	Sheen	48.96
GMW-O-14	01/11/2004	74.08	---	26.31	---	47.77
GMW-O-14	01/27/2004	74.08	---	25.58	---	48.5
GMW-O-14	04/19/2004	74.08	---	26.02	---	48.06
GMW-O-14	07/19/2004	74.08	---	26.01	---	48.07
GMW-O-14	02/01/2005	74.08	---	25.08	---	49
GMW-O-14	05/02/2005	74.08	---	21.41	---	52.67
GMW-O-14	08/01/2005	74.08	---	21.39	---	52.69
GMW-O-14	10/31/2005	74.08	---	21.9	---	52.18
GMW-O-14	02/27/2006	74.08	---	22.64	---	51.44
GMW-O-14	05/01/2006	74.08	---	22.58	---	51.5
GMW-O-14	09/18/2006	74.08	---	23.18	---	50.9
GMW-O-14	12/04/2006	74.08	---	23.36	Sheen	NC
GMW-O-14	03/12/2007	74.08	---	23.81	---	50.27
GMW-O-14	04/30/2007	74.08	---	23.57	---	50.51
GMW-O-14	08/28/2007	74.08	---	22.45	---	51.63
GMW-O-14	11/12/2007	74.08	---	23.97	---	50.11
GMW-O-14	02/19/2008	74.08	---	24.84	---	49.24

TABLE 5

**SUMMARY OF HISTORICAL GROUNDWATER ELEVATIONS  
NOVEMBER 1986 THROUGH MAY 2010**  
Defense Fuel Support Point Norwalk  
Norwalk, California

Well	Date	Top of Casing Elevation (feet msl)	Depth to Product (feet btoc)	Depth to Water (feet btoc)	Apparent Product Thickness (feet)	Groundwater Elevation (feet msl)
GMW-O-14	04/14/2008	74.08	---	24.53	---	49.55
GMW-O-14	08/11/2008	74.08	---	25.07	---	49.01
GMW-O-14	10/13/2008	74.08	---	25.2	---	48.88
GMW-O-14	4/20/2009	74.08	---	25.33	---	48.75
GMW-O-14	7/20/2009	74.08	---	26.31	---	47.77
GMW-O-14	10/19/2009	74.08	---	26.24	---	47.84
GMW-O-14	3/15/2010	74.08	---	26.71	---	47.37
GMW-O-14	5/24/2010	74.08	---	26.11	---	47.97
GMW-O-14	5/28/2010	74.08	---	26.11	---	47.97
GMW-O-15	05/28/1996	74.23	24.19	30.19	6	44.04
GMW-O-15	11/20/1996	74.23	25.3	30.52	5.22	43.71
GMW-O-15	05/15/2000	74.23	---	27.1	---	47.13
GMW-O-15	05/07/2001	74.23	22.62	24.58	1.96	NC
GMW-O-15	04/08/2002	74.23	23.02	27.51	4.49	NC
GMW-O-15	10/21/2002	74.23	24.52	24.71	0.19	NC
GMW-O-15	05/02/2005	74.23	21.01	21.15	0.14	NC
GMW-O-15	10/31/2005	74.23	22.1	22.25	0.15	NC
GMW-O-15	05/22/2006	74.23	21.89	22.31	0.42	NC
GMW-O-15	12/04/2006	74.23	22.86	22.91	0.05	NC
GMW-O-15	04/30/2007	74.23	23.3	23.41	0.11	NC
GMW-O-15	11/12/2007	74.23	23.85	23.95	0.1	NC
GMW-O-15	04/14/2008	74.23	---	23.64	---	50.59
GMW-O-15	08/08/2008	74.23	---	24.6	---	49.63
GMW-O-15	08/11/2008	74.23	24.34	24.4	0.06	NC
GMW-O-15	10/16/2008	74.23	---	24.53	---	49.7
GMW-O-15	4/20/2009	74.23	24.61	24.66	0.05	NC
GMW-O-15	7/20/2009	74.23	24.94	24.99	0.05	NC
GMW-O-15	10/19/2009	74.23	25.43	25.55	0.12	NC
GMW-O-15	4/16/2010	74.23	---	23.1	---	51.13
GMW-O-15	5/24/2010	74.23	---	25.67	---	48.56
GMW-O-15	5/28/2010	74.23	---	25.35	---	48.88
GMW-O-16	05/28/1996	74.1	---	24.92	---	49.18
GMW-O-16	11/20/1996	74.1	---	25.89	---	48.21
GMW-O-16	07/01/1997	74.1	---	24.16	---	49.94
GMW-O-16	05/04/1999	74.1	---	23.19	---	50.91
GMW-O-16	08/09/1999	74.1	---	24.27	---	49.83
GMW-O-16	11/15/1999	74.1	---	25.02	---	49.08
GMW-O-16	05/15/2000	74.1	---	24.44	---	49.66
GMW-O-16	11/13/2000	74.1	---	25.71	---	48.39
GMW-O-16	05/07/2001	74.1	---	23.15	---	50.95
GMW-O-16	11/05/2001	74.1	---	23.16	---	50.94
GMW-O-16	04/08/2002	74.1	---	24.25	---	49.85
GMW-O-16	10/21/2002	74.1	---	25.72	---	48.38
GMW-O-16	04/07/2003	74.1	---	24.59	---	49.51
GMW-O-16	10/06/2003	74.1	---	24.55	---	49.55
GMW-O-16	01/11/2004	74.1	---	28	---	46.1
GMW-O-16	04/19/2004	74.1	---	24.98	---	49.12
GMW-O-16	07/20/2004	74.1	---	25.37	---	48.73
GMW-O-16	05/02/2005	74.1	---	19.48	---	54.62
GMW-O-16	08/01/2005	74.1	---	20.45	---	53.65
GMW-O-16	10/31/2005	74.1	---	21.04	---	53.06
GMW-O-16	02/27/2006	74.1	---	22.31	---	51.79
GMW-O-16	05/01/2006	74.1	---	22.36	---	51.74
GMW-O-16	09/18/2006	74.1	---	23.19	---	50.91

TABLE 5

**SUMMARY OF HISTORICAL GROUNDWATER ELEVATIONS  
NOVEMBER 1986 THROUGH MAY 2010**  
Defense Fuel Support Point Norwalk  
Norwalk, California

Well	Date	Top of Casing Elevation (feet msl)	Depth to Product (feet btoc)	Depth to Water (feet btoc)	Apparent Product Thickness (feet)	Groundwater Elevation (feet msl)
GMW-O-16	12/04/2006	74.1	---	23.33	---	50.77
GMW-O-16	04/30/2007	74.1	---	23.82	---	50.28
GMW-O-16	11/12/2007	74.1	---	24.35	---	49.75
GMW-O-16	02/19/2008	74.1	---	24.69	---	49.41
GMW-O-16	04/14/2008	74.1	---	24.08	---	50.02
GMW-O-16	10/13/2008	74.1	---	25.12	---	48.98
GMW-O-16	4/20/2009	74.1	---	25.2	---	48.9
GMW-O-16	10/19/2009	74.1	---	25.81	---	48.29
GMW-O-16	3/15/2010	74.1	---	26.3	---	47.8
GMW-O-16	4/16/2010	74.1	---	25.2	---	48.9
GMW-O-16	5/24/2010	74.1	---	25.14	---	48.96
GMW-O-16	5/28/2010	74.1	---	25.13	---	48.97
GMW-O-17	05/28/1996	73.78	---	24.72	---	49.06
GMW-O-17	11/20/1996	73.78	---	25.55	---	48.23
GMW-O-17	07/01/1997	73.78	---	23.84	---	49.94
GMW-O-17	12/31/1997	73.78	---	25.31	---	48.47
GMW-O-17	05/01/1998	73.78	---	20.49	---	53.29
GMW-O-17	05/03/1999	73.78	---	23.12	---	50.66
GMW-O-17	08/09/1999	73.78	---	23.5	---	50.28
GMW-O-17	11/15/1999	73.78	---	24.11	---	49.67
GMW-O-17	05/15/2000	73.78	---	23.7	---	50.08
GMW-O-17	11/13/2000	73.78	---	24.62	---	49.16
GMW-O-17	05/07/2001	73.78	---	22.39	---	51.39
GMW-O-17	11/05/2001	73.78	---	23.13	---	50.65
GMW-O-17	04/08/2002	73.78	---	23.69	---	50.09
GMW-O-17	10/21/2002	73.78	---	24.9	---	48.88
GMW-O-17	04/07/2003	73.78	---	24.05	---	49.73
GMW-O-17	10/06/2003	73.78	---	23.19	---	50.59
GMW-O-17	01/11/2004	73.78	---	25.39	---	48.39
GMW-O-17	04/19/2004	73.78	---	24.46	---	49.32
GMW-O-17	05/02/2005	73.78	---	19.51	---	54.27
GMW-O-17	10/31/2005	73.78	---	20.03	---	53.75
GMW-O-17	05/01/2006	73.78	---	20.75	---	53.03
GMW-O-17	12/04/2006	73.78	---	22.68	---	51.1
GMW-O-17	04/30/2007	73.78	---	23.19	---	50.59
GMW-O-17	11/12/2007	73.78	---	23.9	---	49.88
GMW-O-17	04/14/2008	73.78	---	23.55	---	50.23
GMW-O-17	08/11/2008	73.78	---	24.14	---	49.64
GMW-O-17	10/13/2008	73.78	---	24.6	---	49.18
GMW-O-17	4/20/2009	73.78	---	24.48	---	49.3
GMW-O-17	5/24/2010	73.78	---	24.78	---	49
GMW-O-17	5/28/2010	73.78	---	28.75	---	45.03
GMW-O-18	05/28/1996	74.36	---	25.67	---	48.69
GMW-O-18	11/20/1996	74.36	---	26.7	---	47.66
GMW-O-18	12/31/1997	74.36	---	26.48	---	47.88
GMW-O-18	05/01/1998	74.36	---	29.04	---	45.32
GMW-O-18	05/04/1999	74.36	---	24.02	---	50.34
GMW-O-18	08/09/1999	74.36	---	24.91	---	49.45
GMW-O-18	11/15/1999	74.36	---	25.56	---	48.8
GMW-O-18	05/15/2000	74.36	---	29.17	---	45.19
GMW-O-18	05/07/2001	74.36	---	24.1	---	50.26
GMW-O-18	04/08/2002	74.36	24.81	24.81	0.001	NC
GMW-O-18	05/02/2005	74.36	---	20.13	---	54.23
GMW-O-18	10/31/2005	74.36	---	21.79	---	52.57

TABLE 5

**SUMMARY OF HISTORICAL GROUNDWATER ELEVATIONS**  
**NOVEMBER 1986 THROUGH MAY 2010**  
 Defense Fuel Support Point Norwalk  
 Norwalk, California

Well	Date	Top of Casing Elevation (feet msl)	Depth to Product (feet btoc)	Depth to Water (feet btoc)	Apparent Product Thickness (feet)	Groundwater Elevation (feet msl)
GMW-O-18	05/01/2006	74.36	---	22.6	---	51.76
GMW-O-18	12/04/2006	74.36	---	23.61	---	50.75
GMW-O-18	04/30/2007	74.36	---	24.21	---	50.15
GMW-O-18	11/12/2007	74.36	---	22.46	---	51.9
GMW-O-18	04/14/2008	74.36	---	24.5	---	49.86
GMW-O-18	10/13/2008	74.36	---	25.46	---	48.9
GMW-O-18	4/20/2009	74.36	---	25.59	---	48.77
GMW-O-18	10/19/2009	74.36	---	26.31	---	48.05
GMW-O-18	3/15/2010	74.36	---	26.54	---	47.82
GMW-O-18	4/16/2010	74.36	---	24.25	---	50.11
GMW-O-18	5/24/2010	74.36	---	26.26	---	48.1
GMW-O-18	5/28/2010	74.36	---	26.03	---	48.33
GMW-O-19	05/28/1996	74.46	---	25.29	---	49.17
GMW-O-19	11/20/1996	74.46	---	26.28	---	48.18
GMW-O-19	07/01/1997	74.46	---	24.7	---	49.76
GMW-O-19	12/31/1997	74.46	---	25.92	---	48.54
GMW-O-19	08/09/1999	74.46	---	24.09	---	50.37
GMW-O-19	11/15/1999	74.46	---	24.82	---	49.64
GMW-O-19	05/15/2000	74.46	---	24.43	---	50.03
GMW-O-19	09/18/2001	74.46	---	23.07	---	51.39
GMW-O-19	11/05/2001	74.46	---	23.15	---	51.31
GMW-O-19	01/29/2002	74.46	---	23.25	---	51.21
GMW-O-19	04/08/2002	74.46	---	23.16	---	51.3
GMW-O-19	10/21/2002	74.46	---	23.34	---	51.12
GMW-O-19	04/07/2003	74.46	---	23.5	---	50.96
GMW-O-19	07/30/2003	74.46	---	24.29	---	50.17
GMW-O-19	10/06/2003	74.46	---	24.54	---	49.92
GMW-O-19	01/11/2004	74.46	---	26.02	---	48.44
GMW-O-19	04/19/2004	74.46	---	25.04	---	49.42
GMW-O-19	07/20/2004	74.46	---	25.35	---	49.11
GMW-O-19	05/02/2005	74.46	---	20.05	---	54.41
GMW-O-19	08/01/2005	74.46	---	20.82	---	53.64
GMW-O-19	10/31/2005	74.46	---	21.36	---	53.1
GMW-O-19	02/27/2006	74.46	---	22.06	---	52.4
GMW-O-19	05/01/2006	74.46	---	22.35	---	52.11
GMW-O-19	12/04/2006	74.46	---	23.32	---	51.14
GMW-O-19	04/30/2007	74.46	---	23.98	---	50.48
GMW-O-19	11/12/2007	74.46	---	24.57	---	49.89
GMW-O-19	04/14/2008	74.46	---	24.24	---	50.22
GMW-O-19	10/13/2008	74.46	---	25.36	---	49.1
GMW-O-19	4/20/2009	74.46	---	25.22	---	49.24
GMW-O-19	10/19/2009	74.46	---	26.26	---	48.2
GMW-O-19	3/15/2010	74.46	---	26.16	---	48.3
GMW-O-19	4/16/2010	74.46	---	25.3	---	49.16
GMW-O-19	5/24/2010	74.46	---	25.53	---	48.93
GMW-O-19	5/28/2010	74.46	---	25.47	---	48.99
GMW-O-20	05/07/2001	73.34	---	22.15	---	51.19
GMW-O-20	08/15/2008	73.34	---	25.9	---	47.44
GMW-O-20	10/17/2008	73.34	---	25.82	---	47.52
GMW-O-20	4/21/2009	73.32	---	28.7	---	44.62
GMW-O-21	10/06/2003	73.49	---	22.6	---	50.89
GMW-O-21	10/17/2008	73.94	---	26	---	47.94
GMW-O-23	08/28/2007	73.63	---	23	---	50.63
GMW-O-23	11/13/2007	73.63	---	23.9	---	49.73

TABLE 5

**SUMMARY OF HISTORICAL GROUNDWATER ELEVATIONS  
NOVEMBER 1986 THROUGH MAY 2010**  
Defense Fuel Support Point Norwalk  
Norwalk, California

Well	Date	Top of Casing Elevation (feet msl)	Depth to Product (feet btoc)	Depth to Water (feet btoc)	Apparent Product Thickness (feet)	Groundwater Elevation (feet msl)
GMW-O-23	08/15/2008	73.63	---	26.28	---	47.35
GMW-O-23	10/17/2008	73.63	---	27.16	---	46.47
GMW-O-23	4/21/2009	73.63	---	27.3	---	46.33
GMW-SF-7	05/28/1996	75.26	---	26.65	---	48.61
GMW-SF-7	11/20/1996	75.26	---	27.71	---	47.55
GMW-SF-7	12/31/1997	75.26	---	27.11	---	48.15
GMW-SF-7	05/03/1999	75.26	---	25.3	---	49.96
GMW-SF-7	08/09/1999	75.26	---	25.79	---	49.47
GMW-SF-7	11/15/1999	75.26	---	26.38	---	48.88
GMW-SF-7	05/15/2000	75.26	---	25.88	---	49.38
GMW-SF-7	11/13/2000	75.26	---	26.82	---	48.44
GMW-SF-7	05/07/2001	75.26	---	24.35	---	50.91
GMW-SF-7	11/05/2001	75.26	---	25.33	---	49.93
GMW-SF-7	02/01/2002	75.26	---	25.52	---	49.74
GMW-SF-7	04/08/2002	75.26	---	26.6	---	48.66
GMW-SF-7	10/21/2002	75.26	---	27.02	---	48.24
GMW-SF-7	01/27/2003	75.26	---	26.64	---	48.62
GMW-SF-7	04/07/2003	75.26	---	25.7	---	49.56
GMW-SF-7	07/31/2003	75.26	---	25.72	---	49.54
GMW-SF-7	10/06/2003	75.26	---	26.57	---	48.69
GMW-SF-7	01/11/2004	75.26	---	27.54	---	47.72
GMW-SF-7	01/27/2004	75.26	---	26.65	---	48.61
GMW-SF-7	04/19/2004	75.26	---	26.64	---	48.62
GMW-SF-7	07/19/2004	75.26	---	26.89	---	48.37
GMW-SF-7	02/01/2005	75.26	---	25.15	---	50.11
GMW-SF-7	05/02/2005	75.26	---	20.52	---	54.74
GMW-SF-7	08/01/2005	75.26	---	22.03	---	53.23
GMW-SF-7	10/31/2005	75.26	---	22.99	---	52.27
GMW-SF-7	02/27/2006	75.26	---	23.65	---	51.61
GMW-SF-7	05/01/2006	75.26	---	23.68	---	51.58
GMW-SF-7	09/18/2006	75.26	---	24.41	---	50.85
GMW-SF-7	12/04/2006	75.26	---	24.72	---	50.54
GMW-SF-7	03/12/2007	75.26	---	25.18	---	50.08
GMW-SF-7	04/30/2007	75.26	---	25.17	---	50.09
GMW-SF-7	08/28/2007	75.26	---	25.02	---	50.24
GMW-SF-7	11/12/2007	75.26	---	25.57	---	49.69
GMW-SF-7	04/14/2008	75.26	---	25.4	---	49.86
GMW-SF-7	10/13/2008	75.26	---	26.29	---	48.97
GMW-SF-7	4/20/2009	75.26	---	26.26	---	49
GMW-SF-7	10/19/2009	75.26	---	27.51	---	47.75
GMW-SF-7	5/24/2010	75.26	---	27.07	---	48.19
GMW-SF-7	5/28/2010	75.26	---	27.06	---	48.2
GMW-SF-8	05/28/1996	76.75	---	27.82	---	48.93
GMW-SF-8	11/20/1996	76.75	---	28.77	---	47.98
GMW-SF-8	07/01/1997	76.75	---	27.35	---	49.4
GMW-SF-8	12/31/1997	76.75	---	28.42	---	48.33
GMW-SF-8	05/03/1999	76.75	---	26.61	---	50.14
GMW-SF-8	08/09/1999	76.75	---	26.99	---	49.76
GMW-SF-8	11/15/1999	76.75	---	27.55	---	49.2
GMW-SF-8	05/15/2000	76.45	---	27.17	---	49.28
GMW-SF-8	11/13/2000	76.45	---	27.97	---	48.48
GMW-SF-8	05/07/2001	76.45	---	25.54	---	50.91
GMW-SF-8	11/05/2001	76.75	---	26.55	---	50.2
GMW-SF-8	04/08/2002	76.75	---	27.73	---	49.02

TABLE 5

**SUMMARY OF HISTORICAL GROUNDWATER ELEVATIONS  
NOVEMBER 1986 THROUGH MAY 2010**  
Defense Fuel Support Point Norwalk  
Norwalk, California

Well	Date	Top of Casing Elevation (feet msl)	Depth to Product (feet btoc)	Depth to Water (feet btoc)	Apparent Product Thickness (feet)	Groundwater Elevation (feet msl)
GMW-SF-8	10/21/2002	76.75	---	28.07	---	48.68
GMW-SF-8	01/27/2003	76.75	---	27.98	---	48.77
GMW-SF-8	04/07/2003	76.75	---	27.63	---	49.12
GMW-SF-8	07/31/2003	76.75	---	26.99	---	49.76
GMW-SF-8	10/06/2003	76.75	---	27.3	---	49.45
GMW-SF-8	01/11/2004	76.75	---	28.54	---	48.21
GMW-SF-8	01/27/2004	76.75	---	27.87	---	48.88
GMW-SF-8	04/19/2004	76.75	---	27.88	---	48.87
GMW-SF-8	07/19/2004	76.75	---	28.05	---	48.7
GMW-SF-8	02/01/2005	76.75	---	26.52	---	50.23
GMW-SF-8	05/02/2005	76.75	---	21.91	---	54.84
GMW-SF-8	08/01/2005	76.75	---	23.33	---	53.42
GMW-SF-8	10/31/2005	76.75	---	24.41	---	52.34
GMW-SF-8	02/27/2006	76.75	---	24.98	---	51.77
GMW-SF-8	05/01/2006	76.75	---	24.98	---	51.77
GMW-SF-8	09/18/2006	76.75	---	25.69	---	51.06
GMW-SF-8	12/04/2006	76.75	---	26.03	---	50.72
GMW-SF-8	04/30/2007	76.75	---	26.45	---	50.3
GMW-SF-8	11/12/2007	76.75	---	26.87	---	49.88
GMW-SF-8	04/14/2008	76.75	---	26.66	---	50.09
GMW-SF-8	10/13/2008	76.75	---	27.75	---	49
GMW-SF-8	4/20/2009	76.75	---	27.68	---	49.07
GMW-SF-8	10/19/2009	76.75	---	29.01	---	47.74
GMW-SF-8	5/24/2010	76.75	---	28.34	---	48.41
GMW-SF-8	5/28/2010	76.75	---	28.3	---	48.45
GMW-SF-9	4/21/2009	73	---	24.19	---	48.81
GMW-SF-9	5/24/2010	73	---	28.31	---	44.69
GMW-SF-9	5/28/2010	73	---	28.37	---	44.63
GMW-SF-10	4/21/2009	75.77	---	27.1	---	48.67
GW-1	05/01/1998	75	---	27.17	---	47.83
GW-1	05/25/1999	75.46	---	27.73	---	47.73
GW-1	05/15/2000	75.46	---	28.1	---	47.36
GW-1	05/07/2001	75.46	---	27.43	---	48.03
GW-1	04/08/2002	75.46	---	28.16	---	47.3
GW-1	10/21/2002	75.46	---	27.95	---	47.51
GW-1	04/07/2003	75.46	---	27.7	---	47.76
GW-1	10/06/2003	75.46	---	27.97	---	47.49
GW-1	05/02/2005	75.46	---	25.78	---	49.68
GW-1	04/11/2008	75.97	---	26.6	---	49.37
GW-1	7/24/2008	75.97	---	26.99	---	48.98
GW-1	10/13/2008	75.97	---	27.56	---	48.41
GW-1	2/9/2009	75.46	---	27.06	---	48.4
GW-1	4/7/2010	75.46	---	29.76	---	45.7
GW-1	04/19/2004	75.97	---	29	---	46.97
GW-1	11/01/2004	75.97	---	28.98	---	46.99
GW-1	05/01/2006	75.97	---	26.2	---	49.77
GW-1	12/01/2006	75.97	---	26.62	---	49.35
GW-1	04/30/2007	75.97	---	26.78	---	49.19
GW-1	11/12/2007	75.97	---	27.28	---	48.69
GW-2	05/01/1998	75	---	27.65	---	47.35
GW-2	05/25/1999	76.39	---	28.47	---	47.92
GW-2	05/15/2000	76.39	---	28.88	---	47.51
GW-2	05/07/2001	76.39	---	28.22	---	48.17
GW-2	04/08/2002	76.39	---	28.85	---	47.54

TABLE 5

**SUMMARY OF HISTORICAL GROUNDWATER ELEVATIONS  
NOVEMBER 1986 THROUGH MAY 2010**  
Defense Fuel Support Point Norwalk  
Norwalk, California

Well	Date	Top of Casing Elevation (feet msl)	Depth to Product (feet btoc)	Depth to Water (feet btoc)	Apparent Product Thickness (feet)	Groundwater Elevation (feet msl)
GW-2	10/21/2002	76.39	---	28.75	---	47.64
GW-2	04/07/2003	76.39	---	28.58	---	47.81
GW-2	10/06/2003	76.39	---	28.67	---	47.72
GW-2	05/02/2005	76.39	---	26.05	---	50.34
GW-2	04/11/2008	76.39	---	27.39	---	49
GW-2	7/24/2008	76.39	---	27.88	---	48.51
GW-2	10/13/2008	76.39	---	28.31	---	48.08
GW-2	2/9/2009	76.39	---	27.61	---	48.78
GW-2	4/7/2010	76.39	---	29.45	---	46.94
GW-2	04/19/2004	75.78	---	28.75	---	47.03
GW-2	11/01/2004	75.78	---	28.72	---	47.06
GW-2	05/01/2006	75.78	---	25.84	---	49.94
GW-2	12/01/2006	75.78	---	26.23	---	49.55
GW-2	04/30/2007	75.78	---	26.52	---	49.26
GW-2	1/11/2010	76.39	---	29.26	---	47.13
GW-3	05/01/1998	75	---	28.26	---	46.74
GW-3	05/25/1999	76.56	---	28.9	---	47.66
GW-3	05/15/2000	76.56	---	29.29	---	47.27
GW-3	05/07/2001	76.56	---	28.63	---	47.93
GW-3	04/08/2002	76.56	---	29.23	---	47.33
GW-3	10/21/2002	76.56	---	29.26	---	47.3
GW-3	04/07/2003	76.56	---	28.25	---	48.31
GW-3	10/06/2003	76.56	---	29.06	---	47.5
GW-3	04/19/2004	76.56	---	30.24	---	46.32
GW-3	05/02/2005	76.56	---	25.65	---	50.91
GW-3	04/11/2008	76.56	---	27.92	---	48.64
GW-3	4/7/2010	76.56	---	55.57	---	20.99
GW-3	11/01/2004	75.79	---	28.84	---	46.95
GW-3	05/01/2006	75.79	---	25.9	---	49.89
GW-3	12/01/2006	75.79	---	26.31	---	49.48
GW-3	04/30/2007	73.86	---	26.65	---	47.21
GW-3	11/12/2007	75.79	---	27.11	---	48.68
GW-3	7/24/2008	75.79	---	27.79	---	48
GW-3	10/13/2008	75.79	---	28.39	---	47.4
GW-3	2/9/2009	75.79	---	27.12	---	48.67
GW-3	4/20/2009	75.79	---	26.3	---	49.49
GW-3	10/19/2009	75.79	---	29.24	---	46.55
GW-3	4/12/2010	75.79	---	28.84	---	46.95
GW-4	05/01/1998	78.51	---	30.45	---	48.06
GW-4	05/25/1999	74.77	---	26.97	---	47.8
GW-4	05/15/2000	74.77	---	27.8	---	46.97
GW-4	05/07/2001	74.77	---	26.87	---	47.9
GW-4	04/08/2002	74.77	---	27.6	---	47.17
GW-4	10/21/2002	74.77	---	27.6	---	47.17
GW-4	04/07/2003	74.77	---	27.25	---	47.52
GW-4	10/06/2003	74.77	---	27.4	---	47.37
GW-4	04/19/2004	74.77	---	28.07	---	46.7
GW-4	11/01/2004	74.77	---	28.09	---	46.68
GW-4	04/11/2008	74.77	---	26.32	---	48.45
GW-4	7/24/2008	74.77	---	26.71	---	48.06
GW-4	10/13/2008	74.77	---	27.31	---	47.46
GW-4	2/9/2009	74.77	---	26.05	---	48.72
GW-4	4/7/2010	74.77	---	28.12	---	46.65
GW-4	05/01/2006	73.86	---	28.52	---	45.34

TABLE 5

**SUMMARY OF HISTORICAL GROUNDWATER ELEVATIONS  
NOVEMBER 1986 THROUGH MAY 2010**  
Defense Fuel Support Point Norwalk  
Norwalk, California

Well	Date	Top of Casing Elevation (feet msl)	Depth to Product (feet btoc)	Depth to Water (feet btoc)	Apparent Product Thickness (feet)	Groundwater Elevation (feet msl)
GW-4	11/12/2007	74.77	---	26.4	---	48.37
GW-5	05/01/1998	75	---	26.42	---	48.58
GW-5	05/25/1999	77.09	---	29.01	---	48.08
GW-5	05/15/2000	77.09	---	36.26	---	40.83
GW-5	05/07/2001	77.09	---	30.32	---	46.77
GW-5	04/08/2002	77.09	---	29.75	---	47.34
GW-5	10/21/2002	77.09	---	30.27	---	46.82
GW-5	04/07/2003	77.09	---	29.3	---	47.79
GW-5	10/06/2003	77.09	---	29.34	---	47.75
GW-5	04/19/2004	77.09	---	30.24	---	46.85
GW-5	11/01/2004	77.09	---	30.02	---	47.07
GW-5	05/02/2005	77.09	---	25.81	---	51.28
GW-5	05/01/2006	77.09	---	26.87	---	50.22
GW-5	04/27/2007	77.09	---	27.75	---	49.34
GW-5	11/12/2007	77.09	---	28.36	---	48.73
GW-5	04/11/2008	77.09	---	28.17	---	48.92
GW-5	12/01/2006	77.09	---	27.45	---	49.64
GW-5	7/24/2008	77.09	---	28.62	---	48.47
GW-5	10/13/2008	77.09	---	29.21	---	47.88
GW-5	2/9/2009	76.99	---	27.68	---	49.31
GW-5	4/7/2010	76.99	---	29.88	---	47.11
GW-6	05/01/1998	75	---	26.27	---	48.73
GW-6	05/25/1999	77.41	---	29.61	---	47.8
GW-6	05/15/2000	77.41	---	30.25	---	47.16
GW-6	05/07/2001	77.41	---	30.31	---	47.1
GW-6	04/08/2002	77.41	---	30.01	---	47.4
GW-6	10/21/2002	77.41	---	27.32	---	50.09
GW-6	04/07/2003	77.41	---	28.45	---	48.96
GW-6	10/06/2003	77.41	---	28.65	---	48.76
GW-6	11/01/2004	77.41	---	30.32	---	47.09
GW-6	05/02/2005	77.41	---	26.27	---	51.14
GW-6	04/27/2007	76.38	---	27.14	---	49.24
GW-6	11/12/2007	77.41	---	27.75	---	49.66
GW-6	04/11/2008	76.38	---	27.52	---	48.86
GW-6	04/19/2004	76.38	---	29.64	---	46.74
GW-6	05/01/2006	76.38	---	26.2	---	50.18
GW-6	12/01/2006	76.38	---	26.86	---	49.52
GW-6	7/24/2008	76.38	---	27.75	---	48.63
GW-6	10/13/2008	76.38	---	28.54	---	47.84
GW-6	2/9/2009	76.38	---	27.38	---	49
GW-6	4/20/2009	76.38	---	28.41	---	47.97
GW-6	10/19/2009	76.38	---	29.32	---	47.06
GW-6	4/7/2010	76.38	---	30.21	---	46.17
GW-6	4/12/2010	76.38	---	29.61	---	46.77
GW-7	05/01/1998	75	---	26.14	---	48.86
GW-7	05/25/1999	76.46	---	28.29	---	48.17
GW-7	05/15/2000	76.46	---	28.45	---	48.01
GW-7	04/08/2002	76.46	---	27.66	---	48.8
GW-7	10/21/2002	76.76	---	27.2	---	49.56
GW-7	04/07/2003	76.76	---	28.4	---	48.36
GW-7	10/06/2003	76.76	---	28.83	---	47.93
GW-7	11/01/2004	76.76	---	28.91	---	47.85
GW-7	05/02/2005	76.76	---	25.45	---	51.31
GW-7	04/11/2008	76.76	---	27.5	---	49.26



TABLE 5

**SUMMARY OF HISTORICAL GROUNDWATER ELEVATIONS  
NOVEMBER 1986 THROUGH MAY 2010**  
Defense Fuel Support Point Norwalk  
Norwalk, California

Well	Date	Top of Casing Elevation (feet msl)	Depth to Product (feet btoc)	Depth to Water (feet btoc)	Apparent Product Thickness (feet)	Groundwater Elevation (feet msl)
GW-7	10/14/2008	76.46	---	28.55	---	47.91
GW-7	4/8/2010	76.76	---	29.04	---	47.72
GW-7	04/19/2004	75.02	---	28.65	---	46.37
GW-7	05/01/2006	75.02	---	24.78	---	50.24
GW-7	12/01/2006	75.02	---	25.41	---	49.61
GW-7	04/30/2007	75.02	---	25.84	---	49.18
GW-7	7/24/2008	76.46	---	27.62	---	48.84
GW-7	2/10/2009	75.02	---	27.75	---	47.27
GW-8	05/01/1998	75	---	26.17	---	48.83
GW-8	05/25/1999	76.88	---	28.59	---	48.29
GW-8	05/15/2000	76.88	---	36.92	---	39.96
GW-8	05/07/2001	76.88	---	34.15	---	42.73
GW-8	04/08/2002	76.88	---	33.15	---	43.73
GW-8	10/21/2002	76.88	---	28.24	---	48.64
GW-8	04/07/2003	76.88	---	29.04	---	47.84
GW-8	10/06/2003	76.88	---	29.1	---	47.78
GW-8	04/19/2004	76.88	---	30	---	46.88
GW-8	11/01/2004	76.88	---	29.85	---	47.03
GW-8	05/02/2005	76.88	---	25.45	---	51.43
GW-8	05/01/2006	76.88	---	26.66	---	50.22
GW-8	08/26/2006	76.88	---	26.91	---	49.97
GW-8	03/21/2007	76.88	---	27.52	---	49.36
GW-8	04/27/2007	76.88	---	26.91	---	49.97
GW-8	7/16/2009	76.15	---	28.48	---	47.67
GW-8	03/06/2006	76.15	---	26.38	---	49.77
GW-8	12/01/2006	76.15	---	26.53	---	49.62
GW-8	08/28/2007	76.88	---	26.91	---	49.97
GW-8	11/12/2007	76.88	---	27.52	---	49.36
GW-8	02/05/2008	76.15	---	28.62	---	47.53
GW-8	04/11/2008	76.15	---	27.35	---	48.8
GW-8	7/24/2008	76.15	---	27.81	---	48.34
GW-8	10/13/2008	76.15	---	28.4	---	47.75
GW-8	2/9/2009	76.15	---	28.59	---	47.56
GW-8	4/7/2010	76.15	---	29.04	---	47.11
GW-13(6")	11/12/2007	76.85	---	28.31	---	48.54
GW-13(6")	7/24/2008	77.45	---	28.91	---	48.54
GW-13(6")	10/13/2008	77.45	---	29.29	---	48.16
GW-13(6")	2/9/2009	76.85	---	28.88	---	47.97
GW-13(6")	4/20/2009	76.85	---	29.48	---	47.37
GW-13(6")	10/19/2009	76.85	---	29.92	---	46.93
GW-13(6")	4/12/2010	76.85	---	29.91	---	46.94
GW-13(1")	04/11/2008	77	---	28.3	---	48.7
GW-13(1")	1/11/2010	77	---	30.24	---	46.76
GW-13(1")	4/7/2010	77	---	30.08	---	46.92
GW-14(6")	11/09/2007	76.54	---	27.85	---	48.69
GW-14(6")	04/14/2008	76.54	---	27.36	---	49.18
GW-14(6")	7/24/2008	76.54	---	26.02	---	50.52
GW-14(6")	10/13/2008	76.54	---	28.79	---	47.75
GW-14(6")	2/10/2009	76.54	---	26.62	---	49.92
GW-14(6")	4/20/2009	76.54	---	28.27	---	48.27
GW-14(6")	10/19/2009	76.54	---	27.46	---	49.08
GW-14(6")	4/8/2010	76.54	---	28.7	---	47.84
GW-14(6")	4/12/2010	76.54	---	28.4	---	48.14
GW-14(1")	1/12/2010	76.54	---	29.84	---	46.7

TABLE 5

**SUMMARY OF HISTORICAL GROUNDWATER ELEVATIONS  
NOVEMBER 1986 THROUGH MAY 2010**  
Defense Fuel Support Point Norwalk  
Norwalk, California

Well	Date	Top of Casing Elevation (feet msl)	Depth to Product (feet btoc)	Depth to Water (feet btoc)	Apparent Product Thickness (feet)	Groundwater Elevation (feet msl)
GW-15(6")	04/11/2008	74.94	---	26.19	---	48.75
GW-15(6")	4/12/2010	74.94	27.58	29.63	2.05	NC
GW-15(1")	7/24/2008	75.36	27.5	27.55	0.05	NC
GW-15(1")	10/16/2008	75.36	28.15	28.16	0.01	NC
GW-15(1")	2/9/2009	75.36	27.98	28.02	0.04	NC
GW-15(1")	7/17/2009	75.36	28.51	28.59	0.08	NC
GW-15(1")	4/8/2010	75.36	27.74	29.43	1.69	NC
GW-16(6")	10/19/2009	76.33	---	29.94	---	46.39
GW-16(6")	4/12/2010	76.33	---	28.71	---	47.62
GW-16	7/17/2009	76.55	---	28.87	---	47.68
GW-16	1/12/2010	76.55	---	29.94	---	46.61
GWR-1	11/20/1996	73.65	---	26.79	---	46.86
GWR-1	07/01/1997	73.65	---	27.69	---	45.96
GWR-1	12/31/1997	73.65	---	27.34	---	46.31
GWR-1	05/01/1998	73.65	---	24.04	---	49.61
GWR-1	05/07/1999	73.65	---	25.56	---	48.09
GWR-1	08/09/1999	73.65	---	25.64	---	48.01
GWR-1	11/15/1999	73.65	---	25.86	---	47.79
GWR-1	05/15/2000	73.65	---	25.65	---	48
GWR-1	11/13/2000	73.65	---	26.4	---	47.25
GWR-1	05/07/2001	73.65	---	24.75	---	48.9
GWR-1	08/07/2001	73.65	---	24.39	---	49.26
GWR-1	11/05/2001	73.65	---	24.8	---	48.85
GWR-1	04/08/2002	73.65	---	29.39	---	44.26
GWR-1	10/21/2002	73.65	---	26.03	---	47.62
GWR-1	04/07/2003	73.65	---	25.69	---	47.96
GWR-1	10/06/2003	73.65	---	25.36	---	48.29
GWR-1	01/11/2004	73.65	---	26.72	---	46.93
GWR-1	05/02/2005	73.65	---	21.62	---	52.03
GWR-1	08/01/2005	73.65	---	22.06	---	51.59
GWR-1	10/31/2005	73.65	---	24.16	---	49.49
GWR-1	05/01/2006	73.65	---	22.7	---	50.95
GWR-1	09/18/2006	73.65	---	24.31	---	49.34
GWR-1	12/04/2006	73.65	---	23.95	---	49.7
GWR-1	04/30/2007	73.65	---	41.65	---	32
GWR-1	11/12/2007	73.65	---	24.05	---	49.6
GWR-1	04/14/2008	73.65	---	24.4	---	49.25
GWR-1	10/13/2008	73.65	---	25.06	---	48.59
GWR-1	4/20/2009	77.4	---	28.78	---	48.62
GWR-1	10/19/2009	77.4	---	29.98	---	47.42
GWR-1	5/24/2010	77.4	---	26.37	---	51.03
GWR-1	5/28/2010	77.4	---	25.91	---	51.49
GWR-2	08/09/1999	73.66	---	25.74	---	47.92
GWR-2	10/21/2002	73.66	---	25.89	---	47.77
GWR-2	04/07/2003	73.66	---	26.68	---	46.98
GWR-3	08/09/1999	74.93	27.45	29.3	1.85	NC
GWR-3	05/15/2000	74.93	28.67	31.92	3.25	NC
GWR-3	11/13/2000	74.93	---	37.59	---	37.34
GWR-3	05/07/2001	74.93	28.15	27.2	0.95	NC
GWR-3	11/05/2001	74.93	27.95	27.95	Sheen	46.98
GWR-3	04/08/2002	74.93	---	27.58	---	47.35
GWR-3	05/02/2005	74.93	---	26.12	---	48.81
GWR-3	05/01/2006	74.93	---	26.46	---	48.47
GWR-3	12/04/2006	74.93	---	28.27	---	46.66

TABLE 5

**SUMMARY OF HISTORICAL GROUNDWATER ELEVATIONS  
NOVEMBER 1986 THROUGH MAY 2010**  
Defense Fuel Support Point Norwalk  
Norwalk, California

Well	Date	Top of Casing Elevation (feet msl)	Depth to Product (feet btoc)	Depth to Water (feet btoc)	Apparent Product Thickness (feet)	Groundwater Elevation (feet msl)
GWR-3	04/30/2007	74.93	---	27.97	---	46.96
GWR-3	11/12/2007	74.93	---	27.9	---	47.03
GWR-3	10/17/2008	74.93	---	29.88	---	45.05
GWR-3	4/21/2009	74.93	---	29.97	---	44.96
HL-1	08/07/2001	75.83	---	26.46	---	49.37
HL-1	04/08/2002	75.83	---	27.3	---	48.53
HL-1	11/04/2002	75.83	---	28.12	---	47.71
HL-1	04/07/2003	75.83	---	27.72	---	48.11
HL-1	10/06/2003	75.83	---	27.3	---	48.53
HL-1	01/11/2004	75.83	---	28.72	---	47.11
HL-1	04/19/2004	75.83	---	28.41	---	47.42
HL-1	05/02/2005	75.83	---	23.71	---	52.12
HL-1	10/31/2005	75.83	---	25.43	---	50.4
HL-2	05/28/1996	76.91	---	30.94	---	45.97
HL-2	11/20/1996	76.91	---	30.15	---	46.76
HL-2	07/01/1997	76.91	---	31.2	---	45.71
HL-2	12/31/1997	76.91	---	30.34	---	46.57
HL-2	05/01/1998	76.91	---	28.16	---	48.75
HL-2	05/04/1999	76.91	---	28.1	---	48.81
HL-2	08/09/1999	76.91	---	28.37	---	48.54
HL-2	11/15/1999	76.91	---	28.08	---	48.83
HL-2	05/15/2000	76.91	---	28.23	---	48.68
HL-2	11/13/2000	76.91	---	29.21	---	47.7
HL-2	05/07/2001	76.91	---	25.99	---	50.92
HL-2	05/10/2001	76.91	---	27.89	---	49.02
HL-2	11/05/2001	76.91	---	27.76	---	49.15
HL-2	04/08/2002	76.91	---	28.12	---	48.79
HL-2	10/21/2002	76.91	---	28.4	---	48.51
HL-2	04/07/2003	76.91	---	28.7	---	48.21
HL-2	07/07/2003	76.94	---	28.61	---	48.33
HL-2	10/06/2003	76.91	---	28.5	---	48.41
HL-2	01/20/2004	76.94	---	28.9	---	48.04
HL-2	04/19/2004	76.94	---	29.24	---	47.7
HL-2	04/27/2004	76.94	---	29.38	---	47.56
HL-2	06/07/2004	76.94	---	29.58	---	47.36
HL-2	07/08/2004	76.94	---	29.59	---	47.35
HL-2	05/02/2005	76.94	---	26.61	---	50.33
HL-2	10/31/2005	76.94	---	25.8	---	51.14
HL-2	05/01/2006	76.94	---	26.04	---	50.9
HL-2	12/04/2006	76.94	---	26.83	---	50.11
HL-2	04/30/2007	76.94	---	26.81	---	50.13
HL-2	11/12/2007	76.94	---	27.29	---	49.65
HL-2	04/14/2008	76.94	---	27.1	---	49.84
HL-2	10/13/2008	76.94	---	28.06	---	48.88
HL-2	4/20/2009	76.94	---	28.28	---	48.66
HL-2	10/19/2009	76.94	---	29.03	---	47.91
HL-2	5/24/2010	76.94	---	29.36	---	47.58
HL-2	5/28/2010	76.94	---	29.38	---	47.56
HL-3	05/07/2001	76.86	---	27.92	---	48.94
HL-3	11/05/2001	76.86	---	27.99	---	48.87
HL-3	04/08/2002	76.86	---	28.73	---	48.13
HL-3	10/21/2002	76.86	---	29.13	---	47.73
HL-3	04/07/2003	76.86	---	29.04	---	47.82
HL-3	10/06/2003	76.86	---	28.74	---	48.12

TABLE 5

**SUMMARY OF HISTORICAL GROUNDWATER ELEVATIONS  
NOVEMBER 1986 THROUGH MAY 2010**  
Defense Fuel Support Point Norwalk  
Norwalk, California

Well	Date	Top of Casing Elevation (feet msl)	Depth to Product (feet btoc)	Depth to Water (feet btoc)	Apparent Product Thickness (feet)	Groundwater Elevation (feet msl)
HL-3	01/11/2004	76.86	---	30.21	---	46.65
HL-3	04/19/2004	76.86	---	29.98	---	46.88
HL-3	05/02/2005	76.86	---	24.8	---	52.06
HL-3	10/31/2005	76.86	---	26.28	---	50.58
HL-3	05/01/2006	76.86	---	26.01	---	50.85
HL-3	12/04/2006	76.86	---	26.86	---	50
HL-3	04/30/2007	76.86	---	26.92	---	49.94
HL-3	11/12/2007	76.86	---	27.39	---	49.47
HL-3	04/14/2008	76.86	---	27.62	---	49.24
HL-3	10/13/2008	76.86	---	28.29	---	48.57
HL-3	4/20/2009	76.86	---	28.45	---	48.41
HL-3	10/19/2009	76.86	---	29.46	---	47.4
HL-3	5/24/2010	76.86	---	29.27	---	47.59
HL-3	5/28/2010	76.86	---	29.34	---	47.52
HL-4	05/07/1999	75.75	---	27.76	---	47.99
HL-4	08/09/1999	75.75	---	27.77	---	47.98
HL-4	11/15/1999	75.75	---	27.85	---	47.9
HL-4	05/15/2000	75.75	---	19.32	---	56.43
HL-4	11/13/2000	75.75	---	28.59	---	47.16
HL-4	05/07/2001	75.75	---	26.93	---	48.82
HL-4	11/05/2001	75.75	---	26.9	---	48.85
HL-4	04/08/2002	75.75	---	27.42	---	48.33
HL-4	10/21/2002	75.75	---	28.02	---	47.73
HL-4	04/07/2003	75.75	---	25.86	---	49.89
HL-4	10/06/2003	75.75	---	27.59	---	48.16
HL-4	01/11/2004	75.75	---	29.01	---	46.74
HL-4	04/19/2004	75.75	---	28.81	---	46.94
HL-5	08/07/2001	76.53	---	27.29	---	49.24
HL-5	10/21/2002	76.13	---	28.4	---	47.73
HL-5	04/07/2003	76.13	---	26.06	---	50.07
HL-5	10/06/2003	76.13	---	27.65	---	48.48
HL-5	01/11/2004	76.13	---	29.07	---	47.06
HL-5	04/19/2004	76.13	---	28.88	---	47.25
MW-6	05/28/1996	77.2	---	30.52	---	46.68
MW-6	11/20/1996	77.2	---	30.88	---	46.32
MW-6	07/01/1997	77.2	---	32.12	---	45.08
MW-6	12/31/1997	77.2	---	31.26	---	45.94
MW-6	05/01/1998	77.2	---	29.15	---	48.05
MW-6	05/03/1999	77.2	---	29.46	---	47.74
MW-6	08/09/1999	77.2	---	29.65	---	47.55
MW-6	11/15/1999	77.2	---	29.73	---	47.47
MW-6	05/15/2000	77.2	---	29.39	---	47.81
MW-6	11/13/2000	77.2	---	30.7	---	46.5
MW-6	05/07/2001	77.2	---	28.88	---	48.32
MW-6	11/05/2001	77.2	---	28.53	---	48.67
MW-6	04/08/2002	77.2	---	29.51	---	47.69
MW-6	04/08/2002	77.2	---	29.29	---	47.91
MW-6	10/21/2002	77.2	---	29.4	---	47.8
MW-6	04/07/2003	77.2	---	29.67	---	47.53
MW-6	10/06/2003	77.2	---	29.48	---	47.72
MW-6	01/11/2004	77.2	---	30.31	---	46.89
MW-6	04/19/2004	77.2	---	30.29	---	46.91
MW-6	05/02/2005	77.2	---	27	---	50.2
MW-6	10/31/2005	77.2	---	26.36	---	50.84

TABLE 5

**SUMMARY OF HISTORICAL GROUNDWATER ELEVATIONS**  
**NOVEMBER 1986 THROUGH MAY 2010**  
 Defense Fuel Support Point Norwalk  
 Norwalk, California

Well	Date	Top of Casing Elevation (feet msl)	Depth to Product (feet btoc)	Depth to Water (feet btoc)	Apparent Product Thickness (feet)	Groundwater Elevation (feet msl)
MW-6	05/01/2006	77.2	---	26.79	---	50.41
MW-6	12/04/2006	77.2	---	27.41	---	49.79
MW-6	04/30/2007	77.2	---	27.47	---	49.73
MW-6	11/12/2007	77.2	---	27.72	---	49.48
MW-6	04/14/2008	77.2	---	28.13	---	49.07
MW-6	10/13/2008	77.2	---	30.63	---	46.57
MW-6	4/20/2009	77.2	---	28.8	---	48.4
MW-6	10/19/2009	77.2	---	29.48	---	47.72
MW-6	5/24/2010	77.2	---	30.33	---	46.87
MW-6	5/28/2010	77.2	---	30.17	---	47.03
MW-7	05/28/1996	78.13	---	32.1	---	46.03
MW-7	11/20/1996	78.13	---	32.65	---	45.48
MW-7	07/01/1997	78.13	---	34.04	---	44.09
MW-7	12/31/1997	78.13	---	32.78	---	45.35
MW-7	05/01/1998	78.13	---	30.17	---	47.96
MW-7	05/03/1999	78.13	---	30.64	---	47.49
MW-7	08/09/1999	78.13	---	30.56	---	47.57
MW-7	11/15/1999	78.13	---	30.4	---	47.73
MW-7	05/15/2000	78.13	---	30.3	---	47.83
MW-7	11/13/2000	78.13	---	31.69	---	46.44
MW-7	05/07/2001	78.13	---	29.43	---	48.7
MW-7	11/05/2001	78.13	---	29.34	---	48.79
MW-7	04/08/2002	78.13	---	30.05	---	48.08
MW-7	10/21/2002	78.13	---	30.42	---	47.71
MW-7	04/07/2003	78.13	---	31.46	---	46.67
MW-7	10/06/2003	78.13	---	30.5	---	47.63
MW-7	01/11/2004	78.13	---	32.16	---	45.97
MW-7	04/19/2004	78.13	---	32.3	---	45.83
MW-7	05/02/2005	78.13	---	27.06	---	51.07
MW-7	10/31/2005	78.13	---	27.11	---	51.02
MW-7	05/01/2006	78.13	---	27.51	---	50.62
MW-7	12/04/2006	78.13	---	28.34	---	49.79
MW-7	04/30/2007	78.13	---	28.37	---	49.76
MW-7	11/12/2007	78.13	---	28.73	---	49.4
MW-7	04/14/2008	78.13	---	29.75	---	48.38
MW-7	10/13/2008	78.13	---	29.63	---	48.5
MW-7	4/20/2009	78.13	---	29.76	---	48.37
MW-7	10/19/2009	78.13	---	30.7	---	47.43
MW-7	5/24/2010	78.13	---	30.7	---	47.43
MW-7	5/28/2010	78.13	---	30.68	---	47.45
MW-8	05/28/1996	76.06	---	26.96	---	49.1
MW-8	11/20/1996	76.06	---	28.06	---	48
MW-8	05/03/1999	76.06	---	25.82	---	50.24
MW-8	08/09/1999	76.06	---	26.3	---	49.76
MW-8	11/15/1999	76.06	---	26.93	---	49.13
MW-8	05/15/2000	76.06	---	26.64	---	49.42
MW-8	11/13/2000	76.06	---	27.69	---	48.37
MW-8	02/05/2001	76.06	---	27.15	---	48.91
MW-8	05/07/2001	76.06	---	25.43	---	50.63
MW-8	09/18/2001	76.06	---	25.87	---	50.19
MW-8	01/29/2002	76.06	---	26.33	---	49.73
MW-8	04/08/2002	76.06	---	26.7	---	49.36
MW-8	10/21/2002	76.06	---	27.87	---	48.19
MW-8	01/27/2003	76.06	---	27.39	---	48.67

TABLE 5

**SUMMARY OF HISTORICAL GROUNDWATER ELEVATIONS  
NOVEMBER 1986 THROUGH MAY 2010**  
Defense Fuel Support Point Norwalk  
Norwalk, California

Well	Date	Top of Casing Elevation (feet msl)	Depth to Product (feet btoc)	Depth to Water (feet btoc)	Apparent Product Thickness (feet)	Groundwater Elevation (feet msl)
MW-8	04/07/2003	76.06	---	26.75	---	49.31
MW-8	07/31/2003	76.06	---	26.56	---	49.5
MW-8	10/06/2003	76.06	---	26.82	---	49.24
MW-8	01/11/2004	76.06	---	28.25	---	47.81
MW-8	01/27/2004	76.06	---	27.52	---	48.54
MW-8	04/19/2004	76.06	---	29.21	---	46.85
MW-8	07/19/2004	76.06	---	27.68	---	48.38
MW-8	02/01/2005	76.06	---	26.49	---	49.57
MW-8	05/02/2005	76.06	---	22.01	---	54.05
MW-8	08/01/2005	76.06	---	23.19	---	52.87
MW-8	10/31/2005	76.06	---	25.72	---	50.34
MW-8	02/27/2006	76.06	---	24.41	---	51.65
MW-8	05/01/2006	76.06	---	24.37	---	51.69
MW-8	09/18/2006	76.06	---	25.21	---	50.85
MW-8	12/04/2006	76.06	---	25.46	---	50.6
MW-8	03/12/2007	76.06	---	25.98	---	50.08
MW-8	04/30/2007	76.06	---	25.18	---	50.88
MW-8	08/28/2007	76.06	---	26.9	---	49.16
MW-8	11/12/2007	76.06	---	26.4	---	49.66
MW-8	02/19/2008	76.06	---	26.79	---	49.27
MW-8	04/14/2008	76.06	---	26.29	---	49.77
MW-8	10/13/2008	76.06	---	27.27	---	48.79
MW-8	4/20/2009	76.06	---	27.19	---	48.87
MW-8	10/19/2009	76.06	---	28.71	---	47.35
MW-8	5/24/2010	76.06	---	27.91	---	48.15
MW-8	5/28/2010	76.06	---	27.9	---	48.16
MW-9	11/20/1996	77.11	---	29.76	---	47.35
MW-9	07/01/1997	77.11	---	29.41	---	47.7
MW-9	12/31/1997	77.11	---	29.72	---	47.39
MW-9	05/01/1998	77.11	---	26.2	---	50.91
MW-9	08/09/1999	77.11	28.08	28.5	0.42	NC
MW-9	11/15/1999	77.11	---	28.58	---	48.53
MW-9	11/13/2000	77.11	28.92	28.94	0.02	NC
MW-9	05/07/2001	77.11	---	24.26	---	52.85
MW-9	05/10/2001	77.11	---	27.13	---	49.98
MW-9	09/18/2001	77.11	27.49	27.5	0.01	NC
MW-9	11/05/2001	77.11	27.59	27.59	Sheen	49.52
MW-9	04/08/2002	77.11	28.21	28.3	0.09	NC
MW-9	10/21/2002	77.11	29.1	29.16	0.06	NC
MW-9	04/07/2003	77.11	28.41	28.42	0.01	NC
MW-9	10/06/2003	77.11	28.47	28.48	0.01	NC
MW-9	01/11/2004	77.11	---	29.63	---	47.48
MW-9	04/19/2004	77.11	27.5	27.53	0.03	NC
MW-9	05/02/2005	77.11	---	23.61	---	53.5
MW-9	10/31/2005	77.11	25.31	25.62	0.31	NC
MW-9	05/01/2006	77.11	25.71	25.75	0.04	NC
MW-9	12/04/2006	77.11	---	26.67	---	50.44
MW-9	04/30/2007	77.11	---	27.29	---	49.82
MW-9	08/28/2007	77.11	25.29	26.88	1.59	NC
MW-9	11/12/2007	77.11	27.65	27.69	0.04	NC
MW-9	04/14/2008	77.11	---	27.87	---	49.24
MW-9	10/13/2008	77.11	---	28.43	---	48.68
MW-9	4/20/2009	77.11	---	28.14	---	48.97
MW-9	10/19/2009	77.11	29.36	29.4	0.04	47.71

TABLE 5

**SUMMARY OF HISTORICAL GROUNDWATER ELEVATIONS  
NOVEMBER 1986 THROUGH MAY 2010**  
Defense Fuel Support Point Norwalk  
Norwalk, California

Well	Date	Top of Casing Elevation (feet msl)	Depth to Product (feet btoc)	Depth to Water (feet btoc)	Apparent Product Thickness (feet)	Groundwater Elevation (feet msl)
MW-9	5/24/2010	77.11	---	29.11	---	48
MW-9	5/28/2010	77.11	---	29.04	---	48.07
MW-10	05/28/1996	79.12	---	32.22	---	46.9
MW-10	11/20/1996	79.12	---	32.8	---	46.32
MW-10	07/01/1997	79.12	---	32.86	---	46.26
MW-10	12/31/1997	79.12	---	32.92	---	46.2
MW-10	05/01/1998	79.12	---	30.28	---	48.84
MW-10	05/25/1999	79.12	---	30.79	---	48.33
MW-10	05/15/2000	79.12	---	32.32	---	46.8
MW-10	11/13/2000	79.12	---	30.9	---	48.22
MW-10	05/07/2001	79.12	---	31.21	---	47.91
MW-10	04/08/2002	79.12	---	31.91	---	47.21
MW-10	10/21/2002	79.12	---	31.53	---	47.59
MW-10	04/07/2003	79.12	---	31.15	---	47.97
MW-10	10/06/2003	79.12	---	31.11	---	48.01
MW-10	04/19/2004	79.12	---	32.12	---	47
MW-10	11/01/2004	79.12	---	31.96	---	47.16
MW-10	05/02/2005	79.12	---	27.68	---	51.44
MW-10	03/06/2006	79.12	---	28.44	---	50.68
MW-10	05/01/2006	79.12	---	28.87	---	50.25
MW-10	08/26/2006	79.12	29.17	29.17	Sheen	NC
MW-10	12/01/2006	79.12	---	29.52	---	49.6
MW-10	03/21/2007	79.12	---	29.71	---	49.41
MW-10	04/27/2007	79.12	---	29.9	---	49.22
MW-10	08/28/2007	79.12	---	30.22	---	48.9
MW-10	11/12/2007	79.12	---	30.5	---	48.62
MW-10	02/05/2008	79.12	---	30.9	---	48.22
MW-10	04/11/2008	79.12	---	30.31	---	48.81
MW-10	7/24/2008	79.12	---	30.48	---	48.64
MW-10	10/13/2008	79.12	---	31.39	---	47.73
MW-10	2/9/2009	79.12	---	30.05	---	49.07
MW-10	7/16/2009	79.12	---	31.42	---	47.7
MW-10	4/7/2010	79.12	---	32	---	47.12
MW-11	05/28/1996	78.17	27.63	30.52	2.89	47.65
MW-11	11/20/1996	78.17	31.31	33.6	2.29	44.57
MW-11	07/01/1997	78.17	31.89	34.15	2.26	44.02
MW-11	12/31/1997	78.17	31.42	33.49	2.07	44.68
MW-11	05/01/1998	78.17	26.96	28.75	1.79	49.42
MW-11	05/25/1999	78.17	29.93	29.95	0.02	NC
MW-11	05/15/2000	78.17	---	29.88	---	48.29
MW-11	11/13/2000	78.17	---	31.47	---	46.7
MW-11	05/07/2001	78.17	---	28.95	---	49.22
MW-11	04/08/2002	78.17	---	30.7	---	47.47
MW-11	10/21/2002	78.17	---	29.98	---	48.19
MW-11	04/07/2003	78.17	---	29.95	---	48.22
MW-11	10/06/2003	78.17	---	30.36	---	47.81
MW-11	04/19/2004	78.17	---	31.94	---	46.23
MW-11	11/01/2004	78.17	---	30.8	---	47.37
MW-11	05/02/2005	78.17	---	26.97	---	51.2
MW-11	05/01/2006	78.17	---	27.86	---	50.31
MW-11	08/26/2006	78.17	---	28.28	---	49.89
MW-11	12/01/2006	78.17	---	28.56	---	49.61
MW-11	04/30/2007	78.17	---	28.94	---	49.23
MW-11	11/12/2007	78.17	---	29.5	---	48.67

TABLE 5

**SUMMARY OF HISTORICAL GROUNDWATER ELEVATIONS  
NOVEMBER 1986 THROUGH MAY 2010**  
Defense Fuel Support Point Norwalk  
Norwalk, California

Well	Date	Top of Casing Elevation (feet msl)	Depth to Product (feet btoc)	Depth to Water (feet btoc)	Apparent Product Thickness (feet)	Groundwater Elevation (feet msl)
MW-11	04/11/2008	78.17	---	29.15	---	49.02
MW-11	10/14/2008	78.17	---	30.18	---	47.99
MW-11	4/20/2009	78.17	---	30	---	48.17
MW-11	10/19/2009	78.17	---	30.91	---	47.26
MW-11	4/7/2010	78.17	---	30.72	---	47.45
MW-11	4/12/2010	78.17	---	30.55	---	47.62
MW-12	05/28/1996	75.76	---	28.18	---	47.58
MW-12	11/20/1996	75.76	---	28.97	---	46.79
MW-12	07/01/1997	75.76	---	29.49	---	46.27
MW-12	12/31/1997	75.76	---	28.98	---	46.78
MW-12	05/01/1998	75.76	---	26.27	---	49.49
MW-12	05/04/1999	75.76	---	27.53	---	48.23
MW-12	11/15/1999	75.76	---	27.65	---	48.11
MW-12	05/15/2000	75.76	---	30.34	---	45.42
MW-12	11/13/2000	75.76	---	27.38	---	48.38
MW-12	11/13/2000	75.76	---	27.44	---	48.32
MW-12	05/07/2001	75.76	---	26.72	---	49.04
MW-12	11/05/2001	75.76	---	26.75	---	49.01
MW-12	04/08/2002	75.76	---	27.7	---	48.06
MW-12	04/08/2002	75.76	---	27.52	---	48.24
MW-12	10/21/2002	75.76	---	28.08	---	47.68
MW-12	10/21/2002	75.76	---	28.09	---	47.67
MW-12	04/07/2003	75.76	---	27.77	---	47.99
MW-12	10/06/2003	75.76	---	27.6	---	48.16
MW-12	01/11/2004	75.76	---	29.91	---	45.85
MW-12	04/19/2004	75.76	---	28.71	---	47.05
MW-12	05/02/2005	75.76	---	23.42	---	52.34
MW-12	05/02/2005	75.76	---	23.56	---	52.2
MW-12	10/31/2005	75.76	---	25.61	---	50.15
MW-12	05/01/2006	75.76	---	24.85	---	50.91
MW-12	05/01/2006	75.76	---	25.09	---	50.67
MW-12	12/01/2006	75.76	---	25.65	---	50.11
MW-12	12/04/2006	75.76	---	25.69	---	50.07
MW-12	04/30/2007	75.76	---	26.25	---	49.51
MW-12	04/30/2007	75.76	---	25.8	---	49.96
MW-12	11/12/2007	75.76	---	27.12	---	48.64
MW-12	11/12/2007	75.76	---	26.23	---	49.53
MW-12	04/11/2008	75.76	---	26.69	---	49.07
MW-12	04/14/2008	75.76	---	29.47	---	46.29
MW-12	10/13/2008	75.76	---	27.3	---	48.46
MW-12	10/14/2008	75.76	---	27.59	---	48.17
MW-12	4/20/2009	75.76	---	27.34	---	48.42
MW-12	10/19/2009	75.76	---	28.88	---	46.88
MW-12	4/8/2010	75.76	---	27.93	---	47.83
MW-12	5/24/2010	75.76	---	28.16	---	47.6
MW-12	5/28/2010	75.76	---	28.1	---	47.66
MW-13	05/28/1996	78.25	---	30.8	---	47.45
MW-13	11/20/1996	78.25	---	31.6	---	46.65
MW-13	07/01/1997	78.25	---	30.7	---	47.55
MW-13	12/31/1997	78.25	---	31.24	---	47.01
MW-13	05/01/1998	78.25	---	28.22	---	50.03
MW-13	05/25/1999	78.25	---	29.19	---	49.06
MW-13	05/15/2000	78.25	---	29.95	---	48.3
MW-13	11/13/2000	78.25	---	27.21	---	51.04



TABLE 5

**SUMMARY OF HISTORICAL GROUNDWATER ELEVATIONS  
NOVEMBER 1986 THROUGH MAY 2010**  
Defense Fuel Support Point Norwalk  
Norwalk, California

Well	Date	Top of Casing Elevation (feet msl)	Depth to Product (feet btoc)	Depth to Water (feet btoc)	Apparent Product Thickness (feet)	Groundwater Elevation (feet msl)
MW-13	02/05/2001	78.25	---	29.42	---	48.83
MW-13	05/07/2001	78.25	---	28.95	---	49.3
MW-13	04/08/2002	78.25	---	30.33	---	47.92
MW-13	09/19/2002	78.25	---	30.73	---	47.52
MW-13	10/21/2002	78.25	---	30.88	---	47.37
MW-13	04/07/2003	78.25	---	30.05	---	48.2
MW-13	10/06/2003	78.25	---	29.76	---	48.49
MW-13	04/19/2004	78.25	---	30.5	---	47.75
MW-13	11/01/2004	78.25	---	30.85	---	47.4
MW-13	02/28/2005	78.25	---	27.54	---	50.71
MW-13	05/02/2005	78.25	---	25.62	---	52.63
MW-13	03/06/2006	78.25	---	27.7	---	50.55
MW-13	05/01/2006	78.25	---	27.7	---	50.55
MW-13	08/26/2006	78.25	---	28.04	---	50.21
MW-13	12/01/2006	78.25	---	28.49	---	49.76
MW-13	03/21/2007	78.25	---	28.58	---	49.67
MW-13	04/27/2007	78.25	---	29	---	49.25
MW-13	08/28/2007	78.25	---	29.1	---	49.15
MW-13	11/12/2007	78.25	---	29.46	---	48.79
MW-13	02/05/2008	78.25	---	30	---	48.25
MW-13	04/11/2008	78.25	---	29.23	---	49.02
MW-13	7/24/2008	78.25	---	29.71	---	48.54
MW-13	10/13/2008	78.25	---	30.5	---	47.75
MW-13	2/9/2009	78.25	---	29.88	---	48.37
MW-13	4/20/2009	78.25	---	30	---	48.25
MW-13	7/16/2009	78.25	---	30.51	---	47.74
MW-13	10/19/2009	78.25	---	30.85	---	47.4
MW-13	4/7/2010	78.25	---	30.83	---	47.42
MW-13	4/12/2010	78.25	---	30.82	---	47.43
MW-14	05/28/1996	78.6	---	32.31	---	46.29
MW-14	11/20/1996	78.6	---	32.52	---	46.08
MW-14	07/01/1997	78.6	---	33.64	---	44.96
MW-14	12/31/1997	78.6	---	32.91	---	45.69
MW-14	05/01/1998	78.6	---	30.93	---	47.67
MW-14	02/03/1999	78.6	---	30.99	---	47.61
MW-14	05/07/1999	78.6	---	31.84	---	46.76
MW-14	05/25/1999	78.6	---	30.85	---	47.75
MW-14	08/09/1999	78.6	---	32.23	---	46.37
MW-14	02/29/2000	78.6	---	31.43	---	47.17
MW-14	05/15/2000	78.6	---	31.22	---	47.38
MW-14	08/28/2000	78.6	---	31.78	---	46.82
MW-14	11/13/2000	78.6	---	31.72	---	46.88
MW-14	02/05/2001	78.6	---	31.25	---	47.35
MW-14	05/07/2001	78.6	---	30.55	---	48.05
MW-14	09/18/2001	78.6	---	30.42	---	48.18
MW-14	01/29/2002	78.6	---	30.89	---	47.71
MW-14	04/08/2002	78.6	---	31.22	---	47.38
MW-14	07/29/2002	78.6	---	31.02	---	47.58
MW-14	10/21/2002	78.6	---	31.08	---	47.52
MW-14	01/27/2003	78.6	---	30.78	---	47.82
MW-14	04/07/2003	78.6	---	30.9	---	47.7
MW-14	10/06/2003	78.6	---	30.96	---	47.64
MW-14	04/19/2004	78.6	---	31.51	---	47.09
MW-14	11/01/2004	78.6	---	31.61	---	46.99

TABLE 5

**SUMMARY OF HISTORICAL GROUNDWATER ELEVATIONS  
NOVEMBER 1986 THROUGH MAY 2010**  
Defense Fuel Support Point Norwalk  
Norwalk, California

Well	Date	Top of Casing Elevation (feet msl)	Depth to Product (feet btoc)	Depth to Water (feet btoc)	Apparent Product Thickness (feet)	Groundwater Elevation (feet msl)
MW-14	02/28/2005	78.6	---	29.79	---	48.81
MW-14	05/02/2005	78.6	---	28.31	---	50.29
MW-14	03/06/2006	78.6	---	28.34	---	50.26
MW-14	05/01/2006	78.6	---	28.76	---	49.84
MW-14	08/26/2006	78.6	---	28.89	---	49.71
MW-14	12/01/2006	78.6	---	29.15	---	49.45
MW-14	03/21/2007	78.6	---	29.21	---	49.39
MW-14	04/30/2007	78.6	---	29.44	---	49.16
MW-14	08/28/2007	78.6	---	29.77	---	48.83
MW-14	11/12/2007	78.6	---	29.91	---	48.69
MW-14	02/05/2008	78.6	---	30.24	---	48.36
MW-14	04/11/2008	78.6	---	29.73	---	48.87
MW-14	7/24/2008	78.6	---	30.21	---	48.39
MW-14	10/13/2008	78.6	---	30.71	---	47.89
MW-14	2/9/2009	78.6	---	30.77	---	47.83
MW-14	4/20/2009	78.6	---	30.8	---	47.8
MW-14	7/16/2009	78.6	---	31.21	---	47.39
MW-14	7/20/2009	78.6	---	31.31	---	47.29
MW-14	10/19/2009	78.6	---	31.43	---	47.17
MW-14	1/11/2010	78.6	---	31.94	---	46.66
MW-14	4/7/2010	78.6	---	31.79	---	46.81
MW-14	4/12/2010	78.6	---	31.44	---	47.16
MW-15	05/28/1996	76.99	---	28.96	---	48.03
MW-15	11/20/1996	76.99	---	29.78	---	47.21
MW-15	07/01/1997	76.99	---	29.53	---	47.46
MW-15	12/31/1997	76.99	---	29.9	---	47.09
MW-15	05/01/1998	76.99	---	26.57	---	50.42
MW-15	05/03/1999	76.99	---	28.06	---	48.93
MW-15	08/09/1999	76.99	---	28.35	---	48.64
MW-15	11/15/1999	76.99	---	28.59	---	48.4
MW-15	05/15/2000	76.99	---	28.36	---	48.63
MW-15	11/13/2000	76.99	---	29.05	---	47.94
MW-15	05/07/2001	76.99	---	27.36	---	49.63
MW-15	11/05/2001	76.99	---	27.64	---	49.35
MW-15	04/08/2002	76.99	---	28.39	---	48.6
MW-15	07/29/2002	76.99	---	29.04	---	47.95
MW-15	10/21/2002	76.99	29.14	29.15	0.01	NC
MW-15	04/07/2003	76.99	28.51	28.52	0.01	NC
MW-15	10/06/2003	76.99	28.38	28.39	0.01	NC
MW-15	01/11/2004	76.99	29.55	29.64	0.09	NC
MW-15	04/19/2004	76.99	27.6	27.61	0.01	NC
MW-15	05/02/2005	76.99	22.88	22.93	0.05	NC
MW-15	10/31/2005	76.99	27.6	27.81	0.21	NC
MW-15	05/01/2006	76.99	25.92	25.92	Sheen	NC
MW-15	12/04/2006	76.99	---	26.76	---	50.23
MW-15	04/30/2007	76.99	---	28.17	---	48.82
MW-15	11/12/2007	76.99	27.02	28.25	1.23	NC
MW-15	04/14/2008	76.99	27.4	28.37	0.97	NC
MW-15	04/14/2008	76.99	27.33	28.31	0.98	NC
MW-15	10/13/2008	76.99	---	29.05	---	47.94
MW-15	4/20/2009	76.99	28.24	28.98	0.74	48.01
MW-15	10/19/2009	76.99	29.21	30.37	1.16	46.62
MW-15	5/24/2010	76.99	28.6	29.49	0.89	NC
MW-15	5/28/2010	76.99	28.57	29.46	0.89	NC

TABLE 5

**SUMMARY OF HISTORICAL GROUNDWATER ELEVATIONS  
NOVEMBER 1986 THROUGH MAY 2010**  
Defense Fuel Support Point Norwalk  
Norwalk, California

Well	Date	Top of Casing Elevation (feet msl)	Depth to Product (feet btoc)	Depth to Water (feet btoc)	Apparent Product Thickness (feet)	Groundwater Elevation (feet msl)
MW-16	05/28/1996	76.87	---	28.85	---	48.02
MW-16	11/20/1996	76.87	---	29.84	---	47.03
MW-16	07/01/1997	76.87	---	28.17	---	48.7
MW-16	12/31/1997	76.87	---	28.47	---	48.4
MW-16	05/01/1998	76.87	---	23.99	---	52.88
MW-16	05/25/1999	76.87	---	27.49	---	49.38
MW-16	05/15/2000	76.87	---	28.17	---	48.7
MW-16	11/13/2000	76.87	---	28.83	---	48.04
MW-16	05/07/2001	76.87	---	27.05	---	49.82
MW-16	02/01/2002	76.87	---	27.46	---	49.41
MW-16	04/08/2002	76.87	---	28.36	---	48.51
MW-16	10/21/2002	76.87	---	28.97	---	47.9
MW-16	01/27/2003	76.87	---	28.62	---	48.25
MW-16	04/07/2003	76.87	---	28.22	---	48.65
MW-16	07/30/2003	76.87	---	27.87	---	49
MW-16	10/06/2003	76.87	---	28	---	48.87
MW-16	01/27/2004	76.87	---	28.56	---	48.31
MW-16	04/19/2004	76.87	---	28.79	---	48.08
MW-16	07/19/2004	76.87	---	28.79	---	48.08
MW-16	11/01/2004	76.87	---	29.5	---	47.37
MW-16	02/01/2005	76.87	---	27.16	---	49.71
MW-16	05/02/2005	76.87	---	23.28	---	53.59
MW-16	08/01/2005	76.87	---	24.36	---	52.51
MW-16	03/06/2006	76.87	---	25.92	---	50.95
MW-16	05/01/2006	76.87	---	25.85	---	51.02
MW-16	08/26/2006	76.87	---	26.32	---	50.55
MW-16	09/18/2006	76.87	---	26.32	---	50.55
MW-16	12/01/2006	76.87	---	26.83	---	50.04
MW-16	03/21/2007	76.87	---	27.15	---	49.72
MW-16	04/30/2007	76.87	---	27.27	---	49.6
MW-16	08/28/2007	76.87	---	27.85	---	49.02
MW-16	11/12/2007	76.87	---	27.84	---	49.03
MW-16	02/05/2008	76.87	---	28.88	---	47.99
MW-16	04/14/2008	76.87	---	27.34	---	49.53
MW-16	7/24/2008	76.87	---	28.01	---	48.86
MW-16	10/14/2008	76.87	---	28.58	---	48.29
MW-16	2/10/2009	76.87	---	28.54	---	48.33
MW-16	4/20/2009	76.87	---	28.22	---	48.65
MW-16	7/16/2009	76.87	---	29.12	---	47.75
MW-16	10/19/2009	76.87	---	29.3	---	47.57
MW-16	4/8/2010	76.87	---	28.71	---	48.16
MW-16	4/12/2010	76.87	---	28.83	---	48.04
MW-17	05/28/1996	77.86	---	29.91	---	47.95
MW-17	11/20/1996	77.86	---	30.83	---	47.03
MW-17	07/01/1997	77.86	---	29.4	---	48.46
MW-17	12/31/1997	77.86	---	30.31	---	47.55
MW-17	05/01/1998	77.86	---	26.49	---	51.37
MW-17	05/25/1999	77.86	---	28.44	---	49.42
MW-17	05/15/2000	77.86	---	29.09	---	48.77
MW-17	11/13/2000	77.86	---	30.74	---	47.12
MW-17	05/07/2001	77.86	---	27.81	---	50.05
MW-17	04/08/2002	77.86	---	29.16	---	48.7
MW-17	10/21/2002	77.86	---	30.2	---	47.66
MW-17	04/07/2003	77.86	---	29.05	---	48.81

TABLE 5

**SUMMARY OF HISTORICAL GROUNDWATER ELEVATIONS  
NOVEMBER 1986 THROUGH MAY 2010**  
Defense Fuel Support Point Norwalk  
Norwalk, California

Well	Date	Top of Casing Elevation (feet msl)	Depth to Product (feet btoc)	Depth to Water (feet btoc)	Apparent Product Thickness (feet)	Groundwater Elevation (feet msl)
MW-17	10/06/2003	77.86	---	28.9	---	48.96
MW-17	04/19/2004	77.86	---	29.72	---	48.14
MW-17	11/01/2004	77.86	---	30.33	---	47.53
MW-17	05/02/2005	77.86	---	24.3	---	53.56
MW-17	03/06/2006	77.86	---	26.85	---	51.01
MW-17	05/01/2006	77.86	---	26.9	---	50.96
MW-17	08/26/2006	77.86	---	27.41	---	50.45
MW-17	12/01/2006	77.86	---	27.9	---	49.96
MW-17	03/21/2007	77.86	---	27.99	---	49.87
MW-17	04/27/2007	77.86	---	28.45	---	49.41
MW-17	08/28/2007	77.86	---	28.45	---	49.41
MW-17	11/12/2007	77.86	---	28.91	---	48.95
MW-17	02/05/2008	77.86	---	29.46	---	48.4
MW-17	04/11/2008	77.86	---	28.51	---	49.35
MW-17	7/24/2008	77.86	---	29.11	---	48.75
MW-17	10/13/2008	77.86	---	30	---	47.86
MW-17	2/9/2009	77.86	---	29.36	---	48.5
MW-17	4/20/2009	77.86	---	29.31	---	48.55
MW-17	7/16/2009	77.86	---	32.25	---	45.61
MW-17	10/19/2009	77.86	---	30.72	---	47.14
MW-17	4/7/2010	77.86	---	29.92	---	47.94
MW-17	4/12/2010	77.86	---	29.92	---	47.94
MW-18 (MID)	05/28/1996	75.67	33.2	33.81	0.61	41.86
MW-18 (MID)	11/20/1996	75.67	---	32.82	---	42.85
MW-18 (MID)	07/01/1997	75.67	---	29.1	---	46.57
MW-18 (MID)	12/31/1997	75.67	32.67	33.25	0.58	42.42
MW-18 (MID)	05/01/1998	75.67	29.81	29.83	0.02	45.84
MW-18 (MID)	08/09/1999	75.67	---	31.33	---	44.34
MW-18 (MID)	11/19/1999	75.67	---	31.86	---	43.81
MW-18 (MID)	05/15/2000	75.67	---	24.58	---	51.09
MW-18 (MID)	11/13/2000	75.67	---	26.78	---	48.89
MW-18 (MID)	05/07/2001	75.67	---	30.38	---	45.29
MW-18 (MID)	08/07/2001	75.67	---	30.46	---	45.21
MW-18 (MID)	11/05/2001	75.67	---	30.66	---	45.01
MW-18 (MID)	04/08/2002	75.67	---	31.22	---	44.45
MW-18 (MID)	10/21/2002	75.67	---	32.24	---	43.43
MW-18 (MID)	10/06/2003	75.67	---	31.42	---	44.25
MW-18 (MID)	04/19/2004	75.67	---	32.34	---	43.33
MW-18 (MID)	05/02/2005	75.67	---	27.67	---	48
MW-18 (MID)	10/31/2005	75.67	---	25.96	---	49.71
MW-18 (MID)	05/01/2006	75.67	---	28.92	---	46.75
MW-18 (MID)	12/04/2006	75.67	---	29.74	---	45.93
MW-18 (MID)	04/30/2007	75.67	---	29.77	---	45.9
MW-18 (MID)	11/12/2007	75.67	---	30.23	---	45.44
MW-18 (MID)	04/14/2008	75.67	---	30.45	---	45.22
MW-18 (MID)	10/13/2008	75.67	---	31.15	---	44.52
MW-18 (MID)	4/20/2009	75.67	---	31.49	---	44.18
MW-18 (MID)	10/19/2009	75.67	---	32.62	---	43.05
MW-18 (MID)	5/24/2010	75.67	---	32.26	---	43.41
MW-18 (MID)	5/28/2010	75.67	---	32.17	---	43.5
MW-19 (MID)	05/28/1996	78.14	---	31.52	---	46.62
MW-19 (MID)	11/20/1996	78.14	---	32.04	---	46.1
MW-19 (MID)	07/01/1997	78.14	---	33.51	---	44.63
MW-19 (MID)	12/31/1997	78.14	---	33.72	---	44.42

TABLE 5

**SUMMARY OF HISTORICAL GROUNDWATER ELEVATIONS  
NOVEMBER 1986 THROUGH MAY 2010**  
Defense Fuel Support Point Norwalk  
Norwalk, California

Well	Date	Top of Casing Elevation (feet msl)	Depth to Product (feet btoc)	Depth to Water (feet btoc)	Apparent Product Thickness (feet)	Groundwater Elevation (feet msl)
MW-19 (MID)	05/01/1998	78.14	---	29.48	---	48.66
MW-19 (MID)	02/03/1999	78.14	---	29.05	---	49.09
MW-19 (MID)	05/03/1999	78.14	---	30.91	---	47.23
MW-19 (MID)	08/09/1999	78.14	---	30.9	---	47.24
MW-19 (MID)	11/15/1999	78.14	---	30.63	---	47.51
MW-19 (MID)	02/29/2000	78.14	---	29.59	---	48.55
MW-19 (MID)	05/15/2000	78.14	---	25.27	---	52.87
MW-19 (MID)	08/28/2000	78.14	---	32.23	---	45.91
MW-19 (MID)	11/13/2000	78.14	---	31.9	---	46.24
MW-19 (MID)	02/05/2001	78.14	---	30.55	---	47.59
MW-19 (MID)	05/07/2001	78.14	---	29.82	---	48.32
MW-19 (MID)	09/18/2001	78.14	---	29.81	---	48.33
MW-19 (MID)	11/05/2001	78.14	---	29.71	---	48.43
MW-19 (MID)	01/29/2002	78.14	---	30	---	48.14
MW-19 (MID)	04/08/2002	78.14	---	30.12	---	48.02
MW-19 (MID)	10/21/2002	78.14	---	41.44	---	36.7
MW-19 (MID)	04/07/2003	78.14	---	31.94	---	46.2
MW-19 (MID)	10/06/2003	78.14	---	31.1	---	47.04
MW-19 (MID)	01/11/2004	78.14	---	32.97	---	45.17
MW-19 (MID)	04/19/2004	78.14	---	33.87	---	44.27
MW-19 (MID)	05/02/2005	78.14	---	28	---	50.14
MW-19 (MID)	10/31/2005	78.14	---	28.35	---	49.79
MW-19 (MID)	05/01/2006	78.14	---	28.7	---	49.44
MW-19 (MID)	12/04/2006	78.14	---	29.65	---	48.49
MW-19 (MID)	04/30/2007	78.14	---	29.68	---	48.46
MW-19 (MID)	11/12/2007	78.14	---	30.44	---	47.7
MW-19 (MID)	04/14/2008	78.14	---	30.7	---	47.44
MW-19 (MID)	10/13/2008	78.14	---	32.63	---	45.51
MW-19 (MID)	4/20/2009	78.14	---	31.75	---	46.39
MW-19 (MID)	10/19/2009	78.14	---	32.88	---	45.26
MW-19 (MID)	5/24/2010	78.14	---	33.16	---	44.98
MW-19 (MID)	5/28/2010	78.14	---	33.11	---	45.03
MW-20 (MID)	05/28/1996	77.19	---	31.42	---	45.77
MW-20 (MID)	11/20/1996	77.19	---	31.98	---	45.21
MW-20 (MID)	07/01/1997	77.19	---	33.31	---	43.88
MW-20 (MID)	12/31/1997	77.19	---	32.89	---	44.3
MW-20 (MID)	05/01/1998	77.19	---	29.81	---	47.38
MW-20 (MID)	05/03/1999	77.19	---	30.63	---	46.56
MW-20 (MID)	08/09/1999	77.19	---	31.07	---	46.12
MW-20 (MID)	11/15/1999	77.19	---	31	---	46.19
MW-20 (MID)	05/15/2000	77.19	---	30.65	---	46.54
MW-20 (MID)	11/13/2000	77.19	---	32.1	---	45.09
MW-20 (MID)	05/07/2001	77.19	---	30.14	---	47.05
MW-20 (MID)	09/18/2001	77.19	---	30.15	---	47.04
MW-20 (MID)	11/05/2001	77.19	---	30.09	---	47.1
MW-20 (MID)	04/08/2002	77.19	---	36.14	---	41.05
MW-20 (MID)	04/08/2002	77.19	---	30.82	---	46.37
MW-20 (MID)	10/21/2002	77.19	---	31.12	---	46.07
MW-20 (MID)	04/07/2003	77.19	---	31.25	---	45.94
MW-20 (MID)	10/06/2003	77.19	---	31.35	---	45.84
MW-20 (MID)	01/11/2004	77.19	---	32.33	---	44.86
MW-20 (MID)	04/19/2004	77.19	---	32.04	---	45.15
MW-20 (MID)	05/02/2005	77.19	---	28.73	---	48.46
MW-20 (MID)	10/31/2005	77.19	---	28.61	---	48.58

TABLE 5

**SUMMARY OF HISTORICAL GROUNDWATER ELEVATIONS  
NOVEMBER 1986 THROUGH MAY 2010**  
Defense Fuel Support Point Norwalk  
Norwalk, California

Well	Date	Top of Casing Elevation (feet msl)	Depth to Product (feet btoc)	Depth to Water (feet btoc)	Apparent Product Thickness (feet)	Groundwater Elevation (feet msl)
MW-20 (MID)	05/01/2006	77.19	---	28.65	---	48.54
MW-20 (MID)	12/04/2006	77.19	---	29.37	---	47.82
MW-20 (MID)	04/30/2007	77.19	---	29.35	---	47.84
MW-20 (MID)	11/12/2007	77.19	---	29.98	---	47.21
MW-20 (MID)	04/14/2008	77.19	---	30.21	---	46.98
MW-20 (MID)	10/13/2008	77.19	---	30.93	---	46.26
MW-20 (MID)	4/20/2009	77.19	---	31.09	---	46.1
MW-20 (MID)	10/19/2009	77.19	---	32.11	---	45.08
MW-20 (MID)	5/24/2010	77.19	---	32.33	---	44.86
MW-20 (MID)	5/28/2010	77.19	---	32.29	---	44.9
MW-21 (MID)	05/04/1999	77.55	---	28.99	---	48.56
MW-21 (MID)	08/09/1999	77.55	---	29.67	---	47.88
MW-21 (MID)	11/15/1999	77.55	---	30.5	---	47.05
MW-21 (MID)	05/15/2000	77.55	---	27.3	---	50.25
MW-21 (MID)	11/13/2000	77.55	---	30.41	---	47.14
MW-21 (MID)	05/07/2001	77.55	---	28.68	---	48.87
MW-21 (MID)	11/05/2001	77.55	---	28.67	---	48.88
MW-21 (MID)	04/08/2002	77.55	---	49.51	---	28.04
MW-21 (MID)	10/21/2002	77.55	---	29.92	---	47.63
MW-21 (MID)	04/07/2003	77.55	---	29.9	---	47.65
MW-21 (MID)	10/06/2003	77.55	---	29.51	---	48.04
MW-21 (MID)	01/11/2004	77.55	---	30.91	---	46.64
MW-21 (MID)	04/19/2004	77.55	---	30.66	---	46.89
MW-21 (MID)	05/02/2005	77.55	---	25.61	---	51.94
MW-21 (MID)	10/31/2005	77.55	---	26.31	---	51.24
MW-21 (MID)	05/01/2006	77.55	---	26.66	---	50.89
MW-21 (MID)	12/04/2006	77.55	---	27.55	---	50
MW-21 (MID)	04/30/2007	77.55	---	27.68	---	49.87
MW-21 (MID)	11/12/2007	77.55	---	28.08	---	49.47
MW-21 (MID)	04/14/2008	77.55	---	28.32	---	49.23
MW-21 (MID)	10/13/2008	77.55	---	28.96	---	48.59
MW-21 (MID)	4/20/2009	77.55	---	29.19	---	48.36
MW-21 (MID)	10/19/2009	77.55	---	30.3	---	47.25
MW-21 (MID)	5/24/2010	77.55	---	30	---	47.55
MW-21 (MID)	5/28/2010	77.55	---	29.97	---	47.58
MW-22 (MID)	05/28/1996	79.57	---	33.53	---	46.04
MW-22 (MID)	11/20/1996	79.57	---	34.39	---	45.18
MW-22 (MID)	07/01/1997	79.57	---	35.42	---	44.15
MW-22 (MID)	12/31/1997	79.57	---	34.06	---	45.51
MW-22 (MID)	05/01/1998	79.57	---	32.12	---	47.45
MW-22 (MID)	02/02/1999	79.57	---	31.76	---	47.81
MW-22 (MID)	05/04/1999	79.57	---	32.6	---	46.97
MW-22 (MID)	05/25/1999	79.57	---	32.02	---	47.55
MW-22 (MID)	08/09/1999	79.57	---	33.24	---	46.33
MW-22 (MID)	02/29/2000	79.57	---	32.76	---	46.81
MW-22 (MID)	05/15/2000	79.57	---	32.72	---	46.85
MW-22 (MID)	08/28/2000	79.57	---	33.8	---	45.77
MW-22 (MID)	11/13/2000	79.57	---	32.61	---	46.96
MW-22 (MID)	11/13/2000	79.57	---	33.47	---	46.1
MW-22 (MID)	02/05/2001	79.57	---	32.62	---	46.95
MW-22 (MID)	05/07/2001	79.57	---	32.05	---	47.52
MW-22 (MID)	05/07/2001	79.57	---	32.01	---	47.56
MW-22 (MID)	09/18/2001	79.57	---	32.07	---	47.5
MW-22 (MID)	01/29/2002	79.57	---	32.32	---	47.25

TABLE 5

**SUMMARY OF HISTORICAL GROUNDWATER ELEVATIONS  
NOVEMBER 1986 THROUGH MAY 2010**  
Defense Fuel Support Point Norwalk  
Norwalk, California

Well	Date	Top of Casing Elevation (feet msl)	Depth to Product (feet btoc)	Depth to Water (feet btoc)	Apparent Product Thickness (feet)	Groundwater Elevation (feet msl)
MW-22 (MID)	04/08/2002	79.57	---	32.61	---	46.96
MW-22 (MID)	07/29/2002	79.57	---	32.76	---	46.81
MW-22 (MID)	10/21/2002	79.57	---	32.66	---	46.91
MW-22 (MID)	01/27/2003	79.57	---	32.44	---	47.13
MW-22 (MID)	04/07/2003	79.57	---	32.5	---	47.07
MW-22 (MID)	10/06/2003	79.57	---	32.98	---	46.59
MW-22 (MID)	04/19/2004	79.57	---	33.32	---	46.25
MW-22 (MID)	11/01/2004	79.57	---	33.44	---	46.13
MW-22 (MID)	02/28/2005	79.57	---	31.66	---	47.91
MW-22 (MID)	05/02/2005	79.57	---	29.93	---	49.64
MW-22 (MID)	03/06/2006	79.57	---	30.12	---	49.45
MW-22 (MID)	05/01/2006	79.57	---	30.54	---	49.03
MW-22 (MID)	08/26/2006	79.57	---	31.04	---	48.53
MW-22 (MID)	12/01/2006	79.57	---	31.18	---	48.39
MW-22 (MID)	03/21/2007	79.57	---	31.49	---	48.08
MW-22 (MID)	04/30/2007	79.57	---	31.33	---	48.24
MW-22 (MID)	08/28/2007	79.57	---	31.96	---	47.61
MW-22 (MID)	11/12/2007	79.57	---	32.19	---	47.38
MW-22 (MID)	02/05/2008	79.57	---	32.51	---	47.06
MW-22 (MID)	04/11/2008	79.57	---	31.83	---	47.74
MW-22 (MID)	10/13/2008	79.57	---	33.01	---	46.56
MW-22 (MID)	2/9/2009	79.57	---	32.96	---	46.61
MW-22 (MID)	4/20/2009	79.57	---	32.65	---	46.92
MW-22 (MID)	7/16/2009	79.57	---	33.51	---	46.06
MW-22 (MID)	7/20/2009	79.57	---	33.96	---	45.61
MW-22 (MID)	10/19/2009	79.57	---	33.87	---	45.7
MW-22 (MID)	1/11/2010	79.57	---	34.14	---	45.43
MW-22 (MID)	4/7/2010	79.57	---	34.02	---	45.55
MW-22 (MID)	4/12/2010	79.57	---	33.62	---	45.95
MW-23 (MID)	05/28/1996	79.59	---	32.44	---	47.15
MW-23 (MID)	11/20/1996	79.59	---	33.2	---	46.39
MW-23 (MID)	07/01/1997	79.59	---	32.94	---	46.65
MW-23 (MID)	12/31/1997	79.59	---	33.14	---	46.45
MW-23 (MID)	05/01/1998	79.59	---	30.25	---	49.34
MW-23 (MID)	05/25/1999	79.59	---	31.03	---	48.56
MW-23 (MID)	05/15/2000	79.59	---	31.97	---	47.62
MW-23 (MID)	11/13/2000	79.59	---	31.21	---	48.38
MW-23 (MID)	05/07/2001	79.59	---	28.3	---	51.29
MW-23 (MID)	04/08/2002	79.59	---	32.27	---	47.32
MW-23 (MID)	10/21/2002	79.59	---	31.44	---	48.15
MW-23 (MID)	04/07/2003	79.59	---	30.22	---	49.37
MW-23 (MID)	10/06/2003	79.59	---	31.5	---	48.09
MW-23 (MID)	04/19/2004	79.59	---	32.65	---	46.94
MW-23 (MID)	11/01/2004	79.59	---	32.33	---	47.26
MW-23 (MID)	05/02/2005	79.59	---	27.72	---	51.87
MW-23 (MID)	03/06/2006	79.59	---	28.81	---	50.78
MW-23 (MID)	05/01/2006	79.59	---	29.21	---	50.38
MW-23 (MID)	08/26/2006	79.59	---	29.56	---	50.03
MW-23 (MID)	12/01/2006	79.59	---	29.91	---	49.68
MW-23 (MID)	03/21/2007	79.59	---	30.14	---	49.45
MW-23 (MID)	04/27/2007	79.59	---	30.33	---	49.26
MW-23 (MID)	08/28/2007	79.59	---	31.05	---	48.54
MW-23 (MID)	11/12/2007	79.59	---	30.95	---	48.64
MW-23 (MID)	02/05/2008	79.59	---	31.91	---	47.68

TABLE 5

**SUMMARY OF HISTORICAL GROUNDWATER ELEVATIONS  
NOVEMBER 1986 THROUGH MAY 2010**  
Defense Fuel Support Point Norwalk  
Norwalk, California

Well	Date	Top of Casing Elevation (feet msl)	Depth to Product (feet btoc)	Depth to Water (feet btoc)	Apparent Product Thickness (feet)	Groundwater Elevation (feet msl)
MW-23 (MID)	04/11/2008	79.59	---	30.72	---	48.87
MW-23 (MID)	7/24/2008	79.59	---	31.02	---	48.57
MW-23 (MID)	10/13/2008	79.59	---	31.82	---	47.77
MW-23 (MID)	2/9/2009	79.59	---	32.78	---	46.81
MW-23 (MID)	4/20/2009	79.59	---	32.46	---	47.13
MW-23 (MID)	7/16/2009	79.59	---	31.79	---	47.8
MW-23 (MID)	10/19/2009	79.59	---	32.44	---	47.15
MW-23 (MID)	4/7/2010	79.59	---	32.29	---	47.3
MW-23 (MID)	4/12/2010	79.59	---	31.83	---	47.76
MW-24	05/28/1996	78.51	---	32.08	---	46.43
MW-24	11/20/1996	78.51	---	32.33	---	46.18
MW-24	07/01/1997	78.51	---	33.97	---	44.54
MW-24	12/31/1997	78.51	---	32.72	---	45.79
MW-24	05/01/1998	78.51	---	30.42	---	48.09
MW-24	05/25/1999	78.51	---	30.59	---	47.92
MW-24	05/15/2000	78.51	---	31.33	---	47.18
MW-24	11/13/2000	78.51	---	31.6	---	46.91
MW-24	05/07/2001	78.51	---	30.44	---	48.07
MW-24	04/08/2002	78.51	---	31.12	---	47.39
MW-24	10/21/2002	78.51	---	31.09	---	47.42
MW-24	04/07/2003	78.51	---	30.8	---	47.71
MW-24	10/06/2003	78.51	---	30.77	---	47.74
MW-24	04/19/2004	78.51	---	31.49	---	47.02
MW-24	11/01/2004	78.51	---	31.45	---	47.06
MW-24	05/02/2005	78.51	---	27.71	---	50.8
MW-24	05/01/2006	78.51	---	28.5	---	50.01
MW-24	12/01/2006	78.51	---	29.06	---	49.45
MW-24	04/30/2007	78.51	---	29.44	---	49.07
MW-24	11/12/2007	78.51	---	29.91	---	48.6
MW-24	04/11/2008	78.51	---	29.74	---	48.77
MW-24	7/24/2008	78.51	---	29.96	---	48.55
MW-24	10/13/2008	78.51	---	30.79	---	47.72
MW-24	2/9/2009	78.51	---	29.67	---	48.84
MW-24	4/20/2009	78.51	---	30.66	---	47.85
MW-24	10/19/2009	78.51	---	31.61	---	46.9
MW-24	4/7/2010	78.51	---	31.62	---	46.89
MW-24	4/12/2010	78.51	---	31.26	---	47.25
MW-25	05/28/1996	79.15	---	32.77	---	46.38
MW-25	11/20/1996	79.15	---	33.9	---	45.25
MW-25	07/01/1997	79.15	---	34.59	---	44.56
MW-25	12/31/1997	79.15	---	33.41	---	45.74
MW-25	05/01/1998	79.15	---	31.26	---	47.89
MW-25	05/04/1999	79.15	---	32.01	---	47.14
MW-25	05/25/1999	79.15	---	31.45	---	47.7
MW-25	08/09/1999	79.15	---	32.56	---	46.59
MW-25	05/15/2000	79.15	---	31.86	---	47.29
MW-25	11/13/2000	79.15	---	33.56	---	45.59
MW-25	11/13/2000	79.15	---	32.5	---	46.65
MW-25	05/07/2001	79.15	---	31.12	---	48.03
MW-25	05/07/2001	79.15	---	31.15	---	48
MW-25	04/08/2002	79.15	---	31.81	---	47.34
MW-25	10/21/2002	79.15	---	31.59	---	47.56
MW-25	04/07/2003	79.15	---	31.4	---	47.75
MW-25	10/06/2003	79.15	---	31.73	---	47.42



TABLE 5

**SUMMARY OF HISTORICAL GROUNDWATER ELEVATIONS  
NOVEMBER 1986 THROUGH MAY 2010**  
Defense Fuel Support Point Norwalk  
Norwalk, California

Well	Date	Top of Casing Elevation (feet msl)	Depth to Product (feet btoc)	Depth to Water (feet btoc)	Apparent Product Thickness (feet)	Groundwater Elevation (feet msl)
MW-25	04/19/2004	79.15	---	32.19	---	46.96
MW-25	11/01/2004	79.15	---	32.25	---	46.9
MW-25	05/02/2005	79.15	---	28.89	---	50.26
MW-25	05/01/2006	79.15	---	29.44	---	49.71
MW-25	12/01/2006	79.15	---	29.84	---	49.31
MW-25	04/30/2007	79.15	---	29.99	---	49.16
MW-25	11/12/2007	79.15	---	30.5	---	48.65
MW-25	04/11/2008	79.15	---	30.27	---	48.88
MW-25	7/24/2008	79.15	---	30.9	---	48.25
MW-25	10/13/2008	79.15	---	31.44	---	47.71
MW-25	2/9/2009	79.15	---	30.7	---	48.45
MW-25	4/20/2009	79.15	---	31.32	---	47.83
MW-25	10/19/2009	79.15	---	32	---	47.15
MW-25	4/7/2010	79.15	---	32.39	---	46.76
MW-25	4/12/2010	79.15	---	31.86	---	47.29
MW-26	05/28/1996	77.4	---	30.7	---	46.7
MW-26	11/20/1996	77.4	---	31.25	---	46.15
MW-26	07/01/1997	77.4	---	32.24	---	45.16
MW-26	12/31/1997	77.4	---	31.44	---	45.96
MW-26	05/01/1998	77.4	---	28.96	---	48.44
MW-26	05/25/1999	77.4	---	29.54	---	47.86
MW-26	05/15/2000	77.4	---	29.97	---	47.43
MW-26	11/13/2000	77.4	---	30.73	---	46.67
MW-26	05/07/2001	77.4	---	29.05	---	48.35
MW-26	04/08/2002	77.4	---	29.94	---	47.46
MW-26	10/21/2002	77.4	---	29.73	---	47.67
MW-26	04/07/2003	77.4	---	29.5	---	47.9
MW-26	10/06/2003	77.4	---	29.78	---	47.62
MW-26	04/19/2004	77.4	---	30.54	---	46.86
MW-26	11/01/2004	77.4	---	30.43	---	46.97
MW-26	05/02/2005	77.4	---	26.06	---	51.34
MW-26	05/01/2006	77.4	---	27.46	---	49.94
MW-26	12/01/2006	77.4	---	28	---	49.4
MW-26	04/30/2007	77.4	---	28.18	---	49.22
MW-26	11/12/2007	77.4	---	28.75	---	48.65
MW-26	04/11/2008	77.4	---	28.46	---	48.94
MW-26	7/24/2008	77.4	---	29	---	48.4
MW-26	10/13/2008	77.4	---	29.42	---	47.98
MW-26	2/9/2009	77.4	---	29.11	---	48.29
MW-26	4/20/2009	77.4	---	29.42	---	47.98
MW-26	10/19/2009	77.4	---	30	---	47.4
MW-26	4/7/2010	77.4	---	30.24	---	47.16
MW-26	4/12/2010	77.4	---	29.82	---	47.58
MW-27	05/28/1996	78.46	---	31.43	---	47.03
MW-27	11/20/1996	78.46	---	32.13	---	46.33
MW-27	07/01/1997	78.46	---	32.99	---	45.47
MW-27	12/31/1997	78.46	---	32.21	---	46.25
MW-27	05/01/1998	78.46	---	29.05	---	49.41
MW-27	05/25/1999	78.46	---	30.27	---	48.19
MW-27	05/15/2000	78.46	---	30.81	---	47.65
MW-27	11/13/2000	78.46	---	31.79	---	46.67
MW-27	05/07/2001	78.46	---	29.61	---	48.85
MW-27	04/08/2002	78.46	---	30.69	---	47.77
MW-27	10/21/2002	78.46	---	30.62	---	47.84

TABLE 5

**SUMMARY OF HISTORICAL GROUNDWATER ELEVATIONS  
NOVEMBER 1986 THROUGH MAY 2010**  
Defense Fuel Support Point Norwalk  
Norwalk, California

Well	Date	Top of Casing Elevation (feet msl)	Depth to Product (feet btoc)	Depth to Water (feet btoc)	Apparent Product Thickness (feet)	Groundwater Elevation (feet msl)
MW-27	04/07/2003	78.46	---	30.4	---	48.06
MW-27	10/06/2003	78.46	---	30.79	---	47.67
MW-27	04/19/2004	78.46	---	31.87	---	46.59
MW-27	11/01/2004	78.46	---	31.66	---	46.8
MW-27	05/02/2005	78.46	---	26.48	---	51.98
MW-27	05/01/2006	78.46	---	28.17	---	50.29
MW-27	12/01/2006	78.46	---	28.99	---	49.47
MW-27	04/30/2007	78.46	---	29.17	---	49.29
MW-27	11/12/2007	78.46	---	29.75	---	48.71
MW-27	04/11/2008	78.46	---	29.25	---	49.21
MW-27	7/24/2008	78.46	---	29.96	---	48.5
MW-27	10/13/2008	78.46	---	30.34	---	48.12
MW-27	2/9/2009	78.46	---	30.44	---	48.02
MW-27	4/20/2009	78.46	---	30.27	---	48.19
MW-27	10/19/2009	78.46	---	31.23	---	47.23
MW-27	4/7/2010	78.46	---	30.95	---	47.51
MW-27	4/12/2010	78.46	---	30.79	---	47.67
MW-28	05/28/1996	78.53	---	31.13	---	47.4
MW-28	11/20/1996	78.53	---	31.79	---	46.74
MW-28	07/01/1997	78.53	---	31.98	---	46.55
MW-28	12/31/1997	78.53	---	31.51	---	47.02
MW-28	05/01/1998	78.53	---	29.09	---	49.44
MW-28	05/25/1999	78.53	---	29.83	---	48.7
MW-28	05/15/2000	78.53	---	30.45	---	48.08
MW-28	11/13/2000	78.53	---	30.65	---	47.88
MW-28	05/07/2001	78.53	---	29.18	---	49.35
MW-28	04/08/2002	78.53	---	30.25	---	48.28
MW-28	10/21/2002	78.53	---	30.77	---	47.76
MW-28	04/07/2003	78.53	---	29.85	---	48.68
MW-28	10/06/2003	78.53	---	30.1	---	48.43
MW-28	04/19/2004	78.53	---	31.45	---	47.08
MW-28	11/01/2004	78.53	---	31.25	---	47.28
MW-28	05/02/2005	78.53	---	25.17	---	53.36
MW-28	05/01/2006	78.53	---	27.55	---	50.98
MW-28	12/01/2006	78.53	---	28.66	---	49.87
MW-28	04/30/2007	78.53	---	29.05	---	49.48
MW-28	11/12/2007	78.53	---	29.64	---	48.89
MW-28	04/11/2008	78.53	---	29.28	---	49.25
MW-28	10/14/2008	78.53	---	30.38	---	48.15
MW-28	4/8/2010	78.53	---	30.58	---	47.95
MW-29	05/28/1996	79.13	31.36	31.49	0.13	47.64
MW-29	11/20/1996	79.13	32.41	32.66	0.25	46.47
MW-29	07/01/1997	79.13	31.6	31.65	0.05	47.48
MW-29	12/31/1997	79.13	---	31.99	---	47.14
MW-29	05/01/1998	79.13	---	29.06	---	50.07
MW-29	05/25/1999	79.13	---	30.03	---	49.1
MW-29	05/15/2000	79.13	---	30.81	---	48.32
MW-29	11/13/2000	79.13	---	31.3	---	47.83
MW-29	05/07/2001	79.13	---	29.3	---	49.83
MW-29	02/01/2002	79.13	---	29.71	---	49.42
MW-29	04/08/2002	79.13	---	31.12	---	48.01
MW-29	10/21/2002	79.13	---	31.48	---	47.65
MW-29	04/07/2003	79.13	---	30.42	---	48.71
MW-29	10/06/2003	79.13	---	30.4	---	48.73

TABLE 5

**SUMMARY OF HISTORICAL GROUNDWATER ELEVATIONS  
NOVEMBER 1986 THROUGH MAY 2010**  
Defense Fuel Support Point Norwalk  
Norwalk, California

Well	Date	Top of Casing Elevation (feet msl)	Depth to Product (feet btoc)	Depth to Water (feet btoc)	Apparent Product Thickness (feet)	Groundwater Elevation (feet msl)
MW-29	04/19/2004	79.13	---	31.39	---	47.74
MW-29	11/01/2004	79.13	---	31.72	---	47.41
MW-29	03/06/2006	79.13	---	27.38	---	51.75
MW-29	05/01/2006	79.13	---	27.52	---	51.61
MW-29	08/26/2006	79.13	---	28.23	---	50.9
MW-29	12/01/2006	79.13	---	28.92	Sheen	NC
MW-29	03/21/2007	79.13	---	28.72	---	50.41
MW-29	04/30/2007	79.13	---	29.66	---	49.47
MW-29	08/28/2007	79.13	---	29.01	---	50.12
MW-29	11/12/2007	79.13	---	30.25	---	48.88
MW-29	02/05/2008	79.13	---	29.91	---	49.22
MW-29	7/24/2008	79.13	---	30.03	---	49.1
MW-29	10/14/2008	79.13	---	30.94	---	48.19
MW-29	2/10/2009	79.13	---	30.26	---	48.87
MW-29	7/16/2009	79.13	---	31.15	---	47.98
MW-29	4/8/2010	79.13	---	31.04	---	48.09
MW-O-1	04/08/2002	75.48	---	24.31	---	51.17
MW-O-1	10/06/2003	75.48	---	25.54	---	49.94
MW-O-1	01/11/2004	75.48	26.52	26.6	0.08	NC
MW-O-1	05/02/2005	75.48	22.85	22.89	0.04	NC
MW-O-1	10/31/2005	75.48	27.43	27.51	0.08	NC
MW-O-1	05/01/2006	75.48	22.62	24.09	1.47	NC
MW-O-1	12/04/2006	75.48	23.62	24.86	1.24	NC
MW-O-1	04/30/2007	75.48	23.98	24.1	0.12	NC
MW-O-1	08/28/2007	75.48	23.06	23.07	0.01	NC
MW-O-1	11/12/2007	75.48	24.25	24.27	0.02	NC
MW-O-1	10/17/2008	75.48	---	25.3	---	50.18
MW-O-1	4/21/2009	75.48	---	25.41	---	50.07
MW-O-1	10/19/2009	75.48	---	26.3	---	49.18
MW-O-2	05/28/1996	74.38	25.39	27.4	2.01	46.98
MW-O-2	11/20/1996	74.38	25.55	29.58	4.03	44.8
MW-O-2	07/01/1997	74.31	26.15	26.49	0.34	47.82
MW-O-2	12/31/1997	74.31	26.78	29	2.22	45.31
MW-O-2	05/15/2000	74.31	25.37	29.63	4.26	NC
MW-O-2	11/13/2000	74.31	25.61	26.32	0.71	NC
MW-O-2	11/05/2001	74.31	---	24.62	---	49.69
MW-O-2	04/08/2002	74.31	---	25.71	---	48.6
MW-O-2	10/06/2003	74.31	23	24.19	1.19	NC
MW-O-2	05/02/2005	74.31	---	27.02	---	47.29
MW-O-2	10/31/2005	74.31	27.58	27.82	0.24	NC
MW-O-2	05/22/2006	74.31	21.31	21.32	0.01	NC
MW-O-2	12/04/2006	74.31	---	23.1	Sheen	NC
MW-O-2	04/30/2007	74.31	---	22.53	---	51.78
MW-O-2	11/12/2007	71.9	---	23.1	---	48.8
MW-O-2	10/17/2008	71.9	---	24.85	---	47.05
MW-O-4	05/04/1999	75	24.14	24.19	0.05	NC
MW-O-4	04/08/2002	75	---	22.71	---	52.29
MW-SF-1	08/07/2001	76.31	29.07	29.18	0.11	NC
MW-SF-1	04/08/2002	78.93	---	29.81	---	49.12
MW-SF-1	11/04/2002	78.93	31.02	31.03	0.01	NC
MW-SF-1	07/30/2003	78.93	---	29.97	---	48.96
MW-SF-1	10/06/2003	78.93	---	30.01	---	48.92
MW-SF-1	01/11/2004	78.93	---	31.12	---	47.81
MW-SF-1	04/19/2004	78.93	---	30.71	---	48.22

TABLE 5

**SUMMARY OF HISTORICAL GROUNDWATER ELEVATIONS  
NOVEMBER 1986 THROUGH MAY 2010**  
Defense Fuel Support Point Norwalk  
Norwalk, California

Well	Date	Top of Casing Elevation (feet msl)	Depth to Product (feet btoc)	Depth to Water (feet btoc)	Apparent Product Thickness (feet)	Groundwater Elevation (feet msl)
MW-SF-1	05/02/2005	78.93	---	26.21	---	52.72
MW-SF-1	10/31/2005	78.93	---	27.09	---	51.84
MW-SF-1	05/01/2006	78.93	---	27.51	---	51.42
MW-SF-1	12/04/2006	78.93	---	28.28	Sheen	NC
MW-SF-1	03/12/2007	78.93	---	28.71	---	50.22
MW-SF-1	04/30/2007	78.93	---	28.44	---	50.49
MW-SF-1	08/28/2007	78.93	---	27.94	---	50.99
MW-SF-1	11/12/2007	78.93	---	28.76	---	50.17
MW-SF-1	02/19/2008	78.93	---	29.5	---	49.43
MW-SF-1	04/14/2008	78.93	---	29.16	---	49.77
MW-SF-1	08/11/2008	78.93	---	29.75	---	49.18
MW-SF-1	10/13/2008	78.93	---	29.86	---	49.07
MW-SF-1	4/20/2009	78.93	---	29.97	---	48.96
MW-SF-1	7/20/2009	78.93	---	30.98	---	47.95
MW-SF-1	10/19/2009	78.93	---	31.11	---	47.82
MW-SF-1	3/15/2010	78.93	---	31.74	---	47.19
MW-SF-1	5/24/2010	78.93	---	30.79	---	48.14
MW-SF-1	5/28/2010	78.93	---	30.57	---	48.36
MW-SF-2	11/20/1996	78.45	30.31	36.68	6.37	41.77
MW-SF-2	07/01/1997	78.45	28.43	45.25	16.82	33.2
MW-SF-2	12/31/1997	78.45	30.86	33.92	3.06	44.53
MW-SF-2	05/01/1998	78.45	20.73	27.55	6.82	50.9
MW-SF-2	05/15/2000	78.45	27.56	30.01	2.45	NC
MW-SF-2	11/13/2000	78.45	29.27	30.32	1.05	NC
MW-SF-2	05/07/2001	78.45	28	29.75	1.75	NC
MW-SF-2	08/07/2001	78.45	28.79	30.25	1.46	NC
MW-SF-2	11/05/2001	78.45	29.5	30.49	0.99	NC
MW-SF-2	10/21/2002	78.45	29.74	30.74	1	NC
MW-SF-2	10/06/2003	78.93	29.87	29.88	0.01	NC
MW-SF-2	04/19/2004	78.45	30.9	30.91	0.01	NC
MW-SF-2	05/02/2005	78.45	26.25	26.52	0.27	NC
MW-SF-2	10/31/2005	78.45	26.3	29.71	3.41	NC
MW-SF-2	05/01/2006	78.45	27.22	27.96	0.74	NC
MW-SF-2	12/04/2006	78.45	27.98	28.82	0.3	NC
MW-SF-2	04/30/2007	78.45	28.34	28.35	0.01	NC
MW-SF-2	11/12/2007	78.45	28.71	29.18	0.47	NC
MW-SF-2	08/12/2008	78.45	---	31.11	---	47.34
MW-SF-2	10/17/2008	78.45	31	31.55	0.55	NC
MW-SF-2	4/21/2009	78.53	---	29.98	---	48.55
MW-SF-3	08/07/2001	76.03	27.67	29.2	1.53	NC
MW-SF-3	04/08/2002	77.62	---	27.17	---	50.45
MW-SF-3	11/04/2002	77.62	29.72	29.93	0.21	NC
MW-SF-3	10/06/2003	78.93	28.92	29.09	0.17	NC
MW-SF-3	04/19/2004	77.62	29.92	30.81	0.89	NC
MW-SF-3	05/02/2005	77.62	25.09	26.7	1.61	NC
MW-SF-3	10/31/2005	77.62	---	27.91	---	49.71
MW-SF-3	05/01/2006	77.62	26.37	26.81	0.44	NC
MW-SF-3	12/04/2006	77.62	27.18	27.77	0.59	NC
MW-SF-3	04/30/2007	77.62	27.45	27.72	0.27	NC
MW-SF-3	11/12/2007	77.62	28.28	29.34	1.06	NC
MW-SF-3	08/12/2008	77.62	29.05	30.3	1.25	NC
MW-SF-3	10/17/2008	77.62	---	29.45	---	48.17
MW-SF-3	4/21/2009	78.12	29.5	29.51	0.01	48.61
MW-SF-4	11/20/1996	79.38	32.17	35.9	3.73	43.48

TABLE 5

**SUMMARY OF HISTORICAL GROUNDWATER ELEVATIONS  
NOVEMBER 1986 THROUGH MAY 2010**  
Defense Fuel Support Point Norwalk  
Norwalk, California

Well	Date	Top of Casing Elevation (feet msl)	Depth to Product (feet btoc)	Depth to Water (feet btoc)	Apparent Product Thickness (feet)	Groundwater Elevation (feet msl)
MW-SF-4	07/01/1997	79.38	31.85	36.92	5.07	42.46
MW-SF-4	12/31/1997	79.38	32.1	33.89	1.79	45.49
MW-SF-4	05/01/1998	79.38	28.27	29.99	1.72	49.39
MW-SF-4	11/19/1999	79.38	28.8	36.87	8.07	NC
MW-SF-4	05/07/2001	79.38	---	24.62	---	54.76
MW-SF-4	05/10/2001	79.38	---	24.61	---	54.77
MW-SF-4	11/05/2001	79.38	---	30.05	---	49.33
MW-SF-4	04/08/2002	79.38	---	28.46	---	50.92
MW-SF-4	10/21/2002	79.38	---	31.5	---	47.88
MW-SF-4	07/30/2003	79.38	31.89	31.92	0.03	NC
MW-SF-4	10/06/2003	79.38	---	30.82	---	48.56
MW-SF-4	01/27/2004	79.38	31.3	31.94	0.64	NC
MW-SF-4	04/19/2004	79.38	31.65	32.7	1.05	NC
MW-SF-4	07/19/2004	79.38	31.42	31.81	0.39	NC
MW-SF-4	02/01/2005	79.38	30.34	30.71	0.37	NC
MW-SF-4	05/02/2005	79.38	26.85	27	0.15	NC
MW-SF-4	08/01/2005	79.38	27.43	27.81	0.38	NC
MW-SF-4	10/31/2005	79.38	---	27.11	---	52.27
MW-SF-4	02/27/2006	79.38	28.2	28.39	0.19	NC
MW-SF-4	05/01/2006	79.38	28.34	28.56	0.22	NC
MW-SF-4	09/18/2006	79.38	29.56	29.94	0.38	NC
MW-SF-4	12/04/2006	79.38	---	26.98	---	52.4
MW-SF-4	03/12/2007	79.38	29.41	30.01	0.6	NC
MW-SF-4	04/30/2007	79.38	29.11	29.96	0.85	NC
MW-SF-4	08/28/2007	79.38	28.3	29.95	1.65	NC
MW-SF-4	11/12/2007	79.38	29.7	29.69	-0.01	NC
MW-SF-4	02/19/2008	79.38	---	30.22	---	49.16
MW-SF-4	04/14/2008	79.38	---	29.95	---	49.43
MW-SF-4	08/08/2008	79.38	---	30.51	---	48.87
MW-SF-4	08/11/2008	79.38	---	30.57	---	48.81
MW-SF-4	10/16/2008	79.38	---	30.77	---	48.61
MW-SF-4	4/20/2009	79.38	29.94	30.02	0.08	49.36
MW-SF-4	7/20/2009	79.38	31.61	31.65	0.04	NC
MW-SF-4	10/19/2009	79.38	31.9	31.93	0.03	47.45
MW-SF-4	3/15/2010	79.38	31.91	31.95	0.04	NC
MW-SF-4	5/24/2010	79.38	---	31.6	---	47.78
MW-SF-4	5/28/2010	79.38	---	26.4	---	52.98
MW-SF-5	08/07/2001	75.63	---	30.33	---	45.3
MW-SF-5	04/08/2002	79.74	---	26.42	---	53.32
MW-SF-5	11/04/2002	79.74	31.77	31.79	0.02	NC
MW-SF-5	10/06/2003	79.74	31.14	31.15	0.01	NC
MW-SF-5	04/19/2004	79.74	---	32.22	---	47.52
MW-SF-5	05/02/2005	79.74	---	27.5	---	52.24
MW-SF-5	10/31/2005	79.74	27.99	27.99	Sheen	NC
MW-SF-5	05/01/2006	79.74	---	28.42	---	51.32
MW-SF-5	12/04/2006	79.74	---	28.23	---	51.51
MW-SF-5	04/30/2007	79.74	---	29.54	---	50.2
MW-SF-5	08/28/2007	79.74	---	28.84	---	50.9
MW-SF-5	11/12/2007	79.74	---	29.93	---	49.81
MW-SF-5	04/14/2008	79.74	---	30.2	---	49.54
MW-SF-5	08/11/2008	79.74	---	30.85	---	48.89
MW-SF-5	10/13/2008	79.74	---	30.93	---	48.81
MW-SF-5	4/20/2009	79.74	---	30.99	---	48.75
MW-SF-5	5/24/2010	79.74	---	31.55	---	48.19

TABLE 5

**SUMMARY OF HISTORICAL GROUNDWATER ELEVATIONS  
NOVEMBER 1986 THROUGH MAY 2010**  
Defense Fuel Support Point Norwalk  
Norwalk, California

Well	Date	Top of Casing Elevation (feet msl)	Depth to Product (feet btoc)	Depth to Water (feet btoc)	Apparent Product Thickness (feet)	Groundwater Elevation (feet msl)
MW-SF-5	5/28/2010	79.74	---	31.44	---	48.3
MW-SF-6	11/20/1996	80.59	31.88	39.82	7.94	40.77
MW-SF-6	07/01/1997	80.59	33.2	39.18	5.98	41.41
MW-SF-6	12/31/1997	80.59	34.38	39.94	5.56	40.65
MW-SF-6	05/01/1998	80.59	24.82	30.01	5.19	50.58
MW-SF-6	05/15/2000	80.59	29.67	31.19	1.52	NC
MW-SF-6	05/01/2006	79.96	---	25.43	---	54.53
MW-SF-6	04/30/2007	79.96	27.2	27.44	0.24	NC
MW-SF-6	11/12/2007	79.96	---	27.14	---	52.82
MW-SF-6	08/12/2008	79.96	---	29.82	---	50.14
MW-SF-6	10/17/2008	79.96	---	29.75	---	50.21
MW-SF-6	4/21/2009	76.8	---	28.45	---	48.35
MW-SF-9	11/19/1999	74.1	---	25.57	---	48.53
MW-SF-9	11/05/2001	74.1	---	32.11	---	41.99
MW-SF-9	04/08/2002	74.1	---	31.62	---	42.48
MW-SF-9	07/30/2003	74.1	---	25.12	---	48.98
MW-SF-9	10/06/2003	74.1	---	25.23	---	48.87
MW-SF-9	01/11/2004	74.1	26	26.02	0.02	NC
MW-SF-9	04/19/2004	74.1	26.2	26.23	0.03	NC
MW-SF-9	05/02/2005	74.1	---	20.41	---	53.69
MW-SF-9	10/31/2005	74.1	---	27.09	---	47.01
MW-SF-9	05/01/2006	74.1	---	22.57	---	51.53
MW-SF-9	12/04/2006	74.1	---	23.3	---	50.8
MW-SF-9	04/30/2007	74.1	---	22.66	---	51.44
MW-SF-9	08/28/2007	74.1	---	20.55	---	53.55
MW-SF-9	11/12/2007	74.1	---	22.96	---	51.14
MW-SF-9	04/14/2008	74.1	---	24.23	---	49.87
MW-SF-9	10/13/2008	74.1	---	24.83	---	49.27
MW-SF-9	4/20/2009	74.1	---	25.27	---	48.83
MW-SF-9	10/19/2009	74.1	---	26.45	---	47.65
MW-SF-9	5/24/2010	74.1	---	25.8	---	48.3
MW-SF-9	5/28/2010	74.1	---	25.66	---	48.44
MW-SF-10	10/17/2008	76.53	---	27.49	---	49.04
MW-SF-10	10/19/2009	76.53	---	28.61	---	47.92
MW-SF-11	08/28/2007	78.56	---	28.22	---	50.34
MW-SF-11	11/12/2007	78.56	---	29.03	---	49.53
MW-SF-11	08/15/2008	78.56	---	30.13	---	48.43
MW-SF-11	10/17/2008	78.56	---	30.5	---	48.06
MW-SF-11	4/21/2009	78.56	---	30.03	---	48.53
MW-SF-12	08/28/2007	78.07	---	27.58	---	50.49
MW-SF-12	11/12/2007	78.07	---	28.33	---	49.74
MW-SF-12	08/12/2008	78.07	---	30.02	---	48.05
MW-SF-12	10/17/2008	78.08	---	30.42	---	47.66
MW-SF-12	4/21/2009	78.07	---	29.52	---	48.55
MW-SF-13	08/28/2007	73.4	---	22.85	---	50.55
MW-SF-13	11/12/2007	73.4	---	23.7	---	49.7
MW-SF-13	08/15/2008	73.4	24.11	27.38	3.27	NC
MW-SF-13	10/17/2008	73.4	24.33	27.28	2.95	NC
MW-SF-13	10/21/2008	73.4	24.26	27.14	2.88	NC
MW-SF-13	4/21/2009	73.4	24.78	24.86	0.08	48.54
MW-SF-14	08/28/2007	78.16	---	27.53	---	50.63
MW-SF-14	08/15/2008	78.16	29.24	29.77	0.53	NC
MW-SF-14	10/17/2008	78.16	29.5	29.52	0.02	NC
MW-SF-14	4/21/2009	78.16	---	29.61	---	48.55

TABLE 5

**SUMMARY OF HISTORICAL GROUNDWATER ELEVATIONS  
NOVEMBER 1986 THROUGH MAY 2010**  
Defense Fuel Support Point Norwalk  
Norwalk, California

Well	Date	Top of Casing Elevation (feet msl)	Depth to Product (feet btoc)	Depth to Water (feet btoc)	Apparent Product Thickness (feet)	Groundwater Elevation (feet msl)
MW-SF-15	08/28/2007	78.27	27.61	27.65	0.04	NC
MW-SF-15	11/12/2007	78.27	---	28.75	---	49.52
MW-SF-15	08/15/2008	78.27	29.35	30.12	0.77	NC
MW-SF-15	10/17/2008	78.27	29.44	30.8	1.36	NC
MW-SF-15	4/21/2009	78.27	29.6	29.96	0.36	48.31
MW-SF-16	08/28/2007	78.21	---	27.51	---	50.7
MW-SF-16	11/12/2007	78.21	---	28.4	---	49.81
MW-SF-16	08/15/2008	78.21	---	29.36	---	48.85
MW-SF-16	10/17/2008	78.21	---	29.51	---	48.7
MW-SF-16	4/21/2009	78.21	---	29.6	---	48.61
OLD_TF-24	11/20/1996	76.36	---	31.18	---	45.18
OLD_TF-24	04/27/2007	76.36	---	27.39	---	48.97
PW-1	05/28/1996	75.52	---	29.74	---	45.78
PW-1	11/20/1996	75.52	---	29.04	---	46.48
PW-1	07/01/1997	75.52	---	30.17	---	45.35
PW-1	12/31/1997	75.52	---	28.95	---	46.57
PW-1	05/01/1998	75.52	---	27.37	---	48.15
PW-1	05/06/1999	75.52	---	27.44	---	48.08
PW-1	08/09/1999	75.52	---	27.87	---	47.65
PW-1	11/15/1999	75.52	---	27.78	---	47.74
PW-1	05/15/2000	75.52	---	27.63	---	47.89
PW-1	11/13/2000	75.52	---	28.84	---	46.68
PW-1	05/07/2001	75.52	---	27.01	---	48.51
PW-1	11/05/2001	75.52	---	26.72	---	48.8
PW-1	04/08/2002	75.52	---	27.45	---	48.07
PW-1	10/21/2002	75.52	---	27.63	---	47.89
PW-1	04/07/2003	75.52	---	27.6	---	47.92
PW-1	10/06/2003	75.52	---	27.68	---	47.84
PW-1	01/11/2004	75.52	---	28.61	---	46.91
PW-1	04/19/2004	75.52	---	28.85	---	46.67
PW-1	05/02/2005	75.52	---	25.43	---	50.09
PW-1	05/01/2006	75.52	---	25.03	---	50.49
PW-1	12/04/2006	75.52	---	25.83	---	49.69
PW-1	04/30/2007	75.52	---	25.8	---	49.72
PW-1	11/12/2007	75.52	---	26.03	---	49.49
PW-1	04/14/2008	75.52	---	26.41	---	49.11
PW-1	10/13/2008	75.52	---	26.85	---	48.67
PW-1	11/21/2008	75.52	---	26.8	---	48.72
PW-1	4/20/2009	75.52	---	27.27	---	48.25
PW-1	10/19/2009	75.52	---	27.74	---	47.78
PW-1	5/24/2010	75.52	---	28	---	47.52
PW-1	5/28/2010	75.52	---	27.98	---	47.54
PW-2	05/28/1996	74.65	---	27.83	---	46.82
PW-2	11/20/1996	74.65	---	28.82	---	45.83
PW-2	07/01/1997	74.65	---	31.2	---	43.45
PW-2	12/31/1997	74.65	---	28.52	---	46.13
PW-2	05/01/1998	74.65	---	26.34	---	48.31
PW-2	02/02/1999	74.65	---	25.39	---	49.26
PW-2	05/06/1999	74.65	---	26.42	---	48.23
PW-2	08/09/1999	74.65	---	26.92	---	47.73
PW-2	11/15/1999	74.65	---	28.05	---	46.6
PW-2	02/29/2000	74.65	---	26.82	---	47.83
PW-2	05/15/2000	74.65	---	27.12	---	47.53
PW-2	08/28/2000	74.65	---	28.1	---	46.55

TABLE 5

**SUMMARY OF HISTORICAL GROUNDWATER ELEVATIONS  
NOVEMBER 1986 THROUGH MAY 2010**  
Defense Fuel Support Point Norwalk  
Norwalk, California

Well	Date	Top of Casing Elevation (feet msl)	Depth to Product (feet btoc)	Depth to Water (feet btoc)	Apparent Product Thickness (feet)	Groundwater Elevation (feet msl)
PW-2	11/13/2000	74.65	---	28.36	---	46.29
PW-2	02/05/2001	74.65	---	26.84	---	47.81
PW-2	05/07/2001	74.65	---	26.22	---	48.43
PW-2	09/18/2001	74.65	---	25.85	---	48.8
PW-2	11/05/2001	74.65	---	26	---	48.65
PW-2	01/29/2002	74.65	---	26.09	---	48.56
PW-2	04/08/2002	74.65	---	26.69	---	47.96
PW-2	10/21/2002	74.65	---	26.95	---	47.7
PW-2	01/14/2003	74.65	---	26.86	---	47.79
PW-2	04/07/2003	74.65	---	28.96	---	45.69
PW-2	07/07/2003	74.71	---	27.51	---	47.2
PW-2	10/06/2003	74.65	---	27	---	47.65
PW-2	01/11/2004	74.71	---	28.02	---	46.69
PW-2	01/20/2004	74.71	---	29.28	---	45.43
PW-2	04/19/2004	74.71	---	26.21	---	48.5
PW-2	04/27/2004	74.71	---	27.69	---	47.02
PW-2	06/07/2004	74.71	---	28.13	---	46.58
PW-2	07/08/2004	74.71	---	29.35	---	45.36
PW-2	05/02/2005	74.71	---	24.56	---	50.15
PW-2	10/31/2005	74.71	---	23.8	---	50.91
PW-2	05/01/2006	74.71	---	24.28	---	50.43
PW-2	12/04/2006	74.71	---	25.05	---	49.66
PW-2	04/30/2007	74.71	---	25.02	---	49.69
PW-2	11/12/2007	74.71	---	25.41	---	49.3
PW-2	04/14/2008	74.71	---	25.75	---	48.96
PW-2	10/13/2008	74.71	---	25.15	---	49.56
PW-3	05/28/1996	73.64	---	26.73	---	46.91
PW-3	11/20/1996	73.64	---	27.11	---	46.53
PW-3	07/01/1997	73.64	---	28.84	---	44.8
PW-3	12/31/1997	73.64	---	27.29	---	46.35
PW-3	05/01/1998	73.64	---	25.1	---	48.54
PW-3	02/03/1999	73.64	---	24.23	---	49.41
PW-3	05/04/1999	73.64	---	25.05	---	48.59
PW-3	08/10/1999	73.64	---	25.35	---	48.29
PW-3	11/13/2000	73.64	---	26.46	---	47.18
PW-3	02/05/2001	73.64	---	25.6	---	48.04
PW-3	05/07/2001	73.64	---	24.96	---	48.68
PW-3	09/18/2001	73.64	---	24.72	---	48.92
PW-3	11/05/2001	73.64	---	24.8	---	48.84
PW-3	01/29/2002	73.64	---	24.91	---	48.73
PW-3	04/08/2002	73.64	---	25.3	---	48.34
PW-3	10/21/2002	73.64	---	25.76	---	47.88
PW-3	01/14/2003	73.64	---	25.72	---	47.92
PW-3	04/07/2003	73.64	---	26.17	---	47.47
PW-3	07/07/2003	73.71	---	25.81	---	47.9
PW-3	10/06/2003	73.64	---	25.63	---	48.01
PW-3	01/11/2004	73.71	---	26.03	---	47.68
PW-3	01/20/2004	73.71	---	26.36	---	47.35
PW-3	04/19/2004	73.71	---	26.63	---	47.08
PW-3	04/27/2004	73.71	---	26.34	---	47.37
PW-3	06/07/2004	73.71	---	26.63	---	47.08
PW-3	07/08/2004	73.71	---	26.81	---	46.9
PW-3	05/02/2005	73.71	---	23.48	---	50.23
PW-3	10/31/2005	73.71	---	23.61	---	50.1



TABLE 5

**SUMMARY OF HISTORICAL GROUNDWATER ELEVATIONS  
NOVEMBER 1986 THROUGH MAY 2010**  
Defense Fuel Support Point Norwalk  
Norwalk, California

Well	Date	Top of Casing Elevation (feet msl)	Depth to Product (feet btoc)	Depth to Water (feet btoc)	Apparent Product Thickness (feet)	Groundwater Elevation (feet msl)
PW-3	05/01/2006	73.71	---	23.22	---	50.49
PW-3	12/04/2006	73.71	---	23.95	Sheen	NC
PW-3	04/30/2007	73.71	---	23.99	---	49.72
PW-3	11/12/2007	73.71	---	24.33	---	49.38
PW-3	04/14/2008	73.71	---	24.75	---	48.96
PW-3	10/13/2008	73.71	---	26.2	---	47.51
PW-3	4/20/2009	73.71	---	25.4	---	48.31
PW-3	10/19/2009	73.71	---	26.03	---	47.68
PW-3	5/24/2010	73.71	---	26.45	---	47.26
PW-3	5/28/2010	73.71	---	26.41	---	47.3
PZ-1	11/20/1996	73.74	---	26.91	---	46.83
PZ-1	07/01/1997	73.74	---	27.61	---	46.13
PZ-1	12/31/1997	73.74	---	27.03	---	46.71
PZ-1	05/01/1998	73.74	---	24.13	---	49.61
PZ-1	05/04/1999	73.74	---	25.74	---	48
PZ-1	08/09/1999	73.74	---	25.77	---	47.97
PZ-1	11/15/1999	73.74	---	26.46	---	47.28
PZ-1	05/15/2000	73.74	---	26.09	---	47.65
PZ-1	11/13/2000	73.74	---	26.51	---	47.23
PZ-1	05/07/2001	73.74	---	24.78	---	48.96
PZ-1	11/05/2001	73.74	---	24.81	---	48.93
PZ-1	04/08/2002	73.74	---	25.5	---	48.24
PZ-2	05/28/1996	73.96	---	28.26	---	45.7
PZ-2	11/20/1996	73.96	---	27.49	---	46.47
PZ-2	07/01/1997	73.96	27.56	28.92	1.36	45.04
PZ-2	12/31/1997	73.96	28.87	29.45	0.58	44.51
PZ-2	05/01/1998	73.96	23.83	25.4	1.57	48.56
PZ-2	05/04/1999	73.96	25.38	27.2	1.82	NC
PZ-2	08/09/1999	73.96	25.71	27.58	1.87	NC
PZ-2	11/15/1999	73.96	---	26.83	---	47.13
PZ-2	05/15/2000	73.96	---	26.17	---	47.79
PZ-2	11/13/2000	73.96	26.58	26.88	0.3	NC
PZ-2	05/07/2001	73.96	24.99	25.21	0.27	NC
PZ-2	11/05/2001	73.96	24.87	25.09	0.22	NC
PZ-2	04/08/2002	73.96	24.96	24.96	0.001	NC
PZ-2	10/21/2002	73.96	26.31	26.44	0.13	NC
PZ-2	04/07/2003	73.96	26.12	26.22	0.1	NC
PZ-2	10/06/2003	73.96	25.51	25.53	0.02	NC
PZ-2	04/19/2004	73.96	26.81	26.89	0.08	NC
PZ-2	11/02/2004	73.96	27.19	27.24	0.05	NC
PZ-2	05/02/2005	73.96	---	22.18	---	51.78
PZ-2	10/31/2005	73.96	---	24.11	---	49.85
PZ-2	05/22/2006	73.96	---	23.16	---	50.8
PZ-2	12/04/2006	73.96	---	23.85	---	50.11
PZ-2	04/30/2007	73.96	---	23.97	---	49.99
PZ-2	11/12/2007	73.96	---	24.3	---	49.66
PZ-2	04/14/2008	73.96	---	24.69	---	49.27
PZ-2	10/13/2008	73.96	---	25.35	---	48.61
PZ-2	5/22/2009	73.96	---	25.55	---	48.41
PZ-2	5/24/2010	73.96	---	26.3	---	47.66
PZ-2	5/28/2010	73.96	---	26.3	---	47.66
PZ-3	05/28/1996	76.17	27.83	32.71	4.88	43.46
PZ-3	11/20/1996	76.17	28.79	32.8	4.01	43.37
PZ-3	07/01/1997	76.17	28.75	30.69	1.94	45.48

TABLE 5

**SUMMARY OF HISTORICAL GROUNDWATER ELEVATIONS  
NOVEMBER 1986 THROUGH MAY 2010  
Defense Fuel Support Point Norwalk  
Norwalk, California**

Well	Date	Top of Casing Elevation (feet msl)	Depth to Product (feet btoc)	Depth to Water (feet btoc)	Apparent Product Thickness (feet)	Groundwater Elevation (feet msl)
PZ-3	12/31/1997	76.17	28.6	32.86	4.26	43.31
PZ-3	05/01/1998	76.17	18.34	25.21	6.87	50.96
PZ-3	05/25/1999	76.17	---	31.7	---	44.47
PZ-3	05/19/2000	76.17	27.48	31.54	4.16	NC
PZ-3	11/13/2000	76.17	27.01	30.05	3.04	NC
PZ-3	05/07/2001	76.17	25.99	30.3	4.31	NC
PZ-3	04/08/2002	76.17	---	31	Sheen	NC
PZ-3	09/19/2002	76.17	28.84	29.94	1.1	NC
PZ-3	10/21/2002	76.17	28.1	29.66	1.56	NC
PZ-3	04/07/2003	76.17	27.81	28.8	0.99	NC
PZ-3	10/06/2003	76.17	27.65	28.9	1.25	NC
PZ-3	04/19/2004	76.17	29.08	29.68	0.6	NC
PZ-3	11/01/2004	76.17	28.32	29.63	1.31	NC
PZ-3	02/28/2005	76.17	24.32	26.89	2.57	NC
PZ-3	03/06/2006	76.17	24.97	25.12	0.15	NC
PZ-3	05/01/2006	76.17	25.39	25.96	0.57	NC
PZ-3	08/26/2006	76.17	25.76	26.26	0.5	NC
PZ-3	12/01/2006	76.17	26.11	26.77	0.66	NC
PZ-3	03/21/2007	76.17	26.05	26.16	0.11	NC
PZ-3	04/30/2007	76.17	26.66	26.68	0.02	NC
PZ-3	02/05/2008	76.17	---	27.84	---	48.33
PZ-3	7/24/2008	76.17	---	27.33	---	48.84
PZ-3	10/14/2008	76.17	---	28.07	---	48.1
PZ-3	2/10/2009	76.17	---	27.31	---	48.86
PZ-3	4/20/2009	76.17	---	27.94	---	48.23
PZ-3	7/16/2009	76.17	---	28.97	---	47.2
PZ-3	4/8/2010	76.17	---	28.4	---	47.77
PZ-3	4/12/2010	76.17	---	28.14	---	48.03
PZ-4	05/28/1996	76.13	---	28.79	---	47.34
PZ-4	11/20/1996	76.13	---	29.8	---	46.33
PZ-4	07/01/1997	76.13	---	29.66	---	46.47
PZ-4	12/31/1997	76.13	---	29.63	---	46.5
PZ-4	05/01/1998	76.13	---	26.82	---	49.31
PZ-4	05/25/1999	76.13	---	27.57	---	48.56
PZ-4	05/15/2000	76.13	---	28.28	---	47.85
PZ-4	11/13/2000	76.13	---	27.89	---	48.24
PZ-4	05/07/2001	76.13	---	25.08	---	51.05
PZ-4	05/07/2001	76.13	---	26.97	---	49.16
PZ-4	04/08/2002	76.13	---	28.16	Sheen	NC
PZ-4	09/19/2002	76.13	---	29.2	---	46.93
PZ-4	04/07/2003	76.13	---	28.08	---	48.05
PZ-4	10/06/2003	76.13	---	28.03	---	48.1
PZ-4	04/19/2004	76.13	---	29.5	---	46.63
PZ-4	11/01/2004	76.13	---	28.8	---	47.33
PZ-4	02/28/2005	76.13	---	25.13	---	51
PZ-4	05/02/2005	76.13	---	24.5	---	51.63
PZ-4	03/06/2006	76.13	---	25.25	---	50.88
PZ-4	05/01/2006	76.13	25.63	25.63	Sheen	NC
PZ-4	08/26/2006	76.13	---	26.05	---	50.08
PZ-4	12/01/2006	76.13	---	26.38	---	49.75
PZ-4	03/21/2007	76.13	---	26.12	---	50.01
PZ-4	04/30/2007	76.13	---	26.93	---	49.2
PZ-4	08/28/2007	76.13	---	26.54	---	49.59
PZ-4	11/12/2007	76.13	---	27.5	---	48.63

TABLE 5

**SUMMARY OF HISTORICAL GROUNDWATER ELEVATIONS  
NOVEMBER 1986 THROUGH MAY 2010**

Defense Fuel Support Point Norwalk  
Norwalk, California

Well	Date	Top of Casing Elevation (feet msl)	Depth to Product (feet btoc)	Depth to Water (feet btoc)	Apparent Product Thickness (feet)	Groundwater Elevation (feet msl)
PZ-4	02/05/2008	76.13	---	27.42	---	48.71
PZ-4	04/11/2008	76.13	---	24.85	---	51.28
PZ-4	10/14/2008	76.13	---	28.31	---	47.82
PZ-4	2/10/2009	76.13	---	27.05	---	49.08
PZ-4	4/20/2009	76.13	---	28.44	---	47.69
PZ-4	7/16/2009	76.13	---	29.05	---	47.08
PZ-4	4/8/2010	76.13	---	28.41	---	47.72
PZ-5	05/07/2001	73.97	---	23.13	---	NC
PZ-5	10/06/2003	73.97	---	24.58	---	49.39
PZ-5	05/02/2005	73.97	---	19.12	---	54.85
PZ-5	10/31/2005	73.97	---	21.13	---	52.84
PZ-5	02/27/2006	73.97	---	22.06	---	51.91
PZ-5	05/01/2006	73.97	---	22.2	---	51.77
PZ-5	09/18/2006	73.97	---	22.91	---	51.06
PZ-5	12/04/2006	73.97	---	23.26	---	50.71
PZ-5	03/12/2007	73.97	---	23.71	---	50.26
PZ-5	04/30/2007	73.97	---	23.85	---	50.12
PZ-5	08/28/2007	73.97	---	23.85	---	50.12
PZ-5	11/12/2007	73.97	---	24.26	---	49.71
PZ-5	02/19/2008	73.97	---	24.68	---	49.29
PZ-5	04/14/2008	73.97	---	24.1	---	49.87
PZ-5	08/11/2008	73.97	---	24.53	---	49.44
PZ-5	10/13/2008	73.97	---	25.12	---	48.85
PZ-5	4/20/2009	73.97	---	24.81	---	49.16
PZ-5	7/20/2009	73.97	---	25.2	---	48.77
PZ-5	10/19/2009	73.97	---	26.41	---	47.56
PZ-5	3/15/2010	73.97	---	25.99	---	47.98
PZ-5	4/16/2010	73.97	---	25.12	---	48.85
PZ-5	5/24/2010	73.97	---	25.71	---	48.26
PZ-5	5/28/2010	73.97	---	25.68	---	48.29
PZ-6	07/07/2003	73.91	---	25.65	---	48.26
PZ-6	01/20/2004	73.91	---	25.94	---	47.97
PZ-6	04/27/2004	73.91	---	26.49	---	47.42
PZ-6	06/07/2004	73.91	---	26.56	---	47.35
PZ-6	07/08/2004	73.91	---	26.57	---	47.34
PZ-7A	08/01/2005	73.87	---	20.22	---	53.65
PZ-7A	5/24/2010	73.87	---	25.3	---	48.57
PZ-7A	5/28/2010	73.87	---	25.29	---	48.58
PZ-7B	08/01/2005	73.79	---	20.8	---	52.99
PZ-7B	5/24/2010	73.79	---	25.32	---	48.47
PZ-7B	5/28/2010	73.79	---	25.3	---	48.49
PZ-8A	08/01/2005	75.81	---	22.39	---	53.42
PZ-8A	12/04/2006	75.81	---	25.14	---	50.67
PZ-8A	5/24/2010	75.81	---	27.6	---	48.21
PZ-8A	5/28/2010	75.81	---	27.38	---	48.43
PZ-8B	08/01/2005	75.69	---	23.61	---	52.08
PZ-8B	12/04/2006	75.69	---	25.16	---	50.53
PZ-8B	5/24/2010	75.69	---	27.37	---	48.32
PZ-8B	5/28/2010	75.69	---	27.66	---	48.03
PZ-9A	08/01/2005	76.14	---	22.93	---	53.21
PZ-9B	08/01/2005	76.26	---	23.71	---	52.55
PZ-10	07/30/2003	74.19	---	25.74	---	48.45
PZ-10	10/06/2003	74.19	---	25.79	---	48.4
PZ-10	01/27/2004	74.19	---	26.13	---	48.06

TABLE 5

**SUMMARY OF HISTORICAL GROUNDWATER ELEVATIONS**  
**NOVEMBER 1986 THROUGH MAY 2010**  
 Defense Fuel Support Point Norwalk  
 Norwalk, California

Well	Date	Top of Casing Elevation (feet msl)	Depth to Product (feet btoc)	Depth to Water (feet btoc)	Apparent Product Thickness (feet)	Groundwater Elevation (feet msl)
PZ-10	04/19/2004	74.34	---	26.76	---	47.58
PZ-10	07/19/2004	74.34	---	26.4	---	47.94
PZ-10	11/01/2004	74.34	---	27.11	---	47.23
PZ-10	02/01/2005	74.34	---	23.33	---	51.01
PZ-10	05/02/2005	74.34	---	21.8	---	52.54
PZ-10	08/01/2005	74.34	---	22.21	---	52.13
PZ-10	10/31/2005	74.34	---	27.13	---	47.21
PZ-10	02/27/2006	74.34	---	23.18	---	51.16
PZ-10	05/01/2006	74.34	---	23.18	---	51.16
PZ-10	09/18/2006	74.34	---	24.37	---	49.97
PZ-10	12/04/2006	74.34	---	24.1	Sheen	NC
PZ-10	03/12/2007	74.34	---	24.44	---	49.9
PZ-10	04/30/2007	73.92	---	23.38	---	50.54
PZ-10	08/28/2007	74.34	---	22.67	---	51.67
PZ-10	11/12/2007	74.34	---	23.61	---	50.73
PZ-10	02/19/2008	74.34	---	25.16	---	49.18
PZ-10	04/14/2008	74.34	---	24.75	---	49.59
PZ-10	10/13/2008	74.34	---	25.61	---	48.73
PZ-10	4/20/2009	74.34	---	25.71	---	48.63
PZ-10	7/20/2009	74.34	---	26.6	---	47.74
PZ-10	10/19/2009	74.34	---	26.96	---	47.38
PZ-10	5/24/2010	74.34	---	26.51	---	47.83
PZ-10	5/28/2010	74.34	---	26.46	---	47.88
TF-8	11/20/1996	75.6	---	29.39	---	46.21
TF-8	07/01/1997	75.6	---	29.7	---	45.9
TF-8	12/31/1997	75.6	---	29.33	---	46.27
TF-8	05/01/1998	75.6	---	26.64	---	48.96
TF-8	05/25/1999	75.6	---	27.6	---	48
TF-8	05/15/2000	75.6	---	27.32	---	48.28
TF-8	05/07/2001	75.6	---	28.91	---	46.69
TF-8	09/19/2002	75.6	---	28.77	---	46.83
TF-8	10/21/2002	75.6	---	26.32	---	49.28
TF-8	04/22/2003	74.86	---	27.5	---	47.36
TF-8	10/06/2003	74.86	---	27.32	---	47.54
TF-8	11/01/2004	74.86	---	28.54	---	46.32
TF-8	02/28/2005	74.86	---	24.95	---	49.91
TF-8	05/02/2005	74.86	---	24.26	---	50.6
TF-8	03/06/2006	74.86	---	24.21	---	50.65
TF-8	08/26/2006	74.86	---	25.84	---	49.02
TF-8	12/01/2006	74.86	---	26.17	---	48.69
TF-8	03/21/2007	74.86	---	25.52	---	49.34
TF-8	02/05/2008	75.6	---	26.69	---	48.91
TF-8	7/24/2008	75.6	---	27.05	---	48.55
TF-8	10/14/2008	75.6	---	27.84	---	47.76
TF-8	7/16/2008	75.6	---	28.42	---	47.18
TF-8	4/8/2010	75.6	---	28.3	---	47.3
TF-8	04/08/2002	74.86	---	26.79	---	48.07
TF-8	04/19/2004	74.86	---	28.62	---	46.24
TF-8	05/01/2006	74.86	---	24.51	---	50.35
TF-8	04/30/2007	74.86	---	25.54	---	49.32
TF-8	08/28/2007	75.6	---	25.92	---	49.68
TF-8	11/12/2007	74.86	---	26.12	---	48.74
TF-8	04/11/2008	74.86	---	25.78	---	49.08
TF-8	2/10/2009	75.6	---	27.69	---	47.91

TABLE 5

**SUMMARY OF HISTORICAL GROUNDWATER ELEVATIONS  
NOVEMBER 1986 THROUGH MAY 2010**  
Defense Fuel Support Point Norwalk  
Norwalk, California

Well	Date	Top of Casing Elevation (feet msl)	Depth to Product (feet btoc)	Depth to Water (feet btoc)	Apparent Product Thickness (feet)	Groundwater Elevation (feet msl)
TF-9	11/20/1996	75.27	---	31.31	---	43.96
TF-9	07/01/1997	75.27	---	30.55	---	44.72
TF-9	12/31/1997	75.27	---	29.12	---	46.15
TF-9	05/01/1998	75.27	26.32	26.35	0.03	48.92
TF-9	05/25/1999	75.27	27	27.04	0.04	NC
TF-9	05/15/2000	75.27	---	26.85	---	48.42
TF-9	05/07/2001	75.27	---	29.62	---	45.65
TF-9	09/19/2002	75.27	---	28.6	---	46.67
TF-9	10/21/2002	75.27	---	27.72	---	47.55
TF-9	04/22/2003	75.27	---	27.13	---	48.14
TF-9	10/06/2003	74.47	---	26.73	---	47.74
TF-9	11/01/2004	75.27	---	28.61	---	46.66
TF-9	02/28/2005	75.27	---	25.54	---	49.73
TF-9	05/02/2005	75.27	24.06	24.09	0.03	NC
TF-9	03/06/2006	75.27	---	23.97	---	51.3
TF-9	08/26/2006	75.27	25.38	25.4	0.02	NC
TF-9	12/01/2006	75.27	---	25.74	---	49.53
TF-9	03/21/2007	75.27	---	25.18	---	50.09
TF-9	02/05/2008	75.27	---	26.88	---	48.39
TF-9	7/16/2009	75.27	---	28.28	---	46.99
TF-9	4/7/2010	75.27	---	27.79	---	47.48
TF-9	04/08/2002	74.47	---	27.83	---	46.64
TF-9	04/19/2004	74.47	---	28.18	---	46.29
TF-9	05/01/2006	74.47	---	24.22	---	50.25
TF-9	04/30/2007	74.47	---	25	---	49.47
TF-9	08/28/2007	75.27	---	26.02	---	49.25
TF-9	11/12/2007	74.47	---	25.9	---	48.57
TF-9	04/11/2008	74.47	---	25.5	---	48.97
TF-9	7/24/2008	74.47	---	27.16	---	47.31
TF-9	2/10/2009	75.27	---	27.82	---	47.45
TF-10	11/20/1996	74.19	---	28.03	---	46.16
TF-10	07/01/1997	74.19	---	30.6	---	43.59
TF-10	12/31/1997	74.19	---	27.97	---	46.22
TF-10	05/01/1998	74.19	---	25.4	---	48.79
TF-10	05/25/1999	74.19	---	26.79	---	47.4
TF-10	05/15/2000	74.19	26.05	26.05	Sheen	NC
TF-10	09/19/2002	74.19	---	27.28	---	46.91
TF-10	04/22/2003	73.61	---	25.95	---	47.66
TF-10	10/06/2003	73.61	---	25.6	---	48.01
TF-10	04/19/2004	73.61	---	26.82	---	46.79
TF-10	11/01/2004	73.61	---	27.32	---	46.29
TF-10	02/28/2005	73.61	---	23.82	---	49.79
TF-10	05/02/2005	73.61	---	22.32	---	51.29
TF-10	03/06/2006	73.61	---	22.89	---	50.72
TF-10	08/26/2006	73.61	---	24.2	---	49.41
TF-10	12/01/2006	73.61	---	24.52	---	49.09
TF-10	03/21/2007	73.61	---	24	---	49.61
TF-10	08/28/2007	74.19	---	24.21	---	49.98
TF-10	11/12/2007	73.61	---	25.66	---	47.95
TF-10	02/05/2008	74.19	---	25.11	---	49.08
TF-10	04/11/2008	73.61	---	25.24	---	48.37
TF-10	7/16/2009	73.61	---	27.02	---	46.59
TF-10	04/08/2002	73.61	---	26.16	---	47.45
TF-10	10/21/2002	73.61	---	26.5	---	47.11

TABLE 5

**SUMMARY OF HISTORICAL GROUNDWATER ELEVATIONS  
NOVEMBER 1986 THROUGH MAY 2010**  
Defense Fuel Support Point Norwalk  
Norwalk, California

Well	Date	Top of Casing Elevation (feet msl)	Depth to Product (feet btoc)	Depth to Water (feet btoc)	Apparent Product Thickness (feet)	Groundwater Elevation (feet msl)
TF-10	05/01/2006	73.61	---	23	---	50.61
TF-10	04/30/2007	73.61	---	24.15	---	49.46
TF-10	7/24/2008	73.61	---	24.91	---	48.7
TF-10	10/14/2008	73.61	---	25.48	---	48.13
TF-10	2/10/2009	74.19	---	25.94	---	48.25
TF-10	4/8/2010	73.61	---	25.75	---	47.86
TF-11	11/20/1996	74.95	---	32.55	---	42.4
TF-11	07/01/1997	74.95	32.6	32.75	0.15	42.2
TF-11	12/31/1997	74.95	---	28.52	---	46.43
TF-11	05/01/1998	74.95	---	25.99	---	48.96
TF-11	05/25/1999	74.95	26.6	26.62	0.02	NC
TF-11	05/15/2000	74.95	---	26.63	---	48.32
TF-11	05/07/2001	74.95	---	28.5	---	46.45
TF-11	09/19/2002	74.95	28.15	28.33	0.18	NC
TF-11	10/21/2002	74.95	---	27.02	---	47.93
TF-11	04/22/2003	74.4	---	31.15	---	43.25
TF-11	10/06/2003	74.4	---	27.12	---	47.28
TF-11	04/19/2004	74.95	---	28.56	---	46.39
TF-11	11/01/2004	74.95	---	27.86	---	47.09
TF-11	02/28/2005	74.95	---	23.82	---	51.13
TF-11	05/02/2005	74.95	---	22.9	---	52.05
TF-11	03/06/2006	74.95	---	24.31	---	50.64
TF-11	05/01/2006	74.95	---	24.35	---	50.6
TF-11	08/26/2006	74.95	---	24.79	---	50.16
TF-11	12/01/2006	74.95	---	25.17	---	49.78
TF-11	03/21/2007	74.95	---	25.26	---	49.69
TF-11	02/05/2008	74.95	---	27.15	---	47.8
TF-11	10/14/2008	74.4	---	26.85	---	47.55
TF-11	2/10/2009	74.95	---	26.9	---	48.05
TF-11	7/16/2009	74.95	---	27.7	---	47.25
TF-11	4/8/2010	74.95	---	27.11	---	47.84
TF-11	04/08/2002	74.4	---	25.64	---	48.76
TF-11	04/30/2007	74.4	---	25.62	---	48.78
TF-11	08/28/2007	74.95	---	26.06	---	48.89
TF-11	11/12/2007	74.95	---	26.26	---	48.69
TF-11	04/11/2008	74.4	---	25.87	---	48.53
TF-11	7/24/2008	74.4	---	26.05	---	48.35
TF-13	11/20/1996	75.9	---	30.9	---	45
TF-13	07/01/1997	75.9	30.9	30.95	0.05	44.95
TF-13	12/31/1997	75.9	28.05	30.97	2.92	44.93
TF-13	05/01/1998	75.9	30.65	31.1	0.45	44.8
TF-13	05/25/1999	75.9	27.12	27.4	0.28	NC
TF-13	05/15/2000	75.9	31.25	31.65	0.4	NC
TF-13	05/07/2001	75.9	---	31.2	---	44.7
TF-13	09/19/2002	75.9	---	28.76	---	47.14
TF-13	10/21/2002	75.9	---	31.1	---	44.8
TF-13	04/22/2003	75.47	---	31.05	---	44.42
TF-13	10/06/2003	75.47	---	27.65	---	47.82
TF-13	04/19/2004	75.9	---	29.03	---	46.87
TF-13	11/01/2004	75.9	---	28.05	---	47.85
TF-13	02/28/2005	75.9	---	24.22	---	51.68
TF-13	05/02/2005	75.9	---	22.24	---	53.66
TF-13	03/06/2006	75.9	---	25.37	---	50.53
TF-13	05/01/2006	75.9	---	25.22	---	50.68

TABLE 5

**SUMMARY OF HISTORICAL GROUNDWATER ELEVATIONS  
NOVEMBER 1986 THROUGH MAY 2010**  
Defense Fuel Support Point Norwalk  
Norwalk, California

Well	Date	Top of Casing Elevation (feet msl)	Depth to Product (feet btoc)	Depth to Water (feet btoc)	Apparent Product Thickness (feet)	Groundwater Elevation (feet msl)
TF-13	08/26/2006	75.9	---	25.63	---	50.27
TF-13	12/01/2006	75.9	---	25.96	---	49.94
TF-13	03/21/2007	75.9	---	26.52	---	49.38
TF-13	04/30/2007	75.9	---	26.52	---	49.38
TF-13	08/28/2007	75.9	---	26.69	---	49.21
TF-13	11/12/2007	75.47	---	27.11	---	48.36
TF-13	02/05/2008	75.9	---	27.32	---	48.58
TF-13	04/14/2008	75.9	---	26.73	---	49.17
TF-13	10/14/2008	75.9	---	27.81	---	48.09
TF-13	2/10/2009	75.9	---	26.14	---	49.76
TF-13	7/17/2009	75.9	---	27.81	---	48.09
TF-13	4/8/2010	75.9	---	28.14	---	47.76
TF-13	04/08/2002	75.47	---	28.1	---	47.37
TF-13	7/24/2008	75.47	---	27.02	---	48.45
TF-14	11/20/1996	74.78	30.45	31.11	0.66	43.67
TF-14	07/01/1997	74.78	30.6	31.1	0.5	43.68
TF-14	12/31/1997	74.78	27.03	31.85	4.82	42.93
TF-14	05/01/1998	74.78	29.95	30.75	0.8	44.03
TF-14	05/25/1999	74.78	25.6	28.86	3.26	NC
TF-14	05/15/2000	74.78	26.65	27.95	1.3	NC
TF-14	05/07/2001	74.78	---	26.3	---	48.48
TF-14	09/19/2002	74.78	---	27.68	---	47.1
TF-14	10/21/2002	74.78	---	28.42	---	46.36
TF-14	04/22/2003	74.35	---	26.61	---	47.74
TF-14	10/06/2003	74.35	---	26.52	---	47.83
TF-14	11/01/2004	74.35	---	27.24	---	47.11
TF-14	02/28/2005	74.35	---	23.62	---	50.73
TF-14	05/02/2005	74.35	---	22.51	---	51.84
TF-14	03/06/2006	74.78	---	24.06	---	50.72
TF-14	05/01/2006	74.78	---	24.13	---	50.65
TF-14	08/26/2006	74.78	---	24.54	---	50.24
TF-14	12/01/2006	74.78	---	24.82	---	49.96
TF-14	03/21/2007	74.78	---	25.24	---	49.54
TF-14	04/30/2007	74.78	---	25.37	---	49.41
TF-14	02/05/2008	74.78	---	26.95	---	47.83
TF-14	04/14/2008	74.78	---	26.55	---	48.23
TF-14	10/14/2008	74.78	---	26.63	---	48.15
TF-14	2/10/2009	74.78	---	26.91	---	47.87
TF-14	7/17/2009	74.78	---	26.91	---	47.87
TF-14	4/8/2010	74.78	---	26.92	---	47.86
TF-14	04/08/2002	74.35	28.4	28.48	0.08	NC
TF-14	04/19/2004	74.35	---	27.94	---	46.41
TF-14	08/28/2007	74.78	---	25.89	---	48.89
TF-14	11/12/2007	74.35	---	25.91	---	48.44
TF-14	7/24/2008	74.35	---	26.05	---	48.3
TF-15	11/20/1996	75.4	31.09	31.42	0.33	43.98
TF-15	07/01/1997	75.4	31.4	31.65	0.25	43.75
TF-15	12/31/1997	75.4	27.79	31.56	3.77	43.84
TF-15	05/01/1998	75.4	28.35	30.05	1.7	45.35
TF-15	05/25/1999	75.4	26.41	26.94	0.53	NC
TF-15	05/15/2000	75.4	28.9	29.54	0.64	NC
TF-15	05/07/2001	75.4	28.9	29.3	0.4	NC
TF-15	09/19/2002	75.4	---	28.21	---	47.19
TF-15	10/21/2002	75.4	29	29.24	0.24	NC

TABLE 5

**SUMMARY OF HISTORICAL GROUNDWATER ELEVATIONS  
NOVEMBER 1986 THROUGH MAY 2010**  
Defense Fuel Support Point Norwalk  
Norwalk, California

Well	Date	Top of Casing Elevation (feet msl)	Depth to Product (feet btoc)	Depth to Water (feet btoc)	Apparent Product Thickness (feet)	Groundwater Elevation (feet msl)
TF-15	04/22/2003	74.78	---	27.45	---	47.33
TF-15	10/06/2003	74.78	---	27.03	---	47.75
TF-15	04/19/2004	74.78	---	28.17	---	46.61
TF-15	11/01/2004	74.78	27.77	27.79	0.02	NC
TF-15	02/28/2005	74.78	---	23.05	---	51.73
TF-15	05/02/2005	74.78	---	21.67	---	53.11
TF-15	03/06/2006	75.4	---	23.91	---	51.49
TF-15	05/01/2006	75.4	---	23.9	---	51.5
TF-15	08/26/2006	75.4	---	24.49	---	50.91
TF-15	12/01/2006	75.4	---	25.31	---	50.09
TF-15	03/21/2007	75.4	---	25.18	---	50.22
TF-15	04/30/2007	75.4	---	25.88	---	49.52
TF-15	02/05/2008	75.4	---	26.42	---	48.98
TF-15	04/14/2008	75.4	---	25.72	---	49.68
TF-15	10/14/2008	75.4	---	27.29	---	48.11
TF-15	2/10/2009	75.4	---	27.78	---	47.62
TF-15	7/17/2009	75.4	---	26.82	---	48.58
TF-15	4/8/2010	75.4	---	27.43	---	47.97
TF-15	04/08/2002	74.78	---	27.56	---	47.22
TF-15	08/28/2007	75.4	---	25.62	---	49.78
TF-15	11/12/2007	74.78	---	26.39	---	48.39
TF-15	7/24/2008	74.78	---	26.72	---	48.06
TF-16	11/20/1996	76.48	32.52	32.75	0.23	43.73
TF-16	07/01/1997	76.48	32.5	33.1	0.6	43.38
TF-16	12/31/1997	76.48	28.69	32.79	4.1	43.69
TF-16	05/01/1998	76.48	32.07	32.61	0.54	43.87
TF-16	05/25/1999	76.48	27.82	27.9	0.08	NC
TF-16	05/15/2000	76.48	32.03	32.48	0.45	NC
TF-16	05/07/2001	76.48	31.96	32.2	0.24	NC
TF-16	09/19/2002	76.48	---	29.36	---	47.12
TF-16	10/21/2002	76.48	---	32.21	---	44.27
TF-16	04/22/2003	75.89	---	28.22	---	47.67
TF-16	10/06/2003	75.89	---	28.1	---	47.79
TF-16	04/19/2004	76.48	---	29.16	---	47.32
TF-16	11/01/2004	76.48	---	28.95	---	47.53
TF-16	02/28/2005	76.48	---	25.2	---	51.28
TF-16	05/02/2005	76.48	---	23.7	---	52.78
TF-16	03/06/2006	76.48	---	25.54	---	50.94
TF-16	05/01/2006	76.48	---	25.66	---	50.82
TF-16	08/26/2006	76.48	---	26.06	---	50.42
TF-16	12/01/2006	76.48	---	26.45	---	50.03
TF-16	03/21/2007	76.48	---	26.52	---	49.96
TF-16	04/30/2007	76.48	---	27.04	---	49.44
TF-16	02/05/2008	76.48	---	27.94	---	48.54
TF-16	04/14/2008	76.48	---	27.17	---	49.31
TF-16	10/14/2008	76.48	---	28.37	---	48.11
TF-16	2/10/2009	76.48	---	27.73	---	48.75
TF-16	7/17/2009	76.48	---	28.35	---	48.13
TF-16	4/8/2010	76.48	---	27.06	---	49.42
TF-16	04/08/2002	75.89	31.4	31.49	0.09	NC
TF-16	08/28/2007	76.48	---	27.11	---	49.37
TF-16	11/12/2007	75.89	---	27.6	---	48.29
TF-16	7/24/2008	75.89	---	27.5	---	48.39
TF-16	4/20/2009	75.89	---	27.63	---	48.26



TABLE 5

**SUMMARY OF HISTORICAL GROUNDWATER ELEVATIONS  
NOVEMBER 1986 THROUGH MAY 2010**

Defense Fuel Support Point Norwalk  
Norwalk, California

Well	Date	Top of Casing Elevation (feet msl)	Depth to Product (feet btoc)	Depth to Water (feet btoc)	Apparent Product Thickness (feet)	Groundwater Elevation (feet msl)
TF-16	10/19/2009	75.89	---	29.66	---	46.23
TF-16	4/12/2010	75.89	---	27.36	---	48.53
TF-17	11/20/1996	75.26	30	30.53	0.53	44.73
TF-17	07/01/1997	75.26	30.1	30.2	0.1	45.06
TF-17	12/31/1997	75.26	---	27.5	---	47.76
TF-17	05/01/1998	75.26	24.86	25.18	0.32	50.08
TF-17	05/25/1999	75.26	25.4	28.24	2.84	NC
TF-17	05/15/2000	75.26	28.84	29.32	0.48	NC
TF-17	05/07/2001	75.26	---	26.2	---	49.06
TF-17	09/19/2002	75.26	---	28.68	---	46.58
TF-17	10/21/2002	75.26	---	27.4	---	47.86
TF-17	04/22/2003	74.88	27.85	27.99	0.14	NC
TF-17	10/06/2003	74.88	---	26.63	---	48.25
TF-17	04/19/2004	75.26	27.32	28.83	1.51	NC
TF-17	11/01/2004	75.26	27.8	28.3	0.5	NC
TF-17	02/28/2005	75.26	22.62	23.33	0.71	NC
TF-17	05/02/2005	75.26	21.57	22.25	0.68	NC
TF-17	03/06/2006	75.26	23.42	23.98	0.56	NC
TF-17	05/01/2006	75.26	23.39	26.35	2.96	NC
TF-17	08/26/2006	75.26	24.08	26.52	2.44	NC
TF-17	03/21/2007	75.26	24.67	25.02	0.35	NC
TF-17	04/30/2007	75.26	25	26.16	1.16	NC
TF-17	11/09/2007	74.88	25.35	26.01	0.66	NC
TF-17	04/08/2002	74.88	27.01	27.04	0.03	NC
TF-17	12/01/2006	74.88	24.77	26.62	1.85	NC
TF-17	02/05/2008	75.26	25.98	28.18	2.2	NC
TF-17	7/24/2008	75.26	26.15	27.29	1.14	NC
TF-17	10/13/2008	75.26	26.67	27.95	1.28	NC
TF-17	2/10/2009	75.26	26.05	27.66	1.61	NC
TF-17	7/17/2009	74.88	26.9	27.64	0.74	NC
TF-17	4/8/2010	74.88	26.76	26.78	0.02	NC
TF-18	05/25/1999	73.94	24.22	25.83	1.61	NC
TF-18	05/15/2000	73.94	25.13	26.22	1.09	NC
TF-18	05/07/2001	73.94	---	25.3	---	48.64
TF-18	04/08/2002	73.94	27.1	27.42	0.32	NC
TF-18	09/19/2002	73.94	25.8	26.89	1.09	NC
TF-18	10/21/2002	73.94	27.92	27.94	0.02	NC
TF-18	04/22/2003	73.94	---	28.11	---	45.83
TF-18	10/06/2003	73.94	25.09	25.28	0.19	NC
TF-18	04/19/2004	73.94	---	26	---	47.94
TF-18	11/01/2004	73.94	26.25	27.76	1.51	NC
TF-18	02/28/2005	73.94	22.27	22.27	Sheen	NC
TF-18	05/02/2005	73.94	20.45	20.67	0.22	NC
TF-18	03/06/2006	73.94	22.62	22.67	0.05	NC
TF-18	05/01/2006	73.94	22.57	22.59	0.02	NC
TF-18	08/26/2006	73.94	23.14	23.29	0.15	NC
TF-18	12/01/2006	73.94	---	23.97	---	49.97
TF-18	03/21/2007	73.94	23.91	24.02	0.11	NC
TF-18	04/30/2007	73.94	24.3	24.35	0.05	NC
TF-18	11/09/2007	73.94	---	24.85	---	49.09
TF-18	7/24/2008	73.94	---	24.97	---	48.97
TF-18	10/14/2008	73.94	---	25.62	---	48.32
TF-18	7/16/2009	73.94	---	26.42	---	47.52
TF-18	4/8/2010	73.94	25.7	25.73	0.03	NC

TABLE 5

**SUMMARY OF HISTORICAL GROUNDWATER ELEVATIONS  
NOVEMBER 1986 THROUGH MAY 2010**  
Defense Fuel Support Point Norwalk  
Norwalk, California

Well	Date	Top of Casing Elevation (feet msl)	Depth to Product (feet btoc)	Depth to Water (feet btoc)	Apparent Product Thickness (feet)	Groundwater Elevation (feet msl)
TF-19	11/20/1996	75.61	---	29.06	---	46.55
TF-19	07/01/1997	75.61	29.2	29.3	0.1	46.31
TF-19	12/31/1997	75.61	---	28.27	---	47.34
TF-19	05/01/1998	75.61	---	25.7	---	49.91
TF-19	05/25/1999	75.61	---	26.42	---	49.19
TF-19	05/15/2000	75.61	32.33	32.9	0.57	NC
TF-19	05/07/2001	75.61	---	28.61	---	47
TF-19	09/19/2002	75.61	---	27.9	---	47.71
TF-19	10/21/2002	75.61	---	27.08	---	48.53
TF-19	04/22/2003	75.07	---	27.09	---	47.98
TF-19	10/06/2003	75.07	---	26.87	---	48.2
TF-19	11/01/2004	75.61	---	28.2	---	47.41
TF-19	02/28/2005	75.61	---	23.79	---	51.82
TF-19	05/02/2005	75.61	---	22.25	---	53.36
TF-19	03/06/2006	75.61	---	24.62	---	50.99
TF-19	05/01/2006	75.61	---	24.6	---	51.01
TF-19	08/26/2006	75.61	---	25.11	---	50.5
TF-19	12/01/2006	75.61	---	25.6	---	50.01
TF-19	03/21/2007	75.61	---	25.96	---	49.65
TF-19	04/30/2007	75.61	---	26.07	---	49.54
TF-19	02/05/2008	75.61	---	27.15	---	48.46
TF-19	04/14/2008	75.61	---	26.12	---	49.49
TF-19	10/14/2008	75.61	---	27.4	---	48.21
TF-19	2/10/2009	75.61	---	27.7	---	47.91
TF-19	7/16/2009	75.61	---	27.69	---	47.92
TF-19	4/8/2010	75.61	---	27.48	---	48.13
TF-19	04/08/2002	75.07	---	26.4	---	48.67
TF-19	04/19/2004	75.07	---	26.9	---	48.17
TF-19	08/28/2007	75.61	---	26.21	---	49.4
TF-19	11/12/2007	75.61	---	26.66	---	48.95
TF-19	7/24/2008	75.61	---	26.95	---	48.66
TF-20	11/20/1996	75.59	---	29.02	---	46.57
TF-20	07/01/1997	75.59	---	29.4	---	46.19
TF-20	12/31/1997	75.59	---	28.49	---	47.1
TF-20	05/01/1998	75.59	---	25.93	---	49.66
TF-20	05/25/1999	75.59	---	26.74	---	48.85
TF-20	05/15/2000	75.59	31.44	31.44	Sheen	NC
TF-20	05/07/2001	75.59	---	27.96	---	47.63
TF-20	09/19/2002	75.59	---	28.52	---	47.07
TF-20	10/21/2002	75.59	---	31.29	---	44.3
TF-20	04/22/2003	75.08	---	31.28	---	43.8
TF-20	10/06/2003	75.08	---	27.6	---	47.48
TF-20	11/01/2004	75.59	---	28.88	---	46.71
TF-20	02/28/2005	75.59	---	24.92	---	50.67
TF-20	05/02/2005	75.59	---	22.54	---	53.05
TF-20	03/06/2006	75.59	24.34	24.48	0.14	NC
TF-20	05/01/2006	75.59	24.67	27.7	3.03	NC
TF-20	08/26/2006	75.59	25.05	28.68	3.63	NC
TF-20	12/01/2006	75.59	25.48	29.67	4.19	NC
TF-20	03/21/2007	75.59	25.42	25.49	0.07	NC
TF-20	04/30/2007	75.59	---	25.84	Sheen	NC
TF-20	04/08/2002	75.08	---	31.4	---	43.68
TF-20	04/19/2004	75.08	---	27.78	---	47.3
TF-20	11/09/2007	75.59	26.45	29.02	2.57	NC

TABLE 5

**SUMMARY OF HISTORICAL GROUNDWATER ELEVATIONS  
NOVEMBER 1986 THROUGH MAY 2010**  
Defense Fuel Support Point Norwalk  
Norwalk, California

Well	Date	Top of Casing Elevation (feet msl)	Depth to Product (feet btoc)	Depth to Water (feet btoc)	Apparent Product Thickness (feet)	Groundwater Elevation (feet msl)
TF-20	02/05/2008	75.08	27.47	28.65	1.18	NC
TF-20	7/24/2008	75.08	---	27.51	---	47.57
TF-20	10/13/2008	75.08	---	28.28	---	46.8
TF-20	2/10/2009	75.08	27.24	27.85	0.61	NC
TF-20	7/17/2009	75.08	28.02	28.02	Sheen	NC
TF-20	4/8/2010	75.08	---	27.59	---	47.49
TF-21	11/20/1996	75.6	29.83	29.91	0.08	45.69
TF-21	07/01/1997	75.6	30.8	31.1	0.3	44.5
TF-21	12/31/1997	75.6	---	28.35	---	47.25
TF-21	05/01/1998	75.6	---	25.56	---	50.04
TF-21	05/25/1999	75.6	26.49	26.58	0.09	NC
TF-21	05/15/2000	75.6	28.68	29.04	0.36	NC
TF-21	05/07/2001	75.6	---	29.81	---	45.79
TF-21	09/19/2002	75.6	---	28.63	---	46.97
TF-21	10/21/2002	75.6	---	30.16	---	45.44
TF-21	04/22/2003	74.96	---	27.62	---	47.34
TF-21	10/06/2003	74.96	---	26.55	---	48.41
TF-21	11/01/2004	75.6	---	27.88	---	47.72
TF-21	02/28/2005	75.6	---	23.76	---	51.84
TF-21	05/02/2005	75.6	---	22	---	53.6
TF-21	03/06/2006	75.6	---	24.06	---	51.54
TF-21	05/01/2006	75.6	---	24.09	---	51.51
TF-21	08/26/2006	75.6	---	24.76	---	50.84
TF-21	12/01/2006	75.6	---	25.22	---	50.38
TF-21	03/21/2007	75.6	---	25.51	---	50.09
TF-21	04/30/2007	75.6	---	25.72	---	49.88
TF-21	08/28/2007	75.6	---	26.17	---	49.43
TF-21	11/12/2007	74.76	---	26.35	---	48.41
TF-21	02/05/2008	75.6	---	27.25	---	48.35
TF-21	04/14/2008	75.6	---	25.93	---	49.67
TF-21	2/10/2009	75.6	---	26.72	---	48.88
TF-21	7/17/2009	75.6	---	27.31	---	48.29
TF-21	4/8/2010	75.6	---	27.3	---	48.3
TF-21	04/08/2002	74.96	---	28.5	---	46.46
TF-21	04/19/2004	74.96	---	27.28	---	47.68
TF-21	7/24/2008	74.96	---	26.51	---	48.45
TF-21	10/13/2008	74.96	---	27.1	---	47.86
TF-21	4/20/2009	74.96	---	21.85	---	53.11
TF-21	10/19/2009	74.96	---	29.84	---	45.12
TF-21	4/12/2010	74.96	---	27	---	47.96
TF-22	11/20/1996	74.95	30.56	31.98	1.42	42.97
TF-22	07/01/1997	74.95	30.7	31	0.3	43.95
TF-22	12/31/1997	74.95	28.01	28.9	0.89	46.05
TF-22	05/01/1998	74.95	23.57	25.24	1.67	49.71
TF-22	05/25/1999	74.95	26.02	26.44	0.42	NC
TF-22	05/15/2000	74.95	32.65	32.96	0.31	NC
TF-22	05/07/2001	74.95	32.7	33.01	0.31	NC
TF-22	09/19/2002	74.95	---	27.63	---	47.32
TF-22	10/21/2002	74.95	31.42	32.6	0.02	NC
TF-22	04/22/2003	74.76	---	27.6	---	47.16
TF-22	10/06/2003	74.76	---	26.37	---	48.39
TF-22	04/19/2004	74.95	27.3	27.32	0.02	NC
TF-22	11/01/2004	74.95	---	27.52	---	47.43
TF-22	02/28/2005	74.95	---	23.49	---	51.46

TABLE 5

**SUMMARY OF HISTORICAL GROUNDWATER ELEVATIONS  
NOVEMBER 1986 THROUGH MAY 2010**  
Defense Fuel Support Point Norwalk  
Norwalk, California

Well	Date	Top of Casing Elevation (feet msl)	Depth to Product (feet btoc)	Depth to Water (feet btoc)	Apparent Product Thickness (feet)	Groundwater Elevation (feet msl)
TF-22	05/02/2005	74.95	---	21.88	---	53.07
TF-22	03/06/2006	74.95	---	23.98	---	50.97
TF-22	05/01/2006	74.95	---	23.99	---	50.96
TF-22	08/26/2006	74.95	---	24.42	---	50.53
TF-22	12/01/2006	74.95	---	24.97	---	49.98
TF-22	03/21/2007	74.95	---	25.24	---	49.71
TF-22	04/30/2007	74.95	25.5	25.51	0.01	NC
TF-22	02/05/2008	74.95	---	26.87	---	48.08
TF-22	04/14/2008	74.95	---	25.59	---	49.36
TF-22	2/10/2009	74.95	---	26.32	---	48.63
TF-22	7/17/2009	74.95	---	27.61	---	47.34
TF-22	4/8/2010	74.95	---	28.24	---	46.71
TF-22	04/08/2002	74.76	32.8	32.98	0.18	NC
TF-22	08/28/2007	74.95	---	26.07	---	48.88
TF-22	11/12/2007	74.95	---	26.03	---	48.92
TF-22	7/24/2008	74.95	---	26.4	---	48.55
TF-22	10/13/2008	74.95	---	27.06	---	47.89
TF-23	05/25/1999	75.31	---	26.12	---	49.19
TF-23	05/15/2000	75.31	27.35	27.38	0.03	NC
TF-23	05/07/2001	75.31	---	27.3	---	48.01
TF-23	04/08/2002	75.31	---	28.74	---	46.57
TF-23	09/19/2002	75.31	---	27.55	---	47.76
TF-23	10/21/2002	75.31	31.24	31.44	0.2	NC
TF-23	10/06/2003	75.31	---	26.52	---	48.79
TF-23	04/19/2004	75.31	---	27.51	---	47.8
TF-23	11/01/2004	75.31	---	27.6	---	47.71
TF-23	02/28/2005	75.31	---	23.89	---	51.42
TF-23	05/02/2005	75.31	---	22.32	---	52.99
TF-23	03/06/2006	75.31	---	24.21	---	51.1
TF-23	05/01/2006	75.31	---	24.31	---	51
TF-23	03/21/2007	75.31	---	25.51	---	49.8
TF-23	04/30/2007	75.31	---	25.67	---	49.64
TF-23	11/12/2007	75.31	---	26.2	---	49.11
TF-23	02/05/2008	75.31	---	26.75	---	48.56
TF-23	04/14/2008	75.31	---	25.81	---	49.5
TF-23	7/24/2008	75.31	---	26.45	---	48.86
TF-23	10/13/2008	75.31	---	27.15	---	48.16
TF-23	7/17/2009	75.31	---	26.93	---	48.38
TF-23	4/8/2010	75.31	---	27.2	---	48.11
TF-24	12/31/1997	76.36	---	30.05	---	46.31
TF-24	05/01/1998	76.36	---	27.19	---	49.17
TF-24	05/25/1999	72.43	27.1	29.04	1.94	NC
TF-24	05/15/2000	76.36	27.82	29.42	1.6	NC
TF-24	10/21/2002	76.35	---	28.12	---	48.23
TF-24	04/22/2003	76.35	27.95	28.65	0.7	NC
TF-24	05/02/2005	76.43	---	24.78	---	51.65
TF-24	03/06/2006	76.43	24.92	25.86	0.94	NC
TF-24	03/21/2007	76.43	25.88	26.52	0.64	NC
TF-24	04/08/2002	76.43	---	29.19	---	47.24
TF-24	11/01/2004	76.43	---	29.4	---	47.03
TF-24	02/28/2005	76.43	---	24.77	---	51.66
TF-24	05/01/2006	76.43	---	26.21	---	50.22
TF-24	08/26/2006	76.43	---	26.59	---	49.84
TF-24	11/12/2007	76.43	---	28.03	---	48.4

TABLE 5

**SUMMARY OF HISTORICAL GROUNDWATER ELEVATIONS  
NOVEMBER 1986 THROUGH MAY 2010**  
Defense Fuel Support Point Norwalk  
Norwalk, California

Well	Date	Top of Casing Elevation (feet msl)	Depth to Product (feet btoc)	Depth to Water (feet btoc)	Apparent Product Thickness (feet)	Groundwater Elevation (feet msl)
TF-24	04/11/2008	76.43	---	27.8	---	48.63
TF-24	7/24/2008	76.43	---	28.1	---	48.33
TF-24	10/13/2008	76.43	---	28.9	---	47.53
TF-24	2/9/2009	76.43	---	29.9	---	46.53
TF-24	7/16/2009	76.43	---	29.11	---	47.32
TF-24	4/7/2010	76.43	---	29.2	---	47.23
TF-25	05/07/2001	74.85	---	26.56	---	48.29
TF-25	09/19/2002	74.85	---	28.7	---	46.15
TF-25	10/21/2002	74.85	---	27.82	---	47.03
TF-25	04/22/2003	74.85	---	29.61	---	45.24
TF-25	10/06/2003	74.85	---	27.54	---	47.31
TF-25	04/19/2004	74.85	---	28.96	---	45.89
TF-25	11/01/2004	74.85	---	28.15	---	46.7
TF-25	02/28/2005	74.85	---	24.44	---	50.41
TF-25	05/02/2005	74.85	---	23.72	---	51.13
TF-25	03/06/2006	74.85	---	24.81	---	50.04
TF-25	05/01/2006	74.85	---	25.1	---	49.75
TF-25	08/26/2006	74.85	---	25.48	---	49.37
TF-25	12/01/2006	74.85	---	25.79	---	49.06
TF-25	03/21/2007	74.85	---	26	---	48.85
TF-25	04/30/2007	74.85	26.34	26.34	Sheen	NC
TF-25	02/05/2008	74.85	---	27.71	---	47.14
TF-25	04/11/2008	74.85	---	26.61	---	48.24
TF-25	10/14/2008	74.85	---	27.62	---	47.23
TF-25	2/10/2009	74.85	---	27.62	---	47.23
TF-25	7/16/2009	-999	---	28.88	---	---
TF-25	4/8/2010	74.85	---	27.95	---	---
TF-25	04/08/2002	74.85	---	28.55	---	46.3
TF-25	08/28/2007	74.85	---	26.89	---	47.96
TF-25	11/12/2007	74.85	---	26.13	---	48.72
TF-25	7/24/2008	74.85	---	26.95	---	47.9
TF-26	05/07/2001	75.85	---	27.83	---	---
TF-26	09/19/2002	75.85	---	29.52	---	46.33
TF-26	10/21/2002	75.85	---	28.82	---	47.03
TF-26	04/22/2003	75.85	---	28.6	---	47.25
TF-26	10/06/2003	75.85	---	28.42	---	47.43
TF-26	04/19/2004	75.85	---	29.71	---	46.14
TF-26	11/01/2004	75.85	---	29.18	---	46.67
TF-26	02/28/2005	75.85	---	25.38	---	50.47
TF-26	05/02/2005	75.85	---	24.62	---	51.23
TF-26	03/06/2006	75.85	---	25.62	---	50.23
TF-26	05/01/2006	75.85	---	26.04	---	49.81
TF-26	08/26/2006	75.85	---	26.4	---	49.45
TF-26	12/01/2006	75.85	---	26.78	---	49.07
TF-26	03/21/2007	75.85	---	26.84	---	49.01
TF-26	04/27/2007	75.85	27.18	27.18	Sheen	NC
TF-26	08/28/2007	75.85	---	27.06	---	48.79
TF-26	11/12/2007	75.85	---	27.8	---	48.05
TF-26	02/05/2008	75.85	---	28.11	---	47.74
TF-26	04/11/2008	75.85	---	27.59	---	48.26
TF-26	10/13/2008	75.85	---	28.59	---	47.26
TF-26	2/9/2009	75.85	---	27.91	---	47.94
TF-26	7/17/2009	---	---	28.87	---	---
TF-26	4/7/2010	75.85	---	28.11	---	47.74

TABLE 5

**SUMMARY OF HISTORICAL GROUNDWATER ELEVATIONS  
NOVEMBER 1986 THROUGH MAY 2010**  
Defense Fuel Support Point Norwalk  
Norwalk, California

Well	Date	Top of Casing Elevation (feet msl)	Depth to Product (feet btoc)	Depth to Water (feet btoc)	Apparent Product Thickness (feet)	Groundwater Elevation (feet msl)
TF-26	04/08/2002	75.85	---	29.12	---	46.73
TF-26	7/24/2008	75.85	---	28.01	---	47.84
VE-1	04/07/2003	77.7	---	29.55	---	48.15
VE-1	10/06/2003	77.7	---	29.39	---	48.31
VE-1	04/19/2004	77.7	---	30.17	---	47.53
VE-1	11/01/2004	77.7	---	30.05	---	47.65
VE-1	05/01/2006	77.7	---	26.58	---	51.12
VE-1	04/11/2008	77.7	---	28.68	---	49.02
VE-1	10/13/2008	77.7	---	29.78	---	47.92
VE-1	4/8/2010		---	30.02	---	---
VE-2	04/07/2003	77.26	---	28.95	---	48.31
VE-2	10/06/2003	77.26	---	28.89	---	48.37
VE-2	04/19/2004	77.26	---	30.02	---	47.24
VE-2	11/01/2004	77.26	---	29.69	---	47.57
VE-2	05/01/2006	77.26	---	25.93	---	51.33
VE-2	04/11/2008	77.26	---	28.25	---	49.01
VE-2	10/13/2008	77.26	---	29.33	---	47.93
VE-2	4/7/2010		---	30.36	---	---
VS-01	04/19/2004		---	26.88	---	---
VS-01	05/01/2006		---	23.95	---	---
VS-01	05/01/2006		---	24.01	---	---
VS-01	12/01/2006		---	24.81	---	---
VS-01	11/12/2007		---	24.81	---	---
VS-01	04/14/2008		---	25.18	---	---
VS-01	10/14/2008		---	26.87	---	---
VS-01	10/06/2003		---	26.3	---	---
VS-01	12/01/2006		---	24.92	---	---
VS-01	11/12/2007		---	24.92	---	---
VS-01	04/14/2008		---	25.48	---	---
VS-01	10/14/2008		---	26.69	---	---
VS-02	04/19/2004		---	25.08	---	---
VS-02	04/27/2007		---	25.5	---	---
VS-02	10/06/2003		---	25.63	---	---
VS-03	04/19/2004		---	28.25	---	---
VS-03	05/01/2006		---	24.36	---	---
VS-03	05/01/2006		---	24.21	---	---
VS-03	12/01/2006		---	25.21	---	---
VS-03	04/30/2007		---	25.51	---	---
VS-03	11/12/2007		---	26.01	---	---
VS-03	04/11/2008		---	25.56	---	---
VS-03	10/14/2008		---	26.6	---	---
VS-03	4/8/2010		---	26.48	---	---
VS-03	10/06/2003		---	27.04	---	---
VS-03	12/01/2006		---	25.18	---	---
VS-03	04/27/2007		---	25.51	---	---
VS-03	11/12/2007		---	26.33	---	---
VS-03	04/11/2008		---	25.9	---	---
VS-03	10/14/2008		---	26.85	---	---
VS-03	4/8/2010		---	27.1	---	---
WCW-1	05/28/1996	72.86	---	25.95	---	46.91
WCW-1	11/20/1996	72.86	---	26.13	---	46.73
WCW-1	07/01/1997	72.86	---	26.77	---	46.09
WCW-1	12/31/1997	72.86	---	26.09	---	46.77
WCW-1	05/01/1998	72.86	---	24.21	---	48.65

TABLE 5

**SUMMARY OF HISTORICAL GROUNDWATER ELEVATIONS  
NOVEMBER 1986 THROUGH MAY 2010**  
Defense Fuel Support Point Norwalk  
Norwalk, California

Well	Date	Top of Casing Elevation (feet msl)	Depth to Product (feet btoc)	Depth to Water (feet btoc)	Apparent Product Thickness (feet)	Groundwater Elevation (feet msl)
WCW-1	02/02/1999	72.86	---	23.24	---	49.62
WCW-1	05/04/1999	72.86	---	23.78	---	49.08
WCW-1	08/09/1999	72.86	---	24.15	---	48.71
WCW-1	11/15/1999	72.86	---	24.27	---	48.59
WCW-1	02/28/2000	72.86	---	24.31	---	48.55
WCW-1	05/15/2000	72.86	---	27.79	---	45.07
WCW-1	08/28/2000	72.86	---	24.68	---	48.18
WCW-1	11/13/2000	72.86	---	24.66	---	48.2
WCW-1	02/05/2001	72.86	---	24.6	---	48.26
WCW-1	05/07/2001	72.86	---	23.99	---	48.87
WCW-1	09/18/2001	72.86	---	23.68	---	49.18
WCW-1	01/29/2002	72.86	---	23.85	---	49.01
WCW-1	04/08/2002	72.86	---	24.13	---	48.73
WCW-1	10/21/2002	72.86	---	24.65	---	48.21
WCW-1	04/07/2003	72.86	---	24.65	---	48.21
WCW-1	10/06/2003	72.86	---	24.49	---	48.37
WCW-1	04/19/2004	72.86	---	24.98	---	47.88
WCW-1	05/10/2004	72.86	---	24.93	---	47.93
WCW-1	11/01/2004	72.86	---	25.26	---	47.6
WCW-1	05/02/2005	72.86	---	22.57	---	50.29
WCW-1	05/01/2006	72.86	---	22.13	---	50.73
WCW-1	12/01/2006	72.86	---	22.91	---	49.95
WCW-1	04/30/2007	72.86	---	22.2	---	50.66
WCW-1	11/12/2007	72.86	---	23.52	---	49.34
WCW-1	04/14/2008	72.86	---	23.57	---	49.29
WCW-1	10/14/2008	72.86	---	24.19	---	48.67
WCW-1	4/20/2009	72.86	---	24.26	---	48.6
WCW-1	1/12/2010	72.86	---	25.91	---	46.95
WCW-1	5/24/2010	72.86	---	25.1	---	47.76
WCW-1	5/28/2010	72.86	---	25.05	---	47.81
WCW-2	05/28/1996	75.34	---	35.28	---	40.06
WCW-2	11/20/1996	75.34	---	29.34	---	46
WCW-2	07/01/1997	75.34	---	29.82	---	45.52
WCW-2	12/31/1997	75.34	---	29.45	---	45.89
WCW-2	05/01/1998	75.34	---	26.8	---	48.54
WCW-2	02/02/1999	75.34	---	26.4	---	48.94
WCW-2	05/03/1999	75.34	---	26.94	---	48.4
WCW-2	08/09/1999	75.34	---	27.21	---	48.13
WCW-2	11/15/1999	75.34	---	27.47	---	47.87
WCW-2	02/28/2000	75.34	---	27.44	---	47.9
WCW-2	05/15/2000	75.34	---	27.42	---	47.92
WCW-2	08/28/2000	75.34	---	27.63	---	47.71
WCW-2	11/13/2000	75.34	---	28.87	---	46.47
WCW-2	02/05/2001	75.34	---	27.62	---	47.72
WCW-2	05/07/2001	75.34	---	27.06	---	48.28
WCW-2	09/18/2001	75.34	---	26.64	---	48.7
WCW-2	01/29/2002	75.34	---	26.76	---	48.58
WCW-2	04/08/2002	75.34	---	27.1	---	48.24
WCW-2	10/21/2002	75.34	---	27.47	---	47.87
WCW-2	04/07/2003	75.34	---	27.47	---	47.87
WCW-2	10/06/2003	75.34	---	27.4	---	47.94
WCW-2	04/19/2004	75.34	---	25.8	---	49.54
WCW-2	05/10/2004	75.34	---	27.8	---	47.54
WCW-2	11/01/2004	75.34	---	28.04	---	47.3

TABLE 5

**SUMMARY OF HISTORICAL GROUNDWATER ELEVATIONS  
NOVEMBER 1986 THROUGH MAY 2010**  
Defense Fuel Support Point Norwalk  
Norwalk, California

Well	Date	Top of Casing Elevation (feet msl)	Depth to Product (feet btoc)	Depth to Water (feet btoc)	Apparent Product Thickness (feet)	Groundwater Elevation (feet msl)
WCW-2	05/02/2005	75.34	---	25.69	---	49.65
WCW-2	05/01/2006	75.34	---	24.9	---	50.44
WCW-2	12/01/2006	75.34	---	25.52	---	49.82
WCW-2	04/30/2007	75.34	---	25.49	---	49.85
WCW-2	11/12/2007	75.34	---	26.15	---	49.19
WCW-2	04/14/2008	75.34	---	26.15	---	49.19
WCW-2	10/14/2008	75.34	---	26.88	---	48.46
WCW-2	4/20/2009	75.34	---	27.31	---	48.03
WCW-2	10/19/2009	75.34	---	27.9	---	47.44
WCW-2	1/12/2010	75.34	---	28.11	---	47.23
WCW-2	5/24/2010	75.34	---	28	---	47.34
WCW-2	5/28/2010	75.34	---	27.95	---	47.39
WCW-3	05/28/1996	76.16	---	30.4	---	45.76
WCW-3	11/20/1996	76.16	---	30.48	---	45.68
WCW-3	07/01/1997	76.16	---	31	---	45.16
WCW-3	12/31/1997	76.16	---	30.61	---	45.55
WCW-3	05/01/1998	76.16	---	29	---	47.16
WCW-3	02/02/1999	76.16	---	27.82	---	48.34
WCW-3	05/03/1999	76.16	---	28.33	---	47.83
WCW-3	08/09/1999	76.16	---	28.56	---	47.6
WCW-3	11/15/1999	76.16	---	28.83	---	47.33
WCW-3	02/28/2000	76.16	---	28.58	---	47.58
WCW-3	05/15/2000	76.16	---	28.56	---	47.6
WCW-3	08/28/2000	76.16	---	28.72	---	47.44
WCW-3	11/13/2000	76.16	---	28.16	---	48
WCW-3	02/05/2001	76.16	---	28.7	---	47.46
WCW-3	05/07/2001	76.16	---	28.15	---	48.01
WCW-3	09/18/2001	76.16	---	27.78	---	48.38
WCW-3	01/29/2002	76.16	---	27.99	---	48.17
WCW-3	04/08/2002	76.16	---	28.25	---	47.91
WCW-3	07/29/2002	76.16	---	28.41	---	47.75
WCW-3	10/21/2002	76.16	---	28.5	---	47.66
WCW-3	01/27/2003	76.16	---	28.47	---	47.69
WCW-3	04/07/2003	76.16	---	28.49	---	47.67
WCW-3	07/30/2003	76.16	---	28.29	---	47.87
WCW-3	10/06/2003	76.16	---	28.44	---	47.72
WCW-3	01/27/2004	76.16	---	28.58	---	47.58
WCW-3	05/10/2004	76.16	---	28.34	---	47.82
WCW-3	07/19/2004	76.16	---	28.18	---	47.98
WCW-3	11/01/2004	76.16	---	29.04	---	47.12
WCW-3	02/01/2005	76.16	---	28.54	---	47.62
WCW-3	05/02/2005	76.16	---	26.58	---	49.58
WCW-3	02/27/2006	76.16	---	25.75	---	50.41
WCW-3	05/01/2006	76.16	---	25.95	---	50.21
WCW-3	09/18/2006	76.16	---	26.11	---	50.05
WCW-3	12/01/2006	76.16	---	26.56	---	49.6
WCW-3	03/12/2007	76.16	---	26.52	---	49.64
WCW-3	04/30/2007	76.16	---	26.45	---	49.71
WCW-3	08/28/2007	76.16	---	27.43	---	48.73
WCW-3	11/12/2007	76.16	---	27.21	---	48.95
WCW-3	02/19/2008	76.16	---	27.21	---	48.95
WCW-3	04/14/2008	76.16	---	27.14	---	49.02
WCW-3	08/11/2008	76.16	---	27.59	---	48.57
WCW-3	10/14/2008	76.16	---	27.99	---	48.17



TABLE 5

**SUMMARY OF HISTORICAL GROUNDWATER ELEVATIONS  
NOVEMBER 1986 THROUGH MAY 2010**

Defense Fuel Support Point Norwalk  
Norwalk, California

Well	Date	Top of Casing Elevation (feet msl)	Depth to Product (feet btoc)	Depth to Water (feet btoc)	Apparent Product Thickness (feet)	Groundwater Elevation (feet msl)
WCW-3	4/20/2009	76.16	---	28.19	---	47.97
WCW-3	7/20/2009	76.16	---	28.48	---	47.68
WCW-3	10/19/2009	76.16	---	28.84	---	47.32
WCW-3	1/12/2010	76.16	---	30.4	---	45.76
WCW-3	3/15/2010	76.16	---	29.44	---	46.72
WCW-3	5/24/2010	76.16	---	29.3	---	46.86
WCW-3	5/28/2010	76.16	---	29.21	---	46.95
WCW-4	05/28/1996	78.05	---	32.63	---	45.42
WCW-4	11/20/1996	78.05	---	32.61	---	45.44
WCW-4	07/01/1997	78.05	---	32.95	---	45.1
WCW-4	12/31/1997	78.05	---	32.63	---	45.42
WCW-4	05/01/1998	78.05	---	31.1	---	46.95
WCW-4	05/03/1999	78.05	---	30.25	---	47.8
WCW-4	08/09/1999	78.05	---	30.45	---	47.6
WCW-4	11/15/1999	78.05	---	30.85	---	47.2
WCW-4	05/15/2000	78.05	---	34	---	44.05
WCW-4	11/13/2000	78.05	---	30.69	---	47.36
WCW-4	05/07/2001	78.05	---	31.16	---	46.89
WCW-4	04/08/2002	78.05	---	30.25	---	47.8
WCW-4	10/21/2002	78.05	---	30.46	---	47.59
WCW-4	04/07/2003	78.05	---	30.38	---	47.67
WCW-4	10/06/2003	78.05	---	30.31	---	47.74
WCW-4	05/10/2004	78.05	---	30.61	---	47.44
WCW-4	11/01/2004	78.05	---	30.98	---	47.07
WCW-4	05/02/2005	78.05	---	28.52	---	49.53
WCW-4	08/01/2005	78.05	---	27.84	---	50.21
WCW-4	05/01/2006	78.05	---	27.9	---	50.15
WCW-4	12/01/2006	78.05	---	28.54	---	49.51
WCW-4	04/30/2007	78.05	---	28.5	---	49.55
WCW-4	11/12/2007	78.05	---	29.23	---	48.82
WCW-4	04/14/2008	78.05	---	29.12	---	48.93
WCW-4	10/14/2008	78.05	---	29.96	---	48.09
WCW-4	4/20/2009	78.05	---	30.2	---	47.85
WCW-4	10/19/2009	78.05	---	30.83	---	47.22
WCW-4	1/12/2010	78.05	---	31.4	---	46.65
WCW-4	5/24/2010	78.05	---	31.26	---	46.79
WCW-4	5/28/2010	78.05	---	31.23	---	46.82
WCW-5	05/28/1996	73.49	---	26.63	---	46.86
WCW-5	11/20/1996	73.49	---	26.94	---	46.55
WCW-5	07/01/1997	73.49	---	27.65	---	45.84
WCW-5	12/31/1997	73.49	---	27.1	---	46.39
WCW-5	05/01/1998	73.49	---	25.28	---	48.21
WCW-5	05/04/1999	73.49	---	24.8	---	48.69
WCW-5	08/09/1999	73.49	---	25.11	---	48.38
WCW-5	11/15/1999	73.49	---	25.46	---	48.03
WCW-5	05/15/2000	73.49	---	25.14	---	48.35
WCW-5	11/13/2000	73.49	---	25.95	---	47.54
WCW-5	05/07/2001	73.49	---	24.82	---	48.67
WCW-5	04/08/2002	73.49	---	24.85	---	48.64
WCW-5	10/21/2002	73.49	---	29.34	---	44.15
WCW-5	04/07/2003	73.49	---	25.38	---	48.11
WCW-5	10/06/2003	73.49	---	25.27	---	48.22
WCW-5	05/10/2004	73.49	---	25.9	---	47.59
WCW-5	11/01/2004	73.49	---	26.09	---	47.4

TABLE 5

**SUMMARY OF HISTORICAL GROUNDWATER ELEVATIONS  
NOVEMBER 1986 THROUGH MAY 2010**  
Defense Fuel Support Point Norwalk  
Norwalk, California

Well	Date	Top of Casing Elevation (feet msl)	Depth to Product (feet btoc)	Depth to Water (feet btoc)	Apparent Product Thickness (feet)	Groundwater Elevation (feet msl)
WCW-5	05/02/2005	73.49	---	23.44	---	50.05
WCW-5	05/01/2006	73.49	---	22.85	---	50.64
WCW-5	12/01/2006	73.49	---	23.8	---	49.69
WCW-5	04/30/2007	73.49	---	23.56	---	49.93
WCW-5	11/12/2007	73.49	---	24.15	---	49.34
WCW-5	04/14/2008	73.49	---	24.2	---	49.29
WCW-5	10/14/2008	73.49	---	24.82	---	48.67
WCW-5	4/20/2009	73.49	---	24.97	---	48.52
WCW-5	10/19/2009	73.49	---	25.71	---	47.78
WCW-5	1/12/2010	73.49	---	26.53	---	46.96
WCW-5	5/24/2010	73.49	---	25.7	---	47.79
WCW-5	5/28/2010	73.49	---	25.65	---	47.84
WCW-6	05/28/1996	75.52	---	28.91	---	46.61
WCW-6	11/20/1996	75.52	---	29.55	---	45.97
WCW-6	07/01/1997	75.52	---	30.17	---	45.35
WCW-6	12/31/1997	75.52	---	29.46	---	46.06
WCW-6	05/01/1998	75.52	---	27.67	---	47.85
WCW-6	05/04/1999	75.52	---	27.38	---	48.14
WCW-6	08/09/1999	75.52	---	27.82	---	47.7
WCW-6	11/15/1999	75.52	---	27.9	---	47.62
WCW-6	05/15/2000	75.52	---	27.68	---	47.84
WCW-6	11/13/2000	75.52	---	28.67	---	46.85
WCW-6	05/07/2001	75.52	---	27.21	---	48.31
WCW-6	04/08/2002	75.52	---	27.52	---	48
WCW-6	10/21/2002	75.52	---	27.72	---	47.8
WCW-6	04/07/2003	75.52	---	27.63	---	47.89
WCW-6	10/06/2003	75.52	---	27.75	---	47.77
WCW-6	05/10/2004	75.52	---	28.35	---	47.17
WCW-6	11/01/2004	75.52	---	28.51	---	47.01
WCW-6	05/02/2005	75.52	---	25.64	---	49.88
WCW-6	05/01/2006	75.52	---	25.1	---	50.42
WCW-6	12/01/2006	75.52	---	26.06	---	49.46
WCW-6	04/30/2007	75.52	---	25.79	---	49.73
WCW-6	11/12/2007	75.52	---	26.44	---	49.08
WCW-6	04/14/2008	75.52	---	26.41	---	49.11
WCW-6	10/14/2008	75.52	---	27.13	---	48.39
WCW-6	4/20/2009	75.52	---	27.4	---	48.12
WCW-6	10/19/2009	75.52	---	27.87	---	47.65
WCW-6	1/12/2010	75.52	---	28.24	---	47.28
WCW-6	5/24/2010	75.52	---	28.1	---	47.42
WCW-6	5/28/2010	75.52	---	28.02	---	47.5
WCW-7	05/28/1996	76.44	---	28.91	---	47.53
WCW-7	11/20/1996	76.44	---	30.55	---	45.89
WCW-7	07/01/1997	76.44	---	31.5	---	44.94
WCW-7	12/31/1997	76.44	---	30.79	---	45.65
WCW-7	05/01/1998	76.44	---	28.81	---	47.63
WCW-7	05/04/1999	76.44	---	29.26	---	47.18
WCW-7	08/09/1999	76.44	---	29.75	---	46.69
WCW-7	11/15/1999	76.44	---	29.86	---	46.58
WCW-7	05/15/2000	76.44	---	29.02	---	47.42
WCW-7	11/13/2000	76.44	---	29.69	---	46.75
WCW-7	02/05/2001	76.44	---	29.1	---	47.34
WCW-7	05/07/2001	76.44	---	28.48	---	47.96
WCW-7	09/18/2001	76.44	---	28.18	---	48.26

TABLE 5

**SUMMARY OF HISTORICAL GROUNDWATER ELEVATIONS  
NOVEMBER 1986 THROUGH MAY 2010**  
Defense Fuel Support Point Norwalk  
Norwalk, California

Well	Date	Top of Casing Elevation (feet msl)	Depth to Product (feet btoc)	Depth to Water (feet btoc)	Apparent Product Thickness (feet)	Groundwater Elevation (feet msl)
WCW-7	01/29/2002	76.44	---	28.64	---	47.8
WCW-7	04/08/2002	76.44	---	29.03	---	47.41
WCW-7	07/29/2002	76.44	---	28.94	---	47.5
WCW-7	10/21/2002	76.44	---	28.93	---	47.51
WCW-7	01/27/2003	76.44	---	28.7	---	47.74
WCW-7	04/07/2003	76.44	---	28.72	---	47.72
WCW-7	07/31/2003	76.44	---	28.67	---	47.77
WCW-7	10/06/2003	76.44	---	29.03	---	47.41
WCW-7	01/27/2004	76.44	---	28.98	---	47.46
WCW-7	05/10/2004	76.44	---	29.46	---	46.98
WCW-7	07/19/2004	76.44	---	30.18	---	46.26
WCW-7	11/01/2004	76.44	---	29.56	---	46.88
WCW-7	02/01/2005	76.44	---	28.76	---	47.68
WCW-7	05/02/2005	76.44	---	26.51	---	49.93
WCW-7	08/01/2005	76.44	---	25.72	---	50.72
WCW-7	02/27/2006	76.44	---	25.09	---	51.35
WCW-7	05/01/2006	76.44	---	26.41	---	50.03
WCW-7	09/18/2006	76.44	---	26.72	---	49.72
WCW-7	12/01/2006	76.44	---	27.13	---	49.31
WCW-7	03/12/2007	76.44	---	27.28	---	49.16
WCW-7	04/30/2007	76.44	---	26.96	---	49.48
WCW-7	08/28/2007	76.44	---	26.7	---	49.74
WCW-7	11/12/2007	76.44	---	27.67	---	48.77
WCW-7	02/19/2008	76.44	---	27.69	---	48.75
WCW-7	04/14/2008	76.44	---	27.56	---	48.88
WCW-7	08/11/2008	76.44	---	28	---	48.44
WCW-7	10/16/2008	76.44	---	28.53	---	47.91
WCW-7	4/20/2009	76.44	---	28.72	---	47.72
WCW-7	7/20/2009	76.44	---	28.94	---	47.5
WCW-7	10/19/2009	76.44	---	29.29	---	47.15
WCW-7	1/12/2010	76.44	---	29.94	---	46.5
WCW-7	3/15/2010	76.44	---	30	---	46.44
WCW-7	5/24/2010	76.44	---	29.75	---	46.69
WCW-7	5/28/2010	76.44	---	29.65	---	46.79
WCW-8	05/28/1996	77.34	---	31.45	---	45.89
WCW-8	11/20/1996	77.34	---	31.59	---	45.75
WCW-8	07/01/1997	77.34	---	32.38	---	44.96
WCW-8	12/31/1997	77.34	---	31.81	---	45.53
WCW-8	05/01/1998	77.34	---	30.04	---	47.3
WCW-8	05/04/1999	77.34	---	30.21	---	47.13
WCW-8	08/09/1999	77.34	---	30.49	---	46.85
WCW-8	11/15/1999	77.34	---	30.81	---	46.53
WCW-8	05/15/2000	77.34	---	29.88	---	47.46
WCW-8	08/28/2000	77.34	---	30.23	---	47.11
WCW-8	11/13/2000	77.34	---	30.26	---	47.08
WCW-8	02/05/2001	77.34	---	30.01	---	47.33
WCW-8	05/07/2001	77.34	---	29.42	---	47.92
WCW-8	09/18/2001	77.34	---	29.11	---	48.23
WCW-8	01/29/2002	77.34	---	29.45	---	47.89
WCW-8	04/08/2002	77.34	---	29.77	---	47.57
WCW-8	10/21/2002	77.34	---	29.84	---	47.5
WCW-8	04/07/2003	77.34	---	29.71	---	47.63
WCW-8	10/06/2003	77.34	---	29.75	---	47.59
WCW-8	05/10/2004	77.34	---	29.99	---	47.35

TABLE 5

**SUMMARY OF HISTORICAL GROUNDWATER ELEVATIONS  
NOVEMBER 1986 THROUGH MAY 2010**  
Defense Fuel Support Point Norwalk  
Norwalk, California

Well	Date	Top of Casing Elevation (feet msl)	Depth to Product (feet btoc)	Depth to Water (feet btoc)	Apparent Product Thickness (feet)	Groundwater Elevation (feet msl)
WCW-8	11/01/2004	77.34	---	30.36	---	46.98
WCW-8	05/02/2005	77.34	---	27.42	---	49.92
WCW-8	05/01/2006	77.34	---	27.18	---	50.16
WCW-8	12/01/2006	77.34	---	27.91	---	49.43
WCW-8	04/30/2007	77.34	---	27.82	---	49.52
WCW-8	11/12/2007	77.34	---	28.62	---	48.72
WCW-8	04/14/2008	77.34	---	28.53	---	48.81
WCW-8	10/16/2008	77.34	---	29.52	---	47.82
WCW-8	4/20/2009	77.34	---	29.4	---	47.94
WCW-8	10/19/2009	77.34	---	30.1	---	47.24
WCW-8	1/12/2010	77.34	---	31.3	---	46.04
WCW-8	5/24/2010	77.34	---	30.75	---	46.59
WCW-8	5/28/2010	77.34	---	30.74	---	46.6
WCW-9	05/28/1996	77.74	---	31.98	---	45.76
WCW-9	11/20/1996	77.74	---	32.13	---	45.61
WCW-9	07/01/1997	77.74	---	32.47	---	45.27
WCW-9	12/31/1997	77.74	---	32.22	---	45.52
WCW-9	05/01/1998	77.74	---	30.75	---	46.99
WCW-9	05/04/1999	77.74	---	30.16	---	47.58
WCW-9	08/09/1999	77.74	---	30.44	---	47.3
WCW-9	11/15/1999	77.74	---	30.79	---	46.95
WCW-9	05/15/2000	77.74	---	30.32	---	47.42
WCW-9	11/13/2000	77.74	---	30.59	---	47.15
WCW-9	05/07/2001	77.74	---	29.92	---	47.82
WCW-9	04/08/2002	77.74	---	30.07	---	47.67
WCW-9	10/21/2002	77.74	---	30.36	---	47.38
WCW-9	04/07/2003	77.74	---	30.23	---	47.51
WCW-9	10/06/2003	77.74	---	30.2	---	47.54
WCW-9	05/10/2004	77.74	---	30.35	---	47.39
WCW-9	11/01/2004	77.74	---	30.77	---	46.97
WCW-9	05/02/2005	77.74	---	27.8	---	49.94
WCW-9	05/01/2006	77.74	---	27.61	---	50.13
WCW-9	12/01/2006	77.74	---	28.54	---	49.2
WCW-9	04/30/2007	77.74	---	28.36	---	49.38
WCW-9	11/12/2007	77.74	---	29.24	---	48.5
WCW-9	04/14/2008	77.74	---	29.11	---	48.63
WCW-9	10/16/2008	77.74	---	29.98	---	47.76
WCW-9	4/20/2009	77.74	---	29.96	---	47.78
WCW-9	5/24/2010	77.74	---	31.02	---	46.72
WCW-9	5/28/2010	77.74	---	31	---	46.74
WCW-10	05/28/1996	74.06	---	27.71	---	46.35
WCW-10	11/20/1996	74.06	---	27.61	---	46.45
WCW-10	07/01/1997	74.06	---	27.23	---	46.83
WCW-10	12/31/1997	74.06	---	27.21	---	46.85
WCW-10	05/01/1998	74.06	---	23.22	---	50.84
WCW-10	05/04/1999	74.06	---	24.52	---	49.54
WCW-10	08/09/1999	74.06	---	24.63	---	49.43
WCW-10	11/15/1999	74.06	---	24.89	---	49.17
WCW-10	05/15/2000	74.06	---	25.5	---	48.56
WCW-10	11/13/2000	74.06	---	25.18	---	48.88
WCW-10	05/07/2001	74.06	---	24.66	---	49.4
WCW-10	04/08/2002	74.06	---	24.71	---	49.35
WCW-10	10/21/2002	74.06	---	25.2	---	48.86
WCW-10	04/07/2003	74.06	---	25.23	---	48.83

TABLE 5

**SUMMARY OF HISTORICAL GROUNDWATER ELEVATIONS  
NOVEMBER 1986 THROUGH MAY 2010**  
Defense Fuel Support Point Norwalk  
Norwalk, California

Well	Date	Top of Casing Elevation (feet msl)	Depth to Product (feet btoc)	Depth to Water (feet btoc)	Apparent Product Thickness (feet)	Groundwater Elevation (feet msl)
WCW-10	05/10/2004	74.06	---	25.41	---	48.65
WCW-10	11/01/2004	74.06	---	25.66	---	48.4
WCW-10	05/02/2005	74.06	---	23.47	---	50.59
WCW-10	05/01/2006	74.06	---	23.17	---	50.89
WCW-10	04/30/2007	74.06	---	23.74	---	50.32
WCW-10	11/12/2007	74.06	---	24.41	---	49.65
WCW-10	10/14/2008	74.06	---	24.95	---	49.11
WCW-10	4/20/2009	74.06	---	24.9	---	49.16
WCW-10	1/12/2010	74.06	---	26.4	---	47.66
WCW-10	5/24/2010	74.06	---	25.7	---	48.36
WCW-10	5/28/2010	74.06	---	25.67	---	48.39
WCW-11	05/28/1996	75.29	---	29.3	---	45.99
WCW-11	11/20/1996	75.29	---	29.24	---	46.05
WCW-11	07/01/1997	75.29	---	28.91	---	46.38
WCW-11	12/31/1997	75.29	---	29.14	---	46.15
WCW-11	05/01/1998	75.29	---	26.04	---	49.25
WCW-11	05/04/1999	75.29	---	26.63	---	48.66
WCW-11	08/09/1999	75.29	---	26.3	---	48.99
WCW-11	11/15/1999	75.29	---	26.55	---	48.74
WCW-11	05/15/2000	75.29	---	26.91	---	48.38
WCW-11	11/13/2000	75.29	---	26.77	---	48.52
WCW-11	05/07/2001	75.29	---	26.65	---	48.64
WCW-11	04/08/2002	75.29	---	26.45	---	48.84
WCW-11	10/21/2002	75.29	---	26.72	---	48.57
WCW-11	04/07/2003	75.29	---	26.78	---	48.51
WCW-11	05/10/2004	75.29	---	26.89	---	48.4
WCW-11	11/01/2004	75.29	---	27.22	---	48.07
WCW-11	05/02/2005	75.29	---	25.23	---	50.06
WCW-11	05/01/2006	75.29	---	24.45	---	50.84
WCW-11	04/30/2007	75.29	---	25.18	---	50.11
WCW-11	11/12/2007	75.29	---	25.97	---	49.32
WCW-11	10/16/2008	75.29	---	26.61	---	48.68
WCW-11	4/20/2009	75.29	---	26.62	---	48.67
WCW-11	1/12/2010	75.29	---	27.83	---	47.46
WCW-11	5/24/2010	75.29	---	27.77	---	47.52
WCW-11	5/28/2010	75.29	---	27.46	---	47.83
WCW-12	05/28/1996	76.27	---	30.94	---	45.33
WCW-12	11/20/1996	76.27	---	30.89	---	45.38
WCW-12	07/01/1997	76.27	---	30.34	---	45.93
WCW-12	12/31/1997	76.27	---	30.59	---	45.68
WCW-12	05/01/1998	76.27	---	29.31	---	46.96
WCW-12	05/04/1999	76.27	---	27.63	---	48.64
WCW-12	08/09/1999	76.27	---	27.81	---	48.46
WCW-12	11/15/1999	76.27	---	28.2	---	48.07
WCW-12	05/15/2000	76.27	---	28.17	---	48.1
WCW-12	11/13/2000	76.27	---	28.21	---	48.06
WCW-12	05/07/2001	76.27	---	27.79	---	48.48
WCW-12	04/08/2002	76.27	---	27.7	---	48.57
WCW-12	10/21/2002	76.27	---	28.24	---	48.03
WCW-12	04/07/2003	76.27	---	28.23	---	48.04
WCW-12	05/10/2004	76.27	---	28.34	---	47.93
WCW-12	11/01/2004	76.27	---	28.74	---	47.53
WCW-12	05/02/2005	76.27	---	26.61	---	49.66
WCW-12	05/01/2006	76.27	---	25.95	---	50.32

TABLE 5

**SUMMARY OF HISTORICAL GROUNDWATER ELEVATIONS  
NOVEMBER 1986 THROUGH MAY 2010**  
Defense Fuel Support Point Norwalk  
Norwalk, California

Well	Date	Top of Casing Elevation (feet msl)	Depth to Product (feet btoc)	Depth to Water (feet btoc)	Apparent Product Thickness (feet)	Groundwater Elevation (feet msl)
WCW-12	12/01/2006	76.27	---	26.39	---	49.88
WCW-12	04/30/2007	76.27	---	26.39	---	49.88
WCW-12	11/12/2007	76.27	---	27.15	---	49.12
WCW-12	04/14/2008	76.27	---	27.14	---	49.13
WCW-12	10/16/2008	76.27	---	27.93	---	48.34
WCW-12	4/20/2009	76.27	---	27.82	---	48.45
WCW-12	10/19/2009	76.27	---	28.52	---	47.75
WCW-12	1/12/2010	76.27	---	29.04	---	47.23
WCW-12	5/24/2010	76.27	---	28.9	---	47.37
WCW-12	5/28/2010	76.27	---	28.9	---	47.37
WCW-13	05/28/1996	77.7	---	32.61	---	45.09
WCW-13	11/20/1996	77.7	---	32.51	---	45.19
WCW-13	07/01/1997	77.7	---	32.44	---	45.26
WCW-13	12/31/1997	77.7	---	32.24	---	45.46
WCW-13	05/01/1998	77.7	---	30.9	---	46.8
WCW-13	05/04/1999	77.7	---	29.39	---	48.31
WCW-13	08/09/1999	77.7	---	30.82	---	46.88
WCW-13	11/15/1999	77.7	---	29.96	---	47.74
WCW-13	05/15/2000	77.7	---	29.83	---	47.87
WCW-13	08/28/2000	77.7	---	29.92	---	47.78
WCW-13	11/13/2000	77.7	---	29.96	---	47.74
WCW-13	02/05/2001	77.7	---	30.15	---	47.55
WCW-13	05/07/2001	77.7	---	29.8	---	47.9
WCW-13	09/18/2001	77.7	---	29.25	---	48.45
WCW-13	01/29/2002	77.7	---	29.4	---	48.3
WCW-13	04/08/2002	77.7	---	29.51	---	48.19
WCW-13	07/29/2002	77.7	---	29.71	---	47.99
WCW-13	10/21/2002	77.7	---	29.94	---	47.76
WCW-13	01/27/2003	77.7	---	30	---	47.7
WCW-13	04/07/2003	77.7	---	30.02	---	47.68
WCW-13	07/31/2003	77.7	---	29.8	---	47.9
WCW-13	01/27/2004	77.7	---	30.01	---	47.69
WCW-13	05/10/2004	77.7	---	30.1	---	47.6
WCW-13	07/19/2004	77.7	---	29.22	---	48.48
WCW-13	11/01/2004	77.7	---	30.44	---	47.26
WCW-13	02/01/2005	77.7	---	30.15	---	47.55
WCW-13	05/02/2005	77.7	---	28.35	---	49.35
WCW-13	08/01/2005	77.7	---	27.66	---	50.04
WCW-13	02/27/2006	77.7	---	27.46	---	50.24
WCW-13	05/01/2006	77.7	---	27.57	---	50.13
WCW-13	09/18/2006	77.7	---	27.66	---	50.04
WCW-13	12/01/2006	77.7	---	28.1	---	49.6
WCW-13	03/12/2007	77.7	---	28	---	49.7
WCW-13	04/30/2007	77.7	---	28.06	---	49.64
WCW-13	08/28/2007	77.7	---	28.31	---	49.39
WCW-13	11/12/2007	77.7	---	28.79	---	48.91
WCW-13	02/19/2008	77.7	---	28.8	---	48.9
WCW-13	04/14/2008	77.7	---	28.78	---	48.92
WCW-13	08/11/2008	77.7	---	29.12	---	48.58
WCW-13	10/16/2008	77.7	---	29.62	---	48.08
WCW-13	4/20/2009	77.7	---	29.61	---	48.09
WCW-13	7/20/2009	77.7	---	30.2	---	47.5
WCW-13	10/19/2009	77.7	---	30.26	---	47.44
WCW-13	1/12/2010	77.7	---	31.56	---	46.14

**TABLE 5**

**SUMMARY OF HISTORICAL GROUNDWATER ELEVATIONS  
NOVEMBER 1986 THROUGH MAY 2010**  
Defense Fuel Support Point Norwalk  
Norwalk, California

Well	Date	Top of Casing Elevation (feet msl)	Depth to Product (feet btoc)	Depth to Water (feet btoc)	Apparent Product Thickness (feet)	Groundwater Elevation (feet msl)
WCW-13	3/15/2010	77.7	---	31.34	---	46.36
WCW-13	5/24/2010	77.7	---	30.65	---	47.05
WCW-13	5/28/2010	77.7	---	30.68	---	47.02
WCW-14	05/03/1999	78.81	---	30.67	---	48.14
WCW-14	08/09/1999	78.81	---	30.83	---	47.98
WCW-14	11/15/1999	78.81	---	31.19	---	47.62
WCW-14	05/15/2000	78.81	---	31.02	---	47.79
WCW-14	11/13/2000	78.81	---	31.26	---	47.55
WCW-14	05/07/2001	78.81	---	30.85	---	47.96
WCW-14	04/08/2002	78.81	---	30.71	---	48.1
WCW-14	10/21/2002	78.81	---	31.07	---	47.74
WCW-14	04/07/2003	78.81	---	31.11	---	47.7
WCW-14	05/10/2004	78.81	---	31.29	---	47.52
WCW-14	11/01/2004	78.81	---	31.59	---	47.22
WCW-14	05/02/2005	78.81	---	29.38	---	49.43
WCW-14	05/01/2006	78.81	---	28.59	---	50.22
WCW-14	12/01/2006	78.81	---	29.22	---	49.59
WCW-14	04/30/2007	78.81	---	29.16	---	49.65
WCW-14	11/12/2007	78.81	---	29.9	---	48.91
WCW-14	04/14/2008	78.81	---	29.85	---	48.96
WCW-14	10/16/2008	78.81	---	30.74	---	48.07
WCW-14	4/20/2009	78.81	---	30.83	---	47.98
WCW-14	10/19/2009	78.81	---	31.32	---	47.49
WCW-14	1/12/2010	78.81	---	32.24	---	46.57
WCW-14	5/24/2010	78.81	---	31.87	---	46.94
WCW-14	5/28/2010	78.81	---	31.84	---	46.97

**Notes:**

feet msl = feet above mean sea level, based on Los Angeles County Datum, 1980.

feet btoc = feet below top of casing.

--- = not available or not applicable.

NC = Not calculated due to presence of product in well.

TABLE 6

**SUMMARY OF GROUNDWATER ANALYTICAL DATA  
FIRST QUARTER 2010 SENTRY EVENT**

Defense Fuel Support Point Norwalk  
Norwalk, California

Results reported in micrograms per liter (µg/l)

Well	Sample Date	TPHg	TPHfp	TPHjp <sub>5</sub>	Benzene	Toluene	Ethyl-benzene	Xylenes	1,2-DCA	MTBE	TBA
EXP-1	1/11/2010	<100	--	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10
EXP-1	3/15/2010		<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10
EXP-2	1/11/2010	<100	--	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10
EXP-2	3/15/2010	<50	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10
EXP-3	1/11/2010	<100	--	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10
EXP-3	3/15/2010	<50	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10
EXP-5	3/15/2010	<50	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10
GMW-36	3/16/2010	<b>8,000</b>	<b>22,000</b>	--	<b>830</b>	<b>1,100</b>	<b>140</b>	<b>700</b>	<10	<b>16</b>	<b>690</b>
GMW-38	3/15/2010	<50	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10
GMW-39	3/16/2010	<50	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<b>130</b>
GMW-47	1/11/2010	--	--	<b>1,300</b>	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<b>17</b>
GMW-57	1/11/2010	--	--	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10
GMW-58	1/11/2010	--	--	<b>190</b>	<b>9.7</b>	<0.5	<0.5	<0.5	<0.5	<b>1.7</b>	<b>3.8</b>
GMW-59	1/11/2010	--	--	<b>1,900</b>	<b>2,200</b>	<10	<10	<10	<10	<b>17</b>	<200
GMW-60	1/11/2010	--	--	<100	<b>940</b>	<5	<b>12</b>	<5	<5	<1	<100
GMW-61	1/11/2010	--	--	<100	<b>190</b>	<1	<b>0.99</b>	<1	<1	<1	<20
GMW-62	1/12/2010	--	--	<b>2,200</b>	<b>3,900</b>	<10	<b>22</b>	<b>30.4</b>	<b>100</b>	<1	<200
GMW-63	1/12/2010	--	--	<100	<b>0.39</b>	<0.5	<0.5	<0.5	<0.5	<0.5	<10
GMW-64	1/12/2010	--	--	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10
GMW-65	1/12/2010	--	--	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10
GMW-O-1	3/15/2010	<50	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10
GMW-O-14	3/16/2010	<b>57,000</b>	<b>24,000</b>	--	<b>14,000</b>	<b>6,200</b>	<b>1,700</b>	<b>4,700</b>	<200	<100	<2000
GMW-O-15	3/16/2010	<b>530</b>	<b>8,900</b>	--	<b>10</b>	<b>1.1</b>	<b>0.64</b>	<b>2.7</b>	<0.5	<b>400</b>	<10
GMW-O-16	3/16/2010	<50	<b>140</b>	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10
GMW-O-18	3/16/2010	<50	<100	--	<b>0.6</b>	<b>1.3</b>	<0.5	<b>1.77</b>	<0.5	<b>4.5</b>	<b>550</b>
GMW-O-19	3/15/2010	<50	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10
GMW-O-2	3/16/2010	<50	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10
GMW-O-3	3/15/2010	<50	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10
GW-13(6")	1/12/2010	<100	--	<100	<0.5	<0.5	<0.5	<0.5	<b>21</b>	<b>4.8</b>	<b>5.2</b>
GW-14(1")	1/13/2010	<b>950</b>	--	<b>2,100</b>	<b>62</b>	<b>0.35</b>	<b>1</b>	<b>1.4</b>	<0.5	<b>17</b>	<b>18</b>
GW-16(6")	1/13/2010	<100	--	<b>460</b>	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<b>6.4</b>
GW-2	1/12/2010	<100	--	<b>120</b>	<b>3.6</b>	<0.5	<0.5	<0.5	<b>23</b>	<b>1.8</b>	<b>8.8</b>
MW-14	1/12/2010	<100	--	<100	<0.5	<0.5	<0.5	<0.5	<b>13</b>	<b>2.7</b>	<b>4.2</b>
MW-22 (MID)	1/13/2010	<100	--	<100	<0.5	<0.5	<0.5	<0.5	<b>9.7</b>	<b>13</b>	<b>24</b>
MW-SF-1	3/16/2010	<b>13,000</b>	<b>12,000</b>	--	<b>5,900</b>	<b>56</b>	<b>120</b>	<b>55</b>	<50	<b>650</b>	<500
PZ-5	3/16/2010	<b>1,700</b>	<b>890</b>	--	<b>370</b>	<b>2.1</b>	<b>33</b>	<b>9.4</b>	<4	<b>350</b>	<b>58,000</b>
WCW-13	3/15/2010	<50	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10
WCW-3	3/15/2010	<50	<100	--	<0.5	<0.5	<0.5	<0.5	<b>3.5</b>	<0.5	<10
WCW-7	3/15/2010	<50	<b>130</b>	--	<0.5	<0.5	<0.5	<0.5	<b>30</b>	<b>1.8</b>	<10

**Notes:**

TPHg = total purgeable petroleum hydrocarbons quantified using a gasoline standard.

TPHfp = total extractable petroleum hydrocarbons quantified using a site fuel product standard.

TPHjp<sub>5</sub> = total extractable petroleum hydrocarbons quantified as Jet Propellant #5.

Xylenes = total of m,p-xylene and o-xylene when detected.

1,2-DCA = 1,2-dichloroethane.

MTBE = methyl tertiary butyl ether.

TBA = tertiary butyl alcohol.

&lt; = not detected at or above the laboratory reporting limit shown.

--- = not analyzed.

January samples collected by Blaine Tech Services, Inc., on behalf of DESC.

March samples collected by Blaine Tech Services, Inc., on behalf of DESC.



TABLE 7

**SUMMARY OF MISCELLANEOUS COMPOUNDS DETECTED IN GROUNDWATER SAMPLES  
FIRST QUARTER 2010 SENTRY EVENT**  
Defense Fuel Support Point Norwalk  
Norwalk, California

Results reported in micrograms per liter (µg/L)

Well	Sample Date	Chloromethane	Carbon Disulfide	1,1-Dichloroethane	Diisopropyl Ether (DIPE)	cis-1,2-Dichloroethene (cis-1,2-dichloroethylene)	Chloroform	T-Amyl Methyl Ether (TAME)	Trichloroethene/Trichloroethylene (TCE)	Isopropylbenzene (1-methylethylbenzene) (cumene)	n-Propyl benzene	1,3,5-Trimethylbenzene (mesitylene)	tert-Butylbenzene	1,2,4-Trimethylbenzene	SEC-Butylbenzene	P-Cymene (P-Isopropyltoluene)	n-Butylbenzene	Naphthalene	1,2,3-Trichlorobenzene
GMW-36	3/16/2010	<40	<50	<10	<10	<10	<10	<10	<10	<10	<10	61	<10	100	<10	<10	<10	74	<40
GMW-47	1/11/2010	<5	<10	<1	<2	<1	<1	<2	<1	6.9	<1	<1	0.62	<1	0.93	<1	<1	<10	<1
GMW-57	1/11/2010	<5	<10	<1	<2	<1	<1	<2	<1	0.58	<1	<1	<1	<1	<1	<1	<1	<10	<1
GMW-58	1/11/2010	<5	<10	1.1	<2	<1	<1	<2	<1	2.2	<1	<1	<1	<1	0.24	<1	<1	<10	<1
GMW-59	1/11/2010	<100	<200	<20	<40	<20	<20	<40	<20	22	<20	<20	<20	<20	<20	<20	<20	<200	<20
GMW-60	1/11/2010	<50	<100	<10	<20	<10	<10	<20	<10	80	84	<10	<10	<10	10	<10	4	110	<10
GMW-61	1/11/2010	<10	<20	<2	<4	<2	<2	<4	<2	41	27	<2	1	<2	6.9	<2	1.8	<20	<2
GMW-62	1/12/2010	<100	<200	<20	<40	<20	<20	<40	<20	26	<20	<20	<20	19	<20	<20	<20	<200	<20
GMW-65	1/12/2010	0.63	<10	<1	<2	<1	<1	<2	<1	<1	<1	<1	<1	<1	<1	<1	<1	<10	<1
GMW-O-14	3/16/2010	<800	<1,000	<200	310	<200	<200	<200	<200	<200	<200	<200	<200	710	<200	<200	<200	<800	<800
GMW-O-15	3/16/2010	<2	<2.5	<1	<1	<1	<1	1.9	<1	<1	<1	<1	<1	<1	<1	<1	<1	<10	<2
GW-13(6")	1/12/2010	<5	<10	<1	3.7	<1	<1	<2	<1	<1	<1	<1	<1	<1	<1	<1	<1	<10	<1
GW-14(1")	1/13/2010	<5	<10	<1	<2	0.5	<1	<2	0.56	15	12	0.39	0.92	0.48	2.3	<1	0.55	15	<1
GW-16(6")	1/13/2010	<5	<10	<1	<2	<1	<1	<2	<1	<1	<1	<1	<1	<1	<1	<1	<1	<10	<1
GW-2	1/12/2010	<5	<10	<1	2.6	<1	<1	<2	<1	0.32	<1	<1	<1	<1	<1	<1	<1	<10	<1
MW-14	1/12/2010	<5	<10	<1	3.2	<1	<1	<2	<1	<1	<1	<1	<1	<1	<1	<1	<1	<10	<1
MW-22 (MID)	1/13/2010	<5	<10	<1	2.1	<1	<1	<2	<1	<1	<1	<1	<1	<1	<1	<1	<1	<10	<1
PZ-5	3/16/2010	<16	<20	<4	<4	<4	<4	<4	<4	<4	<4	5.6	<4	25	<4	<4	<4	28	<16
WCW-7	3/15/2010	<2	<2.5	<1	4	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<10	<2

**Notes:**

Analyte denoted as p-Isopropyltoluene in laboratory reports generated by Calscience Environmental Laboratories, Inc., and as 4-Isopropyltoluene in laboratory reports generated by Alpha Analytical, Inc.

< = not detected at or above the laboratory reporting limit shown.

January samples collected by Blaine Tech Services, Inc., on behalf of DESC.

March samples collected by Blaine Tech Services, Inc., on behalf of DESC.

**TABLE 8**

**SUMMARY OF GROUNDWATER ANALYTICAL DATA  
APRIL 2010 MONTHLY MONITORING EVENT**

Defense Fuel Support Point Norwalk  
Norwalk, California

Results reported in micrograms per liter (µg/L)

Sample ID	Date	TPHg	TPHfp	Benzene	Toluene	Ethyl-benzene	Total Xylenes	1,2-DCA	MTBE	TBA	DIPE	ETBE	TAME
GMW-36	04/16/10	4200	25,000	850	150	89	200	<5.0	11	3700	<5.0	<5.0	<5.0
GMW-O-15	04/16/10	6700	62,000	1700	54	120	176	<10	1300	1800	<10	<10	11
GMW-O-16	04/16/10	<50	<100	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<10	<1.0	<1.0	<1.0
GMW-O-18	04/16/10	1300	6600	0.67	<0.50	3.1	12.9	<0.50	1.2	2400	<1.0	<1.0	<1.0
GMW-O-19	04/16/10	<50	<100	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<10	<1.0	<1.0	<1.0
PZ-5	04/16/10	1600	1100	110	<2.5	9.7	4.6	<5.0	340	91,000	<5.0	<5.0	<5.0

**Notes:**

The total xylenes result is the sum of m,p-xylenes and o-xylenes when detected.

<5.0 = not detected at or above the laboratory reporting limit shown.

1,2-DCA = 1,2-dichloroethane.

DIPE = di-isopropyl ether.

ETBE = ethyl tertiary butyl ether.

MTBE = methyl tertiary butyl ether.

TAME = tertiary amyl methyl ether.

TBA = tertiary butyl alcohol.

TPHfp = total extractable petroleum hydrocarbons quantified using a site fuel product standard.

TPHg = total purgeable petroleum hydrocarbons quantified using a gasoline standard (C4-C13).

TABLE 9

**SUMMARY OF GROUNDWATER ANALYTICAL DATA  
FIRST SEMIANNUAL 2010 MONITORING EVENT**

Defense Fuel Support Point Norwalk  
Norwalk, California

Results reported in micrograms per liter (µg/L)

Well	Sample Date	TPHg	TPHfp	TPHjp <sub>s</sub>	Benzene	Toluene	Ethylbenzene	Xylenes	1,2-DCA	MTBE	TBA
EXP-1	4/12/2010	--	--	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<b>0.44J</b>	<10
EXP-1	5/25/2010	<50	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10
EXP-2	4/12/2010	--	--	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10
EXP-2	5/25/2010	<50	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10
EXP-3	4/12/2010	--	--	<100	<b>0.31J</b>	<0.5	<0.5	<0.5	<0.5	<0.5	<10
EXP-3	5/25/2010	<50	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10
EXP-4	5/24/2010	<50	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10
EXP-5	5/25/2010	<50	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10
GMW-1	5/27/2010	<b>900</b>	<b>1,900</b>	--	<b>55</b>	<b>4.9</b>	<b>46</b>	<b>2.2</b>	<2	<1	<20
GMW-2	5/26/2010	<50	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10
GMW-3	5/26/2010	<50	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10
GMW-4	5/27/2010	<b>2,200</b>	<b>6,100</b>	--	<b>170</b>	<b>1.1</b>	<b>6.3</b>	<b>10</b>	<2	<1	<20
GMW-6	4/12/2010	--	--	<100	<0.5	<0.5	<0.5	<0.5	--	<b>7.2</b>	<10
GMW-8	5/26/2010	<50	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10
GMW-12	4/15/2010	--	--	<b>400</b>	<0.5	<0.5	<0.5	<0.5	--	<0.5	<10
GMW-13	5/26/2010	<50	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10
GMW-14	4/16/2010	--	--	<b>1,500</b>	<b>160</b>	<0.5	<b>2.6</b>	<b>2.95</b>	<0.5	<b>13</b>	<b>15</b>
GMW-15	4/15/2010	--	--	<b>760</b>	<0.5	<0.5	<0.5	<0.5	--	<b>5.7</b>	<10
GMW-16	4/12/2010	--	--	<b>110</b>	<0.5	<0.5	<0.5	<0.5	--	<0.5	<10
GMW-17	4/14/2010	<b>1,200</b>	--	<b>1,900</b>	<b>59</b>	<b>0.34</b>	<b>5.5</b>	<b>2</b>	--	<0.5	<10
GMW-18	4/16/2010	<b>1,500</b>	--	<b>7,200</b>	<b>80</b>	<b>0.84</b>	<b>0.49</b>	<b>1.57</b>	--	<b>7.3</b>	<b>43</b>
GMW-19	4/16/2010	--	--	<b>230</b>	<b>130</b>	<0.5	<b>0.66</b>	<0.5	--	<b>21</b>	<b>12</b>
GMW-27	5/27/2010	<b>95</b>	<b>130</b>	--	<0.5	<0.5	<0.5	<0.5	<0.5	<b>2.6</b>	<10
GMW-31	4/14/2010	--	--	<100	<0.5	<0.5	<0.5	<0.5	--	<0.5	<b>4.6</b>
GMW-32	4/16/2010	--	--	<b>230</b>	<0.5	<0.5	<b>0.41</b>	<0.5	--	<0.5	<10
GMW-35	4/16/2010	--	--	<b>1,900</b>	<b>180</b>	<b>0.88</b>	<b>1.5</b>	<b>0.7</b>	--	<b>13</b>	<b>2,200</b>
GMW-37	5/26/2010	<50	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10
GMW-38	5/26/2010	<50	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10
GMW-39	5/27/2010	<50	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10
GMW-40	4/14/2010	--	--	<100	<0.5	<0.5	<0.5	<0.5	--	<0.5	<10
GMW-41	4/14/2010	--	--	<100	<0.5	<0.5	<0.5	<0.5	--	<b>0.33</b>	<b>5.7</b>
GMW-43	4/15/2010	--	--	<100	<0.5	<0.5	<0.5	<0.5	--	<0.5	<10
GMW-44	4/15/2010	--	--	<100	<0.5	<0.5	<0.5	<0.5	--	<0.5	<10
GMW-45	4/12/2010	--	--	<b>1,700</b>	<b>85</b>	<0.5	<b>2.6</b>	<b>0.28</b>	--	<0.5	<b>11</b>
GMW-47	4/19/2010	--	--	<b>930</b>	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<b>13</b>
GMW-56	4/12/2010	--	--	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10
GMW-57	4/12/2010	--	--	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10
GMW-58	4/19/2010	--	--	<b>300</b>	<b>12</b>	<0.5	<0.5	<0.5	<0.5	<b>0.81</b>	<b>5.7</b>
GMW-59	4/19/2010	<b>2,900</b>	--	<b>1,700</b>	<b>570</b>	<0.5	<b>1.9</b>	<0.5	<0.5	<b>2.3</b>	<b>11</b>
GMW-60	4/13/2010	<b>1,900</b>	--	<b>1,300</b>	<b>580</b>	<0.5	<b>8.7</b>	<b>0.26</b>	<0.5	<0.5	<10
GMW-61	4/15/2010	<b>740</b>	--	<b>500</b>	<b>380</b>	<0.5	<b>1.7</b>	<0.5	<0.5	<0.5	<b>3.7</b>
GMW-62	4/14/2010	<b>2,400</b>	--	<b>430</b>	<b>1,600</b>	<b>0.6</b>	<b>26</b>	<b>45</b>	<0.5	<0.5	<10
GMW-63	4/14/2010	--	--	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10
GMW-64	4/14/2010	--	--	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10
GMW-65	4/14/2010	--	--	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10
GMW-66	4/19/2010	--	--	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10
GMW-O-1	5/25/2010	<50	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10
GMW-O-2	5/25/2010	<50	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10
GMW-O-3	5/25/2010	<50	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10
GMW-O-4	5/25/2010	<50	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10
GMW-O-4 (MID)	5/25/2010	<50	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10
GMW-O-5	5/25/2010	<50	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10
GMW-O-6	5/26/2010	<50	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10
GMW-O-8	5/25/2010	<50	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10
GMW-O-9	5/26/2010	<50	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10
GMW-O-10	5/27/2010	<b>370</b>	<100	--	<b>77</b>	<b>1.2</b>	<0.5	<0.5	<1	<b>0.87</b>	<10

TABLE 9

**SUMMARY OF GROUNDWATER ANALYTICAL DATA  
FIRST SEMI-ANNUAL 2010 MONITORING EVENT**

Defense Fuel Support Point Norwalk  
Norwalk, California

Results reported in micrograms per liter (µg/L)

Well	Sample Date	TPHg	TPHfp	TPHj <sub>p5</sub>	Benzene	Toluene	Ethylbenzene	Xylenes	1,2-DCA	MTBE	TBA
GMW-O-14	5/28/2010	<b>26,000</b>	<b>7,400</b>	--	<b>7,900</b>	<b>1,500</b>	<b>370</b>	<b>2,180</b>	<b>110</b>	<25	<500
GMW-O-15	5/25/2010	<b>650</b>	<b>5,600</b>	--	<b>82</b>	<b>16</b>	<b>8.4</b>	<b>44</b>	<2	<b>180</b>	<b>1,500</b>
GMW-O-16	5/26/2010	<50	<b>120</b>	--	<0.5	<0.5	<0.5	<0.5	<0.5	<b>0.88</b>	<10
GMW-O-17	5/25/2010	<50	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10
GMW-O-18	5/25/2010	<b>110</b>	<b>540</b>	--	<0.5	<0.5	<0.5	<0.5	<1	<b>2.9</b>	<b>6,500</b>
GMW-O-19	5/26/2010	<50	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10
GMW-SF-7	5/26/2010	<50	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10
GMW-SF-8	5/26/2010	<50	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10
GW-3	4/15/2010	--	--	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<b>18</b>
GW-6	4/13/2010	--	--	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<b>0.76</b>	<10
GW-13(6")	4/13/2010	--	--	<100	<0.5	<0.5	<0.5	<0.5	<b>7.4</b>	<b>12</b>	<b>16</b>
GW-16(6")	4/19/2010	--	--	<100	<0.5	<0.5	<b>2.6</b>	<0.5	<0.5	<0.5	<10
GWR-1	5/27/2010	<b>2,100</b>	<b>1,100</b>	--	<b>800</b>	<b>9.5</b>	<b>16</b>	<b>34</b>	<10	<b>23</b>	<100
HL-2	5/26/2010	<50	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10
HL-3	5/27/2010	<50	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10
MW-6	5/27/2010	<50	<100	--	<0.5	<0.5	<0.5	<0.5	<b>1.5</b>	<b>1.9</b>	<10
MW-7	5/26/2010	<50	<b>110</b>	--	<0.5	<0.5	<0.5	<0.5	<b>0.87</b>	<0.5	<10
MW-8	5/27/2010	<50	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<b>0.62</b>	<10
MW-9	5/27/2010	<b>1,600</b>	<b>11,000</b>	--	<b>24</b>	<5	<5	<5	<10	<5	<100
MW-11	4/14/2010	--	--	<b>700</b>	<0.5	<0.5	<b>0.58</b>	<0.5	--	<b>3.8</b>	<10
MW-12	5/26/2010	<50	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10
MW-13	4/19/2010	--	--	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10
MW-14	4/13/2010	--	--	<100	<0.5	<0.5	<0.5	<0.5	<b>0.4</b>	<b>4.3</b>	<10
MW-16	4/16/2010	--	--	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10
MW-17	4/16/2010	--	--	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10
MW-19 (MID)	5/26/2010	<50	<b>120</b>	--	<0.5	<0.5	<0.5	<0.5	<b>3.1</b>	<0.5	<10
MW-20 (MID)	5/27/2010	<50	<100	--	<0.5	<0.5	<0.5	<0.5	<b>18</b>	<b>16</b>	<10
MW-21 (MID)	5/26/2010	<100	<b>420</b>	--	<0.5	<0.5	<0.5	<0.5	<b>2.9</b>	<b>1.5</b>	<10
MW-22 (MID)	4/13/2010	--	--	<b>220</b>	<0.5	<0.5	<0.5	<0.5	<b>11</b>	<b>8.7</b>	<b>23</b>
MW-23 (MID)	4/13/2010	--	--	<b>1,000</b>	<0.5	<0.5	<0.5	<0.5	--	<0.5	<b>4.8</b>
MW-24	4/13/2010	--	--	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10
MW-25	4/13/2010	--	--	<100	<0.5	<0.5	<0.5	<0.5	<b>10</b>	<b>2.7</b>	<10
MW-26	4/13/2010	--	--	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<b>0.66</b>	<10
MW-27	4/13/2010	--	--	<100	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<b>7.5</b>
MW-SF-1	5/27/2010	<b>8,800</b>	<b>3,500</b>	--	<b>3,900</b>	<b>46</b>	<b>150</b>	<b>51</b>	<40	<b>140</b>	<400
MW-SF-4	5/28/2010	<b>17,000</b>	<b>8,800</b>	--	<b>7,200</b>	<b>39</b>	<b>370</b>	<b>250</b>	<50	<b>440</b>	<500
MW-SF-9	5/27/2010	<b>350</b>	<b>8,200</b>	--	<b>100</b>	<b>1.3</b>	<1	<1	<2	<1	<20
PW-1	5/26/2010	<50	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10
PW-3	5/26/2010	<50	<100	--	<0.5	<0.5	<0.5	<0.5	<b>1.3</b>	<0.5	<10
PZ-3	4/15/2010	--	--	<b>1,600</b>	<b>2.2</b>	<0.5	<0.5	<0.5	<0.5	<b>0.74</b>	<10
PZ-5	5/27/2010	<b>3,200 J</b>	<b>1,300</b>	--	<b>1,100</b>	<25	<b>66</b>	<25	<50	<b>360</b>	<b>69,000</b>
PZ-10	5/27/2010	<100	<b>940</b>	--	<b>0.92</b>	<0.5	<0.5	<0.5	<1	<b>1.4</b>	<10
TF-16	4/15/2010	--	--	<b>1,000</b>	<b>10</b>	<0.5	<b>0.38</b>	<0.5	--	<b>3.5</b>	<b>8.2</b>
TF-21	4/16/2010	--	--	<b>1,100</b>	<b>120</b>	<b>0.37</b>	<b>1.1</b>	<b>1.16</b>	--	<0.5	<b>15</b>
WCW-1	5/25/2010	<50	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10
WCW-2	5/24/2010	<50	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10
WCW-3	5/24/2010	<50	<100	--	<0.5	<0.5	<0.5	<0.5	<b>2.8</b>	<0.5	<10
WCW-4	5/27/2010	<50	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10
WCW-5	5/25/2010	<50	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10
WCW-6	5/24/2010	<50	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10
WCW-7	5/27/2010	<50	<100	--	<0.5	<0.5	<0.5	<0.5	<b>23</b>	<b>1.2</b>	<10
WCW-8	5/27/2010	<50	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10
WCW-12	5/24/2010	<50	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10

**TABLE 9**

**SUMMARY OF GROUNDWATER ANALYTICAL DATA  
FIRST SEMIANNUAL 2010 MONITORING EVENT**

Defense Fuel Support Point Norwalk  
Norwalk, California

Results reported in micrograms per liter (µg/L)

Well	Sample Date	TPHg	TPHfp	TPHjp <sub>5</sub>	Benzene	Toluene	Ethylbenzene	Xylenes	1,2-DCA	MTBE	TBA
WCW-13	5/24/2010	<50	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10
WCW-14	5/25/2010	<50	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10

**Notes:**

TPHg = total purgeable petroleum hydrocarbons quantified against a gasoline standard.

TPHfp = total extractable petroleum hydrocarbons quantified against a site fuel product standard.

TPHjp<sub>5</sub> = total extractable petroleum hydrocarbons quantified as Jet Propellant #5.

Xylenes = total of m,p-xylene and o-xylene when detected.

1,2-DCA = 1,2-Dichloroethane.

MTBE = Methyl tertiary butyl ether.

TBA = Tertiary Butyl Alcohol.

-- = not analyzed.

< = not detected at or above the reporting limit shown.

J = the analyte was positively identified, the associated numerical value is the approximate concentration of the analyte in the sample

April samples collected by Blaine Tech Services, Inc., on behalf of DESC.

May samples collected by Blaine Tech Services, Inc., on behalf of SFPP.

TABLE 10

**SUMMARY OF MISCELLANEOUS COMPOUNDS DETECTED IN GROUNDWATER SAMPLES  
FIRST SEMIANNUAL 2010 MONITORING EVENT**

Defense Fuel Support Point Norwalk  
Norwalk, California

Results reported in micrograms per liter (µg/L)

Well	Sample Date	Chloromethane	Carbon Disulfide	1,1-Dichloroethane	Diisopropyl Ether (DIPE)	cis-1,2-Dichloroethene (cis-1,2-dichloroethylene)	Chloroform	T-Amyl Methyl Ether (TAME)	Trichloroethene/Trichloroethylene (TCE)	Isopropylbenzene (1-methylethylbenzene) (cumene)	n-Propyl benzene	1,3,5-Trimethylbenzene (mesitylene)	tert-Butylbenzene	1,2,4-Trimethylbenzene	SEC-Butylbenzene	P-Cymene (P-Isopropyltoluene)	n-Butylbenzene	Naphthalene	1,2,3-Trichlorobenzene
GMW-1	5/27/2010	<8	<10	<2	<2	<2	<2	<2	<2	17	14	2.2	<2	<2	5.1	<2	<2	<10	<8
GMW-14	4/16/2010	<5	<10	0.44	<2	0.78	<1	0.79	0.46	21	17	0.83	0.79	1.3	2.8	<1	0.87	16	<1
GMW-19	4/16/2010	-	-	-	<2	-	-	0.52	-	-	-	-	-	-	-	-	-	-	-
GMW-27	5/27/2010	<2	<2.5	<1	10	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<10	<2
GMW-36	4/16/2010	<20	<25	<5	<5	<5	<5	<5	<5	5.5	64	<5	89	<5	<5	9.9	35	<20	
GMW-4	5/27/2010	<8	<10	<2	<2	<2	<2	<2	<2	44	37	4.9	<2	15	7.9	4	3	61	<8
GMW-47	4/19/2010	<5	<10	<1	<2	<1	<1	<2	<1	2.7	<1	<1	0.4	<1	0.43	<1	<1	<10	<1
GMW-57	4/12/2010	<5	<10	<1	<2	<1	<1	<2	<1	0.24	<1	<1	<1	<1	<1	<1	<1	<10	<1
GMW-58	4/19/2010	<5	<10	1.2	<2	<1	<1	<2	<1	5	<1	<1	<1	<1	0.46	<1	<1	<10	<1
GMW-59	4/19/2010	<5	<10	<1	<2	<1	<1	<2	<1	32	29	<1	0.81	<1	4.4	<1	1.8	13	<1
GMW-60	4/13/2010	<5	<10	<1	<2	<1	<1	<2	<1	64	61	<1	1.1	0.28	9.8	<1	2.6	110	0.44
GMW-61	4/15/2010	<5	5.6	<1	<2	<1	<1	<2	<1	29	24	<1	0.48	<1	3.5	<1	1.5	7.3	<1
GMW-62	4/14/2010	1	<10	0.8	<2	<1	<1	<2	<1	12	8.3	0.66	<1	8.9	1.5	0.9	0.47	<10	<1
GMW-O-10	5/27/2010	<4	<5	<1	<1	<1	<1	<1	<1	4.3	3.2	<1	<1	<1	<1	<1	<1	<10	<4
GMW-O-14	5/28/2010	<200	<250	<50	180	<50	<50	<50	<50	<50	<50	52	<50	420	<50	<50	<50	<200	<200
GMW-O-15	4/16/2010	<40	<50	<10	<10	<10	<10	11	<10	<10	17	47	<10	110	<10	<10	<10	43	<40
GMW-O-15	5/25/2010	<8	<10	<2	<2	<2	<2	<2	<2	<2	<2	7.2	<2	16	<2	<2	<2	<10	<8
GMW-O-18	4/16/2010	<2	<2.5	<1	<1	<1	<1	<1	<1	<1	2.9	3.9	<1	27	1.8	<1	2.8	<10	<2
GMW-SF-8	5/26/2010	<2	<2.5	<1	<1	<1	2.2	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<10	<2
GW-13(6")	4/13/2010	<5	<10	<1	1.5	<1	<1	<2	<1	<1	<1	<1	<1	<1	<1	<1	<1	<10	<1
GWR-1	5/27/2010	<40	<50	<10	27	<10	<10	<10	<10	12	15	<10	<10	<10	<10	<10	<10	<40	<40
MW-19 (MID)	5/26/2010	<2	<2.5	<1	12	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<10	<2
MW-20 (MID)	5/27/2010	<2	<2.5	<1	12	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<10	<2
MW-21 (MID)	5/26/2010	<4	<5	<1	3.2	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<10	<4
MW-22 (MID)	4/13/2010	<5	<10	<1	1.8	<1	<1	<2	<1	<1	<1	<1	<1	<1	<1	<1	<1	<10	<1
MW-25	4/13/2010	<5	<10	<1	2.5	<1	<1	<2	<1	<1	<1	<1	<1	<1	<1	<1	<1	<10	<1
MW-7	5/26/2010	<2	<2.5	<1	5.5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<10	<2
MW-9	5/27/2010	<40	<50	<10	<10	<10	<10	<10	<10	34	27	<10	<10	<10	<10	<10	<10	<40	<40
MW-SF-1	5/27/2010	<160	<200	<40	<40	<40	<40	<40	<40	<40	44	<40	<40	<40	<40	<40	<40	<160	<160

TABLE 10

**SUMMARY OF MISCELLANEOUS COMPOUNDS DETECTED IN GROUNDWATER SAMPLES  
FIRST SEMIANNUAL 2010 MONITORING EVENT**

Defense Fuel Support Point Norwalk  
Norwalk, California

Results reported in micrograms per liter (µg/L)

Well	Sample Date	Chloromethane	Carbon Disulfide	1,1-Dichloroethane	Diisopropyl Ether (DIPE)	cis-1,2-Dichloroethene (cis-1,2-dichloroethylene)	Chloroform	T-Amyl Methyl Ether (TAME)	Trichloroethene/Trichloroethylene (TCE)	Isopropylbenzene (1-methylethylbenzene) (cumene)	n-Propyl benzene	1,3,5-Trimethylbenzene (mesitylene)	tert-Butylbenzene	1,2,4-Trimethylbenzene	SEC-Butylbenzene	P-Cymene (P-Isopropyltoluene)	n-Butylbenzene	Naphthalene	1,2,3-Trichlorobenzene
MW-SF-4	5/28/2010	<200	<250	<50	<b>120</b>	<50	<50	<50	<50	<50	<b>70</b>	<50	<50	<b>140</b>	<50	<50	<50	<200	<200
PZ-3	4/15/2010	<5	<10	<1	<2	<1	<1	<2	<1	<b>0.9</b>	<1	<1	<1	<1	<b>0.3</b>	<1	<1	<10	<1
TF-16	4/15/2010	-	-	-	<2	-	-	<b>0.42</b>	-	-	-	-	-	-	-	-	-	-	-
WCW-7	5/27/2010	<2	<2.5	<1	<b>3.3</b>	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<10	<2

**Notes:**

Analyte denoted as p-Isopropyltoluene in laboratory reports generated by Calscience Environmental Laboratories, Inc., and as 4-Isopropyltoluene in laboratory reports generated by Alpha Analytical, Inc.

< = not detected at or above the laboratory reporting limit shown.

April samples collected by Blaine Tech Services, Inc., on behalf of DESC.

May samples collected by Blaine Tech Services, Inc., on behalf of SFPP.

TABLE 11

**HISTORICAL ANALYTICAL RESULTS FOR TPH, BTEX, 1-2 DCA, MTBE, TBA, and DIPE IN GROUNDWATER  
NOVEMBER 1996 THROUGH MAY 2010**

Defense Fuel Support Point Norwalk  
Norwalk, California

Results reported in micrograms per liter (µg/L)

Well	Date Sampled	Sampled By	TPHg	TPHd	TPHjp <sub>4</sub>	TPHjp <sub>5</sub>	TPHfp	TPH	Benzene	Toluene	Ethylbenzene	Total Xylenes	1,2-DCA	MTBE	TBA	DIPE
BW-1	5/24/1997		<100	<50	--	--	--	--	<0.3	<0.5	<0.3	<0.6	100	<5	--	--
BW-2	5/24/1997		<100	<50	--	--	--	--	<0.3	<0.5	<0.3	1.4	85	<5	--	--
BW-3	5/24/1997		<100	300	--	--	--	--	<0.3	<0.5	<0.3	<0.6	490	74	--	--
BW-4	5/28/1997		960	560	--	--	--	--	160	2.4	200	9.2	20	850	--	--
BW-5	5/28/1997		150	310	--	--	--	--	<0.3	<0.3	5	<0.6	30	1,100	--	--
BW-6	5/29/1997		<100	690	--	--	--	--	3.5	<0.3	3.7	3.7	14	<5	--	--
BW-7	5/29/1997		200	510	--	--	--	--	0.99	<0.3	<0.3	<0.3	310	9.2	--	--
BW-8	5/29/1997		<100	450	--	--	--	--	<0.3	<0.3	<0.3	<0.3	39	<5	--	--
BW-9	5/30/1997		<100	230	--	--	--	--	<0.3	<0.3	<0.3	<0.6	1.4	<5	--	--
EXP-1	11/27/1996	GSI	82	<500	<500	--	--	--	1.4	<0.5	<0.5	2.7	<0.5	<1	--	--
EXP-1	3/14/1997	GTI	<50	<47	--	--	--	--	<0.5	<0.5	<0.5	<0.5	--	--	--	--
EXP-1	3/14/1997	GTI	<100	--	--	--	--	--	<2	<2	<2	<2	--	--	--	--
EXP-1	3/14/1997	GTI	<50	<50	--	--	--	--	<0.5	<0.5	<0.5	<0.5	--	--	--	--
EXP-1	7/10/1997	GTI	<50	290	<200	--	--	--	<5	<5	<5	<5	<5	<5	--	--
EXP-1	1/9/1998	GTI	<500	<100	<100	--	--	--	<0.5	<0.5	<0.5	<1	<0.5	<0.5	--	--
EXP-1	5/20/1998	BBC	<300	--	--	--	--	--	0.5	0.9	<0.5	<1	<0.5	<0.5	--	--
EXP-1	11/4/1998	GTI	<300	--	--	--	175	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
EXP-1	5/26/1999	GTI	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
EXP-1	8/10/1999	Alton Geoscience	<500	<1000	--	--	--	--	<0.5	<1	<1	<1	<0.5	<1	--	--
EXP-1	9/23/1999	Secor	<300	--	--	--	--	--	<0.5	<1	<1	<1	<0.5	<1	--	--
EXP-1	10/12/1999	Secor	<300	--	--	--	<100	--	<0.5	<1	<1	<1	<0.5	<1	--	--
EXP-1	11/18/1999	IT Corporation	<300	--	--	--	<100	--	<0.5	<1	<0.5	<0.5	<0.5	<0.5	--	--
EXP-1	11/19/1999	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
EXP-1	12/21/1999	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
EXP-1	1/20/2000	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
EXP-1	2/28/2000	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
EXP-1	3/28/2000	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
EXP-1	4/20/2000	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
EXP-1	5/17/2000	IT Corporation	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
EXP-1	5/18/2000	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
EXP-1	6/30/2000	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
EXP-1	8/28/2000	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
EXP-1	11/29/2000	IT Corporation	<300	--	--	--	<100	--	0.5	<0.5	<0.5	0.7	<0.5	<0.5	--	--
EXP-1	2/6/2001	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
EXP-1	5/8/2001	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
EXP-1	5/9/2001	IT Corporation	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
EXP-1	9/19/2001	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
EXP-1	11/7/2001	IT Corporation	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
EXP-1	1/30/2002	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
EXP-1	4/10/2002	IT Corporation	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
EXP-1	4/11/2002	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
EXP-1	7/30/2002	IT Corporation	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	0.98	--	--
EXP-1	9/6/2002	Secor	--	--	--	--	--	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
EXP-1	10/23/2002	GTI	<300	--	--	--	<100	--	<0.5	<1	<1	<0.3	<0.5	<5	--	--



TABLE 11

**HISTORICAL ANALYTICAL RESULTS FOR TPH, BTEX, 1-2 DCA, MTBE, TBA, and DIPE IN GROUNDWATER  
NOVEMBER 1996 THROUGH MAY 2010**

Defense Fuel Support Point Norwalk  
Norwalk, California

Results reported in micrograms per liter (µg/L)

Well	Date Sampled	Sampled By	TPHg	TPHd	TPHj <sub>p4</sub>	TPHj <sub>p5</sub>	TPHfp	TPH	Benzene	Toluene	Ethylbenzene	Total Xylenes	1,2-DCA	MTBE	TBA	DIPE
EXP-1	10/24/2002	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
EXP-1	1/29/2003	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
EXP-1	4/8/2003	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
EXP-1	4/10/2003	GTI	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
EXP-1	7/30/2003	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
EXP-1	10/8/2003	Parsons	<100	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
EXP-1	10/8/2003	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
EXP-1	1/29/2004	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
EXP-1	4/21/2004	Parsons	<100	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
EXP-1	4/21/2004	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
EXP-1	7/19/2004	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
EXP-1	7/21/2004	Parsons	200	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	--	<0.5	--	--
EXP-1	11/3/2004	Parsons	<100	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
EXP-1	2/2/2005	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
EXP-1	5/4/2005	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
EXP-1	8/2/2005	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
EXP-1	11/2/2005	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
EXP-1	2/27/2006	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
EXP-1	5/2/2006	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
EXP-1	5/3/2006	Parsons	<100	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
EXP-1	9/19/2006	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
EXP-1	12/5/2006	Parsons	<100	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
EXP-1	12/5/2006	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
EXP-1	3/13/2007	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
EXP-1	5/2/2007	Parsons	<100	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
EXP-1	5/2/2007	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
EXP-1	8/29/2007	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
EXP-1	11/13/2007	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
EXP-1	11/13/2007	Parsons	<100	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
EXP-1	2/20/2008	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
EXP-1	4/16/2008	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
EXP-1	4/16/2008	Parsons	<100	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
EXP-1	8/14/2008	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
EXP-1	10/15/2008	Parsons	<100	--	--	<100	--	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
EXP-1	10/17/2008	Stantec	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
EXP-1	2/24/2009	Blaine Tech	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	--
EXP-1	4/20/2009	Blaine Tech for Parsons	<100	--	--	<100	--	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
EXP-1	4/22/2009	Blaine Tech for AMEC GMX	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<1
EXP-1	7/20/2009	Blaine Tech	<50	--	--	--	120	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<1
EXP-1	10/19/2009	Blaine Tech for DESC	<100	--	--	<100	--	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
EXP-1	10/19/2009	Blaine Tech for Parsons	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<1

TABLE 11

**HISTORICAL ANALYTICAL RESULTS FOR TPH, BTEX, 1-2 DCA, MTBE, TBA, and DIPE IN GROUNDWATER  
NOVEMBER 1996 THROUGH MAY 2010**

Defense Fuel Support Point Norwalk  
Norwalk, California

Results reported in micrograms per liter (µg/L)

Well	Date Sampled	Sampled By	TPHg	TPHd	TPHj <sub>p4</sub>	TPHj <sub>p5</sub>	TPHf <sub>p</sub>	TPH	Benzene	Toluene	Ethylbenzene	Total Xylenes	1,2-DCA	MTBE	TBA	DIPE
EXP-1	1/11/2010	Blaine Tech for DESC	<100	--	--	<100	--	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
EXP-1	3/15/2010	Blaine Tech for Parsons	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<1
EXP-1	4/12/2010	Blaine Tech for DESC	--	--	--	<100	--	--	<0.5	<0.5	<0.5	<0.5	<0.5	<b>0.44</b>	<10	<2
EXP-1	5/25/2010	Blaine Tech	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<1
EXP-2	11/27/1996	GSI	<50	<500	<500	--	--	--	<0.5	<0.5	<0.5	<0.1	<0.5	<1	--	--
EXP-2	3/14/1997	GTI	<100	--	--	--	--	--	<2	<2	<2	<2	--	--	--	--
EXP-2	3/14/1997	GTI	<50	<b>75</b>	--	--	--	--	<0.5	<0.5	<0.5	<0.5	--	--	--	--
EXP-2	3/14/1997	GTI	<b>72</b>	<b>200</b>	--	--	--	--	<0.5	<0.5	<0.5	<0.5	--	--	--	--
EXP-2	7/10/1997	GTI	<50	<50	<50	--	--	--	<5	<5	<5	<5	<5	<5	--	--
EXP-2	1/9/1998	GTI	<500	<100	<100	--	--	--	<0.5	<0.5	<0.5	<1	<0.5	<0.5	--	--
EXP-2	5/20/1998	BBC	<300	--	--	--	--	--	<0.5	<b>0.6</b>	<0.5	<1	<0.5	<0.5	--	--
EXP-2	11/4/1998	GTI	<300	--	--	--	<100	--	<0.5	<b>1.5</b>	<b>1</b>	<b>10</b>	<0.5	<0.5	--	--
EXP-2	5/7/1999	Alton Geoscience	<500	<500	--	--	--	--	<b>1.6</b>	<b>1.1</b>	<0.5	<b>1.9</b>	<1	<b>1.7</b>	--	--
EXP-2	5/26/1999	GTI	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<b>1.4</b>	--	--
EXP-2	7/21/1999	Alton Geoscience	<50	--	--	--	--	--	<0.5	<0.5	<0.5	<0.5	<1	<b>0.83</b>	--	--
EXP-2	8/10/1999	Alton Geoscience	<500	<1000	--	--	--	--	<0.5	<1	<1	<1	<0.5	<1	--	--
EXP-2	9/23/1999	Secor	<300	--	--	--	--	--	<0.5	<1	<1	<1	<0.5	<1	--	--
EXP-2	10/12/1999	Secor	<300	--	--	--	<100	--	<0.5	<1	<1	<1	<0.5	<1	--	--
EXP-2	11/18/1999	IT Corporation	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
EXP-2	11/19/1999	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
EXP-2	12/21/1999	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
EXP-2	1/20/2000	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
EXP-2	2/28/2000	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
EXP-2	3/28/2000	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
EXP-2	4/20/2000	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
EXP-2	5/16/2000	IT Corporation	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
EXP-2	5/18/2000	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
EXP-2	6/30/2000	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
EXP-2	8/28/2000	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
EXP-2	11/29/2000	IT Corporation	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
EXP-2	2/6/2001	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
EXP-2	5/8/2001	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
EXP-2	5/9/2001	IT Corporation	<300	--	--	--	<100	--	<0.5	<b>0.9</b>	<0.5	<b>0.8</b>	<0.5	<0.5	--	--
EXP-2	9/19/2001	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
EXP-2	11/7/2001	IT Corporation	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
EXP-2	1/30/2002	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
EXP-2	4/10/2002	IT Corporation	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
EXP-2	4/11/2002	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
EXP-2	7/30/2002	IT Corporation	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
EXP-2	10/23/2002	GTI	<300	--	--	--	<100	--	<0.5	<1	<1	<1	<0.5	<1	--	--
EXP-2	10/24/2002	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
EXP-2	1/28/2003	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
EXP-2	4/8/2003	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--

TABLE 11

**HISTORICAL ANALYTICAL RESULTS FOR TPH, BTEX, 1-2 DCA, MTBE, TBA, and DIPE IN GROUNDWATER  
NOVEMBER 1996 THROUGH MAY 2010**

Defense Fuel Support Point Norwalk  
Norwalk, California

Results reported in micrograms per liter (µg/L)

Well	Date Sampled	Sampled By	TPHg	TPHd	TPHj <sub>p4</sub>	TPHj <sub>p5</sub>	TPHfp	TPH	Benzene	Toluene	Ethylbenzene	Total Xylenes	1,2-DCA	MTBE	TBA	DIPE
EXP-2	4/11/2003	GTI	--	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
EXP-2	7/30/2003	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
EXP-2	10/7/2003	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
EXP-2	10/10/2003	Parsons	<100	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
EXP-2	1/29/2004	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
EXP-2	4/21/2004	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
EXP-2	4/22/2004	Parsons	<100	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
EXP-2	7/20/2004	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
EXP-2	7/21/2004	Parsons	120	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	--	<0.5	--	--
EXP-2	11/4/2004	Parsons	<100	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
EXP-2	2/3/2005	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
EXP-2	5/5/2005	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
EXP-2	8/2/2005	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
EXP-2	11/2/2005	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
EXP-2	2/28/2006	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
EXP-2	5/3/2006	Parsons	<100	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
EXP-2	5/3/2006	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
EXP-2	9/19/2006	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
EXP-2	12/6/2006	Parsons	<100	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
EXP-2	12/6/2006	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
EXP-2	3/13/2007	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
EXP-2	5/2/2007	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
EXP-2	5/3/2007	Parsons	<100	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
EXP-2	8/29/2007	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
EXP-2	11/14/2007	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
EXP-2	2/20/2008	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
EXP-2	4/17/2008	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
EXP-2	4/17/2008	Parsons	<100	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
EXP-2	8/14/2008	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
EXP-2	10/16/2008	Parsons	<100	--	--	<100	--	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
EXP-2	10/17/2008	Stantec	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
EXP-2	2/24/2009	Blaine Tech	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	--
EXP-2	4/21/2009	Blaine Tech for Parsons	<100	--	--	<100	--	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
EXP-2	4/22/2009	Blaine Tech for AMEC GMX	<50	--	--	--	<100	--	1.1	0.59	0.67	1.78	<0.5	<0.5	<10	<1
EXP-2	7/20/2009	Blaine Tech	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<1
EXP-2	10/19/2009	Blaine Tech for DESC	<100	--	--	<100	--	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	6.1	<2
EXP-2	10/19/2009	Blaine Tech for Parsons	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<1
EXP-2	1/11/2010	Blaine Tech for DESC	<100	--	--	<100	--	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
EXP-2	3/15/2010	Blaine Tech for Parsons	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<1
EXP-2	4/12/2010	Blaine Tech for DESC	--	--	--	<100	--	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2

TABLE 11

**HISTORICAL ANALYTICAL RESULTS FOR TPH, BTEX, 1-2 DCA, MTBE, TBA, and DIPE IN GROUNDWATER  
NOVEMBER 1996 THROUGH MAY 2010**

Defense Fuel Support Point Norwalk  
Norwalk, California

Results reported in micrograms per liter (µg/L)

Well	Date Sampled	Sampled By	TPHg	TPHd	TPHj <sub>p4</sub>	TPHj <sub>p5</sub>	TPHfp	TPH	Benzene	Toluene	Ethylbenzene	Total Xylenes	1,2-DCA	MTBE	TBA	DIPE
EXP-2	5/25/2010	Blaine Tech	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<1
EXP-3	11/27/1996	GSI	<50	<500	<500	--	--	--	<0.5	<0.5	<0.5	<1	<0.5	<1	--	--
EXP-3	3/14/1997	GTI	<100	--	--	--	--	--	<2	<2	<2	<2	--	--	--	--
EXP-3	3/14/1997	GTI	<50	120	--	--	--	--	<0.5	<0.5	<0.5	<0.5	--	--	--	--
EXP-3	3/14/1997	GTI	<50	250	--	--	--	--	<0.5	<0.5	<0.5	<0.5	--	--	--	--
EXP-3	7/10/1997	GTI	<50	<50	<50	--	--	--	<5	<5	<5	<5	<5	<5	--	--
EXP-3	1/9/1998	GTI	<500	<100	<100	--	--	--	<0.5	<0.5	<0.5	<1	<0.5	<0.5	--	--
EXP-3	5/20/1998	BBC	<300	--	--	--	--	--	<0.5	<0.5	<0.5	<1	<0.5	<0.5	--	--
EXP-3	11/4/1998	GTI	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
EXP-3	5/7/1999	Alton Geoscience	--	<500	--	--	--	--	<0.5	<0.5	<0.5	<0.5	<1	0.89	--	--
EXP-3	5/27/1999	GTI	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
EXP-3	8/10/1999	Alton Geoscience	<500	<1000	--	--	--	--	4	6.2	<1	3.4	<0.5	<1	--	--
EXP-3	9/23/1999	Secor	<300	--	--	--	--	--	<0.5	<1	<1	<1	<0.5	<1	--	--
EXP-3	10/12/1999	Secor	<300	--	--	--	<100	--	<0.5	<1	<1	<1	<0.5	<1	--	--
EXP-3	11/18/1999	IT Corporation	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
EXP-3	11/19/1999	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
EXP-3	12/21/1999	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
EXP-3	1/20/2000	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
EXP-3	2/28/2000	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
EXP-3	3/28/2000	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
EXP-3	4/20/2000	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
EXP-3	5/17/2000	IT Corporation	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
EXP-3	5/18/2000	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
EXP-3	6/30/2000	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
EXP-3	8/28/2000	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
EXP-3	11/30/2000	IT Corporation	<300	--	--	--	<100	--	<0.5	0.5	<0.5	<0.5	<0.5	<0.5	--	--
EXP-3	2/6/2001	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
EXP-3	5/8/2001	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
EXP-3	5/9/2001	IT Corporation	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
EXP-3	9/19/2001	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
EXP-3	11/7/2001	IT Corporation	<300	--	--	--	<100	--	<0.5	<0.6	<0.5	<0.5	<0.5	<0.5	--	--
EXP-3	11/7/2001	IT Corporation	<300	--	--	--	<100	--	0.8	0.6	<0.5	<0.5	<0.5	<0.5	--	--
EXP-3	1/30/2002	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
EXP-3	4/11/2002	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
EXP-3	4/12/2002	IT Corporation	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
EXP-3	7/30/2002	IT Corporation	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
EXP-3	10/22/2002	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<1	--	--
EXP-3	10/23/2002	GTI	<300	--	--	--	<100	--	<0.5	<1	<1	<1	<0.5	<1	--	--
EXP-3	1/29/2003	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
EXP-3	4/8/2003	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
EXP-3	4/11/2003	GTI	--	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
EXP-3	7/30/2003	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
EXP-3	10/7/2003	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
EXP-3	10/10/2003	Parsons	<100	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--

TABLE 11

**HISTORICAL ANALYTICAL RESULTS FOR TPH, BTEX, 1-2 DCA, MTBE, TBA, and DIPE IN GROUNDWATER  
NOVEMBER 1996 THROUGH MAY 2010**

Defense Fuel Support Point Norwalk  
Norwalk, California

Results reported in micrograms per liter (µg/L)

Well	Date Sampled	Sampled By	TPHg	TPHd	TPHj <sub>p4</sub>	TPHj <sub>p5</sub>	TPHfp	TPH	Benzene	Toluene	Ethylbenzene	Total Xylenes	1,2-DCA	MTBE	TBA	DIPE
EXP-3	1/29/2004	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
EXP-3	4/20/2004	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
EXP-3	4/22/2004	Parsons	<100	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
EXP-3	7/19/2004	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
EXP-3	7/21/2004	Parsons	<b>120</b>	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	--	<0.5	--	--
EXP-3	11/3/2004	Parsons	<100	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
EXP-3	2/2/2005	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
EXP-3	5/4/2005	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
EXP-3	8/1/2005	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
EXP-3	11/2/2005	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
EXP-3	2/27/2006	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
EXP-3	5/2/2006	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
EXP-3	5/5/2006	Parsons	<100	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
EXP-3	9/18/2006	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
EXP-3	12/5/2006	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
EXP-3	12/6/2006	Parsons	<100	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
EXP-3	3/13/2007	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
EXP-3	5/4/2007	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
EXP-3	5/4/2007	Parsons	<100	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
EXP-3	8/30/2007	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
EXP-3	11/15/2007	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
EXP-3	11/16/2007	Parsons	<100	--	--	--	<b>1,500</b>	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
EXP-3	2/7/2008	Parsons	<100	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
EXP-3	2/20/2008	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
EXP-3	4/16/2008	Parsons	<100	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
EXP-3	4/16/2008	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
EXP-3	8/14/2008	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
EXP-3	10/14/2008	Stantec	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
EXP-3	10/15/2008	Parsons	<100	--	--	<100	--	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
EXP-3	2/24/2009	Blaine Tech	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	--
EXP-3	4/22/2009	Blaine Tech for Parsons	<100	--	--	<100	--	--	<0.5	<b>3.4</b>	<0.5	<0.5	<0.5	<0.5	<10	<2
EXP-3	4/23/2009	Blaine Tech for AMEC GMX	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<1
EXP-3	7/20/2009	Blaine Tech	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<1
EXP-3	7/20/2009	Blaine Tech for AMEC GMX	<100	--	--	<100	--	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
EXP-3	10/19/2009	Blaine Tech for DESC	<100	--	--	<100	--	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
EXP-3	10/19/2009	Blaine Tech for Parsons	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<1
EXP-3	1/11/2010	Blaine Tech for DESC	<100	--	--	<100	--	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
EXP-3	3/15/2010	Blaine Tech for Parsons	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<1
EXP-3	4/12/2010	Blaine Tech for DESC	--	--	--	<100	--	--	<b>0.31</b>	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2

TABLE 11

**HISTORICAL ANALYTICAL RESULTS FOR TPH, BTEX, 1-2 DCA, MTBE, TBA, and DIPE IN GROUNDWATER  
NOVEMBER 1996 THROUGH MAY 2010**

Defense Fuel Support Point Norwalk  
Norwalk, California

Results reported in micrograms per liter (µg/L)

Well	Date Sampled	Sampled By	TPHg	TPHd	TPHj <sub>p4</sub>	TPHj <sub>p5</sub>	TPHfp	TPH	Benzene	Toluene	Ethylbenzene	Total Xylenes	1,2-DCA	MTBE	TBA	DIPE
EXP-3	5/25/2010	Blaine Tech	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<1
EXP-4	2/3/1999	Alton Geoscience	<500	<500	--	--	--	--	<0.5	<0.5	<0.5	<1	<1	<0.5	--	--
EXP-4	5/6/1999	Alton Geoscience	<500	<500	--	--	--	--	<b>1.3</b>	<b>4.1</b>	<0.5	<b>1.7</b>	<1	<0.5	--	--
EXP-4	7/21/1999	Alton Geoscience	<50	--	--	--	--	--	<0.5	<0.5	<0.5	<0.5	<1	<0.5	--	--
EXP-4	8/10/1999	Alton Geoscience	<500	<1000	--	--	--	--	<b>50</b>	<b>80</b>	<b>7.7</b>	<b>44</b>	<b>2.1</b>	<b>4.2</b>	--	--
EXP-4	9/23/1999	Secor	<300	--	--	--	--	--	<0.5	<1	<1	<1	<0.5	<1	--	--
EXP-4	9/23/1999	Secor	<300	--	--	--	--	--	<0.5	<1	<1	<1	<b>0.72</b>	<b>1.2</b>	--	--
EXP-4	10/12/1999	Secor	<300	--	--	--	<100	--	<0.5	<1	<1	<1	<0.5	<1	--	--
EXP-4	11/19/1999	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<b>0.6</b>	--	--
EXP-4	12/21/1999	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
EXP-4	1/20/2000	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<b>0.5</b>	<0.5	<0.5	--	--
EXP-4	2/28/2000	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
EXP-4	3/28/2000	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
EXP-4	4/20/2000	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
EXP-4	5/18/2000	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
EXP-4	6/30/2000	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
EXP-4	8/28/2000	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
EXP-4	11/30/2000	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
EXP-4	2/6/2001	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
EXP-4	5/8/2001	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
EXP-4	9/18/2001	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
EXP-4	11/7/2001	IT Corporation	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
EXP-4	1/30/2002	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
EXP-4	4/11/2002	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
EXP-4	10/24/2002	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
EXP-4	10/7/2003	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
EXP-4	5/5/2005	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
EXP-4	5/5/2006	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
EXP-4	9/20/2006	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
EXP-4	5/1/2007	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
EXP-4	4/18/2008	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
EXP-4	4/21/2009	Blaine Tech for AMEC GMX	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<1
EXP-4	7/20/2009	Blaine Tech	<50	--	--	--	<b>120</b>	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<1
EXP-4	10/19/2009	Blaine Tech for Parsons	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<1
EXP-4	5/24/2010	Blaine Tech	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<1
EXP-5	11/11/1998	Alton Geoscience	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
EXP-5	2/3/1999	Alton Geoscience	<500	<500	--	--	--	--	<0.5	<0.5	<0.5	<1	<1	<0.5	--	--
EXP-5	5/5/1999	Alton Geoscience	<500	<500	--	--	--	--	<b>7.6</b>	<b>3.9</b>	<b>1.4</b>	<b>7.4</b>	<1	<b>140</b>	--	--
EXP-5	7/21/1999	Alton Geoscience	<50	--	--	--	--	--	<0.5	<0.5	<0.5	<0.5	<1	<b>11</b>	--	--
EXP-5	8/10/1999	Alton Geoscience	<500	<1000	--	--	--	--	<b>21</b>	<b>37</b>	<b>4.3</b>	<b>22</b>	<0.5	<b>2.4</b>	--	--
EXP-5	9/23/1999	Secor	<300	--	--	--	--	--	<0.5	<1	<1	<1	<0.5	<1	--	--
EXP-5	10/12/1999	Secor	<300	--	--	--	<100	--	<0.5	<1	<1	<1	<0.5	<1	--	--

TABLE 11

**HISTORICAL ANALYTICAL RESULTS FOR TPH, BTEX, 1-2 DCA, MTBE, TBA, and DIPE IN GROUNDWATER  
NOVEMBER 1996 THROUGH MAY 2010**

Defense Fuel Support Point Norwalk  
Norwalk, California

Results reported in micrograms per liter (µg/L)

Well	Date Sampled	Sampled By	TPHg	TPHd	TPHj <sub>p4</sub>	TPHj <sub>p5</sub>	TPHfp	TPH	Benzene	Toluene	Ethylbenzene	Total Xylenes	1,2-DCA	MTBE	TBA	DIPE
EXP-5	11/19/1999	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
EXP-5	12/21/1999	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
EXP-5	1/20/2000	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
EXP-5	2/28/2000	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
EXP-5	3/28/2000	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
EXP-5	4/20/2000	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
EXP-5	5/17/2000	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
EXP-5	6/30/2000	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
EXP-5	8/28/2000	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
EXP-5	11/29/2000	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
EXP-5	2/6/2001	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
EXP-5	5/8/2001	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
EXP-5	9/19/2001	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
EXP-5	11/7/2001	IT Corporation	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
EXP-5	1/30/2002	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
EXP-5	4/11/2002	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
EXP-5	7/30/2002	IT Corporation	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
EXP-5	10/24/2002	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
EXP-5	1/28/2003	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
EXP-5	4/8/2003	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
EXP-5	7/30/2003	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
EXP-5	10/7/2003	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
EXP-5	1/29/2004	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
EXP-5	4/21/2004	Secor	<50	--	--	--	160	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
EXP-5	7/20/2004	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
EXP-5	11/4/2004	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
EXP-5	2/3/2005	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
EXP-5	5/4/2005	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
EXP-5	8/3/2005	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
EXP-5	11/1/2005	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
EXP-5	2/28/2006	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
EXP-5	5/5/2006	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
EXP-5	9/19/2006	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
EXP-5	12/7/2006	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
EXP-5	3/13/2007	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
EXP-5	5/3/2007	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
EXP-5	8/28/2007	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
EXP-5	11/15/2007	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
EXP-5	2/20/2008	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
EXP-5	4/18/2008	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
EXP-5	8/14/2008	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
EXP-5	10/15/2008	Stantec	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
EXP-5	2/23/2009	Blaine Tech	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	--

TABLE 11

**HISTORICAL ANALYTICAL RESULTS FOR TPH, BTEX, 1-2 DCA, MTBE, TBA, and DIPE IN GROUNDWATER  
NOVEMBER 1996 THROUGH MAY 2010**

Defense Fuel Support Point Norwalk  
Norwalk, California

Results reported in micrograms per liter (µg/L)

Well	Date Sampled	Sampled By	TPHg	TPHd	TPHj <sub>p4</sub>	TPHj <sub>p5</sub>	TPHf <sub>p</sub>	TPH	Benzene	Toluene	Ethylbenzene	Total Xylenes	1,2-DCA	MTBE	TBA	DIPE
EXP-5	4/22/2009	Blaine Tech for AMEC GMX	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<1
EXP-5	7/21/2009	Blaine Tech	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<1
EXP-5	10/19/2009	Blaine Tech for Parsons	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<1
EXP-5	3/15/2010	Blaine Tech for Parsons	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<1
EXP-5	5/25/2010	Blaine Tech	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<1
GMW-1	11/27/1996	Terra Services	--	--	--	--	--	--	13,000	11,000	2,700	14,300	<50	<500	--	--
GMW-1	7/17/1997	Terra Services	68,000	6,900	--	--	--	--	10,000	5,500	2,500	11,500	<30	<300	--	--
GMW-1	1/9/1998	Terra Services	5,800	4,500	--	--	--	--	5,600	590	1,200	4,570	<30	<300	--	--
GMW-1	5/27/1998	Terra Services	19,600	--	--	--	--	--	4,360	466	930	2,279	<0.5	101	--	--
GMW-1	11/17/1998	Alton Geoscience	4,260	--	--	--	32,200	--	950	150	360	320	<50	<50	--	--
GMW-1	5/5/1999	Alton Geoscience	<500	<500	--	--	--	--	1.9	8.4	0.58	2.9	<1	<0.5	--	--
GMW-1	11/17/1999	Secor	23,000	--	--	--	25,000	--	4,700	440	1,100	4,040	<5	71	--	--
GMW-1	5/16/2000	Secor	14,000	--	--	--	16,000	--	3,100	40	720	2,300	<25	50	--	--
GMW-1	11/30/2000	Secor	14,000	--	--	--	28,000	--	2,700	80	1,000	1,780	<0.5	33	--	--
GMW-1	5/9/2001	Secor	1,000	--	--	--	18,000	--	1,900	<13	530	468	<13	<13	--	--
GMW-1	11/6/2001	Secor	11,000	--	--	--	18,000	--	2,900	35	1,300	280	<0.5	27	--	--
GMW-1	4/10/2002	Secor	7,600	--	--	--	13,000	--	2,000	26	740	295	<10	18	--	--
GMW-1	10/23/2002	Secor	830	--	--	--	8,400	--	1,300	<5	330	111	<5	17	--	--
GMW-1	3/11/2003	Geomatrix	340	--	--	--	390	--	130	<0.5	30	6	<0.5	0.68	--	--
GMW-1	4/8/2003	Secor	4,500	--	--	--	2,100	--	2,200	<10	240	142	<20	25	--	--
GMW-1	8/1/2003	Secor	4,000	--	--	--	2,100	--	1,600	11	360	172	<20	14	--	--
GMW-1	10/6/2003	Secor	7,400	--	--	--	2,500	--	2,200	12	520	196	<20	13	--	--
GMW-1	1/27/2004	Secor	4,400	--	--	--	2,200	--	1,500	5.7	180	200	<10	12	--	--
GMW-1	4/22/2004	Secor	9,100	--	--	--	5,200	--	3,200	<20	270	160	<40	<20	--	--
GMW-1	7/19/2004	Secor	6,000	--	--	--	1,800	--	2,100	<10	90	70	<20	20	--	--
GMW-1	11/3/2004	Secor	7,900	--	--	--	3,700	--	3,500	<10	88	35	<20	18	--	--
GMW-1	2/2/2005	Secor	2,100	--	--	--	1,500	--	1,100	<5	18	29	<10	12	--	--
GMW-1	5/6/2005	Secor	<200	--	--	--	320	--	1	<1	<1	<1	<2	<1	--	--
GMW-1	8/1/2005	Secor	<500	--	--	--	1,100	--	<2.5	<2.5	<2.5	<2.5	<5	<2.5	--	--
GMW-1	11/2/2005	Secor	<500	--	--	--	1,400	--	<2.5	<2.5	<2.5	<2.5	<5	<2.5	--	--
GMW-1	2/27/2006	Secor	<1000	--	--	--	1,600	--	<5	<5	<5	<5	<10	<5	--	--
GMW-1	5/4/2006	Secor	<500	--	--	--	1,600	--	4	<2.5	<2.5	<2.5	<5	<2.5	--	--
GMW-1	9/18/2006	Secor	<500	--	--	--	1,300	--	<2.5	<2.5	<2.5	<2.5	<5	<2.5	--	--
GMW-1	12/6/2006	Secor	<500	--	--	--	4,500	--	<2.5	<2.5	<2.5	<2.5	<5	<2.5	--	--
GMW-1	3/13/2007	Secor	<1000	--	--	--	2,000	--	<5	<5	<5	<5	<10	<5	--	--
GMW-1	5/4/2007	Secor	<50	--	--	--	1,500	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-1	8/30/2007	Secor	520	--	--	--	910	--	<1.5	<1.5	<1.5	<1.5	<3	<1.5	--	--
GMW-1	11/14/2007	Secor	140	--	--	--	430	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-1	2/20/2008	Secor	<200	--	--	--	690	--	41	<1	4.9	4.8	<2	<1	--	--
GMW-1	4/16/2008	Secor	<200	--	--	--	1,200	--	14	<1	<1	<1	<2	<1	--	--
GMW-1	10/17/2008	Stantec	1,600	--	--	--	2,900	--	52	1.6	58	250	<2	<1	--	--



TABLE 11

**HISTORICAL ANALYTICAL RESULTS FOR TPH, BTEX, 1-2 DCA, MTBE, TBA, and DIPE IN GROUNDWATER  
NOVEMBER 1996 THROUGH MAY 2010**

Defense Fuel Support Point Norwalk  
Norwalk, California

Results reported in micrograms per liter (µg/L)

Well	Date Sampled	Sampled By	TPHg	TPHd	TPHj <sub>p4</sub>	TPHj <sub>p5</sub>	TPHf <sub>p</sub>	TPH	Benzene	Toluene	Ethylbenzene	Total Xylenes	1,2-DCA	MTBE	TBA	DIPE
GMW-1	4/20/2009	Blaine Tech for AMEC GMX	600	--	--	--	2,400	--	63	1.2	25	15.7	<2	<1	<20	<2
GMW-1	10/22/2009	Blaine Tech for Parsons	330	--	--	--	1,900	--	1.5	<1	<1	<1	<2	<1	<20	<2
GMW-1	5/27/2010	Blaine Tech	900	--	--	--	1,900	--	55	5	46	2	<2	<1	<20	<2
GMW-11	11/21/1996	Terra Services	--	--	--	--	--	--	<0.5	<0.5	<0.5	<1.5	<0.5	<5	--	--
GMW-11	7/10/1997	Terra Services	220	2,500	--	--	--	--	<0.5	4	0.9	<0.5	<0.5	<5	--	--
GMW-11	1/7/1998	Terra Services	4,000	220,000	--	--	--	--	<0.5	<0.5	<0.5	1.6	<0.5	<5	--	--
GMW-11	5/20/1998	Terra Services	42,400	--	--	--	--	--	<0.3	<0.3	<25	<50	<2.5	<0.5	--	--
GMW-11	11/17/1998	Alton Geoscience	6,230	--	--	--	146,000	--	<5	6	<5	11	<5	24	--	--
GMW-11	5/7/1999	Alton Geoscience	1,900	1,900	--	--	--	--	0.61	2.1	<0.5	0.62	<1	<0.5	--	--
GMW-11	11/16/1999	Secor	1,200	--	--	--	25,000	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-11	5/19/2000	Secor	790	--	--	--	1,900	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-11	11/30/2000	Secor	1,600	--	--	--	4,100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-11	5/10/2001	Secor	<300	--	--	--	670	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-11	11/7/2001	IT Corporation	<300	--	--	--	560	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-11	4/11/2002	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-12	11/27/1996	GSI	99	<500	<500	--	--	--	<0.5	<0.5	<0.5	<1	<0.5	<1	--	--
GMW-12	7/10/1997	GTI	110	8,600	<7500	--	--	--	<5	<5	<5	<5	<5	<5	--	--
GMW-12	1/6/1998	GTI	<500	1,000	<100	--	--	--	<0.5	1.6	<0.5	<1	<0.5	<0.5	--	--
GMW-12	5/21/1998	BBC	<300	--	--	--	--	--	<0.3	<0.3	<0.5	<1	<0.5	<0.5	--	--
GMW-12	11/5/1998	GTI	<300	--	--	--	433	--	4.5	<0.5	3	1.7	<0.5	<0.5	--	--
GMW-12	5/27/1999	GTI	<300	--	--	--	937	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-12	11/18/1999	IT Corporation	<300	--	--	--	4,900	--	<0.5	<1	<0.5	<0.5	<0.5	<0.5	--	--
GMW-12	5/17/2000	IT Corporation	<300	--	--	--	2,200	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-12	11/30/2000	IT Corporation	<300	--	--	--	1,400	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-12	5/9/2001	IT Corporation	<300	--	--	--	2,100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-12	11/7/2001	IT Corporation	<300	--	--	--	2,700	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-12	4/11/2002	IT Corporation	<300	--	--	--	1,900	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-12	10/23/2002	GTI	<300	--	--	--	1,700	--	<0.5	<1	<1	<1	<0.5	<1	--	--
GMW-12	4/10/2003	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-12	4/14/2003	GTI	--	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-12	10/10/2003	Parsons	<100	--	--	--	2,900	--	<0.5	<0.5	0.56	<0.5	<0.5	<0.5	--	--
GMW-12	4/21/2004	Parsons	<100	--	--	--	2,000	--	<0.5	<0.5	<0.5	0.62	<0.5	<0.5	<10	<2
GMW-12	11/4/2004	Parsons	<100	--	--	--	2,600	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
GMW-12	5/6/2005	Parsons	<100	--	--	--	1,400	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
GMW-12	11/8/2005	Parsons	<100	--	--	--	270	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
GMW-12	5/4/2006	Parsons	<100	--	--	--	450	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
GMW-12	12/8/2006	Parsons	<100	--	--	--	150	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
GMW-12	5/4/2007	Parsons	<100	--	--	--	440	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
GMW-12	11/16/2007	Parsons	--	--	--	--	150	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
GMW-12	4/18/2008	Parsons	<100	--	--	--	480	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
GMW-12	10/16/2008	Parsons	<100	--	--	310	--	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2

TABLE 11

**HISTORICAL ANALYTICAL RESULTS FOR TPH, BTEX, 1-2 DCA, MTBE, TBA, and DIPE IN GROUNDWATER  
NOVEMBER 1996 THROUGH MAY 2010**

Defense Fuel Support Point Norwalk  
Norwalk, California

Results reported in micrograms per liter (µg/L)

Well	Date Sampled	Sampled By	TPHg	TPHd	TPHj <sub>p4</sub>	TPHj <sub>p5</sub>	TPHfp	TPH	Benzene	Toluene	Ethylbenzene	Total Xylenes	1,2-DCA	MTBE	TBA	DIPE
GMW-12	4/23/2009	Blaine Tech for Parsons	<100	--	--	<b>630</b>	--	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
GMW-12	10/20/2009	Blaine Tech for DESC	<100	--	--	<b>480</b>	--	--	<0.5	<0.5	<0.5	<0.5	<0.5	<b>0.49</b>	<10	<2
GMW-12	4/15/2010	Blaine Tech for DESC	--	--	--	<b>400</b>	--	--	<0.5	<0.5	<0.5	<0.5	--	<0.5	<10	<2
GMW-13	11/21/1996	Terra Services	--	--	--	--	--	--	<b>3.2</b>	<0.5	<b>0.73</b>	<b>1.2</b>	<0.5	<5	--	--
GMW-13	7/10/1997	Terra Services	<b>1,300</b>	<b>5,600</b>	--	--	--	--	<b>1.6</b>	<b>3.5</b>	<b>0.93</b>	<b>2.35</b>	<0.5	<5	--	--
GMW-13	1/8/1998	Terra Services	<100	<500	--	--	--	--	<b>1.9</b>	<b>1.6</b>	<0.5	<1.5	<0.5	<5	--	--
GMW-13	5/20/1998	Terra Services	<300	--	--	--	--	--	<0.3	<0.3	<25	<b>0.8</b>	<2.5	<0.5	--	--
GMW-13	11/12/1998	Alton Geoscience	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-13	5/7/1999	Alton Geoscience	<500	<500	--	--	--	--	<0.5	<0.5	<0.5	<0.5	<1	<0.5	--	--
GMW-13	11/17/1999	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-13	5/17/2000	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-13	11/30/2000	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-13	5/10/2001	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<b>2.6</b>	--	--
GMW-13	11/6/2001	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-13	2/1/2002	Secor	--	--	--	--	--	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-13	4/10/2002	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-13	10/22/2002	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<1	--	--
GMW-13	4/9/2003	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<b>3.1</b>	--	--
GMW-13	10/6/2003	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-13	4/20/2004	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-13	11/2/2004	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-13	5/4/2005	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-13	11/1/2005	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-13	5/2/2006	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-13	12/5/2006	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-13	5/4/2007	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-13	11/14/2007	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-13	4/16/2008	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-13	10/17/2008	Stantec	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-13	4/23/2009	Blaine Tech for AMEC GMX	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<1
GMW-13	10/19/2009	Blaine Tech for Parsons	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<1
GMW-13	10/23/2009	Blaine Tech for DESC	<100	--	--	<100	--	--	<0.5	<0.5	<0.5	<0.5	<b>23</b>	<b>9.5</b>	<10	<b>3.8</b>
GMW-13	5/26/2010	Blaine Tech	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<1
GMW-14	5/7/1999	Alton Geoscience	<500	<500	--	--	--	--	<0.5	<0.5	<0.5	<0.5	<1	<0.5	--	--
GMW-14	11/17/1999	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-14	5/16/2000	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-14	11/30/2000	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-14	5/9/2001	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-14	11/6/2001	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-14	4/10/2002	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-14	10/7/2003	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--

TABLE 11

**HISTORICAL ANALYTICAL RESULTS FOR TPH, BTEX, 1-2 DCA, MTBE, TBA, and DIPE IN GROUNDWATER  
NOVEMBER 1996 THROUGH MAY 2010**

Defense Fuel Support Point Norwalk  
Norwalk, California

Results reported in micrograms per liter (µg/L)

Well	Date Sampled	Sampled By	TPHg	TPHd	TPHj <sub>p4</sub>	TPHj <sub>p5</sub>	TPHf <sub>p</sub>	TPH	Benzene	Toluene	Ethylbenzene	Total Xylenes	1,2-DCA	MTBE	TBA	DIPE
GMW-14	4/22/2004	Secor	59	--	--	--	110	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-14	11/2/2004	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-14	5/6/2005	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-14	11/1/2005	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-14	3/8/2006	Parsons	520	--	--	--	2,000	--	2.6	<0.5	<0.5	<0.5	0.64	4	21	<2
GMW-14	5/2/2006	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-14	12/7/2006	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-14	5/4/2007	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-14	11/14/2007	Secor	1,500	--	--	--	2,100	--	<2.5	<2.5	34	3	<5	<2.5	--	--
GMW-14	4/16/2008	Secor	440	--	--	--	850	--	<0.5	<0.5	<0.5	<0.5	<1	<0.5	--	--
GMW-14	7/29/2008	Parsons	210	--	--	--	810	--	<0.5	<0.5	<0.5	<0.5	<0.5	2.2	18	<2
GMW-14	10/17/2008	Stantec	210	--	--	--	420	--	<0.5	<0.5	<0.5	<0.5	<1	<0.5	--	--
GMW-14	4/23/2009	Blaine Tech for AMEC GMX	120	--	--	--	580	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<1
GMW-14	10/22/2009	Blaine Tech for Parsons	130	--	--	--	740	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	10	<1
GMW-14	4/16/2010	Blaine Tech for DESC	--	--	--	1,500	--	--	160	<0.5	2.6	2.95	<0.5	13	15	<2
GMW-15	5/20/1998	BBC	1,300	--	--	--	--	--	3.9	<0.3	7.4	6.4	--	--	--	--
GMW-15	11/5/1998	GTI	512	--	--	--	1,170	--	1.8	<0.3	3.7	1	--	--	--	--
GMW-15	5/27/1999	GTI	634	--	--	--	18,600	--	2.5	<0.3	5.3	2	--	--	--	--
GMW-15	11/18/1999	IT Corporation	<300	--	--	--	3,400	--	<0.3	<0.3	<0.3	<0.6	--	--	--	--
GMW-15	5/16/2000	IT Corporation	610	--	--	--	11,000	--	<0.3	<0.3	<0.3	<0.6	--	--	--	--
GMW-15	12/1/2000	IT Corporation	450	--	--	--	4,000	--	<0.3	<0.3	<0.3	<0.6	--	<5	--	--
GMW-15	5/10/2001	IT Corporation	<300	--	--	--	<100	--	<0.3	<0.3	<0.3	<0.6	--	<5	--	--
GMW-15	11/7/2001	IT Corporation	<300	--	--	--	13,000	--	<0.3	<0.3	<0.3	<0.6	--	<5	--	--
GMW-15	4/10/2002	IT Corporation	1,900	--	--	--	18,000	--	1.2	<0.3	1.6	3.8	--	<5	--	--
GMW-15	10/23/2002	GTI	840	--	--	--	16,000	--	0.58	<0.3	0.72	1.5	--	<5	--	--
GMW-15	4/10/2003	GTI	--	--	--	--	5,060	--	<1	<1	<1	<2	--	<3	--	--
GMW-15	10/8/2003	Parsons	--	--	--	--	11,000	--	<0.3	<0.3	<0.3	<0.3	--	<5	--	--
GMW-15	4/22/2004	Parsons	--	--	--	--	4,200	--	0.7	<0.3	<0.3	0.47	--	<5	--	--
GMW-15	11/6/2004	Parsons	--	--	--	--	<100	--	<0.3	<0.3	<0.3	<0.3	--	<5	--	--
GMW-15	5/6/2005	Parsons	--	--	--	--	670	--	<0.3	0.47	<0.3	<0.3	--	<5	--	--
GMW-15	11/8/2005	Parsons	--	--	--	--	200	--	<0.3	0.31	<0.3	<0.3	--	<5	--	--
GMW-15	5/3/2006	Parsons	--	--	--	--	330	--	<0.3	<0.3	<0.3	<0.3	--	<5	--	--
GMW-15	12/8/2006	Parsons	--	--	--	--	160	--	<0.5	<0.5	<0.5	<1	--	<5	--	--
GMW-15	5/2/2007	Parsons	--	--	--	--	710	--	<0.5	<0.5	<0.5	1.2	--	<5	--	--
GMW-15	5/2/2007	Parsons	--	--	--	--	740	--	<0.5	<0.5	<0.5	<1	--	<5	--	--
GMW-15	11/14/2007	Parsons	--	--	--	--	890	--	<0.5	<0.5	<0.5	<1	--	<5	--	--
GMW-15	4/16/2008	Parsons	--	--	--	--	1,400	--	<0.5	<0.5	<0.5	<1	--	<5	--	--
GMW-15	10/15/2008	Parsons	--	--	--	1,400	--	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
GMW-15	4/21/2009	Blaine Tech for Parsons	180	--	--	3,600	--	--	<0.5	<0.5	<0.5	<0.5	--	5.4	--	--
GMW-15	10/20/2009	Blaine Tech for DESC	--	--	--	4,900	--	--	<0.5	<0.5	<0.5	<0.5	<0.5	3.1	4.5	<2
GMW-15	4/15/2010	Blaine Tech for DESC	--	--	--	760	--	--	<0.5	<0.5	<0.5	<0.5	--	5.7	<10	<2

TABLE 11

**HISTORICAL ANALYTICAL RESULTS FOR TPH, BTEX, 1-2 DCA, MTBE, TBA, and DIPE IN GROUNDWATER  
NOVEMBER 1996 THROUGH MAY 2010**

Defense Fuel Support Point Norwalk  
Norwalk, California

Results reported in micrograms per liter (µg/L)

Well	Date Sampled	Sampled By	TPHg	TPHd	TPHj <sub>p4</sub>	TPHj <sub>p5</sub>	TPHfp	TPH	Benzene	Toluene	Ethylbenzene	Total Xylenes	1,2-DCA	MTBE	TBA	DIPE
GMW-16	11/21/1996	GSI	<38	<500	<500	--	--	--	<0.5	<0.5	<b>0.8</b>	<1.5	<0.5	--	--	--
GMW-16	7/9/1997	GTI	<50	<b>110</b>	<50	--	--	--	<b>5.7</b>	<5	<b>9.2</b>	<b>7.5</b>	<5	<5	--	--
GMW-16	1/6/1998	GTI	<500	<100	<100	--	--	--	<0.5	<0.5	<0.5	<1	<0.5	<0.5	--	--
GMW-16	5/20/1998	BBC	<300	--	--	--	--	--	<0.3	<0.3	<0.3	<0.6	--	--	--	--
GMW-16	11/4/1998	GTI	<300	--	--	--	<100	--	<0.3	<0.3	<0.3	<0.6	--	--	--	--
GMW-16	5/27/1999	GTI	<300	--	--	--	<100	--	<0.3	<0.3	<0.3	<0.6	--	--	--	--
GMW-16	11/18/1999	IT Corporation	<300	--	--	--	<100	--	<0.3	<0.3	<0.3	<0.6	--	--	--	--
GMW-16	5/16/2000	IT Corporation	<300	--	--	--	<100	--	<0.3	<0.3	<0.3	<0.6	--	--	--	--
GMW-16	11/29/2000	IT Corporation	<300	--	--	--	<b>140</b>	--	<b>0.64</b>	<b>1.2</b>	<b>0.85</b>	<b>3.2</b>	--	<5	--	--
GMW-16	5/10/2001	IT Corporation	<300	--	--	--	<100	--	<0.3	<0.3	<0.3	<0.6	--	<5	--	--
GMW-16	11/7/2001	IT Corporation	<300	--	--	--	<100	--	<0.3	<0.3	<0.3	<0.6	--	<b>9.1</b>	--	--
GMW-16	4/10/2002	IT Corporation	<300	--	--	--	<100	--	<0.3	<0.3	<0.3	<0.6	--	<5	--	--
GMW-16	10/23/2002	GTI	<300	--	--	--	<b>110</b>	--	<0.3	<0.3	<0.3	<0.3	--	<5	--	--
GMW-16	4/11/2003	GTI	--	--	--	--	<100	--	<1	<1	<1	<2	--	<3	--	--
GMW-16	10/8/2003	Parsons	--	--	--	--	<b>310</b>	--	<0.3	<0.3	<0.3	<0.3	--	<5	--	--
GMW-16	4/22/2004	Parsons	--	--	--	--	<100	--	<0.3	<0.3	<0.3	<0.3	--	<5	--	--
GMW-16	11/6/2004	Parsons	--	--	--	--	<100	--	<0.3	<0.3	<0.3	<b>0.59</b>	--	<5	--	--
GMW-16	5/6/2005	Parsons	--	--	--	--	<100	--	<0.3	<b>0.58</b>	<0.3	<0.3	--	<5	--	--
GMW-16	11/8/2005	Parsons	--	--	--	--	<100	--	<0.3	<b>0.48</b>	<0.3	<0.3	--	<5	--	--
GMW-16	5/3/2006	Parsons	--	--	--	--	<b>100</b>	--	<0.3	<0.3	<0.3	<0.3	--	<5	--	--
GMW-16	12/6/2006	Parsons	--	--	--	--	<100	--	<0.5	<0.5	<0.5	<1	--	<5	--	--
GMW-16	5/2/2007	Parsons	--	--	--	--	<100	--	<0.5	<0.5	<0.5	<1	--	<5	--	--
GMW-16	11/14/2007	Parsons	--	--	--	--	<100	--	<0.5	<0.5	<0.5	<1	--	<5	--	--
GMW-16	4/16/2008	Parsons	--	--	--	--	<100	--	<0.5	<0.5	<0.5	<1	--	<5	--	--
GMW-16	10/15/2008	Parsons	--	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
GMW-16	4/21/2009	Blaine Tech for Parsons	--	--	--	<100	--	--	<0.5	<0.5	<0.5	<0.5	--	<0.5	--	--
GMW-16	10/20/2009	Blaine Tech for DESC	--	--	--	<100	--	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
GMW-16	4/12/2010	Blaine Tech for DESC	--	--	--	<b>110</b>	--	--	<0.5	<0.5	<0.5	<0.5	--	<0.5	<10	<2
GMW-17	5/10/2001	IT Corporation	<b>6,800</b>	--	--	--	<b>1,500,000</b>	--	<b>52</b>	<b>25</b>	<15	<b>330</b>	--	<250	--	--
GMW-17	10/24/2002	GTI	<b>49,000</b>	--	--	--	<b>170,000</b>	--	<b>91</b>	<30	<30	<b>160</b>	--	<500	--	--
GMW-17	4/14/2003	GTI	--	--	--	--	<b>10,100</b>	--	<b>572</b>	<b>5.55</b>	<b>75.1</b>	<b>367</b>	--	<15	--	--
GMW-17	10/10/2003	Parsons	--	--	--	--	<b>8,700</b>	--	<b>240</b>	<b>1.5</b>	<b>9.5</b>	<b>41</b>	--	<10	--	--
GMW-17	4/22/2004	Parsons	--	--	--	--	<b>2,400</b>	--	<b>540</b>	<b>4.6</b>	<b>24</b>	<b>190</b>	--	<b>63</b>	--	--
GMW-17	11/6/2004	Parsons	--	--	--	--	<b>3,000</b>	--	<b>110</b>	<0.3	<b>2.1</b>	<b>6.1</b>	--	<b>19</b>	--	--
GMW-17	5/10/2005	Parsons	--	--	--	--	<b>760</b>	--	<b>7.9</b>	<b>3.6</b>	<1.5	<b>2.6</b>	--	<25	--	--
GMW-17	11/8/2005	Parsons	--	--	--	--	<b>290</b>	--	<b>3.7</b>	<0.3	<b>0.37</b>	<b>1.9</b>	--	<b>7</b>	--	--
GMW-17	5/5/2006	Parsons	--	--	--	--	<b>1,200</b>	--	<b>3.7</b>	<b>2.2</b>	<b>1.6</b>	<b>4.5</b>	--	<5	--	--
GMW-17	12/8/2006	Parsons	--	--	--	--	<b>1,400</b>	--	<b>34</b>	<0.5	<b>1.9</b>	<b>30</b>	--	<5	--	--
GMW-17	5/3/2007	Parsons	--	--	--	--	<b>12,000</b>	--	<b>9.1</b>	<0.5	<b>0.92</b>	<b>9</b>	--	<b>7.7</b>	--	--
GMW-17	11/14/2007	Parsons	--	--	--	--	<b>1,200</b>	--	<b>4.8</b>	<0.5	<0.5	<1	--	<5	--	--
GMW-17	4/18/2008	Parsons	--	--	--	--	<100	--	<b>5.3</b>	<0.5	<b>0.62</b>	<b>1.4</b>	--	<5	--	--
GMW-17	10/17/2008	Parsons	--	--	--	--	<b>1,600</b>	--	<b>2.6</b>	<0.5	<b>0.57</b>	<0.5	<0.5	<0.5	<10	<2

TABLE 11

**HISTORICAL ANALYTICAL RESULTS FOR TPH, BTEX, 1-2 DCA, MTBE, TBA, and DIPE IN GROUNDWATER  
NOVEMBER 1996 THROUGH MAY 2010**

Defense Fuel Support Point Norwalk  
Norwalk, California

Results reported in micrograms per liter (µg/L)

Well	Date Sampled	Sampled By	TPHg	TPHd	TPHj <sub>p4</sub>	TPHj <sub>p5</sub>	TPHf <sub>p</sub>	TPH	Benzene	Toluene	Ethylbenzene	Total Xylenes	1,2-DCA	MTBE	TBA	DIPE
GMW-17	4/22/2009	Blaine Tech for Parsons	450	--	--	760	--	--	27	<0.5	2.4	<0.5	--	<0.5	--	<0.5
GMW-17	10/20/2009	Blaine Tech for DESC	--	--	--	2,400	--	--	0.42	<0.5	<0.5	<0.5	<0.5	<0.5	9.5	<2
GMW-17	4/14/2010	Blaine Tech for DESC	1,200	--	--	1,900	--	--	59	0.34	5.5	2	--	<0.5	<10	<2
GMW-18	4/14/2003	GTI	--	--	--	--	16,500,000	--	3,410	3,510	3,070	17,800	--	<150	--	--
GMW-18	10/8/2003	Parsons	--	--	--	--	170,000	--	2,600	120	360	3,100	--	<1000	--	--
GMW-18	4/21/2004	Parsons	--	--	--	--	45,000	--	2,700	<50	380	4,288	--	<50	--	--
GMW-18	11/4/2004	Parsons	--	--	--	--	51,000	--	1,300	<3	220	2,400	--	<50	--	--
GMW-18	5/6/2005	Parsons	--	--	--	--	5,900	--	1,100	22	140	1,200	--	<50	--	--
GMW-18	11/8/2005	Parsons	--	--	--	--	17,000	--	650	11	17	470	--	<100	--	--
GMW-18	5/4/2006	Parsons	--	--	--	--	19,000	--	200	2	15	100	--	6.9	--	--
GMW-18	12/8/2006	Parsons	--	--	--	--	6,800	--	320	<0.5	25	190	--	11	--	--
GMW-18	5/3/2007	Parsons	--	--	--	--	10,000	--	200	<2.5	13	56	--	<25	--	--
GMW-18	11/15/2007	Parsons	--	--	--	--	1,900	--	160	<0.5	4.1	26	--	5.5	--	--
GMW-18	4/17/2008	Parsons	--	--	--	--	3,400	--	180	0.87	13	100	--	6.7	--	--
GMW-18	10/16/2008	Parsons	--	--	--	2,800	--	--	33	<0.5	2.2	11	<0.5	4.7	12	<2
GMW-18	4/23/2009	Blaine Tech for Parsons	880	--	--	1,100	--	--	60	<0.5	1.4	5	<0.5	3	13	<2
GMW-18	10/20/2009	Blaine Tech for DESC	--	--	--	2,700	--	--	15	<0.5	0.55	5.55	<0.5	7	13	<2
GMW-18	4/16/2010	Blaine Tech for DESC	1,500	--	--	7,200	--	--	80	0.84	0.49	1.57	--	7.3	43	<2
GMW-19	11/27/1996	GSI	3,000	<500	<500	--	--	--	85	<2.5	23	<5	--	--	--	--
GMW-19	7/10/1997	GTI	<50	<50	<50	--	--	--	2.5	<1	<1	<2	--	--	--	--
GMW-19	1/7/1998	GTI	<500	<100	<100	--	--	--	<0.3	<0.3	<0.3	<0.6	--	--	--	--
GMW-19	5/21/1998	BBC	<300	--	--	--	--	--	<0.3	<0.3	<0.3	<0.6	--	--	--	--
GMW-19	11/6/1998	GTI	<300	--	--	--	<100	--	<0.3	<0.3	<0.3	<0.6	--	--	--	--
GMW-19	5/27/1999	GTI	<300	--	--	--	<100	--	<0.3	<0.3	<0.3	<0.6	--	--	--	--
GMW-19	11/18/1999	IT Corporation	<300	--	--	--	<100	--	<0.3	<0.3	<0.3	<0.6	--	--	--	--
GMW-19	5/17/2000	IT Corporation	<300	--	--	--	<100	--	0.47	0.45	<0.3	0.95	--	--	--	--
GMW-19	12/1/2000	IT Corporation	<300	--	--	--	440	--	<0.3	<0.3	<0.3	<0.6	--	<5	--	--
GMW-19	5/9/2001	IT Corporation	<300	--	--	--	<100	--	<0.3	<0.3	<0.3	<0.6	--	<5	--	--
GMW-19	11/8/2001	IT Corporation	<300	--	--	--	<100	--	<0.3	<0.3	<0.3	<0.6	--	<5	--	--
GMW-19	4/11/2002	IT Corporation	<300	--	--	--	<100	--	<0.3	<0.3	<0.3	<0.6	--	<5	--	--
GMW-19	10/23/2002	GTI	<300	--	--	--	<100	--	<0.3	<0.3	<0.3	<0.3	--	<5	--	--
GMW-19	4/14/2003	GTI	--	--	--	--	<100	--	<1	<1	<1	<2	--	<3	--	--
GMW-19	10/10/2003	Parsons	--	--	--	--	<100	--	<0.3	<0.3	<0.3	<0.3	--	15	--	--
GMW-19	4/21/2004	Parsons	--	--	--	--	260	--	<0.5	<1	<1	<1	--	28	--	--
GMW-19	11/4/2004	Parsons	--	--	--	--	<100	--	<0.3	<0.3	<0.3	<0.3	--	<5	--	--
GMW-19	5/6/2005	Parsons	--	--	--	--	<100	--	<0.3	<0.3	<0.3	0.69	--	<5	--	--
GMW-19	11/8/2005	Parsons	--	--	--	--	<100	--	0.52	0.71	0.4	2	--	<5	--	--
GMW-19	5/4/2006	Parsons	--	--	--	--	<100	--	<0.3	<0.3	<0.3	<0.3	--	<5	--	--
GMW-19	12/8/2006	Parsons	--	--	--	--	<100	--	<0.5	<0.5	<0.5	<1	--	<5	--	--
GMW-19	5/3/2007	Parsons	--	--	--	--	210	--	<0.5	<0.5	<0.5	<1	--	<5	--	--
GMW-19	11/15/2007	Parsons	--	--	--	--	<100	--	0.5	<0.5	<0.5	<1	--	<5	--	--
GMW-19	4/17/2008	Parsons	--	--	--	--	<100	--	<0.5	<0.5	<0.5	<1	--	<5	--	--

TABLE 11

**HISTORICAL ANALYTICAL RESULTS FOR TPH, BTEX, 1-2 DCA, MTBE, TBA, and DIPE IN GROUNDWATER  
NOVEMBER 1996 THROUGH MAY 2010**

Defense Fuel Support Point Norwalk  
Norwalk, California

Results reported in micrograms per liter (µg/L)

Well	Date Sampled	Sampled By	TPHg	TPHd	TPHj <sub>p4</sub>	TPHj <sub>p5</sub>	TPHfp	TPH	Benzene	Toluene	Ethylbenzene	Total Xylenes	1,2-DCA	MTBE	TBA	DIPE
GMW-19	10/16/2008	Parsons	--	--	--	140	--	--	0.6	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
GMW-19	4/23/2009	Blaine Tech for Parsons	--	--	--	<100	--	--	0.7	<0.5	<0.5	<0.5	--	0.67	--	<0.5
GMW-19	10/20/2009	Blaine Tech for DESC	--	--	--	<100	--	--	3.8	<0.5	<0.5	<0.5	<0.5	1.5	<10	<2
GMW-19	4/16/2010	Blaine Tech for DESC	--	--	--	300	--	--	130	<0.5	0.66	<0.5	--	21	12	<2
GMW-2	11/21/1996	Terra Services	--	--	--	--	--	--	6,500	44	700	960	<30	4,800	--	--
GMW-2	7/15/1997	Terra Services	350	<500	--	--	--	--	59	1.2	41	20	<0.5	<5	--	--
GMW-2	1/8/1998	Terra Services	<100	<500	--	--	--	--	4.1	0.79	1.1	1.1	2.7	220	--	--
GMW-2	5/27/1998	Terra Services	<300	--	--	--	--	--	<0.5	58	0.8	0.5	<0.5	21	--	--
GMW-2	11/17/1998	Alton Geoscience	<300	--	--	--	<100	--	0.88	2.1	0.9	4.8	<0.5	4.4	--	--
GMW-2	5/7/1999	Alton Geoscience	<500	<500	--	--	--	--	8.2	<0.5	<0.5	0.94	<1	42	--	--
GMW-2	11/17/1999	Secor	<300	--	--	--	<100	--	1	<0.5	<0.5	<0.5	<0.5	66	--	--
GMW-2	5/16/2000	Secor	<300	--	--	--	200	--	<0.5	<0.5	<0.5	<0.5	0.6	<0.5	--	--
GMW-2	11/30/2000	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	1	140	--	--
GMW-2	5/8/2001	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	0.6	51	--	--
GMW-2	11/6/2001	Secor	<300	--	--	--	<100	--	7.8	<0.5	<0.5	0.7	1.2	140	--	--
GMW-2	4/9/2002	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	240	--	--
GMW-2	10/23/2002	Secor	<300	--	--	--	240	--	<0.5	<0.5	<0.5	<0.5	<0.5	260	--	--
GMW-2	10/7/2003	Secor	91	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	81	--	--
GMW-2	5/6/2005	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-2	5/9/2006	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	4.2	--	--
GMW-2	5/2/2007	Secor	160	--	--	--	110	--	73	<0.5	<0.5	2.3	<1	5.8	--	--
GMW-2	4/17/2008	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-2	4/20/2009	Blaine Tech for AMEC GMX	<50	--	--	--	100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<1
GMW-2	5/26/2010	Blaine Tech	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<1
GMW-20	11/27/1996	GSI	1,100	<500	<500	--	--	--	<2.5	<2.5	<2.5	<5	<2.5	--	--	--
GMW-20	7/10/1997	GTI	160	1,400	<1200	--	--	--	<5	<5	<5	<5	<5	<5	--	--
GMW-20	1/6/1998	GTI	<500	1,100	<100	--	--	--	<0.5	<0.5	<0.5	<1	<0.5	<0.5	--	--
GMW-20	5/21/1998	BBC	400	--	--	--	--	--	<0.3	<0.5	<0.5	<0.1	<0.5	<0.5	--	--
GMW-20	11/5/1998	GTI	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-20	5/27/1999	GTI	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-20	11/18/1999	IT Corporation	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-20	5/17/2000	IT Corporation	<300	--	--	--	120	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-20	11/30/2000	IT Corporation	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	0.5	--	--
GMW-20	5/9/2001	IT Corporation	<300	--	--	--	110	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-20	11/7/2001	IT Corporation	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-20	4/11/2002	IT Corporation	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-23	11/8/2005	Parsons	--	--	--	--	1,900	--	<0.3	0.4	<0.3	<0.3	--	<5	--	--
GMW-26	11/27/1996	Terra Services	--	--	--	--	--	--	46	2.7	18	8.8	110	950	--	--
GMW-26	7/10/1997	Terra Services	430	<500	--	--	--	--	100	2.1	6.9	5.9	67	760	--	--
GMW-26	1/8/1998	Terra Services	200	<500	--	--	--	--	23	11	5	<15	64	1,200	--	--
GMW-26	5/22/1998	Terra Services	500	--	--	--	--	--	<0.3	<0.5	<0.5	<0.1	260	460	--	--
GMW-26	11/17/1998	Alton Geoscience	1,810	--	--	--	<100	--	310	<5	8	<5	<5	3,460	--	--

TABLE 11

**HISTORICAL ANALYTICAL RESULTS FOR TPH, BTEX, 1-2 DCA, MTBE, TBA, and DIPE IN GROUNDWATER  
NOVEMBER 1996 THROUGH MAY 2010**

Defense Fuel Support Point Norwalk  
Norwalk, California

Results reported in micrograms per liter (µg/L)

Well	Date Sampled	Sampled By	TPHg	TPHd	TPHj <sub>p4</sub>	TPHj <sub>p5</sub>	TPHfp	TPH	Benzene	Toluene	Ethylbenzene	Total Xylenes	1,2-DCA	MTBE	TBA	DIPE
GMW-26	5/7/1999	Alton Geoscience	2,300	<500	--	--	--	--	490	26	70	140	<5	6,100	--	--
GMW-26	11/19/1999	Secor	6,700	--	--	--	5,700	--	3,700	160	42	530	<25	8,500	--	--
GMW-26	5/16/2000	Secor	2,000	--	--	--	490	--	1.9	<0.5	<0.5	<0.5	0.8	82	--	--
GMW-26	11/30/2000	Secor	780	--	--	--	180	--	<0.5	<0.5	<0.5	<0.5	3.1	17	--	--
GMW-26	5/8/2001	Secor	300	--	--	--	120	--	<0.5	<0.5	<0.5	<0.5	13	390	--	--
GMW-26	11/6/2001	Secor	<300	--	--	--	<100	--	0.7	<0.5	<0.5	<0.5	75	130	--	--
GMW-26	4/9/2002	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	57	130	--	--
GMW-26	7/7/2003	Geomatrix	--	--	--	--	--	--	<0.5	<1	<1	<1	1.2	61	--	--
GMW-26	4/27/2004	Geomatrix	63	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	16	59	--	--
GMW-26	7/8/2004	Geomatrix	62	--	--	--	290	--	<0.5	<0.5	<0.5	<0.5	17	27	--	--
GMW-27	5/27/1998	Terra Services	2,800	--	--	--	--	--	940	6	4	11	76	1,570	--	--
GMW-27	11/17/1998	Alton Geoscience	4,220	--	--	--	4,940	--	3,200	<50	<50	<50	<50	530	--	--
GMW-27	5/7/1999	Alton Geoscience	6,300	<500	--	--	--	--	3,600	16	11	<10	<25	720	--	--
GMW-27	11/18/1999	Secor	3,300	--	--	--	1,500	--	1,100	<25	<25	<25	<25	1,000	--	--
GMW-27	5/16/2000	Secor	5,500	--	--	--	3,600	--	2,600	<25	25	34	<25	1,800	--	--
GMW-27	11/30/2000	Secor	4,900	--	--	--	4,100	--	2,100	<25	<25	<25	<25	1,600	--	--
GMW-27	5/8/2001	Secor	5,300	--	--	--	4,000	--	2,600	<25	<25	<25	<25	2,200	--	--
GMW-27	11/6/2001	Secor	4,100	--	--	--	1,500	--	1,600	6.4	6.7	27.6	<0.5	1,900	--	--
GMW-27	4/9/2002	Secor	4,900	--	--	--	590	--	2,300	<10	15	<10	<10	1,800	--	--
GMW-27	10/23/2002	Secor	590	--	--	--	680	--	1,800	13	<10	13	<10	1,400	--	--
GMW-27	4/8/2003	Secor	4,600	--	--	--	640	--	2,700	<15	<15	17	<30	2,000	--	--
GMW-27	10/7/2003	Secor	10,000	--	--	--	890	--	4,400	<20	47	120	<40	1,800	--	--
GMW-27	1/27/2004	Secor	8,100	--	--	--	480	--	3,600	19	29	115	<30	1,500	--	--
GMW-27	4/21/2004	Secor	13,000	--	--	--	1,900	--	6,200	<25	51	<25	<50	2,500	--	--
GMW-27	7/8/2004	Geomatrix	1,900	--	--	--	540	--	260	<2.5	<2.5	<2.5	<5	790	--	--
GMW-27	11/3/2004	Secor	21,000	--	--	--	1,500	--	8,800	<50	53	170	<100	700	--	--
GMW-27	5/6/2005	Secor	1,100	--	--	--	<100	--	440	<2.5	<2.5	4.3	<5	42	--	--
GMW-27	11/3/2005	Secor	4,100	--	--	--	330	--	2,000	<10	<10	17	<20	250	--	--
GMW-27	5/9/2006	Secor	5,500	--	--	--	400	--	2,800	<15	22	<15	<30	180	--	--
GMW-27	12/6/2006	Secor	12,000	--	--	--	740	--	6,400	<50	120	<50	<100	210	--	--
GMW-27	5/2/2007	Secor	13,000	--	--	--	860	--	7,400	<50	<50	<50	<100	230	--	--
GMW-27	11/13/2007	Secor	11,000	--	--	--	550	--	6,000	<25	<25	<25	<50	57	--	--
GMW-27	4/18/2008	Secor	380	--	--	--	270	--	130	<1.5	<1.5	<1.5	<3	21	--	--
GMW-27	8/14/2008	Secor	1,000	--	--	--	490	--	280	<1.5	1.5	1.6	<3	17	--	--
GMW-27	11/21/2008	Stantec	3,100	--	--	--	340	--	1,100	<10	<10	<10	<20	26	--	--
GMW-27	4/20/2009	Blaine Tech for AMEC GMX	100	--	--	--	130	--	2	<0.5	<0.5	<0.5	<0.5	4.2	450	10
GMW-27	10/22/2009	Blaine Tech for Parsons	130	--	--	--	140	--	<0.5	<0.5	<0.5	<0.5	<0.5	5.7	830	17
GMW-27	5/27/2010	Blaine Tech	95	--	--	--	130	--	<0.5	<0.5	<0.5	<0.5	<0.5	3	<10	10
GMW-28	5/7/1999	Alton Geoscience	43,000	<500	--	--	--	--	22,000	780	1,400	3,000	<130	1,900	--	--
GMW-28	5/17/2000	Secor	19,000	--	--	--	21,000	--	9,600	<50	370	160	<50	1,300	--	--
GMW-28	11/28/2000	Secor	26,000	--	--	--	30,000	--	13,000	53	650	1,139	<0.5	1,600	--	--
GMW-28	5/8/2001	Secor	30,000	--	--	--	27,000	--	15,000	190	660	310	<5	4,000	--	--

TABLE 11

**HISTORICAL ANALYTICAL RESULTS FOR TPH, BTEX, 1-2 DCA, MTBE, TBA, and DIPE IN GROUNDWATER  
NOVEMBER 1996 THROUGH MAY 2010**

Defense Fuel Support Point Norwalk  
Norwalk, California

Results reported in micrograms per liter (µg/L)

Well	Date Sampled	Sampled By	TPHg	TPHd	TPHj <sub>p4</sub>	TPHj <sub>p5</sub>	TPHf <sub>p</sub>	TPH	Benzene	Toluene	Ethylbenzene	Total Xylenes	1,2-DCA	MTBE	TBA	DIPE
GMW-28	11/6/2001	Secor	20,000	--	--	--	19,000	--	14,000	51	460	241	<0.5	3,200	--	--
GMW-28	4/9/2002	Secor	24,000	--	--	--	1,900	--	9,100	79	320	110	<50	1,200	--	--
GMW-28	7/7/2003	Geomatrix	--	--	--	--	--	--	18,000	140	800	450	<50	530	--	--
GMW-28	4/28/2004	Geomatrix	40,000	--	--	--	4,700	--	22,000	180	1,200	570	<200	280	--	--
GMW-28	7/8/2004	Geomatrix	46,000	--	--	--	5,100	--	20,000	120	1,000	560	<200	280	--	--
GMW-29	11/28/2000	Secor	1,600	--	--	--	1,700	--	170	97	8	300	<0.5	54	--	--
GMW-29	5/8/2001	Secor	2,200	--	--	--	950	--	1,300	59	21	30	<0.5	<0.5	--	--
GMW-29	4/9/2002	Secor	13,000	--	--	--	11,000	--	5,400	4,500	240	1,120	<1	34	--	--
GMW-29	7/8/2003	Geomatrix	--	--	--	--	--	--	4,100	670	410	880	<25	<50	--	--
GMW-29	4/28/2004	Geomatrix	40,000	--	--	--	6,400	--	8,700	6,000	910	2,800	<200	<100	--	--
GMW-29	7/8/2004	Geomatrix	45,000	--	--	--	5,300	--	8,900	6,500	900	4,000	<100	<50	--	--
GMW-3	11/25/1996	Terra Services	--	--	--	--	--	--	<5	<5	<0.5	<1.5	<5	<50	--	--
GMW-3	7/11/1997	Terra Services	<100	<500	--	--	--	--	<0.5	<0.5	<0.5	<1	<0.5	<5	--	--
GMW-3	1/5/1998	Terra Services	<100	<500	--	--	--	--	<0.5	<0.5	<0.5	<1.5	<0.5	<5	--	--
GMW-3	5/26/1998	Terra Services	--	--	--	--	--	--	<0.5	<0.5	<0.5	0.9	<0.5	<0.5	--	--
GMW-3	11/11/1998	Alton Geoscience	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	1.7	--	--
GMW-3	5/7/1999	Alton Geoscience	<500	<500	--	--	--	--	1.1	4.4	<0.5	1.9	<1	<0.5	--	--
GMW-3	11/17/1999	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-3	5/17/2000	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-3	11/29/2000	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-3	5/10/2001	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-3	11/6/2001	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-3	4/10/2002	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-3	10/22/2002	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	1.1	--	--
GMW-3	1/29/2003	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	0.96	--	--
GMW-3	4/8/2003	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-3	7/30/2003	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-3	10/6/2003	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-3	1/27/2004	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-3	4/21/2004	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-3	7/19/2004	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-3	11/2/2004	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-3	5/4/2005	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-3	11/3/2005	Secor	120	--	--	--	710	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-3	2/27/2006	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-3	5/2/2006	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-3	12/5/2006	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-3	5/4/2007	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-3	11/14/2007	Secor	<200	--	--	--	1,800	--	<1	<1	<1	<1	<2	<1	--	--
GMW-3	4/16/2008	Secor	<100	--	--	--	220	--	<0.5	<0.5	<0.5	<0.5	<1	<0.5	--	--
GMW-3	4/16/2008	Parsons	<100	--	--	--	750	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
GMW-3	10/14/2008	Stantec	<50	--	--	--	110	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-3	4/20/2009	Blaine Tech for AMEC GMX	<50	--	--	--	<100	--	0.63	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<1



TABLE 11

**HISTORICAL ANALYTICAL RESULTS FOR TPH, BTEX, 1-2 DCA, MTBE, TBA, and DIPE IN GROUNDWATER  
NOVEMBER 1996 THROUGH MAY 2010**  
Defense Fuel Support Point Norwalk  
Norwalk, California

Results reported in micrograms per liter (µg/L)

Well	Date Sampled	Sampled By	TPHg	TPHd	TPHj <sub>p4</sub>	TPHj <sub>p5</sub>	TPHf <sub>p</sub>	TPH	Benzene	Toluene	Ethylbenzene	Total Xylenes	1,2-DCA	MTBE	TBA	DIPE
GMW-3	10/21/2009	Blaine Tech for Parsons	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<1
GMW-3	5/26/2010	Blaine Tech	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<1
GMW-31	11/27/1996	GSI	<b>1,100</b>	<500	<500	--	--	--	<2.5	<2.5	<2.5	<5	--	--	--	--
GMW-31	7/10/1997	GTI	<b>55</b>	<b>550</b>	<450	--	--	--	<b>2</b>	<1	<1	<2	--	--	--	--
GMW-31	1/7/1998	GTI	<500	<100	<100	--	--	--	<b>2</b>	<0.3	<0.3	<0.6	--	--	--	--
GMW-31	5/21/1998	BBC	<300	--	--	--	--	--	<0.3	<0.3	<0.3	<0.6	--	--	--	--
GMW-31	11/6/1998	GTI	<300	--	--	--	<100	--	<b>5</b>	<0.3	<b>3.5</b>	<0.6	--	--	--	--
GMW-31	5/27/1999	GTI	<300	--	--	--	<b>1,020</b>	--	<0.3	<0.3	<b>0.52</b>	<0.6	--	--	--	--
GMW-31	11/18/1999	IT Corporation	<300	--	--	--	<b>490</b>	--	<0.3	<0.3	<0.3	<0.6	--	--	--	--
GMW-31	5/17/2000	IT Corporation	<300	--	--	--	<b>470</b>	--	<0.3	<0.3	<0.3	<0.6	--	--	--	--
GMW-31	12/1/2000	IT Corporation	<b>530</b>	--	--	--	<b>680</b>	--	<0.3	<0.3	<0.3	<0.6	--	<5	--	--
GMW-31	5/10/2001	IT Corporation	<300	--	--	--	<b>120</b>	--	<0.3	<0.3	<0.3	<0.6	--	<5	--	--
GMW-31	11/7/2001	IT Corporation	<300	--	--	--	<b>170</b>	--	<b>0.8</b>	<b>0.49</b>	<0.3	<0.6	--	<b>9.9</b>	--	--
GMW-31	4/10/2002	IT Corporation	<300	--	--	--	<b>120</b>	--	<0.3	<0.3	<0.3	<0.6	--	<5	--	--
GMW-31	10/24/2002	GTI	<300	--	--	--	<100	--	<0.3	<b>0.49</b>	<0.3	<0.3	--	<5	--	--
GMW-31	4/14/2003	GTI	--	--	--	--	<b>647</b>	--	<1	<1	<1	<2	--	<3	--	--
GMW-31	10/10/2003	Parsons	--	--	--	--	<b>200</b>	--	<b>0.39</b>	<0.3	<0.3	<0.3	--	<5	--	--
GMW-31	4/22/2004	Parsons	--	--	--	--	<100	--	<0.3	<0.3	<0.3	<0.3	--	<5	--	--
GMW-31	11/6/2004	Parsons	--	--	--	--	<100	--	<0.3	<0.3	<0.3	<0.3	--	<5	--	--
GMW-31	5/7/2005	Parsons	--	--	--	--	<100	--	<0.3	<b>0.64</b>	<0.3	<0.3	--	<5	--	--
GMW-31	11/8/2005	Parsons	--	--	--	--	<100	--	<0.3	<0.3	<0.3	<0.3	--	<5	--	--
GMW-31	5/5/2006	Parsons	--	--	--	--	<100	--	<0.3	<b>0.79</b>	<b>0.5</b>	<b>2.4</b>	--	<5	--	--
GMW-31	12/8/2006	Parsons	--	--	--	--	<100	--	<0.5	<0.5	<0.5	<1	--	<5	--	--
GMW-31	5/3/2007	Parsons	--	--	--	--	<b>170</b>	--	<0.5	<0.5	<0.5	<1	--	<5	--	--
GMW-31	11/14/2007	Parsons	--	--	--	--	<100	--	<0.5	<0.5	<0.5	<1	--	<5	--	--
GMW-31	4/18/2008	Parsons	--	--	--	--	<b>810</b>	--	<0.5	<0.5	<0.5	<1	--	<5	--	--
GMW-31	10/17/2008	Parsons	--	--	--	<100	--	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
GMW-31	4/22/2009	Blaine Tech for Parsons	--	--	--	<100	--	--	<0.5	<0.5	<0.5	<0.5	--	<0.5	--	<0.5
GMW-31	10/20/2009	Blaine Tech for DESC	--	--	--	<b>140</b>	--	--	<0.5	<0.5	<0.5	<0.5	<0.5	<b>0.57</b>	<10	<2
GMW-31	4/14/2010	Blaine Tech for DESC	--	--	--	<100	--	--	<0.5	<0.5	<0.5	<0.5	--	<0.5	<b>4.6</b>	<2
GMW-32	11/27/1996	GSI	<b>430</b>	<500	<500	--	--	--	<b>13</b>	<0.5	<b>25</b>	<1	--	--	--	--
GMW-32	7/10/1997	GTI	<b>63</b>	<b>1,800</b>	<1600	--	--	--	<b>1.7</b>	<1	<1	<2	--	--	--	--
GMW-32	1/6/1998	GTI	<500	<100	<100	--	--	--	<b>0.4</b>	<0.3	<b>0.7</b>	<0.6	--	--	--	--
GMW-32	5/21/1998	BBC	<300	--	--	--	--	--	<0.3	<0.3	<0.3	<0.6	--	--	--	--
GMW-32	11/5/1998	GTI	<300	--	--	--	<100	--	<0.3	<0.3	<b>0.62</b>	<0.6	--	--	--	--
GMW-32	11/6/1998	GTI	--	--	--	--	<b>158</b>	--	--	--	--	--	--	--	--	--
GMW-32	5/27/1999	GTI	<300	--	--	--	<b>307</b>	--	<b>3.1</b>	<0.3	<b>5</b>	<b>1.4</b>	--	--	--	--
GMW-32	11/18/1999	IT Corporation	<300	--	--	--	<b>6,500</b>	--	<b>4.3</b>	<0.3	<b>6.9</b>	<b>1.2</b>	--	--	--	--
GMW-32	5/17/2000	IT Corporation	<b>500</b>	--	--	--	<b>8,600</b>	--	<b>8</b>	<b>3.4</b>	<b>16</b>	<b>14</b>	--	--	--	--
GMW-32	11/30/2000	IT Corporation	<b>330</b>	--	--	--	<b>2,100</b>	--	<0.3	<0.3	<b>4.2</b>	<0.6	--	<5	--	--
GMW-32	5/9/2001	IT Corporation	<b>1,000</b>	--	--	--	<b>9,500</b>	--	<b>4.7</b>	<0.3	<b>1.2</b>	<b>2.8</b>	--	<5	--	--
GMW-32	11/7/2001	IT Corporation	<b>660</b>	--	--	--	<b>6,900</b>	--	<b>4.2</b>	<b>0.63</b>	<b>5.7</b>	<b>2</b>	--	<5	--	--

TABLE 11

**HISTORICAL ANALYTICAL RESULTS FOR TPH, BTEX, 1-2 DCA, MTBE, TBA, and DIPE IN GROUNDWATER  
NOVEMBER 1996 THROUGH MAY 2010**

Defense Fuel Support Point Norwalk  
Norwalk, California

Results reported in micrograms per liter (µg/L)

Well	Date Sampled	Sampled By	TPHg	TPHd	TPHj <sub>p4</sub>	TPHj <sub>p5</sub>	TPHf <sub>p</sub>	TPH	Benzene	Toluene	Ethylbenzene	Total Xylenes	1,2-DCA	MTBE	TBA	DIPE
GMW-32	2/1/2002	Secor	--	--	--	--	--	--	0.89	<0.5	0.53	0.69	<0.5	0.77	--	--
GMW-32	4/11/2002	IT Corporation	<300	--	--	--	210	--	1.5	<0.3	7.2	<0.6	--	<5	--	--
GMW-32	10/23/2002	GTI	<300	--	--	--	1,300	--	<0.3	<0.3	<0.3	<0.3	--	<5	--	--
GMW-32	4/9/2003	GTI	--	--	--	--	2,100	--	<1	1.18	<1	<2	--	<3	--	--
GMW-32	10/10/2003	Parsons	--	--	--	--	530	--	<0.3	<0.3	<0.3	<0.3	--	<5	--	--
GMW-32	4/21/2004	Parsons	--	--	--	--	1,500	--	0.52	<1	<1	<1	--	<1	--	--
GMW-32	11/4/2004	Parsons	--	--	--	--	910	--	<0.3	<0.3	<0.3	<0.3	--	<5	--	--
GMW-32	5/6/2005	Parsons	--	--	--	--	700	--	0.31	0.64	<0.3	0.76	--	<5	--	--
GMW-32	11/8/2005	Parsons	--	--	--	--	480	--	<0.3	0.41	<0.3	0.7	--	<5	--	--
GMW-32	5/4/2006	Parsons	--	--	--	--	690	--	0.46	0.39	0.62	1.4	--	<5	--	--
GMW-32	12/8/2006	Parsons	--	--	--	--	110	--	<0.5	<0.5	<0.5	<1	--	<5	--	--
GMW-32	5/3/2007	Parsons	--	--	--	--	190	--	<0.5	<0.5	<0.5	<1	--	<5	--	--
GMW-32	11/16/2007	Parsons	--	--	--	--	<100	--	<0.5	<0.5	<0.5	<1	--	<5	--	--
GMW-32	4/17/2008	Parsons	--	--	--	--	150	--	<0.5	<0.5	<0.5	<1	--	<5	--	--
GMW-32	10/16/2008	Parsons	--	--	--	<100	--	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
GMW-32	4/24/2009	Blaine Tech for Parsons	--	--	--	<100	--	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
GMW-32	10/20/2009	Blaine Tech for DESC	--	--	--	250	--	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
GMW-32	4/16/2010	Blaine Tech for DESC	--	--	--	230	--	--	<0.5	<0.5	0.41	<0.5	--	<0.5	<10	<2
GMW-33	11/21/1996	GSI	<38	<500	<500	--	--	--	<0.5	<0.5	<0.5	<1.5	<0.5	--	--	--
GMW-33	7/10/1997	GTI	<50	700	<400	--	--	--	<5	<5	<5	<5	<5	<5	--	--
GMW-33	1/6/1998	GTI	<500	<100	<100	--	--	--	<0.5	<0.5	<0.5	<1	<0.5	<0.5	--	--
GMW-33	5/20/1998	BBC	<300	--	--	--	--	--	<0.3	<0.5	<0.5	<1	<0.5	<0.5	--	--
GMW-33	11/5/1998	GTI	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-33	5/27/1999	GTI	<300	--	--	--	122	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-33	11/18/1999	IT Corporation	<300	--	--	--	120	--	<0.5	<1	<0.5	<0.5	<0.5	<0.5	--	--
GMW-33	5/17/2000	IT Corporation	<300	--	--	--	210	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-33	11/30/2000	IT Corporation	<300	--	--	--	430	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-33	5/9/2001	IT Corporation	<300	--	--	--	150	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-33	11/7/2001	IT Corporation	<300	--	--	--	200	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-33	2/1/2002	Secor	--	--	--	--	--	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-33	4/11/2002	IT Corporation	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	0.8	--	--
GMW-34	11/18/1999	IT Corporation	9,500	--	--	--	17,000	--	30	3.5	8.3	81	<0.5	24	--	--
GMW-34	5/17/2000	IT Corporation	740	--	--	--	3,700	--	<0.5	<0.5	1.5	11.4	<0.5	30	--	--
GMW-34	12/1/2000	IT Corporation	<300	--	--	--	110	--	<0.5	<0.5	<0.5	<0.5	<0.5	10	--	--
GMW-34	5/10/2001	IT Corporation	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	7.3	--	--
GMW-34	11/8/2001	IT Corporation	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	1.2	--	--
GMW-34	4/12/2002	IT Corporation	960	--	--	--	1,500	--	240	1.4	33	81	<0.5	2.5	--	--
GMW-35	5/9/2001	IT Corporation	20,000	--	--	--	22,000	--	1,300	11	580	4,100	<10	<10	--	--
GMW-35	4/10/2003	GTI	--	--	--	--	15,600	--	65.2	30.6	109	159	--	<3	--	--
GMW-35	10/10/2003	Parsons	--	--	--	--	16,000	--	100	<15	120	650	--	<250	--	--
GMW-35	4/21/2004	Parsons	--	--	--	--	19,000	--	110	<1	45	7.3	--	1.5	--	--
GMW-35	11/4/2004	Parsons	--	--	--	--	18,000	--	62	<3	13	28	--	<50	--	--
GMW-35	5/5/2005	Parsons	--	--	--	--	4,700	--	10	1.4	33	22	--	<10	--	--

TABLE 11

**HISTORICAL ANALYTICAL RESULTS FOR TPH, BTEX, 1-2 DCA, MTBE, TBA, and DIPE IN GROUNDWATER  
NOVEMBER 1996 THROUGH MAY 2010**  
Defense Fuel Support Point Norwalk  
Norwalk, California

Results reported in micrograms per liter (µg/L)

Well	Date Sampled	Sampled By	TPHg	TPHd	TPHj <sub>p4</sub>	TPHj <sub>p5</sub>	TPHf <sub>p</sub>	TPH	Benzene	Toluene	Ethylbenzene	Total Xylenes	1,2-DCA	MTBE	TBA	DIPE
GMW-35	11/5/2005	Parsons	--	--	--	--	3,100	--	9	2.2	31	17	--	<25	--	--
GMW-35	5/3/2006	Parsons	--	--	--	--	17,000	--	7.9	2.9	20	12	--	<5	--	--
GMW-35	12/8/2006	Parsons	--	--	--	--	4,800	--	14	<0.5	9	6.9	--	<5	--	--
GMW-35	5/4/2007	Parsons	--	--	--	--	4,700	--	21	0.86	1.3	5.3	--	6.1	--	--
GMW-35	11/15/2007	Parsons	--	--	--	--	2,400	--	26	<0.5	<0.5	<1	--	7.7	--	--
GMW-35	4/17/2008	Parsons	--	--	--	--	1,300	--	18	<0.5	1.8	2.5	--	<5	--	--
GMW-35	4/24/2009	Blaine Tech for Parsons	--	--	--	520	--	--	63	<5	<5	<5	--	210	--	<5
GMW-35	4/16/2010	Blaine Tech for DESC	--	--	--	1,900	--	--	180	0.88	1.5	0.7	--	13	2,200	<4
GMW-36	7/10/1997	Terra Services	430	<500	--	--	--	--	--	--	--	--	--	--	--	--
GMW-36	1/9/1998	Terra Services	4,000	4,300	--	--	--	--	22	21	6.1	100	<5	7,700	--	--
GMW-36	5/20/1998	Terra Services	1,400	--	--	--	--	--	<0.3	<0.3	<10	<20	<0.5	19,600	--	--
GMW-36	11/17/1998	Alton Geoscience	7,900	--	--	--	6,650	--	2,100	1,370	70	650	<50	34,800	--	--
GMW-36	5/7/1999	Alton Geoscience	2,800	<500	--	--	--	--	<10	<10	<10	<10	<25	14,000	--	--
GMW-36	11/18/1999	Secor	51,000	--	--	--	22,000	--	8,100	5,600	<250	1,770	<250	47,000	--	--
GMW-36	5/17/2000	Secor	59,000	--	--	--	53,000	--	14,000	6,700	480	4,100	<130	45,000	--	--
GMW-36	11/30/2000	Secor	110,000	--	--	--	66,000	--	20,000	19,000	1,600	8,100	<0.5	13,000	--	--
GMW-36	2/6/2001	Secor	75,000	--	--	--	55,000	--	18,000	13,000	1,400	6,100	<50	9,100	--	--
GMW-36	5/10/2001	Secor	12,000	--	--	--	5,100	--	3,700	2,500	420	1,730	<0.5	1,600	--	--
GMW-36	9/19/2001	Secor	21,000	--	--	--	37,000	--	5,800	3,600	580	2,080	<13	1,000	--	--
GMW-36	11/6/2001	Secor	63,000	--	--	--	40,000	--	16,000	13,000	1,600	7,700	<25	3,200	--	--
GMW-36	1/30/2002	Secor	130,000	--	--	--	68,000	--	21,000	20,000	1,700	9,000	<125	42,000	--	--
GMW-36	4/10/2002	Secor	150,000	--	--	--	49,000	--	25,000	22,000	1,800	10,000	<50	67,000	--	--
GMW-36	7/30/2002	IT Corporation	81,000	--	--	--	110,000	--	28,000	29,000	2,200	11,800	<50	37,000	--	--
GMW-36	12/6/2006	Secor	32,000	--	--	--	10,000	--	5,300	4,300	480	4,300	<50	1,600	--	--
GMW-36	3/13/2007	Secor	54,000	--	--	--	7,200	--	9,400	12,000	1,100	8,200	<200	3,800	--	--
GMW-36	5/5/2007	Secor	69,000	--	--	--	11,000	--	9,800	11,000	1,200	8,000	<200	3,900	--	--
GMW-36	8/29/2007	Secor	30,000	--	--	--	9,800	--	4,100	4,200	420	4,500	120	890	--	--
GMW-36	2/20/2008	Secor	34,000	--	--	--	9,100	--	3,900	6,000	750	4,600	<50	43	--	--
GMW-36	4/16/2008	Secor	42,000	--	--	--	11,000	--	5,200	8,300	940	6,200	<200	<100	--	--
GMW-36	10/16/2008	Stantec	17,000	--	--	--	32,000	--	2,100	2,000	160	2,300	<20	26	--	--
GMW-36	7/22/2009	Blaine Tech	24,000	--	--	--	15,000	--	3,800	5,400	720	3,380	<50	28	<500	<50
GMW-36	3/16/2010	Blaine Tech for Parsons	8,000	--	--	--	22,000	--	830	1,100	140	700	<10	16	690	<10
GMW-36	4/16/2010	Blaine Tech	4,200	--	--	--	25,000	--	850	150	89	200	<5	11	3,700	<5
GMW-37	11/25/1996	Terra Services	--	--	--	--	--	--	<0.5	<0.5	<0.5	<1.5	<0.5	<5	--	--
GMW-37	7/11/1997	Terra Services	<100	<500	--	--	--	--	<0.5	<0.5	<0.5	<1	<0.5	<5	--	--
GMW-37	1/6/1998	Terra Services	<100	<500	--	--	--	--	<0.5	<0.5	<0.5	<1.5	<0.5	<5	--	--
GMW-37	5/26/1998	Terra Services	<300	--	--	--	--	--	<0.3	<0.3	<0.5	1	<0.5	<0.5	--	--
GMW-37	11/11/1998	Alton Geoscience	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	11	--	--
GMW-37	5/7/1999	Alton Geoscience	<500	<500	--	--	--	--	1	5	<0.5	2	<1	14	--	--
GMW-37	11/18/1999	Secor	<416	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	16	--	--
GMW-37	5/17/2000	Secor	<300	--	--	--	760	--	<0.5	<0.5	<0.5	<0.5	<0.5	16	--	--
GMW-37	11/30/2000	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	34	--	--

TABLE 11

**HISTORICAL ANALYTICAL RESULTS FOR TPH, BTEX, 1-2 DCA, MTBE, TBA, and DIPE IN GROUNDWATER  
NOVEMBER 1996 THROUGH MAY 2010**

Defense Fuel Support Point Norwalk  
Norwalk, California

Results reported in micrograms per liter (µg/L)

Well	Date Sampled	Sampled By	TPHg	TPHd	TPHj <sub>p4</sub>	TPHj <sub>p5</sub>	TPHfp	TPH	Benzene	Toluene	Ethylbenzene	Total Xylenes	1,2-DCA	MTBE	TBA	DIPE
GMW-37	2/6/2001	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	54	--	--
GMW-37	5/8/2001	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-37	9/19/2001	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	11	--	--
GMW-37	11/6/2001	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	49	--	--
GMW-37	1/30/2002	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	1.3	--	--
GMW-37	4/10/2002	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	7.2	--	--
GMW-37	10/22/2002	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	49	--	--
GMW-37	1/29/2003	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	0.75	--	--
GMW-37	4/9/2003	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	0.86	--	--
GMW-37	7/30/2003	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-37	10/6/2003	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	4.3	--	--
GMW-37	1/27/2004	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-37	4/20/2004	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-37	7/19/2004	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	2.6	--	--
GMW-37	11/2/2004	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-37	2/2/2005	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-37	5/4/2005	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-37	8/1/2005	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-37	11/1/2005	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-37	2/27/2006	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-37	5/2/2006	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-37	9/18/2006	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-37	12/5/2006	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-37	5/4/2007	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-37	11/14/2007	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-37	4/16/2008	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-37	10/14/2008	Stantec	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-37	4/23/2009	Blaine Tech for AMEC GMX	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<1
GMW-37	10/19/2009	Blaine Tech for Parsons	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<1
GMW-37	5/26/2010	Blaine Tech	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<1
GMW-38	11/26/1996	Terra Services	--	--	--	--	--	--	1.8	<0.5	<0.5	<1.5	<0.5	7.7	--	--
GMW-38	7/10/1997	Terra Services	<100	<500	--	--	--	--	<0.5	2	<0.5	0.83	<0.5	<5	--	--
GMW-38	1/5/1998	Terra Services	<100	<500	--	--	--	--	<0.5	<0.5	<0.5	<1.5	<0.5	<5	--	--
GMW-38	5/21/1998	Terra Services	<300	--	--	--	--	--	<0.3	<0.5	<0.5	<1	<0.5	1.2	--	--
GMW-38	11/12/1998	Alton Geoscience	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	25	--	--
GMW-38	5/7/1999	Alton Geoscience	<500	<500	--	--	--	--	<0.5	1.5	<0.5	<0.5	<1	7.9	--	--
GMW-38	11/18/1999	Secor	<416	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	1.7	--	--
GMW-38	5/17/2000	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-38	11/30/2000	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	0.8	--	--
GMW-38	5/8/2001	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-38	11/6/2001	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	1.6	--	--
GMW-38	2/1/2002	Secor	--	--	--	--	--	--	<0.5	<0.5	<0.5	<0.5	<0.5	1.7	--	--

TABLE 11

**HISTORICAL ANALYTICAL RESULTS FOR TPH, BTEX, 1-2 DCA, MTBE, TBA, and DIPE IN GROUNDWATER  
NOVEMBER 1996 THROUGH MAY 2010**

Defense Fuel Support Point Norwalk  
Norwalk, California

Results reported in micrograms per liter (µg/L)

Well	Date Sampled	Sampled By	TPHg	TPHd	TPHjp <sub>4</sub>	TPHjp <sub>5</sub>	TPHfp	TPH	Benzene	Toluene	Ethylbenzene	Total Xylenes	1,2-DCA	MTBE	TBA	DIPE
GMW-38	4/10/2002	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-38	10/23/2002	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-38	1/29/2003	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-38	4/9/2003	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<b>1.5</b>	--	--
GMW-38	7/30/2003	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-38	10/6/2003	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-38	1/28/2004	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-38	4/20/2004	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<b>1.4</b>	--	--
GMW-38	7/19/2004	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-38	11/2/2004	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-38	2/2/2005	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-38	5/4/2005	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<b>1.1</b>	--	--
GMW-38	8/2/2005	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-38	11/1/2005	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-38	2/28/2006	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<b>0.66</b>	--	--
GMW-38	5/2/2006	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-38	9/18/2006	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-38	12/5/2006	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-38	3/13/2007	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-38	5/5/2007	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-38	8/30/2007	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-38	11/13/2007	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-38	4/22/2009	Blaine Tech for AMEC GMX	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<b>0.74</b>	<10	<1
GMW-38	7/21/2009	Blaine Tech	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<b>0.55</b>	<b>27</b>	<1
GMW-38	10/21/2009	Blaine Tech for Parsons	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<b>29</b>	<1
GMW-38	3/15/2010	Blaine Tech for Parsons	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<1
GMW-38	5/26/2010	Blaine Tech	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<1
GMW-39	11/21/1996	Terra Services	--	--	--	--	--	--	<0.5	<0.5	<0.5	<1.5	<0.5	<5	--	--
GMW-39	7/10/1997	Terra Services	<100	<500	--	--	--	--	<0.5	<b>0.5</b>	<0.5	<1	<0.5	<5	--	--
GMW-39	1/5/1998	Terra Services	<100	<500	--	--	--	--	<0.5	<0.5	<0.5	<1.5	<0.5	<5	--	--
GMW-39	5/19/1998	Terra Services	--	--	--	--	--	--	<0.3	<0.5	<0.5	<1	<0.5	<b>0.9</b>	--	--
GMW-39	11/12/1998	Alton Geoscience	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<b>3.2</b>	--	--
GMW-39	5/7/1999	Alton Geoscience	<500	<500	--	--	--	--	<0.5	<0.5	<0.5	<0.5	<1	<b>2.9</b>	--	--
GMW-39	11/18/1999	Secor	<416	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<b>12</b>	--	--
GMW-39	5/17/2000	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<b>9.4</b>	--	--
GMW-39	11/29/2000	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<b>16</b>	--	--
GMW-39	5/8/2001	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-39	11/6/2001	Secor	<300	--	--	--	<100	--	<b>1.2</b>	<0.5	<0.5	<0.5	<0.5	<b>39</b>	--	--
GMW-39	2/1/2002	Secor	--	--	--	--	--	--	<0.5	<0.5	<0.5	<0.5	<0.5	<b>36</b>	--	--
GMW-39	4/10/2002	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<b>20</b>	--	--
GMW-39	10/22/2002	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<b>89</b>	--	--

TABLE 11

**HISTORICAL ANALYTICAL RESULTS FOR TPH, BTEX, 1-2 DCA, MTBE, TBA, and DIPE IN GROUNDWATER  
NOVEMBER 1996 THROUGH MAY 2010**  
Defense Fuel Support Point Norwalk  
Norwalk, California

Results reported in micrograms per liter (µg/L)

Well	Date Sampled	Sampled By	TPHg	TPHd	TPHj <sub>p4</sub>	TPHj <sub>p5</sub>	TPHf <sub>p</sub>	TPH	Benzene	Toluene	Ethylbenzene	Total Xylenes	1,2-DCA	MTBE	TBA	DIPE
GMW-39	1/29/2003	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	32	--	--
GMW-39	4/9/2003	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	23	--	--
GMW-39	7/30/2003	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	3.3	--	--
GMW-39	10/6/2003	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	6.6	--	--
GMW-39	1/28/2004	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	3.6	--	--
GMW-39	4/20/2004	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	4.8	--	--
GMW-39	7/19/2004	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	3.7	--	--
GMW-39	11/3/2004	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	3.7	--	--
GMW-39	2/2/2005	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	1.7	--	--
GMW-39	5/4/2005	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-39	8/2/2005	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-39	11/1/2005	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-39	2/27/2006	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	0.59	--	--
GMW-39	5/2/2006	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-39	9/19/2006	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	3.7	--	--
GMW-39	12/6/2006	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	4	--	--
GMW-39	3/13/2007	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	4.5	--	--
GMW-39	5/4/2007	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	2.9	--	--
GMW-39	8/29/2007	Secor	<500	--	--	--	<100	--	<2.5	<2.5	<2.5	<2.5	<5	3.6	--	--
GMW-39	11/13/2007	Secor	160	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<1	2.6	--	--
GMW-39	2/20/2008	Secor	110	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	2.9	--	--
GMW-39	4/16/2008	Secor	90	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	1.9	--	--
GMW-39	8/14/2008	Secor	<100	--	--	--	120	--	<0.5	<0.5	<0.5	<0.5	<1	1.1	--	--
GMW-39	10/15/2008	Stantec	<500	--	--	--	<100	--	<2.5	<2.5	<2.5	<2.5	<5	5.6	--	--
GMW-39	2/24/2009	Blaine Tech	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	3,400	--
GMW-39	4/22/2009	Blaine Tech for AMEC GMX	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	4,000	<1
GMW-39	7/21/2009	Blaine Tech	<100	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<1	<0.5	2,500	<1
GMW-39	10/22/2009	Blaine Tech for Parsons	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	0.5	2,200	<1
GMW-39	3/16/2010	Blaine Tech for Parsons	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	130	<1
GMW-39	5/27/2010	Blaine Tech	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<1
GMW-4	7/15/1997	Terra Services	1,300	2,100	--	--	--	--	38	<0.5	35	45	<0.5	<5	--	--
GMW-4	1/8/1998	Terra Services	380	530	--	--	--	--	14	1.2	12	18.8	1.6	<5	--	--
GMW-4	5/26/1998	Terra Services	2,300	--	--	--	--	--	42	<0.3	69	87	<2.5	<2.5	--	--
GMW-4	11/18/1999	Secor	1,600	--	--	--	4,100	--	67	<0.5	51	24.1	<0.5	<0.5	--	--
GMW-4	5/19/2000	Secor	2,500	--	--	--	3,400	--	48	0.5	29	36.9	<0.5	<0.5	--	--
GMW-4	4/10/2003	Secor	500	--	--	--	1,100	--	8	<0.5	8.2	26	<0.5	<0.5	--	--
GMW-4	5/4/2007	Secor	2,000	--	--	--	13,000	--	110	<1	27	12.1	<2	<1	--	--
GMW-4	4/16/2008	Parsons	16,000	--	--	--	14,000	--	270	<2.5	110	157	<2.5	<2.5	<50	<10
GMW-4	4/17/2008	Secor	4,400	--	--	--	40,000	--	290	<5	89	102	<10	<5	--	--
GMW-4	11/21/2008	Stantec	4,900	--	--	--	16,000	--	260	<2.5	45	27.9	<5	<2.5	--	--

TABLE 11

**HISTORICAL ANALYTICAL RESULTS FOR TPH, BTEX, 1-2 DCA, MTBE, TBA, and DIPE IN GROUNDWATER  
NOVEMBER 1996 THROUGH MAY 2010**

Defense Fuel Support Point Norwalk  
Norwalk, California

Results reported in micrograms per liter (µg/L)

Well	Date Sampled	Sampled By	TPHg	TPHd	TPHjp <sub>4</sub>	TPHjp <sub>5</sub>	TPHfp	TPH	Benzene	Toluene	Ethylbenzene	Total Xylenes	1,2-DCA	MTBE	TBA	DIPE
GMW-4	4/23/2009	Blaine Tech for AMEC GMX	2,500	--	--	--	9,500	--	120	<0.5	12	8.6	<1	3.9	<10	<1
GMW-4	5/27/2010	Blaine Tech	2,200	--	--	--	6,100	--	170	1.1	6.3	10	<2	<1	<20	<2
GMW-40	11/27/1996	Terra Services	400	<500	<500	--	--	--	0.5	<0.5	5.8	5.9	<0.5	<5	--	--
GMW-40	7/10/1997	GTI	210	2,600	<300	--	--	--	--	--	--	--	--	--	--	--
GMW-40	1/7/1998	GTI	<500	<100	<100	--	--	--	<0.5	<0.5	<0.5	<1	<0.5	<0.5	--	--
GMW-40	5/21/1998	BBC	<300	--	--	--	--	--	<0.3	<0.5	<0.5	<1	<0.5	<0.5	--	--
GMW-40	11/5/1998	GTI	<300	--	--	--	<100	--	<0.5	<0.5	3.8	7.6	<0.5	<0.5	--	--
GMW-40	5/26/1999	GTI	<300	--	--	--	<100	--	0.9	<0.5	<0.5	<0.5	<0.5	4.4	--	--
GMW-40	11/18/1999	IT Corporation	<300	--	--	--	220	--	2.8	<0.5	0.9	2.8	<0.5	9.3	--	--
GMW-40	5/17/2000	IT Corporation	<300	--	--	--	430	--	<0.5	<0.5	<0.5	<0.5	<0.5	11	--	--
GMW-40	12/1/2000	IT Corporation	<300	--	--	--	320	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-40	5/10/2001	IT Corporation	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-40	11/8/2001	IT Corporation	<300	--	--	--	<100	--	<0.5	<0.5	1.1	3.1	<0.5	19	--	--
GMW-40	4/12/2002	IT Corporation	<300	--	--	--	<100	--	1.7	<0.5	0.7	0.9	<0.5	17	--	--
GMW-40	4/16/2003	GTI	--	--	--	--	<100	--	5.17	<0.5	2.74	4.65	<0.5	54.7	--	--
GMW-40	10/8/2003	Parsons	--	--	--	--	170	--	<0.5	<0.5	<0.5	<0.5	<0.5	52	--	--
GMW-40	4/22/2004	Parsons	--	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	39	<10	<2
GMW-40	11/6/2004	Parsons	--	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
GMW-40	5/7/2005	Parsons	--	--	--	--	<100	--	<0.5	<0.5	<0.5	0.7	<0.5	0.76	<10	<2
GMW-40	11/8/2005	Parsons	--	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	0.76	<10	<2
GMW-40	5/5/2006	Parsons	--	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	4.9	<10	<2
GMW-40	12/8/2006	Parsons	--	--	--	--	110	--	0.87	<0.5	<0.5	13.7	<0.5	15	<10	<2
GMW-40	5/3/2007	Parsons	--	--	--	--	440	--	3.7	<0.5	2.2	27	<0.5	46	63	<2
GMW-40	11/16/2007	Parsons	--	--	--	--	<100	--	0.61	<0.5	1.9	8.4	<0.5	<0.5	<10	<2
GMW-40	4/18/2008	Parsons	--	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
GMW-40	10/17/2008	Parsons	--	--	--	<100	--	--	<0.5	<0.5	<0.5	<0.5	<0.5	1.2	<10	<2
GMW-40	4/24/2009	Blaine Tech for Parsons	--	--	--	<100	--	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
GMW-40	10/21/2009	Blaine Tech for DESC	--	--	--	<100	--	--	<0.5	<0.5	<0.5	<0.5	<0.5	0.4	<10	<2
GMW-40	4/14/2010	Blaine Tech for DESC	--	--	--	<100	--	--	<0.5	<0.5	<0.5	<0.5	--	<0.5	<10	<2
GMW-41	11/27/1996	GSI	250	<500	<500	--	--	--	<0.5	<0.5	<0.5	<1	<0.5	--	--	--
GMW-41	7/10/1997	GTI	75	1,200	<1000	--	--	--	<5	<5	<5	<5	<5	<5	--	--
GMW-41	1/7/1998	GTI	<500	<100	<100	--	--	--	<0.5	<0.5	<0.5	<1	<0.5	<0.5	--	--
GMW-41	5/21/1998	BBC	<300	--	--	--	--	--	<0.3	<0.5	<0.5	<1	<0.5	<0.5	--	--
GMW-41	11/5/1998	GTI	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	1	--	--
GMW-41	5/26/1999	GTI	<300	--	--	--	116	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-41	11/18/1999	IT Corporation	<300	--	--	--	390	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-41	5/17/2000	IT Corporation	<300	--	--	--	280	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-41	11/30/2000	IT Corporation	<300	--	--	--	<100	--	<0.3	<0.3	<0.3	<0.6	--	<5	--	--
GMW-41	5/10/2001	IT Corporation	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-41	11/8/2001	IT Corporation	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-41	4/12/2002	IT Corporation	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	0.8	--	--
GMW-41	10/24/2002	GTI	<300	--	--	--	1,000	--	<0.5	<1	<1	<1	<0.5	1.1	--	--

TABLE 11

**HISTORICAL ANALYTICAL RESULTS FOR TPH, BTEX, 1-2 DCA, MTBE, TBA, and DIPE IN GROUNDWATER  
NOVEMBER 1996 THROUGH MAY 2010**

Defense Fuel Support Point Norwalk  
Norwalk, California

Results reported in micrograms per liter (µg/L)

Well	Date Sampled	Sampled By	TPHg	TPHd	TPHj <sub>p4</sub>	TPHj <sub>p5</sub>	TPHfp	TPH	Benzene	Toluene	Ethylbenzene	Total Xylenes	1,2-DCA	MTBE	TBA	DIPE
GMW-41	4/16/2003	GTI	--	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-41	10/8/2003	Parsons	--	--	--	--	<b>350</b>	--	<0.5	<0.5	<0.5	<0.5	<0.5	<b>2.4</b>	--	--
GMW-41	4/22/2004	Parsons	--	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<b>3.3</b>	<10	<2
GMW-41	11/6/2004	Parsons	--	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<b>3.6</b>	<10	<2
GMW-41	5/7/2005	Parsons	--	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
GMW-41	11/8/2005	Parsons	--	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
GMW-41	5/5/2006	Parsons	--	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
GMW-41	12/8/2006	Parsons	--	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
GMW-41	5/3/2007	Parsons	--	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<b>0.51</b>	<10	<2
GMW-41	11/16/2007	Parsons	--	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
GMW-41	4/18/2008	Parsons	--	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
GMW-41	10/17/2008	Parsons	--	--	--	<100	--	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
GMW-41	4/22/2009	Blaine Tech for Parsons	--	--	--	<100	--	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
GMW-41	10/21/2009	Blaine Tech for DESC	--	--	--	<100	--	--	<0.5	<0.5	<0.5	<0.5	<0.5	<b>0.43</b>	<10	<2
GMW-41	4/14/2010	Blaine Tech for DESC	--	--	--	<100	--	--	<0.5	<0.5	<0.5	<0.5	--	<b>0.33</b>	<b>5.7</b>	<2
GMW-42	11/5/1998	GTI	<b>7,530</b>	--	--	--	<b>3,340</b>	--	<b>800</b>	<b>&lt;7.5</b>	<b>55</b>	<b>810</b>	--	--	--	--
GMW-42	5/27/1999	GTI	<b>6,510</b>	--	--	--	<b>14,200</b>	--	<b>1,100</b>	<b>110</b>	<b>60</b>	<b>580</b>	--	--	--	--
GMW-42	11/18/1999	IT Corporation	<b>7,900</b>	--	--	--	<b>17,000</b>	--	<b>810</b>	<b>490</b>	<b>180</b>	<b>1,200</b>	--	--	--	--
GMW-42	5/17/2000	IT Corporation	<b>3,800</b>	--	--	--	<b>20,000</b>	--	<b>9.9</b>	<b>1.2</b>	<b>26</b>	<b>230</b>	--	--	--	--
GMW-42	12/1/2000	IT Corporation	<b>380</b>	--	--	--	<b>2,700</b>	--	<b>1</b>	<b>&lt;0.3</b>	<b>&lt;0.3</b>	<b>&lt;0.6</b>	--	<b>18</b>	--	--
GMW-42	5/10/2001	IT Corporation	<b>490</b>	--	--	--	<b>620</b>	--	<b>24</b>	<b>40</b>	<b>11</b>	<b>79</b>	--	<b>5.3</b>	--	--
GMW-42	11/7/2001	IT Corporation	<300	--	--	--	<100	--	<0.3	<0.3	<0.3	<b>1.6</b>	--	<5	--	--
GMW-42	4/10/2002	IT Corporation	<300	--	--	--	<100	--	<0.3	<0.3	<0.3	<0.6	--	<b>7</b>	--	--
GMW-43	11/27/1996	GSI	<b>620</b>	<500	<500	--	--	--	<0.5	<0.5	<0.5	<1	--	--	--	--
GMW-43	7/10/1997	GTI	<50	<50	<50	--	--	--	<0.5	<1	<1	<2	--	--	--	--
GMW-43	1/7/1998	GTI	<500	<100	<100	--	--	--	<b>0</b>	<0.3	<0.3	<0.6	--	--	--	--
GMW-43	5/21/1998	BBC	<300	--	--	--	--	--	<0.3	<0.3	<0.3	<0.6	--	--	--	--
GMW-43	11/5/1998	GTI	<300	--	--	--	<100	--	<0.3	<0.3	<0.3	<0.6	--	--	--	--
GMW-43	5/27/1999	GTI	<300	--	--	--	<100	--	<0.3	<0.3	<0.3	<0.6	--	--	--	--
GMW-43	11/18/1999	IT Corporation	<300	--	--	--	<100	--	<0.3	<0.3	<0.3	<0.6	--	--	--	--
GMW-43	5/17/2000	IT Corporation	<300	--	--	--	<b>170</b>	--	<b>0.92</b>	<0.3	<b>0.45</b>	<0.6	--	--	--	--
GMW-43	11/30/2000	IT Corporation	<300	--	--	--	<100	--	<0.3	<0.3	<0.3	<0.6	--	<5	--	--
GMW-43	5/9/2001	IT Corporation	<300	--	--	--	<100	--	<0.3	<0.3	<0.3	<0.6	--	<5	--	--
GMW-43	11/7/2001	IT Corporation	<300	--	--	--	<b>150</b>	--	<0.3	<0.3	<0.3	<0.6	--	<5	--	--
GMW-43	4/11/2002	IT Corporation	<300	--	--	--	<100	--	<0.3	<0.3	<0.3	<0.6	--	<5	--	--
GMW-43	10/23/2002	GTI	<300	--	--	--	<100	--	<0.3	<0.3	<0.3	<0.3	--	<5	--	--
GMW-43	4/14/2003	GTI	--	--	--	--	<100	--	<1	<1	<1	<2	--	<3	--	--
GMW-43	10/8/2003	Parsons	--	--	--	--	<100	--	<0.3	<0.3	<0.3	<0.3	--	<5	--	--
GMW-43	4/21/2004	Parsons	--	--	--	--	<100	--	<0.5	<1	<1	<1	--	<1	--	--
GMW-43	11/6/2004	Parsons	--	--	--	--	<100	--	<0.3	<0.3	<0.3	<0.3	--	<5	--	--
GMW-43	5/10/2005	Parsons	--	--	--	--	<100	--	<0.3	<b>0.68</b>	<0.3	<0.3	--	<5	--	--
GMW-43	11/8/2005	Parsons	--	--	--	--	<b>200</b>	--	<0.3	<b>0.47</b>	<0.3	<b>0.31</b>	--	<5	--	--
GMW-43	5/4/2006	Parsons	--	--	--	--	<b>180</b>	--	<0.3	<0.3	<0.3	<0.3	--	<5	--	--



TABLE 11

**HISTORICAL ANALYTICAL RESULTS FOR TPH, BTEX, 1-2 DCA, MTBE, TBA, and DIPE IN GROUNDWATER  
NOVEMBER 1996 THROUGH MAY 2010**

Defense Fuel Support Point Norwalk  
Norwalk, California

Results reported in micrograms per liter (µg/L)

Well	Date Sampled	Sampled By	TPHg	TPHd	TPHj <sub>p4</sub>	TPHj <sub>p5</sub>	TPHfp	TPH	Benzene	Toluene	Ethylbenzene	Total Xylenes	1,2-DCA	MTBE	TBA	DIPE
GMW-43	12/8/2006	Parsons	--	--	--	--	<100	--	<0.5	<0.5	<0.5	<1	--	<5	--	--
GMW-43	5/3/2007	Parsons	--	--	--	--	<100	--	<0.5	<0.5	<0.5	<1	--	<b>8</b>	--	--
GMW-43	11/15/2007	Parsons	--	--	--	--	<100	--	<0.5	<0.5	<0.5	<1	--	<5	--	--
GMW-43	4/17/2008	Parsons	--	--	--	--	<100	--	<0.5	<0.5	<0.5	<1	--	<5	--	--
GMW-43	10/16/2008	Parsons	--	--	--	<100	--	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
GMW-43	4/23/2009	Blaine Tech for Parsons	--	--	--	<100	--	--	<0.5	<0.5	<0.5	<0.5	--	<0.5	--	<0.5
GMW-43	10/21/2009	Blaine Tech for DESC	--	--	--	<100	--	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
GMW-43	4/15/2010	Blaine Tech for DESC	--	--	--	<100	--	--	<0.5	<0.5	<0.5	<0.5	--	<0.5	<10	<2
GMW-44	11/27/1996	GSI	<b>820</b>	<500	<500	--	--	--	<0.5	<0.5	<0.5	<1	--	--	--	--
GMW-44	7/10/1997	GTI	<b>68</b>	<b>1,100</b>	<1000	--	--	--	<0.5	<1	<1	<2	--	--	--	--
GMW-44	1/6/1998	GTI	<500	<b>700</b>	<100	--	--	--	<0.3	<0.3	<0.3	<0.6	--	--	--	--
GMW-44	5/21/1998	BBC	<300	--	--	--	--	--	<0.3	<0.3	<0.3	<0.6	--	--	--	--
GMW-44	11/5/1998	GTI	<300	--	--	--	<100	--	<0.3	<0.3	<0.3	<0.6	--	--	--	--
GMW-44	5/27/1999	GTI	<300	--	--	--	<100	--	<0.3	<0.3	<0.3	<0.6	--	--	--	--
GMW-44	11/18/1999	IT Corporation	<300	--	--	--	<b>310</b>	--	<0.3	<0.3	<0.3	<0.6	--	--	--	--
GMW-44	5/17/2000	IT Corporation	<300	--	--	--	<b>240</b>	--	<0.3	<0.3	<0.3	<b>1.9</b>	--	--	--	--
GMW-44	11/30/2000	IT Corporation	<300	--	--	--	<b>280</b>	--	<b>0.98</b>	<0.3	<b>0.95</b>	<0.6	--	<5	--	--
GMW-44	5/9/2001	IT Corporation	<300	--	--	--	<b>190</b>	--	<0.3	<0.3	<0.3	<0.6	--	<5	--	--
GMW-44	11/7/2001	IT Corporation	<300	--	--	--	<b>270</b>	--	<0.3	<0.3	<0.3	<0.6	--	<5	--	--
GMW-44	4/11/2002	IT Corporation	<300	--	--	--	<100	--	<0.3	<0.3	<0.3	<0.6	--	<5	--	--
GMW-44	10/23/2002	GTI	<300	--	--	--	<b>120</b>	--	<0.3	<0.3	<0.3	<0.3	--	<5	--	--
GMW-44	4/14/2003	GTI	--	--	--	--	<100	--	<1	<1	<1	<2	--	<3	--	--
GMW-44	10/8/2003	Parsons	--	--	--	--	<b>230</b>	--	<0.3	<0.3	<0.3	<0.3	--	<5	--	--
GMW-44	4/21/2004	Parsons	--	--	--	--	<b>160</b>	--	<0.5	<1	<1	<1	--	<1	--	--
GMW-44	11/4/2004	Parsons	--	--	--	--	<100	--	<0.3	<0.3	<0.3	<0.3	--	<5	--	--
GMW-44	5/6/2005	Parsons	--	--	--	--	<b>120</b>	--	<b>0.45</b>	<b>0.68</b>	<0.3	<0.3	--	<5	--	--
GMW-44	11/8/2005	Parsons	--	--	--	--	<100	--	<0.3	<0.3	<0.3	<b>0.39</b>	--	<5	--	--
GMW-44	5/4/2006	Parsons	--	--	--	--	<100	--	<0.3	<0.3	<0.3	<0.3	--	<5	--	--
GMW-44	12/8/2006	Parsons	--	--	--	--	<100	--	<0.5	<0.5	<0.5	<1	--	<5	--	--
GMW-44	5/4/2007	Parsons	--	--	--	--	<b>160</b>	--	<0.5	<0.5	<0.5	<1	--	<b>8.3</b>	--	--
GMW-44	11/15/2007	Parsons	--	--	--	--	<100	--	<0.5	<0.5	<0.5	<1	--	<5	--	--
GMW-44	4/17/2008	Parsons	--	--	--	--	<100	--	<0.5	<0.5	<0.5	<1	--	<5	--	--
GMW-44	10/16/2008	Parsons	--	--	--	<100	--	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
GMW-44	4/23/2009	Blaine Tech for Parsons	--	--	--	<100	--	--	<0.5	<0.5	<0.5	<0.5	--	<0.5	--	<0.5
GMW-44	10/21/2009	Blaine Tech for DESC	--	--	--	<100	--	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
GMW-44	4/15/2010	Blaine Tech for DESC	--	--	--	<100	--	--	<0.5	<0.5	<0.5	<0.5	--	<0.5	<10	<2
GMW-45	11/22/1996	GSI	<b>23,000</b>	<500	<500	--	--	--	<b>1,100</b>	<b>230</b>	<b>580</b>	<b>2,900</b>	<0.5	--	--	--
GMW-45	7/9/1997	GTI	<b>1,100</b>	<b>2,700</b>	<2000	--	--	--	<b>330</b>	<5	<b>280</b>	<b>930</b>	--	--	--	--
GMW-45	1/6/1998	GTI	<b>3,200</b>	<b>3,400</b>	<b>4,700</b>	--	--	--	<b>286</b>	<b>1.3</b>	<b>188</b>	<b>543</b>	--	--	--	--
GMW-45	5/20/1998	BBC	<b>4,200</b>	--	--	--	--	--	<b>270</b>	<b>221</b>	<b>109</b>	<b>569</b>	--	--	--	--
GMW-45	11/5/1998	GTI	<b>1,400</b>	--	--	--	<100	--	<b>81</b>	<0.3	<b>40</b>	<b>75</b>	--	--	--	--
GMW-45	5/27/1999	GTI	<b>3,750</b>	--	--	--	<b>3,890</b>	--	<b>420</b>	<0.6	<b>180</b>	<b>390</b>	--	--	--	--

TABLE 11

**HISTORICAL ANALYTICAL RESULTS FOR TPH, BTEX, 1-2 DCA, MTBE, TBA, and DIPE IN GROUNDWATER  
NOVEMBER 1996 THROUGH MAY 2010**

Defense Fuel Support Point Norwalk  
Norwalk, California

Results reported in micrograms per liter (µg/L)

Well	Date Sampled	Sampled By	TPHg	TPHd	TPHjp <sub>4</sub>	TPHjp <sub>5</sub>	TPHfp	TPH	Benzene	Toluene	Ethylbenzene	Total Xylenes	1,2-DCA	MTBE	TBA	DIPE
GMW-45	11/18/1999	IT Corporation	3,960	--	--	--	3,100	--	380	<3	140	100	--	--	--	--
GMW-45	5/17/2000	IT Corporation	5,200	--	--	--	5,500	--	620	8	87	37	--	--	--	--
GMW-45	11/29/2000	IT Corporation	2,400	--	--	--	3,100	--	330	1.3	6	4	--	<10	--	--
GMW-45	5/9/2001	IT Corporation	6,500	--	--	--	4,100	--	620	74	51	420	--	<50	--	--
GMW-45	11/7/2001	IT Corporation	5,700	--	--	--	3,000	--	730	<3	8.5	19	--	<50	--	--
GMW-45	4/10/2002	IT Corporation	9,800	--	--	--	6,500	--	900	21	69	240	--	240	--	--
GMW-45	10/23/2002	GTI	3,200	--	--	--	1,300	--	770	5.5	120	290	--	<5	--	--
GMW-45	4/10/2003	GTI	--	--	--	--	1,570	--	344	10.8	5.56	10.1	--	<6	--	--
GMW-45	10/8/2003	Parsons	--	--	--	--	3,400	--	470	<0.6	6.5	3.7	--	<10	--	--
GMW-45	4/21/2004	Parsons	--	--	--	--	1,400	--	140	<1	2.5	1.1	--	<1	--	--
GMW-45	11/4/2004	Parsons	--	--	--	--	1,500	--	84	<0.3	3	2.9	--	<5	--	--
GMW-45	5/5/2005	Parsons	--	--	--	--	6,900	--	670	17	520	720	--	<50	--	--
GMW-45	11/5/2005	Parsons	--	--	--	--	2,200	--	340	0.46	130	250	--	10	--	--
GMW-45	5/3/2006	Parsons	--	--	--	--	2,400	--	76	4.1	11	16	--	<5	--	--
GMW-45	12/5/2006	Parsons	--	--	--	--	1,200	--	67	1.9	3.6	6.4	--	<5	--	--
GMW-45	5/2/2007	Parsons	--	--	--	--	1,500	--	37	0.56	2	3	--	11	--	--
GMW-45	11/14/2007	Parsons	--	--	--	--	590	--	42	<0.5	<0.5	<1	--	9.6	--	--
GMW-45	4/16/2008	Parsons	--	--	--	--	1,500	--	21	0.52	1.4	2.9	--	<5	--	--
GMW-45	10/15/2008	Parsons	--	--	--	730	--	--	9.7	<0.5	1.9	<0.5	<0.5	<0.5	<10	<2
GMW-45	4/21/2009	Blaine Tech for Parsons	--	--	--	1,200	--	--	11	<2	<2	<2	--	<2	--	--
GMW-45	10/21/2009	Blaine Tech for DESC	--	--	--	1,600	--	--	15	<0.5	2.2	<0.5	<0.5	<0.5	11	<2
GMW-45	4/12/2010	Blaine Tech for DESC	--	--	--	1,700	--	--	85	<0.5	2.6	0.28	--	<0.5	11	<2
GMW-47	11/27/1996	GSI	9,600	<500	<500	--	--	--	1,800	<25	160	660	--	--	--	--
GMW-47	7/9/1997	GTI	420	93	<400	--	--	--	350	<1	170	79	--	--	--	--
GMW-47	1/6/1998	GTI	1,900	<100	1,800	--	--	--	438	11	75	253	<2.5	<2.5	--	--
GMW-47	5/20/1998	BBC	<300	--	--	--	--	--	1	<0.3	<0.3	<0.6	--	--	--	--
GMW-47	11/5/1998	GTI	1,700	--	--	--	<100	--	910	4.9	18	140	--	--	--	--
GMW-47	5/26/1999	GTI	<300	--	--	--	<100	--	130	<0.3	0.33	3	--	--	--	--
GMW-47	11/18/1999	IT Corporation	2,100	--	--	--	1,200	--	1,100	0.77	5.8	27	--	--	--	--
GMW-47	5/17/2000	IT Corporation	7,200	--	--	--	8,000	--	2,300	700	200	1,100	--	--	--	--
GMW-47	11/29/2000	IT Corporation	990	--	--	--	1,100	--	280	0.59	2.2	<0.6	--	<5	--	--
GMW-47	3/30/2001	IT Corporation	--	--	--	--	<50	--	--	--	--	--	--	--	--	--
GMW-47	5/9/2001	IT Corporation	7,600	--	--	--	4,100	--	1,400	110	55	590	--	16	--	--
GMW-47	11/7/2001	IT Corporation	1,500	--	--	--	350	--	410	8.2	8.7	150	--	<50	--	--
GMW-47	4/10/2002	IT Corporation	4,100	--	--	--	1,200	--	710	150	9.2	360	--	<25	--	--
GMW-47	10/23/2002	GTI	4,000	--	--	--	2,900	--	430	<5	26	99.9	<2.5	<5	--	--
GMW-47	4/9/2003	GTI	--	--	--	--	<100	--	1	<0.5	<0.5	<0.5	<1	<0.5	--	--
GMW-47	9/18/2003	Parsons	--	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-47	10/8/2003	Parsons	140	--	--	--	380	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-47	2/21/2004	Parsons	--	--	<100	--	--	--	4	<0.5	<0.5	<0.5	--	<0.5	--	--
GMW-47	4/21/2004	Parsons	160	--	--	--	640	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
GMW-47	7/21/2004	Parsons	330	--	--	--	330	--	<0.5	<0.5	<0.5	<0.5	--	<0.5	--	--
GMW-47	11/3/2004	Parsons	<100	--	--	--	430	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2

TABLE 11

**HISTORICAL ANALYTICAL RESULTS FOR TPH, BTEX, 1-2 DCA, MTBE, TBA, and DIPE IN GROUNDWATER  
NOVEMBER 1996 THROUGH MAY 2010**

Defense Fuel Support Point Norwalk  
Norwalk, California

Results reported in micrograms per liter (µg/L)

Well	Date Sampled	Sampled By	TPHg	TPHd	TPHj <sub>p4</sub>	TPHj <sub>p5</sub>	TPHfp	TPH	Benzene	Toluene	Ethylbenzene	Total Xylenes	1,2-DCA	MTBE	TBA	DIPE
GMW-47	3/2/2005	Parsons	170	--	--	--	110	--	33	<1	5.8	5.4	--	<1	--	--
GMW-47	5/5/2005	Parsons	420	--	--	--	530	--	22	<0.5	6	17.55	<0.5	<0.5	<10	<2
GMW-47	8/4/2005	Parsons	<100	--	--	--	110	--	3	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
GMW-47	11/5/2005	Parsons	<100	--	--	--	250	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
GMW-47	3/8/2006	Parsons	<100	--	--	--	160	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
GMW-47	5/3/2006	Parsons	<100	--	--	--	340	--	2.3	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
GMW-47	7/28/2006	Parsons	<100	--	--	--	440	--	0.95	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
GMW-47	12/5/2006	Parsons	<100	--	--	--	200	--	5.4	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
GMW-47	3/23/2007	Parsons	<100	--	--	--	420	--	11	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
GMW-47	5/2/2007	Parsons	<100	--	--	--	320	--	4.8	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
GMW-47	8/31/2007	Parsons	<100	--	--	--	400	--	1.8	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
GMW-47	11/13/2007	Parsons	<100	--	--	--	180	--	0.83	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
GMW-47	2/7/2008	Parsons	<100	--	--	--	290	--	1.7	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
GMW-47	4/16/2008	Parsons	<100	--	--	--	270	--	1.6	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
GMW-47	7/29/2008	Parsons	<100	--	--	--	450	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
GMW-47	10/15/2008	Parsons	<100	--	--	300	--	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
GMW-47	2/12/2009	Parsons	170	--	--	460	--	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
GMW-47	4/20/2009	Blaine Tech for Parsons	180	--	--	730	--	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
GMW-47	7/20/2009	Blaine Tech for AMEC GMX	200	--	--	1,400	--	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	15	<2
GMW-47	10/19/2009	Blaine Tech for DESC	170	--	--	1,200	--	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	15	<2
GMW-47	1/11/2010	Blaine Tech for DESC	--	--	--	1,300	--	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	17	<2
GMW-47	4/19/2010	Blaine Tech for DESC	--	--	--	930	--	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	13	<2
GMW-48	11/22/1996	GSI	56,000	<500	<500	--	--	--	10,000	1,800	1,500	6,900	0.8	--	--	--
GMW-5	11/27/1996	GSI	<50	<500	<500	--	--	--	<0.5	<0.5	<0.5	<1	--	--	--	--
GMW-5	7/11/1997	GTI	<50	<50	<50	--	--	--	<0.5	<1	<1	<2	--	--	--	--
GMW-5	1/6/1998	GTI	<500	<100	<100	--	--	--	<0.3	<0.3	<0.3	<0.6	--	--	--	--
GMW-5	5/18/1998	BBC	--	--	--	--	--	--	<0.3	<0.3	<0.3	<0.6	--	--	--	--
GMW-5	11/4/1998	GTI	<300	--	--	--	<100	--	<0.3	<0.3	<0.3	<0.6	--	--	--	--
GMW-5	5/27/1999	GTI	<300	--	--	--	<100	--	<0.3	<0.3	<0.3	<0.6	--	--	--	--
GMW-5	11/18/1999	IT Corporation	<300	--	--	--	<100	--	<0.3	<0.3	<0.3	<0.6	--	--	--	--
GMW-5	5/16/2000	IT Corporation	<300	--	--	--	<100	--	<0.3	<0.3	<0.3	<0.6	--	--	--	--
GMW-5	11/29/2000	IT Corporation	<300	--	--	--	<100	--	<0.3	<0.3	<0.3	<0.6	--	<5	--	--
GMW-5	5/9/2001	IT Corporation	<300	--	--	--	<100	--	<0.3	<0.3	<0.3	<0.6	--	<5	--	--
GMW-5	11/7/2001	IT Corporation	<300	--	--	--	<100	--	<0.3	<0.3	<0.3	<0.6	--	<5	--	--
GMW-5	4/10/2002	IT Corporation	<300	--	--	--	<100	--	<0.3	<0.3	<0.3	<0.6	--	<5	--	--
GMW-56	11/5/1998	GTI	<300	--	--	--	<100	--	<0.3	<0.3	16	<0.6	--	--	--	--
GMW-56	5/27/1999	GTI	<300	--	--	--	<100	--	<0.3	<0.3	<0.3	<0.6	--	--	--	--
GMW-56	11/18/1999	IT Corporation	<300	--	--	--	<100	--	<0.3	<0.3	<0.3	<0.6	--	--	--	--
GMW-56	5/17/2000	IT Corporation	<300	--	--	--	<100	--	<0.3	<0.3	<0.3	<0.6	--	--	--	--
GMW-56	11/29/2000	IT Corporation	<300	--	--	--	<100	--	<0.3	<0.3	<0.3	<0.6	--	<5	--	--
GMW-56	5/9/2001	IT Corporation	<300	--	--	--	<100	--	<0.3	<0.3	<0.3	<0.6	--	<5	--	--
GMW-56	11/7/2001	IT Corporation	<300	--	--	--	<100	--	<0.3	<0.3	<0.3	<0.6	--	<5	--	--

TABLE 11

**HISTORICAL ANALYTICAL RESULTS FOR TPH, BTEX, 1-2 DCA, MTBE, TBA, and DIPE IN GROUNDWATER  
NOVEMBER 1996 THROUGH MAY 2010**

Defense Fuel Support Point Norwalk  
Norwalk, California

Results reported in micrograms per liter (µg/L)

Well	Date Sampled	Sampled By	TPHg	TPHd	TPHjp <sub>4</sub>	TPHjp <sub>5</sub>	TPHfp	TPH	Benzene	Toluene	Ethylbenzene	Total Xylenes	1,2-DCA	MTBE	TBA	DIPE
GMW-56	4/10/2002	IT Corporation	<300	--	--	--	<100	--	<0.3	<0.3	<0.3	<0.6	--	12	--	--
GMW-56	4/10/2003	GTI	--	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-56	10/8/2003	Parsons	--	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-56	4/21/2004	Parsons	--	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
GMW-56	11/4/2004	Parsons	--	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
GMW-56	5/5/2005	Parsons	--	--	--	--	120	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
GMW-56	11/5/2005	Parsons	--	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
GMW-56	5/3/2006	Parsons	--	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
GMW-56	12/8/2006	Parsons	--	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
GMW-56	5/2/2007	Parsons	--	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
GMW-56	11/14/2007	Parsons	--	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
GMW-56	4/16/2008	Parsons	--	--	--	--	<100	--	<0.5	<0.5	<0.5	0.94	<0.5	<0.5	<10	<2
GMW-56	10/15/2008	Parsons	--	--	--	<100	--	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
GMW-56	4/21/2009	Blaine Tech for Parsons	--	--	--	<100	--	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
GMW-56	10/21/2009	Blaine Tech for DESC	--	--	--	<100	--	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	4.2	<2
GMW-56	4/12/2010	Blaine Tech for DESC	--	--	--	<100	--	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
GMW-57	11/5/1998	GTI	<300	--	--	--	<100	--	12	0.63	4.5	0.97	--	--	--	--
GMW-57	5/26/1999	GTI	379	--	--	--	<100	--	150	15	12	55	--	--	--	--
GMW-57	11/18/1999	IT Corporation	4,000	--	--	--	3,600	--	950	240	150	750	--	--	--	--
GMW-57	5/17/2000	IT Corporation	17,000	--	--	--	<100	--	3,200	2,200	750	4,300	--	--	--	--
GMW-57	11/29/2000	IT Corporation	11,000	--	--	--	7,100	--	2,300	21	340	1,800	--	<100	--	--
GMW-57	3/30/2001	IT Corporation	--	--	--	--	1,800	--	--	--	--	--	--	--	--	--
GMW-57	5/9/2001	IT Corporation	28,000	--	--	--	12,000	--	3,300	3,100	690	3,600	--	<50	--	--
GMW-57	11/7/2001	IT Corporation	19,000	--	--	--	11,000	--	3,900	1,600	390	3,400	--	<500	--	--
GMW-57	4/10/2002	IT Corporation	5,000	--	--	--	5,300	--	720	150	8.2	360	<2.5	<2.5	--	--
GMW-57	10/23/2002	GTI	1,700	--	--	--	2,000	--	690	<0.3	3.2	5.7	--	<5	--	--
GMW-57	4/9/2003	GTI	--	--	--	--	<100	--	<1	<1	<1	<2	--	<3	--	--
GMW-57	9/18/2003	Parsons	--	--	--	--	170	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-57	10/11/2003	Parsons	200	--	--	--	650	--	47	<0.5	0.57	<0.5	<0.5	<0.5	--	--
GMW-57	2/21/2004	Parsons	--	--	470	--	--	--	190	<0.5	<0.5	<0.5	--	<0.5	--	--
GMW-57	4/21/2004	Parsons	110	--	--	--	710	--	21	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
GMW-57	7/21/2004	Parsons	340	--	--	--	720	--	48	<0.5	<0.5	<0.5	--	<0.5	270	57
GMW-57	11/3/2004	Parsons	120	--	--	--	270	--	22	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
GMW-57	3/2/2005	Parsons	400	--	--	--	170	--	190	<1	2.5	5.8	--	<1	--	--
GMW-57	5/5/2005	Parsons	280	--	--	--	170	--	57	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
GMW-57	8/4/2005	Parsons	170	--	--	--	430	--	120	<0.5	0.54	<0.5	<0.5	<0.5	<10	<2
GMW-57	11/5/2005	Parsons	120	--	--	--	100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
GMW-57	3/8/2006	Parsons	180	--	--	--	180	--	5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
GMW-57	5/3/2006	Parsons	<100	--	--	--	280	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
GMW-57	7/28/2006	Parsons	180	--	--	--	1,100	--	1.8	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
GMW-57	12/5/2006	Parsons	<100	--	--	--	290	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
GMW-57	3/23/2007	Parsons	120	--	--	--	540	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
GMW-57	5/2/2007	Parsons	120	--	--	--	720	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2

TABLE 11

**HISTORICAL ANALYTICAL RESULTS FOR TPH, BTEX, 1-2 DCA, MTBE, TBA, and DIPE IN GROUNDWATER  
NOVEMBER 1996 THROUGH MAY 2010**

Defense Fuel Support Point Norwalk  
Norwalk, California

Results reported in micrograms per liter (µg/L)

Well	Date Sampled	Sampled By	TPHg	TPHd	TPHj <sub>p4</sub>	TPHj <sub>p5</sub>	TPHf <sub>p</sub>	TPH	Benzene	Toluene	Ethylbenzene	Total Xylenes	1,2-DCA	MTBE	TBA	DIPE
GMW-57	8/31/2007	Parsons	110	--	--	--	700	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
GMW-57	11/13/2007	Parsons	160	--	--	--	450	--	0.72	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
GMW-57	2/7/2008	Parsons	150	--	--	--	720	--	4	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
GMW-57	4/16/2008	Parsons	<100	--	--	--	540	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
GMW-57	7/29/2008	Parsons	<100	--	--	--	390	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
GMW-57	10/15/2008	Parsons	<100	--	--	210	--	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
GMW-57	2/12/2009	Parsons	<100	--	--	140	--	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
GMW-57	4/20/2009	Blaine Tech for Parsons	<100	--	--	<100	--	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
GMW-57	7/21/2009	Blaine Tech for AMEC GMX	<100	--	--	<100	--	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
GMW-57	10/19/2009	Blaine Tech for DESC	<100	--	--	<100	--	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	8.1	<2
GMW-57	1/11/2010	Blaine Tech for DESC	--	--	--	<100	--	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
GMW-57	4/12/2010	Blaine Tech for DESC	--	--	--	<100	--	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
GMW-58	11/4/1998	GTI	2,590	--	--	--	1,700	--	200	210	67	280	--	--	--	--
GMW-58	5/26/1999	GTI	1,360	--	--	--	451	--	310	62	42	170	--	--	--	--
GMW-58	11/18/1999	IT Corporation	1,600	--	--	--	1,900	--	82	26	20	100	--	--	--	--
GMW-58	5/17/2000	IT Corporation	21,000	--	--	--	36,000	--	3,500	5,900	730	3,900	--	--	--	--
GMW-58	3/2/2005	Parsons	5,800	--	--	--	22,000	--	1,700	<20	250	400	--	<20	--	--
GMW-58	5/5/2005	Parsons	12,000	--	--	--	36,000	--	410	<2.5	13	600	<2.5	<2.5	<50	<10
GMW-58	8/4/2005	Parsons	5,800	--	--	--	24,000	--	500	<2.5	56	124	<2.5	<2.5	<50	<10
GMW-58	11/5/2005	Parsons	6,300	--	--	--	9,700	--	560	<2.5	380	196	<2.5	<2.5	<50	<10
GMW-58	3/8/2006	Parsons	5,300	--	--	--	34,000	--	250	<2.5	140	21.1	<2.5	<2.5	<50	<10
GMW-58	5/3/2006	Parsons	2,900	--	--	--	16,000	--	260	<1	85	27.3	<1	<1	<20	<4
GMW-58	7/28/2006	Parsons	3,200	--	--	--	15,000	--	310	<1	78	23	<1	<1	<20	<4
GMW-58	3/23/2007	Parsons	1,700	--	--	--	4,100	--	350	<1	5.9	1.5	<1	<1	<20	<4
GMW-58	5/2/2007	Parsons	2,200	--	--	--	2,500	--	320	<1	9.5	2.4	<1	<1	<20	<4
GMW-58	8/31/2007	Parsons	3,000	--	--	--	2,400	--	240	<2.5	<2.5	<2.5	<2.5	<2.5	<50	<10
GMW-58	11/13/2007	Parsons	2,000	--	--	--	720	--	240	<1	7.4	<1	<1	<1	<20	<4
GMW-58	2/7/2008	Parsons	1,100	--	--	--	5,000	--	270	<1	1.8	6	<1	<1	<20	<4
GMW-58	4/16/2008	Parsons	1,100	--	--	--	720	--	310	<2.5	<2.5	<2.5	8.4	<2.5	<50	<10
GMW-58	7/29/2008	Parsons	870	--	--	--	750	--	45	<0.5	<0.5	<0.5	<0.5	0.77	<10	<2
GMW-58	10/15/2008	Parsons	1,200	--	--	840	--	--	62	<0.5	0.67	0.62	<0.5	<0.5	<10	<2
GMW-58	2/12/2009	Parsons	1,000	--	--	2,200	--	--	36	<0.5	0.85	<0.5	<0.5	0.55	<10	<2
GMW-58	4/20/2009	Blaine Tech for Parsons	130	--	--	230	--	--	<0.5	<0.5	<0.5	<0.5	<0.5	13	<10	<2
GMW-58	7/20/2009	Blaine Tech for AMEC GMX	100	--	--	300	--	--	1.2	<0.5	<0.5	<0.5	<0.5	6.4	<10	<2
GMW-58	10/19/2009	Blaine Tech for DESC	1,000	--	--	2,200	--	--	9.5	<0.5	0.24	<0.5	<0.5	1.5	6	<2
GMW-58	1/11/2010	Blaine Tech for DESC	--	--	--	190	--	--	9.7	<0.5	<0.5	<0.5	<0.5	1.7	3.8	<2
GMW-58	4/19/2010	Blaine Tech for DESC	--	--	--	300	--	--	12	<0.5	<0.5	<0.5	<0.5	0.81	5.7	<2
GMW-59	11/4/1998	GTI	9,880	--	--	--	12,400	--	950	600	210	620	--	--	--	--
GMW-59	11/29/2000	IT Corporation	67,000	--	--	--	21,000	--	3,500	900	750	3,600	--	<130	--	--
GMW-59	4/10/2003	GTI	--	--	--	--	29,600	--	261	4.8	18.4	110	--	<3	--	--

TABLE 11

**HISTORICAL ANALYTICAL RESULTS FOR TPH, BTEX, 1-2 DCA, MTBE, TBA, and DIPE IN GROUNDWATER  
NOVEMBER 1996 THROUGH MAY 2010**

Defense Fuel Support Point Norwalk  
Norwalk, California

Results reported in micrograms per liter (µg/L)

Well	Date Sampled	Sampled By	TPHg	TPHd	TPHj <sub>p4</sub>	TPHj <sub>p5</sub>	TPHf <sub>p</sub>	TPH	Benzene	Toluene	Ethylbenzene	Total Xylenes	1,2-DCA	MTBE	TBA	DIPE
GMW-59	10/8/2003	Parsons	--	--	--	--	4,900	--	760	<3	65	450	--	<50	--	--
GMW-59	4/21/2004	Parsons	--	--	--	--	5,000	--	590	<1	100	275.6	--	380	--	--
GMW-59	11/3/2004	Parsons	--	--	--	--	4,000	--	95	<0.6	15	18	--	<10	--	--
GMW-59	3/2/2005	Parsons	4,200	--	--	--	23,000	--	400	<5	130	22	--	35	--	--
GMW-59	5/5/2005	Parsons	11,000	--	--	--	9,400	--	170	<0.5	60	7.8	<0.5	11	<10	<2
GMW-59	8/4/2005	Parsons	6,400	--	--	--	17,000	--	140	<1	56	7	<1	<1	<20	<4
GMW-59	11/5/2005	Parsons	9,500	--	--	--	26,000	--	270	<0.5	26	2.2	<0.5	<0.5	<10	<2
GMW-59	3/8/2006	Parsons	4,600	--	--	--	13,000	--	260	<1	7.4	<1	<1	<1	<20	<4
GMW-59	5/3/2006	Parsons	9,900	--	--	--	9,300	--	210	<1	4	<1	<1	<1	<20	<4
GMW-59	7/28/2006	Parsons	3,200	--	--	--	37,000	--	540	<1	3.1	<1	<1	4.8	<20	<4
GMW-59	12/5/2006	Parsons	--	--	--	--	9,000	--	800	4.3	5.2	11	--	<10	--	--
GMW-59	3/23/2007	Parsons	8,200	--	--	--	15,000	--	840	<2.5	<2.5	<2.5	<2.5	<2.5	<50	<10
GMW-59	5/2/2007	Parsons	4,800	--	--	--	7,400	--	1,100	<2.5	<2.5	<2.5	<2.5	<2.5	<50	<10
GMW-59	8/31/2007	Parsons	4,800	--	--	--	3,500	--	720	<2.5	<2.5	<2.5	<2.5	<2.5	<50	<10
GMW-59	11/13/2007	Parsons	4,700	--	--	--	2,200	--	660	<5	<5	<5	<5	<5	<100	<20
GMW-59	2/7/2008	Parsons	3,200	--	--	--	3,900	--	490	<2.5	3.8	<2.5	<2.5	2.7	<50	<10
GMW-59	4/16/2008	Parsons	3,600	--	--	--	2,100	--	580	<2.5	3.5	<2.5	15	3.7	<50	<10
GMW-59	7/29/2008	Parsons	2,300	--	--	--	2,900	--	580	<2.5	<2.5	<2.5	<2.5	3.3	<50	<10
GMW-59	10/15/2008	Parsons	2,500	--	--	2,400	--	--	830	<2.5	<2.5	<2.5	<2.5	5.5	<50	<10
GMW-59	2/12/2009	Parsons	2,500	--	--	2,600	--	--	650	<2.5	<2.5	<2.5	<2.5	3.2	<50	<10
GMW-59	4/20/2009	Blaine Tech for Parsons	8,500	--	--	19,000	--	--	610	<2.5	<2.5	<2.5	<2.5	2.7	<50	<10
GMW-59	7/20/2009	Blaine Tech for AMEC GMX	6,700	--	--	11,000	--	--	520	<2.5	<2.5	<2.5	<2.5	3.5	<50	<10
GMW-59	10/21/2009	Blaine Tech for DESC	2,600	--	--	3,000	--	--	1,700	<2.5	1.4	<2.5	<2.5	16	18	<10
GMW-59	1/11/2010	Blaine Tech for DESC	--	--	--	1,900	--	--	2,200	<10	<10	<10	<10	17	<200	<40
GMW-59	4/19/2010	Blaine Tech for DESC	2,900	--	--	1,700	--	--	570	<0.5	1.9	<0.5	<0.5	2.3	11	<2
GMW-6	11/27/1996	GSI	5,300	<500	<500	--	--	--	330	<12	320	300	--	--	--	--
GMW-6	7/9/1997	GTI	<50	<50	<50	--	--	--	2.7	<1	1.4	<2	<5	--	--	--
GMW-6	1/7/1998	GTI	<500	<100	<100	--	--	--	<0.3	<0.3	<0.3	<0.6	--	--	--	--
GMW-6	5/21/1998	BBC	<300	--	--	--	--	--	<0.5	<0.5	<0.5	<1	<0.5	<0.5	--	--
GMW-6	11/5/1998	GTI	<300	--	--	--	<100	--	<0.3	<0.3	<0.3	<0.6	--	--	--	--
GMW-6	5/27/1999	GTI	<300	--	--	--	<100	--	<0.3	<0.3	<0.3	<0.6	--	--	--	--
GMW-6	11/18/1999	IT Corporation	<300	--	--	--	<100	--	<0.3	<0.3	<0.3	<0.6	--	--	--	--
GMW-6	5/16/2000	IT Corporation	<300	--	--	--	<100	--	<0.3	<0.3	<0.3	<0.6	--	--	--	--
GMW-6	11/29/2000	IT Corporation	<300	--	--	--	550	--	<0.3	<0.3	<0.3	<0.6	--	<5	--	--
GMW-6	5/9/2001	IT Corporation	<300	--	--	--	<100	--	<0.3	<0.3	<0.3	<0.6	--	<5	--	--
GMW-6	11/7/2001	IT Corporation	<300	--	--	--	<100	--	<0.3	<0.3	<0.3	<0.6	--	<5	--	--
GMW-6	4/10/2002	IT Corporation	<300	--	--	--	<100	--	<0.3	<0.3	<0.3	<0.6	--	<5	--	--
GMW-6	10/23/2002	GTI	<300	--	--	--	<100	--	<0.3	<0.3	<0.3	<0.3	--	<5	--	--
GMW-6	4/10/2003	GTI	--	--	--	--	<100	--	<1	<1	<1	<2	--	<3	--	--
GMW-6	10/8/2003	Parsons	--	--	--	--	130	--	<0.3	<0.3	<0.3	<0.3	--	<5	--	--
GMW-6	4/22/2004	Parsons	--	--	--	--	<100	--	0.41	<0.3	<0.3	<0.3	--	<5	--	--
GMW-6	11/6/2004	Parsons	--	--	--	--	4,100	--	<0.3	<0.3	<0.3	<0.3	--	<5	--	--

TABLE 11

**HISTORICAL ANALYTICAL RESULTS FOR TPH, BTEX, 1-2 DCA, MTBE, TBA, and DIPE IN GROUNDWATER  
NOVEMBER 1996 THROUGH MAY 2010**

Defense Fuel Support Point Norwalk  
Norwalk, California

Results reported in micrograms per liter (µg/L)

Well	Date Sampled	Sampled By	TPHg	TPHd	TPHjp <sub>4</sub>	TPHjp <sub>5</sub>	TPHfp	TPH	Benzene	Toluene	Ethylbenzene	Total Xylenes	1,2-DCA	MTBE	TBA	DIPE
GMW-6	5/6/2005	Parsons	--	--	--	--	<100	--	<0.3	<b>0.46</b>	<0.3	<0.3	--	<5	--	--
GMW-6	11/8/2005	Parsons	--	--	--	--	<100	--	<0.3	<0.3	<0.3	<0.3	--	<5	--	--
GMW-6	5/3/2006	Parsons	--	--	--	--	<100	--	<0.3	<0.3	<0.3	<0.3	--	<5	--	--
GMW-6	12/8/2006	Parsons	--	--	--	--	<100	--	<0.5	<0.5	<0.5	<b>1.3</b>	--	<5	--	--
GMW-6	5/2/2007	Parsons	--	--	--	--	<100	--	<b>0.58</b>	<b>0.54</b>	<0.5	<1	--	<5	--	--
GMW-6	8/31/2007	Parsons	<b>3,400</b>	--	--	--	<b>1,100</b>	--	<b>400</b>	<b>96</b>	<b>45</b>	<b>188</b>	<0.5	<0.5	<10	<2
GMW-6	11/14/2007	Parsons	--	--	--	--	<100	--	<0.5	<0.5	<0.5	<1	--	<5	--	--
GMW-6	11/15/2007	Parsons	--	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
GMW-6	4/16/2008	Parsons	--	--	--	--	<100	--	<0.5	<0.5	<0.5	<1	--	<5	--	--
GMW-6	10/15/2008	Parsons	--	--	--	<100	--	--	<0.5	<0.5	<0.5	<0.5	<0.5	<b>1.1</b>	<10	<2
GMW-6	4/21/2009	Blaine Tech for Parsons	--	--	--	<100	--	--	<0.5	<0.5	<0.5	<0.5	--	<b>43</b>	--	--
GMW-6	7/21/2009	Blaine Tech for AMEC GMX	<100	--	--	<100	--	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
GMW-6	10/20/2009	Blaine Tech for DESC	--	--	--	<b>110</b>	--	--	<b>1.5</b>	<0.5	<0.5	<0.5	<0.5	<b>350</b>	<10	<2
GMW-6	4/12/2010	Blaine Tech for DESC	--	--	--	<100	--	--	<0.5	<0.5	<0.5	<0.5	--	<b>7.2</b>	<10	<2
GMW-60	7/21/2004	Parsons	<b>15,000</b>	--	--	--	<b>5,300</b>	--	<b>1,700</b>	<b>160</b>	<b>710</b>	<b>2,050</b>	--	<0.5	--	--
GMW-60	11/3/2004	Parsons	<b>12,000</b>	--	--	--	<b>3,500</b>	--	<b>1,700</b>	<b>70</b>	<b>900</b>	<b>1,780</b>	<5	<5	<100	<20
GMW-60	3/2/2005	Parsons	<b>8,300</b>	--	--	--	<b>4,900</b>	--	<b>1,300</b>	<20	<b>860</b>	<b>2,040</b>	--	<20	--	--
GMW-60	5/5/2005	Parsons	<b>9,400</b>	--	--	--	<b>4,600</b>	--	<b>1,100</b>	<5	<b>790</b>	<b>1,740</b>	<5	<5	<100	<20
GMW-60	8/4/2005	Parsons	<b>6,200</b>	--	--	--	<b>5,600</b>	--	<b>1,000</b>	<5	<b>680</b>	<b>1,070</b>	<5	<5	<100	<20
GMW-60	11/5/2005	Parsons	<b>7,200</b>	--	--	--	<b>4,400</b>	--	<b>970</b>	<5	<b>710</b>	<b>1,130</b>	<5	<5	<100	<20
GMW-60	3/8/2006	Parsons	<b>5,900</b>	--	--	--	<b>5,200</b>	--	<b>680</b>	<5	<b>640</b>	<b>800</b>	<5	<5	<100	<20
GMW-60	5/3/2006	Parsons	<b>3,900</b>	--	--	--	<b>2,200</b>	--	<b>770</b>	<5	<b>230</b>	<b>235</b>	<5	<5	<100	<20
GMW-60	7/28/2006	Parsons	<b>4,600</b>	--	--	--	<b>4,900</b>	--	<b>850</b>	<5	<b>170</b>	<b>102</b>	<5	<5	<100	<20
GMW-60	12/5/2006	Parsons	<b>4,100</b>	--	--	--	<b>920</b>	--	<b>660</b>	<5	<b>130</b>	<b>92</b>	<5	<5	<100	<20
GMW-60	3/23/2007	Parsons	<b>3,500</b>	--	--	--	<b>1,700</b>	--	<b>490</b>	<2.5	<b>87</b>	<b>80</b>	<2.5	<2.5	<50	<10
GMW-60	5/2/2007	Parsons	<b>2,800</b>	--	--	--	<b>630</b>	--	<b>300</b>	<2.5	<b>18</b>	<b>23</b>	<2.5	<2.5	<50	<10
GMW-60	8/31/2007	Parsons	<b>2,000</b>	--	--	--	<b>660</b>	--	<b>250</b>	<2.5	<b>18</b>	<b>6</b>	<2.5	<2.5	<50	<10
GMW-60	11/13/2007	Parsons	<b>1,500</b>	--	--	--	<100	--	<b>180</b>	<0.5	<b>21</b>	<b>4.3</b>	<0.5	<0.5	<10	<2
GMW-60	2/7/2008	Parsons	<b>1,700</b>	--	--	--	<b>290</b>	--	<b>270</b>	<b>0.8</b>	<b>65</b>	<b>48</b>	<0.5	<0.5	<10	<2
GMW-60	4/16/2008	Parsons	<b>1,400</b>	--	--	--	<b>920</b>	--	<b>160</b>	<1	<b>24</b>	<b>3</b>	<1	<1	<20	<4
GMW-60	7/29/2008	Parsons	<b>2,000</b>	--	--	--	<b>610</b>	--	<b>240</b>	<1	<b>3.9</b>	<1	<1	<1	<20	<4
GMW-60	10/15/2008	Parsons	<b>1,400</b>	--	--	<b>270</b>	--	--	<b>220</b>	<1	<b>2.7</b>	<1	<1	<1	<20	<4
GMW-60	2/12/2009	Parsons	<b>1,600</b>	--	--	<b>490</b>	--	--	<b>200</b>	<1	<b>2.5</b>	<1	<1	<1	<20	<4
GMW-60	4/20/2009	Blaine Tech for Parsons	<b>3,500</b>	--	--	<b>1,100</b>	--	--	<b>800</b>	<5	<b>7.9</b>	<5	<5	<5	<100	<20
GMW-60	7/20/2009	Blaine Tech for AMEC GMX	<b>3,200</b>	--	--	<b>1,700</b>	--	--	<b>940</b>	<5	<b>11</b>	<5	<5	<5	<100	<20
GMW-60	10/19/2009	Blaine Tech for DESC	<b>2,600</b>	--	--	<b>930</b>	--	--	<b>800</b>	<5	<b>8.8</b>	<5	<5	<5	<100	<20
GMW-60	1/11/2010	Blaine Tech for DESC	--	--	--	<100	--	--	<b>940</b>	<5	<b>12</b>	<5	<5	<1	<100	<20
GMW-60	4/13/2010	Blaine Tech for DESC	<b>1,900</b>	--	--	<b>1,300</b>	--	--	<b>580</b>	<0.5	<b>8.7</b>	<b>0</b>	<0.5	<0.5	<10	<2
GMW-61	7/21/2004	Parsons	<b>19,000</b>	--	--	--	<b>14,000</b>	--	<b>2,400</b>	<b>1,700</b>	<b>1,000</b>	<b>4,000</b>	--	<0.5	--	--
GMW-61	11/3/2004	Parsons	<b>23,000</b>	--	--	--	<b>5,700</b>	--	<b>2,500</b>	<b>2,200</b>	<b>1,200</b>	<b>5,000</b>	<5	<5	<100	<20

TABLE 11

**HISTORICAL ANALYTICAL RESULTS FOR TPH, BTEX, 1-2 DCA, MTBE, TBA, and DIPE IN GROUNDWATER  
NOVEMBER 1996 THROUGH MAY 2010**

Defense Fuel Support Point Norwalk  
Norwalk, California

Results reported in micrograms per liter (µg/L)

Well	Date Sampled	Sampled By	TPHg	TPHd	TPHj <sub>p4</sub>	TPHj <sub>p5</sub>	TPHf <sub>p</sub>	TPH	Benzene	Toluene	Ethylbenzene	Total Xylenes	1,2-DCA	MTBE	TBA	DIPE
GMW-61	3/2/2005	Parsons	20,000	--	--	--	10,000	--	2,700	1,900	1,100	5,900	--	<20	--	--
GMW-61	5/5/2005	Parsons	11,000	--	--	--	7,000	--	2,000	310	840	2,500	<10	<10	<200	<40
GMW-61	8/4/2005	Parsons	11,000	--	--	--	12,000	--	1,900	740	740	3,500	<10	<10	<200	<40
GMW-61	11/5/2005	Parsons	16,000	--	--	--	10,000	--	2,600	480	1,100	4,900	<10	<10	<200	<40
GMW-61	3/8/2006	Parsons	11,000	--	--	--	7,900	--	2,100	280	1,000	2,700	<10	<10	<200	<40
GMW-61	5/3/2006	Parsons	9,600	--	--	--	7,300	--	1,900	89	810	2,030	<10	<10	<200	<40
GMW-61	7/28/2006	Parsons	7,200	--	--	--	9,900	--	1,400	20	460	1,290	<10	<10	<200	<40
GMW-61	12/5/2006	Parsons	7,900	--	--	--	4,000	--	1,500	19	330	2,050	<5	<5	<100	<20
GMW-61	3/23/2007	Parsons	7,500	--	--	--	3,100	--	1,200	16	220	1,340	<5	<5	<100	<20
GMW-61	5/2/2007	Parsons	11,000	--	--	--	3,000	--	1,600	27	290	2,090	<5	<5	<100	<20
GMW-61	8/31/2007	Parsons	9,200	--	--	--	1,600	--	1,500	17	190	1,170	<0.5	<0.5	<10	<2
GMW-61	11/13/2007	Parsons	2,300	--	--	--	<100	--	580	6	99	360	<5	<5	<100	<20
GMW-61	2/7/2008	Parsons	2,600	--	--	--	890	--	330	8.6	70	363	<2.5	<2.5	<50	<10
GMW-61	4/16/2008	Parsons	2,000	--	--	--	1,100	--	480	5	64	399	<2.5	<2.5	<50	<10
GMW-61	7/29/2008	Parsons	1,500	--	--	--	790	--	400	<2.5	28	129	<2.5	<2.5	<50	<10
GMW-61	10/15/2008	Parsons	1,300	--	--	500	--	--	450	<2.5	34	150	<2.5	<2.5	<50	<10
GMW-61	2/12/2009	Parsons	1,100	--	--	<100	--	--	340	<2.5	13	57	<2.5	<2.5	<50	<10
GMW-61	4/20/2009	Blaine Tech for Parsons	1,100	--	--	550	--	--	490	<2.5	<2.5	<2.5	<2.5	<2.5	<50	<10
GMW-61	7/20/2009	Blaine Tech for AMEC GMX	760	--	--	560	--	--	350	<2.5	<2.5	<2.5	<2.5	<2.5	<50	<10
GMW-61	10/19/2009	Blaine Tech for DESC	620	--	--	410	--	--	320	<2.5	1.2	<2.5	<2.5	<2.5	<50	<10
GMW-61	1/11/2010	Blaine Tech for DESC	--	--	--	<100	--	--	190	<1	1	<1	<1	<1	<20	<4
GMW-61	4/15/2010	Blaine Tech for DESC	740	--	--	500	--	--	380	<0.5	2	<0.5	<0.5	<0.5	3.7	<2
GMW-62	11/14/2007	Parsons	4,200	--	--	--	<100	--	1,400	85	160	92	<5	<5	<100	<20
GMW-62	2/7/2008	Parsons	4,100	--	--	--	1,400	--	2,100	190	450	610	<5	<5	<100	<20
GMW-62	4/17/2008	Parsons	1,000	--	--	--	500	--	430	15	50	23.9	<5	<5	<100	<20
GMW-62	7/29/2008	Parsons	2,400	--	--	--	1,000	--	1,300	33	160	109	<2.5	<2.5	<50	<10
GMW-62	10/15/2008	Parsons	2,800	--	--	180	--	--	1,700	19	220	161	<5	<5	<100	<20
GMW-62	2/12/2009	Parsons	3,600	--	--	1,600	--	--	1,800	5.1	150	164	<5	<5	<100	<20
GMW-62	4/23/2009	Blaine Tech for Parsons	1,500	--	--	150	--	--	370	<2.5	25	5.2	<2.5	<2.5	<50	<10
GMW-62	7/21/2009	Blaine Tech for AMEC GMX	1,800	--	--	1,100	--	--	1,200	<2.5	67	36	<2.5	<2.5	<50	<10
GMW-62	10/21/2009	Blaine Tech for DESC	2,200	--	--	480	--	--	1,700	<2.5	43	12.9	<2.5	<2.5	<50	<10
GMW-62	1/12/2010	Blaine Tech for DESC	--	--	--	2,200	--	--	3,900	<10	22	30.4	100	<1	<200	<40
GMW-62	4/14/2010	Blaine Tech for DESC	2,400	--	--	430	--	--	1,600	0.6	26	45	<0.5	<0.5	<10	<2
GMW-63	10/15/2008	Parsons	<100	--	--	<100	--	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
GMW-63	2/12/2009	Parsons	<100	--	--	<100	--	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
GMW-63	4/23/2009	Blaine Tech for Parsons	<100	--	--	<100	--	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
GMW-63	7/21/2009	Blaine Tech for AMEC GMX	<100	--	--	<100	--	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
GMW-63	10/22/2009	Blaine Tech for DESC	<100	--	--	<100	--	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2



TABLE 11

**HISTORICAL ANALYTICAL RESULTS FOR TPH, BTEX, 1-2 DCA, MTBE, TBA, and DIPE IN GROUNDWATER  
NOVEMBER 1996 THROUGH MAY 2010**  
Defense Fuel Support Point Norwalk  
Norwalk, California

Results reported in micrograms per liter (µg/L)

Well	Date Sampled	Sampled By	TPHg	TPHd	TPHj <sub>p4</sub>	TPHj <sub>p5</sub>	TPHfp	TPH	Benzene	Toluene	Ethylbenzene	Total Xylenes	1,2-DCA	MTBE	TBA	DIPE
GMW-63	1/12/2010	Blaine Tech for DESC	--	--	--	<100	--	--	0.39	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
GMW-63	4/14/2010	Blaine Tech for DESC	--	--	--	<100	--	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
GMW-64	10/15/2008	Parsons	<100	--	--	<100	--	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
GMW-64	2/12/2009	Parsons	<100	--	--	<100	--	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
GMW-64	4/23/2009	Blaine Tech for Parsons	<100	--	--	<100	--	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
GMW-64	7/21/2009	Blaine Tech for AMEC GMX	<100	--	--	<100	--	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
GMW-64	10/21/2009	Blaine Tech for DESC	<100	--	--	<100	--	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
GMW-64	1/12/2010	Blaine Tech for DESC	--	--	--	<100	--	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
GMW-64	4/14/2010	Blaine Tech for DESC	--	--	--	<100	--	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
GMW-65	10/22/2009	Blaine Tech for DESC	<100	--	--	<100	--	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
GMW-65	1/12/2010	Blaine Tech for DESC	--	--	--	<100	--	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
GMW-65	4/14/2010	Blaine Tech for DESC	--	--	--	<100	--	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
GMW-66	10/22/2009	Blaine Tech for DESC	<100	--	--	<100	--	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
GMW-66	4/19/2010	Blaine Tech for DESC	--	--	--	<100	--	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
GMW-7	5/21/1998	BBC	--	--	--	--	--	--	<0.5	<0.5	<0.5	<1	<0.5	<0.5	--	--
GMW-7	12/1/2000	IT Corporation	520,000	--	--	--	370,000	--	4,800	970	620	12,000	--	<2500	--	--
GMW-8	11/21/1996	Terra Services	--	--	--	--	--	--	<0.5	<0.5	<0.5	<1.5	12	<5	--	--
GMW-8	7/11/1997	Terra Services	<100	<500	--	--	--	--	<0.5	<0.5	<0.5	<1	1.7	<5	--	--
GMW-8	1/2/1998	Terra Services	<100	<500	--	--	--	--	<0.5	<0.5	<0.5	<1.5	5	<5	--	--
GMW-8	5/26/1998	Terra Services	--	--	--	--	--	--	<0.3	<0.3	<0.5	<1	<0.5	<0.5	--	--
GMW-8	11/6/1998	Alton Geoscience	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	8.6	0.9	--	--
GMW-8	5/5/1999	Alton Geoscience	<500	<500	--	--	--	--	2	7.2	0.57	3	<1	<0.5	--	--
GMW-8	5/7/1999	Alton Geoscience	<500	<500	--	--	--	--	<0.5	1.7	<0.5	0.51	4.4	<0.5	--	--
GMW-8	11/16/1999	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	4.6	<0.5	--	--
GMW-8	5/19/2000	Secor	<300	--	--	--	380	--	<0.5	<0.5	<0.5	<0.5	15	<0.5	--	--
GMW-8	11/29/2000	Secor	<300	--	--	--	780	--	1	0.9	<0.5	1.5	10	2.9	--	--
GMW-8	5/9/2001	Secor	<300	--	--	--	<100	<300	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-8	11/7/2001	IT Corporation	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-8	4/11/2002	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	2.5	2.4	--	--
GMW-8	10/24/2002	Secor	<300	--	--	--	120	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-8	4/10/2003	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	0.62	--	--
GMW-8	10/8/2003	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	0.52	<0.5	--	--
GMW-8	4/21/2004	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-8	11/5/2004	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-8	5/5/2005	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-8	11/3/2005	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-8	5/3/2006	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	0.78	--	--
GMW-8	12/7/2006	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	7.6	--	--
GMW-8	5/5/2007	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	6.5	--	--
GMW-8	11/14/2007	Secor	<50	--	--	--	130	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-8	4/17/2008	Secor	<50	--	--	--	130	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-8	10/21/2008	Stantec	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--

TABLE 11

**HISTORICAL ANALYTICAL RESULTS FOR TPH, BTEX, 1-2 DCA, MTBE, TBA, and DIPE IN GROUNDWATER  
NOVEMBER 1996 THROUGH MAY 2010**

Defense Fuel Support Point Norwalk  
Norwalk, California

Results reported in micrograms per liter (µg/L)

Well	Date Sampled	Sampled By	TPHg	TPHd	TPHj <sub>p4</sub>	TPHj <sub>p5</sub>	TPHfp	TPH	Benzene	Toluene	Ethylbenzene	Total Xylenes	1,2-DCA	MTBE	TBA	DIPE
GMW-8	4/22/2009	Blaine Tech for AMEC GMX	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<1
GMW-8	10/19/2009	Blaine Tech for Parsons	<50	--	--	--	120	--	<0.5	<0.5	<0.5	<0.5	<0.5	1.5	<10	<1
GMW-8	5/26/2010	Blaine Tech	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<1
GMW-O-1	11/21/1996	Terra Services	--	--	--	--	--	--	<0.5	<0.5	<0.5	<1.5	0.53	<5	--	--
GMW-O-1	7/9/1997	Terra Services	<100	<500	--	--	--	--	<0.5	<0.5	<0.5	<1	0.85	<5	--	--
GMW-O-1	1/6/1998	Terra Services	<100	<500	--	--	--	--	<0.5	<0.5	<0.5	<1.5	<0.5	<5	--	--
GMW-O-1	5/20/1998	Terra Services	<300	--	--	--	--	--	<0.5	<0.5	<0.5	<1	<0.5	<0.5	--	--
GMW-O-1	8/24/1998	Geomatrix	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-O-1	11/4/1998	Alton Geoscience	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-O-1	2/2/1999	Alton Geoscience	<500	<500	--	--	--	--	<0.5	<0.5	<0.5	<1	<1	<0.5	--	--
GMW-O-1	8/10/1999	Alton Geoscience	<500	<1000	--	--	--	--	<0.5	<1	<1	<1	<0.5	<1	--	--
GMW-O-1	11/17/1999	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-O-1	2/29/2000	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-O-1	5/17/2000	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-O-1	8/29/2000	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	0.5	<0.5	--	--
GMW-O-1	11/28/2000	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-O-1	2/5/2001	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-O-1	5/10/2001	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-O-1	9/19/2001	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-O-1	11/6/2001	Secor	<300	--	--	--	<100	--	11	<0.5	0.7	0.6	0.5	<0.5	--	--
GMW-O-1	1/30/2002	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-O-1	4/9/2002	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-O-1	7/30/2002	IT Corporation	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-O-1	10/24/2002	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-O-1	1/28/2003	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-O-1	4/8/2003	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-O-1	7/30/2003	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-O-1	10/8/2003	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-O-1	1/29/2004	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-O-1	4/20/2004	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-O-1	7/20/2004	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-O-1	11/4/2004	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-O-1	2/3/2005	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-O-1	5/4/2005	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	1.1	<0.5	--	--
GMW-O-1	8/3/2005	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-O-1	11/1/2005	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-O-1	2/28/2006	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-O-1	5/5/2006	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-O-1	9/20/2006	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-O-1	12/8/2006	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-O-1	3/12/2007	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-O-1	5/4/2007	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--

TABLE 11

**HISTORICAL ANALYTICAL RESULTS FOR TPH, BTEX, 1-2 DCA, MTBE, TBA, and DIPE IN GROUNDWATER  
NOVEMBER 1996 THROUGH MAY 2010**

Defense Fuel Support Point Norwalk  
Norwalk, California

Results reported in micrograms per liter (µg/L)

Well	Date Sampled	Sampled By	TPHg	TPHd	TPHj <sub>p4</sub>	TPHj <sub>p5</sub>	TPHfp	TPH	Benzene	Toluene	Ethylbenzene	Total Xylenes	1,2-DCA	MTBE	TBA	DIPE
GMW-O-1	8/28/2007	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-O-1	11/14/2007	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-O-1	2/20/2008	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-O-1	4/18/2008	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-O-1	8/13/2008	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-O-1	10/17/2008	Stantec	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-O-1	2/23/2009	Blaine Tech	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	--
GMW-O-1	4/21/2009	Blaine Tech for AMEC GMX	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<1
GMW-O-1	7/20/2009	Blaine Tech	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<1
GMW-O-1	10/20/2009	Blaine Tech for Parsons	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<1
GMW-O-1	3/15/2010	Blaine Tech for Parsons	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<1
GMW-O-1	5/25/2010	Blaine Tech	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<1
GMW-O-10	11/26/1996	Terra Services	--	--	--	--	--	--	450	18	37	21.8	81	1,300	--	--
GMW-O-10	7/14/1997	Terra Services	17,000	900	--	--	--	--	4,200	2,800	650	1,600	<30	890	--	--
GMW-O-10	1/9/1998	Terra Services	25,000	12,000	--	--	--	--	3,900	2,800	510	1,470	<10	1,200	--	--
GMW-O-10	5/27/1998	Terra Services	<300	--	--	--	--	--	1	<0.5	<0.5	0.8	<0.5	1	--	--
GMW-O-10	11/16/1998	Alton Geoscience	6,840	--	--	--	297	--	2,900	540	320	310	<13	2,000	--	--
GMW-O-10	5/7/1999	Alton Geoscience	<500	<500	--	--	--	--	6.2	<0.5	0.61	<0.5	<1	0.64	--	--
GMW-O-10	11/16/1999	Secor	32,000	--	--	--	27,000	--	8,300	5,700	860	2,640	<25	2,600	--	--
GMW-O-10	5/17/2000	Secor	18,000	--	--	--	32,000	--	4,500	3,300	450	1,420	<25	1,300	--	--
GMW-O-10	11/29/2000	Secor	18,000	--	--	--	10,000	--	4,200	2,900	430	1,260	<25	1,400	--	--
GMW-O-10	5/10/2001	Secor	7,900	--	--	--	4,600	--	2,400	810	150	280	<10	950	--	--
GMW-O-10	11/7/2001	IT Corporation	8,100	--	--	--	1,300	--	1,200	120	<10	540	<10	1,100	--	--
GMW-O-10	4/11/2002	Secor	960	--	--	--	1,000	--	190	18	5.1	157	10	610	--	--
GMW-O-10	10/24/2002	Secor	2,000	--	--	--	2,500	--	270	27	<5	60	<5	290	--	--
GMW-O-10	4/10/2003	Secor	13,000	--	--	--	1,900	--	3,600	370	460	780	<50	520	--	--
GMW-O-10	8/1/2003	Secor	5,800	--	--	--	1,600	--	2,600	220	320	460	20	580	--	--
GMW-O-10	10/8/2003	Secor	4,900	--	--	--	940	--	1,500	240	160	275	24	460	--	--
GMW-O-10	4/21/2004	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-O-10	11/4/2004	Secor	8,900	--	--	--	1,200	--	3,900	85	400	409	<30	590	--	--
GMW-O-10	5/6/2005	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-O-10	11/2/2005	Secor	52	--	--	--	<100	--	19	1	<0.5	<0.5	1	10	--	--
GMW-O-10	5/5/2006	Secor	12,000	--	--	--	850	--	4,100	1,800	380	640	<50	160	--	--
GMW-O-10	12/7/2006	Secor	8,900	--	--	--	810	--	4,000	470	320	310	<50	190	--	--
GMW-O-10	5/4/2007	Secor	3,800	--	--	--	260	--	1,600	10	<10	120	<20	160	--	--
GMW-O-10	11/14/2007	Secor	12,000	--	--	--	600	--	5,100	54	340	325	<50	190	--	--
GMW-O-10	4/18/2008	Secor	1,300	--	--	--	130	--	680	<5	14	11	<10	23	--	--
GMW-O-10	8/14/2008	Secor	1,600	--	--	--	160	--	820	5.3	31	42	<10	<5	--	--
GMW-O-10	10/21/2008	Stantec	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	0.58	--	--
GMW-O-10	4/22/2009	Blaine Tech for AMEC GMX	180	--	--	--	<100	--	37	<0.5	<0.5	<0.5	<0.5	1.2	<10	<1

TABLE 11

**HISTORICAL ANALYTICAL RESULTS FOR TPH, BTEX, 1-2 DCA, MTBE, TBA, and DIPE IN GROUNDWATER  
NOVEMBER 1996 THROUGH MAY 2010**

Defense Fuel Support Point Norwalk  
Norwalk, California

Results reported in micrograms per liter (µg/L)

Well	Date Sampled	Sampled By	TPHg	TPHd	TPHj <sub>p4</sub>	TPHj <sub>p5</sub>	TPHf <sub>p</sub>	TPH	Benzene	Toluene	Ethylbenzene	Total Xylenes	1,2-DCA	MTBE	TBA	DIPE
GMW-O-10	10/22/2009	Blaine Tech for Parsons	99	--	--	--	<100	--	6.9	<0.5	<0.5	<0.5	<0.5	0.77	<10	<1
GMW-O-10	5/27/2010	Blaine Tech	370	--	--	--	<100	--	77	1	<0.5	<0.5	<1	0.87	<10	<1
GMW-O-14	11/27/1996	Terra Services	88,000	74,000	--	--	--	--	4,500	3,200	520	2,600	440	<300	--	--
GMW-O-14	7/17/1997	Terra Services	160,000	610,000	--	--	--	--	7,600	4,900	2,200	43,000	<500	<5000	--	--
GMW-O-14	1/9/1998	Terra Services	33,000	780,000	--	--	--	--	7,200	4,500	510	2,300	<30	<300	--	--
GMW-O-14	5/27/1998	Terra Services	3,500	--	--	--	--	--	330	<2.5	80	88	<2.5	<0.5	--	--
GMW-O-14	11/17/1998	Alton Geoscience	--	--	--	--	117,000	--	--	--	--	--	--	--	--	--
GMW-O-14	11/17/1998	Alton Geoscience	3,850	--	--	--	--	--	5,000	3,840	1,040	4,510	<100	<100	--	--
GMW-O-14	5/7/1999	Alton Geoscience	23,000	54,000	--	--	--	--	5,100	3,400	650	2,800	<50	<20	--	--
GMW-O-14	11/18/1999	Secor	26,000	--	--	--	23,000	26,000	5,900	4,100	780	2,500	<50	<50	--	--
GMW-O-14	5/17/2000	Secor	10,000	--	--	--	9,300	--	2,300	630	370	820	<50	<100	--	--
GMW-O-14	11/29/2000	Secor	42,000	--	--	--	59,000	--	8,800	5,000	1,200	4,400	<50	<50	--	--
GMW-O-14	5/10/2001	Secor	5,200	--	--	--	17,000	--	100	34	96	237	<1	<1	--	--
GMW-O-14	11/7/2001	IT Corporation	15,000	--	--	--	20,000	--	3,900	890	640	1,280	<1	<2	--	--
GMW-O-14	4/9/2002	Secor	38,000	--	--	--	13,000	--	7,400	2,700	990	3,200	<13	24	--	--
GMW-O-14	7/30/2002	IT Corporation	11,000	--	--	--	24,000	--	4,900	2,300	550	1,890	<13	14	--	--
GMW-O-14	10/24/2002	Secor	26,000	--	--	--	29,000	--	7,100	3,500	970	3,500	<25	<25	--	--
GMW-O-14	1/28/2003	Secor	39,000	--	--	--	47,000	--	12,000	8,400	1,500	5,600	<25	38	--	--
GMW-O-14	3/12/2003	Geomatrix	1,500	--	--	--	710	--	760	72	66	115	<2.5	14	--	--
GMW-O-14	4/9/2003	Secor	33,000	--	--	--	27,000	--	5,100	2,900	990	3,300	<40	<20	--	--
GMW-O-14	7/30/2003	Secor	20,000	--	--	--	12,000	--	3,100	1,900	790	3,200	74	<15	--	--
GMW-O-14	10/9/2003	Secor	43,000	--	--	--	18,000	--	8,700	4,200	1,300	5,300	180	<50	--	--
GMW-O-14	1/29/2004	Secor	55,000	--	--	--	19,000	--	13,000	6,900	1,400	5,600	240	<50	--	--
GMW-O-14	4/20/2004	Secor	54,000	--	--	--	32,000	--	11,000	5,700	1,500	6,100	170	<50	--	--
GMW-O-14	7/20/2004	Secor	72,000	--	--	--	18,000	--	13,000	8,200	1,700	7,400	200	<50	--	--
GMW-O-14	11/4/2004	Secor	41,000	--	--	--	23,000	--	9,000	7,000	1,300	5,500	<200	<100	--	--
GMW-O-14	2/3/2005	Secor	34,000	--	--	--	4,600	--	8,600	2,300	950	3,100	69	34	--	--
GMW-O-14	5/4/2005	Secor	420	--	--	--	680	--	11	2	18	19	6.5	<0.5	--	--
GMW-O-14	8/3/2005	Secor	15,000	--	--	--	11,000	--	160	600	290	1,840	<10	<5	--	--
GMW-O-14	11/2/2005	Secor	14,000	--	--	--	14,000	--	320	350	160	2,690	<40	<20	--	--
GMW-O-14	2/28/2006	Secor	8,200	--	--	--	12,000	--	860	87	18	1,020	15	<5	--	--
GMW-O-14	5/5/2006	Secor	6,700	--	--	--	9,600	--	1,500	77	<10	450	35	<10	--	--
GMW-O-14	9/20/2006	Secor	6,900	--	--	--	4,200	--	1,400	250	39	640	30	<10	--	--
GMW-O-14	12/7/2006	Secor	9,000	--	--	--	17,000	--	1,400	150	27	501	36	<10	--	--
GMW-O-14	3/12/2007	Secor	4,700	--	--	--	1,300	--	1,000	180	26	400	23	<5	--	--
GMW-O-14	5/4/2007	Secor	8,200	--	--	--	3,300	--	1,700	330	48	570	44	<10	--	--
GMW-O-14	8/28/2007	Secor	12,000	--	--	--	6,200	--	75	110	200	1,000	<5	<2.5	--	--
GMW-O-14	11/15/2007	Secor	16,000	--	--	--	74,000	--	320	300	520	2,470	<20	<10	--	--
GMW-O-14	2/20/2008	Secor	35,000	--	--	--	7,700	--	7,900	1,900	1,200	3,400	<100	<50	--	--
GMW-O-14	4/15/2008	Secor	26,000	--	--	--	31,000	--	4,900	1,800	840	2,800	59	<25	--	--
GMW-O-14	8/14/2008	Secor	25,000	--	--	--	44,000	--	4,300	1,100	730	2,800	70	<25	--	--
GMW-O-14	10/16/2008	Stantec	21,000	--	--	--	12,000	--	3,200	940	500	3,000	<30	<15	--	--
GMW-O-14	2/23/2009	Blaine Tech	30,000	--	--	--	12,000	--	6,100	3,500	1,200	3,900	77	<25	<500	--

TABLE 11

**HISTORICAL ANALYTICAL RESULTS FOR TPH, BTEX, 1-2 DCA, MTBE, TBA, and DIPE IN GROUNDWATER  
NOVEMBER 1996 THROUGH MAY 2010**

Defense Fuel Support Point Norwalk  
Norwalk, California

Results reported in micrograms per liter (µg/L)

Well	Date Sampled	Sampled By	TPHg	TPHd	TPHj <sub>p4</sub>	TPHj <sub>p5</sub>	TPHf <sub>p</sub>	TPH	Benzene	Toluene	Ethylbenzene	Total Xylenes	1,2-DCA	MTBE	TBA	DIPE
GMW-O-14	4/22/2009	Blaine Tech for AMEC GMX	36,000	--	--	--	8,300	--	9,300	2,300	1,300	3,500	120	<50	<1000	170
GMW-O-14	7/22/2009	Blaine Tech	32,000	--	--	--	12,000	--	7,800	1,900	1,500	4,100	86	<25	<500	130
GMW-O-14	10/23/2009	Blaine Tech for Parsons	40,000	--	--	--	21,000	--	14,000	1,900	1,500	3,500	<200	<100	<2000	<200
GMW-O-14	3/16/2010	Blaine Tech for Parsons	57,000	--	--	--	24,000	--	14,000	6,200	1,700	4,700	<200	<100	<2000	310
GMW-O-14	5/28/2010	Blaine Tech	26,000	--	--	--	7,400	--	7,900	1,500	370	2,180	110	<25	<500	180
GMW-O-15	10/16/2008	Stantec	1,700	--	--	--	2,800	--	550	3	37	34	<5	110	--	--
GMW-O-15	3/16/2010	Blaine Tech for Parsons	530	--	--	--	8,900	--	10	1	1	3	<0.5	400	<10	<1
GMW-O-15	4/16/2010	Blaine Tech	6,700	--	--	--	62,000	--	1,700	54	120	176	<10	1,300	1,800	<10
GMW-O-15	5/25/2010	Blaine Tech	650	--	--	--	5,600	--	82	16	8	44	<2	180	1,500	<2
GMW-O-16	11/27/1996	Terra Services	--	--	--	--	--	--	570	67	14	360	<5	120	--	--
GMW-O-16	7/17/1997	Terra Services	<100	<500	--	--	--	--	<0.5	<0.5	<0.5	<1	<0.5	310	--	--
GMW-O-16	1/6/1998	Terra Services	<100	<500	--	--	--	--	<0.5	<0.5	<0.5	<1.5	<0.5	<5	--	--
GMW-O-16	5/20/1998	Terra Services	<300	--	--	--	--	--	<0.5	<0.5	<0.5	<1	<0.5	76	--	--
GMW-O-16	11/13/1998	Alton Geoscience	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	0.7	--	--
GMW-O-16	5/7/1999	Alton Geoscience	<500	<500	--	--	--	--	1	<0.5	<0.5	1	<1	7.6	--	--
GMW-O-16	11/18/1999	Secor	<416	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-O-16	5/17/2000	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	0.8	--	--
GMW-O-16	11/30/2000	Secor	<300	--	--	--	<100	--	1	<0.5	<0.5	<0.5	<0.5	1	--	--
GMW-O-16	5/10/2001	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-O-16	4/10/2002	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-O-16	10/22/2002	Secor	<300	--	--	--	<100	--	1.6	0.98	<0.5	<0.5	<0.5	<0.5	--	--
GMW-O-16	4/9/2003	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-O-16	10/7/2003	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-O-16	4/22/2004	Secor	<50	--	--	--	3,600	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-O-16	7/20/2004	Secor	--	--	--	--	<100	--	--	--	--	--	--	--	--	--
GMW-O-16	11/2/2004	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-O-16	5/5/2005	Secor	92	--	--	--	<100	--	1.6	<0.5	<0.5	<0.5	<0.5	110	--	--
GMW-O-16	8/2/2005	Secor	57	--	--	--	<100	--	1.3	<0.5	<0.5	<0.5	<0.5	93	--	--
GMW-O-16	11/2/2005	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	57	--	--
GMW-O-16	2/28/2006	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	5.3	--	--
GMW-O-16	5/4/2006	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	6.3	--	--
GMW-O-16	9/19/2006	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	0.57	--	--
GMW-O-16	12/5/2006	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-O-16	5/5/2007	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-O-16	11/14/2007	Secor	<50	--	--	--	1,400	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-O-16	2/7/2008	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	0.68	--	--
GMW-O-16	4/16/2008	Secor	<50	--	--	--	<100	--	<0.5	1.2	0.59	5.5	<0.5	0.63	--	--
GMW-O-16	10/14/2008	Stantec	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	0.6	<0.5	0.65	--	--
GMW-O-16	4/23/2009	Blaine Tech for AMEC GMX	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	0.55	<10	<1

TABLE 11

**HISTORICAL ANALYTICAL RESULTS FOR TPH, BTEX, 1-2 DCA, MTBE, TBA, and DIPE IN GROUNDWATER  
NOVEMBER 1996 THROUGH MAY 2010**

Defense Fuel Support Point Norwalk  
Norwalk, California

Results reported in micrograms per liter (µg/L)

Well	Date Sampled	Sampled By	TPHg	TPHd	TPHj <sub>p4</sub>	TPHj <sub>p5</sub>	TPHf <sub>p</sub>	TPH	Benzene	Toluene	Ethylbenzene	Total Xylenes	1,2-DCA	MTBE	TBA	DIPE
GMW-O-16	10/21/2009	Blaine Tech for Parsons	<50	--	--	--	<b>250</b>	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<1
GMW-O-16	3/16/2010	Blaine Tech for Parsons	<50	--	--	--	<b>140</b>	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<1
GMW-O-16	4/16/2010	Blaine Tech	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<1
GMW-O-16	5/26/2010	Blaine Tech	<50	--	--	--	<b>120</b>	--	<0.5	<0.5	<0.5	<0.5	<0.5	<b>0.88</b>	<10	<1
GMW-O-17	11/22/1996	Terra Services	--	--	--	--	--	--	<0.5	<0.5	<0.5	<1.5	<0.5	<5	--	--
GMW-O-17	7/10/1997	Terra Services	<100	<500	--	--	--	--	<0.5	<0.5	<0.5	<1	<0.5	<5	--	--
GMW-O-17	1/7/1998	Terra Services	<100	<500	--	--	--	--	<0.5	<b>0.64</b>	<0.5	<1.5	<0.5	<5	--	--
GMW-O-17	5/21/1998	Terra Services	<300	--	--	--	--	--	<0.5	<0.5	<0.5	<1	<0.5	<0.5	--	--
GMW-O-17	11/4/1998	Alton Geoscience	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-O-17	5/5/1999	Alton Geoscience	<500	<500	--	--	--	--	<b>0.64</b>	<0.5	<0.5	<0.5	<1	<b>0.58</b>	--	--
GMW-O-17	11/16/1999	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-O-17	5/17/2000	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-O-17	11/29/2000	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-O-17	5/10/2001	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-O-17	11/7/2001	IT Corporation	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-O-17	4/9/2002	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-O-17	10/24/2002	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-O-17	10/9/2003	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-O-17	5/4/2005	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-O-17	5/5/2006	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-O-17	5/3/2007	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-O-17	4/18/2008	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-O-17	4/22/2009	Blaine Tech for AMEC GMX	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<1
GMW-O-17	5/25/2010	Blaine Tech	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<1
GMW-O-18	11/26/1996	Terra Services	--	--	--	--	--	--	<10	<10	<10	<30	<10	<b>10,000</b>	--	--
GMW-O-18	7/11/1997	Terra Services	<100	<500	--	--	--	--	<3	<3	<3	<3	<3	<b>3,000</b>	--	--
GMW-O-18	1/7/1998	Terra Services	<100	<500	--	--	--	--	<5	<5	<5	<15	<5	<b>3,200</b>	--	--
GMW-O-18	5/21/1998	Terra Services	<b>2,000</b>	--	--	--	--	--	<100	<100	<100	<200	<100	<b>5,600</b>	--	--
GMW-O-18	11/17/1998	Alton Geoscience	<b>543</b>	--	--	--	<100	--	<0.5	<b>1</b>	<0.5	<b>2.6</b>	<0.5	<b>1,420</b>	--	--
GMW-O-18	5/6/1999	Alton Geoscience	<b>2,700</b>	<500	--	--	--	--	<5	<5	<5	<5	<13	<b>15,000</b>	--	--
GMW-O-18	11/18/1999	Secor	<b>2,900</b>	--	--	--	<100	--	<13	<12.5	<12.5	<12.5	<13	<b>6,700</b>	--	--
GMW-O-18	5/19/2000	Secor	<b>3,500</b>	--	--	--	<100	--	<25	<25	<25	<25	<25	<b>10,000</b>	--	--
GMW-O-18	11/2/2005	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<b>1.4</b>	--	--
GMW-O-18	5/9/2006	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<b>2.1</b>	--	--
GMW-O-18	12/7/2006	Secor	<100	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<1	<b>0.65</b>	--	--
GMW-O-18	5/4/2007	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<b>1</b>	--	--
GMW-O-18	11/15/2007	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<b>1.6</b>	--	--
GMW-O-18	4/15/2008	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-O-18	10/15/2008	Stantec	<200	--	--	--	<100	--	<1	<1	<1	<1	<2	<1	--	--
GMW-O-18	4/23/2009	Blaine Tech for AMEC GMX	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<b>1</b>	<b>140</b>	<1

TABLE 11

**HISTORICAL ANALYTICAL RESULTS FOR TPH, BTEX, 1-2 DCA, MTBE, TBA, and DIPE IN GROUNDWATER  
NOVEMBER 1996 THROUGH MAY 2010**

Defense Fuel Support Point Norwalk  
Norwalk, California

Results reported in micrograms per liter (µg/L)

Well	Date Sampled	Sampled By	TPHg	TPHd	TPHjp <sub>4</sub>	TPHjp <sub>5</sub>	TPHfp	TPH	Benzene	Toluene	Ethylbenzene	Total Xylenes	1,2-DCA	MTBE	TBA	DIPE
GMW-O-18	10/21/2009	Blaine Tech for Parsons	2,400	--	--	--	680	--	170	440	17	410	<5	490	480	<5
GMW-O-18	3/16/2010	Blaine Tech for Parsons	<50	--	--	--	<100	--	0.6	1.3	<0.5	1.77	<0.5	5	550	<1
GMW-O-18	4/16/2010	Blaine Tech	1,300	--	--	--	6,600	--	0.67	<0.5	3.1	12.9	<0.5	1.2	2,400	<1
GMW-O-18	5/25/2010	Blaine Tech	110	--	--	--	540	--	<0.5	<0.5	<0.5	<0.5	<1	2.9	6,500	<1
GMW-O-19	11/25/1996	Terra Services	--	--	--	--	--	--	<0.5	<0.87	2.8	5.1	<0.5	<5	--	--
GMW-O-19	7/16/1997	Terra Services	<100	<500	--	--	--	--	<0.5	<0.5	<0.5	<1	<0.5	<5	--	--
GMW-O-19	1/6/1998	Terra Services	<100	<500	--	--	--	--	<0.5	<0.5	<0.5	<1.5	<0.5	<5	--	--
GMW-O-19	5/20/1998	Terra Services	<300	--	--	--	--	--	<0.5	<0.5	<0.5	<1	<0.5	2	--	--
GMW-O-19	11/12/1998	Alton Geoscience	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-O-19	5/6/1999	Alton Geoscience	<500	<500	--	--	--	--	<0.5	<0.5	<0.5	<0.5	<1	0.51	--	--
GMW-O-19	11/18/1999	Secor	<416	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	0.5	--	--
GMW-O-19	5/17/2000	Secor	<300	--	--	--	180	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-O-19	9/19/2001	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-O-19	11/7/2001	IT Corporation	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-O-19	1/30/2002	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-O-19	4/9/2003	Secor	<50	--	--	--	500	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-O-19	8/1/2003	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-O-19	10/7/2003	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-O-19	4/22/2004	Secor	<50	--	--	--	1,400	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-O-19	7/20/2004	Secor	--	--	--	--	<100	--	--	--	--	--	--	--	--	--
GMW-O-19	11/2/2004	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-O-19	5/5/2005	Secor	510	--	--	--	110	--	110	<0.5	17	24.5	<1	150	--	--
GMW-O-19	8/2/2005	Secor	160	--	--	--	<100	--	2.1	<0.5	1.2	<0.5	<0.5	19	--	--
GMW-O-19	11/2/2005	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-O-19	2/28/2006	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-O-19	5/4/2006	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-O-19	12/5/2006	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-O-19	5/5/2007	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-O-19	11/15/2007	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-O-19	4/16/2008	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-O-19	10/14/2008	Stantec	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-O-19	4/23/2009	Blaine Tech for AMEC GMX	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<1
GMW-O-19	10/20/2009	Blaine Tech for Parsons	<50	--	--	--	<200	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<1
GMW-O-19	3/15/2010	Blaine Tech for Parsons	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<1
GMW-O-19	4/16/2010	Blaine Tech	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<1
GMW-O-19	5/26/2010	Blaine Tech	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<1
GMW-O-2	11/21/1996	Terra Services	--	--	--	--	--	--	<0.5	<0.5	<0.5	<1.5	12	<5	--	--
GMW-O-2	7/9/1997	Terra Services	<100	<500	--	--	--	--	<0.5	0.5	<0.5	<1	<0.5	<5	--	--
GMW-O-2	1/7/1998	Terra Services	<100	<500	--	--	--	--	<0.5	<0.5	<0.5	<1.5	13	<5	--	--

TABLE 11

**HISTORICAL ANALYTICAL RESULTS FOR TPH, BTEX, 1-2 DCA, MTBE, TBA, and DIPE IN GROUNDWATER  
NOVEMBER 1996 THROUGH MAY 2010**

Defense Fuel Support Point Norwalk  
Norwalk, California

Results reported in micrograms per liter (µg/L)

Well	Date Sampled	Sampled By	TPHg	TPHd	TPHj <sub>p4</sub>	TPHj <sub>p5</sub>	TPHfp	TPH	Benzene	Toluene	Ethylbenzene	Total Xylenes	1,2-DCA	MTBE	TBA	DIPE
GMW-O-2	5/20/1998	Terra Services	<300	--	--	--	--	--	<0.5	<0.5	<0.5	<1	14	<0.5	--	--
GMW-O-2	11/11/1998	Alton Geoscience	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-O-2	5/5/1999	Alton Geoscience	<500	<500	--	--	--	--	<0.5	<0.5	<0.5	<0.5	<1	<0.5	--	--
GMW-O-2	11/16/1999	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-O-2	5/17/2000	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	1.7	<0.5	--	--
GMW-O-2	11/28/2000	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	0.6	<0.5	--	--
GMW-O-2	5/10/2001	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	11	<0.5	--	--
GMW-O-2	11/6/2001	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	0.6	<0.5	--	--
GMW-O-2	4/9/2002	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-O-2	7/30/2002	IT Corporation	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-O-2	10/24/2002	Secor	<300	--	--	--	460	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-O-2	1/15/2003	Geomatrix	<300	--	--	--	<100	--	--	--	--	--	--	--	--	--
GMW-O-2	1/28/2003	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	4.1	<0.5	--	--
GMW-O-2	4/8/2003	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	1	<0.5	--	--
GMW-O-2	7/30/2003	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-O-2	10/8/2003	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-O-2	1/29/2004	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-O-2	4/20/2004	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-O-2	7/20/2004	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-O-2	11/4/2004	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-O-2	2/3/2005	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-O-2	5/4/2005	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	5	<0.5	--	--
GMW-O-2	8/3/2005	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-O-2	11/1/2005	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-O-2	2/28/2006	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-O-2	5/5/2006	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-O-2	9/20/2006	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-O-2	12/8/2006	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-O-2	3/12/2007	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-O-2	5/3/2007	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-O-2	8/28/2007	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-O-2	11/14/2007	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-O-2	2/20/2008	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-O-2	4/18/2008	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-O-2	8/13/2008	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-O-2	10/16/2008	Stantec	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-O-2	2/23/2009	Blaine Tech	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	--
GMW-O-2	4/22/2009	Blaine Tech for AMEC GMX	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<1
GMW-O-2	7/21/2009	Blaine Tech	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<1
GMW-O-2	10/20/2009	Blaine Tech for Parsons	<50	--	--	--	130	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<1
GMW-O-2	3/16/2010	Blaine Tech for Parsons	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<1



TABLE 11

**HISTORICAL ANALYTICAL RESULTS FOR TPH, BTEX, 1-2 DCA, MTBE, TBA, and DIPE IN GROUNDWATER  
NOVEMBER 1996 THROUGH MAY 2010**

Defense Fuel Support Point Norwalk  
Norwalk, California

Results reported in micrograms per liter (µg/L)

Well	Date Sampled	Sampled By	TPHg	TPHd	TPHj <sub>p4</sub>	TPHj <sub>p5</sub>	TPHf <sub>p</sub>	TPH	Benzene	Toluene	Ethylbenzene	Total Xylenes	1,2-DCA	MTBE	TBA	DIPE
GMW-O-2	5/25/2010	Blaine Tech	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<1
GMW-O-21	10/7/2003	Secor	<b>47,000</b>	--	--	--	<b>20,000</b>	--	<b>15,000</b>	<b>5,200</b>	<b>500</b>	<b>3,160</b>	<100	<b>5,200</b>	--	--
GMW-O-3	11/27/1996	Terra Services	--	--	--	--	--	--	<b>2,900</b>	<b>1,000</b>	<b>1,200</b>	<b>1,950</b>	<10	<b>260</b>	--	--
GMW-O-3	7/14/1997	Terra Services	<b>14,000</b>	<b>1,300</b>	--	--	--	--	<b>1,500</b>	<b>410</b>	<b>700</b>	<b>1,200</b>	<10	<100	--	--
GMW-O-3	1/9/1998	Terra Services	<b>3,200</b>	<b>720</b>	--	--	--	--	<b>930</b>	<b>55</b>	<b>390</b>	<b>599</b>	<b>38</b>	<50	--	--
GMW-O-3	5/26/1998	Terra Services	<b>5,400</b>	--	--	--	--	--	<b>850</b>	<b>20</b>	<b>170</b>	<b>140</b>	<5	<5	--	--
GMW-O-3	8/26/1998	Geomatrix	<b>3,290</b>	--	--	--	<b>1,710</b>	--	<b>329</b>	<b>31</b>	<b>140</b>	<b>300</b>	<2.5	<2.5	--	--
GMW-O-3	11/17/1998	Alton Geoscience	<b>4,800</b>	--	--	--	<b>5,810</b>	--	<b>1,500</b>	<100	<b>350</b>	<b>400</b>	<100	<100	--	--
GMW-O-3	2/3/1999	Alton Geoscience	<b>3,800</b>	<500	--	--	--	--	<b>250</b>	<2.5	<b>34</b>	<b>17</b>	<5	<2.5	--	--
GMW-O-3	5/7/1999	Alton Geoscience	<b>2,900</b>	<500	--	--	--	--	<b>170</b>	<b>1.2</b>	<b>3.4</b>	<b>5.3</b>	<1	<0.5	--	--
GMW-O-3	8/10/1999	Alton Geoscience	<500	<1000	--	--	--	--	<b>56</b>	<b>2</b>	<b>2</b>	<b>2</b>	<b>1.2</b>	<1	--	--
GMW-O-3	11/17/1999	Secor	<b>340</b>	--	--	--	<100	--	<b>15</b>	<b>0.5</b>	<b>1.9</b>	<b>2</b>	<0.5	<0.5	--	--
GMW-O-3	2/29/2000	Secor	<300	--	--	--	<b>170</b>	--	<b>12</b>	<0.5	<b>1.2</b>	<b>1.1</b>	<0.5	<0.5	--	--
GMW-O-3	5/17/2000	Secor	<b>1,800</b>	--	--	--	<b>1,000</b>	--	<b>290</b>	<b>32</b>	<b>33</b>	<b>180</b>	<0.5	<0.5	--	--
GMW-O-3	8/29/2000	Secor	<b>580</b>	--	--	--	<b>3,600</b>	--	<b>130</b>	<b>2.5</b>	<b>13</b>	<b>23</b>	<0.5	<0.5	--	--
GMW-O-3	11/28/2000	Secor	<b>1,500</b>	--	--	--	<b>820</b>	--	<b>350</b>	<b>13</b>	<b>43</b>	<b>93.1</b>	<0.5	<0.5	--	--
GMW-O-3	2/5/2001	Secor	<b>1,800</b>	--	--	--	<b>770</b>	--	<b>420</b>	<b>26</b>	<b>40</b>	<b>55</b>	<10	<10	--	--
GMW-O-3	5/10/2001	Secor	<b>2,000</b>	--	--	--	<b>560</b>	--	<b>380</b>	<b>4.5</b>	<b>32</b>	<b>42</b>	<2.5	<2.5	--	--
GMW-O-3	9/19/2001	Secor	<b>840</b>	--	--	--	<b>360</b>	--	<b>230</b>	<2.5	<b>17</b>	<b>11</b>	<2.5	<2.5	--	--
GMW-O-3	11/7/2001	IT Corporation	<b>520</b>	--	--	--	<100	--	<b>120</b>	<2.5	<b>7.2</b>	<b>6</b>	<2.5	<2.5	--	--
GMW-O-3	1/30/2002	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-O-3	4/9/2002	Secor	<b>1,200</b>	--	--	--	<100	--	<b>260</b>	<b>2.6</b>	<b>13</b>	<b>9.8</b>	<0.5	<0.5	--	--
GMW-O-3	7/30/2002	IT Corporation	<b>380</b>	--	--	--	<b>250</b>	--	<b>150</b>	<b>1.6</b>	<b>5.1</b>	<b>4.6</b>	<0.5	<0.5	--	--
GMW-O-3	10/24/2002	Secor	<b>310</b>	--	--	--	<b>120</b>	--	<b>79</b>	<b>0.65</b>	<b>1.9</b>	<b>1.2</b>	<0.5	<0.5	--	--
GMW-O-3	1/15/2003	Geomatrix	<300	--	--	--	<100	--	--	--	--	--	--	--	--	--
GMW-O-3	1/28/2003	Secor	<b>550</b>	--	--	--	<b>160</b>	--	<b>140</b>	<b>3</b>	<b>9.1</b>	<b>14.2</b>	<0.5	<0.5	--	--
GMW-O-3	4/8/2003	Secor	<b>660</b>	--	--	--	<b>200</b>	--	<b>170</b>	<b>1.6</b>	<b>9.2</b>	<b>3.1</b>	<2	<1	--	--
GMW-O-3	7/30/2003	Secor	<b>830</b>	--	--	--	<b>140</b>	--	<b>200</b>	<b>2</b>	<b>18</b>	<b>8.2</b>	<3	<1.5	--	--
GMW-O-3	10/8/2003	Secor	<b>660</b>	--	--	--	<b>280</b>	--	<b>96</b>	<b>0.74</b>	<b>9.6</b>	<b>1.4</b>	<1	<0.5	--	--
GMW-O-3	1/29/2004	Secor	<b>850</b>	--	--	--	<b>160</b>	--	<b>120</b>	<b>0.63</b>	<b>3</b>	<b>0.72</b>	<1	<0.5	--	--
GMW-O-3	4/20/2004	Secor	<50	--	--	--	<b>130</b>	--	<b>65</b>	<0.5	<0.5	<b>0.56</b>	<0.5	<0.5	--	--
GMW-O-3	7/20/2004	Secor	<b>370</b>	--	--	--	<100	--	<b>29</b>	<0.5	<b>1.4</b>	<0.5	<0.5	<0.5	--	--
GMW-O-3	11/4/2004	Secor	<b>850</b>	--	--	--	<b>190</b>	--	<b>71</b>	<0.5	<b>2.7</b>	<0.5	<1	<0.5	--	--
GMW-O-3	2/3/2005	Secor	<b>210</b>	--	--	--	<100	--	<b>16</b>	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-O-3	5/4/2005	Secor	<b>380</b>	--	--	--	<100	--	<b>32</b>	<b>0.67</b>	<b>2.1</b>	<b>4.6</b>	<0.5	<0.5	--	--
GMW-O-3	8/3/2005	Secor	<b>1,000</b>	--	--	--	<b>490</b>	--	<b>4.4</b>	<b>1.1</b>	<b>110</b>	<b>4.7</b>	<2	<1	--	--
GMW-O-3	11/1/2005	Secor	<b>1,300</b>	--	--	--	<b>560</b>	--	<b>35</b>	<b>2.3</b>	<b>67</b>	<b>50</b>	<1	<0.5	--	--
GMW-O-3	2/28/2006	Secor	<b>640</b>	--	--	--	<b>320</b>	--	<b>26</b>	<0.5	<b>7.1</b>	<b>6</b>	<0.5	<0.5	--	--
GMW-O-3	5/4/2006	Secor	<b>400</b>	--	--	--	<b>250</b>	--	<b>19</b>	<0.5	<b>0.71</b>	<b>1.2</b>	<0.5	<0.5	--	--
GMW-O-3	9/19/2006	Secor	<b>110</b>	--	--	--	<100	--	<b>0.71</b>	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-O-3	12/8/2006	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-O-3	3/13/2007	Secor	<b>51</b>	--	--	--	<100	--	<0.5	<0.5	<b>1.1</b>	<0.5	<0.5	<0.5	--	--
GMW-O-3	5/3/2007	Secor	<b>72</b>	--	--	--	<100	--	<0.5	<0.5	<b>0.64</b>	<0.5	<0.5	<0.5	--	--
GMW-O-3	8/28/2007	Secor	<b>65</b>	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--

TABLE 11

**HISTORICAL ANALYTICAL RESULTS FOR TPH, BTEX, 1-2 DCA, MTBE, TBA, and DIPE IN GROUNDWATER  
NOVEMBER 1996 THROUGH MAY 2010**

Defense Fuel Support Point Norwalk  
Norwalk, California

Results reported in micrograms per liter (µg/L)

Well	Date Sampled	Sampled By	TPHg	TPHd	TPHj <sub>p4</sub>	TPHj <sub>p5</sub>	TPHfp	TPH	Benzene	Toluene	Ethylbenzene	Total Xylenes	1,2-DCA	MTBE	TBA	DIPE
GMW-O-3	11/14/2007	Secor	170	--	--	--	<100	--	3.1	<0.5	9.7	<0.5	<0.5	<0.5	--	--
GMW-O-3	2/7/2008	Secor	96	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-O-3	4/15/2008	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-O-3	8/14/2008	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-O-3	10/16/2008	Stantec	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-O-3	2/23/2009	Blaine Tech	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	--
GMW-O-3	4/21/2009	Blaine Tech for AMEC GMX	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<1
GMW-O-3	7/21/2009	Blaine Tech	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<1
GMW-O-3	10/20/2009	Blaine Tech for Parsons	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<1
GMW-O-3	3/15/2010	Blaine Tech for Parsons	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<1
GMW-O-3	5/25/2010	Blaine Tech	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<1
GMW-O-4	11/22/1996	Terra Services	--	--	--	--	--	--	<0.5	<0.5	<0.5	<1.5	<0.5	<5	--	--
GMW-O-4	7/9/1997	Terra Services	<100	<500	--	--	--	--	<0.5	1.9	<0.5	<1	<0.5	<5	--	--
GMW-O-4	1/2/1998	Terra Services	<100	<500	--	--	--	--	<0.5	<0.5	<0.5	<1.5	<0.5	<5	--	--
GMW-O-4	5/21/1998	Terra Services	--	--	--	--	--	--	<0.5	<0.5	<0.5	<1	<0.5	0.7	--	--
GMW-O-4	11/12/1998	Alton Geoscience	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-O-4	5/6/1999	Alton Geoscience	<500	<500	--	--	--	--	<0.5	<0.5	<0.5	<0.5	<1	<0.5	--	--
GMW-O-4	11/16/1999	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-O-4	11/17/1999	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-O-4	5/17/2000	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-O-4	11/29/2000	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-O-4	5/10/2001	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-O-4	11/7/2001	IT Corporation	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-O-4	4/9/2002	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-O-4	10/24/2002	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-O-4	4/9/2003	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-O-4	10/8/2003	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-O-4	4/20/2004	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-O-4	11/4/2004	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-O-4	5/4/2005	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-O-4	11/1/2005	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-O-4	5/4/2006	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-O-4	12/7/2006	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-O-4	5/3/2007	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-O-4	11/15/2007	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-O-4	4/15/2008	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-O-4	10/15/2008	Stantec	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-O-4	4/21/2009	Blaine Tech for AMEC GMX	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<1
GMW-O-4	10/20/2009	Blaine Tech for Parsons	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<1

TABLE 11

**HISTORICAL ANALYTICAL RESULTS FOR TPH, BTEX, 1-2 DCA, MTBE, TBA, and DIPE IN GROUNDWATER  
NOVEMBER 1996 THROUGH MAY 2010**

Defense Fuel Support Point Norwalk  
Norwalk, California

Results reported in micrograms per liter (µg/L)

Well	Date Sampled	Sampled By	TPHg	TPHd	TPHjp <sub>4</sub>	TPHjp <sub>5</sub>	TPHfp	TPH	Benzene	Toluene	Ethylbenzene	Total Xylenes	1,2-DCA	MTBE	TBA	DIPE
GMW-O-4	5/25/2010	Blaine Tech	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<1
GMW-O-4 (MID)	11/22/1996	Terra Services	--	--	--	--	--	--	<0.5	<0.5	<0.5	<1.5	<0.5	<5	--	--
GMW-O-4 (MID)	7/9/1997	Terra Services	<100	<500	--	--	--	--	<0.5	<b>0.99</b>	<0.5	<0.1	<0.5	<5	--	--
GMW-O-4 (MID)	1/2/1998	Terra Services	<100	<500	--	--	--	--	<0.5	<0.5	<0.5	<1.5	<0.5	<5	--	--
GMW-O-4 (MID)	5/21/1998	Terra Services	<300	--	--	--	--	--	--	--	--	--	--	--	--	--
GMW-O-4 (MID)	11/4/1998	Alton Geoscience	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-O-4 (MID)	5/6/1999	Alton Geoscience	--	--	--	--	--	--	--	--	--	--	--	<0.5	--	--
GMW-O-4 (MID)	5/6/1999	Alton Geoscience	<500	<500	--	--	--	--	--	--	--	--	<1	--	--	--
GMW-O-4 (MID)	5/17/2000	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-O-4 (MID)	11/28/2000	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-O-4 (MID)	5/10/2001	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-O-4 (MID)	11/7/2001	IT Corporation	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-O-4 (MID)	4/9/2002	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-O-4 (MID)	10/24/2002	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-O-4 (MID)	4/9/2003	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-O-4 (MID)	10/8/2003	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-O-4 (MID)	4/20/2004	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-O-4 (MID)	11/4/2004	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-O-4 (MID)	5/4/2005	Secor	<50	--	--	--	<b>220</b>	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-O-4 (MID)	11/1/2005	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-O-4 (MID)	5/4/2006	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-O-4 (MID)	12/7/2006	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--

TABLE 11

**HISTORICAL ANALYTICAL RESULTS FOR TPH, BTEX, 1-2 DCA, MTBE, TBA, and DIPE IN GROUNDWATER  
NOVEMBER 1996 THROUGH MAY 2010**

Defense Fuel Support Point Norwalk  
Norwalk, California

Results reported in micrograms per liter (µg/L)

Well	Date Sampled	Sampled By	TPHg	TPHd	TPHj <sub>p4</sub>	TPHj <sub>p5</sub>	TPHfp	TPH	Benzene	Toluene	Ethylbenzene	Total Xylenes	1,2-DCA	MTBE	TBA	DIPE
GMW-O-4 (MID)	5/3/2007	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-O-4 (MID)	11/15/2007	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-O-4 (MID)	4/15/2008	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-O-4 (MID)	10/15/2008	Stantec	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-O-4 (MID)	4/21/2009	Blaine Tech for AMEC GMX	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<1
GMW-O-4 (MID)	10/20/2009	Blaine Tech for Parsons	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<1
GMW-O-4 (MID)	5/25/2010	Blaine Tech	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<1
GMW-O-5	11/22/1996	Terra Services	--	--	--	--	--	--	<b>11</b>	<b>5.7</b>	<b>9.2</b>	<b>32.1</b>	<0.5	<5	--	--
GMW-O-5	7/9/1997	Terra Services	<100	<500	--	--	--	--	<0.5	<b>1.9</b>	<0.5	<1	<0.5	<5	--	--
GMW-O-5	1/7/1998	Terra Services	<100	<500	--	--	--	--	<0.5	<0.5	<0.5	<1.5	<0.5	<b>15</b>	--	--
GMW-O-5	5/21/1998	Terra Services	--	--	--	--	--	--	<0.5	<0.5	<0.5	<1	<0.5	<0.5	--	--
GMW-O-5	8/24/1998	Geomatrix	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-O-5	11/4/1998	Alton Geoscience	<300	--	--	--	--	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-O-5	11/4/1998	Alton Geoscience	--	--	--	--	<100	--	--	--	--	--	--	--	--	--
GMW-O-5	2/3/1999	Alton Geoscience	<500	<500	--	--	--	--	<0.5	<0.5	<0.5	<1	<1	<0.5	--	--
GMW-O-5	5/5/1999	Alton Geoscience	<500	<500	--	--	--	--	<0.5	<0.5	<0.5	<0.5	<1	<0.5	--	--
GMW-O-5	8/10/1999	Alton Geoscience	<500	<1000	--	--	--	--	<b>2.3</b>	<b>4.4</b>	<1	<b>2.9</b>	<0.5	<1	--	--
GMW-O-5	11/16/1999	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-O-5	2/29/2000	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-O-5	5/17/2000	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-O-5	8/29/2000	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-O-5	11/28/2000	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-O-5	2/5/2001	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-O-5	5/10/2001	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-O-5	9/19/2001	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-O-5	11/7/2001	IT Corporation	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-O-5	1/30/2002	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-O-5	4/9/2002	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-O-5	10/24/2002	Secor	<300	--	--	--	<b>2,300</b>	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-O-5	1/15/2003	Geomatrix	<300	--	--	--	<100	--	--	--	--	--	--	--	--	--
GMW-O-5	4/9/2003	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-O-5	10/9/2003	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-O-5	4/21/2004	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-O-5	11/4/2004	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-O-5	5/4/2005	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-O-5	11/1/2005	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-O-5	5/5/2006	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--

TABLE 11

**HISTORICAL ANALYTICAL RESULTS FOR TPH, BTEX, 1-2 DCA, MTBE, TBA, and DIPE IN GROUNDWATER  
NOVEMBER 1996 THROUGH MAY 2010**  
Defense Fuel Support Point Norwalk  
Norwalk, California

Results reported in micrograms per liter (µg/L)

Well	Date Sampled	Sampled By	TPHg	TPHd	TPHj <sub>p4</sub>	TPHj <sub>p5</sub>	TPHfp	TPH	Benzene	Toluene	Ethylbenzene	Total Xylenes	1,2-DCA	MTBE	TBA	DIPE
GMW-O-5	12/7/2006	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-O-5	5/3/2007	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-O-5	11/15/2007	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-O-5	4/18/2008	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-O-5	10/15/2008	Stantec	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-O-5	4/21/2009	Blaine Tech for AMEC GMX	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<1
GMW-O-5	10/20/2009	Blaine Tech for Parsons	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<1
GMW-O-5	5/25/2010	Blaine Tech	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<1
GMW-O-6	11/22/1996	Terra Services	--	--	--	--	--	--	<0.5	<0.5	<0.5	<1.5	<0.5	<5	--	--
GMW-O-6	7/9/1997	Terra Services	<100	<500	--	--	--	--	<0.5	<b>0.9</b>	<0.5	<1	<0.5	<5	--	--
GMW-O-6	1/2/1998	Terra Services	<100	<500	--	--	--	--	<0.5	<0.5	<0.5	<1	<0.5	<5	--	--
GMW-O-6	5/21/1998	Terra Services	--	--	--	--	--	--	<0.5	<0.5	<0.5	<1	<0.5	<0.5	--	--
GMW-O-6	11/4/1998	Alton Geoscience	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-O-6	5/5/1999	Alton Geoscience	<500	<500	--	--	--	--	<0.5	<0.5	<0.5	<0.5	<1	<0.5	--	--
GMW-O-6	11/17/1999	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-O-6	5/17/2000	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-O-6	11/28/2000	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<b>1.9</b>	--	--
GMW-O-6	5/10/2001	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-O-6	11/7/2001	IT Corporation	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-O-6	4/9/2002	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-O-6	10/24/2002	Secor	<300	--	--	--	<b>190</b>	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-O-6	10/9/2003	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-O-6	5/4/2005	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-O-6	5/5/2006	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-O-6	5/4/2007	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-O-6	4/18/2008	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-O-6	4/21/2009	Blaine Tech for AMEC GMX	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<1
GMW-O-6	5/26/2010	Blaine Tech	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<1
GMW-O-7	5/7/1999	Alton Geoscience	<500	<500	--	--	--	--	<0.5	<0.5	<0.5	<0.5	<1	<0.5	--	--
GMW-O-8	10/24/2002	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<b>1.5</b>	<b>2.4</b>	--	--
GMW-O-8	1/16/2003	Geomatrix	--	--	--	--	--	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-O-8	4/8/2003	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-O-8	10/8/2003	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-O-8	4/20/2004	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-O-8	11/4/2004	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-O-8	5/4/2005	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-O-8	11/1/2005	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-O-8	5/4/2006	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-O-8	12/8/2006	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-O-8	5/4/2007	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-O-8	11/14/2007	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--

TABLE 11

**HISTORICAL ANALYTICAL RESULTS FOR TPH, BTEX, 1-2 DCA, MTBE, TBA, and DIPE IN GROUNDWATER  
NOVEMBER 1996 THROUGH MAY 2010**

Defense Fuel Support Point Norwalk  
Norwalk, California

Results reported in micrograms per liter (µg/L)

Well	Date Sampled	Sampled By	TPHg	TPHd	TPHj <sub>p4</sub>	TPHj <sub>p5</sub>	TPHf <sub>p</sub>	TPH	Benzene	Toluene	Ethylbenzene	Total Xylenes	1,2-DCA	MTBE	TBA	DIPE
GMW-O-8	4/18/2008	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-O-8	10/16/2008	Stantec	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-O-8	4/22/2009	Blaine Tech for AMEC GMX	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<1
GMW-O-8	10/21/2009	Blaine Tech for Parsons	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<1
GMW-O-8	5/25/2010	Blaine Tech	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<1
GMW-O-9	11/22/1996	Terra Services	--	--	--	--	--	--	<0.5	<0.5	<0.5	<1.5	<b>46</b>	<5	--	--
GMW-O-9	7/10/1997	Terra Services	<100	<500	--	--	--	--	<0.5	<b>3.6</b>	<0.5	<1	<0.5	<5	--	--
GMW-O-9	1/7/1998	Terra Services	<100	<500	--	--	--	--	<0.5	<0.5	<0.5	<1.5	<0.5	<5	--	--
GMW-O-9	5/21/1998	Terra Services	--	--	--	--	--	--	<0.5	<0.5	<0.5	<0.6	<b>12</b>	<0.5	--	--
GMW-O-9	11/16/1998	Alton Geoscience	<300	--	--	--	<100	--	<b>3</b>	<b>7</b>	<b>1</b>	<b>6</b>	<b>5.8</b>	<0.5	--	--
GMW-O-9	5/5/1999	Alton Geoscience	<500	<500	--	--	--	--	<0.5	<0.5	<0.5	<0.5	<1	<0.5	--	--
GMW-O-9	11/17/1999	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<b>17</b>	<0.5	--	--
GMW-O-9	5/17/2000	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<b>72</b>	<0.5	--	--
GMW-O-9	11/29/2000	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<b>53</b>	<0.5	--	--
GMW-O-9	5/10/2001	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<b>87</b>	<0.5	--	--
GMW-O-9	11/7/2001	IT Corporation	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<b>53</b>	<0.5	--	--
GMW-O-9	4/9/2002	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-O-9	10/24/2002	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<b>35</b>	<0.5	--	--
GMW-O-9	4/9/2003	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<b>50</b>	<0.5	--	--
GMW-O-9	10/9/2003	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<b>35</b>	<0.5	--	--
GMW-O-9	4/20/2004	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<b>15</b>	<0.5	--	--
GMW-O-9	11/4/2004	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<b>9.9</b>	<0.5	--	--
GMW-O-9	5/6/2005	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<b>61</b>	<0.5	--	--
GMW-O-9	11/2/2005	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-O-9	5/5/2006	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<b>1.8</b>	<0.5	--	--
GMW-O-9	12/7/2006	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<b>2.5</b>	<0.5	--	--
GMW-O-9	5/4/2007	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-O-9	11/14/2007	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<b>5.9</b>	<0.5	--	--
GMW-O-9	4/18/2008	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-O-9	10/17/2008	Stantec	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-O-9	4/22/2009	Blaine Tech for AMEC GMX	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<1
GMW-O-9	10/20/2009	Blaine Tech for Parsons	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<1
GMW-O-9	5/26/2010	Blaine Tech	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<1
GMW-SF-10	9/24/2003	Secor	<b>90</b>	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<b>210</b>	--	--
GMW-SF-10	10/10/2003	Geomatrix	<b>100</b>	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<b>120</b>	--	--
GMW-SF-7	11/25/1996	Terra Services	--	--	--	--	--	--	<0.5	<0.5	<0.5	<b>5.8</b>	<0.5	<5	--	--
GMW-SF-7	7/11/1997	Terra Services	<100	<500	--	--	--	--	<0.5	<0.5	<0.5	<1	<0.5	<b>8.7</b>	--	--
GMW-SF-7	1/2/1998	Terra Services	<100	<500	--	--	--	--	<0.5	<0.5	<0.5	<1.5	<0.5	<5	--	--
GMW-SF-7	5/19/1998	Terra Services	<300	--	--	--	--	--	<0.5	<0.5	<0.5	<1	<0.5	<0.5	--	--
GMW-SF-7	11/11/1998	Alton Geoscience	<300	--	--	--	<100	--	<b>0.96</b>	<0.5	<b>0.5</b>	<b>1.3</b>	<0.5	<0.5	--	--

TABLE 11

**HISTORICAL ANALYTICAL RESULTS FOR TPH, BTEX, 1-2 DCA, MTBE, TBA, and DIPE IN GROUNDWATER  
NOVEMBER 1996 THROUGH MAY 2010**

Defense Fuel Support Point Norwalk  
Norwalk, California

Results reported in micrograms per liter (µg/L)

Well	Date Sampled	Sampled By	TPHg	TPHd	TPHj <sub>p4</sub>	TPHj <sub>p5</sub>	TPHfp	TPH	Benzene	Toluene	Ethylbenzene	Total Xylenes	1,2-DCA	MTBE	TBA	DIPE
GMW-SF-7	5/7/1999	Alton Geoscience	<500	<500	--	--	--	--	1	4.1	<0.5	1.8	<1	1.3	--	--
GMW-SF-7	11/18/1999	Secor	350	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	200	--	--
GMW-SF-7	5/17/2000	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-SF-7	11/29/2000	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-SF-7	5/8/2001	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-SF-7	11/6/2001	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-SF-7	2/1/2002	Secor	--	--	--	--	--	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-SF-7	4/10/2002	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	1.9	--	--
GMW-SF-7	10/22/2002	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	2.5	--	--
GMW-SF-7	1/29/2003	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	4.1	--	--
GMW-SF-7	4/9/2003	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	0.73	--	--
GMW-SF-7	7/30/2003	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-SF-7	10/6/2003	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-SF-7	1/28/2004	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-SF-7	4/20/2004	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	32	--	--
GMW-SF-7	7/19/2004	Secor	550	--	--	--	<100	--	<1	<1	<1	<1	<2	680	--	--
GMW-SF-7	11/2/2004	Secor	220	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	340	--	--
GMW-SF-7	2/2/2005	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-SF-7	5/4/2005	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-SF-7	8/2/2005	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-SF-7	11/1/2005	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-SF-7	2/27/2006	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-SF-7	5/2/2006	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-SF-7	9/18/2006	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-SF-7	12/5/2006	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-SF-7	3/13/2007	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-SF-7	5/5/2007	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-SF-7	8/30/2007	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-SF-7	11/13/2007	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-SF-7	4/16/2008	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-SF-7	10/14/2008	Stantec	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-SF-7	4/22/2009	Blaine Tech for AMEC GMX	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<1
GMW-SF-7	10/21/2009	Blaine Tech for Parsons	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<1
GMW-SF-7	5/26/2010	Blaine Tech	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<1
GMW-SF-8	11/22/1996	Terra Services	<100	<500	--	--	--	--	4.5	<1	<1	<3	<1	920	--	--
GMW-SF-8	7/11/1997	Terra Services	<100	<500	--	--	--	--	<0.5	<0.5	<0.5	<1	<0.5	140	--	--
GMW-SF-8	1/6/1998	Terra Services	<100	<500	--	--	--	--	4.1	<0.5	<0.5	<1.5	<0.5	450	--	--
GMW-SF-8	5/22/1998	Terra Services	<300	--	--	--	--	--	<0.5	<0.5	<0.5	<1	<1	0.9	--	--
GMW-SF-8	11/12/1998	Alton Geoscience	<300	--	--	--	--	--	<0.5	<0.5	<0.5	<0.5	<0.5	40	--	--
GMW-SF-8	5/7/1999	Alton Geoscience	<500	<500	--	--	--	--	<0.5	<0.5	<0.5	<0.5	<1	4.8	--	--
GMW-SF-8	11/18/1999	Secor	660	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	800	--	--
GMW-SF-8	5/17/2000	Secor	<300	--	--	--	250	--	<0.5	<0.5	<0.5	<0.5	<0.5	42	--	--

TABLE 11

**HISTORICAL ANALYTICAL RESULTS FOR TPH, BTEX, 1-2 DCA, MTBE, TBA, and DIPE IN GROUNDWATER  
NOVEMBER 1996 THROUGH MAY 2010**

Defense Fuel Support Point Norwalk  
Norwalk, California

Results reported in micrograms per liter (µg/L)

Well	Date Sampled	Sampled By	TPHg	TPHd	TPHj <sub>p4</sub>	TPHj <sub>p5</sub>	TPHf <sub>p</sub>	TPH	Benzene	Toluene	Ethylbenzene	Total Xylenes	1,2-DCA	MTBE	TBA	DIPE
GMW-SF-8	11/30/2000	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	220	--	--
GMW-SF-8	5/8/2001	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	20	--	--
GMW-SF-8	11/6/2001	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	260	--	--
GMW-SF-8	4/10/2002	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	3.8	--	--
GMW-SF-8	10/22/2002	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	5.2	--	--
GMW-SF-8	1/29/2003	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	1.5	--	--
GMW-SF-8	4/9/2003	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	6.5	--	--
GMW-SF-8	7/30/2003	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-SF-8	10/6/2003	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-SF-8	1/27/2004	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-SF-8	4/20/2004	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-SF-8	7/19/2004	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-SF-8	11/3/2004	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-SF-8	2/2/2005	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-SF-8	5/4/2005	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-SF-8	8/1/2005	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-SF-8	11/1/2005	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-SF-8	2/27/2006	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-SF-8	5/2/2006	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-SF-8	9/18/2006	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<1	<0.5	--	--
GMW-SF-8	12/5/2006	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-SF-8	5/4/2007	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-SF-8	11/14/2007	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-SF-8	4/16/2008	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-SF-8	10/14/2008	Stantec	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GMW-SF-8	4/23/2009	Blaine Tech for AMEC GMX	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<1
GMW-SF-8	10/21/2009	Blaine Tech for Parsons	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<1
GMW-SF-8	5/26/2010	Blaine Tech	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<1
GMW-SF-9	9/24/2003	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	9.2	--	--
GMW-SF-9	10/10/2003	Geomatrix	79	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	14	--	--
GW-1	10/17/2008	Parsons	<100	--	--	<100	--	--	<0.5	<0.5	<0.5	<0.5	0.84	2.3	<10	<2
GW-1	8/3/2009	Blaine Tech for AMEC GMX	<100	--	--	<100	--	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
GW-13(1")	11/15/2007	Parsons	--	--	--	--	1,400	--	<0.5	<0.5	<0.5	<0.5	0.94	3.5	20	<2
GW-13(6")	5/3/2007	Parsons	--	--	--	--	2,800	--	<0.5	<0.5	<0.5	<0.5	0.83	5.3	31	<2
GW-13(6")	4/17/2008	Parsons	230	--	--	--	1,300	--	<0.5	<0.5	<0.5	<0.5	0.99	4.4	28	<2
GW-13(6")	4/24/2009	Blaine Tech for Parsons	<100	--	--	<100	--	--	<0.5	<0.5	<0.5	<0.5	14	11	<10	2.1
GW-13(6")	1/12/2010	Blaine Tech for DESC	<100	--	--	<100	--	--	<0.5	<0.5	<0.5	<0.5	21	4.8	5.2	3.7
GW-13(6")	4/13/2010	Blaine Tech for DESC	--	--	--	<100	--	--	<0.5	<0.5	<0.5	<0.5	7.4	12	16	1.5
GW-14(1")	11/15/2007	Parsons	--	--	--	--	950	--	35	<0.5	14	3.94	<0.5	18	20	<2
GW-14(1")	4/18/2008	Parsons	900	--	--	--	1,000	--	78	<0.5	<0.5	2.25	<0.5	18	13	<2



TABLE 11

**HISTORICAL ANALYTICAL RESULTS FOR TPH, BTEX, 1-2 DCA, MTBE, TBA, and DIPE IN GROUNDWATER  
NOVEMBER 1996 THROUGH MAY 2010**

Defense Fuel Support Point Norwalk  
Norwalk, California

Results reported in micrograms per liter (µg/L)

Well	Date Sampled	Sampled By	TPHg	TPHd	TPHj <sub>p4</sub>	TPHj <sub>p5</sub>	TPHfp	TPH	Benzene	Toluene	Ethylbenzene	Total Xylenes	1,2-DCA	MTBE	TBA	DIPE
GW-14(1")	10/22/2009	Blaine Tech for DESC	110	--	--	900	--	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
GW-14(1")	1/13/2010	Blaine Tech for DESC	950	--	--	2,100	--	--	62	0.35	1	1.4	<0.5	17	18	<2
GW-14(6")	5/3/2007	Parsons	--	--	--	--	4,000	--	200	5.2	220	900	--	39	--	--
GW-14(6")	10/16/2008	Parsons	820	--	--	2,700	--	--	40	<0.5	2.1	1	<0.5	22	16	<2
GW-14(6")	4/24/2009	Blaine Tech for Parsons	690	--	--	1,600	--	--	66	<0.5	0.99	0.64	<0.5	13	14	<2
GW-15(6")	5/3/2007	Parsons	8,500	--	--	--	1,600	--	1,100	1,000	130	570	<0.5	<0.5	<10	<2
GW-16(6")	10/23/2009	Blaine Tech for DESC	<100	--	--	<100	--	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
GW-16(6")	1/13/2010	Blaine Tech for DESC	<100	--	--	460	--	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	6.4	<2
GW-16(6")	4/19/2010	Blaine Tech for DESC	--	--	--	<100	--	--	<0.5	<0.5	2.6	<0.5	<0.5	<0.5	<10	<2
GW-2	1/12/2010	Blaine Tech for DESC	<100	--	--	120	--	--	3.6	<0.5	<0.5	<0.5	23	1.8	8.8	2.6
GW-3	4/11/2003	GTI	--	--	--	--	134	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GW-3	10/11/2003	Parsons	--	--	--	--	300	--	<0.5	<0.5	<0.5	<0.5	<0.5	2.9	--	--
GW-3	4/22/2004	Parsons	--	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	1.3	<10	<2
GW-3	11/4/2004	Parsons	--	--	--	--	3,900	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
GW-3	5/10/2005	Parsons	--	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
GW-3	11/8/2005	Parsons	--	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
GW-3	5/3/2006	Parsons	--	--	--	--	200	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
GW-3	12/6/2006	Parsons	--	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
GW-3	5/3/2007	Parsons	--	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
GW-3	11/14/2007	Parsons	--	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
GW-3	4/17/2008	Parsons	--	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
GW-3	10/16/2008	Parsons	--	--	--	<100	--	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
GW-3	4/24/2009	Blaine Tech for Parsons	--	--	--	<100	--	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	17	<2
GW-3	10/22/2009	Blaine Tech for DESC	--	--	--	<100	--	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
GW-3	4/15/2010	Blaine Tech for DESC	--	--	--	<100	--	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	18	<2
GW-6	11/6/1998	GTI	339	--	--	--	<100	--	9.3	1.1	8.4	6.6	<0.5	<0.5	--	--
GW-6	5/27/1999	GTI	<300	--	--	--	<100	--	62	<0.5	12	<0.5	<0.5	<0.5	--	--
GW-6	11/18/1999	IT Corporation	690	--	--	--	930	--	90	<1	80	<0.5	<0.5	<0.5	--	--
GW-6	5/17/2000	IT Corporation	<300	--	--	--	160	--	1.7	<0.5	2.5	<0.5	<0.5	19	--	--
GW-6	12/1/2000	IT Corporation	<300	--	--	--	180	--	3.7	<0.5	1.6	<0.5	<0.5	21	--	--
GW-6	5/10/2001	IT Corporation	<300	--	--	--	140	--	0.7	<0.5	<0.5	<0.5	<0.5	23	--	--
GW-6	11/8/2001	IT Corporation	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	21	--	--
GW-6	10/24/2002	GTI	<300	--	--	--	<100	--	<0.5	<1	<1	<1	<0.5	9.6	--	--
GW-6	4/11/2003	GTI	--	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
GW-6	10/10/2003	Parsons	--	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	0.71	--	--
GW-6	4/22/2004	Parsons	--	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
GW-6	11/4/2004	Parsons	--	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
GW-6	5/10/2005	Parsons	--	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
GW-6	11/8/2005	Parsons	--	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
GW-6	5/5/2006	Parsons	--	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
GW-6	5/2/2007	Parsons	--	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
GW-6	4/17/2008	Parsons	--	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2

TABLE 11

**HISTORICAL ANALYTICAL RESULTS FOR TPH, BTEX, 1-2 DCA, MTBE, TBA, and DIPE IN GROUNDWATER  
NOVEMBER 1996 THROUGH MAY 2010**

Defense Fuel Support Point Norwalk  
Norwalk, California

Results reported in micrograms per liter (µg/L)

Well	Date Sampled	Sampled By	TPHg	TPHd	TPHj <sub>p4</sub>	TPHj <sub>p5</sub>	TPHfp	TPH	Benzene	Toluene	Ethylbenzene	Total Xylenes	1,2-DCA	MTBE	TBA	DIPE
GW-6	10/15/2008	Parsons	--	--	--	<100	--	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
GW-6	4/21/2009	Blaine Tech for Parsons	--	--	--	<100	--	--	<0.5	<0.5	<0.5	<0.5	<0.5	1.5	<10	<2
GW-6	10/22/2009	Blaine Tech for DESC	--	--	--	<100	--	--	<0.5	<0.5	<0.5	<0.5	<0.5	1.8	<10	<2
GW-6	4/13/2010	Blaine Tech for DESC	--	--	--	<100	--	--	<0.5	<0.5	<0.5	<0.5	<0.5	0.76	<10	<2
GW-7	4/12/2002	IT Corporation	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	1.8	--	--
GWR-1	11/26/1996	Terra Services	--	--	--	--	--	--	1,500	21	150	102	<5	2,700	--	--
GWR-1	7/16/1997	Terra Services	1,300	920	--	--	--	--	220	<5	360	28.8	<5	1,800	--	--
GWR-1	1/9/1998	Terra Services	210	<500	--	--	--	--	2.9	<0.5	40	240	<0.5	330	--	--
GWR-1	5/27/1998	Terra Services	4,100	--	--	--	--	--	960	90	90	240	<0.5	630	--	--
GWR-1	11/17/1998	Alton Geoscience	3,830	--	--	--	3,320	--	1,200	74	99	387	<25	1,070	--	--
GWR-1	5/7/1999	Alton Geoscience	4,200	530	--	--	--	--	1,600	22	96	290	<13	910	--	--
GWR-1	11/18/1999	Secor	1,300	--	--	--	800	--	220	<10	14	14	<10	690	--	--
GWR-1	5/16/2000	Secor	880	--	--	--	1,400	--	160	<10	16	16	6.1	550	--	--
GWR-1	11/30/2000	Secor	3,200	--	--	--	5,300	--	1,600	9	87	33	<0.5	360	--	--
GWR-1	5/8/2001	Secor	4,400	--	--	--	6,900	--	1,800	170	160	235	<10	370	--	--
GWR-1	11/6/2001	Secor	2,300	--	--	--	710	--	240	13	31	56	<0.5	2,400	--	--
GWR-1	4/9/2002	Secor	2,500	--	--	--	1,000	--	580	<10	18	57	<10	4,000	--	--
GWR-1	10/23/2002	Secor	1,900	--	--	--	1,900	--	270	<10	<10	<10	<10	2,500	--	--
GWR-1	10/7/2003	Secor	1,400	--	--	--	500	--	150	1.7	7.5	19.7	110	1,300	--	--
GWR-1	5/6/2005	Secor	16,000	--	--	--	39,000	--	260	610	460	2,060	<5	11	--	--
GWR-1	8/1/2005	Secor	8,300	--	--	--	3,800	--	1,700	490	370	1,110	<20	25	--	--
GWR-1	5/4/2006	Secor	3,700	--	--	--	1,900	--	980	23	120	343	<10	19	--	--
GWR-1	9/18/2006	Secor	960	--	--	--	880	--	220	4.4	19	64	<2	5.4	--	--
GWR-1	5/2/2007	Secor	750	--	--	--	720	--	170	1.3	12	22	<2	4.1	--	--
GWR-1	4/17/2008	Secor	3,600	--	--	--	1,500	--	1,700	17	87	60	<30	21	--	--
GWR-1	4/20/2009	Blaine Tech for AMEC GMX	5,100	--	--	--	1,700	--	3,000	<15	48	<15	<30	31	<300	30
GWR-1	5/27/2010	Blaine Tech	2,100	--	--	--	1,100	--	800	9.5	16	34	<10	23	<100	27
HL-2	11/27/1996	Terra Services	--	--	--	--	--	--	2,600	100	560	390	170	3,000	--	--
HL-2	7/16/1997	Terra Services	1,400	530	--	--	--	--	200	1.2	150	13	74	810	--	--
HL-2	1/9/1998	Terra Services	150	--	--	--	--	--	<0.5	0.79	3.5	<1.5	40	570	--	--
HL-2	1/12/1998	Terra Services	--	<500	--	--	--	--	--	--	--	--	--	--	--	--
HL-2	5/27/1998	Terra Services	500	--	--	--	--	--	72	9	6	42	60	308	--	--
HL-2	11/17/1998	Alton Geoscience	<300	--	--	--	<100	--	1	<0.5	<0.5	0.6	0.94	14	--	--
HL-2	5/7/1999	Alton Geoscience	<500	<500	--	--	--	--	1.8	5.1	<0.5	1.8	<1	4.8	--	--
HL-2	11/19/1999	Secor	<300	--	--	--	<100	--	2	<0.5	<0.5	<0.5	2.6	36	--	--
HL-2	5/16/2000	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	1.4	14	--	--
HL-2	11/29/2000	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	3.2	--	--
HL-2	5/8/2001	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	7.3	--	--
HL-2	11/6/2001	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	1	--	--
HL-2	4/9/2002	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
HL-2	4/8/2003	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	0.85	--	--
HL-2	7/8/2003	Geomatrix	--	--	--	--	--	--	<0.5	<1	<1	<1	<0.5	<1	--	--

TABLE 11

**HISTORICAL ANALYTICAL RESULTS FOR TPH, BTEX, 1-2 DCA, MTBE, TBA, and DIPE IN GROUNDWATER  
NOVEMBER 1996 THROUGH MAY 2010**

Defense Fuel Support Point Norwalk  
Norwalk, California

Results reported in micrograms per liter (µg/L)

Well	Date Sampled	Sampled By	TPHg	TPHd	TPHj <sub>p4</sub>	TPHj <sub>p5</sub>	TPHf <sub>p</sub>	TPH	Benzene	Toluene	Ethylbenzene	Total Xylenes	1,2-DCA	MTBE	TBA	DIPE
HL-2	10/7/2003	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	0.96	--	--
HL-2	4/21/2004	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	7.9	--	--
HL-2	7/8/2004	Geomatrix	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	0.67	--	--
HL-2	5/6/2005	Secor	280	--	--	--	<100	--	78	<0.5	<0.5	1.2	15	130	--	--
HL-2	11/3/2005	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<1	1.8	--	--
HL-2	5/9/2006	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	1.7	--	--
HL-2	12/6/2006	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
HL-2	5/2/2007	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
HL-2	11/13/2007	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
HL-2	4/17/2008	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	0.56	--	--
HL-2	10/17/2008	Stantec	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
HL-2	4/20/2009	Blaine Tech for AMEC GMX	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<1
HL-2	10/21/2009	Blaine Tech for Parsons	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<1
HL-2	5/26/2010	Blaine Tech	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<1
HL-3	5/10/2001	Secor	<300	--	--	--	300	--	<0.5	<0.5	<0.5	<0.5	1.4	110	--	--
HL-3	11/6/2001	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	1.6	93	--	--
HL-3	4/10/2002	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	1.1	77	--	--
HL-3	10/23/2002	Secor	<300	--	--	--	360	--	<0.5	<0.5	<0.5	<0.5	<0.5	85	--	--
HL-3	10/7/2003	Secor	80	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	67	--	--
HL-3	5/6/2005	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
HL-3	5/3/2006	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
HL-3	5/2/2007	Secor	81	--	--	--	290	--	<0.5	<0.5	<0.5	<0.5	<0.5	38	--	--
HL-3	4/17/2008	Secor	<50	--	--	--	100	--	<0.5	<0.5	<0.5	<0.5	<0.5	4.7	--	--
HL-3	4/20/2009	Blaine Tech for AMEC GMX	<50	--	--	--	130	--	<0.5	<0.5	<0.5	<0.5	<0.5	1.2	<10	<1
HL-3	5/27/2010	Blaine Tech	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<1
HL-4	11/25/1996	Terra Services	--	--	--	--	--	--	<10	3.2	350	8.5	<3	1,200	--	--
HL-4	7/16/1997	Terra Services	270	<500	--	--	--	--	76	<1	<1	16.5	33	1,500	--	--
HL-4	1/8/1998	Terra Services	590	660	--	--	--	--	170	13	7.1	5	90	2,300	--	--
HL-4	5/27/1998	Terra Services	1,100	--	--	--	--	--	156	26	15	120	28	440	--	--
HL-4	11/17/1998	Alton Geoscience	2,030	--	--	--	1,380	--	700	76.2	20	107.8	<0.5	904	--	--
HL-4	5/7/1999	Alton Geoscience	2,800	<500	--	--	--	--	1,100	31	130	84	<6	1,500	--	--
HL-4	11/18/1999	Secor	2,500	--	--	--	1,100	--	720	<10	<10	118	<10	520	--	--
HL-4	5/16/2000	Secor	1,200	--	--	--	1,000	--	300	<10	<10	29	51	740	--	--
HL-4	11/29/2000	Secor	1,900	--	--	--	1,200	--	26	<10	<10	<10	89	2,800	--	--
HL-4	5/8/2001	Secor	1,700	--	--	--	1,100	--	39	<0.5	0.5	1.7	27	3,300	--	--
HL-4	11/6/2001	Secor	950	--	--	--	140	--	97	<0.5	<0.5	0.9	<0.5	930	--	--
HL-4	4/9/2002	Secor	1,600	--	--	--	230	--	940	<5	<5	35	<5	200	--	--
HL-4	10/23/2002	Secor	<300	--	--	--	320	--	8.5	<5	<5	<5	<5	1,100	--	--
HL-4	4/8/2003	Secor	1,500	--	--	--	<100	--	2.8	<2.5	<2.5	<2.5	36	2,200	--	--
HL-4	10/7/2003	Secor	690	--	--	--	110	--	140	<1	<1	1.6	<2	480	--	--
HL-4	4/21/2004	Secor	340	--	--	--	<100	--	39	<0.5	<0.5	<0.5	<1	370	--	--

TABLE 11

**HISTORICAL ANALYTICAL RESULTS FOR TPH, BTEX, 1-2 DCA, MTBE, TBA, and DIPE IN GROUNDWATER  
NOVEMBER 1996 THROUGH MAY 2010**

Defense Fuel Support Point Norwalk  
Norwalk, California

Results reported in micrograms per liter (µg/L)

Well	Date Sampled	Sampled By	TPHg	TPHd	TPHj <sub>p4</sub>	TPHj <sub>p5</sub>	TPHfp	TPH	Benzene	Toluene	Ethylbenzene	Total Xylenes	1,2-DCA	MTBE	TBA	DIPE
HL-4	11/3/2004	Secor	200	--	--	--	120	--	54	<0.5	<0.5	<0.5	<0.5	13	--	--
HL-5	7/14/1997	Terra Services	950	3,200	--	--	--	--	--	--	--	--	--	--	--	--
HP-1	8/7/1997	GTI	--	--	170	--	--	--	<5	<5	<5	<10	<5	<5	--	--
HP-2	8/7/1997	GTI	--	--	130	--	--	--	<5	<5	<5	<10	<5	<5	--	--
HP-3	8/7/1997	GTI	--	--	<50	--	--	--	<5	<5	<5	<10	<5	<5	--	--
HP-6	8/8/1997	GTI	--	--	230	--	--	--	<5	<5	<5	<10	<5	<5	--	--
HP-8	8/8/1997	GTI	--	--	35,000	--	--	--	11,000	12,000	1,200	7,300	<500	<500	--	--
MW-10	11/21/1996	GSI	<38	<500	<500	--	--	--	<0.5	<0.5	5.1	2.3	<0.5	--	--	--
MW-10	7/9/1997	GTI	<50	170	<50	--	--	--	<0.5	<1	2	<2	--	--	--	--
MW-10	1/6/1998	GTI	<500	<100	<100	--	--	--	<0.3	<0.3	<0.3	<0.6	--	--	--	--
MW-10	5/20/1998	BBC	<300	--	--	--	--	--	<0.3	<0.3	<0.3	<0.6	--	--	--	--
MW-10	11/4/1998	GTI	<300	--	--	--	<100	--	<0.3	<0.3	<0.3	<0.6	--	--	--	--
MW-10	5/27/1999	GTI	<300	--	--	--	<100	--	<0.3	<0.3	<0.3	<0.6	--	--	--	--
MW-10	11/18/1999	IT Corporation	<300	--	--	--	<100	--	<0.3	<0.3	<0.3	<0.6	--	--	--	--
MW-10	5/16/2000	IT Corporation	<300	--	--	--	120	--	<0.3	<0.3	<0.3	<0.6	--	--	--	--
MW-10	11/29/2000	IT Corporation	<300	--	--	--	<100	--	<0.3	<0.3	<0.3	2.4	--	<5	--	--
MW-10	5/9/2001	IT Corporation	<300	--	--	--	<100	--	<0.3	<0.3	<0.3	<0.6	--	<5	--	--
MW-10	11/7/2001	IT Corporation	<300	--	--	--	<100	--	<0.3	<0.3	<0.3	<0.6	--	<5	--	--
MW-10	4/10/2002	IT Corporation	<300	--	--	--	<100	--	<0.3	<0.3	<0.3	<0.6	--	<5	--	--
MW-11	12/1/2000	IT Corporation	<300	--	--	--	290	--	<0.3	<0.3	<0.3	<0.6	--	<5	--	--
MW-11	5/10/2001	IT Corporation	<300	--	--	--	180	--	1	<0.3	0.61	<0.6	--	13	--	--
MW-11	11/7/2001	IT Corporation	<300	--	--	--	<100	--	<0.3	<0.3	<0.3	<0.6	--	<5	--	--
MW-11	4/10/2002	IT Corporation	<300	--	--	--	<100	--	<0.3	<0.3	<0.3	<0.6	--	19	--	--
MW-11	4/14/2003	GTI	--	--	--	--	6,120	--	83.6	1.54	58.8	51	--	<3	--	--
MW-11	10/10/2003	Parsons	--	--	--	--	1,000	--	<0.3	<0.3	0.42	0.95	--	12	--	--
MW-11	4/22/2004	Parsons	--	--	--	--	<100	--	<0.3	<0.3	<0.3	<0.3	--	6.4	--	--
MW-11	11/6/2004	Parsons	--	--	--	--	1,300	--	2.3	<0.3	0.64	5.9	--	8.1	--	--
MW-11	5/7/2005	Parsons	--	--	--	--	<100	--	0.34	0.61	<0.3	0.6	--	13	--	--
MW-11	11/8/2005	Parsons	--	--	--	--	<100	--	0.33	<0.3	<0.3	0.69	--	37	--	--
MW-11	5/5/2006	Parsons	--	--	--	--	2,300	--	1.6	3.4	3.4	6.9	--	11	--	--
MW-11	12/8/2006	Parsons	--	--	--	--	740	--	3.1	<0.5	<0.5	<1	--	20	--	--
MW-11	5/3/2007	Parsons	--	--	--	--	1,300	--	4.3	<0.5	0.86	1.1	--	43	--	--
MW-11	11/14/2007	Parsons	--	--	--	--	450	--	<0.5	<0.5	<0.5	<1	--	18	--	--
MW-11	4/18/2008	Parsons	--	--	--	--	1,100	--	<0.5	<0.5	1	1.5	--	<5	--	--
MW-11	10/17/2008	Parsons	--	--	--	880	--	--	<0.5	<0.5	<0.5	<0.5	<0.5	12	<10	<2
MW-11	4/24/2009	Blaine Tech for Parsons	--	--	--	520	--	--	<0.5	<0.5	<0.5	<0.5	<0.5	8.7	<10	<2
MW-11	10/22/2009	Blaine Tech for DESC	--	--	--	670	--	--	<0.5	<0.5	<0.5	<0.5	<0.5	3.9	<10	<2
MW-11	4/14/2010	Blaine Tech for DESC	--	--	--	700	--	--	<0.5	<0.5	0.58	<0.5	--	3.8	<10	<2
MW-12	5/22/1998	Terra Services	<300	--	--	--	--	--	<0.5	<0.5	<0.5	<1	<0.1	<0.5	--	--
MW-12	11/11/1998	Alton Geoscience	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
MW-12	5/7/1999	Alton Geoscience	<500	<500	--	--	--	--	1.2	4.8	<0.5	2.1	<1	<0.5	--	--
MW-12	11/16/1999	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
MW-12	5/19/2000	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--

TABLE 11

**HISTORICAL ANALYTICAL RESULTS FOR TPH, BTEX, 1-2 DCA, MTBE, TBA, and DIPE IN GROUNDWATER  
NOVEMBER 1996 THROUGH MAY 2010**

Defense Fuel Support Point Norwalk  
Norwalk, California

Results reported in micrograms per liter (µg/L)

Well	Date Sampled	Sampled By	TPHg	TPHd	TPHj <sub>p4</sub>	TPHj <sub>p5</sub>	TPHf <sub>p</sub>	TPH	Benzene	Toluene	Ethylbenzene	Total Xylenes	1,2-DCA	MTBE	TBA	DIPE
MW-12	11/30/2000	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
MW-12	5/9/2001	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
MW-12	11/7/2001	IT Corporation	<300	--	--	--	<100	--	<b>1.3</b>	<b>1.1</b>	<0.5	<b>0.7</b>	<0.5	<0.5	--	--
MW-12	4/11/2002	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
MW-12	10/24/2002	Secor	<300	--	--	--	<b>2,800</b>	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
MW-12	4/10/2003	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
MW-12	10/8/2003	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
MW-12	4/22/2004	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
MW-12	11/5/2004	Secor	<50	--	--	--	<b>120</b>	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
MW-12	5/5/2005	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
MW-12	11/3/2005	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
MW-12	5/3/2006	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
MW-12	12/7/2006	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
MW-12	5/5/2007	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
MW-12	11/14/2007	Secor	<50	--	--	--	<b>190</b>	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
MW-12	4/17/2008	Secor	<50	--	--	--	<b>120</b>	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
MW-12	10/21/2008	Stantec	<50	--	--	--	<b>170</b>	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
MW-12	4/22/2009	Blaine Tech for AMEC GMX	<50	--	--	--	<b>100</b>	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<1
MW-12	10/21/2009	Blaine Tech for Parsons	<50	--	--	--	<b>150</b>	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<1
MW-12	5/26/2010	Blaine Tech	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<1
MW-13	11/22/1996	GSI	<b>1,100</b>	<500	<500	--	--	--	<0.5	<0.5	<0.5	<1.5	<0.5	--	--	--
MW-13	7/9/1997	GTI	<50	<50	<50	--	--	--	<0.5	<1	<1	<2	--	--	--	--
MW-13	1/6/1998	GTI	<500	<100	<100	--	--	--	<0.3	<0.3	<0.3	<0.6	--	--	--	--
MW-13	5/20/1998	BBC	<300	--	--	--	--	--	<0.3	<0.3	<0.3	<0.6	--	--	--	--
MW-13	11/5/1998	GTI	<300	--	--	--	<100	--	<0.3	<0.3	<0.3	<0.6	--	--	--	--
MW-13	5/26/1999	GTI	<300	--	--	--	<100	--	<0.3	<0.3	<0.3	<0.6	--	--	--	--
MW-13	11/18/1999	IT Corporation	<300	--	--	--	<100	--	<0.3	<0.3	<0.3	<0.6	--	--	--	--
MW-13	5/17/2000	IT Corporation	<300	--	--	--	<b>20,000</b>	--	<0.3	<b>1.2</b>	<0.3	<b>0.91</b>	--	--	--	--
MW-13	11/29/2000	IT Corporation	<300	--	--	--	<b>410</b>	--	<0.3	<0.3	<0.3	<b>0.89</b>	--	<5	--	--
MW-13	3/30/2001	IT Corporation	--	--	--	--	<50	--	--	--	--	--	--	--	--	--
MW-13	5/9/2001	IT Corporation	<300	--	--	--	<100	--	<0.3	<0.3	<0.3	<0.6	--	<5	--	--
MW-13	11/7/2001	IT Corporation	<300	--	--	--	<100	--	<0.3	<0.3	<0.3	<0.6	--	<b>14</b>	--	--
MW-13	4/10/2002	IT Corporation	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
MW-13	10/23/2002	GTI	<300	--	--	--	<100	--	<0.5	<1	<1	<1	<0.5	<1	--	--
MW-13	4/9/2003	GTI	--	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
MW-13	10/8/2003	Parsons	--	--	--	--	<b>110</b>	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
MW-13	4/21/2004	Parsons	--	--	--	--	<b>160</b>	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
MW-13	11/3/2004	Parsons	--	--	--	--	<b>320</b>	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
MW-13	5/5/2005	Parsons	--	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
MW-13	11/5/2005	Parsons	--	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
MW-13	5/3/2006	Parsons	--	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
MW-13	12/5/2006	Parsons	--	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2

TABLE 11

**HISTORICAL ANALYTICAL RESULTS FOR TPH, BTEX, 1-2 DCA, MTBE, TBA, and DIPE IN GROUNDWATER  
NOVEMBER 1996 THROUGH MAY 2010**  
Defense Fuel Support Point Norwalk  
Norwalk, California

Results reported in micrograms per liter (µg/L)

Well	Date Sampled	Sampled By	TPHg	TPHd	TPHj <sub>p4</sub>	TPHj <sub>p5</sub>	TPHfp	TPH	Benzene	Toluene	Ethylbenzene	Total Xylenes	1,2-DCA	MTBE	TBA	DIPE
MW-13	5/2/2007	Parsons	--	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
MW-13	11/13/2007	Parsons	<100	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
MW-13	4/16/2008	Parsons	--	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
MW-13	10/15/2008	Parsons	--	--	--	<100	--	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
MW-13	4/20/2009	Blaine Tech for Parsons	--	--	--	<100	--	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
MW-13	10/22/2009	Blaine Tech for DESC	--	--	--	<100	--	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
MW-13	4/19/2010	Blaine Tech for DESC	--	--	--	<100	--	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
MW-14	11/21/1996	GSI	<50	<500	<500	--	--	--	<0.5	<0.5	<0.5	<1.5	<0.5	99	--	--
MW-14	7/9/1997	GTI	<50	200	<50	--	--	--	<5	<5	<5	<5	<5	<5	--	--
MW-14	1/6/1998	GTI	<500	<100	800	--	--	--	107	<0.5	4	10	2	15	--	--
MW-14	5/20/1998	BBC	400	--	--	--	--	--	24	<0.5	7	14	<0.5	12	--	--
MW-14	8/26/1998	Geomatrix	<300	--	--	--	367	--	<0.5	<0.5	0.7	2.1	<0.5	109	--	--
MW-14	11/4/1998	GTI	<300	--	--	--	361	--	<0.5	2.8	4.8	24.6	<0.5	48.6	--	--
MW-14	2/3/1999	Alton Geoscience	<500	<500	--	--	--	--	<0.5	<0.5	<0.5	<1	<1	86	--	--
MW-14	5/7/1999	Alton Geoscience	<500	<500	--	--	--	--	<0.5	<0.5	<0.5	0.53	<1	450	--	--
MW-14	5/26/1999	GTI	<300	--	--	--	<100	--	<0.5	<0.5	0.7	1.1	<0.5	230	--	--
MW-14	8/10/1999	Alton Geoscience	<500	<1000	--	--	--	--	<0.5	<1	<1	<1	2.9	110	--	--
MW-14	11/18/1999	IT Corporation	<300	--	--	--	<100	--	<2.5	<5	<5	<5	12	26	--	--
MW-14	2/29/2000	Secor	<300	--	--	--	420	--	<0.5	<0.5	<0.5	<0.5	36	15	--	--
MW-14	5/16/2000	IT Corporation	<300	--	--	--	370	--	<0.5	<0.5	<0.5	1.4	42	7.7	--	--
MW-14	8/29/2000	Secor	<300	--	--	--	3,800	--	<0.5	<0.5	<0.5	0.6	38	9.6	--	--
MW-14	11/29/2000	IT Corporation	<300	--	--	--	130	--	<0.5	<0.5	0.5	0.9	15	18	--	--
MW-14	2/6/2001	Secor	<300	--	--	--	230	--	<0.5	<0.5	<0.5	0.5	11	13	--	--
MW-14	5/9/2001	IT Corporation	<300	--	--	--	310	--	<0.5	<0.5	1.8	7.4	32	8.2	--	--
MW-14	9/19/2001	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	1.1	23	15	--	--
MW-14	11/7/2001	IT Corporation	<300	--	--	--	190	--	<0.5	<0.5	0.8	2.3	29	10	--	--
MW-14	1/30/2002	Secor	<300	--	--	--	450	--	<0.5	<0.5	<0.5	1.5	8.1	25	--	--
MW-14	4/10/2002	IT Corporation	<300	--	--	--	<100	--	<0.5	<0.5	2.7	6.4	4.1	24	--	--
MW-14	7/30/2002	IT Corporation	<300	--	--	--	500	--	<0.5	<0.5	0.98	2.4	3.9	25	--	--
MW-14	10/23/2002	GTI	<300	--	--	--	300	--	<0.5	<1	<1	<1	4.3	22	--	--
MW-14	1/28/2003	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	0.67	5.9	17	--	--
MW-14	4/11/2003	GTI	--	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	1.84	16.8	--	--
MW-14	10/10/2003	Parsons	--	--	--	--	580	--	<0.5	<0.5	1.2	4.03	7.4	19	--	--
MW-14	4/22/2004	Parsons	--	--	--	--	<100	--	<0.5	<0.5	<0.5	0.89	4.7	19	<10	<2
MW-14	7/21/2004	Parsons	250	--	--	--	290	--	<0.5	<0.5	0.61	1.4	--	22	--	--
MW-14	11/4/2004	Parsons	--	--	--	--	610	--	<0.5	<0.5	<0.5	<0.5	5.6	19	<10	<2
MW-14	3/2/2005	Parsons	--	--	--	--	320	--	<0.5	<1	<1	<1	--	14	--	--
MW-14	5/7/2005	Parsons	--	--	--	--	430	--	1.3	<0.5	<0.5	<0.5	<0.5	9.3	22	<2
MW-14	11/8/2005	Parsons	--	--	--	--	2,200	--	6.5	<0.5	1.3	3.6	1	3.6	32	<2
MW-14	5/3/2006	Parsons	--	--	--	--	2,600	--	<0.5	<0.5	<0.5	<0.5	0.78	4.2	31	<2
MW-14	7/28/2006	Parsons	290	--	--	--	4,300	--	<0.5	<0.5	<0.5	<0.5	0.83	4.2	31	<2
MW-14	12/6/2006	Parsons	--	--	--	--	1,900	--	<0.5	<0.5	<0.5	<0.5	0.98	3.3	20	<2
MW-14	3/23/2007	Parsons	670	--	--	--	3,400	--	<0.5	<0.5	<0.5	<0.5	0.94	3.5	29	<2

TABLE 11

**HISTORICAL ANALYTICAL RESULTS FOR TPH, BTEX, 1-2 DCA, MTBE, TBA, and DIPE IN GROUNDWATER  
NOVEMBER 1996 THROUGH MAY 2010**

Defense Fuel Support Point Norwalk  
Norwalk, California

Results reported in micrograms per liter (µg/L)

Well	Date Sampled	Sampled By	TPHg	TPHd	TPHj <sub>p4</sub>	TPHj <sub>p5</sub>	TPHf <sub>p</sub>	TPH	Benzene	Toluene	Ethylbenzene	Total Xylenes	1,2-DCA	MTBE	TBA	DIPE	
MW-14	5/3/2007	Parsons	--	--	--	--	3,100	--	<0.5	<0.5	<0.5	<0.5	0.94	3.6	<10	<2	
MW-14	8/31/2007	Parsons	480	--	--	--	2,800	--	<0.5	<0.5	<0.5	<0.5	<0.5	3.6	27	<2	
MW-14	11/15/2007	Parsons	--	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	0.97	4	20	<2	
MW-14	2/7/2008	Parsons	180	--	--	--	1,400	--	<0.5	<0.5	<0.5	<0.5	0.86	5.2	28	<2	
MW-14	4/17/2008	Parsons	--	--	--	--	1,700	--	<0.5	<0.5	<0.5	<0.5	1.2	4.6	32	<2	
MW-14	10/16/2008	Parsons	--	--	--	570	--	--	<0.5	<0.5	<0.5	<0.5	<0.5	2.3	10	<2	
MW-14	2/12/2009	Parsons	<100	--	--	<100	--	--	<0.5	<0.5	<0.5	<0.5	1.1	1.6	<10	<2	
MW-14	4/22/2009	Blaine Tech for Parsons	--	--	--	<100	--	--	<0.5	<0.5	<0.5	<0.5	16	1.9	<10	<2	
MW-14	7/20/2009	Blaine Tech for AMEC GMX	--	--	--	<100	--	--	<0.5	<0.5	<0.5	<0.5	13	1.5	<10	2.4	
MW-14	10/22/2009	Blaine Tech for DESC	--	--	--	<100	--	--	<0.5	<0.5	<0.5	<0.5	16	2.5	<10	3	
MW-14	1/12/2010	Blaine Tech for DESC	<100	--	--	<100	--	--	<0.5	<0.5	<0.5	<0.5	13	2.7	4.2	3.2	
MW-14	4/13/2010	Blaine Tech for DESC	--	--	--	<100	--	--	<0.5	<0.5	<0.5	<0.5	0.4	4.3	<10	<2	
MW-15	11/26/1996	Terra Services	--	--	--	--	--	--	1.4	0.66	1	0.62	<0.5	27	--	--	
MW-15	7/14/1997	Terra Services	1,000	3,500	--	--	--	--	1.5	1.1	<0.5	<1	<0.5	<5	--	--	
MW-15	1/7/1998	Terra Services	<500	1,500	--	--	--	--	0.62	0.73	<0.5	<1.5	<0.5	<5	--	--	
MW-15	5/22/1998	Terra Services	<300	--	--	--	--	--	<0.5	<0.5	<0.5	0.7	<1	<0.5	--	--	
MW-15	11/13/1998	Alton Geoscience	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--	
MW-15	5/7/1999	Alton Geoscience	<500	<500	--	--	--	--	<0.5	<0.5	<0.5	<0.5	<1	<0.5	--	--	
MW-15	11/17/1999	Secor	<300	--	--	--	910	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--	
MW-15	5/16/2000	Secor	340	--	--	--	1,200	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--	
MW-15	11/30/2000	Secor	2,100	--	--	--	1,700	--	<0.5	0.8	<0.5	1.1	<0.5	<0.5	--	--	
MW-15	5/9/2001	Secor	<300	--	--	--	690	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--	
MW-15	11/6/2001	Secor	<300	--	--	--	740	--	<0.5	<0.5	<0.5	<0.5	<0.5	0.6	--	--	
MW-15	4/10/2002	Secor	59,000	--	--	--	21,000	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--	
MW-15	7/30/2002	IT Corporation	780	--	--	--	550,000	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--	
MW-15	12/8/2006	Secor	420	--	--	--	6,400	--	<0.5	<0.5	<0.5	1	<0.5	0.6	--	--	
MW-15	5/4/2007	Secor	<500	--	--	--	6,100	--	<2.5	<2.5	<2.5	<2.5	<5	<2.5	--	--	
MW-16	11/27/1996	GSI	50	<500	<500	--	--	--	<0.5	<0.5	<0.5	1.5	140	71	--	--	
MW-16	7/10/1997	GTI	<50	<50	<50	--	--	--	<5	<5	<5	<5	<5	<5	--	--	
MW-16	1/6/1998	GTI	<500	<100	<100	--	--	--	<0.5	<0.5	<0.5	<1	<0.5	<0.5	--	--	
MW-16	5/21/1998	BBC	<300	--	--	--	--	--	<0.5	0.7	<0.5	0.6	<0.5	<0.5	--	--	
MW-16	11/5/1998	GTI	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--	
MW-16	5/27/1999	GTI	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--	
MW-16	11/18/1999	IT Corporation	<300	--	--	--	<100	--	<0.5	<1	<0.5	<0.5	<0.5	<0.5	--	--	
MW-16	5/17/2000	IT Corporation	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--	
MW-16	11/30/2000	IT Corporation	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--	
MW-16	5/9/2001	IT Corporation	<300	--	--	--	3,100	--	2.6	<0.5	<0.5	0.6	<0.5	<0.5	--	--	
MW-16	11/7/2001	IT Corporation	<300	--	--	--	2,100	--	1.2	<0.5	<0.5	<0.5	<0.5	<0.5	31	--	--
MW-16	2/1/2002	Secor	--	--	--	--	--	--	<0.5	<0.5	<0.5	<0.5	<0.5	220	--	--	
MW-16	4/11/2002	IT Corporation	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	260	--	--	
MW-16	10/23/2002	GTI	<300	--	--	--	<100	--	<0.5	<1	<1	<1	<0.5	14	--	--	
MW-16	1/29/2003	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	6.8	--	--	

TABLE 11

**HISTORICAL ANALYTICAL RESULTS FOR TPH, BTEX, 1-2 DCA, MTBE, TBA, and DIPE IN GROUNDWATER  
NOVEMBER 1996 THROUGH MAY 2010**

Defense Fuel Support Point Norwalk  
Norwalk, California

Results reported in micrograms per liter (µg/L)

Well	Date Sampled	Sampled By	TPHg	TPHd	TPHj <sub>p4</sub>	TPHj <sub>p5</sub>	TPHf <sub>p</sub>	TPH	Benzene	Toluene	Ethylbenzene	Total Xylenes	1,2-DCA	MTBE	TBA	DIPE
MW-16	4/9/2003	GTI	--	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<1	16.2	--	--
MW-16	8/1/2003	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	110	--	--
MW-16	10/11/2003	Parsons	--	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	100	--	--
MW-16	1/28/2004	Secor	51	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	89	--	--
MW-16	4/21/2004	Parsons	--	--	--	--	180	--	<0.5	<0.5	<0.5	<0.5	<0.5	83	110	<2
MW-16	7/20/2004	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	22	--	--
MW-16	11/4/2004	Parsons	--	--	--	--	300	--	<0.5	<0.5	<0.5	<0.5	<0.5	3.3	120	<2
MW-16	2/2/2005	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
MW-16	5/6/2005	Parsons	--	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
MW-16	8/2/2005	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
MW-16	11/8/2005	Parsons	--	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
MW-16	5/4/2006	Parsons	--	--	--	--	180	--	0.87	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
MW-16	9/19/2006	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
MW-16	12/8/2006	Parsons	--	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
MW-16	5/3/2007	Parsons	--	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
MW-16	11/16/2007	Parsons	--	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
MW-16	4/17/2008	Parsons	--	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
MW-16	10/16/2008	Parsons	--	--	--	<100	--	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
MW-16	4/23/2009	Blaine Tech for Parsons	--	--	--	<100	--	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
MW-16	10/23/2009	Blaine Tech for DESC	--	--	--	<100	--	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
MW-16	4/16/2010	Blaine Tech for DESC	--	--	--	<100	--	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
MW-17	11/27/1996	GSI	45	<500	<500	--	--	--	<0.5	<0.5	<0.5	<1	<0.5	--	--	--
MW-17	7/9/1997	GTI	<50	<50	<50	--	--	--	<5	<5	<5	<5	<5	<5	--	--
MW-17	1/6/1998	GTI	<500	<100	<100	--	--	--	<0.5	<0.5	<0.5	<1	<0.5	<0.5	--	--
MW-17	5/20/1998	BBC	<300	--	--	--	--	--	<0.5	<0.5	<0.5	<1	<0.5	<0.5	--	--
MW-17	11/4/1998	GTI	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
MW-17	5/26/1999	GTI	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
MW-17	11/18/1999	IT Corporation	<300	--	--	--	<100	--	<0.5	<1	<0.5	<0.5	<0.5	0.5	--	--
MW-17	5/17/2000	IT Corporation	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
MW-17	11/29/2000	IT Corporation	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
MW-17	5/9/2001	IT Corporation	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
MW-17	11/7/2001	IT Corporation	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
MW-17	4/10/2002	IT Corporation	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
MW-17	10/23/2002	GTI	<300	--	--	--	<100	--	<0.5	<1	<1	<1	<0.5	<1	--	--
MW-17	4/10/2003	GTI	--	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
MW-17	10/8/2003	Parsons	--	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
MW-17	4/21/2004	Parsons	--	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
MW-17	11/3/2004	Parsons	--	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
MW-17	5/5/2005	Parsons	--	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
MW-17	11/5/2005	Parsons	--	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
MW-17	5/3/2006	Parsons	--	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
MW-17	12/5/2006	Parsons	--	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
MW-17	5/2/2007	Parsons	--	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2



TABLE 11

**HISTORICAL ANALYTICAL RESULTS FOR TPH, BTEX, 1-2 DCA, MTBE, TBA, and DIPE IN GROUNDWATER  
NOVEMBER 1996 THROUGH MAY 2010**

Defense Fuel Support Point Norwalk  
Norwalk, California

Results reported in micrograms per liter (µg/L)

Well	Date Sampled	Sampled By	TPHg	TPHd	TPHj <sub>p4</sub>	TPHj <sub>p5</sub>	TPHfp	TPH	Benzene	Toluene	Ethylbenzene	Total Xylenes	1,2-DCA	MTBE	TBA	DIPE
MW-17	11/13/2007	Parsons	<100	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
MW-17	4/16/2008	Parsons	--	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
MW-17	10/15/2008	Parsons	--	--	--	<100	--	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
MW-17	4/20/2009	Blaine Tech for Parsons	--	--	--	<100	--	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
MW-17	10/23/2009	Blaine Tech for DESC	--	--	--	<100	--	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
MW-17	4/16/2010	Blaine Tech for DESC	--	--	--	<100	--	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
MW-18 (MID)	7/16/1997	Terra Services	<100	<500	--	--	--	--	--	--	--	--	--	--	--	--
MW-18 (MID)	1/5/1998	Terra Services	<b>420</b>	<500	--	--	--	--	--	--	--	--	--	--	--	--
MW-18 (MID)	10/8/2003	Secor	<b>530</b>	--	--	--	<b>240</b>	--	<b>1.2</b>	<1	<1	<1	<b>16</b>	<b>640</b>	--	--
MW-19 (MID)	11/26/1996	Terra Services	--	--	--	--	--	--	<b>48</b>	<0.5	<b>17</b>	<b>1.76</b>	<b>7.7</b>	<b>600</b>	--	--
MW-19 (MID)	7/16/1997	Terra Services	<100	<500	--	--	--	--	<0.5	<0.5	<0.5	<1	<b>9.1</b>	<b>810</b>	--	--
MW-19 (MID)	1/5/1998	Terra Services	<100	<500	--	--	--	--	<5	<50	<5	<15	<5	<b>1,400</b>	--	--
MW-19 (MID)	5/27/1998	Terra Services	<b>500</b>	--	--	--	--	--	<5	<0.5	<5	<10	<b>14</b>	<b>590</b>	--	--
MW-19 (MID)	8/26/1998	Geomatrix	<b>514</b>	--	--	--	<b>233</b>	--	<2.5	<2.5	<2.5	<2.5	<b>11.1</b>	<b>779</b>	--	--
MW-19 (MID)	11/17/1998	Alton Geoscience	<b>491</b>	--	--	--	<100	--	<5	<5	<5	<5	<b>11</b>	<b>850</b>	--	--
MW-19 (MID)	2/3/1999	Alton Geoscience	<10000	<500	--	--	--	--	<10	<10	<10	<20	<20	<b>1,300</b>	--	--
MW-19 (MID)	5/6/1999	Alton Geoscience	<b>540</b>	<500	--	--	--	--	<b>42</b>	<1	<1	<1	<2.5	<b>1,500</b>	--	--
MW-19 (MID)	8/10/1999	Alton Geoscience	<b>600</b>	<1000	--	--	--	--	<0.5	<1	<1	<1	<b>6.8</b>	<b>980</b>	--	--
MW-19 (MID)	11/17/1999	Secor	<b>1,100</b>	--	--	--	<b>310</b>	--	<b>26</b>	<5	<5	<5	<5	<b>1,100</b>	--	--
MW-19 (MID)	2/29/2000	Secor	<b>2,000</b>	--	--	--	<b>1,800</b>	--	<b>530</b>	<5	<5	<5	<5	<b>1,100</b>	--	--
MW-19 (MID)	5/17/2000	Secor	<b>5,200</b>	--	--	--	<b>5,100</b>	--	<b>1,900</b>	<25	<25	<25	<25	<b>2,600</b>	--	--
MW-19 (MID)	8/29/2000	Secor	<b>2,700</b>	--	--	--	<b>19,000</b>	--	<b>560</b>	<10	<10	<10	<10	<b>3,200</b>	--	--
MW-19 (MID)	11/30/2000	Secor	<b>2,100</b>	--	--	--	<b>1,200</b>	--	<b>520</b>	<b>3.6</b>	<b>0.9</b>	<b>6.1</b>	<0.5	<b>1,200</b>	--	--
MW-19 (MID)	2/6/2001	Secor	<b>780</b>	--	--	--	<b>410</b>	--	<b>66</b>	<10	<10	<10	<10	<b>720</b>	--	--
MW-19 (MID)	5/9/2001	Secor	<b>360</b>	--	--	--	<b>230</b>	--	<b>4.4</b>	<2.5	<2.5	<2.5	<b>6.5</b>	<b>490</b>	--	--
MW-19 (MID)	9/19/2001	Secor	<300	--	--	--	<100	--	<2.5	<2.5	<2.5	<2.5	<b>8.2</b>	<b>200</b>	--	--
MW-19 (MID)	11/6/2001	Secor	<300	--	--	--	<b>120</b>	--	<1	<1	<1	<1	<b>6.5</b>	<b>180</b>	--	--
MW-19 (MID)	1/30/2002	Secor	<300	--	--	--	<b>150</b>	<300	<0.5	<0.5	<0.5	<0.5	<b>5.1</b>	<b>33</b>	--	--
MW-19 (MID)	4/10/2002	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<b>4.3</b>	<b>11</b>	--	--
MW-19 (MID)	10/23/2002	Secor	<300	--	--	--	<b>330</b>	--	<b>1.1</b>	<0.5	<0.5	<0.5	<b>3.5</b>	<b>7.4</b>	--	--
MW-19 (MID)	4/10/2003	Secor	<b>92</b>	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<b>2.5</b>	<b>4</b>	--	--
MW-19 (MID)	10/7/2003	Secor	<b>84</b>	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<b>2.3</b>	<b>1</b>	--	--
MW-19 (MID)	4/21/2004	Secor	<b>99</b>	--	--	--	<b>150</b>	--	<0.5	<0.5	<0.5	<0.5	<b>2.6</b>	<0.5	--	--
MW-19 (MID)	11/3/2004	Secor	<100	--	--	--	<b>200</b>	--	<0.5	<0.5	<0.5	<0.5	<b>2</b>	<b>1</b>	--	--
MW-19 (MID)	5/6/2005	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
MW-19 (MID)	11/3/2005	Secor	<b>68</b>	--	--	--	<b>140</b>	--	<0.5	<0.5	<0.5	<0.5	<b>4.2</b>	<b>1.2</b>	--	--
MW-19 (MID)	5/3/2006	Secor	<b>76</b>	--	--	--	<b>110</b>	--	<0.5	<0.5	<0.5	<0.5	<b>13</b>	<b>2.2</b>	--	--
MW-19 (MID)	12/6/2006	Secor	<50	--	--	--	<b>260</b>	--	<0.5	<0.5	<0.5	<0.5	<b>1.3</b>	<0.5	--	--
MW-19 (MID)	5/2/2007	Secor	<b>61</b>	--	--	--	<b>200</b>	--	<0.5	<0.5	<0.5	<0.5	<b>2.2</b>	<b>1.1</b>	--	--
MW-19 (MID)	11/13/2007	Secor	<b>57</b>	--	--	--	<b>130</b>	--	<0.5	<0.5	<0.5	<0.5	<b>2.9</b>	<b>0.86</b>	--	--
MW-19 (MID)	4/17/2008	Secor	<50	--	--	--	<b>110</b>	--	<0.5	<0.5	<0.5	<0.5	<b>3</b>	<b>1</b>	--	--
MW-19 (MID)	10/17/2008	Stantec	<50	--	--	--	<b>190</b>	--	<0.5	<0.5	<0.5	<0.5	<b>3.2</b>	<b>1.3</b>	--	--

TABLE 11

**HISTORICAL ANALYTICAL RESULTS FOR TPH, BTEX, 1-2 DCA, MTBE, TBA, and DIPE IN GROUNDWATER  
NOVEMBER 1996 THROUGH MAY 2010**

Defense Fuel Support Point Norwalk  
Norwalk, California

Results reported in micrograms per liter (µg/L)

Well	Date Sampled	Sampled By	TPHg	TPHd	TPHj <sub>p4</sub>	TPHj <sub>p5</sub>	TPHfp	TPH	Benzene	Toluene	Ethylbenzene	Total Xylenes	1,2-DCA	MTBE	TBA	DIPE
MW-19 (MID)	4/20/2009	Blaine Tech for AMEC GMX	<50	--	--	--	120	--	<0.5	<0.5	<0.5	<0.5	3.8	0.81	66	9.8
MW-19 (MID)	10/21/2009	Blaine Tech for Parsons	<50	--	--	--	140	--	<0.5	<0.5	<0.5	<0.5	5	0.79	130	16
MW-19 (MID)	5/26/2010	Blaine Tech	<50	--	--	--	120	--	<0.5	<0.5	<0.5	<0.5	3.1	<0.5	<10	12
MW-20 (MID)	11/22/1996	Terra Services	--	--	--	--	--	--	<0.5	<0.5	<0.5	1.5	66	36	--	--
MW-20 (MID)	7/11/1997	Terra Services	<100	<500	--	--	--	--	<0.5	<0.5	<0.5	<1	33	13	--	--
MW-20 (MID)	1/5/1998	Terra Services	<100	<500	--	--	--	--	<0.5	<0.5	<0.5	<1.5	17	9.2	--	--
MW-20 (MID)	5/27/1998	Terra Services	<300	--	--	--	--	--	<0.5	<0.5	<0.5	<1	35	22	--	--
MW-20 (MID)	11/16/1998	Alton Geoscience	<300	--	--	--	<100	--	14	41	4.8	29.8	31	33	--	--
MW-20 (MID)	5/7/1999	Alton Geoscience	<500	<500	--	--	--	--	5.6	22	1.7	9.8	22	13	--	--
MW-20 (MID)	11/16/1999	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	21	19	--	--
MW-20 (MID)	5/19/2000	Secor	<300	--	--	--	220	--	<0.5	<0.5	<0.5	<0.5	22	11	--	--
MW-20 (MID)	11/28/2000	Secor	<300	--	--	--	340	--	<0.5	<0.5	<0.5	<0.5	17	8	--	--
MW-20 (MID)	5/9/2001	Secor	<300	--	--	--	180	--	<50	<50	<50	<50	2,200	1,300	--	--
MW-20 (MID)	9/19/2001	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	23	11	--	--
MW-20 (MID)	11/7/2001	IT Corporation	<300	--	--	--	170	--	<0.5	<0.5	<0.5	<0.5	23	14	--	--
MW-20 (MID)	4/11/2002	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	17	12	--	--
MW-20 (MID)	10/24/2002	Secor	<300	--	--	--	220	--	<0.5	<0.5	<0.5	<0.5	20	20	--	--
MW-20 (MID)	4/10/2003	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	17	11	--	--
MW-20 (MID)	10/8/2003	Secor	<100	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	29	19	--	--
MW-20 (MID)	4/21/2004	Secor	56	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	27	18	--	--
MW-20 (MID)	11/5/2004	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	23	15	--	--
MW-20 (MID)	5/5/2005	Secor	97	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	33	57	--	--
MW-20 (MID)	11/3/2005	Secor	58	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	25	46	--	--
MW-20 (MID)	5/3/2006	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	21	32	--	--
MW-20 (MID)	12/7/2006	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	21	25	--	--
MW-20 (MID)	5/5/2007	Secor	59	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	20	25	--	--
MW-20 (MID)	11/14/2007	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	20	23	--	--
MW-20 (MID)	4/17/2008	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	15	21	--	--
MW-20 (MID)	10/17/2008	Stantec	<50	--	--	--	100	--	<0.5	<0.5	<0.5	<0.5	17	18	--	--
MW-20 (MID)	4/22/2009	Blaine Tech for AMEC GMX	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	17	16	28	11
MW-20 (MID)	10/21/2009	Blaine Tech for Parsons	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	16	18	32	14
MW-20 (MID)	5/27/2010	Blaine Tech	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	18	16	<10	12
MW-21 (MID)	5/7/1999	Alton Geoscience	<500	590	--	--	--	--	<1	<1	<1	<1	75	39	--	--
MW-21 (MID)	11/29/2000	Secor	<300	--	--	--	4,600	--	3.6	<0.5	<0.5	<0.5	16	62	--	--
MW-21 (MID)	5/9/2001	Secor	<300	--	--	--	1,900	--	<0.5	<0.5	<0.5	<0.5	9.8	50	--	--
MW-21 (MID)	11/6/2001	Secor	<300	--	--	--	1,400	--	0.5	<0.5	<0.5	<0.5	12	69	--	--
MW-21 (MID)	4/10/2002	Secor	<300	--	--	--	1,100	--	<0.5	<0.5	<0.5	<0.5	8.6	71	--	--
MW-21 (MID)	10/23/2002	Secor	<300	--	--	--	1,400	--	<0.5	<0.5	<0.5	<0.5	7.4	61	--	--
MW-21 (MID)	10/7/2003	Secor	87	--	--	--	290	--	<0.5	<0.5	<0.5	<0.5	5.6	55	--	--
MW-21 (MID)	5/6/2005	Secor	62	--	--	--	100	--	<0.5	<0.5	<0.5	<0.5	2.8	25	--	--

TABLE 11

**HISTORICAL ANALYTICAL RESULTS FOR TPH, BTEX, 1-2 DCA, MTBE, TBA, and DIPE IN GROUNDWATER  
NOVEMBER 1996 THROUGH MAY 2010**

Defense Fuel Support Point Norwalk  
Norwalk, California

Results reported in micrograms per liter (µg/L)

Well	Date Sampled	Sampled By	TPHg	TPHd	TPHj <sub>p4</sub>	TPHj <sub>p5</sub>	TPHf <sub>p</sub>	TPH	Benzene	Toluene	Ethylbenzene	Total Xylenes	1,2-DCA	MTBE	TBA	DIPE
MW-21 (MID)	5/3/2006	Secor	<50	--	--	--	140	--	<0.5	<0.5	<0.5	<0.5	1.5	13	--	--
MW-21 (MID)	5/2/2007	Secor	<50	--	--	--	110	--	<0.5	<0.5	<0.5	<0.5	0.73	3.3	--	--
MW-21 (MID)	4/17/2008	Secor	<50	--	--	--	100	--	<0.5	<0.5	<0.5	<0.5	0.88	6.4	--	--
MW-21 (MID)	4/20/2009	Blaine Tech for AMEC GMX	<100	--	--	--	530	--	<0.5	<0.5	<0.5	<0.5	2.3	1.9	25	2.3
MW-21 (MID)	5/26/2010	Blaine Tech	<100	--	--	--	420	--	<0.5	<0.5	<0.5	<0.5	2.9	1.5	<10	3.2
MW-22 (MID)	11/21/1996	GSI	46	<500	<500	--	--	--	<0.5	<0.5	<0.5	<1.5	4.7	<5	--	--
MW-22 (MID)	7/10/1997	GTI	<50	650	<400	--	--	--	<5	<5	<5	<5	15	<5	--	--
MW-22 (MID)	1/6/1998	GTI	--	400	<100	--	--	--	<5	<5	<5	<1	<5	<5	--	--
MW-22 (MID)	5/21/1998	BBC	<300	--	--	--	--	--	<0.5	<0.5	<0.5	<1	0.9	<0.5	--	--
MW-22 (MID)	8/26/1998	Geomatrix	<300	--	--	--	545	--	<0.5	<0.5	<0.5	<0.5	2.1	<0.5	--	--
MW-22 (MID)	11/4/1998	GTI	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	1.6	<0.5	--	--
MW-22 (MID)	2/2/1999	Alton Geoscience	<500	<500	--	--	--	--	1.1	2.1	0.56	2.1	3.2	0.69	--	--
MW-22 (MID)	5/7/1999	Alton Geoscience	--	<500	--	--	--	--	8	3.4	1.7	7.5	<1	6.9	--	--
MW-22 (MID)	5/26/1999	GTI	<300	--	--	--	322	--	<0.5	<0.5	<0.5	<0.5	3.7	4.7	--	--
MW-22 (MID)	8/10/1999	Alton Geoscience	<500	<1000	--	--	--	--	3.1	6.2	<1	4.9	8.9	<1	--	--
MW-22 (MID)	11/18/1999	IT Corporation	<300	--	--	--	260	--	<0.5	<1	<0.5	<0.5	19	0.8	--	--
MW-22 (MID)	2/29/2000	Secor	<300	--	--	--	470	--	<0.5	<0.5	<0.5	<0.5	29	3.3	--	--
MW-22 (MID)	5/16/2000	IT Corporation	<300	--	--	--	380	--	<0.5	<0.5	<0.5	<0.5	16	2.4	--	--
MW-22 (MID)	8/29/2000	Secor	<300	--	--	--	4,400	--	<0.5	<0.5	<0.5	<0.5	45	14	--	--
MW-22 (MID)	11/28/2000	Secor	<300	--	--	--	1,100	--	<0.5	<0.5	<0.5	<0.5	88	13	--	--
MW-22 (MID)	11/29/2000	IT Corporation	<300	--	--	--	870	--	<0.5	<0.5	<0.5	<0.5	88	13	--	--
MW-22 (MID)	2/6/2001	Secor	<300	--	--	--	460	--	<1	<1	<1	<1	120	14	--	--
MW-22 (MID)	5/9/2001	IT Corporation	<300	--	--	--	360	--	<0.5	<0.5	<0.5	<0.5	110	12	--	--
MW-22 (MID)	5/9/2001	Secor	<300	--	--	--	230	--	<0.5	<0.5	<0.5	<0.5	83	11	--	--
MW-22 (MID)	9/19/2001	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	30	4.5	--	--
MW-22 (MID)	11/7/2001	IT Corporation	<300	--	--	--	130	--	<0.5	<0.5	<0.5	<0.5	36	6.5	--	--
MW-22 (MID)	1/30/2002	Secor	<300	--	--	--	430	--	<0.5	<0.5	<0.5	<0.5	30	19	--	--
MW-22 (MID)	4/12/2002	IT Corporation	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	22	11	--	--
MW-22 (MID)	7/30/2002	IT Corporation	<300	--	--	--	210	--	<0.5	<0.5	<0.5	<0.5	24	8.7	--	--
MW-22 (MID)	10/24/2002	GTI	<300	--	--	--	<100	--	<0.5	<1	<1	<1	18	5.4	--	--
MW-22 (MID)	1/28/2003	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	18	4.8	--	--
MW-22 (MID)	4/11/2003	GTI	--	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	9.12	2.38	--	--
MW-22 (MID)	10/11/2003	Parsons	--	--	--	--	380	--	<0.5	<0.5	<0.5	<0.5	12	2.8	--	--
MW-22 (MID)	4/22/2004	Parsons	--	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	19	4.8	21	3.2
MW-22 (MID)	7/21/2004	Parsons	180	--	--	--	280	--	<0.5	<0.5	<0.5	<0.5	--	11	--	--
MW-22 (MID)	11/4/2004	Parsons	--	--	--	--	240	--	<0.5	<0.5	<0.5	<0.5	31	11	17	2.8
MW-22 (MID)	3/2/2005	Parsons	--	--	--	--	180	--	<0.5	<1	<1	<1	--	15	--	--
MW-22 (MID)	5/7/2005	Parsons	--	--	--	--	290	--	<0.5	<0.5	<0.5	<0.5	1.8	30	<10	<2
MW-22 (MID)	11/8/2005	Parsons	--	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	2.1	30	13	<2
MW-22 (MID)	5/5/2006	Parsons	--	--	--	--	500	--	<0.5	<0.5	<0.5	<0.5	6.1	14	<10	<2
MW-22 (MID)	12/5/2006	Parsons	--	--	--	--	130	--	<0.5	<0.5	<0.5	<0.5	5.3	16	13	<2
MW-22 (MID)	5/2/2007	Parsons	--	--	--	--	200	--	<0.5	<0.5	<0.5	<0.5	4.4	14	17	<2
MW-22 (MID)	11/14/2007	Parsons	--	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	10	15	19	2.1

TABLE 11

**HISTORICAL ANALYTICAL RESULTS FOR TPH, BTEX, 1-2 DCA, MTBE, TBA, and DIPE IN GROUNDWATER  
NOVEMBER 1996 THROUGH MAY 2010**

Defense Fuel Support Point Norwalk  
Norwalk, California

Results reported in micrograms per liter (µg/L)

Well	Date Sampled	Sampled By	TPHg	TPHd	TPHj <sub>p4</sub>	TPHj <sub>p5</sub>	TPHfp	TPH	Benzene	Toluene	Ethylbenzene	Total Xylenes	1,2-DCA	MTBE	TBA	DIPE
MW-22 (MID)	4/17/2008	Parsons	--	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	8.3	11	18	<2
MW-22 (MID)	10/16/2008	Parsons	--	--	--	110	--	--	<0.5	<0.5	<0.5	<0.5	9.7	16	16	2.1
MW-22 (MID)	2/12/2009	Parsons	<100	--	--	<100	--	--	<0.5	<0.5	<0.5	<0.5	15	18	22	3.1
MW-22 (MID)	4/22/2009	Blaine Tech for Parsons	--	--	--	110	--	--	<0.5	<0.5	<0.5	<0.5	11	23	22	<2
MW-22 (MID)	7/20/2009	Blaine Tech for AMEC GMX	--	--	--	150	--	--	<0.5	<0.5	<0.5	<0.5	11	19	34	2.9
MW-22 (MID)	10/23/2009	Blaine Tech for DESC	--	--	--	130	--	--	<0.5	<0.5	<0.5	<0.5	13	16	27	<2
MW-22 (MID)	1/13/2010	Blaine Tech for DESC	<100	--	--	<100	--	--	<0.5	<0.5	<0.5	<0.5	9.7	13	24	2.1
MW-22 (MID)	4/13/2010	Blaine Tech for DESC	--	--	--	220	--	--	<0.5	<0.5	<0.5	<0.5	11	8.7	23	1.8
MW-23 (MID)	11/21/1996	GSI	1,400	<500	<500	--	--	--	62	<0.5	18	3.5	0.6	--	--	--
MW-23 (MID)	7/9/1997	GTI	--	--	--	--	--	--	160	<1	21	26	--	--	--	--
MW-23 (MID)	7/9/1997	GTI	140	970	<860	--	--	--	--	--	--	--	--	--	--	--
MW-23 (MID)	1/6/1998	GTI	--	<100	<100	--	--	--	<0.3	--	<0.3	--	--	--	--	--
MW-23 (MID)	5/20/1998	BBC	<300	--	--	--	--	--	--	--	--	--	--	--	--	--
MW-23 (MID)	11/4/1998	GTI	<300	--	--	--	<100	--	<0.3	<0.3	<0.3	<0.6	--	--	--	--
MW-23 (MID)	5/27/1999	GTI	<300	--	--	--	<100	--	<0.3	<0.3	<0.3	<0.6	--	--	--	--
MW-23 (MID)	11/18/1999	IT Corporation	<300	--	--	--	<100	--	<0.3	<0.3	<0.3	<0.6	--	--	--	--
MW-23 (MID)	5/16/2000	IT Corporation	<300	--	--	--	<100	--	<0.3	<0.3	<0.3	<0.6	--	--	--	--
MW-23 (MID)	11/29/2000	IT Corporation	<300	--	--	--	2,200	--	<0.3	<0.3	<0.3	<0.6	--	<5	--	--
MW-23 (MID)	5/10/2001	IT Corporation	<300	--	--	--	1,600	--	<0.3	<0.3	<0.3	<0.6	--	<5	--	--
MW-23 (MID)	11/7/2001	IT Corporation	<300	--	--	--	600	--	<0.3	<0.3	<0.3	<0.6	--	<5	--	--
MW-23 (MID)	4/10/2002	IT Corporation	<300	--	--	--	<100	--	<0.3	<0.3	<0.3	<0.6	--	<5	--	--
MW-23 (MID)	10/23/2002	GTI	<300	--	--	--	<100	--	<0.3	<0.3	<0.3	<0.3	--	<5	--	--
MW-23 (MID)	4/10/2003	GTI	--	--	--	--	<100	--	<1	<1	<1	<2	<3	<3	--	--
MW-23 (MID)	10/8/2003	Parsons	--	--	--	--	160	--	<0.3	<0.3	<0.3	<0.3	--	<5	--	--
MW-23 (MID)	4/22/2004	Parsons	--	--	--	--	<100	--	<0.3	<0.3	<0.3	<0.3	--	<5	--	--
MW-23 (MID)	11/4/2004	Parsons	--	--	--	--	<100	--	<0.3	<0.3	<0.3	<0.3	--	<5	--	--
MW-23 (MID)	5/10/2005	Parsons	--	--	--	--	650	--	0.4	0.79	0.41	<0.3	--	<5	--	--
MW-23 (MID)	5/3/2006	Parsons	--	--	--	--	6,000	--	<0.3	<0.3	<0.3	0.32	--	<5	--	--
MW-23 (MID)	12/6/2006	Parsons	--	--	--	--	240	--	<0.5	<0.5	<0.5	<1	--	<5	--	--
MW-23 (MID)	5/2/2007	Parsons	--	--	--	--	340	--	<0.5	<0.5	<0.5	<1	--	<5	--	--
MW-23 (MID)	11/14/2007	Parsons	--	--	--	--	<100	--	<0.5	<0.5	<0.5	<1	--	<5	--	--
MW-23 (MID)	4/16/2008	Parsons	--	--	--	--	120	--	<0.5	<0.5	<0.5	<1	--	<5	--	--
MW-23 (MID)	10/15/2008	Parsons	--	--	--	150	--	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
MW-23 (MID)	4/21/2009	Blaine Tech for Parsons	--	--	--	<100	--	--	<0.5	<0.5	<0.5	<0.5	--	<0.5	--	--
MW-23 (MID)	10/23/2009	Blaine Tech for DESC	--	--	--	150	--	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
MW-23 (MID)	4/13/2010	Blaine Tech for DESC	--	--	--	1,000	--	--	<0.5	<0.5	<0.5	<0.5	--	<0.5	4.8	<2
MW-24	11/21/1996	GSI	92	<500	<500	--	--	--	<0.5	<0.5	<0.5	<1.5	<0.5	--	--	--
MW-24	7/9/1997	GTI	100	1,400	<1000	--	--	--	11	<5	<5	<5	<5	<5	--	--
MW-24	1/6/1998	GTI	700	<100	<100	--	--	--	93	<0.5	4	<1	<0.5	<0.5	--	--
MW-24	5/20/1998	BBC	<300	--	--	--	--	--	<0.3	<0.5	<0.5	<1	<0.5	<0.5	--	--
MW-24	11/4/1998	GTI	<300	--	--	--	129	--	11	2.7	2.1	18	<0.5	<0.5	--	--

TABLE 11

**HISTORICAL ANALYTICAL RESULTS FOR TPH, BTEX, 1-2 DCA, MTBE, TBA, and DIPE IN GROUNDWATER  
NOVEMBER 1996 THROUGH MAY 2010**

Defense Fuel Support Point Norwalk  
Norwalk, California

Results reported in micrograms per liter (µg/L)

Well	Date Sampled	Sampled By	TPHg	TPHd	TPHj <sub>p4</sub>	TPHj <sub>p5</sub>	TPHfp	TPH	Benzene	Toluene	Ethylbenzene	Total Xylenes	1,2-DCA	MTBE	TBA	DIPE
MW-24	5/26/1999	GTI	<300	--	--	--	142	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
MW-24	11/18/1999	IT Corporation	<300	--	--	--	<100	--	<0.5	<1	<0.5	<0.5	<0.5	<0.5	--	--
MW-24	5/16/2000	IT Corporation	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
MW-24	11/29/2000	IT Corporation	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
MW-24	5/9/2001	IT Corporation	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
MW-24	11/7/2001	IT Corporation	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
MW-24	4/10/2002	IT Corporation	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
MW-24	10/23/2002	GTI	<300	--	--	--	<100	--	<0.5	<1	<1	<1	<0.5	<1	--	--
MW-24	4/11/2003	GTI	--	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
MW-24	10/8/2003	Parsons	--	--	--	--	140	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
MW-24	4/22/2004	Parsons	--	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
MW-24	11/4/2004	Parsons	--	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
MW-24	5/7/2005	Parsons	--	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
MW-24	11/8/2005	Parsons	--	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
MW-24	5/3/2006	Parsons	--	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
MW-24	12/6/2006	Parsons	--	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
MW-24	5/3/2007	Parsons	--	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
MW-24	11/14/2007	Parsons	--	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
MW-24	4/17/2008	Parsons	--	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
MW-24	10/16/2008	Parsons	--	--	--	<100	--	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
MW-24	4/21/2009	Blaine Tech for Parsons	--	--	--	<100	--	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
MW-24	10/23/2009	Blaine Tech for DESC	--	--	--	<100	--	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
MW-24	4/13/2010	Blaine Tech for DESC	--	--	--	<100	--	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
MW-25	11/21/1996	GSI	<50	<500	<500	--	--	--	<0.5	<0.5	<0.5	<1.5	17	<5	--	--
MW-25	7/9/1997	GTI	<50	660	<400	--	--	--	<5	<5	<5	<5	17	<5	--	--
MW-25	1/6/1998	GTI	<500	<100	<100	--	--	--	<0.5	<0.5	<0.5	<1	15	<0.5	--	--
MW-25	5/21/1998	BBC	<300	--	--	--	--	--	<0.3	<0.5	<0.5	<1	8.6	<0.5	--	--
MW-25	11/4/1998	GTI	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	11	<0.5	--	--
MW-25	5/6/1999	Alton Geoscience	<500	<500	--	--	--	--	1.9	1.2	0.68	3.3	14	1.3	--	--
MW-25	5/26/1999	GTI	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	10	<0.5	--	--
MW-25	11/18/1999	IT Corporation	<300	--	--	--	<100	--	<0.5	<1	<0.5	<0.5	27	0.7	--	--
MW-25	5/16/2000	IT Corporation	<300	--	--	--	320	--	<0.5	<0.5	<0.5	<0.5	50	4.7	--	--
MW-25	11/28/2000	Secor	<300	--	--	--	320	--	<0.5	<0.5	<0.5	<0.5	62	11	--	--
MW-25	11/29/2000	IT Corporation	<300	--	--	--	<100	--	<0.5	0.6	<0.5	0.8	73	14	--	--
MW-25	5/9/2001	IT Corporation	<300	--	--	--	240	--	<0.5	<0.5	<0.5	<0.5	45	7.1	--	--
MW-25	5/9/2001	Secor	<300	--	--	--	150	--	<0.5	<0.5	<0.5	<0.5	36	6.2	--	--
MW-25	11/7/2001	IT Corporation	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	39	9.3	--	--
MW-25	4/12/2002	IT Corporation	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	23	9.4	--	--
MW-25	10/24/2002	GTI	<300	--	--	--	<100	--	<0.5	<1	<1	<1	15	5.1	--	--
MW-25	4/11/2003	GTI	--	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	30.6	8.61	--	--
MW-25	10/11/2003	Parsons	--	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	13	3.4	--	--
MW-25	4/22/2004	Parsons	--	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	13	3.5	<10	2.4
MW-25	11/4/2004	Parsons	--	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	17	3.4	<10	2.9

TABLE 11

**HISTORICAL ANALYTICAL RESULTS FOR TPH, BTEX, 1-2 DCA, MTBE, TBA, and DIPE IN GROUNDWATER  
NOVEMBER 1996 THROUGH MAY 2010**

Defense Fuel Support Point Norwalk  
Norwalk, California

Results reported in micrograms per liter (µg/L)

Well	Date Sampled	Sampled By	TPHg	TPHd	TPHj <sub>p4</sub>	TPHj <sub>p5</sub>	TPHfp	TPH	Benzene	Toluene	Ethylbenzene	Total Xylenes	1,2-DCA	MTBE	TBA	DIPE
MW-25	5/7/2005	Parsons	--	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<b>2.8</b>	<b>5</b>	<10	<2
MW-25	11/8/2005	Parsons	--	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<b>0.95</b>	<b>1.9</b>	<10	<2
MW-25	5/5/2006	Parsons	--	--	--	--	<b>390</b>	--	<0.5	<0.5	<0.5	<0.5	<b>4.3</b>	<b>10</b>	<10	<2
MW-25	12/5/2006	Parsons	--	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<b>3</b>	<b>3.5</b>	<10	<2
MW-25	5/3/2007	Parsons	--	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<b>2.8</b>	<b>2.3</b>	<10	<2
MW-25	11/14/2007	Parsons	--	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<b>1.6</b>	<b>1.3</b>	<10	<2
MW-25	4/17/2008	Parsons	--	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<b>4.5</b>	<b>4.3</b>	<10	<2
MW-25	10/16/2008	Parsons	--	--	--	<100	--	--	<0.5	<0.5	<0.5	<0.5	<b>8.9</b>	<b>6.1</b>	<10	<b>2.3</b>
MW-25	4/22/2009	Blaine Tech for Parsons	--	--	--	<100	--	--	<0.5	<0.5	<0.5	<0.5	<b>8.3</b>	<b>2.9</b>	<10	<2
MW-25	10/23/2009	Blaine Tech for DESC	--	--	--	<100	--	--	<0.5	<0.5	<0.5	<0.5	<b>4.1</b>	<b>0.83</b>	<10	<2
MW-25	4/13/2010	Blaine Tech for DESC	--	--	--	<100	--	--	<0.5	<0.5	<0.5	<0.5	<b>10</b>	<b>2.7</b>	<10	<b>2.5</b>
MW-26	11/21/1996	GSI	<b>6,700</b>	<500	<500	--	--	--	<b>460</b>	<b>400</b>	<b>200</b>	<b>340</b>	<b>0.7</b>	--	--	--
MW-26	7/10/1997	GTI	<50	<b>270</b>	<200	--	--	--	<5	<5	<5	<5	<5	<b>340</b>	--	--
MW-26	1/6/1998	GTI	<500	<100	<100	--	--	--	<2.5	<2.5	<2.5	<5	<2.5	<b>407</b>	--	--
MW-26	5/21/1998	BBC	<300	--	--	--	--	--	<0.3	<0.5	<0.5	<1	<0.5	<0.5	--	--
MW-26	11/4/1998	GTI	<300	--	--	--	<100	--	<0.5	<b>1.3</b>	<0.5	<b>1.1</b>	<0.5	<b>146</b>	--	--
MW-26	5/26/1999	GTI	<b>8,260</b>	--	--	--	<b>8,790</b>	--	<b>3,000</b>	<b>170</b>	<b>400</b>	<b>1,000</b>	<0.5	<b>380</b>	--	--
MW-26	11/18/1999	IT Corporation	<300	--	--	--	<100	--	<0.5	<1	<0.5	<0.5	<0.5	<b>3.4</b>	--	--
MW-26	5/16/2000	IT Corporation	<b>8,400</b>	--	--	--	<b>7,000</b>	--	<b>2,300</b>	<5	<b>410</b>	<b>1,480</b>	<5	<b>76</b>	--	--
MW-26	11/29/2000	IT Corporation	<b>1,800</b>	--	--	--	<b>1,000</b>	--	<b>440</b>	<b>15</b>	<b>69</b>	<b>240</b>	<10	<b>69</b>	--	--
MW-26	5/10/2001	IT Corporation	<300	--	--	--	<100	--	<b>2.1</b>	<0.5	<0.5	<0.5	<0.5	<b>1.9</b>	--	--
MW-26	11/7/2001	IT Corporation	<b>1,700</b>	--	--	--	<b>3,700</b>	--	<b>370</b>	<b>79</b>	<b>37</b>	<b>171</b>	<0.5	<b>35</b>	--	--
MW-26	4/11/2002	IT Corporation	<b>4,000</b>	--	--	--	<b>5,300</b>	--	<b>1,200</b>	<5	<b>230</b>	<b>528</b>	<5	<b>65</b>	--	--
MW-26	10/24/2002	GTI	<b>2,100</b>	--	--	--	<b>5,800</b>	--	<b>970</b>	<5	<5	<b>262</b>	<2.5	<b>74</b>	--	--
MW-26	4/11/2003	GTI	--	--	--	--	<b>1,390</b>	--	<b>858</b>	<0.5	<b>243</b>	<b>78.6</b>	<0.5	<b>108</b>	--	--
MW-26	10/11/2003	Parsons	--	--	--	--	<b>900</b>	--	<b>4.6</b>	<0.5	<b>5.7</b>	<b>0.54</b>	<0.5	<b>29</b>	--	--
MW-26	4/22/2004	Parsons	--	--	--	--	<b>570</b>	--	<0.5	<0.5	<0.5	<0.5	<0.5	<b>140</b>	<b>18</b>	<2
MW-26	11/4/2004	Parsons	--	--	--	--	<b>260</b>	--	<0.5	<0.5	<0.5	<0.5	<0.5	<b>110</b>	<b>23</b>	<2
MW-26	5/7/2005	Parsons	--	--	--	--	<b>170</b>	--	<0.5	<0.5	<b>3.1</b>	<0.5	<0.5	<0.5	<10	<2
MW-26	11/8/2005	Parsons	--	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
MW-26	5/5/2006	Parsons	--	--	--	--	<b>120</b>	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
MW-26	12/6/2006	Parsons	--	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<b>1.9</b>	<10	<2
MW-26	5/3/2007	Parsons	--	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<b>2</b>	<10	<2
MW-26	11/14/2007	Parsons	--	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<b>4.4</b>	<10	<2
MW-26	4/17/2008	Parsons	--	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<b>0.99</b>	<10	<2
MW-26	10/16/2008	Parsons	--	--	--	<b>150</b>	--	--	<0.5	<0.5	<0.5	<0.5	<0.5	<b>5</b>	<10	<2
MW-26	4/22/2009	Blaine Tech for Parsons	--	--	--	<100	--	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
MW-26	10/23/2009	Blaine Tech for DESC	--	--	--	<100	--	--	<0.5	<0.5	<0.5	<0.5	<0.5	<b>2</b>	<10	<2
MW-26	4/13/2010	Blaine Tech for DESC	--	--	--	<100	--	--	<0.5	<0.5	<0.5	<0.5	<0.5	<b>0.66</b>	<10	<2
MW-27	11/22/1996	GSI	<50	<500	<500	--	--	--	<b>180</b>	<b>12</b>	<b>25</b>	<b>50</b>	<0.5	--	--	--
MW-27	7/10/1997	GTI	<b>420</b>	<b>400</b>	<400	--	--	--	<b>1,400</b>	<b>28</b>	<b>53</b>	<b>253</b>	<5	<b>79</b>	--	--
MW-27	1/6/1998	GTI	<b>1,500</b>	<100	<b>100</b>	--	--	--	<b>940</b>	<5	<b>70</b>	<b>20</b>	<b>20</b>	<b>90</b>	--	--

TABLE 11

**HISTORICAL ANALYTICAL RESULTS FOR TPH, BTEX, 1-2 DCA, MTBE, TBA, and DIPE IN GROUNDWATER  
NOVEMBER 1996 THROUGH MAY 2010**  
Defense Fuel Support Point Norwalk  
Norwalk, California

Results reported in micrograms per liter (µg/L)

Well	Date Sampled	Sampled By	TPHg	TPHd	TPHj <sub>p4</sub>	TPHj <sub>p5</sub>	TPHf <sub>p</sub>	TPH	Benzene	Toluene	Ethylbenzene	Total Xylenes	1,2-DCA	MTBE	TBA	DIPE
MW-27	5/21/1998	BBC	<300	--	--	--	--	--	<0.3	<0.5	<0.5	<1	<0.5	<0.5	--	--
MW-27	11/4/1998	GTI	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
MW-27	5/26/1999	GTI	<300	--	--	--	<100	--	<0.5	<0.5	<b>0.71</b>	<b>1.33</b>	<0.5	<b>1.1</b>	--	--
MW-27	11/18/1999	IT Corporation	<b>7,200</b>	--	--	--	<b>6,400</b>	--	<b>1,700</b>	<b>8.6</b>	<b>100</b>	<b>1,110</b>	<0.5	<b>170</b>	--	--
MW-27	5/16/2000	IT Corporation	<300	--	--	--	<100	--	<b>1.7</b>	<0.5	<0.5	<0.5	<0.5	<b>5</b>	--	--
MW-27	11/29/2000	IT Corporation	<300	--	--	--	<100	--	<b>0.9</b>	<b>0.7</b>	<b>0.7</b>	<b>1</b>	<b>0.6</b>	<b>17</b>	--	--
MW-27	5/10/2001	IT Corporation	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
MW-27	11/7/2001	IT Corporation	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
MW-27	4/11/2002	IT Corporation	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<b>0.9</b>	--	--
MW-27	10/24/2002	GTI	<300	--	--	--	<100	--	<0.5	<1	<1	<1	<0.5	<b>9.7</b>	--	--
MW-27	4/11/2003	GTI	--	--	--	--	<100	--	<0.5	<0.5	<b>2.76</b>	<0.5	<0.5	<b>16.7</b>	--	--
MW-27	10/11/2003	Parsons	--	--	--	--	<b>150</b>	--	<b>6.2</b>	<0.5	<b>0.79</b>	<0.5	<0.5	<b>8.9</b>	--	--
MW-27	4/22/2004	Parsons	--	--	--	--	<b>1,600</b>	--	<b>130</b>	<0.5	<b>16</b>	<0.5	<0.5	<b>65</b>	<b>20</b>	<2
MW-27	11/6/2004	Parsons	--	--	--	--	<b>540</b>	--	<b>1.6</b>	<0.5	<b>17</b>	<0.5	<0.5	<b>65</b>	<b>21</b>	<2
MW-27	5/7/2005	Parsons	--	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
MW-27	11/8/2005	Parsons	--	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<b>0.59</b>	<10	<2
MW-27	5/5/2006	Parsons	--	--	--	--	<b>280</b>	--	<0.5	<0.5	<0.5	<0.5	<0.5	<b>2</b>	<10	<2
MW-27	12/6/2006	Parsons	--	--	--	--	<b>180</b>	--	<0.5	<0.5	<0.5	<0.5	<0.5	<b>2.3</b>	<10	<2
MW-27	5/3/2007	Parsons	--	--	--	--	<b>110</b>	--	<0.5	<0.5	<0.5	<0.5	<0.5	<b>1.5</b>	<10	<2
MW-27	11/14/2007	Parsons	--	--	--	--	<100	--	<b>1.3</b>	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
MW-27	4/18/2008	Parsons	--	--	--	--	<100	--	<b>2.9</b>	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
MW-27	10/17/2008	Parsons	--	--	--	<100	--	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
MW-27	4/22/2009	Blaine Tech for Parsons	--	--	--	<100	--	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
MW-27	10/26/2009	Blaine Tech for DESC	--	--	--	<100	--	--	<0.5	<0.5	<0.5	<0.5	<0.5	<b>0.54</b>	<10	<2
MW-27	4/13/2010	Blaine Tech for DESC	--	--	--	<100	--	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<b>7.5</b>	<2
MW-28	11/27/1996	GSI	<b>1,500</b>	<500	<500	--	--	--	<2.5	<2.5	<2.5	<5	<2.5	--	--	--
MW-28	7/10/1997	GTI	<b>220</b>	<b>2,200</b>	<1900	--	--	--	<5	<5	<5	<5	<5	<5	--	--
MW-28	1/7/1998	GTI	<500	<100	<100	--	--	--	<0.5	<0.5	<0.5	<1	<0.5	<0.5	--	--
MW-28	5/21/1998	BBC	<300	--	--	--	--	--	<0.3	<0.3	<0.3	<0.6	--	--	--	--
MW-28	11/5/1998	GTI	<300	--	--	--	<100	--	<0.3	<0.3	<0.3	<0.6	--	--	--	--
MW-28	5/26/1999	GTI	<300	--	--	--	<100	--	<b>0.33</b>	<0.3	<0.3	<b>0.7</b>	--	--	--	--
MW-28	11/18/1999	IT Corporation	<300	--	--	--	<b>330</b>	--	<0.3	<0.3	<0.3	<0.6	--	--	--	--
MW-28	5/17/2000	IT Corporation	<300	--	--	--	<b>250</b>	--	<0.3	<0.3	<0.3	<0.6	--	--	--	--
MW-28	12/1/2000	IT Corporation	<300	--	--	--	<b>470</b>	--	<0.3	<0.3	<0.3	<0.6	--	<5	--	--
MW-28	5/10/2001	IT Corporation	<300	--	--	--	<b>3,000</b>	--	<0.3	<0.3	<0.3	<0.6	--	<5	--	--
MW-28	11/8/2001	IT Corporation	<b>300</b>	--	--	--	<b>160</b>	--	<0.3	<0.3	<0.3	<0.6	--	<5	--	--
MW-28	4/12/2002	IT Corporation	<300	--	--	--	<b>170</b>	--	<0.3	<0.3	<0.3	<0.6	--	<5	--	--
MW-29	5/21/1998	BBC	<b>84,700</b>	--	--	--	--	--	<b>313</b>	<b>45.7</b>	<b>314</b>	<b>366</b>	--	--	--	--
MW-29	11/5/1998	GTI	<b>28,600</b>	--	--	--	<b>19,600</b>	--	<b>87</b>	<0.3	<b>2.2</b>	<b>31</b>	--	--	--	--
MW-29	5/27/1999	GTI	<b>1,810</b>	--	--	--	<b>2,540</b>	--	<b>150</b>	<0.6	<b>160</b>	<b>23</b>	--	--	--	--
MW-29	11/18/1999	IT Corporation	<b>5,100</b>	--	--	--	<b>17,000</b>	--	<b>220</b>	<0.3	<b>190</b>	<b>21</b>	--	--	--	--
MW-29	5/17/2000	IT Corporation	<b>1,100</b>	--	--	--	<b>3,400</b>	--	<b>23</b>	<0.3	<b>35</b>	<b>7.6</b>	--	--	--	--
MW-29	11/30/2000	IT Corporation	<b>2,400</b>	--	--	--	<b>14,000</b>	--	<b>120</b>	<0.3	<b>160</b>	<b>4.4</b>	--	<5	--	--

TABLE 11

**HISTORICAL ANALYTICAL RESULTS FOR TPH, BTEX, 1-2 DCA, MTBE, TBA, and DIPE IN GROUNDWATER  
NOVEMBER 1996 THROUGH MAY 2010**

Defense Fuel Support Point Norwalk  
Norwalk, California

Results reported in micrograms per liter (µg/L)

Well	Date Sampled	Sampled By	TPHg	TPHd	TPHj <sub>p4</sub>	TPHj <sub>p5</sub>	TPHf <sub>p</sub>	TPH	Benzene	Toluene	Ethylbenzene	Total Xylenes	1,2-DCA	MTBE	TBA	DIPE
MW-29	5/9/2001	IT Corporation	<300	--	--	--	<100	--	<0.3	<0.3	<0.3	<0.6	--	<5	--	--
MW-29	11/7/2001	IT Corporation	<b>1,500</b>	--	--	--	<b>1,500</b>	--	<b>14</b>	<0.3	<b>3.7</b>	<b>2.1</b>	--	<b>8.3</b>	--	--
MW-29	2/1/2002	Secor	--	--	--	--	--	--	<b>100</b>	<b>7.3</b>	<b>160</b>	<b>990</b>	<0.5	<0.5	--	--
MW-29	4/11/2002	IT Corporation	<b>860</b>	--	--	--	<b>5,600</b>	--	<b>4.1</b>	<0.3	<b>4.3</b>	<b>12</b>	--	<5	--	--
MW-6	11/22/1996	Terra Services	--	--	--	--	--	--	<0.5	<0.5	<0.5	<1.5	<b>130</b>	<b>70</b>	--	--
MW-6	7/16/1997	Terra Services	<100	<500	--	--	--	--	<0.5	<0.5	<0.5	<1	<b>32</b>	<b>62</b>	--	--
MW-6	1/5/1998	Terra Services	<100	<500	--	--	--	--	<0.5	<0.5	<0.5	<1.5	<b>11</b>	<b>39</b>	--	--
MW-6	5/26/1998	Terra Services	<300	--	--	--	--	--	<2.5	<2.5	<2.5	<5	<b>118</b>	<b>107</b>	--	--
MW-6	11/17/1998	Alton Geoscience	<300	--	--	--	<100	--	<b>4.8</b>	<b>11.6</b>	<b>1.5</b>	<b>9.9</b>	<b>9.2</b>	<b>12.7</b>	--	--
MW-6	5/7/1999	Alton Geoscience	<500	<500	--	--	--	--	<0.5	<b>1.5</b>	<0.5	<0.5	<b>83</b>	<b>120</b>	--	--
MW-6	11/16/1999	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<b>20</b>	<b>18</b>	--	--
MW-6	5/19/2000	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<b>14</b>	<b>12</b>	--	--
MW-6	11/28/2000	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<b>12</b>	<b>3</b>	--	--
MW-6	5/9/2001	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<b>9.8</b>	<b>11</b>	--	--
MW-6	11/7/2001	IT Corporation	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<b>11</b>	<b>6.2</b>	--	--
MW-6	4/11/2002	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<b>7.6</b>	<b>6</b>	--	--
MW-6	10/24/2002	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<b>9.4</b>	<b>4.6</b>	--	--
MW-6	4/10/2003	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<b>7.4</b>	<b>3.2</b>	--	--
MW-6	10/8/2003	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<b>9.1</b>	<b>2.5</b>	--	--
MW-6	4/21/2004	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<b>4.9</b>	<b>2.8</b>	--	--
MW-6	11/5/2004	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<b>4</b>	<b>4</b>	--	--
MW-6	5/5/2005	Secor	<b>89</b>	--	--	--	<b>100</b>	--	<0.5	<0.5	<0.5	<0.5	<b>16</b>	<b>61</b>	--	--
MW-6	11/3/2005	Secor	<50	--	--	--	<b>120</b>	--	<0.5	<0.5	<0.5	<0.5	<b>9.9</b>	<b>30</b>	--	--
MW-6	5/3/2006	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<b>6.8</b>	<b>2.5</b>	--	--
MW-6	12/7/2006	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<b>7.1</b>	<b>2.7</b>	--	--
MW-6	5/5/2007	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<b>4</b>	<b>2.5</b>	--	--
MW-6	11/14/2007	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<b>3.4</b>	<b>2.3</b>	--	--
MW-6	4/17/2008	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<b>2.2</b>	<b>2.7</b>	--	--
MW-6	10/17/2008	Stantec	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<b>2.5</b>	<b>4</b>	--	--
MW-6	4/22/2009	Blaine Tech for AMEC GMX	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<b>1.6</b>	<b>0.69</b>	<10	<1
MW-6	10/21/2009	Blaine Tech for Parsons	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<b>1.5</b>	<b>1</b>	<10	<1
MW-6	5/27/2010	Blaine Tech	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<b>1.5</b>	<b>1.9</b>	<10	<1
MW-7	11/25/1996	Terra Services	--	--	--	--	--	--	<b>3.5</b>	<1	<b>16</b>	<3	<b>6.8</b>	<b>1,000</b>	--	--
MW-7	7/14/1997	Terra Services	<b>540</b>	<500	--	--	--	--	<b>88</b>	<3	<3	<3	<3	<b>790</b>	--	--
MW-7	1/8/1998	Terra Services	<b>150</b>	<500	--	--	--	--	<b>9</b>	<0.5	<0.5	<1.5	<b>4.1</b>	<b>400</b>	--	--
MW-7	5/26/1998	Terra Services	<b>400</b>	--	--	--	--	--	<5	<5	<5	<b>7</b>	<b>10</b>	<b>380</b>	--	--
MW-7	11/17/1998	Alton Geoscience	<300	--	--	--	<100	--	<b>5.4</b>	<b>7</b>	<5	<5	<5	<b>351</b>	--	--
MW-7	5/7/1999	Alton Geoscience	<500	<500	--	--	--	--	<b>0.79</b>	<b>2.2</b>	<0.5	<b>0.71</b>	<b>6.8</b>	<b>540</b>	--	--
MW-7	11/16/1999	Secor	<b>540</b>	--	--	--	<100	--	<b>8.5</b>	<0.5	<0.5	<0.5	<b>4.7</b>	<b>670</b>	--	--
MW-7	5/17/2000	Secor	<b>590</b>	--	--	--	<b>880</b>	--	<5	<5	<5	<5	<b>14</b>	<b>900</b>	--	--
MW-7	11/30/2000	Secor	<b>590</b>	--	--	--	<b>320</b>	--	<b>4.1</b>	<0.5	<0.5	<0.5	<b>5.4</b>	<b>640</b>	--	--
MW-7	5/9/2001	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<b>3.1</b>	<b>36</b>	--	--



TABLE 11

**HISTORICAL ANALYTICAL RESULTS FOR TPH, BTEX, 1-2 DCA, MTBE, TBA, and DIPE IN GROUNDWATER  
NOVEMBER 1996 THROUGH MAY 2010**

Defense Fuel Support Point Norwalk  
Norwalk, California

Results reported in micrograms per liter (µg/L)

Well	Date Sampled	Sampled By	TPHg	TPHd	TPHj <sub>p4</sub>	TPHj <sub>p5</sub>	TPHf <sub>p</sub>	TPH	Benzene	Toluene	Ethylbenzene	Total Xylenes	1,2-DCA	MTBE	TBA	DIPE
MW-7	11/6/2001	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	2.4	8.2	--	--
MW-7	4/10/2002	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	1.6	71	--	--
MW-7	10/23/2002	Secor	<300	--	--	--	180	--	<0.5	<0.5	<0.5	<0.5	2	5	--	--
MW-7	4/10/2003	Secor	57	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	1.6	1.3	--	--
MW-7	10/7/2003	Secor	67	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	1.5	1.2	--	--
MW-7	4/21/2004	Secor	62	--	--	--	120	--	<0.5	<0.5	<0.5	<0.5	0.68	1.4	--	--
MW-7	11/3/2004	Secor	58	--	--	--	140	--	<0.5	<0.5	<0.5	<0.5	<0.5	0.85	--	--
MW-7	5/6/2005	Secor	58	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	0.82	--	--
MW-7	11/3/2005	Secor	<100	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<1	<0.5	--	--
MW-7	5/3/2006	Secor	<50	--	--	--	110	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
MW-7	12/6/2006	Secor	<50	--	--	--	270	--	<0.5	<0.5	<0.5	<0.5	0.65	1.5	--	--
MW-7	5/2/2007	Secor	<50	--	--	--	160	--	<0.5	<0.5	<0.5	<0.5	0.64	0.83	--	--
MW-7	11/13/2007	Secor	<50	--	--	--	120	--	<0.5	<0.5	<0.5	<0.5	0.57	0.83	--	--
MW-7	4/17/2008	Secor	<50	--	--	--	110	--	<0.5	<0.5	<0.5	<0.5	<0.5	0.8	--	--
MW-7	10/17/2008	Stantec	<50	--	--	--	190	--	<0.5	<0.5	<0.5	<0.5	1.8	0.94	--	--
MW-7	4/20/2009	Blaine Tech for AMEC GMX	<50	--	--	--	110	--	<0.5	<0.5	<0.5	<0.5	2.1	0.6	<10	2.9
MW-7	10/21/2009	Blaine Tech for Parsons	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	2.8	0.56	<10	2
MW-7	5/26/2010	Blaine Tech	<50	--	--	--	110	--	<0.5	<0.5	<0.5	<0.5	0.87	<0.5	<10	5.5
MW-8	11/26/1996	Terra Services	--	--	--	--	--	--	4,400	<30	<30	<80	<30	26,000	--	--
MW-8	7/17/1997	Terra Services	<100	520	--	--	--	--	<10	<10	<10	<20	<10	11,000	--	--
MW-8	1/2/1998	Terra Services	<100	<500	--	--	--	--	<0.5	<0.5	<0.5	<1.5	<0.5	14	--	--
MW-8	5/20/1998	Terra Services	400	--	--	--	--	--	<2.5	<2.5	<2.5	<5	<2.5	554	--	--
MW-8	11/17/1998	Alton Geoscience	<300	--	--	--	<100	--	2.4	6	0.8	4.6	<0.5	55.6	--	--
MW-8	5/7/1999	Alton Geoscience	<500	<500	--	--	--	--	<0.5	<0.5	<0.5	<0.5	<1	52	--	--
MW-8	11/18/1999	Secor	<416	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	7.2	--	--
MW-8	5/17/2000	Secor	<300	--	--	--	170	--	<0.5	<0.5	<0.5	<0.5	<0.5	3	--	--
MW-8	11/29/2000	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	15	--	--
MW-8	2/6/2001	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	380	--	--
MW-8	5/8/2001	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	430	--	--
MW-8	9/19/2001	Secor	790	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	1,000	--	--
MW-8	1/30/2002	Secor	1,700	--	--	--	<100	--	<10	<10	<10	<10	<10	1,900	--	--
MW-8	4/10/2002	Secor	1,500	--	--	--	<100	--	11	<10	<10	<10	<10	2,200	--	--
MW-8	10/22/2002	Secor	<300	--	--	--	<100	--	150	<10	11.5	<10	<10	750	--	--
MW-8	1/29/2003	Secor	<300	--	--	--	<100	--	<1	<1	<1	<1	<1	190	--	--
MW-8	4/9/2003	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	28	--	--
MW-8	7/30/2003	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	13	--	--
MW-8	10/6/2003	Secor	79	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	4.7	--	--
MW-8	1/28/2004	Secor	100	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	4	--	--
MW-8	4/20/2004	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	0.61	--	--
MW-8	7/19/2004	Secor	80	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	0.95	--	--
MW-8	11/2/2004	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
MW-8	2/2/2005	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	2	--	--

TABLE 11

**HISTORICAL ANALYTICAL RESULTS FOR TPH, BTEX, 1-2 DCA, MTBE, TBA, and DIPE IN GROUNDWATER  
NOVEMBER 1996 THROUGH MAY 2010**

Defense Fuel Support Point Norwalk  
Norwalk, California

Results reported in micrograms per liter (µg/L)

Well	Date Sampled	Sampled By	TPHg	TPHd	TPHj <sub>p4</sub>	TPHj <sub>p5</sub>	TPHf <sub>p</sub>	TPH	Benzene	Toluene	Ethylbenzene	Total Xylenes	1,2-DCA	MTBE	TBA	DIPE
MW-8	5/4/2005	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	1	--	--
MW-8	8/2/2005	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	2	--	--
MW-8	11/1/2005	Secor	110	--	--	--	270	--	<0.5	<0.5	<0.5	4.2	<0.5	0.6	--	--
MW-8	2/27/2006	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	0.65	--	--
MW-8	5/2/2006	Secor	<100	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<1	1.1	--	--
MW-8	9/19/2006	Secor	<100	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<1	1.6	--	--
MW-8	12/6/2006	Secor	<100	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<1	0.61	--	--
MW-8	3/13/2007	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
MW-8	5/4/2007	Secor	<200	--	--	--	<100	--	<1	<1	<1	<1	<2	<1	--	--
MW-8	8/29/2007	Secor	<200	--	--	--	<100	--	<1	<1	<1	<1	<2	<1	--	--
MW-8	11/13/2007	Secor	<100	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<1	1.9	--	--
MW-8	2/7/2008	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	1.7	--	--
MW-8	4/18/2008	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	3	--	--
MW-8	10/14/2008	Stantec	<100	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<1	0.59	--	--
MW-8	4/23/2009	Blaine Tech for AMEC GMX	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	1	2,000	<1
MW-8	10/21/2009	Blaine Tech for Parsons	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	0.69	570	<1
MW-8	5/27/2010	Blaine Tech	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	0.62	<10	<1
MW-9	11/26/1996	Terra Services	--	--	--	--	--	--	18	<0.5	69	1.6	<0.5	<5	--	--
MW-9	7/17/1997	Terra Services	1,400	2,900	--	--	--	--	40	<1	140	21.5	<1	<10	--	--
MW-9	1/8/1998	Terra Services	1,100	570	--	--	--	--	19	0.74	55	2.4	<0.5	<5	--	--
MW-9	5/26/1998	Terra Services	4,700	--	--	--	--	--	69	<0.3	51	97.2	<2.5	10	--	--
MW-9	11/18/1999	Secor	1,800	--	--	--	4,500	--	24	<0.5	2.7	2	<0.5	<0.5	--	--
MW-9	5/19/2000	Secor	1,300	--	--	--	3,900	--	12	<0.5	0.8	0.5	<0.5	2	--	--
MW-9	11/5/2004	Secor	2,500	--	--	--	21,000	--	27	<0.5	0.84	0.52	<1	52	--	--
MW-9	5/6/2005	Secor	780	--	--	--	3,300	--	2.3	<1	25	<1	<2	110	--	--
MW-9	11/1/2005	Secor	1,700	--	--	--	5,400	--	9.3	<1	4.7	5.3	<2	120	--	--
MW-9	5/4/2006	Secor	1,000	--	--	--	10,000	--	13	<0.5	2.2	1.4	<1	140	--	--
MW-9	12/8/2006	Secor	1,400	--	--	--	14,000	--	16	<0.5	<0.5	<0.5	<0.5	160	--	--
MW-9	5/4/2007	Secor	1,700	--	--	--	610,000	--	9.2	<0.5	0.5	<0.5	<1	130	--	--
MW-9	4/18/2008	Secor	2,500	--	--	--	11,000	--	51	<1	1.7	1.9	<2	16	--	--
MW-9	10/14/2008	Stantec	1,600	--	--	--	4,700	--	27	<1	<1	<1	<2	26	--	--
MW-9	4/23/2009	Blaine Tech for AMEC GMX	1,600	--	--	--	11,000	--	33	<2.5	<2.5	<2.5	<5	6.2	130	<5
MW-9	5/27/2010	Blaine Tech	1,600	--	--	--	11,000	--	24	<5	<5	<5	<10	<5	<100	<10
MW-SF-1	3/11/2003	Geomatrix	1,700	--	--	--	1,500	--	1,400	16	76	54	<1	620	--	--
MW-SF-1	8/1/2003	Secor	13,000	--	--	--	18,000	--	4,200	240	420	1,020	<30	910	--	--
MW-SF-1	10/7/2003	Secor	15,000	--	--	--	7,300	--	4,800	170	390	1,060	<40	800	--	--
MW-SF-1	4/22/2004	Secor	27,000	--	--	--	11,000	--	11,000	510	480	970	<100	3,800	--	--
MW-SF-1	11/3/2004	Secor	34,000	--	--	--	12,000	--	13,000	400	690	1,170	<100	2,600	--	--
MW-SF-1	5/6/2005	Secor	12,000	--	--	--	8,800	--	3,900	220	240	340	<30	670	--	--
MW-SF-1	11/2/2005	Secor	15,000	--	--	--	9,200	--	5,600	340	330	1,050	<50	570	--	--
MW-SF-1	5/9/2006	Secor	20,000	--	--	--	9,000	--	8,200	730	570	1,050	<100	1,300	--	--

TABLE 11

**HISTORICAL ANALYTICAL RESULTS FOR TPH, BTEX, 1-2 DCA, MTBE, TBA, and DIPE IN GROUNDWATER  
NOVEMBER 1996 THROUGH MAY 2010**

Defense Fuel Support Point Norwalk  
Norwalk, California

Results reported in micrograms per liter (µg/L)

Well	Date Sampled	Sampled By	TPHg	TPHd	TPHj <sub>p4</sub>	TPHj <sub>p5</sub>	TPHf <sub>p</sub>	TPH	Benzene	Toluene	Ethylbenzene	Total Xylenes	1,2-DCA	MTBE	TBA	DIPE
MW-SF-1	12/8/2006	Secor	19,000	--	--	--	20,000	--	7,000	640	590	960	<100	650	--	--
MW-SF-1	3/13/2007	Secor	10,000	--	--	--	2,700	--	3,400	320	390	790	<50	160	--	--
MW-SF-1	5/4/2007	Secor	11,000	--	--	--	4,600	--	3,400	110	430	229	<50	340	--	--
MW-SF-1	8/30/2007	Secor	16,000	--	--	--	9,000	--	6,000	210	550	290	<100	430	--	--
MW-SF-1	11/14/2007	Secor	16,000	--	--	--	6,300	--	6,100	180	540	213	<50	400	--	--
MW-SF-1	2/21/2008	Secor	23,000	--	--	--	5,600	--	11,000	280	530	500	<100	1,100	--	--
MW-SF-1	4/16/2008	Secor	21,000	--	--	--	11,000	--	11,000	350	440	550	<200	740	--	--
MW-SF-1	8/14/2008	Secor	18,000	--	--	--	27,000	--	8,200	240	390	253	<100	490	--	--
MW-SF-1	10/16/2008	Stantec	21,000	--	--	--	12,000	--	10,000	280	490	477	<100	770	--	--
MW-SF-1	2/24/2009	Blaine Tech	11,000	--	--	--	10,000	--	6,300	85	160	65	<50	420	<500	--
MW-SF-1	4/20/2009	Blaine Tech for AMEC GMX	16,000	--	--	--	11,000	--	7,500	210	340	261	<100	340	<1000	<100
MW-SF-1	7/22/2009	Blaine Tech	12,000	--	--	--	34,000	--	6,300	110	180	89	<50	510	540	<50
MW-SF-1	10/23/2009	Blaine Tech for Parsons	21,000	--	--	--	12,000	--	11,000	110	350	63	<100	620	<1000	<100
MW-SF-1	3/16/2010	Blaine Tech for Parsons	13,000	--	--	--	12,000	--	5,900	56	120	55	<50	650	<500	<50
MW-SF-1	5/27/2010	Blaine Tech	8,800	--	--	--	3,500	--	3,900	46	150	51	<40	140	<400	<40
MW-SF-4	3/11/2003	Geomatrix	3,600	--	--	--	2,500	--	1,100	<13	180	120	<13	750	--	--
MW-SF-4	10/8/2003	Secor	40,000	--	--	--	86,000	--	4,600	1,900	990	5,200	<40	530	--	--
MW-SF-4	2/21/2008	Secor	25,000	--	--	--	9,900	--	4,100	89	1,200	2,730	<40	330	--	--
MW-SF-4	4/16/2008	Secor	21,000	--	--	--	11,000	--	4,600	94	970	2,920	<100	380	--	--
MW-SF-4	8/14/2008	Secor	20,000	--	--	--	54,000	--	4,200	43	1,100	770	<50	260	--	--
MW-SF-4	10/16/2008	Stantec	17,000	--	--	--	12,000	--	3,700	42	1,100	1,196	<40	170	--	--
MW-SF-4	2/23/2009	Blaine Tech	20,000	--	--	--	32,000	--	6,400	92	1,000	1,420	<50	950	<500	--
MW-SF-4	5/28/2010	Blaine Tech	17,000	--	--	--	8,800	--	7,200	39	370	250	<50	440	<500	120
MW-SF-9	3/11/2003	Geomatrix	24,000	--	--	--	13,000	--	3,200	940	340	1,040	<25	1,600	--	--
MW-SF-9	8/1/2003	Secor	6,600	--	--	--	95,000	--	980	72	140	430	17	2,500	--	--
MW-SF-9	10/7/2003	Secor	5,800	--	--	--	3,300	--	340	8.8	82	92	<5	3,200	--	--
MW-SF-9	5/4/2005	Secor	5,700	--	--	--	9,700	--	730	73	130	190	<10	54	--	--
MW-SF-9	11/3/2005	Secor	<500	--	--	--	690	--	9	<2.5	<2.5	<2.5	<5	<2.5	--	--
MW-SF-9	12/8/2006	Secor	<500	--	--	--	10,000	--	35	<2.5	<2.5	4	<5	8.7	--	--
MW-SF-9	11/14/2007	Secor	110	--	--	--	1,400	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
MW-SF-9	4/16/2008	Secor	920	--	--	--	5,800	--	200	1.4	6	4	<1	16	--	--
MW-SF-9	10/21/2008	Stantec	350	--	--	--	770	--	10	<0.5	2	<0.5	<1	<0.5	--	--
MW-SF-9	4/23/2009	Blaine Tech for AMEC GMX	430	--	--	--	3,800	--	44	<0.5	1	<0.5	<0.5	<0.5	<10	<1
MW-SF-9	10/22/2009	Blaine Tech for Parsons	2,400	--	--	--	5,900	--	1,300	<10	11	<10	<20	13	<200	<20
MW-SF-9	5/27/2010	Blaine Tech	350	--	--	--	8,200	--	100	1.3	<1	<1	<2	<1	<20	<2
PO-7	11/8/2005	Parsons	<100	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
PW-1	11/27/1996	Terra Services	--	--	--	--	--	--	<1	2.2	<1	2	270	<10	--	--
PW-1	7/15/1997	Terra Services	190	<500	--	--	--	--	<0.5	<0.5	<0.5	<1	180	<5	--	--
PW-1	1/5/1998	Terra Services	<100	<500	--	--	--	--	<0.5	<0.5	<0.5	<1.5	68	<5	--	--

TABLE 11

**HISTORICAL ANALYTICAL RESULTS FOR TPH, BTEX, 1-2 DCA, MTBE, TBA, and DIPE IN GROUNDWATER  
NOVEMBER 1996 THROUGH MAY 2010**

Defense Fuel Support Point Norwalk  
Norwalk, California

Results reported in micrograms per liter (µg/L)

Well	Date Sampled	Sampled By	TPHg	TPHd	TPHj <sub>p4</sub>	TPHj <sub>p5</sub>	TPHfp	TPH	Benzene	Toluene	Ethylbenzene	Total Xylenes	1,2-DCA	MTBE	TBA	DIPE
PW-1	5/22/1998	Terra Services	<300	--	--	--	--	--	<0.5	<0.5	<0.5	<1	<b>38</b>	<0.5	--	--
PW-1	11/13/1998	Alton Geoscience	<300	--	--	--	--	--	<0.5	<0.5	<0.5	<0.5	<b>73</b>	<b>8.1</b>	--	--
PW-1	5/6/1999	Alton Geoscience	<500	<500	--	--	--	--	<0.5	<0.5	<0.5	<0.5	<b>5.7</b>	<0.5	--	--
PW-1	11/17/1999	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<b>2.5</b>	<0.5	--	--
PW-1	5/17/2000	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<b>1.5</b>	<0.5	--	--
PW-1	11/28/2000	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<b>0.7</b>	<0.5	--	--
PW-1	5/9/2001	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<b>0.6</b>	<0.5	--	--
PW-1	11/7/2001	IT Corporation	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<b>1.3</b>	<0.5	--	--
PW-1	4/11/2002	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
PW-1	10/23/2002	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
PW-1	4/8/2003	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
PW-1	10/8/2003	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
PW-1	4/21/2004	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
PW-1	11/4/2004	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
PW-1	5/5/2005	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<b>2.1</b>	<0.5	--	--
PW-1	5/9/2006	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
PW-1	12/7/2006	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
PW-1	5/5/2007	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
PW-1	11/14/2007	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
PW-1	4/18/2008	Secor	<50	--	--	--	<b>460</b>	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
PW-1	11/21/2008	Stantec	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
PW-1	4/20/2009	Blaine Tech for AMEC GMX	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<1
PW-1	10/21/2009	Blaine Tech for Parsons	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<1
PW-1	5/26/2010	Blaine Tech	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<1
PW-2	11/25/1996	Terra Services	--	--	--	--	--	--	<0.5	<0.5	<0.5	<1.5	<b>76</b>	<b>3.3</b>	--	--
PW-2	7/14/1997	Terra Services	<b>140</b>	<500	--	--	--	--	<0.5	<0.5	<0.5	<1	<b>160</b>	<5	--	--
PW-2	1/6/1998	Terra Services	<100	<500	--	--	--	--	<0.5	<0.5	<0.5	<1.5	<b>82</b>	<5	--	--
PW-2	5/22/1998	Terra Services	<300	--	--	--	--	--	<0.5	<0.5	<0.5	<1	<b>37</b>	<b>0.9</b>	--	--
PW-2	8/25/1998	Geomatrix	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<b>6.8</b>	<0.5	--	--
PW-2	11/16/1998	Alton Geoscience	<300	--	--	--	--	--	<b>16</b>	<b>18</b>	<b>2</b>	<b>10.9</b>	<b>35</b>	<b>58</b>	--	--
PW-2	2/3/1999	Alton Geoscience	<500	<500	--	--	--	--	<0.5	<0.5	<0.5	<1	<b>79</b>	<b>2.4</b>	--	--
PW-2	5/6/1999	Alton Geoscience	<500	<500	--	--	--	--	<0.5	<0.5	<0.5	<0.5	<b>3.4</b>	<0.5	--	--
PW-2	8/10/1999	Alton Geoscience	<500	<1000	--	--	--	--	<0.5	<1	<1	<1	<b>32</b>	<1	--	--
PW-2	11/19/1999	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<b>45</b>	<b>0.7</b>	--	--
PW-2	2/29/2000	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<b>58</b>	<0.5	--	--
PW-2	5/16/2000	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<b>50</b>	<b>0.8</b>	--	--
PW-2	8/29/2000	Secor	<300	--	--	--	<b>760</b>	--	<0.5	<0.5	<0.5	<0.5	<b>56</b>	<b>0.6</b>	--	--
PW-2	11/29/2000	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<b>35</b>	<b>0.6</b>	--	--
PW-2	2/6/2001	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<b>28</b>	<b>0.8</b>	--	--
PW-2	5/8/2001	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<b>14</b>	<0.5	--	--
PW-2	9/19/2001	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<b>24</b>	<0.5	--	--
PW-2	11/6/2001	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<b>23</b>	<0.5	--	--

TABLE 11

**HISTORICAL ANALYTICAL RESULTS FOR TPH, BTEX, 1-2 DCA, MTBE, TBA, and DIPE IN GROUNDWATER  
NOVEMBER 1996 THROUGH MAY 2010**

Defense Fuel Support Point Norwalk  
Norwalk, California

Results reported in micrograms per liter (µg/L)

Well	Date Sampled	Sampled By	TPHg	TPHd	TPHj <sub>p4</sub>	TPHj <sub>p5</sub>	TPHf <sub>p</sub>	TPH	Benzene	Toluene	Ethylbenzene	Total Xylenes	1,2-DCA	MTBE	TBA	DIPE
PW-2	1/30/2002	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
PW-2	4/9/2002	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	1.7	19	<0.5	--	--
PW-2	10/24/2002	Secor	<300	--	--	--	1,000	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
PW-2	1/16/2003	Geomatrix	<300	--	--	--	<100	--	--	--	--	--	--	--	--	--
PW-2	4/8/2003	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
PW-2	7/7/2003	Geomatrix	--	--	--	--	--	--	<0.5	<1	<1	<1	<0.5	<1	--	--
PW-2	10/7/2003	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	8.8	<0.5	--	--
PW-2	4/21/2004	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	18	0.56	--	--
PW-2	7/8/2004	Geomatrix	<50	--	--	--	250	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
PW-2	11/3/2004	Secor	83	--	--	--	140	--	<0.5	<0.5	<0.5	<0.5	52	1.5	--	--
PW-2	5/6/2005	Secor	110	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	70	6.2	--	--
PW-2	11/3/2005	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
PW-2	5/4/2006	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
PW-2	12/6/2006	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	6.8	<0.5	--	--
PW-2	5/2/2007	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	0.57	<0.5	--	--
PW-2	11/13/2007	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
PW-2	4/17/2008	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
PW-3	11/25/1996	Terra Services	--	--	--	--	--	--	<0.5	<0.5	<0.5	<1.5	110	<5	--	--
PW-3	7/14/1997	Terra Services	140	<500	--	--	--	--	5.9	2.4	2.9	8.4	67	<5	--	--
PW-3	1/8/1998	Terra Services	<100	<500	--	--	--	--	1.2	1.1	<0.5	<1.5	46	<5	--	--
PW-3	5/22/1998	Terra Services	<300	--	--	--	--	--	<0.5	<0.5	<0.5	<1	48	1.6	--	--
PW-3	8/25/1998	Geomatrix	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	35.3	<0.5	--	--
PW-3	11/16/1998	Alton Geoscience	<300	--	--	--	--	--	<0.5	4.5	0.6	3.6	21	<0.5	--	--
PW-3	2/3/1999	Alton Geoscience	<500	<500	--	--	--	--	<0.5	<0.5	<0.5	<1	25	<0.5	--	--
PW-3	5/6/1999	Alton Geoscience	<500	<500	--	--	--	--	<0.5	<0.5	<0.5	<0.5	21	<0.5	--	--
PW-3	8/10/1999	Alton Geoscience	<500	<1000	--	--	--	--	<0.5	<1	<1	<1	13	<1	--	--
PW-3	11/28/2000	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	3.5	<0.5	--	--
PW-3	5/8/2001	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	4.4	<0.5	--	--
PW-3	9/19/2001	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	2.7	<0.5	--	--
PW-3	11/6/2001	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	4.8	<0.5	--	--
PW-3	1/30/2002	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
PW-3	4/9/2002	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	3	<0.5	--	--
PW-3	10/24/2002	Secor	<300	--	--	--	1,600	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
PW-3	1/16/2003	Geomatrix	<300	--	--	--	<100	--	--	--	--	--	--	--	--	--
PW-3	4/8/2003	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	0.73	<0.5	--	--
PW-3	7/7/2003	Geomatrix	--	--	--	--	--	--	<0.5	<1	<1	<1	<0.5	<1	--	--
PW-3	10/7/2003	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	2.6	<0.5	--	--
PW-3	4/21/2004	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
PW-3	7/13/2004	Geomatrix	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
PW-3	11/3/2004	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
PW-3	5/6/2005	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	0.53	<0.5	--	--
PW-3	11/3/2005	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
PW-3	5/3/2006	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
PW-3	12/6/2006	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	1.1	<0.5	--	--

TABLE 11

**HISTORICAL ANALYTICAL RESULTS FOR TPH, BTEX, 1-2 DCA, MTBE, TBA, and DIPE IN GROUNDWATER  
NOVEMBER 1996 THROUGH MAY 2010**

Defense Fuel Support Point Norwalk  
Norwalk, California

Results reported in micrograms per liter (µg/L)

Well	Date Sampled	Sampled By	TPHg	TPHd	TPHj <sub>p4</sub>	TPHj <sub>p5</sub>	TPHf <sub>p</sub>	TPH	Benzene	Toluene	Ethylbenzene	Total Xylenes	1,2-DCA	MTBE	TBA	DIPE
PW-3	5/2/2007	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
PW-3	11/15/2007	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
PW-3	4/17/2008	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
PW-3	10/17/2008	Stantec	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
PW-3	4/20/2009	Blaine Tech for AMEC GMX	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<b>0.64</b>	<0.5	<10	<1
PW-3	10/21/2009	Blaine Tech for Parsons	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<b>0.86</b>	<0.5	<10	<1
PW-3	5/26/2010	Blaine Tech	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<b>1.3</b>	<0.5	<10	<1
PZ-1	11/27/1996	Terra Services	--	--	--	--	--	--	<b>79</b>	<b>16</b>	<b>140</b>	<b>49</b>	<b>15</b>	<b>610</b>	--	--
PZ-1	7/16/1997	Terra Services	<b>220</b>	<500	--	--	--	--	<0.5	<0.5	<b>13</b>	<1	<b>3</b>	<b>480</b>	--	--
PZ-1	1/6/1998	Terra Services	<100	<500	--	--	--	--	<0.5	<0.5	<0.5	<1.5	<b>1.3</b>	<b>17</b>	--	--
PZ-1	5/26/1998	Terra Services	<b>400</b>	--	--	--	--	--	<5	<5	<5	<10	<5	<b>370</b>	--	--
PZ-1	11/16/1998	Alton Geoscience	<b>516</b>	--	--	--	<100	--	<b>110</b>	<b>67</b>	<b>8</b>	<b>38</b>	<b>7.2</b>	<b>320</b>	--	--
PZ-1	5/6/1999	Alton Geoscience	<b>2,000</b>	<500	--	--	--	--	<b>500</b>	<2	<b>13</b>	<b>120</b>	<5	<b>230</b>	--	--
PZ-1	11/17/1999	Secor	<300	--	--	--	<100	--	<2.5	<2.5	<2.5	<2.5	<2.5	<b>210</b>	--	--
PZ-1	5/17/2000	Secor	<b>350</b>	--	--	--	<b>740</b>	--	<b>51</b>	<2.5	<b>2.7</b>	<2.5	<2.5	<b>250</b>	--	--
PZ-1	11/29/2000	Secor	<b>390</b>	--	--	--	<b>720</b>	--	<b>79</b>	<2.5	<2.5	<2.5	<2.5	<b>260</b>	--	--
PZ-1	5/8/2001	Secor	<300	--	--	--	<b>380</b>	--	<b>15</b>	<0.5	<0.5	<0.5	<0.5	<b>330</b>	--	--
PZ-1	11/6/2001	Secor	<b>550</b>	--	--	--	<b>140</b>	--	<b>8.4</b>	<0.5	<0.5	<b>0.7</b>	<b>1.4</b>	<b>470</b>	--	--
PZ-1	4/9/2002	Secor	<300	--	--	--	<100	--	<2.5	<2.5	<2.5	<2.5	<2.5	<b>270</b>	--	--
PZ-10	8/1/2003	Secor	<b>6,300</b>	--	--	--	<b>1,800</b>	--	<b>710</b>	<b>130</b>	<b>150</b>	<b>890</b>	<10	<b>47</b>	--	--
PZ-10	10/7/2003	Secor	<b>6,200</b>	--	--	--	<b>1,900</b>	--	<b>1,000</b>	<b>21</b>	<b>230</b>	<b>600</b>	<10	<b>55</b>	--	--
PZ-10	1/27/2004	Secor	<b>3,100</b>	--	--	--	<b>1,800</b>	--	<b>560</b>	<b>5.4</b>	<b>63</b>	<b>201</b>	<5	<b>28</b>	--	--
PZ-10	4/22/2004	Secor	<b>11,000</b>	--	--	--	<b>8,300</b>	--	<b>2,100</b>	<b>29</b>	<b>470</b>	<b>1,490</b>	<20	<b>110</b>	--	--
PZ-10	7/19/2004	Secor	<b>4,800</b>	--	--	--	<b>2,500</b>	--	<b>890</b>	<5	<b>210</b>	<b>278</b>	<10	<b>45</b>	--	--
PZ-10	11/3/2004	Secor	<b>4,600</b>	--	--	--	<b>2,800</b>	--	<b>920</b>	<b>9.1</b>	<b>280</b>	<b>580</b>	<10	<b>50</b>	--	--
PZ-10	2/3/2005	Secor	<b>1,000</b>	--	--	--	<b>1,200</b>	--	<b>250</b>	<b>1.4</b>	<b>34</b>	<b>108</b>	<2	<b>42</b>	--	--
PZ-10	5/4/2005	Secor	<50	--	--	--	<b>350</b>	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
PZ-10	8/1/2005	Secor	<50	--	--	--	<100	--	<b>0.71</b>	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
PZ-10	11/2/2005	Secor	<100	--	--	--	<b>220</b>	--	<0.5	<0.5	<0.5	<0.5	<1	<0.5	--	--
PZ-10	2/27/2006	Secor	<200	--	--	--	<b>1,600</b>	--	<1	<1	<1	<1	<2	<b>6.1</b>	--	--
PZ-10	5/9/2006	Secor	<1000	--	--	--	<b>1,600</b>	--	<b>5.1</b>	<5	<5	<5	<10	<b>36</b>	--	--
PZ-10	9/20/2006	Secor	<200	--	--	--	<b>640</b>	--	<1	<1	<1	<1	<2	<b>3.6</b>	--	--
PZ-10	12/6/2006	Secor	<500	--	--	--	<b>2,400</b>	--	<2.5	<2.5	<2.5	<2.5	<5	<b>5.5</b>	--	--
PZ-10	3/13/2007	Secor	<500	--	--	--	<b>1,100</b>	--	<2.5	<2.5	<2.5	<2.5	<5	<2.5	--	--
PZ-10	5/3/2007	Secor	<1000	--	--	--	<b>7,100</b>	--	<b>6.1</b>	<5	<5	<5	<10	<5	--	--
PZ-10	8/30/2007	Secor	<200	--	--	--	<b>1,000</b>	--	<1	<1	<1	<1	<2	<1	--	--
PZ-10	11/14/2007	Secor	<50	--	--	--	<b>360</b>	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
PZ-10	2/21/2008	Secor	<200	--	--	--	<b>510</b>	--	<b>65</b>	<1	<b>3.1</b>	<b>9.4</b>	<2	<1	--	--
PZ-10	4/16/2008	Secor	<b>950</b>	--	--	--	<b>670</b>	--	<b>360</b>	<b>5</b>	<b>20</b>	<b>85</b>	<5	<b>11</b>	--	--
PZ-10	10/16/2008	Stantec	<200	--	--	--	<b>1,100</b>	--	<b>18</b>	<1	<1	<1	<2	<b>1.7</b>	--	--
PZ-10	4/20/2009	Blaine Tech for AMEC GMX	<b>560</b>	--	--	--	<b>2,600</b>	--	<b>26</b>	<1	<b>3.2</b>	<b>2.5</b>	<2	<b>12</b>	<b>38</b>	<b>5.2</b>

TABLE 11

**HISTORICAL ANALYTICAL RESULTS FOR TPH, BTEX, 1-2 DCA, MTBE, TBA, and DIPE IN GROUNDWATER  
NOVEMBER 1996 THROUGH MAY 2010**

Defense Fuel Support Point Norwalk  
Norwalk, California

Results reported in micrograms per liter (µg/L)

Well	Date Sampled	Sampled By	TPHg	TPHd	TPHj <sub>p4</sub>	TPHj <sub>p5</sub>	TPHf <sub>p</sub>	TPH	Benzene	Toluene	Ethylbenzene	Total Xylenes	1,2-DCA	MTBE	TBA	DIPE
PZ-10	7/21/2009	Blaine Tech	<200	--	--	--	1,700	--	1.4	<1	<1	<1	<2	9.6	55	3.1
PZ-10	10/22/2009	Blaine Tech for Parsons	<200	--	--	--	1,200	--	<1	<1	<1	<1	<2	4.4	30	<2
PZ-10	5/27/2010	Blaine Tech	<100	--	--	--	940	--	0.92	<0.5	<0.5	<0.5	<1	1.4	<10	<1
PZ-3	4/22/2004	Parsons	--	--	--	--	56,000	--	6,300	<1500	4,100	24,000	--	<25000	--	--
PZ-3	4/22/2009	Blaine Tech for Parsons	--	--	--	2,200	--	--	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<50	<10
PZ-3	4/15/2010	Blaine Tech for DESC	--	--	--	1,600	--	--	2.2	<0.5	<0.5	<0.5	<0.5	0.74	<10	<2
PZ-5	10/7/2003	Secor	6,900	--	--	--	<100	--	11	<10	<10	<10	<20	9,100	--	--
PZ-5	5/5/2005	Secor	<50	--	--	--	<100	--	0.87	<0.5	<0.5	<0.5	<0.5	43	--	--
PZ-5	11/2/2005	Secor	1,200	--	--	--	<100	--	<2.5	<2.5	<2.5	<2.5	<5	2,100	--	--
PZ-5	2/28/2006	Secor	160	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<1	380	--	--
PZ-5	5/4/2006	Secor	1,200	--	--	--	<100	--	<2	<2	<2	<2	<4	1,900	--	--
PZ-5	9/19/2006	Secor	480	--	--	--	<100	--	<1	<1	<1	<1	<2	1,200	--	--
PZ-5	12/7/2006	Secor	480	--	--	--	<100	--	<1.5	<1.5	<1.5	<1.5	<3	960	--	--
PZ-5	3/13/2007	Secor	320	--	--	--	<100	--	<1	<1	<1	<1	<2	690	--	--
PZ-5	5/4/2007	Secor	400	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<1	610	--	--
PZ-5	8/29/2007	Secor	380	--	--	--	<100	--	<1	<1	<1	<1	<2	480	--	--
PZ-5	11/15/2007	Secor	370	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<1	470	--	--
PZ-5	2/20/2008	Secor	940	--	--	--	560	--	<1	<1	<1	<1	<2	750	--	--
PZ-5	4/15/2008	Secor	750	--	--	--	330	--	<1	<1	<1	<1	<2	740	--	--
PZ-5	8/12/2008	Secor	1,500	--	--	--	370	--	<2	<2	<2	<2	<4	2,000	--	--
PZ-5	10/16/2008	Stantec	<3000	--	--	--	210	--	22	<15	<15	<15	<30	1,900	--	--
PZ-5	2/24/2009	Blaine Tech	1,000	--	--	--	440	--	61	<1	<1	<1	<2	1,200	37,000	--
PZ-5	2/24/2009	Blaine Tech	2,400	--	--	--	1,000	--	71	<100	<100	<100	<50	1,400	47,000	<200
PZ-5	4/23/2009	Blaine Tech for AMEC GMX	1,200	--	--	--	760	--	250	<2	5.7	<2	<4	1,200	35,000	<4
PZ-5	7/22/2009	Blaine Tech	3,800	--	--	--	1,800	--	2,000	20	98	77	<5	800	54,000	<5
PZ-5	10/23/2009	Blaine Tech for Parsons	2,900	--	--	--	1,300	--	1,100	18	53	69	<10	500	50,000	<10
PZ-5	3/16/2010	Blaine Tech for Parsons	1,700	--	--	--	890	--	370	2.1	33	9.4	<4	350	58,000	<4
PZ-5	4/16/2010	Blaine Tech	1,600	--	--	--	1,100	--	110	<2.5	9.7	4.6	<5	340	91,000	<5
PZ-5	5/27/2010	Blaine Tech	3,200,000	--	--	--	1,300	--	1,100	<25	66	<25	<50	360	69,000	<50
PZ-6	11/30/2000	Secor	<300	--	--	--	<100	--	<0.5	0.5	<0.5	<0.5	<0.5	<0.5	--	--
PZ-6	5/8/2001	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
PZ-6	7/8/2003	Geomatrix	--	--	--	--	--	--	<0.5	<1	<1	<1	<0.5	<1	--	--
PZ-6	4/27/2004	Geomatrix	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
PZ-6	7/8/2004	Geomatrix	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	0.5	<0.5	--	--
PZ-7A	6/13/2003	Secor	340	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<1	660	--	--
PZ-7A	9/24/2003	Secor	160	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	390	--	--
PZ-7A	10/10/2003	Geomatrix	240	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	340	--	--
PZ-7A	8/2/2005	Secor	--	--	--	--	--	--	<0.5	<0.5	<0.5	<0.5	<0.5	5	--	--
PZ-7B	6/13/2003	Secor	98	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	0.51	51	--	--

TABLE 11

**HISTORICAL ANALYTICAL RESULTS FOR TPH, BTEX, 1-2 DCA, MTBE, TBA, and DIPE IN GROUNDWATER  
NOVEMBER 1996 THROUGH MAY 2010**

Defense Fuel Support Point Norwalk  
Norwalk, California

Results reported in micrograms per liter (µg/L)

Well	Date Sampled	Sampled By	TPHg	TPHd	TPHj <sub>p4</sub>	TPHj <sub>p5</sub>	TPHfp	TPH	Benzene	Toluene	Ethylbenzene	Total Xylenes	1,2-DCA	MTBE	TBA	DIPE
PZ-7B	9/24/2003	Secor	61	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	67	--	--
PZ-7B	10/10/2003	Geomatrix	90	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	2.3	--	--
PZ-7B	8/2/2005	Secor	--	--	--	--	--	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
PZ-8A	6/13/2003	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	12	--	--
PZ-8A	9/24/2003	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	1.7	--	--
PZ-8A	10/10/2003	Geomatrix	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	2.8	--	--
PZ-8A	8/2/2005	Secor	--	--	--	--	--	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
PZ-8A	12/6/2006	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
PZ-8B	6/13/2003	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	31	--	--
PZ-8B	9/24/2003	Secor	86	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	180	--	--
PZ-8B	10/10/2003	Geomatrix	310	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<1	440	--	--
PZ-8B	8/2/2005	Secor	--	--	--	--	--	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
PZ-8B	12/6/2006	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
PZ-9A	6/13/2003	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
PZ-9A	9/24/2003	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
PZ-9A	10/10/2003	Geomatrix	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
PZ-9A	8/2/2005	Secor	--	--	--	--	--	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
PZ-9B	6/13/2003	Secor	75	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	50	--	--
PZ-9B	9/24/2003	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	7.9	--	--
PZ-9B	10/10/2003	Geomatrix	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	3.9	--	--
PZ-9B	8/2/2005	Secor	--	--	--	--	--	--	<0.5	<0.5	<0.5	<0.5	<0.5	1.2	--	--
QA SAMPLES	2/23/2009	Blaine Tech	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	--
QA SAMPLES	2/24/2009	Blaine Tech	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	--
TF-14	9/18/2003	Parsons	--	--	--	--	20,000	--	210	<2.5	62	88.8	<2.5	<2.5	--	--
TF-14	2/21/2004	Parsons	--	--	12,000	--	--	--	370	<1	130	125.9	--	1.2	--	--
TF-16	4/14/2003	GTI	--	--	--	--	4,450	--	23.8	5.03	15.3	16.8	--	9.51	--	--
TF-16	9/18/2003	Parsons	--	--	--	--	59,000	--	280	8.3	24	211	<0.5	9.1	--	--
TF-16	10/11/2003	Parsons	--	--	--	--	7,400	--	150	7	27	91	--	<25	--	--
TF-16	2/21/2004	Parsons	--	--	48,000	--	--	--	120	2.4	23	89	--	5.6	--	--
TF-16	4/21/2004	Parsons	--	--	--	--	23,000	--	200	30	40	320	--	4.6	--	--
TF-16	11/4/2004	Parsons	--	--	--	--	16,000	--	180	4	20	320	--	<10	--	--
TF-16	5/6/2005	Parsons	--	--	--	--	27,000	--	43	10	4.6	73	--	<25	--	--
TF-16	11/8/2005	Parsons	--	--	--	--	4,200	--	25	0.86	3.4	20	--	8.5	--	--
TF-16	5/4/2006	Parsons	--	--	--	--	33,000	--	52	0.89	10	49	--	<5	--	--
TF-16	12/8/2006	Parsons	--	--	--	--	3,500	--	28	<0.5	1.5	3	--	<5	--	--
TF-16	5/4/2007	Parsons	--	--	--	--	13,000	--	520	<2.5	5.4	10	--	<25	--	--
TF-16	11/15/2007	Parsons	--	--	--	--	5,200	--	450	<0.5	<0.5	<1	--	9.3	--	--
TF-16	4/17/2008	Parsons	--	--	--	--	4,300	--	570	1.3	3.2	4.1	--	<10	--	--
TF-16	10/16/2008	Parsons	--	--	--	3,100	--	--	330	<2.5	<2.5	<2.5	<2.5	6.3	<50	<10
TF-16	4/24/2009	Blaine Tech for Parsons	--	--	--	2,200	--	--	24	<0.5	<0.5	<0.5	<0.5	4.1	11	<2
TF-16	10/26/2009	Blaine Tech for DESC	--	--	--	960	--	--	7.6	<0.5	0.34	<0.5	<0.5	3.9	11	<2
TF-16	4/15/2010	Blaine Tech for DESC	--	--	--	1,000	--	--	10	<0.5	0.38	<0.5	--	3.5	8.2	<2
TF-21	4/10/2003	GTI	--	--	--	--	476	--	267	1.63	8.13	9.83	--	<3	--	--



TABLE 11

**HISTORICAL ANALYTICAL RESULTS FOR TPH, BTEX, 1-2 DCA, MTBE, TBA, and DIPE IN GROUNDWATER  
NOVEMBER 1996 THROUGH MAY 2010**

Defense Fuel Support Point Norwalk  
Norwalk, California

Results reported in micrograms per liter (µg/L)

Well	Date Sampled	Sampled By	TPHg	TPHd	TPHj <sub>p4</sub>	TPHj <sub>p5</sub>	TPHf <sub>p</sub>	TPH	Benzene	Toluene	Ethylbenzene	Total Xylenes	1,2-DCA	MTBE	TBA	DIPE
TF-21	9/18/2003	Parsons	--	--	--	--	1,800	--	560	<5	5.6	<5	<5	<5	--	--
TF-21	10/8/2003	Parsons	--	--	--	--	2,500	--	390	<0.6	4.2	<0.6	--	<10	--	--
TF-21	2/21/2004	Parsons	--	--	1,500	--	--	--	820	<2.5	<2.5	<2.5	--	3.6	--	--
TF-21	4/21/2004	Parsons	--	--	--	--	2,000	--	550	<1	1.6	5.8	--	2.7	--	--
TF-21	11/4/2004	Parsons	--	--	--	--	860	--	10	<0.3	<0.3	1.2	--	<5	--	--
TF-21	5/5/2005	Parsons	--	--	--	--	3,600	--	190	13	45	310	--	<100	--	--
TF-21	11/5/2005	Parsons	--	--	--	--	2,200	--	140	0.61	3.7	39	--	6.1	--	--
TF-21	5/3/2006	Parsons	--	--	--	--	3,200	--	140	4.3	3.9	10	--	5.1	--	--
TF-21	12/6/2006	Parsons	--	--	--	--	1,100	--	44	<0.5	<0.5	5	--	<5	--	--
TF-21	5/4/2007	Parsons	--	--	--	--	3,200	--	80	0.93	0.86	2.2	--	7.2	--	--
TF-21	11/16/2007	Parsons	--	--	--	--	790	--	170	<0.5	<0.5	<1	--	<5	--	--
TF-21	4/17/2008	Parsons	--	--	--	--	980	--	190	<0.5	4.4	2.4	--	<5	--	--
TF-21	10/15/2008	Parsons	--	--	--	810	--	--	37	<0.5	<0.5	<0.5	<0.5	1	23	<2
TF-21	4/24/2009	Blaine Tech for Parsons	--	--	--	350	--	--	40	<0.5	<0.5	<0.5	<0.5	<0.5	18	<2
TF-21	10/26/2009	Blaine Tech for DESC	--	--	--	960	--	--	50	<0.5	0.46	<0.5	<0.5	0.74	19	<2
TF-21	4/16/2010	Blaine Tech for DESC	--	--	--	1,100	--	--	120	0.37	1.1	1.16	--	<0.5	15	<2
TF-8	9/18/2003	Parsons	--	--	--	--	<100	--	1.2	<0.5	0.77	2.74	<0.5	24	--	--
TF-8	2/21/2004	Parsons	--	--	520	--	--	--	3	<0.5	<0.5	1.4	--	46	--	--
WCW-1	11/25/1996	GSI	<50	<500	<500	--	--	--	<0.5	<0.5	<0.5	<1.5	0.6	<5	--	--
WCW-1	7/15/1997	Terra Services	<100	<500	--	--	--	--	<0.5	<0.5	<0.5	<1	<0.5	<5	--	--
WCW-1	1/5/1998	GTI	<500	<100	<100	--	--	--	<0.5	<0.5	<0.5	<1	<0.5	<0.5	--	--
WCW-1	5/23/1998	Terra Services	<300	--	--	--	--	--	<0.5	<0.5	<0.5	<1	<0.5	<0.5	--	--
WCW-1	8/25/1998	Geomatrix	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
WCW-1	11/4/1998	GTI	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
WCW-1	2/2/1999	Alton Geoscience	<500	<500	--	--	--	--	<0.5	<0.5	<0.5	<1	<1	<0.5	--	--
WCW-1	5/6/1999	Alton Geoscience	<500	<500	--	--	--	--	2.1	9.8	0.8	4.4	<1	<0.5	--	--
WCW-1	8/10/1999	Alton Geoscience	<500	<1000	--	--	--	--	<0.5	<1	<1	<1	<0.5	<1	--	--
WCW-1	11/18/1999	IT Corporation	<300	--	--	--	<100	--	<0.5	<1	<0.5	<0.5	<0.5	<0.5	--	--
WCW-1	2/28/2000	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
WCW-1	5/19/2000	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
WCW-1	8/28/2000	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	0.5	<0.5	--	--
WCW-1	11/30/2000	IT Corporation	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
WCW-1	2/5/2001	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
WCW-1	5/10/2001	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
WCW-1	9/18/2001	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
WCW-1	11/8/2001	IT Corporation	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
WCW-1	1/30/2002	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
WCW-1	4/11/2002	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
WCW-1	10/24/2002	GTI	<300	--	--	--	<100	--	<0.5	<1	<1	<1	<0.5	<1	--	--
WCW-1	10/11/2003	Parsons	<100	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	1.5	--	--
WCW-1	5/6/2005	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
WCW-1	5/3/2007	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
WCW-1	11/13/2007	Parsons	<100	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2

TABLE 11

**HISTORICAL ANALYTICAL RESULTS FOR TPH, BTEX, 1-2 DCA, MTBE, TBA, and DIPE IN GROUNDWATER  
NOVEMBER 1996 THROUGH MAY 2010**

Defense Fuel Support Point Norwalk  
Norwalk, California

Results reported in micrograms per liter (µg/L)

Well	Date Sampled	Sampled By	TPHg	TPHd	TPHj <sub>p4</sub>	TPHj <sub>p5</sub>	TPHfp	TPH	Benzene	Toluene	Ethylbenzene	Total Xylenes	1,2-DCA	MTBE	TBA	DIPE
WCW-1	4/18/2008	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
WCW-1	4/21/2009	Blaine Tech for AMEC GMX	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<1
WCW-1	5/25/2010	Blaine Tech	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<1
WCW-10	11/25/1996	GSI	<50	<500	<500	--	--	--	<0.5	<0.5	<0.5	<1.5	<0.5	<5	--	--
WCW-10	7/8/1997	Terra Services	<100	<500	--	--	--	--	<0.5	<b>2.2</b>	<0.5	<1	<0.5	<5	--	--
WCW-10	1/5/1998	GTI	<500	<100	<100	--	--	--	<0.5	<0.5	<0.5	<1	<0.5	<0.5	--	--
WCW-10	5/19/1998	Terra Services	--	--	--	--	--	--	<0.5	<0.5	<0.5	<1	<0.5	<0.5	--	--
WCW-10	11/4/1998	GTI	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
WCW-10	5/5/1999	Alton Geoscience	<500	<500	--	--	--	--	<0.5	<b>0.8</b>	<0.5	<0.5	<1	<0.5	--	--
WCW-10	11/17/1999	IT Corporation	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<b>0.8</b>	<0.5	<0.5	--	--
WCW-10	5/19/2000	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
WCW-10	11/30/2000	IT Corporation	<300	--	--	--	<100	--	<b>1</b>	<0.5	<0.5	<b>0.7</b>	<0.5	<0.5	--	--
WCW-10	5/10/2001	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
WCW-10	11/8/2001	IT Corporation	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
WCW-10	4/9/2002	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
WCW-11	11/25/1996	GSI	<50	<500	<500	--	--	--	<0.5	<0.5	<0.5	<1.5	<0.5	<5	--	--
WCW-11	7/8/1997	Terra Services	<100	<500	--	--	--	--	<0.5	<b>2.5</b>	<0.5	<1	<0.5	<5	--	--
WCW-11	1/5/1998	GTI	<500	<100	<100	--	--	--	<0.5	<0.5	<0.5	<1	<0.5	<0.5	--	--
WCW-11	5/18/1998	Terra Services	--	--	--	--	--	--	<0.5	<0.5	<0.5	<1	<0.5	<0.5	--	--
WCW-11	11/3/1998	GTI	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
WCW-11	5/6/1999	Alton Geoscience	<500	<500	--	--	--	--	<0.5	<0.5	<0.5	<0.5	<1	<0.5	--	--
WCW-11	11/17/1999	IT Corporation	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
WCW-11	5/18/2000	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
WCW-11	11/30/2000	IT Corporation	<300	--	--	--	<100	--	<b>0.8</b>	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
WCW-11	5/9/2001	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
WCW-11	11/8/2001	IT Corporation	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
WCW-11	4/9/2002	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
WCW-12	11/25/1996	GSI	<50	<500	<500	--	--	--	<0.5	<0.5	<0.5	<1.5	<0.5	<5	--	--
WCW-12	7/9/1997	Terra Services	<100	<500	--	--	--	--	<0.5	<b>2.5</b>	<0.5	<1	<0.5	<5	--	--
WCW-12	1/5/1998	GTI	<500	<100	<100	--	--	--	<0.5	<0.5	<0.5	<1	<0.5	<0.5	--	--
WCW-12	5/18/1998	Terra Services	--	--	--	--	--	--	<0.5	<0.5	<0.5	<1	<0.5	<0.5	--	--
WCW-12	11/3/1998	GTI	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
WCW-12	5/6/1999	Alton Geoscience	<500	<500	--	--	--	--	<b>1.4</b>	<b>5.3</b>	<0.5	<b>2.3</b>	<1	<0.5	--	--
WCW-12	11/17/1999	IT Corporation	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
WCW-12	5/18/2000	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
WCW-12	11/30/2000	IT Corporation	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
WCW-12	5/9/2001	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
WCW-12	11/8/2001	IT Corporation	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
WCW-12	4/9/2002	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
WCW-12	10/24/2002	GTI	<300	--	--	--	<100	--	<0.5	<1	<1	<1	<0.5	<1	--	--
WCW-12	4/9/2003	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
WCW-12	5/10/2004	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
WCW-12	11/3/2004	Parsons	<100	--	--	--	<b>3,600</b>	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2

TABLE 11

**HISTORICAL ANALYTICAL RESULTS FOR TPH, BTEX, 1-2 DCA, MTBE, TBA, and DIPE IN GROUNDWATER  
NOVEMBER 1996 THROUGH MAY 2010**

Defense Fuel Support Point Norwalk  
Norwalk, California

Results reported in micrograms per liter (µg/L)

Well	Date Sampled	Sampled By	TPHg	TPHd	TPHj <sub>p4</sub>	TPHj <sub>p5</sub>	TPHfp	TPH	Benzene	Toluene	Ethylbenzene	Total Xylenes	1,2-DCA	MTBE	TBA	DIPE
WCW-12	3/2/2005	Parsons	<100	--	--	--	<100	--	<0.5	<1	<1	<1	--	<1	--	--
WCW-12	5/5/2005	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
WCW-12	11/5/2005	Parsons	<100	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
WCW-12	5/5/2006	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
WCW-12	12/8/2006	Parsons	<100	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
WCW-12	5/1/2007	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
WCW-12	11/13/2007	Parsons	<100	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
WCW-12	4/18/2008	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
WCW-12	10/17/2008	Parsons	<100	--	--	<100	--	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
WCW-12	4/21/2009	Blaine Tech for AMEC GMX	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<1
WCW-12	10/27/2009	Blaine Tech for DESC	<100	--	--	<100	--	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
WCW-12	5/24/2010	Blaine Tech	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<1
WCW-13	11/25/1996	GSI	<50	<500	<500	--	--	--	<0.5	<0.5	<0.5	<1.5	<0.5	<5	--	--
WCW-13	7/9/1997	Terra Services	<100	<500	--	--	--	--	<0.5	<0.5	<0.5	<1	<0.5	<5	--	--
WCW-13	1/5/1998	GTI	<500	<100	<100	--	--	--	<0.5	<0.5	<0.5	<1	<0.5	<0.5	--	--
WCW-13	5/18/1998	Terra Services	--	--	--	--	--	--	<0.5	<0.5	<0.5	<1	<0.5	<b>1.4</b>	--	--
WCW-13	11/3/1998	GTI	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
WCW-13	5/6/1999	Alton Geoscience	<500	<500	--	--	--	--	<b>0.88</b>	<b>3.1</b>	<0.5	<b>0.87</b>	<1	<0.5	--	--
WCW-13	11/17/1999	IT Corporation	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
WCW-13	5/18/2000	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<b>0.8</b>	<0.5	--	--
WCW-13	8/28/2000	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
WCW-13	11/30/2000	IT Corporation	<300	--	--	--	<100	--	<b>0.6</b>	<0.5	<0.5	<0.5	<b>1</b>	<0.5	--	--
WCW-13	2/5/2001	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
WCW-13	5/9/2001	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<b>0.6</b>	<0.5	--	--
WCW-13	9/18/2001	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<b>1</b>	<0.5	--	--
WCW-13	11/8/2001	IT Corporation	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
WCW-13	1/30/2002	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
WCW-13	4/9/2002	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
WCW-13	7/30/2002	IT Corporation	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
WCW-13	10/24/2002	GTI	<300	--	--	--	<100	--	<0.5	<1	<1	<1	<0.5	<1	--	--
WCW-13	1/28/2003	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
WCW-13	4/9/2003	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
WCW-13	7/30/2003	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
WCW-13	1/28/2004	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
WCW-13	5/10/2004	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
WCW-13	7/20/2004	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
WCW-13	11/3/2004	Parsons	<100	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
WCW-13	2/3/2005	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
WCW-13	5/5/2005	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
WCW-13	8/2/2005	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
WCW-13	11/5/2005	Parsons	<100	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
WCW-13	2/28/2006	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
WCW-13	5/5/2006	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--

TABLE 11

**HISTORICAL ANALYTICAL RESULTS FOR TPH, BTEX, 1-2 DCA, MTBE, TBA, and DIPE IN GROUNDWATER  
NOVEMBER 1996 THROUGH MAY 2010**

Defense Fuel Support Point Norwalk  
Norwalk, California

Results reported in micrograms per liter (µg/L)

Well	Date Sampled	Sampled By	TPHg	TPHd	TPHj <sub>p4</sub>	TPHj <sub>p5</sub>	TPHfp	TPH	Benzene	Toluene	Ethylbenzene	Total Xylenes	1,2-DCA	MTBE	TBA	DIPE
WCW-13	9/20/2006	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
WCW-13	12/8/2006	Parsons	<100	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
WCW-13	3/13/2007	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
WCW-13	5/1/2007	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
WCW-13	8/28/2007	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
WCW-13	11/13/2007	Parsons	<100	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
WCW-13	2/21/2008	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
WCW-13	4/18/2008	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
WCW-13	8/13/2008	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
WCW-13	10/17/2008	Parsons	<100	--	--	<100	--	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
WCW-13	2/23/2009	Blaine Tech	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
WCW-13	4/21/2009	Blaine Tech for AMEC GMX	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<1
WCW-13	7/20/2009	Blaine Tech	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<1
WCW-13	10/27/2009	Blaine Tech for DESC	<100	--	--	<100	--	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
WCW-13	3/15/2010	Blaine Tech for Parsons	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<1
WCW-13	5/24/2010	Blaine Tech	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<1
WCW-14	11/3/1998	GTI	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<b>1.5</b>	<0.5	--	--
WCW-14	11/03/1998	GTI	<300	<-	<-	<-	<100	<-	<0.5	<0.5	<0.5	<0.5	<b>1.5</b>	<0.5	<-	<-
WCW-14	5/6/1999	Alton Geoscience	<500	<500	--	--	--	--	<b>1.8</b>	<b>6.6</b>	<b>0.55</b>	<b>3</b>	<1	<0.5	--	--
WCW-14	11/17/1999	IT Corporation	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
WCW-14	11/17/1999	IT Corporation	<300	<-	<-	<-	<100	<-	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<-	<-
WCW-14	5/18/2000	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
WCW-14	05/18/2000	Secor	<300	<-	<-	<-	<100	<-	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<-	<-
WCW-14	11/30/2000	IT Corporation	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
WCW-14	11/30/2000	IT Corporation	<300	<-	<100	<-	<100	<-	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<-	<-
WCW-14	5/9/2001	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
WCW-14	11/8/2001	IT Corporation	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
WCW-14	11/08/2001	IT Corporation	<300	<-	<-	<-	<100	<-	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<-	<-
WCW-14	4/9/2002	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
WCW-14	10/24/2002	GTI	<300	--	--	--	<100	--	<0.5	<1	<1	<1	<0.5	<1	--	--
WCW-14	10/24/2002	GTI	<300	<-	<-	<-	<100	<-	<0.5	<1	<1	<1	<0.5	<1	<-	<-
WCW-14	4/9/2003	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
WCW-14	5/10/2004	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
WCW-14	11/3/2004	Parsons	<100	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
WCW-14	11/03/2004	Parsons	<100	<-	<-	<-	<100	<-	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
WCW-14	5/5/2005	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
WCW-14	11/5/2005	Parsons	<100	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
WCW-14	11/05/2005	Parsons	<100	<-	<-	<-	<100	<-	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
WCW-14	5/5/2006	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
WCW-14	12/8/2006	Parsons	<100	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
WCW-14	12/08/2006	Parsons	<100	<-	<-	<-	<100	<-	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
WCW-14	5/1/2007	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--

TABLE 11

**HISTORICAL ANALYTICAL RESULTS FOR TPH, BTEX, 1-2 DCA, MTBE, TBA, and DIPE IN GROUNDWATER  
NOVEMBER 1996 THROUGH MAY 2010**

Defense Fuel Support Point Norwalk  
Norwalk, California

Results reported in micrograms per liter (µg/L)

Well	Date Sampled	Sampled By	TPHg	TPHd	TPHj <sub>p4</sub>	TPHj <sub>p5</sub>	TPHfp	TPH	Benzene	Toluene	Ethylbenzene	Total Xylenes	1,2-DCA	MTBE	TBA	DIPE
WCW-14	11/13/2007	Parsons	<100	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
WCW-14	11/13/2007	Parsons	<100	<-	<-	<-	<100	<-	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
WCW-14	4/18/2008	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
WCW-14	10/17/2008	Parsons	<100	--	--	<100	--	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
WCW-14	10/17/2008	Parsons	<100	<-	<-	<-	<-	<-	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
WCW-14	4/21/2009	Blaine Tech for AMEC GMX	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<1
WCW-14	4/21/2009	Blaine Tech for AMEC GMX	<50	<-	<-	<100	<100	<-	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<1
WCW-14	10/27/2009	Blaine Tech for DESC	<100	--	--	<100	--	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
WCW-14	10/27/2009	Blaine Tech for DESC	<100	<-	<-	<-	<-	<-	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
WCW-14	5/25/2010	Blaine Tech	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<1
WCW-14	5/25/2010	Blaine Tech	<50	<-	<-	<-	<100	<-	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<1
WCW-2	11/25/1996	GSI	<50	<500	<500	--	--	--	<0.5	<0.5	<0.5	<1.5	<1.7	<5	--	--
WCW-2	7/8/1997	Terra Services	<100	<500	--	--	--	--	<0.5	<b>3.5</b>	<b>1.4</b>	<b>7.4</b>	<b>0.57</b>	<5	--	--
WCW-2	1/5/1998	GTI	<500	<100	<100	--	--	--	<0.5	<0.5	<0.5	<1	<b>1</b>	<0.5	--	--
WCW-2	5/19/1998	Terra Services	<300	--	--	--	--	--	<0.5	<0.5	<0.5	<1	<0.5	<0.5	--	--
WCW-2	8/25/1998	Geomatrix	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
WCW-2	11/4/1998	GTI	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
WCW-2	2/2/1999	Alton Geoscience	<500	<500	--	--	--	--	<0.5	<0.5	<0.5	<1	<1	<0.5	--	--
WCW-2	5/6/1999	Alton Geoscience	<500	<500	--	--	--	--	<0.5	<b>0.8</b>	<0.5	<0.5	<1	<0.5	--	--
WCW-2	8/10/1999	Alton Geoscience	<500	<1000	--	--	--	--	<0.5	<1	<1	<1	<0.5	<1	--	--
WCW-2	11/17/1999	IT Corporation	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
WCW-2	2/28/2000	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<b>2</b>	<0.5	--	--
WCW-2	5/18/2000	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
WCW-2	8/28/2000	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<b>0.6</b>	<0.5	--	--
WCW-2	11/30/2000	IT Corporation	<300	--	--	--	<100	--	<b>0.6</b>	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
WCW-2	2/5/2001	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
WCW-2	5/9/2001	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
WCW-2	9/18/2001	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
WCW-2	11/8/2001	IT Corporation	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
WCW-2	1/30/2002	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
WCW-2	4/9/2002	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
WCW-2	10/24/2002	GTI	<300	--	--	--	<100	--	<0.5	<1	<1	<1	<0.5	<1	--	--
WCW-2	4/10/2003	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
WCW-2	10/11/2003	Parsons	<100	--	--	--	<b>110</b>	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
WCW-2	4/21/2004	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
WCW-2	11/3/2004	Parsons	<100	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
WCW-2	5/5/2005	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
WCW-2	11/5/2005	Parsons	<100	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
WCW-2	5/5/2006	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
WCW-2	12/5/2006	Parsons	<100	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
WCW-2	5/1/2007	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
WCW-2	11/13/2007	Parsons	<100	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2

TABLE 11

**HISTORICAL ANALYTICAL RESULTS FOR TPH, BTEX, 1-2 DCA, MTBE, TBA, and DIPE IN GROUNDWATER  
NOVEMBER 1996 THROUGH MAY 2010**

Defense Fuel Support Point Norwalk  
Norwalk, California

Results reported in micrograms per liter (µg/L)

Well	Date Sampled	Sampled By	TPHg	TPHd	TPHj <sub>p4</sub>	TPHj <sub>p5</sub>	TPHfp	TPH	Benzene	Toluene	Ethylbenzene	Total Xylenes	1,2-DCA	MTBE	TBA	DIPE
WCW-2	4/18/2008	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
WCW-2	10/17/2008	Parsons	<100	--	--	<100	--	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
WCW-2	4/21/2009	Blaine Tech for AMEC GMX	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<1
WCW-2	10/26/2009	Blaine Tech for DESC	<100	--	--	<100	--	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
WCW-2	5/24/2010	Blaine Tech	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<1
WCW-3	11/25/1996	GSI	<b>120</b>	<500	<500	--	--	--	<0.7	<0.5	<0.5	<1.5	<b>190</b>	<5	--	--
WCW-3	7/15/1997	Terra Services	<b>100</b>	<500	--	--	--	--	<0.5	<0.5	<0.5	<1	<b>190</b>	<5	--	--
WCW-3	1/5/1998	GTI	<500	<b>200</b>	<100	--	--	--	<0.5	<0.5	<0.5	<1	<b>220</b>	<0.5	--	--
WCW-3	5/23/1998	Terra Services	<300	--	--	--	--	--	<0.5	<0.5	<0.5	<1	<b>201</b>	<0.5	--	--
WCW-3	8/26/1998	Geomatrix	<300	--	--	--	<b>304</b>	--	<2.5	<2.5	<2.5	<2.5	<b>200</b>	<2.5	--	--
WCW-3	11/3/1998	GTI	<300	--	--	--	<b>228</b>	--	<0.5	<0.5	<0.5	<0.5	<b>190</b>	<0.5	--	--
WCW-3	2/3/1999	Alton Geoscience	<1000	<500	--	--	--	--	<1	<1	<1	<2	<b>200</b>	<1	--	--
WCW-3	5/6/1999	Alton Geoscience	<500	<500	--	--	--	--	<0.5	<b>1.3</b>	<0.5	<0.5	<1	<b>1.1</b>	--	--
WCW-3	8/10/1999	Alton Geoscience	<500	<1000	--	--	--	--	<0.5	<1	<1	<1	<b>130</b>	<b>1.8</b>	--	--
WCW-3	11/17/1999	IT Corporation	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<b>100</b>	<b>3.3</b>	--	--
WCW-3	2/28/2000	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<b>100</b>	<0.5	--	--
WCW-3	5/18/2000	Secor	<300	--	--	--	<b>110</b>	--	<0.5	<0.5	<0.5	<0.5	<b>92</b>	<b>1</b>	--	--
WCW-3	8/28/2000	Secor	<300	--	--	--	<b>200</b>	--	<0.5	<0.5	<0.5	<0.5	<b>90</b>	<b>0.7</b>	--	--
WCW-3	11/30/2000	IT Corporation	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<b>68</b>	<0.5	--	--
WCW-3	2/5/2001	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<b>81</b>	<0.5	--	--
WCW-3	5/9/2001	Secor	<300	--	--	--	<b>120</b>	--	<0.5	<0.5	<0.5	<0.5	<b>63</b>	<0.5	--	--
WCW-3	9/19/2001	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<b>69</b>	<0.5	--	--
WCW-3	11/8/2001	IT Corporation	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<b>51</b>	<0.5	--	--
WCW-3	1/30/2002	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<b>34</b>	<0.5	--	--
WCW-3	4/9/2002	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<b>29</b>	<0.5	--	--
WCW-3	7/30/2002	IT Corporation	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<b>47</b>	<b>0.55</b>	--	--
WCW-3	10/24/2002	GTI	<300	--	--	--	<100	--	<0.5	<1	<1	<1	<b>39</b>	<1	--	--
WCW-3	1/28/2003	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<b>44</b>	<0.5	--	--
WCW-3	4/10/2003	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<b>34</b>	<0.5	--	--
WCW-3	7/30/2003	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<b>23</b>	<0.5	--	--
WCW-3	10/11/2003	Parsons	<100	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<b>22</b>	<0.5	--	--
WCW-3	1/28/2004	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<b>43</b>	<0.5	--	--
WCW-3	5/10/2004	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<b>33</b>	<0.5	--	--
WCW-3	7/20/2004	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<b>46</b>	<0.5	--	--
WCW-3	11/3/2004	Parsons	<100	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<b>33</b>	<0.5	<10	<2
WCW-3	2/3/2005	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<b>39</b>	<0.5	--	--
WCW-3	5/5/2005	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<b>31</b>	<0.5	--	--
WCW-3	8/2/2005	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<b>26</b>	<0.5	--	--
WCW-3	11/5/2005	Parsons	<100	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<b>19</b>	<0.5	<10	<2
WCW-3	2/28/2006	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<b>8.8</b>	<0.5	--	--
WCW-3	5/5/2006	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<b>10</b>	<0.5	--	--
WCW-3	9/20/2006	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<b>16</b>	<0.5	--	--
WCW-3	12/5/2006	Parsons	<100	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<b>6.6</b>	<0.5	<10	<2

TABLE 11

**HISTORICAL ANALYTICAL RESULTS FOR TPH, BTEX, 1-2 DCA, MTBE, TBA, and DIPE IN GROUNDWATER  
NOVEMBER 1996 THROUGH MAY 2010**

Defense Fuel Support Point Norwalk  
Norwalk, California

Results reported in micrograms per liter (µg/L)

Well	Date Sampled	Sampled By	TPHg	TPHd	TPHj <sub>p4</sub>	TPHj <sub>p5</sub>	TPHfp	TPH	Benzene	Toluene	Ethylbenzene	Total Xylenes	1,2-DCA	MTBE	TBA	DIPE	
WCW-3	3/13/2007	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--	
WCW-3	5/1/2007	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--	
WCW-3	8/28/2007	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--	
WCW-3	11/13/2007	Parsons	<100	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2	
WCW-3	2/21/2008	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--	
WCW-3	4/18/2008	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--	
WCW-3	8/13/2008	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<b>3.6</b>	<0.5	--	--
WCW-3	10/17/2008	Parsons	<100	--	--	<100	--	--	<0.5	<0.5	<0.5	<0.5	<b>1.3</b>	<0.5	<10	<2	
WCW-3	2/23/2009	Blaine Tech	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	--	
WCW-3	4/21/2009	Blaine Tech for AMEC GMX	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<1	
WCW-3	7/20/2009	Blaine Tech	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<b>1.7</b>	<0.5	<10	<1	
WCW-3	10/26/2009	Blaine Tech for DESC	<100	--	--	<100	--	--	<0.5	<0.5	<0.5	<0.5	<b>4</b>	<0.5	<10	<b>0.44</b>	
WCW-3	3/15/2010	Blaine Tech for Parsons	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<b>3.5</b>	<0.5	<10	<1	
WCW-3	5/24/2010	Blaine Tech	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<b>2.8</b>	<0.5	<10	<1	
WCW-4	11/22/1996	GSI	<50	<500	<500	--	--	--	<0.5	<0.5	<0.5	<1.5	<0.5	<5	--	--	
WCW-4	7/8/1997	Terra Services	<100	<500	--	--	--	--	<b>0.5</b>	<b>0.78</b>	<0.5	<1	<0.5	<5	--	--	
WCW-4	1/5/1998	GTI	<500	<100	<b>300</b>	--	--	--	<0.5	<0.5	<0.5	<1	<0.5	<0.5	--	--	
WCW-4	5/19/1998	Terra Services	<300	--	--	--	--	--	<0.5	<0.5	<0.5	<1	<0.5	<0.5	--	--	
WCW-4	11/3/1998	GTI	<300	--	--	--	<b>475</b>	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--	
WCW-4	5/6/1999	Alton Geoscience	<500	<500	--	--	--	--	<b>2.1</b>	<b>7.7</b>	<b>0.62</b>	<b>3.4</b>	<1	<0.5	--	--	
WCW-4	11/17/1999	IT Corporation	<300	--	--	--	<b>110</b>	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--	
WCW-4	5/18/2000	Secor	<300	--	--	--	<b>120</b>	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--	
WCW-4	11/30/2000	IT Corporation	<300	--	--	--	<b>160</b>	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--	
WCW-4	5/9/2001	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--	
WCW-4	11/8/2001	IT Corporation	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--	
WCW-4	4/9/2002	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--	
WCW-4	10/24/2002	GTI	<300	--	--	--	<100	<300	<0.5	<1	<1	<1	<0.5	<1	--	--	
WCW-4	4/10/2003	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--	
WCW-4	10/11/2003	Parsons	<100	--	--	--	<b>280</b>	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--	
WCW-4	5/10/2004	Secor	<50	--	--	--	<b>120</b>	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--	
WCW-4	11/3/2004	Parsons	<100	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2	
WCW-4	5/5/2005	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--	
WCW-4	11/5/2005	Parsons	<100	--	--	--	<b>110</b>	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2	
WCW-4	5/5/2006	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--	
WCW-4	12/5/2006	Parsons	<100	--	--	--	<b>120</b>	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2	
WCW-4	5/1/2007	Secor	<50	--	--	--	<b>250</b>	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--	
WCW-4	11/13/2007	Parsons	<100	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<b>0.72</b>	<10	<2	
WCW-4	4/18/2008	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<b>0.61</b>	--	--	
WCW-4	10/17/2008	Parsons	<100	--	--	<100	--	--	<0.5	<0.5	<0.5	<0.5	<0.5	<b>0.65</b>	<10	<2	
WCW-4	4/21/2009	Blaine Tech for AMEC GMX	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<b>0.51</b>	<10	<1	
WCW-4	10/26/2009	Blaine Tech for DESC	<100	--	--	<100	--	--	<0.5	<0.5	<0.5	<0.5	<0.5	<b>0.64</b>	<10	<2	

TABLE 11

**HISTORICAL ANALYTICAL RESULTS FOR TPH, BTEX, 1-2 DCA, MTBE, TBA, and DIPE IN GROUNDWATER  
NOVEMBER 1996 THROUGH MAY 2010**

Defense Fuel Support Point Norwalk  
Norwalk, California

Results reported in micrograms per liter (µg/L)

Well	Date Sampled	Sampled By	TPHg	TPHd	TPHj <sub>p4</sub>	TPHj <sub>p5</sub>	TPHfp	TPH	Benzene	Toluene	Ethylbenzene	Total Xylenes	1,2-DCA	MTBE	TBA	DIPE
WCW-4	5/27/2010	Blaine Tech	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<1
WCW-5	11/22/1996	GSI	<50	<500	<500	--	--	--	<0.5	<0.5	<0.5	<1.5	<0.5	<5	--	--
WCW-5	7/8/1997	Terra Services	<100	<500	--	--	--	--	<0.5	<b>7.7</b>	<0.5	<b>1.4</b>	<0.5	<5	--	--
WCW-5	1/5/1998	GTI	<500	<100	<100	--	--	--	<0.5	<0.5	<0.5	<1	<b>0.7</b>	<0.5	--	--
WCW-5	5/19/1998	Terra Services	<300	--	--	--	--	--	<0.5	<0.5	<0.5	<1	<0.5	<0.5	--	--
WCW-5	11/4/1998	GTI	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
WCW-5	5/5/1999	Alton Geoscience	<500	<500	--	--	--	--	<b>10</b>	<b>43</b>	<b>3.8</b>	<b>21</b>	<1	<0.5	--	--
WCW-5	11/17/1999	IT Corporation	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
WCW-5	5/16/2000	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
WCW-5	11/30/2000	IT Corporation	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
WCW-5	5/10/2001	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
WCW-5	11/8/2001	IT Corporation	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
WCW-5	4/11/2002	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
WCW-5	10/24/2002	GTI	<300	--	--	--	<100	--	<0.5	<1	<1	<1	<0.5	<1	--	--
WCW-5	4/10/2003	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
WCW-5	10/11/2003	Parsons	<100	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
WCW-5	5/10/2004	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
WCW-5	11/3/2004	Parsons	<100	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
WCW-5	5/6/2005	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
WCW-5	11/5/2005	Parsons	<100	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
WCW-5	5/5/2006	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
WCW-5	12/5/2006	Parsons	<100	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
WCW-5	5/1/2007	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
WCW-5	11/13/2007	Parsons	<100	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
WCW-5	4/18/2008	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
WCW-5	10/17/2008	Parsons	<100	--	--	<100	--	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
WCW-5	4/21/2009	Blaine Tech for AMEC GMX	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<1
WCW-5	10/26/2009	Blaine Tech for DESC	<100	--	--	<100	--	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
WCW-5	5/25/2010	Blaine Tech	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<1
WCW-6	11/22/1996	GSI	<b>230</b>	<500	<500	--	--	--	<0.5	<0.5	<0.5	<1.5	<b>220</b>	<b>24</b>	--	--
WCW-6	7/15/1997	Terra Services	<100	<500	--	--	--	--	<0.5	<0.5	<0.5	<1	<b>65</b>	<b>10</b>	--	--
WCW-6	1/5/1998	GTI	<500	<100	<100	--	--	--	<0.5	<0.5	<0.5	<1	<b>159</b>	<b>3</b>	--	--
WCW-6	5/26/1998	Terra Services	<300	--	--	--	--	--	<0.5	<0.5	<0.5	<1	<b>83</b>	<b>2</b>	--	--
WCW-6	11/4/1998	GTI	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<b>46</b>	<b>1.8</b>	--	--
WCW-6	5/6/1999	Alton Geoscience	<500	<500	--	--	--	--	<0.5	<0.5	<0.5	<0.5	<b>53</b>	<b>0.68</b>	--	--
WCW-6	11/17/1999	IT Corporation	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<b>11</b>	<0.5	--	--
WCW-6	5/16/2000	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<b>16</b>	<b>0.7</b>	--	--
WCW-6	11/30/2000	IT Corporation	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<b>2.7</b>	<0.5	--	--
WCW-6	5/9/2001	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<b>5.7</b>	<0.5	--	--
WCW-6	11/8/2001	IT Corporation	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<b>2.7</b>	<0.5	--	--
WCW-6	4/11/2002	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<b>1.7</b>	<0.5	--	--
WCW-6	10/24/2002	GTI	<300	--	--	--	<100	--	<0.5	<1	<1	<1	<0.5	<1	--	--
WCW-6	4/10/2003	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<b>1.4</b>	<0.5	--	--



TABLE 11

**HISTORICAL ANALYTICAL RESULTS FOR TPH, BTEX, 1-2 DCA, MTBE, TBA, and DIPE IN GROUNDWATER  
NOVEMBER 1996 THROUGH MAY 2010**

Defense Fuel Support Point Norwalk  
Norwalk, California

Results reported in micrograms per liter (µg/L)

Well	Date Sampled	Sampled By	TPHg	TPHd	TPHj <sub>p4</sub>	TPHj <sub>p5</sub>	TPHfp	TPH	Benzene	Toluene	Ethylbenzene	Total Xylenes	1,2-DCA	MTBE	TBA	DIPE
WCW-6	10/11/2003	Parsons	<100	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<b>0.93</b>	<0.5	--	--
WCW-6	5/10/2004	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<b>0.64</b>	<0.5	--	--
WCW-6	11/3/2004	Parsons	<100	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
WCW-6	5/5/2005	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
WCW-6	11/5/2005	Parsons	<100	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<b>1.1</b>	<0.5	<10	<2
WCW-6	5/5/2006	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
WCW-6	12/5/2006	Parsons	<100	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
WCW-6	5/2/2007	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
WCW-6	11/13/2007	Parsons	<100	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
WCW-6	4/18/2008	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
WCW-6	10/17/2008	Parsons	<100	--	--	<100	--	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
WCW-6	4/21/2009	Blaine Tech for AMEC GMX	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<1
WCW-6	10/26/2009	Blaine Tech for DESC	<100	--	--	<100	--	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
WCW-6	5/24/2010	Blaine Tech	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<1
WCW-7	11/22/1996	GSI	<50	<500	<500	--	--	--	<0.5	<0.5	<0.5	<1.5	<b>31</b>	<5	--	--
WCW-7	7/15/1997	Terra Services	<100	<500	--	--	--	--	<0.5	<0.5	<0.5	<1	<0.5	<5	--	--
WCW-7	1/5/1998	GTI	<500	<100	<100	--	--	--	<0.5	<0.5	<0.5	<1	<b>30</b>	<0.5	--	--
WCW-7	5/23/1998	Terra Services	<300	--	--	--	--	--	<0.5	<0.5	<0.5	<1	<b>30</b>	<0.5	--	--
WCW-7	11/4/1998	GTI	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<b>35</b>	<0.5	--	--
WCW-7	5/6/1999	Alton Geoscience	<500	<500	--	--	--	--	<0.5	<0.5	<0.5	<0.5	<b>45</b>	<0.5	--	--
WCW-7	11/18/1999	IT Corporation	<300	--	--	--	<b>190</b>	--	<0.5	<1	<0.5	<b>0.6</b>	<b>62</b>	<b>1.3</b>	--	--
WCW-7	5/16/2000	Secor	<300	--	--	--	<b>420</b>	--	<0.5	<0.5	<0.5	<0.5	<b>120</b>	<b>6.4</b>	--	--
WCW-7	11/30/2000	IT Corporation	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<b>83</b>	<b>6</b>	--	--
WCW-7	2/5/2001	Secor	<300	--	--	--	<b>230</b>	--	<0.5	<0.5	<0.5	<0.5	<b>95</b>	<b>6.1</b>	--	--
WCW-7	5/10/2001	Secor	<300	--	--	--	<b>180</b>	--	<0.5	<0.5	<0.5	<0.5	<b>91</b>	<b>9.3</b>	--	--
WCW-7	9/18/2001	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<b>140</b>	<b>12</b>	--	--
WCW-7	11/8/2001	IT Corporation	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<b>91</b>	<b>11</b>	--	--
WCW-7	1/30/2002	Secor	<300	--	--	--	<b>110</b>	--	<0.5	<0.5	<0.5	<0.5	<b>84</b>	<b>8.8</b>	--	--
WCW-7	4/11/2002	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<b>66</b>	<b>8.4</b>	--	--
WCW-7	7/30/2002	IT Corporation	<300	--	--	--	<b>260</b>	--	<0.5	<0.5	<0.5	<0.5	<b>74</b>	<b>8.6</b>	--	--
WCW-7	10/24/2002	GTI	<300	--	--	--	<100	--	<0.5	<1	<1	<1	<b>78</b>	<b>9.3</b>	--	--
WCW-7	1/28/2003	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<b>80</b>	<b>7.3</b>	--	--
WCW-7	4/10/2003	Secor	<100	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<b>69</b>	<b>6.8</b>	--	--
WCW-7	7/30/2003	Secor	<100	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<b>69</b>	<b>7.6</b>	--	--
WCW-7	10/11/2003	Parsons	<100	--	--	--	<b>260</b>	--	<0.5	<0.5	<0.5	<0.5	<b>84</b>	<b>9.4</b>	--	--
WCW-7	1/28/2004	Secor	<100	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<b>100</b>	<b>10</b>	--	--
WCW-7	5/10/2004	Secor	<100	--	--	--	<b>170</b>	--	<0.5	<0.5	<0.5	<0.5	<b>73</b>	<b>6.7</b>	--	--
WCW-7	7/20/2004	Secor	<b>140</b>	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<b>110</b>	<b>9</b>	--	--
WCW-7	11/3/2004	Parsons	<100	--	--	--	<b>330</b>	--	<0.5	<0.5	<0.5	<0.5	<b>84</b>	<b>11</b>	<b>51</b>	<b>29</b>
WCW-7	2/3/2005	Secor	<b>72</b>	--	--	--	<b>110</b>	--	<0.5	<0.5	<0.5	<0.5	<b>91</b>	<b>8.8</b>	--	--
WCW-7	5/5/2005	Secor	<100	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<b>83</b>	<b>6.9</b>	--	--
WCW-7	8/3/2005	Secor	<b>53</b>	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<b>49</b>	<b>14</b>	--	--
WCW-7	11/5/2005	Parsons	<100	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<b>14</b>	<b>6.7</b>	<10	<b>2.2</b>

TABLE 11

**HISTORICAL ANALYTICAL RESULTS FOR TPH, BTEX, 1-2 DCA, MTBE, TBA, and DIPE IN GROUNDWATER  
NOVEMBER 1996 THROUGH MAY 2010**

Defense Fuel Support Point Norwalk  
Norwalk, California

Results reported in micrograms per liter (µg/L)

Well	Date Sampled	Sampled By	TPHg	TPHd	TPHjp <sub>4</sub>	TPHjp <sub>5</sub>	TPHfp	TPH	Benzene	Toluene	Ethylbenzene	Total Xylenes	1,2-DCA	MTBE	TBA	DIPE
WCW-7	2/28/2006	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	2.5	0.84	--	--
WCW-7	5/5/2006	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	6	2.5	--	--
WCW-7	9/20/2006	Secor	<100	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	33	7.2	--	--
WCW-7	12/5/2006	Parsons	<100	--	--	--	210	--	<0.5	<0.5	<0.5	<0.5	36	8	<10	4.8
WCW-7	3/13/2007	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	32	5.4	--	--
WCW-7	5/2/2007	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	49	6.4	--	--
WCW-7	8/28/2007	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	56	7.1	--	--
WCW-7	11/14/2007	Parsons	<100	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	50	6.5	<10	9.2
WCW-7	2/21/2008	Secor	<50	--	--	--	110	--	<0.5	<0.5	<0.5	<0.5	43	5.9	--	--
WCW-7	4/18/2008	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	54	5.9	--	--
WCW-7	8/13/2008	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	55	5.3	--	--
WCW-7	10/17/2008	Parsons	<100	--	--	100	--	--	<0.5	<0.5	<0.5	<0.5	45	5.4	<10	12
WCW-7	2/24/2009	Blaine Tech	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	40	2.4	<10	--
WCW-7	4/22/2009	Blaine Tech for AMEC GMX	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	40	2.8	<10	6.6
WCW-7	7/21/2009	Blaine Tech	<50	--	--	--	120	--	<0.5	<0.5	<0.5	<0.5	31	1.9	<10	5.6
WCW-7	10/26/2009	Blaine Tech for DESC	<100	--	--	<100	--	--	<0.5	<0.5	<0.5	<0.5	40	1.8	<10	3.7
WCW-7	3/15/2010	Blaine Tech for Parsons	<50	--	--	--	130	--	<0.5	<0.5	<0.5	<0.5	30	1.8	<10	4
WCW-7	5/27/2010	Blaine Tech	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	23	1.2	<10	3.3
WCW-8	11/22/1996	GSI	84	<500	<500	--	--	--	<0.5	<0.5	<0.5	<1.5	0.5	<5	--	--
WCW-8	7/15/1997	Terra Services	<100	1,700	--	--	--	--	<0.5	<0.5	<0.5	<1	<0.5	<5	--	--
WCW-8	1/5/1998	GTI	<500	<100	1,300	--	--	--	<0.5	<0.5	<0.5	<1	<0.5	<0.5	--	--
WCW-8	5/26/1998	Terra Services	<300	--	--	--	--	--	<0.5	<0.5	<0.5	<1	<0.5	<0.5	--	--
WCW-8	11/3/1998	GTI	<300	--	--	--	2,590	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
WCW-8	5/6/1999	Alton Geoscience	<500	<500	--	--	--	--	<0.5	<0.5	<0.5	<0.5	<1	<0.5	--	--
WCW-8	11/18/1999	IT Corporation	<300	--	--	--	1,100	--	<0.5	<1	<0.5	<0.5	<0.5	<0.5	--	--
WCW-8	5/16/2000	Secor	<300	--	--	--	1,500	--	<0.5	<0.5	<0.5	<0.5	1.8	120	--	--
WCW-8	8/28/2000	Secor	<300	--	--	--	1,100	--	<0.5	<0.5	<0.5	<0.5	0.7	<0.5	--	--
WCW-8	11/30/2000	IT Corporation	<300	--	--	--	790	--	0.9	<0.5	<0.5	0.8	<0.5	<0.5	--	--
WCW-8	2/5/2001	Secor	<300	--	--	--	940	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
WCW-8	5/9/2001	Secor	<300	--	--	--	520	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
WCW-8	9/18/2001	Secor	<300	--	--	--	380	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
WCW-8	11/8/2001	IT Corporation	<300	--	--	--	220	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
WCW-8	1/30/2002	Secor	<300	--	--	--	530	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
WCW-8	4/11/2002	Secor	<300	--	--	--	470	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
WCW-8	10/24/2002	GTI	<300	--	--	--	360	--	<0.5	<1	<1	<1	<0.5	<1	--	--
WCW-8	4/10/2003	Secor	61	--	--	--	270	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
WCW-8	10/11/2003	Parsons	<100	--	--	--	430	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
WCW-8	5/10/2004	Secor	55	--	--	--	160	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
WCW-8	11/3/2004	Parsons	<100	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
WCW-8	5/5/2005	Secor	<50	--	--	--	100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
WCW-8	11/5/2005	Parsons	<100	--	--	--	210	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
WCW-8	5/5/2006	Secor	<50	--	--	--	110	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--

TABLE 11

**HISTORICAL ANALYTICAL RESULTS FOR TPH, BTEX, 1-2 DCA, MTBE, TBA, and DIPE IN GROUNDWATER  
NOVEMBER 1996 THROUGH MAY 2010**

Defense Fuel Support Point Norwalk  
Norwalk, California

Results reported in micrograms per liter (µg/L)

Well	Date Sampled	Sampled By	TPHg	TPHd	TPHjp <sub>4</sub>	TPHjp <sub>5</sub>	TPHfp	TPH	Benzene	Toluene	Ethylbenzene	Total Xylenes	1,2-DCA	MTBE	TBA	DIPE
WCW-8	12/5/2006	Parsons	<100	--	--	--	<b>450</b>	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
WCW-8	5/2/2007	Secor	<50	--	--	--	<b>160</b>	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
WCW-8	11/14/2007	Parsons	<100	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<2
WCW-8	4/18/2008	Secor	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<b>0.6</b>	--	--
WCW-8	10/17/2008	Parsons	<100	--	--	<b>230</b>	--	--	<0.5	<0.5	<0.5	<0.5	<0.5	<b>1.1</b>	<10	<2
WCW-8	4/21/2009	Blaine Tech for AMEC GMX	<50	--	--	--	<b>210</b>	--	<0.5	<0.5	<0.5	<0.5	<0.5	<b>0.59</b>	<10	<1
WCW-8	10/26/2009	Blaine Tech for DESC	<100	--	--	<b>200</b>	--	--	<0.5	<0.5	<0.5	<0.5	<0.5	<b>1.1</b>	<10	<2
WCW-8	5/27/2010	Blaine Tech	<50	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<1
WCW-9	11/22/1996	GSI	<50	<500	<500	--	--	--	<0.5	<0.5	<0.5	<1.5	<0.5	<5	--	--
WCW-9	7/8/1997	Terra Services	<100	<500	--	--	--	--	<0.5	<b>1.1</b>	<0.5	<b>1.1</b>	<0.5	<5	--	--
WCW-9	1/5/1998	GTI	<500	<100	<100	--	--	--	<0.5	<0.5	<0.5	<1	<0.5	<0.5	--	--
WCW-9	5/19/1998	Terra Services	--	--	--	--	--	--	<0.5	<0.5	<0.5	<1	<0.5	<0.5	--	--
WCW-9	11/3/1998	GTI	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
WCW-9	5/6/1999	Alton Geoscience	<500	<500	--	--	--	--	<0.5	<0.5	<0.5	<0.5	<1	<0.5	--	--
WCW-9	11/18/1999	IT Corporation	<300	--	--	--	<100	--	<0.5	<1	<0.5	<0.5	<0.5	<0.5	--	--
WCW-9	5/16/2000	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
WCW-9	11/30/2000	IT Corporation	<300	--	--	--	<100	--	<b>0.6</b>	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
WCW-9	5/10/2001	Secor	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
WCW-9	11/8/2001	IT Corporation	<300	--	--	--	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
WCW-9	4/11/2002	Secor	<300	--	--	--	<100	--	<0.5	<b>&lt;0.5</b>	<0.5	<0.5	<0.5	<0.5	--	--

**Notes:**

TPHg = total purgeable petroleum hydrocarbons quantified against a gasoline standard.

TPHfp = total extractable petroleum hydrocarbons quantified against a site fuel product standard.

TPHjp<sub>4</sub> = total extractable petroleum hydrocarbons quantified as Jet Propellant #4.

TPHjp<sub>5</sub> = total extractable petroleum hydrocarbons quantified as Jet Propellant #5.

1,2-DCA = 1,2-dichloroethane.

MTBE = methyl tertiary butyl ether.

TBA = tertiary butyl alcohol.

DIPE = diisopropyl ether.

-- = not analyzed.

< = not detected above the indicated laboratory reporting limit.

TABLE 12

**SUMMARY OF FIELD DUPLICATE RESULTS  
JANUARY THROUGH MAY 2010**

Defense Fuel Support Point Norwalk  
Norwalk, California

Results reported in micrograms per liter (µg/L)

Well	Sample Date	Event	TPHg	TPHfp	TPHjp <sub>5</sub>	Benzene	Toluene	Ethylbenzene	Xylenes	1,2-DCA	MTBE	TBA
GMW-47	1/11/2010	Sentry	--	--	<b>1,200</b>	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<b>15</b>
GMW-58	1/11/2010	Sentry	--	--	<b>170</b>	<b>9.5</b>	<0.5	<0.5	<0.5	<0.5	<b>1.6</b>	<10
GMW-O-14	3/16/2010	Sentry	<b>50,000</b>	<b>20,000</b>	--	<b>12,000</b>	<b>5,700</b>	<b>1,600</b>	<b>4,300</b>	<200	<100	<2000
GMW-O-18	3/16/2010	Sentry	<50	<100	--	<b>0.5</b>	<b>1.1</b>	<0.5	<b>1.48</b>	<0.5	<b>3.6</b>	<b>450</b>
PZ-5	3/16/2010	Sentry	<b>1,700</b>	<b>850</b>	--	<b>360</b>	<2	33	<b>9.7</b>	<4	<b>340</b>	<b>60,000</b>
GMW-17	4/14/2010	Semiannual	<b>1,400</b>	--	<b>1,800</b>	<b>56</b>	<0.5	<b>5.2</b>	<b>1.8</b>	--	<0.5	<10
GMW-12	4/15/2010	Semiannual	--	--	<b>360</b>	<0.5	<0.5	<0.5	<0.5	--	<0.5	<b>4.4</b>
GMW-O-18 *	4/16/2010	Monthly	<b>1,000</b>	<b>7,300</b>	--	<b>0.57</b>	<0.5	<b>2.7</b>	<b>11.2</b>	<0.5	<b>1.1</b>	<b>2,400</b>
GMW-58	4/19/2010	Semiannual	--	--	<b>210</b>	<b>12</b>	<0.5	<0.5	<0.5	<0.5	<b>0.77</b>	<b>4.4</b>
GMW-59	4/19/2010	Semiannual	<b>3,000</b>	--	<b>2,600</b>	<b>510</b>	<0.5	<b>1.9</b>	<0.5	<0.5	<b>2.3</b>	<b>13</b>
GMW-O-18	5/25/2010	Semiannual	<b>120</b>	<b>730</b>	--	<0.5	<0.5	<0.5	<0.5	<1	<b>3</b>	<b>6,100</b>
GMW-1	5/27/2010	Semiannual	<b>880</b>	<b>2,000</b>	--	<b>54</b>	<b>5</b>	<b>44</b>	<b>2.2</b>	<2	<1	<20
GMW-39	5/27/2010	Semiannual	<50	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10
PZ-5	5/27/2010	Semiannual	<b>3,100 J</b>	<b>1,400</b>	--	<b>1,000</b>	<25	<b>63</b>	<25	<50	<b>350</b>	<b>68,000</b>
GMW-O-14	5/28/2010	Semiannual	<b>27,000</b>	<b>7,800</b>	--	<b>8,100</b>	<b>1,500</b>	<b>370</b>	<b>2,200</b>	<b>110</b>	<25	<500

**Notes:**

TPHg = total purgeable petroleum hydrocarbons quantified against a gasoline standard.

TPHfp = total extractable petroleum hydrocarbons quantified against a site fuel product standard.

TPHjp<sub>5</sub> = total extractable petroleum hydrocarbons quantified as Jet Propellant #5.

Xylenes = total of m,p-xylene and o-xylene when detected.

1,2-DCA = 1,2-Dichloroethane.

MTBE = Methyl tertiary butyl ether.

TBA = Tertiary Butyl Alcohol.

DIPE = Diisopropyl Ether.

--- = not analyzed.

< = not detected at or above the reporting limit shown.

J = the analyte was positively identified, the associated numerical value is the approximate concentration of the analyte in the sample January and April samples collected by Blaine Tech Services, Inc., on behalf of DESC.

March and May samples collected by Blaine Tech Services, Inc., on behalf of SFPP.

\* April 16 sample collected by Blaine Tech Services, Inc., on behalf of SFPP.

TABLE 13

**SUMMARY OF QUALITY ASSURANCE/QUALITY CONTROL ANALYTICAL DATA**  
**JANUARY THROUGH MAY 2010**  
 Defense Fuel Support Point Norwalk  
 Norwalk, California

Results reported in micrograms per liter (µg/L)

Sample ID	Sample Date	Sample Type	Event	TPHg	TPHfp	TPHjp <sub>5</sub>	Benzene	Toluene	Ethylbenzene	Xylenes	1,2-DCA	MTBE	TBA
TB	1/11/2010	Trip Blank	Sentry	<100	--	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10
TB2	1/12/2010	Trip Blank	Sentry	--	--	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10
TB3	1/13/2010	Trip Blank	Sentry	<100	--	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10
EB-1	3/15/2010	Equipment Blank	Sentry	<50	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10
TB-1	3/15/2010	Trip Blank	Sentry	<50	--	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10
EB-2	3/16/2010	Equipment Blank	Sentry	<50	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10
TB-2	3/16/2010	Trip Blank	Sentry	--	--	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10
TB-1	4/12/2010	Trip Blank	Semiannual	--	--	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10
TB-2	4/13/2010	Trip Blank	Semiannual	--	--	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10
TB-3	4/14/2010	Trip Blank	Semiannual	--	--	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10
TB-4	4/15/2010	Trip Blank	Semiannual	--	--	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10
EB-1 *	4/16/2010	Equipment Blank	Monthly	<50	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10
TB-1 *	4/16/2010	Trip Blank	Monthly	<50	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10
TB-5	4/16/2010	Trip Blank	Semiannual	--	--	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10
TB-6	4/19/2010	Trip Blank	Semiannual	--	--	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10
EB-1	5/24/2010	Equipment Blank	Semiannual	<50	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10
EB-2	5/24/2010	Equipment Blank	Semiannual	<50	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10
TB-1	5/24/2010	Trip Blank	Semiannual	--	--	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10
EB-3	5/25/2010	Equipment Blank	Semiannual	<50	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10
EB-4	5/25/2010	Equipment Blank	Semiannual	<50	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10
TB-2	5/25/2010	Trip Blank	Semiannual	--	--	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10
EB-5	5/26/2010	Equipment Blank	Semiannual	<50	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10
EB-6	5/26/2010	Equipment Blank	Semiannual	<50	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10
TB-3	5/26/2010	Trip Blank	Semiannual	--	--	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10
EB-7	5/27/2010	Equipment Blank	Semiannual	<50	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10
EB-8	5/27/2010	Equipment Blank	Semiannual	<50	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10
TB-4	5/27/2010	Trip Blank	Semiannual	--	--	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10
EB-10	5/28/2010	Equipment Blank	Semiannual	<50	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10
EB-9	5/28/2010	Equipment Blank	Semiannual	<50	<100	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10
TB-5	5/28/2010	Trip Blank	Semiannual	--	--	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10

**Notes:**

TPHg = total purgeable petroleum hydrocarbons quantified against a gasoline standard.

TPHfp = total extractable petroleum hydrocarbons quantified against a site fuel product standard.

TPHjp<sub>5</sub> = total extractable petroleum hydrocarbons quantified as Jet Propellant #5.

Xylenes = total of m,p-xylene and o-xylene when detected.

1,2-DCA = 1,2-Dichloroethane.

MTBE = Methyl tertiary butyl ether.

TBA = Tertiary Butyl Alcohol.

&lt; = not detected at or above the reporting limit shown.

--- = not analyzed.

January and April samples collected by Blaine Tech Services, Inc., on behalf of DESC.

March and May samples collected by Blaine Tech Services, Inc., on behalf of SFPP.

\* April 16 sample collected by Blaine Tech Services, Inc., on behalf of SFPP.