



CH2M
6 Hutton Centre Drive
Suite 700
Santa Ana, CA 92707
O +1 714 429 2000
F +1 714 429 2050
www.ch2m.com

South Coast Air Quality Management District
Energy, Terminals, and Waste Management Permitting
Engineering and Compliance Division
21865 Copley Drive
Diamond Bar, CA 91765-4178

July 20, 2017

Subject: Results of the First Month's Data for SCAQMD Permit to Operate (Permit No. G46187, A/N 578777) of the Soil Vapor Extraction and Biosparge System at the SFPP Norwalk Pump Station, Norwalk, California (Facility ID 110835)

To Whom it May Concern,

This letter has been prepared on behalf of SFPP, L.P. (SFPP), an operating partnership of Kinder Morgan Energy Partners, L.P. (Kinder Morgan), to provide results of the first month of operation of the soil vapor extraction (SVE) and biosparge system at the SFPP Norwalk Pump Station located at 15306 Norwalk Boulevard, Norwalk, California (Facility identification [ID] 110835). The SVE and biosparge system at the SFPP Norwalk Pump Station are operating under the South Coast Air Quality Management District (SCAQMD) permit to operate number (No.) G46187 (A/N 578777). As part of Condition 10 of the permit, a Rule 1166 Notification was submitted to SCAQMD on June 2, 2017, notifying them that the SVE and biosparge system at the SFPP Norwalk Pump Station will start on June 6, 2017. The results of the first month of operation included in this letter are submitted to SCAQMD in compliance with Condition 18 of the permit.

The SVE system was restarted on June 6, 2017, and air flow (post-dilution) and temperature in the combustion chamber of the regenerative thermal oxidizer (RTO) was recorded from June 6 to July 6, 2017. The data are included in Table 1. The maximum process air flow during that period was 2,204 standard cubic feet per minute (scfm), which is less than the permitted maximum flow rate of 3,000 scfm specified in Condition 11 of the permit. During that same period, the minimum chamber temperature while the RTO is processing system vapors was 1,538 degrees Fahrenheit (°F), which is above the required minimum temperature of 1,500°F specified in Condition 13 of the permit.

Influent and effluent samples, a primary and a duplicate sample, were collected from the inlet and the discharge stack of the RTO on June 7, 2017. Laboratory analytical data are tabulated in Table 2; the laboratory analytical report is included as Attachment A. Results of the effluent sample indicate that no volatile organic compounds (VOCs) listed in Condition 15 exceeded their respective emissions limits. Additionally, total chlorides emitted as hydrogen chloride (HCl) did not exceed 1 pound per day as required by Condition 7. For the sample from July 7, 2017, total mass of chlorides as HCl was calculated as 0.0004 pound per day.

As part of Condition 8 of the permit, VOC concentration was measured at least once a week at the inlet and outlet of the RTO with a calibrated photoionization detector. Results of the weekly VOC measurements are shown in Table 3. Results show VOCs as hexane were not detected at the stack of the RTO.

As described in this letter, operation of the system complies with Permit No. G46187 requirements. Please let us know if you have questions or need further information. I can be reached at (404) 323-1600. We look forward to your response.

Regards,

CH2M HILL Engineers, Inc.

A handwritten signature in black ink, appearing to read "Eric Davis".

Eric Davis
Project Manager

c: Steve Defibaugh, Kinder Morgan

Attachments:

- Table 1. Regenerative Thermal Oxidizer Flow and Temperature Data From June 6 to July 6, 2017
- Table 2: Regenerative Thermal Oxidizer Effluent Analytical Results for June 2017
- Table 3. Vapor Remediation System Operation Summary
- Attachment A: Laboratory Analytical Report

Tables

Table 1. Regenerative Thermal Oxidizer Flow and Temperature Data From June 6 to July 6, 2017

SFPF Norwalk Pump Station, Norwalk, California

Maximum Process Flow (SCFM): 2204 Permit Limit < 3000 SCFM
 Minimum Process Temperature at Process Flow Greater Than 1 SCFM: 1538 Permit Limit > 1500°F

< = less than Sat = Saturday
 > = greater than SCFM = standard cubic foot (feet) per minute
 °F = degree Fahrenheit Sun = Sunday
 Fri = Friday Thu = Thursday
 Jul = July Tue = Tuesday
 Jun = June Wed = Wednesday
 Mon = Monday

Date/Time	Process Temperature (°F)	Process Flow SCFM
Tue Jun 06 2017 00:00:00.0000	1148	0
Tue Jun 06 2017 00:01:00.0000	1139	0
Tue Jun 06 2017 00:02:00.0000	1139	0
Tue Jun 06 2017 00:03:00.0000	1139	0
Tue Jun 06 2017 00:04:00.0000	1139	0
Tue Jun 06 2017 00:05:00.0000	1139	0
Tue Jun 06 2017 00:06:00.0000	1139	0
Tue Jun 06 2017 00:07:00.0000	1139	0
Tue Jun 06 2017 00:08:00.0000	1139	0
Tue Jun 06 2017 00:09:00.0000	1139	0
Tue Jun 06 2017 00:10:00.0000	1139	0
Tue Jun 06 2017 00:11:00.0000	1139	0
Tue Jun 06 2017 00:12:00.0000	1139	0
Tue Jun 06 2017 00:13:00.0000	1139	0
Tue Jun 06 2017 00:14:00.0000	1139	0
Tue Jun 06 2017 00:15:00.0000	1139	0
Tue Jun 06 2017 00:16:00.0000	1130	0
Tue Jun 06 2017 00:17:00.0000	1130	0
Tue Jun 06 2017 00:18:00.0000	1130	0
Tue Jun 06 2017 00:19:00.0000	1130	0
Tue Jun 06 2017 00:20:00.0000	1130	0
Tue Jun 06 2017 00:21:00.0000	1130	0
Tue Jun 06 2017 00:22:00.0000	1130	0
Tue Jun 06 2017 00:23:00.0000	1130	0
Tue Jun 06 2017 00:24:00.0000	1130	0
Tue Jun 06 2017 00:25:00.0000	1130	0
Tue Jun 06 2017 00:26:00.0000	1130	0
Tue Jun 06 2017 00:27:00.0000	1130	0
Tue Jun 06 2017 00:28:00.0000	1130	0
Tue Jun 06 2017 00:29:00.0000	1130	0
Tue Jun 06 2017 00:30:00.0000	1130	0
Tue Jun 06 2017 00:31:00.0000	1122	0
Tue Jun 06 2017 00:32:00.0000	1122	0
Tue Jun 06 2017 00:33:00.0000	1122	0
Tue Jun 06 2017 00:34:00.0000	1122	0
Tue Jun 06 2017 00:35:00.0000	1122	0
Tue Jun 06 2017 00:36:00.0000	1122	0
Tue Jun 06 2017 00:37:00.0000	1122	0
Tue Jun 06 2017 00:38:00.0000	1122	0
Tue Jun 06 2017 00:39:00.0000	1122	0
Tue Jun 06 2017 00:40:00.0000	1122	0
Tue Jun 06 2017 00:41:00.0000	1122	0
Tue Jun 06 2017 00:42:00.0000	1122	0
Tue Jun 06 2017 00:43:00.0000	1122	0
Tue Jun 06 2017 00:44:00.0000	1122	0
Tue Jun 06 2017 00:45:00.0000	1122	0

Date/Time	Process Temperature (°F)	Process Flow SCFM
Tue Jun 06 2017 00:46:00.0000	1113	0
Tue Jun 06 2017 00:47:00.0000	1113	0
Tue Jun 06 2017 00:48:00.0000	1113	0
Tue Jun 06 2017 00:49:00.0000	1113	0
Tue Jun 06 2017 00:50:00.0000	1113	0
Tue Jun 06 2017 00:51:00.0000	1113	0
Tue Jun 06 2017 00:52:00.0000	1113	0
Tue Jun 06 2017 00:53:00.0000	1113	0
Tue Jun 06 2017 00:54:00.0000	1113	0
Tue Jun 06 2017 00:55:00.0000	1113	0
Tue Jun 06 2017 00:56:00.0000	1113	0
Tue Jun 06 2017 00:57:00.0000	1113	0
Tue Jun 06 2017 00:58:00.0000	1113	0
Tue Jun 06 2017 00:59:00.0000	1113	0
Tue Jun 06 2017 01:00:00.0000	1113	0
Tue Jun 06 2017 01:01:00.0000	1105	0
Tue Jun 06 2017 01:02:00.0000	1105	0
Tue Jun 06 2017 01:03:00.0000	1105	0
Tue Jun 06 2017 01:04:00.0000	1105	0
Tue Jun 06 2017 01:05:00.0000	1105	0
Tue Jun 06 2017 01:06:00.0000	1105	0
Tue Jun 06 2017 01:07:00.0000	1105	0
Tue Jun 06 2017 01:08:00.0000	1105	0
Tue Jun 06 2017 01:09:00.0000	1105	0
Tue Jun 06 2017 01:10:00.0000	1105	0
Tue Jun 06 2017 01:11:00.0000	1105	0
Tue Jun 06 2017 01:12:00.0000	1105	0
Tue Jun 06 2017 01:13:00.0000	1105	0
Tue Jun 06 2017 01:14:00.0000	1105	0
Tue Jun 06 2017 01:15:00.0000	1105	0
Tue Jun 06 2017 01:16:00.0000	1097	0
Tue Jun 06 2017 01:17:00.0000	1097	0
Tue Jun 06 2017 01:18:00.0000	1097	0
Tue Jun 06 2017 01:19:00.0000	1097	0
Tue Jun 06 2017 01:20:00.0000	1097	0
Tue Jun 06 2017 01:21:00.0000	1097	0
Tue Jun 06 2017 01:22:00.0000	1097	0
Tue Jun 06 2017 01:23:00.0000	1097	0
Tue Jun 06 2017 01:24:00.0000	1097	0
Tue Jun 06 2017 01:25:00.0000	1097	0
Tue Jun 06 2017 01:26:00.0000	1097	0
Tue Jun 06 2017 01:27:00.0000	1097	0
Tue Jun 06 2017 01:28:00.0000	1097	0
Tue Jun 06 2017 01:29:00.0000	1097	0
Tue Jun 06 2017 01:30:00.0000	1097	0
Tue Jun 06 2017 01:31:00.0000	1089	0
Tue Jun 06 2017 01:32:00.0000	1089	0
Tue Jun 06 2017 01:33:00.0000	1089	0
Tue Jun 06 2017 01:34:00.0000	1089	0
Tue Jun 06 2017 01:35:00.0000	1089	0
Tue Jun 06 2017 01:36:00.0000	1089	0
Tue Jun 06 2017 01:37:00.0000	1089	0
Tue Jun 06 2017 01:38:00.0000	1089	0
Tue Jun 06 2017 01:39:00.0000	1089	0
Tue Jun 06 2017 01:40:00.0000	1089	0
Tue Jun 06 2017 01:41:00.0000	1089	0
Tue Jun 06 2017 01:42:00.0000	1089	0

Date/Time	Process Temperature (°F)	Process Flow SCFM
Tue Jun 06 2017 01:43:00.0000	1089	0
Tue Jun 06 2017 01:44:00.0000	1089	0
Tue Jun 06 2017 01:45:00.0000	1089	0
Tue Jun 06 2017 01:46:00.0000	1081	0
Tue Jun 06 2017 01:47:00.0000	1081	0
Tue Jun 06 2017 01:48:00.0000	1081	0
Tue Jun 06 2017 01:49:00.0000	1081	0
Tue Jun 06 2017 01:50:00.0000	1081	0
Tue Jun 06 2017 01:51:00.0000	1081	0
Tue Jun 06 2017 01:52:00.0000	1081	0
Tue Jun 06 2017 01:53:00.0000	1081	0
Tue Jun 06 2017 01:54:00.0000	1081	0
Tue Jun 06 2017 01:55:00.0000	1081	0
Tue Jun 06 2017 01:56:00.0000	1081	0
Tue Jun 06 2017 01:57:00.0000	1081	0
Tue Jun 06 2017 01:58:00.0000	1081	0
Tue Jun 06 2017 01:59:00.0000	1081	0
Tue Jun 06 2017 02:00:00.0000	1081	0
Tue Jun 06 2017 02:01:00.0000	1073	0
Tue Jun 06 2017 02:02:00.0000	1073	0
Tue Jun 06 2017 02:03:00.0000	1073	0
Tue Jun 06 2017 02:04:00.0000	1073	0
Tue Jun 06 2017 02:05:00.0000	1073	0
Tue Jun 06 2017 02:06:00.0000	1073	0
Tue Jun 06 2017 02:07:00.0000	1073	0
Tue Jun 06 2017 02:08:00.0000	1073	0
Tue Jun 06 2017 02:09:00.0000	1073	0
Tue Jun 06 2017 02:10:00.0000	1073	0
Tue Jun 06 2017 02:11:00.0000	1073	0
Tue Jun 06 2017 02:12:00.0000	1073	0
Tue Jun 06 2017 02:13:00.0000	1073	0
Tue Jun 06 2017 02:14:00.0000	1073	0
Tue Jun 06 2017 02:15:00.0000	1073	0
Tue Jun 06 2017 02:16:00.0000	1066	0
Tue Jun 06 2017 02:17:00.0000	1066	0
Tue Jun 06 2017 02:18:00.0000	1066	0
Tue Jun 06 2017 02:19:00.0000	1066	0
Tue Jun 06 2017 02:20:00.0000	1066	0
Tue Jun 06 2017 02:21:00.0000	1066	0
Tue Jun 06 2017 02:22:00.0000	1066	0
Tue Jun 06 2017 02:23:00.0000	1066	0
Tue Jun 06 2017 02:24:00.0000	1066	0
Tue Jun 06 2017 02:25:00.0000	1066	0
Tue Jun 06 2017 02:26:00.0000	1066	0
Tue Jun 06 2017 02:27:00.0000	1066	0
Tue Jun 06 2017 02:28:00.0000	1066	0
Tue Jun 06 2017 02:29:00.0000	1066	0
Tue Jun 06 2017 02:30:00.0000	1066	0
Tue Jun 06 2017 02:31:00.0000	1059	0
Tue Jun 06 2017 02:32:00.0000	1059	0
Tue Jun 06 2017 02:33:00.0000	1059	0
Tue Jun 06 2017 02:34:00.0000	1059	0
Tue Jun 06 2017 02:35:00.0000	1059	0
Tue Jun 06 2017 02:36:00.0000	1059	0
Tue Jun 06 2017 02:37:00.0000	1059	0
Tue Jun 06 2017 02:38:00.0000	1059	0
Tue Jun 06 2017 02:39:00.0000	1059	0

Date/Time	Process Temperature (°F)	Process Flow SCFM
Tue Jun 06 2017 02:40:00.0000	1059	0
Tue Jun 06 2017 02:41:00.0000	1059	0
Tue Jun 06 2017 02:42:00.0000	1059	0
Tue Jun 06 2017 02:43:00.0000	1059	0
Tue Jun 06 2017 02:44:00.0000	1059	0
Tue Jun 06 2017 02:45:00.0000	1059	0
Tue Jun 06 2017 02:46:00.0000	1052	0
Tue Jun 06 2017 02:47:00.0000	1052	0
Tue Jun 06 2017 02:48:00.0000	1052	0
Tue Jun 06 2017 02:49:00.0000	1052	0
Tue Jun 06 2017 02:50:00.0000	1052	0
Tue Jun 06 2017 02:51:00.0000	1052	0
Tue Jun 06 2017 02:52:00.0000	1052	0
Tue Jun 06 2017 02:53:00.0000	1052	0
Tue Jun 06 2017 02:54:00.0000	1052	0
Tue Jun 06 2017 02:55:00.0000	1052	0
Tue Jun 06 2017 02:56:00.0000	1052	0
Tue Jun 06 2017 02:57:00.0000	1052	0
Tue Jun 06 2017 02:58:00.0000	1052	0
Tue Jun 06 2017 02:59:00.0000	1052	0
Tue Jun 06 2017 03:00:00.0000	1052	0
Tue Jun 06 2017 03:01:00.0000	1045	0
Tue Jun 06 2017 03:02:00.0000	1045	0
Tue Jun 06 2017 03:03:00.0000	1045	0
Tue Jun 06 2017 03:04:00.0000	1045	0
Tue Jun 06 2017 03:05:00.0000	1045	0
Tue Jun 06 2017 03:06:00.0000	1045	0
Tue Jun 06 2017 03:07:00.0000	1045	0
Tue Jun 06 2017 03:08:00.0000	1045	0
Tue Jun 06 2017 03:09:00.0000	1045	0
Tue Jun 06 2017 03:10:00.0000	1045	0
Tue Jun 06 2017 03:11:00.0000	1045	0
Tue Jun 06 2017 03:12:00.0000	1045	0
Tue Jun 06 2017 03:13:00.0000	1045	0
Tue Jun 06 2017 03:14:00.0000	1045	0
Tue Jun 06 2017 03:15:00.0000	1045	0
Tue Jun 06 2017 03:16:00.0000	1038	0
Tue Jun 06 2017 03:17:00.0000	1038	0
Tue Jun 06 2017 03:18:00.0000	1038	0
Tue Jun 06 2017 03:19:00.0000	1038	0
Tue Jun 06 2017 03:20:00.0000	1038	0
Tue Jun 06 2017 03:21:00.0000	1038	0
Tue Jun 06 2017 03:22:00.0000	1038	0
Tue Jun 06 2017 03:23:00.0000	1038	0
Tue Jun 06 2017 03:24:00.0000	1038	0
Tue Jun 06 2017 03:25:00.0000	1038	0
Tue Jun 06 2017 03:26:00.0000	1038	0
Tue Jun 06 2017 03:27:00.0000	1038	0
Tue Jun 06 2017 03:28:00.0000	1038	0
Tue Jun 06 2017 03:29:00.0000	1038	0
Tue Jun 06 2017 03:30:00.0000	1038	0
Tue Jun 06 2017 03:31:00.0000	1031	0
Tue Jun 06 2017 03:32:00.0000	1031	0
Tue Jun 06 2017 03:33:00.0000	1031	0
Tue Jun 06 2017 03:34:00.0000	1031	0
Tue Jun 06 2017 03:35:00.0000	1031	0
Tue Jun 06 2017 03:36:00.0000	1031	0

Date/Time	Process Temperature (°F)	Process Flow SCFM
Tue Jun 06 2017 03:37:00.0000	1031	0
Tue Jun 06 2017 03:38:00.0000	1031	0
Tue Jun 06 2017 03:39:00.0000	1031	0
Tue Jun 06 2017 03:40:00.0000	1031	0
Tue Jun 06 2017 03:41:00.0000	1031	0
Tue Jun 06 2017 03:42:00.0000	1031	0
Tue Jun 06 2017 03:43:00.0000	1031	0
Tue Jun 06 2017 03:44:00.0000	1031	0
Tue Jun 06 2017 03:45:00.0000	1031	0
Tue Jun 06 2017 03:46:00.0000	1024	0
Tue Jun 06 2017 03:47:00.0000	1024	0
Tue Jun 06 2017 03:48:00.0000	1024	0
Tue Jun 06 2017 03:49:00.0000	1024	0
Tue Jun 06 2017 03:50:00.0000	1024	0
Tue Jun 06 2017 03:51:00.0000	1024	0
Tue Jun 06 2017 03:52:00.0000	1024	0
Tue Jun 06 2017 03:53:00.0000	1024	0
Tue Jun 06 2017 03:54:00.0000	1024	0
Tue Jun 06 2017 03:55:00.0000	1024	0
Tue Jun 06 2017 03:56:00.0000	1024	0
Tue Jun 06 2017 03:57:00.0000	1024	0
Tue Jun 06 2017 03:58:00.0000	1024	0
Tue Jun 06 2017 03:59:00.0000	1024	0
Tue Jun 06 2017 04:00:00.0000	1024	0
Tue Jun 06 2017 04:01:00.0000	1017	0
Tue Jun 06 2017 04:02:00.0000	1017	0
Tue Jun 06 2017 04:03:00.0000	1017	0
Tue Jun 06 2017 04:04:00.0000	1017	0
Tue Jun 06 2017 04:05:00.0000	1017	0
Tue Jun 06 2017 04:06:00.0000	1017	0
Tue Jun 06 2017 04:07:00.0000	1017	0
Tue Jun 06 2017 04:08:00.0000	1017	0
Tue Jun 06 2017 04:09:00.0000	1017	0
Tue Jun 06 2017 04:10:00.0000	1017	0
Tue Jun 06 2017 04:11:00.0000	1017	0
Tue Jun 06 2017 04:12:00.0000	1017	0
Tue Jun 06 2017 04:13:00.0000	1017	0
Tue Jun 06 2017 04:14:00.0000	1017	0
Tue Jun 06 2017 04:15:00.0000	1017	0
Tue Jun 06 2017 04:16:00.0000	1011	0
Tue Jun 06 2017 04:17:00.0000	1011	0
Tue Jun 06 2017 04:18:00.0000	1011	0
Tue Jun 06 2017 04:19:00.0000	1011	0
Tue Jun 06 2017 04:20:00.0000	1011	0
Tue Jun 06 2017 04:21:00.0000	1011	0
Tue Jun 06 2017 04:22:00.0000	1011	0
Tue Jun 06 2017 04:23:00.0000	1011	0
Tue Jun 06 2017 04:24:00.0000	1011	0
Tue Jun 06 2017 04:25:00.0000	1011	0
Tue Jun 06 2017 04:26:00.0000	1011	0
Tue Jun 06 2017 04:27:00.0000	1011	0
Tue Jun 06 2017 04:28:00.0000	1011	0
Tue Jun 06 2017 04:29:00.0000	1011	0
Tue Jun 06 2017 04:30:00.0000	1011	0
Tue Jun 06 2017 04:31:00.0000	1005	0
Tue Jun 06 2017 04:32:00.0000	1005	0
Tue Jun 06 2017 04:33:00.0000	1005	0

Date/Time	Process Temperature (°F)	Process Flow SCFM
Tue Jun 06 2017 04:34:00.0000	1005	0
Tue Jun 06 2017 04:35:00.0000	1005	0
Tue Jun 06 2017 04:36:00.0000	1005	0
Tue Jun 06 2017 04:37:00.0000	1005	0
Tue Jun 06 2017 04:38:00.0000	1005	0
Tue Jun 06 2017 04:39:00.0000	1005	0
Tue Jun 06 2017 04:40:00.0000	1005	0
Tue Jun 06 2017 04:41:00.0000	1005	0
Tue Jun 06 2017 04:42:00.0000	1005	0
Tue Jun 06 2017 04:43:00.0000	1005	0
Tue Jun 06 2017 04:44:00.0000	1005	0
Tue Jun 06 2017 04:45:00.0000	1005	0
Tue Jun 06 2017 04:46:00.0000	998	0
Tue Jun 06 2017 04:47:00.0000	998	0
Tue Jun 06 2017 04:48:00.0000	998	0
Tue Jun 06 2017 04:49:00.0000	998	0
Tue Jun 06 2017 04:50:00.0000	998	0
Tue Jun 06 2017 04:51:00.0000	998	0
Tue Jun 06 2017 04:52:00.0000	998	0
Tue Jun 06 2017 04:53:00.0000	998	0
Tue Jun 06 2017 04:54:00.0000	998	0
Tue Jun 06 2017 04:55:00.0000	998	0
Tue Jun 06 2017 04:56:00.0000	998	0
Tue Jun 06 2017 04:57:00.0000	998	0
Tue Jun 06 2017 04:58:00.0000	998	0
Tue Jun 06 2017 04:59:00.0000	998	0
Tue Jun 06 2017 05:00:00.0000	998	0
Tue Jun 06 2017 05:01:00.0000	992	0
Tue Jun 06 2017 05:02:00.0000	992	0
Tue Jun 06 2017 05:03:00.0000	992	0
Tue Jun 06 2017 05:04:00.0000	992	0
Tue Jun 06 2017 05:05:00.0000	992	0
Tue Jun 06 2017 05:06:00.0000	992	0
Tue Jun 06 2017 05:07:00.0000	992	0
Tue Jun 06 2017 05:08:00.0000	992	0
Tue Jun 06 2017 05:09:00.0000	992	0
Tue Jun 06 2017 05:10:00.0000	992	0
Tue Jun 06 2017 05:11:00.0000	992	0
Tue Jun 06 2017 05:12:00.0000	992	0
Tue Jun 06 2017 05:13:00.0000	992	0
Tue Jun 06 2017 05:14:00.0000	992	0
Tue Jun 06 2017 05:15:00.0000	992	0
Tue Jun 06 2017 05:16:00.0000	986	0
Tue Jun 06 2017 05:17:00.0000	986	0
Tue Jun 06 2017 05:18:00.0000	986	0
Tue Jun 06 2017 05:19:00.0000	986	0
Tue Jun 06 2017 05:20:00.0000	986	0
Tue Jun 06 2017 05:21:00.0000	986	0
Tue Jun 06 2017 05:22:00.0000	986	0
Tue Jun 06 2017 05:23:00.0000	986	0
Tue Jun 06 2017 05:24:00.0000	986	0
Tue Jun 06 2017 05:25:00.0000	986	0
Tue Jun 06 2017 05:26:00.0000	986	0
Tue Jun 06 2017 05:27:00.0000	986	0
Tue Jun 06 2017 05:28:00.0000	986	0
Tue Jun 06 2017 05:29:00.0000	986	0
Tue Jun 06 2017 05:30:00.0000	986	0

Date/Time	Process Temperature (°F)	Process Flow SCFM
Tue Jun 06 2017 05:31:00.0000	980	0
Tue Jun 06 2017 05:32:00.0000	980	0
Tue Jun 06 2017 05:33:00.0000	980	0
Tue Jun 06 2017 05:34:00.0000	980	0
Tue Jun 06 2017 05:35:00.0000	980	0
Tue Jun 06 2017 05:36:00.0000	980	0
Tue Jun 06 2017 05:37:00.0000	980	0
Tue Jun 06 2017 05:38:00.0000	980	0
Tue Jun 06 2017 05:39:00.0000	980	0
Tue Jun 06 2017 05:40:00.0000	980	0
Tue Jun 06 2017 05:41:00.0000	980	0
Tue Jun 06 2017 05:42:00.0000	980	0
Tue Jun 06 2017 05:43:00.0000	980	0
Tue Jun 06 2017 05:44:00.0000	980	0
Tue Jun 06 2017 05:45:00.0000	980	0
Tue Jun 06 2017 05:46:00.0000	974	0
Tue Jun 06 2017 05:47:00.0000	974	0
Tue Jun 06 2017 05:48:00.0000	974	0
Tue Jun 06 2017 05:49:00.0000	974	0
Tue Jun 06 2017 05:50:00.0000	974	0
Tue Jun 06 2017 05:51:00.0000	974	0
Tue Jun 06 2017 05:52:00.0000	974	0
Tue Jun 06 2017 05:53:00.0000	974	0
Tue Jun 06 2017 05:54:00.0000	974	0
Tue Jun 06 2017 05:55:00.0000	974	0
Tue Jun 06 2017 05:56:00.0000	974	0
Tue Jun 06 2017 05:57:00.0000	974	0
Tue Jun 06 2017 05:58:00.0000	974	0
Tue Jun 06 2017 05:59:00.0000	974	0
Tue Jun 06 2017 06:00:00.0000	974	0
Tue Jun 06 2017 06:01:00.0000	969	0
Tue Jun 06 2017 06:02:00.0000	969	0
Tue Jun 06 2017 06:03:00.0000	969	0
Tue Jun 06 2017 06:04:00.0000	969	0
Tue Jun 06 2017 06:05:00.0000	969	0
Tue Jun 06 2017 06:06:00.0000	969	0
Tue Jun 06 2017 06:07:00.0000	969	0
Tue Jun 06 2017 06:08:00.0000	969	0
Tue Jun 06 2017 06:09:00.0000	969	0
Tue Jun 06 2017 06:10:00.0000	969	0
Tue Jun 06 2017 06:11:00.0000	969	0
Tue Jun 06 2017 06:12:00.0000	969	0
Tue Jun 06 2017 06:13:00.0000	969	0
Tue Jun 06 2017 06:14:00.0000	969	0
Tue Jun 06 2017 06:15:00.0000	969	0
Tue Jun 06 2017 06:16:00.0000	958	0
Tue Jun 06 2017 06:17:00.0000	958	0
Tue Jun 06 2017 06:18:00.0000	958	0
Tue Jun 06 2017 06:19:00.0000	958	0
Tue Jun 06 2017 06:20:00.0000	958	0
Tue Jun 06 2017 06:21:00.0000	958	0
Tue Jun 06 2017 06:22:00.0000	958	0
Tue Jun 06 2017 06:23:00.0000	958	0
Tue Jun 06 2017 06:24:00.0000	958	0
Tue Jun 06 2017 06:25:00.0000	958	0
Tue Jun 06 2017 06:26:00.0000	958	0
Tue Jun 06 2017 06:27:00.0000	958	0

Date/Time	Process Temperature (°F)	Process Flow SCFM
Tue Jun 06 2017 06:28:00.0000	958	0
Tue Jun 06 2017 06:29:00.0000	958	0
Tue Jun 06 2017 06:30:00.0000	958	0
Tue Jun 06 2017 06:31:00.0000	1061	0
Tue Jun 06 2017 06:32:00.0000	1061	0
Tue Jun 06 2017 06:33:00.0000	1061	0
Tue Jun 06 2017 06:34:00.0000	1061	0
Tue Jun 06 2017 06:35:00.0000	1061	0
Tue Jun 06 2017 06:36:00.0000	1061	0
Tue Jun 06 2017 06:37:00.0000	1061	0
Tue Jun 06 2017 06:38:00.0000	1061	0
Tue Jun 06 2017 06:39:00.0000	1061	0
Tue Jun 06 2017 06:40:00.0000	1061	0
Tue Jun 06 2017 06:41:00.0000	1061	0
Tue Jun 06 2017 06:42:00.0000	1061	0
Tue Jun 06 2017 06:43:00.0000	1061	0
Tue Jun 06 2017 06:44:00.0000	1061	0
Tue Jun 06 2017 06:45:00.0000	1061	0
Tue Jun 06 2017 06:46:00.0000	1186	0
Tue Jun 06 2017 06:47:00.0000	1186	0
Tue Jun 06 2017 06:48:00.0000	1186	0
Tue Jun 06 2017 06:49:00.0000	1186	0
Tue Jun 06 2017 06:50:00.0000	1186	0
Tue Jun 06 2017 06:51:00.0000	1186	0
Tue Jun 06 2017 06:52:00.0000	1186	0
Tue Jun 06 2017 06:53:00.0000	1186	0
Tue Jun 06 2017 06:54:00.0000	1186	0
Tue Jun 06 2017 06:55:00.0000	1186	0
Tue Jun 06 2017 06:56:00.0000	1186	0
Tue Jun 06 2017 06:57:00.0000	1186	0
Tue Jun 06 2017 06:58:00.0000	1186	0
Tue Jun 06 2017 06:59:00.0000	1186	0
Tue Jun 06 2017 07:00:00.0000	1186	0
Tue Jun 06 2017 07:01:00.0000	1337	0
Tue Jun 06 2017 07:02:00.0000	1337	0
Tue Jun 06 2017 07:03:00.0000	1337	0
Tue Jun 06 2017 07:04:00.0000	1337	0
Tue Jun 06 2017 07:05:00.0000	1337	0
Tue Jun 06 2017 07:06:00.0000	1337	0
Tue Jun 06 2017 07:07:00.0000	1337	0
Tue Jun 06 2017 07:08:00.0000	1337	0
Tue Jun 06 2017 07:09:00.0000	1337	0
Tue Jun 06 2017 07:10:00.0000	1337	0
Tue Jun 06 2017 07:11:00.0000	1337	0
Tue Jun 06 2017 07:12:00.0000	1337	0
Tue Jun 06 2017 07:13:00.0000	1337	0
Tue Jun 06 2017 07:14:00.0000	1337	0
Tue Jun 06 2017 07:15:00.0000	1337	0
Tue Jun 06 2017 07:16:00.0000	1450	0
Tue Jun 06 2017 07:17:00.0000	1450	0
Tue Jun 06 2017 07:18:00.0000	1450	0
Tue Jun 06 2017 07:19:00.0000	1450	0
Tue Jun 06 2017 07:20:00.0000	1450	0
Tue Jun 06 2017 07:21:00.0000	1450	0
Tue Jun 06 2017 07:22:00.0000	1450	0
Tue Jun 06 2017 07:23:00.0000	1450	0
Tue Jun 06 2017 07:24:00.0000	1450	0

Date/Time	Process Temperature (°F)	Process Flow SCFM
Tue Jun 06 2017 07:25:00.0000	1450	0
Tue Jun 06 2017 07:26:00.0000	1450	0
Tue Jun 06 2017 07:27:00.0000	1450	0
Tue Jun 06 2017 07:28:00.0000	1450	0
Tue Jun 06 2017 07:29:00.0000	1450	0
Tue Jun 06 2017 07:30:00.0000	1450	0
Tue Jun 06 2017 07:31:00.0000	1572	0
Tue Jun 06 2017 07:32:00.0000	1572	0
Tue Jun 06 2017 07:33:00.0000	1572	0
Tue Jun 06 2017 07:34:00.0000	1572	0
Tue Jun 06 2017 07:35:00.0000	1572	0
Tue Jun 06 2017 07:36:00.0000	1572	0
Tue Jun 06 2017 07:37:00.0000	1572	0
Tue Jun 06 2017 07:38:00.0000	1572	0
Tue Jun 06 2017 07:39:00.0000	1572	0
Tue Jun 06 2017 07:40:00.0000	1572	0
Tue Jun 06 2017 07:41:00.0000	1572	0
Tue Jun 06 2017 07:42:00.0000	1572	0
Tue Jun 06 2017 07:43:00.0000	1572	0
Tue Jun 06 2017 07:44:00.0000	1572	0
Tue Jun 06 2017 07:45:00.0000	1572	0
Tue Jun 06 2017 07:46:00.0000	1618	0
Tue Jun 06 2017 07:47:00.0000	1618	0
Tue Jun 06 2017 07:48:00.0000	1618	0
Tue Jun 06 2017 07:49:00.0000	1618	0
Tue Jun 06 2017 07:50:00.0000	1618	0
Tue Jun 06 2017 07:51:00.0000	1618	0
Tue Jun 06 2017 07:52:00.0000	1618	0
Tue Jun 06 2017 07:53:00.0000	1618	0
Tue Jun 06 2017 07:54:00.0000	1618	0
Tue Jun 06 2017 07:55:00.0000	1618	0
Tue Jun 06 2017 07:56:00.0000	1618	0
Tue Jun 06 2017 07:57:00.0000	1618	0
Tue Jun 06 2017 07:58:00.0000	1618	0
Tue Jun 06 2017 07:59:00.0000	1618	0
Tue Jun 06 2017 08:00:00.0000	1618	0
Tue Jun 06 2017 08:01:00.0000	1615	0
Tue Jun 06 2017 08:02:00.0000	1615	0
Tue Jun 06 2017 08:03:00.0000	1615	0
Tue Jun 06 2017 08:04:00.0000	1615	0
Tue Jun 06 2017 08:05:00.0000	1615	0
Tue Jun 06 2017 08:06:00.0000	1615	0
Tue Jun 06 2017 08:07:00.0000	1615	0
Tue Jun 06 2017 08:08:00.0000	1615	0
Tue Jun 06 2017 08:09:00.0000	1615	0
Tue Jun 06 2017 08:10:00.0000	1615	0
Tue Jun 06 2017 08:11:00.0000	1615	0
Tue Jun 06 2017 08:12:00.0000	1615	0
Tue Jun 06 2017 08:13:00.0000	1615	0
Tue Jun 06 2017 08:14:00.0000	1615	0
Tue Jun 06 2017 08:15:00.0000	1615	0
Tue Jun 06 2017 08:16:00.0000	1620	0
Tue Jun 06 2017 08:17:00.0000	1620	0
Tue Jun 06 2017 08:18:00.0000	1620	0
Tue Jun 06 2017 08:19:00.0000	1620	0
Tue Jun 06 2017 08:20:00.0000	1620	0
Tue Jun 06 2017 08:21:00.0000	1620	0

Date/Time	Process Temperature (°F)	Process Flow SCFM
Tue Jun 06 2017 08:22:00.0000	1620	0
Tue Jun 06 2017 08:23:00.0000	1620	0
Tue Jun 06 2017 08:24:00.0000	1620	0
Tue Jun 06 2017 08:25:00.0000	1620	0
Tue Jun 06 2017 08:26:00.0000	1620	0
Tue Jun 06 2017 08:27:00.0000	1620	0
Tue Jun 06 2017 08:28:00.0000	1620	0
Tue Jun 06 2017 08:29:00.0000	1620	0
Tue Jun 06 2017 08:30:00.0000	1620	0
Tue Jun 06 2017 08:31:00.0000	1616	0
Tue Jun 06 2017 08:32:00.0000	1616	0
Tue Jun 06 2017 08:33:00.0000	1616	0
Tue Jun 06 2017 08:34:00.0000	1616	0
Tue Jun 06 2017 08:35:00.0000	1616	0
Tue Jun 06 2017 08:36:00.0000	1616	0
Tue Jun 06 2017 08:37:00.0000	1616	0
Tue Jun 06 2017 08:38:00.0000	1616	0
Tue Jun 06 2017 08:39:00.0000	1616	0
Tue Jun 06 2017 08:40:00.0000	1616	0
Tue Jun 06 2017 08:41:00.0000	1616	0
Tue Jun 06 2017 08:42:00.0000	1616	0
Tue Jun 06 2017 08:43:00.0000	1616	0
Tue Jun 06 2017 08:44:00.0000	1616	0
Tue Jun 06 2017 08:45:00.0000	1616	0
Tue Jun 06 2017 08:46:00.0000	1617	0
Tue Jun 06 2017 08:47:00.0000	1617	0
Tue Jun 06 2017 08:48:00.0000	1617	0
Tue Jun 06 2017 08:49:00.0000	1617	0
Tue Jun 06 2017 08:50:00.0000	1617	0
Tue Jun 06 2017 08:51:00.0000	1617	0
Tue Jun 06 2017 08:52:00.0000	1617	0
Tue Jun 06 2017 08:53:00.0000	1617	0
Tue Jun 06 2017 08:54:00.0000	1617	0
Tue Jun 06 2017 08:55:00.0000	1617	0
Tue Jun 06 2017 08:56:00.0000	1617	0
Tue Jun 06 2017 08:57:00.0000	1617	0
Tue Jun 06 2017 08:58:00.0000	1617	0
Tue Jun 06 2017 08:59:00.0000	1617	0
Tue Jun 06 2017 09:00:00.0000	1617	0
Tue Jun 06 2017 09:01:00.0000	1627	0
Tue Jun 06 2017 09:02:00.0000	1627	0
Tue Jun 06 2017 09:03:00.0000	1627	0
Tue Jun 06 2017 09:04:00.0000	1627	0
Tue Jun 06 2017 09:05:00.0000	1627	0
Tue Jun 06 2017 09:06:00.0000	1627	0
Tue Jun 06 2017 09:07:00.0000	1627	0
Tue Jun 06 2017 09:08:00.0000	1627	0
Tue Jun 06 2017 09:09:00.0000	1627	0
Tue Jun 06 2017 09:10:00.0000	1627	0
Tue Jun 06 2017 09:11:00.0000	1627	0
Tue Jun 06 2017 09:12:00.0000	1627	0
Tue Jun 06 2017 09:13:00.0000	1627	0
Tue Jun 06 2017 09:14:00.0000	1627	0
Tue Jun 06 2017 09:15:00.0000	1627	0
Tue Jun 06 2017 09:16:00.0000	1617	0
Tue Jun 06 2017 09:17:00.0000	1617	0
Tue Jun 06 2017 09:18:00.0000	1617	0

Date/Time	Process Temperature (°F)	Process Flow SCFM
Tue Jun 06 2017 09:19:00.0000	1617	0
Tue Jun 06 2017 09:20:00.0000	1617	0
Tue Jun 06 2017 09:21:00.0000	1617	0
Tue Jun 06 2017 09:22:00.0000	1617	0
Tue Jun 06 2017 09:23:00.0000	1617	0
Tue Jun 06 2017 09:24:00.0000	1617	0
Tue Jun 06 2017 09:25:00.0000	1617	819
Tue Jun 06 2017 09:26:00.0000	1617	0
Tue Jun 06 2017 09:27:00.0000	1617	0
Tue Jun 06 2017 09:28:00.0000	1617	0
Tue Jun 06 2017 09:29:00.0000	1617	0
Tue Jun 06 2017 09:30:00.0000	1617	0
Tue Jun 06 2017 09:31:00.0000	1611	0
Tue Jun 06 2017 09:32:00.0000	1611	0
Tue Jun 06 2017 09:33:00.0000	1611	0
Tue Jun 06 2017 09:34:00.0000	1611	0
Tue Jun 06 2017 09:35:00.0000	1611	0
Tue Jun 06 2017 09:36:00.0000	1611	0
Tue Jun 06 2017 09:37:00.0000	1611	0
Tue Jun 06 2017 09:38:00.0000	1611	0
Tue Jun 06 2017 09:39:00.0000	1611	0
Tue Jun 06 2017 09:40:00.0000	1611	0
Tue Jun 06 2017 09:41:00.0000	1611	0
Tue Jun 06 2017 09:42:00.0000	1611	0
Tue Jun 06 2017 09:43:00.0000	1611	0
Tue Jun 06 2017 09:44:00.0000	1611	0
Tue Jun 06 2017 09:45:00.0000	1611	0
Tue Jun 06 2017 09:46:00.0000	1611	0
Tue Jun 06 2017 09:47:00.0000	1611	0
Tue Jun 06 2017 09:48:00.0000	1611	0
Tue Jun 06 2017 09:49:00.0000	1611	0
Tue Jun 06 2017 09:50:00.0000	1611	0
Tue Jun 06 2017 09:51:00.0000	1611	0
Tue Jun 06 2017 09:52:00.0000	1611	0
Tue Jun 06 2017 09:53:00.0000	1611	0
Tue Jun 06 2017 09:54:00.0000	1611	0
Tue Jun 06 2017 09:55:00.0000	1611	0
Tue Jun 06 2017 09:56:00.0000	1611	0
Tue Jun 06 2017 09:57:00.0000	1611	0
Tue Jun 06 2017 09:58:00.0000	1611	0
Tue Jun 06 2017 09:59:00.0000	1611	0
Tue Jun 06 2017 10:00:00.0000	1611	0
Tue Jun 06 2017 10:01:00.0000	1611	0
Tue Jun 06 2017 10:02:00.0000	1611	0
Tue Jun 06 2017 10:03:00.0000	1611	0
Tue Jun 06 2017 10:04:00.0000	1611	0
Tue Jun 06 2017 10:05:00.0000	1611	0
Tue Jun 06 2017 10:06:00.0000	1611	0
Tue Jun 06 2017 10:07:00.0000	1611	0
Tue Jun 06 2017 10:08:00.0000	1611	0
Tue Jun 06 2017 10:09:00.0000	1611	0
Tue Jun 06 2017 10:10:00.0000	1611	0
Tue Jun 06 2017 10:11:00.0000	1611	0
Tue Jun 06 2017 10:12:00.0000	1611	0
Tue Jun 06 2017 10:13:00.0000	1611	0
Tue Jun 06 2017 10:14:00.0000	1611	0
Tue Jun 06 2017 10:15:00.0000	1611	0

Date/Time	Process Temperature (°F)	Process Flow SCFM
Tue Jun 06 2017 10:16:00.0000	1614	0
Tue Jun 06 2017 10:17:00.0000	1614	0
Tue Jun 06 2017 10:18:00.0000	1614	0
Tue Jun 06 2017 10:19:00.0000	1614	0
Tue Jun 06 2017 10:20:00.0000	1614	0
Tue Jun 06 2017 10:21:00.0000	1614	0
Tue Jun 06 2017 10:22:00.0000	1614	0
Tue Jun 06 2017 10:23:00.0000	1614	0
Tue Jun 06 2017 10:24:00.0000	1614	0
Tue Jun 06 2017 10:25:00.0000	1614	0
Tue Jun 06 2017 10:26:00.0000	1614	0
Tue Jun 06 2017 10:27:00.0000	1614	0
Tue Jun 06 2017 10:28:00.0000	1614	0
Tue Jun 06 2017 10:29:00.0000	1614	0
Tue Jun 06 2017 10:30:00.0000	1614	0
Tue Jun 06 2017 10:31:00.0000	1618	0
Tue Jun 06 2017 10:32:00.0000	1618	0
Tue Jun 06 2017 10:33:00.0000	1618	0
Tue Jun 06 2017 10:34:00.0000	1618	0
Tue Jun 06 2017 10:35:00.0000	1618	0
Tue Jun 06 2017 10:36:00.0000	1618	0
Tue Jun 06 2017 10:37:00.0000	1618	0
Tue Jun 06 2017 10:38:00.0000	1618	0
Tue Jun 06 2017 10:39:00.0000	1618	0
Tue Jun 06 2017 10:40:00.0000	1618	0
Tue Jun 06 2017 10:41:00.0000	1618	827
Tue Jun 06 2017 10:42:00.0000	1618	227
Tue Jun 06 2017 10:43:00.0000	1618	0
Tue Jun 06 2017 10:44:00.0000	1618	0
Tue Jun 06 2017 10:45:00.0000	1618	0
Tue Jun 06 2017 10:46:00.0000	1617	0
Tue Jun 06 2017 10:47:00.0000	1617	0
Tue Jun 06 2017 10:48:00.0000	1617	0
Tue Jun 06 2017 10:49:00.0000	1617	0
Tue Jun 06 2017 10:50:00.0000	1617	0
Tue Jun 06 2017 10:51:00.0000	1617	0
Tue Jun 06 2017 10:52:00.0000	1617	0
Tue Jun 06 2017 10:53:00.0000	1617	0
Tue Jun 06 2017 10:54:00.0000	1617	0
Tue Jun 06 2017 10:55:00.0000	1617	0
Tue Jun 06 2017 10:56:00.0000	1617	0
Tue Jun 06 2017 10:57:00.0000	1617	0
Tue Jun 06 2017 10:58:00.0000	1617	0
Tue Jun 06 2017 10:59:00.0000	1617	0
Tue Jun 06 2017 11:00:00.0000	1617	0
Tue Jun 06 2017 11:01:00.0000	1622	0
Tue Jun 06 2017 11:02:00.0000	1622	0
Tue Jun 06 2017 11:03:00.0000	1622	0
Tue Jun 06 2017 11:04:00.0000	1622	0
Tue Jun 06 2017 11:05:00.0000	1622	0
Tue Jun 06 2017 11:06:00.0000	1622	0
Tue Jun 06 2017 11:07:00.0000	1622	0
Tue Jun 06 2017 11:08:00.0000	1622	0
Tue Jun 06 2017 11:09:00.0000	1622	0
Tue Jun 06 2017 11:10:00.0000	1622	0
Tue Jun 06 2017 11:11:00.0000	1622	0
Tue Jun 06 2017 11:12:00.0000	1622	0

Date/Time	Process Temperature (°F)	Process Flow SCFM
Tue Jun 06 2017 11:13:00.0000	1622	0
Tue Jun 06 2017 11:14:00.0000	1622	0
Tue Jun 06 2017 11:15:00.0000	1622	297
Tue Jun 06 2017 11:16:00.0000	1609	272
Tue Jun 06 2017 11:17:00.0000	1609	285
Tue Jun 06 2017 11:18:00.0000	1609	402
Tue Jun 06 2017 11:19:00.0000	1609	551
Tue Jun 06 2017 11:20:00.0000	1609	0
Tue Jun 06 2017 11:21:00.0000	1609	0
Tue Jun 06 2017 11:22:00.0000	1609	0
Tue Jun 06 2017 11:23:00.0000	1609	0
Tue Jun 06 2017 11:24:00.0000	1609	0
Tue Jun 06 2017 11:25:00.0000	1609	0
Tue Jun 06 2017 11:26:00.0000	1609	683
Tue Jun 06 2017 11:27:00.0000	1609	662
Tue Jun 06 2017 11:28:00.0000	1609	658
Tue Jun 06 2017 11:29:00.0000	1609	659
Tue Jun 06 2017 11:30:00.0000	1609	662
Tue Jun 06 2017 11:31:00.0000	1628	633
Tue Jun 06 2017 11:32:00.0000	1628	646
Tue Jun 06 2017 11:33:00.0000	1628	613
Tue Jun 06 2017 11:34:00.0000	1628	624
Tue Jun 06 2017 11:35:00.0000	1628	631
Tue Jun 06 2017 11:36:00.0000	1628	780
Tue Jun 06 2017 11:37:00.0000	1628	824
Tue Jun 06 2017 11:38:00.0000	1628	792
Tue Jun 06 2017 11:39:00.0000	1628	785
Tue Jun 06 2017 11:40:00.0000	1628	835
Tue Jun 06 2017 11:41:00.0000	1628	965
Tue Jun 06 2017 11:42:00.0000	1628	956
Tue Jun 06 2017 11:43:00.0000	1628	958
Tue Jun 06 2017 11:44:00.0000	1628	983
Tue Jun 06 2017 11:45:00.0000	1628	975
Tue Jun 06 2017 11:46:00.0000	1618	980
Tue Jun 06 2017 11:47:00.0000	1618	948
Tue Jun 06 2017 11:48:00.0000	1618	1312
Tue Jun 06 2017 11:49:00.0000	1618	1314
Tue Jun 06 2017 11:50:00.0000	1618	1356
Tue Jun 06 2017 11:51:00.0000	1618	1350
Tue Jun 06 2017 11:52:00.0000	1618	1354
Tue Jun 06 2017 11:53:00.0000	1618	1450
Tue Jun 06 2017 11:54:00.0000	1618	1457
Tue Jun 06 2017 11:55:00.0000	1618	1476
Tue Jun 06 2017 11:56:00.0000	1618	1498
Tue Jun 06 2017 11:57:00.0000	1618	1487
Tue Jun 06 2017 11:58:00.0000	1618	1477
Tue Jun 06 2017 11:59:00.0000	1618	1464
Tue Jun 06 2017 12:00:00.0000	1618	1468
Tue Jun 06 2017 12:01:00.0000	1620	1390
Tue Jun 06 2017 12:02:00.0000	1620	1361
Tue Jun 06 2017 12:03:00.0000	1620	1330
Tue Jun 06 2017 12:04:00.0000	1620	1349
Tue Jun 06 2017 12:05:00.0000	1620	1386
Tue Jun 06 2017 12:06:00.0000	1620	1329
Tue Jun 06 2017 12:07:00.0000	1620	1353
Tue Jun 06 2017 12:08:00.0000	1620	1640
Tue Jun 06 2017 12:09:00.0000	1620	1644

Date/Time	Process Temperature (°F)	Process Flow SCFM
Tue Jun 06 2017 12:10:00.0000	1620	1649
Tue Jun 06 2017 12:11:00.0000	1620	1662
Tue Jun 06 2017 12:12:00.0000	1620	1640
Tue Jun 06 2017 12:13:00.0000	1620	1611
Tue Jun 06 2017 12:14:00.0000	1620	1652
Tue Jun 06 2017 12:15:00.0000	1620	1637
Tue Jun 06 2017 12:16:00.0000	1612	1654
Tue Jun 06 2017 12:17:00.0000	1612	1647
Tue Jun 06 2017 12:18:00.0000	1612	1612
Tue Jun 06 2017 12:19:00.0000	1612	1586
Tue Jun 06 2017 12:20:00.0000	1612	1785
Tue Jun 06 2017 12:21:00.0000	1612	1762
Tue Jun 06 2017 12:22:00.0000	1612	1799
Tue Jun 06 2017 12:23:00.0000	1612	1774
Tue Jun 06 2017 12:24:00.0000	1612	1794
Tue Jun 06 2017 12:25:00.0000	1612	1791
Tue Jun 06 2017 12:26:00.0000	1612	1794
Tue Jun 06 2017 12:27:00.0000	1612	1834
Tue Jun 06 2017 12:28:00.0000	1612	1782
Tue Jun 06 2017 12:29:00.0000	1612	1767
Tue Jun 06 2017 12:30:00.0000	1612	1796
Tue Jun 06 2017 12:31:00.0000	1609	2164
Tue Jun 06 2017 12:32:00.0000	1609	1933
Tue Jun 06 2017 12:33:00.0000	1609	1924
Tue Jun 06 2017 12:34:00.0000	1609	1900
Tue Jun 06 2017 12:35:00.0000	1609	1921
Tue Jun 06 2017 12:36:00.0000	1609	1912
Tue Jun 06 2017 12:37:00.0000	1609	1975
Tue Jun 06 2017 12:38:00.0000	1609	1915
Tue Jun 06 2017 12:39:00.0000	1609	1944
Tue Jun 06 2017 12:40:00.0000	1609	1966
Tue Jun 06 2017 12:41:00.0000	1609	1961
Tue Jun 06 2017 12:42:00.0000	1609	1915
Tue Jun 06 2017 12:43:00.0000	1609	1910
Tue Jun 06 2017 12:44:00.0000	1609	1940
Tue Jun 06 2017 12:45:00.0000	1609	1896
Tue Jun 06 2017 12:46:00.0000	1612	1923
Tue Jun 06 2017 12:47:00.0000	1612	1977
Tue Jun 06 2017 12:48:00.0000	1612	1926
Tue Jun 06 2017 12:49:00.0000	1612	1923
Tue Jun 06 2017 12:50:00.0000	1612	1937
Tue Jun 06 2017 12:51:00.0000	1612	1921
Tue Jun 06 2017 12:52:00.0000	1612	1960
Tue Jun 06 2017 12:53:00.0000	1612	1937
Tue Jun 06 2017 12:54:00.0000	1612	1946
Tue Jun 06 2017 12:55:00.0000	1612	1934
Tue Jun 06 2017 12:56:00.0000	1612	1976
Tue Jun 06 2017 12:57:00.0000	1612	1932
Tue Jun 06 2017 12:58:00.0000	1612	1919
Tue Jun 06 2017 12:59:00.0000	1612	1919
Tue Jun 06 2017 13:00:00.0000	1612	1967
Tue Jun 06 2017 13:01:00.0000	1612	1947
Tue Jun 06 2017 13:02:00.0000	1612	1952
Tue Jun 06 2017 13:03:00.0000	1612	1959
Tue Jun 06 2017 13:04:00.0000	1612	1952
Tue Jun 06 2017 13:05:00.0000	1612	1956
Tue Jun 06 2017 13:06:00.0000	1612	1956

Date/Time	Process Temperature (°F)	Process Flow SCFM
Tue Jun 06 2017 13:07:00.0000	1612	1948
Tue Jun 06 2017 13:08:00.0000	1612	1948
Tue Jun 06 2017 13:09:00.0000	1612	1963
Tue Jun 06 2017 13:10:00.0000	1612	1931
Tue Jun 06 2017 13:11:00.0000	1612	1933
Tue Jun 06 2017 13:12:00.0000	1612	1946
Tue Jun 06 2017 13:13:00.0000	1612	1923
Tue Jun 06 2017 13:14:00.0000	1612	1953
Tue Jun 06 2017 13:15:00.0000	1612	1955
Tue Jun 06 2017 13:16:00.0000	1610	1959
Tue Jun 06 2017 13:17:00.0000	1610	1942
Tue Jun 06 2017 13:18:00.0000	1610	1949
Tue Jun 06 2017 13:19:00.0000	1610	1950
Tue Jun 06 2017 13:20:00.0000	1610	1980
Tue Jun 06 2017 13:21:00.0000	1610	1947
Tue Jun 06 2017 13:22:00.0000	1610	1954
Tue Jun 06 2017 13:23:00.0000	1610	1967
Tue Jun 06 2017 13:24:00.0000	1610	1965
Tue Jun 06 2017 13:25:00.0000	1610	2062
Tue Jun 06 2017 13:26:00.0000	1610	1964
Tue Jun 06 2017 13:27:00.0000	1610	1968
Tue Jun 06 2017 13:28:00.0000	1610	-1
Tue Jun 06 2017 13:29:00.0000	1610	2033
Tue Jun 06 2017 13:30:00.0000	1610	2008
Tue Jun 06 2017 13:31:00.0000	1608	2035
Tue Jun 06 2017 13:32:00.0000	1608	1962
Tue Jun 06 2017 13:33:00.0000	1608	-1
Tue Jun 06 2017 13:34:00.0000	1608	2008
Tue Jun 06 2017 13:35:00.0000	1608	1972
Tue Jun 06 2017 13:36:00.0000	1608	2006
Tue Jun 06 2017 13:37:00.0000	1608	1995
Tue Jun 06 2017 13:38:00.0000	1608	1934
Tue Jun 06 2017 13:39:00.0000	1608	1988
Tue Jun 06 2017 13:40:00.0000	1608	1634
Tue Jun 06 2017 13:41:00.0000	1608	1955
Tue Jun 06 2017 13:42:00.0000	1608	-1
Tue Jun 06 2017 13:43:00.0000	1608	450
Tue Jun 06 2017 13:44:00.0000	1608	2038
Tue Jun 06 2017 13:45:00.0000	1608	2015
Tue Jun 06 2017 13:46:00.0000	1606	1957
Tue Jun 06 2017 13:47:00.0000	1606	1982
Tue Jun 06 2017 13:48:00.0000	1606	1966
Tue Jun 06 2017 13:49:00.0000	1606	2018
Tue Jun 06 2017 13:50:00.0000	1606	1951
Tue Jun 06 2017 13:51:00.0000	1606	1951
Tue Jun 06 2017 13:52:00.0000	1606	2035
Tue Jun 06 2017 13:53:00.0000	1606	1993
Tue Jun 06 2017 13:54:00.0000	1606	1980
Tue Jun 06 2017 13:55:00.0000	1606	1991
Tue Jun 06 2017 13:56:00.0000	1606	1970
Tue Jun 06 2017 13:57:00.0000	1606	1988
Tue Jun 06 2017 13:58:00.0000	1606	1960
Tue Jun 06 2017 13:59:00.0000	1606	2000
Tue Jun 06 2017 14:00:00.0000	1606	1998
Tue Jun 06 2017 14:01:00.0000	1620	1980
Tue Jun 06 2017 14:02:00.0000	1620	1982
Tue Jun 06 2017 14:03:00.0000	1620	1966

Date/Time	Process Temperature (°F)	Process Flow SCFM
Tue Jun 06 2017 14:04:00.0000	1620	1930
Tue Jun 06 2017 14:05:00.0000	1620	1979
Tue Jun 06 2017 14:06:00.0000	1620	1985
Tue Jun 06 2017 14:07:00.0000	1620	1977
Tue Jun 06 2017 14:08:00.0000	1620	1979
Tue Jun 06 2017 14:09:00.0000	1620	1964
Tue Jun 06 2017 14:10:00.0000	1620	1966
Tue Jun 06 2017 14:11:00.0000	1620	1999
Tue Jun 06 2017 14:12:00.0000	1620	1977
Tue Jun 06 2017 14:13:00.0000	1620	2161
Tue Jun 06 2017 14:14:00.0000	1620	2138
Tue Jun 06 2017 14:15:00.0000	1620	2063
Tue Jun 06 2017 14:16:00.0000	1628	2133
Tue Jun 06 2017 14:17:00.0000	1628	2151
Tue Jun 06 2017 14:18:00.0000	1628	2169
Tue Jun 06 2017 14:19:00.0000	1628	2091
Tue Jun 06 2017 14:20:00.0000	1628	2102
Tue Jun 06 2017 14:21:00.0000	1628	2096
Tue Jun 06 2017 14:22:00.0000	1628	2096
Tue Jun 06 2017 14:23:00.0000	1628	2083
Tue Jun 06 2017 14:24:00.0000	1628	2080
Tue Jun 06 2017 14:25:00.0000	1628	2094
Tue Jun 06 2017 14:26:00.0000	1628	2089
Tue Jun 06 2017 14:27:00.0000	1628	2122
Tue Jun 06 2017 14:28:00.0000	1628	2090
Tue Jun 06 2017 14:29:00.0000	1628	2095
Tue Jun 06 2017 14:30:00.0000	1628	2092
Tue Jun 06 2017 14:31:00.0000	1620	2087
Tue Jun 06 2017 14:32:00.0000	1620	2092
Tue Jun 06 2017 14:33:00.0000	1620	2109
Tue Jun 06 2017 14:34:00.0000	1620	2107
Tue Jun 06 2017 14:35:00.0000	1620	2082
Tue Jun 06 2017 14:36:00.0000	1620	2099
Tue Jun 06 2017 14:37:00.0000	1620	2087
Tue Jun 06 2017 14:38:00.0000	1620	2125
Tue Jun 06 2017 14:39:00.0000	1620	2091
Tue Jun 06 2017 14:40:00.0000	1620	2100
Tue Jun 06 2017 14:41:00.0000	1620	2111
Tue Jun 06 2017 14:42:00.0000	1620	2179
Tue Jun 06 2017 14:43:00.0000	1620	2072
Tue Jun 06 2017 14:44:00.0000	1620	2106
Tue Jun 06 2017 14:45:00.0000	1620	2080
Tue Jun 06 2017 14:46:00.0000	1617	2108
Tue Jun 06 2017 14:47:00.0000	1617	2088
Tue Jun 06 2017 14:48:00.0000	1617	2106
Tue Jun 06 2017 14:49:00.0000	1617	2127
Tue Jun 06 2017 14:50:00.0000	1617	2080
Tue Jun 06 2017 14:51:00.0000	1617	2096
Tue Jun 06 2017 14:52:00.0000	1617	2138
Tue Jun 06 2017 14:53:00.0000	1617	2081
Tue Jun 06 2017 14:54:00.0000	1617	2094
Tue Jun 06 2017 14:55:00.0000	1617	2137
Tue Jun 06 2017 14:56:00.0000	1617	2103
Tue Jun 06 2017 14:57:00.0000	1617	2081
Tue Jun 06 2017 14:58:00.0000	1617	2106
Tue Jun 06 2017 14:59:00.0000	1617	2111
Tue Jun 06 2017 15:00:00.0000	1617	2131

Date/Time	Process Temperature (°F)	Process Flow SCFM
Tue Jun 06 2017 15:01:00.0000	1615	2079
Tue Jun 06 2017 15:02:00.0000	1615	2101
Tue Jun 06 2017 15:03:00.0000	1615	2093
Tue Jun 06 2017 15:04:00.0000	1615	2111
Tue Jun 06 2017 15:05:00.0000	1615	2116
Tue Jun 06 2017 15:06:00.0000	1615	2108
Tue Jun 06 2017 15:07:00.0000	1615	2085
Tue Jun 06 2017 15:08:00.0000	1615	2083
Tue Jun 06 2017 15:09:00.0000	1615	2087
Tue Jun 06 2017 15:10:00.0000	1615	2120
Tue Jun 06 2017 15:11:00.0000	1615	2079
Tue Jun 06 2017 15:12:00.0000	1615	2106
Tue Jun 06 2017 15:13:00.0000	1615	2076
Tue Jun 06 2017 15:14:00.0000	1615	2123
Tue Jun 06 2017 15:15:00.0000	1615	2100
Tue Jun 06 2017 15:16:00.0000	1614	2094
Tue Jun 06 2017 15:17:00.0000	1614	2105
Tue Jun 06 2017 15:18:00.0000	1614	2158
Tue Jun 06 2017 15:19:00.0000	1614	2100
Tue Jun 06 2017 15:20:00.0000	1614	2056
Tue Jun 06 2017 15:21:00.0000	1614	2167
Tue Jun 06 2017 15:22:00.0000	1614	2194
Tue Jun 06 2017 15:23:00.0000	1614	2068
Tue Jun 06 2017 15:24:00.0000	1614	2159
Tue Jun 06 2017 15:25:00.0000	1614	2112
Tue Jun 06 2017 15:26:00.0000	1614	2087
Tue Jun 06 2017 15:27:00.0000	1614	2175
Tue Jun 06 2017 15:28:00.0000	1614	2079
Tue Jun 06 2017 15:29:00.0000	1614	2102
Tue Jun 06 2017 15:30:00.0000	1614	2145
Tue Jun 06 2017 15:31:00.0000	1612	2108
Tue Jun 06 2017 15:32:00.0000	1612	2092
Tue Jun 06 2017 15:33:00.0000	1612	2156
Tue Jun 06 2017 15:34:00.0000	1612	2041
Tue Jun 06 2017 15:35:00.0000	1612	2109
Tue Jun 06 2017 15:36:00.0000	1612	2162
Tue Jun 06 2017 15:37:00.0000	1612	2108
Tue Jun 06 2017 15:38:00.0000	1612	2139
Tue Jun 06 2017 15:39:00.0000	1612	2154
Tue Jun 06 2017 15:40:00.0000	1612	2106
Tue Jun 06 2017 15:41:00.0000	1612	2112
Tue Jun 06 2017 15:42:00.0000	1612	2149
Tue Jun 06 2017 15:43:00.0000	1612	2119
Tue Jun 06 2017 15:44:00.0000	1612	2098
Tue Jun 06 2017 15:45:00.0000	1612	2119
Tue Jun 06 2017 15:46:00.0000	1611	2118
Tue Jun 06 2017 15:47:00.0000	1611	2108
Tue Jun 06 2017 15:48:00.0000	1611	2140
Tue Jun 06 2017 15:49:00.0000	1611	2096
Tue Jun 06 2017 15:50:00.0000	1611	2124
Tue Jun 06 2017 15:51:00.0000	1611	2144
Tue Jun 06 2017 15:52:00.0000	1611	2099
Tue Jun 06 2017 15:53:00.0000	1611	2116
Tue Jun 06 2017 15:54:00.0000	1611	2152
Tue Jun 06 2017 15:55:00.0000	1611	2107
Tue Jun 06 2017 15:56:00.0000	1611	2097
Tue Jun 06 2017 15:57:00.0000	1611	2077

Date/Time	Process Temperature (°F)	Process Flow SCFM
Tue Jun 06 2017 15:58:00.0000	1611	2123
Tue Jun 06 2017 15:59:00.0000	1611	2083
Tue Jun 06 2017 16:00:00.0000	1611	2102
Tue Jun 06 2017 16:01:00.0000	1610	2081
Tue Jun 06 2017 16:02:00.0000	1610	2107
Tue Jun 06 2017 16:03:00.0000	1610	2079
Tue Jun 06 2017 16:04:00.0000	1610	2096
Tue Jun 06 2017 16:05:00.0000	1610	2068
Tue Jun 06 2017 16:06:00.0000	1610	2114
Tue Jun 06 2017 16:07:00.0000	1610	2091
Tue Jun 06 2017 16:08:00.0000	1610	2092
Tue Jun 06 2017 16:09:00.0000	1610	2140
Tue Jun 06 2017 16:10:00.0000	1610	2068
Tue Jun 06 2017 16:11:00.0000	1610	2112
Tue Jun 06 2017 16:12:00.0000	1610	2094
Tue Jun 06 2017 16:13:00.0000	1610	2076
Tue Jun 06 2017 16:14:00.0000	1610	2112
Tue Jun 06 2017 16:15:00.0000	1610	2086
Tue Jun 06 2017 16:16:00.0000	1609	2099
Tue Jun 06 2017 16:17:00.0000	1609	2060
Tue Jun 06 2017 16:18:00.0000	1609	2141
Tue Jun 06 2017 16:19:00.0000	1609	2071
Tue Jun 06 2017 16:20:00.0000	1609	2061
Tue Jun 06 2017 16:21:00.0000	1609	2124
Tue Jun 06 2017 16:22:00.0000	1609	2068
Tue Jun 06 2017 16:23:00.0000	1609	2055
Tue Jun 06 2017 16:24:00.0000	1609	2050
Tue Jun 06 2017 16:25:00.0000	1609	2115
Tue Jun 06 2017 16:26:00.0000	1609	2063
Tue Jun 06 2017 16:27:00.0000	1609	2088
Tue Jun 06 2017 16:28:00.0000	1609	2086
Tue Jun 06 2017 16:29:00.0000	1609	2102
Tue Jun 06 2017 16:30:00.0000	1609	2069
Tue Jun 06 2017 16:31:00.0000	1608	2078
Tue Jun 06 2017 16:32:00.0000	1608	2044
Tue Jun 06 2017 16:33:00.0000	1608	2126
Tue Jun 06 2017 16:34:00.0000	1608	2090
Tue Jun 06 2017 16:35:00.0000	1608	2054
Tue Jun 06 2017 16:36:00.0000	1608	2079
Tue Jun 06 2017 16:37:00.0000	1608	2056
Tue Jun 06 2017 16:38:00.0000	1608	2043
Tue Jun 06 2017 16:39:00.0000	1608	2063
Tue Jun 06 2017 16:40:00.0000	1608	2080
Tue Jun 06 2017 16:41:00.0000	1608	2032
Tue Jun 06 2017 16:42:00.0000	1608	2117
Tue Jun 06 2017 16:43:00.0000	1608	2068
Tue Jun 06 2017 16:44:00.0000	1608	2073
Tue Jun 06 2017 16:45:00.0000	1608	2031
Tue Jun 06 2017 16:46:00.0000	1606	2055
Tue Jun 06 2017 16:47:00.0000	1606	2057
Tue Jun 06 2017 16:48:00.0000	1606	2071
Tue Jun 06 2017 16:49:00.0000	1606	2077
Tue Jun 06 2017 16:50:00.0000	1606	2060
Tue Jun 06 2017 16:51:00.0000	1606	2088
Tue Jun 06 2017 16:52:00.0000	1606	-1
Tue Jun 06 2017 16:53:00.0000	1606	-1
Tue Jun 06 2017 16:54:00.0000	1606	-1

Date/Time	Process Temperature (°F)	Process Flow SCFM
Tue Jun 06 2017 16:55:00.0000	1606	-1
Tue Jun 06 2017 16:56:00.0000	1606	-1
Tue Jun 06 2017 16:57:00.0000	1606	-1
Tue Jun 06 2017 16:58:00.0000	1606	-1
Tue Jun 06 2017 16:59:00.0000	1606	-1
Tue Jun 06 2017 17:00:00.0000	1606	-1
Tue Jun 06 2017 17:01:00.0000	1585	-1
Tue Jun 06 2017 17:02:00.0000	1585	-1
Tue Jun 06 2017 17:03:00.0000	1585	-1
Tue Jun 06 2017 17:04:00.0000	1585	-1
Tue Jun 06 2017 17:05:00.0000	1585	-1
Tue Jun 06 2017 17:06:00.0000	1585	-1
Tue Jun 06 2017 17:07:00.0000	1585	-1
Tue Jun 06 2017 17:08:00.0000	1585	-1
Tue Jun 06 2017 17:09:00.0000	1585	-1
Tue Jun 06 2017 17:10:00.0000	1585	-1
Tue Jun 06 2017 17:11:00.0000	1585	-1
Tue Jun 06 2017 17:12:00.0000	1585	-1
Tue Jun 06 2017 17:13:00.0000	1585	-1
Tue Jun 06 2017 17:14:00.0000	1585	-1
Tue Jun 06 2017 17:15:00.0000	1585	761
Tue Jun 06 2017 17:16:00.0000	1538	2185
Tue Jun 06 2017 17:17:00.0000	1538	2138
Tue Jun 06 2017 17:18:00.0000	1538	2098
Tue Jun 06 2017 17:19:00.0000	1538	2129
Tue Jun 06 2017 17:20:00.0000	1538	2107
Tue Jun 06 2017 17:21:00.0000	1538	2135
Tue Jun 06 2017 17:22:00.0000	1538	2074
Tue Jun 06 2017 17:23:00.0000	1538	2059
Tue Jun 06 2017 17:24:00.0000	1538	2089
Tue Jun 06 2017 17:25:00.0000	1538	2105
Tue Jun 06 2017 17:26:00.0000	1538	2134
Tue Jun 06 2017 17:27:00.0000	1538	2144
Tue Jun 06 2017 17:28:00.0000	1538	2086
Tue Jun 06 2017 17:29:00.0000	1538	2054
Tue Jun 06 2017 17:30:00.0000	1538	2048
Tue Jun 06 2017 17:31:00.0000	1639	2056
Tue Jun 06 2017 17:32:00.0000	1639	2097
Tue Jun 06 2017 17:33:00.0000	1639	2066
Tue Jun 06 2017 17:34:00.0000	1639	2039
Tue Jun 06 2017 17:35:00.0000	1639	2050
Tue Jun 06 2017 17:36:00.0000	1639	2097
Tue Jun 06 2017 17:37:00.0000	1639	2060
Tue Jun 06 2017 17:38:00.0000	1639	2043
Tue Jun 06 2017 17:39:00.0000	1639	2020
Tue Jun 06 2017 17:40:00.0000	1639	2073
Tue Jun 06 2017 17:41:00.0000	1639	2079
Tue Jun 06 2017 17:42:00.0000	1639	2048
Tue Jun 06 2017 17:43:00.0000	1639	2054
Tue Jun 06 2017 17:44:00.0000	1639	2052
Tue Jun 06 2017 17:45:00.0000	1639	2015
Tue Jun 06 2017 17:46:00.0000	1610	2073
Tue Jun 06 2017 17:47:00.0000	1610	2034
Tue Jun 06 2017 17:48:00.0000	1610	2068
Tue Jun 06 2017 17:49:00.0000	1610	2037
Tue Jun 06 2017 17:50:00.0000	1610	2072
Tue Jun 06 2017 17:51:00.0000	1610	2070

Date/Time	Process Temperature (°F)	Process Flow SCFM
Tue Jun 06 2017 17:52:00.0000	1610	2067
Tue Jun 06 2017 17:53:00.0000	1610	2044
Tue Jun 06 2017 17:54:00.0000	1610	2030
Tue Jun 06 2017 17:55:00.0000	1610	2051
Tue Jun 06 2017 17:56:00.0000	1610	2055
Tue Jun 06 2017 17:57:00.0000	1610	2081
Tue Jun 06 2017 17:58:00.0000	1610	2078
Tue Jun 06 2017 17:59:00.0000	1610	2082
Tue Jun 06 2017 18:00:00.0000	1610	2051
Tue Jun 06 2017 18:01:00.0000	1618	2043
Tue Jun 06 2017 18:02:00.0000	1618	2048
Tue Jun 06 2017 18:03:00.0000	1618	2075
Tue Jun 06 2017 18:04:00.0000	1618	2015
Tue Jun 06 2017 18:05:00.0000	1618	2012
Tue Jun 06 2017 18:06:00.0000	1618	2106
Tue Jun 06 2017 18:07:00.0000	1618	2048
Tue Jun 06 2017 18:08:00.0000	1618	2019
Tue Jun 06 2017 18:09:00.0000	1618	2056
Tue Jun 06 2017 18:10:00.0000	1618	2026
Tue Jun 06 2017 18:11:00.0000	1618	2007
Tue Jun 06 2017 18:12:00.0000	1618	2047
Tue Jun 06 2017 18:13:00.0000	1618	2031
Tue Jun 06 2017 18:14:00.0000	1618	2017
Tue Jun 06 2017 18:15:00.0000	1618	2091
Tue Jun 06 2017 18:16:00.0000	1622	2010
Tue Jun 06 2017 18:17:00.0000	1622	2043
Tue Jun 06 2017 18:18:00.0000	1622	2005
Tue Jun 06 2017 18:19:00.0000	1622	2036
Tue Jun 06 2017 18:20:00.0000	1622	2004
Tue Jun 06 2017 18:21:00.0000	1622	2026
Tue Jun 06 2017 18:22:00.0000	1622	2025
Tue Jun 06 2017 18:23:00.0000	1622	2029
Tue Jun 06 2017 18:24:00.0000	1622	2042
Tue Jun 06 2017 18:25:00.0000	1622	2005
Tue Jun 06 2017 18:26:00.0000	1622	2033
Tue Jun 06 2017 18:27:00.0000	1622	2058
Tue Jun 06 2017 18:28:00.0000	1622	2022
Tue Jun 06 2017 18:29:00.0000	1622	2045
Tue Jun 06 2017 18:30:00.0000	1622	2016
Tue Jun 06 2017 18:31:00.0000	1624	2010
Tue Jun 06 2017 18:32:00.0000	1624	2039
Tue Jun 06 2017 18:33:00.0000	1624	2010
Tue Jun 06 2017 18:34:00.0000	1624	2026
Tue Jun 06 2017 18:35:00.0000	1624	2022
Tue Jun 06 2017 18:36:00.0000	1624	2025
Tue Jun 06 2017 18:37:00.0000	1624	2023
Tue Jun 06 2017 18:38:00.0000	1624	2026
Tue Jun 06 2017 18:39:00.0000	1624	2036
Tue Jun 06 2017 18:40:00.0000	1624	2026
Tue Jun 06 2017 18:41:00.0000	1624	2010
Tue Jun 06 2017 18:42:00.0000	1624	2047
Tue Jun 06 2017 18:43:00.0000	1624	2051
Tue Jun 06 2017 18:44:00.0000	1624	2022
Tue Jun 06 2017 18:45:00.0000	1624	2022
Tue Jun 06 2017 18:46:00.0000	1625	2024
Tue Jun 06 2017 18:47:00.0000	1625	2032
Tue Jun 06 2017 18:48:00.0000	1625	2031

Date/Time	Process Temperature (°F)	Process Flow SCFM
Tue Jun 06 2017 18:49:00.0000	1625	2015
Tue Jun 06 2017 18:50:00.0000	1625	2011
Tue Jun 06 2017 18:51:00.0000	1625	2007
Tue Jun 06 2017 18:52:00.0000	1625	2054
Tue Jun 06 2017 18:53:00.0000	1625	2020
Tue Jun 06 2017 18:54:00.0000	1625	2016
Tue Jun 06 2017 18:55:00.0000	1625	2042
Tue Jun 06 2017 18:56:00.0000	1625	2028
Tue Jun 06 2017 18:57:00.0000	1625	2045
Tue Jun 06 2017 18:58:00.0000	1625	2066
Tue Jun 06 2017 18:59:00.0000	1625	2036
Tue Jun 06 2017 19:00:00.0000	1625	2050
Tue Jun 06 2017 19:01:00.0000	1625	2018
Tue Jun 06 2017 19:02:00.0000	1625	2018
Tue Jun 06 2017 19:03:00.0000	1625	2022
Tue Jun 06 2017 19:04:00.0000	1625	2039
Tue Jun 06 2017 19:05:00.0000	1625	2028
Tue Jun 06 2017 19:06:00.0000	1625	2028
Tue Jun 06 2017 19:07:00.0000	1625	2027
Tue Jun 06 2017 19:08:00.0000	1625	2031
Tue Jun 06 2017 19:09:00.0000	1625	2065
Tue Jun 06 2017 19:10:00.0000	1625	2029
Tue Jun 06 2017 19:11:00.0000	1625	1993
Tue Jun 06 2017 19:12:00.0000	1625	2010
Tue Jun 06 2017 19:13:00.0000	1625	2081
Tue Jun 06 2017 19:14:00.0000	1625	2029
Tue Jun 06 2017 19:15:00.0000	1625	2010
Tue Jun 06 2017 19:16:00.0000	1625	1947
Tue Jun 06 2017 19:17:00.0000	1625	2015
Tue Jun 06 2017 19:18:00.0000	1625	1985
Tue Jun 06 2017 19:19:00.0000	1625	1998
Tue Jun 06 2017 19:20:00.0000	1625	2020
Tue Jun 06 2017 19:21:00.0000	1625	2004
Tue Jun 06 2017 19:22:00.0000	1625	1995
Tue Jun 06 2017 19:23:00.0000	1625	1957
Tue Jun 06 2017 19:24:00.0000	1625	2011
Tue Jun 06 2017 19:25:00.0000	1625	2007
Tue Jun 06 2017 19:26:00.0000	1625	2056
Tue Jun 06 2017 19:27:00.0000	1625	2041
Tue Jun 06 2017 19:28:00.0000	1625	2034
Tue Jun 06 2017 19:29:00.0000	1625	2007
Tue Jun 06 2017 19:30:00.0000	1625	2038
Tue Jun 06 2017 19:31:00.0000	1625	2055
Tue Jun 06 2017 19:32:00.0000	1625	1981
Tue Jun 06 2017 19:33:00.0000	1625	2074
Tue Jun 06 2017 19:34:00.0000	1625	1994
Tue Jun 06 2017 19:35:00.0000	1625	1994
Tue Jun 06 2017 19:36:00.0000	1625	2040
Tue Jun 06 2017 19:37:00.0000	1625	2033
Tue Jun 06 2017 19:38:00.0000	1625	2112
Tue Jun 06 2017 19:39:00.0000	1625	1976
Tue Jun 06 2017 19:40:00.0000	1625	2010
Tue Jun 06 2017 19:41:00.0000	1625	1977
Tue Jun 06 2017 19:42:00.0000	1625	2030
Tue Jun 06 2017 19:43:00.0000	1625	2090
Tue Jun 06 2017 19:44:00.0000	1625	2003
Tue Jun 06 2017 19:45:00.0000	1625	1992

Date/Time	Process Temperature (°F)	Process Flow SCFM
Tue Jun 06 2017 19:46:00.0000	1625	2048
Tue Jun 06 2017 19:47:00.0000	1625	1994
Tue Jun 06 2017 19:48:00.0000	1625	1997
Tue Jun 06 2017 19:49:00.0000	1625	2047
Tue Jun 06 2017 19:50:00.0000	1625	1966
Tue Jun 06 2017 19:51:00.0000	1625	2015
Tue Jun 06 2017 19:52:00.0000	1625	2018
Tue Jun 06 2017 19:53:00.0000	1625	2038
Tue Jun 06 2017 19:54:00.0000	1625	1986
Tue Jun 06 2017 19:55:00.0000	1625	1991
Tue Jun 06 2017 19:56:00.0000	1625	2005
Tue Jun 06 2017 19:57:00.0000	1625	1980
Tue Jun 06 2017 19:58:00.0000	1625	1978
Tue Jun 06 2017 19:59:00.0000	1625	2091
Tue Jun 06 2017 20:00:00.0000	1625	2034
Tue Jun 06 2017 20:01:00.0000	1625	2019
Tue Jun 06 2017 20:02:00.0000	1625	2019
Tue Jun 06 2017 20:03:00.0000	1625	2012
Tue Jun 06 2017 20:04:00.0000	1625	2025
Tue Jun 06 2017 20:05:00.0000	1625	1991
Tue Jun 06 2017 20:06:00.0000	1625	1962
Tue Jun 06 2017 20:07:00.0000	1625	2019
Tue Jun 06 2017 20:08:00.0000	1625	2035
Tue Jun 06 2017 20:09:00.0000	1625	1981
Tue Jun 06 2017 20:10:00.0000	1625	1969
Tue Jun 06 2017 20:11:00.0000	1625	1963
Tue Jun 06 2017 20:12:00.0000	1625	1982
Tue Jun 06 2017 20:13:00.0000	1625	1966
Tue Jun 06 2017 20:14:00.0000	1625	1966
Tue Jun 06 2017 20:15:00.0000	1625	1971
Tue Jun 06 2017 20:16:00.0000	1624	2035
Tue Jun 06 2017 20:17:00.0000	1624	1999
Tue Jun 06 2017 20:18:00.0000	1624	2040
Tue Jun 06 2017 20:19:00.0000	1624	2009
Tue Jun 06 2017 20:20:00.0000	1624	1981
Tue Jun 06 2017 20:21:00.0000	1624	2058
Tue Jun 06 2017 20:22:00.0000	1624	2014
Tue Jun 06 2017 20:23:00.0000	1624	2012
Tue Jun 06 2017 20:24:00.0000	1624	1993
Tue Jun 06 2017 20:25:00.0000	1624	1974
Tue Jun 06 2017 20:26:00.0000	1624	2043
Tue Jun 06 2017 20:27:00.0000	1624	2010
Tue Jun 06 2017 20:28:00.0000	1624	1983
Tue Jun 06 2017 20:29:00.0000	1624	1952
Tue Jun 06 2017 20:30:00.0000	1624	1959
Tue Jun 06 2017 20:31:00.0000	1624	1994
Tue Jun 06 2017 20:32:00.0000	1624	1963
Tue Jun 06 2017 20:33:00.0000	1624	1992
Tue Jun 06 2017 20:34:00.0000	1624	1992
Tue Jun 06 2017 20:35:00.0000	1624	1993
Tue Jun 06 2017 20:36:00.0000	1624	2007
Tue Jun 06 2017 20:37:00.0000	1624	1997
Tue Jun 06 2017 20:38:00.0000	1624	1994
Tue Jun 06 2017 20:39:00.0000	1624	1906
Tue Jun 06 2017 20:40:00.0000	1624	1995
Tue Jun 06 2017 20:41:00.0000	1624	2001
Tue Jun 06 2017 20:42:00.0000	1624	1987

Date/Time	Process Temperature (°F)	Process Flow SCFM
Tue Jun 06 2017 20:43:00.0000	1624	1975
Tue Jun 06 2017 20:44:00.0000	1624	1977
Tue Jun 06 2017 20:45:00.0000	1624	2005
Tue Jun 06 2017 20:46:00.0000	1623	2002
Tue Jun 06 2017 20:47:00.0000	1623	1948
Tue Jun 06 2017 20:48:00.0000	1623	1978
Tue Jun 06 2017 20:49:00.0000	1623	2013
Tue Jun 06 2017 20:50:00.0000	1623	1954
Tue Jun 06 2017 20:51:00.0000	1623	1980
Tue Jun 06 2017 20:52:00.0000	1623	1956
Tue Jun 06 2017 20:53:00.0000	1623	1966
Tue Jun 06 2017 20:54:00.0000	1623	1980
Tue Jun 06 2017 20:55:00.0000	1623	1969
Tue Jun 06 2017 20:56:00.0000	1623	2001
Tue Jun 06 2017 20:57:00.0000	1623	1990
Tue Jun 06 2017 20:58:00.0000	1623	1970
Tue Jun 06 2017 20:59:00.0000	1623	1992
Tue Jun 06 2017 21:00:00.0000	1623	1994
Tue Jun 06 2017 21:01:00.0000	1623	2043
Tue Jun 06 2017 21:02:00.0000	1623	1977
Tue Jun 06 2017 21:03:00.0000	1623	1989
Tue Jun 06 2017 21:04:00.0000	1623	1993
Tue Jun 06 2017 21:05:00.0000	1623	1973
Tue Jun 06 2017 21:06:00.0000	1623	1973
Tue Jun 06 2017 21:07:00.0000	1623	1997
Tue Jun 06 2017 21:08:00.0000	1623	1994
Tue Jun 06 2017 21:09:00.0000	1623	2003
Tue Jun 06 2017 21:10:00.0000	1623	2006
Tue Jun 06 2017 21:11:00.0000	1623	2001
Tue Jun 06 2017 21:12:00.0000	1623	1998
Tue Jun 06 2017 21:13:00.0000	1623	1982
Tue Jun 06 2017 21:14:00.0000	1623	1994
Tue Jun 06 2017 21:15:00.0000	1623	1990
Tue Jun 06 2017 21:16:00.0000	1622	1977
Tue Jun 06 2017 21:17:00.0000	1622	2029
Tue Jun 06 2017 21:18:00.0000	1622	1997
Tue Jun 06 2017 21:19:00.0000	1622	1979
Tue Jun 06 2017 21:20:00.0000	1622	2008
Tue Jun 06 2017 21:21:00.0000	1622	1988
Tue Jun 06 2017 21:22:00.0000	1622	2005
Tue Jun 06 2017 21:23:00.0000	1622	1969
Tue Jun 06 2017 21:24:00.0000	1622	1967
Tue Jun 06 2017 21:25:00.0000	1622	2004
Tue Jun 06 2017 21:26:00.0000	1622	1980
Tue Jun 06 2017 21:27:00.0000	1622	2063
Tue Jun 06 2017 21:28:00.0000	1622	1953
Tue Jun 06 2017 21:29:00.0000	1622	1975
Tue Jun 06 2017 21:30:00.0000	1622	2001
Tue Jun 06 2017 21:31:00.0000	1622	1992
Tue Jun 06 2017 21:32:00.0000	1622	1974
Tue Jun 06 2017 21:33:00.0000	1622	1999
Tue Jun 06 2017 21:34:00.0000	1622	2002
Tue Jun 06 2017 21:35:00.0000	1622	1990
Tue Jun 06 2017 21:36:00.0000	1622	1983
Tue Jun 06 2017 21:37:00.0000	1622	2020
Tue Jun 06 2017 21:38:00.0000	1622	1974
Tue Jun 06 2017 21:39:00.0000	1622	2012

Date/Time	Process Temperature (°F)	Process Flow SCFM
Tue Jun 06 2017 21:40:00.0000	1622	1979
Tue Jun 06 2017 21:41:00.0000	1622	1990
Tue Jun 06 2017 21:42:00.0000	1622	2002
Tue Jun 06 2017 21:43:00.0000	1622	1985
Tue Jun 06 2017 21:44:00.0000	1622	1986
Tue Jun 06 2017 21:45:00.0000	1622	1982
Tue Jun 06 2017 21:46:00.0000	1622	1981
Tue Jun 06 2017 21:47:00.0000	1622	1971
Tue Jun 06 2017 21:48:00.0000	1622	1986
Tue Jun 06 2017 21:49:00.0000	1622	1979
Tue Jun 06 2017 21:50:00.0000	1622	1991
Tue Jun 06 2017 21:51:00.0000	1622	1999
Tue Jun 06 2017 21:52:00.0000	1622	1988
Tue Jun 06 2017 21:53:00.0000	1622	1963
Tue Jun 06 2017 21:54:00.0000	1622	1969
Tue Jun 06 2017 21:55:00.0000	1622	2031
Tue Jun 06 2017 21:56:00.0000	1622	1978
Tue Jun 06 2017 21:57:00.0000	1622	1984
Tue Jun 06 2017 21:58:00.0000	1622	1968
Tue Jun 06 2017 21:59:00.0000	1622	1998
Tue Jun 06 2017 22:00:00.0000	1622	1983
Tue Jun 06 2017 22:01:00.0000	1621	1994
Tue Jun 06 2017 22:02:00.0000	1621	2017
Tue Jun 06 2017 22:03:00.0000	1621	1988
Tue Jun 06 2017 22:04:00.0000	1621	1981
Tue Jun 06 2017 22:05:00.0000	1621	2007
Tue Jun 06 2017 22:06:00.0000	1621	1972
Tue Jun 06 2017 22:07:00.0000	1621	2005
Tue Jun 06 2017 22:08:00.0000	1621	1988
Tue Jun 06 2017 22:09:00.0000	1621	2011
Tue Jun 06 2017 22:10:00.0000	1621	1993
Tue Jun 06 2017 22:11:00.0000	1621	1998
Tue Jun 06 2017 22:12:00.0000	1621	2006
Tue Jun 06 2017 22:13:00.0000	1621	1999
Tue Jun 06 2017 22:14:00.0000	1621	2004
Tue Jun 06 2017 22:15:00.0000	1621	1985
Tue Jun 06 2017 22:16:00.0000	1621	2016
Tue Jun 06 2017 22:17:00.0000	1621	1985
Tue Jun 06 2017 22:18:00.0000	1621	1982
Tue Jun 06 2017 22:19:00.0000	1621	2056
Tue Jun 06 2017 22:20:00.0000	1621	1984
Tue Jun 06 2017 22:21:00.0000	1621	1968
Tue Jun 06 2017 22:22:00.0000	1621	1978
Tue Jun 06 2017 22:23:00.0000	1621	1967
Tue Jun 06 2017 22:24:00.0000	1621	1973
Tue Jun 06 2017 22:25:00.0000	1621	1981
Tue Jun 06 2017 22:26:00.0000	1621	1988
Tue Jun 06 2017 22:27:00.0000	1621	1987
Tue Jun 06 2017 22:28:00.0000	1621	1996
Tue Jun 06 2017 22:29:00.0000	1621	1981
Tue Jun 06 2017 22:30:00.0000	1621	1991
Tue Jun 06 2017 22:31:00.0000	1621	1983
Tue Jun 06 2017 22:32:00.0000	1621	1978
Tue Jun 06 2017 22:33:00.0000	1621	1991
Tue Jun 06 2017 22:34:00.0000	1621	1992
Tue Jun 06 2017 22:35:00.0000	1621	1956
Tue Jun 06 2017 22:36:00.0000	1621	2009

Date/Time	Process Temperature (°F)	Process Flow SCFM
Tue Jun 06 2017 22:37:00.0000	1621	1964
Tue Jun 06 2017 22:38:00.0000	1621	2026
Tue Jun 06 2017 22:39:00.0000	1621	2025
Tue Jun 06 2017 22:40:00.0000	1621	1994
Tue Jun 06 2017 22:41:00.0000	1621	1969
Tue Jun 06 2017 22:42:00.0000	1621	1990
Tue Jun 06 2017 22:43:00.0000	1621	1980
Tue Jun 06 2017 22:44:00.0000	1621	1957
Tue Jun 06 2017 22:45:00.0000	1621	1993
Tue Jun 06 2017 22:46:00.0000	1621	1975
Tue Jun 06 2017 22:47:00.0000	1621	1972
Tue Jun 06 2017 22:48:00.0000	1621	1975
Tue Jun 06 2017 22:49:00.0000	1621	2001
Tue Jun 06 2017 22:50:00.0000	1621	1985
Tue Jun 06 2017 22:51:00.0000	1621	1979
Tue Jun 06 2017 22:52:00.0000	1621	1990
Tue Jun 06 2017 22:53:00.0000	1621	1996
Tue Jun 06 2017 22:54:00.0000	1621	1987
Tue Jun 06 2017 22:55:00.0000	1621	1978
Tue Jun 06 2017 22:56:00.0000	1621	2009
Tue Jun 06 2017 22:57:00.0000	1621	2022
Tue Jun 06 2017 22:58:00.0000	1621	1956
Tue Jun 06 2017 22:59:00.0000	1621	1982
Tue Jun 06 2017 23:00:00.0000	1621	1984
Tue Jun 06 2017 23:01:00.0000	1620	1973
Tue Jun 06 2017 23:02:00.0000	1620	1966
Tue Jun 06 2017 23:03:00.0000	1620	1988
Tue Jun 06 2017 23:04:00.0000	1620	1989
Tue Jun 06 2017 23:05:00.0000	1620	1973
Tue Jun 06 2017 23:06:00.0000	1620	1968
Tue Jun 06 2017 23:07:00.0000	1620	2000
Tue Jun 06 2017 23:08:00.0000	1620	1995
Tue Jun 06 2017 23:09:00.0000	1620	1983
Tue Jun 06 2017 23:10:00.0000	1620	1984
Tue Jun 06 2017 23:11:00.0000	1620	1972
Tue Jun 06 2017 23:12:00.0000	1620	1994
Tue Jun 06 2017 23:13:00.0000	1620	1977
Tue Jun 06 2017 23:14:00.0000	1620	1975
Tue Jun 06 2017 23:15:00.0000	1620	1976
Tue Jun 06 2017 23:16:00.0000	1620	2005
Tue Jun 06 2017 23:17:00.0000	1620	1980
Tue Jun 06 2017 23:18:00.0000	1620	1986
Tue Jun 06 2017 23:19:00.0000	1620	1958
Tue Jun 06 2017 23:20:00.0000	1620	1955
Tue Jun 06 2017 23:21:00.0000	1620	1963
Tue Jun 06 2017 23:22:00.0000	1620	2019
Tue Jun 06 2017 23:23:00.0000	1620	1984
Tue Jun 06 2017 23:24:00.0000	1620	1991
Tue Jun 06 2017 23:25:00.0000	1620	1981
Tue Jun 06 2017 23:26:00.0000	1620	1944
Tue Jun 06 2017 23:27:00.0000	1620	1947
Tue Jun 06 2017 23:28:00.0000	1620	1989
Tue Jun 06 2017 23:29:00.0000	1620	1987
Tue Jun 06 2017 23:30:00.0000	1620	1999
Tue Jun 06 2017 23:31:00.0000	1620	1983
Tue Jun 06 2017 23:32:00.0000	1620	1952
Tue Jun 06 2017 23:33:00.0000	1620	1988

Date/Time	Process Temperature (°F)	Process Flow SCFM
Tue Jun 06 2017 23:34:00.0000	1620	2013
Tue Jun 06 2017 23:35:00.0000	1620	2008
Tue Jun 06 2017 23:36:00.0000	1620	1980
Tue Jun 06 2017 23:37:00.0000	1620	1953
Tue Jun 06 2017 23:38:00.0000	1620	1936
Tue Jun 06 2017 23:39:00.0000	1620	1977
Tue Jun 06 2017 23:40:00.0000	1620	1997
Tue Jun 06 2017 23:41:00.0000	1620	1965
Tue Jun 06 2017 23:42:00.0000	1620	1975
Tue Jun 06 2017 23:43:00.0000	1620	1983
Tue Jun 06 2017 23:44:00.0000	1620	1994
Tue Jun 06 2017 23:45:00.0000	1620	1994
Tue Jun 06 2017 23:46:00.0000	1620	1965
Tue Jun 06 2017 23:47:00.0000	1620	1938
Tue Jun 06 2017 23:48:00.0000	1620	1980
Tue Jun 06 2017 23:49:00.0000	1620	1988
Tue Jun 06 2017 23:50:00.0000	1620	1970
Tue Jun 06 2017 23:51:00.0000	1620	1981
Tue Jun 06 2017 23:52:00.0000	1620	1979
Tue Jun 06 2017 23:53:00.0000	1620	1966
Tue Jun 06 2017 23:54:00.0000	1620	1988
Tue Jun 06 2017 23:55:00.0000	1620	1988
Tue Jun 06 2017 23:56:00.0000	1620	1981
Tue Jun 06 2017 23:57:00.0000	1620	1996
Tue Jun 06 2017 23:58:00.0000	1620	1934
Tue Jun 06 2017 23:59:00.0000	1620	1982
Wed Jun 07 2017 00:00:00.0000	1620	1988
Wed Jun 07 2017 00:01:00.0000	1620	1994
Wed Jun 07 2017 00:02:00.0000	1620	1978
Wed Jun 07 2017 00:03:00.0000	1620	2005
Wed Jun 07 2017 00:04:00.0000	1620	1965
Wed Jun 07 2017 00:05:00.0000	1620	1972
Wed Jun 07 2017 00:06:00.0000	1620	2010
Wed Jun 07 2017 00:07:00.0000	1620	1981
Wed Jun 07 2017 00:08:00.0000	1620	2056
Wed Jun 07 2017 00:09:00.0000	1620	1977
Wed Jun 07 2017 00:10:00.0000	1620	1980
Wed Jun 07 2017 00:11:00.0000	1620	1993
Wed Jun 07 2017 00:12:00.0000	1620	1975
Wed Jun 07 2017 00:13:00.0000	1620	1959
Wed Jun 07 2017 00:14:00.0000	1620	1975
Wed Jun 07 2017 00:15:00.0000	1620	1966
Wed Jun 07 2017 00:16:00.0000	1620	1961
Wed Jun 07 2017 00:17:00.0000	1620	1956
Wed Jun 07 2017 00:18:00.0000	1620	1983
Wed Jun 07 2017 00:19:00.0000	1620	2000
Wed Jun 07 2017 00:20:00.0000	1620	1957
Wed Jun 07 2017 00:21:00.0000	1620	1971
Wed Jun 07 2017 00:22:00.0000	1620	1962
Wed Jun 07 2017 00:23:00.0000	1620	1971
Wed Jun 07 2017 00:24:00.0000	1620	1969
Wed Jun 07 2017 00:25:00.0000	1620	1994
Wed Jun 07 2017 00:26:00.0000	1620	1969
Wed Jun 07 2017 00:27:00.0000	1620	2030
Wed Jun 07 2017 00:28:00.0000	1620	1988
Wed Jun 07 2017 00:29:00.0000	1620	1968
Wed Jun 07 2017 00:30:00.0000	1620	1967

Date/Time	Process Temperature (°F)	Process Flow SCFM
Wed Jun 07 2017 00:31:00.0000	1620	1994
Wed Jun 07 2017 00:32:00.0000	1620	1996
Wed Jun 07 2017 00:33:00.0000	1620	1996
Wed Jun 07 2017 00:34:00.0000	1620	1989
Wed Jun 07 2017 00:35:00.0000	1620	1994
Wed Jun 07 2017 00:36:00.0000	1620	1956
Wed Jun 07 2017 00:37:00.0000	1620	1972
Wed Jun 07 2017 00:38:00.0000	1620	1982
Wed Jun 07 2017 00:39:00.0000	1620	2019
Wed Jun 07 2017 00:40:00.0000	1620	1984
Wed Jun 07 2017 00:41:00.0000	1620	1962
Wed Jun 07 2017 00:42:00.0000	1620	1972
Wed Jun 07 2017 00:43:00.0000	1620	1973
Wed Jun 07 2017 00:44:00.0000	1620	1957
Wed Jun 07 2017 00:45:00.0000	1620	1966
Wed Jun 07 2017 00:46:00.0000	1620	1985
Wed Jun 07 2017 00:47:00.0000	1620	1973
Wed Jun 07 2017 00:48:00.0000	1620	1987
Wed Jun 07 2017 00:49:00.0000	1620	1987
Wed Jun 07 2017 00:50:00.0000	1620	1979
Wed Jun 07 2017 00:51:00.0000	1620	1975
Wed Jun 07 2017 00:52:00.0000	1620	1975
Wed Jun 07 2017 00:53:00.0000	1620	1937
Wed Jun 07 2017 00:54:00.0000	1620	1975
Wed Jun 07 2017 00:55:00.0000	1620	1979
Wed Jun 07 2017 00:56:00.0000	1620	1978
Wed Jun 07 2017 00:57:00.0000	1620	1970
Wed Jun 07 2017 00:58:00.0000	1620	1991
Wed Jun 07 2017 00:59:00.0000	1620	1987
Wed Jun 07 2017 01:00:00.0000	1620	1964
Wed Jun 07 2017 01:01:00.0000	1619	1988
Wed Jun 07 2017 01:02:00.0000	1619	1965
Wed Jun 07 2017 01:03:00.0000	1619	1967
Wed Jun 07 2017 01:04:00.0000	1619	1988
Wed Jun 07 2017 01:05:00.0000	1619	2058
Wed Jun 07 2017 01:06:00.0000	1619	2006
Wed Jun 07 2017 01:07:00.0000	1619	1938
Wed Jun 07 2017 01:08:00.0000	1619	1984
Wed Jun 07 2017 01:09:00.0000	1619	1982
Wed Jun 07 2017 01:10:00.0000	1619	1966
Wed Jun 07 2017 01:11:00.0000	1619	1969
Wed Jun 07 2017 01:12:00.0000	1619	2010
Wed Jun 07 2017 01:13:00.0000	1619	1968
Wed Jun 07 2017 01:14:00.0000	1619	1980
Wed Jun 07 2017 01:15:00.0000	1619	1972
Wed Jun 07 2017 01:16:00.0000	1619	1962
Wed Jun 07 2017 01:17:00.0000	1619	1981
Wed Jun 07 2017 01:18:00.0000	1619	1992
Wed Jun 07 2017 01:19:00.0000	1619	1996
Wed Jun 07 2017 01:20:00.0000	1619	1969
Wed Jun 07 2017 01:21:00.0000	1619	1978
Wed Jun 07 2017 01:22:00.0000	1619	1987
Wed Jun 07 2017 01:23:00.0000	1619	1990
Wed Jun 07 2017 01:24:00.0000	1619	1941
Wed Jun 07 2017 01:25:00.0000	1619	1976
Wed Jun 07 2017 01:26:00.0000	1619	1954
Wed Jun 07 2017 01:27:00.0000	1619	1959

Date/Time	Process Temperature (°F)	Process Flow SCFM
Wed Jun 07 2017 01:28:00.0000	1619	1985
Wed Jun 07 2017 01:29:00.0000	1619	2006
Wed Jun 07 2017 01:30:00.0000	1619	1969
Wed Jun 07 2017 01:31:00.0000	1619	1977
Wed Jun 07 2017 01:32:00.0000	1619	2008
Wed Jun 07 2017 01:33:00.0000	1619	1988
Wed Jun 07 2017 01:34:00.0000	1619	2001
Wed Jun 07 2017 01:35:00.0000	1619	1980
Wed Jun 07 2017 01:36:00.0000	1619	1967
Wed Jun 07 2017 01:37:00.0000	1619	1971
Wed Jun 07 2017 01:38:00.0000	1619	1946
Wed Jun 07 2017 01:39:00.0000	1619	1933
Wed Jun 07 2017 01:40:00.0000	1619	1969
Wed Jun 07 2017 01:41:00.0000	1619	1986
Wed Jun 07 2017 01:42:00.0000	1619	2014
Wed Jun 07 2017 01:43:00.0000	1619	1980
Wed Jun 07 2017 01:44:00.0000	1619	1962
Wed Jun 07 2017 01:45:00.0000	1619	1986
Wed Jun 07 2017 01:46:00.0000	1619	1954
Wed Jun 07 2017 01:47:00.0000	1619	1988
Wed Jun 07 2017 01:48:00.0000	1619	1981
Wed Jun 07 2017 01:49:00.0000	1619	1987
Wed Jun 07 2017 01:50:00.0000	1619	1979
Wed Jun 07 2017 01:51:00.0000	1619	1985
Wed Jun 07 2017 01:52:00.0000	1619	1997
Wed Jun 07 2017 01:53:00.0000	1619	1975
Wed Jun 07 2017 01:54:00.0000	1619	1972
Wed Jun 07 2017 01:55:00.0000	1619	1975
Wed Jun 07 2017 01:56:00.0000	1619	1975
Wed Jun 07 2017 01:57:00.0000	1619	1962
Wed Jun 07 2017 01:58:00.0000	1619	1973
Wed Jun 07 2017 01:59:00.0000	1619	1955
Wed Jun 07 2017 02:00:00.0000	1619	1972
Wed Jun 07 2017 02:01:00.0000	1619	1980
Wed Jun 07 2017 02:02:00.0000	1619	1981
Wed Jun 07 2017 02:03:00.0000	1619	1981
Wed Jun 07 2017 02:04:00.0000	1619	1986
Wed Jun 07 2017 02:05:00.0000	1619	2000
Wed Jun 07 2017 02:06:00.0000	1619	1967
Wed Jun 07 2017 02:07:00.0000	1619	1982
Wed Jun 07 2017 02:08:00.0000	1619	2000
Wed Jun 07 2017 02:09:00.0000	1619	1996
Wed Jun 07 2017 02:10:00.0000	1619	1985
Wed Jun 07 2017 02:11:00.0000	1619	2000
Wed Jun 07 2017 02:12:00.0000	1619	1958
Wed Jun 07 2017 02:13:00.0000	1619	1996
Wed Jun 07 2017 02:14:00.0000	1619	1978
Wed Jun 07 2017 02:15:00.0000	1619	1968
Wed Jun 07 2017 02:16:00.0000	1619	1983
Wed Jun 07 2017 02:17:00.0000	1619	1957
Wed Jun 07 2017 02:18:00.0000	1619	1956
Wed Jun 07 2017 02:19:00.0000	1619	2001
Wed Jun 07 2017 02:20:00.0000	1619	1986
Wed Jun 07 2017 02:21:00.0000	1619	1967
Wed Jun 07 2017 02:22:00.0000	1619	1986
Wed Jun 07 2017 02:23:00.0000	1619	1975
Wed Jun 07 2017 02:24:00.0000	1619	1966

Date/Time	Process Temperature (°F)	Process Flow SCFM
Wed Jun 07 2017 02:25:00.0000	1619	1969
Wed Jun 07 2017 02:26:00.0000	1619	2016
Wed Jun 07 2017 02:27:00.0000	1619	1978
Wed Jun 07 2017 02:28:00.0000	1619	1994
Wed Jun 07 2017 02:29:00.0000	1619	1968
Wed Jun 07 2017 02:30:00.0000	1619	1980
Wed Jun 07 2017 02:31:00.0000	1619	1967
Wed Jun 07 2017 02:32:00.0000	1619	2000
Wed Jun 07 2017 02:33:00.0000	1619	1958
Wed Jun 07 2017 02:34:00.0000	1619	1978
Wed Jun 07 2017 02:35:00.0000	1619	2006
Wed Jun 07 2017 02:36:00.0000	1619	2000
Wed Jun 07 2017 02:37:00.0000	1619	1986
Wed Jun 07 2017 02:38:00.0000	1619	1975
Wed Jun 07 2017 02:39:00.0000	1619	1979
Wed Jun 07 2017 02:40:00.0000	1619	1966
Wed Jun 07 2017 02:41:00.0000	1619	1969
Wed Jun 07 2017 02:42:00.0000	1619	1987
Wed Jun 07 2017 02:43:00.0000	1619	1987
Wed Jun 07 2017 02:44:00.0000	1619	1987
Wed Jun 07 2017 02:45:00.0000	1619	1980
Wed Jun 07 2017 02:46:00.0000	1619	2009
Wed Jun 07 2017 02:47:00.0000	1619	2007
Wed Jun 07 2017 02:48:00.0000	1619	1988
Wed Jun 07 2017 02:49:00.0000	1619	2000
Wed Jun 07 2017 02:50:00.0000	1619	1965
Wed Jun 07 2017 02:51:00.0000	1619	1938
Wed Jun 07 2017 02:52:00.0000	1619	1981
Wed Jun 07 2017 02:53:00.0000	1619	1960
Wed Jun 07 2017 02:54:00.0000	1619	1973
Wed Jun 07 2017 02:55:00.0000	1619	1977
Wed Jun 07 2017 02:56:00.0000	1619	1969
Wed Jun 07 2017 02:57:00.0000	1619	1994
Wed Jun 07 2017 02:58:00.0000	1619	2010
Wed Jun 07 2017 02:59:00.0000	1619	1953
Wed Jun 07 2017 03:00:00.0000	1619	1941
Wed Jun 07 2017 03:01:00.0000	1619	1984
Wed Jun 07 2017 03:02:00.0000	1619	2004
Wed Jun 07 2017 03:03:00.0000	1619	2014
Wed Jun 07 2017 03:04:00.0000	1619	1977
Wed Jun 07 2017 03:05:00.0000	1619	1942
Wed Jun 07 2017 03:06:00.0000	1619	1961
Wed Jun 07 2017 03:07:00.0000	1619	1987
Wed Jun 07 2017 03:08:00.0000	1619	1973
Wed Jun 07 2017 03:09:00.0000	1619	1994
Wed Jun 07 2017 03:10:00.0000	1619	1980
Wed Jun 07 2017 03:11:00.0000	1619	1965
Wed Jun 07 2017 03:12:00.0000	1619	2036
Wed Jun 07 2017 03:13:00.0000	1619	1976
Wed Jun 07 2017 03:14:00.0000	1619	1991
Wed Jun 07 2017 03:15:00.0000	1619	2008
Wed Jun 07 2017 03:16:00.0000	1618	1980
Wed Jun 07 2017 03:17:00.0000	1618	1988
Wed Jun 07 2017 03:18:00.0000	1618	1989
Wed Jun 07 2017 03:19:00.0000	1618	1969
Wed Jun 07 2017 03:20:00.0000	1618	1990
Wed Jun 07 2017 03:21:00.0000	1618	1986

Date/Time	Process Temperature (°F)	Process Flow SCFM
Wed Jun 07 2017 03:22:00.0000	1618	1984
Wed Jun 07 2017 03:23:00.0000	1618	1979
Wed Jun 07 2017 03:24:00.0000	1618	1973
Wed Jun 07 2017 03:25:00.0000	1618	2003
Wed Jun 07 2017 03:26:00.0000	1618	1960
Wed Jun 07 2017 03:27:00.0000	1618	1959
Wed Jun 07 2017 03:28:00.0000	1618	1960
Wed Jun 07 2017 03:29:00.0000	1618	1972
Wed Jun 07 2017 03:30:00.0000	1618	1987
Wed Jun 07 2017 03:31:00.0000	1619	1952
Wed Jun 07 2017 03:32:00.0000	1619	1982
Wed Jun 07 2017 03:33:00.0000	1619	1969
Wed Jun 07 2017 03:34:00.0000	1619	1962
Wed Jun 07 2017 03:35:00.0000	1619	1969
Wed Jun 07 2017 03:36:00.0000	1619	1976
Wed Jun 07 2017 03:37:00.0000	1619	1957
Wed Jun 07 2017 03:38:00.0000	1619	1978
Wed Jun 07 2017 03:39:00.0000	1619	1976
Wed Jun 07 2017 03:40:00.0000	1619	1988
Wed Jun 07 2017 03:41:00.0000	1619	1984
Wed Jun 07 2017 03:42:00.0000	1619	1966
Wed Jun 07 2017 03:43:00.0000	1619	1975
Wed Jun 07 2017 03:44:00.0000	1619	1980
Wed Jun 07 2017 03:45:00.0000	1619	2000
Wed Jun 07 2017 03:46:00.0000	1618	1984
Wed Jun 07 2017 03:47:00.0000	1618	1951
Wed Jun 07 2017 03:48:00.0000	1618	1965
Wed Jun 07 2017 03:49:00.0000	1618	1962
Wed Jun 07 2017 03:50:00.0000	1618	1967
Wed Jun 07 2017 03:51:00.0000	1618	1994
Wed Jun 07 2017 03:52:00.0000	1618	1991
Wed Jun 07 2017 03:53:00.0000	1618	1994
Wed Jun 07 2017 03:54:00.0000	1618	1984
Wed Jun 07 2017 03:55:00.0000	1618	1970
Wed Jun 07 2017 03:56:00.0000	1618	2011
Wed Jun 07 2017 03:57:00.0000	1618	1982
Wed Jun 07 2017 03:58:00.0000	1618	1991
Wed Jun 07 2017 03:59:00.0000	1618	1982
Wed Jun 07 2017 04:00:00.0000	1618	1972
Wed Jun 07 2017 04:01:00.0000	1618	1976
Wed Jun 07 2017 04:02:00.0000	1618	1984
Wed Jun 07 2017 04:03:00.0000	1618	1984
Wed Jun 07 2017 04:04:00.0000	1618	1966
Wed Jun 07 2017 04:05:00.0000	1618	1948
Wed Jun 07 2017 04:06:00.0000	1618	1956
Wed Jun 07 2017 04:07:00.0000	1618	1979
Wed Jun 07 2017 04:08:00.0000	1618	1980
Wed Jun 07 2017 04:09:00.0000	1618	1980
Wed Jun 07 2017 04:10:00.0000	1618	1979
Wed Jun 07 2017 04:11:00.0000	1618	1981
Wed Jun 07 2017 04:12:00.0000	1618	1957
Wed Jun 07 2017 04:13:00.0000	1618	2004
Wed Jun 07 2017 04:14:00.0000	1618	2012
Wed Jun 07 2017 04:15:00.0000	1618	2014
Wed Jun 07 2017 04:16:00.0000	1618	1977
Wed Jun 07 2017 04:17:00.0000	1618	1981
Wed Jun 07 2017 04:18:00.0000	1618	1978

Date/Time	Process Temperature (°F)	Process Flow SCFM
Wed Jun 07 2017 04:19:00.0000	1618	1981
Wed Jun 07 2017 04:20:00.0000	1618	1960
Wed Jun 07 2017 04:21:00.0000	1618	2002
Wed Jun 07 2017 04:22:00.0000	1618	2000
Wed Jun 07 2017 04:23:00.0000	1618	1987
Wed Jun 07 2017 04:24:00.0000	1618	1959
Wed Jun 07 2017 04:25:00.0000	1618	1980
Wed Jun 07 2017 04:26:00.0000	1618	1956
Wed Jun 07 2017 04:27:00.0000	1618	1980
Wed Jun 07 2017 04:28:00.0000	1618	1946
Wed Jun 07 2017 04:29:00.0000	1618	1989
Wed Jun 07 2017 04:30:00.0000	1618	2009
Wed Jun 07 2017 04:31:00.0000	1617	1983
Wed Jun 07 2017 04:32:00.0000	1617	1991
Wed Jun 07 2017 04:33:00.0000	1617	1980
Wed Jun 07 2017 04:34:00.0000	1617	1998
Wed Jun 07 2017 04:35:00.0000	1617	1978
Wed Jun 07 2017 04:36:00.0000	1617	1940
Wed Jun 07 2017 04:37:00.0000	1617	1971
Wed Jun 07 2017 04:38:00.0000	1617	2000
Wed Jun 07 2017 04:39:00.0000	1617	1980
Wed Jun 07 2017 04:40:00.0000	1617	1965
Wed Jun 07 2017 04:41:00.0000	1617	1986
Wed Jun 07 2017 04:42:00.0000	1617	1938
Wed Jun 07 2017 04:43:00.0000	1617	1968
Wed Jun 07 2017 04:44:00.0000	1617	1986
Wed Jun 07 2017 04:45:00.0000	1617	1983
Wed Jun 07 2017 04:46:00.0000	1617	1966
Wed Jun 07 2017 04:47:00.0000	1617	1977
Wed Jun 07 2017 04:48:00.0000	1617	1980
Wed Jun 07 2017 04:49:00.0000	1617	2000
Wed Jun 07 2017 04:50:00.0000	1617	1972
Wed Jun 07 2017 04:51:00.0000	1617	1981
Wed Jun 07 2017 04:52:00.0000	1617	1987
Wed Jun 07 2017 04:53:00.0000	1617	1956
Wed Jun 07 2017 04:54:00.0000	1617	1978
Wed Jun 07 2017 04:55:00.0000	1617	1952
Wed Jun 07 2017 04:56:00.0000	1617	1957
Wed Jun 07 2017 04:57:00.0000	1617	1965
Wed Jun 07 2017 04:58:00.0000	1617	1993
Wed Jun 07 2017 04:59:00.0000	1617	2022
Wed Jun 07 2017 05:00:00.0000	1617	1994
Wed Jun 07 2017 05:01:00.0000	1617	1973
Wed Jun 07 2017 05:02:00.0000	1617	1956
Wed Jun 07 2017 05:03:00.0000	1617	1981
Wed Jun 07 2017 05:04:00.0000	1617	1986
Wed Jun 07 2017 05:05:00.0000	1617	1979
Wed Jun 07 2017 05:06:00.0000	1617	1973
Wed Jun 07 2017 05:07:00.0000	1617	1993
Wed Jun 07 2017 05:08:00.0000	1617	1971
Wed Jun 07 2017 05:09:00.0000	1617	1967
Wed Jun 07 2017 05:10:00.0000	1617	1976
Wed Jun 07 2017 05:11:00.0000	1617	1972
Wed Jun 07 2017 05:12:00.0000	1617	2003
Wed Jun 07 2017 05:13:00.0000	1617	1975
Wed Jun 07 2017 05:14:00.0000	1617	1981
Wed Jun 07 2017 05:15:00.0000	1617	1993

Date/Time	Process Temperature (°F)	Process Flow SCFM
Wed Jun 07 2017 05:16:00.0000	1617	1995
Wed Jun 07 2017 05:17:00.0000	1617	1995
Wed Jun 07 2017 05:18:00.0000	1617	1972
Wed Jun 07 2017 05:19:00.0000	1617	1975
Wed Jun 07 2017 05:20:00.0000	1617	1982
Wed Jun 07 2017 05:21:00.0000	1617	1954
Wed Jun 07 2017 05:22:00.0000	1617	1950
Wed Jun 07 2017 05:23:00.0000	1617	1991
Wed Jun 07 2017 05:24:00.0000	1617	1977
Wed Jun 07 2017 05:25:00.0000	1617	1984
Wed Jun 07 2017 05:26:00.0000	1617	1993
Wed Jun 07 2017 05:27:00.0000	1617	1984
Wed Jun 07 2017 05:28:00.0000	1617	1975
Wed Jun 07 2017 05:29:00.0000	1617	1978
Wed Jun 07 2017 05:30:00.0000	1617	1967
Wed Jun 07 2017 05:31:00.0000	1617	1992
Wed Jun 07 2017 05:32:00.0000	1617	1970
Wed Jun 07 2017 05:33:00.0000	1617	1971
Wed Jun 07 2017 05:34:00.0000	1617	1997
Wed Jun 07 2017 05:35:00.0000	1617	1957
Wed Jun 07 2017 05:36:00.0000	1617	1973
Wed Jun 07 2017 05:37:00.0000	1617	1967
Wed Jun 07 2017 05:38:00.0000	1617	1975
Wed Jun 07 2017 05:39:00.0000	1617	1991
Wed Jun 07 2017 05:40:00.0000	1617	1967
Wed Jun 07 2017 05:41:00.0000	1617	1964
Wed Jun 07 2017 05:42:00.0000	1617	1983
Wed Jun 07 2017 05:43:00.0000	1617	1995
Wed Jun 07 2017 05:44:00.0000	1617	1981
Wed Jun 07 2017 05:45:00.0000	1617	1970
Wed Jun 07 2017 05:46:00.0000	1617	1964
Wed Jun 07 2017 05:47:00.0000	1617	1970
Wed Jun 07 2017 05:48:00.0000	1617	1984
Wed Jun 07 2017 05:49:00.0000	1617	1980
Wed Jun 07 2017 05:50:00.0000	1617	1973
Wed Jun 07 2017 05:51:00.0000	1617	1977
Wed Jun 07 2017 05:52:00.0000	1617	1970
Wed Jun 07 2017 05:53:00.0000	1617	1951
Wed Jun 07 2017 05:54:00.0000	1617	1991
Wed Jun 07 2017 05:55:00.0000	1617	1975
Wed Jun 07 2017 05:56:00.0000	1617	1978
Wed Jun 07 2017 05:57:00.0000	1617	1975
Wed Jun 07 2017 05:58:00.0000	1617	1984
Wed Jun 07 2017 05:59:00.0000	1617	1968
Wed Jun 07 2017 06:00:00.0000	1617	1932
Wed Jun 07 2017 06:01:00.0000	1616	1970
Wed Jun 07 2017 06:02:00.0000	1616	1981
Wed Jun 07 2017 06:03:00.0000	1616	1988
Wed Jun 07 2017 06:04:00.0000	1616	1994
Wed Jun 07 2017 06:05:00.0000	1616	1953
Wed Jun 07 2017 06:06:00.0000	1616	1955
Wed Jun 07 2017 06:07:00.0000	1616	2023
Wed Jun 07 2017 06:08:00.0000	1616	1963
Wed Jun 07 2017 06:09:00.0000	1616	1951
Wed Jun 07 2017 06:10:00.0000	1616	1948
Wed Jun 07 2017 06:11:00.0000	1616	1996
Wed Jun 07 2017 06:12:00.0000	1616	1967

Date/Time	Process Temperature (°F)	Process Flow SCFM
Wed Jun 07 2017 06:13:00.0000	1616	1956
Wed Jun 07 2017 06:14:00.0000	1616	1976
Wed Jun 07 2017 06:15:00.0000	1616	1950
Wed Jun 07 2017 06:16:00.0000	1616	1971
Wed Jun 07 2017 06:17:00.0000	1616	1987
Wed Jun 07 2017 06:18:00.0000	1616	1947
Wed Jun 07 2017 06:19:00.0000	1616	1974
Wed Jun 07 2017 06:20:00.0000	1616	1975
Wed Jun 07 2017 06:21:00.0000	1616	1980
Wed Jun 07 2017 06:22:00.0000	1616	1925
Wed Jun 07 2017 06:23:00.0000	1616	2000
Wed Jun 07 2017 06:24:00.0000	1616	1986
Wed Jun 07 2017 06:25:00.0000	1616	1975
Wed Jun 07 2017 06:26:00.0000	1616	1965
Wed Jun 07 2017 06:27:00.0000	1616	1983
Wed Jun 07 2017 06:28:00.0000	1616	1964
Wed Jun 07 2017 06:29:00.0000	1616	1965
Wed Jun 07 2017 06:30:00.0000	1616	1985
Wed Jun 07 2017 06:31:00.0000	1616	2002
Wed Jun 07 2017 06:32:00.0000	1616	1978
Wed Jun 07 2017 06:33:00.0000	1616	1946
Wed Jun 07 2017 06:34:00.0000	1616	1975
Wed Jun 07 2017 06:35:00.0000	1616	1965
Wed Jun 07 2017 06:36:00.0000	1616	1979
Wed Jun 07 2017 06:37:00.0000	1616	1974
Wed Jun 07 2017 06:38:00.0000	1616	1981
Wed Jun 07 2017 06:39:00.0000	1616	1978
Wed Jun 07 2017 06:40:00.0000	1616	1955
Wed Jun 07 2017 06:41:00.0000	1616	1950
Wed Jun 07 2017 06:42:00.0000	1616	1970
Wed Jun 07 2017 06:43:00.0000	1616	1968
Wed Jun 07 2017 06:44:00.0000	1616	1986
Wed Jun 07 2017 06:45:00.0000	1616	1999
Wed Jun 07 2017 06:46:00.0000	1616	1973
Wed Jun 07 2017 06:47:00.0000	1616	2033
Wed Jun 07 2017 06:48:00.0000	1616	1968
Wed Jun 07 2017 06:49:00.0000	1616	1959
Wed Jun 07 2017 06:50:00.0000	1616	1955
Wed Jun 07 2017 06:51:00.0000	1616	1999
Wed Jun 07 2017 06:52:00.0000	1616	1976
Wed Jun 07 2017 06:53:00.0000	1616	1980
Wed Jun 07 2017 06:54:00.0000	1616	1976
Wed Jun 07 2017 06:55:00.0000	1616	1952
Wed Jun 07 2017 06:56:00.0000	1616	1937
Wed Jun 07 2017 06:57:00.0000	1616	1944
Wed Jun 07 2017 06:58:00.0000	1616	1962
Wed Jun 07 2017 06:59:00.0000	1616	1963
Wed Jun 07 2017 07:00:00.0000	1616	1973
Wed Jun 07 2017 07:01:00.0000	1616	1981
Wed Jun 07 2017 07:02:00.0000	1616	1962
Wed Jun 07 2017 07:03:00.0000	1616	1956
Wed Jun 07 2017 07:04:00.0000	1616	2033
Wed Jun 07 2017 07:05:00.0000	1616	1950
Wed Jun 07 2017 07:06:00.0000	1616	1962
Wed Jun 07 2017 07:07:00.0000	1616	1950
Wed Jun 07 2017 07:08:00.0000	1616	1960
Wed Jun 07 2017 07:09:00.0000	1616	1950

Date/Time	Process Temperature (°F)	Process Flow SCFM
Wed Jun 07 2017 07:10:00.0000	1616	1981
Wed Jun 07 2017 07:11:00.0000	1616	1968
Wed Jun 07 2017 07:12:00.0000	1616	1984
Wed Jun 07 2017 07:13:00.0000	1616	1965
Wed Jun 07 2017 07:14:00.0000	1616	1971
Wed Jun 07 2017 07:15:00.0000	1616	1983
Wed Jun 07 2017 07:16:00.0000	1616	1972
Wed Jun 07 2017 07:17:00.0000	1616	1980
Wed Jun 07 2017 07:18:00.0000	1616	1936
Wed Jun 07 2017 07:19:00.0000	1616	1963
Wed Jun 07 2017 07:20:00.0000	1616	1967
Wed Jun 07 2017 07:21:00.0000	1616	1967
Wed Jun 07 2017 07:22:00.0000	1616	1941
Wed Jun 07 2017 07:23:00.0000	1616	1955
Wed Jun 07 2017 07:24:00.0000	1616	1981
Wed Jun 07 2017 07:25:00.0000	1616	1969
Wed Jun 07 2017 07:26:00.0000	1616	1972
Wed Jun 07 2017 07:27:00.0000	1616	1992
Wed Jun 07 2017 07:28:00.0000	1616	1967
Wed Jun 07 2017 07:29:00.0000	1616	2013
Wed Jun 07 2017 07:30:00.0000	1616	1967
Wed Jun 07 2017 07:31:00.0000	1616	1968
Wed Jun 07 2017 07:32:00.0000	1616	2024
Wed Jun 07 2017 07:33:00.0000	1616	1975
Wed Jun 07 2017 07:34:00.0000	1616	1981
Wed Jun 07 2017 07:35:00.0000	1616	2016
Wed Jun 07 2017 07:36:00.0000	1616	1959
Wed Jun 07 2017 07:37:00.0000	1616	1954
Wed Jun 07 2017 07:38:00.0000	1616	1942
Wed Jun 07 2017 07:39:00.0000	1616	1984
Wed Jun 07 2017 07:40:00.0000	1616	1975
Wed Jun 07 2017 07:41:00.0000	1616	1978
Wed Jun 07 2017 07:42:00.0000	1616	1968
Wed Jun 07 2017 07:43:00.0000	1616	1965
Wed Jun 07 2017 07:44:00.0000	1616	1983
Wed Jun 07 2017 07:45:00.0000	1616	1962
Wed Jun 07 2017 07:46:00.0000	1616	1980
Wed Jun 07 2017 07:47:00.0000	1616	1973
Wed Jun 07 2017 07:48:00.0000	1616	1989
Wed Jun 07 2017 07:49:00.0000	1616	2010
Wed Jun 07 2017 07:50:00.0000	1616	2021
Wed Jun 07 2017 07:51:00.0000	1616	1975
Wed Jun 07 2017 07:52:00.0000	1616	1984
Wed Jun 07 2017 07:53:00.0000	1616	1977
Wed Jun 07 2017 07:54:00.0000	1616	1945
Wed Jun 07 2017 07:55:00.0000	1616	1973
Wed Jun 07 2017 07:56:00.0000	1616	2029
Wed Jun 07 2017 07:57:00.0000	1616	2004
Wed Jun 07 2017 07:58:00.0000	1616	2004
Wed Jun 07 2017 07:59:00.0000	1616	1967
Wed Jun 07 2017 08:00:00.0000	1616	1952
Wed Jun 07 2017 08:01:00.0000	1616	1954
Wed Jun 07 2017 08:02:00.0000	1616	1977
Wed Jun 07 2017 08:03:00.0000	1616	1951
Wed Jun 07 2017 08:04:00.0000	1616	1968
Wed Jun 07 2017 08:05:00.0000	1616	1960
Wed Jun 07 2017 08:06:00.0000	1616	1978

Date/Time	Process Temperature (°F)	Process Flow SCFM
Wed Jun 07 2017 08:07:00.0000	1616	1981
Wed Jun 07 2017 08:08:00.0000	1616	1965
Wed Jun 07 2017 08:09:00.0000	1616	1941
Wed Jun 07 2017 08:10:00.0000	1616	2004
Wed Jun 07 2017 08:11:00.0000	1616	1972
Wed Jun 07 2017 08:12:00.0000	1616	2016
Wed Jun 07 2017 08:13:00.0000	1616	1950
Wed Jun 07 2017 08:14:00.0000	1616	1968
Wed Jun 07 2017 08:15:00.0000	1616	1979
Wed Jun 07 2017 08:16:00.0000	1616	1964
Wed Jun 07 2017 08:17:00.0000	1616	1969
Wed Jun 07 2017 08:18:00.0000	1616	1958
Wed Jun 07 2017 08:19:00.0000	1616	1947
Wed Jun 07 2017 08:20:00.0000	1616	1995
Wed Jun 07 2017 08:21:00.0000	1616	1889
Wed Jun 07 2017 08:22:00.0000	1616	1997
Wed Jun 07 2017 08:23:00.0000	1616	1972
Wed Jun 07 2017 08:24:00.0000	1616	1965
Wed Jun 07 2017 08:25:00.0000	1616	1962
Wed Jun 07 2017 08:26:00.0000	1616	1976
Wed Jun 07 2017 08:27:00.0000	1616	2068
Wed Jun 07 2017 08:28:00.0000	1616	1988
Wed Jun 07 2017 08:29:00.0000	1616	1931
Wed Jun 07 2017 08:30:00.0000	1616	2006
Wed Jun 07 2017 08:31:00.0000	1617	1973
Wed Jun 07 2017 08:32:00.0000	1617	1974
Wed Jun 07 2017 08:33:00.0000	1617	1924
Wed Jun 07 2017 08:34:00.0000	1617	2003
Wed Jun 07 2017 08:35:00.0000	1617	2070
Wed Jun 07 2017 08:36:00.0000	1617	1975
Wed Jun 07 2017 08:37:00.0000	1617	1982
Wed Jun 07 2017 08:38:00.0000	1617	2013
Wed Jun 07 2017 08:39:00.0000	1617	1965
Wed Jun 07 2017 08:40:00.0000	1617	1975
Wed Jun 07 2017 08:41:00.0000	1617	1957
Wed Jun 07 2017 08:42:00.0000	1617	1952
Wed Jun 07 2017 08:43:00.0000	1617	1978
Wed Jun 07 2017 08:44:00.0000	1617	1945
Wed Jun 07 2017 08:45:00.0000	1617	1980
Wed Jun 07 2017 08:46:00.0000	1617	1995
Wed Jun 07 2017 08:47:00.0000	1617	1990
Wed Jun 07 2017 08:48:00.0000	1617	1973
Wed Jun 07 2017 08:49:00.0000	1617	1956
Wed Jun 07 2017 08:50:00.0000	1617	1977
Wed Jun 07 2017 08:51:00.0000	1617	1973
Wed Jun 07 2017 08:52:00.0000	1617	2013
Wed Jun 07 2017 08:53:00.0000	1617	1970
Wed Jun 07 2017 08:54:00.0000	1617	1966
Wed Jun 07 2017 08:55:00.0000	1617	1998
Wed Jun 07 2017 08:56:00.0000	1617	1976
Wed Jun 07 2017 08:57:00.0000	1617	2018
Wed Jun 07 2017 08:58:00.0000	1617	1977
Wed Jun 07 2017 08:59:00.0000	1617	1991
Wed Jun 07 2017 09:00:00.0000	1617	2014
Wed Jun 07 2017 09:01:00.0000	1617	1951
Wed Jun 07 2017 09:02:00.0000	1617	2011
Wed Jun 07 2017 09:03:00.0000	1617	1959

Date/Time	Process Temperature (°F)	Process Flow SCFM
Wed Jun 07 2017 09:04:00.0000	1617	1984
Wed Jun 07 2017 09:05:00.0000	1617	1997
Wed Jun 07 2017 09:06:00.0000	1617	2031
Wed Jun 07 2017 09:07:00.0000	1617	2002
Wed Jun 07 2017 09:08:00.0000	1617	1993
Wed Jun 07 2017 09:09:00.0000	1617	2042
Wed Jun 07 2017 09:10:00.0000	1617	2005
Wed Jun 07 2017 09:11:00.0000	1617	1947
Wed Jun 07 2017 09:12:00.0000	1617	2034
Wed Jun 07 2017 09:13:00.0000	1617	1989
Wed Jun 07 2017 09:14:00.0000	1617	2035
Wed Jun 07 2017 09:15:00.0000	1617	1964
Wed Jun 07 2017 09:16:00.0000	1617	1981
Wed Jun 07 2017 09:17:00.0000	1617	2019
Wed Jun 07 2017 09:18:00.0000	1617	2017
Wed Jun 07 2017 09:19:00.0000	1617	2044
Wed Jun 07 2017 09:20:00.0000	1617	2059
Wed Jun 07 2017 09:21:00.0000	1617	1973
Wed Jun 07 2017 09:22:00.0000	1617	2034
Wed Jun 07 2017 09:23:00.0000	1617	1951
Wed Jun 07 2017 09:24:00.0000	1617	1990
Wed Jun 07 2017 09:25:00.0000	1617	2038
Wed Jun 07 2017 09:26:00.0000	1617	1939
Wed Jun 07 2017 09:27:00.0000	1617	1983
Wed Jun 07 2017 09:28:00.0000	1617	2011
Wed Jun 07 2017 09:29:00.0000	1617	2026
Wed Jun 07 2017 09:30:00.0000	1617	2025
Wed Jun 07 2017 09:31:00.0000	1618	1994
Wed Jun 07 2017 09:32:00.0000	1618	1976
Wed Jun 07 2017 09:33:00.0000	1618	1994
Wed Jun 07 2017 09:34:00.0000	1618	1962
Wed Jun 07 2017 09:35:00.0000	1618	2027
Wed Jun 07 2017 09:36:00.0000	1618	1982
Wed Jun 07 2017 09:37:00.0000	1618	1986
Wed Jun 07 2017 09:38:00.0000	1618	2019
Wed Jun 07 2017 09:39:00.0000	1618	1995
Wed Jun 07 2017 09:40:00.0000	1618	1992
Wed Jun 07 2017 09:41:00.0000	1618	1994
Wed Jun 07 2017 09:42:00.0000	1618	2008
Wed Jun 07 2017 09:43:00.0000	1618	1921
Wed Jun 07 2017 09:44:00.0000	1618	1993
Wed Jun 07 2017 09:45:00.0000	1618	1976
Wed Jun 07 2017 09:46:00.0000	1619	2008
Wed Jun 07 2017 09:47:00.0000	1619	1994
Wed Jun 07 2017 09:48:00.0000	1619	1986
Wed Jun 07 2017 09:49:00.0000	1619	2003
Wed Jun 07 2017 09:50:00.0000	1619	2000
Wed Jun 07 2017 09:51:00.0000	1619	2019
Wed Jun 07 2017 09:52:00.0000	1619	2025
Wed Jun 07 2017 09:53:00.0000	1619	1983
Wed Jun 07 2017 09:54:00.0000	1619	2006
Wed Jun 07 2017 09:55:00.0000	1619	2008
Wed Jun 07 2017 09:56:00.0000	1619	1985
Wed Jun 07 2017 09:57:00.0000	1619	2010
Wed Jun 07 2017 09:58:00.0000	1619	1996
Wed Jun 07 2017 09:59:00.0000	1619	1979
Wed Jun 07 2017 10:00:00.0000	1619	2006

Date/Time	Process Temperature (°F)	Process Flow SCFM
Wed Jun 07 2017 10:01:00.0000	1620	2014
Wed Jun 07 2017 10:02:00.0000	1620	2017
Wed Jun 07 2017 10:03:00.0000	1620	1983
Wed Jun 07 2017 10:04:00.0000	1620	2012
Wed Jun 07 2017 10:05:00.0000	1620	1990
Wed Jun 07 2017 10:06:00.0000	1620	2027
Wed Jun 07 2017 10:07:00.0000	1620	2025
Wed Jun 07 2017 10:08:00.0000	1620	2022
Wed Jun 07 2017 10:09:00.0000	1620	1973
Wed Jun 07 2017 10:10:00.0000	1620	1985
Wed Jun 07 2017 10:11:00.0000	1620	2030
Wed Jun 07 2017 10:12:00.0000	1620	1971
Wed Jun 07 2017 10:13:00.0000	1620	2013
Wed Jun 07 2017 10:14:00.0000	1620	1978
Wed Jun 07 2017 10:15:00.0000	1620	1969
Wed Jun 07 2017 10:16:00.0000	1621	1997
Wed Jun 07 2017 10:17:00.0000	1621	1991
Wed Jun 07 2017 10:18:00.0000	1621	2022
Wed Jun 07 2017 10:19:00.0000	1621	1985
Wed Jun 07 2017 10:20:00.0000	1621	2003
Wed Jun 07 2017 10:21:00.0000	1621	1981
Wed Jun 07 2017 10:22:00.0000	1621	2014
Wed Jun 07 2017 10:23:00.0000	1621	2009
Wed Jun 07 2017 10:24:00.0000	1621	1998
Wed Jun 07 2017 10:25:00.0000	1621	1990
Wed Jun 07 2017 10:26:00.0000	1621	2008
Wed Jun 07 2017 10:27:00.0000	1621	2001
Wed Jun 07 2017 10:28:00.0000	1621	2001
Wed Jun 07 2017 10:29:00.0000	1621	1993
Wed Jun 07 2017 10:30:00.0000	1621	1989
Wed Jun 07 2017 10:31:00.0000	1622	1999
Wed Jun 07 2017 10:32:00.0000	1622	1995
Wed Jun 07 2017 10:33:00.0000	1622	2009
Wed Jun 07 2017 10:34:00.0000	1622	2025
Wed Jun 07 2017 10:35:00.0000	1622	2010
Wed Jun 07 2017 10:36:00.0000	1622	2000
Wed Jun 07 2017 10:37:00.0000	1622	2001
Wed Jun 07 2017 10:38:00.0000	1622	1996
Wed Jun 07 2017 10:39:00.0000	1622	1999
Wed Jun 07 2017 10:40:00.0000	1622	1993
Wed Jun 07 2017 10:41:00.0000	1622	2004
Wed Jun 07 2017 10:42:00.0000	1622	2001
Wed Jun 07 2017 10:43:00.0000	1622	2000
Wed Jun 07 2017 10:44:00.0000	1622	2013
Wed Jun 07 2017 10:45:00.0000	1622	1990
Wed Jun 07 2017 10:46:00.0000	1622	1998
Wed Jun 07 2017 10:47:00.0000	1622	2004
Wed Jun 07 2017 10:48:00.0000	1622	1987
Wed Jun 07 2017 10:49:00.0000	1622	1977
Wed Jun 07 2017 10:50:00.0000	1622	1962
Wed Jun 07 2017 10:51:00.0000	1622	1996
Wed Jun 07 2017 10:52:00.0000	1622	2002
Wed Jun 07 2017 10:53:00.0000	1622	1994
Wed Jun 07 2017 10:54:00.0000	1622	1982
Wed Jun 07 2017 10:55:00.0000	1622	1995
Wed Jun 07 2017 10:56:00.0000	1622	1996
Wed Jun 07 2017 10:57:00.0000	1622	1993

Date/Time	Process Temperature (°F)	Process Flow SCFM
Wed Jun 07 2017 10:58:00.0000	1622	1979
Wed Jun 07 2017 10:59:00.0000	1622	2022
Wed Jun 07 2017 11:00:00.0000	1622	1999
Wed Jun 07 2017 11:01:00.0000	1622	1981
Wed Jun 07 2017 11:02:00.0000	1622	1990
Wed Jun 07 2017 11:03:00.0000	1622	1984
Wed Jun 07 2017 11:04:00.0000	1622	2026
Wed Jun 07 2017 11:05:00.0000	1622	1984
Wed Jun 07 2017 11:06:00.0000	1622	2033
Wed Jun 07 2017 11:07:00.0000	1622	1970
Wed Jun 07 2017 11:08:00.0000	1622	2008
Wed Jun 07 2017 11:09:00.0000	1622	1978
Wed Jun 07 2017 11:10:00.0000	1622	1994
Wed Jun 07 2017 11:11:00.0000	1622	2001
Wed Jun 07 2017 11:12:00.0000	1622	2031
Wed Jun 07 2017 11:13:00.0000	1622	1980
Wed Jun 07 2017 11:14:00.0000	1622	2008
Wed Jun 07 2017 11:15:00.0000	1622	1964
Wed Jun 07 2017 11:16:00.0000	1623	2028
Wed Jun 07 2017 11:17:00.0000	1623	2014
Wed Jun 07 2017 11:18:00.0000	1623	2014
Wed Jun 07 2017 11:19:00.0000	1623	1994
Wed Jun 07 2017 11:20:00.0000	1623	2044
Wed Jun 07 2017 11:21:00.0000	1623	2011
Wed Jun 07 2017 11:22:00.0000	1623	1938
Wed Jun 07 2017 11:23:00.0000	1623	2023
Wed Jun 07 2017 11:24:00.0000	1623	2018
Wed Jun 07 2017 11:25:00.0000	1623	2006
Wed Jun 07 2017 11:26:00.0000	1623	1970
Wed Jun 07 2017 11:27:00.0000	1623	1993
Wed Jun 07 2017 11:28:00.0000	1623	1995
Wed Jun 07 2017 11:29:00.0000	1623	2003
Wed Jun 07 2017 11:30:00.0000	1623	1950
Wed Jun 07 2017 11:31:00.0000	1624	2031
Wed Jun 07 2017 11:32:00.0000	1624	1996
Wed Jun 07 2017 11:33:00.0000	1624	1987
Wed Jun 07 2017 11:34:00.0000	1623	1998
Wed Jun 07 2017 11:35:00.0000	1623	2004
Wed Jun 07 2017 11:36:00.0000	1623	1977
Wed Jun 07 2017 11:37:00.0000	1624	2026
Wed Jun 07 2017 11:38:00.0000	1624	2000
Wed Jun 07 2017 11:39:00.0000	1623	2018
Wed Jun 07 2017 11:40:00.0000	1622	1999
Wed Jun 07 2017 11:41:00.0000	1624	2001
Wed Jun 07 2017 11:42:00.0000	1624	2009
Wed Jun 07 2017 11:43:00.0000	1624	2017
Wed Jun 07 2017 11:44:00.0000	1623	2004
Wed Jun 07 2017 11:45:00.0000	1623	2037
Wed Jun 07 2017 11:46:00.0000	1625	2032
Wed Jun 07 2017 11:47:00.0000	1624	2002
Wed Jun 07 2017 11:48:00.0000	1625	1935
Wed Jun 07 2017 11:49:00.0000	1623	2008
Wed Jun 07 2017 11:50:00.0000	1624	1998
Wed Jun 07 2017 11:51:00.0000	1624	1983
Wed Jun 07 2017 11:52:00.0000	1624	1995
Wed Jun 07 2017 11:53:00.0000	1623	2019
Wed Jun 07 2017 11:54:00.0000	1624	1985

Date/Time	Process Temperature (°F)	Process Flow SCFM
Wed Jun 07 2017 11:55:00.0000	1625	1991
Wed Jun 07 2017 11:56:00.0000	1624	1975
Wed Jun 07 2017 11:57:00.0000	1624	2012
Wed Jun 07 2017 11:58:00.0000	1623	2014
Wed Jun 07 2017 11:59:00.0000	1625	1985
Wed Jun 07 2017 12:00:00.0000	1625	2031
Wed Jun 07 2017 12:01:00.0000	1624	2086
Wed Jun 07 2017 12:02:00.0000	1623	1967
Wed Jun 07 2017 12:03:00.0000	1625	2050
Wed Jun 07 2017 12:04:00.0000	1626	2015
Wed Jun 07 2017 12:05:00.0000	1624	2000
Wed Jun 07 2017 12:06:00.0000	1624	2019
Wed Jun 07 2017 12:07:00.0000	1624	1982
Wed Jun 07 2017 12:08:00.0000	1626	2039
Wed Jun 07 2017 12:09:00.0000	1625	2016
Wed Jun 07 2017 12:10:00.0000	1624	1994
Wed Jun 07 2017 12:11:00.0000	1624	2038
Wed Jun 07 2017 12:12:00.0000	1626	2011
Wed Jun 07 2017 12:13:00.0000	1626	2121
Wed Jun 07 2017 12:14:00.0000	1625	2056
Wed Jun 07 2017 12:15:00.0000	1624	2033
Wed Jun 07 2017 12:16:00.0000	1624	2060
Wed Jun 07 2017 12:17:00.0000	1626	1994
Wed Jun 07 2017 12:18:00.0000	1625	2058
Wed Jun 07 2017 12:19:00.0000	1625	2014
Wed Jun 07 2017 12:20:00.0000	1624	2021
Wed Jun 07 2017 12:21:00.0000	1626	1997
Wed Jun 07 2017 12:22:00.0000	1626	2067
Wed Jun 07 2017 12:23:00.0000	1625	2057
Wed Jun 07 2017 12:24:00.0000	1625	1991
Wed Jun 07 2017 12:25:00.0000	1625	2005
Wed Jun 07 2017 12:26:00.0000	1627	2042
Wed Jun 07 2017 12:27:00.0000	1626	2043
Wed Jun 07 2017 12:28:00.0000	1626	2021
Wed Jun 07 2017 12:29:00.0000	1625	2056
Wed Jun 07 2017 12:30:00.0000	1626	2058
Wed Jun 07 2017 12:31:00.0000	1627	2063
Wed Jun 07 2017 12:32:00.0000	1626	2037
Wed Jun 07 2017 12:33:00.0000	1625	2006
Wed Jun 07 2017 12:34:00.0000	1625	2026
Wed Jun 07 2017 12:35:00.0000	1627	2027
Wed Jun 07 2017 12:36:00.0000	1626	2017
Wed Jun 07 2017 12:37:00.0000	1626	2050
Wed Jun 07 2017 12:38:00.0000	1625	2005
Wed Jun 07 2017 12:39:00.0000	1627	2037
Wed Jun 07 2017 12:40:00.0000	1627	2047
Wed Jun 07 2017 12:41:00.0000	1627	2033
Wed Jun 07 2017 12:42:00.0000	1625	2050
Wed Jun 07 2017 12:43:00.0000	1626	2033
Wed Jun 07 2017 12:44:00.0000	1627	2057
Wed Jun 07 2017 12:45:00.0000	1626	2035
Wed Jun 07 2017 12:46:00.0000	1626	2031
Wed Jun 07 2017 12:47:00.0000	1625	2039
Wed Jun 07 2017 12:48:00.0000	1627	1997
Wed Jun 07 2017 12:49:00.0000	1627	2059
Wed Jun 07 2017 12:50:00.0000	1626	2026
Wed Jun 07 2017 12:51:00.0000	1625	2041

Date/Time	Process Temperature (°F)	Process Flow SCFM
Wed Jun 07 2017 12:52:00.0000	1626	2027
Wed Jun 07 2017 12:53:00.0000	1627	2049
Wed Jun 07 2017 12:54:00.0000	1626	2027
Wed Jun 07 2017 12:55:00.0000	1626	2019
Wed Jun 07 2017 12:56:00.0000	1625	2065
Wed Jun 07 2017 12:57:00.0000	1627	2039
Wed Jun 07 2017 12:58:00.0000	1627	2029
Wed Jun 07 2017 12:59:00.0000	1626	2047
Wed Jun 07 2017 13:00:00.0000	1625	2051
Wed Jun 07 2017 13:01:00.0000	1627	2039
Wed Jun 07 2017 13:02:00.0000	1627	2031
Wed Jun 07 2017 13:03:00.0000	1627	2044
Wed Jun 07 2017 13:04:00.0000	1626	2041
Wed Jun 07 2017 13:05:00.0000	1625	2030
Wed Jun 07 2017 13:06:00.0000	1627	2015
Wed Jun 07 2017 13:07:00.0000	1627	2004
Wed Jun 07 2017 13:08:00.0000	1626	2027
Wed Jun 07 2017 13:09:00.0000	1625	2057
Wed Jun 07 2017 13:10:00.0000	1627	2023
Wed Jun 07 2017 13:11:00.0000	1627	2045
Wed Jun 07 2017 13:12:00.0000	1627	2016
Wed Jun 07 2017 13:13:00.0000	1626	2034
Wed Jun 07 2017 13:14:00.0000	1625	2035
Wed Jun 07 2017 13:15:00.0000	1627	2058
Wed Jun 07 2017 13:16:00.0000	1627	2060
Wed Jun 07 2017 13:17:00.0000	1627	2044
Wed Jun 07 2017 13:18:00.0000	1626	2025
Wed Jun 07 2017 13:19:00.0000	1627	2069
Wed Jun 07 2017 13:20:00.0000	1627	2023
Wed Jun 07 2017 13:21:00.0000	1627	2063
Wed Jun 07 2017 13:22:00.0000	1626	2017
Wed Jun 07 2017 13:23:00.0000	1626	2044
Wed Jun 07 2017 13:24:00.0000	1627	2028
Wed Jun 07 2017 13:25:00.0000	1627	2033
Wed Jun 07 2017 13:26:00.0000	1627	2030
Wed Jun 07 2017 13:27:00.0000	1626	2013
Wed Jun 07 2017 13:28:00.0000	1627	2041
Wed Jun 07 2017 13:29:00.0000	1628	2049
Wed Jun 07 2017 13:30:00.0000	1627	2051
Wed Jun 07 2017 13:31:00.0000	1627	2042
Wed Jun 07 2017 13:32:00.0000	1626	2045
Wed Jun 07 2017 13:33:00.0000	1628	2032
Wed Jun 07 2017 13:34:00.0000	1628	2055
Wed Jun 07 2017 13:35:00.0000	1627	2042
Wed Jun 07 2017 13:36:00.0000	1626	2071
Wed Jun 07 2017 13:37:00.0000	1628	2075
Wed Jun 07 2017 13:38:00.0000	1628	2043
Wed Jun 07 2017 13:39:00.0000	1627	2057
Wed Jun 07 2017 13:40:00.0000	1628	2060
Wed Jun 07 2017 13:41:00.0000	1626	2059
Wed Jun 07 2017 13:42:00.0000	1628	1990
Wed Jun 07 2017 13:43:00.0000	1628	2044
Wed Jun 07 2017 13:44:00.0000	1627	2060
Wed Jun 07 2017 13:45:00.0000	1626	2057
Wed Jun 07 2017 13:46:00.0000	1627	2044
Wed Jun 07 2017 13:47:00.0000	1628	2030
Wed Jun 07 2017 13:48:00.0000	1627	2049

Date/Time	Process Temperature (°F)	Process Flow SCFM
Wed Jun 07 2017 13:49:00.0000	1627	2031
Wed Jun 07 2017 13:50:00.0000	1627	2046
Wed Jun 07 2017 13:51:00.0000	1628	2054
Wed Jun 07 2017 13:52:00.0000	1628	2067
Wed Jun 07 2017 13:53:00.0000	1628	2031
Wed Jun 07 2017 13:54:00.0000	1627	2048
Wed Jun 07 2017 13:55:00.0000	1628	2050
Wed Jun 07 2017 13:56:00.0000	1629	2056
Wed Jun 07 2017 13:57:00.0000	1628	2044
Wed Jun 07 2017 13:58:00.0000	1627	2045
Wed Jun 07 2017 13:59:00.0000	1628	2063
Wed Jun 07 2017 14:00:00.0000	1629	2050
Wed Jun 07 2017 14:01:00.0000	1628	2041
Wed Jun 07 2017 14:02:00.0000	1628	2081
Wed Jun 07 2017 14:03:00.0000	1627	2032
Wed Jun 07 2017 14:04:00.0000	1629	2019
Wed Jun 07 2017 14:05:00.0000	1629	2038
Wed Jun 07 2017 14:06:00.0000	1629	2059
Wed Jun 07 2017 14:07:00.0000	1628	2042
Wed Jun 07 2017 14:08:00.0000	1628	2065
Wed Jun 07 2017 14:09:00.0000	1629	2106
Wed Jun 07 2017 14:10:00.0000	1629	2073
Wed Jun 07 2017 14:11:00.0000	1628	2156
Wed Jun 07 2017 14:12:00.0000	1627	2042
Wed Jun 07 2017 14:13:00.0000	1629	2065
Wed Jun 07 2017 14:14:00.0000	1629	2044
Wed Jun 07 2017 14:15:00.0000	1629	2041
Wed Jun 07 2017 14:16:00.0000	1628	2075
Wed Jun 07 2017 14:17:00.0000	1629	2127
Wed Jun 07 2017 14:18:00.0000	1630	2030
Wed Jun 07 2017 14:19:00.0000	1629	2090
Wed Jun 07 2017 14:20:00.0000	1629	2100
Wed Jun 07 2017 14:21:00.0000	1628	2016
Wed Jun 07 2017 14:22:00.0000	1630	2092
Wed Jun 07 2017 14:23:00.0000	1630	2099
Wed Jun 07 2017 14:24:00.0000	1629	2090
Wed Jun 07 2017 14:25:00.0000	1629	2057
Wed Jun 07 2017 14:26:00.0000	1630	2082
Wed Jun 07 2017 14:27:00.0000	1631	2057
Wed Jun 07 2017 14:28:00.0000	1630	2043
Wed Jun 07 2017 14:29:00.0000	1629	2079
Wed Jun 07 2017 14:30:00.0000	1629	2048
Wed Jun 07 2017 14:31:00.0000	1631	2055
Wed Jun 07 2017 14:32:00.0000	1631	2139
Wed Jun 07 2017 14:33:00.0000	1630	2088
Wed Jun 07 2017 14:34:00.0000	1629	2065
Wed Jun 07 2017 14:35:00.0000	1630	2068
Wed Jun 07 2017 14:36:00.0000	1631	2082
Wed Jun 07 2017 14:37:00.0000	1630	2088
Wed Jun 07 2017 14:38:00.0000	1630	2108
Wed Jun 07 2017 14:39:00.0000	1630	2089
Wed Jun 07 2017 14:40:00.0000	1631	2063
Wed Jun 07 2017 14:41:00.0000	1631	2016
Wed Jun 07 2017 14:42:00.0000	1630	2034
Wed Jun 07 2017 14:43:00.0000	1629	2075
Wed Jun 07 2017 14:44:00.0000	1631	2072
Wed Jun 07 2017 14:45:00.0000	1632	2067

Date/Time	Process Temperature (°F)	Process Flow SCFM
Wed Jun 07 2017 14:46:00.0000	1631	2065
Wed Jun 07 2017 14:47:00.0000	1630	2083
Wed Jun 07 2017 14:48:00.0000	1630	2072
Wed Jun 07 2017 14:49:00.0000	1632	2079
Wed Jun 07 2017 14:50:00.0000	1632	2106
Wed Jun 07 2017 14:51:00.0000	1631	2072
Wed Jun 07 2017 14:52:00.0000	1630	2088
Wed Jun 07 2017 14:53:00.0000	1632	2074
Wed Jun 07 2017 14:54:00.0000	1633	2072
Wed Jun 07 2017 14:55:00.0000	1632	2076
Wed Jun 07 2017 14:56:00.0000	1631	2118
Wed Jun 07 2017 14:57:00.0000	1631	2092
Wed Jun 07 2017 14:58:00.0000	1633	2077
Wed Jun 07 2017 14:59:00.0000	1633	2043
Wed Jun 07 2017 15:00:00.0000	1632	2114
Wed Jun 07 2017 15:01:00.0000	1630	2065
Wed Jun 07 2017 15:02:00.0000	1633	2089
Wed Jun 07 2017 15:03:00.0000	1633	2139
Wed Jun 07 2017 15:04:00.0000	1633	2088
Wed Jun 07 2017 15:05:00.0000	1632	2114
Wed Jun 07 2017 15:06:00.0000	1632	2058
Wed Jun 07 2017 15:07:00.0000	1633	2058
Wed Jun 07 2017 15:08:00.0000	1633	2085
Wed Jun 07 2017 15:09:00.0000	1632	2056
Wed Jun 07 2017 15:10:00.0000	1627	2078
Wed Jun 07 2017 15:11:00.0000	1624	2102
Wed Jun 07 2017 15:12:00.0000	1622	2055
Wed Jun 07 2017 15:13:00.0000	1620	2109
Wed Jun 07 2017 15:14:00.0000	1618	2101
Wed Jun 07 2017 15:15:00.0000	1618	2095
Wed Jun 07 2017 15:16:00.0000	1617	2149
Wed Jun 07 2017 15:17:00.0000	1615	2103
Wed Jun 07 2017 15:18:00.0000	1614	2119
Wed Jun 07 2017 15:19:00.0000	1613	2075
Wed Jun 07 2017 15:20:00.0000	1614	2071
Wed Jun 07 2017 15:21:00.0000	1612	2204
Wed Jun 07 2017 15:22:00.0000	1612	2074
Wed Jun 07 2017 15:23:00.0000	1610	2067
Wed Jun 07 2017 15:24:00.0000	1610	2117
Wed Jun 07 2017 15:25:00.0000	1610	2094
Wed Jun 07 2017 15:26:00.0000	1608	2122
Wed Jun 07 2017 15:27:00.0000	1608	2089
Wed Jun 07 2017 15:28:00.0000	1607	2073
Wed Jun 07 2017 15:29:00.0000	1608	2082
Wed Jun 07 2017 15:30:00.0000	1606	2077
Wed Jun 07 2017 15:31:00.0000	1605	2060
Wed Jun 07 2017 15:32:00.0000	1605	2138
Wed Jun 07 2017 15:33:00.0000	1605	2107
Wed Jun 07 2017 15:34:00.0000	1605	2169
Wed Jun 07 2017 15:35:00.0000	1603	2102
Wed Jun 07 2017 15:36:00.0000	1603	2175
Wed Jun 07 2017 15:37:00.0000	1603	2193
Wed Jun 07 2017 15:38:00.0000	1604	2089
Wed Jun 07 2017 15:39:00.0000	1602	2091
Wed Jun 07 2017 15:40:00.0000	1604	2075
Wed Jun 07 2017 15:41:00.0000	1605	2124
Wed Jun 07 2017 15:42:00.0000	1609	2094

Date/Time	Process Temperature (°F)	Process Flow SCFM
Wed Jun 07 2017 15:43:00.0000	1611	2124
Wed Jun 07 2017 15:44:00.0000	1611	2122
Wed Jun 07 2017 15:45:00.0000	1611	2099
Wed Jun 07 2017 15:46:00.0000	1613	2135
Wed Jun 07 2017 15:47:00.0000	1615	2038
Wed Jun 07 2017 15:48:00.0000	1614	2115
Wed Jun 07 2017 15:49:00.0000	1614	2115
Wed Jun 07 2017 15:50:00.0000	1614	2088
Wed Jun 07 2017 15:51:00.0000	1617	2090
Wed Jun 07 2017 15:52:00.0000	1617	2042
Wed Jun 07 2017 15:53:00.0000	1617	2088
Wed Jun 07 2017 15:54:00.0000	1616	2104
Wed Jun 07 2017 15:55:00.0000	1618	2061
Wed Jun 07 2017 15:56:00.0000	1619	2123
Wed Jun 07 2017 15:57:00.0000	1618	2139
Wed Jun 07 2017 15:58:00.0000	1618	2144
Wed Jun 07 2017 15:59:00.0000	1618	2072
Wed Jun 07 2017 16:00:00.0000	1620	2116
Wed Jun 07 2017 16:01:00.0000	1620	2105
Wed Jun 07 2017 16:02:00.0000	1620	2072
Wed Jun 07 2017 16:03:00.0000	1619	2133
Wed Jun 07 2017 16:04:00.0000	1621	2068
Wed Jun 07 2017 16:05:00.0000	1621	2145
Wed Jun 07 2017 16:06:00.0000	1620	2134
Wed Jun 07 2017 16:07:00.0000	1620	2027
Wed Jun 07 2017 16:08:00.0000	1621	2129
Wed Jun 07 2017 16:09:00.0000	1622	2167
Wed Jun 07 2017 16:10:00.0000	1622	2110
Wed Jun 07 2017 16:11:00.0000	1621	2087
Wed Jun 07 2017 16:12:00.0000	1620	2054
Wed Jun 07 2017 16:13:00.0000	1623	2120
Wed Jun 07 2017 16:14:00.0000	1623	2081
Wed Jun 07 2017 16:15:00.0000	1622	2110
Wed Jun 07 2017 16:16:00.0000	1622	2121
Wed Jun 07 2017 16:17:00.0000	1622	2047
Wed Jun 07 2017 16:18:00.0000	1624	2104
Wed Jun 07 2017 16:19:00.0000	1623	2056
Wed Jun 07 2017 16:20:00.0000	1623	2147
Wed Jun 07 2017 16:21:00.0000	1622	2124
Wed Jun 07 2017 16:22:00.0000	1624	2093
Wed Jun 07 2017 16:23:00.0000	1624	2096
Wed Jun 07 2017 16:24:00.0000	1623	2095
Wed Jun 07 2017 16:25:00.0000	1623	2101
Wed Jun 07 2017 16:26:00.0000	1623	2102
Wed Jun 07 2017 16:27:00.0000	1625	2105
Wed Jun 07 2017 16:28:00.0000	1624	2066
Wed Jun 07 2017 16:29:00.0000	1624	2091
Wed Jun 07 2017 16:30:00.0000	1623	2079
Wed Jun 07 2017 16:31:00.0000	1625	2158
Wed Jun 07 2017 16:32:00.0000	1625	2093
Wed Jun 07 2017 16:33:00.0000	1624	2125
Wed Jun 07 2017 16:34:00.0000	1624	2089
Wed Jun 07 2017 16:35:00.0000	1624	2064
Wed Jun 07 2017 16:36:00.0000	1626	2063
Wed Jun 07 2017 16:37:00.0000	1625	2082
Wed Jun 07 2017 16:38:00.0000	1625	2048
Wed Jun 07 2017 16:39:00.0000	1623	2081

Date/Time	Process Temperature (°F)	Process Flow SCFM
Wed Jun 07 2017 16:40:00.0000	1626	2061
Wed Jun 07 2017 16:41:00.0000	1626	2089
Wed Jun 07 2017 16:42:00.0000	1625	2083
Wed Jun 07 2017 16:43:00.0000	1624	2075
Wed Jun 07 2017 16:44:00.0000	1625	2056
Wed Jun 07 2017 16:45:00.0000	1626	2080
Wed Jun 07 2017 16:46:00.0000	1626	2093
Wed Jun 07 2017 16:47:00.0000	1625	2087
Wed Jun 07 2017 16:48:00.0000	1624	2081
Wed Jun 07 2017 16:49:00.0000	1627	2073
Wed Jun 07 2017 16:50:00.0000	1626	2076
Wed Jun 07 2017 16:51:00.0000	1625	2065
Wed Jun 07 2017 16:52:00.0000	1625	2084
Wed Jun 07 2017 16:53:00.0000	1625	2037
Wed Jun 07 2017 16:54:00.0000	1627	2079
Wed Jun 07 2017 16:55:00.0000	1626	2099
Wed Jun 07 2017 16:56:00.0000	1625	2089
Wed Jun 07 2017 16:57:00.0000	1625	2081
Wed Jun 07 2017 16:58:00.0000	1627	2062
Wed Jun 07 2017 16:59:00.0000	1627	2110
Wed Jun 07 2017 17:00:00.0000	1626	2068
Wed Jun 07 2017 17:01:00.0000	1625	2084
Wed Jun 07 2017 17:02:00.0000	1626	2087
Wed Jun 07 2017 17:03:00.0000	1627	2061
Wed Jun 07 2017 17:04:00.0000	1626	2065
Wed Jun 07 2017 17:05:00.0000	1626	2080
Wed Jun 07 2017 17:06:00.0000	1625	2068
Wed Jun 07 2017 17:07:00.0000	1627	2111
Wed Jun 07 2017 17:08:00.0000	1627	2057
Wed Jun 07 2017 17:09:00.0000	1626	2049
Wed Jun 07 2017 17:10:00.0000	1625	2055
Wed Jun 07 2017 17:11:00.0000	1626	2061
Wed Jun 07 2017 17:12:00.0000	1627	2093
Wed Jun 07 2017 17:13:00.0000	1627	2044
Wed Jun 07 2017 17:14:00.0000	1626	2101
Wed Jun 07 2017 17:15:00.0000	1625	2120
Wed Jun 07 2017 17:16:00.0000	1628	2068
Wed Jun 07 2017 17:17:00.0000	1627	2121
Wed Jun 07 2017 17:18:00.0000	1627	2072
Wed Jun 07 2017 17:19:00.0000	1626	2068
Wed Jun 07 2017 17:20:00.0000	1627	2063
Wed Jun 07 2017 17:21:00.0000	1628	2063
Wed Jun 07 2017 17:22:00.0000	1627	2084
Wed Jun 07 2017 17:23:00.0000	1627	2076
Wed Jun 07 2017 17:24:00.0000	1626	2055
Wed Jun 07 2017 17:25:00.0000	1628	2057
Wed Jun 07 2017 17:26:00.0000	1628	2065
Wed Jun 07 2017 17:27:00.0000	1627	2053
Wed Jun 07 2017 17:28:00.0000	1626	2071
Wed Jun 07 2017 17:29:00.0000	1627	2116
Wed Jun 07 2017 17:30:00.0000	1629	2042
Wed Jun 07 2017 17:31:00.0000	1627	2082
Wed Jun 07 2017 17:32:00.0000	1627	2081
Wed Jun 07 2017 17:33:00.0000	1626	2070
Wed Jun 07 2017 17:34:00.0000	1628	2055
Wed Jun 07 2017 17:35:00.0000	1628	2075
Wed Jun 07 2017 17:36:00.0000	1627	2072

Date/Time	Process Temperature (°F)	Process Flow SCFM
Wed Jun 07 2017 17:37:00.0000	1627	2079
Wed Jun 07 2017 17:38:00.0000	1627	2082
Wed Jun 07 2017 17:39:00.0000	1628	2053
Wed Jun 07 2017 17:40:00.0000	1627	2094
Wed Jun 07 2017 17:41:00.0000	1627	2042
Wed Jun 07 2017 17:42:00.0000	1626	2072
Wed Jun 07 2017 17:43:00.0000	1628	2055
Wed Jun 07 2017 17:44:00.0000	1628	2078
Wed Jun 07 2017 17:45:00.0000	1628	2117
Wed Jun 07 2017 17:46:00.0000	1626	2044
Wed Jun 07 2017 17:47:00.0000	1627	2066
Wed Jun 07 2017 17:48:00.0000	1628	2067
Wed Jun 07 2017 17:49:00.0000	1627	2080
Wed Jun 07 2017 17:50:00.0000	1627	2083
Wed Jun 07 2017 17:51:00.0000	1627	2058
Wed Jun 07 2017 17:52:00.0000	1628	2069
Wed Jun 07 2017 17:53:00.0000	1627	2045
Wed Jun 07 2017 17:54:00.0000	1627	2048
Wed Jun 07 2017 17:55:00.0000	1626	2052
Wed Jun 07 2017 17:56:00.0000	1627	2065
Wed Jun 07 2017 17:57:00.0000	1627	2121
Wed Jun 07 2017 17:58:00.0000	1627	2059
Wed Jun 07 2017 17:59:00.0000	1626	2046
Wed Jun 07 2017 18:00:00.0000	1626	1989
Wed Jun 07 2017 18:01:00.0000	1627	2059
Wed Jun 07 2017 18:02:00.0000	1627	2033
Wed Jun 07 2017 18:03:00.0000	1626	2025
Wed Jun 07 2017 18:04:00.0000	1625	2026
Wed Jun 07 2017 18:05:00.0000	1627	2052
Wed Jun 07 2017 18:06:00.0000	1627	2076
Wed Jun 07 2017 18:07:00.0000	1627	2028
Wed Jun 07 2017 18:08:00.0000	1625	2028
Wed Jun 07 2017 18:09:00.0000	1626	2000
Wed Jun 07 2017 18:10:00.0000	1627	2036
Wed Jun 07 2017 18:11:00.0000	1626	2031
Wed Jun 07 2017 18:12:00.0000	1627	2046
Wed Jun 07 2017 18:13:00.0000	1625	2060
Wed Jun 07 2017 18:14:00.0000	1627	2006
Wed Jun 07 2017 18:15:00.0000	1627	2013
Wed Jun 07 2017 18:16:00.0000	1626	2043
Wed Jun 07 2017 18:17:00.0000	1625	2041
Wed Jun 07 2017 18:18:00.0000	1626	2068
Wed Jun 07 2017 18:19:00.0000	1627	2074
Wed Jun 07 2017 18:20:00.0000	1626	2030
Wed Jun 07 2017 18:21:00.0000	1625	2022
Wed Jun 07 2017 18:22:00.0000	1624	2060
Wed Jun 07 2017 18:23:00.0000	1626	2034
Wed Jun 07 2017 18:24:00.0000	1626	2037
Wed Jun 07 2017 18:25:00.0000	1625	2039
Wed Jun 07 2017 18:26:00.0000	1624	2046
Wed Jun 07 2017 18:27:00.0000	1626	2018
Wed Jun 07 2017 18:28:00.0000	1626	2031
Wed Jun 07 2017 18:29:00.0000	1625	2024
Wed Jun 07 2017 18:30:00.0000	1624	2008
Wed Jun 07 2017 18:31:00.0000	1624	1972
Wed Jun 07 2017 18:32:00.0000	1626	2045
Wed Jun 07 2017 18:33:00.0000	1626	2013

Date/Time	Process Temperature (°F)	Process Flow SCFM
Wed Jun 07 2017 18:34:00.0000	1624	2041
Wed Jun 07 2017 18:35:00.0000	1623	2010
Wed Jun 07 2017 18:36:00.0000	1625	2010
Wed Jun 07 2017 18:37:00.0000	1625	2043
Wed Jun 07 2017 18:38:00.0000	1624	2035
Wed Jun 07 2017 18:39:00.0000	1624	2077
Wed Jun 07 2017 18:40:00.0000	1624	2108
Wed Jun 07 2017 18:41:00.0000	1626	2006
Wed Jun 07 2017 18:42:00.0000	1625	1981
Wed Jun 07 2017 18:43:00.0000	1624	2046
Wed Jun 07 2017 18:44:00.0000	1623	2043
Wed Jun 07 2017 18:45:00.0000	1625	1941
Wed Jun 07 2017 18:46:00.0000	1625	2019
Wed Jun 07 2017 18:47:00.0000	1624	2019
Wed Jun 07 2017 18:48:00.0000	1623	2048
Wed Jun 07 2017 18:49:00.0000	1624	2010
Wed Jun 07 2017 18:50:00.0000	1625	2008
Wed Jun 07 2017 18:51:00.0000	1624	2005
Wed Jun 07 2017 18:52:00.0000	1623	2000
Wed Jun 07 2017 18:53:00.0000	1623	2031
Wed Jun 07 2017 18:54:00.0000	1625	1998
Wed Jun 07 2017 18:55:00.0000	1624	2015
Wed Jun 07 2017 18:56:00.0000	1623	2008
Wed Jun 07 2017 18:57:00.0000	1622	2018
Wed Jun 07 2017 18:58:00.0000	1624	2000
Wed Jun 07 2017 18:59:00.0000	1624	2000
Wed Jun 07 2017 19:00:00.0000	1623	1977
Wed Jun 07 2017 19:01:00.0000	1622	2011
Wed Jun 07 2017 19:02:00.0000	1622	2025
Wed Jun 07 2017 19:03:00.0000	1624	2004
Wed Jun 07 2017 19:04:00.0000	1623	2023
Wed Jun 07 2017 19:05:00.0000	1623	2045
Wed Jun 07 2017 19:06:00.0000	1621	1995
Wed Jun 07 2017 19:07:00.0000	1623	1981
Wed Jun 07 2017 19:08:00.0000	1624	2047
Wed Jun 07 2017 19:09:00.0000	1622	2001
Wed Jun 07 2017 19:10:00.0000	1621	2027
Wed Jun 07 2017 19:11:00.0000	1622	1985
Wed Jun 07 2017 19:12:00.0000	1623	2018
Wed Jun 07 2017 19:13:00.0000	1623	2006
Wed Jun 07 2017 19:14:00.0000	1622	2000
Wed Jun 07 2017 19:15:00.0000	1621	2013
Wed Jun 07 2017 19:16:00.0000	1623	1998
Wed Jun 07 2017 19:17:00.0000	1622	2010
Wed Jun 07 2017 19:18:00.0000	1621	2037
Wed Jun 07 2017 19:19:00.0000	1621	1992
Wed Jun 07 2017 19:20:00.0000	1621	2047
Wed Jun 07 2017 19:21:00.0000	1622	1996
Wed Jun 07 2017 19:22:00.0000	1622	2005
Wed Jun 07 2017 19:23:00.0000	1621	1995
Wed Jun 07 2017 19:24:00.0000	1620	2027
Wed Jun 07 2017 19:25:00.0000	1622	1985
Wed Jun 07 2017 19:26:00.0000	1622	1995
Wed Jun 07 2017 19:27:00.0000	1621	2006
Wed Jun 07 2017 19:28:00.0000	1620	2015
Wed Jun 07 2017 19:29:00.0000	1621	1997
Wed Jun 07 2017 19:30:00.0000	1622	2003

Date/Time	Process Temperature (°F)	Process Flow SCFM
Wed Jun 07 2017 19:31:00.0000	1621	2010
Wed Jun 07 2017 19:32:00.0000	1620	2025
Wed Jun 07 2017 19:33:00.0000	1619	2024
Wed Jun 07 2017 19:34:00.0000	1621	2002
Wed Jun 07 2017 19:35:00.0000	1621	2011
Wed Jun 07 2017 19:36:00.0000	1620	2008
Wed Jun 07 2017 19:37:00.0000	1619	2040
Wed Jun 07 2017 19:38:00.0000	1620	2019
Wed Jun 07 2017 19:39:00.0000	1622	1978
Wed Jun 07 2017 19:40:00.0000	1621	2002
Wed Jun 07 2017 19:41:00.0000	1620	2024
Wed Jun 07 2017 19:42:00.0000	1619	2012
Wed Jun 07 2017 19:43:00.0000	1621	2000
Wed Jun 07 2017 19:44:00.0000	1621	1986
Wed Jun 07 2017 19:45:00.0000	1620	2028
Wed Jun 07 2017 19:46:00.0000	1619	2025
Wed Jun 07 2017 19:47:00.0000	1620	1996
Wed Jun 07 2017 19:48:00.0000	1621	2015
Wed Jun 07 2017 19:49:00.0000	1620	2016
Wed Jun 07 2017 19:50:00.0000	1619	2027
Wed Jun 07 2017 19:51:00.0000	1618	2028
Wed Jun 07 2017 19:52:00.0000	1621	2013
Wed Jun 07 2017 19:53:00.0000	1620	2029
Wed Jun 07 2017 19:54:00.0000	1619	1993
Wed Jun 07 2017 19:55:00.0000	1619	2066
Wed Jun 07 2017 19:56:00.0000	1619	2021
Wed Jun 07 2017 19:57:00.0000	1621	2032
Wed Jun 07 2017 19:58:00.0000	1620	2041
Wed Jun 07 2017 19:59:00.0000	1619	1949
Wed Jun 07 2017 20:00:00.0000	1618	2022
Wed Jun 07 2017 20:01:00.0000	1620	2014
Wed Jun 07 2017 20:02:00.0000	1620	2008
Wed Jun 07 2017 20:03:00.0000	1619	2012
Wed Jun 07 2017 20:04:00.0000	1618	1991
Wed Jun 07 2017 20:05:00.0000	1620	1982
Wed Jun 07 2017 20:06:00.0000	1620	2015
Wed Jun 07 2017 20:07:00.0000	1619	1950
Wed Jun 07 2017 20:08:00.0000	1618	1938
Wed Jun 07 2017 20:09:00.0000	1618	1994
Wed Jun 07 2017 20:10:00.0000	1620	2075
Wed Jun 07 2017 20:11:00.0000	1620	2007
Wed Jun 07 2017 20:12:00.0000	1619	2009
Wed Jun 07 2017 20:13:00.0000	1617	2028
Wed Jun 07 2017 20:14:00.0000	1620	2029
Wed Jun 07 2017 20:15:00.0000	1620	2004
Wed Jun 07 2017 20:16:00.0000	1619	1948
Wed Jun 07 2017 20:17:00.0000	1618	2021
Wed Jun 07 2017 20:18:00.0000	1618	2006
Wed Jun 07 2017 20:19:00.0000	1620	2014
Wed Jun 07 2017 20:20:00.0000	1619	2002
Wed Jun 07 2017 20:21:00.0000	1618	2019
Wed Jun 07 2017 20:22:00.0000	1617	1994
Wed Jun 07 2017 20:23:00.0000	1620	1943
Wed Jun 07 2017 20:24:00.0000	1619	1986
Wed Jun 07 2017 20:25:00.0000	1618	1988
Wed Jun 07 2017 20:26:00.0000	1618	1995
Wed Jun 07 2017 20:27:00.0000	1618	1978

Date/Time	Process Temperature (°F)	Process Flow SCFM
Wed Jun 07 2017 20:28:00.0000	1619	1990
Wed Jun 07 2017 20:29:00.0000	1619	1955
Wed Jun 07 2017 20:30:00.0000	1618	1989
Wed Jun 07 2017 20:31:00.0000	1617	1959
Wed Jun 07 2017 20:32:00.0000	1619	2013
Wed Jun 07 2017 20:33:00.0000	1620	1981
Wed Jun 07 2017 20:34:00.0000	1619	2020
Wed Jun 07 2017 20:35:00.0000	1619	2001
Wed Jun 07 2017 20:36:00.0000	1620	2009
Wed Jun 07 2017 20:37:00.0000	1622	2022
Wed Jun 07 2017 20:38:00.0000	1621	1987
Wed Jun 07 2017 20:39:00.0000	1621	2085
Wed Jun 07 2017 20:40:00.0000	1620	1982
Wed Jun 07 2017 20:41:00.0000	1623	1978
Wed Jun 07 2017 20:42:00.0000	1622	2049
Wed Jun 07 2017 20:43:00.0000	1622	2156
Wed Jun 07 2017 20:44:00.0000	1621	2020
Wed Jun 07 2017 20:45:00.0000	1622	1991
Wed Jun 07 2017 20:46:00.0000	1623	2008
Wed Jun 07 2017 20:47:00.0000	1623	1974
Wed Jun 07 2017 20:48:00.0000	1622	1966
Wed Jun 07 2017 20:49:00.0000	1621	1961
Wed Jun 07 2017 20:50:00.0000	1624	1975
Wed Jun 07 2017 20:51:00.0000	1624	1986
Wed Jun 07 2017 20:52:00.0000	1623	1961
Wed Jun 07 2017 20:53:00.0000	1622	2021
Wed Jun 07 2017 20:54:00.0000	1623	2028
Wed Jun 07 2017 20:55:00.0000	1624	1980
Wed Jun 07 2017 20:56:00.0000	1624	2020
Wed Jun 07 2017 20:57:00.0000	1623	1994
Wed Jun 07 2017 20:58:00.0000	1622	2005
Wed Jun 07 2017 20:59:00.0000	1625	1969
Wed Jun 07 2017 21:00:00.0000	1624	1991
Wed Jun 07 2017 21:01:00.0000	1624	1961
Wed Jun 07 2017 21:02:00.0000	1623	1981
Wed Jun 07 2017 21:03:00.0000	1624	1994
Wed Jun 07 2017 21:04:00.0000	1626	1983
Wed Jun 07 2017 21:05:00.0000	1625	1982
Wed Jun 07 2017 21:06:00.0000	1624	2044
Wed Jun 07 2017 21:07:00.0000	1623	1981
Wed Jun 07 2017 21:08:00.0000	1625	1975
Wed Jun 07 2017 21:09:00.0000	1625	1988
Wed Jun 07 2017 21:10:00.0000	1625	2007
Wed Jun 07 2017 21:11:00.0000	1623	2000
Wed Jun 07 2017 21:12:00.0000	1624	1983
Wed Jun 07 2017 21:13:00.0000	1626	1979
Wed Jun 07 2017 21:14:00.0000	1625	1982
Wed Jun 07 2017 21:15:00.0000	1624	2041
Wed Jun 07 2017 21:16:00.0000	1624	1987
Wed Jun 07 2017 21:17:00.0000	1626	1994
Wed Jun 07 2017 21:18:00.0000	1626	1990
Wed Jun 07 2017 21:19:00.0000	1624	2001
Wed Jun 07 2017 21:20:00.0000	1623	1993
Wed Jun 07 2017 21:21:00.0000	1625	2006
Wed Jun 07 2017 21:22:00.0000	1626	1988
Wed Jun 07 2017 21:23:00.0000	1625	1961
Wed Jun 07 2017 21:24:00.0000	1624	1983

Date/Time	Process Temperature (°F)	Process Flow SCFM
Wed Jun 07 2017 21:25:00.0000	1624	1962
Wed Jun 07 2017 21:26:00.0000	1626	1980
Wed Jun 07 2017 21:27:00.0000	1626	1997
Wed Jun 07 2017 21:28:00.0000	1624	2011
Wed Jun 07 2017 21:29:00.0000	1623	1986
Wed Jun 07 2017 21:30:00.0000	1625	1981
Wed Jun 07 2017 21:31:00.0000	1626	1983
Wed Jun 07 2017 21:32:00.0000	1625	2023
Wed Jun 07 2017 21:33:00.0000	1624	1982
Wed Jun 07 2017 21:34:00.0000	1624	2005
Wed Jun 07 2017 21:35:00.0000	1626	1997
Wed Jun 07 2017 21:36:00.0000	1626	1954
Wed Jun 07 2017 21:37:00.0000	1625	1984
Wed Jun 07 2017 21:38:00.0000	1623	1998
Wed Jun 07 2017 21:39:00.0000	1625	1967
Wed Jun 07 2017 21:40:00.0000	1626	2008
Wed Jun 07 2017 21:41:00.0000	1625	1966
Wed Jun 07 2017 21:42:00.0000	1625	2026
Wed Jun 07 2017 21:43:00.0000	1624	1987
Wed Jun 07 2017 21:44:00.0000	1626	2015
Wed Jun 07 2017 21:45:00.0000	1626	1925
Wed Jun 07 2017 21:46:00.0000	1625	2010
Wed Jun 07 2017 21:47:00.0000	1624	2025
Wed Jun 07 2017 21:48:00.0000	1625	1949
Wed Jun 07 2017 21:49:00.0000	1626	2019
Wed Jun 07 2017 21:50:00.0000	1625	2006
Wed Jun 07 2017 21:51:00.0000	1624	1981
Wed Jun 07 2017 21:52:00.0000	1624	2010
Wed Jun 07 2017 21:53:00.0000	1626	1933
Wed Jun 07 2017 21:54:00.0000	1626	1969
Wed Jun 07 2017 21:55:00.0000	1625	2014
Wed Jun 07 2017 21:56:00.0000	1624	1994
Wed Jun 07 2017 21:57:00.0000	1626	2011
Wed Jun 07 2017 21:58:00.0000	1626	2089
Wed Jun 07 2017 21:59:00.0000	1625	1966
Wed Jun 07 2017 22:00:00.0000	1624	1973
Wed Jun 07 2017 22:01:00.0000	1625	2000
Wed Jun 07 2017 22:02:00.0000	1626	2036
Wed Jun 07 2017 22:03:00.0000	1626	1964
Wed Jun 07 2017 22:04:00.0000	1626	1975
Wed Jun 07 2017 22:05:00.0000	1624	1966
Wed Jun 07 2017 22:06:00.0000	1626	1978
Wed Jun 07 2017 22:07:00.0000	1626	2014
Wed Jun 07 2017 22:08:00.0000	1626	1992
Wed Jun 07 2017 22:09:00.0000	1624	2001
Wed Jun 07 2017 22:10:00.0000	1625	1963
Wed Jun 07 2017 22:11:00.0000	1626	1948
Wed Jun 07 2017 22:12:00.0000	1626	1994
Wed Jun 07 2017 22:13:00.0000	1625	1932
Wed Jun 07 2017 22:14:00.0000	1624	1931
Wed Jun 07 2017 22:15:00.0000	1626	2165
Wed Jun 07 2017 22:16:00.0000	1626	1976
Wed Jun 07 2017 22:17:00.0000	1625	2000
Wed Jun 07 2017 22:18:00.0000	1624	1990
Wed Jun 07 2017 22:19:00.0000	1625	1960
Wed Jun 07 2017 22:20:00.0000	1626	1967
Wed Jun 07 2017 22:21:00.0000	1626	1985

Date/Time	Process Temperature (°F)	Process Flow SCFM
Wed Jun 07 2017 22:22:00.0000	1625	1975
Wed Jun 07 2017 22:23:00.0000	1624	2006
Wed Jun 07 2017 22:24:00.0000	1626	1920
Wed Jun 07 2017 22:25:00.0000	1626	1982
Wed Jun 07 2017 22:26:00.0000	1625	1963
Wed Jun 07 2017 22:27:00.0000	1624	1962
Wed Jun 07 2017 22:28:00.0000	1625	1937
Wed Jun 07 2017 22:29:00.0000	1626	1998
Wed Jun 07 2017 22:30:00.0000	1626	1985
Wed Jun 07 2017 22:31:00.0000	1624	1986
Wed Jun 07 2017 22:32:00.0000	1624	1972
Wed Jun 07 2017 22:33:00.0000	1626	1986
Wed Jun 07 2017 22:34:00.0000	1626	2058
Wed Jun 07 2017 22:35:00.0000	1625	1980
Wed Jun 07 2017 22:36:00.0000	1624	1974
Wed Jun 07 2017 22:37:00.0000	1626	1993
Wed Jun 07 2017 22:38:00.0000	1626	1967
Wed Jun 07 2017 22:39:00.0000	1625	2032
Wed Jun 07 2017 22:40:00.0000	1624	1968
Wed Jun 07 2017 22:41:00.0000	1625	1979
Wed Jun 07 2017 22:42:00.0000	1626	1994
Wed Jun 07 2017 22:43:00.0000	1626	2005
Wed Jun 07 2017 22:44:00.0000	1625	1988
Wed Jun 07 2017 22:45:00.0000	1623	1975
Wed Jun 07 2017 22:46:00.0000	1626	1984
Wed Jun 07 2017 22:47:00.0000	1626	1979
Wed Jun 07 2017 22:48:00.0000	1625	2023
Wed Jun 07 2017 22:49:00.0000	1624	2005
Wed Jun 07 2017 22:50:00.0000	1625	1998
Wed Jun 07 2017 22:51:00.0000	1626	1994
Wed Jun 07 2017 22:52:00.0000	1626	1980
Wed Jun 07 2017 22:53:00.0000	1624	1968
Wed Jun 07 2017 22:54:00.0000	1624	1956
Wed Jun 07 2017 22:55:00.0000	1626	1973
Wed Jun 07 2017 22:56:00.0000	1626	1996
Wed Jun 07 2017 22:57:00.0000	1625	1984
Wed Jun 07 2017 22:58:00.0000	1623	1967
Wed Jun 07 2017 22:59:00.0000	1625	1944
Wed Jun 07 2017 23:00:00.0000	1626	2057
Wed Jun 07 2017 23:01:00.0000	1625	1971
Wed Jun 07 2017 23:02:00.0000	1624	1994
Wed Jun 07 2017 23:03:00.0000	1624	2005
Wed Jun 07 2017 23:04:00.0000	1626	1970
Wed Jun 07 2017 23:05:00.0000	1626	1965
Wed Jun 07 2017 23:06:00.0000	1625	1970
Wed Jun 07 2017 23:07:00.0000	1623	1975
Wed Jun 07 2017 23:08:00.0000	1626	1955
Wed Jun 07 2017 23:09:00.0000	1626	1986
Wed Jun 07 2017 23:10:00.0000	1625	1976
Wed Jun 07 2017 23:11:00.0000	1624	1979
Wed Jun 07 2017 23:12:00.0000	1624	1990
Wed Jun 07 2017 23:13:00.0000	1626	1982
Wed Jun 07 2017 23:14:00.0000	1625	1977
Wed Jun 07 2017 23:15:00.0000	1624	2000
Wed Jun 07 2017 23:16:00.0000	1623	1986
Wed Jun 07 2017 23:17:00.0000	1626	1891
Wed Jun 07 2017 23:18:00.0000	1626	1953

Date/Time	Process Temperature (°F)	Process Flow SCFM
Wed Jun 07 2017 23:19:00.0000	1625	2007
Wed Jun 07 2017 23:20:00.0000	1624	2004
Wed Jun 07 2017 23:21:00.0000	1624	1980
Wed Jun 07 2017 23:22:00.0000	1626	1970
Wed Jun 07 2017 23:23:00.0000	1625	1984
Wed Jun 07 2017 23:24:00.0000	1624	1962
Wed Jun 07 2017 23:25:00.0000	1623	1978
Wed Jun 07 2017 23:26:00.0000	1626	1977
Wed Jun 07 2017 23:27:00.0000	1626	2013
Wed Jun 07 2017 23:28:00.0000	1625	2001
Wed Jun 07 2017 23:29:00.0000	1624	1963
Wed Jun 07 2017 23:30:00.0000	1624	1977
Wed Jun 07 2017 23:31:00.0000	1626	1936
Wed Jun 07 2017 23:32:00.0000	1625	1945
Wed Jun 07 2017 23:33:00.0000	1624	1988
Wed Jun 07 2017 23:34:00.0000	1623	1979
Wed Jun 07 2017 23:35:00.0000	1626	1988
Wed Jun 07 2017 23:36:00.0000	1626	1973
Wed Jun 07 2017 23:37:00.0000	1624	1968
Wed Jun 07 2017 23:38:00.0000	1624	1963
Wed Jun 07 2017 23:39:00.0000	1624	1985
Wed Jun 07 2017 23:40:00.0000	1626	1983
Wed Jun 07 2017 23:41:00.0000	1625	1980
Wed Jun 07 2017 23:42:00.0000	1624	1976
Wed Jun 07 2017 23:43:00.0000	1623	1981
Wed Jun 07 2017 23:44:00.0000	1626	1985
Wed Jun 07 2017 23:45:00.0000	1626	1959
Wed Jun 07 2017 23:46:00.0000	1624	1972
Wed Jun 07 2017 23:47:00.0000	1623	1965
Wed Jun 07 2017 23:48:00.0000	1624	1966
Wed Jun 07 2017 23:49:00.0000	1626	1977
Wed Jun 07 2017 23:50:00.0000	1625	1984
Wed Jun 07 2017 23:51:00.0000	1624	1973
Wed Jun 07 2017 23:52:00.0000	1623	1990
Wed Jun 07 2017 23:53:00.0000	1626	1957
Wed Jun 07 2017 23:54:00.0000	1625	1958
Wed Jun 07 2017 23:55:00.0000	1624	1977
Wed Jun 07 2017 23:56:00.0000	1623	1977
Wed Jun 07 2017 23:57:00.0000	1624	1957
Wed Jun 07 2017 23:58:00.0000	1626	2024
Wed Jun 07 2017 23:59:00.0000	1625	1963
Thu Jun 08 2017 00:00:00.0000	1624	1977
Thu Jun 08 2017 00:01:00.0000	1623	1953
Thu Jun 08 2017 00:02:00.0000	1626	1943
Thu Jun 08 2017 00:03:00.0000	1626	1966
Thu Jun 08 2017 00:04:00.0000	1625	1994
Thu Jun 08 2017 00:05:00.0000	1623	1977
Thu Jun 08 2017 00:06:00.0000	1625	1992
Thu Jun 08 2017 00:07:00.0000	1626	1983
Thu Jun 08 2017 00:08:00.0000	1626	1967
Thu Jun 08 2017 00:09:00.0000	1624	1971
Thu Jun 08 2017 00:10:00.0000	1624	1968
Thu Jun 08 2017 00:11:00.0000	1626	1965
Thu Jun 08 2017 00:12:00.0000	1625	1962
Thu Jun 08 2017 00:13:00.0000	1624	1981
Thu Jun 08 2017 00:14:00.0000	1623	1956
Thu Jun 08 2017 00:15:00.0000	1625	1980

Date/Time	Process Temperature (°F)	Process Flow SCFM
Thu Jun 08 2017 00:16:00.0000	1625	1955
Thu Jun 08 2017 00:17:00.0000	1625	1959
Thu Jun 08 2017 00:18:00.0000	1623	1962
Thu Jun 08 2017 00:19:00.0000	1624	1956
Thu Jun 08 2017 00:20:00.0000	1625	2049
Thu Jun 08 2017 00:21:00.0000	1625	2017
Thu Jun 08 2017 00:22:00.0000	1624	1989
Thu Jun 08 2017 00:23:00.0000	1623	2016
Thu Jun 08 2017 00:24:00.0000	1625	1976
Thu Jun 08 2017 00:25:00.0000	1625	1975
Thu Jun 08 2017 00:26:00.0000	1624	1975
Thu Jun 08 2017 00:27:00.0000	1623	1981
Thu Jun 08 2017 00:28:00.0000	1624	1964
Thu Jun 08 2017 00:29:00.0000	1626	1970
Thu Jun 08 2017 00:30:00.0000	1625	1977
Thu Jun 08 2017 00:31:00.0000	1624	1992
Thu Jun 08 2017 00:32:00.0000	1623	1971
Thu Jun 08 2017 00:33:00.0000	1625	1965
Thu Jun 08 2017 00:34:00.0000	1625	1979
Thu Jun 08 2017 00:35:00.0000	1624	1960
Thu Jun 08 2017 00:36:00.0000	1623	1965
Thu Jun 08 2017 00:37:00.0000	1625	1971
Thu Jun 08 2017 00:38:00.0000	1625	1931
Thu Jun 08 2017 00:39:00.0000	1624	1985
Thu Jun 08 2017 00:40:00.0000	1623	1977
Thu Jun 08 2017 00:41:00.0000	1623	1961
Thu Jun 08 2017 00:42:00.0000	1625	1971
Thu Jun 08 2017 00:43:00.0000	1625	1958
Thu Jun 08 2017 00:44:00.0000	1624	1956
Thu Jun 08 2017 00:45:00.0000	1623	1976
Thu Jun 08 2017 00:46:00.0000	1625	1944
Thu Jun 08 2017 00:47:00.0000	1625	1981
Thu Jun 08 2017 00:48:00.0000	1624	1986
Thu Jun 08 2017 00:49:00.0000	1623	1972
Thu Jun 08 2017 00:50:00.0000	1623	1975
Thu Jun 08 2017 00:51:00.0000	1625	1969
Thu Jun 08 2017 00:52:00.0000	1624	2012
Thu Jun 08 2017 00:53:00.0000	1623	1998
Thu Jun 08 2017 00:54:00.0000	1622	1970
Thu Jun 08 2017 00:55:00.0000	1625	1968
Thu Jun 08 2017 00:56:00.0000	1625	1993
Thu Jun 08 2017 00:57:00.0000	1624	1984
Thu Jun 08 2017 00:58:00.0000	1622	2000
Thu Jun 08 2017 00:59:00.0000	1624	1977
Thu Jun 08 2017 01:00:00.0000	1625	1947
Thu Jun 08 2017 01:01:00.0000	1624	1987
Thu Jun 08 2017 01:02:00.0000	1623	1988
Thu Jun 08 2017 01:03:00.0000	1622	1982
Thu Jun 08 2017 01:04:00.0000	1625	1992
Thu Jun 08 2017 01:05:00.0000	1625	1968
Thu Jun 08 2017 01:06:00.0000	1624	1962
Thu Jun 08 2017 01:07:00.0000	1622	1975
Thu Jun 08 2017 01:08:00.0000	1624	1987
Thu Jun 08 2017 01:09:00.0000	1625	1953
Thu Jun 08 2017 01:10:00.0000	1624	1954
Thu Jun 08 2017 01:11:00.0000	1623	1944
Thu Jun 08 2017 01:12:00.0000	1622	1957

Date/Time	Process Temperature (°F)	Process Flow SCFM
Thu Jun 08 2017 01:13:00.0000	1625	1985
Thu Jun 08 2017 01:14:00.0000	1624	1967
Thu Jun 08 2017 01:15:00.0000	1624	1973
Thu Jun 08 2017 01:16:00.0000	1622	1988
Thu Jun 08 2017 01:17:00.0000	1624	1967
Thu Jun 08 2017 01:18:00.0000	1624	1985
Thu Jun 08 2017 01:19:00.0000	1624	1981
Thu Jun 08 2017 01:20:00.0000	1623	1965
Thu Jun 08 2017 01:21:00.0000	1623	1980
Thu Jun 08 2017 01:22:00.0000	1624	2030
Thu Jun 08 2017 01:23:00.0000	1624	1985
Thu Jun 08 2017 01:24:00.0000	1623	1995
Thu Jun 08 2017 01:25:00.0000	1622	1974
Thu Jun 08 2017 01:26:00.0000	1624	2005
Thu Jun 08 2017 01:27:00.0000	1624	1948
Thu Jun 08 2017 01:28:00.0000	1623	1974
Thu Jun 08 2017 01:29:00.0000	1623	1972
Thu Jun 08 2017 01:30:00.0000	1623	1961
Thu Jun 08 2017 01:31:00.0000	1624	2003
Thu Jun 08 2017 01:32:00.0000	1624	1961
Thu Jun 08 2017 01:33:00.0000	1623	1957
Thu Jun 08 2017 01:34:00.0000	1622	1968
Thu Jun 08 2017 01:35:00.0000	1624	1962
Thu Jun 08 2017 01:36:00.0000	1624	1968
Thu Jun 08 2017 01:37:00.0000	1623	1994
Thu Jun 08 2017 01:38:00.0000	1622	2003
Thu Jun 08 2017 01:39:00.0000	1622	1919
Thu Jun 08 2017 01:40:00.0000	1624	2000
Thu Jun 08 2017 01:41:00.0000	1624	1963
Thu Jun 08 2017 01:42:00.0000	1623	1982
Thu Jun 08 2017 01:43:00.0000	1622	1987
Thu Jun 08 2017 01:44:00.0000	1624	1963
Thu Jun 08 2017 01:45:00.0000	1624	1966
Thu Jun 08 2017 01:46:00.0000	1623	1975
Thu Jun 08 2017 01:47:00.0000	1622	1975
Thu Jun 08 2017 01:48:00.0000	1623	1966
Thu Jun 08 2017 01:49:00.0000	1624	1962
Thu Jun 08 2017 01:50:00.0000	1623	1969
Thu Jun 08 2017 01:51:00.0000	1622	1955
Thu Jun 08 2017 01:52:00.0000	1621	1973
Thu Jun 08 2017 01:53:00.0000	1624	1993
Thu Jun 08 2017 01:54:00.0000	1624	1994
Thu Jun 08 2017 01:55:00.0000	1623	1962
Thu Jun 08 2017 01:56:00.0000	1621	1994
Thu Jun 08 2017 01:57:00.0000	1623	1989
Thu Jun 08 2017 01:58:00.0000	1624	1940
Thu Jun 08 2017 01:59:00.0000	1623	1978
Thu Jun 08 2017 02:00:00.0000	1622	1975
Thu Jun 08 2017 02:01:00.0000	1621	1975
Thu Jun 08 2017 02:02:00.0000	1624	1980
Thu Jun 08 2017 02:03:00.0000	1623	1990
Thu Jun 08 2017 02:04:00.0000	1622	1957
Thu Jun 08 2017 02:05:00.0000	1621	2011
Thu Jun 08 2017 02:06:00.0000	1622	2001
Thu Jun 08 2017 02:07:00.0000	1623	2000
Thu Jun 08 2017 02:08:00.0000	1623	1968
Thu Jun 08 2017 02:09:00.0000	1622	2002

Date/Time	Process Temperature (°F)	Process Flow SCFM
Thu Jun 08 2017 02:10:00.0000	1621	1970
Thu Jun 08 2017 02:11:00.0000	1624	1982
Thu Jun 08 2017 02:12:00.0000	1624	1955
Thu Jun 08 2017 02:13:00.0000	1622	1987
Thu Jun 08 2017 02:14:00.0000	1621	1983
Thu Jun 08 2017 02:15:00.0000	1623	1957
Thu Jun 08 2017 02:16:00.0000	1623	1985
Thu Jun 08 2017 02:17:00.0000	1623	1957
Thu Jun 08 2017 02:18:00.0000	1622	1972
Thu Jun 08 2017 02:19:00.0000	1622	1979
Thu Jun 08 2017 02:20:00.0000	1623	1961
Thu Jun 08 2017 02:21:00.0000	1623	1969
Thu Jun 08 2017 02:22:00.0000	1622	1986
Thu Jun 08 2017 02:23:00.0000	1621	1987
Thu Jun 08 2017 02:24:00.0000	1623	1959
Thu Jun 08 2017 02:25:00.0000	1623	1984
Thu Jun 08 2017 02:26:00.0000	1623	1992
Thu Jun 08 2017 02:27:00.0000	1622	1974
Thu Jun 08 2017 02:28:00.0000	1621	1965
Thu Jun 08 2017 02:29:00.0000	1623	1974
Thu Jun 08 2017 02:30:00.0000	1623	1956
Thu Jun 08 2017 02:31:00.0000	1622	1968
Thu Jun 08 2017 02:32:00.0000	1621	1993
Thu Jun 08 2017 02:33:00.0000	1623	2000
Thu Jun 08 2017 02:34:00.0000	1623	1959
Thu Jun 08 2017 02:35:00.0000	1622	1985
Thu Jun 08 2017 02:36:00.0000	1622	1970
Thu Jun 08 2017 02:37:00.0000	1622	2007
Thu Jun 08 2017 02:38:00.0000	1623	1953
Thu Jun 08 2017 02:39:00.0000	1623	1982
Thu Jun 08 2017 02:40:00.0000	1622	1959
Thu Jun 08 2017 02:41:00.0000	1621	1994
Thu Jun 08 2017 02:42:00.0000	1623	1983
Thu Jun 08 2017 02:43:00.0000	1623	2015
Thu Jun 08 2017 02:44:00.0000	1622	1970
Thu Jun 08 2017 02:45:00.0000	1621	2002
Thu Jun 08 2017 02:46:00.0000	1621	1988
Thu Jun 08 2017 02:47:00.0000	1623	1973
Thu Jun 08 2017 02:48:00.0000	1622	1965
Thu Jun 08 2017 02:49:00.0000	1621	1942
Thu Jun 08 2017 02:50:00.0000	1621	1957
Thu Jun 08 2017 02:51:00.0000	1623	1960
Thu Jun 08 2017 02:52:00.0000	1623	1957
Thu Jun 08 2017 02:53:00.0000	1622	1934
Thu Jun 08 2017 02:54:00.0000	1621	1984
Thu Jun 08 2017 02:55:00.0000	1621	1981
Thu Jun 08 2017 02:56:00.0000	1623	1942
Thu Jun 08 2017 02:57:00.0000	1622	1936
Thu Jun 08 2017 02:58:00.0000	1621	1969
Thu Jun 08 2017 02:59:00.0000	1620	1969
Thu Jun 08 2017 03:00:00.0000	1623	1926
Thu Jun 08 2017 03:01:00.0000	1622	1979
Thu Jun 08 2017 03:02:00.0000	1622	1981
Thu Jun 08 2017 03:03:00.0000	1621	1951
Thu Jun 08 2017 03:04:00.0000	1622	1978
Thu Jun 08 2017 03:05:00.0000	1623	1956
Thu Jun 08 2017 03:06:00.0000	1622	1966

Date/Time	Process Temperature (°F)	Process Flow SCFM
Thu Jun 08 2017 03:07:00.0000	1621	1971
Thu Jun 08 2017 03:08:00.0000	1621	1975
Thu Jun 08 2017 03:09:00.0000	1623	1996
Thu Jun 08 2017 03:10:00.0000	1622	1962
Thu Jun 08 2017 03:11:00.0000	1622	1980
Thu Jun 08 2017 03:12:00.0000	1621	2013
Thu Jun 08 2017 03:13:00.0000	1622	1989
Thu Jun 08 2017 03:14:00.0000	1623	1959
Thu Jun 08 2017 03:15:00.0000	1622	1994
Thu Jun 08 2017 03:16:00.0000	1621	1978
Thu Jun 08 2017 03:17:00.0000	1620	1979
Thu Jun 08 2017 03:18:00.0000	1623	1934
Thu Jun 08 2017 03:19:00.0000	1622	1942
Thu Jun 08 2017 03:20:00.0000	1621	1963
Thu Jun 08 2017 03:21:00.0000	1621	1959
Thu Jun 08 2017 03:22:00.0000	1622	1999
Thu Jun 08 2017 03:23:00.0000	1623	1983
Thu Jun 08 2017 03:24:00.0000	1622	1961
Thu Jun 08 2017 03:25:00.0000	1621	1949
Thu Jun 08 2017 03:26:00.0000	1620	1937
Thu Jun 08 2017 03:27:00.0000	1623	2014
Thu Jun 08 2017 03:28:00.0000	1622	1967
Thu Jun 08 2017 03:29:00.0000	1621	1955
Thu Jun 08 2017 03:30:00.0000	1620	1979
Thu Jun 08 2017 03:31:00.0000	1622	1965
Thu Jun 08 2017 03:32:00.0000	1622	1978
Thu Jun 08 2017 03:33:00.0000	1622	1978
Thu Jun 08 2017 03:34:00.0000	1621	1963
Thu Jun 08 2017 03:35:00.0000	1621	1951
Thu Jun 08 2017 03:36:00.0000	1623	1972
Thu Jun 08 2017 03:37:00.0000	1622	1959
Thu Jun 08 2017 03:38:00.0000	1621	1991
Thu Jun 08 2017 03:39:00.0000	1620	1956
Thu Jun 08 2017 03:40:00.0000	1622	1977
Thu Jun 08 2017 03:41:00.0000	1622	1963
Thu Jun 08 2017 03:42:00.0000	1622	1964
Thu Jun 08 2017 03:43:00.0000	1621	1973
Thu Jun 08 2017 03:44:00.0000	1621	1990
Thu Jun 08 2017 03:45:00.0000	1622	1973
Thu Jun 08 2017 03:46:00.0000	1622	1963
Thu Jun 08 2017 03:47:00.0000	1621	1968
Thu Jun 08 2017 03:48:00.0000	1620	1964
Thu Jun 08 2017 03:49:00.0000	1622	1971
Thu Jun 08 2017 03:50:00.0000	1622	1979
Thu Jun 08 2017 03:51:00.0000	1622	1964
Thu Jun 08 2017 03:52:00.0000	1621	1966
Thu Jun 08 2017 03:53:00.0000	1621	1982
Thu Jun 08 2017 03:54:00.0000	1623	1990
Thu Jun 08 2017 03:55:00.0000	1622	1970
Thu Jun 08 2017 03:56:00.0000	1621	1972
Thu Jun 08 2017 03:57:00.0000	1620	1958
Thu Jun 08 2017 03:58:00.0000	1622	1948
Thu Jun 08 2017 03:59:00.0000	1622	1978
Thu Jun 08 2017 04:00:00.0000	1622	1971
Thu Jun 08 2017 04:01:00.0000	1621	1984
Thu Jun 08 2017 04:02:00.0000	1621	1990
Thu Jun 08 2017 04:03:00.0000	1623	1969

Date/Time	Process Temperature (°F)	Process Flow SCFM
Thu Jun 08 2017 04:04:00.0000	1622	1964
Thu Jun 08 2017 04:05:00.0000	1621	1981
Thu Jun 08 2017 04:06:00.0000	1620	1970
Thu Jun 08 2017 04:07:00.0000	1623	1969
Thu Jun 08 2017 04:08:00.0000	1622	2011
Thu Jun 08 2017 04:09:00.0000	1622	1964
Thu Jun 08 2017 04:10:00.0000	1621	2002
Thu Jun 08 2017 04:11:00.0000	1622	1953
Thu Jun 08 2017 04:12:00.0000	1623	1960
Thu Jun 08 2017 04:13:00.0000	1622	1957
Thu Jun 08 2017 04:14:00.0000	1621	1935
Thu Jun 08 2017 04:15:00.0000	1620	1981
Thu Jun 08 2017 04:16:00.0000	1623	1970
Thu Jun 08 2017 04:17:00.0000	1622	1979
Thu Jun 08 2017 04:18:00.0000	1621	1970
Thu Jun 08 2017 04:19:00.0000	1621	1961
Thu Jun 08 2017 04:20:00.0000	1622	1956
Thu Jun 08 2017 04:21:00.0000	1623	1970
Thu Jun 08 2017 04:22:00.0000	1622	1963
Thu Jun 08 2017 04:23:00.0000	1621	1933
Thu Jun 08 2017 04:24:00.0000	1620	1964
Thu Jun 08 2017 04:25:00.0000	1623	1944
Thu Jun 08 2017 04:26:00.0000	1622	1984
Thu Jun 08 2017 04:27:00.0000	1621	1962
Thu Jun 08 2017 04:28:00.0000	1620	1971
Thu Jun 08 2017 04:29:00.0000	1622	1959
Thu Jun 08 2017 04:30:00.0000	1623	1947
Thu Jun 08 2017 04:31:00.0000	1622	1959
Thu Jun 08 2017 04:32:00.0000	1621	1931
Thu Jun 08 2017 04:33:00.0000	1621	1973
Thu Jun 08 2017 04:34:00.0000	1623	1966
Thu Jun 08 2017 04:35:00.0000	1622	1968
Thu Jun 08 2017 04:36:00.0000	1621	1983
Thu Jun 08 2017 04:37:00.0000	1620	1999
Thu Jun 08 2017 04:38:00.0000	1622	1948
Thu Jun 08 2017 04:39:00.0000	1623	1971
Thu Jun 08 2017 04:40:00.0000	1621	1981
Thu Jun 08 2017 04:41:00.0000	1620	1971
Thu Jun 08 2017 04:42:00.0000	1621	1980
Thu Jun 08 2017 04:43:00.0000	1623	1936
Thu Jun 08 2017 04:44:00.0000	1622	1945
Thu Jun 08 2017 04:45:00.0000	1621	1957
Thu Jun 08 2017 04:46:00.0000	1620	1981
Thu Jun 08 2017 04:47:00.0000	1622	1985
Thu Jun 08 2017 04:48:00.0000	1622	1985
Thu Jun 08 2017 04:49:00.0000	1621	1986
Thu Jun 08 2017 04:50:00.0000	1620	1950
Thu Jun 08 2017 04:51:00.0000	1622	1965
Thu Jun 08 2017 04:52:00.0000	1622	1973
Thu Jun 08 2017 04:53:00.0000	1622	1944
Thu Jun 08 2017 04:54:00.0000	1621	1970
Thu Jun 08 2017 04:55:00.0000	1620	1962
Thu Jun 08 2017 04:56:00.0000	1622	1980
Thu Jun 08 2017 04:57:00.0000	1622	1962
Thu Jun 08 2017 04:58:00.0000	1621	1983
Thu Jun 08 2017 04:59:00.0000	1620	1978
Thu Jun 08 2017 05:00:00.0000	1622	1988

Date/Time	Process Temperature (°F)	Process Flow SCFM
Thu Jun 08 2017 05:01:00.0000	1622	2003
Thu Jun 08 2017 05:02:00.0000	1621	1962
Thu Jun 08 2017 05:03:00.0000	1620	1962
Thu Jun 08 2017 05:04:00.0000	1620	1988
Thu Jun 08 2017 05:05:00.0000	1622	1977
Thu Jun 08 2017 05:06:00.0000	1621	1957
Thu Jun 08 2017 05:07:00.0000	1622	1957
Thu Jun 08 2017 05:08:00.0000	1619	1978
Thu Jun 08 2017 05:09:00.0000	1622	2000
Thu Jun 08 2017 05:10:00.0000	1622	1994
Thu Jun 08 2017 05:11:00.0000	1621	1945
Thu Jun 08 2017 05:12:00.0000	1620	1957
Thu Jun 08 2017 05:13:00.0000	1620	1984
Thu Jun 08 2017 05:14:00.0000	1622	1984
Thu Jun 08 2017 05:15:00.0000	1621	1947
Thu Jun 08 2017 05:16:00.0000	1621	1987
Thu Jun 08 2017 05:17:00.0000	1619	1960
Thu Jun 08 2017 05:18:00.0000	1622	1939
Thu Jun 08 2017 05:19:00.0000	1622	2008
Thu Jun 08 2017 05:20:00.0000	1621	1969
Thu Jun 08 2017 05:21:00.0000	1620	1988
Thu Jun 08 2017 05:22:00.0000	1620	2033
Thu Jun 08 2017 05:23:00.0000	1622	1949
Thu Jun 08 2017 05:24:00.0000	1621	1951
Thu Jun 08 2017 05:25:00.0000	1621	1993
Thu Jun 08 2017 05:26:00.0000	1619	1965
Thu Jun 08 2017 05:27:00.0000	1621	1944
Thu Jun 08 2017 05:28:00.0000	1622	1974
Thu Jun 08 2017 05:29:00.0000	1621	1967
Thu Jun 08 2017 05:30:00.0000	1620	1985
Thu Jun 08 2017 05:31:00.0000	1620	1967
Thu Jun 08 2017 05:32:00.0000	1622	1944
Thu Jun 08 2017 05:33:00.0000	1621	2000
Thu Jun 08 2017 05:34:00.0000	1620	1976
Thu Jun 08 2017 05:35:00.0000	1619	1962
Thu Jun 08 2017 05:36:00.0000	1621	1977
Thu Jun 08 2017 05:37:00.0000	1621	1956
Thu Jun 08 2017 05:38:00.0000	1621	1977
Thu Jun 08 2017 05:39:00.0000	1619	1976
Thu Jun 08 2017 05:40:00.0000	1621	1958
Thu Jun 08 2017 05:41:00.0000	1621	1976
Thu Jun 08 2017 05:42:00.0000	1621	1972
Thu Jun 08 2017 05:43:00.0000	1620	1978
Thu Jun 08 2017 05:44:00.0000	1619	1961
Thu Jun 08 2017 05:45:00.0000	1621	1941
Thu Jun 08 2017 05:46:00.0000	1621	1971
Thu Jun 08 2017 05:47:00.0000	1621	1973
Thu Jun 08 2017 05:48:00.0000	1619	1959
Thu Jun 08 2017 05:49:00.0000	1620	1969
Thu Jun 08 2017 05:50:00.0000	1621	1965
Thu Jun 08 2017 05:51:00.0000	1621	1952
Thu Jun 08 2017 05:52:00.0000	1620	1981
Thu Jun 08 2017 05:53:00.0000	1619	1960
Thu Jun 08 2017 05:54:00.0000	1621	1983
Thu Jun 08 2017 05:55:00.0000	1620	1975
Thu Jun 08 2017 05:56:00.0000	1620	1977
Thu Jun 08 2017 05:57:00.0000	1618	1940

Date/Time	Process Temperature (°F)	Process Flow SCFM
Thu Jun 08 2017 05:58:00.0000	1620	1927
Thu Jun 08 2017 05:59:00.0000	1620	1961
Thu Jun 08 2017 06:00:00.0000	1620	1980
Thu Jun 08 2017 06:01:00.0000	1619	1952
Thu Jun 08 2017 06:02:00.0000	1618	1977
Thu Jun 08 2017 06:03:00.0000	1620	1972
Thu Jun 08 2017 06:04:00.0000	1620	1963
Thu Jun 08 2017 06:05:00.0000	1619	1964
Thu Jun 08 2017 06:06:00.0000	1618	1967
Thu Jun 08 2017 06:07:00.0000	1620	1959
Thu Jun 08 2017 06:08:00.0000	1620	1987
Thu Jun 08 2017 06:09:00.0000	1619	1982
Thu Jun 08 2017 06:10:00.0000	1619	1984
Thu Jun 08 2017 06:11:00.0000	1618	1957
Thu Jun 08 2017 06:12:00.0000	1620	1983
Thu Jun 08 2017 06:13:00.0000	1620	1968
Thu Jun 08 2017 06:14:00.0000	1619	1975
Thu Jun 08 2017 06:15:00.0000	1618	1987
Thu Jun 08 2017 06:16:00.0000	1620	1964
Thu Jun 08 2017 06:17:00.0000	1620	1946
Thu Jun 08 2017 06:18:00.0000	1619	1965
Thu Jun 08 2017 06:19:00.0000	1619	2000
Thu Jun 08 2017 06:20:00.0000	1618	1981
Thu Jun 08 2017 06:21:00.0000	1620	1975
Thu Jun 08 2017 06:22:00.0000	1619	1981
Thu Jun 08 2017 06:23:00.0000	1619	1961
Thu Jun 08 2017 06:24:00.0000	1618	1971
Thu Jun 08 2017 06:25:00.0000	1619	1931
Thu Jun 08 2017 06:26:00.0000	1620	1968
Thu Jun 08 2017 06:27:00.0000	1619	1966
Thu Jun 08 2017 06:28:00.0000	1619	1988
Thu Jun 08 2017 06:29:00.0000	1619	1976
Thu Jun 08 2017 06:30:00.0000	1620	1944
Thu Jun 08 2017 06:31:00.0000	1619	1954
Thu Jun 08 2017 06:32:00.0000	1619	1964
Thu Jun 08 2017 06:33:00.0000	1617	1955
Thu Jun 08 2017 06:34:00.0000	1619	1950
Thu Jun 08 2017 06:35:00.0000	1619	1982
Thu Jun 08 2017 06:36:00.0000	1619	1980
Thu Jun 08 2017 06:37:00.0000	1618	1956
Thu Jun 08 2017 06:38:00.0000	1618	2006
Thu Jun 08 2017 06:39:00.0000	1619	1993
Thu Jun 08 2017 06:40:00.0000	1619	1975
Thu Jun 08 2017 06:41:00.0000	1618	1985
Thu Jun 08 2017 06:42:00.0000	1617	1979
Thu Jun 08 2017 06:43:00.0000	1619	1976
Thu Jun 08 2017 06:44:00.0000	1619	2001
Thu Jun 08 2017 06:45:00.0000	1619	1972
Thu Jun 08 2017 06:46:00.0000	1618	1938
Thu Jun 08 2017 06:47:00.0000	1618	1977
Thu Jun 08 2017 06:48:00.0000	1619	1948
Thu Jun 08 2017 06:49:00.0000	1619	1966
Thu Jun 08 2017 06:50:00.0000	1618	1991
Thu Jun 08 2017 06:51:00.0000	1617	1977
Thu Jun 08 2017 06:52:00.0000	1619	1969
Thu Jun 08 2017 06:53:00.0000	1619	2001
Thu Jun 08 2017 06:54:00.0000	1618	1966

Date/Time	Process Temperature (°F)	Process Flow SCFM
Thu Jun 08 2017 06:55:00.0000	1618	1979
Thu Jun 08 2017 06:56:00.0000	1618	1983
Thu Jun 08 2017 06:57:00.0000	1619	1971
Thu Jun 08 2017 06:58:00.0000	1619	1984
Thu Jun 08 2017 06:59:00.0000	1618	1967
Thu Jun 08 2017 07:00:00.0000	1617	2004
Thu Jun 08 2017 07:01:00.0000	1619	1947
Thu Jun 08 2017 07:02:00.0000	1619	1981
Thu Jun 08 2017 07:03:00.0000	1618	1973
Thu Jun 08 2017 07:04:00.0000	1617	1966
Thu Jun 08 2017 07:05:00.0000	1617	2008
Thu Jun 08 2017 07:06:00.0000	1619	1994
Thu Jun 08 2017 07:07:00.0000	1618	1985
Thu Jun 08 2017 07:08:00.0000	1617	1979
Thu Jun 08 2017 07:09:00.0000	1616	1980
Thu Jun 08 2017 07:10:00.0000	1618	1960
Thu Jun 08 2017 07:11:00.0000	1618	2014
Thu Jun 08 2017 07:12:00.0000	1618	1960
Thu Jun 08 2017 07:13:00.0000	1617	1970
Thu Jun 08 2017 07:14:00.0000	1617	1979
Thu Jun 08 2017 07:15:00.0000	1619	-1
Thu Jun 08 2017 07:16:00.0000	1618	-1
Thu Jun 08 2017 07:17:00.0000	1608	-1
Thu Jun 08 2017 07:18:00.0000	1594	-1
Thu Jun 08 2017 07:19:00.0000	1590	0
Thu Jun 08 2017 07:20:00.0000	1585	0
Thu Jun 08 2017 07:21:00.0000	1581	-1
Thu Jun 08 2017 07:22:00.0000	1577	0
Thu Jun 08 2017 07:23:00.0000	1574	0
Thu Jun 08 2017 07:24:00.0000	1571	0
Thu Jun 08 2017 07:25:00.0000	1568	0
Thu Jun 08 2017 07:26:00.0000	1565	0
Thu Jun 08 2017 07:27:00.0000	1562	0
Thu Jun 08 2017 07:28:00.0000	1559	0
Thu Jun 08 2017 07:29:00.0000	1559	0
Thu Jun 08 2017 07:30:00.0000	1559	0
Thu Jun 08 2017 07:31:00.0000	1551	0
Thu Jun 08 2017 07:32:00.0000	1550	0
Thu Jun 08 2017 07:33:00.0000	1547	0
Thu Jun 08 2017 07:34:00.0000	1545	0
Thu Jun 08 2017 07:35:00.0000	1543	0
Thu Jun 08 2017 07:36:00.0000	1541	0
Thu Jun 08 2017 07:37:00.0000	1539	0
Thu Jun 08 2017 07:38:00.0000	1537	0
Thu Jun 08 2017 07:39:00.0000	1537	0
Thu Jun 08 2017 07:40:00.0000	1537	0
Thu Jun 08 2017 07:41:00.0000	1537	0
Thu Jun 08 2017 07:42:00.0000	1537	0
Thu Jun 08 2017 07:43:00.0000	1537	0
Thu Jun 08 2017 07:44:00.0000	1537	0
Thu Jun 08 2017 07:45:00.0000	1537	0
Thu Jun 08 2017 07:46:00.0000	1537	0
Thu Jun 08 2017 07:47:00.0000	1537	0
Thu Jun 08 2017 07:48:00.0000	1537	0
Thu Jun 08 2017 07:49:00.0000	1537	0
Thu Jun 08 2017 07:50:00.0000	1537	0
Thu Jun 08 2017 07:51:00.0000	1537	0

Date/Time	Process Temperature (°F)	Process Flow SCFM
Thu Jun 08 2017 07:52:00.0000	1537	0
Thu Jun 08 2017 07:53:00.0000	1537	0
Thu Jun 08 2017 07:54:00.0000	1537	0
Thu Jun 08 2017 07:55:00.0000	1537	0
Thu Jun 08 2017 07:56:00.0000	1537	0
Thu Jun 08 2017 07:57:00.0000	1537	0
Thu Jun 08 2017 07:58:00.0000	1537	0
Thu Jun 08 2017 07:59:00.0000	1537	0
Thu Jun 08 2017 08:00:00.0000	1537	0
Thu Jun 08 2017 08:01:00.0000	1537	0
Thu Jun 08 2017 08:02:00.0000	1537	0
Thu Jun 08 2017 08:03:00.0000	1537	0
Thu Jun 08 2017 08:04:00.0000	1537	0
Thu Jun 08 2017 08:05:00.0000	1537	0
Thu Jun 08 2017 08:06:00.0000	1537	0
Thu Jun 08 2017 08:07:00.0000	1537	0
Thu Jun 08 2017 08:08:00.0000	1537	0
Thu Jun 08 2017 08:09:00.0000	1537	0
Thu Jun 08 2017 08:10:00.0000	1537	0
Thu Jun 08 2017 08:11:00.0000	1537	0
Thu Jun 08 2017 08:12:00.0000	1537	0
Thu Jun 08 2017 08:13:00.0000	1537	0
Thu Jun 08 2017 08:14:00.0000	1537	0
Thu Jun 08 2017 08:15:00.0000	1537	0
Thu Jun 08 2017 08:16:00.0000	1537	0
Thu Jun 08 2017 08:17:00.0000	1537	0
Thu Jun 08 2017 08:18:00.0000	1537	0
Thu Jun 08 2017 08:19:00.0000	1537	0
Thu Jun 08 2017 08:20:00.0000	1537	0
Thu Jun 08 2017 08:21:00.0000	1537	0
Thu Jun 08 2017 08:22:00.0000	1537	0
Thu Jun 08 2017 08:23:00.0000	1537	0
Thu Jun 08 2017 08:24:00.0000	1537	0
Thu Jun 08 2017 08:25:00.0000	1537	0
Thu Jun 08 2017 08:26:00.0000	1537	0
Thu Jun 08 2017 08:27:00.0000	1537	0
Thu Jun 08 2017 08:28:00.0000	1537	0
Thu Jun 08 2017 08:29:00.0000	1537	0
Thu Jun 08 2017 08:30:00.0000	1537	0
Thu Jun 08 2017 08:31:00.0000	1537	0
Thu Jun 08 2017 08:32:00.0000	1537	0
Thu Jun 08 2017 08:33:00.0000	1537	0
Thu Jun 08 2017 08:34:00.0000	1537	0
Thu Jun 08 2017 08:35:00.0000	1537	0
Thu Jun 08 2017 08:36:00.0000	1537	0
Thu Jun 08 2017 08:37:00.0000	1537	0
Thu Jun 08 2017 08:38:00.0000	1537	0
Thu Jun 08 2017 08:39:00.0000	1537	0
Thu Jun 08 2017 08:40:00.0000	1537	0
Thu Jun 08 2017 08:41:00.0000	1537	0
Thu Jun 08 2017 08:42:00.0000	1537	0
Thu Jun 08 2017 08:43:00.0000	1537	0
Thu Jun 08 2017 08:44:00.0000	1537	0
Thu Jun 08 2017 08:45:00.0000	1537	0
Thu Jun 08 2017 08:46:00.0000	1537	0
Thu Jun 08 2017 08:47:00.0000	1537	0
Thu Jun 08 2017 08:48:00.0000	1537	0

Date/Time	Process Temperature (°F)	Process Flow SCFM
Thu Jun 08 2017 08:49:00.0000	1537	0
Thu Jun 08 2017 08:50:00.0000	1537	0
Thu Jun 08 2017 08:51:00.0000	1537	0
Thu Jun 08 2017 08:52:00.0000	1537	0
Thu Jun 08 2017 08:53:00.0000	1537	0
Thu Jun 08 2017 08:54:00.0000	1537	0
Thu Jun 08 2017 08:55:00.0000	1537	0
Thu Jun 08 2017 08:56:00.0000	1537	0
Thu Jun 08 2017 08:57:00.0000	1537	0
Thu Jun 08 2017 08:58:00.0000	1537	0
Thu Jun 08 2017 08:59:00.0000	1537	0
Thu Jun 08 2017 09:00:00.0000	1537	0
Thu Jun 08 2017 09:01:00.0000	1537	0
Thu Jun 08 2017 09:02:00.0000	1537	0
Thu Jun 08 2017 09:03:00.0000	1537	0
Thu Jun 08 2017 09:04:00.0000	1537	0
Thu Jun 08 2017 09:05:00.0000	1537	0
Thu Jun 08 2017 09:06:00.0000	1537	0
Thu Jun 08 2017 09:07:00.0000	1537	0
Thu Jun 08 2017 09:08:00.0000	1537	0
Thu Jun 08 2017 09:09:00.0000	1537	0
Thu Jun 08 2017 09:10:00.0000	1537	0
Thu Jun 08 2017 09:11:00.0000	1537	0
Thu Jun 08 2017 09:12:00.0000	1537	0
Thu Jun 08 2017 09:13:00.0000	1537	0
Thu Jun 08 2017 09:14:00.0000	1537	0
Thu Jun 08 2017 09:15:00.0000	1537	0
Thu Jun 08 2017 09:16:00.0000	1537	0
Thu Jun 08 2017 09:17:00.0000	1537	0
Thu Jun 08 2017 09:18:00.0000	1537	0
Thu Jun 08 2017 09:19:00.0000	1537	0
Thu Jun 08 2017 09:20:00.0000	1537	0
Thu Jun 08 2017 09:21:00.0000	1537	0
Thu Jun 08 2017 09:22:00.0000	1537	0
Thu Jun 08 2017 09:23:00.0000	1537	0
Thu Jun 08 2017 09:24:00.0000	1537	0
Thu Jun 08 2017 09:25:00.0000	1537	0
Thu Jun 08 2017 09:26:00.0000	1537	0
Thu Jun 08 2017 09:27:00.0000	1537	0
Thu Jun 08 2017 09:28:00.0000	1537	0
Thu Jun 08 2017 09:29:00.0000	1537	0
Thu Jun 08 2017 09:30:00.0000	1537	0
Thu Jun 08 2017 09:31:00.0000	1537	0
Thu Jun 08 2017 09:32:00.0000	1537	0
Thu Jun 08 2017 09:33:00.0000	1537	0
Thu Jun 08 2017 09:34:00.0000	1537	0
Thu Jun 08 2017 09:35:00.0000	1537	0
Thu Jun 08 2017 09:36:00.0000	1537	0
Thu Jun 08 2017 09:37:00.0000	1537	0
Thu Jun 08 2017 09:38:00.0000	1537	0
Thu Jun 08 2017 09:39:00.0000	1537	0
Thu Jun 08 2017 09:40:00.0000	1537	0
Thu Jun 08 2017 09:41:00.0000	1537	0
Thu Jun 08 2017 09:42:00.0000	1537	0
Thu Jun 08 2017 09:43:00.0000	1537	0
Thu Jun 08 2017 09:44:00.0000	1537	0
Thu Jun 08 2017 09:45:00.0000	1537	1

Date/Time	Process Temperature (°F)	Process Flow SCFM
Thu Jun 08 2017 09:46:00.0000	1410	0
Thu Jun 08 2017 09:47:00.0000	1410	0
Thu Jun 08 2017 09:48:00.0000	1410	0
Thu Jun 08 2017 09:49:00.0000	1409	0
Thu Jun 08 2017 09:50:00.0000	1409	0
Thu Jun 08 2017 09:51:00.0000	1409	0
Thu Jun 08 2017 09:52:00.0000	1408	0
Thu Jun 08 2017 09:53:00.0000	1408	0
Thu Jun 08 2017 09:54:00.0000	1407	0
Thu Jun 08 2017 09:55:00.0000	1407	0
Thu Jun 08 2017 09:56:00.0000	1406	0
Thu Jun 08 2017 09:57:00.0000	1406	0
Thu Jun 08 2017 09:58:00.0000	1406	0
Thu Jun 08 2017 09:59:00.0000	1405	0
Thu Jun 08 2017 10:00:00.0000	1404	0
Thu Jun 08 2017 10:01:00.0000	1404	0
Thu Jun 08 2017 10:02:00.0000	1404	0
Thu Jun 08 2017 10:03:00.0000	1403	0
Thu Jun 08 2017 10:04:00.0000	1403	0
Thu Jun 08 2017 10:05:00.0000	1402	0
Thu Jun 08 2017 10:06:00.0000	1402	0
Thu Jun 08 2017 10:07:00.0000	1401	0
Thu Jun 08 2017 10:08:00.0000	1400	0
Thu Jun 08 2017 10:09:00.0000	1400	0
Thu Jun 08 2017 10:10:00.0000	1400	0
Thu Jun 08 2017 10:11:00.0000	1399	0
Thu Jun 08 2017 10:12:00.0000	1398	0
Thu Jun 08 2017 10:13:00.0000	1461	0
Thu Jun 08 2017 10:14:00.0000	1591	0
Thu Jun 08 2017 10:15:00.0000	1645	0
Thu Jun 08 2017 10:16:00.0000	1699	0
Thu Jun 08 2017 10:17:00.0000	1720	0
Thu Jun 08 2017 10:18:00.0000	1706	0
Thu Jun 08 2017 10:19:00.0000	1638	0
Thu Jun 08 2017 10:20:00.0000	1592	484
Thu Jun 08 2017 10:21:00.0000	1592	2135
Thu Jun 08 2017 10:22:00.0000	1604	2055
Thu Jun 08 2017 10:23:00.0000	1615	2114
Thu Jun 08 2017 10:24:00.0000	1635	2040
Thu Jun 08 2017 10:25:00.0000	1647	2046
Thu Jun 08 2017 10:26:00.0000	1620	2072
Thu Jun 08 2017 10:27:00.0000	1609	2031
Thu Jun 08 2017 10:28:00.0000	1604	2058
Thu Jun 08 2017 10:29:00.0000	1598	2057
Thu Jun 08 2017 10:30:00.0000	1603	2053
Thu Jun 08 2017 10:31:00.0000	1625	2062
Thu Jun 08 2017 10:32:00.0000	1637	2111
Thu Jun 08 2017 10:33:00.0000	1638	2043
Thu Jun 08 2017 10:34:00.0000	1624	2087
Thu Jun 08 2017 10:35:00.0000	1616	2021
Thu Jun 08 2017 10:36:00.0000	1612	2026
Thu Jun 08 2017 10:37:00.0000	1607	2070
Thu Jun 08 2017 10:38:00.0000	1603	2021
Thu Jun 08 2017 10:39:00.0000	1600	2065
Thu Jun 08 2017 10:40:00.0000	1609	2075
Thu Jun 08 2017 10:41:00.0000	1613	1976
Thu Jun 08 2017 10:42:00.0000	1617	2009

Date/Time	Process Temperature (°F)	Process Flow SCFM
Thu Jun 08 2017 10:43:00.0000	1618	2084
Thu Jun 08 2017 10:44:00.0000	1620	2019
Thu Jun 08 2017 10:45:00.0000	1625	2080
Thu Jun 08 2017 10:46:00.0000	1629	2087
Thu Jun 08 2017 10:47:00.0000	1628	2031
Thu Jun 08 2017 10:48:00.0000	1627	2040
Thu Jun 08 2017 10:49:00.0000	1632	2009
Thu Jun 08 2017 10:50:00.0000	1626	2075
Thu Jun 08 2017 10:51:00.0000	1621	2056
Thu Jun 08 2017 10:52:00.0000	1616	2031
Thu Jun 08 2017 10:53:00.0000	1614	2041
Thu Jun 08 2017 10:54:00.0000	1614	2047
Thu Jun 08 2017 10:55:00.0000	1611	2020
Thu Jun 08 2017 10:56:00.0000	1609	2040
Thu Jun 08 2017 10:57:00.0000	1607	2033
Thu Jun 08 2017 10:58:00.0000	1608	2007
Thu Jun 08 2017 10:59:00.0000	1607	2058
Thu Jun 08 2017 11:00:00.0000	1605	2035
Thu Jun 08 2017 11:01:00.0000	1603	2065
Thu Jun 08 2017 11:02:00.0000	1604	2032
Thu Jun 08 2017 11:03:00.0000	1604	2062
Thu Jun 08 2017 11:04:00.0000	1603	2060
Thu Jun 08 2017 11:05:00.0000	1601	2037
Thu Jun 08 2017 11:06:00.0000	1603	2012
Thu Jun 08 2017 11:07:00.0000	1612	2067
Thu Jun 08 2017 11:08:00.0000	1617	2190
Thu Jun 08 2017 11:09:00.0000	1619	2054
Thu Jun 08 2017 11:10:00.0000	1620	2057
Thu Jun 08 2017 11:11:00.0000	1625	2017
Thu Jun 08 2017 11:12:00.0000	1629	2051
Thu Jun 08 2017 11:13:00.0000	1631	2036
Thu Jun 08 2017 11:14:00.0000	1631	2062
Thu Jun 08 2017 11:15:00.0000	1631	2068
Thu Jun 08 2017 11:16:00.0000	1632	2003
Thu Jun 08 2017 11:17:00.0000	1623	2057
Thu Jun 08 2017 11:18:00.0000	1618	2049
Thu Jun 08 2017 11:19:00.0000	1614	2031
Thu Jun 08 2017 11:20:00.0000	1611	2043
Thu Jun 08 2017 11:21:00.0000	1608	2065
Thu Jun 08 2017 11:22:00.0000	1604	2048
Thu Jun 08 2017 11:23:00.0000	1602	2037
Thu Jun 08 2017 11:24:00.0000	1601	2056
Thu Jun 08 2017 11:25:00.0000	1603	2041
Thu Jun 08 2017 11:26:00.0000	1604	2086
Thu Jun 08 2017 11:27:00.0000	1603	2045
Thu Jun 08 2017 11:28:00.0000	1602	2034
Thu Jun 08 2017 11:29:00.0000	1606	2083
Thu Jun 08 2017 11:30:00.0000	1609	2031
Thu Jun 08 2017 11:31:00.0000	1609	2038
Thu Jun 08 2017 11:32:00.0000	1610	2060
Thu Jun 08 2017 11:33:00.0000	1612	2052
Thu Jun 08 2017 11:34:00.0000	1614	2105
Thu Jun 08 2017 11:35:00.0000	1615	2141
Thu Jun 08 2017 11:36:00.0000	1615	2054
Thu Jun 08 2017 11:37:00.0000	1614	2049
Thu Jun 08 2017 11:38:00.0000	1618	2055
Thu Jun 08 2017 11:39:00.0000	1619	2008

Date/Time	Process Temperature (°F)	Process Flow SCFM
Thu Jun 08 2017 11:40:00.0000	1618	2061
Thu Jun 08 2017 11:41:00.0000	1617	2064
Thu Jun 08 2017 11:42:00.0000	1618	2027
Thu Jun 08 2017 11:43:00.0000	1621	2027
Thu Jun 08 2017 11:44:00.0000	1621	2027
Thu Jun 08 2017 11:45:00.0000	1620	2010
Thu Jun 08 2017 11:46:00.0000	1620	2060
Thu Jun 08 2017 11:47:00.0000	1623	2043
Thu Jun 08 2017 11:48:00.0000	1622	2065
Thu Jun 08 2017 11:49:00.0000	1622	2069
Thu Jun 08 2017 11:50:00.0000	1621	2045
Thu Jun 08 2017 11:51:00.0000	1623	2039
Thu Jun 08 2017 11:52:00.0000	1624	2022
Thu Jun 08 2017 11:53:00.0000	1624	2054
Thu Jun 08 2017 11:54:00.0000	1623	2042
Thu Jun 08 2017 11:55:00.0000	1623	2042
Thu Jun 08 2017 11:56:00.0000	1625	2050
Thu Jun 08 2017 11:57:00.0000	1625	2080
Thu Jun 08 2017 11:58:00.0000	1624	2050
Thu Jun 08 2017 11:59:00.0000	1623	2036
Thu Jun 08 2017 12:00:00.0000	1624	2050
Thu Jun 08 2017 12:01:00.0000	1626	2015
Thu Jun 08 2017 12:02:00.0000	1625	2051
Thu Jun 08 2017 12:03:00.0000	1624	2087
Thu Jun 08 2017 12:04:00.0000	1623	2040
Thu Jun 08 2017 12:05:00.0000	1626	2047
Thu Jun 08 2017 12:06:00.0000	1626	2025
Thu Jun 08 2017 12:07:00.0000	1625	2059
Thu Jun 08 2017 12:08:00.0000	1624	2061
Thu Jun 08 2017 12:09:00.0000	1626	2052
Thu Jun 08 2017 12:10:00.0000	1627	2071
Thu Jun 08 2017 12:11:00.0000	1627	2056
Thu Jun 08 2017 12:12:00.0000	1625	2051
Thu Jun 08 2017 12:13:00.0000	1625	2055
Thu Jun 08 2017 12:14:00.0000	1627	2049
Thu Jun 08 2017 12:15:00.0000	1627	2044
Thu Jun 08 2017 12:16:00.0000	1627	2080
Thu Jun 08 2017 12:17:00.0000	1625	2096
Thu Jun 08 2017 12:18:00.0000	1627	2044
Thu Jun 08 2017 12:19:00.0000	1628	2063
Thu Jun 08 2017 12:20:00.0000	1628	2019
Thu Jun 08 2017 12:21:00.0000	1627	2029
Thu Jun 08 2017 12:22:00.0000	1626	2046
Thu Jun 08 2017 12:23:00.0000	1629	2054
Thu Jun 08 2017 12:24:00.0000	1628	2021
Thu Jun 08 2017 12:25:00.0000	1628	2034
Thu Jun 08 2017 12:26:00.0000	1626	2047
Thu Jun 08 2017 12:27:00.0000	1628	2050
Thu Jun 08 2017 12:28:00.0000	1629	2072
Thu Jun 08 2017 12:29:00.0000	1629	2042
Thu Jun 08 2017 12:30:00.0000	1628	2105
Thu Jun 08 2017 12:31:00.0000	1627	2013
Thu Jun 08 2017 12:32:00.0000	1630	2044
Thu Jun 08 2017 12:33:00.0000	1630	2106
Thu Jun 08 2017 12:34:00.0000	1629	2028
Thu Jun 08 2017 12:35:00.0000	1627	2061
Thu Jun 08 2017 12:36:00.0000	1629	2034

Date/Time	Process Temperature (°F)	Process Flow SCFM
Thu Jun 08 2017 12:37:00.0000	1630	-1
Thu Jun 08 2017 12:38:00.0000	1629	-1
Thu Jun 08 2017 12:39:00.0000	1627	2181
Thu Jun 08 2017 12:40:00.0000	1626	2083
Thu Jun 08 2017 12:41:00.0000	1627	2075
Thu Jun 08 2017 12:42:00.0000	1628	2051
Thu Jun 08 2017 12:43:00.0000	1626	2050
Thu Jun 08 2017 12:44:00.0000	1628	2100
Thu Jun 08 2017 12:45:00.0000	1629	2063
Thu Jun 08 2017 12:46:00.0000	1629	2030
Thu Jun 08 2017 12:47:00.0000	1628	2106
Thu Jun 08 2017 12:48:00.0000	1627	2029
Thu Jun 08 2017 12:49:00.0000	1630	2058
Thu Jun 08 2017 12:50:00.0000	1630	2073
Thu Jun 08 2017 12:51:00.0000	1629	1998
Thu Jun 08 2017 12:52:00.0000	1627	2022
Thu Jun 08 2017 12:53:00.0000	1630	2051
Thu Jun 08 2017 12:54:00.0000	1631	2019
Thu Jun 08 2017 12:55:00.0000	1630	2041
Thu Jun 08 2017 12:56:00.0000	1629	2027
Thu Jun 08 2017 12:57:00.0000	1629	2056
Thu Jun 08 2017 12:58:00.0000	1632	2027
Thu Jun 08 2017 12:59:00.0000	1631	2018
Thu Jun 08 2017 13:00:00.0000	1630	2136
Thu Jun 08 2017 13:01:00.0000	1629	2052
Thu Jun 08 2017 13:02:00.0000	1632	2051
Thu Jun 08 2017 13:03:00.0000	1632	2077
Thu Jun 08 2017 13:04:00.0000	1631	2028
Thu Jun 08 2017 13:05:00.0000	1630	2041
Thu Jun 08 2017 13:06:00.0000	1630	2043
Thu Jun 08 2017 13:07:00.0000	1633	2033
Thu Jun 08 2017 13:08:00.0000	1633	2036
Thu Jun 08 2017 13:09:00.0000	1632	2114
Thu Jun 08 2017 13:10:00.0000	1630	2035
Thu Jun 08 2017 13:11:00.0000	1633	2114
Thu Jun 08 2017 13:12:00.0000	1629	2053
Thu Jun 08 2017 13:13:00.0000	1626	2005
Thu Jun 08 2017 13:14:00.0000	1623	2055
Thu Jun 08 2017 13:15:00.0000	1622	2068
Thu Jun 08 2017 13:16:00.0000	1621	2066
Thu Jun 08 2017 13:17:00.0000	1619	2004
Thu Jun 08 2017 13:18:00.0000	1617	1755
Thu Jun 08 2017 13:19:00.0000	1615	1876
Thu Jun 08 2017 13:20:00.0000	1615	1785
Thu Jun 08 2017 13:21:00.0000	1614	1738
Thu Jun 08 2017 13:22:00.0000	1612	1765
Thu Jun 08 2017 13:23:00.0000	1610	1837
Thu Jun 08 2017 13:24:00.0000	1610	1772
Thu Jun 08 2017 13:25:00.0000	1610	1760
Thu Jun 08 2017 13:26:00.0000	1607	1782
Thu Jun 08 2017 13:27:00.0000	1607	1820
Thu Jun 08 2017 13:28:00.0000	1606	1780
Thu Jun 08 2017 13:29:00.0000	1606	1756
Thu Jun 08 2017 13:30:00.0000	1605	1859
Thu Jun 08 2017 13:31:00.0000	1604	1700
Thu Jun 08 2017 13:32:00.0000	1603	1654
Thu Jun 08 2017 13:33:00.0000	1603	1700

Date/Time	Process Temperature (°F)	Process Flow SCFM
Thu Jun 08 2017 13:34:00.0000	1603	1672
Thu Jun 08 2017 13:35:00.0000	1602	1676
Thu Jun 08 2017 13:36:00.0000	1608	1690
Thu Jun 08 2017 13:37:00.0000	1611	1726
Thu Jun 08 2017 13:38:00.0000	1618	1643
Thu Jun 08 2017 13:39:00.0000	1623	1777
Thu Jun 08 2017 13:40:00.0000	1624	1670
Thu Jun 08 2017 13:41:00.0000	1624	1691
Thu Jun 08 2017 13:42:00.0000	1627	1701
Thu Jun 08 2017 13:43:00.0000	1631	1648
Thu Jun 08 2017 13:44:00.0000	1632	1670
Thu Jun 08 2017 13:45:00.0000	1627	1644
Thu Jun 08 2017 13:46:00.0000	1625	1713
Thu Jun 08 2017 13:47:00.0000	1625	1624
Thu Jun 08 2017 13:48:00.0000	1623	1670
Thu Jun 08 2017 13:49:00.0000	1622	1687
Thu Jun 08 2017 13:50:00.0000	1620	1538
Thu Jun 08 2017 13:51:00.0000	1621	1660
Thu Jun 08 2017 13:52:00.0000	1622	1603
Thu Jun 08 2017 13:53:00.0000	1621	1570
Thu Jun 08 2017 13:54:00.0000	1621	1595
Thu Jun 08 2017 13:55:00.0000	1622	1645
Thu Jun 08 2017 13:56:00.0000	1622	1595
Thu Jun 08 2017 13:57:00.0000	1622	1601
Thu Jun 08 2017 13:58:00.0000	1622	1611
Thu Jun 08 2017 13:59:00.0000	1621	1631
Thu Jun 08 2017 14:00:00.0000	1622	1600
Thu Jun 08 2017 14:01:00.0000	1622	1613
Thu Jun 08 2017 14:02:00.0000	1621	1647
Thu Jun 08 2017 14:03:00.0000	1621	1587
Thu Jun 08 2017 14:04:00.0000	1621	1496
Thu Jun 08 2017 14:05:00.0000	1622	1621
Thu Jun 08 2017 14:06:00.0000	1622	1499
Thu Jun 08 2017 14:07:00.0000	1621	1519
Thu Jun 08 2017 14:08:00.0000	1620	1475
Thu Jun 08 2017 14:09:00.0000	1622	1519
Thu Jun 08 2017 14:10:00.0000	1622	1535
Thu Jun 08 2017 14:11:00.0000	1621	1522
Thu Jun 08 2017 14:12:00.0000	1620	1487
Thu Jun 08 2017 14:13:00.0000	1621	1501
Thu Jun 08 2017 14:14:00.0000	1622	1555
Thu Jun 08 2017 14:15:00.0000	1621	1525
Thu Jun 08 2017 14:16:00.0000	1621	1503
Thu Jun 08 2017 14:17:00.0000	1620	1451
Thu Jun 08 2017 14:18:00.0000	1622	1448
Thu Jun 08 2017 14:19:00.0000	1622	1521
Thu Jun 08 2017 14:20:00.0000	1621	1651
Thu Jun 08 2017 14:21:00.0000	1620	1474
Thu Jun 08 2017 14:22:00.0000	1621	1478
Thu Jun 08 2017 14:23:00.0000	1622	1496
Thu Jun 08 2017 14:24:00.0000	1621	1475
Thu Jun 08 2017 14:25:00.0000	1621	1487
Thu Jun 08 2017 14:26:00.0000	1620	1447
Thu Jun 08 2017 14:27:00.0000	1622	1547
Thu Jun 08 2017 14:28:00.0000	1622	1671
Thu Jun 08 2017 14:29:00.0000	1621	1508
Thu Jun 08 2017 14:30:00.0000	1620	1513

Date/Time	Process Temperature (°F)	Process Flow SCFM
Thu Jun 08 2017 14:31:00.0000	1621	1473
Thu Jun 08 2017 14:32:00.0000	1622	1514
Thu Jun 08 2017 14:33:00.0000	1622	1567
Thu Jun 08 2017 14:34:00.0000	1621	1559
Thu Jun 08 2017 14:35:00.0000	1620	1507
Thu Jun 08 2017 14:36:00.0000	1622	1546
Thu Jun 08 2017 14:37:00.0000	1622	1489
Thu Jun 08 2017 14:38:00.0000	1622	1544
Thu Jun 08 2017 14:39:00.0000	1620	1514
Thu Jun 08 2017 14:40:00.0000	1622	1543
Thu Jun 08 2017 14:41:00.0000	1622	1460
Thu Jun 08 2017 14:42:00.0000	1622	1493
Thu Jun 08 2017 14:43:00.0000	1621	1470
Thu Jun 08 2017 14:44:00.0000	1621	1437
Thu Jun 08 2017 14:45:00.0000	1622	1519
Thu Jun 08 2017 14:46:00.0000	1622	1487
Thu Jun 08 2017 14:47:00.0000	1622	1562
Thu Jun 08 2017 14:48:00.0000	1620	1546
Thu Jun 08 2017 14:49:00.0000	1622	1559
Thu Jun 08 2017 14:50:00.0000	1622	1615
Thu Jun 08 2017 14:51:00.0000	1622	1456
Thu Jun 08 2017 14:52:00.0000	1621	1488
Thu Jun 08 2017 14:53:00.0000	1621	1458
Thu Jun 08 2017 14:54:00.0000	1622	1472
Thu Jun 08 2017 14:55:00.0000	1622	1486
Thu Jun 08 2017 14:56:00.0000	1622	1504
Thu Jun 08 2017 14:57:00.0000	1621	1528
Thu Jun 08 2017 14:58:00.0000	1622	1528
Thu Jun 08 2017 14:59:00.0000	1623	1536
Thu Jun 08 2017 15:00:00.0000	1622	1477
Thu Jun 08 2017 15:01:00.0000	1621	1547
Thu Jun 08 2017 15:02:00.0000	1622	1526
Thu Jun 08 2017 15:03:00.0000	1622	1549
Thu Jun 08 2017 15:04:00.0000	1623	1529
Thu Jun 08 2017 15:05:00.0000	1622	1504
Thu Jun 08 2017 15:06:00.0000	1621	1504
Thu Jun 08 2017 15:07:00.0000	1622	1551
Thu Jun 08 2017 15:08:00.0000	1623	1518
Thu Jun 08 2017 15:09:00.0000	1622	1510
Thu Jun 08 2017 15:10:00.0000	1621	1495
Thu Jun 08 2017 15:11:00.0000	1621	1526
Thu Jun 08 2017 15:12:00.0000	1623	1519
Thu Jun 08 2017 15:13:00.0000	1623	1525
Thu Jun 08 2017 15:14:00.0000	1622	1551
Thu Jun 08 2017 15:15:00.0000	1621	1519
Thu Jun 08 2017 15:16:00.0000	1623	1544
Thu Jun 08 2017 15:17:00.0000	1623	1517
Thu Jun 08 2017 15:18:00.0000	1623	1493
Thu Jun 08 2017 15:19:00.0000	1622	1492
Thu Jun 08 2017 15:20:00.0000	1622	1499
Thu Jun 08 2017 15:21:00.0000	1623	1513
Thu Jun 08 2017 15:22:00.0000	1623	1477
Thu Jun 08 2017 15:23:00.0000	1622	1517
Thu Jun 08 2017 15:24:00.0000	1621	1503
Thu Jun 08 2017 15:25:00.0000	1623	1478
Thu Jun 08 2017 15:26:00.0000	1623	1505
Thu Jun 08 2017 15:27:00.0000	1623	1490

Date/Time	Process Temperature (°F)	Process Flow SCFM
Thu Jun 08 2017 15:28:00.0000	1622	1512
Thu Jun 08 2017 15:29:00.0000	1622	1499
Thu Jun 08 2017 15:30:00.0000	1623	1518
Thu Jun 08 2017 15:31:00.0000	1623	1521
Thu Jun 08 2017 15:32:00.0000	1622	1515
Thu Jun 08 2017 15:33:00.0000	1621	1506
Thu Jun 08 2017 15:34:00.0000	1623	1531
Thu Jun 08 2017 15:35:00.0000	1623	1522
Thu Jun 08 2017 15:36:00.0000	1622	1532
Thu Jun 08 2017 15:37:00.0000	1622	1487
Thu Jun 08 2017 15:38:00.0000	1622	1481
Thu Jun 08 2017 15:39:00.0000	1623	1511
Thu Jun 08 2017 15:40:00.0000	1623	1547
Thu Jun 08 2017 15:41:00.0000	1622	1528
Thu Jun 08 2017 15:42:00.0000	1622	1520
Thu Jun 08 2017 15:43:00.0000	1623	1495
Thu Jun 08 2017 15:44:00.0000	1623	1494
Thu Jun 08 2017 15:45:00.0000	1622	1529
Thu Jun 08 2017 15:46:00.0000	1622	1526
Thu Jun 08 2017 15:47:00.0000	1623	1519
Thu Jun 08 2017 15:48:00.0000	1623	1519
Thu Jun 08 2017 15:49:00.0000	1623	1505
Thu Jun 08 2017 15:50:00.0000	1622	1529
Thu Jun 08 2017 15:51:00.0000	1622	1525
Thu Jun 08 2017 15:52:00.0000	1623	1519
Thu Jun 08 2017 15:53:00.0000	1623	1526
Thu Jun 08 2017 15:54:00.0000	1622	1538
Thu Jun 08 2017 15:55:00.0000	1622	1531
Thu Jun 08 2017 15:56:00.0000	1623	1554
Thu Jun 08 2017 15:57:00.0000	1623	1530
Thu Jun 08 2017 15:58:00.0000	1623	1494
Thu Jun 08 2017 15:59:00.0000	1622	1524
Thu Jun 08 2017 16:00:00.0000	1622	1495
Thu Jun 08 2017 16:01:00.0000	1623	1487
Thu Jun 08 2017 16:02:00.0000	1623	1531
Thu Jun 08 2017 16:03:00.0000	1622	1523
Thu Jun 08 2017 16:04:00.0000	1622	1474
Thu Jun 08 2017 16:05:00.0000	1623	1529
Thu Jun 08 2017 16:06:00.0000	1623	1483
Thu Jun 08 2017 16:07:00.0000	1623	1524
Thu Jun 08 2017 16:08:00.0000	1622	1491
Thu Jun 08 2017 16:09:00.0000	1622	1487
Thu Jun 08 2017 16:10:00.0000	1623	1487
Thu Jun 08 2017 16:11:00.0000	1623	1517
Thu Jun 08 2017 16:12:00.0000	1622	1500
Thu Jun 08 2017 16:13:00.0000	1622	1496
Thu Jun 08 2017 16:14:00.0000	1623	1486
Thu Jun 08 2017 16:15:00.0000	1624	1530
Thu Jun 08 2017 16:16:00.0000	1623	1503
Thu Jun 08 2017 16:17:00.0000	1622	1574
Thu Jun 08 2017 16:18:00.0000	1622	1553
Thu Jun 08 2017 16:19:00.0000	1624	1499
Thu Jun 08 2017 16:20:00.0000	1624	1521
Thu Jun 08 2017 16:21:00.0000	1623	1517
Thu Jun 08 2017 16:22:00.0000	1622	1536
Thu Jun 08 2017 16:23:00.0000	1623	1508
Thu Jun 08 2017 16:24:00.0000	1624	1555

Date/Time	Process Temperature (°F)	Process Flow SCFM
Thu Jun 08 2017 16:25:00.0000	1623	1558
Thu Jun 08 2017 16:26:00.0000	1622	1458
Thu Jun 08 2017 16:27:00.0000	1622	1469
Thu Jun 08 2017 16:28:00.0000	1624	1539
Thu Jun 08 2017 16:29:00.0000	1624	1524
Thu Jun 08 2017 16:30:00.0000	1622	1527
Thu Jun 08 2017 16:31:00.0000	1622	1515
Thu Jun 08 2017 16:32:00.0000	1624	1567
Thu Jun 08 2017 16:33:00.0000	1624	1504
Thu Jun 08 2017 16:34:00.0000	1623	1526
Thu Jun 08 2017 16:35:00.0000	1622	1465
Thu Jun 08 2017 16:36:00.0000	1622	1485
Thu Jun 08 2017 16:37:00.0000	1623	1500
Thu Jun 08 2017 16:38:00.0000	1623	1531
Thu Jun 08 2017 16:39:00.0000	1622	1552
Thu Jun 08 2017 16:40:00.0000	1621	1488
Thu Jun 08 2017 16:41:00.0000	1623	1476
Thu Jun 08 2017 16:42:00.0000	1623	1508
Thu Jun 08 2017 16:43:00.0000	1623	1499
Thu Jun 08 2017 16:44:00.0000	1622	1557
Thu Jun 08 2017 16:45:00.0000	1622	1529
Thu Jun 08 2017 16:46:00.0000	1623	1540
Thu Jun 08 2017 16:47:00.0000	1623	1547
Thu Jun 08 2017 16:48:00.0000	1622	1525
Thu Jun 08 2017 16:49:00.0000	1621	1536
Thu Jun 08 2017 16:50:00.0000	1622	1521
Thu Jun 08 2017 16:51:00.0000	1623	1474
Thu Jun 08 2017 16:52:00.0000	1622	1477
Thu Jun 08 2017 16:53:00.0000	1621	1563
Thu Jun 08 2017 16:54:00.0000	1621	1458
Thu Jun 08 2017 16:55:00.0000	1622	1528
Thu Jun 08 2017 16:56:00.0000	1622	1527
Thu Jun 08 2017 16:57:00.0000	1621	1519
Thu Jun 08 2017 16:58:00.0000	1621	1521
Thu Jun 08 2017 16:59:00.0000	1622	1535
Thu Jun 08 2017 17:00:00.0000	1622	1537
Thu Jun 08 2017 17:01:00.0000	1622	1465
Thu Jun 08 2017 17:02:00.0000	1620	1462
Thu Jun 08 2017 17:03:00.0000	1621	1501
Thu Jun 08 2017 17:04:00.0000	1622	1497
Thu Jun 08 2017 17:05:00.0000	1622	1435
Thu Jun 08 2017 17:06:00.0000	1621	1451
Thu Jun 08 2017 17:07:00.0000	1620	1494
Thu Jun 08 2017 17:08:00.0000	1621	1462
Thu Jun 08 2017 17:09:00.0000	1621	1455
Thu Jun 08 2017 17:10:00.0000	1621	1491
Thu Jun 08 2017 17:11:00.0000	1620	1481
Thu Jun 08 2017 17:12:00.0000	1620	1486
Thu Jun 08 2017 17:13:00.0000	1621	1486
Thu Jun 08 2017 17:14:00.0000	1621	1462
Thu Jun 08 2017 17:15:00.0000	1620	1497
Thu Jun 08 2017 17:16:00.0000	1620	1500
Thu Jun 08 2017 17:17:00.0000	1621	1480
Thu Jun 08 2017 17:18:00.0000	1621	1512
Thu Jun 08 2017 17:19:00.0000	1621	1468
Thu Jun 08 2017 17:20:00.0000	1620	1454
Thu Jun 08 2017 17:21:00.0000	1621	1513

Date/Time	Process Temperature (°F)	Process Flow SCFM
Thu Jun 08 2017 17:22:00.0000	1622	1527
Thu Jun 08 2017 17:23:00.0000	1622	1536
Thu Jun 08 2017 17:24:00.0000	1621	1464
Thu Jun 08 2017 17:25:00.0000	1620	1494
Thu Jun 08 2017 17:26:00.0000	1622	1481
Thu Jun 08 2017 17:27:00.0000	1622	1488
Thu Jun 08 2017 17:28:00.0000	1621	1478
Thu Jun 08 2017 17:29:00.0000	1620	1460
Thu Jun 08 2017 17:30:00.0000	1621	1539
Thu Jun 08 2017 17:31:00.0000	1622	1484
Thu Jun 08 2017 17:32:00.0000	1622	1457
Thu Jun 08 2017 17:33:00.0000	1621	1476
Thu Jun 08 2017 17:34:00.0000	1620	1476
Thu Jun 08 2017 17:35:00.0000	1621	1447
Thu Jun 08 2017 17:36:00.0000	1621	1483
Thu Jun 08 2017 17:37:00.0000	1621	1492
Thu Jun 08 2017 17:38:00.0000	1620	1445
Thu Jun 08 2017 17:39:00.0000	1621	1497
Thu Jun 08 2017 17:40:00.0000	1621	1471
Thu Jun 08 2017 17:41:00.0000	1621	1444
Thu Jun 08 2017 17:42:00.0000	1620	1493
Thu Jun 08 2017 17:43:00.0000	1620	1469
Thu Jun 08 2017 17:44:00.0000	1621	1482
Thu Jun 08 2017 17:45:00.0000	1621	1480
Thu Jun 08 2017 17:46:00.0000	1621	1438
Thu Jun 08 2017 17:47:00.0000	1620	1421
Thu Jun 08 2017 17:48:00.0000	1620	1468
Thu Jun 08 2017 17:49:00.0000	1621	1463
Thu Jun 08 2017 17:50:00.0000	1621	1461
Thu Jun 08 2017 17:51:00.0000	1620	1456
Thu Jun 08 2017 17:52:00.0000	1619	1469
Thu Jun 08 2017 17:53:00.0000	1621	1425
Thu Jun 08 2017 17:54:00.0000	1621	1479
Thu Jun 08 2017 17:55:00.0000	1621	1478
Thu Jun 08 2017 17:56:00.0000	1619	1448
Thu Jun 08 2017 17:57:00.0000	1620	1506
Thu Jun 08 2017 17:58:00.0000	1621	1453
Thu Jun 08 2017 17:59:00.0000	1621	1442
Thu Jun 08 2017 18:00:00.0000	1620	1503
Thu Jun 08 2017 18:01:00.0000	1619	1485
Thu Jun 08 2017 18:02:00.0000	1621	1486
Thu Jun 08 2017 18:03:00.0000	1621	1496
Thu Jun 08 2017 18:04:00.0000	1620	1504
Thu Jun 08 2017 18:05:00.0000	1619	1475
Thu Jun 08 2017 18:06:00.0000	1620	1490
Thu Jun 08 2017 18:07:00.0000	1621	1479
Thu Jun 08 2017 18:08:00.0000	1621	1493
Thu Jun 08 2017 18:09:00.0000	1619	1464
Thu Jun 08 2017 18:10:00.0000	1619	1493
Thu Jun 08 2017 18:11:00.0000	1621	1448
Thu Jun 08 2017 18:12:00.0000	1621	1494
Thu Jun 08 2017 18:13:00.0000	1620	1472
Thu Jun 08 2017 18:14:00.0000	1619	1450
Thu Jun 08 2017 18:15:00.0000	1620	1479
Thu Jun 08 2017 18:16:00.0000	1621	1500
Thu Jun 08 2017 18:17:00.0000	1620	1475
Thu Jun 08 2017 18:18:00.0000	1619	1469

Date/Time	Process Temperature (°F)	Process Flow SCFM
Thu Jun 08 2017 18:19:00.0000	1619	1476
Thu Jun 08 2017 18:20:00.0000	1620	1452
Thu Jun 08 2017 18:21:00.0000	1620	1499
Thu Jun 08 2017 18:22:00.0000	1619	1478
Thu Jun 08 2017 18:23:00.0000	1618	1492
Thu Jun 08 2017 18:24:00.0000	1620	1484
Thu Jun 08 2017 18:25:00.0000	1620	1491
Thu Jun 08 2017 18:26:00.0000	1619	1492
Thu Jun 08 2017 18:27:00.0000	1618	1454
Thu Jun 08 2017 18:28:00.0000	1618	1456
Thu Jun 08 2017 18:29:00.0000	1620	1464
Thu Jun 08 2017 18:30:00.0000	1620	1463
Thu Jun 08 2017 18:31:00.0000	1619	1469
Thu Jun 08 2017 18:32:00.0000	1618	1492
Thu Jun 08 2017 18:33:00.0000	1619	1490
Thu Jun 08 2017 18:34:00.0000	1620	1481
Thu Jun 08 2017 18:35:00.0000	1619	1465
Thu Jun 08 2017 18:36:00.0000	1618	1475
Thu Jun 08 2017 18:37:00.0000	1618	1469
Thu Jun 08 2017 18:38:00.0000	1619	1462
Thu Jun 08 2017 18:39:00.0000	1620	1496
Thu Jun 08 2017 18:40:00.0000	1619	1484
Thu Jun 08 2017 18:41:00.0000	1617	1441
Thu Jun 08 2017 18:42:00.0000	1619	1461
Thu Jun 08 2017 18:43:00.0000	1619	1463
Thu Jun 08 2017 18:44:00.0000	1619	1480
Thu Jun 08 2017 18:45:00.0000	1618	1473
Thu Jun 08 2017 18:46:00.0000	1618	1456
Thu Jun 08 2017 18:47:00.0000	1619	1482
Thu Jun 08 2017 18:48:00.0000	1619	1441
Thu Jun 08 2017 18:49:00.0000	1618	1510
Thu Jun 08 2017 18:50:00.0000	1617	1484
Thu Jun 08 2017 18:51:00.0000	1619	1490
Thu Jun 08 2017 18:52:00.0000	1619	1476
Thu Jun 08 2017 18:53:00.0000	1618	1473
Thu Jun 08 2017 18:54:00.0000	1617	1463
Thu Jun 08 2017 18:55:00.0000	1617	1481
Thu Jun 08 2017 18:56:00.0000	1619	1446
Thu Jun 08 2017 18:57:00.0000	1619	1453
Thu Jun 08 2017 18:58:00.0000	1618	1470
Thu Jun 08 2017 18:59:00.0000	1617	1504
Thu Jun 08 2017 19:00:00.0000	1618	1485
Thu Jun 08 2017 19:01:00.0000	1618	1443
Thu Jun 08 2017 19:02:00.0000	1618	1491
Thu Jun 08 2017 19:03:00.0000	1617	1445
Thu Jun 08 2017 19:04:00.0000	1617	1462
Thu Jun 08 2017 19:05:00.0000	1618	1508
Thu Jun 08 2017 19:06:00.0000	1618	1469
Thu Jun 08 2017 19:07:00.0000	1617	1473
Thu Jun 08 2017 19:08:00.0000	1616	1466
Thu Jun 08 2017 19:09:00.0000	1617	1457
Thu Jun 08 2017 19:10:00.0000	1618	1461
Thu Jun 08 2017 19:11:00.0000	1617	1439
Thu Jun 08 2017 19:12:00.0000	1616	1469
Thu Jun 08 2017 19:13:00.0000	1616	1478
Thu Jun 08 2017 19:14:00.0000	1617	1511
Thu Jun 08 2017 19:15:00.0000	1617	1464

Date/Time	Process Temperature (°F)	Process Flow SCFM
Thu Jun 08 2017 19:16:00.0000	1616	1485
Thu Jun 08 2017 19:17:00.0000	1615	1528
Thu Jun 08 2017 19:18:00.0000	1617	1442
Thu Jun 08 2017 19:19:00.0000	1618	1415
Thu Jun 08 2017 19:20:00.0000	1617	1454
Thu Jun 08 2017 19:21:00.0000	1615	1504
Thu Jun 08 2017 19:22:00.0000	1616	1479
Thu Jun 08 2017 19:23:00.0000	1617	1458
Thu Jun 08 2017 19:24:00.0000	1617	1433
Thu Jun 08 2017 19:25:00.0000	1616	1526
Thu Jun 08 2017 19:26:00.0000	1615	1436
Thu Jun 08 2017 19:27:00.0000	1617	1468
Thu Jun 08 2017 19:28:00.0000	1617	1471
Thu Jun 08 2017 19:29:00.0000	1616	1550
Thu Jun 08 2017 19:30:00.0000	1615	1477
Thu Jun 08 2017 19:31:00.0000	1616	1493
Thu Jun 08 2017 19:32:00.0000	1616	1509
Thu Jun 08 2017 19:33:00.0000	1616	1440
Thu Jun 08 2017 19:34:00.0000	1615	1474
Thu Jun 08 2017 19:35:00.0000	1615	1495
Thu Jun 08 2017 19:36:00.0000	1616	1475
Thu Jun 08 2017 19:37:00.0000	1616	1433
Thu Jun 08 2017 19:38:00.0000	1615	1509
Thu Jun 08 2017 19:39:00.0000	1614	1454
Thu Jun 08 2017 19:40:00.0000	1615	1451
Thu Jun 08 2017 19:41:00.0000	1616	1477
Thu Jun 08 2017 19:42:00.0000	1615	1472
Thu Jun 08 2017 19:43:00.0000	1614	1454
Thu Jun 08 2017 19:44:00.0000	1614	1421
Thu Jun 08 2017 19:45:00.0000	1615	1433
Thu Jun 08 2017 19:46:00.0000	1615	1470
Thu Jun 08 2017 19:47:00.0000	1614	1446
Thu Jun 08 2017 19:48:00.0000	1613	1467
Thu Jun 08 2017 19:49:00.0000	1615	1489
Thu Jun 08 2017 19:50:00.0000	1615	1453
Thu Jun 08 2017 19:51:00.0000	1614	1457
Thu Jun 08 2017 19:52:00.0000	1613	1458
Thu Jun 08 2017 19:53:00.0000	1614	1460
Thu Jun 08 2017 19:54:00.0000	1614	1425
Thu Jun 08 2017 19:55:00.0000	1614	1465
Thu Jun 08 2017 19:56:00.0000	1613	1444
Thu Jun 08 2017 19:57:00.0000	1612	1446
Thu Jun 08 2017 19:58:00.0000	1614	1445
Thu Jun 08 2017 19:59:00.0000	1614	1415
Thu Jun 08 2017 20:00:00.0000	1613	1457
Thu Jun 08 2017 20:01:00.0000	1612	1459
Thu Jun 08 2017 20:02:00.0000	1613	1472
Thu Jun 08 2017 20:03:00.0000	1614	1478
Thu Jun 08 2017 20:04:00.0000	1613	1422
Thu Jun 08 2017 20:05:00.0000	1612	1444
Thu Jun 08 2017 20:06:00.0000	1612	1441
Thu Jun 08 2017 20:07:00.0000	1613	1483
Thu Jun 08 2017 20:08:00.0000	1613	1468
Thu Jun 08 2017 20:09:00.0000	1612	1460
Thu Jun 08 2017 20:10:00.0000	1612	1431
Thu Jun 08 2017 20:11:00.0000	1613	1516
Thu Jun 08 2017 20:12:00.0000	1613	1444

Date/Time	Process Temperature (°F)	Process Flow SCFM
Thu Jun 08 2017 20:13:00.0000	1613	1435
Thu Jun 08 2017 20:14:00.0000	1612	1459
Thu Jun 08 2017 20:15:00.0000	1611	1437
Thu Jun 08 2017 20:16:00.0000	1613	1447
Thu Jun 08 2017 20:17:00.0000	1614	1455
Thu Jun 08 2017 20:18:00.0000	1612	1452
Thu Jun 08 2017 20:19:00.0000	1611	1449
Thu Jun 08 2017 20:20:00.0000	1612	1433
Thu Jun 08 2017 20:21:00.0000	1613	1445
Thu Jun 08 2017 20:22:00.0000	1612	1432
Thu Jun 08 2017 20:23:00.0000	1611	1514
Thu Jun 08 2017 20:24:00.0000	1611	1469
Thu Jun 08 2017 20:25:00.0000	1612	1485
Thu Jun 08 2017 20:26:00.0000	1612	1443
Thu Jun 08 2017 20:27:00.0000	1611	1449
Thu Jun 08 2017 20:28:00.0000	1610	1457
Thu Jun 08 2017 20:29:00.0000	1612	1479
Thu Jun 08 2017 20:30:00.0000	1612	1444
Thu Jun 08 2017 20:31:00.0000	1612	1441
Thu Jun 08 2017 20:32:00.0000	1611	1413
Thu Jun 08 2017 20:33:00.0000	1611	1491
Thu Jun 08 2017 20:34:00.0000	1612	1533
Thu Jun 08 2017 20:35:00.0000	1612	1492
Thu Jun 08 2017 20:36:00.0000	1611	1471
Thu Jun 08 2017 20:37:00.0000	1610	1475
Thu Jun 08 2017 20:38:00.0000	1612	1475
Thu Jun 08 2017 20:39:00.0000	1612	1465
Thu Jun 08 2017 20:40:00.0000	1611	1454
Thu Jun 08 2017 20:41:00.0000	1610	1447
Thu Jun 08 2017 20:42:00.0000	1610	1474
Thu Jun 08 2017 20:43:00.0000	1612	1417
Thu Jun 08 2017 20:44:00.0000	1612	1476
Thu Jun 08 2017 20:45:00.0000	1611	1438
Thu Jun 08 2017 20:46:00.0000	1610	1390
Thu Jun 08 2017 20:47:00.0000	1612	1441
Thu Jun 08 2017 20:48:00.0000	1612	1447
Thu Jun 08 2017 20:49:00.0000	1611	1458
Thu Jun 08 2017 20:50:00.0000	1610	1491
Thu Jun 08 2017 20:51:00.0000	1610	1475
Thu Jun 08 2017 20:52:00.0000	1611	1444
Thu Jun 08 2017 20:53:00.0000	1611	1421
Thu Jun 08 2017 20:54:00.0000	1611	1532
Thu Jun 08 2017 20:55:00.0000	1610	1496
Thu Jun 08 2017 20:56:00.0000	1611	1458
Thu Jun 08 2017 20:57:00.0000	1611	1458
Thu Jun 08 2017 20:58:00.0000	1611	1437
Thu Jun 08 2017 20:59:00.0000	1610	1470
Thu Jun 08 2017 21:00:00.0000	1610	1490
Thu Jun 08 2017 21:01:00.0000	1611	1478
Thu Jun 08 2017 21:02:00.0000	1611	1451
Thu Jun 08 2017 21:03:00.0000	1610	1409
Thu Jun 08 2017 21:04:00.0000	1609	1556
Thu Jun 08 2017 21:05:00.0000	1611	1413
Thu Jun 08 2017 21:06:00.0000	1611	1495
Thu Jun 08 2017 21:07:00.0000	1611	1409
Thu Jun 08 2017 21:08:00.0000	1609	1427
Thu Jun 08 2017 21:09:00.0000	1610	1457

Date/Time	Process Temperature (°F)	Process Flow SCFM
Thu Jun 08 2017 21:10:00.0000	1611	1468
Thu Jun 08 2017 21:11:00.0000	1611	1461
Thu Jun 08 2017 21:12:00.0000	1610	1488
Thu Jun 08 2017 21:13:00.0000	1609	1463
Thu Jun 08 2017 21:14:00.0000	1611	1442
Thu Jun 08 2017 21:15:00.0000	1611	1514
Thu Jun 08 2017 21:16:00.0000	1610	1431
Thu Jun 08 2017 21:17:00.0000	1609	1464
Thu Jun 08 2017 21:18:00.0000	1610	1418
Thu Jun 08 2017 21:19:00.0000	1610	1490
Thu Jun 08 2017 21:20:00.0000	1610	1440
Thu Jun 08 2017 21:21:00.0000	1609	1473
Thu Jun 08 2017 21:22:00.0000	1608	1443
Thu Jun 08 2017 21:23:00.0000	1610	1465
Thu Jun 08 2017 21:24:00.0000	1610	1431
Thu Jun 08 2017 21:25:00.0000	1609	1512
Thu Jun 08 2017 21:26:00.0000	1608	1427
Thu Jun 08 2017 21:27:00.0000	1609	1460
Thu Jun 08 2017 21:28:00.0000	1610	1425
Thu Jun 08 2017 21:29:00.0000	1610	1401
Thu Jun 08 2017 21:30:00.0000	1608	1432
Thu Jun 08 2017 21:31:00.0000	1608	1385
Thu Jun 08 2017 21:32:00.0000	1610	1426
Thu Jun 08 2017 21:33:00.0000	1610	1502
Thu Jun 08 2017 21:34:00.0000	1609	1447
Thu Jun 08 2017 21:35:00.0000	1608	1488
Thu Jun 08 2017 21:36:00.0000	1609	1450
Thu Jun 08 2017 21:37:00.0000	1609	1448
Thu Jun 08 2017 21:38:00.0000	1609	1488
Thu Jun 08 2017 21:39:00.0000	1608	1468
Thu Jun 08 2017 21:40:00.0000	1607	1522
Thu Jun 08 2017 21:41:00.0000	1609	1444
Thu Jun 08 2017 21:42:00.0000	1609	1449
Thu Jun 08 2017 21:43:00.0000	1609	1437
Thu Jun 08 2017 21:44:00.0000	1607	1476
Thu Jun 08 2017 21:45:00.0000	1609	1454
Thu Jun 08 2017 21:46:00.0000	1609	1436
Thu Jun 08 2017 21:47:00.0000	1609	1491
Thu Jun 08 2017 21:48:00.0000	1608	1451
Thu Jun 08 2017 21:49:00.0000	1607	1405
Thu Jun 08 2017 21:50:00.0000	1609	1504
Thu Jun 08 2017 21:51:00.0000	1609	1505
Thu Jun 08 2017 21:52:00.0000	1608	1472
Thu Jun 08 2017 21:53:00.0000	1607	1456
Thu Jun 08 2017 21:54:00.0000	1609	1419
Thu Jun 08 2017 21:55:00.0000	1609	1406
Thu Jun 08 2017 21:56:00.0000	1609	1363
Thu Jun 08 2017 21:57:00.0000	1607	1440
Thu Jun 08 2017 21:58:00.0000	1607	1394
Thu Jun 08 2017 21:59:00.0000	1609	1477
Thu Jun 08 2017 22:00:00.0000	1609	1606
Thu Jun 08 2017 22:01:00.0000	1608	1454
Thu Jun 08 2017 22:02:00.0000	1607	1457
Thu Jun 08 2017 22:03:00.0000	1608	1437
Thu Jun 08 2017 22:04:00.0000	1609	1464
Thu Jun 08 2017 22:05:00.0000	1608	1416
Thu Jun 08 2017 22:06:00.0000	1607	1482

Date/Time	Process Temperature (°F)	Process Flow SCFM
Thu Jun 08 2017 22:07:00.0000	1607	1416
Thu Jun 08 2017 22:08:00.0000	1608	1456
Thu Jun 08 2017 22:09:00.0000	1608	1463
Thu Jun 08 2017 22:10:00.0000	1607	1492
Thu Jun 08 2017 22:11:00.0000	1606	1515
Thu Jun 08 2017 22:12:00.0000	1608	1474
Thu Jun 08 2017 22:13:00.0000	1608	1581
Thu Jun 08 2017 22:14:00.0000	1608	1441
Thu Jun 08 2017 22:15:00.0000	1607	1455
Thu Jun 08 2017 22:16:00.0000	1607	1434
Thu Jun 08 2017 22:17:00.0000	1608	1464
Thu Jun 08 2017 22:18:00.0000	1608	1450
Thu Jun 08 2017 22:19:00.0000	1607	1488
Thu Jun 08 2017 22:20:00.0000	1606	1469
Thu Jun 08 2017 22:21:00.0000	1608	1460
Thu Jun 08 2017 22:22:00.0000	1608	1505
Thu Jun 08 2017 22:23:00.0000	1608	1425
Thu Jun 08 2017 22:24:00.0000	1606	1446
Thu Jun 08 2017 22:25:00.0000	1607	1464
Thu Jun 08 2017 22:26:00.0000	1608	1460
Thu Jun 08 2017 22:27:00.0000	1608	1453
Thu Jun 08 2017 22:28:00.0000	1607	1461
Thu Jun 08 2017 22:29:00.0000	1606	1446
Thu Jun 08 2017 22:30:00.0000	1608	1462
Thu Jun 08 2017 22:31:00.0000	1608	1491
Thu Jun 08 2017 22:32:00.0000	1607	1429
Thu Jun 08 2017 22:33:00.0000	1606	1411
Thu Jun 08 2017 22:34:00.0000	1607	1499
Thu Jun 08 2017 22:35:00.0000	1608	1454
Thu Jun 08 2017 22:36:00.0000	1608	1442
Thu Jun 08 2017 22:37:00.0000	1606	1484
Thu Jun 08 2017 22:38:00.0000	1606	1442
Thu Jun 08 2017 22:39:00.0000	1607	1476
Thu Jun 08 2017 22:40:00.0000	1608	1435
Thu Jun 08 2017 22:41:00.0000	1607	1495
Thu Jun 08 2017 22:42:00.0000	1606	1550
Thu Jun 08 2017 22:43:00.0000	1607	1457
Thu Jun 08 2017 22:44:00.0000	1607	1467
Thu Jun 08 2017 22:45:00.0000	1607	1433
Thu Jun 08 2017 22:46:00.0000	1606	1543
Thu Jun 08 2017 22:47:00.0000	1605	1439
Thu Jun 08 2017 22:48:00.0000	1607	1409
Thu Jun 08 2017 22:49:00.0000	1607	1546
Thu Jun 08 2017 22:50:00.0000	1606	1471
Thu Jun 08 2017 22:51:00.0000	1605	1521
Thu Jun 08 2017 22:52:00.0000	1607	1553
Thu Jun 08 2017 22:53:00.0000	1607	1506
Thu Jun 08 2017 22:54:00.0000	1607	1440
Thu Jun 08 2017 22:55:00.0000	1606	1479
Thu Jun 08 2017 22:56:00.0000	1606	1478
Thu Jun 08 2017 22:57:00.0000	1607	1462
Thu Jun 08 2017 22:58:00.0000	1607	1419
Thu Jun 08 2017 22:59:00.0000	1606	1437
Thu Jun 08 2017 23:00:00.0000	1605	1425
Thu Jun 08 2017 23:01:00.0000	1606	1439
Thu Jun 08 2017 23:02:00.0000	1607	1522
Thu Jun 08 2017 23:03:00.0000	1606	1443

Date/Time	Process Temperature (°F)	Process Flow SCFM
Thu Jun 08 2017 23:04:00.0000	1605	1531
Thu Jun 08 2017 23:05:00.0000	1605	1517
Thu Jun 08 2017 23:06:00.0000	1606	1557
Thu Jun 08 2017 23:07:00.0000	1607	1447
Thu Jun 08 2017 23:08:00.0000	1606	1476
Thu Jun 08 2017 23:09:00.0000	1605	1432
Thu Jun 08 2017 23:10:00.0000	1606	1452
Thu Jun 08 2017 23:11:00.0000	1606	1375
Thu Jun 08 2017 23:12:00.0000	1606	1384
Thu Jun 08 2017 23:13:00.0000	1605	1391
Thu Jun 08 2017 23:14:00.0000	1606	1450
Thu Jun 08 2017 23:15:00.0000	1606	1555
Thu Jun 08 2017 23:16:00.0000	1606	1463
Thu Jun 08 2017 23:17:00.0000	1606	1441
Thu Jun 08 2017 23:18:00.0000	1604	1504
Thu Jun 08 2017 23:19:00.0000	1606	1463
Thu Jun 08 2017 23:20:00.0000	1606	1462
Thu Jun 08 2017 23:21:00.0000	1606	1443
Thu Jun 08 2017 23:22:00.0000	1605	1491
Thu Jun 08 2017 23:23:00.0000	1605	1462
Thu Jun 08 2017 23:24:00.0000	1606	1429
Thu Jun 08 2017 23:25:00.0000	1606	1487
Thu Jun 08 2017 23:26:00.0000	1605	1440
Thu Jun 08 2017 23:27:00.0000	1604	1442
Thu Jun 08 2017 23:28:00.0000	1606	1454
Thu Jun 08 2017 23:29:00.0000	1606	1456
Thu Jun 08 2017 23:30:00.0000	1605	1436
Thu Jun 08 2017 23:31:00.0000	1604	1469
Thu Jun 08 2017 23:32:00.0000	1604	1464
Thu Jun 08 2017 23:33:00.0000	1605	1381
Thu Jun 08 2017 23:34:00.0000	1606	1502
Thu Jun 08 2017 23:35:00.0000	1604	1441
Thu Jun 08 2017 23:36:00.0000	1604	1478
Thu Jun 08 2017 23:37:00.0000	1605	1497
Thu Jun 08 2017 23:38:00.0000	1605	1444
Thu Jun 08 2017 23:39:00.0000	1605	1455
Thu Jun 08 2017 23:40:00.0000	1604	1439
Thu Jun 08 2017 23:41:00.0000	1604	1477
Thu Jun 08 2017 23:42:00.0000	1605	1402
Thu Jun 08 2017 23:43:00.0000	1605	1500
Thu Jun 08 2017 23:44:00.0000	1604	1505
Thu Jun 08 2017 23:45:00.0000	1603	1426
Thu Jun 08 2017 23:46:00.0000	1605	1488
Thu Jun 08 2017 23:47:00.0000	1605	1428
Thu Jun 08 2017 23:48:00.0000	1605	1397
Thu Jun 08 2017 23:49:00.0000	1604	1458
Thu Jun 08 2017 23:50:00.0000	1604	1489
Thu Jun 08 2017 23:51:00.0000	1605	1373
Thu Jun 08 2017 23:52:00.0000	1605	1419
Thu Jun 08 2017 23:53:00.0000	1604	1515
Thu Jun 08 2017 23:54:00.0000	1603	1452
Thu Jun 08 2017 23:55:00.0000	1605	1519
Thu Jun 08 2017 23:56:00.0000	1605	1455
Thu Jun 08 2017 23:57:00.0000	1604	1419
Thu Jun 08 2017 23:58:00.0000	1603	1442
Thu Jun 08 2017 23:59:00.0000	1604	1456
Fri Jun 09 2017 00:00:00.0000	1605	1497

Date/Time	Process Temperature (°F)	Process Flow SCFM
Fri Jun 09 2017 00:01:00.0000	1605	1429
Fri Jun 09 2017 00:02:00.0000	1603	1472
Fri Jun 09 2017 00:03:00.0000	1603	1395
Fri Jun 09 2017 00:04:00.0000	1604	1444
Fri Jun 09 2017 00:05:00.0000	1605	1485
Fri Jun 09 2017 00:06:00.0000	1604	1433
Fri Jun 09 2017 00:07:00.0000	1603	1413
Fri Jun 09 2017 00:08:00.0000	1604	1491
Fri Jun 09 2017 00:09:00.0000	1605	1494
Fri Jun 09 2017 00:10:00.0000	1604	1491
Fri Jun 09 2017 00:11:00.0000	1603	1531
Fri Jun 09 2017 00:12:00.0000	1603	1544
Fri Jun 09 2017 00:13:00.0000	1604	1462
Fri Jun 09 2017 00:14:00.0000	1604	1458
Fri Jun 09 2017 00:15:00.0000	1604	1431
Fri Jun 09 2017 00:16:00.0000	1602	1459
Fri Jun 09 2017 00:17:00.0000	1604	1427
Fri Jun 09 2017 00:18:00.0000	1605	1463
Fri Jun 09 2017 00:19:00.0000	1604	1465
Fri Jun 09 2017 00:20:00.0000	1603	1487
Fri Jun 09 2017 00:21:00.0000	1602	1428
Fri Jun 09 2017 00:22:00.0000	1604	1440
Fri Jun 09 2017 00:23:00.0000	1604	1410
Fri Jun 09 2017 00:24:00.0000	1603	1462
Fri Jun 09 2017 00:25:00.0000	1602	1534
Fri Jun 09 2017 00:26:00.0000	1604	1463
Fri Jun 09 2017 00:27:00.0000	1604	1438
Fri Jun 09 2017 00:28:00.0000	1604	1420
Fri Jun 09 2017 00:29:00.0000	1602	1418
Fri Jun 09 2017 00:30:00.0000	1603	1449
Fri Jun 09 2017 00:31:00.0000	1604	1474
Fri Jun 09 2017 00:32:00.0000	1604	1442
Fri Jun 09 2017 00:33:00.0000	1603	1466
Fri Jun 09 2017 00:34:00.0000	1602	1417
Fri Jun 09 2017 00:35:00.0000	1604	1410
Fri Jun 09 2017 00:36:00.0000	1604	1456
Fri Jun 09 2017 00:37:00.0000	1603	1459
Fri Jun 09 2017 00:38:00.0000	1602	1415
Fri Jun 09 2017 00:39:00.0000	1608	1433
Fri Jun 09 2017 00:40:00.0000	1613	1478
Fri Jun 09 2017 00:41:00.0000	1617	1481
Fri Jun 09 2017 00:42:00.0000	1616	1405
Fri Jun 09 2017 00:43:00.0000	1619	1484
Fri Jun 09 2017 00:44:00.0000	1622	1453
Fri Jun 09 2017 00:45:00.0000	1626	1504
Fri Jun 09 2017 00:46:00.0000	1626	1475
Fri Jun 09 2017 00:47:00.0000	1625	1457
Fri Jun 09 2017 00:48:00.0000	1628	1449
Fri Jun 09 2017 00:49:00.0000	1630	1486
Fri Jun 09 2017 00:50:00.0000	1632	1400
Fri Jun 09 2017 00:51:00.0000	1631	1460
Fri Jun 09 2017 00:52:00.0000	1632	1444
Fri Jun 09 2017 00:53:00.0000	1628	1432
Fri Jun 09 2017 00:54:00.0000	1622	1462
Fri Jun 09 2017 00:55:00.0000	1618	1530
Fri Jun 09 2017 00:56:00.0000	1615	1506
Fri Jun 09 2017 00:57:00.0000	1614	1416

Date/Time	Process Temperature (°F)	Process Flow SCFM
Fri Jun 09 2017 00:58:00.0000	1611	1466
Fri Jun 09 2017 00:59:00.0000	1608	1448
Fri Jun 09 2017 01:00:00.0000	1606	1470
Fri Jun 09 2017 01:01:00.0000	1606	1424
Fri Jun 09 2017 01:02:00.0000	1605	1437
Fri Jun 09 2017 01:03:00.0000	1603	1408
Fri Jun 09 2017 01:04:00.0000	1601	1419
Fri Jun 09 2017 01:05:00.0000	1605	1481
Fri Jun 09 2017 01:06:00.0000	1608	1473
Fri Jun 09 2017 01:07:00.0000	1611	1441
Fri Jun 09 2017 01:08:00.0000	1611	1446
Fri Jun 09 2017 01:09:00.0000	1611	1500
Fri Jun 09 2017 01:10:00.0000	1614	1419
Fri Jun 09 2017 01:11:00.0000	1615	1519
Fri Jun 09 2017 01:12:00.0000	1615	1506
Fri Jun 09 2017 01:13:00.0000	1614	1444
Fri Jun 09 2017 01:14:00.0000	1615	1450
Fri Jun 09 2017 01:15:00.0000	1616	1443
Fri Jun 09 2017 01:16:00.0000	1617	1488
Fri Jun 09 2017 01:17:00.0000	1616	1438
Fri Jun 09 2017 01:18:00.0000	1615	1546
Fri Jun 09 2017 01:19:00.0000	1617	1539
Fri Jun 09 2017 01:20:00.0000	1618	1517
Fri Jun 09 2017 01:21:00.0000	1617	1419
Fri Jun 09 2017 01:22:00.0000	1616	1447
Fri Jun 09 2017 01:23:00.0000	1618	1464
Fri Jun 09 2017 01:24:00.0000	1618	1451
Fri Jun 09 2017 01:25:00.0000	1618	1490
Fri Jun 09 2017 01:26:00.0000	1617	1461
Fri Jun 09 2017 01:27:00.0000	1617	1448
Fri Jun 09 2017 01:28:00.0000	1619	1344
Fri Jun 09 2017 01:29:00.0000	1619	1437
Fri Jun 09 2017 01:30:00.0000	1618	1474
Fri Jun 09 2017 01:31:00.0000	1617	1413
Fri Jun 09 2017 01:32:00.0000	1619	1543
Fri Jun 09 2017 01:33:00.0000	1620	1431
Fri Jun 09 2017 01:34:00.0000	1620	1414
Fri Jun 09 2017 01:35:00.0000	1618	1420
Fri Jun 09 2017 01:36:00.0000	1619	1458
Fri Jun 09 2017 01:37:00.0000	1621	1432
Fri Jun 09 2017 01:38:00.0000	1620	1486
Fri Jun 09 2017 01:39:00.0000	1618	1413
Fri Jun 09 2017 01:40:00.0000	1618	1414
Fri Jun 09 2017 01:41:00.0000	1620	1471
Fri Jun 09 2017 01:42:00.0000	1621	1456
Fri Jun 09 2017 01:43:00.0000	1620	1426
Fri Jun 09 2017 01:44:00.0000	1618	1465
Fri Jun 09 2017 01:45:00.0000	1620	1445
Fri Jun 09 2017 01:46:00.0000	1621	1378
Fri Jun 09 2017 01:47:00.0000	1621	1431
Fri Jun 09 2017 01:48:00.0000	1619	1470
Fri Jun 09 2017 01:49:00.0000	1620	1459
Fri Jun 09 2017 01:50:00.0000	1621	1457
Fri Jun 09 2017 01:51:00.0000	1622	1413
Fri Jun 09 2017 01:52:00.0000	1620	1459
Fri Jun 09 2017 01:53:00.0000	1619	1400
Fri Jun 09 2017 01:54:00.0000	1621	1484

Date/Time	Process Temperature (°F)	Process Flow SCFM
Fri Jun 09 2017 01:55:00.0000	1622	1458
Fri Jun 09 2017 01:56:00.0000	1621	1399
Fri Jun 09 2017 01:57:00.0000	1620	1417
Fri Jun 09 2017 01:58:00.0000	1620	1490
Fri Jun 09 2017 01:59:00.0000	1621	1462
Fri Jun 09 2017 02:00:00.0000	1622	1405
Fri Jun 09 2017 02:01:00.0000	1621	1402
Fri Jun 09 2017 02:02:00.0000	1620	1484
Fri Jun 09 2017 02:03:00.0000	1622	1396
Fri Jun 09 2017 02:04:00.0000	1622	1419
Fri Jun 09 2017 02:05:00.0000	1622	1387
Fri Jun 09 2017 02:06:00.0000	1620	1413
Fri Jun 09 2017 02:07:00.0000	1621	1413
Fri Jun 09 2017 02:08:00.0000	1622	1444
Fri Jun 09 2017 02:09:00.0000	1623	1412
Fri Jun 09 2017 02:10:00.0000	1621	1428
Fri Jun 09 2017 02:11:00.0000	1620	1409
Fri Jun 09 2017 02:12:00.0000	1622	1425
Fri Jun 09 2017 02:13:00.0000	1623	1524
Fri Jun 09 2017 02:14:00.0000	1622	1481
Fri Jun 09 2017 02:15:00.0000	1621	1416
Fri Jun 09 2017 02:16:00.0000	1622	1414
Fri Jun 09 2017 02:17:00.0000	1623	1382
Fri Jun 09 2017 02:18:00.0000	1623	1407
Fri Jun 09 2017 02:19:00.0000	1621	1431
Fri Jun 09 2017 02:20:00.0000	1621	1407
Fri Jun 09 2017 02:21:00.0000	1622	1432
Fri Jun 09 2017 02:22:00.0000	1623	1410
Fri Jun 09 2017 02:23:00.0000	1622	1471
Fri Jun 09 2017 02:24:00.0000	1621	1415
Fri Jun 09 2017 02:25:00.0000	1622	1452
Fri Jun 09 2017 02:26:00.0000	1623	1437
Fri Jun 09 2017 02:27:00.0000	1623	1422
Fri Jun 09 2017 02:28:00.0000	1622	1409
Fri Jun 09 2017 02:29:00.0000	1621	1410
Fri Jun 09 2017 02:30:00.0000	1623	1415
Fri Jun 09 2017 02:31:00.0000	1624	1399
Fri Jun 09 2017 02:32:00.0000	1623	1418
Fri Jun 09 2017 02:33:00.0000	1621	1437
Fri Jun 09 2017 02:34:00.0000	1623	1386
Fri Jun 09 2017 02:35:00.0000	1623	1488
Fri Jun 09 2017 02:36:00.0000	1623	1420
Fri Jun 09 2017 02:37:00.0000	1622	1408
Fri Jun 09 2017 02:38:00.0000	1622	1425
Fri Jun 09 2017 02:39:00.0000	1623	1423
Fri Jun 09 2017 02:40:00.0000	1624	1409
Fri Jun 09 2017 02:41:00.0000	1623	1424
Fri Jun 09 2017 02:42:00.0000	1621	1419
Fri Jun 09 2017 02:43:00.0000	1623	1456
Fri Jun 09 2017 02:44:00.0000	1623	1462
Fri Jun 09 2017 02:45:00.0000	1624	1436
Fri Jun 09 2017 02:46:00.0000	1622	1434
Fri Jun 09 2017 02:47:00.0000	1622	1412
Fri Jun 09 2017 02:48:00.0000	1623	1386
Fri Jun 09 2017 02:49:00.0000	1624	1463
Fri Jun 09 2017 02:50:00.0000	1623	1432
Fri Jun 09 2017 02:51:00.0000	1621	1402

Date/Time	Process Temperature (°F)	Process Flow SCFM
Fri Jun 09 2017 02:52:00.0000	1623	1402
Fri Jun 09 2017 02:53:00.0000	1623	1553
Fri Jun 09 2017 02:54:00.0000	1624	1406
Fri Jun 09 2017 02:55:00.0000	1622	1414
Fri Jun 09 2017 02:56:00.0000	1623	1402
Fri Jun 09 2017 02:57:00.0000	1624	1392
Fri Jun 09 2017 02:58:00.0000	1625	1396
Fri Jun 09 2017 02:59:00.0000	1623	1440
Fri Jun 09 2017 03:00:00.0000	1622	1393
Fri Jun 09 2017 03:01:00.0000	1624	1417
Fri Jun 09 2017 03:02:00.0000	1624	1396
Fri Jun 09 2017 03:03:00.0000	1624	1425
Fri Jun 09 2017 03:04:00.0000	1622	1420
Fri Jun 09 2017 03:05:00.0000	1623	1494
Fri Jun 09 2017 03:06:00.0000	1624	1425
Fri Jun 09 2017 03:07:00.0000	1625	1426
Fri Jun 09 2017 03:08:00.0000	1623	1422
Fri Jun 09 2017 03:09:00.0000	1622	1395
Fri Jun 09 2017 03:10:00.0000	1624	1423
Fri Jun 09 2017 03:11:00.0000	1624	1451
Fri Jun 09 2017 03:12:00.0000	1624	1409
Fri Jun 09 2017 03:13:00.0000	1622	1400
Fri Jun 09 2017 03:14:00.0000	1623	1406
Fri Jun 09 2017 03:15:00.0000	1624	1442
Fri Jun 09 2017 03:16:00.0000	1625	1475
Fri Jun 09 2017 03:17:00.0000	1623	1404
Fri Jun 09 2017 03:18:00.0000	1623	1444
Fri Jun 09 2017 03:19:00.0000	1624	1395
Fri Jun 09 2017 03:20:00.0000	1624	1475
Fri Jun 09 2017 03:21:00.0000	1624	1419
Fri Jun 09 2017 03:22:00.0000	1623	1436
Fri Jun 09 2017 03:23:00.0000	1623	1415
Fri Jun 09 2017 03:24:00.0000	1624	1374
Fri Jun 09 2017 03:25:00.0000	1624	1383
Fri Jun 09 2017 03:26:00.0000	1623	1389
Fri Jun 09 2017 03:27:00.0000	1622	1418
Fri Jun 09 2017 03:28:00.0000	1624	1400
Fri Jun 09 2017 03:29:00.0000	1625	1410
Fri Jun 09 2017 03:30:00.0000	1624	1414
Fri Jun 09 2017 03:31:00.0000	1622	1399
Fri Jun 09 2017 03:32:00.0000	1624	1414
Fri Jun 09 2017 03:33:00.0000	1624	1381
Fri Jun 09 2017 03:34:00.0000	1625	1439
Fri Jun 09 2017 03:35:00.0000	1623	1405
Fri Jun 09 2017 03:36:00.0000	1622	1413
Fri Jun 09 2017 03:37:00.0000	1624	1396
Fri Jun 09 2017 03:38:00.0000	1625	1366
Fri Jun 09 2017 03:39:00.0000	1624	1412
Fri Jun 09 2017 03:40:00.0000	1622	1413
Fri Jun 09 2017 03:41:00.0000	1624	1385
Fri Jun 09 2017 03:42:00.0000	1624	1427
Fri Jun 09 2017 03:43:00.0000	1625	1398
Fri Jun 09 2017 03:44:00.0000	1623	1426
Fri Jun 09 2017 03:45:00.0000	1623	1376
Fri Jun 09 2017 03:46:00.0000	1624	1406
Fri Jun 09 2017 03:47:00.0000	1625	1440
Fri Jun 09 2017 03:48:00.0000	1624	1406

Date/Time	Process Temperature (°F)	Process Flow SCFM
Fri Jun 09 2017 03:49:00.0000	1623	1406
Fri Jun 09 2017 03:50:00.0000	1624	1405
Fri Jun 09 2017 03:51:00.0000	1624	1437
Fri Jun 09 2017 03:52:00.0000	1625	1408
Fri Jun 09 2017 03:53:00.0000	1623	1391
Fri Jun 09 2017 03:54:00.0000	1623	1412
Fri Jun 09 2017 03:55:00.0000	1624	1416
Fri Jun 09 2017 03:56:00.0000	1625	1400
Fri Jun 09 2017 03:57:00.0000	1624	1483
Fri Jun 09 2017 03:58:00.0000	1622	1412
Fri Jun 09 2017 03:59:00.0000	1624	1440
Fri Jun 09 2017 04:00:00.0000	1625	1406
Fri Jun 09 2017 04:01:00.0000	1625	1386
Fri Jun 09 2017 04:02:00.0000	1623	1401
Fri Jun 09 2017 04:03:00.0000	1623	1388
Fri Jun 09 2017 04:04:00.0000	1624	1413
Fri Jun 09 2017 04:05:00.0000	1625	1380
Fri Jun 09 2017 04:06:00.0000	1624	1447
Fri Jun 09 2017 04:07:00.0000	1622	1405
Fri Jun 09 2017 04:08:00.0000	1624	1401
Fri Jun 09 2017 04:09:00.0000	1625	1391
Fri Jun 09 2017 04:10:00.0000	1625	1406
Fri Jun 09 2017 04:11:00.0000	1623	1417
Fri Jun 09 2017 04:12:00.0000	1623	1420
Fri Jun 09 2017 04:13:00.0000	1624	1397
Fri Jun 09 2017 04:14:00.0000	1625	1380
Fri Jun 09 2017 04:15:00.0000	1624	1416
Fri Jun 09 2017 04:16:00.0000	1622	1388
Fri Jun 09 2017 04:17:00.0000	1624	1395
Fri Jun 09 2017 04:18:00.0000	1625	1376
Fri Jun 09 2017 04:19:00.0000	1625	1428
Fri Jun 09 2017 04:20:00.0000	1623	1400
Fri Jun 09 2017 04:21:00.0000	1623	1398
Fri Jun 09 2017 04:22:00.0000	1624	1375
Fri Jun 09 2017 04:23:00.0000	1625	1413
Fri Jun 09 2017 04:24:00.0000	1624	1400
Fri Jun 09 2017 04:25:00.0000	1622	1404
Fri Jun 09 2017 04:26:00.0000	1625	1437
Fri Jun 09 2017 04:27:00.0000	1625	1425
Fri Jun 09 2017 04:28:00.0000	1625	1400
Fri Jun 09 2017 04:29:00.0000	1623	1416
Fri Jun 09 2017 04:30:00.0000	1624	1410
Fri Jun 09 2017 04:31:00.0000	1625	1389
Fri Jun 09 2017 04:32:00.0000	1626	1391
Fri Jun 09 2017 04:33:00.0000	1624	1400
Fri Jun 09 2017 04:34:00.0000	1623	1406
Fri Jun 09 2017 04:35:00.0000	1625	1397
Fri Jun 09 2017 04:36:00.0000	1626	1413
Fri Jun 09 2017 04:37:00.0000	1624	1402
Fri Jun 09 2017 04:38:00.0000	1623	1406
Fri Jun 09 2017 04:39:00.0000	1624	1409
Fri Jun 09 2017 04:40:00.0000	1625	1400
Fri Jun 09 2017 04:41:00.0000	1625	1396
Fri Jun 09 2017 04:42:00.0000	1624	1492
Fri Jun 09 2017 04:43:00.0000	1624	1407
Fri Jun 09 2017 04:44:00.0000	1625	1422
Fri Jun 09 2017 04:45:00.0000	1626	1401

Date/Time	Process Temperature (°F)	Process Flow SCFM
Fri Jun 09 2017 04:46:00.0000	1624	1407
Fri Jun 09 2017 04:47:00.0000	1623	1384
Fri Jun 09 2017 04:48:00.0000	1625	1481
Fri Jun 09 2017 04:49:00.0000	1625	1385
Fri Jun 09 2017 04:50:00.0000	1626	1395
Fri Jun 09 2017 04:51:00.0000	1624	1447
Fri Jun 09 2017 04:52:00.0000	1624	1401
Fri Jun 09 2017 04:53:00.0000	1625	1392
Fri Jun 09 2017 04:54:00.0000	1626	1423
Fri Jun 09 2017 04:55:00.0000	1625	1396
Fri Jun 09 2017 04:56:00.0000	1623	1375
Fri Jun 09 2017 04:57:00.0000	1625	1463
Fri Jun 09 2017 04:58:00.0000	1626	1381
Fri Jun 09 2017 04:59:00.0000	1626	1403
Fri Jun 09 2017 05:00:00.0000	1624	1432
Fri Jun 09 2017 05:01:00.0000	1624	1420
Fri Jun 09 2017 05:02:00.0000	1625	1388
Fri Jun 09 2017 05:03:00.0000	1626	1448
Fri Jun 09 2017 05:04:00.0000	1625	1390
Fri Jun 09 2017 05:05:00.0000	1623	1417
Fri Jun 09 2017 05:06:00.0000	1625	1474
Fri Jun 09 2017 05:07:00.0000	1626	1407
Fri Jun 09 2017 05:08:00.0000	1626	1387
Fri Jun 09 2017 05:09:00.0000	1624	1431
Fri Jun 09 2017 05:10:00.0000	1624	1442
Fri Jun 09 2017 05:11:00.0000	1626	1420
Fri Jun 09 2017 05:12:00.0000	1627	1431
Fri Jun 09 2017 05:13:00.0000	1625	1383
Fri Jun 09 2017 05:14:00.0000	1624	1398
Fri Jun 09 2017 05:15:00.0000	1626	1445
Fri Jun 09 2017 05:16:00.0000	1626	1357
Fri Jun 09 2017 05:17:00.0000	1626	1439
Fri Jun 09 2017 05:18:00.0000	1624	1409
Fri Jun 09 2017 05:19:00.0000	1624	1413
Fri Jun 09 2017 05:20:00.0000	1626	1491
Fri Jun 09 2017 05:21:00.0000	1627	1468
Fri Jun 09 2017 05:22:00.0000	1625	1394
Fri Jun 09 2017 05:23:00.0000	1624	1367
Fri Jun 09 2017 05:24:00.0000	1626	1425
Fri Jun 09 2017 05:25:00.0000	1627	1376
Fri Jun 09 2017 05:26:00.0000	1626	1396
Fri Jun 09 2017 05:27:00.0000	1624	1413
Fri Jun 09 2017 05:28:00.0000	1625	1414
Fri Jun 09 2017 05:29:00.0000	1626	1398
Fri Jun 09 2017 05:30:00.0000	1627	1396
Fri Jun 09 2017 05:31:00.0000	1625	1397
Fri Jun 09 2017 05:32:00.0000	1624	1414
Fri Jun 09 2017 05:33:00.0000	1626	1389
Fri Jun 09 2017 05:34:00.0000	1627	1429
Fri Jun 09 2017 05:35:00.0000	1626	1386
Fri Jun 09 2017 05:36:00.0000	1624	1412
Fri Jun 09 2017 05:37:00.0000	1626	1384
Fri Jun 09 2017 05:38:00.0000	1626	1405
Fri Jun 09 2017 05:39:00.0000	1627	1398
Fri Jun 09 2017 05:40:00.0000	1625	1392
Fri Jun 09 2017 05:41:00.0000	1624	1407
Fri Jun 09 2017 05:42:00.0000	1626	1412

Date/Time	Process Temperature (°F)	Process Flow SCFM
Fri Jun 09 2017 05:43:00.0000	1627	1400
Fri Jun 09 2017 05:44:00.0000	1625	1394
Fri Jun 09 2017 05:45:00.0000	1624	1401
Fri Jun 09 2017 05:46:00.0000	1626	1387
Fri Jun 09 2017 05:47:00.0000	1626	1393
Fri Jun 09 2017 05:48:00.0000	1626	1411
Fri Jun 09 2017 05:49:00.0000	1625	1402
Fri Jun 09 2017 05:50:00.0000	1624	1378
Fri Jun 09 2017 05:51:00.0000	1626	1402
Fri Jun 09 2017 05:52:00.0000	1627	1405
Fri Jun 09 2017 05:53:00.0000	1626	1386
Fri Jun 09 2017 05:54:00.0000	1624	1381
Fri Jun 09 2017 05:55:00.0000	1625	1381
Fri Jun 09 2017 05:56:00.0000	1626	1401
Fri Jun 09 2017 05:57:00.0000	1627	1381
Fri Jun 09 2017 05:58:00.0000	1625	1404
Fri Jun 09 2017 05:59:00.0000	1625	1400
Fri Jun 09 2017 06:00:00.0000	1626	1401
Fri Jun 09 2017 06:01:00.0000	1627	1400
Fri Jun 09 2017 06:02:00.0000	1626	1405
Fri Jun 09 2017 06:03:00.0000	1624	1427
Fri Jun 09 2017 06:04:00.0000	1626	1399
Fri Jun 09 2017 06:05:00.0000	1626	1423
Fri Jun 09 2017 06:06:00.0000	1627	1413
Fri Jun 09 2017 06:07:00.0000	1625	1388
Fri Jun 09 2017 06:08:00.0000	1625	1393
Fri Jun 09 2017 06:09:00.0000	1626	1398
Fri Jun 09 2017 06:10:00.0000	1627	1381
Fri Jun 09 2017 06:11:00.0000	1626	1386
Fri Jun 09 2017 06:12:00.0000	1624	1398
Fri Jun 09 2017 06:13:00.0000	1626	1404
Fri Jun 09 2017 06:14:00.0000	1627	1407
Fri Jun 09 2017 06:15:00.0000	1627	1402
Fri Jun 09 2017 06:16:00.0000	1626	1395
Fri Jun 09 2017 06:17:00.0000	1625	1413
Fri Jun 09 2017 06:18:00.0000	1627	1406
Fri Jun 09 2017 06:19:00.0000	1628	1427
Fri Jun 09 2017 06:20:00.0000	1627	1403
Fri Jun 09 2017 06:21:00.0000	1625	1415
Fri Jun 09 2017 06:22:00.0000	1627	1373
Fri Jun 09 2017 06:23:00.0000	1628	1387
Fri Jun 09 2017 06:24:00.0000	1628	1415
Fri Jun 09 2017 06:25:00.0000	1626	1385
Fri Jun 09 2017 06:26:00.0000	1626	1383
Fri Jun 09 2017 06:27:00.0000	1627	1377
Fri Jun 09 2017 06:28:00.0000	1628	1344
Fri Jun 09 2017 06:29:00.0000	1627	1402
Fri Jun 09 2017 06:30:00.0000	1625	1392
Fri Jun 09 2017 06:31:00.0000	1627	1397
Fri Jun 09 2017 06:32:00.0000	1628	1394
Fri Jun 09 2017 06:33:00.0000	1628	1409
Fri Jun 09 2017 06:34:00.0000	1626	1392
Fri Jun 09 2017 06:35:00.0000	1626	1419
Fri Jun 09 2017 06:36:00.0000	1627	1400
Fri Jun 09 2017 06:37:00.0000	1628	1397
Fri Jun 09 2017 06:38:00.0000	1627	1382
Fri Jun 09 2017 06:39:00.0000	1625	1394

Date/Time	Process Temperature (°F)	Process Flow SCFM
Fri Jun 09 2017 06:40:00.0000	1627	1380
Fri Jun 09 2017 06:41:00.0000	1627	1398
Fri Jun 09 2017 06:42:00.0000	1628	1411
Fri Jun 09 2017 06:43:00.0000	1626	1429
Fri Jun 09 2017 06:44:00.0000	1626	1405
Fri Jun 09 2017 06:45:00.0000	1627	1379
Fri Jun 09 2017 06:46:00.0000	1628	1450
Fri Jun 09 2017 06:47:00.0000	1627	1403
Fri Jun 09 2017 06:48:00.0000	1625	1406
Fri Jun 09 2017 06:49:00.0000	1627	1409
Fri Jun 09 2017 06:50:00.0000	1628	1376
Fri Jun 09 2017 06:51:00.0000	1628	1426
Fri Jun 09 2017 06:52:00.0000	1626	1421
Fri Jun 09 2017 06:53:00.0000	1627	1410
Fri Jun 09 2017 06:54:00.0000	1628	1386
Fri Jun 09 2017 06:55:00.0000	1629	1406
Fri Jun 09 2017 06:56:00.0000	1627	1421
Fri Jun 09 2017 06:57:00.0000	1626	1444
Fri Jun 09 2017 06:58:00.0000	1628	1438
Fri Jun 09 2017 06:59:00.0000	1629	1471
Fri Jun 09 2017 07:00:00.0000	1628	1431
Fri Jun 09 2017 07:01:00.0000	1627	1418
Fri Jun 09 2017 07:02:00.0000	1627	1413
Fri Jun 09 2017 07:03:00.0000	1628	1469
Fri Jun 09 2017 07:04:00.0000	1629	1429
Fri Jun 09 2017 07:05:00.0000	1628	1430
Fri Jun 09 2017 07:06:00.0000	1627	1489
Fri Jun 09 2017 07:07:00.0000	1629	1403
Fri Jun 09 2017 07:08:00.0000	1629	1415
Fri Jun 09 2017 07:09:00.0000	1629	1435
Fri Jun 09 2017 07:10:00.0000	1627	1430
Fri Jun 09 2017 07:11:00.0000	1628	1432
Fri Jun 09 2017 07:12:00.0000	1629	1437
Fri Jun 09 2017 07:13:00.0000	1630	1443
Fri Jun 09 2017 07:14:00.0000	1628	1423
Fri Jun 09 2017 07:15:00.0000	1628	1436
Fri Jun 09 2017 07:16:00.0000	1629	1419
Fri Jun 09 2017 07:17:00.0000	1630	1393
Fri Jun 09 2017 07:18:00.0000	1629	1443
Fri Jun 09 2017 07:19:00.0000	1627	1416
Fri Jun 09 2017 07:20:00.0000	1629	1409
Fri Jun 09 2017 07:21:00.0000	1630	1453
Fri Jun 09 2017 07:22:00.0000	1630	1448
Fri Jun 09 2017 07:23:00.0000	1629	1420
Fri Jun 09 2017 07:24:00.0000	1628	1437
Fri Jun 09 2017 07:25:00.0000	1630	1421
Fri Jun 09 2017 07:26:00.0000	1631	1405
Fri Jun 09 2017 07:27:00.0000	1630	1502
Fri Jun 09 2017 07:28:00.0000	1628	1407
Fri Jun 09 2017 07:29:00.0000	1630	1425
Fri Jun 09 2017 07:30:00.0000	1631	1394
Fri Jun 09 2017 07:31:00.0000	1631	1411
Fri Jun 09 2017 07:32:00.0000	1629	1410
Fri Jun 09 2017 07:33:00.0000	1629	1425
Fri Jun 09 2017 07:34:00.0000	1631	1429
Fri Jun 09 2017 07:35:00.0000	1632	1457
Fri Jun 09 2017 07:36:00.0000	1631	1482

Date/Time	Process Temperature (°F)	Process Flow SCFM
Fri Jun 09 2017 07:37:00.0000	1629	1435
Fri Jun 09 2017 07:38:00.0000	1631	1474
Fri Jun 09 2017 07:39:00.0000	1632	1444
Fri Jun 09 2017 07:40:00.0000	1631	1428
Fri Jun 09 2017 07:41:00.0000	1630	1445
Fri Jun 09 2017 07:42:00.0000	1632	1490
Fri Jun 09 2017 07:43:00.0000	1632	1394
Fri Jun 09 2017 07:44:00.0000	1633	1494
Fri Jun 09 2017 07:45:00.0000	1631	1476
Fri Jun 09 2017 07:46:00.0000	1630	1504
Fri Jun 09 2017 07:47:00.0000	1632	1398
Fri Jun 09 2017 07:48:00.0000	1632	1402
Fri Jun 09 2017 07:49:00.0000	1626	1425
Fri Jun 09 2017 07:50:00.0000	1623	1436
Fri Jun 09 2017 07:51:00.0000	1621	1467
Fri Jun 09 2017 07:52:00.0000	1620	1452
Fri Jun 09 2017 07:53:00.0000	1617	1415
Fri Jun 09 2017 07:54:00.0000	1615	1537
Fri Jun 09 2017 07:55:00.0000	1615	1457
Fri Jun 09 2017 07:56:00.0000	1615	1404
Fri Jun 09 2017 07:57:00.0000	1613	1504
Fri Jun 09 2017 07:58:00.0000	1611	1452
Fri Jun 09 2017 07:59:00.0000	1610	1391
Fri Jun 09 2017 08:00:00.0000	1610	1421
Fri Jun 09 2017 08:01:00.0000	1610	1459
Fri Jun 09 2017 08:02:00.0000	1609	1440
Fri Jun 09 2017 08:03:00.0000	1607	1424
Fri Jun 09 2017 08:04:00.0000	1607	1427
Fri Jun 09 2017 08:05:00.0000	1607	1461
Fri Jun 09 2017 08:06:00.0000	1606	1475
Fri Jun 09 2017 08:07:00.0000	1605	1451
Fri Jun 09 2017 08:08:00.0000	1604	1480
Fri Jun 09 2017 08:09:00.0000	1605	1449
Fri Jun 09 2017 08:10:00.0000	1604	1423
Fri Jun 09 2017 08:11:00.0000	1603	1461
Fri Jun 09 2017 08:12:00.0000	1602	1426
Fri Jun 09 2017 08:13:00.0000	1604	1437
Fri Jun 09 2017 08:14:00.0000	1608	1421
Fri Jun 09 2017 08:15:00.0000	1611	1471
Fri Jun 09 2017 08:16:00.0000	1612	1454
Fri Jun 09 2017 08:17:00.0000	1612	1464
Fri Jun 09 2017 08:18:00.0000	1615	1480
Fri Jun 09 2017 08:19:00.0000	1617	1409
Fri Jun 09 2017 08:20:00.0000	1618	1430
Fri Jun 09 2017 08:21:00.0000	1618	1438
Fri Jun 09 2017 08:22:00.0000	1618	1447
Fri Jun 09 2017 08:23:00.0000	1620	1437
Fri Jun 09 2017 08:24:00.0000	1622	1535
Fri Jun 09 2017 08:25:00.0000	1622	1528
Fri Jun 09 2017 08:26:00.0000	1620	1513
Fri Jun 09 2017 08:27:00.0000	1623	1450
Fri Jun 09 2017 08:28:00.0000	1624	1390
Fri Jun 09 2017 08:29:00.0000	1625	1457
Fri Jun 09 2017 08:30:00.0000	1623	1443
Fri Jun 09 2017 08:31:00.0000	1623	1444
Fri Jun 09 2017 08:32:00.0000	1626	1401
Fri Jun 09 2017 08:33:00.0000	1627	1526

Date/Time	Process Temperature (°F)	Process Flow SCFM
Fri Jun 09 2017 08:34:00.0000	1626	1446
Fri Jun 09 2017 08:35:00.0000	1625	1405
Fri Jun 09 2017 08:36:00.0000	1627	1411
Fri Jun 09 2017 08:37:00.0000	1628	1458
Fri Jun 09 2017 08:38:00.0000	1628	1407
Fri Jun 09 2017 08:39:00.0000	1627	1483
Fri Jun 09 2017 08:40:00.0000	1627	1462
Fri Jun 09 2017 08:41:00.0000	1628	1519
Fri Jun 09 2017 08:42:00.0000	1629	1617
Fri Jun 09 2017 08:43:00.0000	1629	1418
Fri Jun 09 2017 08:44:00.0000	1627	1437
Fri Jun 09 2017 08:45:00.0000	1629	1426
Fri Jun 09 2017 08:46:00.0000	1630	1518
Fri Jun 09 2017 08:47:00.0000	1631	1438
Fri Jun 09 2017 08:48:00.0000	1629	1422
Fri Jun 09 2017 08:49:00.0000	1629	1467
Fri Jun 09 2017 08:50:00.0000	1631	1475
Fri Jun 09 2017 08:51:00.0000	1632	1522
Fri Jun 09 2017 08:52:00.0000	1631	1563
Fri Jun 09 2017 08:53:00.0000	1629	1440
Fri Jun 09 2017 08:54:00.0000	1632	1414
Fri Jun 09 2017 08:55:00.0000	1632	1438
Fri Jun 09 2017 08:56:00.0000	1630	1445
Fri Jun 09 2017 08:57:00.0000	1624	1426
Fri Jun 09 2017 08:58:00.0000	1621	1481
Fri Jun 09 2017 08:59:00.0000	1619	1465
Fri Jun 09 2017 09:00:00.0000	1616	1465
Fri Jun 09 2017 09:01:00.0000	1613	1436
Fri Jun 09 2017 09:02:00.0000	1611	1519
Fri Jun 09 2017 09:03:00.0000	1611	1453
Fri Jun 09 2017 09:04:00.0000	1610	1449
Fri Jun 09 2017 09:05:00.0000	1607	1405
Fri Jun 09 2017 09:06:00.0000	1605	1450
Fri Jun 09 2017 09:07:00.0000	1605	1439
Fri Jun 09 2017 09:08:00.0000	1605	1470
Fri Jun 09 2017 09:09:00.0000	1603	1486
Fri Jun 09 2017 09:10:00.0000	1602	1566
Fri Jun 09 2017 09:11:00.0000	1605	1504
Fri Jun 09 2017 09:12:00.0000	1609	1486
Fri Jun 09 2017 09:13:00.0000	1612	1489
Fri Jun 09 2017 09:14:00.0000	1613	1458
Fri Jun 09 2017 09:15:00.0000	1613	1461
Fri Jun 09 2017 09:16:00.0000	1615	1469
Fri Jun 09 2017 09:17:00.0000	1618	1468
Fri Jun 09 2017 09:18:00.0000	1618	1460
Fri Jun 09 2017 09:19:00.0000	1617	1581
Fri Jun 09 2017 09:20:00.0000	1618	1490
Fri Jun 09 2017 09:21:00.0000	1620	1448
Fri Jun 09 2017 09:22:00.0000	1621	1494
Fri Jun 09 2017 09:23:00.0000	1620	1440
Fri Jun 09 2017 09:24:00.0000	1619	1460
Fri Jun 09 2017 09:25:00.0000	1621	1503
Fri Jun 09 2017 09:26:00.0000	1623	1481
Fri Jun 09 2017 09:27:00.0000	1622	1457
Fri Jun 09 2017 09:28:00.0000	1620	1485
Fri Jun 09 2017 09:29:00.0000	1622	1445
Fri Jun 09 2017 09:30:00.0000	1623	1440

Date/Time	Process Temperature (°F)	Process Flow SCFM
Fri Jun 09 2017 09:31:00.0000	1624	1463
Fri Jun 09 2017 09:32:00.0000	1623	1443
Fri Jun 09 2017 09:33:00.0000	1623	1418
Fri Jun 09 2017 09:34:00.0000	1624	1438
Fri Jun 09 2017 09:35:00.0000	1626	1453
Fri Jun 09 2017 09:36:00.0000	1625	1457
Fri Jun 09 2017 09:37:00.0000	1623	1489
Fri Jun 09 2017 09:38:00.0000	1625	1463
Fri Jun 09 2017 09:39:00.0000	1627	1470
Fri Jun 09 2017 09:40:00.0000	1627	1474
Fri Jun 09 2017 09:41:00.0000	1625	1464
Fri Jun 09 2017 09:42:00.0000	1625	1462
Fri Jun 09 2017 09:43:00.0000	1627	1436
Fri Jun 09 2017 09:44:00.0000	1628	1559
Fri Jun 09 2017 09:45:00.0000	1627	1531
Fri Jun 09 2017 09:46:00.0000	1625	1486
Fri Jun 09 2017 09:47:00.0000	1628	1493
Fri Jun 09 2017 09:48:00.0000	1629	1488
Fri Jun 09 2017 09:49:00.0000	1629	1489
Fri Jun 09 2017 09:50:00.0000	1627	1551
Fri Jun 09 2017 09:51:00.0000	1627	1449
Fri Jun 09 2017 09:52:00.0000	1629	1487
Fri Jun 09 2017 09:53:00.0000	1630	1494
Fri Jun 09 2017 09:54:00.0000	1629	1522
Fri Jun 09 2017 09:55:00.0000	1627	1507
Fri Jun 09 2017 09:56:00.0000	1629	1506
Fri Jun 09 2017 09:57:00.0000	1630	1486
Fri Jun 09 2017 09:58:00.0000	1631	1493
Fri Jun 09 2017 09:59:00.0000	1629	1529
Fri Jun 09 2017 10:00:00.0000	1629	1513
Fri Jun 09 2017 10:01:00.0000	1630	1517
Fri Jun 09 2017 10:02:00.0000	1631	1523
Fri Jun 09 2017 10:03:00.0000	1630	1476
Fri Jun 09 2017 10:04:00.0000	1629	1481
Fri Jun 09 2017 10:05:00.0000	1631	1485
Fri Jun 09 2017 10:06:00.0000	1632	1488
Fri Jun 09 2017 10:07:00.0000	1632	1482
Fri Jun 09 2017 10:08:00.0000	1630	1506
Fri Jun 09 2017 10:09:00.0000	1630	1461
Fri Jun 09 2017 10:10:00.0000	1632	1464
Fri Jun 09 2017 10:11:00.0000	1633	1484
Fri Jun 09 2017 10:12:00.0000	1632	1466
Fri Jun 09 2017 10:13:00.0000	1630	1468
Fri Jun 09 2017 10:14:00.0000	1632	1521
Fri Jun 09 2017 10:15:00.0000	1633	1487
Fri Jun 09 2017 10:16:00.0000	1629	1477
Fri Jun 09 2017 10:17:00.0000	1624	1469
Fri Jun 09 2017 10:18:00.0000	1621	1506
Fri Jun 09 2017 10:19:00.0000	1620	1458
Fri Jun 09 2017 10:20:00.0000	1617	1533
Fri Jun 09 2017 10:21:00.0000	1614	1492
Fri Jun 09 2017 10:22:00.0000	1613	1477
Fri Jun 09 2017 10:23:00.0000	1612	1540
Fri Jun 09 2017 10:24:00.0000	1611	1471
Fri Jun 09 2017 10:25:00.0000	1609	1510
Fri Jun 09 2017 10:26:00.0000	1607	1488
Fri Jun 09 2017 10:27:00.0000	1606	1454

Date/Time	Process Temperature (°F)	Process Flow SCFM
Fri Jun 09 2017 10:28:00.0000	1606	1558
Fri Jun 09 2017 10:29:00.0000	1605	1516
Fri Jun 09 2017 10:30:00.0000	1603	1468
Fri Jun 09 2017 10:31:00.0000	1602	1493
Fri Jun 09 2017 10:32:00.0000	1607	1522
Fri Jun 09 2017 10:33:00.0000	1610	1519
Fri Jun 09 2017 10:34:00.0000	1613	1479
Fri Jun 09 2017 10:35:00.0000	1613	1546
Fri Jun 09 2017 10:36:00.0000	1614	1532
Fri Jun 09 2017 10:37:00.0000	1616	1423
Fri Jun 09 2017 10:38:00.0000	1618	1465
Fri Jun 09 2017 10:39:00.0000	1617	1555
Fri Jun 09 2017 10:40:00.0000	1616	1538
Fri Jun 09 2017 10:41:00.0000	1619	1452
Fri Jun 09 2017 10:42:00.0000	1620	1488
Fri Jun 09 2017 10:43:00.0000	1620	1514
Fri Jun 09 2017 10:44:00.0000	1619	1430
Fri Jun 09 2017 10:45:00.0000	1620	1456
Fri Jun 09 2017 10:46:00.0000	1621	1503
Fri Jun 09 2017 10:47:00.0000	1622	1480
Fri Jun 09 2017 10:48:00.0000	1621	1525
Fri Jun 09 2017 10:49:00.0000	1620	1535
Fri Jun 09 2017 10:50:00.0000	1622	1537
Fri Jun 09 2017 10:51:00.0000	1623	1474
Fri Jun 09 2017 10:52:00.0000	1623	1490
Fri Jun 09 2017 10:53:00.0000	1622	1507
Fri Jun 09 2017 10:54:00.0000	1623	1482
Fri Jun 09 2017 10:55:00.0000	1624	1501
Fri Jun 09 2017 10:56:00.0000	1625	1536
Fri Jun 09 2017 10:57:00.0000	1624	1500
Fri Jun 09 2017 10:58:00.0000	1623	1494
Fri Jun 09 2017 10:59:00.0000	1625	1520
Fri Jun 09 2017 11:00:00.0000	1626	1475
Fri Jun 09 2017 11:01:00.0000	1626	1512
Fri Jun 09 2017 11:02:00.0000	1624	1525
Fri Jun 09 2017 11:03:00.0000	1625	1533
Fri Jun 09 2017 11:04:00.0000	1626	1529
Fri Jun 09 2017 11:05:00.0000	1627	1524
Fri Jun 09 2017 11:06:00.0000	1625	1433
Fri Jun 09 2017 11:07:00.0000	1625	1535
Fri Jun 09 2017 11:08:00.0000	1627	1512
Fri Jun 09 2017 11:09:00.0000	1628	1444
Fri Jun 09 2017 11:10:00.0000	1627	1465
Fri Jun 09 2017 11:11:00.0000	1625	1589
Fri Jun 09 2017 11:12:00.0000	1627	1504
Fri Jun 09 2017 11:13:00.0000	1628	1472
Fri Jun 09 2017 11:14:00.0000	1628	1465
Fri Jun 09 2017 11:15:00.0000	1626	1513
Fri Jun 09 2017 11:16:00.0000	1626	1518
Fri Jun 09 2017 11:17:00.0000	1627	1487
Fri Jun 09 2017 11:18:00.0000	1629	1506
Fri Jun 09 2017 11:19:00.0000	1628	1437
Fri Jun 09 2017 11:20:00.0000	1627	1506
Fri Jun 09 2017 11:21:00.0000	1629	1468
Fri Jun 09 2017 11:22:00.0000	1630	1522
Fri Jun 09 2017 11:23:00.0000	1629	1516
Fri Jun 09 2017 11:24:00.0000	1627	1506

Date/Time	Process Temperature (°F)	Process Flow SCFM
Fri Jun 09 2017 11:25:00.0000	1629	1506
Fri Jun 09 2017 11:26:00.0000	1630	1494
Fri Jun 09 2017 11:27:00.0000	1631	1502
Fri Jun 09 2017 11:28:00.0000	1629	1465
Fri Jun 09 2017 11:29:00.0000	1628	1502
Fri Jun 09 2017 11:30:00.0000	1630	1408
Fri Jun 09 2017 11:31:00.0000	1632	1495
Fri Jun 09 2017 11:32:00.0000	1631	1446
Fri Jun 09 2017 11:33:00.0000	1629	1494
Fri Jun 09 2017 11:34:00.0000	1631	1483
Fri Jun 09 2017 11:35:00.0000	1632	1450
Fri Jun 09 2017 11:36:00.0000	1632	1504
Fri Jun 09 2017 11:37:00.0000	1631	1493
Fri Jun 09 2017 11:38:00.0000	1630	1484
Fri Jun 09 2017 11:39:00.0000	1632	1487
Fri Jun 09 2017 11:40:00.0000	1633	1482
Fri Jun 09 2017 11:41:00.0000	1632	1497
Fri Jun 09 2017 11:42:00.0000	1630	1530
Fri Jun 09 2017 11:43:00.0000	1632	1504
Fri Jun 09 2017 11:44:00.0000	1633	1522
Fri Jun 09 2017 11:45:00.0000	1628	1496
Fri Jun 09 2017 11:46:00.0000	1623	1546
Fri Jun 09 2017 11:47:00.0000	1622	1503
Fri Jun 09 2017 11:48:00.0000	1619	1520
Fri Jun 09 2017 11:49:00.0000	1618	1503
Fri Jun 09 2017 11:50:00.0000	1615	1467
Fri Jun 09 2017 11:51:00.0000	1613	1540
Fri Jun 09 2017 11:52:00.0000	1613	1484
Fri Jun 09 2017 11:53:00.0000	1612	1507
Fri Jun 09 2017 11:54:00.0000	1610	1542
Fri Jun 09 2017 11:55:00.0000	1608	1533
Fri Jun 09 2017 11:56:00.0000	1609	1469
Fri Jun 09 2017 11:57:00.0000	1608	1417
Fri Jun 09 2017 11:58:00.0000	1606	1500
Fri Jun 09 2017 11:59:00.0000	1605	1509
Fri Jun 09 2017 12:00:00.0000	1604	1532
Fri Jun 09 2017 12:01:00.0000	1605	1479
Fri Jun 09 2017 12:02:00.0000	1603	1493
Fri Jun 09 2017 12:03:00.0000	1602	1493
Fri Jun 09 2017 12:04:00.0000	1603	1490
Fri Jun 09 2017 12:05:00.0000	1611	1548
Fri Jun 09 2017 12:06:00.0000	1617	1497
Fri Jun 09 2017 12:07:00.0000	1623	1513
Fri Jun 09 2017 12:08:00.0000	1624	1516
Fri Jun 09 2017 12:09:00.0000	1626	1506
Fri Jun 09 2017 12:10:00.0000	1630	1473
Fri Jun 09 2017 12:11:00.0000	1633	1522
Fri Jun 09 2017 12:12:00.0000	1624	1485
Fri Jun 09 2017 12:13:00.0000	1620	1492
Fri Jun 09 2017 12:14:00.0000	1618	1478
Fri Jun 09 2017 12:15:00.0000	1615	1472
Fri Jun 09 2017 12:16:00.0000	1612	1511
Fri Jun 09 2017 12:17:00.0000	1610	1455
Fri Jun 09 2017 12:18:00.0000	1610	1497
Fri Jun 09 2017 12:19:00.0000	1609	1500
Fri Jun 09 2017 12:20:00.0000	1607	1509
Fri Jun 09 2017 12:21:00.0000	1605	1488

Date/Time	Process Temperature (°F)	Process Flow SCFM
Fri Jun 09 2017 12:22:00.0000	1604	1483
Fri Jun 09 2017 12:23:00.0000	1604	1491
Fri Jun 09 2017 12:24:00.0000	1603	1481
Fri Jun 09 2017 12:25:00.0000	1602	1474
Fri Jun 09 2017 12:26:00.0000	1603	1488
Fri Jun 09 2017 12:27:00.0000	1608	1517
Fri Jun 09 2017 12:28:00.0000	1611	1503
Fri Jun 09 2017 12:29:00.0000	1612	1494
Fri Jun 09 2017 12:30:00.0000	1611	1499
Fri Jun 09 2017 12:31:00.0000	1611	1495
Fri Jun 09 2017 12:32:00.0000	1614	1524
Fri Jun 09 2017 12:33:00.0000	1617	1499
Fri Jun 09 2017 12:34:00.0000	1616	1491
Fri Jun 09 2017 12:35:00.0000	1616	1475
Fri Jun 09 2017 12:36:00.0000	1619	1528
Fri Jun 09 2017 12:37:00.0000	1620	1507
Fri Jun 09 2017 12:38:00.0000	1621	1512
Fri Jun 09 2017 12:39:00.0000	1619	1486
Fri Jun 09 2017 12:40:00.0000	1621	1493
Fri Jun 09 2017 12:41:00.0000	1622	1529
Fri Jun 09 2017 12:42:00.0000	1624	1522
Fri Jun 09 2017 12:43:00.0000	1622	1477
Fri Jun 09 2017 12:44:00.0000	1623	1487
Fri Jun 09 2017 12:45:00.0000	1624	1438
Fri Jun 09 2017 12:46:00.0000	1626	1388
Fri Jun 09 2017 12:47:00.0000	1626	1427
Fri Jun 09 2017 12:48:00.0000	1623	1446
Fri Jun 09 2017 12:49:00.0000	1626	1452
Fri Jun 09 2017 12:50:00.0000	1627	1372
Fri Jun 09 2017 12:51:00.0000	1628	1431
Fri Jun 09 2017 12:52:00.0000	1626	1414
Fri Jun 09 2017 12:53:00.0000	1626	1436
Fri Jun 09 2017 12:54:00.0000	1628	1430
Fri Jun 09 2017 12:55:00.0000	1629	1395
Fri Jun 09 2017 12:56:00.0000	1628	1417
Fri Jun 09 2017 12:57:00.0000	1626	1407
Fri Jun 09 2017 12:58:00.0000	1629	1360
Fri Jun 09 2017 12:59:00.0000	1630	1391
Fri Jun 09 2017 13:00:00.0000	1630	1457
Fri Jun 09 2017 13:01:00.0000	1628	1417
Fri Jun 09 2017 13:02:00.0000	1628	1430
Fri Jun 09 2017 13:03:00.0000	1630	1439
Fri Jun 09 2017 13:04:00.0000	1632	1439
Fri Jun 09 2017 13:05:00.0000	1630	1425
Fri Jun 09 2017 13:06:00.0000	1628	1369
Fri Jun 09 2017 13:07:00.0000	1631	1431
Fri Jun 09 2017 13:08:00.0000	1632	1375
Fri Jun 09 2017 13:09:00.0000	1632	1414
Fri Jun 09 2017 13:10:00.0000	1630	1434
Fri Jun 09 2017 13:11:00.0000	1631	1456
Fri Jun 09 2017 13:12:00.0000	1632	1398
Fri Jun 09 2017 13:13:00.0000	1632	1428
Fri Jun 09 2017 13:14:00.0000	1626	1443
Fri Jun 09 2017 13:15:00.0000	1622	1417
Fri Jun 09 2017 13:16:00.0000	1620	1412
Fri Jun 09 2017 13:17:00.0000	1618	1407
Fri Jun 09 2017 13:18:00.0000	1616	1398

Date/Time	Process Temperature (°F)	Process Flow SCFM
Fri Jun 09 2017 13:19:00.0000	1613	1468
Fri Jun 09 2017 13:20:00.0000	1613	1398
Fri Jun 09 2017 13:21:00.0000	1612	1448
Fri Jun 09 2017 13:22:00.0000	1611	1425
Fri Jun 09 2017 13:23:00.0000	1608	1425
Fri Jun 09 2017 13:24:00.0000	1607	1437
Fri Jun 09 2017 13:25:00.0000	1607	1447
Fri Jun 09 2017 13:26:00.0000	1606	1470
Fri Jun 09 2017 13:27:00.0000	1605	1454
Fri Jun 09 2017 13:28:00.0000	1602	1420
Fri Jun 09 2017 13:29:00.0000	1605	1416
Fri Jun 09 2017 13:30:00.0000	1609	1379
Fri Jun 09 2017 13:31:00.0000	1614	1411
Fri Jun 09 2017 13:32:00.0000	1614	1434
Fri Jun 09 2017 13:33:00.0000	1614	1435
Fri Jun 09 2017 13:34:00.0000	1617	1413
Fri Jun 09 2017 13:35:00.0000	1620	1424
Fri Jun 09 2017 13:36:00.0000	1621	1420
Fri Jun 09 2017 13:37:00.0000	1619	1425
Fri Jun 09 2017 13:38:00.0000	1621	1437
Fri Jun 09 2017 13:39:00.0000	1622	1447
Fri Jun 09 2017 13:40:00.0000	1625	1420
Fri Jun 09 2017 13:41:00.0000	1623	1436
Fri Jun 09 2017 13:42:00.0000	1622	1444
Fri Jun 09 2017 13:43:00.0000	1625	1419
Fri Jun 09 2017 13:44:00.0000	1627	1449
Fri Jun 09 2017 13:45:00.0000	1627	1412
Fri Jun 09 2017 13:46:00.0000	1625	1462
Fri Jun 09 2017 13:47:00.0000	1626	1442
Fri Jun 09 2017 13:48:00.0000	1627	1463
Fri Jun 09 2017 13:49:00.0000	1629	1445
Fri Jun 09 2017 13:50:00.0000	1628	1458
Fri Jun 09 2017 13:51:00.0000	1626	1437
Fri Jun 09 2017 13:52:00.0000	1629	1430
Fri Jun 09 2017 13:53:00.0000	1630	1509
Fri Jun 09 2017 13:54:00.0000	1630	1456
Fri Jun 09 2017 13:55:00.0000	1627	1432
Fri Jun 09 2017 13:56:00.0000	1629	1470
Fri Jun 09 2017 13:57:00.0000	1630	1555
Fri Jun 09 2017 13:58:00.0000	1631	1388
Fri Jun 09 2017 13:59:00.0000	1629	1439
Fri Jun 09 2017 14:00:00.0000	1628	1417
Fri Jun 09 2017 14:01:00.0000	1630	1481
Fri Jun 09 2017 14:02:00.0000	1632	1449
Fri Jun 09 2017 14:03:00.0000	1631	1468
Fri Jun 09 2017 14:04:00.0000	1629	1413
Fri Jun 09 2017 14:05:00.0000	1631	1462
Fri Jun 09 2017 14:06:00.0000	1631	1471
Fri Jun 09 2017 14:07:00.0000	1633	1493
Fri Jun 09 2017 14:08:00.0000	1631	1444
Fri Jun 09 2017 14:09:00.0000	1630	1459
Fri Jun 09 2017 14:10:00.0000	1632	1420
Fri Jun 09 2017 14:11:00.0000	1633	1572
Fri Jun 09 2017 14:12:00.0000	1627	1582
Fri Jun 09 2017 14:13:00.0000	1622	1377
Fri Jun 09 2017 14:14:00.0000	1621	1413
Fri Jun 09 2017 14:15:00.0000	1618	1475

Date/Time	Process Temperature (°F)	Process Flow SCFM
Fri Jun 09 2017 14:16:00.0000	1616	1490
Fri Jun 09 2017 14:17:00.0000	1613	1420
Fri Jun 09 2017 14:18:00.0000	1612	1471
Fri Jun 09 2017 14:19:00.0000	1611	1420
Fri Jun 09 2017 14:20:00.0000	1610	1471
Fri Jun 09 2017 14:21:00.0000	1608	1412
Fri Jun 09 2017 14:22:00.0000	1606	1483
Fri Jun 09 2017 14:23:00.0000	1606	1417
Fri Jun 09 2017 14:24:00.0000	1606	1349
Fri Jun 09 2017 14:25:00.0000	1604	1409
Fri Jun 09 2017 14:26:00.0000	1602	1516
Fri Jun 09 2017 14:27:00.0000	1605	1556
Fri Jun 09 2017 14:28:00.0000	1610	1428
Fri Jun 09 2017 14:29:00.0000	1614	1519
Fri Jun 09 2017 14:30:00.0000	1616	1469
Fri Jun 09 2017 14:31:00.0000	1616	1432
Fri Jun 09 2017 14:32:00.0000	1618	1469
Fri Jun 09 2017 14:33:00.0000	1621	1491
Fri Jun 09 2017 14:34:00.0000	1623	1486
Fri Jun 09 2017 14:35:00.0000	1622	1444
Fri Jun 09 2017 14:36:00.0000	1622	1468
Fri Jun 09 2017 14:37:00.0000	1624	1594
Fri Jun 09 2017 14:38:00.0000	1626	1442
Fri Jun 09 2017 14:39:00.0000	1625	1531
Fri Jun 09 2017 14:40:00.0000	1623	1603
Fri Jun 09 2017 14:41:00.0000	1625	1539
Fri Jun 09 2017 14:42:00.0000	1626	1387
Fri Jun 09 2017 14:43:00.0000	1627	1396
Fri Jun 09 2017 14:44:00.0000	1625	1439
Fri Jun 09 2017 14:45:00.0000	1625	1465
Fri Jun 09 2017 14:46:00.0000	1627	1489
Fri Jun 09 2017 14:47:00.0000	1629	1557
Fri Jun 09 2017 14:48:00.0000	1628	1485
Fri Jun 09 2017 14:49:00.0000	1626	1437
Fri Jun 09 2017 14:50:00.0000	1628	1463
Fri Jun 09 2017 14:51:00.0000	1629	1507
Fri Jun 09 2017 14:52:00.0000	1630	1455
Fri Jun 09 2017 14:53:00.0000	1628	1405
Fri Jun 09 2017 14:54:00.0000	1628	1470
Fri Jun 09 2017 14:55:00.0000	1630	1504
Fri Jun 09 2017 14:56:00.0000	1631	1442
Fri Jun 09 2017 14:57:00.0000	1630	1542
Fri Jun 09 2017 14:58:00.0000	1628	1441
Fri Jun 09 2017 14:59:00.0000	1630	1483
Fri Jun 09 2017 15:00:00.0000	1631	1486
Fri Jun 09 2017 15:01:00.0000	1632	1416
Fri Jun 09 2017 15:02:00.0000	1630	1500
Fri Jun 09 2017 15:03:00.0000	1630	1493
Fri Jun 09 2017 15:04:00.0000	1632	1430
Fri Jun 09 2017 15:05:00.0000	1633	1489
Fri Jun 09 2017 15:06:00.0000	1632	1468
Fri Jun 09 2017 15:07:00.0000	1630	1547
Fri Jun 09 2017 15:08:00.0000	1632	1436
Fri Jun 09 2017 15:09:00.0000	1633	1465
Fri Jun 09 2017 15:10:00.0000	1630	1456
Fri Jun 09 2017 15:11:00.0000	1625	1483
Fri Jun 09 2017 15:12:00.0000	1622	1451

Date/Time	Process Temperature (°F)	Process Flow SCFM
Fri Jun 09 2017 15:13:00.0000	1620	1502
Fri Jun 09 2017 15:14:00.0000	1618	1393
Fri Jun 09 2017 15:15:00.0000	1616	1472
Fri Jun 09 2017 15:16:00.0000	1614	1483
Fri Jun 09 2017 15:17:00.0000	1613	1434
Fri Jun 09 2017 15:18:00.0000	1612	1486
Fri Jun 09 2017 15:19:00.0000	1611	1498
Fri Jun 09 2017 15:20:00.0000	1609	1469
Fri Jun 09 2017 15:21:00.0000	1608	1473
Fri Jun 09 2017 15:22:00.0000	1608	1481
Fri Jun 09 2017 15:23:00.0000	1607	1509
Fri Jun 09 2017 15:24:00.0000	1605	1469
Fri Jun 09 2017 15:25:00.0000	1604	1431
Fri Jun 09 2017 15:26:00.0000	1604	1462
Fri Jun 09 2017 15:27:00.0000	1604	1420
Fri Jun 09 2017 15:28:00.0000	1602	1476
Fri Jun 09 2017 15:29:00.0000	1602	1456
Fri Jun 09 2017 15:30:00.0000	1611	1431
Fri Jun 09 2017 15:31:00.0000	1618	1448
Fri Jun 09 2017 15:32:00.0000	1624	1411
Fri Jun 09 2017 15:33:00.0000	1625	1437
Fri Jun 09 2017 15:34:00.0000	1626	1534
Fri Jun 09 2017 15:35:00.0000	1631	1555
Fri Jun 09 2017 15:36:00.0000	1635	1370
Fri Jun 09 2017 15:37:00.0000	1628	1444
Fri Jun 09 2017 15:38:00.0000	1622	1420
Fri Jun 09 2017 15:39:00.0000	1619	1470
Fri Jun 09 2017 15:40:00.0000	1616	1548
Fri Jun 09 2017 15:41:00.0000	1613	1454
Fri Jun 09 2017 15:42:00.0000	1611	1431
Fri Jun 09 2017 15:43:00.0000	1609	1423
Fri Jun 09 2017 15:44:00.0000	1609	1363
Fri Jun 09 2017 15:45:00.0000	1607	1505
Fri Jun 09 2017 15:46:00.0000	1606	1491
Fri Jun 09 2017 15:47:00.0000	1604	1526
Fri Jun 09 2017 15:48:00.0000	1604	1470
Fri Jun 09 2017 15:49:00.0000	1603	1470
Fri Jun 09 2017 15:50:00.0000	1602	1485
Fri Jun 09 2017 15:51:00.0000	1603	1444
Fri Jun 09 2017 15:52:00.0000	1609	1539
Fri Jun 09 2017 15:53:00.0000	1617	1437
Fri Jun 09 2017 15:54:00.0000	1624	1464
Fri Jun 09 2017 15:55:00.0000	1627	1507
Fri Jun 09 2017 15:56:00.0000	1626	1435
Fri Jun 09 2017 15:57:00.0000	1630	1456
Fri Jun 09 2017 15:58:00.0000	1632	1346
Fri Jun 09 2017 15:59:00.0000	1631	1417
Fri Jun 09 2017 16:00:00.0000	1626	1435
Fri Jun 09 2017 16:01:00.0000	1624	1502
Fri Jun 09 2017 16:02:00.0000	1624	1415
Fri Jun 09 2017 16:03:00.0000	1624	1437
Fri Jun 09 2017 16:04:00.0000	1622	1480
Fri Jun 09 2017 16:05:00.0000	1620	1461
Fri Jun 09 2017 16:06:00.0000	1621	1460
Fri Jun 09 2017 16:07:00.0000	1621	1432
Fri Jun 09 2017 16:08:00.0000	1621	1500
Fri Jun 09 2017 16:09:00.0000	1619	1473

Date/Time	Process Temperature (°F)	Process Flow SCFM
Fri Jun 09 2017 16:10:00.0000	1618	1507
Fri Jun 09 2017 16:11:00.0000	1619	1462
Fri Jun 09 2017 16:12:00.0000	1620	1433
Fri Jun 09 2017 16:13:00.0000	1618	1464
Fri Jun 09 2017 16:14:00.0000	1616	1454
Fri Jun 09 2017 16:15:00.0000	1618	1425
Fri Jun 09 2017 16:16:00.0000	1618	1439
Fri Jun 09 2017 16:17:00.0000	1618	1504
Fri Jun 09 2017 16:18:00.0000	1617	1445
Fri Jun 09 2017 16:19:00.0000	1616	1500
Fri Jun 09 2017 16:20:00.0000	1617	1478
Fri Jun 09 2017 16:21:00.0000	1618	1510
Fri Jun 09 2017 16:22:00.0000	1617	1412
Fri Jun 09 2017 16:23:00.0000	1615	1465
Fri Jun 09 2017 16:24:00.0000	1616	1525
Fri Jun 09 2017 16:25:00.0000	1617	1409
Fri Jun 09 2017 16:26:00.0000	1617	1436
Fri Jun 09 2017 16:27:00.0000	1615	1497
Fri Jun 09 2017 16:28:00.0000	1614	1430
Fri Jun 09 2017 16:29:00.0000	1616	1435
Fri Jun 09 2017 16:30:00.0000	1616	1465
Fri Jun 09 2017 16:31:00.0000	1615	1455
Fri Jun 09 2017 16:32:00.0000	1613	1359
Fri Jun 09 2017 16:33:00.0000	1614	1491
Fri Jun 09 2017 16:34:00.0000	1615	1512
Fri Jun 09 2017 16:35:00.0000	1615	1468
Fri Jun 09 2017 16:36:00.0000	1613	1477
Fri Jun 09 2017 16:37:00.0000	1613	1550
Fri Jun 09 2017 16:38:00.0000	1614	1428
Fri Jun 09 2017 16:39:00.0000	1615	1401
Fri Jun 09 2017 16:40:00.0000	1613	1475
Fri Jun 09 2017 16:41:00.0000	1612	1539
Fri Jun 09 2017 16:42:00.0000	1613	1408
Fri Jun 09 2017 16:43:00.0000	1613	1462
Fri Jun 09 2017 16:44:00.0000	1614	1420
Fri Jun 09 2017 16:45:00.0000	1612	1438
Fri Jun 09 2017 16:46:00.0000	1611	1437
Fri Jun 09 2017 16:47:00.0000	1613	1490
Fri Jun 09 2017 16:48:00.0000	1613	1461
Fri Jun 09 2017 16:49:00.0000	1612	1440
Fri Jun 09 2017 16:50:00.0000	1610	1428
Fri Jun 09 2017 16:51:00.0000	1612	1485
Fri Jun 09 2017 16:52:00.0000	1612	1421
Fri Jun 09 2017 16:53:00.0000	1613	1435
Fri Jun 09 2017 16:54:00.0000	1611	1440
Fri Jun 09 2017 16:55:00.0000	1610	1387
Fri Jun 09 2017 16:56:00.0000	1612	1430
Fri Jun 09 2017 16:57:00.0000	1612	1425
Fri Jun 09 2017 16:58:00.0000	1611	1451
Fri Jun 09 2017 16:59:00.0000	1609	1438
Fri Jun 09 2017 17:00:00.0000	1611	1450
Fri Jun 09 2017 17:01:00.0000	1611	1442
Fri Jun 09 2017 17:02:00.0000	1612	1433
Fri Jun 09 2017 17:03:00.0000	1610	1429
Fri Jun 09 2017 17:04:00.0000	1609	1427
Fri Jun 09 2017 17:05:00.0000	1611	1446
Fri Jun 09 2017 17:06:00.0000	1611	1400

Date/Time	Process Temperature (°F)	Process Flow SCFM
Fri Jun 09 2017 17:07:00.0000	1610	1500
Fri Jun 09 2017 17:08:00.0000	1608	1394
Fri Jun 09 2017 17:09:00.0000	1610	1445
Fri Jun 09 2017 17:10:00.0000	1610	1436
Fri Jun 09 2017 17:11:00.0000	1611	1448
Fri Jun 09 2017 17:12:00.0000	1609	1427
Fri Jun 09 2017 17:13:00.0000	1609	1428
Fri Jun 09 2017 17:14:00.0000	1610	1443
Fri Jun 09 2017 17:15:00.0000	1610	1448
Fri Jun 09 2017 17:16:00.0000	1609	1432
Fri Jun 09 2017 17:17:00.0000	1607	1455
Fri Jun 09 2017 17:18:00.0000	1608	1454
Fri Jun 09 2017 17:19:00.0000	1609	1435
Fri Jun 09 2017 17:20:00.0000	1609	1436
Fri Jun 09 2017 17:21:00.0000	1607	1441
Fri Jun 09 2017 17:22:00.0000	1607	1472
Fri Jun 09 2017 17:23:00.0000	1608	1428
Fri Jun 09 2017 17:24:00.0000	1609	1407
Fri Jun 09 2017 17:25:00.0000	1607	1461
Fri Jun 09 2017 17:26:00.0000	1606	1375
Fri Jun 09 2017 17:27:00.0000	1608	1476
Fri Jun 09 2017 17:28:00.0000	1609	1427
Fri Jun 09 2017 17:29:00.0000	1607	1406
Fri Jun 09 2017 17:30:00.0000	1606	1432
Fri Jun 09 2017 17:31:00.0000	1607	1518
Fri Jun 09 2017 17:32:00.0000	1607	1481
Fri Jun 09 2017 17:33:00.0000	1608	1467
Fri Jun 09 2017 17:34:00.0000	1606	1414
Fri Jun 09 2017 17:35:00.0000	1605	1385
Fri Jun 09 2017 17:36:00.0000	1607	1379
Fri Jun 09 2017 17:37:00.0000	1607	1455
Fri Jun 09 2017 17:38:00.0000	1606	1439
Fri Jun 09 2017 17:39:00.0000	1604	1497
Fri Jun 09 2017 17:40:00.0000	1606	1415
Fri Jun 09 2017 17:41:00.0000	1607	1412
Fri Jun 09 2017 17:42:00.0000	1606	1488
Fri Jun 09 2017 17:43:00.0000	1604	1479
Fri Jun 09 2017 17:44:00.0000	1605	1511
Fri Jun 09 2017 17:45:00.0000	1606	1398
Fri Jun 09 2017 17:46:00.0000	1606	1418
Fri Jun 09 2017 17:47:00.0000	1605	1426
Fri Jun 09 2017 17:48:00.0000	1603	1511
Fri Jun 09 2017 17:49:00.0000	1605	1414
Fri Jun 09 2017 17:50:00.0000	1606	1400
Fri Jun 09 2017 17:51:00.0000	1605	1446
Fri Jun 09 2017 17:52:00.0000	1603	1379
Fri Jun 09 2017 17:53:00.0000	1604	1567
Fri Jun 09 2017 17:54:00.0000	1605	1402
Fri Jun 09 2017 17:55:00.0000	1605	1512
Fri Jun 09 2017 17:56:00.0000	1603	1405
Fri Jun 09 2017 17:57:00.0000	1603	1465
Fri Jun 09 2017 17:58:00.0000	1604	1567
Fri Jun 09 2017 17:59:00.0000	1605	1406
Fri Jun 09 2017 18:00:00.0000	1604	1408
Fri Jun 09 2017 18:01:00.0000	1602	1447
Fri Jun 09 2017 18:02:00.0000	1609	1377
Fri Jun 09 2017 18:03:00.0000	1614	1455

Date/Time	Process Temperature (°F)	Process Flow SCFM
Fri Jun 09 2017 18:04:00.0000	1619	1424
Fri Jun 09 2017 18:05:00.0000	1619	1406
Fri Jun 09 2017 18:06:00.0000	1621	1444
Fri Jun 09 2017 18:07:00.0000	1625	1408
Fri Jun 09 2017 18:08:00.0000	1629	1446
Fri Jun 09 2017 18:09:00.0000	1628	1423
Fri Jun 09 2017 18:10:00.0000	1627	1399
Fri Jun 09 2017 18:11:00.0000	1631	1419
Fri Jun 09 2017 18:12:00.0000	1634	1397
Fri Jun 09 2017 18:13:00.0000	1629	1440
Fri Jun 09 2017 18:14:00.0000	1621	1413
Fri Jun 09 2017 18:15:00.0000	1617	1404
Fri Jun 09 2017 18:16:00.0000	1614	1411
Fri Jun 09 2017 18:17:00.0000	1610	1406
Fri Jun 09 2017 18:18:00.0000	1606	1428
Fri Jun 09 2017 18:19:00.0000	1604	1399
Fri Jun 09 2017 18:20:00.0000	1603	1413
Fri Jun 09 2017 18:21:00.0000	1601	1412
Fri Jun 09 2017 18:22:00.0000	1608	1451
Fri Jun 09 2017 18:23:00.0000	1611	1430
Fri Jun 09 2017 18:24:00.0000	1617	1444
Fri Jun 09 2017 18:25:00.0000	1622	1407
Fri Jun 09 2017 18:26:00.0000	1627	1437
Fri Jun 09 2017 18:27:00.0000	1626	1388
Fri Jun 09 2017 18:28:00.0000	1625	1411
Fri Jun 09 2017 18:29:00.0000	1629	1392
Fri Jun 09 2017 18:30:00.0000	1633	1423
Fri Jun 09 2017 18:31:00.0000	1626	1385
Fri Jun 09 2017 18:32:00.0000	1619	1402
Fri Jun 09 2017 18:33:00.0000	1615	1409
Fri Jun 09 2017 18:34:00.0000	1612	1393
Fri Jun 09 2017 18:35:00.0000	1609	1386
Fri Jun 09 2017 18:36:00.0000	1606	1406
Fri Jun 09 2017 18:37:00.0000	1604	1401
Fri Jun 09 2017 18:38:00.0000	1603	1403
Fri Jun 09 2017 18:39:00.0000	1602	1438
Fri Jun 09 2017 18:40:00.0000	1604	1416
Fri Jun 09 2017 18:41:00.0000	1605	1386
Fri Jun 09 2017 18:42:00.0000	1608	1527
Fri Jun 09 2017 18:43:00.0000	1611	1443
Fri Jun 09 2017 18:44:00.0000	1613	1392
Fri Jun 09 2017 18:45:00.0000	1612	1411
Fri Jun 09 2017 18:46:00.0000	1611	1359
Fri Jun 09 2017 18:47:00.0000	1614	1376
Fri Jun 09 2017 18:48:00.0000	1615	1402
Fri Jun 09 2017 18:49:00.0000	1615	1426
Fri Jun 09 2017 18:50:00.0000	1614	1448
Fri Jun 09 2017 18:51:00.0000	1615	1390
Fri Jun 09 2017 18:52:00.0000	1616	1453
Fri Jun 09 2017 18:53:00.0000	1618	1447
Fri Jun 09 2017 18:54:00.0000	1616	1458
Fri Jun 09 2017 18:55:00.0000	1615	1484
Fri Jun 09 2017 18:56:00.0000	1617	1453
Fri Jun 09 2017 18:57:00.0000	1619	1442
Fri Jun 09 2017 18:58:00.0000	1618	1444
Fri Jun 09 2017 18:59:00.0000	1616	1393
Fri Jun 09 2017 19:00:00.0000	1618	1480

Date/Time	Process Temperature (°F)	Process Flow SCFM
Fri Jun 09 2017 19:01:00.0000	1619	1378
Fri Jun 09 2017 19:02:00.0000	1619	1400
Fri Jun 09 2017 19:03:00.0000	1618	1403
Fri Jun 09 2017 19:04:00.0000	1617	1380
Fri Jun 09 2017 19:05:00.0000	1619	1419
Fri Jun 09 2017 19:06:00.0000	1620	1374
Fri Jun 09 2017 19:07:00.0000	1620	1410
Fri Jun 09 2017 19:08:00.0000	1617	1407
Fri Jun 09 2017 19:09:00.0000	1619	1377
Fri Jun 09 2017 19:10:00.0000	1620	1338
Fri Jun 09 2017 19:11:00.0000	1621	1360
Fri Jun 09 2017 19:12:00.0000	1619	1432
Fri Jun 09 2017 19:13:00.0000	1619	1402
Fri Jun 09 2017 19:14:00.0000	1620	1389
Fri Jun 09 2017 19:15:00.0000	1622	1358
Fri Jun 09 2017 19:16:00.0000	1621	1362
Fri Jun 09 2017 19:17:00.0000	1618	1411
Fri Jun 09 2017 19:18:00.0000	1620	1395
Fri Jun 09 2017 19:19:00.0000	1621	1441
Fri Jun 09 2017 19:20:00.0000	1622	1404
Fri Jun 09 2017 19:21:00.0000	1620	1394
Fri Jun 09 2017 19:22:00.0000	1619	1397
Fri Jun 09 2017 19:23:00.0000	1621	1395
Fri Jun 09 2017 19:24:00.0000	1622	1382
Fri Jun 09 2017 19:25:00.0000	1621	1377
Fri Jun 09 2017 19:26:00.0000	1619	1385
Fri Jun 09 2017 19:27:00.0000	1621	1394
Fri Jun 09 2017 19:28:00.0000	1621	1371
Fri Jun 09 2017 19:29:00.0000	1622	1381
Fri Jun 09 2017 19:30:00.0000	1620	1392
Fri Jun 09 2017 19:31:00.0000	1620	1373
Fri Jun 09 2017 19:32:00.0000	1621	1409
Fri Jun 09 2017 19:33:00.0000	1622	1409
Fri Jun 09 2017 19:34:00.0000	1622	1377
Fri Jun 09 2017 19:35:00.0000	1620	1417
Fri Jun 09 2017 19:36:00.0000	1621	1389
Fri Jun 09 2017 19:37:00.0000	1622	1383
Fri Jun 09 2017 19:38:00.0000	1623	1394
Fri Jun 09 2017 19:39:00.0000	1621	1377
Fri Jun 09 2017 19:40:00.0000	1621	1395
Fri Jun 09 2017 19:41:00.0000	1622	1462
Fri Jun 09 2017 19:42:00.0000	1623	1432
Fri Jun 09 2017 19:43:00.0000	1622	1364
Fri Jun 09 2017 19:44:00.0000	1620	1388
Fri Jun 09 2017 19:45:00.0000	1622	1476
Fri Jun 09 2017 19:46:00.0000	1623	1392
Fri Jun 09 2017 19:47:00.0000	1623	1469
Fri Jun 09 2017 19:48:00.0000	1621	1466
Fri Jun 09 2017 19:49:00.0000	1621	1349
Fri Jun 09 2017 19:50:00.0000	1622	1369
Fri Jun 09 2017 19:51:00.0000	1624	1462
Fri Jun 09 2017 19:52:00.0000	1622	1372
Fri Jun 09 2017 19:53:00.0000	1621	1380
Fri Jun 09 2017 19:54:00.0000	1623	1444
Fri Jun 09 2017 19:55:00.0000	1623	1450
Fri Jun 09 2017 19:56:00.0000	1623	1400
Fri Jun 09 2017 19:57:00.0000	1622	1382

Date/Time	Process Temperature (°F)	Process Flow SCFM
Fri Jun 09 2017 19:58:00.0000	1623	1400
Fri Jun 09 2017 19:59:00.0000	1623	1389
Fri Jun 09 2017 20:00:00.0000	1624	1397
Fri Jun 09 2017 20:01:00.0000	1622	1380
Fri Jun 09 2017 20:02:00.0000	1622	1398
Fri Jun 09 2017 20:03:00.0000	1623	1407
Fri Jun 09 2017 20:04:00.0000	1624	1345
Fri Jun 09 2017 20:05:00.0000	1623	1380
Fri Jun 09 2017 20:06:00.0000	1621	1456
Fri Jun 09 2017 20:07:00.0000	1623	1368
Fri Jun 09 2017 20:08:00.0000	1624	1472
Fri Jun 09 2017 20:09:00.0000	1624	1391
Fri Jun 09 2017 20:10:00.0000	1622	1388
Fri Jun 09 2017 20:11:00.0000	1622	1413
Fri Jun 09 2017 20:12:00.0000	1624	1397
Fri Jun 09 2017 20:13:00.0000	1625	1362
Fri Jun 09 2017 20:14:00.0000	1623	1456
Fri Jun 09 2017 20:15:00.0000	1622	1402
Fri Jun 09 2017 20:16:00.0000	1624	1404
Fri Jun 09 2017 20:17:00.0000	1624	1404
Fri Jun 09 2017 20:18:00.0000	1624	1486
Fri Jun 09 2017 20:19:00.0000	1622	1373
Fri Jun 09 2017 20:20:00.0000	1623	1362
Fri Jun 09 2017 20:21:00.0000	1624	1506
Fri Jun 09 2017 20:22:00.0000	1625	1453
Fri Jun 09 2017 20:23:00.0000	1623	1420
Fri Jun 09 2017 20:24:00.0000	1623	1375
Fri Jun 09 2017 20:25:00.0000	1624	1393
Fri Jun 09 2017 20:26:00.0000	1625	1358
Fri Jun 09 2017 20:27:00.0000	1624	1480
Fri Jun 09 2017 20:28:00.0000	1622	1363
Fri Jun 09 2017 20:29:00.0000	1624	1416
Fri Jun 09 2017 20:30:00.0000	1625	1361
Fri Jun 09 2017 20:31:00.0000	1625	1388
Fri Jun 09 2017 20:32:00.0000	1622	1377
Fri Jun 09 2017 20:33:00.0000	1623	1393
Fri Jun 09 2017 20:34:00.0000	1624	1390
Fri Jun 09 2017 20:35:00.0000	1625	1406
Fri Jun 09 2017 20:36:00.0000	1624	1358
Fri Jun 09 2017 20:37:00.0000	1622	1413
Fri Jun 09 2017 20:38:00.0000	1624	1375
Fri Jun 09 2017 20:39:00.0000	1625	1445
Fri Jun 09 2017 20:40:00.0000	1625	1508
Fri Jun 09 2017 20:41:00.0000	1623	1426
Fri Jun 09 2017 20:42:00.0000	1623	1342
Fri Jun 09 2017 20:43:00.0000	1625	1395
Fri Jun 09 2017 20:44:00.0000	1625	1454
Fri Jun 09 2017 20:45:00.0000	1624	1344
Fri Jun 09 2017 20:46:00.0000	1622	1359
Fri Jun 09 2017 20:47:00.0000	1624	1363
Fri Jun 09 2017 20:48:00.0000	1626	1383
Fri Jun 09 2017 20:49:00.0000	1625	1397
Fri Jun 09 2017 20:50:00.0000	1623	1373
Fri Jun 09 2017 20:51:00.0000	1624	1346
Fri Jun 09 2017 20:52:00.0000	1625	1367
Fri Jun 09 2017 20:53:00.0000	1626	1406
Fri Jun 09 2017 20:54:00.0000	1624	1367

Date/Time	Process Temperature (°F)	Process Flow SCFM
Fri Jun 09 2017 20:55:00.0000	1623	1354
Fri Jun 09 2017 20:56:00.0000	1625	1356
Fri Jun 09 2017 20:57:00.0000	1626	1371
Fri Jun 09 2017 20:58:00.0000	1626	1385
Fri Jun 09 2017 20:59:00.0000	1623	1379
Fri Jun 09 2017 21:00:00.0000	1624	1358
Fri Jun 09 2017 21:01:00.0000	1626	1451
Fri Jun 09 2017 21:02:00.0000	1626	1327
Fri Jun 09 2017 21:03:00.0000	1624	1465
Fri Jun 09 2017 21:04:00.0000	1623	1382
Fri Jun 09 2017 21:05:00.0000	1625	1366
Fri Jun 09 2017 21:06:00.0000	1626	1328
Fri Jun 09 2017 21:07:00.0000	1626	1381
Fri Jun 09 2017 21:08:00.0000	1623	1356
Fri Jun 09 2017 21:09:00.0000	1625	1398
Fri Jun 09 2017 21:10:00.0000	1626	1332
Fri Jun 09 2017 21:11:00.0000	1627	1358
Fri Jun 09 2017 21:12:00.0000	1625	1398
Fri Jun 09 2017 21:13:00.0000	1624	1374
Fri Jun 09 2017 21:14:00.0000	1626	1321
Fri Jun 09 2017 21:15:00.0000	1627	1448
Fri Jun 09 2017 21:16:00.0000	1626	1380
Fri Jun 09 2017 21:17:00.0000	1624	1361
Fri Jun 09 2017 21:18:00.0000	1626	1372
Fri Jun 09 2017 21:19:00.0000	1627	1348
Fri Jun 09 2017 21:20:00.0000	1627	1362
Fri Jun 09 2017 21:21:00.0000	1625	1412
Fri Jun 09 2017 21:22:00.0000	1624	1376
Fri Jun 09 2017 21:23:00.0000	1626	1346
Fri Jun 09 2017 21:24:00.0000	1627	1371
Fri Jun 09 2017 21:25:00.0000	1626	1386
Fri Jun 09 2017 21:26:00.0000	1624	1384
Fri Jun 09 2017 21:27:00.0000	1626	1369
Fri Jun 09 2017 21:28:00.0000	1627	1335
Fri Jun 09 2017 21:29:00.0000	1626	1375
Fri Jun 09 2017 21:30:00.0000	1624	1382
Fri Jun 09 2017 21:31:00.0000	1626	1374
Fri Jun 09 2017 21:32:00.0000	1626	1368
Fri Jun 09 2017 21:33:00.0000	1627	1387
Fri Jun 09 2017 21:34:00.0000	1625	1367
Fri Jun 09 2017 21:35:00.0000	1624	1352
Fri Jun 09 2017 21:36:00.0000	1626	1346
Fri Jun 09 2017 21:37:00.0000	1627	1388
Fri Jun 09 2017 21:38:00.0000	1626	1366
Fri Jun 09 2017 21:39:00.0000	1624	1380
Fri Jun 09 2017 21:40:00.0000	1626	1363
Fri Jun 09 2017 21:41:00.0000	1626	1327
Fri Jun 09 2017 21:42:00.0000	1627	1367
Fri Jun 09 2017 21:43:00.0000	1625	1368
Fri Jun 09 2017 21:44:00.0000	1624	1368
Fri Jun 09 2017 21:45:00.0000	1626	1373
Fri Jun 09 2017 21:46:00.0000	1627	1378
Fri Jun 09 2017 21:47:00.0000	1626	1362
Fri Jun 09 2017 21:48:00.0000	1624	1393
Fri Jun 09 2017 21:49:00.0000	1626	1367
Fri Jun 09 2017 21:50:00.0000	1627	1368
Fri Jun 09 2017 21:51:00.0000	1627	1372

Date/Time	Process Temperature (°F)	Process Flow SCFM
Fri Jun 09 2017 21:52:00.0000	1625	1369
Fri Jun 09 2017 21:53:00.0000	1625	1365
Fri Jun 09 2017 21:54:00.0000	1626	1354
Fri Jun 09 2017 21:55:00.0000	1627	1387
Fri Jun 09 2017 21:56:00.0000	1626	1369
Fri Jun 09 2017 21:57:00.0000	1624	1386
Fri Jun 09 2017 21:58:00.0000	1626	1360
Fri Jun 09 2017 21:59:00.0000	1627	1368
Fri Jun 09 2017 22:00:00.0000	1627	1354
Fri Jun 09 2017 22:01:00.0000	1625	1346
Fri Jun 09 2017 22:02:00.0000	1625	1367
Fri Jun 09 2017 22:03:00.0000	1626	1362
Fri Jun 09 2017 22:04:00.0000	1627	1364
Fri Jun 09 2017 22:05:00.0000	1626	1340
Fri Jun 09 2017 22:06:00.0000	1624	1401
Fri Jun 09 2017 22:07:00.0000	1626	1362
Fri Jun 09 2017 22:08:00.0000	1626	1338
Fri Jun 09 2017 22:09:00.0000	1627	1352
Fri Jun 09 2017 22:10:00.0000	1625	1357
Fri Jun 09 2017 22:11:00.0000	1624	1384
Fri Jun 09 2017 22:12:00.0000	1626	1373
Fri Jun 09 2017 22:13:00.0000	1627	1370
Fri Jun 09 2017 22:14:00.0000	1626	1356
Fri Jun 09 2017 22:15:00.0000	1624	1361
Fri Jun 09 2017 22:16:00.0000	1626	1346
Fri Jun 09 2017 22:17:00.0000	1627	1394
Fri Jun 09 2017 22:18:00.0000	1627	1375
Fri Jun 09 2017 22:19:00.0000	1625	1411
Fri Jun 09 2017 22:20:00.0000	1625	1375
Fri Jun 09 2017 22:21:00.0000	1626	1384
Fri Jun 09 2017 22:22:00.0000	1627	1372
Fri Jun 09 2017 22:23:00.0000	1625	1370
Fri Jun 09 2017 22:24:00.0000	1624	1384
Fri Jun 09 2017 22:25:00.0000	1626	1345
Fri Jun 09 2017 22:26:00.0000	1627	1353
Fri Jun 09 2017 22:27:00.0000	1626	1370
Fri Jun 09 2017 22:28:00.0000	1624	1359
Fri Jun 09 2017 22:29:00.0000	1626	1381
Fri Jun 09 2017 22:30:00.0000	1626	1363
Fri Jun 09 2017 22:31:00.0000	1627	1356
Fri Jun 09 2017 22:32:00.0000	1625	1379
Fri Jun 09 2017 22:33:00.0000	1624	1362
Fri Jun 09 2017 22:34:00.0000	1626	1353
Fri Jun 09 2017 22:35:00.0000	1627	1344
Fri Jun 09 2017 22:36:00.0000	1626	1358
Fri Jun 09 2017 22:37:00.0000	1624	1390
Fri Jun 09 2017 22:38:00.0000	1626	1357
Fri Jun 09 2017 22:39:00.0000	1627	1369
Fri Jun 09 2017 22:40:00.0000	1627	1353
Fri Jun 09 2017 22:41:00.0000	1625	1335
Fri Jun 09 2017 22:42:00.0000	1625	1368
Fri Jun 09 2017 22:43:00.0000	1626	1363
Fri Jun 09 2017 22:44:00.0000	1627	1372
Fri Jun 09 2017 22:45:00.0000	1626	1361
Fri Jun 09 2017 22:46:00.0000	1624	1367
Fri Jun 09 2017 22:47:00.0000	1626	1376
Fri Jun 09 2017 22:48:00.0000	1627	1377

Date/Time	Process Temperature (°F)	Process Flow SCFM
Fri Jun 09 2017 22:49:00.0000	1627	1391
Fri Jun 09 2017 22:50:00.0000	1625	1374
Fri Jun 09 2017 22:51:00.0000	1625	1348
Fri Jun 09 2017 22:52:00.0000	1626	1379
Fri Jun 09 2017 22:53:00.0000	1627	1414
Fri Jun 09 2017 22:54:00.0000	1626	1358
Fri Jun 09 2017 22:55:00.0000	1624	1356
Fri Jun 09 2017 22:56:00.0000	1626	1392
Fri Jun 09 2017 22:57:00.0000	1627	1369
Fri Jun 09 2017 22:58:00.0000	1627	1359
Fri Jun 09 2017 22:59:00.0000	1625	1394
Fri Jun 09 2017 23:00:00.0000	1625	1380
Fri Jun 09 2017 23:01:00.0000	1626	1353
Fri Jun 09 2017 23:02:00.0000	1627	1394
Fri Jun 09 2017 23:03:00.0000	1626	1378
Fri Jun 09 2017 23:04:00.0000	1624	1368
Fri Jun 09 2017 23:05:00.0000	1626	1395
Fri Jun 09 2017 23:06:00.0000	1627	1364
Fri Jun 09 2017 23:07:00.0000	1627	1369
Fri Jun 09 2017 23:08:00.0000	1625	1394
Fri Jun 09 2017 23:09:00.0000	1625	1406
Fri Jun 09 2017 23:10:00.0000	1626	1349
Fri Jun 09 2017 23:11:00.0000	1627	1391
Fri Jun 09 2017 23:12:00.0000	1626	1352
Fri Jun 09 2017 23:13:00.0000	1624	1345
Fri Jun 09 2017 23:14:00.0000	1626	1378
Fri Jun 09 2017 23:15:00.0000	1627	1377
Fri Jun 09 2017 23:16:00.0000	1627	1358
Fri Jun 09 2017 23:17:00.0000	1624	1387
Fri Jun 09 2017 23:18:00.0000	1626	1398
Fri Jun 09 2017 23:19:00.0000	1626	1346
Fri Jun 09 2017 23:20:00.0000	1627	1369
Fri Jun 09 2017 23:21:00.0000	1625	1356
Fri Jun 09 2017 23:22:00.0000	1625	1382
Fri Jun 09 2017 23:23:00.0000	1626	1352
Fri Jun 09 2017 23:24:00.0000	1627	1440
Fri Jun 09 2017 23:25:00.0000	1626	1356
Fri Jun 09 2017 23:26:00.0000	1624	1337
Fri Jun 09 2017 23:27:00.0000	1626	1376
Fri Jun 09 2017 23:28:00.0000	1627	1350
Fri Jun 09 2017 23:29:00.0000	1626	1370
Fri Jun 09 2017 23:30:00.0000	1624	1370
Fri Jun 09 2017 23:31:00.0000	1625	1348
Fri Jun 09 2017 23:32:00.0000	1626	1394
Fri Jun 09 2017 23:33:00.0000	1627	1354
Fri Jun 09 2017 23:34:00.0000	1626	1388
Fri Jun 09 2017 23:35:00.0000	1624	1342
Fri Jun 09 2017 23:36:00.0000	1626	1360
Fri Jun 09 2017 23:37:00.0000	1626	1378
Fri Jun 09 2017 23:38:00.0000	1627	1367
Fri Jun 09 2017 23:39:00.0000	1624	1366
Fri Jun 09 2017 23:40:00.0000	1625	1371
Fri Jun 09 2017 23:41:00.0000	1626	1344
Fri Jun 09 2017 23:42:00.0000	1627	1356
Fri Jun 09 2017 23:43:00.0000	1626	1363
Fri Jun 09 2017 23:44:00.0000	1624	1337
Fri Jun 09 2017 23:45:00.0000	1626	1381

Date/Time	Process Temperature (°F)	Process Flow SCFM
Fri Jun 09 2017 23:46:00.0000	1626	1342
Fri Jun 09 2017 23:47:00.0000	1627	1366
Fri Jun 09 2017 23:48:00.0000	1624	1375
Fri Jun 09 2017 23:49:00.0000	1625	1370
Fri Jun 09 2017 23:50:00.0000	1626	1372
Fri Jun 09 2017 23:51:00.0000	1627	1367
Fri Jun 09 2017 23:52:00.0000	1625	1366
Fri Jun 09 2017 23:53:00.0000	1624	1379
Fri Jun 09 2017 23:54:00.0000	1626	1371
Fri Jun 09 2017 23:55:00.0000	1626	1380
Fri Jun 09 2017 23:56:00.0000	1626	1365
Fri Jun 09 2017 23:57:00.0000	1624	1355
Fri Jun 09 2017 23:58:00.0000	1625	1360
Fri Jun 09 2017 23:59:00.0000	1626	1379
Sat Jun 10 2017 00:00:00.0000	1627	1353
Sat Jun 10 2017 00:01:00.0000	1625	1374
Sat Jun 10 2017 00:02:00.0000	1624	1362
Sat Jun 10 2017 00:03:00.0000	1626	1388
Sat Jun 10 2017 00:04:00.0000	1626	1362
Sat Jun 10 2017 00:05:00.0000	1627	1340
Sat Jun 10 2017 00:06:00.0000	1624	1342
Sat Jun 10 2017 00:07:00.0000	1625	1363
Sat Jun 10 2017 00:08:00.0000	1626	1369
Sat Jun 10 2017 00:09:00.0000	1627	1358
Sat Jun 10 2017 00:10:00.0000	1626	1355
Sat Jun 10 2017 00:11:00.0000	1624	1369
Sat Jun 10 2017 00:12:00.0000	1626	1391
Sat Jun 10 2017 00:13:00.0000	1626	1341
Sat Jun 10 2017 00:14:00.0000	1626	1394
Sat Jun 10 2017 00:15:00.0000	1624	1401
Sat Jun 10 2017 00:16:00.0000	1625	1372
Sat Jun 10 2017 00:17:00.0000	1626	1375
Sat Jun 10 2017 00:18:00.0000	1627	1374
Sat Jun 10 2017 00:19:00.0000	1625	1361
Sat Jun 10 2017 00:20:00.0000	1624	1360
Sat Jun 10 2017 00:21:00.0000	1626	1381
Sat Jun 10 2017 00:22:00.0000	1627	1338
Sat Jun 10 2017 00:23:00.0000	1626	1364
Sat Jun 10 2017 00:24:00.0000	1624	1383
Sat Jun 10 2017 00:25:00.0000	1626	1423
Sat Jun 10 2017 00:26:00.0000	1626	1361
Sat Jun 10 2017 00:27:00.0000	1627	1375
Sat Jun 10 2017 00:28:00.0000	1625	1410
Sat Jun 10 2017 00:29:00.0000	1625	1369
Sat Jun 10 2017 00:30:00.0000	1626	1367
Sat Jun 10 2017 00:31:00.0000	1627	1356
Sat Jun 10 2017 00:32:00.0000	1626	1390
Sat Jun 10 2017 00:33:00.0000	1624	1356
Sat Jun 10 2017 00:34:00.0000	1626	1348
Sat Jun 10 2017 00:35:00.0000	1627	1377
Sat Jun 10 2017 00:36:00.0000	1627	1384
Sat Jun 10 2017 00:37:00.0000	1625	1319
Sat Jun 10 2017 00:38:00.0000	1626	1348
Sat Jun 10 2017 00:39:00.0000	1626	1367
Sat Jun 10 2017 00:40:00.0000	1627	1360
Sat Jun 10 2017 00:41:00.0000	1625	1356
Sat Jun 10 2017 00:42:00.0000	1624	1377

Date/Time	Process Temperature (°F)	Process Flow SCFM
Sat Jun 10 2017 00:43:00.0000	1626	1391
Sat Jun 10 2017 00:44:00.0000	1627	1408
Sat Jun 10 2017 00:45:00.0000	1626	1355
Sat Jun 10 2017 00:46:00.0000	1624	1360
Sat Jun 10 2017 00:47:00.0000	1626	1414
Sat Jun 10 2017 00:48:00.0000	1626	1350
Sat Jun 10 2017 00:49:00.0000	1627	1386
Sat Jun 10 2017 00:50:00.0000	1625	1428
Sat Jun 10 2017 00:51:00.0000	1625	1402
Sat Jun 10 2017 00:52:00.0000	1626	1383
Sat Jun 10 2017 00:53:00.0000	1627	1389
Sat Jun 10 2017 00:54:00.0000	1626	1367
Sat Jun 10 2017 00:55:00.0000	1624	1364
Sat Jun 10 2017 00:56:00.0000	1626	1418
Sat Jun 10 2017 00:57:00.0000	1627	1365
Sat Jun 10 2017 00:58:00.0000	1627	1366
Sat Jun 10 2017 00:59:00.0000	1625	1410
Sat Jun 10 2017 01:00:00.0000	1625	1365
Sat Jun 10 2017 01:01:00.0000	1626	1377
Sat Jun 10 2017 01:02:00.0000	1627	1374
Sat Jun 10 2017 01:03:00.0000	1626	1368
Sat Jun 10 2017 01:04:00.0000	1624	1369
Sat Jun 10 2017 01:05:00.0000	1626	1440
Sat Jun 10 2017 01:06:00.0000	1627	1367
Sat Jun 10 2017 01:07:00.0000	1627	1362
Sat Jun 10 2017 01:08:00.0000	1625	1442
Sat Jun 10 2017 01:09:00.0000	1625	1330
Sat Jun 10 2017 01:10:00.0000	1626	1348
Sat Jun 10 2017 01:11:00.0000	1627	1378
Sat Jun 10 2017 01:12:00.0000	1626	1360
Sat Jun 10 2017 01:13:00.0000	1624	1342
Sat Jun 10 2017 01:14:00.0000	1626	1375
Sat Jun 10 2017 01:15:00.0000	1627	1369
Sat Jun 10 2017 01:16:00.0000	1627	1401
Sat Jun 10 2017 01:17:00.0000	1625	1388
Sat Jun 10 2017 01:18:00.0000	1625	1376
Sat Jun 10 2017 01:19:00.0000	1626	1349
Sat Jun 10 2017 01:20:00.0000	1627	1391
Sat Jun 10 2017 01:21:00.0000	1626	1353
Sat Jun 10 2017 01:22:00.0000	1624	1370
Sat Jun 10 2017 01:23:00.0000	1626	1369
Sat Jun 10 2017 01:24:00.0000	1627	1367
Sat Jun 10 2017 01:25:00.0000	1627	1367
Sat Jun 10 2017 01:26:00.0000	1625	1379
Sat Jun 10 2017 01:27:00.0000	1626	1411
Sat Jun 10 2017 01:28:00.0000	1626	1368
Sat Jun 10 2017 01:29:00.0000	1627	1348
Sat Jun 10 2017 01:30:00.0000	1626	1362
Sat Jun 10 2017 01:31:00.0000	1624	1375
Sat Jun 10 2017 01:32:00.0000	1626	1352
Sat Jun 10 2017 01:33:00.0000	1627	1372
Sat Jun 10 2017 01:34:00.0000	1626	1373
Sat Jun 10 2017 01:35:00.0000	1624	1353
Sat Jun 10 2017 01:36:00.0000	1625	1354
Sat Jun 10 2017 01:37:00.0000	1626	1330
Sat Jun 10 2017 01:38:00.0000	1627	1376
Sat Jun 10 2017 01:39:00.0000	1625	1356

Date/Time	Process Temperature (°F)	Process Flow SCFM
Sat Jun 10 2017 01:40:00.0000	1624	1333
Sat Jun 10 2017 01:41:00.0000	1626	1377
Sat Jun 10 2017 01:42:00.0000	1627	1385
Sat Jun 10 2017 01:43:00.0000	1627	1377
Sat Jun 10 2017 01:44:00.0000	1624	1352
Sat Jun 10 2017 01:45:00.0000	1625	1374
Sat Jun 10 2017 01:46:00.0000	1627	1362
Sat Jun 10 2017 01:47:00.0000	1627	1362
Sat Jun 10 2017 01:48:00.0000	1626	1369
Sat Jun 10 2017 01:49:00.0000	1624	1349
Sat Jun 10 2017 01:50:00.0000	1626	1375
Sat Jun 10 2017 01:51:00.0000	1627	1350
Sat Jun 10 2017 01:52:00.0000	1627	1376
Sat Jun 10 2017 01:53:00.0000	1624	1398
Sat Jun 10 2017 01:54:00.0000	1626	1382
Sat Jun 10 2017 01:55:00.0000	1627	1322
Sat Jun 10 2017 01:56:00.0000	1628	1375
Sat Jun 10 2017 01:57:00.0000	1626	1394
Sat Jun 10 2017 01:58:00.0000	1624	1354
Sat Jun 10 2017 01:59:00.0000	1626	1315
Sat Jun 10 2017 02:00:00.0000	1628	1364
Sat Jun 10 2017 02:01:00.0000	1626	1381
Sat Jun 10 2017 02:02:00.0000	1624	1360
Sat Jun 10 2017 02:03:00.0000	1626	1390
Sat Jun 10 2017 02:04:00.0000	1627	1373
Sat Jun 10 2017 02:05:00.0000	1627	1356
Sat Jun 10 2017 02:06:00.0000	1625	1362
Sat Jun 10 2017 02:07:00.0000	1625	1356
Sat Jun 10 2017 02:08:00.0000	1627	1362
Sat Jun 10 2017 02:09:00.0000	1628	1444
Sat Jun 10 2017 02:10:00.0000	1626	1360
Sat Jun 10 2017 02:11:00.0000	1624	1379
Sat Jun 10 2017 02:12:00.0000	1626	1366
Sat Jun 10 2017 02:13:00.0000	1628	1373
Sat Jun 10 2017 02:14:00.0000	1627	1351
Sat Jun 10 2017 02:15:00.0000	1624	1369
Sat Jun 10 2017 02:16:00.0000	1626	1358
Sat Jun 10 2017 02:17:00.0000	1627	1337
Sat Jun 10 2017 02:18:00.0000	1628	1365
Sat Jun 10 2017 02:19:00.0000	1625	1376
Sat Jun 10 2017 02:20:00.0000	1625	1389
Sat Jun 10 2017 02:21:00.0000	1626	1378
Sat Jun 10 2017 02:22:00.0000	1628	1506
Sat Jun 10 2017 02:23:00.0000	1627	1365
Sat Jun 10 2017 02:24:00.0000	1624	1360
Sat Jun 10 2017 02:25:00.0000	1626	1388
Sat Jun 10 2017 02:26:00.0000	1627	1326
Sat Jun 10 2017 02:27:00.0000	1628	1359
Sat Jun 10 2017 02:28:00.0000	1626	1400
Sat Jun 10 2017 02:29:00.0000	1625	1383
Sat Jun 10 2017 02:30:00.0000	1627	1523
Sat Jun 10 2017 02:31:00.0000	1628	1331
Sat Jun 10 2017 02:32:00.0000	1627	1344
Sat Jun 10 2017 02:33:00.0000	1625	1326
Sat Jun 10 2017 02:34:00.0000	1627	1357
Sat Jun 10 2017 02:35:00.0000	1627	1359
Sat Jun 10 2017 02:36:00.0000	1628	1343

Date/Time	Process Temperature (°F)	Process Flow SCFM
Sat Jun 10 2017 02:37:00.0000	1626	1363
Sat Jun 10 2017 02:38:00.0000	1626	1386
Sat Jun 10 2017 02:39:00.0000	1627	1435
Sat Jun 10 2017 02:40:00.0000	1628	1353
Sat Jun 10 2017 02:41:00.0000	1627	1377
Sat Jun 10 2017 02:42:00.0000	1625	1352
Sat Jun 10 2017 02:43:00.0000	1627	1357
Sat Jun 10 2017 02:44:00.0000	1628	1334
Sat Jun 10 2017 02:45:00.0000	1628	1357
Sat Jun 10 2017 02:46:00.0000	1626	1378
Sat Jun 10 2017 02:47:00.0000	1626	1370
Sat Jun 10 2017 02:48:00.0000	1627	1348
Sat Jun 10 2017 02:49:00.0000	1629	1371
Sat Jun 10 2017 02:50:00.0000	1627	1359
Sat Jun 10 2017 02:51:00.0000	1625	1353
Sat Jun 10 2017 02:52:00.0000	1627	1351
Sat Jun 10 2017 02:53:00.0000	1628	1344
Sat Jun 10 2017 02:54:00.0000	1628	1338
Sat Jun 10 2017 02:55:00.0000	1626	1366
Sat Jun 10 2017 02:56:00.0000	1626	1391
Sat Jun 10 2017 02:57:00.0000	1627	1386
Sat Jun 10 2017 02:58:00.0000	1629	1406
Sat Jun 10 2017 02:59:00.0000	1627	1355
Sat Jun 10 2017 03:00:00.0000	1626	1381
Sat Jun 10 2017 03:01:00.0000	1627	1356
Sat Jun 10 2017 03:02:00.0000	1628	1376
Sat Jun 10 2017 03:03:00.0000	1628	1366
Sat Jun 10 2017 03:04:00.0000	1626	1333
Sat Jun 10 2017 03:05:00.0000	1627	1348
Sat Jun 10 2017 03:06:00.0000	1628	1350
Sat Jun 10 2017 03:07:00.0000	1629	1377
Sat Jun 10 2017 03:08:00.0000	1627	1328
Sat Jun 10 2017 03:09:00.0000	1627	1335
Sat Jun 10 2017 03:10:00.0000	1628	1369
Sat Jun 10 2017 03:11:00.0000	1629	1282
Sat Jun 10 2017 03:12:00.0000	1628	1349
Sat Jun 10 2017 03:13:00.0000	1626	1350
Sat Jun 10 2017 03:14:00.0000	1628	1391
Sat Jun 10 2017 03:15:00.0000	1628	1332
Sat Jun 10 2017 03:16:00.0000	1629	1340
Sat Jun 10 2017 03:17:00.0000	1627	1373
Sat Jun 10 2017 03:18:00.0000	1628	1346
Sat Jun 10 2017 03:19:00.0000	1629	1369
Sat Jun 10 2017 03:20:00.0000	1629	1351
Sat Jun 10 2017 03:21:00.0000	1626	1355
Sat Jun 10 2017 03:22:00.0000	1627	1364
Sat Jun 10 2017 03:23:00.0000	1628	1329
Sat Jun 10 2017 03:24:00.0000	1629	1373
Sat Jun 10 2017 03:25:00.0000	1628	1361
Sat Jun 10 2017 03:26:00.0000	1627	1384
Sat Jun 10 2017 03:27:00.0000	1628	1404
Sat Jun 10 2017 03:28:00.0000	1629	1351
Sat Jun 10 2017 03:29:00.0000	1629	1352
Sat Jun 10 2017 03:30:00.0000	1627	1356
Sat Jun 10 2017 03:31:00.0000	1627	1363
Sat Jun 10 2017 03:32:00.0000	1629	1362
Sat Jun 10 2017 03:33:00.0000	1629	1493

Date/Time	Process Temperature (°F)	Process Flow SCFM
Sat Jun 10 2017 03:34:00.0000	1627	1365
Sat Jun 10 2017 03:35:00.0000	1627	1350
Sat Jun 10 2017 03:36:00.0000	1628	1347
Sat Jun 10 2017 03:37:00.0000	1630	1394
Sat Jun 10 2017 03:38:00.0000	1628	1344
Sat Jun 10 2017 03:39:00.0000	1626	1345
Sat Jun 10 2017 03:40:00.0000	1628	1355
Sat Jun 10 2017 03:41:00.0000	1629	1323
Sat Jun 10 2017 03:42:00.0000	1630	1350
Sat Jun 10 2017 03:43:00.0000	1628	1373
Sat Jun 10 2017 03:44:00.0000	1627	1363
Sat Jun 10 2017 03:45:00.0000	1629	1338
Sat Jun 10 2017 03:46:00.0000	1630	1374
Sat Jun 10 2017 03:47:00.0000	1629	1354
Sat Jun 10 2017 03:48:00.0000	1627	1361
Sat Jun 10 2017 03:49:00.0000	1629	1306
Sat Jun 10 2017 03:50:00.0000	1629	1356
Sat Jun 10 2017 03:51:00.0000	1630	1350
Sat Jun 10 2017 03:52:00.0000	1628	1376
Sat Jun 10 2017 03:53:00.0000	1628	1324
Sat Jun 10 2017 03:54:00.0000	1629	1316
Sat Jun 10 2017 03:55:00.0000	1630	1354
Sat Jun 10 2017 03:56:00.0000	1628	1344
Sat Jun 10 2017 03:57:00.0000	1627	1332
Sat Jun 10 2017 03:58:00.0000	1629	1348
Sat Jun 10 2017 03:59:00.0000	1630	1312
Sat Jun 10 2017 04:00:00.0000	1629	1354
Sat Jun 10 2017 04:01:00.0000	1627	1337
Sat Jun 10 2017 04:02:00.0000	1629	1364
Sat Jun 10 2017 04:03:00.0000	1629	1354
Sat Jun 10 2017 04:04:00.0000	1630	1331
Sat Jun 10 2017 04:05:00.0000	1628	1331
Sat Jun 10 2017 04:06:00.0000	1628	1360
Sat Jun 10 2017 04:07:00.0000	1629	1354
Sat Jun 10 2017 04:08:00.0000	1631	1344
Sat Jun 10 2017 04:09:00.0000	1629	1362
Sat Jun 10 2017 04:10:00.0000	1627	1344
Sat Jun 10 2017 04:11:00.0000	1629	1354
Sat Jun 10 2017 04:12:00.0000	1630	1348
Sat Jun 10 2017 04:13:00.0000	1630	1355
Sat Jun 10 2017 04:14:00.0000	1628	1331
Sat Jun 10 2017 04:15:00.0000	1628	1361
Sat Jun 10 2017 04:16:00.0000	1629	1343
Sat Jun 10 2017 04:17:00.0000	1631	1351
Sat Jun 10 2017 04:18:00.0000	1629	1344
Sat Jun 10 2017 04:19:00.0000	1628	1332
Sat Jun 10 2017 04:20:00.0000	1629	1319
Sat Jun 10 2017 04:21:00.0000	1630	1333
Sat Jun 10 2017 04:22:00.0000	1630	1370
Sat Jun 10 2017 04:23:00.0000	1628	1360
Sat Jun 10 2017 04:24:00.0000	1629	1340
Sat Jun 10 2017 04:25:00.0000	1630	1321
Sat Jun 10 2017 04:26:00.0000	1631	1358
Sat Jun 10 2017 04:27:00.0000	1629	1346
Sat Jun 10 2017 04:28:00.0000	1629	1344
Sat Jun 10 2017 04:29:00.0000	1630	1381
Sat Jun 10 2017 04:30:00.0000	1631	1356

Date/Time	Process Temperature (°F)	Process Flow SCFM
Sat Jun 10 2017 04:31:00.0000	1630	1354
Sat Jun 10 2017 04:32:00.0000	1628	1363
Sat Jun 10 2017 04:33:00.0000	1630	1380
Sat Jun 10 2017 04:34:00.0000	1631	1324
Sat Jun 10 2017 04:35:00.0000	1631	1360
Sat Jun 10 2017 04:36:00.0000	1628	1376
Sat Jun 10 2017 04:37:00.0000	1630	1337
Sat Jun 10 2017 04:38:00.0000	1630	1329
Sat Jun 10 2017 04:39:00.0000	1631	1356
Sat Jun 10 2017 04:40:00.0000	1630	1357
Sat Jun 10 2017 04:41:00.0000	1628	1362
Sat Jun 10 2017 04:42:00.0000	1630	1326
Sat Jun 10 2017 04:43:00.0000	1632	1333
Sat Jun 10 2017 04:44:00.0000	1630	1333
Sat Jun 10 2017 04:45:00.0000	1628	1336
Sat Jun 10 2017 04:46:00.0000	1630	1338
Sat Jun 10 2017 04:47:00.0000	1631	1366
Sat Jun 10 2017 04:48:00.0000	1631	1330
Sat Jun 10 2017 04:49:00.0000	1629	1344
Sat Jun 10 2017 04:50:00.0000	1629	1350
Sat Jun 10 2017 04:51:00.0000	1630	1358
Sat Jun 10 2017 04:52:00.0000	1631	1356
Sat Jun 10 2017 04:53:00.0000	1630	1350
Sat Jun 10 2017 04:54:00.0000	1628	1365
Sat Jun 10 2017 04:55:00.0000	1630	1355
Sat Jun 10 2017 04:56:00.0000	1631	1335
Sat Jun 10 2017 04:57:00.0000	1631	1340
Sat Jun 10 2017 04:58:00.0000	1629	1342
Sat Jun 10 2017 04:59:00.0000	1629	1345
Sat Jun 10 2017 05:00:00.0000	1631	1363
Sat Jun 10 2017 05:01:00.0000	1632	1360
Sat Jun 10 2017 05:02:00.0000	1629	1344
Sat Jun 10 2017 05:03:00.0000	1628	1334
Sat Jun 10 2017 05:04:00.0000	1630	1319
Sat Jun 10 2017 05:05:00.0000	1632	1342
Sat Jun 10 2017 05:06:00.0000	1631	1347
Sat Jun 10 2017 05:07:00.0000	1628	1353
Sat Jun 10 2017 05:08:00.0000	1630	1308
Sat Jun 10 2017 05:09:00.0000	1631	1326
Sat Jun 10 2017 05:10:00.0000	1632	1350
Sat Jun 10 2017 05:11:00.0000	1630	1369
Sat Jun 10 2017 05:12:00.0000	1629	1338
Sat Jun 10 2017 05:13:00.0000	1631	1336
Sat Jun 10 2017 05:14:00.0000	1632	1319
Sat Jun 10 2017 05:15:00.0000	1631	1333
Sat Jun 10 2017 05:16:00.0000	1629	1364
Sat Jun 10 2017 05:17:00.0000	1630	1359
Sat Jun 10 2017 05:18:00.0000	1631	1331
Sat Jun 10 2017 05:19:00.0000	1632	1334
Sat Jun 10 2017 05:20:00.0000	1630	1347
Sat Jun 10 2017 05:21:00.0000	1629	1341
Sat Jun 10 2017 05:22:00.0000	1631	1337
Sat Jun 10 2017 05:23:00.0000	1632	1350
Sat Jun 10 2017 05:24:00.0000	1631	1366
Sat Jun 10 2017 05:25:00.0000	1629	1297
Sat Jun 10 2017 05:26:00.0000	1630	1370
Sat Jun 10 2017 05:27:00.0000	1632	1373

Date/Time	Process Temperature (°F)	Process Flow SCFM
Sat Jun 10 2017 05:28:00.0000	1632	1341
Sat Jun 10 2017 05:29:00.0000	1630	1350
Sat Jun 10 2017 05:30:00.0000	1629	1353
Sat Jun 10 2017 05:31:00.0000	1631	1349
Sat Jun 10 2017 05:32:00.0000	1632	1340
Sat Jun 10 2017 05:33:00.0000	1631	1333
Sat Jun 10 2017 05:34:00.0000	1629	1375
Sat Jun 10 2017 05:35:00.0000	1631	1368
Sat Jun 10 2017 05:36:00.0000	1632	1379
Sat Jun 10 2017 05:37:00.0000	1632	1350
Sat Jun 10 2017 05:38:00.0000	1629	1323
Sat Jun 10 2017 05:39:00.0000	1630	1363
Sat Jun 10 2017 05:40:00.0000	1631	1344
Sat Jun 10 2017 05:41:00.0000	1632	1347
Sat Jun 10 2017 05:42:00.0000	1630	1340
Sat Jun 10 2017 05:43:00.0000	1629	1347
Sat Jun 10 2017 05:44:00.0000	1631	1352
Sat Jun 10 2017 05:45:00.0000	1632	1344
Sat Jun 10 2017 05:46:00.0000	1632	1358
Sat Jun 10 2017 05:47:00.0000	1629	1364
Sat Jun 10 2017 05:48:00.0000	1631	1349
Sat Jun 10 2017 05:49:00.0000	1631	1301
Sat Jun 10 2017 05:50:00.0000	1632	1353
Sat Jun 10 2017 05:51:00.0000	1631	1348
Sat Jun 10 2017 05:52:00.0000	1629	1350
Sat Jun 10 2017 05:53:00.0000	1631	1339
Sat Jun 10 2017 05:54:00.0000	1632	1369
Sat Jun 10 2017 05:55:00.0000	1631	1344
Sat Jun 10 2017 05:56:00.0000	1629	1372
Sat Jun 10 2017 05:57:00.0000	1631	1394
Sat Jun 10 2017 05:58:00.0000	1632	1343
Sat Jun 10 2017 05:59:00.0000	1632	1344
Sat Jun 10 2017 06:00:00.0000	1630	1387
Sat Jun 10 2017 06:01:00.0000	1630	1366
Sat Jun 10 2017 06:02:00.0000	1631	1330
Sat Jun 10 2017 06:03:00.0000	1632	1388
Sat Jun 10 2017 06:04:00.0000	1631	1359
Sat Jun 10 2017 06:05:00.0000	1629	1354
Sat Jun 10 2017 06:06:00.0000	1631	1418
Sat Jun 10 2017 06:07:00.0000	1632	1350
Sat Jun 10 2017 06:08:00.0000	1632	1334
Sat Jun 10 2017 06:09:00.0000	1630	1432
Sat Jun 10 2017 06:10:00.0000	1630	1348
Sat Jun 10 2017 06:11:00.0000	1631	1333
Sat Jun 10 2017 06:12:00.0000	1633	1368
Sat Jun 10 2017 06:13:00.0000	1631	1351
Sat Jun 10 2017 06:14:00.0000	1629	1321
Sat Jun 10 2017 06:15:00.0000	1631	1325
Sat Jun 10 2017 06:16:00.0000	1632	1333
Sat Jun 10 2017 06:17:00.0000	1628	1366
Sat Jun 10 2017 06:18:00.0000	1623	1385
Sat Jun 10 2017 06:19:00.0000	1621	1356
Sat Jun 10 2017 06:20:00.0000	1620	1369
Sat Jun 10 2017 06:21:00.0000	1618	1368
Sat Jun 10 2017 06:22:00.0000	1615	1364
Sat Jun 10 2017 06:23:00.0000	1614	1370
Sat Jun 10 2017 06:24:00.0000	1614	1354

Date/Time	Process Temperature (°F)	Process Flow SCFM
Sat Jun 10 2017 06:25:00.0000	1613	1352
Sat Jun 10 2017 06:26:00.0000	1611	1360
Sat Jun 10 2017 06:27:00.0000	1609	1353
Sat Jun 10 2017 06:28:00.0000	1609	1366
Sat Jun 10 2017 06:29:00.0000	1608	1365
Sat Jun 10 2017 06:30:00.0000	1607	1328
Sat Jun 10 2017 06:31:00.0000	1604	1357
Sat Jun 10 2017 06:32:00.0000	1603	1330
Sat Jun 10 2017 06:33:00.0000	1602	1362
Sat Jun 10 2017 06:34:00.0000	1603	1340
Sat Jun 10 2017 06:35:00.0000	1605	1350
Sat Jun 10 2017 06:36:00.0000	1606	1390
Sat Jun 10 2017 06:37:00.0000	1611	1344
Sat Jun 10 2017 06:38:00.0000	1614	1370
Sat Jun 10 2017 06:39:00.0000	1614	1343
Sat Jun 10 2017 06:40:00.0000	1612	1337
Sat Jun 10 2017 06:41:00.0000	1615	1357
Sat Jun 10 2017 06:42:00.0000	1616	1344
Sat Jun 10 2017 06:43:00.0000	1618	1368
Sat Jun 10 2017 06:44:00.0000	1616	1340
Sat Jun 10 2017 06:45:00.0000	1616	1366
Sat Jun 10 2017 06:46:00.0000	1618	1330
Sat Jun 10 2017 06:47:00.0000	1620	1362
Sat Jun 10 2017 06:48:00.0000	1619	1353
Sat Jun 10 2017 06:49:00.0000	1617	1361
Sat Jun 10 2017 06:50:00.0000	1620	1364
Sat Jun 10 2017 06:51:00.0000	1621	1327
Sat Jun 10 2017 06:52:00.0000	1622	1340
Sat Jun 10 2017 06:53:00.0000	1620	1377
Sat Jun 10 2017 06:54:00.0000	1620	1317
Sat Jun 10 2017 06:55:00.0000	1621	1353
Sat Jun 10 2017 06:56:00.0000	1623	1397
Sat Jun 10 2017 06:57:00.0000	1622	1335
Sat Jun 10 2017 06:58:00.0000	1620	1360
Sat Jun 10 2017 06:59:00.0000	1622	1323
Sat Jun 10 2017 07:00:00.0000	1624	1398
Sat Jun 10 2017 07:01:00.0000	1623	1329
Sat Jun 10 2017 07:02:00.0000	1621	1366
Sat Jun 10 2017 07:03:00.0000	1622	1352
Sat Jun 10 2017 07:04:00.0000	1623	1351
Sat Jun 10 2017 07:05:00.0000	1625	1334
Sat Jun 10 2017 07:06:00.0000	1622	1341
Sat Jun 10 2017 07:07:00.0000	1622	1366
Sat Jun 10 2017 07:08:00.0000	1623	1356
Sat Jun 10 2017 07:09:00.0000	1625	1400
Sat Jun 10 2017 07:10:00.0000	1624	1459
Sat Jun 10 2017 07:11:00.0000	1623	1353
Sat Jun 10 2017 07:12:00.0000	1624	1346
Sat Jun 10 2017 07:13:00.0000	1625	1439
Sat Jun 10 2017 07:14:00.0000	1625	1364
Sat Jun 10 2017 07:15:00.0000	1624	1428
Sat Jun 10 2017 07:16:00.0000	1623	1386
Sat Jun 10 2017 07:17:00.0000	1625	1349
Sat Jun 10 2017 07:18:00.0000	1626	1405
Sat Jun 10 2017 07:19:00.0000	1625	1425
Sat Jun 10 2017 07:20:00.0000	1623	1370
Sat Jun 10 2017 07:21:00.0000	1625	1378

Date/Time	Process Temperature (°F)	Process Flow SCFM
Sat Jun 10 2017 07:22:00.0000	1626	1317
Sat Jun 10 2017 07:23:00.0000	1626	1456
Sat Jun 10 2017 07:24:00.0000	1624	1358
Sat Jun 10 2017 07:25:00.0000	1625	1334
Sat Jun 10 2017 07:26:00.0000	1626	1432
Sat Jun 10 2017 07:27:00.0000	1627	1378
Sat Jun 10 2017 07:28:00.0000	1626	1429
Sat Jun 10 2017 07:29:00.0000	1624	1395
Sat Jun 10 2017 07:30:00.0000	1626	1389
Sat Jun 10 2017 07:31:00.0000	1627	1381
Sat Jun 10 2017 07:32:00.0000	1627	1430
Sat Jun 10 2017 07:33:00.0000	1625	1380
Sat Jun 10 2017 07:34:00.0000	1625	1401
Sat Jun 10 2017 07:35:00.0000	1627	1378
Sat Jun 10 2017 07:36:00.0000	1628	1407
Sat Jun 10 2017 07:37:00.0000	1626	1393
Sat Jun 10 2017 07:38:00.0000	1625	1356
Sat Jun 10 2017 07:39:00.0000	1627	1346
Sat Jun 10 2017 07:40:00.0000	1628	1386
Sat Jun 10 2017 07:41:00.0000	1628	1384
Sat Jun 10 2017 07:42:00.0000	1626	1424
Sat Jun 10 2017 07:43:00.0000	1626	1394
Sat Jun 10 2017 07:44:00.0000	1627	1343
Sat Jun 10 2017 07:45:00.0000	1628	1389
Sat Jun 10 2017 07:46:00.0000	1627	1397
Sat Jun 10 2017 07:47:00.0000	1625	1349
Sat Jun 10 2017 07:48:00.0000	1628	1479
Sat Jun 10 2017 07:49:00.0000	1628	1406
Sat Jun 10 2017 07:50:00.0000	1628	1458
Sat Jun 10 2017 07:51:00.0000	1626	1361
Sat Jun 10 2017 07:52:00.0000	1627	1447
Sat Jun 10 2017 07:53:00.0000	1628	1337
Sat Jun 10 2017 07:54:00.0000	1629	1329
Sat Jun 10 2017 07:55:00.0000	1628	1360
Sat Jun 10 2017 07:56:00.0000	1627	1338
Sat Jun 10 2017 07:57:00.0000	1628	1368
Sat Jun 10 2017 07:58:00.0000	1629	1391
Sat Jun 10 2017 07:59:00.0000	1629	1356
Sat Jun 10 2017 08:00:00.0000	1627	1340
Sat Jun 10 2017 08:01:00.0000	1628	1365
Sat Jun 10 2017 08:02:00.0000	1629	1487
Sat Jun 10 2017 08:03:00.0000	1629	1453
Sat Jun 10 2017 08:04:00.0000	1627	1407
Sat Jun 10 2017 08:05:00.0000	1627	1359
Sat Jun 10 2017 08:06:00.0000	1629	1388
Sat Jun 10 2017 08:07:00.0000	1630	1312
Sat Jun 10 2017 08:08:00.0000	1628	1399
Sat Jun 10 2017 08:09:00.0000	1627	1388
Sat Jun 10 2017 08:10:00.0000	1629	1306
Sat Jun 10 2017 08:11:00.0000	1629	1519
Sat Jun 10 2017 08:12:00.0000	1629	1368
Sat Jun 10 2017 08:13:00.0000	1627	1380
Sat Jun 10 2017 08:14:00.0000	1628	1351
Sat Jun 10 2017 08:15:00.0000	1629	1362
Sat Jun 10 2017 08:16:00.0000	1630	1351
Sat Jun 10 2017 08:17:00.0000	1628	1406
Sat Jun 10 2017 08:18:00.0000	1627	1340

Date/Time	Process Temperature (°F)	Process Flow SCFM
Sat Jun 10 2017 08:19:00.0000	1629	1444
Sat Jun 10 2017 08:20:00.0000	1630	1413
Sat Jun 10 2017 08:21:00.0000	1629	1465
Sat Jun 10 2017 08:22:00.0000	1627	1385
Sat Jun 10 2017 08:23:00.0000	1629	1383
Sat Jun 10 2017 08:24:00.0000	1630	1320
Sat Jun 10 2017 08:25:00.0000	1630	1416
Sat Jun 10 2017 08:26:00.0000	1628	1349
Sat Jun 10 2017 08:27:00.0000	1628	1361
Sat Jun 10 2017 08:28:00.0000	1629	1330
Sat Jun 10 2017 08:29:00.0000	1631	1347
Sat Jun 10 2017 08:30:00.0000	1630	1429
Sat Jun 10 2017 08:31:00.0000	1628	1372
Sat Jun 10 2017 08:32:00.0000	1630	1353
Sat Jun 10 2017 08:33:00.0000	1630	1453
Sat Jun 10 2017 08:34:00.0000	1631	1463
Sat Jun 10 2017 08:35:00.0000	1629	1394
Sat Jun 10 2017 08:36:00.0000	1628	1371
Sat Jun 10 2017 08:37:00.0000	1630	1332
Sat Jun 10 2017 08:38:00.0000	1632	1336
Sat Jun 10 2017 08:39:00.0000	1630	1367
Sat Jun 10 2017 08:40:00.0000	1628	1392
Sat Jun 10 2017 08:41:00.0000	1630	1408
Sat Jun 10 2017 08:42:00.0000	1631	1365
Sat Jun 10 2017 08:43:00.0000	1632	1362
Sat Jun 10 2017 08:44:00.0000	1629	1372
Sat Jun 10 2017 08:45:00.0000	1629	1386
Sat Jun 10 2017 08:46:00.0000	1630	1338
Sat Jun 10 2017 08:47:00.0000	1632	1351
Sat Jun 10 2017 08:48:00.0000	1631	1363
Sat Jun 10 2017 08:49:00.0000	1628	1336
Sat Jun 10 2017 08:50:00.0000	1630	1361
Sat Jun 10 2017 08:51:00.0000	1631	1334
Sat Jun 10 2017 08:52:00.0000	1632	1367
Sat Jun 10 2017 08:53:00.0000	1630	1373
Sat Jun 10 2017 08:54:00.0000	1629	1358
Sat Jun 10 2017 08:55:00.0000	1631	1384
Sat Jun 10 2017 08:56:00.0000	1632	1348
Sat Jun 10 2017 08:57:00.0000	1631	1374
Sat Jun 10 2017 08:58:00.0000	1629	1357
Sat Jun 10 2017 08:59:00.0000	1630	1363
Sat Jun 10 2017 09:00:00.0000	1631	1441
Sat Jun 10 2017 09:01:00.0000	1632	1343
Sat Jun 10 2017 09:02:00.0000	1630	1356
Sat Jun 10 2017 09:03:00.0000	1629	1356
Sat Jun 10 2017 09:04:00.0000	1631	1357
Sat Jun 10 2017 09:05:00.0000	1632	1373
Sat Jun 10 2017 09:06:00.0000	1631	1358
Sat Jun 10 2017 09:07:00.0000	1629	1355
Sat Jun 10 2017 09:08:00.0000	1631	1369
Sat Jun 10 2017 09:09:00.0000	1632	1363
Sat Jun 10 2017 09:10:00.0000	1632	1385
Sat Jun 10 2017 09:11:00.0000	1630	1366
Sat Jun 10 2017 09:12:00.0000	1630	1343
Sat Jun 10 2017 09:13:00.0000	1631	1370
Sat Jun 10 2017 09:14:00.0000	1632	1394
Sat Jun 10 2017 09:15:00.0000	1632	1364

Date/Time	Process Temperature (°F)	Process Flow SCFM
Sat Jun 10 2017 09:16:00.0000	1629	1357
Sat Jun 10 2017 09:17:00.0000	1631	1387
Sat Jun 10 2017 09:18:00.0000	1632	1350
Sat Jun 10 2017 09:19:00.0000	1630	1353
Sat Jun 10 2017 09:20:00.0000	1624	1377
Sat Jun 10 2017 09:21:00.0000	1622	1372
Sat Jun 10 2017 09:22:00.0000	1621	1354
Sat Jun 10 2017 09:23:00.0000	1619	1330
Sat Jun 10 2017 09:24:00.0000	1617	1382
Sat Jun 10 2017 09:25:00.0000	1615	1375
Sat Jun 10 2017 09:26:00.0000	1615	1359
Sat Jun 10 2017 09:27:00.0000	1614	1354
Sat Jun 10 2017 09:28:00.0000	1613	1389
Sat Jun 10 2017 09:29:00.0000	1611	1386
Sat Jun 10 2017 09:30:00.0000	1610	1365
Sat Jun 10 2017 09:31:00.0000	1610	1361
Sat Jun 10 2017 09:32:00.0000	1610	1381
Sat Jun 10 2017 09:33:00.0000	1608	1355
Sat Jun 10 2017 09:34:00.0000	1606	1345
Sat Jun 10 2017 09:35:00.0000	1607	1371
Sat Jun 10 2017 09:36:00.0000	1606	1338
Sat Jun 10 2017 09:37:00.0000	1606	1360
Sat Jun 10 2017 09:38:00.0000	1604	1360
Sat Jun 10 2017 09:39:00.0000	1603	1351
Sat Jun 10 2017 09:40:00.0000	1604	1362
Sat Jun 10 2017 09:41:00.0000	1603	1344
Sat Jun 10 2017 09:42:00.0000	1602	1375
Sat Jun 10 2017 09:43:00.0000	1602	1388
Sat Jun 10 2017 09:44:00.0000	1611	1373
Sat Jun 10 2017 09:45:00.0000	1616	1360
Sat Jun 10 2017 09:46:00.0000	1622	1356
Sat Jun 10 2017 09:47:00.0000	1623	1370
Sat Jun 10 2017 09:48:00.0000	1624	1389
Sat Jun 10 2017 09:49:00.0000	1627	1379
Sat Jun 10 2017 09:50:00.0000	1632	1347
Sat Jun 10 2017 09:51:00.0000	1628	1374
Sat Jun 10 2017 09:52:00.0000	1623	1354
Sat Jun 10 2017 09:53:00.0000	1622	1325
Sat Jun 10 2017 09:54:00.0000	1621	1343
Sat Jun 10 2017 09:55:00.0000	1620	1379
Sat Jun 10 2017 09:56:00.0000	1617	1357
Sat Jun 10 2017 09:57:00.0000	1616	1363
Sat Jun 10 2017 09:58:00.0000	1617	1362
Sat Jun 10 2017 09:59:00.0000	1617	1355
Sat Jun 10 2017 10:00:00.0000	1615	1362
Sat Jun 10 2017 10:01:00.0000	1613	1358
Sat Jun 10 2017 10:02:00.0000	1614	1357
Sat Jun 10 2017 10:03:00.0000	1614	1349
Sat Jun 10 2017 10:04:00.0000	1614	1365
Sat Jun 10 2017 10:05:00.0000	1612	1375
Sat Jun 10 2017 10:06:00.0000	1612	1356
Sat Jun 10 2017 10:07:00.0000	1613	1340
Sat Jun 10 2017 10:08:00.0000	1613	1364
Sat Jun 10 2017 10:09:00.0000	1612	1385
Sat Jun 10 2017 10:10:00.0000	1610	1363
Sat Jun 10 2017 10:11:00.0000	1611	1358
Sat Jun 10 2017 10:12:00.0000	1612	1417

Date/Time	Process Temperature (°F)	Process Flow SCFM
Sat Jun 10 2017 10:13:00.0000	1611	1407
Sat Jun 10 2017 10:14:00.0000	1609	1358
Sat Jun 10 2017 10:15:00.0000	1610	1413
Sat Jun 10 2017 10:16:00.0000	1610	1366
Sat Jun 10 2017 10:17:00.0000	1611	1406
Sat Jun 10 2017 10:18:00.0000	1610	1407
Sat Jun 10 2017 10:19:00.0000	1608	1392
Sat Jun 10 2017 10:20:00.0000	1609	1385
Sat Jun 10 2017 10:21:00.0000	1610	1352
Sat Jun 10 2017 10:22:00.0000	1609	1464
Sat Jun 10 2017 10:23:00.0000	1607	1368
Sat Jun 10 2017 10:24:00.0000	1608	1438
Sat Jun 10 2017 10:25:00.0000	1609	1353
Sat Jun 10 2017 10:26:00.0000	1609	1385
Sat Jun 10 2017 10:27:00.0000	1607	1364
Sat Jun 10 2017 10:28:00.0000	1607	1416
Sat Jun 10 2017 10:29:00.0000	1608	1399
Sat Jun 10 2017 10:30:00.0000	1609	1402
Sat Jun 10 2017 10:31:00.0000	1607	1380
Sat Jun 10 2017 10:32:00.0000	1605	1407
Sat Jun 10 2017 10:33:00.0000	1607	1429
Sat Jun 10 2017 10:34:00.0000	1608	1333
Sat Jun 10 2017 10:35:00.0000	1608	1413
Sat Jun 10 2017 10:36:00.0000	1606	1389
Sat Jun 10 2017 10:37:00.0000	1605	1464
Sat Jun 10 2017 10:38:00.0000	1607	1476
Sat Jun 10 2017 10:39:00.0000	1607	1469
Sat Jun 10 2017 10:40:00.0000	1606	1417
Sat Jun 10 2017 10:41:00.0000	1604	1442
Sat Jun 10 2017 10:42:00.0000	1606	1444
Sat Jun 10 2017 10:43:00.0000	1606	1419
Sat Jun 10 2017 10:44:00.0000	1607	1393
Sat Jun 10 2017 10:45:00.0000	1605	1347
Sat Jun 10 2017 10:46:00.0000	1604	1450
Sat Jun 10 2017 10:47:00.0000	1606	1475
Sat Jun 10 2017 10:48:00.0000	1606	1344
Sat Jun 10 2017 10:49:00.0000	1605	1384
Sat Jun 10 2017 10:50:00.0000	1603	1373
Sat Jun 10 2017 10:51:00.0000	1605	1522
Sat Jun 10 2017 10:52:00.0000	1605	1615
Sat Jun 10 2017 10:53:00.0000	1605	1375
Sat Jun 10 2017 10:54:00.0000	1603	1432
Sat Jun 10 2017 10:55:00.0000	1603	1396
Sat Jun 10 2017 10:56:00.0000	1605	1404
Sat Jun 10 2017 10:57:00.0000	1605	1360
Sat Jun 10 2017 10:58:00.0000	1605	1393
Sat Jun 10 2017 10:59:00.0000	1602	1407
Sat Jun 10 2017 11:00:00.0000	1604	1396
Sat Jun 10 2017 11:01:00.0000	1605	1376
Sat Jun 10 2017 11:02:00.0000	1605	1383
Sat Jun 10 2017 11:03:00.0000	1603	1389
Sat Jun 10 2017 11:04:00.0000	1604	1373
Sat Jun 10 2017 11:05:00.0000	1610	1403
Sat Jun 10 2017 11:06:00.0000	1617	1407
Sat Jun 10 2017 11:07:00.0000	1619	1417
Sat Jun 10 2017 11:08:00.0000	1618	1377
Sat Jun 10 2017 11:09:00.0000	1623	1365

Date/Time	Process Temperature (°F)	Process Flow SCFM
Sat Jun 10 2017 11:10:00.0000	1626	1415
Sat Jun 10 2017 11:11:00.0000	1629	1405
Sat Jun 10 2017 11:12:00.0000	1628	1356
Sat Jun 10 2017 11:13:00.0000	1629	1413
Sat Jun 10 2017 11:14:00.0000	1632	1386
Sat Jun 10 2017 11:15:00.0000	1633	1396
Sat Jun 10 2017 11:16:00.0000	1624	1378
Sat Jun 10 2017 11:17:00.0000	1618	1392
Sat Jun 10 2017 11:18:00.0000	1615	1435
Sat Jun 10 2017 11:19:00.0000	1612	1490
Sat Jun 10 2017 11:20:00.0000	1609	1455
Sat Jun 10 2017 11:21:00.0000	1606	1360
Sat Jun 10 2017 11:22:00.0000	1605	1391
Sat Jun 10 2017 11:23:00.0000	1603	1396
Sat Jun 10 2017 11:24:00.0000	1602	1415
Sat Jun 10 2017 11:25:00.0000	1606	1401
Sat Jun 10 2017 11:26:00.0000	1609	1366
Sat Jun 10 2017 11:27:00.0000	1616	1386
Sat Jun 10 2017 11:28:00.0000	1621	1377
Sat Jun 10 2017 11:29:00.0000	1626	1443
Sat Jun 10 2017 11:30:00.0000	1624	1404
Sat Jun 10 2017 11:31:00.0000	1626	1399
Sat Jun 10 2017 11:32:00.0000	1629	1351
Sat Jun 10 2017 11:33:00.0000	1632	1420
Sat Jun 10 2017 11:34:00.0000	1625	1376
Sat Jun 10 2017 11:35:00.0000	1621	1373
Sat Jun 10 2017 11:36:00.0000	1621	1412
Sat Jun 10 2017 11:37:00.0000	1619	1407
Sat Jun 10 2017 11:38:00.0000	1618	1395
Sat Jun 10 2017 11:39:00.0000	1615	1438
Sat Jun 10 2017 11:40:00.0000	1615	1412
Sat Jun 10 2017 11:41:00.0000	1615	1365
Sat Jun 10 2017 11:42:00.0000	1615	1417
Sat Jun 10 2017 11:43:00.0000	1613	1397
Sat Jun 10 2017 11:44:00.0000	1611	1395
Sat Jun 10 2017 11:45:00.0000	1612	1439
Sat Jun 10 2017 11:46:00.0000	1612	1386
Sat Jun 10 2017 11:47:00.0000	1611	1396
Sat Jun 10 2017 11:48:00.0000	1609	1406
Sat Jun 10 2017 11:49:00.0000	1609	1429
Sat Jun 10 2017 11:50:00.0000	1610	1419
Sat Jun 10 2017 11:51:00.0000	1610	1448
Sat Jun 10 2017 11:52:00.0000	1609	1394
Sat Jun 10 2017 11:53:00.0000	1607	1389
Sat Jun 10 2017 11:54:00.0000	1609	1428
Sat Jun 10 2017 11:55:00.0000	1609	1404
Sat Jun 10 2017 11:56:00.0000	1609	1395
Sat Jun 10 2017 11:57:00.0000	1606	1404
Sat Jun 10 2017 11:58:00.0000	1606	1392
Sat Jun 10 2017 11:59:00.0000	1607	1378
Sat Jun 10 2017 12:00:00.0000	1607	1446
Sat Jun 10 2017 12:01:00.0000	1606	1376
Sat Jun 10 2017 12:02:00.0000	1605	1380
Sat Jun 10 2017 12:03:00.0000	1606	1438
Sat Jun 10 2017 12:04:00.0000	1606	1368
Sat Jun 10 2017 12:05:00.0000	1606	1390
Sat Jun 10 2017 12:06:00.0000	1604	1414

Date/Time	Process Temperature (°F)	Process Flow SCFM
Sat Jun 10 2017 12:07:00.0000	1604	1376
Sat Jun 10 2017 12:08:00.0000	1605	1389
Sat Jun 10 2017 12:09:00.0000	1606	1436
Sat Jun 10 2017 12:10:00.0000	1604	1391
Sat Jun 10 2017 12:11:00.0000	1603	1409
Sat Jun 10 2017 12:12:00.0000	1604	1437
Sat Jun 10 2017 12:13:00.0000	1605	1377
Sat Jun 10 2017 12:14:00.0000	1604	1406
Sat Jun 10 2017 12:15:00.0000	1602	1418
Sat Jun 10 2017 12:16:00.0000	1605	1380
Sat Jun 10 2017 12:17:00.0000	1611	1402
Sat Jun 10 2017 12:18:00.0000	1618	1422
Sat Jun 10 2017 12:19:00.0000	1620	1409
Sat Jun 10 2017 12:20:00.0000	1619	1394
Sat Jun 10 2017 12:21:00.0000	1624	1456
Sat Jun 10 2017 12:22:00.0000	1627	1395
Sat Jun 10 2017 12:23:00.0000	1630	1384
Sat Jun 10 2017 12:24:00.0000	1629	1401
Sat Jun 10 2017 12:25:00.0000	1630	1394
Sat Jun 10 2017 12:26:00.0000	1633	1354
Sat Jun 10 2017 12:27:00.0000	1633	1414
Sat Jun 10 2017 12:28:00.0000	1622	1396
Sat Jun 10 2017 12:29:00.0000	1616	1379
Sat Jun 10 2017 12:30:00.0000	1611	1432
Sat Jun 10 2017 12:31:00.0000	1606	1389
Sat Jun 10 2017 12:32:00.0000	1602	1400
Sat Jun 10 2017 12:33:00.0000	1601	1429
Sat Jun 10 2017 12:34:00.0000	1610	1394
Sat Jun 10 2017 12:35:00.0000	1616	1416
Sat Jun 10 2017 12:36:00.0000	1623	1415
Sat Jun 10 2017 12:37:00.0000	1625	1367
Sat Jun 10 2017 12:38:00.0000	1624	1360
Sat Jun 10 2017 12:39:00.0000	1629	1431
Sat Jun 10 2017 12:40:00.0000	1632	1384
Sat Jun 10 2017 12:41:00.0000	1629	1401
Sat Jun 10 2017 12:42:00.0000	1621	1423
Sat Jun 10 2017 12:43:00.0000	1617	1385
Sat Jun 10 2017 12:44:00.0000	1614	1410
Sat Jun 10 2017 12:45:00.0000	1611	1426
Sat Jun 10 2017 12:46:00.0000	1608	1394
Sat Jun 10 2017 12:47:00.0000	1605	1409
Sat Jun 10 2017 12:48:00.0000	1604	1421
Sat Jun 10 2017 12:49:00.0000	1603	1374
Sat Jun 10 2017 12:50:00.0000	1603	1425
Sat Jun 10 2017 12:51:00.0000	1605	1438
Sat Jun 10 2017 12:52:00.0000	1607	1431
Sat Jun 10 2017 12:53:00.0000	1611	1377
Sat Jun 10 2017 12:54:00.0000	1614	1424
Sat Jun 10 2017 12:55:00.0000	1614	1374
Sat Jun 10 2017 12:56:00.0000	1613	1433
Sat Jun 10 2017 12:57:00.0000	1616	1425
Sat Jun 10 2017 12:58:00.0000	1617	1374
Sat Jun 10 2017 12:59:00.0000	1618	1401
Sat Jun 10 2017 13:00:00.0000	1617	1406
Sat Jun 10 2017 13:01:00.0000	1618	1382
Sat Jun 10 2017 13:02:00.0000	1620	1412
Sat Jun 10 2017 13:03:00.0000	1621	1414

Date/Time	Process Temperature (°F)	Process Flow SCFM
Sat Jun 10 2017 13:04:00.0000	1619	1420
Sat Jun 10 2017 13:05:00.0000	1618	1393
Sat Jun 10 2017 13:06:00.0000	1621	1360
Sat Jun 10 2017 13:07:00.0000	1623	1411
Sat Jun 10 2017 13:08:00.0000	1622	1429
Sat Jun 10 2017 13:09:00.0000	1620	1476
Sat Jun 10 2017 13:10:00.0000	1622	1338
Sat Jun 10 2017 13:11:00.0000	1623	1425
Sat Jun 10 2017 13:12:00.0000	1624	1380
Sat Jun 10 2017 13:13:00.0000	1622	1393
Sat Jun 10 2017 13:14:00.0000	1622	1397
Sat Jun 10 2017 13:15:00.0000	1624	1379
Sat Jun 10 2017 13:16:00.0000	1626	1455
Sat Jun 10 2017 13:17:00.0000	1624	1403
Sat Jun 10 2017 13:18:00.0000	1623	1559
Sat Jun 10 2017 13:19:00.0000	1625	1433
Sat Jun 10 2017 13:20:00.0000	1626	1415
Sat Jun 10 2017 13:21:00.0000	1626	1393
Sat Jun 10 2017 13:22:00.0000	1624	1404
Sat Jun 10 2017 13:23:00.0000	1625	1397
Sat Jun 10 2017 13:24:00.0000	1627	1425
Sat Jun 10 2017 13:25:00.0000	1628	1441
Sat Jun 10 2017 13:26:00.0000	1626	1363
Sat Jun 10 2017 13:27:00.0000	1625	1431
Sat Jun 10 2017 13:28:00.0000	1627	1422
Sat Jun 10 2017 13:29:00.0000	1629	1469
Sat Jun 10 2017 13:30:00.0000	1629	1434
Sat Jun 10 2017 13:31:00.0000	1626	1438
Sat Jun 10 2017 13:32:00.0000	1627	1478
Sat Jun 10 2017 13:33:00.0000	1629	1409
Sat Jun 10 2017 13:34:00.0000	1629	1457
Sat Jun 10 2017 13:35:00.0000	1628	1378
Sat Jun 10 2017 13:36:00.0000	1627	1495
Sat Jun 10 2017 13:37:00.0000	1629	1459
Sat Jun 10 2017 13:38:00.0000	1630	1389
Sat Jun 10 2017 13:39:00.0000	1630	1420
Sat Jun 10 2017 13:40:00.0000	1628	1434
Sat Jun 10 2017 13:41:00.0000	1629	1421
Sat Jun 10 2017 13:42:00.0000	1630	1425
Sat Jun 10 2017 13:43:00.0000	1632	1447
Sat Jun 10 2017 13:44:00.0000	1630	1414
Sat Jun 10 2017 13:45:00.0000	1628	1409
Sat Jun 10 2017 13:46:00.0000	1631	1427
Sat Jun 10 2017 13:47:00.0000	1632	1440
Sat Jun 10 2017 13:48:00.0000	1632	1417
Sat Jun 10 2017 13:49:00.0000	1629	1394
Sat Jun 10 2017 13:50:00.0000	1631	1409
Sat Jun 10 2017 13:51:00.0000	1632	1425
Sat Jun 10 2017 13:52:00.0000	1632	1442
Sat Jun 10 2017 13:53:00.0000	1625	1407
Sat Jun 10 2017 13:54:00.0000	1621	1419
Sat Jun 10 2017 13:55:00.0000	1619	1477
Sat Jun 10 2017 13:56:00.0000	1617	1475
Sat Jun 10 2017 13:57:00.0000	1614	1431
Sat Jun 10 2017 13:58:00.0000	1611	1420
Sat Jun 10 2017 13:59:00.0000	1611	1433
Sat Jun 10 2017 14:00:00.0000	1610	1507

Date/Time	Process Temperature (°F)	Process Flow SCFM
Sat Jun 10 2017 14:01:00.0000	1608	1442
Sat Jun 10 2017 14:02:00.0000	1606	1432
Sat Jun 10 2017 14:03:00.0000	1604	1437
Sat Jun 10 2017 14:04:00.0000	1604	1388
Sat Jun 10 2017 14:05:00.0000	1603	1438
Sat Jun 10 2017 14:06:00.0000	1602	1461
Sat Jun 10 2017 14:07:00.0000	1605	1396
Sat Jun 10 2017 14:08:00.0000	1614	1408
Sat Jun 10 2017 14:09:00.0000	1619	1426
Sat Jun 10 2017 14:10:00.0000	1625	1400
Sat Jun 10 2017 14:11:00.0000	1625	1521
Sat Jun 10 2017 14:12:00.0000	1627	1413
Sat Jun 10 2017 14:13:00.0000	1630	1453
Sat Jun 10 2017 14:14:00.0000	1634	1473
Sat Jun 10 2017 14:15:00.0000	1626	1514
Sat Jun 10 2017 14:16:00.0000	1620	1390
Sat Jun 10 2017 14:17:00.0000	1617	1438
Sat Jun 10 2017 14:18:00.0000	1614	1466
Sat Jun 10 2017 14:19:00.0000	1611	1410
Sat Jun 10 2017 14:20:00.0000	1609	1483
Sat Jun 10 2017 14:21:00.0000	1607	1416
Sat Jun 10 2017 14:22:00.0000	1607	1423
Sat Jun 10 2017 14:23:00.0000	1605	1410
Sat Jun 10 2017 14:24:00.0000	1603	1472
Sat Jun 10 2017 14:25:00.0000	1603	1411
Sat Jun 10 2017 14:26:00.0000	1608	1423
Sat Jun 10 2017 14:27:00.0000	1611	1389
Sat Jun 10 2017 14:28:00.0000	1614	1411
Sat Jun 10 2017 14:29:00.0000	1613	1469
Sat Jun 10 2017 14:30:00.0000	1614	1441
Sat Jun 10 2017 14:31:00.0000	1617	1387
Sat Jun 10 2017 14:32:00.0000	1619	1452
Sat Jun 10 2017 14:33:00.0000	1618	1418
Sat Jun 10 2017 14:34:00.0000	1617	1372
Sat Jun 10 2017 14:35:00.0000	1620	1397
Sat Jun 10 2017 14:36:00.0000	1621	1457
Sat Jun 10 2017 14:37:00.0000	1622	1427
Sat Jun 10 2017 14:38:00.0000	1620	1461
Sat Jun 10 2017 14:39:00.0000	1621	1469
Sat Jun 10 2017 14:40:00.0000	1623	1366
Sat Jun 10 2017 14:41:00.0000	1624	1435
Sat Jun 10 2017 14:42:00.0000	1623	1549
Sat Jun 10 2017 14:43:00.0000	1622	1472
Sat Jun 10 2017 14:44:00.0000	1624	1378
Sat Jun 10 2017 14:45:00.0000	1625	1392
Sat Jun 10 2017 14:46:00.0000	1625	1470
Sat Jun 10 2017 14:47:00.0000	1622	1481
Sat Jun 10 2017 14:48:00.0000	1624	1379
Sat Jun 10 2017 14:49:00.0000	1624	1431
Sat Jun 10 2017 14:50:00.0000	1625	1514
Sat Jun 10 2017 14:51:00.0000	1623	1420
Sat Jun 10 2017 14:52:00.0000	1623	1395
Sat Jun 10 2017 14:53:00.0000	1625	1385
Sat Jun 10 2017 14:54:00.0000	1626	1348
Sat Jun 10 2017 14:55:00.0000	1624	1400
Sat Jun 10 2017 14:56:00.0000	1622	1365
Sat Jun 10 2017 14:57:00.0000	1624	1422

Date/Time	Process Temperature (°F)	Process Flow SCFM
Sat Jun 10 2017 14:58:00.0000	1625	1418
Sat Jun 10 2017 14:59:00.0000	1626	1431
Sat Jun 10 2017 15:00:00.0000	1623	1453
Sat Jun 10 2017 15:01:00.0000	1623	1395
Sat Jun 10 2017 15:02:00.0000	1625	1356
Sat Jun 10 2017 15:03:00.0000	1627	1400
Sat Jun 10 2017 15:04:00.0000	1625	1399
Sat Jun 10 2017 15:05:00.0000	1623	1418
Sat Jun 10 2017 15:06:00.0000	1626	1399
Sat Jun 10 2017 15:07:00.0000	1627	1430
Sat Jun 10 2017 15:08:00.0000	1626	1366
Sat Jun 10 2017 15:09:00.0000	1624	1387
Sat Jun 10 2017 15:10:00.0000	1625	1417
Sat Jun 10 2017 15:11:00.0000	1626	1391
Sat Jun 10 2017 15:12:00.0000	1627	1398
Sat Jun 10 2017 15:13:00.0000	1625	1385
Sat Jun 10 2017 15:14:00.0000	1624	1416
Sat Jun 10 2017 15:15:00.0000	1626	1399
Sat Jun 10 2017 15:16:00.0000	1627	1406
Sat Jun 10 2017 15:17:00.0000	1626	1410
Sat Jun 10 2017 15:18:00.0000	1624	1425
Sat Jun 10 2017 15:19:00.0000	1626	1390
Sat Jun 10 2017 15:20:00.0000	1628	1402
Sat Jun 10 2017 15:21:00.0000	1627	1437
Sat Jun 10 2017 15:22:00.0000	1625	1423
Sat Jun 10 2017 15:23:00.0000	1626	1361
Sat Jun 10 2017 15:24:00.0000	1627	1439
Sat Jun 10 2017 15:25:00.0000	1628	1396
Sat Jun 10 2017 15:26:00.0000	1627	1423
Sat Jun 10 2017 15:27:00.0000	1625	1416
Sat Jun 10 2017 15:28:00.0000	1627	1393
Sat Jun 10 2017 15:29:00.0000	1628	1408
Sat Jun 10 2017 15:30:00.0000	1628	1416
Sat Jun 10 2017 15:31:00.0000	1625	1406
Sat Jun 10 2017 15:32:00.0000	1627	1408
Sat Jun 10 2017 15:33:00.0000	1628	1485
Sat Jun 10 2017 15:34:00.0000	1629	1420
Sat Jun 10 2017 15:35:00.0000	1627	1437
Sat Jun 10 2017 15:36:00.0000	1626	1407
Sat Jun 10 2017 15:37:00.0000	1628	1491
Sat Jun 10 2017 15:38:00.0000	1629	1425
Sat Jun 10 2017 15:39:00.0000	1628	1430
Sat Jun 10 2017 15:40:00.0000	1626	1467
Sat Jun 10 2017 15:41:00.0000	1628	1401
Sat Jun 10 2017 15:42:00.0000	1629	1499
Sat Jun 10 2017 15:43:00.0000	1629	1501
Sat Jun 10 2017 15:44:00.0000	1627	1415
Sat Jun 10 2017 15:45:00.0000	1627	1460
Sat Jun 10 2017 15:46:00.0000	1629	1487
Sat Jun 10 2017 15:47:00.0000	1630	1475
Sat Jun 10 2017 15:48:00.0000	1628	1400
Sat Jun 10 2017 15:49:00.0000	1627	1401
Sat Jun 10 2017 15:50:00.0000	1629	1459
Sat Jun 10 2017 15:51:00.0000	1630	1428
Sat Jun 10 2017 15:52:00.0000	1630	1425
Sat Jun 10 2017 15:53:00.0000	1628	1470
Sat Jun 10 2017 15:54:00.0000	1628	1408

Date/Time	Process Temperature (°F)	Process Flow SCFM
Sat Jun 10 2017 15:55:00.0000	1630	1566
Sat Jun 10 2017 15:56:00.0000	1630	1374
Sat Jun 10 2017 15:57:00.0000	1629	1492
Sat Jun 10 2017 15:58:00.0000	1627	1421
Sat Jun 10 2017 15:59:00.0000	1629	1387
Sat Jun 10 2017 16:00:00.0000	1630	1360
Sat Jun 10 2017 16:01:00.0000	1630	1495
Sat Jun 10 2017 16:02:00.0000	1628	1451
Sat Jun 10 2017 16:03:00.0000	1629	1409
Sat Jun 10 2017 16:04:00.0000	1630	1449
Sat Jun 10 2017 16:05:00.0000	1631	1443
Sat Jun 10 2017 16:06:00.0000	1629	1551
Sat Jun 10 2017 16:07:00.0000	1628	1404
Sat Jun 10 2017 16:08:00.0000	1630	1426
Sat Jun 10 2017 16:09:00.0000	1631	1454
Sat Jun 10 2017 16:10:00.0000	1630	1431
Sat Jun 10 2017 16:11:00.0000	1628	1516
Sat Jun 10 2017 16:12:00.0000	1629	1413
Sat Jun 10 2017 16:13:00.0000	1630	1448
Sat Jun 10 2017 16:14:00.0000	1631	1425
Sat Jun 10 2017 16:15:00.0000	1629	1418
Sat Jun 10 2017 16:16:00.0000	1629	1402
Sat Jun 10 2017 16:17:00.0000	1630	1423
Sat Jun 10 2017 16:18:00.0000	1631	1410
Sat Jun 10 2017 16:19:00.0000	1631	1497
Sat Jun 10 2017 16:20:00.0000	1628	1415
Sat Jun 10 2017 16:21:00.0000	1630	1434
Sat Jun 10 2017 16:22:00.0000	1631	1439
Sat Jun 10 2017 16:23:00.0000	1632	1488
Sat Jun 10 2017 16:24:00.0000	1629	1473
Sat Jun 10 2017 16:25:00.0000	1629	1464
Sat Jun 10 2017 16:26:00.0000	1631	1437
Sat Jun 10 2017 16:27:00.0000	1632	1447
Sat Jun 10 2017 16:28:00.0000	1630	1440
Sat Jun 10 2017 16:29:00.0000	1628	1410
Sat Jun 10 2017 16:30:00.0000	1631	1416
Sat Jun 10 2017 16:31:00.0000	1632	1376
Sat Jun 10 2017 16:32:00.0000	1632	1436
Sat Jun 10 2017 16:33:00.0000	1630	1432
Sat Jun 10 2017 16:34:00.0000	1629	1434
Sat Jun 10 2017 16:35:00.0000	1631	1426
Sat Jun 10 2017 16:36:00.0000	1633	1463
Sat Jun 10 2017 16:37:00.0000	1631	1461
Sat Jun 10 2017 16:38:00.0000	1629	1461
Sat Jun 10 2017 16:39:00.0000	1631	1469
Sat Jun 10 2017 16:40:00.0000	1632	1432
Sat Jun 10 2017 16:41:00.0000	1632	1490
Sat Jun 10 2017 16:42:00.0000	1630	1452
Sat Jun 10 2017 16:43:00.0000	1630	1401
Sat Jun 10 2017 16:44:00.0000	1632	1431
Sat Jun 10 2017 16:45:00.0000	1633	1454
Sat Jun 10 2017 16:46:00.0000	1631	1468
Sat Jun 10 2017 16:47:00.0000	1629	1426
Sat Jun 10 2017 16:48:00.0000	1631	1501
Sat Jun 10 2017 16:49:00.0000	1632	1400
Sat Jun 10 2017 16:50:00.0000	1632	1348
Sat Jun 10 2017 16:51:00.0000	1630	1389

Date/Time	Process Temperature (°F)	Process Flow SCFM
Sat Jun 10 2017 16:52:00.0000	1631	1422
Sat Jun 10 2017 16:53:00.0000	1631	1403
Sat Jun 10 2017 16:54:00.0000	1633	1471
Sat Jun 10 2017 16:55:00.0000	1630	1414
Sat Jun 10 2017 16:56:00.0000	1629	1407
Sat Jun 10 2017 16:57:00.0000	1631	1354
Sat Jun 10 2017 16:58:00.0000	1633	1367
Sat Jun 10 2017 16:59:00.0000	1631	1475
Sat Jun 10 2017 17:00:00.0000	1630	1397
Sat Jun 10 2017 17:01:00.0000	1632	1465
Sat Jun 10 2017 17:02:00.0000	1631	1440
Sat Jun 10 2017 17:03:00.0000	1632	1425
Sat Jun 10 2017 17:04:00.0000	1630	1366
Sat Jun 10 2017 17:05:00.0000	1630	1423
Sat Jun 10 2017 17:06:00.0000	1632	1404
Sat Jun 10 2017 17:07:00.0000	1633	1460
Sat Jun 10 2017 17:08:00.0000	1631	1362
Sat Jun 10 2017 17:09:00.0000	1629	1496
Sat Jun 10 2017 17:10:00.0000	1632	1404
Sat Jun 10 2017 17:11:00.0000	1632	1503
Sat Jun 10 2017 17:12:00.0000	1632	1486
Sat Jun 10 2017 17:13:00.0000	1630	1349
Sat Jun 10 2017 17:14:00.0000	1631	1426
Sat Jun 10 2017 17:15:00.0000	1632	1566
Sat Jun 10 2017 17:16:00.0000	1633	1442
Sat Jun 10 2017 17:17:00.0000	1631	1397
Sat Jun 10 2017 17:18:00.0000	1631	1415
Sat Jun 10 2017 17:19:00.0000	1631	1466
Sat Jun 10 2017 17:20:00.0000	1633	1428
Sat Jun 10 2017 17:21:00.0000	1632	1413
Sat Jun 10 2017 17:22:00.0000	1630	1489
Sat Jun 10 2017 17:23:00.0000	1631	1490
Sat Jun 10 2017 17:24:00.0000	1632	1322
Sat Jun 10 2017 17:25:00.0000	1633	1437
Sat Jun 10 2017 17:26:00.0000	1630	1508
Sat Jun 10 2017 17:27:00.0000	1630	1456
Sat Jun 10 2017 17:28:00.0000	1632	1361
Sat Jun 10 2017 17:29:00.0000	1633	1400
Sat Jun 10 2017 17:30:00.0000	1628	1432
Sat Jun 10 2017 17:31:00.0000	1623	1479
Sat Jun 10 2017 17:32:00.0000	1621	1445
Sat Jun 10 2017 17:33:00.0000	1618	1438
Sat Jun 10 2017 17:34:00.0000	1615	1480
Sat Jun 10 2017 17:35:00.0000	1612	1447
Sat Jun 10 2017 17:36:00.0000	1611	1449
Sat Jun 10 2017 17:37:00.0000	1610	1365
Sat Jun 10 2017 17:38:00.0000	1608	1442
Sat Jun 10 2017 17:39:00.0000	1606	1412
Sat Jun 10 2017 17:40:00.0000	1604	1429
Sat Jun 10 2017 17:41:00.0000	1604	1488
Sat Jun 10 2017 17:42:00.0000	1603	1431
Sat Jun 10 2017 17:43:00.0000	1602	1410
Sat Jun 10 2017 17:44:00.0000	1604	1432
Sat Jun 10 2017 17:45:00.0000	1608	1410
Sat Jun 10 2017 17:46:00.0000	1611	1412
Sat Jun 10 2017 17:47:00.0000	1614	1411
Sat Jun 10 2017 17:48:00.0000	1613	1506

Date/Time	Process Temperature (°F)	Process Flow SCFM
Sat Jun 10 2017 17:49:00.0000	1614	1434
Sat Jun 10 2017 17:50:00.0000	1616	1399
Sat Jun 10 2017 17:51:00.0000	1618	1399
Sat Jun 10 2017 17:52:00.0000	1618	1441
Sat Jun 10 2017 17:53:00.0000	1616	1409
Sat Jun 10 2017 17:54:00.0000	1618	1468
Sat Jun 10 2017 17:55:00.0000	1620	1401
Sat Jun 10 2017 17:56:00.0000	1621	1389
Sat Jun 10 2017 17:57:00.0000	1619	1395
Sat Jun 10 2017 17:58:00.0000	1619	1403
Sat Jun 10 2017 17:59:00.0000	1621	1395
Sat Jun 10 2017 18:00:00.0000	1623	1395
Sat Jun 10 2017 18:01:00.0000	1622	1362
Sat Jun 10 2017 18:02:00.0000	1621	1436
Sat Jun 10 2017 18:03:00.0000	1622	1375
Sat Jun 10 2017 18:04:00.0000	1623	1391
Sat Jun 10 2017 18:05:00.0000	1624	1409
Sat Jun 10 2017 18:06:00.0000	1622	1365
Sat Jun 10 2017 18:07:00.0000	1622	1381
Sat Jun 10 2017 18:08:00.0000	1624	1410
Sat Jun 10 2017 18:09:00.0000	1625	1399
Sat Jun 10 2017 18:10:00.0000	1624	1400
Sat Jun 10 2017 18:11:00.0000	1622	1421
Sat Jun 10 2017 18:12:00.0000	1624	1362
Sat Jun 10 2017 18:13:00.0000	1626	1407
Sat Jun 10 2017 18:14:00.0000	1626	1394
Sat Jun 10 2017 18:15:00.0000	1623	1373
Sat Jun 10 2017 18:16:00.0000	1624	1389
Sat Jun 10 2017 18:17:00.0000	1625	1407
Sat Jun 10 2017 18:18:00.0000	1627	1397
Sat Jun 10 2017 18:19:00.0000	1625	1404
Sat Jun 10 2017 18:20:00.0000	1623	1375
Sat Jun 10 2017 18:21:00.0000	1626	1402
Sat Jun 10 2017 18:22:00.0000	1627	1390
Sat Jun 10 2017 18:23:00.0000	1626	1406
Sat Jun 10 2017 18:24:00.0000	1624	1405
Sat Jun 10 2017 18:25:00.0000	1625	1412
Sat Jun 10 2017 18:26:00.0000	1626	1404
Sat Jun 10 2017 18:27:00.0000	1627	1390
Sat Jun 10 2017 18:28:00.0000	1626	1383
Sat Jun 10 2017 18:29:00.0000	1625	1416
Sat Jun 10 2017 18:30:00.0000	1626	1393
Sat Jun 10 2017 18:31:00.0000	1627	1392
Sat Jun 10 2017 18:32:00.0000	1627	1401
Sat Jun 10 2017 18:33:00.0000	1624	1404
Sat Jun 10 2017 18:34:00.0000	1626	1436
Sat Jun 10 2017 18:35:00.0000	1627	1422
Sat Jun 10 2017 18:36:00.0000	1627	1392
Sat Jun 10 2017 18:37:00.0000	1626	1378
Sat Jun 10 2017 18:38:00.0000	1625	1392
Sat Jun 10 2017 18:39:00.0000	1627	1409
Sat Jun 10 2017 18:40:00.0000	1628	1398
Sat Jun 10 2017 18:41:00.0000	1627	1393
Sat Jun 10 2017 18:42:00.0000	1624	1409
Sat Jun 10 2017 18:43:00.0000	1626	1418
Sat Jun 10 2017 18:44:00.0000	1627	1358
Sat Jun 10 2017 18:45:00.0000	1628	1402

Date/Time	Process Temperature (°F)	Process Flow SCFM
Sat Jun 10 2017 18:46:00.0000	1626	1413
Sat Jun 10 2017 18:47:00.0000	1626	1404
Sat Jun 10 2017 18:48:00.0000	1627	1377
Sat Jun 10 2017 18:49:00.0000	1628	1393
Sat Jun 10 2017 18:50:00.0000	1627	1396
Sat Jun 10 2017 18:51:00.0000	1625	1416
Sat Jun 10 2017 18:52:00.0000	1627	1404
Sat Jun 10 2017 18:53:00.0000	1628	1419
Sat Jun 10 2017 18:54:00.0000	1628	1420
Sat Jun 10 2017 18:55:00.0000	1626	1357
Sat Jun 10 2017 18:56:00.0000	1626	1489
Sat Jun 10 2017 18:57:00.0000	1628	1399
Sat Jun 10 2017 18:58:00.0000	1629	1477
Sat Jun 10 2017 18:59:00.0000	1627	1368
Sat Jun 10 2017 19:00:00.0000	1626	1422
Sat Jun 10 2017 19:01:00.0000	1627	1503
Sat Jun 10 2017 19:02:00.0000	1628	1430
Sat Jun 10 2017 19:03:00.0000	1628	1443
Sat Jun 10 2017 19:04:00.0000	1626	1409
Sat Jun 10 2017 19:05:00.0000	1627	1406
Sat Jun 10 2017 19:06:00.0000	1628	1370
Sat Jun 10 2017 19:07:00.0000	1629	1351
Sat Jun 10 2017 19:08:00.0000	1627	1394
Sat Jun 10 2017 19:09:00.0000	1627	1459
Sat Jun 10 2017 19:10:00.0000	1628	1508
Sat Jun 10 2017 19:11:00.0000	1629	1393
Sat Jun 10 2017 19:12:00.0000	1627	1456
Sat Jun 10 2017 19:13:00.0000	1626	1422
Sat Jun 10 2017 19:14:00.0000	1627	1379
Sat Jun 10 2017 19:15:00.0000	1628	1394
Sat Jun 10 2017 19:16:00.0000	1628	1330
Sat Jun 10 2017 19:17:00.0000	1626	1405
Sat Jun 10 2017 19:18:00.0000	1626	1365
Sat Jun 10 2017 19:19:00.0000	1628	1393
Sat Jun 10 2017 19:20:00.0000	1629	1386
Sat Jun 10 2017 19:21:00.0000	1627	1373
Sat Jun 10 2017 19:22:00.0000	1625	1389
Sat Jun 10 2017 19:23:00.0000	1627	1386
Sat Jun 10 2017 19:24:00.0000	1628	1410
Sat Jun 10 2017 19:25:00.0000	1628	1411
Sat Jun 10 2017 19:26:00.0000	1626	1368
Sat Jun 10 2017 19:27:00.0000	1626	1337
Sat Jun 10 2017 19:28:00.0000	1627	1360
Sat Jun 10 2017 19:29:00.0000	1629	1400
Sat Jun 10 2017 19:30:00.0000	1627	1390
Sat Jun 10 2017 19:31:00.0000	1625	1367
Sat Jun 10 2017 19:32:00.0000	1627	1390
Sat Jun 10 2017 19:33:00.0000	1628	1354
Sat Jun 10 2017 19:34:00.0000	1628	1402
Sat Jun 10 2017 19:35:00.0000	1626	1369
Sat Jun 10 2017 19:36:00.0000	1626	1377
Sat Jun 10 2017 19:37:00.0000	1627	1395
Sat Jun 10 2017 19:38:00.0000	1628	1393
Sat Jun 10 2017 19:39:00.0000	1627	1385
Sat Jun 10 2017 19:40:00.0000	1625	1385
Sat Jun 10 2017 19:41:00.0000	1627	1365
Sat Jun 10 2017 19:42:00.0000	1628	1450

Date/Time	Process Temperature (°F)	Process Flow SCFM
Sat Jun 10 2017 19:43:00.0000	1628	1395
Sat Jun 10 2017 19:44:00.0000	1626	1368
Sat Jun 10 2017 19:45:00.0000	1626	1387
Sat Jun 10 2017 19:46:00.0000	1627	1369
Sat Jun 10 2017 19:47:00.0000	1628	1400
Sat Jun 10 2017 19:48:00.0000	1627	1365
Sat Jun 10 2017 19:49:00.0000	1625	1394
Sat Jun 10 2017 19:50:00.0000	1627	1375
Sat Jun 10 2017 19:51:00.0000	1628	1320
Sat Jun 10 2017 19:52:00.0000	1628	1406
Sat Jun 10 2017 19:53:00.0000	1626	1378
Sat Jun 10 2017 19:54:00.0000	1626	1370
Sat Jun 10 2017 19:55:00.0000	1627	1353
Sat Jun 10 2017 19:56:00.0000	1628	1335
Sat Jun 10 2017 19:57:00.0000	1626	1481
Sat Jun 10 2017 19:58:00.0000	1625	1356
Sat Jun 10 2017 19:59:00.0000	1626	1383
Sat Jun 10 2017 20:00:00.0000	1627	1512
Sat Jun 10 2017 20:01:00.0000	1627	1427
Sat Jun 10 2017 20:02:00.0000	1625	1392
Sat Jun 10 2017 20:03:00.0000	1625	1395
Sat Jun 10 2017 20:04:00.0000	1626	1367
Sat Jun 10 2017 20:05:00.0000	1627	1404
Sat Jun 10 2017 20:06:00.0000	1626	1358
Sat Jun 10 2017 20:07:00.0000	1624	1378
Sat Jun 10 2017 20:08:00.0000	1626	1383
Sat Jun 10 2017 20:09:00.0000	1627	1397
Sat Jun 10 2017 20:10:00.0000	1627	1444
Sat Jun 10 2017 20:11:00.0000	1624	1431
Sat Jun 10 2017 20:12:00.0000	1625	1393
Sat Jun 10 2017 20:13:00.0000	1627	1375
Sat Jun 10 2017 20:14:00.0000	1627	1338
Sat Jun 10 2017 20:15:00.0000	1625	1453
Sat Jun 10 2017 20:16:00.0000	1625	1278
Sat Jun 10 2017 20:17:00.0000	1626	1410
Sat Jun 10 2017 20:18:00.0000	1627	1424
Sat Jun 10 2017 20:19:00.0000	1626	1424
Sat Jun 10 2017 20:20:00.0000	1624	1405
Sat Jun 10 2017 20:21:00.0000	1626	1341
Sat Jun 10 2017 20:22:00.0000	1627	1421
Sat Jun 10 2017 20:23:00.0000	1627	1396
Sat Jun 10 2017 20:24:00.0000	1625	1394
Sat Jun 10 2017 20:25:00.0000	1625	1393
Sat Jun 10 2017 20:26:00.0000	1627	1394
Sat Jun 10 2017 20:27:00.0000	1627	1414
Sat Jun 10 2017 20:28:00.0000	1626	1363
Sat Jun 10 2017 20:29:00.0000	1624	1334
Sat Jun 10 2017 20:30:00.0000	1626	1408
Sat Jun 10 2017 20:31:00.0000	1627	1351
Sat Jun 10 2017 20:32:00.0000	1627	1537
Sat Jun 10 2017 20:33:00.0000	1624	1346
Sat Jun 10 2017 20:34:00.0000	1625	1343
Sat Jun 10 2017 20:35:00.0000	1626	1378
Sat Jun 10 2017 20:36:00.0000	1627	1373
Sat Jun 10 2017 20:37:00.0000	1625	1377
Sat Jun 10 2017 20:38:00.0000	1624	1363
Sat Jun 10 2017 20:39:00.0000	1626	1462

Date/Time	Process Temperature (°F)	Process Flow SCFM
Sat Jun 10 2017 20:40:00.0000	1627	1335
Sat Jun 10 2017 20:41:00.0000	1626	1371
Sat Jun 10 2017 20:42:00.0000	1624	1346
Sat Jun 10 2017 20:43:00.0000	1625	1349
Sat Jun 10 2017 20:44:00.0000	1626	1327
Sat Jun 10 2017 20:45:00.0000	1627	1365
Sat Jun 10 2017 20:46:00.0000	1624	1358
Sat Jun 10 2017 20:47:00.0000	1624	1342
Sat Jun 10 2017 20:48:00.0000	1626	1368
Sat Jun 10 2017 20:49:00.0000	1627	1356
Sat Jun 10 2017 20:50:00.0000	1625	1362
Sat Jun 10 2017 20:51:00.0000	1623	1358
Sat Jun 10 2017 20:52:00.0000	1625	1470
Sat Jun 10 2017 20:53:00.0000	1628	1345
Sat Jun 10 2017 20:54:00.0000	1628	1359
Sat Jun 10 2017 20:55:00.0000	1626	1332
Sat Jun 10 2017 20:56:00.0000	1627	1369
Sat Jun 10 2017 20:57:00.0000	1629	1378
Sat Jun 10 2017 20:58:00.0000	1630	1377
Sat Jun 10 2017 20:59:00.0000	1629	1366
Sat Jun 10 2017 21:00:00.0000	1628	1356
Sat Jun 10 2017 21:01:00.0000	1630	1348
Sat Jun 10 2017 21:02:00.0000	1632	1366
Sat Jun 10 2017 21:03:00.0000	1631	1354
Sat Jun 10 2017 21:04:00.0000	1629	1353
Sat Jun 10 2017 21:05:00.0000	1631	1361
Sat Jun 10 2017 21:06:00.0000	1632	1386
Sat Jun 10 2017 21:07:00.0000	1632	1346
Sat Jun 10 2017 21:08:00.0000	1625	1373
Sat Jun 10 2017 21:09:00.0000	1621	1394
Sat Jun 10 2017 21:10:00.0000	1620	1316
Sat Jun 10 2017 21:11:00.0000	1618	1371
Sat Jun 10 2017 21:12:00.0000	1615	1373
Sat Jun 10 2017 21:13:00.0000	1613	1388
Sat Jun 10 2017 21:14:00.0000	1613	1380
Sat Jun 10 2017 21:15:00.0000	1612	1392
Sat Jun 10 2017 21:16:00.0000	1610	1391
Sat Jun 10 2017 21:17:00.0000	1608	1376
Sat Jun 10 2017 21:18:00.0000	1607	1345
Sat Jun 10 2017 21:19:00.0000	1607	1520
Sat Jun 10 2017 21:20:00.0000	1607	1370
Sat Jun 10 2017 21:21:00.0000	1605	1368
Sat Jun 10 2017 21:22:00.0000	1603	1494
Sat Jun 10 2017 21:23:00.0000	1604	1367
Sat Jun 10 2017 21:24:00.0000	1603	1497
Sat Jun 10 2017 21:25:00.0000	1602	1446
Sat Jun 10 2017 21:26:00.0000	1602	1407
Sat Jun 10 2017 21:27:00.0000	1610	1348
Sat Jun 10 2017 21:28:00.0000	1615	1337
Sat Jun 10 2017 21:29:00.0000	1622	1364
Sat Jun 10 2017 21:30:00.0000	1623	1344
Sat Jun 10 2017 21:31:00.0000	1624	1346
Sat Jun 10 2017 21:32:00.0000	1627	1372
Sat Jun 10 2017 21:33:00.0000	1632	1369
Sat Jun 10 2017 21:34:00.0000	1632	1387
Sat Jun 10 2017 21:35:00.0000	1630	1382
Sat Jun 10 2017 21:36:00.0000	1633	1365

Date/Time	Process Temperature (°F)	Process Flow SCFM
Sat Jun 10 2017 21:37:00.0000	1627	1402
Sat Jun 10 2017 21:38:00.0000	1621	1362
Sat Jun 10 2017 21:39:00.0000	1616	1382
Sat Jun 10 2017 21:40:00.0000	1613	1350
Sat Jun 10 2017 21:41:00.0000	1611	1348
Sat Jun 10 2017 21:42:00.0000	1608	1375
Sat Jun 10 2017 21:43:00.0000	1605	1347
Sat Jun 10 2017 21:44:00.0000	1603	1400
Sat Jun 10 2017 21:45:00.0000	1602	1385
Sat Jun 10 2017 21:46:00.0000	1601	1395
Sat Jun 10 2017 21:47:00.0000	1604	1346
Sat Jun 10 2017 21:48:00.0000	1605	1425
Sat Jun 10 2017 21:49:00.0000	1609	1495
Sat Jun 10 2017 21:50:00.0000	1611	1343
Sat Jun 10 2017 21:51:00.0000	1613	1366
Sat Jun 10 2017 21:52:00.0000	1611	1381
Sat Jun 10 2017 21:53:00.0000	1611	1372
Sat Jun 10 2017 21:54:00.0000	1613	1420
Sat Jun 10 2017 21:55:00.0000	1616	1351
Sat Jun 10 2017 21:56:00.0000	1616	1364
Sat Jun 10 2017 21:57:00.0000	1614	1340
Sat Jun 10 2017 21:58:00.0000	1616	1370
Sat Jun 10 2017 21:59:00.0000	1618	1372
Sat Jun 10 2017 22:00:00.0000	1619	1312
Sat Jun 10 2017 22:01:00.0000	1618	1346
Sat Jun 10 2017 22:02:00.0000	1617	1386
Sat Jun 10 2017 22:03:00.0000	1619	1356
Sat Jun 10 2017 22:04:00.0000	1621	1382
Sat Jun 10 2017 22:05:00.0000	1621	1379
Sat Jun 10 2017 22:06:00.0000	1619	1338
Sat Jun 10 2017 22:07:00.0000	1620	1346
Sat Jun 10 2017 22:08:00.0000	1621	1323
Sat Jun 10 2017 22:09:00.0000	1623	1358
Sat Jun 10 2017 22:10:00.0000	1621	1382
Sat Jun 10 2017 22:11:00.0000	1621	1388
Sat Jun 10 2017 22:12:00.0000	1622	1366
Sat Jun 10 2017 22:13:00.0000	1624	1326
Sat Jun 10 2017 22:14:00.0000	1623	1361
Sat Jun 10 2017 22:15:00.0000	1621	1382
Sat Jun 10 2017 22:16:00.0000	1623	1422
Sat Jun 10 2017 22:17:00.0000	1624	1363
Sat Jun 10 2017 22:18:00.0000	1624	1365
Sat Jun 10 2017 22:19:00.0000	1622	1367
Sat Jun 10 2017 22:20:00.0000	1623	1347
Sat Jun 10 2017 22:21:00.0000	1624	1375
Sat Jun 10 2017 22:22:00.0000	1625	1368
Sat Jun 10 2017 22:23:00.0000	1624	1364
Sat Jun 10 2017 22:24:00.0000	1623	1363
Sat Jun 10 2017 22:25:00.0000	1625	1362
Sat Jun 10 2017 22:26:00.0000	1626	1359
Sat Jun 10 2017 22:27:00.0000	1626	1370
Sat Jun 10 2017 22:28:00.0000	1623	1386
Sat Jun 10 2017 22:29:00.0000	1624	1360
Sat Jun 10 2017 22:30:00.0000	1626	1364
Sat Jun 10 2017 22:31:00.0000	1627	1372
Sat Jun 10 2017 22:32:00.0000	1625	1342
Sat Jun 10 2017 22:33:00.0000	1624	1370

Date/Time	Process Temperature (°F)	Process Flow SCFM
Sat Jun 10 2017 22:34:00.0000	1626	1407
Sat Jun 10 2017 22:35:00.0000	1627	1335
Sat Jun 10 2017 22:36:00.0000	1626	1360
Sat Jun 10 2017 22:37:00.0000	1624	1367
Sat Jun 10 2017 22:38:00.0000	1626	1388
Sat Jun 10 2017 22:39:00.0000	1627	1357
Sat Jun 10 2017 22:40:00.0000	1628	1372
Sat Jun 10 2017 22:41:00.0000	1626	1357
Sat Jun 10 2017 22:42:00.0000	1626	1340
Sat Jun 10 2017 22:43:00.0000	1627	1377
Sat Jun 10 2017 22:44:00.0000	1628	1366
Sat Jun 10 2017 22:45:00.0000	1627	1375
Sat Jun 10 2017 22:46:00.0000	1625	1367
Sat Jun 10 2017 22:47:00.0000	1627	1386
Sat Jun 10 2017 22:48:00.0000	1628	1324
Sat Jun 10 2017 22:49:00.0000	1627	1386
Sat Jun 10 2017 22:50:00.0000	1625	1357
Sat Jun 10 2017 22:51:00.0000	1627	1369
Sat Jun 10 2017 22:52:00.0000	1628	1368
Sat Jun 10 2017 22:53:00.0000	1629	1358
Sat Jun 10 2017 22:54:00.0000	1627	1345
Sat Jun 10 2017 22:55:00.0000	1626	1362
Sat Jun 10 2017 22:56:00.0000	1628	1389
Sat Jun 10 2017 22:57:00.0000	1629	1375
Sat Jun 10 2017 22:58:00.0000	1628	1347
Sat Jun 10 2017 22:59:00.0000	1626	1352
Sat Jun 10 2017 23:00:00.0000	1628	1368
Sat Jun 10 2017 23:01:00.0000	1628	1334
Sat Jun 10 2017 23:02:00.0000	1630	1373
Sat Jun 10 2017 23:03:00.0000	1627	1369
Sat Jun 10 2017 23:04:00.0000	1626	1334
Sat Jun 10 2017 23:05:00.0000	1628	1357
Sat Jun 10 2017 23:06:00.0000	1630	1364
Sat Jun 10 2017 23:07:00.0000	1629	1381
Sat Jun 10 2017 23:08:00.0000	1627	1357
Sat Jun 10 2017 23:09:00.0000	1628	1380
Sat Jun 10 2017 23:10:00.0000	1629	1379
Sat Jun 10 2017 23:11:00.0000	1630	1373
Sat Jun 10 2017 23:12:00.0000	1628	1372
Sat Jun 10 2017 23:13:00.0000	1627	1368
Sat Jun 10 2017 23:14:00.0000	1629	1381
Sat Jun 10 2017 23:15:00.0000	1630	1381
Sat Jun 10 2017 23:16:00.0000	1629	1377
Sat Jun 10 2017 23:17:00.0000	1627	1344
Sat Jun 10 2017 23:18:00.0000	1629	1378
Sat Jun 10 2017 23:19:00.0000	1630	1319
Sat Jun 10 2017 23:20:00.0000	1630	1362
Sat Jun 10 2017 23:21:00.0000	1628	1365
Sat Jun 10 2017 23:22:00.0000	1629	1353
Sat Jun 10 2017 23:23:00.0000	1629	1366
Sat Jun 10 2017 23:24:00.0000	1631	1353
Sat Jun 10 2017 23:25:00.0000	1629	1360
Sat Jun 10 2017 23:26:00.0000	1628	1364
Sat Jun 10 2017 23:27:00.0000	1629	1369
Sat Jun 10 2017 23:28:00.0000	1631	1351
Sat Jun 10 2017 23:29:00.0000	1630	1364
Sat Jun 10 2017 23:30:00.0000	1628	1338

Date/Time	Process Temperature (°F)	Process Flow SCFM
Sat Jun 10 2017 23:31:00.0000	1629	1361
Sat Jun 10 2017 23:32:00.0000	1630	1383
Sat Jun 10 2017 23:33:00.0000	1631	1375
Sat Jun 10 2017 23:34:00.0000	1629	1370
Sat Jun 10 2017 23:35:00.0000	1628	1341
Sat Jun 10 2017 23:36:00.0000	1630	1351
Sat Jun 10 2017 23:37:00.0000	1631	1393
Sat Jun 10 2017 23:38:00.0000	1630	1360
Sat Jun 10 2017 23:39:00.0000	1628	1350
Sat Jun 10 2017 23:40:00.0000	1630	1363
Sat Jun 10 2017 23:41:00.0000	1631	1325
Sat Jun 10 2017 23:42:00.0000	1631	1361
Sat Jun 10 2017 23:43:00.0000	1629	1350
Sat Jun 10 2017 23:44:00.0000	1629	1375
Sat Jun 10 2017 23:45:00.0000	1630	1367
Sat Jun 10 2017 23:46:00.0000	1631	1379
Sat Jun 10 2017 23:47:00.0000	1630	1354
Sat Jun 10 2017 23:48:00.0000	1628	1353
Sat Jun 10 2017 23:49:00.0000	1630	1350
Sat Jun 10 2017 23:50:00.0000	1631	1357
Sat Jun 10 2017 23:51:00.0000	1631	1345
Sat Jun 10 2017 23:52:00.0000	1629	1357
Sat Jun 10 2017 23:53:00.0000	1629	1373
Sat Jun 10 2017 23:54:00.0000	1630	1386
Sat Jun 10 2017 23:55:00.0000	1632	1404
Sat Jun 10 2017 23:56:00.0000	1631	1337
Sat Jun 10 2017 23:57:00.0000	1629	1365
Sat Jun 10 2017 23:58:00.0000	1631	1425
Sat Jun 10 2017 23:59:00.0000	1631	1358
Sun Jun 11 2017 00:00:00.0000	1632	1327
Sun Jun 11 2017 00:01:00.0000	1630	1400
Sun Jun 11 2017 00:02:00.0000	1629	1357
Sun Jun 11 2017 00:03:00.0000	1631	1406
Sun Jun 11 2017 00:04:00.0000	1632	1380
Sun Jun 11 2017 00:05:00.0000	1630	1432
Sun Jun 11 2017 00:06:00.0000	1629	1344
Sun Jun 11 2017 00:07:00.0000	1631	1341
Sun Jun 11 2017 00:08:00.0000	1632	1360
Sun Jun 11 2017 00:09:00.0000	1632	1381
Sun Jun 11 2017 00:10:00.0000	1629	1360
Sun Jun 11 2017 00:11:00.0000	1630	1367
Sun Jun 11 2017 00:12:00.0000	1632	1386
Sun Jun 11 2017 00:13:00.0000	1633	1365
Sun Jun 11 2017 00:14:00.0000	1630	1379
Sun Jun 11 2017 00:15:00.0000	1629	1350
Sun Jun 11 2017 00:16:00.0000	1631	1352
Sun Jun 11 2017 00:17:00.0000	1632	1349
Sun Jun 11 2017 00:18:00.0000	1632	1342
Sun Jun 11 2017 00:19:00.0000	1629	1369
Sun Jun 11 2017 00:20:00.0000	1631	1376
Sun Jun 11 2017 00:21:00.0000	1632	1364
Sun Jun 11 2017 00:22:00.0000	1629	1387
Sun Jun 11 2017 00:23:00.0000	1624	1369
Sun Jun 11 2017 00:24:00.0000	1621	1360
Sun Jun 11 2017 00:25:00.0000	1620	1370
Sun Jun 11 2017 00:26:00.0000	1618	1357
Sun Jun 11 2017 00:27:00.0000	1615	1356

Date/Time	Process Temperature (°F)	Process Flow SCFM
Sun Jun 11 2017 00:28:00.0000	1613	1375
Sun Jun 11 2017 00:29:00.0000	1613	1345
Sun Jun 11 2017 00:30:00.0000	1612	1374
Sun Jun 11 2017 00:31:00.0000	1610	1438
Sun Jun 11 2017 00:32:00.0000	1608	1359
Sun Jun 11 2017 00:33:00.0000	1607	1372
Sun Jun 11 2017 00:34:00.0000	1607	1320
Sun Jun 11 2017 00:35:00.0000	1605	1375
Sun Jun 11 2017 00:36:00.0000	1604	1356
Sun Jun 11 2017 00:37:00.0000	1602	1337
Sun Jun 11 2017 00:38:00.0000	1603	1386
Sun Jun 11 2017 00:39:00.0000	1602	1356
Sun Jun 11 2017 00:40:00.0000	1602	1335
Sun Jun 11 2017 00:41:00.0000	1604	1369
Sun Jun 11 2017 00:42:00.0000	1607	1322
Sun Jun 11 2017 00:43:00.0000	1611	1340
Sun Jun 11 2017 00:44:00.0000	1613	1367
Sun Jun 11 2017 00:45:00.0000	1613	1350
Sun Jun 11 2017 00:46:00.0000	1612	1344
Sun Jun 11 2017 00:47:00.0000	1615	1370
Sun Jun 11 2017 00:48:00.0000	1617	1350
Sun Jun 11 2017 00:49:00.0000	1617	1350
Sun Jun 11 2017 00:50:00.0000	1615	1391
Sun Jun 11 2017 00:51:00.0000	1618	1401
Sun Jun 11 2017 00:52:00.0000	1619	1351
Sun Jun 11 2017 00:53:00.0000	1620	1369
Sun Jun 11 2017 00:54:00.0000	1618	1376
Sun Jun 11 2017 00:55:00.0000	1619	1356
Sun Jun 11 2017 00:56:00.0000	1620	1367
Sun Jun 11 2017 00:57:00.0000	1622	1391
Sun Jun 11 2017 00:58:00.0000	1621	1359
Sun Jun 11 2017 00:59:00.0000	1620	1376
Sun Jun 11 2017 01:00:00.0000	1622	1401
Sun Jun 11 2017 01:01:00.0000	1623	1334
Sun Jun 11 2017 01:02:00.0000	1622	1379
Sun Jun 11 2017 01:03:00.0000	1621	1376
Sun Jun 11 2017 01:04:00.0000	1622	1330
Sun Jun 11 2017 01:05:00.0000	1624	1373
Sun Jun 11 2017 01:06:00.0000	1624	1368
Sun Jun 11 2017 01:07:00.0000	1622	1348
Sun Jun 11 2017 01:08:00.0000	1622	1365
Sun Jun 11 2017 01:09:00.0000	1624	1383
Sun Jun 11 2017 01:10:00.0000	1625	1373
Sun Jun 11 2017 01:11:00.0000	1624	1358
Sun Jun 11 2017 01:12:00.0000	1622	1370
Sun Jun 11 2017 01:13:00.0000	1624	1368
Sun Jun 11 2017 01:14:00.0000	1625	1368
Sun Jun 11 2017 01:15:00.0000	1626	1352
Sun Jun 11 2017 01:16:00.0000	1623	1378
Sun Jun 11 2017 01:17:00.0000	1624	1360
Sun Jun 11 2017 01:18:00.0000	1625	1342
Sun Jun 11 2017 01:19:00.0000	1627	1371
Sun Jun 11 2017 01:20:00.0000	1625	1336
Sun Jun 11 2017 01:21:00.0000	1624	1398
Sun Jun 11 2017 01:22:00.0000	1626	1367
Sun Jun 11 2017 01:23:00.0000	1627	1395
Sun Jun 11 2017 01:24:00.0000	1627	1364

Date/Time	Process Temperature (°F)	Process Flow SCFM
Sun Jun 11 2017 01:25:00.0000	1625	1392
Sun Jun 11 2017 01:26:00.0000	1625	1364
Sun Jun 11 2017 01:27:00.0000	1627	1332
Sun Jun 11 2017 01:28:00.0000	1628	1372
Sun Jun 11 2017 01:29:00.0000	1626	1356
Sun Jun 11 2017 01:30:00.0000	1625	1361
Sun Jun 11 2017 01:31:00.0000	1627	1369
Sun Jun 11 2017 01:32:00.0000	1628	1354
Sun Jun 11 2017 01:33:00.0000	1628	1396
Sun Jun 11 2017 01:34:00.0000	1626	1388
Sun Jun 11 2017 01:35:00.0000	1626	1415
Sun Jun 11 2017 01:36:00.0000	1627	1354
Sun Jun 11 2017 01:37:00.0000	1629	1441
Sun Jun 11 2017 01:38:00.0000	1627	1382
Sun Jun 11 2017 01:39:00.0000	1626	1386
Sun Jun 11 2017 01:40:00.0000	1628	1391
Sun Jun 11 2017 01:41:00.0000	1629	1360
Sun Jun 11 2017 01:42:00.0000	1629	1343
Sun Jun 11 2017 01:43:00.0000	1626	1378
Sun Jun 11 2017 01:44:00.0000	1627	1346
Sun Jun 11 2017 01:45:00.0000	1629	1383
Sun Jun 11 2017 01:46:00.0000	1629	1381
Sun Jun 11 2017 01:47:00.0000	1627	1385
Sun Jun 11 2017 01:48:00.0000	1627	1342
Sun Jun 11 2017 01:49:00.0000	1628	1367
Sun Jun 11 2017 01:50:00.0000	1630	1396
Sun Jun 11 2017 01:51:00.0000	1629	1377
Sun Jun 11 2017 01:52:00.0000	1626	1376
Sun Jun 11 2017 01:53:00.0000	1629	1381
Sun Jun 11 2017 01:54:00.0000	1629	1365
Sun Jun 11 2017 01:55:00.0000	1630	1344
Sun Jun 11 2017 01:56:00.0000	1628	1390
Sun Jun 11 2017 01:57:00.0000	1628	1338
Sun Jun 11 2017 01:58:00.0000	1629	1327
Sun Jun 11 2017 01:59:00.0000	1630	1325
Sun Jun 11 2017 02:00:00.0000	1629	1362
Sun Jun 11 2017 02:01:00.0000	1627	1361
Sun Jun 11 2017 02:02:00.0000	1629	1412
Sun Jun 11 2017 02:03:00.0000	1630	1361
Sun Jun 11 2017 02:04:00.0000	1630	1356
Sun Jun 11 2017 02:05:00.0000	1628	1335
Sun Jun 11 2017 02:06:00.0000	1628	1417
Sun Jun 11 2017 02:07:00.0000	1630	1354
Sun Jun 11 2017 02:08:00.0000	1631	1357
Sun Jun 11 2017 02:09:00.0000	1629	1410
Sun Jun 11 2017 02:10:00.0000	1628	1373
Sun Jun 11 2017 02:11:00.0000	1630	1366
Sun Jun 11 2017 02:12:00.0000	1631	1315
Sun Jun 11 2017 02:13:00.0000	1630	1372
Sun Jun 11 2017 02:14:00.0000	1628	1362
Sun Jun 11 2017 02:15:00.0000	1629	1340
Sun Jun 11 2017 02:16:00.0000	1630	1375
Sun Jun 11 2017 02:17:00.0000	1631	1411
Sun Jun 11 2017 02:18:00.0000	1629	1374
Sun Jun 11 2017 02:19:00.0000	1628	1362
Sun Jun 11 2017 02:20:00.0000	1630	1396
Sun Jun 11 2017 02:21:00.0000	1631	1479

Date/Time	Process Temperature (°F)	Process Flow SCFM
Sun Jun 11 2017 02:22:00.0000	1631	1361
Sun Jun 11 2017 02:23:00.0000	1628	1331
Sun Jun 11 2017 02:24:00.0000	1629	1386
Sun Jun 11 2017 02:25:00.0000	1630	1331
Sun Jun 11 2017 02:26:00.0000	1631	1377
Sun Jun 11 2017 02:27:00.0000	1629	1343
Sun Jun 11 2017 02:28:00.0000	1628	1345
Sun Jun 11 2017 02:29:00.0000	1630	1350
Sun Jun 11 2017 02:30:00.0000	1631	1346
Sun Jun 11 2017 02:31:00.0000	1631	1351
Sun Jun 11 2017 02:32:00.0000	1628	1388
Sun Jun 11 2017 02:33:00.0000	1630	1347
Sun Jun 11 2017 02:34:00.0000	1630	1356
Sun Jun 11 2017 02:35:00.0000	1632	1377
Sun Jun 11 2017 02:36:00.0000	1630	1386
Sun Jun 11 2017 02:37:00.0000	1629	1348
Sun Jun 11 2017 02:38:00.0000	1630	1393
Sun Jun 11 2017 02:39:00.0000	1632	1464
Sun Jun 11 2017 02:40:00.0000	1631	1377
Sun Jun 11 2017 02:41:00.0000	1629	1382
Sun Jun 11 2017 02:42:00.0000	1630	1353
Sun Jun 11 2017 02:43:00.0000	1631	1384
Sun Jun 11 2017 02:44:00.0000	1632	1354
Sun Jun 11 2017 02:45:00.0000	1630	1371
Sun Jun 11 2017 02:46:00.0000	1629	1347
Sun Jun 11 2017 02:47:00.0000	1631	1356
Sun Jun 11 2017 02:48:00.0000	1632	1369
Sun Jun 11 2017 02:49:00.0000	1631	1362
Sun Jun 11 2017 02:50:00.0000	1629	1351
Sun Jun 11 2017 02:51:00.0000	1630	1353
Sun Jun 11 2017 02:52:00.0000	1631	1335
Sun Jun 11 2017 02:53:00.0000	1632	1361
Sun Jun 11 2017 02:54:00.0000	1630	1372
Sun Jun 11 2017 02:55:00.0000	1629	1362
Sun Jun 11 2017 02:56:00.0000	1631	1358
Sun Jun 11 2017 02:57:00.0000	1632	1345
Sun Jun 11 2017 02:58:00.0000	1631	1343
Sun Jun 11 2017 02:59:00.0000	1629	1337
Sun Jun 11 2017 03:00:00.0000	1630	1375
Sun Jun 11 2017 03:01:00.0000	1631	1360
Sun Jun 11 2017 03:02:00.0000	1632	1351
Sun Jun 11 2017 03:03:00.0000	1630	1375
Sun Jun 11 2017 03:04:00.0000	1629	1369
Sun Jun 11 2017 03:05:00.0000	1631	1367
Sun Jun 11 2017 03:06:00.0000	1632	1341
Sun Jun 11 2017 03:07:00.0000	1631	1358
Sun Jun 11 2017 03:08:00.0000	1629	1386
Sun Jun 11 2017 03:09:00.0000	1630	1362
Sun Jun 11 2017 03:10:00.0000	1631	1351
Sun Jun 11 2017 03:11:00.0000	1630	1357
Sun Jun 11 2017 03:12:00.0000	1623	1351
Sun Jun 11 2017 03:13:00.0000	1621	1370
Sun Jun 11 2017 03:14:00.0000	1619	1359
Sun Jun 11 2017 03:15:00.0000	1617	1356
Sun Jun 11 2017 03:16:00.0000	1615	1355
Sun Jun 11 2017 03:17:00.0000	1612	1354
Sun Jun 11 2017 03:18:00.0000	1612	1367

Date/Time	Process Temperature (°F)	Process Flow SCFM
Sun Jun 11 2017 03:19:00.0000	1611	1477
Sun Jun 11 2017 03:20:00.0000	1610	1353
Sun Jun 11 2017 03:21:00.0000	1607	1362
Sun Jun 11 2017 03:22:00.0000	1606	1393
Sun Jun 11 2017 03:23:00.0000	1607	1391
Sun Jun 11 2017 03:24:00.0000	1606	1315
Sun Jun 11 2017 03:25:00.0000	1604	1347
Sun Jun 11 2017 03:26:00.0000	1602	1341
Sun Jun 11 2017 03:27:00.0000	1602	1373
Sun Jun 11 2017 03:28:00.0000	1602	1347
Sun Jun 11 2017 03:29:00.0000	1601	1349
Sun Jun 11 2017 03:30:00.0000	1602	1346
Sun Jun 11 2017 03:31:00.0000	1604	1368
Sun Jun 11 2017 03:32:00.0000	1608	1327
Sun Jun 11 2017 03:33:00.0000	1611	1367
Sun Jun 11 2017 03:34:00.0000	1611	1335
Sun Jun 11 2017 03:35:00.0000	1610	1375
Sun Jun 11 2017 03:36:00.0000	1612	1383
Sun Jun 11 2017 03:37:00.0000	1614	1317
Sun Jun 11 2017 03:38:00.0000	1615	1358
Sun Jun 11 2017 03:39:00.0000	1614	1378
Sun Jun 11 2017 03:40:00.0000	1613	1360
Sun Jun 11 2017 03:41:00.0000	1615	1348
Sun Jun 11 2017 03:42:00.0000	1617	1421
Sun Jun 11 2017 03:43:00.0000	1616	1359
Sun Jun 11 2017 03:44:00.0000	1615	1338
Sun Jun 11 2017 03:45:00.0000	1616	1362
Sun Jun 11 2017 03:46:00.0000	1618	1333
Sun Jun 11 2017 03:47:00.0000	1619	1423
Sun Jun 11 2017 03:48:00.0000	1617	1325
Sun Jun 11 2017 03:49:00.0000	1616	1337
Sun Jun 11 2017 03:50:00.0000	1618	1392
Sun Jun 11 2017 03:51:00.0000	1620	1351
Sun Jun 11 2017 03:52:00.0000	1619	1341
Sun Jun 11 2017 03:53:00.0000	1617	1374
Sun Jun 11 2017 03:54:00.0000	1619	1334
Sun Jun 11 2017 03:55:00.0000	1620	1360
Sun Jun 11 2017 03:56:00.0000	1621	1375
Sun Jun 11 2017 03:57:00.0000	1619	1357
Sun Jun 11 2017 03:58:00.0000	1619	1344
Sun Jun 11 2017 03:59:00.0000	1621	1346
Sun Jun 11 2017 04:00:00.0000	1622	1292
Sun Jun 11 2017 04:01:00.0000	1620	1355
Sun Jun 11 2017 04:02:00.0000	1620	1350
Sun Jun 11 2017 04:03:00.0000	1621	1335
Sun Jun 11 2017 04:04:00.0000	1622	1436
Sun Jun 11 2017 04:05:00.0000	1622	1342
Sun Jun 11 2017 04:06:00.0000	1620	1345
Sun Jun 11 2017 04:07:00.0000	1621	1359
Sun Jun 11 2017 04:08:00.0000	1622	1386
Sun Jun 11 2017 04:09:00.0000	1623	1374
Sun Jun 11 2017 04:10:00.0000	1621	1373
Sun Jun 11 2017 04:11:00.0000	1621	1338
Sun Jun 11 2017 04:12:00.0000	1622	1359
Sun Jun 11 2017 04:13:00.0000	1624	1329
Sun Jun 11 2017 04:14:00.0000	1622	1350
Sun Jun 11 2017 04:15:00.0000	1621	1351

Date/Time	Process Temperature (°F)	Process Flow SCFM
Sun Jun 11 2017 04:16:00.0000	1622	1325
Sun Jun 11 2017 04:17:00.0000	1623	1379
Sun Jun 11 2017 04:18:00.0000	1624	1367
Sun Jun 11 2017 04:19:00.0000	1622	1386
Sun Jun 11 2017 04:20:00.0000	1622	1356
Sun Jun 11 2017 04:21:00.0000	1623	1336
Sun Jun 11 2017 04:22:00.0000	1625	1358
Sun Jun 11 2017 04:23:00.0000	1623	1352
Sun Jun 11 2017 04:24:00.0000	1621	1322
Sun Jun 11 2017 04:25:00.0000	1623	1385
Sun Jun 11 2017 04:26:00.0000	1624	1350
Sun Jun 11 2017 04:27:00.0000	1625	1351
Sun Jun 11 2017 04:28:00.0000	1622	1343
Sun Jun 11 2017 04:29:00.0000	1623	1334
Sun Jun 11 2017 04:30:00.0000	1624	1338
Sun Jun 11 2017 04:31:00.0000	1625	1319
Sun Jun 11 2017 04:32:00.0000	1624	1347
Sun Jun 11 2017 04:33:00.0000	1622	1341
Sun Jun 11 2017 04:34:00.0000	1624	1326
Sun Jun 11 2017 04:35:00.0000	1625	1356
Sun Jun 11 2017 04:36:00.0000	1625	1356
Sun Jun 11 2017 04:37:00.0000	1623	1363
Sun Jun 11 2017 04:38:00.0000	1623	1347
Sun Jun 11 2017 04:39:00.0000	1624	1350
Sun Jun 11 2017 04:40:00.0000	1626	1375
Sun Jun 11 2017 04:41:00.0000	1624	1356
Sun Jun 11 2017 04:42:00.0000	1623	1339
Sun Jun 11 2017 04:43:00.0000	1625	1358
Sun Jun 11 2017 04:44:00.0000	1625	1383
Sun Jun 11 2017 04:45:00.0000	1626	1344
Sun Jun 11 2017 04:46:00.0000	1624	1344
Sun Jun 11 2017 04:47:00.0000	1624	1357
Sun Jun 11 2017 04:48:00.0000	1625	1368
Sun Jun 11 2017 04:49:00.0000	1626	1331
Sun Jun 11 2017 04:50:00.0000	1625	1345
Sun Jun 11 2017 04:51:00.0000	1623	1335
Sun Jun 11 2017 04:52:00.0000	1625	1340
Sun Jun 11 2017 04:53:00.0000	1627	1340
Sun Jun 11 2017 04:54:00.0000	1626	1342
Sun Jun 11 2017 04:55:00.0000	1624	1352
Sun Jun 11 2017 04:56:00.0000	1625	1350
Sun Jun 11 2017 04:57:00.0000	1625	1363
Sun Jun 11 2017 04:58:00.0000	1627	1361
Sun Jun 11 2017 04:59:00.0000	1625	1361
Sun Jun 11 2017 05:00:00.0000	1624	1370
Sun Jun 11 2017 05:01:00.0000	1626	1336
Sun Jun 11 2017 05:02:00.0000	1627	1356
Sun Jun 11 2017 05:03:00.0000	1625	1346
Sun Jun 11 2017 05:04:00.0000	1624	1328
Sun Jun 11 2017 05:05:00.0000	1626	1337
Sun Jun 11 2017 05:06:00.0000	1627	1350
Sun Jun 11 2017 05:07:00.0000	1626	1336
Sun Jun 11 2017 05:08:00.0000	1624	1352
Sun Jun 11 2017 05:09:00.0000	1625	1372
Sun Jun 11 2017 05:10:00.0000	1626	1369
Sun Jun 11 2017 05:11:00.0000	1627	1329
Sun Jun 11 2017 05:12:00.0000	1625	1348

Date/Time	Process Temperature (°F)	Process Flow SCFM
Sun Jun 11 2017 05:13:00.0000	1624	1353
Sun Jun 11 2017 05:14:00.0000	1626	1348
Sun Jun 11 2017 05:15:00.0000	1627	1408
Sun Jun 11 2017 05:16:00.0000	1626	1346
Sun Jun 11 2017 05:17:00.0000	1624	1348
Sun Jun 11 2017 05:18:00.0000	1625	1332
Sun Jun 11 2017 05:19:00.0000	1626	1350
Sun Jun 11 2017 05:20:00.0000	1627	1336
Sun Jun 11 2017 05:21:00.0000	1625	1352
Sun Jun 11 2017 05:22:00.0000	1624	1352
Sun Jun 11 2017 05:23:00.0000	1626	1340
Sun Jun 11 2017 05:24:00.0000	1627	1343
Sun Jun 11 2017 05:25:00.0000	1626	1342
Sun Jun 11 2017 05:26:00.0000	1624	1329
Sun Jun 11 2017 05:27:00.0000	1625	1334
Sun Jun 11 2017 05:28:00.0000	1626	1331
Sun Jun 11 2017 05:29:00.0000	1627	1373
Sun Jun 11 2017 05:30:00.0000	1625	1358
Sun Jun 11 2017 05:31:00.0000	1624	1341
Sun Jun 11 2017 05:32:00.0000	1626	1322
Sun Jun 11 2017 05:33:00.0000	1627	1336
Sun Jun 11 2017 05:34:00.0000	1626	1384
Sun Jun 11 2017 05:35:00.0000	1624	1370
Sun Jun 11 2017 05:36:00.0000	1626	1328
Sun Jun 11 2017 05:37:00.0000	1626	1331
Sun Jun 11 2017 05:38:00.0000	1627	1319
Sun Jun 11 2017 05:39:00.0000	1625	1355
Sun Jun 11 2017 05:40:00.0000	1624	1336
Sun Jun 11 2017 05:41:00.0000	1626	1362
Sun Jun 11 2017 05:42:00.0000	1627	1367
Sun Jun 11 2017 05:43:00.0000	1626	1373
Sun Jun 11 2017 05:44:00.0000	1624	1321
Sun Jun 11 2017 05:45:00.0000	1626	1356
Sun Jun 11 2017 05:46:00.0000	1627	1338
Sun Jun 11 2017 05:47:00.0000	1627	1326
Sun Jun 11 2017 05:48:00.0000	1625	1355
Sun Jun 11 2017 05:49:00.0000	1625	1333
Sun Jun 11 2017 05:50:00.0000	1626	1451
Sun Jun 11 2017 05:51:00.0000	1627	1370
Sun Jun 11 2017 05:52:00.0000	1626	1375
Sun Jun 11 2017 05:53:00.0000	1624	1367
Sun Jun 11 2017 05:54:00.0000	1626	1337
Sun Jun 11 2017 05:55:00.0000	1626	1456
Sun Jun 11 2017 05:56:00.0000	1626	1356
Sun Jun 11 2017 05:57:00.0000	1624	1329
Sun Jun 11 2017 05:58:00.0000	1624	1337
Sun Jun 11 2017 05:59:00.0000	1626	1351
Sun Jun 11 2017 06:00:00.0000	1627	1431
Sun Jun 11 2017 06:01:00.0000	1625	1374
Sun Jun 11 2017 06:02:00.0000	1624	1318
Sun Jun 11 2017 06:03:00.0000	1626	1387
Sun Jun 11 2017 06:04:00.0000	1626	1424
Sun Jun 11 2017 06:05:00.0000	1626	1360
Sun Jun 11 2017 06:06:00.0000	1624	1370
Sun Jun 11 2017 06:07:00.0000	1624	1335
Sun Jun 11 2017 06:08:00.0000	1626	1383
Sun Jun 11 2017 06:09:00.0000	1627	1378

Date/Time	Process Temperature (°F)	Process Flow SCFM
Sun Jun 11 2017 06:10:00.0000	1625	1391
Sun Jun 11 2017 06:11:00.0000	1624	1365
Sun Jun 11 2017 06:12:00.0000	1626	1452
Sun Jun 11 2017 06:13:00.0000	1626	1374
Sun Jun 11 2017 06:14:00.0000	1627	1332
Sun Jun 11 2017 06:15:00.0000	1624	1378
Sun Jun 11 2017 06:16:00.0000	1625	1345
Sun Jun 11 2017 06:17:00.0000	1626	1452
Sun Jun 11 2017 06:18:00.0000	1627	1346
Sun Jun 11 2017 06:19:00.0000	1626	1368
Sun Jun 11 2017 06:20:00.0000	1624	1325
Sun Jun 11 2017 06:21:00.0000	1626	1338
Sun Jun 11 2017 06:22:00.0000	1627	1293
Sun Jun 11 2017 06:23:00.0000	1627	1308
Sun Jun 11 2017 06:24:00.0000	1625	1368
Sun Jun 11 2017 06:25:00.0000	1625	1294
Sun Jun 11 2017 06:26:00.0000	1626	1299
Sun Jun 11 2017 06:27:00.0000	1627	1348
Sun Jun 11 2017 06:28:00.0000	1626	1344
Sun Jun 11 2017 06:29:00.0000	1624	1334
Sun Jun 11 2017 06:30:00.0000	1626	1334
Sun Jun 11 2017 06:31:00.0000	1627	1347
Sun Jun 11 2017 06:32:00.0000	1627	1395
Sun Jun 11 2017 06:33:00.0000	1625	1325
Sun Jun 11 2017 06:34:00.0000	1625	1336
Sun Jun 11 2017 06:35:00.0000	1626	1359
Sun Jun 11 2017 06:36:00.0000	1628	1274
Sun Jun 11 2017 06:37:00.0000	1626	1337
Sun Jun 11 2017 06:38:00.0000	1625	1353
Sun Jun 11 2017 06:39:00.0000	1626	1351
Sun Jun 11 2017 06:40:00.0000	1628	1308
Sun Jun 11 2017 06:41:00.0000	1627	1349
Sun Jun 11 2017 06:42:00.0000	1625	1343
Sun Jun 11 2017 06:43:00.0000	1626	1389
Sun Jun 11 2017 06:44:00.0000	1627	1353
Sun Jun 11 2017 06:45:00.0000	1628	1356
Sun Jun 11 2017 06:46:00.0000	1626	1337
Sun Jun 11 2017 06:47:00.0000	1625	1326
Sun Jun 11 2017 06:48:00.0000	1627	1309
Sun Jun 11 2017 06:49:00.0000	1628	1317
Sun Jun 11 2017 06:50:00.0000	1627	1366
Sun Jun 11 2017 06:51:00.0000	1625	1350
Sun Jun 11 2017 06:52:00.0000	1626	1363
Sun Jun 11 2017 06:53:00.0000	1627	1363
Sun Jun 11 2017 06:54:00.0000	1628	1359
Sun Jun 11 2017 06:55:00.0000	1626	1351
Sun Jun 11 2017 06:56:00.0000	1625	1366
Sun Jun 11 2017 06:57:00.0000	1627	1324
Sun Jun 11 2017 06:58:00.0000	1628	1330
Sun Jun 11 2017 06:59:00.0000	1628	1342
Sun Jun 11 2017 07:00:00.0000	1625	1350
Sun Jun 11 2017 07:01:00.0000	1626	1355
Sun Jun 11 2017 07:02:00.0000	1627	1297
Sun Jun 11 2017 07:03:00.0000	1629	1372
Sun Jun 11 2017 07:04:00.0000	1627	1328
Sun Jun 11 2017 07:05:00.0000	1625	1372
Sun Jun 11 2017 07:06:00.0000	1627	1298

Date/Time	Process Temperature (°F)	Process Flow SCFM
Sun Jun 11 2017 07:07:00.0000	1628	1325
Sun Jun 11 2017 07:08:00.0000	1628	1324
Sun Jun 11 2017 07:09:00.0000	1626	1335
Sun Jun 11 2017 07:10:00.0000	1626	1321
Sun Jun 11 2017 07:11:00.0000	1628	1350
Sun Jun 11 2017 07:12:00.0000	1629	1333
Sun Jun 11 2017 07:13:00.0000	1627	1362
Sun Jun 11 2017 07:14:00.0000	1626	1374
Sun Jun 11 2017 07:15:00.0000	1627	1352
Sun Jun 11 2017 07:16:00.0000	1628	1329
Sun Jun 11 2017 07:17:00.0000	1628	1339
Sun Jun 11 2017 07:18:00.0000	1626	1344
Sun Jun 11 2017 07:19:00.0000	1627	1362
Sun Jun 11 2017 07:20:00.0000	1628	1321
Sun Jun 11 2017 07:21:00.0000	1629	1342
Sun Jun 11 2017 07:22:00.0000	1627	1338
Sun Jun 11 2017 07:23:00.0000	1626	1336
Sun Jun 11 2017 07:24:00.0000	1628	1313
Sun Jun 11 2017 07:25:00.0000	1629	1360
Sun Jun 11 2017 07:26:00.0000	1628	1340
Sun Jun 11 2017 07:27:00.0000	1626	1358
Sun Jun 11 2017 07:28:00.0000	1627	1328
Sun Jun 11 2017 07:29:00.0000	1628	1316
Sun Jun 11 2017 07:30:00.0000	1629	1353
Sun Jun 11 2017 07:31:00.0000	1627	1326
Sun Jun 11 2017 07:32:00.0000	1626	1358
Sun Jun 11 2017 07:33:00.0000	1628	1346
Sun Jun 11 2017 07:34:00.0000	1629	1337
Sun Jun 11 2017 07:35:00.0000	1628	1343
Sun Jun 11 2017 07:36:00.0000	1626	1364
Sun Jun 11 2017 07:37:00.0000	1627	1366
Sun Jun 11 2017 07:38:00.0000	1628	1347
Sun Jun 11 2017 07:39:00.0000	1629	1331
Sun Jun 11 2017 07:40:00.0000	1627	1349
Sun Jun 11 2017 07:41:00.0000	1627	1361
Sun Jun 11 2017 07:42:00.0000	1628	1333
Sun Jun 11 2017 07:43:00.0000	1630	1392
Sun Jun 11 2017 07:44:00.0000	1628	1322
Sun Jun 11 2017 07:45:00.0000	1626	1325
Sun Jun 11 2017 07:46:00.0000	1628	1344
Sun Jun 11 2017 07:47:00.0000	1629	1346
Sun Jun 11 2017 07:48:00.0000	1630	1340
Sun Jun 11 2017 07:49:00.0000	1627	1366
Sun Jun 11 2017 07:50:00.0000	1627	1337
Sun Jun 11 2017 07:51:00.0000	1628	1341
Sun Jun 11 2017 07:52:00.0000	1630	1366
Sun Jun 11 2017 07:53:00.0000	1629	1335
Sun Jun 11 2017 07:54:00.0000	1627	1343
Sun Jun 11 2017 07:55:00.0000	1628	1396
Sun Jun 11 2017 07:56:00.0000	1630	1342
Sun Jun 11 2017 07:57:00.0000	1630	1334
Sun Jun 11 2017 07:58:00.0000	1628	1390
Sun Jun 11 2017 07:59:00.0000	1627	1336
Sun Jun 11 2017 08:00:00.0000	1629	1354
Sun Jun 11 2017 08:01:00.0000	1630	1351
Sun Jun 11 2017 08:02:00.0000	1629	1411
Sun Jun 11 2017 08:03:00.0000	1627	1344

Date/Time	Process Temperature (°F)	Process Flow SCFM
Sun Jun 11 2017 08:04:00.0000	1629	1356
Sun Jun 11 2017 08:05:00.0000	1630	1357
Sun Jun 11 2017 08:06:00.0000	1629	1353
Sun Jun 11 2017 08:07:00.0000	1627	1321
Sun Jun 11 2017 08:08:00.0000	1628	1363
Sun Jun 11 2017 08:09:00.0000	1629	1381
Sun Jun 11 2017 08:10:00.0000	1630	1328
Sun Jun 11 2017 08:11:00.0000	1628	1331
Sun Jun 11 2017 08:12:00.0000	1627	1374
Sun Jun 11 2017 08:13:00.0000	1629	1360
Sun Jun 11 2017 08:14:00.0000	1629	1403
Sun Jun 11 2017 08:15:00.0000	1629	1339
Sun Jun 11 2017 08:16:00.0000	1627	1333
Sun Jun 11 2017 08:17:00.0000	1628	1341
Sun Jun 11 2017 08:18:00.0000	1629	1349
Sun Jun 11 2017 08:19:00.0000	1629	1330
Sun Jun 11 2017 08:20:00.0000	1627	1351
Sun Jun 11 2017 08:21:00.0000	1627	1333
Sun Jun 11 2017 08:22:00.0000	1628	1329
Sun Jun 11 2017 08:23:00.0000	1630	1322
Sun Jun 11 2017 08:24:00.0000	1628	1355
Sun Jun 11 2017 08:25:00.0000	1626	1331
Sun Jun 11 2017 08:26:00.0000	1628	1377
Sun Jun 11 2017 08:27:00.0000	1629	1340
Sun Jun 11 2017 08:28:00.0000	1629	1329
Sun Jun 11 2017 08:29:00.0000	1627	1365
Sun Jun 11 2017 08:30:00.0000	1627	1343
Sun Jun 11 2017 08:31:00.0000	1628	1324
Sun Jun 11 2017 08:32:00.0000	1629	1338
Sun Jun 11 2017 08:33:00.0000	1628	1336
Sun Jun 11 2017 08:34:00.0000	1626	1325
Sun Jun 11 2017 08:35:00.0000	1628	1311
Sun Jun 11 2017 08:36:00.0000	1629	1321
Sun Jun 11 2017 08:37:00.0000	1629	1343
Sun Jun 11 2017 08:38:00.0000	1627	1341
Sun Jun 11 2017 08:39:00.0000	1627	1316
Sun Jun 11 2017 08:40:00.0000	1628	1308
Sun Jun 11 2017 08:41:00.0000	1629	1354
Sun Jun 11 2017 08:42:00.0000	1628	1364
Sun Jun 11 2017 08:43:00.0000	1626	1306
Sun Jun 11 2017 08:44:00.0000	1628	1286
Sun Jun 11 2017 08:45:00.0000	1628	1367
Sun Jun 11 2017 08:46:00.0000	1628	1331
Sun Jun 11 2017 08:47:00.0000	1626	1346
Sun Jun 11 2017 08:48:00.0000	1626	1343
Sun Jun 11 2017 08:49:00.0000	1628	1361
Sun Jun 11 2017 08:50:00.0000	1629	1349
Sun Jun 11 2017 08:51:00.0000	1627	1359
Sun Jun 11 2017 08:52:00.0000	1626	1349
Sun Jun 11 2017 08:53:00.0000	1627	1362
Sun Jun 11 2017 08:54:00.0000	1628	1344
Sun Jun 11 2017 08:55:00.0000	1627	1354
Sun Jun 11 2017 08:56:00.0000	1625	1361
Sun Jun 11 2017 08:57:00.0000	1627	1353
Sun Jun 11 2017 08:58:00.0000	1628	1372
Sun Jun 11 2017 08:59:00.0000	1627	1365
Sun Jun 11 2017 09:00:00.0000	1625	1356

Date/Time	Process Temperature (°F)	Process Flow SCFM
Sun Jun 11 2017 09:01:00.0000	1627	1337
Sun Jun 11 2017 09:02:00.0000	1627	1323
Sun Jun 11 2017 09:03:00.0000	1628	1336
Sun Jun 11 2017 09:04:00.0000	1627	1332
Sun Jun 11 2017 09:05:00.0000	1625	1341
Sun Jun 11 2017 09:06:00.0000	1627	1342
Sun Jun 11 2017 09:07:00.0000	1628	1353
Sun Jun 11 2017 09:08:00.0000	1627	1350
Sun Jun 11 2017 09:09:00.0000	1625	1353
Sun Jun 11 2017 09:10:00.0000	1627	1381
Sun Jun 11 2017 09:11:00.0000	1627	1330
Sun Jun 11 2017 09:12:00.0000	1628	1348
Sun Jun 11 2017 09:13:00.0000	1625	1344
Sun Jun 11 2017 09:14:00.0000	1625	1370
Sun Jun 11 2017 09:15:00.0000	1626	1366
Sun Jun 11 2017 09:16:00.0000	1628	1349
Sun Jun 11 2017 09:17:00.0000	1627	1363
Sun Jun 11 2017 09:18:00.0000	1624	1378
Sun Jun 11 2017 09:19:00.0000	1626	1373
Sun Jun 11 2017 09:20:00.0000	1627	1396
Sun Jun 11 2017 09:21:00.0000	1628	1359
Sun Jun 11 2017 09:22:00.0000	1626	1408
Sun Jun 11 2017 09:23:00.0000	1625	1324
Sun Jun 11 2017 09:24:00.0000	1627	1360
Sun Jun 11 2017 09:25:00.0000	1628	1413
Sun Jun 11 2017 09:26:00.0000	1627	1462
Sun Jun 11 2017 09:27:00.0000	1625	1376
Sun Jun 11 2017 09:28:00.0000	1627	1458
Sun Jun 11 2017 09:29:00.0000	1628	1480
Sun Jun 11 2017 09:30:00.0000	1628	1382
Sun Jun 11 2017 09:31:00.0000	1626	1382
Sun Jun 11 2017 09:32:00.0000	1626	1350
Sun Jun 11 2017 09:33:00.0000	1627	1290
Sun Jun 11 2017 09:34:00.0000	1629	1375
Sun Jun 11 2017 09:35:00.0000	1627	1396
Sun Jun 11 2017 09:36:00.0000	1625	1408
Sun Jun 11 2017 09:37:00.0000	1627	1386
Sun Jun 11 2017 09:38:00.0000	1628	1301
Sun Jun 11 2017 09:39:00.0000	1628	1411
Sun Jun 11 2017 09:40:00.0000	1626	1413
Sun Jun 11 2017 09:41:00.0000	1626	1406
Sun Jun 11 2017 09:42:00.0000	1628	1338
Sun Jun 11 2017 09:43:00.0000	1629	1453
Sun Jun 11 2017 09:44:00.0000	1628	1362
Sun Jun 11 2017 09:45:00.0000	1626	1468
Sun Jun 11 2017 09:46:00.0000	1628	1399
Sun Jun 11 2017 09:47:00.0000	1629	1363
Sun Jun 11 2017 09:48:00.0000	1629	1392
Sun Jun 11 2017 09:49:00.0000	1627	1381
Sun Jun 11 2017 09:50:00.0000	1628	1376
Sun Jun 11 2017 09:51:00.0000	1629	1340
Sun Jun 11 2017 09:52:00.0000	1630	1353
Sun Jun 11 2017 09:53:00.0000	1628	1372
Sun Jun 11 2017 09:54:00.0000	1627	1380
Sun Jun 11 2017 09:55:00.0000	1629	1384
Sun Jun 11 2017 09:56:00.0000	1630	1363
Sun Jun 11 2017 09:57:00.0000	1630	1375

Date/Time	Process Temperature (°F)	Process Flow SCFM
Sun Jun 11 2017 09:58:00.0000	1627	1364
Sun Jun 11 2017 09:59:00.0000	1628	1372
Sun Jun 11 2017 10:00:00.0000	1629	1375
Sun Jun 11 2017 10:01:00.0000	1631	1379
Sun Jun 11 2017 10:02:00.0000	1629	1356
Sun Jun 11 2017 10:03:00.0000	1627	1361
Sun Jun 11 2017 10:04:00.0000	1629	1350
Sun Jun 11 2017 10:05:00.0000	1631	1411
Sun Jun 11 2017 10:06:00.0000	1630	1394
Sun Jun 11 2017 10:07:00.0000	1628	1399
Sun Jun 11 2017 10:08:00.0000	1629	1420
Sun Jun 11 2017 10:09:00.0000	1630	1380
Sun Jun 11 2017 10:10:00.0000	1631	1446
Sun Jun 11 2017 10:11:00.0000	1629	1360
Sun Jun 11 2017 10:12:00.0000	1628	1383
Sun Jun 11 2017 10:13:00.0000	1630	1421
Sun Jun 11 2017 10:14:00.0000	1631	1373
Sun Jun 11 2017 10:15:00.0000	1630	1517
Sun Jun 11 2017 10:16:00.0000	1628	1382
Sun Jun 11 2017 10:17:00.0000	1630	1377
Sun Jun 11 2017 10:18:00.0000	1631	1398
Sun Jun 11 2017 10:19:00.0000	1631	1469
Sun Jun 11 2017 10:20:00.0000	1629	1402
Sun Jun 11 2017 10:21:00.0000	1629	1493
Sun Jun 11 2017 10:22:00.0000	1630	1500
Sun Jun 11 2017 10:23:00.0000	1632	1445
Sun Jun 11 2017 10:24:00.0000	1631	1329
Sun Jun 11 2017 10:25:00.0000	1629	1395
Sun Jun 11 2017 10:26:00.0000	1631	1398
Sun Jun 11 2017 10:27:00.0000	1632	1401
Sun Jun 11 2017 10:28:00.0000	1632	1431
Sun Jun 11 2017 10:29:00.0000	1630	1365
Sun Jun 11 2017 10:30:00.0000	1630	1429
Sun Jun 11 2017 10:31:00.0000	1631	1402
Sun Jun 11 2017 10:32:00.0000	1633	1368
Sun Jun 11 2017 10:33:00.0000	1631	1313
Sun Jun 11 2017 10:34:00.0000	1629	1418
Sun Jun 11 2017 10:35:00.0000	1631	1344
Sun Jun 11 2017 10:36:00.0000	1632	1437
Sun Jun 11 2017 10:37:00.0000	1630	1364
Sun Jun 11 2017 10:38:00.0000	1623	1413
Sun Jun 11 2017 10:39:00.0000	1620	1293
Sun Jun 11 2017 10:40:00.0000	1618	1410
Sun Jun 11 2017 10:41:00.0000	1615	1320
Sun Jun 11 2017 10:42:00.0000	1612	1339
Sun Jun 11 2017 10:43:00.0000	1610	1340
Sun Jun 11 2017 10:44:00.0000	1609	1351
Sun Jun 11 2017 10:45:00.0000	1608	1369
Sun Jun 11 2017 10:46:00.0000	1606	1357
Sun Jun 11 2017 10:47:00.0000	1604	1338
Sun Jun 11 2017 10:48:00.0000	1604	1350
Sun Jun 11 2017 10:49:00.0000	1604	1355
Sun Jun 11 2017 10:50:00.0000	1603	1362
Sun Jun 11 2017 10:51:00.0000	1602	1365
Sun Jun 11 2017 10:52:00.0000	1603	1361
Sun Jun 11 2017 10:53:00.0000	1607	1350
Sun Jun 11 2017 10:54:00.0000	1611	1385

Date/Time	Process Temperature (°F)	Process Flow SCFM
Sun Jun 11 2017 10:55:00.0000	1613	1364
Sun Jun 11 2017 10:56:00.0000	1612	1395
Sun Jun 11 2017 10:57:00.0000	1615	1361
Sun Jun 11 2017 10:58:00.0000	1617	1362
Sun Jun 11 2017 10:59:00.0000	1619	1374
Sun Jun 11 2017 11:00:00.0000	1619	1350
Sun Jun 11 2017 11:01:00.0000	1618	1333
Sun Jun 11 2017 11:02:00.0000	1621	1346
Sun Jun 11 2017 11:03:00.0000	1623	1367
Sun Jun 11 2017 11:04:00.0000	1622	1348
Sun Jun 11 2017 11:05:00.0000	1621	1354
Sun Jun 11 2017 11:06:00.0000	1623	1362
Sun Jun 11 2017 11:07:00.0000	1624	1354
Sun Jun 11 2017 11:08:00.0000	1626	1348
Sun Jun 11 2017 11:09:00.0000	1624	1366
Sun Jun 11 2017 11:10:00.0000	1623	1373
Sun Jun 11 2017 11:11:00.0000	1625	1353
Sun Jun 11 2017 11:12:00.0000	1627	1373
Sun Jun 11 2017 11:13:00.0000	1627	1386
Sun Jun 11 2017 11:14:00.0000	1625	1349
Sun Jun 11 2017 11:15:00.0000	1627	1366
Sun Jun 11 2017 11:16:00.0000	1628	1380
Sun Jun 11 2017 11:17:00.0000	1629	1332
Sun Jun 11 2017 11:18:00.0000	1627	1384
Sun Jun 11 2017 11:19:00.0000	1627	1351
Sun Jun 11 2017 11:20:00.0000	1629	1350
Sun Jun 11 2017 11:21:00.0000	1631	1392
Sun Jun 11 2017 11:22:00.0000	1629	1331
Sun Jun 11 2017 11:23:00.0000	1627	1373
Sun Jun 11 2017 11:24:00.0000	1630	1440
Sun Jun 11 2017 11:25:00.0000	1631	1388
Sun Jun 11 2017 11:26:00.0000	1632	1372
Sun Jun 11 2017 11:27:00.0000	1629	1407
Sun Jun 11 2017 11:28:00.0000	1630	1428
Sun Jun 11 2017 11:29:00.0000	1632	1398
Sun Jun 11 2017 11:30:00.0000	1632	1453
Sun Jun 11 2017 11:31:00.0000	1624	1383
Sun Jun 11 2017 11:32:00.0000	1619	1427
Sun Jun 11 2017 11:33:00.0000	1616	1404
Sun Jun 11 2017 11:34:00.0000	1614	1468
Sun Jun 11 2017 11:35:00.0000	1610	1408
Sun Jun 11 2017 11:36:00.0000	1608	1410
Sun Jun 11 2017 11:37:00.0000	1607	1431
Sun Jun 11 2017 11:38:00.0000	1606	1397
Sun Jun 11 2017 11:39:00.0000	1604	1394
Sun Jun 11 2017 11:40:00.0000	1601	1419
Sun Jun 11 2017 11:41:00.0000	1606	1368
Sun Jun 11 2017 11:42:00.0000	1612	1419
Sun Jun 11 2017 11:43:00.0000	1618	1397
Sun Jun 11 2017 11:44:00.0000	1621	1408
Sun Jun 11 2017 11:45:00.0000	1621	1391
Sun Jun 11 2017 11:46:00.0000	1625	1389
Sun Jun 11 2017 11:47:00.0000	1626	1469
Sun Jun 11 2017 11:48:00.0000	1629	1521
Sun Jun 11 2017 11:49:00.0000	1629	1433
Sun Jun 11 2017 11:50:00.0000	1629	1435
Sun Jun 11 2017 11:51:00.0000	1632	1398

Date/Time	Process Temperature (°F)	Process Flow SCFM
Sun Jun 11 2017 11:52:00.0000	1632	1443
Sun Jun 11 2017 11:53:00.0000	1623	1382
Sun Jun 11 2017 11:54:00.0000	1619	1401
Sun Jun 11 2017 11:55:00.0000	1616	1385
Sun Jun 11 2017 11:56:00.0000	1613	1362
Sun Jun 11 2017 11:57:00.0000	1610	1433
Sun Jun 11 2017 11:58:00.0000	1607	1394
Sun Jun 11 2017 11:59:00.0000	1606	1377
Sun Jun 11 2017 12:00:00.0000	1605	1353
Sun Jun 11 2017 12:01:00.0000	1603	1406
Sun Jun 11 2017 12:02:00.0000	1602	1477
Sun Jun 11 2017 12:03:00.0000	1604	1342
Sun Jun 11 2017 12:04:00.0000	1607	1362
Sun Jun 11 2017 12:05:00.0000	1609	1481
Sun Jun 11 2017 12:06:00.0000	1609	1408
Sun Jun 11 2017 12:07:00.0000	1608	1440
Sun Jun 11 2017 12:08:00.0000	1610	1354
Sun Jun 11 2017 12:09:00.0000	1610	1378
Sun Jun 11 2017 12:10:00.0000	1611	1500
Sun Jun 11 2017 12:11:00.0000	1609	1429
Sun Jun 11 2017 12:12:00.0000	1609	1387
Sun Jun 11 2017 12:13:00.0000	1611	1473
Sun Jun 11 2017 12:14:00.0000	1612	1449
Sun Jun 11 2017 12:15:00.0000	1610	1475
Sun Jun 11 2017 12:16:00.0000	1609	1341
Sun Jun 11 2017 12:17:00.0000	1610	1462
Sun Jun 11 2017 12:18:00.0000	1611	1431
Sun Jun 11 2017 12:19:00.0000	1612	1374
Sun Jun 11 2017 12:20:00.0000	1610	1407
Sun Jun 11 2017 12:21:00.0000	1610	1377
Sun Jun 11 2017 12:22:00.0000	1611	1401
Sun Jun 11 2017 12:23:00.0000	1612	1386
Sun Jun 11 2017 12:24:00.0000	1611	1406
Sun Jun 11 2017 12:25:00.0000	1609	1383
Sun Jun 11 2017 12:26:00.0000	1610	1419
Sun Jun 11 2017 12:27:00.0000	1611	1400
Sun Jun 11 2017 12:28:00.0000	1611	1380
Sun Jun 11 2017 12:29:00.0000	1610	1449
Sun Jun 11 2017 12:30:00.0000	1609	1388
Sun Jun 11 2017 12:31:00.0000	1611	1360
Sun Jun 11 2017 12:32:00.0000	1612	1431
Sun Jun 11 2017 12:33:00.0000	1611	1384
Sun Jun 11 2017 12:34:00.0000	1609	1387
Sun Jun 11 2017 12:35:00.0000	1610	1424
Sun Jun 11 2017 12:36:00.0000	1611	1373
Sun Jun 11 2017 12:37:00.0000	1611	1393
Sun Jun 11 2017 12:38:00.0000	1610	1428
Sun Jun 11 2017 12:39:00.0000	1609	1378
Sun Jun 11 2017 12:40:00.0000	1611	1380
Sun Jun 11 2017 12:41:00.0000	1612	1428
Sun Jun 11 2017 12:42:00.0000	1610	1408
Sun Jun 11 2017 12:43:00.0000	1608	1364
Sun Jun 11 2017 12:44:00.0000	1610	1380
Sun Jun 11 2017 12:45:00.0000	1611	1445
Sun Jun 11 2017 12:46:00.0000	1611	1407
Sun Jun 11 2017 12:47:00.0000	1609	1432
Sun Jun 11 2017 12:48:00.0000	1609	1484

Date/Time	Process Temperature (°F)	Process Flow SCFM
Sun Jun 11 2017 12:49:00.0000	1610	1418
Sun Jun 11 2017 12:50:00.0000	1611	1447
Sun Jun 11 2017 12:51:00.0000	1610	1366
Sun Jun 11 2017 12:52:00.0000	1608	1401
Sun Jun 11 2017 12:53:00.0000	1610	1334
Sun Jun 11 2017 12:54:00.0000	1610	1376
Sun Jun 11 2017 12:55:00.0000	1610	1416
Sun Jun 11 2017 12:56:00.0000	1609	1394
Sun Jun 11 2017 12:57:00.0000	1608	1451
Sun Jun 11 2017 12:58:00.0000	1610	1415
Sun Jun 11 2017 12:59:00.0000	1610	1469
Sun Jun 11 2017 13:00:00.0000	1609	1411
Sun Jun 11 2017 13:01:00.0000	1607	1406
Sun Jun 11 2017 13:02:00.0000	1609	1417
Sun Jun 11 2017 13:03:00.0000	1610	1405
Sun Jun 11 2017 13:04:00.0000	1610	1400
Sun Jun 11 2017 13:05:00.0000	1608	1366
Sun Jun 11 2017 13:06:00.0000	1608	1415
Sun Jun 11 2017 13:07:00.0000	1610	1472
Sun Jun 11 2017 13:08:00.0000	1610	1426
Sun Jun 11 2017 13:09:00.0000	1609	1402
Sun Jun 11 2017 13:10:00.0000	1607	1459
Sun Jun 11 2017 13:11:00.0000	1609	1446
Sun Jun 11 2017 13:12:00.0000	1610	1390
Sun Jun 11 2017 13:13:00.0000	1610	1475
Sun Jun 11 2017 13:14:00.0000	1607	1437
Sun Jun 11 2017 13:15:00.0000	1608	1423
Sun Jun 11 2017 13:16:00.0000	1609	1439
Sun Jun 11 2017 13:17:00.0000	1610	1380
Sun Jun 11 2017 13:18:00.0000	1608	1482
Sun Jun 11 2017 13:19:00.0000	1607	1477
Sun Jun 11 2017 13:20:00.0000	1609	1335
Sun Jun 11 2017 13:21:00.0000	1609	1432
Sun Jun 11 2017 13:22:00.0000	1609	1413
Sun Jun 11 2017 13:23:00.0000	1607	1395
Sun Jun 11 2017 13:24:00.0000	1608	1395
Sun Jun 11 2017 13:25:00.0000	1609	1525
Sun Jun 11 2017 13:26:00.0000	1610	1375
Sun Jun 11 2017 13:27:00.0000	1608	1376
Sun Jun 11 2017 13:28:00.0000	1607	1405
Sun Jun 11 2017 13:29:00.0000	1609	1400
Sun Jun 11 2017 13:30:00.0000	1609	1419
Sun Jun 11 2017 13:31:00.0000	1609	1478
Sun Jun 11 2017 13:32:00.0000	1607	1478
Sun Jun 11 2017 13:33:00.0000	1608	1381
Sun Jun 11 2017 13:34:00.0000	1609	1401
Sun Jun 11 2017 13:35:00.0000	1609	1444
Sun Jun 11 2017 13:36:00.0000	1608	1426
Sun Jun 11 2017 13:37:00.0000	1606	1492
Sun Jun 11 2017 13:38:00.0000	1609	1356
Sun Jun 11 2017 13:39:00.0000	1609	1418
Sun Jun 11 2017 13:40:00.0000	1609	1447
Sun Jun 11 2017 13:41:00.0000	1606	1419
Sun Jun 11 2017 13:42:00.0000	1607	1426
Sun Jun 11 2017 13:43:00.0000	1608	1455
Sun Jun 11 2017 13:44:00.0000	1609	1437
Sun Jun 11 2017 13:45:00.0000	1607	1416

Date/Time	Process Temperature (°F)	Process Flow SCFM
Sun Jun 11 2017 13:46:00.0000	1607	1394
Sun Jun 11 2017 13:47:00.0000	1608	1412
Sun Jun 11 2017 13:48:00.0000	1608	1422
Sun Jun 11 2017 13:49:00.0000	1608	1451
Sun Jun 11 2017 13:50:00.0000	1606	1417
Sun Jun 11 2017 13:51:00.0000	1607	1366
Sun Jun 11 2017 13:52:00.0000	1608	1425
Sun Jun 11 2017 13:53:00.0000	1609	1445
Sun Jun 11 2017 13:54:00.0000	1607	1493
Sun Jun 11 2017 13:55:00.0000	1607	1381
Sun Jun 11 2017 13:56:00.0000	1608	1522
Sun Jun 11 2017 13:57:00.0000	1609	1501
Sun Jun 11 2017 13:58:00.0000	1608	1414
Sun Jun 11 2017 13:59:00.0000	1606	1524
Sun Jun 11 2017 14:00:00.0000	1608	1469
Sun Jun 11 2017 14:01:00.0000	1608	1312
Sun Jun 11 2017 14:02:00.0000	1608	1469
Sun Jun 11 2017 14:03:00.0000	1606	1393
Sun Jun 11 2017 14:04:00.0000	1606	1433
Sun Jun 11 2017 14:05:00.0000	1608	1538
Sun Jun 11 2017 14:06:00.0000	1609	1385
Sun Jun 11 2017 14:07:00.0000	1607	1375
Sun Jun 11 2017 14:08:00.0000	1605	1404
Sun Jun 11 2017 14:09:00.0000	1607	1405
Sun Jun 11 2017 14:10:00.0000	1608	1396
Sun Jun 11 2017 14:11:00.0000	1608	1395
Sun Jun 11 2017 14:12:00.0000	1606	1408
Sun Jun 11 2017 14:13:00.0000	1607	1414
Sun Jun 11 2017 14:14:00.0000	1607	1406
Sun Jun 11 2017 14:15:00.0000	1608	1399
Sun Jun 11 2017 14:16:00.0000	1607	1407
Sun Jun 11 2017 14:17:00.0000	1605	1398
Sun Jun 11 2017 14:18:00.0000	1607	1386
Sun Jun 11 2017 14:19:00.0000	1608	1472
Sun Jun 11 2017 14:20:00.0000	1608	1389
Sun Jun 11 2017 14:21:00.0000	1606	1372
Sun Jun 11 2017 14:22:00.0000	1606	1405
Sun Jun 11 2017 14:23:00.0000	1608	1399
Sun Jun 11 2017 14:24:00.0000	1609	1484
Sun Jun 11 2017 14:25:00.0000	1607	1428
Sun Jun 11 2017 14:26:00.0000	1605	1423
Sun Jun 11 2017 14:27:00.0000	1607	1343
Sun Jun 11 2017 14:28:00.0000	1608	1506
Sun Jun 11 2017 14:29:00.0000	1608	1378
Sun Jun 11 2017 14:30:00.0000	1606	1436
Sun Jun 11 2017 14:31:00.0000	1606	1399
Sun Jun 11 2017 14:32:00.0000	1608	1425
Sun Jun 11 2017 14:33:00.0000	1608	1390
Sun Jun 11 2017 14:34:00.0000	1607	1473
Sun Jun 11 2017 14:35:00.0000	1605	1450
Sun Jun 11 2017 14:36:00.0000	1607	1421
Sun Jun 11 2017 14:37:00.0000	1608	1531
Sun Jun 11 2017 14:38:00.0000	1607	1362
Sun Jun 11 2017 14:39:00.0000	1605	1406
Sun Jun 11 2017 14:40:00.0000	1606	1454
Sun Jun 11 2017 14:41:00.0000	1608	1398
Sun Jun 11 2017 14:42:00.0000	1608	1432

Date/Time	Process Temperature (°F)	Process Flow SCFM
Sun Jun 11 2017 14:43:00.0000	1606	1375
Sun Jun 11 2017 14:44:00.0000	1605	1452
Sun Jun 11 2017 14:45:00.0000	1607	1401
Sun Jun 11 2017 14:46:00.0000	1608	1435
Sun Jun 11 2017 14:47:00.0000	1608	1424
Sun Jun 11 2017 14:48:00.0000	1605	1432
Sun Jun 11 2017 14:49:00.0000	1607	1425
Sun Jun 11 2017 14:50:00.0000	1608	1453
Sun Jun 11 2017 14:51:00.0000	1608	1406
Sun Jun 11 2017 14:52:00.0000	1606	1436
Sun Jun 11 2017 14:53:00.0000	1605	1416
Sun Jun 11 2017 14:54:00.0000	1607	1436
Sun Jun 11 2017 14:55:00.0000	1608	1418
Sun Jun 11 2017 14:56:00.0000	1607	1493
Sun Jun 11 2017 14:57:00.0000	1605	1462
Sun Jun 11 2017 14:58:00.0000	1607	1447
Sun Jun 11 2017 14:59:00.0000	1607	1330
Sun Jun 11 2017 15:00:00.0000	1607	1455
Sun Jun 11 2017 15:01:00.0000	1605	1448
Sun Jun 11 2017 15:02:00.0000	1606	1418
Sun Jun 11 2017 15:03:00.0000	1607	1452
Sun Jun 11 2017 15:04:00.0000	1608	1403
Sun Jun 11 2017 15:05:00.0000	1607	1411
Sun Jun 11 2017 15:06:00.0000	1605	1415
Sun Jun 11 2017 15:07:00.0000	1607	1432
Sun Jun 11 2017 15:08:00.0000	1607	1441
Sun Jun 11 2017 15:09:00.0000	1607	1434
Sun Jun 11 2017 15:10:00.0000	1605	1425
Sun Jun 11 2017 15:11:00.0000	1606	1405
Sun Jun 11 2017 15:12:00.0000	1607	1376
Sun Jun 11 2017 15:13:00.0000	1608	1397
Sun Jun 11 2017 15:14:00.0000	1607	1444
Sun Jun 11 2017 15:15:00.0000	1605	1434
Sun Jun 11 2017 15:16:00.0000	1607	1387
Sun Jun 11 2017 15:17:00.0000	1607	1417
Sun Jun 11 2017 15:18:00.0000	1607	1402
Sun Jun 11 2017 15:19:00.0000	1605	1370
Sun Jun 11 2017 15:20:00.0000	1606	1426
Sun Jun 11 2017 15:21:00.0000	1607	1454
Sun Jun 11 2017 15:22:00.0000	1608	1373
Sun Jun 11 2017 15:23:00.0000	1607	1458
Sun Jun 11 2017 15:24:00.0000	1605	1433
Sun Jun 11 2017 15:25:00.0000	1607	1428
Sun Jun 11 2017 15:26:00.0000	1608	1414
Sun Jun 11 2017 15:27:00.0000	1607	1542
Sun Jun 11 2017 15:28:00.0000	1605	1475
Sun Jun 11 2017 15:29:00.0000	1606	1400
Sun Jun 11 2017 15:30:00.0000	1607	1447
Sun Jun 11 2017 15:31:00.0000	1608	1443
Sun Jun 11 2017 15:32:00.0000	1606	1408
Sun Jun 11 2017 15:33:00.0000	1605	1402
Sun Jun 11 2017 15:34:00.0000	1607	1415
Sun Jun 11 2017 15:35:00.0000	1608	1441
Sun Jun 11 2017 15:36:00.0000	1607	1417
Sun Jun 11 2017 15:37:00.0000	1605	1460
Sun Jun 11 2017 15:38:00.0000	1607	1386
Sun Jun 11 2017 15:39:00.0000	1607	1432

Date/Time	Process Temperature (°F)	Process Flow SCFM
Sun Jun 11 2017 15:40:00.0000	1607	1393
Sun Jun 11 2017 15:41:00.0000	1606	1495
Sun Jun 11 2017 15:42:00.0000	1605	1437
Sun Jun 11 2017 15:43:00.0000	1607	1525
Sun Jun 11 2017 15:44:00.0000	1608	1399
Sun Jun 11 2017 15:45:00.0000	1606	1444
Sun Jun 11 2017 15:46:00.0000	1605	1474
Sun Jun 11 2017 15:47:00.0000	1607	1415
Sun Jun 11 2017 15:48:00.0000	1607	1421
Sun Jun 11 2017 15:49:00.0000	1607	1430
Sun Jun 11 2017 15:50:00.0000	1605	1431
Sun Jun 11 2017 15:51:00.0000	1606	1475
Sun Jun 11 2017 15:52:00.0000	1607	1393
Sun Jun 11 2017 15:53:00.0000	1608	1439
Sun Jun 11 2017 15:54:00.0000	1606	1491
Sun Jun 11 2017 15:55:00.0000	1605	1441
Sun Jun 11 2017 15:56:00.0000	1607	1417
Sun Jun 11 2017 15:57:00.0000	1607	1375
Sun Jun 11 2017 15:58:00.0000	1607	1422
Sun Jun 11 2017 15:59:00.0000	1605	1413
Sun Jun 11 2017 16:00:00.0000	1606	1413
Sun Jun 11 2017 16:01:00.0000	1607	1458
Sun Jun 11 2017 16:02:00.0000	1608	1423
Sun Jun 11 2017 16:03:00.0000	1606	1433
Sun Jun 11 2017 16:04:00.0000	1605	1421
Sun Jun 11 2017 16:05:00.0000	1607	1406
Sun Jun 11 2017 16:06:00.0000	1607	1424
Sun Jun 11 2017 16:07:00.0000	1607	1432
Sun Jun 11 2017 16:08:00.0000	1605	1417
Sun Jun 11 2017 16:09:00.0000	1605	1443
Sun Jun 11 2017 16:10:00.0000	1607	1402
Sun Jun 11 2017 16:11:00.0000	1608	1419
Sun Jun 11 2017 16:12:00.0000	1606	1418
Sun Jun 11 2017 16:13:00.0000	1605	1415
Sun Jun 11 2017 16:14:00.0000	1607	1411
Sun Jun 11 2017 16:15:00.0000	1607	1424
Sun Jun 11 2017 16:16:00.0000	1607	1407
Sun Jun 11 2017 16:17:00.0000	1605	1366
Sun Jun 11 2017 16:18:00.0000	1605	1411
Sun Jun 11 2017 16:19:00.0000	1607	1476
Sun Jun 11 2017 16:20:00.0000	1607	1416
Sun Jun 11 2017 16:21:00.0000	1606	1383
Sun Jun 11 2017 16:22:00.0000	1605	1418
Sun Jun 11 2017 16:23:00.0000	1607	1438
Sun Jun 11 2017 16:24:00.0000	1607	1487
Sun Jun 11 2017 16:25:00.0000	1606	1428
Sun Jun 11 2017 16:26:00.0000	1605	1413
Sun Jun 11 2017 16:27:00.0000	1605	1413
Sun Jun 11 2017 16:28:00.0000	1607	1424
Sun Jun 11 2017 16:29:00.0000	1607	1414
Sun Jun 11 2017 16:30:00.0000	1605	1477
Sun Jun 11 2017 16:31:00.0000	1604	1431
Sun Jun 11 2017 16:32:00.0000	1606	1402
Sun Jun 11 2017 16:33:00.0000	1607	1378
Sun Jun 11 2017 16:34:00.0000	1606	1487
Sun Jun 11 2017 16:35:00.0000	1604	1480
Sun Jun 11 2017 16:36:00.0000	1605	1439

Date/Time	Process Temperature (°F)	Process Flow SCFM
Sun Jun 11 2017 16:37:00.0000	1606	1457
Sun Jun 11 2017 16:38:00.0000	1607	1485
Sun Jun 11 2017 16:39:00.0000	1605	1433
Sun Jun 11 2017 16:40:00.0000	1605	1431
Sun Jun 11 2017 16:41:00.0000	1606	1437
Sun Jun 11 2017 16:42:00.0000	1607	1478
Sun Jun 11 2017 16:43:00.0000	1606	1391
Sun Jun 11 2017 16:44:00.0000	1604	1390
Sun Jun 11 2017 16:45:00.0000	1606	1484
Sun Jun 11 2017 16:46:00.0000	1606	1435
Sun Jun 11 2017 16:47:00.0000	1606	1447
Sun Jun 11 2017 16:48:00.0000	1604	1466
Sun Jun 11 2017 16:49:00.0000	1605	1454
Sun Jun 11 2017 16:50:00.0000	1606	1389
Sun Jun 11 2017 16:51:00.0000	1607	1444
Sun Jun 11 2017 16:52:00.0000	1606	1411
Sun Jun 11 2017 16:53:00.0000	1604	1450
Sun Jun 11 2017 16:54:00.0000	1606	1491
Sun Jun 11 2017 16:55:00.0000	1606	1591
Sun Jun 11 2017 16:56:00.0000	1606	1426
Sun Jun 11 2017 16:57:00.0000	1604	1485
Sun Jun 11 2017 16:58:00.0000	1605	1383
Sun Jun 11 2017 16:59:00.0000	1606	1435
Sun Jun 11 2017 17:00:00.0000	1607	1461
Sun Jun 11 2017 17:01:00.0000	1605	1359
Sun Jun 11 2017 17:02:00.0000	1604	1457
Sun Jun 11 2017 17:03:00.0000	1605	1431
Sun Jun 11 2017 17:04:00.0000	1606	1359
Sun Jun 11 2017 17:05:00.0000	1606	1402
Sun Jun 11 2017 17:06:00.0000	1604	1356
Sun Jun 11 2017 17:07:00.0000	1605	1491
Sun Jun 11 2017 17:08:00.0000	1606	1377
Sun Jun 11 2017 17:09:00.0000	1606	1472
Sun Jun 11 2017 17:10:00.0000	1605	1424
Sun Jun 11 2017 17:11:00.0000	1604	1407
Sun Jun 11 2017 17:12:00.0000	1606	1449
Sun Jun 11 2017 17:13:00.0000	1606	1432
Sun Jun 11 2017 17:14:00.0000	1605	1543
Sun Jun 11 2017 17:15:00.0000	1603	1558
Sun Jun 11 2017 17:16:00.0000	1605	1415
Sun Jun 11 2017 17:17:00.0000	1606	1329
Sun Jun 11 2017 17:18:00.0000	1606	1484
Sun Jun 11 2017 17:19:00.0000	1604	1425
Sun Jun 11 2017 17:20:00.0000	1604	1485
Sun Jun 11 2017 17:21:00.0000	1605	1493
Sun Jun 11 2017 17:22:00.0000	1606	1459
Sun Jun 11 2017 17:23:00.0000	1605	1418
Sun Jun 11 2017 17:24:00.0000	1603	1440
Sun Jun 11 2017 17:25:00.0000	1605	1405
Sun Jun 11 2017 17:26:00.0000	1605	1524
Sun Jun 11 2017 17:27:00.0000	1605	1444
Sun Jun 11 2017 17:28:00.0000	1603	1411
Sun Jun 11 2017 17:29:00.0000	1604	1499
Sun Jun 11 2017 17:30:00.0000	1605	1460
Sun Jun 11 2017 17:31:00.0000	1606	1381
Sun Jun 11 2017 17:32:00.0000	1605	1505
Sun Jun 11 2017 17:33:00.0000	1603	1425

Date/Time	Process Temperature (°F)	Process Flow SCFM
Sun Jun 11 2017 17:34:00.0000	1605	1428
Sun Jun 11 2017 17:35:00.0000	1605	1435
Sun Jun 11 2017 17:36:00.0000	1605	1499
Sun Jun 11 2017 17:37:00.0000	1603	1448
Sun Jun 11 2017 17:38:00.0000	1604	1412
Sun Jun 11 2017 17:39:00.0000	1605	1438
Sun Jun 11 2017 17:40:00.0000	1606	1404
Sun Jun 11 2017 17:41:00.0000	1605	1463
Sun Jun 11 2017 17:42:00.0000	1603	1361
Sun Jun 11 2017 17:43:00.0000	1605	1368
Sun Jun 11 2017 17:44:00.0000	1605	1386
Sun Jun 11 2017 17:45:00.0000	1605	1460
Sun Jun 11 2017 17:46:00.0000	1603	1446
Sun Jun 11 2017 17:47:00.0000	1604	1400
Sun Jun 11 2017 17:48:00.0000	1605	1393
Sun Jun 11 2017 17:49:00.0000	1606	1404
Sun Jun 11 2017 17:50:00.0000	1604	1404
Sun Jun 11 2017 17:51:00.0000	1603	1419
Sun Jun 11 2017 17:52:00.0000	1607	1401
Sun Jun 11 2017 17:53:00.0000	1611	1375
Sun Jun 11 2017 17:54:00.0000	1614	1437
Sun Jun 11 2017 17:55:00.0000	1613	1406
Sun Jun 11 2017 17:56:00.0000	1614	1408
Sun Jun 11 2017 17:57:00.0000	1617	1383
Sun Jun 11 2017 17:58:00.0000	1620	1388
Sun Jun 11 2017 17:59:00.0000	1619	1449
Sun Jun 11 2017 18:00:00.0000	1617	1418
Sun Jun 11 2017 18:01:00.0000	1621	1398
Sun Jun 11 2017 18:02:00.0000	1622	1450
Sun Jun 11 2017 18:03:00.0000	1624	1411
Sun Jun 11 2017 18:04:00.0000	1621	1444
Sun Jun 11 2017 18:05:00.0000	1622	1385
Sun Jun 11 2017 18:06:00.0000	1624	1362
Sun Jun 11 2017 18:07:00.0000	1627	1395
Sun Jun 11 2017 18:08:00.0000	1625	1379
Sun Jun 11 2017 18:09:00.0000	1623	1396
Sun Jun 11 2017 18:10:00.0000	1626	1394
Sun Jun 11 2017 18:11:00.0000	1628	1390
Sun Jun 11 2017 18:12:00.0000	1628	1373
Sun Jun 11 2017 18:13:00.0000	1626	1367
Sun Jun 11 2017 18:14:00.0000	1626	1379
Sun Jun 11 2017 18:15:00.0000	1628	1412
Sun Jun 11 2017 18:16:00.0000	1630	1368
Sun Jun 11 2017 18:17:00.0000	1629	1387
Sun Jun 11 2017 18:18:00.0000	1627	1430
Sun Jun 11 2017 18:19:00.0000	1629	1435
Sun Jun 11 2017 18:20:00.0000	1631	1397
Sun Jun 11 2017 18:21:00.0000	1632	1413
Sun Jun 11 2017 18:22:00.0000	1629	1372
Sun Jun 11 2017 18:23:00.0000	1630	1448
Sun Jun 11 2017 18:24:00.0000	1631	1394
Sun Jun 11 2017 18:25:00.0000	1631	1364
Sun Jun 11 2017 18:26:00.0000	1625	1427
Sun Jun 11 2017 18:27:00.0000	1622	1424
Sun Jun 11 2017 18:28:00.0000	1621	1374
Sun Jun 11 2017 18:29:00.0000	1619	1355
Sun Jun 11 2017 18:30:00.0000	1617	1382

Date/Time	Process Temperature (°F)	Process Flow SCFM
Sun Jun 11 2017 18:31:00.0000	1614	1435
Sun Jun 11 2017 18:32:00.0000	1614	1443
Sun Jun 11 2017 18:33:00.0000	1614	1369
Sun Jun 11 2017 18:34:00.0000	1613	1348
Sun Jun 11 2017 18:35:00.0000	1610	1378
Sun Jun 11 2017 18:36:00.0000	1609	1368
Sun Jun 11 2017 18:37:00.0000	1610	1370
Sun Jun 11 2017 18:38:00.0000	1609	1372
Sun Jun 11 2017 18:39:00.0000	1608	1375
Sun Jun 11 2017 18:40:00.0000	1606	1393
Sun Jun 11 2017 18:41:00.0000	1605	1392
Sun Jun 11 2017 18:42:00.0000	1606	1389
Sun Jun 11 2017 18:43:00.0000	1606	1381
Sun Jun 11 2017 18:44:00.0000	1604	1372
Sun Jun 11 2017 18:45:00.0000	1602	1392
Sun Jun 11 2017 18:46:00.0000	1604	1363
Sun Jun 11 2017 18:47:00.0000	1603	1390
Sun Jun 11 2017 18:48:00.0000	1602	1389
Sun Jun 11 2017 18:49:00.0000	1603	1381
Sun Jun 11 2017 18:50:00.0000	1609	1385
Sun Jun 11 2017 18:51:00.0000	1613	1377
Sun Jun 11 2017 18:52:00.0000	1618	1396
Sun Jun 11 2017 18:53:00.0000	1617	1368
Sun Jun 11 2017 18:54:00.0000	1617	1384
Sun Jun 11 2017 18:55:00.0000	1621	1479
Sun Jun 11 2017 18:56:00.0000	1624	1375
Sun Jun 11 2017 18:57:00.0000	1624	1400
Sun Jun 11 2017 18:58:00.0000	1622	1389
Sun Jun 11 2017 18:59:00.0000	1625	1367
Sun Jun 11 2017 19:00:00.0000	1627	1360
Sun Jun 11 2017 19:01:00.0000	1629	1350
Sun Jun 11 2017 19:02:00.0000	1627	1381
Sun Jun 11 2017 19:03:00.0000	1627	1394
Sun Jun 11 2017 19:04:00.0000	1630	1375
Sun Jun 11 2017 19:05:00.0000	1632	1433
Sun Jun 11 2017 19:06:00.0000	1631	1400
Sun Jun 11 2017 19:07:00.0000	1629	1490
Sun Jun 11 2017 19:08:00.0000	1632	1372
Sun Jun 11 2017 19:09:00.0000	1633	1366
Sun Jun 11 2017 19:10:00.0000	1631	1361
Sun Jun 11 2017 19:11:00.0000	1622	1377
Sun Jun 11 2017 19:12:00.0000	1618	1398
Sun Jun 11 2017 19:13:00.0000	1615	1405
Sun Jun 11 2017 19:14:00.0000	1611	1456
Sun Jun 11 2017 19:15:00.0000	1607	1381
Sun Jun 11 2017 19:16:00.0000	1605	1410
Sun Jun 11 2017 19:17:00.0000	1604	1448
Sun Jun 11 2017 19:18:00.0000	1602	1447
Sun Jun 11 2017 19:19:00.0000	1603	1437
Sun Jun 11 2017 19:20:00.0000	1606	1381
Sun Jun 11 2017 19:21:00.0000	1609	1383
Sun Jun 11 2017 19:22:00.0000	1614	1393
Sun Jun 11 2017 19:23:00.0000	1619	1386
Sun Jun 11 2017 19:24:00.0000	1619	1390
Sun Jun 11 2017 19:25:00.0000	1619	1377
Sun Jun 11 2017 19:26:00.0000	1622	1360
Sun Jun 11 2017 19:27:00.0000	1625	1402

Date/Time	Process Temperature (°F)	Process Flow SCFM
Sun Jun 11 2017 19:28:00.0000	1625	1412
Sun Jun 11 2017 19:29:00.0000	1624	1333
Sun Jun 11 2017 19:30:00.0000	1625	1385
Sun Jun 11 2017 19:31:00.0000	1627	1357
Sun Jun 11 2017 19:32:00.0000	1630	1417
Sun Jun 11 2017 19:33:00.0000	1629	1404
Sun Jun 11 2017 19:34:00.0000	1627	1451
Sun Jun 11 2017 19:35:00.0000	1630	1375
Sun Jun 11 2017 19:36:00.0000	1632	1419
Sun Jun 11 2017 19:37:00.0000	1626	1387
Sun Jun 11 2017 19:38:00.0000	1621	1372
Sun Jun 11 2017 19:39:00.0000	1620	1469
Sun Jun 11 2017 19:40:00.0000	1618	1370
Sun Jun 11 2017 19:41:00.0000	1616	1446
Sun Jun 11 2017 19:42:00.0000	1613	1414
Sun Jun 11 2017 19:43:00.0000	1612	1396
Sun Jun 11 2017 19:44:00.0000	1612	1464
Sun Jun 11 2017 19:45:00.0000	1611	1421
Sun Jun 11 2017 19:46:00.0000	1609	1374
Sun Jun 11 2017 19:47:00.0000	1607	1386
Sun Jun 11 2017 19:48:00.0000	1607	1376
Sun Jun 11 2017 19:49:00.0000	1607	1381
Sun Jun 11 2017 19:50:00.0000	1605	1401
Sun Jun 11 2017 19:51:00.0000	1603	1387
Sun Jun 11 2017 19:52:00.0000	1603	1364
Sun Jun 11 2017 19:53:00.0000	1604	1338
Sun Jun 11 2017 19:54:00.0000	1603	1395
Sun Jun 11 2017 19:55:00.0000	1601	1344
Sun Jun 11 2017 19:56:00.0000	1608	1415
Sun Jun 11 2017 19:57:00.0000	1616	1368
Sun Jun 11 2017 19:58:00.0000	1624	1348
Sun Jun 11 2017 19:59:00.0000	1629	1371
Sun Jun 11 2017 20:00:00.0000	1628	1376
Sun Jun 11 2017 20:01:00.0000	1633	1340
Sun Jun 11 2017 20:02:00.0000	1628	1332
Sun Jun 11 2017 20:03:00.0000	1624	1374
Sun Jun 11 2017 20:04:00.0000	1619	1385
Sun Jun 11 2017 20:05:00.0000	1615	1369
Sun Jun 11 2017 20:06:00.0000	1613	1354
Sun Jun 11 2017 20:07:00.0000	1612	1360
Sun Jun 11 2017 20:08:00.0000	1610	1357
Sun Jun 11 2017 20:09:00.0000	1607	1319
Sun Jun 11 2017 20:10:00.0000	1606	1380
Sun Jun 11 2017 20:11:00.0000	1605	1368
Sun Jun 11 2017 20:12:00.0000	1604	1378
Sun Jun 11 2017 20:13:00.0000	1602	1399
Sun Jun 11 2017 20:14:00.0000	1604	1334
Sun Jun 11 2017 20:15:00.0000	1609	1306
Sun Jun 11 2017 20:16:00.0000	1615	1390
Sun Jun 11 2017 20:17:00.0000	1616	1346
Sun Jun 11 2017 20:18:00.0000	1616	1370
Sun Jun 11 2017 20:19:00.0000	1620	1429
Sun Jun 11 2017 20:20:00.0000	1622	1383
Sun Jun 11 2017 20:21:00.0000	1624	1382
Sun Jun 11 2017 20:22:00.0000	1623	1394
Sun Jun 11 2017 20:23:00.0000	1624	1328
Sun Jun 11 2017 20:24:00.0000	1626	1392

Date/Time	Process Temperature (°F)	Process Flow SCFM
Sun Jun 11 2017 20:25:00.0000	1629	1389
Sun Jun 11 2017 20:26:00.0000	1629	1349
Sun Jun 11 2017 20:27:00.0000	1627	1355
Sun Jun 11 2017 20:28:00.0000	1630	1354
Sun Jun 11 2017 20:29:00.0000	1632	1368
Sun Jun 11 2017 20:30:00.0000	1628	1344
Sun Jun 11 2017 20:31:00.0000	1622	1385
Sun Jun 11 2017 20:32:00.0000	1619	1362
Sun Jun 11 2017 20:33:00.0000	1617	1415
Sun Jun 11 2017 20:34:00.0000	1615	1351
Sun Jun 11 2017 20:35:00.0000	1612	1372
Sun Jun 11 2017 20:36:00.0000	1611	1356
Sun Jun 11 2017 20:37:00.0000	1610	1352
Sun Jun 11 2017 20:38:00.0000	1609	1366
Sun Jun 11 2017 20:39:00.0000	1607	1351
Sun Jun 11 2017 20:40:00.0000	1605	1375
Sun Jun 11 2017 20:41:00.0000	1605	1395
Sun Jun 11 2017 20:42:00.0000	1605	1382
Sun Jun 11 2017 20:43:00.0000	1604	1366
Sun Jun 11 2017 20:44:00.0000	1602	1375
Sun Jun 11 2017 20:45:00.0000	1604	1364
Sun Jun 11 2017 20:46:00.0000	1609	1377
Sun Jun 11 2017 20:47:00.0000	1615	1345
Sun Jun 11 2017 20:48:00.0000	1617	1357
Sun Jun 11 2017 20:49:00.0000	1616	1356
Sun Jun 11 2017 20:50:00.0000	1620	1356
Sun Jun 11 2017 20:51:00.0000	1622	1377
Sun Jun 11 2017 20:52:00.0000	1625	1374
Sun Jun 11 2017 20:53:00.0000	1624	1381
Sun Jun 11 2017 20:54:00.0000	1624	1358
Sun Jun 11 2017 20:55:00.0000	1626	1325
Sun Jun 11 2017 20:56:00.0000	1629	1343
Sun Jun 11 2017 20:57:00.0000	1629	1354
Sun Jun 11 2017 20:58:00.0000	1627	1400
Sun Jun 11 2017 20:59:00.0000	1630	1365
Sun Jun 11 2017 21:00:00.0000	1631	1369
Sun Jun 11 2017 21:01:00.0000	1631	1347
Sun Jun 11 2017 21:02:00.0000	1623	1365
Sun Jun 11 2017 21:03:00.0000	1620	1390
Sun Jun 11 2017 21:04:00.0000	1618	1385
Sun Jun 11 2017 21:05:00.0000	1615	1380
Sun Jun 11 2017 21:06:00.0000	1613	1386
Sun Jun 11 2017 21:07:00.0000	1610	1359
Sun Jun 11 2017 21:08:00.0000	1609	1362
Sun Jun 11 2017 21:09:00.0000	1608	1385
Sun Jun 11 2017 21:10:00.0000	1607	1377
Sun Jun 11 2017 21:11:00.0000	1604	1378
Sun Jun 11 2017 21:12:00.0000	1603	1345
Sun Jun 11 2017 21:13:00.0000	1604	1461
Sun Jun 11 2017 21:14:00.0000	1603	1395
Sun Jun 11 2017 21:15:00.0000	1601	1482
Sun Jun 11 2017 21:16:00.0000	1607	1346
Sun Jun 11 2017 21:17:00.0000	1617	1408
Sun Jun 11 2017 21:18:00.0000	1623	1345
Sun Jun 11 2017 21:19:00.0000	1630	1425
Sun Jun 11 2017 21:20:00.0000	1630	1507
Sun Jun 11 2017 21:21:00.0000	1634	1372

Date/Time	Process Temperature (°F)	Process Flow SCFM
Sun Jun 11 2017 21:22:00.0000	1626	1375
Sun Jun 11 2017 21:23:00.0000	1619	1385
Sun Jun 11 2017 21:24:00.0000	1614	1356
Sun Jun 11 2017 21:25:00.0000	1610	1336
Sun Jun 11 2017 21:26:00.0000	1607	1341
Sun Jun 11 2017 21:27:00.0000	1604	1378
Sun Jun 11 2017 21:28:00.0000	1601	1413
Sun Jun 11 2017 21:29:00.0000	1603	1369
Sun Jun 11 2017 21:30:00.0000	1609	1338
Sun Jun 11 2017 21:31:00.0000	1613	1352
Sun Jun 11 2017 21:32:00.0000	1618	1351
Sun Jun 11 2017 21:33:00.0000	1618	1354
Sun Jun 11 2017 21:34:00.0000	1618	1462
Sun Jun 11 2017 21:35:00.0000	1621	1353
Sun Jun 11 2017 21:36:00.0000	1625	1400
Sun Jun 11 2017 21:37:00.0000	1626	1348
Sun Jun 11 2017 21:38:00.0000	1624	1381
Sun Jun 11 2017 21:39:00.0000	1627	1397
Sun Jun 11 2017 21:40:00.0000	1627	1346
Sun Jun 11 2017 21:41:00.0000	1630	1332
Sun Jun 11 2017 21:42:00.0000	1629	1368
Sun Jun 11 2017 21:43:00.0000	1628	1358
Sun Jun 11 2017 21:44:00.0000	1631	1389
Sun Jun 11 2017 21:45:00.0000	1632	1446
Sun Jun 11 2017 21:46:00.0000	1622	1361
Sun Jun 11 2017 21:47:00.0000	1616	1374
Sun Jun 11 2017 21:48:00.0000	1613	1359
Sun Jun 11 2017 21:49:00.0000	1609	1429
Sun Jun 11 2017 21:50:00.0000	1606	1325
Sun Jun 11 2017 21:51:00.0000	1602	1375
Sun Jun 11 2017 21:52:00.0000	1602	1358
Sun Jun 11 2017 21:53:00.0000	1605	1361
Sun Jun 11 2017 21:54:00.0000	1607	1392
Sun Jun 11 2017 21:55:00.0000	1607	1386
Sun Jun 11 2017 21:56:00.0000	1606	1351
Sun Jun 11 2017 21:57:00.0000	1608	1348
Sun Jun 11 2017 21:58:00.0000	1609	1371
Sun Jun 11 2017 21:59:00.0000	1609	1368
Sun Jun 11 2017 22:00:00.0000	1607	1475
Sun Jun 11 2017 22:01:00.0000	1609	1369
Sun Jun 11 2017 22:02:00.0000	1609	1374
Sun Jun 11 2017 22:03:00.0000	1610	1364
Sun Jun 11 2017 22:04:00.0000	1608	1390
Sun Jun 11 2017 22:05:00.0000	1607	1354
Sun Jun 11 2017 22:06:00.0000	1609	1362
Sun Jun 11 2017 22:07:00.0000	1610	1556
Sun Jun 11 2017 22:08:00.0000	1609	1446
Sun Jun 11 2017 22:09:00.0000	1607	1414
Sun Jun 11 2017 22:10:00.0000	1609	1379
Sun Jun 11 2017 22:11:00.0000	1609	1380
Sun Jun 11 2017 22:12:00.0000	1610	1350
Sun Jun 11 2017 22:13:00.0000	1608	1358
Sun Jun 11 2017 22:14:00.0000	1607	1364
Sun Jun 11 2017 22:15:00.0000	1609	1314
Sun Jun 11 2017 22:16:00.0000	1610	1377
Sun Jun 11 2017 22:17:00.0000	1609	1447
Sun Jun 11 2017 22:18:00.0000	1607	1362

Date/Time	Process Temperature (°F)	Process Flow SCFM
Sun Jun 11 2017 22:19:00.0000	1608	1341
Sun Jun 11 2017 22:20:00.0000	1609	1348
Sun Jun 11 2017 22:21:00.0000	1609	1383
Sun Jun 11 2017 22:22:00.0000	1608	1381
Sun Jun 11 2017 22:23:00.0000	1607	1354
Sun Jun 11 2017 22:24:00.0000	1608	1333
Sun Jun 11 2017 22:25:00.0000	1609	1412
Sun Jun 11 2017 22:26:00.0000	1609	1481
Sun Jun 11 2017 22:27:00.0000	1607	1380
Sun Jun 11 2017 22:28:00.0000	1608	1375
Sun Jun 11 2017 22:29:00.0000	1609	1482
Sun Jun 11 2017 22:30:00.0000	1609	1373
Sun Jun 11 2017 22:31:00.0000	1607	1379
Sun Jun 11 2017 22:32:00.0000	1607	1440
Sun Jun 11 2017 22:33:00.0000	1608	1397
Sun Jun 11 2017 22:34:00.0000	1609	1437
Sun Jun 11 2017 22:35:00.0000	1608	1387
Sun Jun 11 2017 22:36:00.0000	1606	1344
Sun Jun 11 2017 22:37:00.0000	1607	1366
Sun Jun 11 2017 22:38:00.0000	1608	1386
Sun Jun 11 2017 22:39:00.0000	1608	1366
Sun Jun 11 2017 22:40:00.0000	1607	1490
Sun Jun 11 2017 22:41:00.0000	1606	1360
Sun Jun 11 2017 22:42:00.0000	1608	1385
Sun Jun 11 2017 22:43:00.0000	1609	1402
Sun Jun 11 2017 22:44:00.0000	1608	1370
Sun Jun 11 2017 22:45:00.0000	1607	1362
Sun Jun 11 2017 22:46:00.0000	1609	1394
Sun Jun 11 2017 22:47:00.0000	1610	1371
Sun Jun 11 2017 22:48:00.0000	1610	1408
Sun Jun 11 2017 22:49:00.0000	1608	1358
Sun Jun 11 2017 22:50:00.0000	1608	1419
Sun Jun 11 2017 22:51:00.0000	1609	1356
Sun Jun 11 2017 22:52:00.0000	1610	1338
Sun Jun 11 2017 22:53:00.0000	1609	1413
Sun Jun 11 2017 22:54:00.0000	1608	1367
Sun Jun 11 2017 22:55:00.0000	1609	1368
Sun Jun 11 2017 22:56:00.0000	1610	1349
Sun Jun 11 2017 22:57:00.0000	1609	1346
Sun Jun 11 2017 22:58:00.0000	1608	1381
Sun Jun 11 2017 22:59:00.0000	1609	1377
Sun Jun 11 2017 23:00:00.0000	1610	1403
Sun Jun 11 2017 23:01:00.0000	1610	1420
Sun Jun 11 2017 23:02:00.0000	1609	1454
Sun Jun 11 2017 23:03:00.0000	1608	1364
Sun Jun 11 2017 23:04:00.0000	1610	1446
Sun Jun 11 2017 23:05:00.0000	1610	1341
Sun Jun 11 2017 23:06:00.0000	1610	1351
Sun Jun 11 2017 23:07:00.0000	1608	1362
Sun Jun 11 2017 23:08:00.0000	1610	1422
Sun Jun 11 2017 23:09:00.0000	1610	1431
Sun Jun 11 2017 23:10:00.0000	1610	1294
Sun Jun 11 2017 23:11:00.0000	1608	1422
Sun Jun 11 2017 23:12:00.0000	1608	1405
Sun Jun 11 2017 23:13:00.0000	1610	1365
Sun Jun 11 2017 23:14:00.0000	1610	1363
Sun Jun 11 2017 23:15:00.0000	1609	1411

Date/Time	Process Temperature (°F)	Process Flow SCFM
Sun Jun 11 2017 23:16:00.0000	1608	1372
Sun Jun 11 2017 23:17:00.0000	1610	1306
Sun Jun 11 2017 23:18:00.0000	1610	1372
Sun Jun 11 2017 23:19:00.0000	1609	1473
Sun Jun 11 2017 23:20:00.0000	1608	1353
Sun Jun 11 2017 23:21:00.0000	1609	1318
Sun Jun 11 2017 23:22:00.0000	1610	1452
Sun Jun 11 2017 23:23:00.0000	1610	1330
Sun Jun 11 2017 23:24:00.0000	1608	1374
Sun Jun 11 2017 23:25:00.0000	1608	1399
Sun Jun 11 2017 23:26:00.0000	1609	1436
Sun Jun 11 2017 23:27:00.0000	1610	1383
Sun Jun 11 2017 23:28:00.0000	1609	1427
Sun Jun 11 2017 23:29:00.0000	1607	1356
Sun Jun 11 2017 23:30:00.0000	1609	1373
Sun Jun 11 2017 23:31:00.0000	1610	1394
Sun Jun 11 2017 23:32:00.0000	1609	1417
Sun Jun 11 2017 23:33:00.0000	1608	1400
Sun Jun 11 2017 23:34:00.0000	1608	1371
Sun Jun 11 2017 23:35:00.0000	1609	1396
Sun Jun 11 2017 23:36:00.0000	1610	1316
Sun Jun 11 2017 23:37:00.0000	1609	1465
Sun Jun 11 2017 23:38:00.0000	1607	1429
Sun Jun 11 2017 23:39:00.0000	1609	1345
Sun Jun 11 2017 23:40:00.0000	1610	1386
Sun Jun 11 2017 23:41:00.0000	1609	1441
Sun Jun 11 2017 23:42:00.0000	1608	1329
Sun Jun 11 2017 23:43:00.0000	1608	1387
Sun Jun 11 2017 23:44:00.0000	1609	1379
Sun Jun 11 2017 23:45:00.0000	1610	1333
Sun Jun 11 2017 23:46:00.0000	1608	1375
Sun Jun 11 2017 23:47:00.0000	1607	1426
Sun Jun 11 2017 23:48:00.0000	1609	1350
Sun Jun 11 2017 23:49:00.0000	1610	1326
Sun Jun 11 2017 23:50:00.0000	1609	1335
Sun Jun 11 2017 23:51:00.0000	1607	1365
Sun Jun 11 2017 23:52:00.0000	1608	1332
Sun Jun 11 2017 23:53:00.0000	1609	1394
Sun Jun 11 2017 23:54:00.0000	1610	1316
Sun Jun 11 2017 23:55:00.0000	1608	1404
Sun Jun 11 2017 23:56:00.0000	1607	1383
Sun Jun 11 2017 23:57:00.0000	1609	1342
Sun Jun 11 2017 23:58:00.0000	1610	1376
Sun Jun 11 2017 23:59:00.0000	1610	1353
Mon Jun 12 2017 00:00:00.0000	1607	1330
Mon Jun 12 2017 00:01:00.0000	1609	1356
Mon Jun 12 2017 00:02:00.0000	1610	1299
Mon Jun 12 2017 00:03:00.0000	1610	1305
Mon Jun 12 2017 00:04:00.0000	1608	1373
Mon Jun 12 2017 00:05:00.0000	1607	1370
Mon Jun 12 2017 00:06:00.0000	1609	1403
Mon Jun 12 2017 00:07:00.0000	1610	1377
Mon Jun 12 2017 00:08:00.0000	1609	1234
Mon Jun 12 2017 00:09:00.0000	1607	1326
Mon Jun 12 2017 00:10:00.0000	1608	1357
Mon Jun 12 2017 00:11:00.0000	1609	1369
Mon Jun 12 2017 00:12:00.0000	1609	1323

Date/Time	Process Temperature (°F)	Process Flow SCFM
Mon Jun 12 2017 00:13:00.0000	1607	1408
Mon Jun 12 2017 00:14:00.0000	1607	1349
Mon Jun 12 2017 00:15:00.0000	1608	1497
Mon Jun 12 2017 00:16:00.0000	1609	1350
Mon Jun 12 2017 00:17:00.0000	1608	1462
Mon Jun 12 2017 00:18:00.0000	1606	1438
Mon Jun 12 2017 00:19:00.0000	1608	1394
Mon Jun 12 2017 00:20:00.0000	1609	1259
Mon Jun 12 2017 00:21:00.0000	1608	1369
Mon Jun 12 2017 00:22:00.0000	1607	1351
Mon Jun 12 2017 00:23:00.0000	1607	1353
Mon Jun 12 2017 00:24:00.0000	1608	1354
Mon Jun 12 2017 00:25:00.0000	1609	1346
Mon Jun 12 2017 00:26:00.0000	1607	1416
Mon Jun 12 2017 00:27:00.0000	1607	1345
Mon Jun 12 2017 00:28:00.0000	1608	1354
Mon Jun 12 2017 00:29:00.0000	1608	1367
Mon Jun 12 2017 00:30:00.0000	1608	1369
Mon Jun 12 2017 00:31:00.0000	1606	1347
Mon Jun 12 2017 00:32:00.0000	1607	1410
Mon Jun 12 2017 00:33:00.0000	1608	1360
Mon Jun 12 2017 00:34:00.0000	1608	1338
Mon Jun 12 2017 00:35:00.0000	1607	1355
Mon Jun 12 2017 00:36:00.0000	1605	1389
Mon Jun 12 2017 00:37:00.0000	1607	1388
Mon Jun 12 2017 00:38:00.0000	1608	1393
Mon Jun 12 2017 00:39:00.0000	1607	1316
Mon Jun 12 2017 00:40:00.0000	1606	1411
Mon Jun 12 2017 00:41:00.0000	1606	1301
Mon Jun 12 2017 00:42:00.0000	1607	1302
Mon Jun 12 2017 00:43:00.0000	1608	1318
Mon Jun 12 2017 00:44:00.0000	1607	1378
Mon Jun 12 2017 00:45:00.0000	1605	1386
Mon Jun 12 2017 00:46:00.0000	1607	1368
Mon Jun 12 2017 00:47:00.0000	1608	1338
Mon Jun 12 2017 00:48:00.0000	1607	1448
Mon Jun 12 2017 00:49:00.0000	1606	1348
Mon Jun 12 2017 00:50:00.0000	1606	1359
Mon Jun 12 2017 00:51:00.0000	1607	1312
Mon Jun 12 2017 00:52:00.0000	1608	1350
Mon Jun 12 2017 00:53:00.0000	1606	1401
Mon Jun 12 2017 00:54:00.0000	1605	1348
Mon Jun 12 2017 00:55:00.0000	1607	1337
Mon Jun 12 2017 00:56:00.0000	1607	1335
Mon Jun 12 2017 00:57:00.0000	1607	1363
Mon Jun 12 2017 00:58:00.0000	1605	1417
Mon Jun 12 2017 00:59:00.0000	1605	1345
Mon Jun 12 2017 01:00:00.0000	1606	1402
Mon Jun 12 2017 01:01:00.0000	1607	1436
Mon Jun 12 2017 01:02:00.0000	1606	1369
Mon Jun 12 2017 01:03:00.0000	1605	1358
Mon Jun 12 2017 01:04:00.0000	1606	1331
Mon Jun 12 2017 01:05:00.0000	1607	1360
Mon Jun 12 2017 01:06:00.0000	1607	1384
Mon Jun 12 2017 01:07:00.0000	1605	1320
Mon Jun 12 2017 01:08:00.0000	1605	1317
Mon Jun 12 2017 01:09:00.0000	1606	1371

Date/Time	Process Temperature (°F)	Process Flow SCFM
Mon Jun 12 2017 01:10:00.0000	1607	1499
Mon Jun 12 2017 01:11:00.0000	1606	1352
Mon Jun 12 2017 01:12:00.0000	1604	1387
Mon Jun 12 2017 01:13:00.0000	1606	1363
Mon Jun 12 2017 01:14:00.0000	1607	1447
Mon Jun 12 2017 01:15:00.0000	1606	1420
Mon Jun 12 2017 01:16:00.0000	1604	1345
Mon Jun 12 2017 01:17:00.0000	1605	1371
Mon Jun 12 2017 01:18:00.0000	1606	1310
Mon Jun 12 2017 01:19:00.0000	1606	1356
Mon Jun 12 2017 01:20:00.0000	1605	1318
Mon Jun 12 2017 01:21:00.0000	1605	1340
Mon Jun 12 2017 01:22:00.0000	1606	1389
Mon Jun 12 2017 01:23:00.0000	1606	1457
Mon Jun 12 2017 01:24:00.0000	1605	1343
Mon Jun 12 2017 01:25:00.0000	1603	1394
Mon Jun 12 2017 01:26:00.0000	1605	1372
Mon Jun 12 2017 01:27:00.0000	1606	1342
Mon Jun 12 2017 01:28:00.0000	1605	1327
Mon Jun 12 2017 01:29:00.0000	1604	1312
Mon Jun 12 2017 01:30:00.0000	1605	1375
Mon Jun 12 2017 01:31:00.0000	1605	1344
Mon Jun 12 2017 01:32:00.0000	1606	1341
Mon Jun 12 2017 01:33:00.0000	1605	1359
Mon Jun 12 2017 01:34:00.0000	1603	1330
Mon Jun 12 2017 01:35:00.0000	1605	1365
Mon Jun 12 2017 01:36:00.0000	1606	1359
Mon Jun 12 2017 01:37:00.0000	1605	1395
Mon Jun 12 2017 01:38:00.0000	1603	1317
Mon Jun 12 2017 01:39:00.0000	1604	1331
Mon Jun 12 2017 01:40:00.0000	1605	1419
Mon Jun 12 2017 01:41:00.0000	1605	1349
Mon Jun 12 2017 01:42:00.0000	1604	1434
Mon Jun 12 2017 01:43:00.0000	1603	1362
Mon Jun 12 2017 01:44:00.0000	1605	1443
Mon Jun 12 2017 01:45:00.0000	1605	1296
Mon Jun 12 2017 01:46:00.0000	1604	1333
Mon Jun 12 2017 01:47:00.0000	1602	1363
Mon Jun 12 2017 01:48:00.0000	1604	1337
Mon Jun 12 2017 01:49:00.0000	1605	1331
Mon Jun 12 2017 01:50:00.0000	1605	1353
Mon Jun 12 2017 01:51:00.0000	1603	1346
Mon Jun 12 2017 01:52:00.0000	1603	1363
Mon Jun 12 2017 01:53:00.0000	1604	1328
Mon Jun 12 2017 01:54:00.0000	1605	1356
Mon Jun 12 2017 01:55:00.0000	1604	1329
Mon Jun 12 2017 01:56:00.0000	1602	1342
Mon Jun 12 2017 01:57:00.0000	1604	1337
Mon Jun 12 2017 01:58:00.0000	1605	1356
Mon Jun 12 2017 01:59:00.0000	1605	1358
Mon Jun 12 2017 02:00:00.0000	1602	1325
Mon Jun 12 2017 02:01:00.0000	1603	1337
Mon Jun 12 2017 02:02:00.0000	1604	1309
Mon Jun 12 2017 02:03:00.0000	1605	1345
Mon Jun 12 2017 02:04:00.0000	1603	1331
Mon Jun 12 2017 02:05:00.0000	1602	1318
Mon Jun 12 2017 02:06:00.0000	1604	1341

Date/Time	Process Temperature (°F)	Process Flow SCFM
Mon Jun 12 2017 02:07:00.0000	1605	1348
Mon Jun 12 2017 02:08:00.0000	1604	1316
Mon Jun 12 2017 02:09:00.0000	1602	1362
Mon Jun 12 2017 02:10:00.0000	1603	1380
Mon Jun 12 2017 02:11:00.0000	1604	1332
Mon Jun 12 2017 02:12:00.0000	1605	1324
Mon Jun 12 2017 02:13:00.0000	1603	1335
Mon Jun 12 2017 02:14:00.0000	1603	1369
Mon Jun 12 2017 02:15:00.0000	1607	1331
Mon Jun 12 2017 02:16:00.0000	1612	1370
Mon Jun 12 2017 02:17:00.0000	1614	1338
Mon Jun 12 2017 02:18:00.0000	1612	1338
Mon Jun 12 2017 02:19:00.0000	1615	1323
Mon Jun 12 2017 02:20:00.0000	1618	1290
Mon Jun 12 2017 02:21:00.0000	1621	1324
Mon Jun 12 2017 02:22:00.0000	1619	1341
Mon Jun 12 2017 02:23:00.0000	1620	1342
Mon Jun 12 2017 02:24:00.0000	1622	1376
Mon Jun 12 2017 02:25:00.0000	1624	1355
Mon Jun 12 2017 02:26:00.0000	1624	1344
Mon Jun 12 2017 02:27:00.0000	1622	1374
Mon Jun 12 2017 02:28:00.0000	1625	1359
Mon Jun 12 2017 02:29:00.0000	1626	1367
Mon Jun 12 2017 02:30:00.0000	1628	1338
Mon Jun 12 2017 02:31:00.0000	1626	1345
Mon Jun 12 2017 02:32:00.0000	1626	1294
Mon Jun 12 2017 02:33:00.0000	1628	1368
Mon Jun 12 2017 02:34:00.0000	1631	1310
Mon Jun 12 2017 02:35:00.0000	1630	1329
Mon Jun 12 2017 02:36:00.0000	1628	1346
Mon Jun 12 2017 02:37:00.0000	1630	1343
Mon Jun 12 2017 02:38:00.0000	1632	1337
Mon Jun 12 2017 02:39:00.0000	1628	1335
Mon Jun 12 2017 02:40:00.0000	1620	1400
Mon Jun 12 2017 02:41:00.0000	1615	1284
Mon Jun 12 2017 02:42:00.0000	1611	1332
Mon Jun 12 2017 02:43:00.0000	1607	1355
Mon Jun 12 2017 02:44:00.0000	1603	1369
Mon Jun 12 2017 02:45:00.0000	1601	1324
Mon Jun 12 2017 02:46:00.0000	1603	1317
Mon Jun 12 2017 02:47:00.0000	1605	1361
Mon Jun 12 2017 02:48:00.0000	1607	1326
Mon Jun 12 2017 02:49:00.0000	1606	1337
Mon Jun 12 2017 02:50:00.0000	1606	1356
Mon Jun 12 2017 02:51:00.0000	1607	1333
Mon Jun 12 2017 02:52:00.0000	1609	1304
Mon Jun 12 2017 02:53:00.0000	1607	1335
Mon Jun 12 2017 02:54:00.0000	1606	1344
Mon Jun 12 2017 02:55:00.0000	1608	1331
Mon Jun 12 2017 02:56:00.0000	1608	1311
Mon Jun 12 2017 02:57:00.0000	1608	1326
Mon Jun 12 2017 02:58:00.0000	1606	1337
Mon Jun 12 2017 02:59:00.0000	1606	1306
Mon Jun 12 2017 03:00:00.0000	1608	1325
Mon Jun 12 2017 03:01:00.0000	1608	1322
Mon Jun 12 2017 03:02:00.0000	1607	1325
Mon Jun 12 2017 03:03:00.0000	1605	1344

Date/Time	Process Temperature (°F)	Process Flow SCFM
Mon Jun 12 2017 03:04:00.0000	1607	1322
Mon Jun 12 2017 03:05:00.0000	1608	1349
Mon Jun 12 2017 03:06:00.0000	1608	1317
Mon Jun 12 2017 03:07:00.0000	1606	1319
Mon Jun 12 2017 03:08:00.0000	1606	1359
Mon Jun 12 2017 03:09:00.0000	1607	1300
Mon Jun 12 2017 03:10:00.0000	1608	1309
Mon Jun 12 2017 03:11:00.0000	1606	1327
Mon Jun 12 2017 03:12:00.0000	1604	1327
Mon Jun 12 2017 03:13:00.0000	1606	1325
Mon Jun 12 2017 03:14:00.0000	1607	1329
Mon Jun 12 2017 03:15:00.0000	1607	1340
Mon Jun 12 2017 03:16:00.0000	1605	1315
Mon Jun 12 2017 03:17:00.0000	1605	1334
Mon Jun 12 2017 03:18:00.0000	1606	1352
Mon Jun 12 2017 03:19:00.0000	1607	1330
Mon Jun 12 2017 03:20:00.0000	1605	1335
Mon Jun 12 2017 03:21:00.0000	1604	1356
Mon Jun 12 2017 03:22:00.0000	1606	1348
Mon Jun 12 2017 03:23:00.0000	1606	1358
Mon Jun 12 2017 03:24:00.0000	1606	1333
Mon Jun 12 2017 03:25:00.0000	1604	1335
Mon Jun 12 2017 03:26:00.0000	1604	1338
Mon Jun 12 2017 03:27:00.0000	1605	1330
Mon Jun 12 2017 03:28:00.0000	1606	1320
Mon Jun 12 2017 03:29:00.0000	1604	1336
Mon Jun 12 2017 03:30:00.0000	1603	1337
Mon Jun 12 2017 03:31:00.0000	1605	1326
Mon Jun 12 2017 03:32:00.0000	1606	1350
Mon Jun 12 2017 03:33:00.0000	1605	1322
Mon Jun 12 2017 03:34:00.0000	1603	1324
Mon Jun 12 2017 03:35:00.0000	1604	1334
Mon Jun 12 2017 03:36:00.0000	1605	1349
Mon Jun 12 2017 03:37:00.0000	1605	1338
Mon Jun 12 2017 03:38:00.0000	1604	1305
Mon Jun 12 2017 03:39:00.0000	1603	1349
Mon Jun 12 2017 03:40:00.0000	1604	1357
Mon Jun 12 2017 03:41:00.0000	1605	1358
Mon Jun 12 2017 03:42:00.0000	1604	1333
Mon Jun 12 2017 03:43:00.0000	1602	1327
Mon Jun 12 2017 03:44:00.0000	1604	1344
Mon Jun 12 2017 03:45:00.0000	1605	1386
Mon Jun 12 2017 03:46:00.0000	1604	1375
Mon Jun 12 2017 03:47:00.0000	1602	1343
Mon Jun 12 2017 03:48:00.0000	1605	1335
Mon Jun 12 2017 03:49:00.0000	1609	1311
Mon Jun 12 2017 03:50:00.0000	1614	1344
Mon Jun 12 2017 03:51:00.0000	1614	1327
Mon Jun 12 2017 03:52:00.0000	1614	1302
Mon Jun 12 2017 03:53:00.0000	1617	1327
Mon Jun 12 2017 03:54:00.0000	1619	1312
Mon Jun 12 2017 03:55:00.0000	1619	1310
Mon Jun 12 2017 03:56:00.0000	1617	1349
Mon Jun 12 2017 03:57:00.0000	1618	1308
Mon Jun 12 2017 03:58:00.0000	1620	1322
Mon Jun 12 2017 03:59:00.0000	1622	1342
Mon Jun 12 2017 04:00:00.0000	1621	1341

Date/Time	Process Temperature (°F)	Process Flow SCFM
Mon Jun 12 2017 04:01:00.0000	1619	1361
Mon Jun 12 2017 04:02:00.0000	1622	1350
Mon Jun 12 2017 04:03:00.0000	1623	1320
Mon Jun 12 2017 04:04:00.0000	1624	1311
Mon Jun 12 2017 04:05:00.0000	1621	1342
Mon Jun 12 2017 04:06:00.0000	1623	1348
Mon Jun 12 2017 04:07:00.0000	1624	1328
Mon Jun 12 2017 04:08:00.0000	1626	1331
Mon Jun 12 2017 04:09:00.0000	1624	1331
Mon Jun 12 2017 04:10:00.0000	1623	1359
Mon Jun 12 2017 04:11:00.0000	1625	1305
Mon Jun 12 2017 04:12:00.0000	1627	1326
Mon Jun 12 2017 04:13:00.0000	1627	1313
Mon Jun 12 2017 04:14:00.0000	1625	1331
Mon Jun 12 2017 04:15:00.0000	1626	1322
Mon Jun 12 2017 04:16:00.0000	1627	1313
Mon Jun 12 2017 04:17:00.0000	1629	1347
Mon Jun 12 2017 04:18:00.0000	1627	1319
Mon Jun 12 2017 04:19:00.0000	1626	1313
Mon Jun 12 2017 04:20:00.0000	1628	1356
Mon Jun 12 2017 04:21:00.0000	1630	1331
Mon Jun 12 2017 04:22:00.0000	1630	1312
Mon Jun 12 2017 04:23:00.0000	1627	1351
Mon Jun 12 2017 04:24:00.0000	1629	1324
Mon Jun 12 2017 04:25:00.0000	1630	1323
Mon Jun 12 2017 04:26:00.0000	1632	1314
Mon Jun 12 2017 04:27:00.0000	1630	1318
Mon Jun 12 2017 04:28:00.0000	1628	1338
Mon Jun 12 2017 04:29:00.0000	1631	1330
Mon Jun 12 2017 04:30:00.0000	1632	1314
Mon Jun 12 2017 04:31:00.0000	1628	1319
Mon Jun 12 2017 04:32:00.0000	1622	1300
Mon Jun 12 2017 04:33:00.0000	1620	1331
Mon Jun 12 2017 04:34:00.0000	1618	1304
Mon Jun 12 2017 04:35:00.0000	1616	1347
Mon Jun 12 2017 04:36:00.0000	1613	1316
Mon Jun 12 2017 04:37:00.0000	1611	1325
Mon Jun 12 2017 04:38:00.0000	1611	1308
Mon Jun 12 2017 04:39:00.0000	1610	1328
Mon Jun 12 2017 04:40:00.0000	1608	1331
Mon Jun 12 2017 04:41:00.0000	1605	1325
Mon Jun 12 2017 04:42:00.0000	1605	1366
Mon Jun 12 2017 04:43:00.0000	1605	1316
Mon Jun 12 2017 04:44:00.0000	1604	1315
Mon Jun 12 2017 04:45:00.0000	1602	1328
Mon Jun 12 2017 04:46:00.0000	1603	1322
Mon Jun 12 2017 04:47:00.0000	1608	1325
Mon Jun 12 2017 04:48:00.0000	1613	1291
Mon Jun 12 2017 04:49:00.0000	1616	1314
Mon Jun 12 2017 04:50:00.0000	1615	1349
Mon Jun 12 2017 04:51:00.0000	1617	1334
Mon Jun 12 2017 04:52:00.0000	1621	1329
Mon Jun 12 2017 04:53:00.0000	1622	1344
Mon Jun 12 2017 04:54:00.0000	1621	1322
Mon Jun 12 2017 04:55:00.0000	1621	1335
Mon Jun 12 2017 04:56:00.0000	1624	1305
Mon Jun 12 2017 04:57:00.0000	1627	1364

Date/Time	Process Temperature (°F)	Process Flow SCFM
Mon Jun 12 2017 04:58:00.0000	1626	1330
Mon Jun 12 2017 04:59:00.0000	1624	1349
Mon Jun 12 2017 05:00:00.0000	1627	1354
Mon Jun 12 2017 05:01:00.0000	1628	1302
Mon Jun 12 2017 05:02:00.0000	1630	1313
Mon Jun 12 2017 05:03:00.0000	1628	1345
Mon Jun 12 2017 05:04:00.0000	1629	1331
Mon Jun 12 2017 05:05:00.0000	1630	1325
Mon Jun 12 2017 05:06:00.0000	1632	1343
Mon Jun 12 2017 05:07:00.0000	1626	1289
Mon Jun 12 2017 05:08:00.0000	1621	1334
Mon Jun 12 2017 05:09:00.0000	1619	1325
Mon Jun 12 2017 05:10:00.0000	1616	1301
Mon Jun 12 2017 05:11:00.0000	1614	1314
Mon Jun 12 2017 05:12:00.0000	1611	1349
Mon Jun 12 2017 05:13:00.0000	1610	1324
Mon Jun 12 2017 05:14:00.0000	1609	1310
Mon Jun 12 2017 05:15:00.0000	1608	1347
Mon Jun 12 2017 05:16:00.0000	1605	1328
Mon Jun 12 2017 05:17:00.0000	1603	1322
Mon Jun 12 2017 05:18:00.0000	1604	1300
Mon Jun 12 2017 05:19:00.0000	1603	1329
Mon Jun 12 2017 05:20:00.0000	1601	1349
Mon Jun 12 2017 05:21:00.0000	1602	1319
Mon Jun 12 2017 05:22:00.0000	1612	1310
Mon Jun 12 2017 05:23:00.0000	1620	1335
Mon Jun 12 2017 05:24:00.0000	1628	1309
Mon Jun 12 2017 05:25:00.0000	1629	1328
Mon Jun 12 2017 05:26:00.0000	1630	1324
Mon Jun 12 2017 05:27:00.0000	1630	1311
Mon Jun 12 2017 05:28:00.0000	1623	1295
Mon Jun 12 2017 05:29:00.0000	1619	1297
Mon Jun 12 2017 05:30:00.0000	1614	1300
Mon Jun 12 2017 05:31:00.0000	1612	1329
Mon Jun 12 2017 05:32:00.0000	1611	1299
Mon Jun 12 2017 05:33:00.0000	1609	1309
Mon Jun 12 2017 05:34:00.0000	1606	1304
Mon Jun 12 2017 05:35:00.0000	1606	1332
Mon Jun 12 2017 05:36:00.0000	1606	1342
Mon Jun 12 2017 05:37:00.0000	1606	1323
Mon Jun 12 2017 05:38:00.0000	1605	1328
Mon Jun 12 2017 05:39:00.0000	1603	1324
Mon Jun 12 2017 05:40:00.0000	1604	1308
Mon Jun 12 2017 05:41:00.0000	1604	1331
Mon Jun 12 2017 05:42:00.0000	1603	1334
Mon Jun 12 2017 05:43:00.0000	1601	1317
Mon Jun 12 2017 05:44:00.0000	1604	1338
Mon Jun 12 2017 05:45:00.0000	1609	1325
Mon Jun 12 2017 05:46:00.0000	1614	1328
Mon Jun 12 2017 05:47:00.0000	1615	1307
Mon Jun 12 2017 05:48:00.0000	1615	1342
Mon Jun 12 2017 05:49:00.0000	1618	1302
Mon Jun 12 2017 05:50:00.0000	1621	1340
Mon Jun 12 2017 05:51:00.0000	1623	1303
Mon Jun 12 2017 05:52:00.0000	1621	1315
Mon Jun 12 2017 05:53:00.0000	1623	1349
Mon Jun 12 2017 05:54:00.0000	1625	1323

Date/Time	Process Temperature (°F)	Process Flow SCFM
Mon Jun 12 2017 05:55:00.0000	1628	1315
Mon Jun 12 2017 05:56:00.0000	1626	1304
Mon Jun 12 2017 05:57:00.0000	1626	1338
Mon Jun 12 2017 05:58:00.0000	1628	1287
Mon Jun 12 2017 05:59:00.0000	1630	1327
Mon Jun 12 2017 06:00:00.0000	1631	1338
Mon Jun 12 2017 06:01:00.0000	1629	1333
Mon Jun 12 2017 06:02:00.0000	1631	1376
Mon Jun 12 2017 06:03:00.0000	1632	1318
Mon Jun 12 2017 06:04:00.0000	1627	1314
Mon Jun 12 2017 06:05:00.0000	1621	1318
Mon Jun 12 2017 06:06:00.0000	1618	1316
Mon Jun 12 2017 06:07:00.0000	1616	1321
Mon Jun 12 2017 06:08:00.0000	1614	1340
Mon Jun 12 2017 06:09:00.0000	1611	1312
Mon Jun 12 2017 06:10:00.0000	1608	1319
Mon Jun 12 2017 06:11:00.0000	1608	1261
Mon Jun 12 2017 06:12:00.0000	1607	1360
Mon Jun 12 2017 06:13:00.0000	1605	1349
Mon Jun 12 2017 06:14:00.0000	1602	1317
Mon Jun 12 2017 06:15:00.0000	1602	1345
Mon Jun 12 2017 06:16:00.0000	1602	1327
Mon Jun 12 2017 06:17:00.0000	1601	1321
Mon Jun 12 2017 06:18:00.0000	1603	1344
Mon Jun 12 2017 06:19:00.0000	1612	1351
Mon Jun 12 2017 06:20:00.0000	1619	1306
Mon Jun 12 2017 06:21:00.0000	1628	1333
Mon Jun 12 2017 06:22:00.0000	1630	1327
Mon Jun 12 2017 06:23:00.0000	1629	1378
Mon Jun 12 2017 06:24:00.0000	1634	1342
Mon Jun 12 2017 06:25:00.0000	1626	1350
Mon Jun 12 2017 06:26:00.0000	1619	1336
Mon Jun 12 2017 06:27:00.0000	1613	1334
Mon Jun 12 2017 06:28:00.0000	1609	1306
Mon Jun 12 2017 06:29:00.0000	1605	1316
Mon Jun 12 2017 06:30:00.0000	1602	1310
Mon Jun 12 2017 06:31:00.0000	1600	1326
Mon Jun 12 2017 06:32:00.0000	1608	1300
Mon Jun 12 2017 06:33:00.0000	1617	1301
Mon Jun 12 2017 06:34:00.0000	1626	1310
Mon Jun 12 2017 06:35:00.0000	1629	1327
Mon Jun 12 2017 06:36:00.0000	1629	1331
Mon Jun 12 2017 06:37:00.0000	1633	1354
Mon Jun 12 2017 06:38:00.0000	1625	1307
Mon Jun 12 2017 06:39:00.0000	1621	1314
Mon Jun 12 2017 06:40:00.0000	1616	1327
Mon Jun 12 2017 06:41:00.0000	1613	1342
Mon Jun 12 2017 06:42:00.0000	1611	1304
Mon Jun 12 2017 06:43:00.0000	1610	1334
Mon Jun 12 2017 06:44:00.0000	1607	1357
Mon Jun 12 2017 06:45:00.0000	1606	1360
Mon Jun 12 2017 06:46:00.0000	1605	1362
Mon Jun 12 2017 06:47:00.0000	1604	1332
Mon Jun 12 2017 06:48:00.0000	1602	1310
Mon Jun 12 2017 06:49:00.0000	1601	1348
Mon Jun 12 2017 06:50:00.0000	1609	1327
Mon Jun 12 2017 06:51:00.0000	1618	1315

Date/Time	Process Temperature (°F)	Process Flow SCFM
Mon Jun 12 2017 06:52:00.0000	1625	1431
Mon Jun 12 2017 06:53:00.0000	1626	1318
Mon Jun 12 2017 06:54:00.0000	1631	1262
Mon Jun 12 2017 06:55:00.0000	1633	1365
Mon Jun 12 2017 06:56:00.0000	1634	1299
Mon Jun 12 2017 06:57:00.0000	1623	1341
Mon Jun 12 2017 06:58:00.0000	1617	1333
Mon Jun 12 2017 06:59:00.0000	1612	1346
Mon Jun 12 2017 07:00:00.0000	1607	1303
Mon Jun 12 2017 07:01:00.0000	1604	1312
Mon Jun 12 2017 07:02:00.0000	1601	1340
Mon Jun 12 2017 07:03:00.0000	1602	1362
Mon Jun 12 2017 07:04:00.0000	1604	1417
Mon Jun 12 2017 07:05:00.0000	1606	1319
Mon Jun 12 2017 07:06:00.0000	1605	1490
Mon Jun 12 2017 07:07:00.0000	1605	1340
Mon Jun 12 2017 07:08:00.0000	1606	1313
Mon Jun 12 2017 07:09:00.0000	1608	1280
Mon Jun 12 2017 07:10:00.0000	1607	1376
Mon Jun 12 2017 07:11:00.0000	1606	1427
Mon Jun 12 2017 07:12:00.0000	1607	1366
Mon Jun 12 2017 07:13:00.0000	1607	1353
Mon Jun 12 2017 07:14:00.0000	1607	1375
Mon Jun 12 2017 07:15:00.0000	1606	1341
Mon Jun 12 2017 07:16:00.0000	1606	1350
Mon Jun 12 2017 07:17:00.0000	1607	1349
Mon Jun 12 2017 07:18:00.0000	1607	1351
Mon Jun 12 2017 07:19:00.0000	1606	1377
Mon Jun 12 2017 07:20:00.0000	1605	1368
Mon Jun 12 2017 07:21:00.0000	1606	1362
Mon Jun 12 2017 07:22:00.0000	1607	1378
Mon Jun 12 2017 07:23:00.0000	1607	1356
Mon Jun 12 2017 07:24:00.0000	1605	1393
Mon Jun 12 2017 07:25:00.0000	1605	1374
Mon Jun 12 2017 07:26:00.0000	1606	1392
Mon Jun 12 2017 07:27:00.0000	1607	1361
Mon Jun 12 2017 07:28:00.0000	1605	1358
Mon Jun 12 2017 07:29:00.0000	1604	1350
Mon Jun 12 2017 07:30:00.0000	1606	1369
Mon Jun 12 2017 07:31:00.0000	1606	1317
Mon Jun 12 2017 07:32:00.0000	1606	1365
Mon Jun 12 2017 07:33:00.0000	1604	1344
Mon Jun 12 2017 07:34:00.0000	1605	1360
Mon Jun 12 2017 07:35:00.0000	1605	1329
Mon Jun 12 2017 07:36:00.0000	1606	1356
Mon Jun 12 2017 07:37:00.0000	1605	1356
Mon Jun 12 2017 07:38:00.0000	1604	1344
Mon Jun 12 2017 07:39:00.0000	1605	1312
Mon Jun 12 2017 07:40:00.0000	1606	1337
Mon Jun 12 2017 07:41:00.0000	1606	1338
Mon Jun 12 2017 07:42:00.0000	1603	1337
Mon Jun 12 2017 07:43:00.0000	1604	1335
Mon Jun 12 2017 07:44:00.0000	1605	1331
Mon Jun 12 2017 07:45:00.0000	1606	1482
Mon Jun 12 2017 07:46:00.0000	1604	1401
Mon Jun 12 2017 07:47:00.0000	1603	1308
Mon Jun 12 2017 07:48:00.0000	1605	1471

Date/Time	Process Temperature (°F)	Process Flow SCFM
Mon Jun 12 2017 07:49:00.0000	1606	1367
Mon Jun 12 2017 07:50:00.0000	1605	1316
Mon Jun 12 2017 07:51:00.0000	1603	1342
Mon Jun 12 2017 07:52:00.0000	1605	1339
Mon Jun 12 2017 07:53:00.0000	1605	1309
Mon Jun 12 2017 07:54:00.0000	1606	1408
Mon Jun 12 2017 07:55:00.0000	1604	1343
Mon Jun 12 2017 07:56:00.0000	1603	1436
Mon Jun 12 2017 07:57:00.0000	1605	1389
Mon Jun 12 2017 07:58:00.0000	1606	1387
Mon Jun 12 2017 07:59:00.0000	1605	1377
Mon Jun 12 2017 08:00:00.0000	1603	1359
Mon Jun 12 2017 08:01:00.0000	1604	1339
Mon Jun 12 2017 08:02:00.0000	1605	1327
Mon Jun 12 2017 08:03:00.0000	1605	1390
Mon Jun 12 2017 08:04:00.0000	1604	1428
Mon Jun 12 2017 08:05:00.0000	1603	1343
Mon Jun 12 2017 08:06:00.0000	1605	1399
Mon Jun 12 2017 08:07:00.0000	1606	1306
Mon Jun 12 2017 08:08:00.0000	1604	1359
Mon Jun 12 2017 08:09:00.0000	1603	1354
Mon Jun 12 2017 08:10:00.0000	1604	1369
Mon Jun 12 2017 08:11:00.0000	1605	1349
Mon Jun 12 2017 08:12:00.0000	1605	1361
Mon Jun 12 2017 08:13:00.0000	1603	1399
Mon Jun 12 2017 08:14:00.0000	1603	1362
Mon Jun 12 2017 08:15:00.0000	1605	1350
Mon Jun 12 2017 08:16:00.0000	1605	1405
Mon Jun 12 2017 08:17:00.0000	1604	1471
Mon Jun 12 2017 08:18:00.0000	1603	1398
Mon Jun 12 2017 08:19:00.0000	1605	1362
Mon Jun 12 2017 08:20:00.0000	1605	1319
Mon Jun 12 2017 08:21:00.0000	1605	1366
Mon Jun 12 2017 08:22:00.0000	1603	1390
Mon Jun 12 2017 08:23:00.0000	1603	1370
Mon Jun 12 2017 08:24:00.0000	1605	1340
Mon Jun 12 2017 08:25:00.0000	1606	1340
Mon Jun 12 2017 08:26:00.0000	1605	1367
Mon Jun 12 2017 08:27:00.0000	1603	1394
Mon Jun 12 2017 08:28:00.0000	1605	1369
Mon Jun 12 2017 08:29:00.0000	1605	1367
Mon Jun 12 2017 08:30:00.0000	1605	1360
Mon Jun 12 2017 08:31:00.0000	1603	1400
Mon Jun 12 2017 08:32:00.0000	1603	1365
Mon Jun 12 2017 08:33:00.0000	1605	1353
Mon Jun 12 2017 08:34:00.0000	1606	1375
Mon Jun 12 2017 08:35:00.0000	1605	1357
Mon Jun 12 2017 08:36:00.0000	1603	1378
Mon Jun 12 2017 08:37:00.0000	1605	1335
Mon Jun 12 2017 08:38:00.0000	1606	1349
Mon Jun 12 2017 08:39:00.0000	1605	1354
Mon Jun 12 2017 08:40:00.0000	1603	1341
Mon Jun 12 2017 08:41:00.0000	1604	1345
Mon Jun 12 2017 08:42:00.0000	1605	1387
Mon Jun 12 2017 08:43:00.0000	1606	1339
Mon Jun 12 2017 08:44:00.0000	1604	1365
Mon Jun 12 2017 08:45:00.0000	1603	1394

Date/Time	Process Temperature (°F)	Process Flow SCFM
Mon Jun 12 2017 08:46:00.0000	1605	1359
Mon Jun 12 2017 08:47:00.0000	1606	1386
Mon Jun 12 2017 08:48:00.0000	1605	1373
Mon Jun 12 2017 08:49:00.0000	1603	1349
Mon Jun 12 2017 08:50:00.0000	1605	1406
Mon Jun 12 2017 08:51:00.0000	1605	1350
Mon Jun 12 2017 08:52:00.0000	1605	1415
Mon Jun 12 2017 08:53:00.0000	1603	1404
Mon Jun 12 2017 08:54:00.0000	1604	1447
Mon Jun 12 2017 08:55:00.0000	1605	1350
Mon Jun 12 2017 08:56:00.0000	1606	1375
Mon Jun 12 2017 08:57:00.0000	1605	1428
Mon Jun 12 2017 08:58:00.0000	1603	1485
Mon Jun 12 2017 08:59:00.0000	1605	1376
Mon Jun 12 2017 09:00:00.0000	1606	1369
Mon Jun 12 2017 09:01:00.0000	1606	1367
Mon Jun 12 2017 09:02:00.0000	1604	1477
Mon Jun 12 2017 09:03:00.0000	1604	1397
Mon Jun 12 2017 09:04:00.0000	1605	1407
Mon Jun 12 2017 09:05:00.0000	1605	1383
Mon Jun 12 2017 09:06:00.0000	1604	1414
Mon Jun 12 2017 09:07:00.0000	1602	1475
Mon Jun 12 2017 09:08:00.0000	1607	1392
Mon Jun 12 2017 09:09:00.0000	1610	1424
Mon Jun 12 2017 09:10:00.0000	1613	1429
Mon Jun 12 2017 09:11:00.0000	1613	1439
Mon Jun 12 2017 09:12:00.0000	1614	1446
Mon Jun 12 2017 09:13:00.0000	1616	1410
Mon Jun 12 2017 09:14:00.0000	1619	1448
Mon Jun 12 2017 09:15:00.0000	1619	1441
Mon Jun 12 2017 09:16:00.0000	1617	1363
Mon Jun 12 2017 09:17:00.0000	1620	1414
Mon Jun 12 2017 09:18:00.0000	1622	1342
Mon Jun 12 2017 09:19:00.0000	1623	1322
Mon Jun 12 2017 09:20:00.0000	1622	1423
Mon Jun 12 2017 09:21:00.0000	1622	1275
Mon Jun 12 2017 09:22:00.0000	1624	1427
Mon Jun 12 2017 09:23:00.0000	1627	1437
Mon Jun 12 2017 09:24:00.0000	1626	1387
Mon Jun 12 2017 09:25:00.0000	1624	1414
Mon Jun 12 2017 09:26:00.0000	1626	1393
Mon Jun 12 2017 09:27:00.0000	1628	1369
Mon Jun 12 2017 09:28:00.0000	1629	1441
Mon Jun 12 2017 09:29:00.0000	1627	1436
Mon Jun 12 2017 09:30:00.0000	1627	1416
Mon Jun 12 2017 09:31:00.0000	1629	1404
Mon Jun 12 2017 09:32:00.0000	1632	1414
Mon Jun 12 2017 09:33:00.0000	1630	1396
Mon Jun 12 2017 09:34:00.0000	1628	1412
Mon Jun 12 2017 09:35:00.0000	1631	1448
Mon Jun 12 2017 09:36:00.0000	1632	1349
Mon Jun 12 2017 09:37:00.0000	1628	1373
Mon Jun 12 2017 09:38:00.0000	1619	1381
Mon Jun 12 2017 09:39:00.0000	1615	1399
Mon Jun 12 2017 09:40:00.0000	1612	1413
Mon Jun 12 2017 09:41:00.0000	1609	1461
Mon Jun 12 2017 09:42:00.0000	1606	1395

Date/Time	Process Temperature (°F)	Process Flow SCFM
Mon Jun 12 2017 09:43:00.0000	1603	1403
Mon Jun 12 2017 09:44:00.0000	1602	1400
Mon Jun 12 2017 09:45:00.0000	1602	1385
Mon Jun 12 2017 09:46:00.0000	1604	1397
Mon Jun 12 2017 09:47:00.0000	1604	1363
Mon Jun 12 2017 09:48:00.0000	1605	1367
Mon Jun 12 2017 09:49:00.0000	1607	1338
Mon Jun 12 2017 09:50:00.0000	1607	1401
Mon Jun 12 2017 09:51:00.0000	1606	1396
Mon Jun 12 2017 09:52:00.0000	1605	1394
Mon Jun 12 2017 09:53:00.0000	1606	1370
Mon Jun 12 2017 09:54:00.0000	1607	1329
Mon Jun 12 2017 09:55:00.0000	1606	1380
Mon Jun 12 2017 09:56:00.0000	1604	1402
Mon Jun 12 2017 09:57:00.0000	1605	1368
Mon Jun 12 2017 09:58:00.0000	1606	1480
Mon Jun 12 2017 09:59:00.0000	1606	1390
Mon Jun 12 2017 10:00:00.0000	1604	1392
Mon Jun 12 2017 10:01:00.0000	1603	1408
Mon Jun 12 2017 10:02:00.0000	1605	1395
Mon Jun 12 2017 10:03:00.0000	1606	1384
Mon Jun 12 2017 10:04:00.0000	1605	1391
Mon Jun 12 2017 10:05:00.0000	1603	1414
Mon Jun 12 2017 10:06:00.0000	1604	1423
Mon Jun 12 2017 10:07:00.0000	1605	1337
Mon Jun 12 2017 10:08:00.0000	1605	1389
Mon Jun 12 2017 10:09:00.0000	1603	1373
Mon Jun 12 2017 10:10:00.0000	1603	1393
Mon Jun 12 2017 10:11:00.0000	1608	1368
Mon Jun 12 2017 10:12:00.0000	1613	1356
Mon Jun 12 2017 10:13:00.0000	1615	1394
Mon Jun 12 2017 10:14:00.0000	1614	1406
Mon Jun 12 2017 10:15:00.0000	1617	1405
Mon Jun 12 2017 10:16:00.0000	1619	1332
Mon Jun 12 2017 10:17:00.0000	1622	1384
Mon Jun 12 2017 10:18:00.0000	1621	1387
Mon Jun 12 2017 10:19:00.0000	1620	1417
Mon Jun 12 2017 10:20:00.0000	1623	1450
Mon Jun 12 2017 10:21:00.0000	1626	1317
Mon Jun 12 2017 10:22:00.0000	1627	1379
Mon Jun 12 2017 10:23:00.0000	1624	1404
Mon Jun 12 2017 10:24:00.0000	1626	1381
Mon Jun 12 2017 10:25:00.0000	1628	1429
Mon Jun 12 2017 10:26:00.0000	1631	1393
Mon Jun 12 2017 10:27:00.0000	1629	1420
Mon Jun 12 2017 10:28:00.0000	1628	1390
Mon Jun 12 2017 10:29:00.0000	1630	1358
Mon Jun 12 2017 10:30:00.0000	1633	1506
Mon Jun 12 2017 10:31:00.0000	1627	1406
Mon Jun 12 2017 10:32:00.0000	1622	1400
Mon Jun 12 2017 10:33:00.0000	1621	1486
Mon Jun 12 2017 10:34:00.0000	1619	1487
Mon Jun 12 2017 10:35:00.0000	1617	1383
Mon Jun 12 2017 10:36:00.0000	1614	1496
Mon Jun 12 2017 10:37:00.0000	1613	1406
Mon Jun 12 2017 10:38:00.0000	1613	1475
Mon Jun 12 2017 10:39:00.0000	1613	1587

Date/Time	Process Temperature (°F)	Process Flow SCFM
Mon Jun 12 2017 10:40:00.0000	1611	1423
Mon Jun 12 2017 10:41:00.0000	1609	1511
Mon Jun 12 2017 10:42:00.0000	1609	1386
Mon Jun 12 2017 10:43:00.0000	1609	1336
Mon Jun 12 2017 10:44:00.0000	1608	1437
Mon Jun 12 2017 10:45:00.0000	1606	1442
Mon Jun 12 2017 10:46:00.0000	1606	1470
Mon Jun 12 2017 10:47:00.0000	1606	1384
Mon Jun 12 2017 10:48:00.0000	1606	1410
Mon Jun 12 2017 10:49:00.0000	1604	1414
Mon Jun 12 2017 10:50:00.0000	1603	1429
Mon Jun 12 2017 10:51:00.0000	1604	1437
Mon Jun 12 2017 10:52:00.0000	1604	1433
Mon Jun 12 2017 10:53:00.0000	1603	1384
Mon Jun 12 2017 10:54:00.0000	1602	1393
Mon Jun 12 2017 10:55:00.0000	1608	1410
Mon Jun 12 2017 10:56:00.0000	1615	1422
Mon Jun 12 2017 10:57:00.0000	1625	1419
Mon Jun 12 2017 10:58:00.0000	1627	1413
Mon Jun 12 2017 10:59:00.0000	1627	1418
Mon Jun 12 2017 11:00:00.0000	1633	1494
Mon Jun 12 2017 11:01:00.0000	1630	1399
Mon Jun 12 2017 11:02:00.0000	1628	1459
Mon Jun 12 2017 11:03:00.0000	1625	1447
Mon Jun 12 2017 11:04:00.0000	1623	1400
Mon Jun 12 2017 11:05:00.0000	1623	1380
Mon Jun 12 2017 11:06:00.0000	1623	1444
Mon Jun 12 2017 11:07:00.0000	1622	1414
Mon Jun 12 2017 11:08:00.0000	1619	1410
Mon Jun 12 2017 11:09:00.0000	1621	1378
Mon Jun 12 2017 11:10:00.0000	1621	1424
Mon Jun 12 2017 11:11:00.0000	1621	1398
Mon Jun 12 2017 11:12:00.0000	1618	1384
Mon Jun 12 2017 11:13:00.0000	1618	1340
Mon Jun 12 2017 11:14:00.0000	1619	1382
Mon Jun 12 2017 11:15:00.0000	1620	1424
Mon Jun 12 2017 11:16:00.0000	1619	1406
Mon Jun 12 2017 11:17:00.0000	1617	1495
Mon Jun 12 2017 11:18:00.0000	1619	1411
Mon Jun 12 2017 11:19:00.0000	1621	1390
Mon Jun 12 2017 11:20:00.0000	1621	1386
Mon Jun 12 2017 11:21:00.0000	1619	1405
Mon Jun 12 2017 11:22:00.0000	1619	1420
Mon Jun 12 2017 11:23:00.0000	1621	1398
Mon Jun 12 2017 11:24:00.0000	1622	1400
Mon Jun 12 2017 11:25:00.0000	1622	1412
Mon Jun 12 2017 11:26:00.0000	1619	1421
Mon Jun 12 2017 11:27:00.0000	1622	1372
Mon Jun 12 2017 11:28:00.0000	1623	1426
Mon Jun 12 2017 11:29:00.0000	1623	1453
Mon Jun 12 2017 11:30:00.0000	1621	1411
Mon Jun 12 2017 11:31:00.0000	1622	1382
Mon Jun 12 2017 11:32:00.0000	1622	1420
Mon Jun 12 2017 11:33:00.0000	1624	1382
Mon Jun 12 2017 11:34:00.0000	1622	1394
Mon Jun 12 2017 11:35:00.0000	1621	1505
Mon Jun 12 2017 11:36:00.0000	1623	1431

Date/Time	Process Temperature (°F)	Process Flow SCFM
Mon Jun 12 2017 11:37:00.0000	1624	1504
Mon Jun 12 2017 11:38:00.0000	1624	1447
Mon Jun 12 2017 11:39:00.0000	1622	1458
Mon Jun 12 2017 11:40:00.0000	1623	1458
Mon Jun 12 2017 11:41:00.0000	1624	1521
Mon Jun 12 2017 11:42:00.0000	1625	1478
Mon Jun 12 2017 11:43:00.0000	1623	1458
Mon Jun 12 2017 11:44:00.0000	1622	1419
Mon Jun 12 2017 11:45:00.0000	1624	1440
Mon Jun 12 2017 11:46:00.0000	1625	1406
Mon Jun 12 2017 11:47:00.0000	1625	1447
Mon Jun 12 2017 11:48:00.0000	1623	1409
Mon Jun 12 2017 11:49:00.0000	1624	1442
Mon Jun 12 2017 11:50:00.0000	1625	1391
Mon Jun 12 2017 11:51:00.0000	1627	1440
Mon Jun 12 2017 11:52:00.0000	1625	1482
Mon Jun 12 2017 11:53:00.0000	1623	1412
Mon Jun 12 2017 11:54:00.0000	1626	1375
Mon Jun 12 2017 11:55:00.0000	1626	1458
Mon Jun 12 2017 11:56:00.0000	1626	1414
Mon Jun 12 2017 11:57:00.0000	1624	1435
Mon Jun 12 2017 11:58:00.0000	1626	1387
Mon Jun 12 2017 11:59:00.0000	1626	1428
Mon Jun 12 2017 12:00:00.0000	1627	1410
Mon Jun 12 2017 12:01:00.0000	1626	1411
Mon Jun 12 2017 12:02:00.0000	1624	1423
Mon Jun 12 2017 12:03:00.0000	1627	1461
Mon Jun 12 2017 12:04:00.0000	1628	1517
Mon Jun 12 2017 12:05:00.0000	1626	1432
Mon Jun 12 2017 12:06:00.0000	1624	1453
Mon Jun 12 2017 12:07:00.0000	1627	1425
Mon Jun 12 2017 12:08:00.0000	1628	1412
Mon Jun 12 2017 12:09:00.0000	1628	1407
Mon Jun 12 2017 12:10:00.0000	1626	1400
Mon Jun 12 2017 12:11:00.0000	1627	1419
Mon Jun 12 2017 12:12:00.0000	1627	1424
Mon Jun 12 2017 12:13:00.0000	1629	1406
Mon Jun 12 2017 12:14:00.0000	1627	1374
Mon Jun 12 2017 12:15:00.0000	1626	1404
Mon Jun 12 2017 12:16:00.0000	1627	1358
Mon Jun 12 2017 12:17:00.0000	1629	1417
Mon Jun 12 2017 12:18:00.0000	1628	1493
Mon Jun 12 2017 12:19:00.0000	1626	1469
Mon Jun 12 2017 12:20:00.0000	1627	1549
Mon Jun 12 2017 12:21:00.0000	1628	1425
Mon Jun 12 2017 12:22:00.0000	1629	1430
Mon Jun 12 2017 12:23:00.0000	1627	1398
Mon Jun 12 2017 12:24:00.0000	1627	1400
Mon Jun 12 2017 12:25:00.0000	1628	1582
Mon Jun 12 2017 12:26:00.0000	1630	1414
Mon Jun 12 2017 12:27:00.0000	1629	1458
Mon Jun 12 2017 12:28:00.0000	1627	1366
Mon Jun 12 2017 12:29:00.0000	1628	1388
Mon Jun 12 2017 12:30:00.0000	1630	1387
Mon Jun 12 2017 12:31:00.0000	1630	1401
Mon Jun 12 2017 12:32:00.0000	1628	1402
Mon Jun 12 2017 12:33:00.0000	1628	1488

Date/Time	Process Temperature (°F)	Process Flow SCFM
Mon Jun 12 2017 12:34:00.0000	1629	1343
Mon Jun 12 2017 12:35:00.0000	1630	1438
Mon Jun 12 2017 12:36:00.0000	1629	1426
Mon Jun 12 2017 12:37:00.0000	1627	1400
Mon Jun 12 2017 12:38:00.0000	1629	1393
Mon Jun 12 2017 12:39:00.0000	1630	1400
Mon Jun 12 2017 12:40:00.0000	1629	1490
Mon Jun 12 2017 12:41:00.0000	1627	1442
Mon Jun 12 2017 12:42:00.0000	1628	1456
Mon Jun 12 2017 12:43:00.0000	1629	1458
Mon Jun 12 2017 12:44:00.0000	1631	1385
Mon Jun 12 2017 12:45:00.0000	1629	1437
Mon Jun 12 2017 12:46:00.0000	1627	1396
Mon Jun 12 2017 12:47:00.0000	1629	1462
Mon Jun 12 2017 12:48:00.0000	1631	1498
Mon Jun 12 2017 12:49:00.0000	1630	1497
Mon Jun 12 2017 12:50:00.0000	1628	1449
Mon Jun 12 2017 12:51:00.0000	1629	1405
Mon Jun 12 2017 12:52:00.0000	1630	1471
Mon Jun 12 2017 12:53:00.0000	1631	1408
Mon Jun 12 2017 12:54:00.0000	1629	1407
Mon Jun 12 2017 12:55:00.0000	1629	1432
Mon Jun 12 2017 12:56:00.0000	1630	1447
Mon Jun 12 2017 12:57:00.0000	1632	1431
Mon Jun 12 2017 12:58:00.0000	1631	1445
Mon Jun 12 2017 12:59:00.0000	1628	1407
Mon Jun 12 2017 13:00:00.0000	1630	1436
Mon Jun 12 2017 13:01:00.0000	1631	1389
Mon Jun 12 2017 13:02:00.0000	1632	1393
Mon Jun 12 2017 13:03:00.0000	1630	1413
Mon Jun 12 2017 13:04:00.0000	1630	1393
Mon Jun 12 2017 13:05:00.0000	1631	1496
Mon Jun 12 2017 13:06:00.0000	1632	1451
Mon Jun 12 2017 13:07:00.0000	1631	1392
Mon Jun 12 2017 13:08:00.0000	1629	1448
Mon Jun 12 2017 13:09:00.0000	1631	1363
Mon Jun 12 2017 13:10:00.0000	1632	1506
Mon Jun 12 2017 13:11:00.0000	1632	1458
Mon Jun 12 2017 13:12:00.0000	1629	1468
Mon Jun 12 2017 13:13:00.0000	1631	1455
Mon Jun 12 2017 13:14:00.0000	1632	1436
Mon Jun 12 2017 13:15:00.0000	1633	1419
Mon Jun 12 2017 13:16:00.0000	1631	1407
Mon Jun 12 2017 13:17:00.0000	1629	1377
Mon Jun 12 2017 13:18:00.0000	1632	1438
Mon Jun 12 2017 13:19:00.0000	1633	1431
Mon Jun 12 2017 13:20:00.0000	1632	1451
Mon Jun 12 2017 13:21:00.0000	1629	1424
Mon Jun 12 2017 13:22:00.0000	1631	1426
Mon Jun 12 2017 13:23:00.0000	1632	1490
Mon Jun 12 2017 13:24:00.0000	1632	1438
Mon Jun 12 2017 13:25:00.0000	1630	1457
Mon Jun 12 2017 13:26:00.0000	1629	1392
Mon Jun 12 2017 13:27:00.0000	1631	1376
Mon Jun 12 2017 13:28:00.0000	1632	1307
Mon Jun 12 2017 13:29:00.0000	1632	1494
Mon Jun 12 2017 13:30:00.0000	1629	1440

Date/Time	Process Temperature (°F)	Process Flow SCFM
Mon Jun 12 2017 13:31:00.0000	1631	1437
Mon Jun 12 2017 13:32:00.0000	1632	1542
Mon Jun 12 2017 13:33:00.0000	1633	1473
Mon Jun 12 2017 13:34:00.0000	1631	1385
Mon Jun 12 2017 13:35:00.0000	1630	1416
Mon Jun 12 2017 13:36:00.0000	1632	1401
Mon Jun 12 2017 13:37:00.0000	1633	1451
Mon Jun 12 2017 13:38:00.0000	1627	1437
Mon Jun 12 2017 13:39:00.0000	1623	1288
Mon Jun 12 2017 13:40:00.0000	1622	1480
Mon Jun 12 2017 13:41:00.0000	1620	1508
Mon Jun 12 2017 13:42:00.0000	1618	1437
Mon Jun 12 2017 13:43:00.0000	1615	1397
Mon Jun 12 2017 13:44:00.0000	1614	1400
Mon Jun 12 2017 13:45:00.0000	1614	1391
Mon Jun 12 2017 13:46:00.0000	1613	1451
Mon Jun 12 2017 13:47:00.0000	1611	1456
Mon Jun 12 2017 13:48:00.0000	1609	1444
Mon Jun 12 2017 13:49:00.0000	1610	1501
Mon Jun 12 2017 13:50:00.0000	1611	1449
Mon Jun 12 2017 13:51:00.0000	1610	1552
Mon Jun 12 2017 13:52:00.0000	1609	1463
Mon Jun 12 2017 13:53:00.0000	1608	1433
Mon Jun 12 2017 13:54:00.0000	1609	1446
Mon Jun 12 2017 13:55:00.0000	1609	1448
Mon Jun 12 2017 13:56:00.0000	1608	1447
Mon Jun 12 2017 13:57:00.0000	1606	1462
Mon Jun 12 2017 13:58:00.0000	1607	1446
Mon Jun 12 2017 13:59:00.0000	1608	1435
Mon Jun 12 2017 14:00:00.0000	1607	1429
Mon Jun 12 2017 14:01:00.0000	1605	1485
Mon Jun 12 2017 14:02:00.0000	1604	1547
Mon Jun 12 2017 14:03:00.0000	1606	1475
Mon Jun 12 2017 14:04:00.0000	1606	1544
Mon Jun 12 2017 14:05:00.0000	1604	1413
Mon Jun 12 2017 14:06:00.0000	1603	1440
Mon Jun 12 2017 14:07:00.0000	1604	1557
Mon Jun 12 2017 14:08:00.0000	1604	1522
Mon Jun 12 2017 14:09:00.0000	1604	1477
Mon Jun 12 2017 14:10:00.0000	1602	1466
Mon Jun 12 2017 14:11:00.0000	1606	1413
Mon Jun 12 2017 14:12:00.0000	1610	1485
Mon Jun 12 2017 14:13:00.0000	1615	1421
Mon Jun 12 2017 14:14:00.0000	1617	1395
Mon Jun 12 2017 14:15:00.0000	1616	1423
Mon Jun 12 2017 14:16:00.0000	1620	1362
Mon Jun 12 2017 14:17:00.0000	1623	1333
Mon Jun 12 2017 14:18:00.0000	1625	1443
Mon Jun 12 2017 14:19:00.0000	1623	1433
Mon Jun 12 2017 14:20:00.0000	1625	1439
Mon Jun 12 2017 14:21:00.0000	1627	1454
Mon Jun 12 2017 14:22:00.0000	1630	1449
Mon Jun 12 2017 14:23:00.0000	1629	1484
Mon Jun 12 2017 14:24:00.0000	1628	1549
Mon Jun 12 2017 14:25:00.0000	1631	1453
Mon Jun 12 2017 14:26:00.0000	1633	1380
Mon Jun 12 2017 14:27:00.0000	1629	1444

Date/Time	Process Temperature (°F)	Process Flow SCFM
Mon Jun 12 2017 14:28:00.0000	1621	1404
Mon Jun 12 2017 14:29:00.0000	1616	1490
Mon Jun 12 2017 14:30:00.0000	1612	1433
Mon Jun 12 2017 14:31:00.0000	1608	1505
Mon Jun 12 2017 14:32:00.0000	1605	1482
Mon Jun 12 2017 14:33:00.0000	1602	1475
Mon Jun 12 2017 14:34:00.0000	1605	1484
Mon Jun 12 2017 14:35:00.0000	1608	1461
Mon Jun 12 2017 14:36:00.0000	1609	1442
Mon Jun 12 2017 14:37:00.0000	1608	1425
Mon Jun 12 2017 14:38:00.0000	1609	1430
Mon Jun 12 2017 14:39:00.0000	1610	1413
Mon Jun 12 2017 14:40:00.0000	1612	1432
Mon Jun 12 2017 14:41:00.0000	1610	1423
Mon Jun 12 2017 14:42:00.0000	1609	1406
Mon Jun 12 2017 14:43:00.0000	1611	1434
Mon Jun 12 2017 14:44:00.0000	1612	1418
Mon Jun 12 2017 14:45:00.0000	1612	1436
Mon Jun 12 2017 14:46:00.0000	1610	1404
Mon Jun 12 2017 14:47:00.0000	1611	1420
Mon Jun 12 2017 14:48:00.0000	1612	1444
Mon Jun 12 2017 14:49:00.0000	1613	1473
Mon Jun 12 2017 14:50:00.0000	1611	1438
Mon Jun 12 2017 14:51:00.0000	1610	1481
Mon Jun 12 2017 14:52:00.0000	1612	1430
Mon Jun 12 2017 14:53:00.0000	1612	1395
Mon Jun 12 2017 14:54:00.0000	1612	1465
Mon Jun 12 2017 14:55:00.0000	1610	1428
Mon Jun 12 2017 14:56:00.0000	1611	1410
Mon Jun 12 2017 14:57:00.0000	1612	1397
Mon Jun 12 2017 14:58:00.0000	1612	1444
Mon Jun 12 2017 14:59:00.0000	1611	1430
Mon Jun 12 2017 15:00:00.0000	1609	1397
Mon Jun 12 2017 15:01:00.0000	1611	1432
Mon Jun 12 2017 15:02:00.0000	1612	1462
Mon Jun 12 2017 15:03:00.0000	1611	1440
Mon Jun 12 2017 15:04:00.0000	1609	1439
Mon Jun 12 2017 15:05:00.0000	1610	1405
Mon Jun 12 2017 15:06:00.0000	1611	1440
Mon Jun 12 2017 15:07:00.0000	1612	1433
Mon Jun 12 2017 15:08:00.0000	1610	1418
Mon Jun 12 2017 15:09:00.0000	1609	1429
Mon Jun 12 2017 15:10:00.0000	1611	1437
Mon Jun 12 2017 15:11:00.0000	1612	1415
Mon Jun 12 2017 15:12:00.0000	1611	1420
Mon Jun 12 2017 15:13:00.0000	1609	1424
Mon Jun 12 2017 15:14:00.0000	1610	1451
Mon Jun 12 2017 15:15:00.0000	1611	1417
Mon Jun 12 2017 15:16:00.0000	1612	1421
Mon Jun 12 2017 15:17:00.0000	1610	1490
Mon Jun 12 2017 15:18:00.0000	1610	1398
Mon Jun 12 2017 15:19:00.0000	1611	1436
Mon Jun 12 2017 15:20:00.0000	1612	1389
Mon Jun 12 2017 15:21:00.0000	1611	1448
Mon Jun 12 2017 15:22:00.0000	1609	1421
Mon Jun 12 2017 15:23:00.0000	1610	1458
Mon Jun 12 2017 15:24:00.0000	1611	1385

Date/Time	Process Temperature (°F)	Process Flow SCFM
Mon Jun 12 2017 15:25:00.0000	1611	1426
Mon Jun 12 2017 15:26:00.0000	1609	1426
Mon Jun 12 2017 15:27:00.0000	1609	1413
Mon Jun 12 2017 15:28:00.0000	1610	1406
Mon Jun 12 2017 15:29:00.0000	1611	1439
Mon Jun 12 2017 15:30:00.0000	1610	1422
Mon Jun 12 2017 15:31:00.0000	1608	1406
Mon Jun 12 2017 15:32:00.0000	1610	1411
Mon Jun 12 2017 15:33:00.0000	1611	1443
Mon Jun 12 2017 15:34:00.0000	1610	1450
Mon Jun 12 2017 15:35:00.0000	1608	1430
Mon Jun 12 2017 15:36:00.0000	1608	1422
Mon Jun 12 2017 15:37:00.0000	1609	1460
Mon Jun 12 2017 15:38:00.0000	1610	1439
Mon Jun 12 2017 15:39:00.0000	1609	1431
Mon Jun 12 2017 15:40:00.0000	1607	1402
Mon Jun 12 2017 15:41:00.0000	1609	1418
Mon Jun 12 2017 15:42:00.0000	1609	1400
Mon Jun 12 2017 15:43:00.0000	1609	1452
Mon Jun 12 2017 15:44:00.0000	1607	1441
Mon Jun 12 2017 15:45:00.0000	1608	1399
Mon Jun 12 2017 15:46:00.0000	1609	1424
Mon Jun 12 2017 15:47:00.0000	1609	1450
Mon Jun 12 2017 15:48:00.0000	1608	1423
Mon Jun 12 2017 15:49:00.0000	1606	1431
Mon Jun 12 2017 15:50:00.0000	1608	1397
Mon Jun 12 2017 15:51:00.0000	1609	1454
Mon Jun 12 2017 15:52:00.0000	1609	1416
Mon Jun 12 2017 15:53:00.0000	1606	1425
Mon Jun 12 2017 15:54:00.0000	1607	1443
Mon Jun 12 2017 15:55:00.0000	1608	1463
Mon Jun 12 2017 15:56:00.0000	1609	1430
Mon Jun 12 2017 15:57:00.0000	1607	1362
Mon Jun 12 2017 15:58:00.0000	1606	1424
Mon Jun 12 2017 15:59:00.0000	1608	1425
Mon Jun 12 2017 16:00:00.0000	1608	1452
Mon Jun 12 2017 16:01:00.0000	1608	1515
Mon Jun 12 2017 16:02:00.0000	1606	1440
Mon Jun 12 2017 16:03:00.0000	1607	1400
Mon Jun 12 2017 16:04:00.0000	1608	1392
Mon Jun 12 2017 16:05:00.0000	1609	1422
Mon Jun 12 2017 16:06:00.0000	1607	1485
Mon Jun 12 2017 16:07:00.0000	1605	1494
Mon Jun 12 2017 16:08:00.0000	1607	1605
Mon Jun 12 2017 16:09:00.0000	1608	1568
Mon Jun 12 2017 16:10:00.0000	1607	1379
Mon Jun 12 2017 16:11:00.0000	1605	1435
Mon Jun 12 2017 16:12:00.0000	1607	1462
Mon Jun 12 2017 16:13:00.0000	1607	1421
Mon Jun 12 2017 16:14:00.0000	1608	1441
Mon Jun 12 2017 16:15:00.0000	1606	1520
Mon Jun 12 2017 16:16:00.0000	1605	1481
Mon Jun 12 2017 16:17:00.0000	1607	1611
Mon Jun 12 2017 16:18:00.0000	1608	1450
Mon Jun 12 2017 16:19:00.0000	1606	1434
Mon Jun 12 2017 16:20:00.0000	1604	1535
Mon Jun 12 2017 16:21:00.0000	1606	1463

Date/Time	Process Temperature (°F)	Process Flow SCFM
Mon Jun 12 2017 16:22:00.0000	1606	1431
Mon Jun 12 2017 16:23:00.0000	1607	1500
Mon Jun 12 2017 16:24:00.0000	1605	1403
Mon Jun 12 2017 16:25:00.0000	1605	1425
Mon Jun 12 2017 16:26:00.0000	1606	1480
Mon Jun 12 2017 16:27:00.0000	1607	1473
Mon Jun 12 2017 16:28:00.0000	1605	1394
Mon Jun 12 2017 16:29:00.0000	1604	1473
Mon Jun 12 2017 16:30:00.0000	1605	1436
Mon Jun 12 2017 16:31:00.0000	1606	1567
Mon Jun 12 2017 16:32:00.0000	1606	1392
Mon Jun 12 2017 16:33:00.0000	1603	1435
Mon Jun 12 2017 16:34:00.0000	1604	1428
Mon Jun 12 2017 16:35:00.0000	1605	1442
Mon Jun 12 2017 16:36:00.0000	1605	1465
Mon Jun 12 2017 16:37:00.0000	1604	1399
Mon Jun 12 2017 16:38:00.0000	1603	1459
Mon Jun 12 2017 16:39:00.0000	1605	1381
Mon Jun 12 2017 16:40:00.0000	1605	1409
Mon Jun 12 2017 16:41:00.0000	1605	1406
Mon Jun 12 2017 16:42:00.0000	1603	1425
Mon Jun 12 2017 16:43:00.0000	1604	1416
Mon Jun 12 2017 16:44:00.0000	1604	1526
Mon Jun 12 2017 16:45:00.0000	1605	1413
Mon Jun 12 2017 16:46:00.0000	1604	1435
Mon Jun 12 2017 16:47:00.0000	1603	1373
Mon Jun 12 2017 16:48:00.0000	1608	1482
Mon Jun 12 2017 16:49:00.0000	1613	1432
Mon Jun 12 2017 16:50:00.0000	1615	1431
Mon Jun 12 2017 16:51:00.0000	1615	1453
Mon Jun 12 2017 16:52:00.0000	1618	1440
Mon Jun 12 2017 16:53:00.0000	1620	1423
Mon Jun 12 2017 16:54:00.0000	1623	1410
Mon Jun 12 2017 16:55:00.0000	1621	1425
Mon Jun 12 2017 16:56:00.0000	1621	1435
Mon Jun 12 2017 16:57:00.0000	1623	1415
Mon Jun 12 2017 16:58:00.0000	1626	1470
Mon Jun 12 2017 16:59:00.0000	1624	1500
Mon Jun 12 2017 17:00:00.0000	1622	1370
Mon Jun 12 2017 17:01:00.0000	1625	1496
Mon Jun 12 2017 17:02:00.0000	1627	1521
Mon Jun 12 2017 17:03:00.0000	1628	1391
Mon Jun 12 2017 17:04:00.0000	1625	1462
Mon Jun 12 2017 17:05:00.0000	1626	1468
Mon Jun 12 2017 17:06:00.0000	1628	1455
Mon Jun 12 2017 17:07:00.0000	1631	1404
Mon Jun 12 2017 17:08:00.0000	1629	1393
Mon Jun 12 2017 17:09:00.0000	1628	1433
Mon Jun 12 2017 17:10:00.0000	1630	1429
Mon Jun 12 2017 17:11:00.0000	1631	1381
Mon Jun 12 2017 17:12:00.0000	1632	1394
Mon Jun 12 2017 17:13:00.0000	1630	1437
Mon Jun 12 2017 17:14:00.0000	1631	1437
Mon Jun 12 2017 17:15:00.0000	1633	1397
Mon Jun 12 2017 17:16:00.0000	1629	1437
Mon Jun 12 2017 17:17:00.0000	1621	1407
Mon Jun 12 2017 17:18:00.0000	1617	1444

Date/Time	Process Temperature (°F)	Process Flow SCFM
Mon Jun 12 2017 17:19:00.0000	1614	1363
Mon Jun 12 2017 17:20:00.0000	1611	1390
Mon Jun 12 2017 17:21:00.0000	1608	1399
Mon Jun 12 2017 17:22:00.0000	1605	1433
Mon Jun 12 2017 17:23:00.0000	1604	1445
Mon Jun 12 2017 17:24:00.0000	1603	1424
Mon Jun 12 2017 17:25:00.0000	1602	1429
Mon Jun 12 2017 17:26:00.0000	1606	1397
Mon Jun 12 2017 17:27:00.0000	1609	1413
Mon Jun 12 2017 17:28:00.0000	1614	1472
Mon Jun 12 2017 17:29:00.0000	1619	1407
Mon Jun 12 2017 17:30:00.0000	1619	1384
Mon Jun 12 2017 17:31:00.0000	1617	1410
Mon Jun 12 2017 17:32:00.0000	1620	1372
Mon Jun 12 2017 17:33:00.0000	1623	1381
Mon Jun 12 2017 17:34:00.0000	1625	1419
Mon Jun 12 2017 17:35:00.0000	1623	1444
Mon Jun 12 2017 17:36:00.0000	1623	1431
Mon Jun 12 2017 17:37:00.0000	1626	1381
Mon Jun 12 2017 17:38:00.0000	1628	1425
Mon Jun 12 2017 17:39:00.0000	1628	1416
Mon Jun 12 2017 17:40:00.0000	1625	1405
Mon Jun 12 2017 17:41:00.0000	1628	1415
Mon Jun 12 2017 17:42:00.0000	1629	1426
Mon Jun 12 2017 17:43:00.0000	1631	1448
Mon Jun 12 2017 17:44:00.0000	1629	1437
Mon Jun 12 2017 17:45:00.0000	1628	1433
Mon Jun 12 2017 17:46:00.0000	1631	1394
Mon Jun 12 2017 17:47:00.0000	1633	1421
Mon Jun 12 2017 17:48:00.0000	1627	1400
Mon Jun 12 2017 17:49:00.0000	1623	1389
Mon Jun 12 2017 17:50:00.0000	1621	1411
Mon Jun 12 2017 17:51:00.0000	1620	1401
Mon Jun 12 2017 17:52:00.0000	1618	1415
Mon Jun 12 2017 17:53:00.0000	1615	1376
Mon Jun 12 2017 17:54:00.0000	1613	1374
Mon Jun 12 2017 17:55:00.0000	1614	1393
Mon Jun 12 2017 17:56:00.0000	1612	1425
Mon Jun 12 2017 17:57:00.0000	1611	1406
Mon Jun 12 2017 17:58:00.0000	1609	1427
Mon Jun 12 2017 17:59:00.0000	1609	1376
Mon Jun 12 2017 18:00:00.0000	1609	1415
Mon Jun 12 2017 18:01:00.0000	1608	1436
Mon Jun 12 2017 18:02:00.0000	1606	1435
Mon Jun 12 2017 18:03:00.0000	1605	1404
Mon Jun 12 2017 18:04:00.0000	1606	1376
Mon Jun 12 2017 18:05:00.0000	1605	1402
Mon Jun 12 2017 18:06:00.0000	1604	1427
Mon Jun 12 2017 18:07:00.0000	1602	1387
Mon Jun 12 2017 18:08:00.0000	1607	1411
Mon Jun 12 2017 18:09:00.0000	1612	1435
Mon Jun 12 2017 18:10:00.0000	1616	1400
Mon Jun 12 2017 18:11:00.0000	1616	1393
Mon Jun 12 2017 18:12:00.0000	1620	1428
Mon Jun 12 2017 18:13:00.0000	1621	1394
Mon Jun 12 2017 18:14:00.0000	1624	1408
Mon Jun 12 2017 18:15:00.0000	1623	1417

Date/Time	Process Temperature (°F)	Process Flow SCFM
Mon Jun 12 2017 18:16:00.0000	1621	1410
Mon Jun 12 2017 18:17:00.0000	1624	1414
Mon Jun 12 2017 18:18:00.0000	1627	1440
Mon Jun 12 2017 18:19:00.0000	1626	1418
Mon Jun 12 2017 18:20:00.0000	1623	1438
Mon Jun 12 2017 18:21:00.0000	1626	1413
Mon Jun 12 2017 18:22:00.0000	1627	1365
Mon Jun 12 2017 18:23:00.0000	1629	1418
Mon Jun 12 2017 18:24:00.0000	1626	1424
Mon Jun 12 2017 18:25:00.0000	1627	1347
Mon Jun 12 2017 18:26:00.0000	1628	1398
Mon Jun 12 2017 18:27:00.0000	1631	1431
Mon Jun 12 2017 18:28:00.0000	1630	1440
Mon Jun 12 2017 18:29:00.0000	1628	1397
Mon Jun 12 2017 18:30:00.0000	1630	1411
Mon Jun 12 2017 18:31:00.0000	1631	1384
Mon Jun 12 2017 18:32:00.0000	1632	1414
Mon Jun 12 2017 18:33:00.0000	1630	1397
Mon Jun 12 2017 18:34:00.0000	1630	1389
Mon Jun 12 2017 18:35:00.0000	1631	1459
Mon Jun 12 2017 18:36:00.0000	1632	1376
Mon Jun 12 2017 18:37:00.0000	1626	1414
Mon Jun 12 2017 18:38:00.0000	1622	1404
Mon Jun 12 2017 18:39:00.0000	1620	1362
Mon Jun 12 2017 18:40:00.0000	1618	1313
Mon Jun 12 2017 18:41:00.0000	1616	1429
Mon Jun 12 2017 18:42:00.0000	1612	1406
Mon Jun 12 2017 18:43:00.0000	1612	1408
Mon Jun 12 2017 18:44:00.0000	1611	1428
Mon Jun 12 2017 18:45:00.0000	1610	1341
Mon Jun 12 2017 18:46:00.0000	1608	1448
Mon Jun 12 2017 18:47:00.0000	1606	1497
Mon Jun 12 2017 18:48:00.0000	1606	1433
Mon Jun 12 2017 18:49:00.0000	1606	1374
Mon Jun 12 2017 18:50:00.0000	1605	1428
Mon Jun 12 2017 18:51:00.0000	1603	1494
Mon Jun 12 2017 18:52:00.0000	1602	1390
Mon Jun 12 2017 18:53:00.0000	1603	1445
Mon Jun 12 2017 18:54:00.0000	1603	1505
Mon Jun 12 2017 18:55:00.0000	1606	1407
Mon Jun 12 2017 18:56:00.0000	1607	1412
Mon Jun 12 2017 18:57:00.0000	1612	1579
Mon Jun 12 2017 18:58:00.0000	1615	1469
Mon Jun 12 2017 18:59:00.0000	1617	1413
Mon Jun 12 2017 19:00:00.0000	1615	1384
Mon Jun 12 2017 19:01:00.0000	1618	1385
Mon Jun 12 2017 19:02:00.0000	1620	1422
Mon Jun 12 2017 19:03:00.0000	1623	1414
Mon Jun 12 2017 19:04:00.0000	1623	1401
Mon Jun 12 2017 19:05:00.0000	1622	1557
Mon Jun 12 2017 19:06:00.0000	1625	1319
Mon Jun 12 2017 19:07:00.0000	1628	1447
Mon Jun 12 2017 19:08:00.0000	1628	1445
Mon Jun 12 2017 19:09:00.0000	1626	1389
Mon Jun 12 2017 19:10:00.0000	1628	1392
Mon Jun 12 2017 19:11:00.0000	1630	1392
Mon Jun 12 2017 19:12:00.0000	1632	1390

Date/Time	Process Temperature (°F)	Process Flow SCFM
Mon Jun 12 2017 19:13:00.0000	1630	1384
Mon Jun 12 2017 19:14:00.0000	1631	1394
Mon Jun 12 2017 19:15:00.0000	1632	1430
Mon Jun 12 2017 19:16:00.0000	1633	1405
Mon Jun 12 2017 19:17:00.0000	1624	1401
Mon Jun 12 2017 19:18:00.0000	1618	1393
Mon Jun 12 2017 19:19:00.0000	1614	1407
Mon Jun 12 2017 19:20:00.0000	1610	1368
Mon Jun 12 2017 19:21:00.0000	1606	1351
Mon Jun 12 2017 19:22:00.0000	1603	1431
Mon Jun 12 2017 19:23:00.0000	1602	1369
Mon Jun 12 2017 19:24:00.0000	1604	1515
Mon Jun 12 2017 19:25:00.0000	1607	1403
Mon Jun 12 2017 19:26:00.0000	1606	1426
Mon Jun 12 2017 19:27:00.0000	1606	1386
Mon Jun 12 2017 19:28:00.0000	1607	1390
Mon Jun 12 2017 19:29:00.0000	1608	1359
Mon Jun 12 2017 19:30:00.0000	1608	1383
Mon Jun 12 2017 19:31:00.0000	1606	1400
Mon Jun 12 2017 19:32:00.0000	1607	1356
Mon Jun 12 2017 19:33:00.0000	1608	1414
Mon Jun 12 2017 19:34:00.0000	1608	1413
Mon Jun 12 2017 19:35:00.0000	1607	1379
Mon Jun 12 2017 19:36:00.0000	1605	1421
Mon Jun 12 2017 19:37:00.0000	1607	1397
Mon Jun 12 2017 19:38:00.0000	1608	1438
Mon Jun 12 2017 19:39:00.0000	1607	1502
Mon Jun 12 2017 19:40:00.0000	1605	1454
Mon Jun 12 2017 19:41:00.0000	1606	1400
Mon Jun 12 2017 19:42:00.0000	1607	1412
Mon Jun 12 2017 19:43:00.0000	1607	1367
Mon Jun 12 2017 19:44:00.0000	1606	1426
Mon Jun 12 2017 19:45:00.0000	1604	1361
Mon Jun 12 2017 19:46:00.0000	1606	1377
Mon Jun 12 2017 19:47:00.0000	1607	1418
Mon Jun 12 2017 19:48:00.0000	1606	1423
Mon Jun 12 2017 19:49:00.0000	1603	1448
Mon Jun 12 2017 19:50:00.0000	1605	1464
Mon Jun 12 2017 19:51:00.0000	1605	1388
Mon Jun 12 2017 19:52:00.0000	1606	1500
Mon Jun 12 2017 19:53:00.0000	1604	1359
Mon Jun 12 2017 19:54:00.0000	1603	1444
Mon Jun 12 2017 19:55:00.0000	1605	1423
Mon Jun 12 2017 19:56:00.0000	1605	1425
Mon Jun 12 2017 19:57:00.0000	1604	1400
Mon Jun 12 2017 19:58:00.0000	1602	1334
Mon Jun 12 2017 19:59:00.0000	1607	1369
Mon Jun 12 2017 20:00:00.0000	1611	1442
Mon Jun 12 2017 20:01:00.0000	1614	1394
Mon Jun 12 2017 20:02:00.0000	1613	1410
Mon Jun 12 2017 20:03:00.0000	1615	1407
Mon Jun 12 2017 20:04:00.0000	1618	1394
Mon Jun 12 2017 20:05:00.0000	1620	1415
Mon Jun 12 2017 20:06:00.0000	1619	1478
Mon Jun 12 2017 20:07:00.0000	1618	1377
Mon Jun 12 2017 20:08:00.0000	1621	1378
Mon Jun 12 2017 20:09:00.0000	1623	1330

Date/Time	Process Temperature (°F)	Process Flow SCFM
Mon Jun 12 2017 20:10:00.0000	1624	1380
Mon Jun 12 2017 20:11:00.0000	1622	1374
Mon Jun 12 2017 20:12:00.0000	1624	1362
Mon Jun 12 2017 20:13:00.0000	1625	1383
Mon Jun 12 2017 20:14:00.0000	1628	1383
Mon Jun 12 2017 20:15:00.0000	1626	1369
Mon Jun 12 2017 20:16:00.0000	1625	1373
Mon Jun 12 2017 20:17:00.0000	1627	1350
Mon Jun 12 2017 20:18:00.0000	1630	1347
Mon Jun 12 2017 20:19:00.0000	1630	1381
Mon Jun 12 2017 20:20:00.0000	1627	1385
Mon Jun 12 2017 20:21:00.0000	1629	1357
Mon Jun 12 2017 20:22:00.0000	1630	1376
Mon Jun 12 2017 20:23:00.0000	1632	1370
Mon Jun 12 2017 20:24:00.0000	1630	1383
Mon Jun 12 2017 20:25:00.0000	1629	1396
Mon Jun 12 2017 20:26:00.0000	1632	1353
Mon Jun 12 2017 20:27:00.0000	1632	1333
Mon Jun 12 2017 20:28:00.0000	1623	1394
Mon Jun 12 2017 20:29:00.0000	1617	1383
Mon Jun 12 2017 20:30:00.0000	1614	1381
Mon Jun 12 2017 20:31:00.0000	1610	1383
Mon Jun 12 2017 20:32:00.0000	1607	1386
Mon Jun 12 2017 20:33:00.0000	1603	1393
Mon Jun 12 2017 20:34:00.0000	1601	1378
Mon Jun 12 2017 20:35:00.0000	1604	1401
Mon Jun 12 2017 20:36:00.0000	1606	1404
Mon Jun 12 2017 20:37:00.0000	1605	1373
Mon Jun 12 2017 20:38:00.0000	1604	1359
Mon Jun 12 2017 20:39:00.0000	1606	1413
Mon Jun 12 2017 20:40:00.0000	1607	1401
Mon Jun 12 2017 20:41:00.0000	1607	1377
Mon Jun 12 2017 20:42:00.0000	1606	1400
Mon Jun 12 2017 20:43:00.0000	1605	1401
Mon Jun 12 2017 20:44:00.0000	1606	1386
Mon Jun 12 2017 20:45:00.0000	1607	1406
Mon Jun 12 2017 20:46:00.0000	1606	1386
Mon Jun 12 2017 20:47:00.0000	1604	1377
Mon Jun 12 2017 20:48:00.0000	1606	1415
Mon Jun 12 2017 20:49:00.0000	1606	1382
Mon Jun 12 2017 20:50:00.0000	1606	1386
Mon Jun 12 2017 20:51:00.0000	1605	1392
Mon Jun 12 2017 20:52:00.0000	1605	1357
Mon Jun 12 2017 20:53:00.0000	1605	1364
Mon Jun 12 2017 20:54:00.0000	1606	1431
Mon Jun 12 2017 20:55:00.0000	1605	1369
Mon Jun 12 2017 20:56:00.0000	1603	1370
Mon Jun 12 2017 20:57:00.0000	1604	1368
Mon Jun 12 2017 20:58:00.0000	1605	1378
Mon Jun 12 2017 20:59:00.0000	1604	1373
Mon Jun 12 2017 21:00:00.0000	1602	1357
Mon Jun 12 2017 21:01:00.0000	1604	1360
Mon Jun 12 2017 21:02:00.0000	1604	1391
Mon Jun 12 2017 21:03:00.0000	1604	1372
Mon Jun 12 2017 21:04:00.0000	1603	1373
Mon Jun 12 2017 21:05:00.0000	1604	1390
Mon Jun 12 2017 21:06:00.0000	1608	1376

Date/Time	Process Temperature (°F)	Process Flow SCFM
Mon Jun 12 2017 21:07:00.0000	1612	1368
Mon Jun 12 2017 21:08:00.0000	1613	1382
Mon Jun 12 2017 21:09:00.0000	1612	1375
Mon Jun 12 2017 21:10:00.0000	1616	1371
Mon Jun 12 2017 21:11:00.0000	1618	1393
Mon Jun 12 2017 21:12:00.0000	1620	1376
Mon Jun 12 2017 21:13:00.0000	1619	1386
Mon Jun 12 2017 21:14:00.0000	1619	1375
Mon Jun 12 2017 21:15:00.0000	1621	1345
Mon Jun 12 2017 21:16:00.0000	1624	1374
Mon Jun 12 2017 21:17:00.0000	1623	1387
Mon Jun 12 2017 21:18:00.0000	1621	1389
Mon Jun 12 2017 21:19:00.0000	1624	1392
Mon Jun 12 2017 21:20:00.0000	1625	1386
Mon Jun 12 2017 21:21:00.0000	1627	1387
Mon Jun 12 2017 21:22:00.0000	1625	1433
Mon Jun 12 2017 21:23:00.0000	1625	1366
Mon Jun 12 2017 21:24:00.0000	1627	1362
Mon Jun 12 2017 21:25:00.0000	1630	1440
Mon Jun 12 2017 21:26:00.0000	1629	1397
Mon Jun 12 2017 21:27:00.0000	1627	1339
Mon Jun 12 2017 21:28:00.0000	1629	1440
Mon Jun 12 2017 21:29:00.0000	1630	1379
Mon Jun 12 2017 21:30:00.0000	1632	1394
Mon Jun 12 2017 21:31:00.0000	1630	1380
Mon Jun 12 2017 21:32:00.0000	1631	1346
Mon Jun 12 2017 21:33:00.0000	1631	1344
Mon Jun 12 2017 21:34:00.0000	1632	1356
Mon Jun 12 2017 21:35:00.0000	1625	1381
Mon Jun 12 2017 21:36:00.0000	1621	1378
Mon Jun 12 2017 21:37:00.0000	1619	1347
Mon Jun 12 2017 21:38:00.0000	1617	1344
Mon Jun 12 2017 21:39:00.0000	1614	1382
Mon Jun 12 2017 21:40:00.0000	1611	1381
Mon Jun 12 2017 21:41:00.0000	1611	1344
Mon Jun 12 2017 21:42:00.0000	1610	1365
Mon Jun 12 2017 21:43:00.0000	1608	1368
Mon Jun 12 2017 21:44:00.0000	1606	1469
Mon Jun 12 2017 21:45:00.0000	1605	1380
Mon Jun 12 2017 21:46:00.0000	1605	1333
Mon Jun 12 2017 21:47:00.0000	1604	1446
Mon Jun 12 2017 21:48:00.0000	1602	1381
Mon Jun 12 2017 21:49:00.0000	1603	1365
Mon Jun 12 2017 21:50:00.0000	1614	1400
Mon Jun 12 2017 21:51:00.0000	1621	1437
Mon Jun 12 2017 21:52:00.0000	1628	1394
Mon Jun 12 2017 21:53:00.0000	1629	1415
Mon Jun 12 2017 21:54:00.0000	1632	1376
Mon Jun 12 2017 21:55:00.0000	1630	1374
Mon Jun 12 2017 21:56:00.0000	1624	1417
Mon Jun 12 2017 21:57:00.0000	1620	1343
Mon Jun 12 2017 21:58:00.0000	1615	1376
Mon Jun 12 2017 21:59:00.0000	1614	1421
Mon Jun 12 2017 22:00:00.0000	1612	1358
Mon Jun 12 2017 22:01:00.0000	1610	1385
Mon Jun 12 2017 22:02:00.0000	1608	1377
Mon Jun 12 2017 22:03:00.0000	1607	1379

Date/Time	Process Temperature (°F)	Process Flow SCFM
Mon Jun 12 2017 22:04:00.0000	1606	1389
Mon Jun 12 2017 22:05:00.0000	1605	1358
Mon Jun 12 2017 22:06:00.0000	1603	1356
Mon Jun 12 2017 22:07:00.0000	1602	1391
Mon Jun 12 2017 22:08:00.0000	1607	1454
Mon Jun 12 2017 22:09:00.0000	1612	1369
Mon Jun 12 2017 22:10:00.0000	1615	1343
Mon Jun 12 2017 22:11:00.0000	1614	1466
Mon Jun 12 2017 22:12:00.0000	1617	1394
Mon Jun 12 2017 22:13:00.0000	1619	1379
Mon Jun 12 2017 22:14:00.0000	1622	1362
Mon Jun 12 2017 22:15:00.0000	1621	1414
Mon Jun 12 2017 22:16:00.0000	1621	1385
Mon Jun 12 2017 22:17:00.0000	1623	1354
Mon Jun 12 2017 22:18:00.0000	1626	1386
Mon Jun 12 2017 22:19:00.0000	1626	1390
Mon Jun 12 2017 22:20:00.0000	1624	1402
Mon Jun 12 2017 22:21:00.0000	1626	1367
Mon Jun 12 2017 22:22:00.0000	1627	1340
Mon Jun 12 2017 22:23:00.0000	1629	1381
Mon Jun 12 2017 22:24:00.0000	1628	1434
Mon Jun 12 2017 22:25:00.0000	1627	1372
Mon Jun 12 2017 22:26:00.0000	1629	1481
Mon Jun 12 2017 22:27:00.0000	1632	1438
Mon Jun 12 2017 22:28:00.0000	1631	1399
Mon Jun 12 2017 22:29:00.0000	1630	1413
Mon Jun 12 2017 22:30:00.0000	1632	1392
Mon Jun 12 2017 22:31:00.0000	1632	1349
Mon Jun 12 2017 22:32:00.0000	1628	1407
Mon Jun 12 2017 22:33:00.0000	1623	1383
Mon Jun 12 2017 22:34:00.0000	1620	1385
Mon Jun 12 2017 22:35:00.0000	1618	1418
Mon Jun 12 2017 22:36:00.0000	1616	1429
Mon Jun 12 2017 22:37:00.0000	1613	1377
Mon Jun 12 2017 22:38:00.0000	1610	1366
Mon Jun 12 2017 22:39:00.0000	1610	1380
Mon Jun 12 2017 22:40:00.0000	1609	1361
Mon Jun 12 2017 22:41:00.0000	1607	1462
Mon Jun 12 2017 22:42:00.0000	1605	1441
Mon Jun 12 2017 22:43:00.0000	1605	1381
Mon Jun 12 2017 22:44:00.0000	1604	1591
Mon Jun 12 2017 22:45:00.0000	1604	1369
Mon Jun 12 2017 22:46:00.0000	1602	1378
Mon Jun 12 2017 22:47:00.0000	1603	1293
Mon Jun 12 2017 22:48:00.0000	1613	1381
Mon Jun 12 2017 22:49:00.0000	1621	1477
Mon Jun 12 2017 22:50:00.0000	1627	1375
Mon Jun 12 2017 22:51:00.0000	1628	1448
Mon Jun 12 2017 22:52:00.0000	1631	1375
Mon Jun 12 2017 22:53:00.0000	1631	1348
Mon Jun 12 2017 22:54:00.0000	1628	1376
Mon Jun 12 2017 22:55:00.0000	1626	1343
Mon Jun 12 2017 22:56:00.0000	1623	1319
Mon Jun 12 2017 22:57:00.0000	1623	1387
Mon Jun 12 2017 22:58:00.0000	1623	1380
Mon Jun 12 2017 22:59:00.0000	1622	1356
Mon Jun 12 2017 23:00:00.0000	1620	1350

Date/Time	Process Temperature (°F)	Process Flow SCFM
Mon Jun 12 2017 23:01:00.0000	1620	1434
Mon Jun 12 2017 23:02:00.0000	1620	1319
Mon Jun 12 2017 23:03:00.0000	1621	1281
Mon Jun 12 2017 23:04:00.0000	1619	1374
Mon Jun 12 2017 23:05:00.0000	1618	1379
Mon Jun 12 2017 23:06:00.0000	1619	1369
Mon Jun 12 2017 23:07:00.0000	1620	1295
Mon Jun 12 2017 23:08:00.0000	1619	1406
Mon Jun 12 2017 23:09:00.0000	1618	1353
Mon Jun 12 2017 23:10:00.0000	1618	1396
Mon Jun 12 2017 23:11:00.0000	1618	1420
Mon Jun 12 2017 23:12:00.0000	1619	1501
Mon Jun 12 2017 23:13:00.0000	1618	1415
Mon Jun 12 2017 23:14:00.0000	1617	1359
Mon Jun 12 2017 23:15:00.0000	1618	1330
Mon Jun 12 2017 23:16:00.0000	1619	1377
Mon Jun 12 2017 23:17:00.0000	1618	1343
Mon Jun 12 2017 23:18:00.0000	1616	1398
Mon Jun 12 2017 23:19:00.0000	1617	1360
Mon Jun 12 2017 23:20:00.0000	1618	1351
Mon Jun 12 2017 23:21:00.0000	1618	1370
Mon Jun 12 2017 23:22:00.0000	1616	1343
Mon Jun 12 2017 23:23:00.0000	1616	1377
Mon Jun 12 2017 23:24:00.0000	1617	1370
Mon Jun 12 2017 23:25:00.0000	1618	1365
Mon Jun 12 2017 23:26:00.0000	1617	1413
Mon Jun 12 2017 23:27:00.0000	1615	1381
Mon Jun 12 2017 23:28:00.0000	1617	1321
Mon Jun 12 2017 23:29:00.0000	1617	1412
Mon Jun 12 2017 23:30:00.0000	1617	1402
Mon Jun 12 2017 23:31:00.0000	1615	1386
Mon Jun 12 2017 23:32:00.0000	1615	1417
Mon Jun 12 2017 23:33:00.0000	1616	1488
Mon Jun 12 2017 23:34:00.0000	1617	1394
Mon Jun 12 2017 23:35:00.0000	1616	1435
Mon Jun 12 2017 23:36:00.0000	1615	1331
Mon Jun 12 2017 23:37:00.0000	1616	1399
Mon Jun 12 2017 23:38:00.0000	1617	1413
Mon Jun 12 2017 23:39:00.0000	1617	1429
Mon Jun 12 2017 23:40:00.0000	1615	1317
Mon Jun 12 2017 23:41:00.0000	1616	1363
Mon Jun 12 2017 23:42:00.0000	1616	1432
Mon Jun 12 2017 23:43:00.0000	1617	1375
Mon Jun 12 2017 23:44:00.0000	1616	1340
Mon Jun 12 2017 23:45:00.0000	1614	1417
Mon Jun 12 2017 23:46:00.0000	1616	1430
Mon Jun 12 2017 23:47:00.0000	1617	1267
Mon Jun 12 2017 23:48:00.0000	1616	1367
Mon Jun 12 2017 23:49:00.0000	1614	1383
Mon Jun 12 2017 23:50:00.0000	1615	1373
Mon Jun 12 2017 23:51:00.0000	1616	1539
Mon Jun 12 2017 23:52:00.0000	1617	1433
Mon Jun 12 2017 23:53:00.0000	1615	1409
Mon Jun 12 2017 23:54:00.0000	1614	1339
Mon Jun 12 2017 23:55:00.0000	1615	1452
Mon Jun 12 2017 23:56:00.0000	1616	1437
Mon Jun 12 2017 23:57:00.0000	1616	1375

Date/Time	Process Temperature (°F)	Process Flow SCFM
Mon Jun 12 2017 23:58:00.0000	1614	1364
Mon Jun 12 2017 23:59:00.0000	1615	1389
Tue Jun 13 2017 00:00:00.0000	1615	1403
Tue Jun 13 2017 00:01:00.0000	1616	1428
Tue Jun 13 2017 00:02:00.0000	1615	1386
Tue Jun 13 2017 00:03:00.0000	1614	1362
Tue Jun 13 2017 00:04:00.0000	1615	1422
Tue Jun 13 2017 00:05:00.0000	1616	1449
Tue Jun 13 2017 00:06:00.0000	1616	1337
Tue Jun 13 2017 00:07:00.0000	1614	1418
Tue Jun 13 2017 00:08:00.0000	1615	1369
Tue Jun 13 2017 00:09:00.0000	1615	1397
Tue Jun 13 2017 00:10:00.0000	1616	1337
Tue Jun 13 2017 00:11:00.0000	1614	1394
Tue Jun 13 2017 00:12:00.0000	1613	1356
Tue Jun 13 2017 00:13:00.0000	1615	1423
Tue Jun 13 2017 00:14:00.0000	1616	1356
Tue Jun 13 2017 00:15:00.0000	1615	1369
Tue Jun 13 2017 00:16:00.0000	1614	1403
Tue Jun 13 2017 00:17:00.0000	1615	1343
Tue Jun 13 2017 00:18:00.0000	1616	1365
Tue Jun 13 2017 00:19:00.0000	1615	1485
Tue Jun 13 2017 00:20:00.0000	1613	1406
Tue Jun 13 2017 00:21:00.0000	1613	1415
Tue Jun 13 2017 00:22:00.0000	1615	1327
Tue Jun 13 2017 00:23:00.0000	1615	1399
Tue Jun 13 2017 00:24:00.0000	1614	1369
Tue Jun 13 2017 00:25:00.0000	1612	1432
Tue Jun 13 2017 00:26:00.0000	1614	1461
Tue Jun 13 2017 00:27:00.0000	1615	1397
Tue Jun 13 2017 00:28:00.0000	1615	1399
Tue Jun 13 2017 00:29:00.0000	1613	1356
Tue Jun 13 2017 00:30:00.0000	1613	1406
Tue Jun 13 2017 00:31:00.0000	1614	1338
Tue Jun 13 2017 00:32:00.0000	1615	1362
Tue Jun 13 2017 00:33:00.0000	1614	1344
Tue Jun 13 2017 00:34:00.0000	1612	1500
Tue Jun 13 2017 00:35:00.0000	1614	1337
Tue Jun 13 2017 00:36:00.0000	1615	1409
Tue Jun 13 2017 00:37:00.0000	1615	1381
Tue Jun 13 2017 00:38:00.0000	1613	1374
Tue Jun 13 2017 00:39:00.0000	1613	1433
Tue Jun 13 2017 00:40:00.0000	1614	1300
Tue Jun 13 2017 00:41:00.0000	1615	1393
Tue Jun 13 2017 00:42:00.0000	1613	1362
Tue Jun 13 2017 00:43:00.0000	1612	1410
Tue Jun 13 2017 00:44:00.0000	1614	1386
Tue Jun 13 2017 00:45:00.0000	1615	1350
Tue Jun 13 2017 00:46:00.0000	1614	1419
Tue Jun 13 2017 00:47:00.0000	1612	1364
Tue Jun 13 2017 00:48:00.0000	1613	1348
Tue Jun 13 2017 00:49:00.0000	1614	1318
Tue Jun 13 2017 00:50:00.0000	1614	1374
Tue Jun 13 2017 00:51:00.0000	1613	1381
Tue Jun 13 2017 00:52:00.0000	1612	1438
Tue Jun 13 2017 00:53:00.0000	1613	1309
Tue Jun 13 2017 00:54:00.0000	1614	1364

Date/Time	Process Temperature (°F)	Process Flow SCFM
Tue Jun 13 2017 00:55:00.0000	1614	1426
Tue Jun 13 2017 00:56:00.0000	1612	1369
Tue Jun 13 2017 00:57:00.0000	1612	1349
Tue Jun 13 2017 00:58:00.0000	1613	1389
Tue Jun 13 2017 00:59:00.0000	1614	1429
Tue Jun 13 2017 01:00:00.0000	1613	1346
Tue Jun 13 2017 01:01:00.0000	1612	1423
Tue Jun 13 2017 01:02:00.0000	1613	1341
Tue Jun 13 2017 01:03:00.0000	1614	1379
Tue Jun 13 2017 01:04:00.0000	1614	1379
Tue Jun 13 2017 01:05:00.0000	1611	1493
Tue Jun 13 2017 01:06:00.0000	1613	1388
Tue Jun 13 2017 01:07:00.0000	1614	1363
Tue Jun 13 2017 01:08:00.0000	1614	1390
Tue Jun 13 2017 01:09:00.0000	1612	1336
Tue Jun 13 2017 01:10:00.0000	1612	1440
Tue Jun 13 2017 01:11:00.0000	1613	1456
Tue Jun 13 2017 01:12:00.0000	1614	1321
Tue Jun 13 2017 01:13:00.0000	1612	1338
Tue Jun 13 2017 01:14:00.0000	1610	1334
Tue Jun 13 2017 01:15:00.0000	1612	1374
Tue Jun 13 2017 01:16:00.0000	1613	1362
Tue Jun 13 2017 01:17:00.0000	1613	1344
Tue Jun 13 2017 01:18:00.0000	1611	1335
Tue Jun 13 2017 01:19:00.0000	1611	1376
Tue Jun 13 2017 01:20:00.0000	1612	1401
Tue Jun 13 2017 01:21:00.0000	1613	1411
Tue Jun 13 2017 01:22:00.0000	1612	1350
Tue Jun 13 2017 01:23:00.0000	1610	1335
Tue Jun 13 2017 01:24:00.0000	1612	1408
Tue Jun 13 2017 01:25:00.0000	1613	1411
Tue Jun 13 2017 01:26:00.0000	1613	1383
Tue Jun 13 2017 01:27:00.0000	1611	1346
Tue Jun 13 2017 01:28:00.0000	1611	1393
Tue Jun 13 2017 01:29:00.0000	1612	1366
Tue Jun 13 2017 01:30:00.0000	1613	1345
Tue Jun 13 2017 01:31:00.0000	1612	1359
Tue Jun 13 2017 01:32:00.0000	1611	1335
Tue Jun 13 2017 01:33:00.0000	1612	1333
Tue Jun 13 2017 01:34:00.0000	1612	1352
Tue Jun 13 2017 01:35:00.0000	1612	1390
Tue Jun 13 2017 01:36:00.0000	1611	1492
Tue Jun 13 2017 01:37:00.0000	1611	1333
Tue Jun 13 2017 01:38:00.0000	1612	1340
Tue Jun 13 2017 01:39:00.0000	1613	1436
Tue Jun 13 2017 01:40:00.0000	1611	1415
Tue Jun 13 2017 01:41:00.0000	1610	1350
Tue Jun 13 2017 01:42:00.0000	1611	1475
Tue Jun 13 2017 01:43:00.0000	1612	1387
Tue Jun 13 2017 01:44:00.0000	1612	1367
Tue Jun 13 2017 01:45:00.0000	1610	1383
Tue Jun 13 2017 01:46:00.0000	1611	1377
Tue Jun 13 2017 01:47:00.0000	1612	1422
Tue Jun 13 2017 01:48:00.0000	1612	1298
Tue Jun 13 2017 01:49:00.0000	1610	1372
Tue Jun 13 2017 01:50:00.0000	1610	1393
Tue Jun 13 2017 01:51:00.0000	1611	1326

Date/Time	Process Temperature (°F)	Process Flow SCFM
Tue Jun 13 2017 01:52:00.0000	1612	1321
Tue Jun 13 2017 01:53:00.0000	1612	1336
Tue Jun 13 2017 01:54:00.0000	1609	1344
Tue Jun 13 2017 01:55:00.0000	1611	1351
Tue Jun 13 2017 01:56:00.0000	1611	1374
Tue Jun 13 2017 01:57:00.0000	1612	1382
Tue Jun 13 2017 01:58:00.0000	1610	1419
Tue Jun 13 2017 01:59:00.0000	1609	1326
Tue Jun 13 2017 02:00:00.0000	1611	1353
Tue Jun 13 2017 02:01:00.0000	1612	1370
Tue Jun 13 2017 02:02:00.0000	1611	1364
Tue Jun 13 2017 02:03:00.0000	1609	1338
Tue Jun 13 2017 02:04:00.0000	1610	1394
Tue Jun 13 2017 02:05:00.0000	1611	1348
Tue Jun 13 2017 02:06:00.0000	1612	1406
Tue Jun 13 2017 02:07:00.0000	1610	1347
Tue Jun 13 2017 02:08:00.0000	1609	1322
Tue Jun 13 2017 02:09:00.0000	1611	1304
Tue Jun 13 2017 02:10:00.0000	1612	1359
Tue Jun 13 2017 02:11:00.0000	1611	1339
Tue Jun 13 2017 02:12:00.0000	1609	1364
Tue Jun 13 2017 02:13:00.0000	1610	1321
Tue Jun 13 2017 02:14:00.0000	1611	1306
Tue Jun 13 2017 02:15:00.0000	1612	1338
Tue Jun 13 2017 02:16:00.0000	1610	1335
Tue Jun 13 2017 02:17:00.0000	1610	1314
Tue Jun 13 2017 02:18:00.0000	1611	1328
Tue Jun 13 2017 02:19:00.0000	1612	1357
Tue Jun 13 2017 02:20:00.0000	1611	1297
Tue Jun 13 2017 02:21:00.0000	1609	1336
Tue Jun 13 2017 02:22:00.0000	1610	1330
Tue Jun 13 2017 02:23:00.0000	1611	1377
Tue Jun 13 2017 02:24:00.0000	1612	1386
Tue Jun 13 2017 02:25:00.0000	1610	1335
Tue Jun 13 2017 02:26:00.0000	1610	1307
Tue Jun 13 2017 02:27:00.0000	1611	1343
Tue Jun 13 2017 02:28:00.0000	1612	1344
Tue Jun 13 2017 02:29:00.0000	1611	1330
Tue Jun 13 2017 02:30:00.0000	1609	1302
Tue Jun 13 2017 02:31:00.0000	1610	1309
Tue Jun 13 2017 02:32:00.0000	1611	1334
Tue Jun 13 2017 02:33:00.0000	1612	1333
Tue Jun 13 2017 02:34:00.0000	1609	1324
Tue Jun 13 2017 02:35:00.0000	1609	1338
Tue Jun 13 2017 02:36:00.0000	1610	1320
Tue Jun 13 2017 02:37:00.0000	1611	1375
Tue Jun 13 2017 02:38:00.0000	1610	1342
Tue Jun 13 2017 02:39:00.0000	1608	1331
Tue Jun 13 2017 02:40:00.0000	1610	1353
Tue Jun 13 2017 02:41:00.0000	1611	1330
Tue Jun 13 2017 02:42:00.0000	1611	1333
Tue Jun 13 2017 02:43:00.0000	1609	1313
Tue Jun 13 2017 02:44:00.0000	1609	1332
Tue Jun 13 2017 02:45:00.0000	1610	1291
Tue Jun 13 2017 02:46:00.0000	1611	1341
Tue Jun 13 2017 02:47:00.0000	1610	1341
Tue Jun 13 2017 02:48:00.0000	1608	1353

Date/Time	Process Temperature (°F)	Process Flow SCFM
Tue Jun 13 2017 02:49:00.0000	1610	1342
Tue Jun 13 2017 02:50:00.0000	1611	1313
Tue Jun 13 2017 02:51:00.0000	1611	1338
Tue Jun 13 2017 02:52:00.0000	1609	1355
Tue Jun 13 2017 02:53:00.0000	1609	1306
Tue Jun 13 2017 02:54:00.0000	1610	1329
Tue Jun 13 2017 02:55:00.0000	1611	1354
Tue Jun 13 2017 02:56:00.0000	1610	1333
Tue Jun 13 2017 02:57:00.0000	1608	1337
Tue Jun 13 2017 02:58:00.0000	1610	1325
Tue Jun 13 2017 02:59:00.0000	1610	1345
Tue Jun 13 2017 03:00:00.0000	1611	1326
Tue Jun 13 2017 03:01:00.0000	1609	1337
Tue Jun 13 2017 03:02:00.0000	1609	1353
Tue Jun 13 2017 03:03:00.0000	1610	1336
Tue Jun 13 2017 03:04:00.0000	1611	1326
Tue Jun 13 2017 03:05:00.0000	1610	1308
Tue Jun 13 2017 03:06:00.0000	1608	1350
Tue Jun 13 2017 03:07:00.0000	1610	1342
Tue Jun 13 2017 03:08:00.0000	1610	1325
Tue Jun 13 2017 03:09:00.0000	1611	1344
Tue Jun 13 2017 03:10:00.0000	1609	1331
Tue Jun 13 2017 03:11:00.0000	1608	1331
Tue Jun 13 2017 03:12:00.0000	1610	1320
Tue Jun 13 2017 03:13:00.0000	1611	1324
Tue Jun 13 2017 03:14:00.0000	1610	1325
Tue Jun 13 2017 03:15:00.0000	1608	1318
Tue Jun 13 2017 03:16:00.0000	1610	1320
Tue Jun 13 2017 03:17:00.0000	1610	1311
Tue Jun 13 2017 03:18:00.0000	1611	1344
Tue Jun 13 2017 03:19:00.0000	1609	1319
Tue Jun 13 2017 03:20:00.0000	1610	1334
Tue Jun 13 2017 03:21:00.0000	1610	1325
Tue Jun 13 2017 03:22:00.0000	1611	1313
Tue Jun 13 2017 03:23:00.0000	1609	1327
Tue Jun 13 2017 03:24:00.0000	1608	1338
Tue Jun 13 2017 03:25:00.0000	1610	1351
Tue Jun 13 2017 03:26:00.0000	1611	1346
Tue Jun 13 2017 03:27:00.0000	1609	1302
Tue Jun 13 2017 03:28:00.0000	1608	1352
Tue Jun 13 2017 03:29:00.0000	1610	1313
Tue Jun 13 2017 03:30:00.0000	1610	1298
Tue Jun 13 2017 03:31:00.0000	1611	1347
Tue Jun 13 2017 03:32:00.0000	1608	1317
Tue Jun 13 2017 03:33:00.0000	1609	1357
Tue Jun 13 2017 03:34:00.0000	1610	1338
Tue Jun 13 2017 03:35:00.0000	1611	1339
Tue Jun 13 2017 03:36:00.0000	1609	1357
Tue Jun 13 2017 03:37:00.0000	1608	1328
Tue Jun 13 2017 03:38:00.0000	1609	1354
Tue Jun 13 2017 03:39:00.0000	1611	1306
Tue Jun 13 2017 03:40:00.0000	1610	1350
Tue Jun 13 2017 03:41:00.0000	1608	1366
Tue Jun 13 2017 03:42:00.0000	1609	1357
Tue Jun 13 2017 03:43:00.0000	1610	1334
Tue Jun 13 2017 03:44:00.0000	1611	1302
Tue Jun 13 2017 03:45:00.0000	1609	1341

Date/Time	Process Temperature (°F)	Process Flow SCFM
Tue Jun 13 2017 03:46:00.0000	1608	1313
Tue Jun 13 2017 03:47:00.0000	1609	1347
Tue Jun 13 2017 03:48:00.0000	1611	1381
Tue Jun 13 2017 03:49:00.0000	1610	1317
Tue Jun 13 2017 03:50:00.0000	1608	1309
Tue Jun 13 2017 03:51:00.0000	1609	1372
Tue Jun 13 2017 03:52:00.0000	1610	1321
Tue Jun 13 2017 03:53:00.0000	1611	1323
Tue Jun 13 2017 03:54:00.0000	1608	1377
Tue Jun 13 2017 03:55:00.0000	1608	1320
Tue Jun 13 2017 03:56:00.0000	1609	1312
Tue Jun 13 2017 03:57:00.0000	1611	1304
Tue Jun 13 2017 03:58:00.0000	1610	1338
Tue Jun 13 2017 03:59:00.0000	1608	1353
Tue Jun 13 2017 04:00:00.0000	1609	1348
Tue Jun 13 2017 04:01:00.0000	1610	1305
Tue Jun 13 2017 04:02:00.0000	1611	1347
Tue Jun 13 2017 04:03:00.0000	1609	1352
Tue Jun 13 2017 04:04:00.0000	1609	1348
Tue Jun 13 2017 04:05:00.0000	1609	1340
Tue Jun 13 2017 04:06:00.0000	1611	1279
Tue Jun 13 2017 04:07:00.0000	1609	1355
Tue Jun 13 2017 04:08:00.0000	1608	1338
Tue Jun 13 2017 04:09:00.0000	1609	1499
Tue Jun 13 2017 04:10:00.0000	1612	1378
Tue Jun 13 2017 04:11:00.0000	1611	1316
Tue Jun 13 2017 04:12:00.0000	1610	1352
Tue Jun 13 2017 04:13:00.0000	1612	1346
Tue Jun 13 2017 04:14:00.0000	1614	1345
Tue Jun 13 2017 04:15:00.0000	1614	1333
Tue Jun 13 2017 04:16:00.0000	1612	1377
Tue Jun 13 2017 04:17:00.0000	1611	1306
Tue Jun 13 2017 04:18:00.0000	1612	1341
Tue Jun 13 2017 04:19:00.0000	1613	1391
Tue Jun 13 2017 04:20:00.0000	1611	1337
Tue Jun 13 2017 04:21:00.0000	1610	1374
Tue Jun 13 2017 04:22:00.0000	1611	1363
Tue Jun 13 2017 04:23:00.0000	1611	1347
Tue Jun 13 2017 04:24:00.0000	1611	1340
Tue Jun 13 2017 04:25:00.0000	1609	1306
Tue Jun 13 2017 04:26:00.0000	1609	1347
Tue Jun 13 2017 04:27:00.0000	1610	1313
Tue Jun 13 2017 04:28:00.0000	1611	1381
Tue Jun 13 2017 04:29:00.0000	1609	1326
Tue Jun 13 2017 04:30:00.0000	1608	1321
Tue Jun 13 2017 04:31:00.0000	1609	1329
Tue Jun 13 2017 04:32:00.0000	1611	1333
Tue Jun 13 2017 04:33:00.0000	1610	1386
Tue Jun 13 2017 04:34:00.0000	1607	1340
Tue Jun 13 2017 04:35:00.0000	1609	1354
Tue Jun 13 2017 04:36:00.0000	1610	1306
Tue Jun 13 2017 04:37:00.0000	1610	1440
Tue Jun 13 2017 04:38:00.0000	1608	1337
Tue Jun 13 2017 04:39:00.0000	1607	1304
Tue Jun 13 2017 04:40:00.0000	1609	1306
Tue Jun 13 2017 04:41:00.0000	1610	1316
Tue Jun 13 2017 04:42:00.0000	1609	1358

Date/Time	Process Temperature (°F)	Process Flow SCFM
Tue Jun 13 2017 04:43:00.0000	1607	1346
Tue Jun 13 2017 04:44:00.0000	1609	1319
Tue Jun 13 2017 04:45:00.0000	1609	1326
Tue Jun 13 2017 04:46:00.0000	1610	1333
Tue Jun 13 2017 04:47:00.0000	1607	1348
Tue Jun 13 2017 04:48:00.0000	1607	1355
Tue Jun 13 2017 04:49:00.0000	1608	1336
Tue Jun 13 2017 04:50:00.0000	1610	1339
Tue Jun 13 2017 04:51:00.0000	1608	1287
Tue Jun 13 2017 04:52:00.0000	1606	1318
Tue Jun 13 2017 04:53:00.0000	1608	1347
Tue Jun 13 2017 04:54:00.0000	1610	1330
Tue Jun 13 2017 04:55:00.0000	1609	1310
Tue Jun 13 2017 04:56:00.0000	1607	1332
Tue Jun 13 2017 04:57:00.0000	1607	1344
Tue Jun 13 2017 04:58:00.0000	1608	1322
Tue Jun 13 2017 04:59:00.0000	1609	1326
Tue Jun 13 2017 05:00:00.0000	1607	1309
Tue Jun 13 2017 05:01:00.0000	1606	1334
Tue Jun 13 2017 05:02:00.0000	1608	1351
Tue Jun 13 2017 05:03:00.0000	1609	1332
Tue Jun 13 2017 05:04:00.0000	1608	1321
Tue Jun 13 2017 05:05:00.0000	1606	1365
Tue Jun 13 2017 05:06:00.0000	1607	1329
Tue Jun 13 2017 05:07:00.0000	1608	1320
Tue Jun 13 2017 05:08:00.0000	1609	1353
Tue Jun 13 2017 05:09:00.0000	1607	1312
Tue Jun 13 2017 05:10:00.0000	1606	1316
Tue Jun 13 2017 05:11:00.0000	1607	1299
Tue Jun 13 2017 05:12:00.0000	1609	1338
Tue Jun 13 2017 05:13:00.0000	1608	1347
Tue Jun 13 2017 05:14:00.0000	1605	1348
Tue Jun 13 2017 05:15:00.0000	1607	1329
Tue Jun 13 2017 05:16:00.0000	1608	1323
Tue Jun 13 2017 05:17:00.0000	1609	1316
Tue Jun 13 2017 05:18:00.0000	1606	1330
Tue Jun 13 2017 05:19:00.0000	1605	1320
Tue Jun 13 2017 05:20:00.0000	1607	1292
Tue Jun 13 2017 05:21:00.0000	1608	1322
Tue Jun 13 2017 05:22:00.0000	1608	1319
Tue Jun 13 2017 05:23:00.0000	1605	1353
Tue Jun 13 2017 05:24:00.0000	1606	1349
Tue Jun 13 2017 05:25:00.0000	1608	1348
Tue Jun 13 2017 05:26:00.0000	1608	1340
Tue Jun 13 2017 05:27:00.0000	1606	1341
Tue Jun 13 2017 05:28:00.0000	1605	1350
Tue Jun 13 2017 05:29:00.0000	1607	1309
Tue Jun 13 2017 05:30:00.0000	1608	1318
Tue Jun 13 2017 05:31:00.0000	1607	1306
Tue Jun 13 2017 05:32:00.0000	1605	1338
Tue Jun 13 2017 05:33:00.0000	1606	1367
Tue Jun 13 2017 05:34:00.0000	1607	1329
Tue Jun 13 2017 05:35:00.0000	1607	1314
Tue Jun 13 2017 05:36:00.0000	1605	1317
Tue Jun 13 2017 05:37:00.0000	1605	1310
Tue Jun 13 2017 05:38:00.0000	1607	1331
Tue Jun 13 2017 05:39:00.0000	1608	1311

Date/Time	Process Temperature (°F)	Process Flow SCFM
Tue Jun 13 2017 05:40:00.0000	1606	1348
Tue Jun 13 2017 05:41:00.0000	1604	1303
Tue Jun 13 2017 05:42:00.0000	1606	1367
Tue Jun 13 2017 05:43:00.0000	1607	1329
Tue Jun 13 2017 05:44:00.0000	1607	1331
Tue Jun 13 2017 05:45:00.0000	1604	1345
Tue Jun 13 2017 05:46:00.0000	1606	1315
Tue Jun 13 2017 05:47:00.0000	1607	1334
Tue Jun 13 2017 05:48:00.0000	1607	1354
Tue Jun 13 2017 05:49:00.0000	1605	1313
Tue Jun 13 2017 05:50:00.0000	1605	1337
Tue Jun 13 2017 05:51:00.0000	1606	1308
Tue Jun 13 2017 05:52:00.0000	1607	1331
Tue Jun 13 2017 05:53:00.0000	1607	1336
Tue Jun 13 2017 05:54:00.0000	1604	1356
Tue Jun 13 2017 05:55:00.0000	1606	1335
Tue Jun 13 2017 05:56:00.0000	1606	1309
Tue Jun 13 2017 05:57:00.0000	1608	1319
Tue Jun 13 2017 05:58:00.0000	1605	1331
Tue Jun 13 2017 05:59:00.0000	1605	1354
Tue Jun 13 2017 06:00:00.0000	1606	1375
Tue Jun 13 2017 06:01:00.0000	1607	1389
Tue Jun 13 2017 06:02:00.0000	1606	1318
Tue Jun 13 2017 06:03:00.0000	1604	1352
Tue Jun 13 2017 06:04:00.0000	1605	1324
Tue Jun 13 2017 06:05:00.0000	1607	1326
Tue Jun 13 2017 06:06:00.0000	1607	1317
Tue Jun 13 2017 06:07:00.0000	1605	1377
Tue Jun 13 2017 06:08:00.0000	1605	1391
Tue Jun 13 2017 06:09:00.0000	1606	1307
Tue Jun 13 2017 06:10:00.0000	1607	1361
Tue Jun 13 2017 06:11:00.0000	1606	1339
Tue Jun 13 2017 06:12:00.0000	1604	1321
Tue Jun 13 2017 06:13:00.0000	1606	1302
Tue Jun 13 2017 06:14:00.0000	1607	1342
Tue Jun 13 2017 06:15:00.0000	1606	1326
Tue Jun 13 2017 06:16:00.0000	1604	1312
Tue Jun 13 2017 06:17:00.0000	1606	1367
Tue Jun 13 2017 06:18:00.0000	1607	1312
Tue Jun 13 2017 06:19:00.0000	1607	1352
Tue Jun 13 2017 06:20:00.0000	1605	1358
Tue Jun 13 2017 06:21:00.0000	1605	1351
Tue Jun 13 2017 06:22:00.0000	1606	1355
Tue Jun 13 2017 06:23:00.0000	1608	1338
Tue Jun 13 2017 06:24:00.0000	1606	1325
Tue Jun 13 2017 06:25:00.0000	1604	1329
Tue Jun 13 2017 06:26:00.0000	1606	1345
Tue Jun 13 2017 06:27:00.0000	1607	1324
Tue Jun 13 2017 06:28:00.0000	1607	1310
Tue Jun 13 2017 06:29:00.0000	1605	1331
Tue Jun 13 2017 06:30:00.0000	1605	1346
Tue Jun 13 2017 06:31:00.0000	1606	1319
Tue Jun 13 2017 06:32:00.0000	1608	1325
Tue Jun 13 2017 06:33:00.0000	1606	1345
Tue Jun 13 2017 06:34:00.0000	1604	1318
Tue Jun 13 2017 06:35:00.0000	1606	1293
Tue Jun 13 2017 06:36:00.0000	1607	1336

Date/Time	Process Temperature (°F)	Process Flow SCFM
Tue Jun 13 2017 06:37:00.0000	1607	1309
Tue Jun 13 2017 06:38:00.0000	1605	1340
Tue Jun 13 2017 06:39:00.0000	1606	1354
Tue Jun 13 2017 06:40:00.0000	1606	1289
Tue Jun 13 2017 06:41:00.0000	1607	1369
Tue Jun 13 2017 06:42:00.0000	1606	1342
Tue Jun 13 2017 06:43:00.0000	1605	1380
Tue Jun 13 2017 06:44:00.0000	1606	1318
Tue Jun 13 2017 06:45:00.0000	1608	1318
Tue Jun 13 2017 06:46:00.0000	1607	1338
Tue Jun 13 2017 06:47:00.0000	1605	1335
Tue Jun 13 2017 06:48:00.0000	1606	1369
Tue Jun 13 2017 06:49:00.0000	1607	1343
Tue Jun 13 2017 06:50:00.0000	1608	1344
Tue Jun 13 2017 06:51:00.0000	1606	1372
Tue Jun 13 2017 06:52:00.0000	1605	1421
Tue Jun 13 2017 06:53:00.0000	1607	1364
Tue Jun 13 2017 06:54:00.0000	1608	1331
Tue Jun 13 2017 06:55:00.0000	1607	1381
Tue Jun 13 2017 06:56:00.0000	1605	1330
Tue Jun 13 2017 06:57:00.0000	1606	1359
Tue Jun 13 2017 06:58:00.0000	1608	1334
Tue Jun 13 2017 06:59:00.0000	1608	1348
Tue Jun 13 2017 07:00:00.0000	1606	1345
Tue Jun 13 2017 07:01:00.0000	1605	1367
Tue Jun 13 2017 07:02:00.0000	1607	1362
Tue Jun 13 2017 07:03:00.0000	1608	1350
Tue Jun 13 2017 07:04:00.0000	1608	1422
Tue Jun 13 2017 07:05:00.0000	1605	1437
Tue Jun 13 2017 07:06:00.0000	1607	1387
Tue Jun 13 2017 07:07:00.0000	1607	1337
Tue Jun 13 2017 07:08:00.0000	1608	1361
Tue Jun 13 2017 07:09:00.0000	1606	1382
Tue Jun 13 2017 07:10:00.0000	1606	1365
Tue Jun 13 2017 07:11:00.0000	1607	1347
Tue Jun 13 2017 07:12:00.0000	1608	1458
Tue Jun 13 2017 07:13:00.0000	1608	1335
Tue Jun 13 2017 07:14:00.0000	1606	1381
Tue Jun 13 2017 07:15:00.0000	1608	1373
Tue Jun 13 2017 07:16:00.0000	1608	1363
Tue Jun 13 2017 07:17:00.0000	1609	1357
Tue Jun 13 2017 07:18:00.0000	1607	1336
Tue Jun 13 2017 07:19:00.0000	1606	1328
Tue Jun 13 2017 07:20:00.0000	1608	1363
Tue Jun 13 2017 07:21:00.0000	1609	1358
Tue Jun 13 2017 07:22:00.0000	1608	1337
Tue Jun 13 2017 07:23:00.0000	1606	1306
Tue Jun 13 2017 07:24:00.0000	1608	1378
Tue Jun 13 2017 07:25:00.0000	1609	1329
Tue Jun 13 2017 07:26:00.0000	1608	1329
Tue Jun 13 2017 07:27:00.0000	1606	1331
Tue Jun 13 2017 07:28:00.0000	1608	1369
Tue Jun 13 2017 07:29:00.0000	1608	1340
Tue Jun 13 2017 07:30:00.0000	1609	1338
Tue Jun 13 2017 07:31:00.0000	1608	1372
Tue Jun 13 2017 07:32:00.0000	1606	1379
Tue Jun 13 2017 07:33:00.0000	1608	1342

Date/Time	Process Temperature (°F)	Process Flow SCFM
Tue Jun 13 2017 07:34:00.0000	1609	1334
Tue Jun 13 2017 07:35:00.0000	1608	1385
Tue Jun 13 2017 07:36:00.0000	1606	1353
Tue Jun 13 2017 07:37:00.0000	1608	1404
Tue Jun 13 2017 07:38:00.0000	1609	1349
Tue Jun 13 2017 07:39:00.0000	1609	1368
Tue Jun 13 2017 07:40:00.0000	1607	1383
Tue Jun 13 2017 07:41:00.0000	1607	1361
Tue Jun 13 2017 07:42:00.0000	1608	1283
Tue Jun 13 2017 07:43:00.0000	1609	1399
Tue Jun 13 2017 07:44:00.0000	1608	1409
Tue Jun 13 2017 07:45:00.0000	1606	1394
Tue Jun 13 2017 07:46:00.0000	1608	1404
Tue Jun 13 2017 07:47:00.0000	1609	1362
Tue Jun 13 2017 07:48:00.0000	1610	1440
Tue Jun 13 2017 07:49:00.0000	1608	1375
Tue Jun 13 2017 07:50:00.0000	1607	1375
Tue Jun 13 2017 07:51:00.0000	1609	1348
Tue Jun 13 2017 07:52:00.0000	1610	1345
Tue Jun 13 2017 07:53:00.0000	1609	1360
Tue Jun 13 2017 07:54:00.0000	1607	1407
Tue Jun 13 2017 07:55:00.0000	1609	1359
Tue Jun 13 2017 07:56:00.0000	1610	1369
Tue Jun 13 2017 07:57:00.0000	1610	1358
Tue Jun 13 2017 07:58:00.0000	1608	1344
Tue Jun 13 2017 07:59:00.0000	1608	1362
Tue Jun 13 2017 08:00:00.0000	1609	1377
Tue Jun 13 2017 08:01:00.0000	1610	1400
Tue Jun 13 2017 08:02:00.0000	1610	1404
Tue Jun 13 2017 08:03:00.0000	1607	1373
Tue Jun 13 2017 08:04:00.0000	1609	1379
Tue Jun 13 2017 08:05:00.0000	1610	1467
Tue Jun 13 2017 08:06:00.0000	1611	1376
Tue Jun 13 2017 08:07:00.0000	1609	1427
Tue Jun 13 2017 08:08:00.0000	1608	1357
Tue Jun 13 2017 08:09:00.0000	1610	1353
Tue Jun 13 2017 08:10:00.0000	1611	1415
Tue Jun 13 2017 08:11:00.0000	1610	1354
Tue Jun 13 2017 08:12:00.0000	1608	1347
Tue Jun 13 2017 08:13:00.0000	1610	1391
Tue Jun 13 2017 08:14:00.0000	1611	1370
Tue Jun 13 2017 08:15:00.0000	1611	1355
Tue Jun 13 2017 08:16:00.0000	1609	1402
Tue Jun 13 2017 08:17:00.0000	1610	1369
Tue Jun 13 2017 08:18:00.0000	1610	1357
Tue Jun 13 2017 08:19:00.0000	1611	1374
Tue Jun 13 2017 08:20:00.0000	1610	1357
Tue Jun 13 2017 08:21:00.0000	1609	1374
Tue Jun 13 2017 08:22:00.0000	1610	1328
Tue Jun 13 2017 08:23:00.0000	1611	1363
Tue Jun 13 2017 08:24:00.0000	1611	1370
Tue Jun 13 2017 08:25:00.0000	1609	1337
Tue Jun 13 2017 08:26:00.0000	1610	1365
Tue Jun 13 2017 08:27:00.0000	1611	1413
Tue Jun 13 2017 08:28:00.0000	1612	1450
Tue Jun 13 2017 08:29:00.0000	1610	1389
Tue Jun 13 2017 08:30:00.0000	1609	1435

Date/Time	Process Temperature (°F)	Process Flow SCFM
Tue Jun 13 2017 08:31:00.0000	1611	1275
Tue Jun 13 2017 08:32:00.0000	1612	1394
Tue Jun 13 2017 08:33:00.0000	1611	1383
Tue Jun 13 2017 08:34:00.0000	1609	1372
Tue Jun 13 2017 08:35:00.0000	1610	1390
Tue Jun 13 2017 08:36:00.0000	1611	1402
Tue Jun 13 2017 08:37:00.0000	1612	1405
Tue Jun 13 2017 08:38:00.0000	1610	1364
Tue Jun 13 2017 08:39:00.0000	1609	1368
Tue Jun 13 2017 08:40:00.0000	1611	1409
Tue Jun 13 2017 08:41:00.0000	1612	1411
Tue Jun 13 2017 08:42:00.0000	1612	1328
Tue Jun 13 2017 08:43:00.0000	1609	1441
Tue Jun 13 2017 08:44:00.0000	1611	1405
Tue Jun 13 2017 08:45:00.0000	1612	1337
Tue Jun 13 2017 08:46:00.0000	1612	1347
Tue Jun 13 2017 08:47:00.0000	1610	1384
Tue Jun 13 2017 08:48:00.0000	1610	1389
Tue Jun 13 2017 08:49:00.0000	1611	1487
Tue Jun 13 2017 08:50:00.0000	1612	1367
Tue Jun 13 2017 08:51:00.0000	1611	1350
Tue Jun 13 2017 08:52:00.0000	1610	1437
Tue Jun 13 2017 08:53:00.0000	1611	1392
Tue Jun 13 2017 08:54:00.0000	1612	1388
Tue Jun 13 2017 08:55:00.0000	1613	1400
Tue Jun 13 2017 08:56:00.0000	1611	1430
Tue Jun 13 2017 08:57:00.0000	1611	1405
Tue Jun 13 2017 08:58:00.0000	1612	1397
Tue Jun 13 2017 08:59:00.0000	1613	1405
Tue Jun 13 2017 09:00:00.0000	1612	1405
Tue Jun 13 2017 09:01:00.0000	1610	1418
Tue Jun 13 2017 09:02:00.0000	1612	1391
Tue Jun 13 2017 09:03:00.0000	1613	1428
Tue Jun 13 2017 09:04:00.0000	1612	1383
Tue Jun 13 2017 09:05:00.0000	1610	1374
Tue Jun 13 2017 09:06:00.0000	1612	1397
Tue Jun 13 2017 09:07:00.0000	1613	1378
Tue Jun 13 2017 09:08:00.0000	1613	1474
Tue Jun 13 2017 09:09:00.0000	1611	1415
Tue Jun 13 2017 09:10:00.0000	1611	1445
Tue Jun 13 2017 09:11:00.0000	1613	1414
Tue Jun 13 2017 09:12:00.0000	1614	1381
Tue Jun 13 2017 09:13:00.0000	1613	1438
Tue Jun 13 2017 09:14:00.0000	1611	1407
Tue Jun 13 2017 09:15:00.0000	1613	1381
Tue Jun 13 2017 09:16:00.0000	1614	1382
Tue Jun 13 2017 09:17:00.0000	1614	1392
Tue Jun 13 2017 09:18:00.0000	1612	1351
Tue Jun 13 2017 09:19:00.0000	1612	1402
Tue Jun 13 2017 09:20:00.0000	1614	1381
Tue Jun 13 2017 09:21:00.0000	1615	1372
Tue Jun 13 2017 09:22:00.0000	1613	1396
Tue Jun 13 2017 09:23:00.0000	1612	1354
Tue Jun 13 2017 09:24:00.0000	1614	1407
Tue Jun 13 2017 09:25:00.0000	1615	1361
Tue Jun 13 2017 09:26:00.0000	1615	1404
Tue Jun 13 2017 09:27:00.0000	1613	1406

Date/Time	Process Temperature (°F)	Process Flow SCFM
Tue Jun 13 2017 09:28:00.0000	1613	1430
Tue Jun 13 2017 09:29:00.0000	1614	1406
Tue Jun 13 2017 09:30:00.0000	1616	1468
Tue Jun 13 2017 09:31:00.0000	1614	1385
Tue Jun 13 2017 09:32:00.0000	1613	1388
Tue Jun 13 2017 09:33:00.0000	1615	1410
Tue Jun 13 2017 09:34:00.0000	1616	1353
Tue Jun 13 2017 09:35:00.0000	1616	1398
Tue Jun 13 2017 09:36:00.0000	1614	1378
Tue Jun 13 2017 09:37:00.0000	1614	1383
Tue Jun 13 2017 09:38:00.0000	1615	1400
Tue Jun 13 2017 09:39:00.0000	1617	1381
Tue Jun 13 2017 09:40:00.0000	1615	1363
Tue Jun 13 2017 09:41:00.0000	1613	1398
Tue Jun 13 2017 09:42:00.0000	1615	1376
Tue Jun 13 2017 09:43:00.0000	1616	1370
Tue Jun 13 2017 09:44:00.0000	1617	1388
Tue Jun 13 2017 09:45:00.0000	1615	1403
Tue Jun 13 2017 09:46:00.0000	1615	1367
Tue Jun 13 2017 09:47:00.0000	1616	1372
Tue Jun 13 2017 09:48:00.0000	1618	1376
Tue Jun 13 2017 09:49:00.0000	1616	1429
Tue Jun 13 2017 09:50:00.0000	1614	1397
Tue Jun 13 2017 09:51:00.0000	1616	1410
Tue Jun 13 2017 09:52:00.0000	1617	1443
Tue Jun 13 2017 09:53:00.0000	1617	1364
Tue Jun 13 2017 09:54:00.0000	1615	1394
Tue Jun 13 2017 09:55:00.0000	1615	1394
Tue Jun 13 2017 09:56:00.0000	1617	1444
Tue Jun 13 2017 09:57:00.0000	1619	1337
Tue Jun 13 2017 09:58:00.0000	1617	1396
Tue Jun 13 2017 09:59:00.0000	1615	1395
Tue Jun 13 2017 10:00:00.0000	1617	1363
Tue Jun 13 2017 10:01:00.0000	1619	1391
Tue Jun 13 2017 10:02:00.0000	1618	1403
Tue Jun 13 2017 10:03:00.0000	1616	1402
Tue Jun 13 2017 10:04:00.0000	1617	1401
Tue Jun 13 2017 10:05:00.0000	1618	1436
Tue Jun 13 2017 10:06:00.0000	1619	1392
Tue Jun 13 2017 10:07:00.0000	1618	1398
Tue Jun 13 2017 10:08:00.0000	1617	1455
Tue Jun 13 2017 10:09:00.0000	1618	1415
Tue Jun 13 2017 10:10:00.0000	1619	1390
Tue Jun 13 2017 10:11:00.0000	1619	1378
Tue Jun 13 2017 10:12:00.0000	1617	1435
Tue Jun 13 2017 10:13:00.0000	1618	1412
Tue Jun 13 2017 10:14:00.0000	1620	1415
Tue Jun 13 2017 10:15:00.0000	1620	1453
Tue Jun 13 2017 10:16:00.0000	1618	1460
Tue Jun 13 2017 10:17:00.0000	1617	1421
Tue Jun 13 2017 10:18:00.0000	1619	1506
Tue Jun 13 2017 10:19:00.0000	1620	1480
Tue Jun 13 2017 10:20:00.0000	1619	1425
Tue Jun 13 2017 10:21:00.0000	1618	1426
Tue Jun 13 2017 10:22:00.0000	1620	1420
Tue Jun 13 2017 10:23:00.0000	1621	1380
Tue Jun 13 2017 10:24:00.0000	1620	1403

Date/Time	Process Temperature (°F)	Process Flow SCFM
Tue Jun 13 2017 10:25:00.0000	1618	1484
Tue Jun 13 2017 10:26:00.0000	1619	1434
Tue Jun 13 2017 10:27:00.0000	1620	1343
Tue Jun 13 2017 10:28:00.0000	1621	1423
Tue Jun 13 2017 10:29:00.0000	1619	1393
Tue Jun 13 2017 10:30:00.0000	1618	1406
Tue Jun 13 2017 10:31:00.0000	1621	1413
Tue Jun 13 2017 10:32:00.0000	1621	1421
Tue Jun 13 2017 10:33:00.0000	1621	1489
Tue Jun 13 2017 10:34:00.0000	1619	1421
Tue Jun 13 2017 10:35:00.0000	1620	1411
Tue Jun 13 2017 10:36:00.0000	1621	1404
Tue Jun 13 2017 10:37:00.0000	1622	1404
Tue Jun 13 2017 10:38:00.0000	1621	1442
Tue Jun 13 2017 10:39:00.0000	1619	1524
Tue Jun 13 2017 10:40:00.0000	1621	1493
Tue Jun 13 2017 10:41:00.0000	1622	1342
Tue Jun 13 2017 10:42:00.0000	1622	1419
Tue Jun 13 2017 10:43:00.0000	1620	1429
Tue Jun 13 2017 10:44:00.0000	1622	1399
Tue Jun 13 2017 10:45:00.0000	1622	1485
Tue Jun 13 2017 10:46:00.0000	1623	1415
Tue Jun 13 2017 10:47:00.0000	1622	1412
Tue Jun 13 2017 10:48:00.0000	1620	1413
Tue Jun 13 2017 10:49:00.0000	1622	1421
Tue Jun 13 2017 10:50:00.0000	1624	1410
Tue Jun 13 2017 10:51:00.0000	1622	1395
Tue Jun 13 2017 10:52:00.0000	1620	1432
Tue Jun 13 2017 10:53:00.0000	1622	1444
Tue Jun 13 2017 10:54:00.0000	1623	1430
Tue Jun 13 2017 10:55:00.0000	1624	1443
Tue Jun 13 2017 10:56:00.0000	1622	1404
Tue Jun 13 2017 10:57:00.0000	1621	1424
Tue Jun 13 2017 10:58:00.0000	1623	1407
Tue Jun 13 2017 10:59:00.0000	1624	1424
Tue Jun 13 2017 11:00:00.0000	1623	1407
Tue Jun 13 2017 11:01:00.0000	1621	1400
Tue Jun 13 2017 11:02:00.0000	1623	1402
Tue Jun 13 2017 11:03:00.0000	1624	1413
Tue Jun 13 2017 11:04:00.0000	1625	1420
Tue Jun 13 2017 11:05:00.0000	1623	1409
Tue Jun 13 2017 11:06:00.0000	1622	1387
Tue Jun 13 2017 11:07:00.0000	1624	1456
Tue Jun 13 2017 11:08:00.0000	1626	1427
Tue Jun 13 2017 11:09:00.0000	1624	1410
Tue Jun 13 2017 11:10:00.0000	1622	1410
Tue Jun 13 2017 11:11:00.0000	1624	1435
Tue Jun 13 2017 11:12:00.0000	1625	1408
Tue Jun 13 2017 11:13:00.0000	1626	1431
Tue Jun 13 2017 11:14:00.0000	1624	1444
Tue Jun 13 2017 11:15:00.0000	1624	1406
Tue Jun 13 2017 11:16:00.0000	1625	1446
Tue Jun 13 2017 11:17:00.0000	1627	1392
Tue Jun 13 2017 11:18:00.0000	1626	1383
Tue Jun 13 2017 11:19:00.0000	1623	1425
Tue Jun 13 2017 11:20:00.0000	1625	1396
Tue Jun 13 2017 11:21:00.0000	1626	1533

Date/Time	Process Temperature (°F)	Process Flow SCFM
Tue Jun 13 2017 11:22:00.0000	1626	1431
Tue Jun 13 2017 11:23:00.0000	1625	1396
Tue Jun 13 2017 11:24:00.0000	1624	1424
Tue Jun 13 2017 11:25:00.0000	1626	1413
Tue Jun 13 2017 11:26:00.0000	1627	1424
Tue Jun 13 2017 11:27:00.0000	1626	1414
Tue Jun 13 2017 11:28:00.0000	1624	1405
Tue Jun 13 2017 11:29:00.0000	1625	1397
Tue Jun 13 2017 11:30:00.0000	1627	1403
Tue Jun 13 2017 11:31:00.0000	1627	1409
Tue Jun 13 2017 11:32:00.0000	1625	1423
Tue Jun 13 2017 11:33:00.0000	1625	1401
Tue Jun 13 2017 11:34:00.0000	1626	1385
Tue Jun 13 2017 11:35:00.0000	1628	1423
Tue Jun 13 2017 11:36:00.0000	1627	1392
Tue Jun 13 2017 11:37:00.0000	1625	1400
Tue Jun 13 2017 11:38:00.0000	1626	1405
Tue Jun 13 2017 11:39:00.0000	1628	1429
Tue Jun 13 2017 11:40:00.0000	1628	1450
Tue Jun 13 2017 11:41:00.0000	1626	1431
Tue Jun 13 2017 11:42:00.0000	1627	1432
Tue Jun 13 2017 11:43:00.0000	1627	1391
Tue Jun 13 2017 11:44:00.0000	1629	1412
Tue Jun 13 2017 11:45:00.0000	1628	1425
Tue Jun 13 2017 11:46:00.0000	1626	1428
Tue Jun 13 2017 11:47:00.0000	1628	1423
Tue Jun 13 2017 11:48:00.0000	1630	1392
Tue Jun 13 2017 11:49:00.0000	1629	1413
Tue Jun 13 2017 11:50:00.0000	1627	1373
Tue Jun 13 2017 11:51:00.0000	1628	1465
Tue Jun 13 2017 11:52:00.0000	1629	1445
Tue Jun 13 2017 11:53:00.0000	1630	1424
Tue Jun 13 2017 11:54:00.0000	1628	1430
Tue Jun 13 2017 11:55:00.0000	1628	1436
Tue Jun 13 2017 11:56:00.0000	1629	1398
Tue Jun 13 2017 11:57:00.0000	1631	1420
Tue Jun 13 2017 11:58:00.0000	1630	1458
Tue Jun 13 2017 11:59:00.0000	1628	1394
Tue Jun 13 2017 12:00:00.0000	1629	1462
Tue Jun 13 2017 12:01:00.0000	1631	1443
Tue Jun 13 2017 12:02:00.0000	1631	1538
Tue Jun 13 2017 12:03:00.0000	1629	1503
Tue Jun 13 2017 12:04:00.0000	1629	1392
Tue Jun 13 2017 12:05:00.0000	1630	1401
Tue Jun 13 2017 12:06:00.0000	1632	1469
Tue Jun 13 2017 12:07:00.0000	1630	1437
Tue Jun 13 2017 12:08:00.0000	1628	1396
Tue Jun 13 2017 12:09:00.0000	1630	1474
Tue Jun 13 2017 12:10:00.0000	1632	1436
Tue Jun 13 2017 12:11:00.0000	1632	1447
Tue Jun 13 2017 12:12:00.0000	1630	1438
Tue Jun 13 2017 12:13:00.0000	1630	1431
Tue Jun 13 2017 12:14:00.0000	1631	1407
Tue Jun 13 2017 12:15:00.0000	1632	1437
Tue Jun 13 2017 12:16:00.0000	1627	1407
Tue Jun 13 2017 12:17:00.0000	1623	1409
Tue Jun 13 2017 12:18:00.0000	1622	1382

Date/Time	Process Temperature (°F)	Process Flow SCFM
Tue Jun 13 2017 12:19:00.0000	1621	1495
Tue Jun 13 2017 12:20:00.0000	1618	1425
Tue Jun 13 2017 12:21:00.0000	1616	1508
Tue Jun 13 2017 12:22:00.0000	1615	1421
Tue Jun 13 2017 12:23:00.0000	1614	1532
Tue Jun 13 2017 12:24:00.0000	1613	1411
Tue Jun 13 2017 12:25:00.0000	1611	1498
Tue Jun 13 2017 12:26:00.0000	1610	1459
Tue Jun 13 2017 12:27:00.0000	1610	1383
Tue Jun 13 2017 12:28:00.0000	1610	1372
Tue Jun 13 2017 12:29:00.0000	1608	1412
Tue Jun 13 2017 12:30:00.0000	1606	1432
Tue Jun 13 2017 12:31:00.0000	1606	1418
Tue Jun 13 2017 12:32:00.0000	1606	1406
Tue Jun 13 2017 12:33:00.0000	1606	1411
Tue Jun 13 2017 12:34:00.0000	1603	1473
Tue Jun 13 2017 12:35:00.0000	1603	1372
Tue Jun 13 2017 12:36:00.0000	1604	1381
Tue Jun 13 2017 12:37:00.0000	1603	1449
Tue Jun 13 2017 12:38:00.0000	1602	1432
Tue Jun 13 2017 12:39:00.0000	1605	1398
Tue Jun 13 2017 12:40:00.0000	1611	1368
Tue Jun 13 2017 12:41:00.0000	1616	1437
Tue Jun 13 2017 12:42:00.0000	1620	1453
Tue Jun 13 2017 12:43:00.0000	1619	1428
Tue Jun 13 2017 12:44:00.0000	1620	1513
Tue Jun 13 2017 12:45:00.0000	1623	1409
Tue Jun 13 2017 12:46:00.0000	1627	1499
Tue Jun 13 2017 12:47:00.0000	1626	1421
Tue Jun 13 2017 12:48:00.0000	1625	1399
Tue Jun 13 2017 12:49:00.0000	1628	1452
Tue Jun 13 2017 12:50:00.0000	1630	1406
Tue Jun 13 2017 12:51:00.0000	1632	1427
Tue Jun 13 2017 12:52:00.0000	1630	1496
Tue Jun 13 2017 12:53:00.0000	1631	1472
Tue Jun 13 2017 12:54:00.0000	1633	1400
Tue Jun 13 2017 12:55:00.0000	1632	1532
Tue Jun 13 2017 12:56:00.0000	1623	1385
Tue Jun 13 2017 12:57:00.0000	1618	1439
Tue Jun 13 2017 12:58:00.0000	1614	1430
Tue Jun 13 2017 12:59:00.0000	1611	1400
Tue Jun 13 2017 13:00:00.0000	1608	1435
Tue Jun 13 2017 13:01:00.0000	1605	1454
Tue Jun 13 2017 13:02:00.0000	1603	1410
Tue Jun 13 2017 13:03:00.0000	1602	1449
Tue Jun 13 2017 13:04:00.0000	1603	1444
Tue Jun 13 2017 13:05:00.0000	1609	1502
Tue Jun 13 2017 13:06:00.0000	1611	1430
Tue Jun 13 2017 13:07:00.0000	1617	1438
Tue Jun 13 2017 13:08:00.0000	1621	1446
Tue Jun 13 2017 13:09:00.0000	1624	1507
Tue Jun 13 2017 13:10:00.0000	1622	1547
Tue Jun 13 2017 13:11:00.0000	1624	1467
Tue Jun 13 2017 13:12:00.0000	1627	1463
Tue Jun 13 2017 13:13:00.0000	1630	1531
Tue Jun 13 2017 13:14:00.0000	1629	1461
Tue Jun 13 2017 13:15:00.0000	1628	1438

Date/Time	Process Temperature (°F)	Process Flow SCFM
Tue Jun 13 2017 13:16:00.0000	1632	1478
Tue Jun 13 2017 13:17:00.0000	1634	1449
Tue Jun 13 2017 13:18:00.0000	1628	1503
Tue Jun 13 2017 13:19:00.0000	1623	1419
Tue Jun 13 2017 13:20:00.0000	1622	1500
Tue Jun 13 2017 13:21:00.0000	1620	1445
Tue Jun 13 2017 13:22:00.0000	1618	1445
Tue Jun 13 2017 13:23:00.0000	1616	1466
Tue Jun 13 2017 13:24:00.0000	1614	1495
Tue Jun 13 2017 13:25:00.0000	1614	1402
Tue Jun 13 2017 13:26:00.0000	1614	1423
Tue Jun 13 2017 13:27:00.0000	1612	1583
Tue Jun 13 2017 13:28:00.0000	1610	1500
Tue Jun 13 2017 13:29:00.0000	1610	1479
Tue Jun 13 2017 13:30:00.0000	1610	1494
Tue Jun 13 2017 13:31:00.0000	1610	1469
Tue Jun 13 2017 13:32:00.0000	1608	1478
Tue Jun 13 2017 13:33:00.0000	1606	1503
Tue Jun 13 2017 13:34:00.0000	1608	1454
Tue Jun 13 2017 13:35:00.0000	1607	1525
Tue Jun 13 2017 13:36:00.0000	1606	1469
Tue Jun 13 2017 13:37:00.0000	1604	1457
Tue Jun 13 2017 13:38:00.0000	1605	1477
Tue Jun 13 2017 13:39:00.0000	1605	1452
Tue Jun 13 2017 13:40:00.0000	1605	1459
Tue Jun 13 2017 13:41:00.0000	1603	1467
Tue Jun 13 2017 13:42:00.0000	1602	1413
Tue Jun 13 2017 13:43:00.0000	1608	1455
Tue Jun 13 2017 13:44:00.0000	1614	1462
Tue Jun 13 2017 13:45:00.0000	1617	1499
Tue Jun 13 2017 13:46:00.0000	1617	1465
Tue Jun 13 2017 13:47:00.0000	1621	1430
Tue Jun 13 2017 13:48:00.0000	1622	1488
Tue Jun 13 2017 13:49:00.0000	1626	1445
Tue Jun 13 2017 13:50:00.0000	1625	1453
Tue Jun 13 2017 13:51:00.0000	1625	1446
Tue Jun 13 2017 13:52:00.0000	1628	1459
Tue Jun 13 2017 13:53:00.0000	1631	1537
Tue Jun 13 2017 13:54:00.0000	1630	1437
Tue Jun 13 2017 13:55:00.0000	1629	1584
Tue Jun 13 2017 13:56:00.0000	1632	1497
Tue Jun 13 2017 13:57:00.0000	1633	1412
Tue Jun 13 2017 13:58:00.0000	1628	1537
Tue Jun 13 2017 13:59:00.0000	1622	1514
Tue Jun 13 2017 14:00:00.0000	1619	1429
Tue Jun 13 2017 14:01:00.0000	1617	1440
Tue Jun 13 2017 14:02:00.0000	1615	1449
Tue Jun 13 2017 14:03:00.0000	1612	1446
Tue Jun 13 2017 14:04:00.0000	1609	1537
Tue Jun 13 2017 14:05:00.0000	1609	1549
Tue Jun 13 2017 14:06:00.0000	1608	1431
Tue Jun 13 2017 14:07:00.0000	1606	1456
Tue Jun 13 2017 14:08:00.0000	1604	1492
Tue Jun 13 2017 14:09:00.0000	1603	1480
Tue Jun 13 2017 14:10:00.0000	1603	1513
Tue Jun 13 2017 14:11:00.0000	1602	1506
Tue Jun 13 2017 14:12:00.0000	1606	1539

Date/Time	Process Temperature (°F)	Process Flow SCFM
Tue Jun 13 2017 14:13:00.0000	1607	1521
Tue Jun 13 2017 14:14:00.0000	1611	1501
Tue Jun 13 2017 14:15:00.0000	1614	1549
Tue Jun 13 2017 14:16:00.0000	1616	1531
Tue Jun 13 2017 14:17:00.0000	1615	1456
Tue Jun 13 2017 14:18:00.0000	1615	1412
Tue Jun 13 2017 14:19:00.0000	1618	1479
Tue Jun 13 2017 14:20:00.0000	1620	1431
Tue Jun 13 2017 14:21:00.0000	1620	1493
Tue Jun 13 2017 14:22:00.0000	1618	1448
Tue Jun 13 2017 14:23:00.0000	1621	1500
Tue Jun 13 2017 14:24:00.0000	1622	1390
Tue Jun 13 2017 14:25:00.0000	1623	1504
Tue Jun 13 2017 14:26:00.0000	1622	1419
Tue Jun 13 2017 14:27:00.0000	1622	1437
Tue Jun 13 2017 14:28:00.0000	1624	1528
Tue Jun 13 2017 14:29:00.0000	1626	1431
Tue Jun 13 2017 14:30:00.0000	1625	1515
Tue Jun 13 2017 14:31:00.0000	1623	1451
Tue Jun 13 2017 14:32:00.0000	1625	1417
Tue Jun 13 2017 14:33:00.0000	1626	1334
Tue Jun 13 2017 14:34:00.0000	1627	1410
Tue Jun 13 2017 14:35:00.0000	1625	1436
Tue Jun 13 2017 14:36:00.0000	1625	1496
Tue Jun 13 2017 14:37:00.0000	1627	1509
Tue Jun 13 2017 14:38:00.0000	1629	1538
Tue Jun 13 2017 14:39:00.0000	1628	1436
Tue Jun 13 2017 14:40:00.0000	1626	1444
Tue Jun 13 2017 14:41:00.0000	1628	1481
Tue Jun 13 2017 14:42:00.0000	1629	1432
Tue Jun 13 2017 14:43:00.0000	1630	1514
Tue Jun 13 2017 14:44:00.0000	1628	1522
Tue Jun 13 2017 14:45:00.0000	1628	1467
Tue Jun 13 2017 14:46:00.0000	1630	1494
Tue Jun 13 2017 14:47:00.0000	1631	1536
Tue Jun 13 2017 14:48:00.0000	1629	1425
Tue Jun 13 2017 14:49:00.0000	1628	1460
Tue Jun 13 2017 14:50:00.0000	1630	1520
Tue Jun 13 2017 14:51:00.0000	1632	1483
Tue Jun 13 2017 14:52:00.0000	1631	1442
Tue Jun 13 2017 14:53:00.0000	1629	1495
Tue Jun 13 2017 14:54:00.0000	1631	1492
Tue Jun 13 2017 14:55:00.0000	1631	1406
Tue Jun 13 2017 14:56:00.0000	1633	1512
Tue Jun 13 2017 14:57:00.0000	1631	1513
Tue Jun 13 2017 14:58:00.0000	1630	1449
Tue Jun 13 2017 14:59:00.0000	1632	1579
Tue Jun 13 2017 15:00:00.0000	1631	1525
Tue Jun 13 2017 15:01:00.0000	1623	1451
Tue Jun 13 2017 15:02:00.0000	1620	1475
Tue Jun 13 2017 15:03:00.0000	1617	1446
Tue Jun 13 2017 15:04:00.0000	1615	1512
Tue Jun 13 2017 15:05:00.0000	1611	1457
Tue Jun 13 2017 15:06:00.0000	1609	1385
Tue Jun 13 2017 15:07:00.0000	1608	1486
Tue Jun 13 2017 15:08:00.0000	1607	1421
Tue Jun 13 2017 15:09:00.0000	1604	1421

Date/Time	Process Temperature (°F)	Process Flow SCFM
Tue Jun 13 2017 15:10:00.0000	1602	1425
Tue Jun 13 2017 15:11:00.0000	1605	1439
Tue Jun 13 2017 15:12:00.0000	1610	1441
Tue Jun 13 2017 15:13:00.0000	1614	1466
Tue Jun 13 2017 15:14:00.0000	1615	1506
Tue Jun 13 2017 15:15:00.0000	1615	1493
Tue Jun 13 2017 15:16:00.0000	1617	1427
Tue Jun 13 2017 15:17:00.0000	1619	1443
Tue Jun 13 2017 15:18:00.0000	1621	1457
Tue Jun 13 2017 15:19:00.0000	1620	1443
Tue Jun 13 2017 15:20:00.0000	1619	1466
Tue Jun 13 2017 15:21:00.0000	1622	1459
Tue Jun 13 2017 15:22:00.0000	1623	1448
Tue Jun 13 2017 15:23:00.0000	1623	1440
Tue Jun 13 2017 15:24:00.0000	1621	1446
Tue Jun 13 2017 15:25:00.0000	1623	1445
Tue Jun 13 2017 15:26:00.0000	1624	1471
Tue Jun 13 2017 15:27:00.0000	1626	1549
Tue Jun 13 2017 15:28:00.0000	1624	1483
Tue Jun 13 2017 15:29:00.0000	1623	1426
Tue Jun 13 2017 15:30:00.0000	1625	1472
Tue Jun 13 2017 15:31:00.0000	1627	1468
Tue Jun 13 2017 15:32:00.0000	1626	1482
Tue Jun 13 2017 15:33:00.0000	1624	1432
Tue Jun 13 2017 15:34:00.0000	1626	1447
Tue Jun 13 2017 15:35:00.0000	1627	1396
Tue Jun 13 2017 15:36:00.0000	1628	1435
Tue Jun 13 2017 15:37:00.0000	1626	1491
Tue Jun 13 2017 15:38:00.0000	1625	1497
Tue Jun 13 2017 15:39:00.0000	1627	1459
Tue Jun 13 2017 15:40:00.0000	1629	1408
Tue Jun 13 2017 15:41:00.0000	1628	1397
Tue Jun 13 2017 15:42:00.0000	1626	1475
Tue Jun 13 2017 15:43:00.0000	1628	1561
Tue Jun 13 2017 15:44:00.0000	1629	1469
Tue Jun 13 2017 15:45:00.0000	1629	1437
Tue Jun 13 2017 15:46:00.0000	1627	1411
Tue Jun 13 2017 15:47:00.0000	1627	1487
Tue Jun 13 2017 15:48:00.0000	1629	1479
Tue Jun 13 2017 15:49:00.0000	1630	1449
Tue Jun 13 2017 15:50:00.0000	1629	1458
Tue Jun 13 2017 15:51:00.0000	1627	1596
Tue Jun 13 2017 15:52:00.0000	1629	1481
Tue Jun 13 2017 15:53:00.0000	1630	1477
Tue Jun 13 2017 15:54:00.0000	1630	1469
Tue Jun 13 2017 15:55:00.0000	1628	1394
Tue Jun 13 2017 15:56:00.0000	1628	1453
Tue Jun 13 2017 15:57:00.0000	1630	1527
Tue Jun 13 2017 15:58:00.0000	1631	1427
Tue Jun 13 2017 15:59:00.0000	1630	1488
Tue Jun 13 2017 16:00:00.0000	1628	1497
Tue Jun 13 2017 16:01:00.0000	1630	1449
Tue Jun 13 2017 16:02:00.0000	1631	1370
Tue Jun 13 2017 16:03:00.0000	1631	1419
Tue Jun 13 2017 16:04:00.0000	1629	1392
Tue Jun 13 2017 16:05:00.0000	1629	1428
Tue Jun 13 2017 16:06:00.0000	1631	1405

Date/Time	Process Temperature (°F)	Process Flow SCFM
Tue Jun 13 2017 16:07:00.0000	1632	1433
Tue Jun 13 2017 16:08:00.0000	1631	1425
Tue Jun 13 2017 16:09:00.0000	1629	1450
Tue Jun 13 2017 16:10:00.0000	1631	1446
Tue Jun 13 2017 16:11:00.0000	1632	1408
Tue Jun 13 2017 16:12:00.0000	1632	1454
Tue Jun 13 2017 16:13:00.0000	1630	1447
Tue Jun 13 2017 16:14:00.0000	1630	1443
Tue Jun 13 2017 16:15:00.0000	1632	1412
Tue Jun 13 2017 16:16:00.0000	1633	1449
Tue Jun 13 2017 16:17:00.0000	1632	1467
Tue Jun 13 2017 16:18:00.0000	1630	1412
Tue Jun 13 2017 16:19:00.0000	1632	1406
Tue Jun 13 2017 16:20:00.0000	1633	1425
Tue Jun 13 2017 16:21:00.0000	1629	1460
Tue Jun 13 2017 16:22:00.0000	1623	1428
Tue Jun 13 2017 16:23:00.0000	1621	1445
Tue Jun 13 2017 16:24:00.0000	1618	1463
Tue Jun 13 2017 16:25:00.0000	1616	1436
Tue Jun 13 2017 16:26:00.0000	1613	1424
Tue Jun 13 2017 16:27:00.0000	1611	1454
Tue Jun 13 2017 16:28:00.0000	1611	1435
Tue Jun 13 2017 16:29:00.0000	1610	1413
Tue Jun 13 2017 16:30:00.0000	1608	1437
Tue Jun 13 2017 16:31:00.0000	1605	1456
Tue Jun 13 2017 16:32:00.0000	1606	1438
Tue Jun 13 2017 16:33:00.0000	1605	1444
Tue Jun 13 2017 16:34:00.0000	1603	1422
Tue Jun 13 2017 16:35:00.0000	1602	1449
Tue Jun 13 2017 16:36:00.0000	1605	1450
Tue Jun 13 2017 16:37:00.0000	1610	1469
Tue Jun 13 2017 16:38:00.0000	1614	1435
Tue Jun 13 2017 16:39:00.0000	1614	1441
Tue Jun 13 2017 16:40:00.0000	1613	1416
Tue Jun 13 2017 16:41:00.0000	1616	1464
Tue Jun 13 2017 16:42:00.0000	1618	1437
Tue Jun 13 2017 16:43:00.0000	1619	1443
Tue Jun 13 2017 16:44:00.0000	1618	1459
Tue Jun 13 2017 16:45:00.0000	1618	1429
Tue Jun 13 2017 16:46:00.0000	1620	1418
Tue Jun 13 2017 16:47:00.0000	1622	1461
Tue Jun 13 2017 16:48:00.0000	1621	1431
Tue Jun 13 2017 16:49:00.0000	1619	1436
Tue Jun 13 2017 16:50:00.0000	1622	1454
Tue Jun 13 2017 16:51:00.0000	1623	1410
Tue Jun 13 2017 16:52:00.0000	1623	1421
Tue Jun 13 2017 16:53:00.0000	1622	1473
Tue Jun 13 2017 16:54:00.0000	1622	1428
Tue Jun 13 2017 16:55:00.0000	1624	1461
Tue Jun 13 2017 16:56:00.0000	1626	1473
Tue Jun 13 2017 16:57:00.0000	1624	1456
Tue Jun 13 2017 16:58:00.0000	1622	1447
Tue Jun 13 2017 16:59:00.0000	1625	1475
Tue Jun 13 2017 17:00:00.0000	1626	1430
Tue Jun 13 2017 17:01:00.0000	1626	1419
Tue Jun 13 2017 17:02:00.0000	1624	1455
Tue Jun 13 2017 17:03:00.0000	1624	1378

Date/Time	Process Temperature (°F)	Process Flow SCFM
Tue Jun 13 2017 17:04:00.0000	1626	1428
Tue Jun 13 2017 17:05:00.0000	1628	1465
Tue Jun 13 2017 17:06:00.0000	1626	1461
Tue Jun 13 2017 17:07:00.0000	1624	1484
Tue Jun 13 2017 17:08:00.0000	1627	1480
Tue Jun 13 2017 17:09:00.0000	1628	1439
Tue Jun 13 2017 17:10:00.0000	1628	1443
Tue Jun 13 2017 17:11:00.0000	1626	1496
Tue Jun 13 2017 17:12:00.0000	1626	1432
Tue Jun 13 2017 17:13:00.0000	1627	1373
Tue Jun 13 2017 17:14:00.0000	1629	1442
Tue Jun 13 2017 17:15:00.0000	1627	1441
Tue Jun 13 2017 17:16:00.0000	1626	1439
Tue Jun 13 2017 17:17:00.0000	1628	1437
Tue Jun 13 2017 17:18:00.0000	1629	1408
Tue Jun 13 2017 17:19:00.0000	1629	1423
Tue Jun 13 2017 17:20:00.0000	1627	1416
Tue Jun 13 2017 17:21:00.0000	1628	1418
Tue Jun 13 2017 17:22:00.0000	1628	1489
Tue Jun 13 2017 17:23:00.0000	1630	1369
Tue Jun 13 2017 17:24:00.0000	1629	1431
Tue Jun 13 2017 17:25:00.0000	1627	1422
Tue Jun 13 2017 17:26:00.0000	1629	1455
Tue Jun 13 2017 17:27:00.0000	1630	1415
Tue Jun 13 2017 17:28:00.0000	1630	1464
Tue Jun 13 2017 17:29:00.0000	1627	1440
Tue Jun 13 2017 17:30:00.0000	1629	1406
Tue Jun 13 2017 17:31:00.0000	1630	1421
Tue Jun 13 2017 17:32:00.0000	1631	1426
Tue Jun 13 2017 17:33:00.0000	1629	1436
Tue Jun 13 2017 17:34:00.0000	1628	1433
Tue Jun 13 2017 17:35:00.0000	1630	1417
Tue Jun 13 2017 17:36:00.0000	1631	1418
Tue Jun 13 2017 17:37:00.0000	1631	1472
Tue Jun 13 2017 17:38:00.0000	1629	1416
Tue Jun 13 2017 17:39:00.0000	1630	1450
Tue Jun 13 2017 17:40:00.0000	1631	1434
Tue Jun 13 2017 17:41:00.0000	1632	1454
Tue Jun 13 2017 17:42:00.0000	1630	1449
Tue Jun 13 2017 17:43:00.0000	1630	1425
Tue Jun 13 2017 17:44:00.0000	1631	1431
Tue Jun 13 2017 17:45:00.0000	1632	1429
Tue Jun 13 2017 17:46:00.0000	1631	1422
Tue Jun 13 2017 17:47:00.0000	1629	1426
Tue Jun 13 2017 17:48:00.0000	1630	1420
Tue Jun 13 2017 17:49:00.0000	1632	1508
Tue Jun 13 2017 17:50:00.0000	1632	1423
Tue Jun 13 2017 17:51:00.0000	1630	1449
Tue Jun 13 2017 17:52:00.0000	1630	1463
Tue Jun 13 2017 17:53:00.0000	1631	1481
Tue Jun 13 2017 17:54:00.0000	1633	1480
Tue Jun 13 2017 17:55:00.0000	1631	1469
Tue Jun 13 2017 17:56:00.0000	1629	1441
Tue Jun 13 2017 17:57:00.0000	1631	1481
Tue Jun 13 2017 17:58:00.0000	1632	1579
Tue Jun 13 2017 17:59:00.0000	1633	1575
Tue Jun 13 2017 18:00:00.0000	1630	1527

Date/Time	Process Temperature (°F)	Process Flow SCFM
Tue Jun 13 2017 18:01:00.0000	1630	1494
Tue Jun 13 2017 18:02:00.0000	1632	1412
Tue Jun 13 2017 18:03:00.0000	1633	1446
Tue Jun 13 2017 18:04:00.0000	1625	1481
Tue Jun 13 2017 18:05:00.0000	1622	1446
Tue Jun 13 2017 18:06:00.0000	1620	1454
Tue Jun 13 2017 18:07:00.0000	1617	1470
Tue Jun 13 2017 18:08:00.0000	1614	1448
Tue Jun 13 2017 18:09:00.0000	1611	1399
Tue Jun 13 2017 18:10:00.0000	1610	1446
Tue Jun 13 2017 18:11:00.0000	1610	1516
Tue Jun 13 2017 18:12:00.0000	1607	1515
Tue Jun 13 2017 18:13:00.0000	1605	1376
Tue Jun 13 2017 18:14:00.0000	1604	1470
Tue Jun 13 2017 18:15:00.0000	1604	1415
Tue Jun 13 2017 18:16:00.0000	1603	1374
Tue Jun 13 2017 18:17:00.0000	1602	1474
Tue Jun 13 2017 18:18:00.0000	1605	1437
Tue Jun 13 2017 18:19:00.0000	1610	1412
Tue Jun 13 2017 18:20:00.0000	1614	1411
Tue Jun 13 2017 18:21:00.0000	1615	1447
Tue Jun 13 2017 18:22:00.0000	1614	1456
Tue Jun 13 2017 18:23:00.0000	1616	1436
Tue Jun 13 2017 18:24:00.0000	1618	1507
Tue Jun 13 2017 18:25:00.0000	1620	1487
Tue Jun 13 2017 18:26:00.0000	1619	1378
Tue Jun 13 2017 18:27:00.0000	1619	1393
Tue Jun 13 2017 18:28:00.0000	1621	1380
Tue Jun 13 2017 18:29:00.0000	1623	1472
Tue Jun 13 2017 18:30:00.0000	1622	1408
Tue Jun 13 2017 18:31:00.0000	1620	1446
Tue Jun 13 2017 18:32:00.0000	1622	1489
Tue Jun 13 2017 18:33:00.0000	1624	1497
Tue Jun 13 2017 18:34:00.0000	1624	1525
Tue Jun 13 2017 18:35:00.0000	1623	1483
Tue Jun 13 2017 18:36:00.0000	1623	1429
Tue Jun 13 2017 18:37:00.0000	1625	1567
Tue Jun 13 2017 18:38:00.0000	1627	1489
Tue Jun 13 2017 18:39:00.0000	1625	1481
Tue Jun 13 2017 18:40:00.0000	1624	1425
Tue Jun 13 2017 18:41:00.0000	1626	1453
Tue Jun 13 2017 18:42:00.0000	1627	1433
Tue Jun 13 2017 18:43:00.0000	1627	1487
Tue Jun 13 2017 18:44:00.0000	1625	1432
Tue Jun 13 2017 18:45:00.0000	1625	1430
Tue Jun 13 2017 18:46:00.0000	1627	1402
Tue Jun 13 2017 18:47:00.0000	1628	1429
Tue Jun 13 2017 18:48:00.0000	1627	1392
Tue Jun 13 2017 18:49:00.0000	1625	1411
Tue Jun 13 2017 18:50:00.0000	1627	1414
Tue Jun 13 2017 18:51:00.0000	1629	1431
Tue Jun 13 2017 18:52:00.0000	1628	1392
Tue Jun 13 2017 18:53:00.0000	1626	1371
Tue Jun 13 2017 18:54:00.0000	1628	1419
Tue Jun 13 2017 18:55:00.0000	1628	1451
Tue Jun 13 2017 18:56:00.0000	1630	1447
Tue Jun 13 2017 18:57:00.0000	1628	1412

Date/Time	Process Temperature (°F)	Process Flow SCFM
Tue Jun 13 2017 18:58:00.0000	1626	1395
Tue Jun 13 2017 18:59:00.0000	1629	1407
Tue Jun 13 2017 19:00:00.0000	1630	1416
Tue Jun 13 2017 19:01:00.0000	1629	1410
Tue Jun 13 2017 19:02:00.0000	1627	1388
Tue Jun 13 2017 19:03:00.0000	1628	1406
Tue Jun 13 2017 19:04:00.0000	1629	1361
Tue Jun 13 2017 19:05:00.0000	1631	1418
Tue Jun 13 2017 19:06:00.0000	1629	1425
Tue Jun 13 2017 19:07:00.0000	1627	1368
Tue Jun 13 2017 19:08:00.0000	1629	1403
Tue Jun 13 2017 19:09:00.0000	1631	1408
Tue Jun 13 2017 19:10:00.0000	1630	1386
Tue Jun 13 2017 19:11:00.0000	1628	1399
Tue Jun 13 2017 19:12:00.0000	1629	1395
Tue Jun 13 2017 19:13:00.0000	1630	1509
Tue Jun 13 2017 19:14:00.0000	1632	1444
Tue Jun 13 2017 19:15:00.0000	1629	1395
Tue Jun 13 2017 19:16:00.0000	1628	1454
Tue Jun 13 2017 19:17:00.0000	1630	1451
Tue Jun 13 2017 19:18:00.0000	1632	1499
Tue Jun 13 2017 19:19:00.0000	1631	1429
Tue Jun 13 2017 19:20:00.0000	1629	1380
Tue Jun 13 2017 19:21:00.0000	1630	1439
Tue Jun 13 2017 19:22:00.0000	1631	1414
Tue Jun 13 2017 19:23:00.0000	1632	1510
Tue Jun 13 2017 19:24:00.0000	1629	1402
Tue Jun 13 2017 19:25:00.0000	1630	1477
Tue Jun 13 2017 19:26:00.0000	1631	1389
Tue Jun 13 2017 19:27:00.0000	1632	1440
Tue Jun 13 2017 19:28:00.0000	1631	1376
Tue Jun 13 2017 19:29:00.0000	1629	1488
Tue Jun 13 2017 19:30:00.0000	1631	1390
Tue Jun 13 2017 19:31:00.0000	1632	1449
Tue Jun 13 2017 19:32:00.0000	1632	1397
Tue Jun 13 2017 19:33:00.0000	1629	1333
Tue Jun 13 2017 19:34:00.0000	1630	1395
Tue Jun 13 2017 19:35:00.0000	1631	1391
Tue Jun 13 2017 19:36:00.0000	1633	1345
Tue Jun 13 2017 19:37:00.0000	1631	1340
Tue Jun 13 2017 19:38:00.0000	1629	1537
Tue Jun 13 2017 19:39:00.0000	1632	1414
Tue Jun 13 2017 19:40:00.0000	1633	1410
Tue Jun 13 2017 19:41:00.0000	1631	1424
Tue Jun 13 2017 19:42:00.0000	1629	1416
Tue Jun 13 2017 19:43:00.0000	1630	1380
Tue Jun 13 2017 19:44:00.0000	1631	1396
Tue Jun 13 2017 19:45:00.0000	1633	1402
Tue Jun 13 2017 19:46:00.0000	1631	1409
Tue Jun 13 2017 19:47:00.0000	1629	1405
Tue Jun 13 2017 19:48:00.0000	1631	1395
Tue Jun 13 2017 19:49:00.0000	1633	1415
Tue Jun 13 2017 19:50:00.0000	1632	1398
Tue Jun 13 2017 19:51:00.0000	1629	1379
Tue Jun 13 2017 19:52:00.0000	1631	1400
Tue Jun 13 2017 19:53:00.0000	1632	1401
Tue Jun 13 2017 19:54:00.0000	1633	1398

Date/Time	Process Temperature (°F)	Process Flow SCFM
Tue Jun 13 2017 19:55:00.0000	1631	1418
Tue Jun 13 2017 19:56:00.0000	1630	1392
Tue Jun 13 2017 19:57:00.0000	1631	1418
Tue Jun 13 2017 19:58:00.0000	1633	1409
Tue Jun 13 2017 19:59:00.0000	1632	1399
Tue Jun 13 2017 20:00:00.0000	1630	1417
Tue Jun 13 2017 20:01:00.0000	1631	1438
Tue Jun 13 2017 20:02:00.0000	1632	1401
Tue Jun 13 2017 20:03:00.0000	1630	1400
Tue Jun 13 2017 20:04:00.0000	1624	1352
Tue Jun 13 2017 20:05:00.0000	1622	1403
Tue Jun 13 2017 20:06:00.0000	1621	1422
Tue Jun 13 2017 20:07:00.0000	1619	1363
Tue Jun 13 2017 20:08:00.0000	1616	1400
Tue Jun 13 2017 20:09:00.0000	1614	1413
Tue Jun 13 2017 20:10:00.0000	1614	1391
Tue Jun 13 2017 20:11:00.0000	1613	1404
Tue Jun 13 2017 20:12:00.0000	1612	1407
Tue Jun 13 2017 20:13:00.0000	1609	1365
Tue Jun 13 2017 20:14:00.0000	1609	1387
Tue Jun 13 2017 20:15:00.0000	1609	1368
Tue Jun 13 2017 20:16:00.0000	1606	1362
Tue Jun 13 2017 20:17:00.0000	1603	1412
Tue Jun 13 2017 20:18:00.0000	1602	1392
Tue Jun 13 2017 20:19:00.0000	1607	1362
Tue Jun 13 2017 20:20:00.0000	1611	1398
Tue Jun 13 2017 20:21:00.0000	1614	1402
Tue Jun 13 2017 20:22:00.0000	1614	1387
Tue Jun 13 2017 20:23:00.0000	1615	1388
Tue Jun 13 2017 20:24:00.0000	1617	1380
Tue Jun 13 2017 20:25:00.0000	1620	1397
Tue Jun 13 2017 20:26:00.0000	1619	1393
Tue Jun 13 2017 20:27:00.0000	1618	1402
Tue Jun 13 2017 20:28:00.0000	1621	1410
Tue Jun 13 2017 20:29:00.0000	1622	1375
Tue Jun 13 2017 20:30:00.0000	1623	1492
Tue Jun 13 2017 20:31:00.0000	1621	1411
Tue Jun 13 2017 20:32:00.0000	1622	1491
Tue Jun 13 2017 20:33:00.0000	1623	1393
Tue Jun 13 2017 20:34:00.0000	1625	1413
Tue Jun 13 2017 20:35:00.0000	1624	1396
Tue Jun 13 2017 20:36:00.0000	1623	1428
Tue Jun 13 2017 20:37:00.0000	1625	1370
Tue Jun 13 2017 20:38:00.0000	1627	1340
Tue Jun 13 2017 20:39:00.0000	1626	1500
Tue Jun 13 2017 20:40:00.0000	1623	1427
Tue Jun 13 2017 20:41:00.0000	1623	1404
Tue Jun 13 2017 20:42:00.0000	1624	1441
Tue Jun 13 2017 20:43:00.0000	1626	1360
Tue Jun 13 2017 20:44:00.0000	1624	1385
Tue Jun 13 2017 20:45:00.0000	1622	1412
Tue Jun 13 2017 20:46:00.0000	1624	1446
Tue Jun 13 2017 20:47:00.0000	1625	1456
Tue Jun 13 2017 20:48:00.0000	1625	1325
Tue Jun 13 2017 20:49:00.0000	1623	1394
Tue Jun 13 2017 20:50:00.0000	1623	1397
Tue Jun 13 2017 20:51:00.0000	1624	1511

Date/Time	Process Temperature (°F)	Process Flow SCFM
Tue Jun 13 2017 20:52:00.0000	1625	1409
Tue Jun 13 2017 20:53:00.0000	1624	1375
Tue Jun 13 2017 20:54:00.0000	1622	1412
Tue Jun 13 2017 20:55:00.0000	1624	1397
Tue Jun 13 2017 20:56:00.0000	1625	1425
Tue Jun 13 2017 20:57:00.0000	1625	1399
Tue Jun 13 2017 20:58:00.0000	1623	1388
Tue Jun 13 2017 20:59:00.0000	1623	1399
Tue Jun 13 2017 21:00:00.0000	1624	1337
Tue Jun 13 2017 21:01:00.0000	1626	1405
Tue Jun 13 2017 21:02:00.0000	1624	1462
Tue Jun 13 2017 21:03:00.0000	1623	1358
Tue Jun 13 2017 21:04:00.0000	1624	1397
Tue Jun 13 2017 21:05:00.0000	1625	1342
Tue Jun 13 2017 21:06:00.0000	1625	1459
Tue Jun 13 2017 21:07:00.0000	1623	1422
Tue Jun 13 2017 21:08:00.0000	1624	1397
Tue Jun 13 2017 21:09:00.0000	1625	1359
Tue Jun 13 2017 21:10:00.0000	1625	1481
Tue Jun 13 2017 21:11:00.0000	1623	1366
Tue Jun 13 2017 21:12:00.0000	1624	1375
Tue Jun 13 2017 21:13:00.0000	1625	1377
Tue Jun 13 2017 21:14:00.0000	1625	1381
Tue Jun 13 2017 21:15:00.0000	1623	1387
Tue Jun 13 2017 21:16:00.0000	1622	1441
Tue Jun 13 2017 21:17:00.0000	1624	1394
Tue Jun 13 2017 21:18:00.0000	1625	1441
Tue Jun 13 2017 21:19:00.0000	1624	1413
Tue Jun 13 2017 21:20:00.0000	1622	1380
Tue Jun 13 2017 21:21:00.0000	1624	1516
Tue Jun 13 2017 21:22:00.0000	1625	1466
Tue Jun 13 2017 21:23:00.0000	1624	1462
Tue Jun 13 2017 21:24:00.0000	1622	1383
Tue Jun 13 2017 21:25:00.0000	1623	1406
Tue Jun 13 2017 21:26:00.0000	1624	1379
Tue Jun 13 2017 21:27:00.0000	1625	1439
Tue Jun 13 2017 21:28:00.0000	1623	1387
Tue Jun 13 2017 21:29:00.0000	1622	1579
Tue Jun 13 2017 21:30:00.0000	1623	1379
Tue Jun 13 2017 21:31:00.0000	1625	1382
Tue Jun 13 2017 21:32:00.0000	1624	1383
Tue Jun 13 2017 21:33:00.0000	1622	1458
Tue Jun 13 2017 21:34:00.0000	1623	1383
Tue Jun 13 2017 21:35:00.0000	1624	1339
Tue Jun 13 2017 21:36:00.0000	1625	1353
Tue Jun 13 2017 21:37:00.0000	1623	1397
Tue Jun 13 2017 21:38:00.0000	1622	1347
Tue Jun 13 2017 21:39:00.0000	1623	1362
Tue Jun 13 2017 21:40:00.0000	1625	1384
Tue Jun 13 2017 21:41:00.0000	1625	1369
Tue Jun 13 2017 21:42:00.0000	1622	1383
Tue Jun 13 2017 21:43:00.0000	1623	1344
Tue Jun 13 2017 21:44:00.0000	1624	1400
Tue Jun 13 2017 21:45:00.0000	1625	1439
Tue Jun 13 2017 21:46:00.0000	1623	1388
Tue Jun 13 2017 21:47:00.0000	1622	1403
Tue Jun 13 2017 21:48:00.0000	1623	1459

Date/Time	Process Temperature (°F)	Process Flow SCFM
Tue Jun 13 2017 21:49:00.0000	1624	1524
Tue Jun 13 2017 21:50:00.0000	1624	1349
Tue Jun 13 2017 21:51:00.0000	1622	1387
Tue Jun 13 2017 21:52:00.0000	1623	1399
Tue Jun 13 2017 21:53:00.0000	1624	1376
Tue Jun 13 2017 21:54:00.0000	1625	1351
Tue Jun 13 2017 21:55:00.0000	1623	1446
Tue Jun 13 2017 21:56:00.0000	1622	1436
Tue Jun 13 2017 21:57:00.0000	1623	1385
Tue Jun 13 2017 21:58:00.0000	1625	1401
Tue Jun 13 2017 21:59:00.0000	1624	1432
Tue Jun 13 2017 22:00:00.0000	1622	1421
Tue Jun 13 2017 22:01:00.0000	1623	1456
Tue Jun 13 2017 22:02:00.0000	1624	1406
Tue Jun 13 2017 22:03:00.0000	1625	1384
Tue Jun 13 2017 22:04:00.0000	1623	1467
Tue Jun 13 2017 22:05:00.0000	1622	1326
Tue Jun 13 2017 22:06:00.0000	1623	1361
Tue Jun 13 2017 22:07:00.0000	1624	1395
Tue Jun 13 2017 22:08:00.0000	1624	1399
Tue Jun 13 2017 22:09:00.0000	1622	1406
Tue Jun 13 2017 22:10:00.0000	1623	1414
Tue Jun 13 2017 22:11:00.0000	1624	1389
Tue Jun 13 2017 22:12:00.0000	1625	1469
Tue Jun 13 2017 22:13:00.0000	1623	1349
Tue Jun 13 2017 22:14:00.0000	1622	1364
Tue Jun 13 2017 22:15:00.0000	1623	1342
Tue Jun 13 2017 22:16:00.0000	1625	1394
Tue Jun 13 2017 22:17:00.0000	1623	1435
Tue Jun 13 2017 22:18:00.0000	1621	1355
Tue Jun 13 2017 22:19:00.0000	1623	1410
Tue Jun 13 2017 22:20:00.0000	1624	1406
Tue Jun 13 2017 22:21:00.0000	1624	1398
Tue Jun 13 2017 22:22:00.0000	1622	1362
Tue Jun 13 2017 22:23:00.0000	1622	1414
Tue Jun 13 2017 22:24:00.0000	1623	1348
Tue Jun 13 2017 22:25:00.0000	1625	1377
Tue Jun 13 2017 22:26:00.0000	1623	1370
Tue Jun 13 2017 22:27:00.0000	1622	1370
Tue Jun 13 2017 22:28:00.0000	1623	1425
Tue Jun 13 2017 22:29:00.0000	1624	1428
Tue Jun 13 2017 22:30:00.0000	1624	1366
Tue Jun 13 2017 22:31:00.0000	1622	1382
Tue Jun 13 2017 22:32:00.0000	1622	1376
Tue Jun 13 2017 22:33:00.0000	1624	1376
Tue Jun 13 2017 22:34:00.0000	1624	1387
Tue Jun 13 2017 22:35:00.0000	1622	1414
Tue Jun 13 2017 22:36:00.0000	1622	1346
Tue Jun 13 2017 22:37:00.0000	1623	1389
Tue Jun 13 2017 22:38:00.0000	1624	1370
Tue Jun 13 2017 22:39:00.0000	1623	1369
Tue Jun 13 2017 22:40:00.0000	1621	1385
Tue Jun 13 2017 22:41:00.0000	1623	1347
Tue Jun 13 2017 22:42:00.0000	1624	1369
Tue Jun 13 2017 22:43:00.0000	1623	1396
Tue Jun 13 2017 22:44:00.0000	1621	1420
Tue Jun 13 2017 22:45:00.0000	1622	1409

Date/Time	Process Temperature (°F)	Process Flow SCFM
Tue Jun 13 2017 22:46:00.0000	1622	1407
Tue Jun 13 2017 22:47:00.0000	1624	1381
Tue Jun 13 2017 22:48:00.0000	1622	1400
Tue Jun 13 2017 22:49:00.0000	1621	1381
Tue Jun 13 2017 22:50:00.0000	1622	1363
Tue Jun 13 2017 22:51:00.0000	1624	1361
Tue Jun 13 2017 22:52:00.0000	1622	1399
Tue Jun 13 2017 22:53:00.0000	1620	1373
Tue Jun 13 2017 22:54:00.0000	1622	1350
Tue Jun 13 2017 22:55:00.0000	1623	1373
Tue Jun 13 2017 22:56:00.0000	1623	1398
Tue Jun 13 2017 22:57:00.0000	1621	1369
Tue Jun 13 2017 22:58:00.0000	1622	1381
Tue Jun 13 2017 22:59:00.0000	1622	1368
Tue Jun 13 2017 23:00:00.0000	1623	1375
Tue Jun 13 2017 23:01:00.0000	1622	1358
Tue Jun 13 2017 23:02:00.0000	1621	1384
Tue Jun 13 2017 23:03:00.0000	1622	1368
Tue Jun 13 2017 23:04:00.0000	1623	1391
Tue Jun 13 2017 23:05:00.0000	1622	1370
Tue Jun 13 2017 23:06:00.0000	1620	1348
Tue Jun 13 2017 23:07:00.0000	1622	1358
Tue Jun 13 2017 23:08:00.0000	1623	1394
Tue Jun 13 2017 23:09:00.0000	1623	1369
Tue Jun 13 2017 23:10:00.0000	1621	1412
Tue Jun 13 2017 23:11:00.0000	1621	1381
Tue Jun 13 2017 23:12:00.0000	1622	1388
Tue Jun 13 2017 23:13:00.0000	1623	1425
Tue Jun 13 2017 23:14:00.0000	1622	1369
Tue Jun 13 2017 23:15:00.0000	1620	1352
Tue Jun 13 2017 23:16:00.0000	1622	1388
Tue Jun 13 2017 23:17:00.0000	1623	1400
Tue Jun 13 2017 23:18:00.0000	1623	1373
Tue Jun 13 2017 23:19:00.0000	1621	1396
Tue Jun 13 2017 23:20:00.0000	1621	1379
Tue Jun 13 2017 23:21:00.0000	1622	1390
Tue Jun 13 2017 23:22:00.0000	1623	1381
Tue Jun 13 2017 23:23:00.0000	1622	1384
Tue Jun 13 2017 23:24:00.0000	1620	1360
Tue Jun 13 2017 23:25:00.0000	1621	1434
Tue Jun 13 2017 23:26:00.0000	1622	1391
Tue Jun 13 2017 23:27:00.0000	1623	1354
Tue Jun 13 2017 23:28:00.0000	1621	1381
Tue Jun 13 2017 23:29:00.0000	1620	1355
Tue Jun 13 2017 23:30:00.0000	1621	1327
Tue Jun 13 2017 23:31:00.0000	1623	1390
Tue Jun 13 2017 23:32:00.0000	1622	1368
Tue Jun 13 2017 23:33:00.0000	1620	1352
Tue Jun 13 2017 23:34:00.0000	1621	1412
Tue Jun 13 2017 23:35:00.0000	1622	1364
Tue Jun 13 2017 23:36:00.0000	1623	1381
Tue Jun 13 2017 23:37:00.0000	1620	1409
Tue Jun 13 2017 23:38:00.0000	1620	1372
Tue Jun 13 2017 23:39:00.0000	1621	1367
Tue Jun 13 2017 23:40:00.0000	1622	1395
Tue Jun 13 2017 23:41:00.0000	1621	1371
Tue Jun 13 2017 23:42:00.0000	1619	1377

Date/Time	Process Temperature (°F)	Process Flow SCFM
Tue Jun 13 2017 23:43:00.0000	1621	1396
Tue Jun 13 2017 23:44:00.0000	1622	1401
Tue Jun 13 2017 23:45:00.0000	1622	1357
Tue Jun 13 2017 23:46:00.0000	1620	1388
Tue Jun 13 2017 23:47:00.0000	1620	1385
Tue Jun 13 2017 23:48:00.0000	1621	1376
Tue Jun 13 2017 23:49:00.0000	1622	1380
Tue Jun 13 2017 23:50:00.0000	1621	1368
Tue Jun 13 2017 23:51:00.0000	1619	1398
Tue Jun 13 2017 23:52:00.0000	1621	1408
Tue Jun 13 2017 23:53:00.0000	1622	1390
Tue Jun 13 2017 23:54:00.0000	1622	1387
Tue Jun 13 2017 23:55:00.0000	1620	1323
Tue Jun 13 2017 23:56:00.0000	1620	1371
Tue Jun 13 2017 23:57:00.0000	1621	1334
Tue Jun 13 2017 23:58:00.0000	1622	1323
Tue Jun 13 2017 23:59:00.0000	1621	1368
Wed Jun 14 2017 00:00:00.0000	1619	1356
Wed Jun 14 2017 00:01:00.0000	1621	1360
Wed Jun 14 2017 00:02:00.0000	1622	1396
Wed Jun 14 2017 00:03:00.0000	1622	1389
Wed Jun 14 2017 00:04:00.0000	1620	1376
Wed Jun 14 2017 00:05:00.0000	1620	1354
Wed Jun 14 2017 00:06:00.0000	1621	1397
Wed Jun 14 2017 00:07:00.0000	1622	1362
Wed Jun 14 2017 00:08:00.0000	1621	1357
Wed Jun 14 2017 00:09:00.0000	1618	1397
Wed Jun 14 2017 00:10:00.0000	1620	1369
Wed Jun 14 2017 00:11:00.0000	1621	1379
Wed Jun 14 2017 00:12:00.0000	1621	1367
Wed Jun 14 2017 00:13:00.0000	1619	1357
Wed Jun 14 2017 00:14:00.0000	1619	1342
Wed Jun 14 2017 00:15:00.0000	1620	1357
Wed Jun 14 2017 00:16:00.0000	1621	1373
Wed Jun 14 2017 00:17:00.0000	1620	1370
Wed Jun 14 2017 00:18:00.0000	1618	1383
Wed Jun 14 2017 00:19:00.0000	1620	1426
Wed Jun 14 2017 00:20:00.0000	1621	1382
Wed Jun 14 2017 00:21:00.0000	1621	1356
Wed Jun 14 2017 00:22:00.0000	1619	1356
Wed Jun 14 2017 00:23:00.0000	1619	1384
Wed Jun 14 2017 00:24:00.0000	1620	1352
Wed Jun 14 2017 00:25:00.0000	1621	1372
Wed Jun 14 2017 00:26:00.0000	1620	1376
Wed Jun 14 2017 00:27:00.0000	1618	1394
Wed Jun 14 2017 00:28:00.0000	1620	1338
Wed Jun 14 2017 00:29:00.0000	1621	1351
Wed Jun 14 2017 00:30:00.0000	1621	1394
Wed Jun 14 2017 00:31:00.0000	1618	1369
Wed Jun 14 2017 00:32:00.0000	1618	1398
Wed Jun 14 2017 00:33:00.0000	1620	1385
Wed Jun 14 2017 00:34:00.0000	1621	1397
Wed Jun 14 2017 00:35:00.0000	1620	1384
Wed Jun 14 2017 00:36:00.0000	1618	1350
Wed Jun 14 2017 00:37:00.0000	1619	1349
Wed Jun 14 2017 00:38:00.0000	1620	1348
Wed Jun 14 2017 00:39:00.0000	1620	1381

Date/Time	Process Temperature (°F)	Process Flow SCFM
Wed Jun 14 2017 00:40:00.0000	1618	1378
Wed Jun 14 2017 00:41:00.0000	1618	1395
Wed Jun 14 2017 00:42:00.0000	1619	1356
Wed Jun 14 2017 00:43:00.0000	1621	1359
Wed Jun 14 2017 00:44:00.0000	1621	1381
Wed Jun 14 2017 00:45:00.0000	1619	1340
Wed Jun 14 2017 00:46:00.0000	1622	1363
Wed Jun 14 2017 00:47:00.0000	1623	1374
Wed Jun 14 2017 00:48:00.0000	1624	1384
Wed Jun 14 2017 00:49:00.0000	1622	1349
Wed Jun 14 2017 00:50:00.0000	1622	1366
Wed Jun 14 2017 00:51:00.0000	1623	1371
Wed Jun 14 2017 00:52:00.0000	1625	1381
Wed Jun 14 2017 00:53:00.0000	1624	1372
Wed Jun 14 2017 00:54:00.0000	1623	1370
Wed Jun 14 2017 00:55:00.0000	1625	1390
Wed Jun 14 2017 00:56:00.0000	1625	1379
Wed Jun 14 2017 00:57:00.0000	1626	1362
Wed Jun 14 2017 00:58:00.0000	1624	1394
Wed Jun 14 2017 00:59:00.0000	1625	1393
Wed Jun 14 2017 01:00:00.0000	1626	1341
Wed Jun 14 2017 01:01:00.0000	1627	1377
Wed Jun 14 2017 01:02:00.0000	1625	1378
Wed Jun 14 2017 01:03:00.0000	1625	1375
Wed Jun 14 2017 01:04:00.0000	1627	1327
Wed Jun 14 2017 01:05:00.0000	1628	1364
Wed Jun 14 2017 01:06:00.0000	1626	1377
Wed Jun 14 2017 01:07:00.0000	1625	1381
Wed Jun 14 2017 01:08:00.0000	1627	1346
Wed Jun 14 2017 01:09:00.0000	1628	1391
Wed Jun 14 2017 01:10:00.0000	1627	1352
Wed Jun 14 2017 01:11:00.0000	1625	1356
Wed Jun 14 2017 01:12:00.0000	1626	1401
Wed Jun 14 2017 01:13:00.0000	1627	1365
Wed Jun 14 2017 01:14:00.0000	1629	1389
Wed Jun 14 2017 01:15:00.0000	1627	1374
Wed Jun 14 2017 01:16:00.0000	1626	1384
Wed Jun 14 2017 01:17:00.0000	1627	1349
Wed Jun 14 2017 01:18:00.0000	1629	1400
Wed Jun 14 2017 01:19:00.0000	1628	1354
Wed Jun 14 2017 01:20:00.0000	1626	1368
Wed Jun 14 2017 01:21:00.0000	1627	1413
Wed Jun 14 2017 01:22:00.0000	1628	1373
Wed Jun 14 2017 01:23:00.0000	1629	1376
Wed Jun 14 2017 01:24:00.0000	1628	1351
Wed Jun 14 2017 01:25:00.0000	1626	1368
Wed Jun 14 2017 01:26:00.0000	1628	1406
Wed Jun 14 2017 01:27:00.0000	1630	1356
Wed Jun 14 2017 01:28:00.0000	1629	1369
Wed Jun 14 2017 01:29:00.0000	1627	1346
Wed Jun 14 2017 01:30:00.0000	1628	1335
Wed Jun 14 2017 01:31:00.0000	1629	1381
Wed Jun 14 2017 01:32:00.0000	1630	1354
Wed Jun 14 2017 01:33:00.0000	1628	1398
Wed Jun 14 2017 01:34:00.0000	1628	1385
Wed Jun 14 2017 01:35:00.0000	1629	1381
Wed Jun 14 2017 01:36:00.0000	1630	1372

Date/Time	Process Temperature (°F)	Process Flow SCFM
Wed Jun 14 2017 01:37:00.0000	1630	1364
Wed Jun 14 2017 01:38:00.0000	1628	1322
Wed Jun 14 2017 01:39:00.0000	1629	1393
Wed Jun 14 2017 01:40:00.0000	1630	1328
Wed Jun 14 2017 01:41:00.0000	1630	1364
Wed Jun 14 2017 01:42:00.0000	1628	1375
Wed Jun 14 2017 01:43:00.0000	1628	1395
Wed Jun 14 2017 01:44:00.0000	1629	1350
Wed Jun 14 2017 01:45:00.0000	1631	1375
Wed Jun 14 2017 01:46:00.0000	1629	1378
Wed Jun 14 2017 01:47:00.0000	1628	1369
Wed Jun 14 2017 01:48:00.0000	1630	1417
Wed Jun 14 2017 01:49:00.0000	1631	1462
Wed Jun 14 2017 01:50:00.0000	1631	1368
Wed Jun 14 2017 01:51:00.0000	1628	1345
Wed Jun 14 2017 01:52:00.0000	1629	1349
Wed Jun 14 2017 01:53:00.0000	1630	1367
Wed Jun 14 2017 01:54:00.0000	1632	1350
Wed Jun 14 2017 01:55:00.0000	1630	1343
Wed Jun 14 2017 01:56:00.0000	1628	1362
Wed Jun 14 2017 01:57:00.0000	1630	1350
Wed Jun 14 2017 01:58:00.0000	1631	1339
Wed Jun 14 2017 01:59:00.0000	1631	1370
Wed Jun 14 2017 02:00:00.0000	1629	1359
Wed Jun 14 2017 02:01:00.0000	1630	1374
Wed Jun 14 2017 02:02:00.0000	1632	1368
Wed Jun 14 2017 02:03:00.0000	1632	1356
Wed Jun 14 2017 02:04:00.0000	1630	1374
Wed Jun 14 2017 02:05:00.0000	1629	1367
Wed Jun 14 2017 02:06:00.0000	1631	1353
Wed Jun 14 2017 02:07:00.0000	1632	1402
Wed Jun 14 2017 02:08:00.0000	1625	1384
Wed Jun 14 2017 02:09:00.0000	1621	1392
Wed Jun 14 2017 02:10:00.0000	1618	1391
Wed Jun 14 2017 02:11:00.0000	1615	1352
Wed Jun 14 2017 02:12:00.0000	1612	1383
Wed Jun 14 2017 02:13:00.0000	1611	1389
Wed Jun 14 2017 02:14:00.0000	1610	1428
Wed Jun 14 2017 02:15:00.0000	1609	1331
Wed Jun 14 2017 02:16:00.0000	1608	1376
Wed Jun 14 2017 02:17:00.0000	1606	1378
Wed Jun 14 2017 02:18:00.0000	1605	1393
Wed Jun 14 2017 02:19:00.0000	1604	1369
Wed Jun 14 2017 02:20:00.0000	1603	1383
Wed Jun 14 2017 02:21:00.0000	1601	1357
Wed Jun 14 2017 02:22:00.0000	1603	1367
Wed Jun 14 2017 02:23:00.0000	1607	1373
Wed Jun 14 2017 02:24:00.0000	1611	1394
Wed Jun 14 2017 02:25:00.0000	1614	1344
Wed Jun 14 2017 02:26:00.0000	1613	1399
Wed Jun 14 2017 02:27:00.0000	1613	1360
Wed Jun 14 2017 02:28:00.0000	1615	1344
Wed Jun 14 2017 02:29:00.0000	1618	1372
Wed Jun 14 2017 02:30:00.0000	1618	1367
Wed Jun 14 2017 02:31:00.0000	1616	1354
Wed Jun 14 2017 02:32:00.0000	1618	1348
Wed Jun 14 2017 02:33:00.0000	1619	1386

Date/Time	Process Temperature (°F)	Process Flow SCFM
Wed Jun 14 2017 02:34:00.0000	1621	1390
Wed Jun 14 2017 02:35:00.0000	1619	1376
Wed Jun 14 2017 02:36:00.0000	1618	1402
Wed Jun 14 2017 02:37:00.0000	1621	1358
Wed Jun 14 2017 02:38:00.0000	1622	1352
Wed Jun 14 2017 02:39:00.0000	1622	1368
Wed Jun 14 2017 02:40:00.0000	1620	1356
Wed Jun 14 2017 02:41:00.0000	1622	1408
Wed Jun 14 2017 02:42:00.0000	1623	1310
Wed Jun 14 2017 02:43:00.0000	1624	1384
Wed Jun 14 2017 02:44:00.0000	1622	1394
Wed Jun 14 2017 02:45:00.0000	1622	1364
Wed Jun 14 2017 02:46:00.0000	1623	1409
Wed Jun 14 2017 02:47:00.0000	1625	1398
Wed Jun 14 2017 02:48:00.0000	1624	1356
Wed Jun 14 2017 02:49:00.0000	1622	1349
Wed Jun 14 2017 02:50:00.0000	1624	1401
Wed Jun 14 2017 02:51:00.0000	1625	1306
Wed Jun 14 2017 02:52:00.0000	1625	1381
Wed Jun 14 2017 02:53:00.0000	1624	1388
Wed Jun 14 2017 02:54:00.0000	1623	1360
Wed Jun 14 2017 02:55:00.0000	1625	1360
Wed Jun 14 2017 02:56:00.0000	1627	1377
Wed Jun 14 2017 02:57:00.0000	1626	1360
Wed Jun 14 2017 02:58:00.0000	1624	1382
Wed Jun 14 2017 02:59:00.0000	1625	1379
Wed Jun 14 2017 03:00:00.0000	1626	1392
Wed Jun 14 2017 03:01:00.0000	1627	1372
Wed Jun 14 2017 03:02:00.0000	1625	1321
Wed Jun 14 2017 03:03:00.0000	1625	1368
Wed Jun 14 2017 03:04:00.0000	1626	1348
Wed Jun 14 2017 03:05:00.0000	1628	1398
Wed Jun 14 2017 03:06:00.0000	1627	1376
Wed Jun 14 2017 03:07:00.0000	1625	1380
Wed Jun 14 2017 03:08:00.0000	1627	1389
Wed Jun 14 2017 03:09:00.0000	1627	1363
Wed Jun 14 2017 03:10:00.0000	1628	1381
Wed Jun 14 2017 03:11:00.0000	1626	1407
Wed Jun 14 2017 03:12:00.0000	1625	1359
Wed Jun 14 2017 03:13:00.0000	1627	1363
Wed Jun 14 2017 03:14:00.0000	1629	1405
Wed Jun 14 2017 03:15:00.0000	1628	1366
Wed Jun 14 2017 03:16:00.0000	1626	1415
Wed Jun 14 2017 03:17:00.0000	1628	1424
Wed Jun 14 2017 03:18:00.0000	1628	1384
Wed Jun 14 2017 03:19:00.0000	1629	1338
Wed Jun 14 2017 03:20:00.0000	1627	1414
Wed Jun 14 2017 03:21:00.0000	1627	1399
Wed Jun 14 2017 03:22:00.0000	1628	1309
Wed Jun 14 2017 03:23:00.0000	1630	1449
Wed Jun 14 2017 03:24:00.0000	1628	1376
Wed Jun 14 2017 03:25:00.0000	1626	1375
Wed Jun 14 2017 03:26:00.0000	1628	1398
Wed Jun 14 2017 03:27:00.0000	1629	1362
Wed Jun 14 2017 03:28:00.0000	1630	1332
Wed Jun 14 2017 03:29:00.0000	1628	1429
Wed Jun 14 2017 03:30:00.0000	1627	1371

Date/Time	Process Temperature (°F)	Process Flow SCFM
Wed Jun 14 2017 03:31:00.0000	1629	1359
Wed Jun 14 2017 03:32:00.0000	1630	1409
Wed Jun 14 2017 03:33:00.0000	1629	1429
Wed Jun 14 2017 03:34:00.0000	1627	1405
Wed Jun 14 2017 03:35:00.0000	1629	1392
Wed Jun 14 2017 03:36:00.0000	1630	1368
Wed Jun 14 2017 03:37:00.0000	1630	1413
Wed Jun 14 2017 03:38:00.0000	1628	1397
Wed Jun 14 2017 03:39:00.0000	1628	1362
Wed Jun 14 2017 03:40:00.0000	1629	1412
Wed Jun 14 2017 03:41:00.0000	1631	1432
Wed Jun 14 2017 03:42:00.0000	1630	1380
Wed Jun 14 2017 03:43:00.0000	1628	1384
Wed Jun 14 2017 03:44:00.0000	1630	1404
Wed Jun 14 2017 03:45:00.0000	1630	1449
Wed Jun 14 2017 03:46:00.0000	1631	1376
Wed Jun 14 2017 03:47:00.0000	1629	1421
Wed Jun 14 2017 03:48:00.0000	1628	1370
Wed Jun 14 2017 03:49:00.0000	1630	1368
Wed Jun 14 2017 03:50:00.0000	1632	1412
Wed Jun 14 2017 03:51:00.0000	1630	1428
Wed Jun 14 2017 03:52:00.0000	1628	1275
Wed Jun 14 2017 03:53:00.0000	1630	1385
Wed Jun 14 2017 03:54:00.0000	1631	1425
Wed Jun 14 2017 03:55:00.0000	1631	1445
Wed Jun 14 2017 03:56:00.0000	1629	1364
Wed Jun 14 2017 03:57:00.0000	1629	1374
Wed Jun 14 2017 03:58:00.0000	1630	1432
Wed Jun 14 2017 03:59:00.0000	1632	1437
Wed Jun 14 2017 04:00:00.0000	1631	1471
Wed Jun 14 2017 04:01:00.0000	1629	1369
Wed Jun 14 2017 04:02:00.0000	1631	1370
Wed Jun 14 2017 04:03:00.0000	1631	1451
Wed Jun 14 2017 04:04:00.0000	1632	1350
Wed Jun 14 2017 04:05:00.0000	1630	1365
Wed Jun 14 2017 04:06:00.0000	1629	1379
Wed Jun 14 2017 04:07:00.0000	1631	1389
Wed Jun 14 2017 04:08:00.0000	1632	1346
Wed Jun 14 2017 04:09:00.0000	1631	1398
Wed Jun 14 2017 04:10:00.0000	1629	1396
Wed Jun 14 2017 04:11:00.0000	1631	1377
Wed Jun 14 2017 04:12:00.0000	1632	1365
Wed Jun 14 2017 04:13:00.0000	1632	1398
Wed Jun 14 2017 04:14:00.0000	1630	1368
Wed Jun 14 2017 04:15:00.0000	1630	1381
Wed Jun 14 2017 04:16:00.0000	1631	1508
Wed Jun 14 2017 04:17:00.0000	1632	1455
Wed Jun 14 2017 04:18:00.0000	1625	1380
Wed Jun 14 2017 04:19:00.0000	1621	1440
Wed Jun 14 2017 04:20:00.0000	1619	1377
Wed Jun 14 2017 04:21:00.0000	1617	1319
Wed Jun 14 2017 04:22:00.0000	1615	1374
Wed Jun 14 2017 04:23:00.0000	1613	1417
Wed Jun 14 2017 04:24:00.0000	1611	1336
Wed Jun 14 2017 04:25:00.0000	1611	1427
Wed Jun 14 2017 04:26:00.0000	1609	1400
Wed Jun 14 2017 04:27:00.0000	1607	1334

Date/Time	Process Temperature (°F)	Process Flow SCFM
Wed Jun 14 2017 04:28:00.0000	1606	1511
Wed Jun 14 2017 04:29:00.0000	1606	1395
Wed Jun 14 2017 04:30:00.0000	1605	1368
Wed Jun 14 2017 04:31:00.0000	1603	1399
Wed Jun 14 2017 04:32:00.0000	1601	1344
Wed Jun 14 2017 04:33:00.0000	1604	1372
Wed Jun 14 2017 04:34:00.0000	1607	1532
Wed Jun 14 2017 04:35:00.0000	1609	1447
Wed Jun 14 2017 04:36:00.0000	1609	1373
Wed Jun 14 2017 04:37:00.0000	1609	1351
Wed Jun 14 2017 04:38:00.0000	1611	1532
Wed Jun 14 2017 04:39:00.0000	1613	1378
Wed Jun 14 2017 04:40:00.0000	1613	1395
Wed Jun 14 2017 04:41:00.0000	1611	1391
Wed Jun 14 2017 04:42:00.0000	1613	1393
Wed Jun 14 2017 04:43:00.0000	1614	1364
Wed Jun 14 2017 04:44:00.0000	1615	1363
Wed Jun 14 2017 04:45:00.0000	1613	1381
Wed Jun 14 2017 04:46:00.0000	1613	1434
Wed Jun 14 2017 04:47:00.0000	1614	1386
Wed Jun 14 2017 04:48:00.0000	1616	1481
Wed Jun 14 2017 04:49:00.0000	1615	1391
Wed Jun 14 2017 04:50:00.0000	1613	1414
Wed Jun 14 2017 04:51:00.0000	1616	1440
Wed Jun 14 2017 04:52:00.0000	1617	1428
Wed Jun 14 2017 04:53:00.0000	1618	1345
Wed Jun 14 2017 04:54:00.0000	1617	1419
Wed Jun 14 2017 04:55:00.0000	1617	1366
Wed Jun 14 2017 04:56:00.0000	1619	1368
Wed Jun 14 2017 04:57:00.0000	1620	1391
Wed Jun 14 2017 04:58:00.0000	1619	1406
Wed Jun 14 2017 04:59:00.0000	1618	1369
Wed Jun 14 2017 05:00:00.0000	1620	1297
Wed Jun 14 2017 05:01:00.0000	1621	1435
Wed Jun 14 2017 05:02:00.0000	1621	1378
Wed Jun 14 2017 05:03:00.0000	1619	1381
Wed Jun 14 2017 05:04:00.0000	1620	1380
Wed Jun 14 2017 05:05:00.0000	1622	1395
Wed Jun 14 2017 05:06:00.0000	1623	1485
Wed Jun 14 2017 05:07:00.0000	1621	1418
Wed Jun 14 2017 05:08:00.0000	1620	1357
Wed Jun 14 2017 05:09:00.0000	1622	1386
Wed Jun 14 2017 05:10:00.0000	1623	1360
Wed Jun 14 2017 05:11:00.0000	1623	1356
Wed Jun 14 2017 05:12:00.0000	1621	1302
Wed Jun 14 2017 05:13:00.0000	1622	1388
Wed Jun 14 2017 05:14:00.0000	1623	1444
Wed Jun 14 2017 05:15:00.0000	1624	1406
Wed Jun 14 2017 05:16:00.0000	1623	1406
Wed Jun 14 2017 05:17:00.0000	1622	1358
Wed Jun 14 2017 05:18:00.0000	1623	1429
Wed Jun 14 2017 05:19:00.0000	1625	1383
Wed Jun 14 2017 05:20:00.0000	1624	1481
Wed Jun 14 2017 05:21:00.0000	1622	1419
Wed Jun 14 2017 05:22:00.0000	1623	1430
Wed Jun 14 2017 05:23:00.0000	1625	1437
Wed Jun 14 2017 05:24:00.0000	1625	1421

Date/Time	Process Temperature (°F)	Process Flow SCFM
Wed Jun 14 2017 05:25:00.0000	1624	1393
Wed Jun 14 2017 05:26:00.0000	1623	1401
Wed Jun 14 2017 05:27:00.0000	1624	1388
Wed Jun 14 2017 05:28:00.0000	1626	1338
Wed Jun 14 2017 05:29:00.0000	1625	1353
Wed Jun 14 2017 05:30:00.0000	1623	1468
Wed Jun 14 2017 05:31:00.0000	1624	1470
Wed Jun 14 2017 05:32:00.0000	1625	1382
Wed Jun 14 2017 05:33:00.0000	1626	1342
Wed Jun 14 2017 05:34:00.0000	1624	1384
Wed Jun 14 2017 05:35:00.0000	1624	1347
Wed Jun 14 2017 05:36:00.0000	1625	1366
Wed Jun 14 2017 05:37:00.0000	1626	1343
Wed Jun 14 2017 05:38:00.0000	1626	1313
Wed Jun 14 2017 05:39:00.0000	1624	1310
Wed Jun 14 2017 05:40:00.0000	1625	1380
Wed Jun 14 2017 05:41:00.0000	1626	1425
Wed Jun 14 2017 05:42:00.0000	1626	1392
Wed Jun 14 2017 05:43:00.0000	1624	1419
Wed Jun 14 2017 05:44:00.0000	1624	1357
Wed Jun 14 2017 05:45:00.0000	1626	1501
Wed Jun 14 2017 05:46:00.0000	1627	1452
Wed Jun 14 2017 05:47:00.0000	1626	1381
Wed Jun 14 2017 05:48:00.0000	1624	1353
Wed Jun 14 2017 05:49:00.0000	1626	1372
Wed Jun 14 2017 05:50:00.0000	1626	1445
Wed Jun 14 2017 05:51:00.0000	1627	1440
Wed Jun 14 2017 05:52:00.0000	1625	1432
Wed Jun 14 2017 05:53:00.0000	1625	1368
Wed Jun 14 2017 05:54:00.0000	1626	1344
Wed Jun 14 2017 05:55:00.0000	1627	1407
Wed Jun 14 2017 05:56:00.0000	1626	1413
Wed Jun 14 2017 05:57:00.0000	1624	1356
Wed Jun 14 2017 05:58:00.0000	1626	1338
Wed Jun 14 2017 05:59:00.0000	1627	1402
Wed Jun 14 2017 06:00:00.0000	1627	1384
Wed Jun 14 2017 06:01:00.0000	1625	1405
Wed Jun 14 2017 06:02:00.0000	1625	1403
Wed Jun 14 2017 06:03:00.0000	1626	1369
Wed Jun 14 2017 06:04:00.0000	1627	1407
Wed Jun 14 2017 06:05:00.0000	1626	1330
Wed Jun 14 2017 06:06:00.0000	1624	1418
Wed Jun 14 2017 06:07:00.0000	1626	1427
Wed Jun 14 2017 06:08:00.0000	1627	1373
Wed Jun 14 2017 06:09:00.0000	1627	1348
Wed Jun 14 2017 06:10:00.0000	1625	1306
Wed Jun 14 2017 06:11:00.0000	1626	1361
Wed Jun 14 2017 06:12:00.0000	1627	1374
Wed Jun 14 2017 06:13:00.0000	1628	1333
Wed Jun 14 2017 06:14:00.0000	1626	1366
Wed Jun 14 2017 06:15:00.0000	1625	1358
Wed Jun 14 2017 06:16:00.0000	1627	1348
Wed Jun 14 2017 06:17:00.0000	1628	1395
Wed Jun 14 2017 06:18:00.0000	1627	1484
Wed Jun 14 2017 06:19:00.0000	1625	1393
Wed Jun 14 2017 06:20:00.0000	1626	1412
Wed Jun 14 2017 06:21:00.0000	1627	1395

Date/Time	Process Temperature (°F)	Process Flow SCFM
Wed Jun 14 2017 06:22:00.0000	1628	1386
Wed Jun 14 2017 06:23:00.0000	1626	1327
Wed Jun 14 2017 06:24:00.0000	1625	1335
Wed Jun 14 2017 06:25:00.0000	1627	1372
Wed Jun 14 2017 06:26:00.0000	1628	1328
Wed Jun 14 2017 06:27:00.0000	1628	1383
Wed Jun 14 2017 06:28:00.0000	1625	1387
Wed Jun 14 2017 06:29:00.0000	1626	1394
Wed Jun 14 2017 06:30:00.0000	1627	1345
Wed Jun 14 2017 06:31:00.0000	1629	1385
Wed Jun 14 2017 06:32:00.0000	1627	1465
Wed Jun 14 2017 06:33:00.0000	1626	1351
Wed Jun 14 2017 06:34:00.0000	1627	1341
Wed Jun 14 2017 06:35:00.0000	1629	1310
Wed Jun 14 2017 06:36:00.0000	1628	1430
Wed Jun 14 2017 06:37:00.0000	1626	1381
Wed Jun 14 2017 06:38:00.0000	1627	1406
Wed Jun 14 2017 06:39:00.0000	1628	1341
Wed Jun 14 2017 06:40:00.0000	1629	1357
Wed Jun 14 2017 06:41:00.0000	1627	1476
Wed Jun 14 2017 06:42:00.0000	1626	1395
Wed Jun 14 2017 06:43:00.0000	1628	1400
Wed Jun 14 2017 06:44:00.0000	1629	1367
Wed Jun 14 2017 06:45:00.0000	1629	1406
Wed Jun 14 2017 06:46:00.0000	1627	1373
Wed Jun 14 2017 06:47:00.0000	1628	1408
Wed Jun 14 2017 06:48:00.0000	1629	1336
Wed Jun 14 2017 06:49:00.0000	1630	1406
Wed Jun 14 2017 06:50:00.0000	1628	1368
Wed Jun 14 2017 06:51:00.0000	1627	1371
Wed Jun 14 2017 06:52:00.0000	1629	1388
Wed Jun 14 2017 06:53:00.0000	1631	1383
Wed Jun 14 2017 06:54:00.0000	1630	1378
Wed Jun 14 2017 06:55:00.0000	1628	1381
Wed Jun 14 2017 06:56:00.0000	1629	1392
Wed Jun 14 2017 06:57:00.0000	1630	1349
Wed Jun 14 2017 06:58:00.0000	1631	1393
Wed Jun 14 2017 06:59:00.0000	1629	1366
Wed Jun 14 2017 07:00:00.0000	1628	1392
Wed Jun 14 2017 07:01:00.0000	1630	1337
Wed Jun 14 2017 07:02:00.0000	1631	1365
Wed Jun 14 2017 07:03:00.0000	1630	1373
Wed Jun 14 2017 07:04:00.0000	1628	1360
Wed Jun 14 2017 07:05:00.0000	1629	1400
Wed Jun 14 2017 07:06:00.0000	1630	1404
Wed Jun 14 2017 07:07:00.0000	1632	1398
Wed Jun 14 2017 07:08:00.0000	1630	1400
Wed Jun 14 2017 07:09:00.0000	1629	1386
Wed Jun 14 2017 07:10:00.0000	1630	1398
Wed Jun 14 2017 07:11:00.0000	1632	1392
Wed Jun 14 2017 07:12:00.0000	1632	1382
Wed Jun 14 2017 07:13:00.0000	1629	1397
Wed Jun 14 2017 07:14:00.0000	1630	1352
Wed Jun 14 2017 07:15:00.0000	1631	1402
Wed Jun 14 2017 07:16:00.0000	1632	1362
Wed Jun 14 2017 07:17:00.0000	1631	1373
Wed Jun 14 2017 07:18:00.0000	1629	1360

Date/Time	Process Temperature (°F)	Process Flow SCFM
Wed Jun 14 2017 07:19:00.0000	1631	1357
Wed Jun 14 2017 07:20:00.0000	1633	1359
Wed Jun 14 2017 07:21:00.0000	1626	1362
Wed Jun 14 2017 07:22:00.0000	1621	1404
Wed Jun 14 2017 07:23:00.0000	1618	1368
Wed Jun 14 2017 07:24:00.0000	1616	1355
Wed Jun 14 2017 07:25:00.0000	1613	1363
Wed Jun 14 2017 07:26:00.0000	1609	1384
Wed Jun 14 2017 07:27:00.0000	1608	1352
Wed Jun 14 2017 07:28:00.0000	1607	1375
Wed Jun 14 2017 07:29:00.0000	1605	1379
Wed Jun 14 2017 07:30:00.0000	1603	1404
Wed Jun 14 2017 07:31:00.0000	1602	1401
Wed Jun 14 2017 07:32:00.0000	1607	1355
Wed Jun 14 2017 07:33:00.0000	1610	1342
Wed Jun 14 2017 07:34:00.0000	1613	1378
Wed Jun 14 2017 07:35:00.0000	1613	1389
Wed Jun 14 2017 07:36:00.0000	1614	1348
Wed Jun 14 2017 07:37:00.0000	1616	1328
Wed Jun 14 2017 07:38:00.0000	1618	1424
Wed Jun 14 2017 07:39:00.0000	1617	1379
Wed Jun 14 2017 07:40:00.0000	1617	1392
Wed Jun 14 2017 07:41:00.0000	1619	1405
Wed Jun 14 2017 07:42:00.0000	1620	1424
Wed Jun 14 2017 07:43:00.0000	1621	1469
Wed Jun 14 2017 07:44:00.0000	1620	1382
Wed Jun 14 2017 07:45:00.0000	1620	1380
Wed Jun 14 2017 07:46:00.0000	1622	1360
Wed Jun 14 2017 07:47:00.0000	1623	1360
Wed Jun 14 2017 07:48:00.0000	1621	1378
Wed Jun 14 2017 07:49:00.0000	1620	1390
Wed Jun 14 2017 07:50:00.0000	1622	1386
Wed Jun 14 2017 07:51:00.0000	1624	1364
Wed Jun 14 2017 07:52:00.0000	1623	1373
Wed Jun 14 2017 07:53:00.0000	1621	1385
Wed Jun 14 2017 07:54:00.0000	1623	1361
Wed Jun 14 2017 07:55:00.0000	1624	1375
Wed Jun 14 2017 07:56:00.0000	1625	1349
Wed Jun 14 2017 07:57:00.0000	1623	1368
Wed Jun 14 2017 07:58:00.0000	1623	1393
Wed Jun 14 2017 07:59:00.0000	1624	1368
Wed Jun 14 2017 08:00:00.0000	1626	1402
Wed Jun 14 2017 08:01:00.0000	1625	1362
Wed Jun 14 2017 08:02:00.0000	1623	1351
Wed Jun 14 2017 08:03:00.0000	1625	1382
Wed Jun 14 2017 08:04:00.0000	1626	1340
Wed Jun 14 2017 08:05:00.0000	1627	1384
Wed Jun 14 2017 08:06:00.0000	1625	1385
Wed Jun 14 2017 08:07:00.0000	1625	1407
Wed Jun 14 2017 08:08:00.0000	1626	1462
Wed Jun 14 2017 08:09:00.0000	1628	1394
Wed Jun 14 2017 08:10:00.0000	1627	1351
Wed Jun 14 2017 08:11:00.0000	1625	1348
Wed Jun 14 2017 08:12:00.0000	1627	1328
Wed Jun 14 2017 08:13:00.0000	1628	1365
Wed Jun 14 2017 08:14:00.0000	1628	1401
Wed Jun 14 2017 08:15:00.0000	1626	1452

Date/Time	Process Temperature (°F)	Process Flow SCFM
Wed Jun 14 2017 08:16:00.0000	1627	1359
Wed Jun 14 2017 08:17:00.0000	1628	1363
Wed Jun 14 2017 08:18:00.0000	1629	1441
Wed Jun 14 2017 08:19:00.0000	1627	1350
Wed Jun 14 2017 08:20:00.0000	1626	1465
Wed Jun 14 2017 08:21:00.0000	1628	1404
Wed Jun 14 2017 08:22:00.0000	1630	1411
Wed Jun 14 2017 08:23:00.0000	1628	1470
Wed Jun 14 2017 08:24:00.0000	1626	1399
Wed Jun 14 2017 08:25:00.0000	1628	1414
Wed Jun 14 2017 08:26:00.0000	1629	1392
Wed Jun 14 2017 08:27:00.0000	1630	1423
Wed Jun 14 2017 08:28:00.0000	1628	1419
Wed Jun 14 2017 08:29:00.0000	1628	1408
Wed Jun 14 2017 08:30:00.0000	1629	1288
Wed Jun 14 2017 08:31:00.0000	1631	1393
Wed Jun 14 2017 08:32:00.0000	1629	1388
Wed Jun 14 2017 08:33:00.0000	1628	1428
Wed Jun 14 2017 08:34:00.0000	1630	1408
Wed Jun 14 2017 08:35:00.0000	1631	1475
Wed Jun 14 2017 08:36:00.0000	1631	1397
Wed Jun 14 2017 08:37:00.0000	1629	1379
Wed Jun 14 2017 08:38:00.0000	1629	1366
Wed Jun 14 2017 08:39:00.0000	1630	1406
Wed Jun 14 2017 08:40:00.0000	1632	1425
Wed Jun 14 2017 08:41:00.0000	1631	1394
Wed Jun 14 2017 08:42:00.0000	1629	1398
Wed Jun 14 2017 08:43:00.0000	1631	1397
Wed Jun 14 2017 08:44:00.0000	1632	1382
Wed Jun 14 2017 08:45:00.0000	1632	1401
Wed Jun 14 2017 08:46:00.0000	1630	1407
Wed Jun 14 2017 08:47:00.0000	1630	1390
Wed Jun 14 2017 08:48:00.0000	1632	1368
Wed Jun 14 2017 08:49:00.0000	1633	1405
Wed Jun 14 2017 08:50:00.0000	1627	1438
Wed Jun 14 2017 08:51:00.0000	1622	1385
Wed Jun 14 2017 08:52:00.0000	1619	1390
Wed Jun 14 2017 08:53:00.0000	1617	1409
Wed Jun 14 2017 08:54:00.0000	1614	1403
Wed Jun 14 2017 08:55:00.0000	1611	1443
Wed Jun 14 2017 08:56:00.0000	1610	1397
Wed Jun 14 2017 08:57:00.0000	1608	1382
Wed Jun 14 2017 08:58:00.0000	1606	1389
Wed Jun 14 2017 08:59:00.0000	1604	1384
Wed Jun 14 2017 09:00:00.0000	1603	1400
Wed Jun 14 2017 09:01:00.0000	1602	1399
Wed Jun 14 2017 09:02:00.0000	1603	1359
Wed Jun 14 2017 09:03:00.0000	1607	1405
Wed Jun 14 2017 09:04:00.0000	1607	1417
Wed Jun 14 2017 09:05:00.0000	1611	1407
Wed Jun 14 2017 09:06:00.0000	1614	1393
Wed Jun 14 2017 09:07:00.0000	1616	1385
Wed Jun 14 2017 09:08:00.0000	1615	1382
Wed Jun 14 2017 09:09:00.0000	1615	1405
Wed Jun 14 2017 09:10:00.0000	1618	1390
Wed Jun 14 2017 09:11:00.0000	1620	1382
Wed Jun 14 2017 09:12:00.0000	1620	1381

Date/Time	Process Temperature (°F)	Process Flow SCFM
Wed Jun 14 2017 09:13:00.0000	1618	1397
Wed Jun 14 2017 09:14:00.0000	1620	1369
Wed Jun 14 2017 09:15:00.0000	1622	1369
Wed Jun 14 2017 09:16:00.0000	1623	1333
Wed Jun 14 2017 09:17:00.0000	1621	1375
Wed Jun 14 2017 09:18:00.0000	1621	1395
Wed Jun 14 2017 09:19:00.0000	1623	1393
Wed Jun 14 2017 09:20:00.0000	1625	1464
Wed Jun 14 2017 09:21:00.0000	1624	1536
Wed Jun 14 2017 09:22:00.0000	1622	1389
Wed Jun 14 2017 09:23:00.0000	1625	1417
Wed Jun 14 2017 09:24:00.0000	1626	1394
Wed Jun 14 2017 09:25:00.0000	1626	1402
Wed Jun 14 2017 09:26:00.0000	1624	1332
Wed Jun 14 2017 09:27:00.0000	1625	1451
Wed Jun 14 2017 09:28:00.0000	1627	1362
Wed Jun 14 2017 09:29:00.0000	1628	1395
Wed Jun 14 2017 09:30:00.0000	1627	1444
Wed Jun 14 2017 09:31:00.0000	1625	1378
Wed Jun 14 2017 09:32:00.0000	1627	1405
Wed Jun 14 2017 09:33:00.0000	1629	1407
Wed Jun 14 2017 09:34:00.0000	1629	1388
Wed Jun 14 2017 09:35:00.0000	1627	1411
Wed Jun 14 2017 09:36:00.0000	1628	1384
Wed Jun 14 2017 09:37:00.0000	1629	1461
Wed Jun 14 2017 09:38:00.0000	1630	1436
Wed Jun 14 2017 09:39:00.0000	1629	1406
Wed Jun 14 2017 09:40:00.0000	1628	1471
Wed Jun 14 2017 09:41:00.0000	1630	1392
Wed Jun 14 2017 09:42:00.0000	1631	1286
Wed Jun 14 2017 09:43:00.0000	1631	1416
Wed Jun 14 2017 09:44:00.0000	1628	1466
Wed Jun 14 2017 09:45:00.0000	1630	1350
Wed Jun 14 2017 09:46:00.0000	1632	1455
Wed Jun 14 2017 09:47:00.0000	1632	1427
Wed Jun 14 2017 09:48:00.0000	1630	1414
Wed Jun 14 2017 09:49:00.0000	1631	1431
Wed Jun 14 2017 09:50:00.0000	1632	1419
Wed Jun 14 2017 09:51:00.0000	1633	1395
Wed Jun 14 2017 09:52:00.0000	1628	1489
Wed Jun 14 2017 09:53:00.0000	1623	1456
Wed Jun 14 2017 09:54:00.0000	1620	1406
Wed Jun 14 2017 09:55:00.0000	1618	1384
Wed Jun 14 2017 09:56:00.0000	1615	1399
Wed Jun 14 2017 09:57:00.0000	1612	1433
Wed Jun 14 2017 09:58:00.0000	1611	1414
Wed Jun 14 2017 09:59:00.0000	1610	1460
Wed Jun 14 2017 10:00:00.0000	1608	1413
Wed Jun 14 2017 10:01:00.0000	1606	1412
Wed Jun 14 2017 10:02:00.0000	1604	1430
Wed Jun 14 2017 10:03:00.0000	1604	1418
Wed Jun 14 2017 10:04:00.0000	1603	1418
Wed Jun 14 2017 10:05:00.0000	1602	1433
Wed Jun 14 2017 10:06:00.0000	1604	1422
Wed Jun 14 2017 10:07:00.0000	1613	1451
Wed Jun 14 2017 10:08:00.0000	1620	1431
Wed Jun 14 2017 10:09:00.0000	1626	1407

Date/Time	Process Temperature (°F)	Process Flow SCFM
Wed Jun 14 2017 10:10:00.0000	1626	1412
Wed Jun 14 2017 10:11:00.0000	1627	1436
Wed Jun 14 2017 10:12:00.0000	1632	1428
Wed Jun 14 2017 10:13:00.0000	1634	1424
Wed Jun 14 2017 10:14:00.0000	1623	1437
Wed Jun 14 2017 10:15:00.0000	1616	1454
Wed Jun 14 2017 10:16:00.0000	1612	1478
Wed Jun 14 2017 10:17:00.0000	1608	1416
Wed Jun 14 2017 10:18:00.0000	1605	1420
Wed Jun 14 2017 10:19:00.0000	1601	1402
Wed Jun 14 2017 10:20:00.0000	1605	1418
Wed Jun 14 2017 10:21:00.0000	1608	1417
Wed Jun 14 2017 10:22:00.0000	1613	1458
Wed Jun 14 2017 10:23:00.0000	1614	1425
Wed Jun 14 2017 10:24:00.0000	1613	1427
Wed Jun 14 2017 10:25:00.0000	1616	1473
Wed Jun 14 2017 10:26:00.0000	1618	1445
Wed Jun 14 2017 10:27:00.0000	1620	1444
Wed Jun 14 2017 10:28:00.0000	1619	1484
Wed Jun 14 2017 10:29:00.0000	1619	1405
Wed Jun 14 2017 10:30:00.0000	1621	1472
Wed Jun 14 2017 10:31:00.0000	1623	1436
Wed Jun 14 2017 10:32:00.0000	1622	1417
Wed Jun 14 2017 10:33:00.0000	1620	1508
Wed Jun 14 2017 10:34:00.0000	1623	1468
Wed Jun 14 2017 10:35:00.0000	1624	1455
Wed Jun 14 2017 10:36:00.0000	1625	1460
Wed Jun 14 2017 10:37:00.0000	1623	1452
Wed Jun 14 2017 10:38:00.0000	1622	1418
Wed Jun 14 2017 10:39:00.0000	1624	1376
Wed Jun 14 2017 10:40:00.0000	1625	1503
Wed Jun 14 2017 10:41:00.0000	1623	1447
Wed Jun 14 2017 10:42:00.0000	1621	1399
Wed Jun 14 2017 10:43:00.0000	1623	1433
Wed Jun 14 2017 10:44:00.0000	1624	1467
Wed Jun 14 2017 10:45:00.0000	1624	1516
Wed Jun 14 2017 10:46:00.0000	1622	1488
Wed Jun 14 2017 10:47:00.0000	1622	1464
Wed Jun 14 2017 10:48:00.0000	1624	1551
Wed Jun 14 2017 10:49:00.0000	1625	1473
Wed Jun 14 2017 10:50:00.0000	1624	1403
Wed Jun 14 2017 10:51:00.0000	1622	1441
Wed Jun 14 2017 10:52:00.0000	1624	1474
Wed Jun 14 2017 10:53:00.0000	1625	1478
Wed Jun 14 2017 10:54:00.0000	1625	1406
Wed Jun 14 2017 10:55:00.0000	1623	1496
Wed Jun 14 2017 10:56:00.0000	1623	1425
Wed Jun 14 2017 10:57:00.0000	1625	1471
Wed Jun 14 2017 10:58:00.0000	1626	1416
Wed Jun 14 2017 10:59:00.0000	1625	1525
Wed Jun 14 2017 11:00:00.0000	1623	1397
Wed Jun 14 2017 11:01:00.0000	1625	1507
Wed Jun 14 2017 11:02:00.0000	1626	1480
Wed Jun 14 2017 11:03:00.0000	1626	1499
Wed Jun 14 2017 11:04:00.0000	1624	1488
Wed Jun 14 2017 11:05:00.0000	1624	1465
Wed Jun 14 2017 11:06:00.0000	1625	1496

Date/Time	Process Temperature (°F)	Process Flow SCFM
Wed Jun 14 2017 11:07:00.0000	1627	1509
Wed Jun 14 2017 11:08:00.0000	1626	1475
Wed Jun 14 2017 11:09:00.0000	1624	1418
Wed Jun 14 2017 11:10:00.0000	1626	1482
Wed Jun 14 2017 11:11:00.0000	1626	1434
Wed Jun 14 2017 11:12:00.0000	1627	1531
Wed Jun 14 2017 11:13:00.0000	1625	1445
Wed Jun 14 2017 11:14:00.0000	1624	1461
Wed Jun 14 2017 11:15:00.0000	1626	1477
Wed Jun 14 2017 11:16:00.0000	1628	1562
Wed Jun 14 2017 11:17:00.0000	1626	1472
Wed Jun 14 2017 11:18:00.0000	1624	1517
Wed Jun 14 2017 11:19:00.0000	1626	1475
Wed Jun 14 2017 11:20:00.0000	1627	1437
Wed Jun 14 2017 11:21:00.0000	1627	1453
Wed Jun 14 2017 11:22:00.0000	1625	1468
Wed Jun 14 2017 11:23:00.0000	1625	1418
Wed Jun 14 2017 11:24:00.0000	1627	1456
Wed Jun 14 2017 11:25:00.0000	1628	1494
Wed Jun 14 2017 11:26:00.0000	1627	1457
Wed Jun 14 2017 11:27:00.0000	1624	1458
Wed Jun 14 2017 11:28:00.0000	1627	1491
Wed Jun 14 2017 11:29:00.0000	1627	1382
Wed Jun 14 2017 11:30:00.0000	1628	1419
Wed Jun 14 2017 11:31:00.0000	1626	1503
Wed Jun 14 2017 11:32:00.0000	1626	1452
Wed Jun 14 2017 11:33:00.0000	1627	1469
Wed Jun 14 2017 11:34:00.0000	1629	1544
Wed Jun 14 2017 11:35:00.0000	1628	1426
Wed Jun 14 2017 11:36:00.0000	1626	1481
Wed Jun 14 2017 11:37:00.0000	1627	1508
Wed Jun 14 2017 11:38:00.0000	1628	1439
Wed Jun 14 2017 11:39:00.0000	1629	1489
Wed Jun 14 2017 11:40:00.0000	1627	1525
Wed Jun 14 2017 11:41:00.0000	1627	1418
Wed Jun 14 2017 11:42:00.0000	1629	1420
Wed Jun 14 2017 11:43:00.0000	1632	1488
Wed Jun 14 2017 11:44:00.0000	1630	1439
Wed Jun 14 2017 11:45:00.0000	1628	1487
Wed Jun 14 2017 11:46:00.0000	1630	1506
Wed Jun 14 2017 11:47:00.0000	1632	1463
Wed Jun 14 2017 11:48:00.0000	1633	1481
Wed Jun 14 2017 11:49:00.0000	1631	1462
Wed Jun 14 2017 11:50:00.0000	1630	1552
Wed Jun 14 2017 11:51:00.0000	1632	1433
Wed Jun 14 2017 11:52:00.0000	1633	1514
Wed Jun 14 2017 11:53:00.0000	1627	1436
Wed Jun 14 2017 11:54:00.0000	1623	1476
Wed Jun 14 2017 11:55:00.0000	1622	1456
Wed Jun 14 2017 11:56:00.0000	1619	1494
Wed Jun 14 2017 11:57:00.0000	1618	1453
Wed Jun 14 2017 11:58:00.0000	1615	1475
Wed Jun 14 2017 11:59:00.0000	1614	1499
Wed Jun 14 2017 12:00:00.0000	1613	1445
Wed Jun 14 2017 12:01:00.0000	1612	1484
Wed Jun 14 2017 12:02:00.0000	1610	1471
Wed Jun 14 2017 12:03:00.0000	1608	1465

Date/Time	Process Temperature (°F)	Process Flow SCFM
Wed Jun 14 2017 12:04:00.0000	1608	1459
Wed Jun 14 2017 12:05:00.0000	1608	1548
Wed Jun 14 2017 12:06:00.0000	1607	1435
Wed Jun 14 2017 12:07:00.0000	1605	1457
Wed Jun 14 2017 12:08:00.0000	1604	1428
Wed Jun 14 2017 12:09:00.0000	1604	1490
Wed Jun 14 2017 12:10:00.0000	1604	1455
Wed Jun 14 2017 12:11:00.0000	1602	1455
Wed Jun 14 2017 12:12:00.0000	1604	1462
Wed Jun 14 2017 12:13:00.0000	1613	1428
Wed Jun 14 2017 12:14:00.0000	1618	1423
Wed Jun 14 2017 12:15:00.0000	1624	1461
Wed Jun 14 2017 12:16:00.0000	1624	1426
Wed Jun 14 2017 12:17:00.0000	1625	1423
Wed Jun 14 2017 12:18:00.0000	1629	1471
Wed Jun 14 2017 12:19:00.0000	1634	1448
Wed Jun 14 2017 12:20:00.0000	1625	1468
Wed Jun 14 2017 12:21:00.0000	1620	1468
Wed Jun 14 2017 12:22:00.0000	1617	1430
Wed Jun 14 2017 12:23:00.0000	1614	1491
Wed Jun 14 2017 12:24:00.0000	1612	1463
Wed Jun 14 2017 12:25:00.0000	1609	1450
Wed Jun 14 2017 12:26:00.0000	1608	1484
Wed Jun 14 2017 12:27:00.0000	1607	1542
Wed Jun 14 2017 12:28:00.0000	1606	1433
Wed Jun 14 2017 12:29:00.0000	1604	1476
Wed Jun 14 2017 12:30:00.0000	1603	1481
Wed Jun 14 2017 12:31:00.0000	1607	1461
Wed Jun 14 2017 12:32:00.0000	1612	1442
Wed Jun 14 2017 12:33:00.0000	1614	1456
Wed Jun 14 2017 12:34:00.0000	1613	1458
Wed Jun 14 2017 12:35:00.0000	1615	1453
Wed Jun 14 2017 12:36:00.0000	1616	1463
Wed Jun 14 2017 12:37:00.0000	1619	1470
Wed Jun 14 2017 12:38:00.0000	1618	1456
Wed Jun 14 2017 12:39:00.0000	1617	1490
Wed Jun 14 2017 12:40:00.0000	1619	1420
Wed Jun 14 2017 12:41:00.0000	1621	1428
Wed Jun 14 2017 12:42:00.0000	1621	1474
Wed Jun 14 2017 12:43:00.0000	1619	1450
Wed Jun 14 2017 12:44:00.0000	1620	1466
Wed Jun 14 2017 12:45:00.0000	1621	1418
Wed Jun 14 2017 12:46:00.0000	1623	1462
Wed Jun 14 2017 12:47:00.0000	1622	1452
Wed Jun 14 2017 12:48:00.0000	1620	1510
Wed Jun 14 2017 12:49:00.0000	1623	1541
Wed Jun 14 2017 12:50:00.0000	1624	1416
Wed Jun 14 2017 12:51:00.0000	1624	1444
Wed Jun 14 2017 12:52:00.0000	1622	1436
Wed Jun 14 2017 12:53:00.0000	1623	1440
Wed Jun 14 2017 12:54:00.0000	1625	1469
Wed Jun 14 2017 12:55:00.0000	1626	1488
Wed Jun 14 2017 12:56:00.0000	1624	1439
Wed Jun 14 2017 12:57:00.0000	1623	1449
Wed Jun 14 2017 12:58:00.0000	1625	1433
Wed Jun 14 2017 12:59:00.0000	1627	1458
Wed Jun 14 2017 13:00:00.0000	1626	1439

Date/Time	Process Temperature (°F)	Process Flow SCFM
Wed Jun 14 2017 13:01:00.0000	1624	1512
Wed Jun 14 2017 13:02:00.0000	1625	1487
Wed Jun 14 2017 13:03:00.0000	1626	1492
Wed Jun 14 2017 13:04:00.0000	1627	1439
Wed Jun 14 2017 13:05:00.0000	1626	1430
Wed Jun 14 2017 13:06:00.0000	1625	1458
Wed Jun 14 2017 13:07:00.0000	1627	1462
Wed Jun 14 2017 13:08:00.0000	1628	1453
Wed Jun 14 2017 13:09:00.0000	1628	1447
Wed Jun 14 2017 13:10:00.0000	1626	1464
Wed Jun 14 2017 13:11:00.0000	1627	1472
Wed Jun 14 2017 13:12:00.0000	1627	1406
Wed Jun 14 2017 13:13:00.0000	1629	1494
Wed Jun 14 2017 13:14:00.0000	1627	1456
Wed Jun 14 2017 13:15:00.0000	1626	1479
Wed Jun 14 2017 13:16:00.0000	1628	1453
Wed Jun 14 2017 13:17:00.0000	1630	1430
Wed Jun 14 2017 13:18:00.0000	1629	1467
Wed Jun 14 2017 13:19:00.0000	1626	1476
Wed Jun 14 2017 13:20:00.0000	1628	1484
Wed Jun 14 2017 13:21:00.0000	1629	1463
Wed Jun 14 2017 13:22:00.0000	1630	1448
Wed Jun 14 2017 13:23:00.0000	1628	1504
Wed Jun 14 2017 13:24:00.0000	1627	1445
Wed Jun 14 2017 13:25:00.0000	1629	1534
Wed Jun 14 2017 13:26:00.0000	1631	1502
Wed Jun 14 2017 13:27:00.0000	1630	1480
Wed Jun 14 2017 13:28:00.0000	1628	1486
Wed Jun 14 2017 13:29:00.0000	1629	1467
Wed Jun 14 2017 13:30:00.0000	1630	1465
Wed Jun 14 2017 13:31:00.0000	1631	1413
Wed Jun 14 2017 13:32:00.0000	1629	1453
Wed Jun 14 2017 13:33:00.0000	1629	1446
Wed Jun 14 2017 13:34:00.0000	1630	1478
Wed Jun 14 2017 13:35:00.0000	1632	1452
Wed Jun 14 2017 13:36:00.0000	1630	1466
Wed Jun 14 2017 13:37:00.0000	1628	1459
Wed Jun 14 2017 13:38:00.0000	1630	1460
Wed Jun 14 2017 13:39:00.0000	1631	1415
Wed Jun 14 2017 13:40:00.0000	1632	1463
Wed Jun 14 2017 13:41:00.0000	1629	1418
Wed Jun 14 2017 13:42:00.0000	1630	1452
Wed Jun 14 2017 13:43:00.0000	1631	1505
Wed Jun 14 2017 13:44:00.0000	1632	1469
Wed Jun 14 2017 13:45:00.0000	1631	1468
Wed Jun 14 2017 13:46:00.0000	1629	1484
Wed Jun 14 2017 13:47:00.0000	1631	1422
Wed Jun 14 2017 13:48:00.0000	1632	1465
Wed Jun 14 2017 13:49:00.0000	1632	1451
Wed Jun 14 2017 13:50:00.0000	1630	1420
Wed Jun 14 2017 13:51:00.0000	1630	1461
Wed Jun 14 2017 13:52:00.0000	1631	1437
Wed Jun 14 2017 13:53:00.0000	1633	1488
Wed Jun 14 2017 13:54:00.0000	1631	1473
Wed Jun 14 2017 13:55:00.0000	1630	1495
Wed Jun 14 2017 13:56:00.0000	1632	1431
Wed Jun 14 2017 13:57:00.0000	1633	1460

Date/Time	Process Temperature (°F)	Process Flow SCFM
Wed Jun 14 2017 13:58:00.0000	1628	1471
Wed Jun 14 2017 13:59:00.0000	1623	1446
Wed Jun 14 2017 14:00:00.0000	1621	1451
Wed Jun 14 2017 14:01:00.0000	1618	1533
Wed Jun 14 2017 14:02:00.0000	1616	1455
Wed Jun 14 2017 14:03:00.0000	1614	1438
Wed Jun 14 2017 14:04:00.0000	1611	1444
Wed Jun 14 2017 14:05:00.0000	1611	1428
Wed Jun 14 2017 14:06:00.0000	1610	1494
Wed Jun 14 2017 14:07:00.0000	1608	1467
Wed Jun 14 2017 14:08:00.0000	1605	1439
Wed Jun 14 2017 14:09:00.0000	1605	1438
Wed Jun 14 2017 14:10:00.0000	1604	1488
Wed Jun 14 2017 14:11:00.0000	1603	1579
Wed Jun 14 2017 14:12:00.0000	1602	1495
Wed Jun 14 2017 14:13:00.0000	1607	1404
Wed Jun 14 2017 14:14:00.0000	1615	1461
Wed Jun 14 2017 14:15:00.0000	1622	1465
Wed Jun 14 2017 14:16:00.0000	1626	1465
Wed Jun 14 2017 14:17:00.0000	1626	1521
Wed Jun 14 2017 14:18:00.0000	1629	1557
Wed Jun 14 2017 14:19:00.0000	1633	1481
Wed Jun 14 2017 14:20:00.0000	1632	1492
Wed Jun 14 2017 14:21:00.0000	1624	1551
Wed Jun 14 2017 14:22:00.0000	1620	1504
Wed Jun 14 2017 14:23:00.0000	1616	1441
Wed Jun 14 2017 14:24:00.0000	1610	1443
Wed Jun 14 2017 14:25:00.0000	1606	1404
Wed Jun 14 2017 14:26:00.0000	1602	1467
Wed Jun 14 2017 14:27:00.0000	1603	1462
Wed Jun 14 2017 14:28:00.0000	1605	1556
Wed Jun 14 2017 14:29:00.0000	1605	1468
Wed Jun 14 2017 14:30:00.0000	1604	1488
Wed Jun 14 2017 14:31:00.0000	1605	1538
Wed Jun 14 2017 14:32:00.0000	1605	1464
Wed Jun 14 2017 14:33:00.0000	1605	1501
Wed Jun 14 2017 14:34:00.0000	1604	1496
Wed Jun 14 2017 14:35:00.0000	1604	1543
Wed Jun 14 2017 14:36:00.0000	1604	1446
Wed Jun 14 2017 14:37:00.0000	1605	1518
Wed Jun 14 2017 14:38:00.0000	1604	1541
Wed Jun 14 2017 14:39:00.0000	1603	1564
Wed Jun 14 2017 14:40:00.0000	1607	1439
Wed Jun 14 2017 14:41:00.0000	1609	1457
Wed Jun 14 2017 14:42:00.0000	1612	1542
Wed Jun 14 2017 14:43:00.0000	1611	1453
Wed Jun 14 2017 14:44:00.0000	1611	1463
Wed Jun 14 2017 14:45:00.0000	1614	1519
Wed Jun 14 2017 14:46:00.0000	1616	1490
Wed Jun 14 2017 14:47:00.0000	1615	1470
Wed Jun 14 2017 14:48:00.0000	1614	1499
Wed Jun 14 2017 14:49:00.0000	1616	1522
Wed Jun 14 2017 14:50:00.0000	1617	1611
Wed Jun 14 2017 14:51:00.0000	1619	1469
Wed Jun 14 2017 14:52:00.0000	1617	1494
Wed Jun 14 2017 14:53:00.0000	1617	1479
Wed Jun 14 2017 14:54:00.0000	1618	1483

Date/Time	Process Temperature (°F)	Process Flow SCFM
Wed Jun 14 2017 14:55:00.0000	1621	1516
Wed Jun 14 2017 14:56:00.0000	1620	1569
Wed Jun 14 2017 14:57:00.0000	1617	1461
Wed Jun 14 2017 14:58:00.0000	1620	1500
Wed Jun 14 2017 14:59:00.0000	1621	1523
Wed Jun 14 2017 15:00:00.0000	1622	1474
Wed Jun 14 2017 15:01:00.0000	1621	1444
Wed Jun 14 2017 15:02:00.0000	1620	1454
Wed Jun 14 2017 15:03:00.0000	1622	1495
Wed Jun 14 2017 15:04:00.0000	1624	1515
Wed Jun 14 2017 15:05:00.0000	1622	1460
Wed Jun 14 2017 15:06:00.0000	1621	1545
Wed Jun 14 2017 15:07:00.0000	1623	1469
Wed Jun 14 2017 15:08:00.0000	1624	1451
Wed Jun 14 2017 15:09:00.0000	1624	1537
Wed Jun 14 2017 15:10:00.0000	1622	1555
Wed Jun 14 2017 15:11:00.0000	1623	1512
Wed Jun 14 2017 15:12:00.0000	1624	1519
Wed Jun 14 2017 15:13:00.0000	1626	1484
Wed Jun 14 2017 15:14:00.0000	1624	1470
Wed Jun 14 2017 15:15:00.0000	1623	1540
Wed Jun 14 2017 15:16:00.0000	1625	1519
Wed Jun 14 2017 15:17:00.0000	1627	1479
Wed Jun 14 2017 15:18:00.0000	1626	1497
Wed Jun 14 2017 15:19:00.0000	1624	1499
Wed Jun 14 2017 15:20:00.0000	1625	1458
Wed Jun 14 2017 15:21:00.0000	1626	1447
Wed Jun 14 2017 15:22:00.0000	1627	1510
Wed Jun 14 2017 15:23:00.0000	1626	1506
Wed Jun 14 2017 15:24:00.0000	1625	1473
Wed Jun 14 2017 15:25:00.0000	1626	1479
Wed Jun 14 2017 15:26:00.0000	1628	1494
Wed Jun 14 2017 15:27:00.0000	1627	1500
Wed Jun 14 2017 15:28:00.0000	1625	1443
Wed Jun 14 2017 15:29:00.0000	1627	1501
Wed Jun 14 2017 15:30:00.0000	1628	1514
Wed Jun 14 2017 15:31:00.0000	1628	1494
Wed Jun 14 2017 15:32:00.0000	1626	1444
Wed Jun 14 2017 15:33:00.0000	1626	1588
Wed Jun 14 2017 15:34:00.0000	1627	1524
Wed Jun 14 2017 15:35:00.0000	1629	1524
Wed Jun 14 2017 15:36:00.0000	1628	1471
Wed Jun 14 2017 15:37:00.0000	1626	1406
Wed Jun 14 2017 15:38:00.0000	1628	1479
Wed Jun 14 2017 15:39:00.0000	1629	1495
Wed Jun 14 2017 15:40:00.0000	1629	1436
Wed Jun 14 2017 15:41:00.0000	1627	1573
Wed Jun 14 2017 15:42:00.0000	1627	1489
Wed Jun 14 2017 15:43:00.0000	1628	1473
Wed Jun 14 2017 15:44:00.0000	1630	1476
Wed Jun 14 2017 15:45:00.0000	1628	1477
Wed Jun 14 2017 15:46:00.0000	1627	1446
Wed Jun 14 2017 15:47:00.0000	1628	1458
Wed Jun 14 2017 15:48:00.0000	1629	1490
Wed Jun 14 2017 15:49:00.0000	1629	1559
Wed Jun 14 2017 15:50:00.0000	1627	1418
Wed Jun 14 2017 15:51:00.0000	1628	1525

Date/Time	Process Temperature (°F)	Process Flow SCFM
Wed Jun 14 2017 15:52:00.0000	1629	1473
Wed Jun 14 2017 15:53:00.0000	1631	1494
Wed Jun 14 2017 15:54:00.0000	1629	1519
Wed Jun 14 2017 15:55:00.0000	1628	1431
Wed Jun 14 2017 15:56:00.0000	1629	1505
Wed Jun 14 2017 15:57:00.0000	1630	1430
Wed Jun 14 2017 15:58:00.0000	1630	1459
Wed Jun 14 2017 15:59:00.0000	1628	1558
Wed Jun 14 2017 16:00:00.0000	1629	1480
Wed Jun 14 2017 16:01:00.0000	1630	1438
Wed Jun 14 2017 16:02:00.0000	1631	1522
Wed Jun 14 2017 16:03:00.0000	1629	1518
Wed Jun 14 2017 16:04:00.0000	1628	1437
Wed Jun 14 2017 16:05:00.0000	1630	1463
Wed Jun 14 2017 16:06:00.0000	1631	1545
Wed Jun 14 2017 16:07:00.0000	1630	1535
Wed Jun 14 2017 16:08:00.0000	1628	1406
Wed Jun 14 2017 16:09:00.0000	1630	1452
Wed Jun 14 2017 16:10:00.0000	1631	1490
Wed Jun 14 2017 16:11:00.0000	1631	1474
Wed Jun 14 2017 16:12:00.0000	1629	1518
Wed Jun 14 2017 16:13:00.0000	1628	1455
Wed Jun 14 2017 16:14:00.0000	1630	1475
Wed Jun 14 2017 16:15:00.0000	1632	1483
Wed Jun 14 2017 16:16:00.0000	1630	1477
Wed Jun 14 2017 16:17:00.0000	1628	1478
Wed Jun 14 2017 16:18:00.0000	1630	1476
Wed Jun 14 2017 16:19:00.0000	1631	1453
Wed Jun 14 2017 16:20:00.0000	1632	1490
Wed Jun 14 2017 16:21:00.0000	1629	1460
Wed Jun 14 2017 16:22:00.0000	1629	1489
Wed Jun 14 2017 16:23:00.0000	1631	1463
Wed Jun 14 2017 16:24:00.0000	1632	1457
Wed Jun 14 2017 16:25:00.0000	1630	1444
Wed Jun 14 2017 16:26:00.0000	1629	1462
Wed Jun 14 2017 16:27:00.0000	1631	1444
Wed Jun 14 2017 16:28:00.0000	1632	1460
Wed Jun 14 2017 16:29:00.0000	1632	1477
Wed Jun 14 2017 16:30:00.0000	1629	1450
Wed Jun 14 2017 16:31:00.0000	1630	1443
Wed Jun 14 2017 16:32:00.0000	1631	1470
Wed Jun 14 2017 16:33:00.0000	1633	1491
Wed Jun 14 2017 16:34:00.0000	1630	1432
Wed Jun 14 2017 16:35:00.0000	1629	1444
Wed Jun 14 2017 16:36:00.0000	1631	1461
Wed Jun 14 2017 16:37:00.0000	1632	1478
Wed Jun 14 2017 16:38:00.0000	1632	1503
Wed Jun 14 2017 16:39:00.0000	1629	1454
Wed Jun 14 2017 16:40:00.0000	1631	1490
Wed Jun 14 2017 16:41:00.0000	1631	1481
Wed Jun 14 2017 16:42:00.0000	1633	1454
Wed Jun 14 2017 16:43:00.0000	1631	1475
Wed Jun 14 2017 16:44:00.0000	1629	1458
Wed Jun 14 2017 16:45:00.0000	1631	1422
Wed Jun 14 2017 16:46:00.0000	1633	1484
Wed Jun 14 2017 16:47:00.0000	1632	1455
Wed Jun 14 2017 16:48:00.0000	1629	1425

Date/Time	Process Temperature (°F)	Process Flow SCFM
Wed Jun 14 2017 16:49:00.0000	1630	1470
Wed Jun 14 2017 16:50:00.0000	1631	1452
Wed Jun 14 2017 16:51:00.0000	1633	1507
Wed Jun 14 2017 16:52:00.0000	1631	1476
Wed Jun 14 2017 16:53:00.0000	1629	1499
Wed Jun 14 2017 16:54:00.0000	1631	1452
Wed Jun 14 2017 16:55:00.0000	1633	1433
Wed Jun 14 2017 16:56:00.0000	1632	1485
Wed Jun 14 2017 16:57:00.0000	1629	1437
Wed Jun 14 2017 16:58:00.0000	1630	1437
Wed Jun 14 2017 16:59:00.0000	1631	1483
Wed Jun 14 2017 17:00:00.0000	1633	1496
Wed Jun 14 2017 17:01:00.0000	1631	1441
Wed Jun 14 2017 17:02:00.0000	1629	1475
Wed Jun 14 2017 17:03:00.0000	1631	1509
Wed Jun 14 2017 17:04:00.0000	1633	1463
Wed Jun 14 2017 17:05:00.0000	1632	1451
Wed Jun 14 2017 17:06:00.0000	1629	1461
Wed Jun 14 2017 17:07:00.0000	1630	1481
Wed Jun 14 2017 17:08:00.0000	1632	1502
Wed Jun 14 2017 17:09:00.0000	1632	1480
Wed Jun 14 2017 17:10:00.0000	1630	1425
Wed Jun 14 2017 17:11:00.0000	1629	1453
Wed Jun 14 2017 17:12:00.0000	1631	1492
Wed Jun 14 2017 17:13:00.0000	1632	1538
Wed Jun 14 2017 17:14:00.0000	1631	1444
Wed Jun 14 2017 17:15:00.0000	1629	1467
Wed Jun 14 2017 17:16:00.0000	1631	1479
Wed Jun 14 2017 17:17:00.0000	1631	1433
Wed Jun 14 2017 17:18:00.0000	1632	1477
Wed Jun 14 2017 17:19:00.0000	1630	1413
Wed Jun 14 2017 17:20:00.0000	1630	1460
Wed Jun 14 2017 17:21:00.0000	1631	1465
Wed Jun 14 2017 17:22:00.0000	1632	1618
Wed Jun 14 2017 17:23:00.0000	1631	1441
Wed Jun 14 2017 17:24:00.0000	1629	1465
Wed Jun 14 2017 17:25:00.0000	1631	1422
Wed Jun 14 2017 17:26:00.0000	1632	1509
Wed Jun 14 2017 17:27:00.0000	1632	1498
Wed Jun 14 2017 17:28:00.0000	1629	1420
Wed Jun 14 2017 17:29:00.0000	1630	1538
Wed Jun 14 2017 17:30:00.0000	1631	1487
Wed Jun 14 2017 17:31:00.0000	1632	1470
Wed Jun 14 2017 17:32:00.0000	1630	1480
Wed Jun 14 2017 17:33:00.0000	1629	1429
Wed Jun 14 2017 17:34:00.0000	1631	1458
Wed Jun 14 2017 17:35:00.0000	1631	1494
Wed Jun 14 2017 17:36:00.0000	1631	1454
Wed Jun 14 2017 17:37:00.0000	1629	1422
Wed Jun 14 2017 17:38:00.0000	1630	1386
Wed Jun 14 2017 17:39:00.0000	1631	1462
Wed Jun 14 2017 17:40:00.0000	1632	1492
Wed Jun 14 2017 17:41:00.0000	1630	1423
Wed Jun 14 2017 17:42:00.0000	1629	1478
Wed Jun 14 2017 17:43:00.0000	1630	1514
Wed Jun 14 2017 17:44:00.0000	1631	1507
Wed Jun 14 2017 17:45:00.0000	1631	1445

Date/Time	Process Temperature (°F)	Process Flow SCFM
Wed Jun 14 2017 17:46:00.0000	1629	1470
Wed Jun 14 2017 17:47:00.0000	1629	1497
Wed Jun 14 2017 17:48:00.0000	1630	1553
Wed Jun 14 2017 17:49:00.0000	1632	1479
Wed Jun 14 2017 17:50:00.0000	1630	1439
Wed Jun 14 2017 17:51:00.0000	1629	1502
Wed Jun 14 2017 17:52:00.0000	1630	1470
Wed Jun 14 2017 17:53:00.0000	1631	1454
Wed Jun 14 2017 17:54:00.0000	1631	1467
Wed Jun 14 2017 17:55:00.0000	1629	1500
Wed Jun 14 2017 17:56:00.0000	1629	1484
Wed Jun 14 2017 17:57:00.0000	1630	1455
Wed Jun 14 2017 17:58:00.0000	1632	1503
Wed Jun 14 2017 17:59:00.0000	1630	1470
Wed Jun 14 2017 18:00:00.0000	1629	1468
Wed Jun 14 2017 18:01:00.0000	1630	1445
Wed Jun 14 2017 18:02:00.0000	1631	1510
Wed Jun 14 2017 18:03:00.0000	1631	1524
Wed Jun 14 2017 18:04:00.0000	1629	1407
Wed Jun 14 2017 18:05:00.0000	1629	1610
Wed Jun 14 2017 18:06:00.0000	1630	1477
Wed Jun 14 2017 18:07:00.0000	1632	1462
Wed Jun 14 2017 18:08:00.0000	1630	1446
Wed Jun 14 2017 18:09:00.0000	1628	1431
Wed Jun 14 2017 18:10:00.0000	1630	1398
Wed Jun 14 2017 18:11:00.0000	1631	1501
Wed Jun 14 2017 18:12:00.0000	1631	1441
Wed Jun 14 2017 18:13:00.0000	1628	1441
Wed Jun 14 2017 18:14:00.0000	1629	1469
Wed Jun 14 2017 18:15:00.0000	1630	1420
Wed Jun 14 2017 18:16:00.0000	1631	1427
Wed Jun 14 2017 18:17:00.0000	1629	1465
Wed Jun 14 2017 18:18:00.0000	1628	1436
Wed Jun 14 2017 18:19:00.0000	1629	1419
Wed Jun 14 2017 18:20:00.0000	1631	1426
Wed Jun 14 2017 18:21:00.0000	1630	1437
Wed Jun 14 2017 18:22:00.0000	1628	1430
Wed Jun 14 2017 18:23:00.0000	1629	1425
Wed Jun 14 2017 18:24:00.0000	1629	1412
Wed Jun 14 2017 18:25:00.0000	1631	1469
Wed Jun 14 2017 18:26:00.0000	1629	1454
Wed Jun 14 2017 18:27:00.0000	1628	1450
Wed Jun 14 2017 18:28:00.0000	1629	1447
Wed Jun 14 2017 18:29:00.0000	1631	1539
Wed Jun 14 2017 18:30:00.0000	1629	1428
Wed Jun 14 2017 18:31:00.0000	1627	1436
Wed Jun 14 2017 18:32:00.0000	1629	1449
Wed Jun 14 2017 18:33:00.0000	1630	1443
Wed Jun 14 2017 18:34:00.0000	1630	1413
Wed Jun 14 2017 18:35:00.0000	1628	1438
Wed Jun 14 2017 18:36:00.0000	1628	1437
Wed Jun 14 2017 18:37:00.0000	1629	1432
Wed Jun 14 2017 18:38:00.0000	1630	1461
Wed Jun 14 2017 18:39:00.0000	1629	1429
Wed Jun 14 2017 18:40:00.0000	1627	1456
Wed Jun 14 2017 18:41:00.0000	1629	1428
Wed Jun 14 2017 18:42:00.0000	1629	1429

Date/Time	Process Temperature (°F)	Process Flow SCFM
Wed Jun 14 2017 18:43:00.0000	1630	1467
Wed Jun 14 2017 18:44:00.0000	1628	1442
Wed Jun 14 2017 18:45:00.0000	1628	1410
Wed Jun 14 2017 18:46:00.0000	1628	1481
Wed Jun 14 2017 18:47:00.0000	1630	1443
Wed Jun 14 2017 18:48:00.0000	1629	1451
Wed Jun 14 2017 18:49:00.0000	1627	1441
Wed Jun 14 2017 18:50:00.0000	1629	1424
Wed Jun 14 2017 18:51:00.0000	1630	1418
Wed Jun 14 2017 18:52:00.0000	1630	1445
Wed Jun 14 2017 18:53:00.0000	1628	1436
Wed Jun 14 2017 18:54:00.0000	1630	1439
Wed Jun 14 2017 18:55:00.0000	1631	1454
Wed Jun 14 2017 18:56:00.0000	1632	1432
Wed Jun 14 2017 18:57:00.0000	1630	1427
Wed Jun 14 2017 18:58:00.0000	1629	1418
Wed Jun 14 2017 18:59:00.0000	1631	1436
Wed Jun 14 2017 19:00:00.0000	1633	1438
Wed Jun 14 2017 19:01:00.0000	1632	1484
Wed Jun 14 2017 19:02:00.0000	1630	1449
Wed Jun 14 2017 19:03:00.0000	1631	1495
Wed Jun 14 2017 19:04:00.0000	1632	1449
Wed Jun 14 2017 19:05:00.0000	1630	1428
Wed Jun 14 2017 19:06:00.0000	1625	1515
Wed Jun 14 2017 19:07:00.0000	1622	1467
Wed Jun 14 2017 19:08:00.0000	1621	1527
Wed Jun 14 2017 19:09:00.0000	1620	1436
Wed Jun 14 2017 19:10:00.0000	1617	1426
Wed Jun 14 2017 19:11:00.0000	1615	1431
Wed Jun 14 2017 19:12:00.0000	1615	1405
Wed Jun 14 2017 19:13:00.0000	1614	1379
Wed Jun 14 2017 19:14:00.0000	1613	1386
Wed Jun 14 2017 19:15:00.0000	1611	1482
Wed Jun 14 2017 19:16:00.0000	1610	1340
Wed Jun 14 2017 19:17:00.0000	1611	1492
Wed Jun 14 2017 19:18:00.0000	1611	1429
Wed Jun 14 2017 19:19:00.0000	1610	1425
Wed Jun 14 2017 19:20:00.0000	1608	1445
Wed Jun 14 2017 19:21:00.0000	1609	1419
Wed Jun 14 2017 19:22:00.0000	1609	1408
Wed Jun 14 2017 19:23:00.0000	1608	1491
Wed Jun 14 2017 19:24:00.0000	1606	1404
Wed Jun 14 2017 19:25:00.0000	1605	1414
Wed Jun 14 2017 19:26:00.0000	1607	1458
Wed Jun 14 2017 19:27:00.0000	1607	1421
Wed Jun 14 2017 19:28:00.0000	1605	1427
Wed Jun 14 2017 19:29:00.0000	1604	1433
Wed Jun 14 2017 19:30:00.0000	1605	1425
Wed Jun 14 2017 19:31:00.0000	1605	1400
Wed Jun 14 2017 19:32:00.0000	1604	1437
Wed Jun 14 2017 19:33:00.0000	1602	1424
Wed Jun 14 2017 19:34:00.0000	1605	1452
Wed Jun 14 2017 19:35:00.0000	1610	1439
Wed Jun 14 2017 19:36:00.0000	1615	1420
Wed Jun 14 2017 19:37:00.0000	1616	1426
Wed Jun 14 2017 19:38:00.0000	1615	1422
Wed Jun 14 2017 19:39:00.0000	1619	1432

Date/Time	Process Temperature (°F)	Process Flow SCFM
Wed Jun 14 2017 19:40:00.0000	1621	1410
Wed Jun 14 2017 19:41:00.0000	1623	1427
Wed Jun 14 2017 19:42:00.0000	1622	1453
Wed Jun 14 2017 19:43:00.0000	1624	1408
Wed Jun 14 2017 19:44:00.0000	1625	1423
Wed Jun 14 2017 19:45:00.0000	1628	1400
Wed Jun 14 2017 19:46:00.0000	1627	1419
Wed Jun 14 2017 19:47:00.0000	1626	1440
Wed Jun 14 2017 19:48:00.0000	1628	1422
Wed Jun 14 2017 19:49:00.0000	1631	1427
Wed Jun 14 2017 19:50:00.0000	1630	1424
Wed Jun 14 2017 19:51:00.0000	1628	1375
Wed Jun 14 2017 19:52:00.0000	1630	1477
Wed Jun 14 2017 19:53:00.0000	1632	1472
Wed Jun 14 2017 19:54:00.0000	1632	1465
Wed Jun 14 2017 19:55:00.0000	1625	1396
Wed Jun 14 2017 19:56:00.0000	1621	1455
Wed Jun 14 2017 19:57:00.0000	1619	1460
Wed Jun 14 2017 19:58:00.0000	1617	1419
Wed Jun 14 2017 19:59:00.0000	1614	1399
Wed Jun 14 2017 20:00:00.0000	1611	1471
Wed Jun 14 2017 20:01:00.0000	1611	1424
Wed Jun 14 2017 20:02:00.0000	1610	1508
Wed Jun 14 2017 20:03:00.0000	1609	1456
Wed Jun 14 2017 20:04:00.0000	1608	1470
Wed Jun 14 2017 20:05:00.0000	1607	1425
Wed Jun 14 2017 20:06:00.0000	1608	1408
Wed Jun 14 2017 20:07:00.0000	1608	1348
Wed Jun 14 2017 20:08:00.0000	1606	1408
Wed Jun 14 2017 20:09:00.0000	1605	1475
Wed Jun 14 2017 20:10:00.0000	1606	1376
Wed Jun 14 2017 20:11:00.0000	1606	1425
Wed Jun 14 2017 20:12:00.0000	1605	1460
Wed Jun 14 2017 20:13:00.0000	1603	1428
Wed Jun 14 2017 20:14:00.0000	1603	1474
Wed Jun 14 2017 20:15:00.0000	1609	1390
Wed Jun 14 2017 20:16:00.0000	1615	1392
Wed Jun 14 2017 20:17:00.0000	1617	1412
Wed Jun 14 2017 20:18:00.0000	1616	1415
Wed Jun 14 2017 20:19:00.0000	1619	1392
Wed Jun 14 2017 20:20:00.0000	1622	1449
Wed Jun 14 2017 20:21:00.0000	1622	1516
Wed Jun 14 2017 20:22:00.0000	1621	1323
Wed Jun 14 2017 20:23:00.0000	1622	1408
Wed Jun 14 2017 20:24:00.0000	1624	1469
Wed Jun 14 2017 20:25:00.0000	1627	1374
Wed Jun 14 2017 20:26:00.0000	1626	1395
Wed Jun 14 2017 20:27:00.0000	1624	1384
Wed Jun 14 2017 20:28:00.0000	1627	1394
Wed Jun 14 2017 20:29:00.0000	1629	1410
Wed Jun 14 2017 20:30:00.0000	1629	1383
Wed Jun 14 2017 20:31:00.0000	1627	1402
Wed Jun 14 2017 20:32:00.0000	1628	1405
Wed Jun 14 2017 20:33:00.0000	1630	1394
Wed Jun 14 2017 20:34:00.0000	1633	1392
Wed Jun 14 2017 20:35:00.0000	1630	1391
Wed Jun 14 2017 20:36:00.0000	1629	1412

Date/Time	Process Temperature (°F)	Process Flow SCFM
Wed Jun 14 2017 20:37:00.0000	1631	1399
Wed Jun 14 2017 20:38:00.0000	1633	1419
Wed Jun 14 2017 20:39:00.0000	1626	1421
Wed Jun 14 2017 20:40:00.0000	1620	1404
Wed Jun 14 2017 20:41:00.0000	1617	1396
Wed Jun 14 2017 20:42:00.0000	1614	1392
Wed Jun 14 2017 20:43:00.0000	1610	1416
Wed Jun 14 2017 20:44:00.0000	1607	1395
Wed Jun 14 2017 20:45:00.0000	1605	1417
Wed Jun 14 2017 20:46:00.0000	1604	1402
Wed Jun 14 2017 20:47:00.0000	1602	1410
Wed Jun 14 2017 20:48:00.0000	1603	1410
Wed Jun 14 2017 20:49:00.0000	1606	1400
Wed Jun 14 2017 20:50:00.0000	1611	1412
Wed Jun 14 2017 20:51:00.0000	1616	1409
Wed Jun 14 2017 20:52:00.0000	1621	1425
Wed Jun 14 2017 20:53:00.0000	1620	1426
Wed Jun 14 2017 20:54:00.0000	1620	1381
Wed Jun 14 2017 20:55:00.0000	1623	1423
Wed Jun 14 2017 20:56:00.0000	1627	1390
Wed Jun 14 2017 20:57:00.0000	1627	1416
Wed Jun 14 2017 20:58:00.0000	1625	1404
Wed Jun 14 2017 20:59:00.0000	1627	1443
Wed Jun 14 2017 21:00:00.0000	1629	1581
Wed Jun 14 2017 21:01:00.0000	1632	1410
Wed Jun 14 2017 21:02:00.0000	1631	1406
Wed Jun 14 2017 21:03:00.0000	1629	1419
Wed Jun 14 2017 21:04:00.0000	1632	1384
Wed Jun 14 2017 21:05:00.0000	1634	1372
Wed Jun 14 2017 21:06:00.0000	1626	1412
Wed Jun 14 2017 21:07:00.0000	1620	1430
Wed Jun 14 2017 21:08:00.0000	1616	1425
Wed Jun 14 2017 21:09:00.0000	1613	1382
Wed Jun 14 2017 21:10:00.0000	1610	1455
Wed Jun 14 2017 21:11:00.0000	1607	1361
Wed Jun 14 2017 21:12:00.0000	1605	1392
Wed Jun 14 2017 21:13:00.0000	1604	1380
Wed Jun 14 2017 21:14:00.0000	1602	1394
Wed Jun 14 2017 21:15:00.0000	1604	1470
Wed Jun 14 2017 21:16:00.0000	1608	1431
Wed Jun 14 2017 21:17:00.0000	1614	1410
Wed Jun 14 2017 21:18:00.0000	1618	1444
Wed Jun 14 2017 21:19:00.0000	1620	1366
Wed Jun 14 2017 21:20:00.0000	1619	1358
Wed Jun 14 2017 21:21:00.0000	1620	1415
Wed Jun 14 2017 21:22:00.0000	1622	1352
Wed Jun 14 2017 21:23:00.0000	1625	1435
Wed Jun 14 2017 21:24:00.0000	1624	1410
Wed Jun 14 2017 21:25:00.0000	1623	1454
Wed Jun 14 2017 21:26:00.0000	1625	1420
Wed Jun 14 2017 21:27:00.0000	1627	1428
Wed Jun 14 2017 21:28:00.0000	1628	1479
Wed Jun 14 2017 21:29:00.0000	1626	1416
Wed Jun 14 2017 21:30:00.0000	1627	1419
Wed Jun 14 2017 21:31:00.0000	1628	1412
Wed Jun 14 2017 21:32:00.0000	1631	1385
Wed Jun 14 2017 21:33:00.0000	1629	1444

Date/Time	Process Temperature (°F)	Process Flow SCFM
Wed Jun 14 2017 21:34:00.0000	1628	1437
Wed Jun 14 2017 21:35:00.0000	1630	1382
Wed Jun 14 2017 21:36:00.0000	1632	1465
Wed Jun 14 2017 21:37:00.0000	1632	1408
Wed Jun 14 2017 21:38:00.0000	1630	1409
Wed Jun 14 2017 21:39:00.0000	1631	1400
Wed Jun 14 2017 21:40:00.0000	1632	1659
Wed Jun 14 2017 21:41:00.0000	1631	1425
Wed Jun 14 2017 21:42:00.0000	1625	1353
Wed Jun 14 2017 21:43:00.0000	1622	1324
Wed Jun 14 2017 21:44:00.0000	1621	1421
Wed Jun 14 2017 21:45:00.0000	1620	1389
Wed Jun 14 2017 21:46:00.0000	1617	1401
Wed Jun 14 2017 21:47:00.0000	1615	1383
Wed Jun 14 2017 21:48:00.0000	1615	1454
Wed Jun 14 2017 21:49:00.0000	1614	1428
Wed Jun 14 2017 21:50:00.0000	1613	1447
Wed Jun 14 2017 21:51:00.0000	1611	1382
Wed Jun 14 2017 21:52:00.0000	1610	1416
Wed Jun 14 2017 21:53:00.0000	1610	1461
Wed Jun 14 2017 21:54:00.0000	1609	1361
Wed Jun 14 2017 21:55:00.0000	1607	1437
Wed Jun 14 2017 21:56:00.0000	1606	1396
Wed Jun 14 2017 21:57:00.0000	1607	1405
Wed Jun 14 2017 21:58:00.0000	1607	1409
Wed Jun 14 2017 21:59:00.0000	1605	1457
Wed Jun 14 2017 22:00:00.0000	1603	1369
Wed Jun 14 2017 22:01:00.0000	1604	1445
Wed Jun 14 2017 22:02:00.0000	1605	1314
Wed Jun 14 2017 22:03:00.0000	1604	1446
Wed Jun 14 2017 22:04:00.0000	1602	1411
Wed Jun 14 2017 22:05:00.0000	1605	1444
Wed Jun 14 2017 22:06:00.0000	1610	1409
Wed Jun 14 2017 22:07:00.0000	1615	1528
Wed Jun 14 2017 22:08:00.0000	1617	1525
Wed Jun 14 2017 22:09:00.0000	1616	1489
Wed Jun 14 2017 22:10:00.0000	1620	1394
Wed Jun 14 2017 22:11:00.0000	1623	1423
Wed Jun 14 2017 22:12:00.0000	1625	1341
Wed Jun 14 2017 22:13:00.0000	1623	1469
Wed Jun 14 2017 22:14:00.0000	1623	1431
Wed Jun 14 2017 22:15:00.0000	1625	1428
Wed Jun 14 2017 22:16:00.0000	1628	1443
Wed Jun 14 2017 22:17:00.0000	1627	1446
Wed Jun 14 2017 22:18:00.0000	1624	1412
Wed Jun 14 2017 22:19:00.0000	1627	1420
Wed Jun 14 2017 22:20:00.0000	1628	1417
Wed Jun 14 2017 22:21:00.0000	1630	1405
Wed Jun 14 2017 22:22:00.0000	1628	1507
Wed Jun 14 2017 22:23:00.0000	1627	1429
Wed Jun 14 2017 22:24:00.0000	1630	1455
Wed Jun 14 2017 22:25:00.0000	1632	1491
Wed Jun 14 2017 22:26:00.0000	1630	1409
Wed Jun 14 2017 22:27:00.0000	1628	1405
Wed Jun 14 2017 22:28:00.0000	1631	1412
Wed Jun 14 2017 22:29:00.0000	1632	1354
Wed Jun 14 2017 22:30:00.0000	1630	1405

Date/Time	Process Temperature (°F)	Process Flow SCFM
Wed Jun 14 2017 22:31:00.0000	1624	1531
Wed Jun 14 2017 22:32:00.0000	1622	1388
Wed Jun 14 2017 22:33:00.0000	1620	1448
Wed Jun 14 2017 22:34:00.0000	1618	1463
Wed Jun 14 2017 22:35:00.0000	1616	1472
Wed Jun 14 2017 22:36:00.0000	1614	1407
Wed Jun 14 2017 22:37:00.0000	1614	1352
Wed Jun 14 2017 22:38:00.0000	1613	1429
Wed Jun 14 2017 22:39:00.0000	1611	1416
Wed Jun 14 2017 22:40:00.0000	1609	1406
Wed Jun 14 2017 22:41:00.0000	1609	1381
Wed Jun 14 2017 22:42:00.0000	1609	1403
Wed Jun 14 2017 22:43:00.0000	1608	1433
Wed Jun 14 2017 22:44:00.0000	1606	1378
Wed Jun 14 2017 22:45:00.0000	1605	1364
Wed Jun 14 2017 22:46:00.0000	1606	1359
Wed Jun 14 2017 22:47:00.0000	1605	1396
Wed Jun 14 2017 22:48:00.0000	1603	1394
Wed Jun 14 2017 22:49:00.0000	1602	1438
Wed Jun 14 2017 22:50:00.0000	1603	1462
Wed Jun 14 2017 22:51:00.0000	1602	1422
Wed Jun 14 2017 22:52:00.0000	1602	1365
Wed Jun 14 2017 22:53:00.0000	1603	1425
Wed Jun 14 2017 22:54:00.0000	1608	1378
Wed Jun 14 2017 22:55:00.0000	1612	1436
Wed Jun 14 2017 22:56:00.0000	1615	1410
Wed Jun 14 2017 22:57:00.0000	1615	1378
Wed Jun 14 2017 22:58:00.0000	1614	1464
Wed Jun 14 2017 22:59:00.0000	1617	1361
Wed Jun 14 2017 23:00:00.0000	1620	1408
Wed Jun 14 2017 23:01:00.0000	1622	1370
Wed Jun 14 2017 23:02:00.0000	1620	1425
Wed Jun 14 2017 23:03:00.0000	1623	1395
Wed Jun 14 2017 23:04:00.0000	1625	1276
Wed Jun 14 2017 23:05:00.0000	1627	1437
Wed Jun 14 2017 23:06:00.0000	1626	1495
Wed Jun 14 2017 23:07:00.0000	1626	1374
Wed Jun 14 2017 23:08:00.0000	1628	1428
Wed Jun 14 2017 23:09:00.0000	1630	1378
Wed Jun 14 2017 23:10:00.0000	1629	1353
Wed Jun 14 2017 23:11:00.0000	1626	1378
Wed Jun 14 2017 23:12:00.0000	1628	1398
Wed Jun 14 2017 23:13:00.0000	1630	1376
Wed Jun 14 2017 23:14:00.0000	1631	1381
Wed Jun 14 2017 23:15:00.0000	1629	1381
Wed Jun 14 2017 23:16:00.0000	1628	1391
Wed Jun 14 2017 23:17:00.0000	1630	1455
Wed Jun 14 2017 23:18:00.0000	1632	1389
Wed Jun 14 2017 23:19:00.0000	1631	1430
Wed Jun 14 2017 23:20:00.0000	1629	1400
Wed Jun 14 2017 23:21:00.0000	1631	1387
Wed Jun 14 2017 23:22:00.0000	1632	1461
Wed Jun 14 2017 23:23:00.0000	1630	1424
Wed Jun 14 2017 23:24:00.0000	1624	1416
Wed Jun 14 2017 23:25:00.0000	1621	1408
Wed Jun 14 2017 23:26:00.0000	1618	1404
Wed Jun 14 2017 23:27:00.0000	1616	1363

Date/Time	Process Temperature (°F)	Process Flow SCFM
Wed Jun 14 2017 23:28:00.0000	1613	1367
Wed Jun 14 2017 23:29:00.0000	1611	1378
Wed Jun 14 2017 23:30:00.0000	1610	1384
Wed Jun 14 2017 23:31:00.0000	1609	1394
Wed Jun 14 2017 23:32:00.0000	1608	1375
Wed Jun 14 2017 23:33:00.0000	1605	1362
Wed Jun 14 2017 23:34:00.0000	1605	1381
Wed Jun 14 2017 23:35:00.0000	1604	1352
Wed Jun 14 2017 23:36:00.0000	1603	1387
Wed Jun 14 2017 23:37:00.0000	1602	1377
Wed Jun 14 2017 23:38:00.0000	1602	1375
Wed Jun 14 2017 23:39:00.0000	1611	1374
Wed Jun 14 2017 23:40:00.0000	1617	1395
Wed Jun 14 2017 23:41:00.0000	1624	1395
Wed Jun 14 2017 23:42:00.0000	1624	1395
Wed Jun 14 2017 23:43:00.0000	1625	1376
Wed Jun 14 2017 23:44:00.0000	1628	1385
Wed Jun 14 2017 23:45:00.0000	1633	1408
Wed Jun 14 2017 23:46:00.0000	1628	1373
Wed Jun 14 2017 23:47:00.0000	1624	1362
Wed Jun 14 2017 23:48:00.0000	1623	1396
Wed Jun 14 2017 23:49:00.0000	1622	1356
Wed Jun 14 2017 23:50:00.0000	1621	1406
Wed Jun 14 2017 23:51:00.0000	1618	1435
Wed Jun 14 2017 23:52:00.0000	1618	1386
Wed Jun 14 2017 23:53:00.0000	1618	1358
Wed Jun 14 2017 23:54:00.0000	1618	1364
Wed Jun 14 2017 23:55:00.0000	1617	1389
Wed Jun 14 2017 23:56:00.0000	1615	1394
Wed Jun 14 2017 23:57:00.0000	1616	1386
Wed Jun 14 2017 23:58:00.0000	1617	1402
Wed Jun 14 2017 23:59:00.0000	1616	1376
Thu Jun 15 2017 00:00:00.0000	1614	1399
Thu Jun 15 2017 00:01:00.0000	1615	1373
Thu Jun 15 2017 00:02:00.0000	1615	1365
Thu Jun 15 2017 00:03:00.0000	1615	1381
Thu Jun 15 2017 00:04:00.0000	1613	1379
Thu Jun 15 2017 00:05:00.0000	1612	1402
Thu Jun 15 2017 00:06:00.0000	1613	1409
Thu Jun 15 2017 00:07:00.0000	1614	1403
Thu Jun 15 2017 00:08:00.0000	1613	1380
Thu Jun 15 2017 00:09:00.0000	1611	1381
Thu Jun 15 2017 00:10:00.0000	1612	1372
Thu Jun 15 2017 00:11:00.0000	1613	1374
Thu Jun 15 2017 00:12:00.0000	1613	1389
Thu Jun 15 2017 00:13:00.0000	1611	1366
Thu Jun 15 2017 00:14:00.0000	1611	1391
Thu Jun 15 2017 00:15:00.0000	1612	1381
Thu Jun 15 2017 00:16:00.0000	1612	1381
Thu Jun 15 2017 00:17:00.0000	1611	1365
Thu Jun 15 2017 00:18:00.0000	1609	1391
Thu Jun 15 2017 00:19:00.0000	1611	1370
Thu Jun 15 2017 00:20:00.0000	1611	1346
Thu Jun 15 2017 00:21:00.0000	1611	1385
Thu Jun 15 2017 00:22:00.0000	1609	1381
Thu Jun 15 2017 00:23:00.0000	1610	1392
Thu Jun 15 2017 00:24:00.0000	1611	1376

Date/Time	Process Temperature (°F)	Process Flow SCFM
Thu Jun 15 2017 00:25:00.0000	1610	1389
Thu Jun 15 2017 00:26:00.0000	1609	1435
Thu Jun 15 2017 00:27:00.0000	1608	1384
Thu Jun 15 2017 00:28:00.0000	1609	1402
Thu Jun 15 2017 00:29:00.0000	1610	1390
Thu Jun 15 2017 00:30:00.0000	1609	1381
Thu Jun 15 2017 00:31:00.0000	1607	1376
Thu Jun 15 2017 00:32:00.0000	1607	1400
Thu Jun 15 2017 00:33:00.0000	1608	1380
Thu Jun 15 2017 00:34:00.0000	1608	1374
Thu Jun 15 2017 00:35:00.0000	1606	1358
Thu Jun 15 2017 00:36:00.0000	1606	1382
Thu Jun 15 2017 00:37:00.0000	1608	1381
Thu Jun 15 2017 00:38:00.0000	1608	1375
Thu Jun 15 2017 00:39:00.0000	1607	1379
Thu Jun 15 2017 00:40:00.0000	1606	1385
Thu Jun 15 2017 00:41:00.0000	1607	1367
Thu Jun 15 2017 00:42:00.0000	1608	1398
Thu Jun 15 2017 00:43:00.0000	1607	1381
Thu Jun 15 2017 00:44:00.0000	1605	1380
Thu Jun 15 2017 00:45:00.0000	1607	1348
Thu Jun 15 2017 00:46:00.0000	1607	1382
Thu Jun 15 2017 00:47:00.0000	1608	1372
Thu Jun 15 2017 00:48:00.0000	1606	1353
Thu Jun 15 2017 00:49:00.0000	1605	1381
Thu Jun 15 2017 00:50:00.0000	1607	1336
Thu Jun 15 2017 00:51:00.0000	1607	1381
Thu Jun 15 2017 00:52:00.0000	1607	1377
Thu Jun 15 2017 00:53:00.0000	1605	1370
Thu Jun 15 2017 00:54:00.0000	1606	1360
Thu Jun 15 2017 00:55:00.0000	1607	1376
Thu Jun 15 2017 00:56:00.0000	1607	1371
Thu Jun 15 2017 00:57:00.0000	1605	1376
Thu Jun 15 2017 00:58:00.0000	1605	1402
Thu Jun 15 2017 00:59:00.0000	1606	1364
Thu Jun 15 2017 01:00:00.0000	1607	1373
Thu Jun 15 2017 01:01:00.0000	1606	1369
Thu Jun 15 2017 01:02:00.0000	1604	1380
Thu Jun 15 2017 01:03:00.0000	1605	1377
Thu Jun 15 2017 01:04:00.0000	1606	1389
Thu Jun 15 2017 01:05:00.0000	1606	1386
Thu Jun 15 2017 01:06:00.0000	1604	1363
Thu Jun 15 2017 01:07:00.0000	1604	1370
Thu Jun 15 2017 01:08:00.0000	1605	1392
Thu Jun 15 2017 01:09:00.0000	1606	1388
Thu Jun 15 2017 01:10:00.0000	1605	1359
Thu Jun 15 2017 01:11:00.0000	1604	1380
Thu Jun 15 2017 01:12:00.0000	1605	1387
Thu Jun 15 2017 01:13:00.0000	1606	1372
Thu Jun 15 2017 01:14:00.0000	1605	1375
Thu Jun 15 2017 01:15:00.0000	1604	1424
Thu Jun 15 2017 01:16:00.0000	1604	1398
Thu Jun 15 2017 01:17:00.0000	1605	1402
Thu Jun 15 2017 01:18:00.0000	1606	1356
Thu Jun 15 2017 01:19:00.0000	1604	1391
Thu Jun 15 2017 01:20:00.0000	1603	1394
Thu Jun 15 2017 01:21:00.0000	1604	1379

Date/Time	Process Temperature (°F)	Process Flow SCFM
Thu Jun 15 2017 01:22:00.0000	1605	1386
Thu Jun 15 2017 01:23:00.0000	1605	1376
Thu Jun 15 2017 01:24:00.0000	1603	1384
Thu Jun 15 2017 01:25:00.0000	1604	1357
Thu Jun 15 2017 01:26:00.0000	1605	1378
Thu Jun 15 2017 01:27:00.0000	1605	1362
Thu Jun 15 2017 01:28:00.0000	1604	1371
Thu Jun 15 2017 01:29:00.0000	1603	1379
Thu Jun 15 2017 01:30:00.0000	1604	1382
Thu Jun 15 2017 01:31:00.0000	1605	1325
Thu Jun 15 2017 01:32:00.0000	1604	1374
Thu Jun 15 2017 01:33:00.0000	1602	1386
Thu Jun 15 2017 01:34:00.0000	1603	1376
Thu Jun 15 2017 01:35:00.0000	1604	1391
Thu Jun 15 2017 01:36:00.0000	1604	1375
Thu Jun 15 2017 01:37:00.0000	1603	1388
Thu Jun 15 2017 01:38:00.0000	1603	1337
Thu Jun 15 2017 01:39:00.0000	1609	1383
Thu Jun 15 2017 01:40:00.0000	1616	1390
Thu Jun 15 2017 01:41:00.0000	1618	1366
Thu Jun 15 2017 01:42:00.0000	1617	1417
Thu Jun 15 2017 01:43:00.0000	1621	1402
Thu Jun 15 2017 01:44:00.0000	1624	1371
Thu Jun 15 2017 01:45:00.0000	1627	1380
Thu Jun 15 2017 01:46:00.0000	1625	1399
Thu Jun 15 2017 01:47:00.0000	1625	1357
Thu Jun 15 2017 01:48:00.0000	1628	1378
Thu Jun 15 2017 01:49:00.0000	1632	1381
Thu Jun 15 2017 01:50:00.0000	1632	1365
Thu Jun 15 2017 01:51:00.0000	1629	1368
Thu Jun 15 2017 01:52:00.0000	1633	1384
Thu Jun 15 2017 01:53:00.0000	1633	1388
Thu Jun 15 2017 01:54:00.0000	1626	1390
Thu Jun 15 2017 01:55:00.0000	1619	1350
Thu Jun 15 2017 01:56:00.0000	1615	1364
Thu Jun 15 2017 01:57:00.0000	1611	1354
Thu Jun 15 2017 01:58:00.0000	1608	1358
Thu Jun 15 2017 01:59:00.0000	1605	1378
Thu Jun 15 2017 02:00:00.0000	1602	1340
Thu Jun 15 2017 02:01:00.0000	1602	1357
Thu Jun 15 2017 02:02:00.0000	1607	1373
Thu Jun 15 2017 02:03:00.0000	1609	1368
Thu Jun 15 2017 02:04:00.0000	1609	1345
Thu Jun 15 2017 02:05:00.0000	1610	1377
Thu Jun 15 2017 02:06:00.0000	1612	1389
Thu Jun 15 2017 02:07:00.0000	1614	1366
Thu Jun 15 2017 02:08:00.0000	1613	1390
Thu Jun 15 2017 02:09:00.0000	1612	1364
Thu Jun 15 2017 02:10:00.0000	1614	1338
Thu Jun 15 2017 02:11:00.0000	1616	1401
Thu Jun 15 2017 02:12:00.0000	1616	1357
Thu Jun 15 2017 02:13:00.0000	1614	1421
Thu Jun 15 2017 02:14:00.0000	1615	1383
Thu Jun 15 2017 02:15:00.0000	1616	1386
Thu Jun 15 2017 02:16:00.0000	1617	1398
Thu Jun 15 2017 02:17:00.0000	1616	1367
Thu Jun 15 2017 02:18:00.0000	1615	1376

Date/Time	Process Temperature (°F)	Process Flow SCFM
Thu Jun 15 2017 02:19:00.0000	1617	1365
Thu Jun 15 2017 02:20:00.0000	1618	1376
Thu Jun 15 2017 02:21:00.0000	1618	1356
Thu Jun 15 2017 02:22:00.0000	1616	1369
Thu Jun 15 2017 02:23:00.0000	1617	1388
Thu Jun 15 2017 02:24:00.0000	1618	1404
Thu Jun 15 2017 02:25:00.0000	1619	1366
Thu Jun 15 2017 02:26:00.0000	1618	1356
Thu Jun 15 2017 02:27:00.0000	1616	1367
Thu Jun 15 2017 02:28:00.0000	1618	1390
Thu Jun 15 2017 02:29:00.0000	1620	1365
Thu Jun 15 2017 02:30:00.0000	1618	1372
Thu Jun 15 2017 02:31:00.0000	1616	1364
Thu Jun 15 2017 02:32:00.0000	1618	1383
Thu Jun 15 2017 02:33:00.0000	1619	1386
Thu Jun 15 2017 02:34:00.0000	1620	1396
Thu Jun 15 2017 02:35:00.0000	1617	1379
Thu Jun 15 2017 02:36:00.0000	1618	1383
Thu Jun 15 2017 02:37:00.0000	1619	1389
Thu Jun 15 2017 02:38:00.0000	1621	1391
Thu Jun 15 2017 02:39:00.0000	1619	1369
Thu Jun 15 2017 02:40:00.0000	1617	1373
Thu Jun 15 2017 02:41:00.0000	1619	1377
Thu Jun 15 2017 02:42:00.0000	1620	1381
Thu Jun 15 2017 02:43:00.0000	1621	1398
Thu Jun 15 2017 02:44:00.0000	1618	1367
Thu Jun 15 2017 02:45:00.0000	1618	1404
Thu Jun 15 2017 02:46:00.0000	1620	1346
Thu Jun 15 2017 02:47:00.0000	1621	1340
Thu Jun 15 2017 02:48:00.0000	1620	1367
Thu Jun 15 2017 02:49:00.0000	1618	1388
Thu Jun 15 2017 02:50:00.0000	1620	1354
Thu Jun 15 2017 02:51:00.0000	1621	1394
Thu Jun 15 2017 02:52:00.0000	1621	1390
Thu Jun 15 2017 02:53:00.0000	1619	1341
Thu Jun 15 2017 02:54:00.0000	1619	1393
Thu Jun 15 2017 02:55:00.0000	1620	1367
Thu Jun 15 2017 02:56:00.0000	1622	1377
Thu Jun 15 2017 02:57:00.0000	1620	1396
Thu Jun 15 2017 02:58:00.0000	1618	1400
Thu Jun 15 2017 02:59:00.0000	1620	1394
Thu Jun 15 2017 03:00:00.0000	1621	1338
Thu Jun 15 2017 03:01:00.0000	1622	1370
Thu Jun 15 2017 03:02:00.0000	1619	1358
Thu Jun 15 2017 03:03:00.0000	1619	1359
Thu Jun 15 2017 03:04:00.0000	1621	1372
Thu Jun 15 2017 03:05:00.0000	1622	1372
Thu Jun 15 2017 03:06:00.0000	1621	1367
Thu Jun 15 2017 03:07:00.0000	1619	1377
Thu Jun 15 2017 03:08:00.0000	1621	1363
Thu Jun 15 2017 03:09:00.0000	1622	1375
Thu Jun 15 2017 03:10:00.0000	1622	1451
Thu Jun 15 2017 03:11:00.0000	1620	1379
Thu Jun 15 2017 03:12:00.0000	1621	1371
Thu Jun 15 2017 03:13:00.0000	1621	1382
Thu Jun 15 2017 03:14:00.0000	1622	1384
Thu Jun 15 2017 03:15:00.0000	1621	1336

Date/Time	Process Temperature (°F)	Process Flow SCFM
Thu Jun 15 2017 03:16:00.0000	1619	1381
Thu Jun 15 2017 03:17:00.0000	1621	1378
Thu Jun 15 2017 03:18:00.0000	1623	1375
Thu Jun 15 2017 03:19:00.0000	1622	1358
Thu Jun 15 2017 03:20:00.0000	1620	1370
Thu Jun 15 2017 03:21:00.0000	1621	1350
Thu Jun 15 2017 03:22:00.0000	1622	1366
Thu Jun 15 2017 03:23:00.0000	1623	1365
Thu Jun 15 2017 03:24:00.0000	1621	1393
Thu Jun 15 2017 03:25:00.0000	1620	1358
Thu Jun 15 2017 03:26:00.0000	1621	1369
Thu Jun 15 2017 03:27:00.0000	1623	1376
Thu Jun 15 2017 03:28:00.0000	1623	1377
Thu Jun 15 2017 03:29:00.0000	1620	1374
Thu Jun 15 2017 03:30:00.0000	1622	1362
Thu Jun 15 2017 03:31:00.0000	1622	1320
Thu Jun 15 2017 03:32:00.0000	1623	1368
Thu Jun 15 2017 03:33:00.0000	1622	1381
Thu Jun 15 2017 03:34:00.0000	1620	1366
Thu Jun 15 2017 03:35:00.0000	1622	1395
Thu Jun 15 2017 03:36:00.0000	1624	1399
Thu Jun 15 2017 03:37:00.0000	1623	1379
Thu Jun 15 2017 03:38:00.0000	1620	1379
Thu Jun 15 2017 03:39:00.0000	1622	1379
Thu Jun 15 2017 03:40:00.0000	1623	1368
Thu Jun 15 2017 03:41:00.0000	1623	1379
Thu Jun 15 2017 03:42:00.0000	1621	1368
Thu Jun 15 2017 03:43:00.0000	1622	1407
Thu Jun 15 2017 03:44:00.0000	1622	1363
Thu Jun 15 2017 03:45:00.0000	1623	1375
Thu Jun 15 2017 03:46:00.0000	1622	1384
Thu Jun 15 2017 03:47:00.0000	1621	1384
Thu Jun 15 2017 03:48:00.0000	1622	1365
Thu Jun 15 2017 03:49:00.0000	1624	1335
Thu Jun 15 2017 03:50:00.0000	1622	1424
Thu Jun 15 2017 03:51:00.0000	1621	1352
Thu Jun 15 2017 03:52:00.0000	1622	1375
Thu Jun 15 2017 03:53:00.0000	1622	1349
Thu Jun 15 2017 03:54:00.0000	1623	1358
Thu Jun 15 2017 03:55:00.0000	1622	1367
Thu Jun 15 2017 03:56:00.0000	1621	1356
Thu Jun 15 2017 03:57:00.0000	1622	1357
Thu Jun 15 2017 03:58:00.0000	1624	1367
Thu Jun 15 2017 03:59:00.0000	1622	1346
Thu Jun 15 2017 04:00:00.0000	1621	1366
Thu Jun 15 2017 04:01:00.0000	1622	1412
Thu Jun 15 2017 04:02:00.0000	1624	1351
Thu Jun 15 2017 04:03:00.0000	1623	1365
Thu Jun 15 2017 04:04:00.0000	1621	1349
Thu Jun 15 2017 04:05:00.0000	1622	1353
Thu Jun 15 2017 04:06:00.0000	1623	1399
Thu Jun 15 2017 04:07:00.0000	1624	1358
Thu Jun 15 2017 04:08:00.0000	1622	1343
Thu Jun 15 2017 04:09:00.0000	1621	1363
Thu Jun 15 2017 04:10:00.0000	1622	1354
Thu Jun 15 2017 04:11:00.0000	1624	1356
Thu Jun 15 2017 04:12:00.0000	1623	1375

Date/Time	Process Temperature (°F)	Process Flow SCFM
Thu Jun 15 2017 04:13:00.0000	1621	1354
Thu Jun 15 2017 04:14:00.0000	1622	1408
Thu Jun 15 2017 04:15:00.0000	1623	1381
Thu Jun 15 2017 04:16:00.0000	1624	1346
Thu Jun 15 2017 04:17:00.0000	1622	1377
Thu Jun 15 2017 04:18:00.0000	1621	1371
Thu Jun 15 2017 04:19:00.0000	1622	1382
Thu Jun 15 2017 04:20:00.0000	1624	1355
Thu Jun 15 2017 04:21:00.0000	1623	1331
Thu Jun 15 2017 04:22:00.0000	1621	1368
Thu Jun 15 2017 04:23:00.0000	1622	1388
Thu Jun 15 2017 04:24:00.0000	1623	1355
Thu Jun 15 2017 04:25:00.0000	1624	1387
Thu Jun 15 2017 04:26:00.0000	1622	1381
Thu Jun 15 2017 04:27:00.0000	1621	1342
Thu Jun 15 2017 04:28:00.0000	1622	1370
Thu Jun 15 2017 04:29:00.0000	1624	1381
Thu Jun 15 2017 04:30:00.0000	1623	1378
Thu Jun 15 2017 04:31:00.0000	1621	1404
Thu Jun 15 2017 04:32:00.0000	1623	1365
Thu Jun 15 2017 04:33:00.0000	1623	1365
Thu Jun 15 2017 04:34:00.0000	1624	1386
Thu Jun 15 2017 04:35:00.0000	1622	1382
Thu Jun 15 2017 04:36:00.0000	1621	1373
Thu Jun 15 2017 04:37:00.0000	1623	1336
Thu Jun 15 2017 04:38:00.0000	1624	1381
Thu Jun 15 2017 04:39:00.0000	1623	1361
Thu Jun 15 2017 04:40:00.0000	1621	1372
Thu Jun 15 2017 04:41:00.0000	1623	1402
Thu Jun 15 2017 04:42:00.0000	1623	1366
Thu Jun 15 2017 04:43:00.0000	1624	1362
Thu Jun 15 2017 04:44:00.0000	1622	1352
Thu Jun 15 2017 04:45:00.0000	1621	1352
Thu Jun 15 2017 04:46:00.0000	1623	1357
Thu Jun 15 2017 04:47:00.0000	1624	1382
Thu Jun 15 2017 04:48:00.0000	1623	1381
Thu Jun 15 2017 04:49:00.0000	1621	1345
Thu Jun 15 2017 04:50:00.0000	1622	1373
Thu Jun 15 2017 04:51:00.0000	1623	1426
Thu Jun 15 2017 04:52:00.0000	1624	1425
Thu Jun 15 2017 04:53:00.0000	1622	1460
Thu Jun 15 2017 04:54:00.0000	1622	1467
Thu Jun 15 2017 04:55:00.0000	1623	1354
Thu Jun 15 2017 04:56:00.0000	1624	1354
Thu Jun 15 2017 04:57:00.0000	1623	1452
Thu Jun 15 2017 04:58:00.0000	1621	1377
Thu Jun 15 2017 04:59:00.0000	1623	1374
Thu Jun 15 2017 05:00:00.0000	1624	1339
Thu Jun 15 2017 05:01:00.0000	1623	1399
Thu Jun 15 2017 05:02:00.0000	1621	1390
Thu Jun 15 2017 05:03:00.0000	1622	1386
Thu Jun 15 2017 05:04:00.0000	1623	1383
Thu Jun 15 2017 05:05:00.0000	1624	1373
Thu Jun 15 2017 05:06:00.0000	1622	1364
Thu Jun 15 2017 05:07:00.0000	1621	1393
Thu Jun 15 2017 05:08:00.0000	1623	1367
Thu Jun 15 2017 05:09:00.0000	1624	1378

Date/Time	Process Temperature (°F)	Process Flow SCFM
Thu Jun 15 2017 05:10:00.0000	1624	1377
Thu Jun 15 2017 05:11:00.0000	1621	1363
Thu Jun 15 2017 05:12:00.0000	1623	1400
Thu Jun 15 2017 05:13:00.0000	1624	1385
Thu Jun 15 2017 05:14:00.0000	1624	1396
Thu Jun 15 2017 05:15:00.0000	1622	1362
Thu Jun 15 2017 05:16:00.0000	1621	1369
Thu Jun 15 2017 05:17:00.0000	1623	1353
Thu Jun 15 2017 05:18:00.0000	1624	1366
Thu Jun 15 2017 05:19:00.0000	1624	1344
Thu Jun 15 2017 05:20:00.0000	1621	1390
Thu Jun 15 2017 05:21:00.0000	1623	1396
Thu Jun 15 2017 05:22:00.0000	1623	1360
Thu Jun 15 2017 05:23:00.0000	1625	1354
Thu Jun 15 2017 05:24:00.0000	1622	1374
Thu Jun 15 2017 05:25:00.0000	1622	1338
Thu Jun 15 2017 05:26:00.0000	1623	1364
Thu Jun 15 2017 05:27:00.0000	1624	1321
Thu Jun 15 2017 05:28:00.0000	1624	1387
Thu Jun 15 2017 05:29:00.0000	1621	1359
Thu Jun 15 2017 05:30:00.0000	1623	1365
Thu Jun 15 2017 05:31:00.0000	1624	1319
Thu Jun 15 2017 05:32:00.0000	1624	1453
Thu Jun 15 2017 05:33:00.0000	1622	1336
Thu Jun 15 2017 05:34:00.0000	1622	1431
Thu Jun 15 2017 05:35:00.0000	1623	1298
Thu Jun 15 2017 05:36:00.0000	1624	1388
Thu Jun 15 2017 05:37:00.0000	1623	1340
Thu Jun 15 2017 05:38:00.0000	1621	1393
Thu Jun 15 2017 05:39:00.0000	1623	1467
Thu Jun 15 2017 05:40:00.0000	1623	1374
Thu Jun 15 2017 05:41:00.0000	1624	1367
Thu Jun 15 2017 05:42:00.0000	1622	1321
Thu Jun 15 2017 05:43:00.0000	1622	1368
Thu Jun 15 2017 05:44:00.0000	1623	1388
Thu Jun 15 2017 05:45:00.0000	1624	1387
Thu Jun 15 2017 05:46:00.0000	1623	1405
Thu Jun 15 2017 05:47:00.0000	1621	1360
Thu Jun 15 2017 05:48:00.0000	1623	1330
Thu Jun 15 2017 05:49:00.0000	1623	1406
Thu Jun 15 2017 05:50:00.0000	1623	1394
Thu Jun 15 2017 05:51:00.0000	1622	1384
Thu Jun 15 2017 05:52:00.0000	1621	1380
Thu Jun 15 2017 05:53:00.0000	1623	1374
Thu Jun 15 2017 05:54:00.0000	1624	1353
Thu Jun 15 2017 05:55:00.0000	1623	1326
Thu Jun 15 2017 05:56:00.0000	1621	1496
Thu Jun 15 2017 05:57:00.0000	1622	1361
Thu Jun 15 2017 05:58:00.0000	1623	1393
Thu Jun 15 2017 05:59:00.0000	1623	1379
Thu Jun 15 2017 06:00:00.0000	1622	1352
Thu Jun 15 2017 06:01:00.0000	1621	1371
Thu Jun 15 2017 06:02:00.0000	1622	1349
Thu Jun 15 2017 06:03:00.0000	1624	1379
Thu Jun 15 2017 06:04:00.0000	1622	1387
Thu Jun 15 2017 06:05:00.0000	1621	1371
Thu Jun 15 2017 06:06:00.0000	1622	1368

Date/Time	Process Temperature (°F)	Process Flow SCFM
Thu Jun 15 2017 06:07:00.0000	1624	1343
Thu Jun 15 2017 06:08:00.0000	1623	1392
Thu Jun 15 2017 06:09:00.0000	1621	1338
Thu Jun 15 2017 06:10:00.0000	1622	1413
Thu Jun 15 2017 06:11:00.0000	1623	1326
Thu Jun 15 2017 06:12:00.0000	1624	1357
Thu Jun 15 2017 06:13:00.0000	1622	1298
Thu Jun 15 2017 06:14:00.0000	1621	1385
Thu Jun 15 2017 06:15:00.0000	1622	1452
Thu Jun 15 2017 06:16:00.0000	1624	1380
Thu Jun 15 2017 06:17:00.0000	1623	1388
Thu Jun 15 2017 06:18:00.0000	1621	1404
Thu Jun 15 2017 06:19:00.0000	1623	1393
Thu Jun 15 2017 06:20:00.0000	1623	1381
Thu Jun 15 2017 06:21:00.0000	1624	1366
Thu Jun 15 2017 06:22:00.0000	1622	1369
Thu Jun 15 2017 06:23:00.0000	1621	1368
Thu Jun 15 2017 06:24:00.0000	1622	1341
Thu Jun 15 2017 06:25:00.0000	1624	1379
Thu Jun 15 2017 06:26:00.0000	1623	1473
Thu Jun 15 2017 06:27:00.0000	1622	1329
Thu Jun 15 2017 06:28:00.0000	1623	1408
Thu Jun 15 2017 06:29:00.0000	1623	1374
Thu Jun 15 2017 06:30:00.0000	1624	1373
Thu Jun 15 2017 06:31:00.0000	1622	1425
Thu Jun 15 2017 06:32:00.0000	1622	1373
Thu Jun 15 2017 06:33:00.0000	1623	1427
Thu Jun 15 2017 06:34:00.0000	1624	1381
Thu Jun 15 2017 06:35:00.0000	1622	1354
Thu Jun 15 2017 06:36:00.0000	1622	1357
Thu Jun 15 2017 06:37:00.0000	1623	1402
Thu Jun 15 2017 06:38:00.0000	1625	1372
Thu Jun 15 2017 06:39:00.0000	1623	1380
Thu Jun 15 2017 06:40:00.0000	1621	1356
Thu Jun 15 2017 06:41:00.0000	1623	1369
Thu Jun 15 2017 06:42:00.0000	1624	1383
Thu Jun 15 2017 06:43:00.0000	1625	1375
Thu Jun 15 2017 06:44:00.0000	1622	1374
Thu Jun 15 2017 06:45:00.0000	1622	1355
Thu Jun 15 2017 06:46:00.0000	1623	1385
Thu Jun 15 2017 06:47:00.0000	1625	1376
Thu Jun 15 2017 06:48:00.0000	1624	1362
Thu Jun 15 2017 06:49:00.0000	1622	1376
Thu Jun 15 2017 06:50:00.0000	1623	1383
Thu Jun 15 2017 06:51:00.0000	1624	1380
Thu Jun 15 2017 06:52:00.0000	1625	1367
Thu Jun 15 2017 06:53:00.0000	1623	1358
Thu Jun 15 2017 06:54:00.0000	1622	1361
Thu Jun 15 2017 06:55:00.0000	1623	1353
Thu Jun 15 2017 06:56:00.0000	1625	1361
Thu Jun 15 2017 06:57:00.0000	1624	1359
Thu Jun 15 2017 06:58:00.0000	1622	1358
Thu Jun 15 2017 06:59:00.0000	1623	1358
Thu Jun 15 2017 07:00:00.0000	1624	1366
Thu Jun 15 2017 07:01:00.0000	1625	1383
Thu Jun 15 2017 07:02:00.0000	1623	1387
Thu Jun 15 2017 07:03:00.0000	1622	1372

Date/Time	Process Temperature (°F)	Process Flow SCFM
Thu Jun 15 2017 07:04:00.0000	1624	1393
Thu Jun 15 2017 07:05:00.0000	1625	1335
Thu Jun 15 2017 07:06:00.0000	1624	1385
Thu Jun 15 2017 07:07:00.0000	1622	1356
Thu Jun 15 2017 07:08:00.0000	1624	1397
Thu Jun 15 2017 07:09:00.0000	1624	1345
Thu Jun 15 2017 07:10:00.0000	1625	1385
Thu Jun 15 2017 07:11:00.0000	1623	1380
Thu Jun 15 2017 07:12:00.0000	1623	1372
Thu Jun 15 2017 07:13:00.0000	1624	1399
Thu Jun 15 2017 07:14:00.0000	1625	1426
Thu Jun 15 2017 07:15:00.0000	1623	1400
Thu Jun 15 2017 07:16:00.0000	1622	1377
Thu Jun 15 2017 07:17:00.0000	1624	1313
Thu Jun 15 2017 07:18:00.0000	1625	1255
Thu Jun 15 2017 07:19:00.0000	1625	1408
Thu Jun 15 2017 07:20:00.0000	1623	1426
Thu Jun 15 2017 07:21:00.0000	1624	1383
Thu Jun 15 2017 07:22:00.0000	1625	1361
Thu Jun 15 2017 07:23:00.0000	1626	1396
Thu Jun 15 2017 07:24:00.0000	1624	1378
Thu Jun 15 2017 07:25:00.0000	1623	1338
Thu Jun 15 2017 07:26:00.0000	1625	1429
Thu Jun 15 2017 07:27:00.0000	1626	1445
Thu Jun 15 2017 07:28:00.0000	1626	1405
Thu Jun 15 2017 07:29:00.0000	1623	1381
Thu Jun 15 2017 07:30:00.0000	1624	1365
Thu Jun 15 2017 07:31:00.0000	1625	1377
Thu Jun 15 2017 07:32:00.0000	1627	1410
Thu Jun 15 2017 07:33:00.0000	1625	1401
Thu Jun 15 2017 07:34:00.0000	1623	1395
Thu Jun 15 2017 07:35:00.0000	1625	1388
Thu Jun 15 2017 07:36:00.0000	1627	1378
Thu Jun 15 2017 07:37:00.0000	1626	1374
Thu Jun 15 2017 07:38:00.0000	1624	1396
Thu Jun 15 2017 07:39:00.0000	1625	1363
Thu Jun 15 2017 07:40:00.0000	1626	1383
Thu Jun 15 2017 07:41:00.0000	1627	1386
Thu Jun 15 2017 07:42:00.0000	1625	1387
Thu Jun 15 2017 07:43:00.0000	1624	1345
Thu Jun 15 2017 07:44:00.0000	1626	1353
Thu Jun 15 2017 07:45:00.0000	1627	1366
Thu Jun 15 2017 07:46:00.0000	1627	1374
Thu Jun 15 2017 07:47:00.0000	1624	1352
Thu Jun 15 2017 07:48:00.0000	1626	1379
Thu Jun 15 2017 07:49:00.0000	1626	1355
Thu Jun 15 2017 07:50:00.0000	1628	1379
Thu Jun 15 2017 07:51:00.0000	1626	1364
Thu Jun 15 2017 07:52:00.0000	1625	1356
Thu Jun 15 2017 07:53:00.0000	1626	1351
Thu Jun 15 2017 07:54:00.0000	1628	1369
Thu Jun 15 2017 07:55:00.0000	1627	1381
Thu Jun 15 2017 07:56:00.0000	1625	1451
Thu Jun 15 2017 07:57:00.0000	1626	1360
Thu Jun 15 2017 07:58:00.0000	1627	1379
Thu Jun 15 2017 07:59:00.0000	1628	1420
Thu Jun 15 2017 08:00:00.0000	1626	1354

Date/Time	Process Temperature (°F)	Process Flow SCFM
Thu Jun 15 2017 08:01:00.0000	1625	1413
Thu Jun 15 2017 08:02:00.0000	1627	1382
Thu Jun 15 2017 08:03:00.0000	1628	1312
Thu Jun 15 2017 08:04:00.0000	1627	1412
Thu Jun 15 2017 08:05:00.0000	1625	1385
Thu Jun 15 2017 08:06:00.0000	1627	1393
Thu Jun 15 2017 08:07:00.0000	1627	1386
Thu Jun 15 2017 08:08:00.0000	1628	1334
Thu Jun 15 2017 08:09:00.0000	1626	1391
Thu Jun 15 2017 08:10:00.0000	1626	1419
Thu Jun 15 2017 08:11:00.0000	1627	1369
Thu Jun 15 2017 08:12:00.0000	1628	1388
Thu Jun 15 2017 08:13:00.0000	1628	1412
Thu Jun 15 2017 08:14:00.0000	1625	1412
Thu Jun 15 2017 08:15:00.0000	1627	1419
Thu Jun 15 2017 08:16:00.0000	1628	1335
Thu Jun 15 2017 08:17:00.0000	1629	1524
Thu Jun 15 2017 08:18:00.0000	1627	1415
Thu Jun 15 2017 08:19:00.0000	1626	1388
Thu Jun 15 2017 08:20:00.0000	1627	1357
Thu Jun 15 2017 08:21:00.0000	1629	1346
Thu Jun 15 2017 08:22:00.0000	1628	1408
Thu Jun 15 2017 08:23:00.0000	1626	1431
Thu Jun 15 2017 08:24:00.0000	1627	1417
Thu Jun 15 2017 08:25:00.0000	1628	1503
Thu Jun 15 2017 08:26:00.0000	1629	1387
Thu Jun 15 2017 08:27:00.0000	1627	1390
Thu Jun 15 2017 08:28:00.0000	1626	1393
Thu Jun 15 2017 08:29:00.0000	1628	1389
Thu Jun 15 2017 08:30:00.0000	1629	1428
Thu Jun 15 2017 08:31:00.0000	1628	1375
Thu Jun 15 2017 08:32:00.0000	1626	1359
Thu Jun 15 2017 08:33:00.0000	1628	1427
Thu Jun 15 2017 08:34:00.0000	1629	1411
Thu Jun 15 2017 08:35:00.0000	1629	1399
Thu Jun 15 2017 08:36:00.0000	1627	1377
Thu Jun 15 2017 08:37:00.0000	1627	1420
Thu Jun 15 2017 08:38:00.0000	1628	1415
Thu Jun 15 2017 08:39:00.0000	1630	1409
Thu Jun 15 2017 08:40:00.0000	1629	1394
Thu Jun 15 2017 08:41:00.0000	1627	1406
Thu Jun 15 2017 08:42:00.0000	1628	1397
Thu Jun 15 2017 08:43:00.0000	1629	1375
Thu Jun 15 2017 08:44:00.0000	1630	1396
Thu Jun 15 2017 08:45:00.0000	1628	1381
Thu Jun 15 2017 08:46:00.0000	1628	1352
Thu Jun 15 2017 08:47:00.0000	1629	1386
Thu Jun 15 2017 08:48:00.0000	1631	1397
Thu Jun 15 2017 08:49:00.0000	1630	1399
Thu Jun 15 2017 08:50:00.0000	1628	1420
Thu Jun 15 2017 08:51:00.0000	1629	1372
Thu Jun 15 2017 08:52:00.0000	1630	1391
Thu Jun 15 2017 08:53:00.0000	1631	1410
Thu Jun 15 2017 08:54:00.0000	1629	1457
Thu Jun 15 2017 08:55:00.0000	1629	1377
Thu Jun 15 2017 08:56:00.0000	1630	1395
Thu Jun 15 2017 08:57:00.0000	1632	1395

Date/Time	Process Temperature (°F)	Process Flow SCFM
Thu Jun 15 2017 08:58:00.0000	1631	1398
Thu Jun 15 2017 08:59:00.0000	1628	1387
Thu Jun 15 2017 09:00:00.0000	1630	1445
Thu Jun 15 2017 09:01:00.0000	1631	1408
Thu Jun 15 2017 09:02:00.0000	1632	1386
Thu Jun 15 2017 09:03:00.0000	1630	1394
Thu Jun 15 2017 09:04:00.0000	1629	1429
Thu Jun 15 2017 09:05:00.0000	1631	1424
Thu Jun 15 2017 09:06:00.0000	1632	1403
Thu Jun 15 2017 09:07:00.0000	1631	1404
Thu Jun 15 2017 09:08:00.0000	1629	1448
Thu Jun 15 2017 09:09:00.0000	1631	1405
Thu Jun 15 2017 09:10:00.0000	1632	1469
Thu Jun 15 2017 09:11:00.0000	1632	1389
Thu Jun 15 2017 09:12:00.0000	1630	1428
Thu Jun 15 2017 09:13:00.0000	1630	1440
Thu Jun 15 2017 09:14:00.0000	1632	1378
Thu Jun 15 2017 09:15:00.0000	1633	1362
Thu Jun 15 2017 09:16:00.0000	1630	1525
Thu Jun 15 2017 09:17:00.0000	1630	1408
Thu Jun 15 2017 09:18:00.0000	1630	1469
Thu Jun 15 2017 09:19:00.0000	1631	1447
Thu Jun 15 2017 09:20:00.0000	1630	1493
Thu Jun 15 2017 09:21:00.0000	1628	1409
Thu Jun 15 2017 09:22:00.0000	1629	1436
Thu Jun 15 2017 09:23:00.0000	1631	1372
Thu Jun 15 2017 09:24:00.0000	1630	1402
Thu Jun 15 2017 09:25:00.0000	1628	1377
Thu Jun 15 2017 09:26:00.0000	1629	1399
Thu Jun 15 2017 09:27:00.0000	1629	1392
Thu Jun 15 2017 09:28:00.0000	1631	1456
Thu Jun 15 2017 09:29:00.0000	1630	1462
Thu Jun 15 2017 09:30:00.0000	1628	1460
Thu Jun 15 2017 09:31:00.0000	1629	1438
Thu Jun 15 2017 09:32:00.0000	1630	1434
Thu Jun 15 2017 09:33:00.0000	1630	1415
Thu Jun 15 2017 09:34:00.0000	1628	1475
Thu Jun 15 2017 09:35:00.0000	1628	1477
Thu Jun 15 2017 09:36:00.0000	1629	1382
Thu Jun 15 2017 09:37:00.0000	1631	1396
Thu Jun 15 2017 09:38:00.0000	1629	1413
Thu Jun 15 2017 09:39:00.0000	1627	1510
Thu Jun 15 2017 09:40:00.0000	1629	1406
Thu Jun 15 2017 09:41:00.0000	1630	1447
Thu Jun 15 2017 09:42:00.0000	1630	1421
Thu Jun 15 2017 09:43:00.0000	1628	1430
Thu Jun 15 2017 09:44:00.0000	1629	1429
Thu Jun 15 2017 09:45:00.0000	1629	1473
Thu Jun 15 2017 09:46:00.0000	1631	1397
Thu Jun 15 2017 09:47:00.0000	1630	1433
Thu Jun 15 2017 09:48:00.0000	1628	1415
Thu Jun 15 2017 09:49:00.0000	1630	1327
Thu Jun 15 2017 09:50:00.0000	1631	1447
Thu Jun 15 2017 09:51:00.0000	1631	1406
Thu Jun 15 2017 09:52:00.0000	1629	1469
Thu Jun 15 2017 09:53:00.0000	1630	1410
Thu Jun 15 2017 09:54:00.0000	1630	1412

Date/Time	Process Temperature (°F)	Process Flow SCFM
Thu Jun 15 2017 09:55:00.0000	1632	1404
Thu Jun 15 2017 09:56:00.0000	1630	1384
Thu Jun 15 2017 09:57:00.0000	1629	1391
Thu Jun 15 2017 09:58:00.0000	1630	1495
Thu Jun 15 2017 09:59:00.0000	1632	1480
Thu Jun 15 2017 10:00:00.0000	1630	1427
Thu Jun 15 2017 10:01:00.0000	1628	1405
Thu Jun 15 2017 10:02:00.0000	1630	1400
Thu Jun 15 2017 10:03:00.0000	1631	1408
Thu Jun 15 2017 10:04:00.0000	1631	1386
Thu Jun 15 2017 10:05:00.0000	1629	1407
Thu Jun 15 2017 10:06:00.0000	1629	1396
Thu Jun 15 2017 10:07:00.0000	1631	1384
Thu Jun 15 2017 10:08:00.0000	1632	1405
Thu Jun 15 2017 10:09:00.0000	1631	1437
Thu Jun 15 2017 10:10:00.0000	1630	1425
Thu Jun 15 2017 10:11:00.0000	1631	1417
Thu Jun 15 2017 10:12:00.0000	1632	1447
Thu Jun 15 2017 10:13:00.0000	1632	1415
Thu Jun 15 2017 10:14:00.0000	1630	1440
Thu Jun 15 2017 10:15:00.0000	1630	1394
Thu Jun 15 2017 10:16:00.0000	1632	1384
Thu Jun 15 2017 10:17:00.0000	1633	1434
Thu Jun 15 2017 10:18:00.0000	1631	1404
Thu Jun 15 2017 10:19:00.0000	1630	1420
Thu Jun 15 2017 10:20:00.0000	1632	1419
Thu Jun 15 2017 10:21:00.0000	1633	1417
Thu Jun 15 2017 10:22:00.0000	1629	1419
Thu Jun 15 2017 10:23:00.0000	1623	1406
Thu Jun 15 2017 10:24:00.0000	1621	1384
Thu Jun 15 2017 10:25:00.0000	1619	1452
Thu Jun 15 2017 10:26:00.0000	1617	1424
Thu Jun 15 2017 10:27:00.0000	1614	1430
Thu Jun 15 2017 10:28:00.0000	1612	1401
Thu Jun 15 2017 10:29:00.0000	1612	1475
Thu Jun 15 2017 10:30:00.0000	1611	1482
Thu Jun 15 2017 10:31:00.0000	1609	1395
Thu Jun 15 2017 10:32:00.0000	1607	1401
Thu Jun 15 2017 10:33:00.0000	1607	1446
Thu Jun 15 2017 10:34:00.0000	1606	1435
Thu Jun 15 2017 10:35:00.0000	1605	1485
Thu Jun 15 2017 10:36:00.0000	1603	1423
Thu Jun 15 2017 10:37:00.0000	1604	1492
Thu Jun 15 2017 10:38:00.0000	1608	1426
Thu Jun 15 2017 10:39:00.0000	1613	1408
Thu Jun 15 2017 10:40:00.0000	1614	1456
Thu Jun 15 2017 10:41:00.0000	1613	1401
Thu Jun 15 2017 10:42:00.0000	1616	1391
Thu Jun 15 2017 10:43:00.0000	1618	1444
Thu Jun 15 2017 10:44:00.0000	1620	1501
Thu Jun 15 2017 10:45:00.0000	1618	1456
Thu Jun 15 2017 10:46:00.0000	1619	1448
Thu Jun 15 2017 10:47:00.0000	1620	1444
Thu Jun 15 2017 10:48:00.0000	1623	1467
Thu Jun 15 2017 10:49:00.0000	1622	1550
Thu Jun 15 2017 10:50:00.0000	1620	1475
Thu Jun 15 2017 10:51:00.0000	1622	1394

Date/Time	Process Temperature (°F)	Process Flow SCFM
Thu Jun 15 2017 10:52:00.0000	1624	1416
Thu Jun 15 2017 10:53:00.0000	1625	1589
Thu Jun 15 2017 10:54:00.0000	1623	1438
Thu Jun 15 2017 10:55:00.0000	1624	1542
Thu Jun 15 2017 10:56:00.0000	1625	1509
Thu Jun 15 2017 10:57:00.0000	1627	1525
Thu Jun 15 2017 10:58:00.0000	1626	1524
Thu Jun 15 2017 10:59:00.0000	1624	1397
Thu Jun 15 2017 11:00:00.0000	1626	1391
Thu Jun 15 2017 11:01:00.0000	1628	1446
Thu Jun 15 2017 11:02:00.0000	1628	1464
Thu Jun 15 2017 11:03:00.0000	1625	1530
Thu Jun 15 2017 11:04:00.0000	1627	1419
Thu Jun 15 2017 11:05:00.0000	1628	1512
Thu Jun 15 2017 11:06:00.0000	1630	1446
Thu Jun 15 2017 11:07:00.0000	1628	1454
Thu Jun 15 2017 11:08:00.0000	1627	1440
Thu Jun 15 2017 11:09:00.0000	1629	1445
Thu Jun 15 2017 11:10:00.0000	1630	1431
Thu Jun 15 2017 11:11:00.0000	1630	1461
Thu Jun 15 2017 11:12:00.0000	1628	1526
Thu Jun 15 2017 11:13:00.0000	1629	1489
Thu Jun 15 2017 11:14:00.0000	1630	1418
Thu Jun 15 2017 11:15:00.0000	1631	1406
Thu Jun 15 2017 11:16:00.0000	1630	1426
Thu Jun 15 2017 11:17:00.0000	1628	1410
Thu Jun 15 2017 11:18:00.0000	1630	1443
Thu Jun 15 2017 11:19:00.0000	1632	1464
Thu Jun 15 2017 11:20:00.0000	1631	1444
Thu Jun 15 2017 11:21:00.0000	1629	1462
Thu Jun 15 2017 11:22:00.0000	1631	1408
Thu Jun 15 2017 11:23:00.0000	1631	1496
Thu Jun 15 2017 11:24:00.0000	1633	1485
Thu Jun 15 2017 11:25:00.0000	1631	1398
Thu Jun 15 2017 11:26:00.0000	1630	1369
Thu Jun 15 2017 11:27:00.0000	1632	1468
Thu Jun 15 2017 11:28:00.0000	1633	1436
Thu Jun 15 2017 11:29:00.0000	1627	1442
Thu Jun 15 2017 11:30:00.0000	1623	1467
Thu Jun 15 2017 11:31:00.0000	1621	1477
Thu Jun 15 2017 11:32:00.0000	1619	1459
Thu Jun 15 2017 11:33:00.0000	1616	1416
Thu Jun 15 2017 11:34:00.0000	1614	1433
Thu Jun 15 2017 11:35:00.0000	1612	1429
Thu Jun 15 2017 11:36:00.0000	1611	1445
Thu Jun 15 2017 11:37:00.0000	1611	1495
Thu Jun 15 2017 11:38:00.0000	1609	1476
Thu Jun 15 2017 11:39:00.0000	1607	1447
Thu Jun 15 2017 11:40:00.0000	1607	1425
Thu Jun 15 2017 11:41:00.0000	1606	1436
Thu Jun 15 2017 11:42:00.0000	1605	1445
Thu Jun 15 2017 11:43:00.0000	1603	1430
Thu Jun 15 2017 11:44:00.0000	1603	1474
Thu Jun 15 2017 11:45:00.0000	1603	1420
Thu Jun 15 2017 11:46:00.0000	1602	1437
Thu Jun 15 2017 11:47:00.0000	1605	1460
Thu Jun 15 2017 11:48:00.0000	1606	1479

Date/Time	Process Temperature (°F)	Process Flow SCFM
Thu Jun 15 2017 11:49:00.0000	1611	1487
Thu Jun 15 2017 11:50:00.0000	1614	1435
Thu Jun 15 2017 11:51:00.0000	1616	1453
Thu Jun 15 2017 11:52:00.0000	1614	1416
Thu Jun 15 2017 11:53:00.0000	1614	1458
Thu Jun 15 2017 11:54:00.0000	1617	1471
Thu Jun 15 2017 11:55:00.0000	1619	1432
Thu Jun 15 2017 11:56:00.0000	1618	1421
Thu Jun 15 2017 11:57:00.0000	1616	1466
Thu Jun 15 2017 11:58:00.0000	1619	1412
Thu Jun 15 2017 11:59:00.0000	1620	1443
Thu Jun 15 2017 12:00:00.0000	1622	1485
Thu Jun 15 2017 12:01:00.0000	1619	1427
Thu Jun 15 2017 12:02:00.0000	1620	1455
Thu Jun 15 2017 12:03:00.0000	1621	1446
Thu Jun 15 2017 12:04:00.0000	1623	1432
Thu Jun 15 2017 12:05:00.0000	1622	1432
Thu Jun 15 2017 12:06:00.0000	1620	1412
Thu Jun 15 2017 12:07:00.0000	1622	1394
Thu Jun 15 2017 12:08:00.0000	1623	1449
Thu Jun 15 2017 12:09:00.0000	1624	1481
Thu Jun 15 2017 12:10:00.0000	1622	1469
Thu Jun 15 2017 12:11:00.0000	1622	1457
Thu Jun 15 2017 12:12:00.0000	1623	1429
Thu Jun 15 2017 12:13:00.0000	1626	1474
Thu Jun 15 2017 12:14:00.0000	1624	1465
Thu Jun 15 2017 12:15:00.0000	1622	1435
Thu Jun 15 2017 12:16:00.0000	1624	1464
Thu Jun 15 2017 12:17:00.0000	1625	1450
Thu Jun 15 2017 12:18:00.0000	1626	1471
Thu Jun 15 2017 12:19:00.0000	1624	1472
Thu Jun 15 2017 12:20:00.0000	1624	1456
Thu Jun 15 2017 12:21:00.0000	1625	1438
Thu Jun 15 2017 12:22:00.0000	1627	1489
Thu Jun 15 2017 12:23:00.0000	1626	1437
Thu Jun 15 2017 12:24:00.0000	1624	1456
Thu Jun 15 2017 12:25:00.0000	1626	1488
Thu Jun 15 2017 12:26:00.0000	1627	1472
Thu Jun 15 2017 12:27:00.0000	1627	1483
Thu Jun 15 2017 12:28:00.0000	1625	1449
Thu Jun 15 2017 12:29:00.0000	1625	1444
Thu Jun 15 2017 12:30:00.0000	1627	1425
Thu Jun 15 2017 12:31:00.0000	1629	1492
Thu Jun 15 2017 12:32:00.0000	1627	1459
Thu Jun 15 2017 12:33:00.0000	1626	1450
Thu Jun 15 2017 12:34:00.0000	1628	1428
Thu Jun 15 2017 12:35:00.0000	1628	1469
Thu Jun 15 2017 12:36:00.0000	1629	1478
Thu Jun 15 2017 12:37:00.0000	1626	1427
Thu Jun 15 2017 12:38:00.0000	1627	1496
Thu Jun 15 2017 12:39:00.0000	1628	1432
Thu Jun 15 2017 12:40:00.0000	1630	1448
Thu Jun 15 2017 12:41:00.0000	1628	1465
Thu Jun 15 2017 12:42:00.0000	1627	1465
Thu Jun 15 2017 12:43:00.0000	1628	1441
Thu Jun 15 2017 12:44:00.0000	1630	1442
Thu Jun 15 2017 12:45:00.0000	1629	1475

Date/Time	Process Temperature (°F)	Process Flow SCFM
Thu Jun 15 2017 12:46:00.0000	1627	1443
Thu Jun 15 2017 12:47:00.0000	1628	1516
Thu Jun 15 2017 12:48:00.0000	1630	1471
Thu Jun 15 2017 12:49:00.0000	1630	1470
Thu Jun 15 2017 12:50:00.0000	1628	1476
Thu Jun 15 2017 12:51:00.0000	1627	1448
Thu Jun 15 2017 12:52:00.0000	1629	1456
Thu Jun 15 2017 12:53:00.0000	1630	1399
Thu Jun 15 2017 12:54:00.0000	1630	1463
Thu Jun 15 2017 12:55:00.0000	1627	1461
Thu Jun 15 2017 12:56:00.0000	1629	1498
Thu Jun 15 2017 12:57:00.0000	1630	1484
Thu Jun 15 2017 12:58:00.0000	1631	1458
Thu Jun 15 2017 12:59:00.0000	1628	1457
Thu Jun 15 2017 13:00:00.0000	1628	1480
Thu Jun 15 2017 13:01:00.0000	1630	1455
Thu Jun 15 2017 13:02:00.0000	1632	1492
Thu Jun 15 2017 13:03:00.0000	1630	1458
Thu Jun 15 2017 13:04:00.0000	1628	1431
Thu Jun 15 2017 13:05:00.0000	1630	1517
Thu Jun 15 2017 13:06:00.0000	1631	1489
Thu Jun 15 2017 13:07:00.0000	1632	1442
Thu Jun 15 2017 13:08:00.0000	1629	1517
Thu Jun 15 2017 13:09:00.0000	1629	1444
Thu Jun 15 2017 13:10:00.0000	1631	1488
Thu Jun 15 2017 13:11:00.0000	1633	1519
Thu Jun 15 2017 13:12:00.0000	1631	1455
Thu Jun 15 2017 13:13:00.0000	1629	1462
Thu Jun 15 2017 13:14:00.0000	1631	1462
Thu Jun 15 2017 13:15:00.0000	1632	1445
Thu Jun 15 2017 13:16:00.0000	1633	1463
Thu Jun 15 2017 13:17:00.0000	1630	1476
Thu Jun 15 2017 13:18:00.0000	1630	1460
Thu Jun 15 2017 13:19:00.0000	1631	1452
Thu Jun 15 2017 13:20:00.0000	1633	1490
Thu Jun 15 2017 13:21:00.0000	1632	1460
Thu Jun 15 2017 13:22:00.0000	1629	1464
Thu Jun 15 2017 13:23:00.0000	1632	1479
Thu Jun 15 2017 13:24:00.0000	1633	1509
Thu Jun 15 2017 13:25:00.0000	1631	1499
Thu Jun 15 2017 13:26:00.0000	1624	1490
Thu Jun 15 2017 13:27:00.0000	1621	1462
Thu Jun 15 2017 13:28:00.0000	1619	1462
Thu Jun 15 2017 13:29:00.0000	1616	1509
Thu Jun 15 2017 13:30:00.0000	1613	1480
Thu Jun 15 2017 13:31:00.0000	1611	1449
Thu Jun 15 2017 13:32:00.0000	1610	1489
Thu Jun 15 2017 13:33:00.0000	1609	1440
Thu Jun 15 2017 13:34:00.0000	1607	1505
Thu Jun 15 2017 13:35:00.0000	1605	1536
Thu Jun 15 2017 13:36:00.0000	1604	1438
Thu Jun 15 2017 13:37:00.0000	1604	1419
Thu Jun 15 2017 13:38:00.0000	1603	1515
Thu Jun 15 2017 13:39:00.0000	1602	1452
Thu Jun 15 2017 13:40:00.0000	1605	1474
Thu Jun 15 2017 13:41:00.0000	1615	1505
Thu Jun 15 2017 13:42:00.0000	1621	1563

Date/Time	Process Temperature (°F)	Process Flow SCFM
Thu Jun 15 2017 13:43:00.0000	1627	1523
Thu Jun 15 2017 13:44:00.0000	1627	1559
Thu Jun 15 2017 13:45:00.0000	1629	1471
Thu Jun 15 2017 13:46:00.0000	1632	1578
Thu Jun 15 2017 13:47:00.0000	1633	1586
Thu Jun 15 2017 13:48:00.0000	1624	1522
Thu Jun 15 2017 13:49:00.0000	1620	1504
Thu Jun 15 2017 13:50:00.0000	1618	1521
Thu Jun 15 2017 13:51:00.0000	1616	1398
Thu Jun 15 2017 13:52:00.0000	1614	1530
Thu Jun 15 2017 13:53:00.0000	1612	1523
Thu Jun 15 2017 13:54:00.0000	1610	1551
Thu Jun 15 2017 13:55:00.0000	1610	1504
Thu Jun 15 2017 13:56:00.0000	1609	1665
Thu Jun 15 2017 13:57:00.0000	1607	1481
Thu Jun 15 2017 13:58:00.0000	1606	1465
Thu Jun 15 2017 13:59:00.0000	1606	1525
Thu Jun 15 2017 14:00:00.0000	1606	1515
Thu Jun 15 2017 14:01:00.0000	1604	1529
Thu Jun 15 2017 14:02:00.0000	1602	1613
Thu Jun 15 2017 14:03:00.0000	1605	1440
Thu Jun 15 2017 14:04:00.0000	1608	1526
Thu Jun 15 2017 14:05:00.0000	1612	1563
Thu Jun 15 2017 14:06:00.0000	1613	1538
Thu Jun 15 2017 14:07:00.0000	1613	1495
Thu Jun 15 2017 14:08:00.0000	1616	1427
Thu Jun 15 2017 14:09:00.0000	1617	1486
Thu Jun 15 2017 14:10:00.0000	1619	1520
Thu Jun 15 2017 14:11:00.0000	1617	1413
Thu Jun 15 2017 14:12:00.0000	1618	1507
Thu Jun 15 2017 14:13:00.0000	1620	1456
Thu Jun 15 2017 14:14:00.0000	1622	1519
Thu Jun 15 2017 14:15:00.0000	1620	1538
Thu Jun 15 2017 14:16:00.0000	1620	1537
Thu Jun 15 2017 14:17:00.0000	1622	1483
Thu Jun 15 2017 14:18:00.0000	1624	1450
Thu Jun 15 2017 14:19:00.0000	1623	1534
Thu Jun 15 2017 14:20:00.0000	1621	1483
Thu Jun 15 2017 14:21:00.0000	1623	1501
Thu Jun 15 2017 14:22:00.0000	1624	1531
Thu Jun 15 2017 14:23:00.0000	1626	1457
Thu Jun 15 2017 14:24:00.0000	1623	1498
Thu Jun 15 2017 14:25:00.0000	1623	1447
Thu Jun 15 2017 14:26:00.0000	1625	1497
Thu Jun 15 2017 14:27:00.0000	1627	1458
Thu Jun 15 2017 14:28:00.0000	1626	1508
Thu Jun 15 2017 14:29:00.0000	1624	1521
Thu Jun 15 2017 14:30:00.0000	1626	1482
Thu Jun 15 2017 14:31:00.0000	1627	1527
Thu Jun 15 2017 14:32:00.0000	1627	1515
Thu Jun 15 2017 14:33:00.0000	1626	1525
Thu Jun 15 2017 14:34:00.0000	1626	1503
Thu Jun 15 2017 14:35:00.0000	1627	1486
Thu Jun 15 2017 14:36:00.0000	1629	1523
Thu Jun 15 2017 14:37:00.0000	1628	1475
Thu Jun 15 2017 14:38:00.0000	1626	1539
Thu Jun 15 2017 14:39:00.0000	1628	1534

Date/Time	Process Temperature (°F)	Process Flow SCFM
Thu Jun 15 2017 14:40:00.0000	1629	1523
Thu Jun 15 2017 14:41:00.0000	1630	1466
Thu Jun 15 2017 14:42:00.0000	1628	1529
Thu Jun 15 2017 14:43:00.0000	1628	1478
Thu Jun 15 2017 14:44:00.0000	1629	1488
Thu Jun 15 2017 14:45:00.0000	1631	1517
Thu Jun 15 2017 14:46:00.0000	1630	1432
Thu Jun 15 2017 14:47:00.0000	1628	1537
Thu Jun 15 2017 14:48:00.0000	1630	1431
Thu Jun 15 2017 14:49:00.0000	1631	1493
Thu Jun 15 2017 14:50:00.0000	1631	1525
Thu Jun 15 2017 14:51:00.0000	1629	1564
Thu Jun 15 2017 14:52:00.0000	1629	1461
Thu Jun 15 2017 14:53:00.0000	1630	1511
Thu Jun 15 2017 14:54:00.0000	1632	1461
Thu Jun 15 2017 14:55:00.0000	1631	1512
Thu Jun 15 2017 14:56:00.0000	1629	1502
Thu Jun 15 2017 14:57:00.0000	1631	1488
Thu Jun 15 2017 14:58:00.0000	1633	1494
Thu Jun 15 2017 14:59:00.0000	1632	1480
Thu Jun 15 2017 15:00:00.0000	1630	1489
Thu Jun 15 2017 15:01:00.0000	1630	1516
Thu Jun 15 2017 15:02:00.0000	1631	1509
Thu Jun 15 2017 15:03:00.0000	1633	1416
Thu Jun 15 2017 15:04:00.0000	1631	1529
Thu Jun 15 2017 15:05:00.0000	1630	1485
Thu Jun 15 2017 15:06:00.0000	1632	1538
Thu Jun 15 2017 15:07:00.0000	1632	1548
Thu Jun 15 2017 15:08:00.0000	1625	1519
Thu Jun 15 2017 15:09:00.0000	1621	1525
Thu Jun 15 2017 15:10:00.0000	1619	1504
Thu Jun 15 2017 15:11:00.0000	1616	1451
Thu Jun 15 2017 15:12:00.0000	1614	1482
Thu Jun 15 2017 15:13:00.0000	1611	1489
Thu Jun 15 2017 15:14:00.0000	1610	1586
Thu Jun 15 2017 15:15:00.0000	1609	1455
Thu Jun 15 2017 15:16:00.0000	1607	1495
Thu Jun 15 2017 15:17:00.0000	1605	1505
Thu Jun 15 2017 15:18:00.0000	1604	1518
Thu Jun 15 2017 15:19:00.0000	1604	1589
Thu Jun 15 2017 15:20:00.0000	1603	1487
Thu Jun 15 2017 15:21:00.0000	1603	1603
Thu Jun 15 2017 15:22:00.0000	1608	1536
Thu Jun 15 2017 15:23:00.0000	1617	1484
Thu Jun 15 2017 15:24:00.0000	1624	1520
Thu Jun 15 2017 15:25:00.0000	1630	1456
Thu Jun 15 2017 15:26:00.0000	1630	1532
Thu Jun 15 2017 15:27:00.0000	1633	1524
Thu Jun 15 2017 15:28:00.0000	1630	1526
Thu Jun 15 2017 15:29:00.0000	1626	1496
Thu Jun 15 2017 15:30:00.0000	1622	1545
Thu Jun 15 2017 15:31:00.0000	1619	1443
Thu Jun 15 2017 15:32:00.0000	1618	1492
Thu Jun 15 2017 15:33:00.0000	1617	1533
Thu Jun 15 2017 15:34:00.0000	1616	1544
Thu Jun 15 2017 15:35:00.0000	1613	1507
Thu Jun 15 2017 15:36:00.0000	1612	1517

Date/Time	Process Temperature (°F)	Process Flow SCFM
Thu Jun 15 2017 15:37:00.0000	1613	1434
Thu Jun 15 2017 15:38:00.0000	1612	1460
Thu Jun 15 2017 15:39:00.0000	1610	1548
Thu Jun 15 2017 15:40:00.0000	1609	1527
Thu Jun 15 2017 15:41:00.0000	1609	1465
Thu Jun 15 2017 15:42:00.0000	1609	1447
Thu Jun 15 2017 15:43:00.0000	1608	1487
Thu Jun 15 2017 15:44:00.0000	1606	1503
Thu Jun 15 2017 15:45:00.0000	1606	1484
Thu Jun 15 2017 15:46:00.0000	1607	1494
Thu Jun 15 2017 15:47:00.0000	1606	1422
Thu Jun 15 2017 15:48:00.0000	1605	1512
Thu Jun 15 2017 15:49:00.0000	1603	1517
Thu Jun 15 2017 15:50:00.0000	1604	1422
Thu Jun 15 2017 15:51:00.0000	1604	1581
Thu Jun 15 2017 15:52:00.0000	1604	1483
Thu Jun 15 2017 15:53:00.0000	1602	1486
Thu Jun 15 2017 15:54:00.0000	1605	1536
Thu Jun 15 2017 15:55:00.0000	1610	1458
Thu Jun 15 2017 15:56:00.0000	1613	1502
Thu Jun 15 2017 15:57:00.0000	1613	1512
Thu Jun 15 2017 15:58:00.0000	1612	1518
Thu Jun 15 2017 15:59:00.0000	1615	1464
Thu Jun 15 2017 16:00:00.0000	1616	1469
Thu Jun 15 2017 16:01:00.0000	1617	1442
Thu Jun 15 2017 16:02:00.0000	1615	1560
Thu Jun 15 2017 16:03:00.0000	1617	1514
Thu Jun 15 2017 16:04:00.0000	1618	1506
Thu Jun 15 2017 16:05:00.0000	1620	1536
Thu Jun 15 2017 16:06:00.0000	1618	1483
Thu Jun 15 2017 16:07:00.0000	1617	1413
Thu Jun 15 2017 16:08:00.0000	1619	1475
Thu Jun 15 2017 16:09:00.0000	1621	1480
Thu Jun 15 2017 16:10:00.0000	1621	1483
Thu Jun 15 2017 16:11:00.0000	1618	1583
Thu Jun 15 2017 16:12:00.0000	1621	1489
Thu Jun 15 2017 16:13:00.0000	1622	1456
Thu Jun 15 2017 16:14:00.0000	1623	1513
Thu Jun 15 2017 16:15:00.0000	1621	1491
Thu Jun 15 2017 16:16:00.0000	1620	1495
Thu Jun 15 2017 16:17:00.0000	1622	1469
Thu Jun 15 2017 16:18:00.0000	1624	1473
Thu Jun 15 2017 16:19:00.0000	1623	1464
Thu Jun 15 2017 16:20:00.0000	1621	1518
Thu Jun 15 2017 16:21:00.0000	1623	1484
Thu Jun 15 2017 16:22:00.0000	1624	1512
Thu Jun 15 2017 16:23:00.0000	1625	1490
Thu Jun 15 2017 16:24:00.0000	1623	1629
Thu Jun 15 2017 16:25:00.0000	1623	1480
Thu Jun 15 2017 16:26:00.0000	1624	1510
Thu Jun 15 2017 16:27:00.0000	1626	1558
Thu Jun 15 2017 16:28:00.0000	1625	1543
Thu Jun 15 2017 16:29:00.0000	1623	1632
Thu Jun 15 2017 16:30:00.0000	1625	1480
Thu Jun 15 2017 16:31:00.0000	1625	1315
Thu Jun 15 2017 16:32:00.0000	1626	1470
Thu Jun 15 2017 16:33:00.0000	1624	1473

Date/Time	Process Temperature (°F)	Process Flow SCFM
Thu Jun 15 2017 16:34:00.0000	1623	1538
Thu Jun 15 2017 16:35:00.0000	1625	1519
Thu Jun 15 2017 16:36:00.0000	1627	1460
Thu Jun 15 2017 16:37:00.0000	1625	1464
Thu Jun 15 2017 16:38:00.0000	1623	1487
Thu Jun 15 2017 16:39:00.0000	1625	1443
Thu Jun 15 2017 16:40:00.0000	1626	1554
Thu Jun 15 2017 16:41:00.0000	1627	1524
Thu Jun 15 2017 16:42:00.0000	1625	1504
Thu Jun 15 2017 16:43:00.0000	1624	1382
Thu Jun 15 2017 16:44:00.0000	1626	1440
Thu Jun 15 2017 16:45:00.0000	1628	1468
Thu Jun 15 2017 16:46:00.0000	1627	1452
Thu Jun 15 2017 16:47:00.0000	1625	1520
Thu Jun 15 2017 16:48:00.0000	1628	1472
Thu Jun 15 2017 16:49:00.0000	1629	1488
Thu Jun 15 2017 16:50:00.0000	1630	1469
Thu Jun 15 2017 16:51:00.0000	1628	1488
Thu Jun 15 2017 16:52:00.0000	1629	1480
Thu Jun 15 2017 16:53:00.0000	1630	1475
Thu Jun 15 2017 16:54:00.0000	1632	1510
Thu Jun 15 2017 16:55:00.0000	1630	1471
Thu Jun 15 2017 16:56:00.0000	1628	1468
Thu Jun 15 2017 16:57:00.0000	1631	1447
Thu Jun 15 2017 16:58:00.0000	1632	1470
Thu Jun 15 2017 16:59:00.0000	1632	1481
Thu Jun 15 2017 17:00:00.0000	1630	1427
Thu Jun 15 2017 17:01:00.0000	1631	1472
Thu Jun 15 2017 17:02:00.0000	1632	1465
Thu Jun 15 2017 17:03:00.0000	1633	1470
Thu Jun 15 2017 17:04:00.0000	1626	1452
Thu Jun 15 2017 17:05:00.0000	1622	1474
Thu Jun 15 2017 17:06:00.0000	1619	1481
Thu Jun 15 2017 17:07:00.0000	1616	1464
Thu Jun 15 2017 17:08:00.0000	1613	1460
Thu Jun 15 2017 17:09:00.0000	1610	1519
Thu Jun 15 2017 17:10:00.0000	1610	1533
Thu Jun 15 2017 17:11:00.0000	1608	1462
Thu Jun 15 2017 17:12:00.0000	1606	1448
Thu Jun 15 2017 17:13:00.0000	1604	1506
Thu Jun 15 2017 17:14:00.0000	1603	1449
Thu Jun 15 2017 17:15:00.0000	1602	1480
Thu Jun 15 2017 17:16:00.0000	1607	1432
Thu Jun 15 2017 17:17:00.0000	1609	1485
Thu Jun 15 2017 17:18:00.0000	1610	1475
Thu Jun 15 2017 17:19:00.0000	1615	1422
Thu Jun 15 2017 17:20:00.0000	1618	1421
Thu Jun 15 2017 17:21:00.0000	1618	1465
Thu Jun 15 2017 17:22:00.0000	1617	1433
Thu Jun 15 2017 17:23:00.0000	1619	1461
Thu Jun 15 2017 17:24:00.0000	1621	1471
Thu Jun 15 2017 17:25:00.0000	1623	1489
Thu Jun 15 2017 17:26:00.0000	1622	1469
Thu Jun 15 2017 17:27:00.0000	1621	1454
Thu Jun 15 2017 17:28:00.0000	1624	1464
Thu Jun 15 2017 17:29:00.0000	1626	1483
Thu Jun 15 2017 17:30:00.0000	1626	1450

Date/Time	Process Temperature (°F)	Process Flow SCFM
Thu Jun 15 2017 17:31:00.0000	1624	1486
Thu Jun 15 2017 17:32:00.0000	1625	1464
Thu Jun 15 2017 17:33:00.0000	1627	1449
Thu Jun 15 2017 17:34:00.0000	1628	1488
Thu Jun 15 2017 17:35:00.0000	1627	1442
Thu Jun 15 2017 17:36:00.0000	1625	1485
Thu Jun 15 2017 17:37:00.0000	1628	1542
Thu Jun 15 2017 17:38:00.0000	1630	1464
Thu Jun 15 2017 17:39:00.0000	1629	1555
Thu Jun 15 2017 17:40:00.0000	1627	1405
Thu Jun 15 2017 17:41:00.0000	1629	1479
Thu Jun 15 2017 17:42:00.0000	1630	1408
Thu Jun 15 2017 17:43:00.0000	1631	1424
Thu Jun 15 2017 17:44:00.0000	1629	1485
Thu Jun 15 2017 17:45:00.0000	1629	1400
Thu Jun 15 2017 17:46:00.0000	1631	1492
Thu Jun 15 2017 17:47:00.0000	1633	1480
Thu Jun 15 2017 17:48:00.0000	1631	1490
Thu Jun 15 2017 17:49:00.0000	1629	1464
Thu Jun 15 2017 17:50:00.0000	1632	1487
Thu Jun 15 2017 17:51:00.0000	1632	1437
Thu Jun 15 2017 17:52:00.0000	1630	1414
Thu Jun 15 2017 17:53:00.0000	1625	1623
Thu Jun 15 2017 17:54:00.0000	1623	1469
Thu Jun 15 2017 17:55:00.0000	1621	1439
Thu Jun 15 2017 17:56:00.0000	1619	1445
Thu Jun 15 2017 17:57:00.0000	1617	1511
Thu Jun 15 2017 17:58:00.0000	1615	1481
Thu Jun 15 2017 17:59:00.0000	1615	1479
Thu Jun 15 2017 18:00:00.0000	1614	1423
Thu Jun 15 2017 18:01:00.0000	1612	1497
Thu Jun 15 2017 18:02:00.0000	1610	1487
Thu Jun 15 2017 18:03:00.0000	1610	1433
Thu Jun 15 2017 18:04:00.0000	1610	1390
Thu Jun 15 2017 18:05:00.0000	1609	1436
Thu Jun 15 2017 18:06:00.0000	1607	1471
Thu Jun 15 2017 18:07:00.0000	1606	1475
Thu Jun 15 2017 18:08:00.0000	1606	1461
Thu Jun 15 2017 18:09:00.0000	1606	1423
Thu Jun 15 2017 18:10:00.0000	1605	1523
Thu Jun 15 2017 18:11:00.0000	1603	1437
Thu Jun 15 2017 18:12:00.0000	1603	1418
Thu Jun 15 2017 18:13:00.0000	1603	1449
Thu Jun 15 2017 18:14:00.0000	1603	1372
Thu Jun 15 2017 18:15:00.0000	1604	1447
Thu Jun 15 2017 18:16:00.0000	1608	1425
Thu Jun 15 2017 18:17:00.0000	1613	1451
Thu Jun 15 2017 18:18:00.0000	1618	1378
Thu Jun 15 2017 18:19:00.0000	1620	1536
Thu Jun 15 2017 18:20:00.0000	1619	1494
Thu Jun 15 2017 18:21:00.0000	1622	1579
Thu Jun 15 2017 18:22:00.0000	1624	1419
Thu Jun 15 2017 18:23:00.0000	1628	1423
Thu Jun 15 2017 18:24:00.0000	1627	1463
Thu Jun 15 2017 18:25:00.0000	1626	1589
Thu Jun 15 2017 18:26:00.0000	1629	1475
Thu Jun 15 2017 18:27:00.0000	1632	1416

Date/Time	Process Temperature (°F)	Process Flow SCFM
Thu Jun 15 2017 18:28:00.0000	1632	1460
Thu Jun 15 2017 18:29:00.0000	1630	1507
Thu Jun 15 2017 18:30:00.0000	1632	1415
Thu Jun 15 2017 18:31:00.0000	1634	1450
Thu Jun 15 2017 18:32:00.0000	1631	1449
Thu Jun 15 2017 18:33:00.0000	1622	1444
Thu Jun 15 2017 18:34:00.0000	1617	1431
Thu Jun 15 2017 18:35:00.0000	1613	1447
Thu Jun 15 2017 18:36:00.0000	1609	1445
Thu Jun 15 2017 18:37:00.0000	1606	1448
Thu Jun 15 2017 18:38:00.0000	1603	1437
Thu Jun 15 2017 18:39:00.0000	1604	1444
Thu Jun 15 2017 18:40:00.0000	1610	1449
Thu Jun 15 2017 18:41:00.0000	1616	1456
Thu Jun 15 2017 18:42:00.0000	1617	1428
Thu Jun 15 2017 18:43:00.0000	1618	1420
Thu Jun 15 2017 18:44:00.0000	1621	1431
Thu Jun 15 2017 18:45:00.0000	1625	1461
Thu Jun 15 2017 18:46:00.0000	1626	1444
Thu Jun 15 2017 18:47:00.0000	1624	1448
Thu Jun 15 2017 18:48:00.0000	1626	1437
Thu Jun 15 2017 18:49:00.0000	1628	1440
Thu Jun 15 2017 18:50:00.0000	1630	1440
Thu Jun 15 2017 18:51:00.0000	1629	1458
Thu Jun 15 2017 18:52:00.0000	1628	1401
Thu Jun 15 2017 18:53:00.0000	1631	1436
Thu Jun 15 2017 18:54:00.0000	1632	1525
Thu Jun 15 2017 18:55:00.0000	1626	1408
Thu Jun 15 2017 18:56:00.0000	1622	1559
Thu Jun 15 2017 18:57:00.0000	1620	1418
Thu Jun 15 2017 18:58:00.0000	1618	1479
Thu Jun 15 2017 18:59:00.0000	1616	1404
Thu Jun 15 2017 19:00:00.0000	1613	1455
Thu Jun 15 2017 19:01:00.0000	1611	1431
Thu Jun 15 2017 19:02:00.0000	1611	1459
Thu Jun 15 2017 19:03:00.0000	1610	1441
Thu Jun 15 2017 19:04:00.0000	1609	1430
Thu Jun 15 2017 19:05:00.0000	1607	1441
Thu Jun 15 2017 19:06:00.0000	1608	1428
Thu Jun 15 2017 19:07:00.0000	1608	1431
Thu Jun 15 2017 19:08:00.0000	1608	1469
Thu Jun 15 2017 19:09:00.0000	1607	1478
Thu Jun 15 2017 19:10:00.0000	1606	1474
Thu Jun 15 2017 19:11:00.0000	1607	1420
Thu Jun 15 2017 19:12:00.0000	1607	1494
Thu Jun 15 2017 19:13:00.0000	1606	1431
Thu Jun 15 2017 19:14:00.0000	1604	1440
Thu Jun 15 2017 19:15:00.0000	1605	1379
Thu Jun 15 2017 19:16:00.0000	1605	1408
Thu Jun 15 2017 19:17:00.0000	1605	1474
Thu Jun 15 2017 19:18:00.0000	1604	1472
Thu Jun 15 2017 19:19:00.0000	1603	1432
Thu Jun 15 2017 19:20:00.0000	1604	1448
Thu Jun 15 2017 19:21:00.0000	1604	1475
Thu Jun 15 2017 19:22:00.0000	1603	1446
Thu Jun 15 2017 19:23:00.0000	1603	1520
Thu Jun 15 2017 19:24:00.0000	1612	1414

Date/Time	Process Temperature (°F)	Process Flow SCFM
Thu Jun 15 2017 19:25:00.0000	1618	1415
Thu Jun 15 2017 19:26:00.0000	1626	1410
Thu Jun 15 2017 19:27:00.0000	1626	1464
Thu Jun 15 2017 19:28:00.0000	1628	1391
Thu Jun 15 2017 19:29:00.0000	1631	1432
Thu Jun 15 2017 19:30:00.0000	1633	1400
Thu Jun 15 2017 19:31:00.0000	1622	1417
Thu Jun 15 2017 19:32:00.0000	1616	1441
Thu Jun 15 2017 19:33:00.0000	1611	1418
Thu Jun 15 2017 19:34:00.0000	1607	1419
Thu Jun 15 2017 19:35:00.0000	1603	1410
Thu Jun 15 2017 19:36:00.0000	1601	1452
Thu Jun 15 2017 19:37:00.0000	1607	1414
Thu Jun 15 2017 19:38:00.0000	1611	1448
Thu Jun 15 2017 19:39:00.0000	1616	1393
Thu Jun 15 2017 19:40:00.0000	1617	1414
Thu Jun 15 2017 19:41:00.0000	1617	1414
Thu Jun 15 2017 19:42:00.0000	1620	1408
Thu Jun 15 2017 19:43:00.0000	1621	1397
Thu Jun 15 2017 19:44:00.0000	1623	1419
Thu Jun 15 2017 19:45:00.0000	1622	1408
Thu Jun 15 2017 19:46:00.0000	1623	1400
Thu Jun 15 2017 19:47:00.0000	1625	1427
Thu Jun 15 2017 19:48:00.0000	1627	1406
Thu Jun 15 2017 19:49:00.0000	1625	1423
Thu Jun 15 2017 19:50:00.0000	1624	1437
Thu Jun 15 2017 19:51:00.0000	1627	1457
Thu Jun 15 2017 19:52:00.0000	1629	1425
Thu Jun 15 2017 19:53:00.0000	1629	1435
Thu Jun 15 2017 19:54:00.0000	1627	1443
Thu Jun 15 2017 19:55:00.0000	1628	1430
Thu Jun 15 2017 19:56:00.0000	1629	1421
Thu Jun 15 2017 19:57:00.0000	1632	1441
Thu Jun 15 2017 19:58:00.0000	1630	1430
Thu Jun 15 2017 19:59:00.0000	1629	1438
Thu Jun 15 2017 20:00:00.0000	1631	1467
Thu Jun 15 2017 20:01:00.0000	1633	1423
Thu Jun 15 2017 20:02:00.0000	1629	1404
Thu Jun 15 2017 20:03:00.0000	1623	1403
Thu Jun 15 2017 20:04:00.0000	1620	1389
Thu Jun 15 2017 20:05:00.0000	1618	1448
Thu Jun 15 2017 20:06:00.0000	1617	1430
Thu Jun 15 2017 20:07:00.0000	1615	1367
Thu Jun 15 2017 20:08:00.0000	1614	1406
Thu Jun 15 2017 20:09:00.0000	1614	1466
Thu Jun 15 2017 20:10:00.0000	1614	1441
Thu Jun 15 2017 20:11:00.0000	1612	1413
Thu Jun 15 2017 20:12:00.0000	1610	1440
Thu Jun 15 2017 20:13:00.0000	1610	1456
Thu Jun 15 2017 20:14:00.0000	1610	1572
Thu Jun 15 2017 20:15:00.0000	1610	1383
Thu Jun 15 2017 20:16:00.0000	1608	1507
Thu Jun 15 2017 20:17:00.0000	1607	1472
Thu Jun 15 2017 20:18:00.0000	1608	1435
Thu Jun 15 2017 20:19:00.0000	1608	1391
Thu Jun 15 2017 20:20:00.0000	1606	1453
Thu Jun 15 2017 20:21:00.0000	1605	1463

Date/Time	Process Temperature (°F)	Process Flow SCFM
Thu Jun 15 2017 20:22:00.0000	1605	1385
Thu Jun 15 2017 20:23:00.0000	1605	1398
Thu Jun 15 2017 20:24:00.0000	1605	1395
Thu Jun 15 2017 20:25:00.0000	1603	1408
Thu Jun 15 2017 20:26:00.0000	1603	1422
Thu Jun 15 2017 20:27:00.0000	1607	1420
Thu Jun 15 2017 20:28:00.0000	1613	1440
Thu Jun 15 2017 20:29:00.0000	1615	1422
Thu Jun 15 2017 20:30:00.0000	1614	1389
Thu Jun 15 2017 20:31:00.0000	1617	1393
Thu Jun 15 2017 20:32:00.0000	1619	1411
Thu Jun 15 2017 20:33:00.0000	1622	1392
Thu Jun 15 2017 20:34:00.0000	1621	1411
Thu Jun 15 2017 20:35:00.0000	1620	1394
Thu Jun 15 2017 20:36:00.0000	1623	1375
Thu Jun 15 2017 20:37:00.0000	1625	1390
Thu Jun 15 2017 20:38:00.0000	1626	1390
Thu Jun 15 2017 20:39:00.0000	1624	1424
Thu Jun 15 2017 20:40:00.0000	1625	1389
Thu Jun 15 2017 20:41:00.0000	1627	1415
Thu Jun 15 2017 20:42:00.0000	1629	1410
Thu Jun 15 2017 20:43:00.0000	1628	1409
Thu Jun 15 2017 20:44:00.0000	1627	1402
Thu Jun 15 2017 20:45:00.0000	1629	1393
Thu Jun 15 2017 20:46:00.0000	1631	1414
Thu Jun 15 2017 20:47:00.0000	1631	1399
Thu Jun 15 2017 20:48:00.0000	1629	1412
Thu Jun 15 2017 20:49:00.0000	1630	1384
Thu Jun 15 2017 20:50:00.0000	1631	1384
Thu Jun 15 2017 20:51:00.0000	1631	1406
Thu Jun 15 2017 20:52:00.0000	1625	1394
Thu Jun 15 2017 20:53:00.0000	1622	1403
Thu Jun 15 2017 20:54:00.0000	1621	1397
Thu Jun 15 2017 20:55:00.0000	1619	1396
Thu Jun 15 2017 20:56:00.0000	1617	1411
Thu Jun 15 2017 20:57:00.0000	1614	1400
Thu Jun 15 2017 20:58:00.0000	1614	1400
Thu Jun 15 2017 20:59:00.0000	1614	1383
Thu Jun 15 2017 21:00:00.0000	1613	1391
Thu Jun 15 2017 21:01:00.0000	1611	1397
Thu Jun 15 2017 21:02:00.0000	1609	1405
Thu Jun 15 2017 21:03:00.0000	1610	1433
Thu Jun 15 2017 21:04:00.0000	1610	1419
Thu Jun 15 2017 21:05:00.0000	1608	1428
Thu Jun 15 2017 21:06:00.0000	1606	1425
Thu Jun 15 2017 21:07:00.0000	1606	1419
Thu Jun 15 2017 21:08:00.0000	1607	1396
Thu Jun 15 2017 21:09:00.0000	1606	1408
Thu Jun 15 2017 21:10:00.0000	1604	1409
Thu Jun 15 2017 21:11:00.0000	1603	1401
Thu Jun 15 2017 21:12:00.0000	1604	1425
Thu Jun 15 2017 21:13:00.0000	1604	1405
Thu Jun 15 2017 21:14:00.0000	1603	1395
Thu Jun 15 2017 21:15:00.0000	1602	1412
Thu Jun 15 2017 21:16:00.0000	1611	1408
Thu Jun 15 2017 21:17:00.0000	1618	1423
Thu Jun 15 2017 21:18:00.0000	1627	1412

Date/Time	Process Temperature (°F)	Process Flow SCFM
Thu Jun 15 2017 21:19:00.0000	1629	1392
Thu Jun 15 2017 21:20:00.0000	1630	1389
Thu Jun 15 2017 21:21:00.0000	1633	1424
Thu Jun 15 2017 21:22:00.0000	1629	1370
Thu Jun 15 2017 21:23:00.0000	1628	1429
Thu Jun 15 2017 21:24:00.0000	1624	1398
Thu Jun 15 2017 21:25:00.0000	1624	1397
Thu Jun 15 2017 21:26:00.0000	1625	1401
Thu Jun 15 2017 21:27:00.0000	1626	1394
Thu Jun 15 2017 21:28:00.0000	1624	1410
Thu Jun 15 2017 21:29:00.0000	1622	1406
Thu Jun 15 2017 21:30:00.0000	1623	1406
Thu Jun 15 2017 21:31:00.0000	1624	1387
Thu Jun 15 2017 21:32:00.0000	1624	1401
Thu Jun 15 2017 21:33:00.0000	1622	1390
Thu Jun 15 2017 21:34:00.0000	1623	1394
Thu Jun 15 2017 21:35:00.0000	1623	1406
Thu Jun 15 2017 21:36:00.0000	1624	1384
Thu Jun 15 2017 21:37:00.0000	1623	1411
Thu Jun 15 2017 21:38:00.0000	1622	1408
Thu Jun 15 2017 21:39:00.0000	1623	1409
Thu Jun 15 2017 21:40:00.0000	1624	1394
Thu Jun 15 2017 21:41:00.0000	1624	1408
Thu Jun 15 2017 21:42:00.0000	1621	1405
Thu Jun 15 2017 21:43:00.0000	1623	1396
Thu Jun 15 2017 21:44:00.0000	1623	1359
Thu Jun 15 2017 21:45:00.0000	1624	1383
Thu Jun 15 2017 21:46:00.0000	1622	1407
Thu Jun 15 2017 21:47:00.0000	1622	1437
Thu Jun 15 2017 21:48:00.0000	1623	1363
Thu Jun 15 2017 21:49:00.0000	1625	1394
Thu Jun 15 2017 21:50:00.0000	1624	1396
Thu Jun 15 2017 21:51:00.0000	1622	1428
Thu Jun 15 2017 21:52:00.0000	1623	1407
Thu Jun 15 2017 21:53:00.0000	1624	1424
Thu Jun 15 2017 21:54:00.0000	1625	1401
Thu Jun 15 2017 21:55:00.0000	1623	1458
Thu Jun 15 2017 21:56:00.0000	1623	1402
Thu Jun 15 2017 21:57:00.0000	1624	1365
Thu Jun 15 2017 21:58:00.0000	1625	1424
Thu Jun 15 2017 21:59:00.0000	1624	1392
Thu Jun 15 2017 22:00:00.0000	1622	1424
Thu Jun 15 2017 22:01:00.0000	1624	1375
Thu Jun 15 2017 22:02:00.0000	1625	1490
Thu Jun 15 2017 22:03:00.0000	1625	1416
Thu Jun 15 2017 22:04:00.0000	1622	1372
Thu Jun 15 2017 22:05:00.0000	1624	1429
Thu Jun 15 2017 22:06:00.0000	1624	1493
Thu Jun 15 2017 22:07:00.0000	1625	1412
Thu Jun 15 2017 22:08:00.0000	1624	1420
Thu Jun 15 2017 22:09:00.0000	1622	1455
Thu Jun 15 2017 22:10:00.0000	1624	1332
Thu Jun 15 2017 22:11:00.0000	1626	1343
Thu Jun 15 2017 22:12:00.0000	1625	1465
Thu Jun 15 2017 22:13:00.0000	1623	1405
Thu Jun 15 2017 22:14:00.0000	1624	1490
Thu Jun 15 2017 22:15:00.0000	1625	1500

Date/Time	Process Temperature (°F)	Process Flow SCFM
Thu Jun 15 2017 22:16:00.0000	1626	1391
Thu Jun 15 2017 22:17:00.0000	1624	1440
Thu Jun 15 2017 22:18:00.0000	1623	1407
Thu Jun 15 2017 22:19:00.0000	1625	1444
Thu Jun 15 2017 22:20:00.0000	1626	1437
Thu Jun 15 2017 22:21:00.0000	1624	1420
Thu Jun 15 2017 22:22:00.0000	1623	1429
Thu Jun 15 2017 22:23:00.0000	1624	1455
Thu Jun 15 2017 22:24:00.0000	1626	1448
Thu Jun 15 2017 22:25:00.0000	1626	1405
Thu Jun 15 2017 22:26:00.0000	1624	1401
Thu Jun 15 2017 22:27:00.0000	1625	1426
Thu Jun 15 2017 22:28:00.0000	1625	1436
Thu Jun 15 2017 22:29:00.0000	1626	1416
Thu Jun 15 2017 22:30:00.0000	1624	1424
Thu Jun 15 2017 22:31:00.0000	1623	1389
Thu Jun 15 2017 22:32:00.0000	1625	1412
Thu Jun 15 2017 22:33:00.0000	1626	1418
Thu Jun 15 2017 22:34:00.0000	1625	1421
Thu Jun 15 2017 22:35:00.0000	1623	1360
Thu Jun 15 2017 22:36:00.0000	1625	1436
Thu Jun 15 2017 22:37:00.0000	1625	1510
Thu Jun 15 2017 22:38:00.0000	1626	1372
Thu Jun 15 2017 22:39:00.0000	1624	1474
Thu Jun 15 2017 22:40:00.0000	1624	1406
Thu Jun 15 2017 22:41:00.0000	1625	1383
Thu Jun 15 2017 22:42:00.0000	1626	1429
Thu Jun 15 2017 22:43:00.0000	1625	1395
Thu Jun 15 2017 22:44:00.0000	1623	1305
Thu Jun 15 2017 22:45:00.0000	1625	1446
Thu Jun 15 2017 22:46:00.0000	1625	1394
Thu Jun 15 2017 22:47:00.0000	1626	1430
Thu Jun 15 2017 22:48:00.0000	1624	1436
Thu Jun 15 2017 22:49:00.0000	1624	1391
Thu Jun 15 2017 22:50:00.0000	1625	1475
Thu Jun 15 2017 22:51:00.0000	1626	1424
Thu Jun 15 2017 22:52:00.0000	1625	1458
Thu Jun 15 2017 22:53:00.0000	1623	1372
Thu Jun 15 2017 22:54:00.0000	1625	1406
Thu Jun 15 2017 22:55:00.0000	1625	1391
Thu Jun 15 2017 22:56:00.0000	1626	1387
Thu Jun 15 2017 22:57:00.0000	1624	1467
Thu Jun 15 2017 22:58:00.0000	1624	1452
Thu Jun 15 2017 22:59:00.0000	1625	1534
Thu Jun 15 2017 23:00:00.0000	1626	1379
Thu Jun 15 2017 23:01:00.0000	1625	1350
Thu Jun 15 2017 23:02:00.0000	1623	1390
Thu Jun 15 2017 23:03:00.0000	1625	1410
Thu Jun 15 2017 23:04:00.0000	1626	1442
Thu Jun 15 2017 23:05:00.0000	1626	1430
Thu Jun 15 2017 23:06:00.0000	1624	1418
Thu Jun 15 2017 23:07:00.0000	1624	1474
Thu Jun 15 2017 23:08:00.0000	1625	1431
Thu Jun 15 2017 23:09:00.0000	1626	1369
Thu Jun 15 2017 23:10:00.0000	1625	1437
Thu Jun 15 2017 23:11:00.0000	1623	1484
Thu Jun 15 2017 23:12:00.0000	1625	1406

Date/Time	Process Temperature (°F)	Process Flow SCFM
Thu Jun 15 2017 23:13:00.0000	1626	1450
Thu Jun 15 2017 23:14:00.0000	1626	1430
Thu Jun 15 2017 23:15:00.0000	1624	1501
Thu Jun 15 2017 23:16:00.0000	1624	1404
Thu Jun 15 2017 23:17:00.0000	1625	1440
Thu Jun 15 2017 23:18:00.0000	1626	1400
Thu Jun 15 2017 23:19:00.0000	1625	1432
Thu Jun 15 2017 23:20:00.0000	1623	1433
Thu Jun 15 2017 23:21:00.0000	1625	1449
Thu Jun 15 2017 23:22:00.0000	1626	1562
Thu Jun 15 2017 23:23:00.0000	1626	1488
Thu Jun 15 2017 23:24:00.0000	1624	1381
Thu Jun 15 2017 23:25:00.0000	1624	1432
Thu Jun 15 2017 23:26:00.0000	1625	1446
Thu Jun 15 2017 23:27:00.0000	1626	1367
Thu Jun 15 2017 23:28:00.0000	1625	1373
Thu Jun 15 2017 23:29:00.0000	1623	1406
Thu Jun 15 2017 23:30:00.0000	1625	1399
Thu Jun 15 2017 23:31:00.0000	1626	1394
Thu Jun 15 2017 23:32:00.0000	1626	1331
Thu Jun 15 2017 23:33:00.0000	1624	1435
Thu Jun 15 2017 23:34:00.0000	1624	1452
Thu Jun 15 2017 23:35:00.0000	1625	1457
Thu Jun 15 2017 23:36:00.0000	1627	1412
Thu Jun 15 2017 23:37:00.0000	1625	1417
Thu Jun 15 2017 23:38:00.0000	1623	1407
Thu Jun 15 2017 23:39:00.0000	1625	1413
Thu Jun 15 2017 23:40:00.0000	1626	1415
Thu Jun 15 2017 23:41:00.0000	1626	1382
Thu Jun 15 2017 23:42:00.0000	1624	1330
Thu Jun 15 2017 23:43:00.0000	1624	1399
Thu Jun 15 2017 23:44:00.0000	1625	1457
Thu Jun 15 2017 23:45:00.0000	1627	1465
Thu Jun 15 2017 23:46:00.0000	1625	1465
Thu Jun 15 2017 23:47:00.0000	1623	1433
Thu Jun 15 2017 23:48:00.0000	1625	1364
Thu Jun 15 2017 23:49:00.0000	1626	1344
Thu Jun 15 2017 23:50:00.0000	1626	1367
Thu Jun 15 2017 23:51:00.0000	1624	1365
Thu Jun 15 2017 23:52:00.0000	1624	1397
Thu Jun 15 2017 23:53:00.0000	1625	1373
Thu Jun 15 2017 23:54:00.0000	1626	1414
Thu Jun 15 2017 23:55:00.0000	1625	1445
Thu Jun 15 2017 23:56:00.0000	1623	1462
Thu Jun 15 2017 23:57:00.0000	1625	1384
Thu Jun 15 2017 23:58:00.0000	1626	1436
Thu Jun 15 2017 23:59:00.0000	1626	1465
Fri Jun 16 2017 00:00:00.0000	1624	1362
Fri Jun 16 2017 00:01:00.0000	1624	1418
Fri Jun 16 2017 00:02:00.0000	1625	1379
Fri Jun 16 2017 00:03:00.0000	1626	1477
Fri Jun 16 2017 00:04:00.0000	1625	1388
Fri Jun 16 2017 00:05:00.0000	1623	1374
Fri Jun 16 2017 00:06:00.0000	1625	1378
Fri Jun 16 2017 00:07:00.0000	1626	1382
Fri Jun 16 2017 00:08:00.0000	1626	1383
Fri Jun 16 2017 00:09:00.0000	1624	1402

Date/Time	Process Temperature (°F)	Process Flow SCFM
Fri Jun 16 2017 00:10:00.0000	1624	1400
Fri Jun 16 2017 00:11:00.0000	1625	1436
Fri Jun 16 2017 00:12:00.0000	1626	1410
Fri Jun 16 2017 00:13:00.0000	1625	1366
Fri Jun 16 2017 00:14:00.0000	1623	1402
Fri Jun 16 2017 00:15:00.0000	1625	1489
Fri Jun 16 2017 00:16:00.0000	1626	1389
Fri Jun 16 2017 00:17:00.0000	1626	1366
Fri Jun 16 2017 00:18:00.0000	1624	1474
Fri Jun 16 2017 00:19:00.0000	1624	1367
Fri Jun 16 2017 00:20:00.0000	1625	1371
Fri Jun 16 2017 00:21:00.0000	1626	1413
Fri Jun 16 2017 00:22:00.0000	1625	1476
Fri Jun 16 2017 00:23:00.0000	1624	1367
Fri Jun 16 2017 00:24:00.0000	1625	1381
Fri Jun 16 2017 00:25:00.0000	1626	1425
Fri Jun 16 2017 00:26:00.0000	1625	1430
Fri Jun 16 2017 00:27:00.0000	1623	1462
Fri Jun 16 2017 00:28:00.0000	1625	1431
Fri Jun 16 2017 00:29:00.0000	1626	1297
Fri Jun 16 2017 00:30:00.0000	1626	1358
Fri Jun 16 2017 00:31:00.0000	1624	1417
Fri Jun 16 2017 00:32:00.0000	1624	1478
Fri Jun 16 2017 00:33:00.0000	1625	1405
Fri Jun 16 2017 00:34:00.0000	1626	1393
Fri Jun 16 2017 00:35:00.0000	1625	1336
Fri Jun 16 2017 00:36:00.0000	1623	1373
Fri Jun 16 2017 00:37:00.0000	1625	1400
Fri Jun 16 2017 00:38:00.0000	1626	1374
Fri Jun 16 2017 00:39:00.0000	1626	1426
Fri Jun 16 2017 00:40:00.0000	1624	1425
Fri Jun 16 2017 00:41:00.0000	1624	1391
Fri Jun 16 2017 00:42:00.0000	1625	1417
Fri Jun 16 2017 00:43:00.0000	1626	1426
Fri Jun 16 2017 00:44:00.0000	1625	1412
Fri Jun 16 2017 00:45:00.0000	1624	1349
Fri Jun 16 2017 00:46:00.0000	1625	1514
Fri Jun 16 2017 00:47:00.0000	1627	1576
Fri Jun 16 2017 00:48:00.0000	1626	1442
Fri Jun 16 2017 00:49:00.0000	1624	1366
Fri Jun 16 2017 00:50:00.0000	1624	1353
Fri Jun 16 2017 00:51:00.0000	1625	1338
Fri Jun 16 2017 00:52:00.0000	1626	1319
Fri Jun 16 2017 00:53:00.0000	1625	1358
Fri Jun 16 2017 00:54:00.0000	1623	1412
Fri Jun 16 2017 00:55:00.0000	1625	1344
Fri Jun 16 2017 00:56:00.0000	1626	1422
Fri Jun 16 2017 00:57:00.0000	1626	1469
Fri Jun 16 2017 00:58:00.0000	1623	1417
Fri Jun 16 2017 00:59:00.0000	1625	1368
Fri Jun 16 2017 01:00:00.0000	1625	1416
Fri Jun 16 2017 01:01:00.0000	1626	1341
Fri Jun 16 2017 01:02:00.0000	1625	1380
Fri Jun 16 2017 01:03:00.0000	1623	1365
Fri Jun 16 2017 01:04:00.0000	1625	1337
Fri Jun 16 2017 01:05:00.0000	1626	1508
Fri Jun 16 2017 01:06:00.0000	1626	1517

Date/Time	Process Temperature (°F)	Process Flow SCFM
Fri Jun 16 2017 01:07:00.0000	1623	1425
Fri Jun 16 2017 01:08:00.0000	1625	1496
Fri Jun 16 2017 01:09:00.0000	1626	1425
Fri Jun 16 2017 01:10:00.0000	1626	1401
Fri Jun 16 2017 01:11:00.0000	1624	1353
Fri Jun 16 2017 01:12:00.0000	1623	1443
Fri Jun 16 2017 01:13:00.0000	1625	1301
Fri Jun 16 2017 01:14:00.0000	1626	1387
Fri Jun 16 2017 01:15:00.0000	1625	1431
Fri Jun 16 2017 01:16:00.0000	1623	1383
Fri Jun 16 2017 01:17:00.0000	1625	1414
Fri Jun 16 2017 01:18:00.0000	1626	1421
Fri Jun 16 2017 01:19:00.0000	1626	1494
Fri Jun 16 2017 01:20:00.0000	1624	1400
Fri Jun 16 2017 01:21:00.0000	1624	1402
Fri Jun 16 2017 01:22:00.0000	1625	1328
Fri Jun 16 2017 01:23:00.0000	1626	1435
Fri Jun 16 2017 01:24:00.0000	1625	1457
Fri Jun 16 2017 01:25:00.0000	1623	1375
Fri Jun 16 2017 01:26:00.0000	1625	1388
Fri Jun 16 2017 01:27:00.0000	1626	1392
Fri Jun 16 2017 01:28:00.0000	1626	1375
Fri Jun 16 2017 01:29:00.0000	1623	1368
Fri Jun 16 2017 01:30:00.0000	1624	1401
Fri Jun 16 2017 01:31:00.0000	1625	1343
Fri Jun 16 2017 01:32:00.0000	1626	1386
Fri Jun 16 2017 01:33:00.0000	1625	1406
Fri Jun 16 2017 01:34:00.0000	1623	1450
Fri Jun 16 2017 01:35:00.0000	1624	1460
Fri Jun 16 2017 01:36:00.0000	1626	1339
Fri Jun 16 2017 01:37:00.0000	1625	1367
Fri Jun 16 2017 01:38:00.0000	1623	1367
Fri Jun 16 2017 01:39:00.0000	1623	1377
Fri Jun 16 2017 01:40:00.0000	1625	1463
Fri Jun 16 2017 01:41:00.0000	1626	1420
Fri Jun 16 2017 01:42:00.0000	1624	1393
Fri Jun 16 2017 01:43:00.0000	1623	1348
Fri Jun 16 2017 01:44:00.0000	1624	1402
Fri Jun 16 2017 01:45:00.0000	1626	1373
Fri Jun 16 2017 01:46:00.0000	1625	1378
Fri Jun 16 2017 01:47:00.0000	1623	1381
Fri Jun 16 2017 01:48:00.0000	1623	1377
Fri Jun 16 2017 01:49:00.0000	1624	1382
Fri Jun 16 2017 01:50:00.0000	1626	1359
Fri Jun 16 2017 01:51:00.0000	1624	1382
Fri Jun 16 2017 01:52:00.0000	1622	1395
Fri Jun 16 2017 01:53:00.0000	1624	1356
Fri Jun 16 2017 01:54:00.0000	1625	1372
Fri Jun 16 2017 01:55:00.0000	1625	1387
Fri Jun 16 2017 01:56:00.0000	1623	1367
Fri Jun 16 2017 01:57:00.0000	1623	1395
Fri Jun 16 2017 01:58:00.0000	1624	1400
Fri Jun 16 2017 01:59:00.0000	1626	1368
Fri Jun 16 2017 02:00:00.0000	1624	1382
Fri Jun 16 2017 02:01:00.0000	1622	1341
Fri Jun 16 2017 02:02:00.0000	1624	1373
Fri Jun 16 2017 02:03:00.0000	1625	1360

Date/Time	Process Temperature (°F)	Process Flow SCFM
Fri Jun 16 2017 02:04:00.0000	1625	1370
Fri Jun 16 2017 02:05:00.0000	1623	1362
Fri Jun 16 2017 02:06:00.0000	1623	1376
Fri Jun 16 2017 02:07:00.0000	1624	1358
Fri Jun 16 2017 02:08:00.0000	1625	1376
Fri Jun 16 2017 02:09:00.0000	1624	1365
Fri Jun 16 2017 02:10:00.0000	1622	1383
Fri Jun 16 2017 02:11:00.0000	1624	1382
Fri Jun 16 2017 02:12:00.0000	1625	1390
Fri Jun 16 2017 02:13:00.0000	1625	1391
Fri Jun 16 2017 02:14:00.0000	1623	1375
Fri Jun 16 2017 02:15:00.0000	1623	1405
Fri Jun 16 2017 02:16:00.0000	1624	1374
Fri Jun 16 2017 02:17:00.0000	1625	1481
Fri Jun 16 2017 02:18:00.0000	1623	1387
Fri Jun 16 2017 02:19:00.0000	1622	1363
Fri Jun 16 2017 02:20:00.0000	1624	1347
Fri Jun 16 2017 02:21:00.0000	1625	1338
Fri Jun 16 2017 02:22:00.0000	1625	1392
Fri Jun 16 2017 02:23:00.0000	1622	1369
Fri Jun 16 2017 02:24:00.0000	1623	1394
Fri Jun 16 2017 02:25:00.0000	1624	1381
Fri Jun 16 2017 02:26:00.0000	1625	1425
Fri Jun 16 2017 02:27:00.0000	1623	1380
Fri Jun 16 2017 02:28:00.0000	1623	1362
Fri Jun 16 2017 02:29:00.0000	1624	1350
Fri Jun 16 2017 02:30:00.0000	1625	1362
Fri Jun 16 2017 02:31:00.0000	1624	1361
Fri Jun 16 2017 02:32:00.0000	1623	1351
Fri Jun 16 2017 02:33:00.0000	1624	1368
Fri Jun 16 2017 02:34:00.0000	1625	1373
Fri Jun 16 2017 02:35:00.0000	1625	1385
Fri Jun 16 2017 02:36:00.0000	1622	1392
Fri Jun 16 2017 02:37:00.0000	1623	1362
Fri Jun 16 2017 02:38:00.0000	1624	1362
Fri Jun 16 2017 02:39:00.0000	1625	1382
Fri Jun 16 2017 02:40:00.0000	1623	1388
Fri Jun 16 2017 02:41:00.0000	1623	1373
Fri Jun 16 2017 02:42:00.0000	1623	1379
Fri Jun 16 2017 02:43:00.0000	1625	1424
Fri Jun 16 2017 02:44:00.0000	1624	1384
Fri Jun 16 2017 02:45:00.0000	1622	1375
Fri Jun 16 2017 02:46:00.0000	1623	1371
Fri Jun 16 2017 02:47:00.0000	1625	1382
Fri Jun 16 2017 02:48:00.0000	1624	1367
Fri Jun 16 2017 02:49:00.0000	1622	1380
Fri Jun 16 2017 02:50:00.0000	1623	1375
Fri Jun 16 2017 02:51:00.0000	1624	1355
Fri Jun 16 2017 02:52:00.0000	1625	1397
Fri Jun 16 2017 02:53:00.0000	1624	1362
Fri Jun 16 2017 02:54:00.0000	1622	1360
Fri Jun 16 2017 02:55:00.0000	1623	1380
Fri Jun 16 2017 02:56:00.0000	1625	1362
Fri Jun 16 2017 02:57:00.0000	1625	1388
Fri Jun 16 2017 02:58:00.0000	1622	1358
Fri Jun 16 2017 02:59:00.0000	1623	1375
Fri Jun 16 2017 03:00:00.0000	1624	1390

Date/Time	Process Temperature (°F)	Process Flow SCFM
Fri Jun 16 2017 03:01:00.0000	1625	1386
Fri Jun 16 2017 03:02:00.0000	1623	1381
Fri Jun 16 2017 03:03:00.0000	1622	1369
Fri Jun 16 2017 03:04:00.0000	1623	1361
Fri Jun 16 2017 03:05:00.0000	1625	1365
Fri Jun 16 2017 03:06:00.0000	1624	1370
Fri Jun 16 2017 03:07:00.0000	1622	1389
Fri Jun 16 2017 03:08:00.0000	1623	1375
Fri Jun 16 2017 03:09:00.0000	1624	1361
Fri Jun 16 2017 03:10:00.0000	1625	1387
Fri Jun 16 2017 03:11:00.0000	1623	1390
Fri Jun 16 2017 03:12:00.0000	1622	1373
Fri Jun 16 2017 03:13:00.0000	1623	1369
Fri Jun 16 2017 03:14:00.0000	1625	1383
Fri Jun 16 2017 03:15:00.0000	1624	1378
Fri Jun 16 2017 03:16:00.0000	1622	1394
Fri Jun 16 2017 03:17:00.0000	1623	1374
Fri Jun 16 2017 03:18:00.0000	1624	1379
Fri Jun 16 2017 03:19:00.0000	1625	1370
Fri Jun 16 2017 03:20:00.0000	1623	1373
Fri Jun 16 2017 03:21:00.0000	1622	1368
Fri Jun 16 2017 03:22:00.0000	1623	1387
Fri Jun 16 2017 03:23:00.0000	1625	1344
Fri Jun 16 2017 03:24:00.0000	1624	1353
Fri Jun 16 2017 03:25:00.0000	1622	1386
Fri Jun 16 2017 03:26:00.0000	1623	1330
Fri Jun 16 2017 03:27:00.0000	1624	1329
Fri Jun 16 2017 03:28:00.0000	1625	1389
Fri Jun 16 2017 03:29:00.0000	1623	1363
Fri Jun 16 2017 03:30:00.0000	1623	1424
Fri Jun 16 2017 03:31:00.0000	1623	1365
Fri Jun 16 2017 03:32:00.0000	1625	1380
Fri Jun 16 2017 03:33:00.0000	1624	1381
Fri Jun 16 2017 03:34:00.0000	1622	1391
Fri Jun 16 2017 03:35:00.0000	1623	1359
Fri Jun 16 2017 03:36:00.0000	1625	1366
Fri Jun 16 2017 03:37:00.0000	1624	1362
Fri Jun 16 2017 03:38:00.0000	1621	1388
Fri Jun 16 2017 03:39:00.0000	1623	1377
Fri Jun 16 2017 03:40:00.0000	1623	1384
Fri Jun 16 2017 03:41:00.0000	1625	1390
Fri Jun 16 2017 03:42:00.0000	1622	1372
Fri Jun 16 2017 03:43:00.0000	1622	1368
Fri Jun 16 2017 03:44:00.0000	1623	1383
Fri Jun 16 2017 03:45:00.0000	1624	1374
Fri Jun 16 2017 03:46:00.0000	1624	1393
Fri Jun 16 2017 03:47:00.0000	1621	1357
Fri Jun 16 2017 03:48:00.0000	1623	1368
Fri Jun 16 2017 03:49:00.0000	1623	1368
Fri Jun 16 2017 03:50:00.0000	1624	1376
Fri Jun 16 2017 03:51:00.0000	1622	1394
Fri Jun 16 2017 03:52:00.0000	1622	1375
Fri Jun 16 2017 03:53:00.0000	1623	1344
Fri Jun 16 2017 03:54:00.0000	1624	1369
Fri Jun 16 2017 03:55:00.0000	1624	1366
Fri Jun 16 2017 03:56:00.0000	1621	1361
Fri Jun 16 2017 03:57:00.0000	1623	1386

Date/Time	Process Temperature (°F)	Process Flow SCFM
Fri Jun 16 2017 03:58:00.0000	1623	1385
Fri Jun 16 2017 03:59:00.0000	1624	1387
Fri Jun 16 2017 04:00:00.0000	1622	1432
Fri Jun 16 2017 04:01:00.0000	1622	1372
Fri Jun 16 2017 04:02:00.0000	1623	1418
Fri Jun 16 2017 04:03:00.0000	1624	1378
Fri Jun 16 2017 04:04:00.0000	1623	1373
Fri Jun 16 2017 04:05:00.0000	1621	1402
Fri Jun 16 2017 04:06:00.0000	1623	1368
Fri Jun 16 2017 04:07:00.0000	1623	1397
Fri Jun 16 2017 04:08:00.0000	1624	1378
Fri Jun 16 2017 04:09:00.0000	1621	1344
Fri Jun 16 2017 04:10:00.0000	1622	1379
Fri Jun 16 2017 04:11:00.0000	1623	1393
Fri Jun 16 2017 04:12:00.0000	1624	1362
Fri Jun 16 2017 04:13:00.0000	1622	1385
Fri Jun 16 2017 04:14:00.0000	1621	1356
Fri Jun 16 2017 04:15:00.0000	1622	1344
Fri Jun 16 2017 04:16:00.0000	1624	1367
Fri Jun 16 2017 04:17:00.0000	1622	1383
Fri Jun 16 2017 04:18:00.0000	1620	1389
Fri Jun 16 2017 04:19:00.0000	1622	1399
Fri Jun 16 2017 04:20:00.0000	1623	1331
Fri Jun 16 2017 04:21:00.0000	1623	1366
Fri Jun 16 2017 04:22:00.0000	1621	1373
Fri Jun 16 2017 04:23:00.0000	1621	1400
Fri Jun 16 2017 04:24:00.0000	1622	1356
Fri Jun 16 2017 04:25:00.0000	1623	1366
Fri Jun 16 2017 04:26:00.0000	1622	1370
Fri Jun 16 2017 04:27:00.0000	1620	1414
Fri Jun 16 2017 04:28:00.0000	1622	1364
Fri Jun 16 2017 04:29:00.0000	1623	1357
Fri Jun 16 2017 04:30:00.0000	1623	1378
Fri Jun 16 2017 04:31:00.0000	1621	1390
Fri Jun 16 2017 04:32:00.0000	1621	1374
Fri Jun 16 2017 04:33:00.0000	1622	1374
Fri Jun 16 2017 04:34:00.0000	1623	1363
Fri Jun 16 2017 04:35:00.0000	1622	1381
Fri Jun 16 2017 04:36:00.0000	1620	1352
Fri Jun 16 2017 04:37:00.0000	1622	1383
Fri Jun 16 2017 04:38:00.0000	1623	1391
Fri Jun 16 2017 04:39:00.0000	1623	1350
Fri Jun 16 2017 04:40:00.0000	1621	1377
Fri Jun 16 2017 04:41:00.0000	1621	1359
Fri Jun 16 2017 04:42:00.0000	1622	1341
Fri Jun 16 2017 04:43:00.0000	1623	1373
Fri Jun 16 2017 04:44:00.0000	1622	1372
Fri Jun 16 2017 04:45:00.0000	1620	1358
Fri Jun 16 2017 04:46:00.0000	1622	1361
Fri Jun 16 2017 04:47:00.0000	1623	1392
Fri Jun 16 2017 04:48:00.0000	1623	1360
Fri Jun 16 2017 04:49:00.0000	1621	1331
Fri Jun 16 2017 04:50:00.0000	1622	1377
Fri Jun 16 2017 04:51:00.0000	1622	1360
Fri Jun 16 2017 04:52:00.0000	1623	1382
Fri Jun 16 2017 04:53:00.0000	1622	1348
Fri Jun 16 2017 04:54:00.0000	1621	1319

Date/Time	Process Temperature (°F)	Process Flow SCFM
Fri Jun 16 2017 04:55:00.0000	1622	1375
Fri Jun 16 2017 04:56:00.0000	1623	1374
Fri Jun 16 2017 04:57:00.0000	1622	1375
Fri Jun 16 2017 04:58:00.0000	1620	1364
Fri Jun 16 2017 04:59:00.0000	1622	1362
Fri Jun 16 2017 05:00:00.0000	1622	1366
Fri Jun 16 2017 05:01:00.0000	1623	1366
Fri Jun 16 2017 05:02:00.0000	1621	1361
Fri Jun 16 2017 05:03:00.0000	1620	1375
Fri Jun 16 2017 05:04:00.0000	1622	1357
Fri Jun 16 2017 05:05:00.0000	1623	1367
Fri Jun 16 2017 05:06:00.0000	1622	1338
Fri Jun 16 2017 05:07:00.0000	1620	1369
Fri Jun 16 2017 05:08:00.0000	1622	1354
Fri Jun 16 2017 05:09:00.0000	1622	1333
Fri Jun 16 2017 05:10:00.0000	1623	1403
Fri Jun 16 2017 05:11:00.0000	1621	1366
Fri Jun 16 2017 05:12:00.0000	1620	1369
Fri Jun 16 2017 05:13:00.0000	1622	1360
Fri Jun 16 2017 05:14:00.0000	1623	1328
Fri Jun 16 2017 05:15:00.0000	1622	1357
Fri Jun 16 2017 05:16:00.0000	1621	1412
Fri Jun 16 2017 05:17:00.0000	1622	1334
Fri Jun 16 2017 05:18:00.0000	1622	1375
Fri Jun 16 2017 05:19:00.0000	1623	1405
Fri Jun 16 2017 05:20:00.0000	1621	1372
Fri Jun 16 2017 05:21:00.0000	1621	1378
Fri Jun 16 2017 05:22:00.0000	1622	1361
Fri Jun 16 2017 05:23:00.0000	1623	1368
Fri Jun 16 2017 05:24:00.0000	1622	1351
Fri Jun 16 2017 05:25:00.0000	1620	1368
Fri Jun 16 2017 05:26:00.0000	1622	1411
Fri Jun 16 2017 05:27:00.0000	1623	1369
Fri Jun 16 2017 05:28:00.0000	1622	1374
Fri Jun 16 2017 05:29:00.0000	1620	1356
Fri Jun 16 2017 05:30:00.0000	1622	1393
Fri Jun 16 2017 05:31:00.0000	1622	1364
Fri Jun 16 2017 05:32:00.0000	1623	1369
Fri Jun 16 2017 05:33:00.0000	1621	1364
Fri Jun 16 2017 05:34:00.0000	1620	1362
Fri Jun 16 2017 05:35:00.0000	1622	1377
Fri Jun 16 2017 05:36:00.0000	1623	1403
Fri Jun 16 2017 05:37:00.0000	1622	1344
Fri Jun 16 2017 05:38:00.0000	1620	1366
Fri Jun 16 2017 05:39:00.0000	1621	1325
Fri Jun 16 2017 05:40:00.0000	1622	1393
Fri Jun 16 2017 05:41:00.0000	1623	1389
Fri Jun 16 2017 05:42:00.0000	1621	1365
Fri Jun 16 2017 05:43:00.0000	1620	1360
Fri Jun 16 2017 05:44:00.0000	1621	1436
Fri Jun 16 2017 05:45:00.0000	1623	1352
Fri Jun 16 2017 05:46:00.0000	1622	1358
Fri Jun 16 2017 05:47:00.0000	1620	1357
Fri Jun 16 2017 05:48:00.0000	1621	1375
Fri Jun 16 2017 05:49:00.0000	1622	1358
Fri Jun 16 2017 05:50:00.0000	1623	1369
Fri Jun 16 2017 05:51:00.0000	1620	1349

Date/Time	Process Temperature (°F)	Process Flow SCFM
Fri Jun 16 2017 05:52:00.0000	1620	1355
Fri Jun 16 2017 05:53:00.0000	1621	1358
Fri Jun 16 2017 05:54:00.0000	1622	1362
Fri Jun 16 2017 05:55:00.0000	1621	1364
Fri Jun 16 2017 05:56:00.0000	1620	1436
Fri Jun 16 2017 05:57:00.0000	1621	1431
Fri Jun 16 2017 05:58:00.0000	1621	1370
Fri Jun 16 2017 05:59:00.0000	1622	1374
Fri Jun 16 2017 06:00:00.0000	1620	1416
Fri Jun 16 2017 06:01:00.0000	1620	1352
Fri Jun 16 2017 06:02:00.0000	1621	1338
Fri Jun 16 2017 06:03:00.0000	1622	1409
Fri Jun 16 2017 06:04:00.0000	1621	1369
Fri Jun 16 2017 06:05:00.0000	1620	1357
Fri Jun 16 2017 06:06:00.0000	1621	1372
Fri Jun 16 2017 06:07:00.0000	1621	1377
Fri Jun 16 2017 06:08:00.0000	1622	1297
Fri Jun 16 2017 06:09:00.0000	1620	1368
Fri Jun 16 2017 06:10:00.0000	1620	1338
Fri Jun 16 2017 06:11:00.0000	1622	1373
Fri Jun 16 2017 06:12:00.0000	1622	1362
Fri Jun 16 2017 06:13:00.0000	1620	1412
Fri Jun 16 2017 06:14:00.0000	1620	1413
Fri Jun 16 2017 06:15:00.0000	1621	1385
Fri Jun 16 2017 06:16:00.0000	1622	1423
Fri Jun 16 2017 06:17:00.0000	1621	1382
Fri Jun 16 2017 06:18:00.0000	1620	1404
Fri Jun 16 2017 06:19:00.0000	1621	1450
Fri Jun 16 2017 06:20:00.0000	1622	1329
Fri Jun 16 2017 06:21:00.0000	1622	1362
Fri Jun 16 2017 06:22:00.0000	1619	1355
Fri Jun 16 2017 06:23:00.0000	1621	1350
Fri Jun 16 2017 06:24:00.0000	1622	1385
Fri Jun 16 2017 06:25:00.0000	1622	1396
Fri Jun 16 2017 06:26:00.0000	1620	1362
Fri Jun 16 2017 06:27:00.0000	1619	1374
Fri Jun 16 2017 06:28:00.0000	1621	1351
Fri Jun 16 2017 06:29:00.0000	1622	1362
Fri Jun 16 2017 06:30:00.0000	1621	1413
Fri Jun 16 2017 06:31:00.0000	1619	1393
Fri Jun 16 2017 06:32:00.0000	1621	1360
Fri Jun 16 2017 06:33:00.0000	1621	1374
Fri Jun 16 2017 06:34:00.0000	1622	1357
Fri Jun 16 2017 06:35:00.0000	1620	1370
Fri Jun 16 2017 06:36:00.0000	1620	1367
Fri Jun 16 2017 06:37:00.0000	1621	1489
Fri Jun 16 2017 06:38:00.0000	1622	1417
Fri Jun 16 2017 06:39:00.0000	1621	1360
Fri Jun 16 2017 06:40:00.0000	1619	1386
Fri Jun 16 2017 06:41:00.0000	1621	1396
Fri Jun 16 2017 06:42:00.0000	1622	1388
Fri Jun 16 2017 06:43:00.0000	1622	1374
Fri Jun 16 2017 06:44:00.0000	1620	1455
Fri Jun 16 2017 06:45:00.0000	1620	1408
Fri Jun 16 2017 06:46:00.0000	1621	1375
Fri Jun 16 2017 06:47:00.0000	1622	1422
Fri Jun 16 2017 06:48:00.0000	1621	1364

Date/Time	Process Temperature (°F)	Process Flow SCFM
Fri Jun 16 2017 06:49:00.0000	1620	1365
Fri Jun 16 2017 06:50:00.0000	1621	1362
Fri Jun 16 2017 06:51:00.0000	1622	1363
Fri Jun 16 2017 06:52:00.0000	1622	1366
Fri Jun 16 2017 06:53:00.0000	1620	1362
Fri Jun 16 2017 06:54:00.0000	1621	1361
Fri Jun 16 2017 06:55:00.0000	1621	1359
Fri Jun 16 2017 06:56:00.0000	1622	1369
Fri Jun 16 2017 06:57:00.0000	1620	1396
Fri Jun 16 2017 06:58:00.0000	1620	1383
Fri Jun 16 2017 06:59:00.0000	1621	1353
Fri Jun 16 2017 07:00:00.0000	1622	1382
Fri Jun 16 2017 07:01:00.0000	1621	1445
Fri Jun 16 2017 07:02:00.0000	1619	1389
Fri Jun 16 2017 07:03:00.0000	1621	1411
Fri Jun 16 2017 07:04:00.0000	1622	1372
Fri Jun 16 2017 07:05:00.0000	1622	1368
Fri Jun 16 2017 07:06:00.0000	1620	1381
Fri Jun 16 2017 07:07:00.0000	1620	1423
Fri Jun 16 2017 07:08:00.0000	1621	1396
Fri Jun 16 2017 07:09:00.0000	1622	1382
Fri Jun 16 2017 07:10:00.0000	1621	1375
Fri Jun 16 2017 07:11:00.0000	1619	1432
Fri Jun 16 2017 07:12:00.0000	1621	1404
Fri Jun 16 2017 07:13:00.0000	1622	1413
Fri Jun 16 2017 07:14:00.0000	1622	1438
Fri Jun 16 2017 07:15:00.0000	1620	1413
Fri Jun 16 2017 07:16:00.0000	1620	1396
Fri Jun 16 2017 07:17:00.0000	1621	1413
Fri Jun 16 2017 07:18:00.0000	1622	1393
Fri Jun 16 2017 07:19:00.0000	1621	1406
Fri Jun 16 2017 07:20:00.0000	1619	1448
Fri Jun 16 2017 07:21:00.0000	1621	1408
Fri Jun 16 2017 07:22:00.0000	1622	1456
Fri Jun 16 2017 07:23:00.0000	1622	1414
Fri Jun 16 2017 07:24:00.0000	1620	1377
Fri Jun 16 2017 07:25:00.0000	1620	1413
Fri Jun 16 2017 07:26:00.0000	1622	1376
Fri Jun 16 2017 07:27:00.0000	1623	1424
Fri Jun 16 2017 07:28:00.0000	1621	1374
Fri Jun 16 2017 07:29:00.0000	1619	1407
Fri Jun 16 2017 07:30:00.0000	1621	1392
Fri Jun 16 2017 07:31:00.0000	1622	1433
Fri Jun 16 2017 07:32:00.0000	1622	1379
Fri Jun 16 2017 07:33:00.0000	1620	1392
Fri Jun 16 2017 07:34:00.0000	1621	1357
Fri Jun 16 2017 07:35:00.0000	1622	1383
Fri Jun 16 2017 07:36:00.0000	1623	1389
Fri Jun 16 2017 07:37:00.0000	1621	1378
Fri Jun 16 2017 07:38:00.0000	1620	1401
Fri Jun 16 2017 07:39:00.0000	1621	1350
Fri Jun 16 2017 07:40:00.0000	1623	1381
Fri Jun 16 2017 07:41:00.0000	1622	1402
Fri Jun 16 2017 07:42:00.0000	1620	1389
Fri Jun 16 2017 07:43:00.0000	1621	1357
Fri Jun 16 2017 07:44:00.0000	1622	1375
Fri Jun 16 2017 07:45:00.0000	1623	1402

Date/Time	Process Temperature (°F)	Process Flow SCFM
Fri Jun 16 2017 07:46:00.0000	1621	1367
Fri Jun 16 2017 07:47:00.0000	1620	1379
Fri Jun 16 2017 07:48:00.0000	1622	1361
Fri Jun 16 2017 07:49:00.0000	1623	1338
Fri Jun 16 2017 07:50:00.0000	1622	1431
Fri Jun 16 2017 07:51:00.0000	1620	1395
Fri Jun 16 2017 07:52:00.0000	1622	1420
Fri Jun 16 2017 07:53:00.0000	1622	1430
Fri Jun 16 2017 07:54:00.0000	1623	1378
Fri Jun 16 2017 07:55:00.0000	1621	1550
Fri Jun 16 2017 07:56:00.0000	1621	1395
Fri Jun 16 2017 07:57:00.0000	1623	1400
Fri Jun 16 2017 07:58:00.0000	1624	1432
Fri Jun 16 2017 07:59:00.0000	1622	1411
Fri Jun 16 2017 08:00:00.0000	1620	1354
Fri Jun 16 2017 08:01:00.0000	1622	1461
Fri Jun 16 2017 08:02:00.0000	1623	1417
Fri Jun 16 2017 08:03:00.0000	1623	1399
Fri Jun 16 2017 08:04:00.0000	1622	1497
Fri Jun 16 2017 08:05:00.0000	1622	1429
Fri Jun 16 2017 08:06:00.0000	1623	1402
Fri Jun 16 2017 08:07:00.0000	1624	1389
Fri Jun 16 2017 08:08:00.0000	1622	1468
Fri Jun 16 2017 08:09:00.0000	1622	1402
Fri Jun 16 2017 08:10:00.0000	1623	1502
Fri Jun 16 2017 08:11:00.0000	1624	1321
Fri Jun 16 2017 08:12:00.0000	1623	1373
Fri Jun 16 2017 08:13:00.0000	1622	1313
Fri Jun 16 2017 08:14:00.0000	1623	1452
Fri Jun 16 2017 08:15:00.0000	1624	1430
Fri Jun 16 2017 08:16:00.0000	1624	1390
Fri Jun 16 2017 08:17:00.0000	1622	1449
Fri Jun 16 2017 08:18:00.0000	1624	1411
Fri Jun 16 2017 08:19:00.0000	1624	1366
Fri Jun 16 2017 08:20:00.0000	1625	1414
Fri Jun 16 2017 08:21:00.0000	1624	1373
Fri Jun 16 2017 08:22:00.0000	1622	1385
Fri Jun 16 2017 08:23:00.0000	1624	1420
Fri Jun 16 2017 08:24:00.0000	1626	1396
Fri Jun 16 2017 08:25:00.0000	1624	1398
Fri Jun 16 2017 08:26:00.0000	1622	1396
Fri Jun 16 2017 08:27:00.0000	1624	1384
Fri Jun 16 2017 08:28:00.0000	1625	1412
Fri Jun 16 2017 08:29:00.0000	1626	1409
Fri Jun 16 2017 08:30:00.0000	1624	1414
Fri Jun 16 2017 08:31:00.0000	1623	1385
Fri Jun 16 2017 08:32:00.0000	1625	1384
Fri Jun 16 2017 08:33:00.0000	1626	1408
Fri Jun 16 2017 08:34:00.0000	1625	1416
Fri Jun 16 2017 08:35:00.0000	1623	1433
Fri Jun 16 2017 08:36:00.0000	1625	1405
Fri Jun 16 2017 08:37:00.0000	1625	1425
Fri Jun 16 2017 08:38:00.0000	1626	1409
Fri Jun 16 2017 08:39:00.0000	1624	1420
Fri Jun 16 2017 08:40:00.0000	1624	1373
Fri Jun 16 2017 08:41:00.0000	1625	1399
Fri Jun 16 2017 08:42:00.0000	1627	1427

Date/Time	Process Temperature (°F)	Process Flow SCFM
Fri Jun 16 2017 08:43:00.0000	1626	1408
Fri Jun 16 2017 08:44:00.0000	1624	1389
Fri Jun 16 2017 08:45:00.0000	1626	1414
Fri Jun 16 2017 08:46:00.0000	1627	1480
Fri Jun 16 2017 08:47:00.0000	1627	1387
Fri Jun 16 2017 08:48:00.0000	1625	1458
Fri Jun 16 2017 08:49:00.0000	1625	1409
Fri Jun 16 2017 08:50:00.0000	1626	1483
Fri Jun 16 2017 08:51:00.0000	1628	1445
Fri Jun 16 2017 08:52:00.0000	1626	1406
Fri Jun 16 2017 08:53:00.0000	1624	1408
Fri Jun 16 2017 08:54:00.0000	1626	1456
Fri Jun 16 2017 08:55:00.0000	1627	1452
Fri Jun 16 2017 08:56:00.0000	1628	1383
Fri Jun 16 2017 08:57:00.0000	1626	1433
Fri Jun 16 2017 08:58:00.0000	1626	1422
Fri Jun 16 2017 08:59:00.0000	1627	1506
Fri Jun 16 2017 09:00:00.0000	1628	1404
Fri Jun 16 2017 09:01:00.0000	1627	1382
Fri Jun 16 2017 09:02:00.0000	1625	1443
Fri Jun 16 2017 09:03:00.0000	1627	1451
Fri Jun 16 2017 09:04:00.0000	1628	1397
Fri Jun 16 2017 09:05:00.0000	1628	1405
Fri Jun 16 2017 09:06:00.0000	1626	1435
Fri Jun 16 2017 09:07:00.0000	1626	1412
Fri Jun 16 2017 09:08:00.0000	1627	1413
Fri Jun 16 2017 09:09:00.0000	1629	1469
Fri Jun 16 2017 09:10:00.0000	1627	1369
Fri Jun 16 2017 09:11:00.0000	1625	1396
Fri Jun 16 2017 09:12:00.0000	1627	1381
Fri Jun 16 2017 09:13:00.0000	1628	1390
Fri Jun 16 2017 09:14:00.0000	1628	1430
Fri Jun 16 2017 09:15:00.0000	1626	1355
Fri Jun 16 2017 09:16:00.0000	1627	1447
Fri Jun 16 2017 09:17:00.0000	1628	1416
Fri Jun 16 2017 09:18:00.0000	1629	1400
Fri Jun 16 2017 09:19:00.0000	1627	1428
Fri Jun 16 2017 09:20:00.0000	1626	1431
Fri Jun 16 2017 09:21:00.0000	1628	1394
Fri Jun 16 2017 09:22:00.0000	1628	1389
Fri Jun 16 2017 09:23:00.0000	1628	1476
Fri Jun 16 2017 09:24:00.0000	1627	1377
Fri Jun 16 2017 09:25:00.0000	1627	1438
Fri Jun 16 2017 09:26:00.0000	1628	1437
Fri Jun 16 2017 09:27:00.0000	1629	1507
Fri Jun 16 2017 09:28:00.0000	1628	1538
Fri Jun 16 2017 09:29:00.0000	1627	1464
Fri Jun 16 2017 09:30:00.0000	1628	1394
Fri Jun 16 2017 09:31:00.0000	1630	1463
Fri Jun 16 2017 09:32:00.0000	1629	1476
Fri Jun 16 2017 09:33:00.0000	1627	1492
Fri Jun 16 2017 09:34:00.0000	1628	1394
Fri Jun 16 2017 09:35:00.0000	1629	1429
Fri Jun 16 2017 09:36:00.0000	1630	1445
Fri Jun 16 2017 09:37:00.0000	1628	1394
Fri Jun 16 2017 09:38:00.0000	1628	1429
Fri Jun 16 2017 09:39:00.0000	1629	1448

Date/Time	Process Temperature (°F)	Process Flow SCFM
Fri Jun 16 2017 09:40:00.0000	1631	1412
Fri Jun 16 2017 09:41:00.0000	1630	1442
Fri Jun 16 2017 09:42:00.0000	1628	1448
Fri Jun 16 2017 09:43:00.0000	1629	1432
Fri Jun 16 2017 09:44:00.0000	1631	1494
Fri Jun 16 2017 09:45:00.0000	1630	1434
Fri Jun 16 2017 09:46:00.0000	1629	1444
Fri Jun 16 2017 09:47:00.0000	1629	1456
Fri Jun 16 2017 09:48:00.0000	1630	1406
Fri Jun 16 2017 09:49:00.0000	1632	1442
Fri Jun 16 2017 09:50:00.0000	1630	1429
Fri Jun 16 2017 09:51:00.0000	1629	1424
Fri Jun 16 2017 09:52:00.0000	1630	1413
Fri Jun 16 2017 09:53:00.0000	1632	1421
Fri Jun 16 2017 09:54:00.0000	1631	1423
Fri Jun 16 2017 09:55:00.0000	1629	1444
Fri Jun 16 2017 09:56:00.0000	1630	1450
Fri Jun 16 2017 09:57:00.0000	1631	1470
Fri Jun 16 2017 09:58:00.0000	1632	1428
Fri Jun 16 2017 09:59:00.0000	1630	1441
Fri Jun 16 2017 10:00:00.0000	1629	1448
Fri Jun 16 2017 10:01:00.0000	1631	1444
Fri Jun 16 2017 10:02:00.0000	1633	1416
Fri Jun 16 2017 10:03:00.0000	1632	1411
Fri Jun 16 2017 10:04:00.0000	1629	1433
Fri Jun 16 2017 10:05:00.0000	1631	1470
Fri Jun 16 2017 10:06:00.0000	1633	1431
Fri Jun 16 2017 10:07:00.0000	1628	1446
Fri Jun 16 2017 10:08:00.0000	1623	1504
Fri Jun 16 2017 10:09:00.0000	1620	1457
Fri Jun 16 2017 10:10:00.0000	1618	1474
Fri Jun 16 2017 10:11:00.0000	1616	1418
Fri Jun 16 2017 10:12:00.0000	1613	1487
Fri Jun 16 2017 10:13:00.0000	1611	1416
Fri Jun 16 2017 10:14:00.0000	1611	1460
Fri Jun 16 2017 10:15:00.0000	1610	1401
Fri Jun 16 2017 10:16:00.0000	1608	1581
Fri Jun 16 2017 10:17:00.0000	1605	1454
Fri Jun 16 2017 10:18:00.0000	1605	1505
Fri Jun 16 2017 10:19:00.0000	1605	1500
Fri Jun 16 2017 10:20:00.0000	1604	1464
Fri Jun 16 2017 10:21:00.0000	1602	1415
Fri Jun 16 2017 10:22:00.0000	1606	1496
Fri Jun 16 2017 10:23:00.0000	1614	1426
Fri Jun 16 2017 10:24:00.0000	1621	1512
Fri Jun 16 2017 10:25:00.0000	1625	1411
Fri Jun 16 2017 10:26:00.0000	1624	1483
Fri Jun 16 2017 10:27:00.0000	1629	1423
Fri Jun 16 2017 10:28:00.0000	1632	1469
Fri Jun 16 2017 10:29:00.0000	1629	1506
Fri Jun 16 2017 10:30:00.0000	1622	1451
Fri Jun 16 2017 10:31:00.0000	1619	1429
Fri Jun 16 2017 10:32:00.0000	1616	1473
Fri Jun 16 2017 10:33:00.0000	1613	1454
Fri Jun 16 2017 10:34:00.0000	1611	1443
Fri Jun 16 2017 10:35:00.0000	1609	1463
Fri Jun 16 2017 10:36:00.0000	1608	1509

Date/Time	Process Temperature (°F)	Process Flow SCFM
Fri Jun 16 2017 10:37:00.0000	1607	1455
Fri Jun 16 2017 10:38:00.0000	1605	1426
Fri Jun 16 2017 10:39:00.0000	1604	1481
Fri Jun 16 2017 10:40:00.0000	1603	1428
Fri Jun 16 2017 10:41:00.0000	1603	1433
Fri Jun 16 2017 10:42:00.0000	1603	1476
Fri Jun 16 2017 10:43:00.0000	1606	1479
Fri Jun 16 2017 10:44:00.0000	1607	1494
Fri Jun 16 2017 10:45:00.0000	1611	1534
Fri Jun 16 2017 10:46:00.0000	1614	1542
Fri Jun 16 2017 10:47:00.0000	1616	1465
Fri Jun 16 2017 10:48:00.0000	1614	1528
Fri Jun 16 2017 10:49:00.0000	1616	1473
Fri Jun 16 2017 10:50:00.0000	1618	1494
Fri Jun 16 2017 10:51:00.0000	1621	1451
Fri Jun 16 2017 10:52:00.0000	1619	1525
Fri Jun 16 2017 10:53:00.0000	1618	1442
Fri Jun 16 2017 10:54:00.0000	1621	1556
Fri Jun 16 2017 10:55:00.0000	1623	1462
Fri Jun 16 2017 10:56:00.0000	1624	1474
Fri Jun 16 2017 10:57:00.0000	1622	1475
Fri Jun 16 2017 10:58:00.0000	1623	1461
Fri Jun 16 2017 10:59:00.0000	1624	1395
Fri Jun 16 2017 11:00:00.0000	1626	1490
Fri Jun 16 2017 11:01:00.0000	1625	1452
Fri Jun 16 2017 11:02:00.0000	1624	1500
Fri Jun 16 2017 11:03:00.0000	1626	1442
Fri Jun 16 2017 11:04:00.0000	1628	1473
Fri Jun 16 2017 11:05:00.0000	1627	1485
Fri Jun 16 2017 11:06:00.0000	1626	1527
Fri Jun 16 2017 11:07:00.0000	1627	1464
Fri Jun 16 2017 11:08:00.0000	1628	1457
Fri Jun 16 2017 11:09:00.0000	1630	1479
Fri Jun 16 2017 11:10:00.0000	1628	1457
Fri Jun 16 2017 11:11:00.0000	1627	1483
Fri Jun 16 2017 11:12:00.0000	1629	1400
Fri Jun 16 2017 11:13:00.0000	1631	1468
Fri Jun 16 2017 11:14:00.0000	1631	1465
Fri Jun 16 2017 11:15:00.0000	1629	1447
Fri Jun 16 2017 11:16:00.0000	1631	1459
Fri Jun 16 2017 11:17:00.0000	1632	1436
Fri Jun 16 2017 11:18:00.0000	1633	1468
Fri Jun 16 2017 11:19:00.0000	1631	1439
Fri Jun 16 2017 11:20:00.0000	1630	1468
Fri Jun 16 2017 11:21:00.0000	1632	1463
Fri Jun 16 2017 11:22:00.0000	1633	1522
Fri Jun 16 2017 11:23:00.0000	1626	1474
Fri Jun 16 2017 11:24:00.0000	1622	1470
Fri Jun 16 2017 11:25:00.0000	1619	1471
Fri Jun 16 2017 11:26:00.0000	1617	1444
Fri Jun 16 2017 11:27:00.0000	1615	1452
Fri Jun 16 2017 11:28:00.0000	1613	1450
Fri Jun 16 2017 11:29:00.0000	1612	1443
Fri Jun 16 2017 11:30:00.0000	1611	1421
Fri Jun 16 2017 11:31:00.0000	1610	1469
Fri Jun 16 2017 11:32:00.0000	1608	1433
Fri Jun 16 2017 11:33:00.0000	1606	1469

Date/Time	Process Temperature (°F)	Process Flow SCFM
Fri Jun 16 2017 11:34:00.0000	1606	1466
Fri Jun 16 2017 11:35:00.0000	1605	1493
Fri Jun 16 2017 11:36:00.0000	1604	1463
Fri Jun 16 2017 11:37:00.0000	1602	1430
Fri Jun 16 2017 11:38:00.0000	1606	1472
Fri Jun 16 2017 11:39:00.0000	1610	1412
Fri Jun 16 2017 11:40:00.0000	1614	1447
Fri Jun 16 2017 11:41:00.0000	1614	1486
Fri Jun 16 2017 11:42:00.0000	1615	1403
Fri Jun 16 2017 11:43:00.0000	1618	1444
Fri Jun 16 2017 11:44:00.0000	1620	1497
Fri Jun 16 2017 11:45:00.0000	1621	1469
Fri Jun 16 2017 11:46:00.0000	1619	1460
Fri Jun 16 2017 11:47:00.0000	1621	1454
Fri Jun 16 2017 11:48:00.0000	1623	1447
Fri Jun 16 2017 11:49:00.0000	1625	1457
Fri Jun 16 2017 11:50:00.0000	1623	1474
Fri Jun 16 2017 11:51:00.0000	1623	1429
Fri Jun 16 2017 11:52:00.0000	1625	1444
Fri Jun 16 2017 11:53:00.0000	1627	1535
Fri Jun 16 2017 11:54:00.0000	1627	1500
Fri Jun 16 2017 11:55:00.0000	1625	1471
Fri Jun 16 2017 11:56:00.0000	1627	1498
Fri Jun 16 2017 11:57:00.0000	1628	1476
Fri Jun 16 2017 11:58:00.0000	1630	1443
Fri Jun 16 2017 11:59:00.0000	1628	1454
Fri Jun 16 2017 12:00:00.0000	1627	1430
Fri Jun 16 2017 12:01:00.0000	1630	1648
Fri Jun 16 2017 12:02:00.0000	1632	1513
Fri Jun 16 2017 12:03:00.0000	1631	1490
Fri Jun 16 2017 12:04:00.0000	1629	1581
Fri Jun 16 2017 12:05:00.0000	1631	1504
Fri Jun 16 2017 12:06:00.0000	1631	1585
Fri Jun 16 2017 12:07:00.0000	1632	1459
Fri Jun 16 2017 12:08:00.0000	1630	1462
Fri Jun 16 2017 12:09:00.0000	1628	1481
Fri Jun 16 2017 12:10:00.0000	1630	1386
Fri Jun 16 2017 12:11:00.0000	1631	1518
Fri Jun 16 2017 12:12:00.0000	1631	1457
Fri Jun 16 2017 12:13:00.0000	1629	1504
Fri Jun 16 2017 12:14:00.0000	1630	1477
Fri Jun 16 2017 12:15:00.0000	1630	1483
Fri Jun 16 2017 12:16:00.0000	1631	1514
Fri Jun 16 2017 12:17:00.0000	1630	1449
Fri Jun 16 2017 12:18:00.0000	1628	1455
Fri Jun 16 2017 12:19:00.0000	1630	1448
Fri Jun 16 2017 12:20:00.0000	1632	1471
Fri Jun 16 2017 12:21:00.0000	1630	1445
Fri Jun 16 2017 12:22:00.0000	1628	1399
Fri Jun 16 2017 12:23:00.0000	1630	1504
Fri Jun 16 2017 12:24:00.0000	1631	1453
Fri Jun 16 2017 12:25:00.0000	1632	1474
Fri Jun 16 2017 12:26:00.0000	1629	1504
Fri Jun 16 2017 12:27:00.0000	1629	1489
Fri Jun 16 2017 12:28:00.0000	1630	1434
Fri Jun 16 2017 12:29:00.0000	1633	1484
Fri Jun 16 2017 12:30:00.0000	1631	1456

Date/Time	Process Temperature (°F)	Process Flow SCFM
Fri Jun 16 2017 12:31:00.0000	1629	1467
Fri Jun 16 2017 12:32:00.0000	1631	1438
Fri Jun 16 2017 12:33:00.0000	1632	1438
Fri Jun 16 2017 12:34:00.0000	1632	1420
Fri Jun 16 2017 12:35:00.0000	1630	1460
Fri Jun 16 2017 12:36:00.0000	1630	1463
Fri Jun 16 2017 12:37:00.0000	1631	1497
Fri Jun 16 2017 12:38:00.0000	1633	1437
Fri Jun 16 2017 12:39:00.0000	1631	1502
Fri Jun 16 2017 12:40:00.0000	1629	1507
Fri Jun 16 2017 12:41:00.0000	1631	1510
Fri Jun 16 2017 12:42:00.0000	1632	1526
Fri Jun 16 2017 12:43:00.0000	1633	1427
Fri Jun 16 2017 12:44:00.0000	1630	1490
Fri Jun 16 2017 12:45:00.0000	1630	1512
Fri Jun 16 2017 12:46:00.0000	1632	1476
Fri Jun 16 2017 12:47:00.0000	1633	1489
Fri Jun 16 2017 12:48:00.0000	1632	1550
Fri Jun 16 2017 12:49:00.0000	1630	1451
Fri Jun 16 2017 12:50:00.0000	1632	1476
Fri Jun 16 2017 12:51:00.0000	1633	1471
Fri Jun 16 2017 12:52:00.0000	1630	1478
Fri Jun 16 2017 12:53:00.0000	1624	1493
Fri Jun 16 2017 12:54:00.0000	1621	1477
Fri Jun 16 2017 12:55:00.0000	1619	1440
Fri Jun 16 2017 12:56:00.0000	1617	1422
Fri Jun 16 2017 12:57:00.0000	1614	1495
Fri Jun 16 2017 12:58:00.0000	1612	1507
Fri Jun 16 2017 12:59:00.0000	1611	1474
Fri Jun 16 2017 13:00:00.0000	1610	1592
Fri Jun 16 2017 13:01:00.0000	1608	1478
Fri Jun 16 2017 13:02:00.0000	1606	1435
Fri Jun 16 2017 13:03:00.0000	1605	1497
Fri Jun 16 2017 13:04:00.0000	1605	1595
Fri Jun 16 2017 13:05:00.0000	1604	1485
Fri Jun 16 2017 13:06:00.0000	1602	1472
Fri Jun 16 2017 13:07:00.0000	1608	1474
Fri Jun 16 2017 13:08:00.0000	1615	1618
Fri Jun 16 2017 13:09:00.0000	1623	1494
Fri Jun 16 2017 13:10:00.0000	1626	1477
Fri Jun 16 2017 13:11:00.0000	1626	1484
Fri Jun 16 2017 13:12:00.0000	1630	1473
Fri Jun 16 2017 13:13:00.0000	1633	1453
Fri Jun 16 2017 13:14:00.0000	1628	1488
Fri Jun 16 2017 13:15:00.0000	1620	1508
Fri Jun 16 2017 13:16:00.0000	1616	1491
Fri Jun 16 2017 13:17:00.0000	1612	1501
Fri Jun 16 2017 13:18:00.0000	1608	1595
Fri Jun 16 2017 13:19:00.0000	1606	1504
Fri Jun 16 2017 13:20:00.0000	1603	1457
Fri Jun 16 2017 13:21:00.0000	1602	1527
Fri Jun 16 2017 13:22:00.0000	1605	1560
Fri Jun 16 2017 13:23:00.0000	1606	1488
Fri Jun 16 2017 13:24:00.0000	1605	1556
Fri Jun 16 2017 13:25:00.0000	1606	1463
Fri Jun 16 2017 13:26:00.0000	1608	1443
Fri Jun 16 2017 13:27:00.0000	1609	1489

Date/Time	Process Temperature (°F)	Process Flow SCFM
Fri Jun 16 2017 13:28:00.0000	1608	1499
Fri Jun 16 2017 13:29:00.0000	1606	1442
Fri Jun 16 2017 13:30:00.0000	1608	1483
Fri Jun 16 2017 13:31:00.0000	1609	1393
Fri Jun 16 2017 13:32:00.0000	1609	1503
Fri Jun 16 2017 13:33:00.0000	1607	1491
Fri Jun 16 2017 13:34:00.0000	1608	1475
Fri Jun 16 2017 13:35:00.0000	1608	1494
Fri Jun 16 2017 13:36:00.0000	1609	1475
Fri Jun 16 2017 13:37:00.0000	1608	1531
Fri Jun 16 2017 13:38:00.0000	1607	1468
Fri Jun 16 2017 13:39:00.0000	1608	1634
Fri Jun 16 2017 13:40:00.0000	1609	1467
Fri Jun 16 2017 13:41:00.0000	1608	1460
Fri Jun 16 2017 13:42:00.0000	1606	1469
Fri Jun 16 2017 13:43:00.0000	1607	1522
Fri Jun 16 2017 13:44:00.0000	1608	1437
Fri Jun 16 2017 13:45:00.0000	1608	1476
Fri Jun 16 2017 13:46:00.0000	1607	1491
Fri Jun 16 2017 13:47:00.0000	1606	1485
Fri Jun 16 2017 13:48:00.0000	1607	1506
Fri Jun 16 2017 13:49:00.0000	1608	1531
Fri Jun 16 2017 13:50:00.0000	1607	1502
Fri Jun 16 2017 13:51:00.0000	1605	1447
Fri Jun 16 2017 13:52:00.0000	1607	1495
Fri Jun 16 2017 13:53:00.0000	1607	1551
Fri Jun 16 2017 13:54:00.0000	1607	1490
Fri Jun 16 2017 13:55:00.0000	1606	1492
Fri Jun 16 2017 13:56:00.0000	1606	1491
Fri Jun 16 2017 13:57:00.0000	1607	1431
Fri Jun 16 2017 13:58:00.0000	1607	1400
Fri Jun 16 2017 13:59:00.0000	1606	1506
Fri Jun 16 2017 14:00:00.0000	1605	1565
Fri Jun 16 2017 14:01:00.0000	1606	1461
Fri Jun 16 2017 14:02:00.0000	1607	1476
Fri Jun 16 2017 14:03:00.0000	1607	1524
Fri Jun 16 2017 14:04:00.0000	1605	1571
Fri Jun 16 2017 14:05:00.0000	1605	1500
Fri Jun 16 2017 14:06:00.0000	1606	1515
Fri Jun 16 2017 14:07:00.0000	1607	1581
Fri Jun 16 2017 14:08:00.0000	1605	1444
Fri Jun 16 2017 14:09:00.0000	1604	1485
Fri Jun 16 2017 14:10:00.0000	1606	1485
Fri Jun 16 2017 14:11:00.0000	1607	1491
Fri Jun 16 2017 14:12:00.0000	1606	1500
Fri Jun 16 2017 14:13:00.0000	1604	1526
Fri Jun 16 2017 14:14:00.0000	1605	1453
Fri Jun 16 2017 14:15:00.0000	1606	1530
Fri Jun 16 2017 14:16:00.0000	1606	1548
Fri Jun 16 2017 14:17:00.0000	1605	1515
Fri Jun 16 2017 14:18:00.0000	1604	1530
Fri Jun 16 2017 14:19:00.0000	1605	1467
Fri Jun 16 2017 14:20:00.0000	1606	1529
Fri Jun 16 2017 14:21:00.0000	1605	1497
Fri Jun 16 2017 14:22:00.0000	1604	1506
Fri Jun 16 2017 14:23:00.0000	1604	1479
Fri Jun 16 2017 14:24:00.0000	1605	1499

Date/Time	Process Temperature (°F)	Process Flow SCFM
Fri Jun 16 2017 14:25:00.0000	1606	1518
Fri Jun 16 2017 14:26:00.0000	1604	1500
Fri Jun 16 2017 14:27:00.0000	1603	1490
Fri Jun 16 2017 14:28:00.0000	1605	1475
Fri Jun 16 2017 14:29:00.0000	1606	1493
Fri Jun 16 2017 14:30:00.0000	1605	1493
Fri Jun 16 2017 14:31:00.0000	1603	1523
Fri Jun 16 2017 14:32:00.0000	1605	1490
Fri Jun 16 2017 14:33:00.0000	1605	1491
Fri Jun 16 2017 14:34:00.0000	1605	1486
Fri Jun 16 2017 14:35:00.0000	1604	1509
Fri Jun 16 2017 14:36:00.0000	1603	1509
Fri Jun 16 2017 14:37:00.0000	1607	1470
Fri Jun 16 2017 14:38:00.0000	1612	1461
Fri Jun 16 2017 14:39:00.0000	1612	1516
Fri Jun 16 2017 14:40:00.0000	1611	1495
Fri Jun 16 2017 14:41:00.0000	1614	1455
Fri Jun 16 2017 14:42:00.0000	1616	1447
Fri Jun 16 2017 14:43:00.0000	1617	1487
Fri Jun 16 2017 14:44:00.0000	1616	1479
Fri Jun 16 2017 14:45:00.0000	1617	1552
Fri Jun 16 2017 14:46:00.0000	1618	1508
Fri Jun 16 2017 14:47:00.0000	1621	1509
Fri Jun 16 2017 14:48:00.0000	1619	1475
Fri Jun 16 2017 14:49:00.0000	1619	1472
Fri Jun 16 2017 14:50:00.0000	1621	1500
Fri Jun 16 2017 14:51:00.0000	1623	1495
Fri Jun 16 2017 14:52:00.0000	1622	1497
Fri Jun 16 2017 14:53:00.0000	1620	1475
Fri Jun 16 2017 14:54:00.0000	1623	1495
Fri Jun 16 2017 14:55:00.0000	1625	1501
Fri Jun 16 2017 14:56:00.0000	1625	1474
Fri Jun 16 2017 14:57:00.0000	1622	1512
Fri Jun 16 2017 14:58:00.0000	1624	1521
Fri Jun 16 2017 14:59:00.0000	1625	1473
Fri Jun 16 2017 15:00:00.0000	1627	1480
Fri Jun 16 2017 15:01:00.0000	1626	1481
Fri Jun 16 2017 15:02:00.0000	1624	1497
Fri Jun 16 2017 15:03:00.0000	1626	1524
Fri Jun 16 2017 15:04:00.0000	1628	1488
Fri Jun 16 2017 15:05:00.0000	1628	1496
Fri Jun 16 2017 15:06:00.0000	1626	1474
Fri Jun 16 2017 15:07:00.0000	1627	1493
Fri Jun 16 2017 15:08:00.0000	1628	1491
Fri Jun 16 2017 15:09:00.0000	1630	1477
Fri Jun 16 2017 15:10:00.0000	1629	1515
Fri Jun 16 2017 15:11:00.0000	1627	1491
Fri Jun 16 2017 15:12:00.0000	1629	1469
Fri Jun 16 2017 15:13:00.0000	1631	1515
Fri Jun 16 2017 15:14:00.0000	1631	1522
Fri Jun 16 2017 15:15:00.0000	1629	1475
Fri Jun 16 2017 15:16:00.0000	1630	1487
Fri Jun 16 2017 15:17:00.0000	1631	1461
Fri Jun 16 2017 15:18:00.0000	1633	1475
Fri Jun 16 2017 15:19:00.0000	1632	1444
Fri Jun 16 2017 15:20:00.0000	1630	1535
Fri Jun 16 2017 15:21:00.0000	1632	1496

Date/Time	Process Temperature (°F)	Process Flow SCFM
Fri Jun 16 2017 15:22:00.0000	1633	1505
Fri Jun 16 2017 15:23:00.0000	1628	1513
Fri Jun 16 2017 15:24:00.0000	1623	1487
Fri Jun 16 2017 15:25:00.0000	1620	1488
Fri Jun 16 2017 15:26:00.0000	1618	1478
Fri Jun 16 2017 15:27:00.0000	1616	1483
Fri Jun 16 2017 15:28:00.0000	1613	1513
Fri Jun 16 2017 15:29:00.0000	1611	1488
Fri Jun 16 2017 15:30:00.0000	1610	1506
Fri Jun 16 2017 15:31:00.0000	1609	1505
Fri Jun 16 2017 15:32:00.0000	1607	1507
Fri Jun 16 2017 15:33:00.0000	1605	1498
Fri Jun 16 2017 15:34:00.0000	1605	1514
Fri Jun 16 2017 15:35:00.0000	1604	1453
Fri Jun 16 2017 15:36:00.0000	1603	1485
Fri Jun 16 2017 15:37:00.0000	1603	1490
Fri Jun 16 2017 15:38:00.0000	1606	1500
Fri Jun 16 2017 15:39:00.0000	1610	1484
Fri Jun 16 2017 15:40:00.0000	1614	1465
Fri Jun 16 2017 15:41:00.0000	1616	1469
Fri Jun 16 2017 15:42:00.0000	1615	1494
Fri Jun 16 2017 15:43:00.0000	1616	1518
Fri Jun 16 2017 15:44:00.0000	1618	1471
Fri Jun 16 2017 15:45:00.0000	1621	1487
Fri Jun 16 2017 15:46:00.0000	1620	1484
Fri Jun 16 2017 15:47:00.0000	1618	1507
Fri Jun 16 2017 15:48:00.0000	1621	1466
Fri Jun 16 2017 15:49:00.0000	1623	1503
Fri Jun 16 2017 15:50:00.0000	1623	1489
Fri Jun 16 2017 15:51:00.0000	1621	1492
Fri Jun 16 2017 15:52:00.0000	1622	1495
Fri Jun 16 2017 15:53:00.0000	1624	1472
Fri Jun 16 2017 15:54:00.0000	1626	1474
Fri Jun 16 2017 15:55:00.0000	1624	1489
Fri Jun 16 2017 15:56:00.0000	1623	1495
Fri Jun 16 2017 15:57:00.0000	1625	1525
Fri Jun 16 2017 15:58:00.0000	1627	1492
Fri Jun 16 2017 15:59:00.0000	1626	1514
Fri Jun 16 2017 16:00:00.0000	1624	1494
Fri Jun 16 2017 16:01:00.0000	1626	1478
Fri Jun 16 2017 16:02:00.0000	1627	1496
Fri Jun 16 2017 16:03:00.0000	1628	1476
Fri Jun 16 2017 16:04:00.0000	1627	1510
Fri Jun 16 2017 16:05:00.0000	1625	1473
Fri Jun 16 2017 16:06:00.0000	1627	1492
Fri Jun 16 2017 16:07:00.0000	1629	1457
Fri Jun 16 2017 16:08:00.0000	1629	1539
Fri Jun 16 2017 16:09:00.0000	1627	1458
Fri Jun 16 2017 16:10:00.0000	1628	1459
Fri Jun 16 2017 16:11:00.0000	1629	1458
Fri Jun 16 2017 16:12:00.0000	1630	1450
Fri Jun 16 2017 16:13:00.0000	1629	1517
Fri Jun 16 2017 16:14:00.0000	1627	1506
Fri Jun 16 2017 16:15:00.0000	1629	1482
Fri Jun 16 2017 16:16:00.0000	1631	1481
Fri Jun 16 2017 16:17:00.0000	1631	1564
Fri Jun 16 2017 16:18:00.0000	1628	1487

Date/Time	Process Temperature (°F)	Process Flow SCFM
Fri Jun 16 2017 16:19:00.0000	1629	1471
Fri Jun 16 2017 16:20:00.0000	1630	1493
Fri Jun 16 2017 16:21:00.0000	1632	1506
Fri Jun 16 2017 16:22:00.0000	1630	1501
Fri Jun 16 2017 16:23:00.0000	1629	1497
Fri Jun 16 2017 16:24:00.0000	1630	1479
Fri Jun 16 2017 16:25:00.0000	1632	1511
Fri Jun 16 2017 16:26:00.0000	1631	1466
Fri Jun 16 2017 16:27:00.0000	1629	1476
Fri Jun 16 2017 16:28:00.0000	1630	1565
Fri Jun 16 2017 16:29:00.0000	1632	1467
Fri Jun 16 2017 16:30:00.0000	1633	1547
Fri Jun 16 2017 16:31:00.0000	1631	1503
Fri Jun 16 2017 16:32:00.0000	1630	1522
Fri Jun 16 2017 16:33:00.0000	1632	1431
Fri Jun 16 2017 16:34:00.0000	1633	1575
Fri Jun 16 2017 16:35:00.0000	1632	1524
Fri Jun 16 2017 16:36:00.0000	1630	1538
Fri Jun 16 2017 16:37:00.0000	1632	1509
Fri Jun 16 2017 16:38:00.0000	1633	1511
Fri Jun 16 2017 16:39:00.0000	1632	1540
Fri Jun 16 2017 16:40:00.0000	1625	1494
Fri Jun 16 2017 16:41:00.0000	1622	1452
Fri Jun 16 2017 16:42:00.0000	1620	1553
Fri Jun 16 2017 16:43:00.0000	1617	1546
Fri Jun 16 2017 16:44:00.0000	1614	1530
Fri Jun 16 2017 16:45:00.0000	1612	1499
Fri Jun 16 2017 16:46:00.0000	1611	1481
Fri Jun 16 2017 16:47:00.0000	1610	1550
Fri Jun 16 2017 16:48:00.0000	1608	1469
Fri Jun 16 2017 16:49:00.0000	1606	1482
Fri Jun 16 2017 16:50:00.0000	1605	1591
Fri Jun 16 2017 16:51:00.0000	1605	1491
Fri Jun 16 2017 16:52:00.0000	1604	1532
Fri Jun 16 2017 16:53:00.0000	1602	1486
Fri Jun 16 2017 16:54:00.0000	1608	1435
Fri Jun 16 2017 16:55:00.0000	1617	1498
Fri Jun 16 2017 16:56:00.0000	1624	1485
Fri Jun 16 2017 16:57:00.0000	1629	1496
Fri Jun 16 2017 16:58:00.0000	1628	1482
Fri Jun 16 2017 16:59:00.0000	1632	1519
Fri Jun 16 2017 17:00:00.0000	1632	1573
Fri Jun 16 2017 17:01:00.0000	1629	1477
Fri Jun 16 2017 17:02:00.0000	1626	1451
Fri Jun 16 2017 17:03:00.0000	1624	1546
Fri Jun 16 2017 17:04:00.0000	1624	1483
Fri Jun 16 2017 17:05:00.0000	1624	1523
Fri Jun 16 2017 17:06:00.0000	1623	1482
Fri Jun 16 2017 17:07:00.0000	1621	1485
Fri Jun 16 2017 17:08:00.0000	1622	1508
Fri Jun 16 2017 17:09:00.0000	1622	1488
Fri Jun 16 2017 17:10:00.0000	1622	1486
Fri Jun 16 2017 17:11:00.0000	1620	1514
Fri Jun 16 2017 17:12:00.0000	1620	1402
Fri Jun 16 2017 17:13:00.0000	1621	1441
Fri Jun 16 2017 17:14:00.0000	1622	1539
Fri Jun 16 2017 17:15:00.0000	1620	1453

Date/Time	Process Temperature (°F)	Process Flow SCFM
Fri Jun 16 2017 17:16:00.0000	1619	1473
Fri Jun 16 2017 17:17:00.0000	1620	1509
Fri Jun 16 2017 17:18:00.0000	1620	1451
Fri Jun 16 2017 17:19:00.0000	1621	1483
Fri Jun 16 2017 17:20:00.0000	1619	1502
Fri Jun 16 2017 17:21:00.0000	1618	1475
Fri Jun 16 2017 17:22:00.0000	1620	1464
Fri Jun 16 2017 17:23:00.0000	1620	1472
Fri Jun 16 2017 17:24:00.0000	1618	1469
Fri Jun 16 2017 17:25:00.0000	1617	1477
Fri Jun 16 2017 17:26:00.0000	1619	1450
Fri Jun 16 2017 17:27:00.0000	1620	1498
Fri Jun 16 2017 17:28:00.0000	1619	1457
Fri Jun 16 2017 17:29:00.0000	1617	1461
Fri Jun 16 2017 17:30:00.0000	1618	1454
Fri Jun 16 2017 17:31:00.0000	1619	1502
Fri Jun 16 2017 17:32:00.0000	1619	1473
Fri Jun 16 2017 17:33:00.0000	1617	1483
Fri Jun 16 2017 17:34:00.0000	1617	1469
Fri Jun 16 2017 17:35:00.0000	1618	1456
Fri Jun 16 2017 17:36:00.0000	1619	1437
Fri Jun 16 2017 17:37:00.0000	1618	1455
Fri Jun 16 2017 17:38:00.0000	1616	1510
Fri Jun 16 2017 17:39:00.0000	1618	1485
Fri Jun 16 2017 17:40:00.0000	1618	1480
Fri Jun 16 2017 17:41:00.0000	1618	1447
Fri Jun 16 2017 17:42:00.0000	1616	1497
Fri Jun 16 2017 17:43:00.0000	1616	1484
Fri Jun 16 2017 17:44:00.0000	1617	1453
Fri Jun 16 2017 17:45:00.0000	1618	1462
Fri Jun 16 2017 17:46:00.0000	1617	1458
Fri Jun 16 2017 17:47:00.0000	1615	1469
Fri Jun 16 2017 17:48:00.0000	1617	1461
Fri Jun 16 2017 17:49:00.0000	1617	1476
Fri Jun 16 2017 17:50:00.0000	1617	1452
Fri Jun 16 2017 17:51:00.0000	1615	1469
Fri Jun 16 2017 17:52:00.0000	1615	1456
Fri Jun 16 2017 17:53:00.0000	1616	1519
Fri Jun 16 2017 17:54:00.0000	1617	1470
Fri Jun 16 2017 17:55:00.0000	1616	1478
Fri Jun 16 2017 17:56:00.0000	1614	1455
Fri Jun 16 2017 17:57:00.0000	1616	1480
Fri Jun 16 2017 17:58:00.0000	1617	1465
Fri Jun 16 2017 17:59:00.0000	1616	1476
Fri Jun 16 2017 18:00:00.0000	1615	1418
Fri Jun 16 2017 18:01:00.0000	1616	1497
Fri Jun 16 2017 18:02:00.0000	1616	1424
Fri Jun 16 2017 18:03:00.0000	1617	1484
Fri Jun 16 2017 18:04:00.0000	1615	1483
Fri Jun 16 2017 18:05:00.0000	1615	1477
Fri Jun 16 2017 18:06:00.0000	1616	1420
Fri Jun 16 2017 18:07:00.0000	1617	1471
Fri Jun 16 2017 18:08:00.0000	1615	1461
Fri Jun 16 2017 18:09:00.0000	1614	1450
Fri Jun 16 2017 18:10:00.0000	1615	1448
Fri Jun 16 2017 18:11:00.0000	1616	1501
Fri Jun 16 2017 18:12:00.0000	1616	1477

Date/Time	Process Temperature (°F)	Process Flow SCFM
Fri Jun 16 2017 18:13:00.0000	1614	1450
Fri Jun 16 2017 18:14:00.0000	1614	1506
Fri Jun 16 2017 18:15:00.0000	1615	1407
Fri Jun 16 2017 18:16:00.0000	1616	1458
Fri Jun 16 2017 18:17:00.0000	1615	1468
Fri Jun 16 2017 18:18:00.0000	1613	1545
Fri Jun 16 2017 18:19:00.0000	1615	1399
Fri Jun 16 2017 18:20:00.0000	1616	1481
Fri Jun 16 2017 18:21:00.0000	1615	1504
Fri Jun 16 2017 18:22:00.0000	1614	1440
Fri Jun 16 2017 18:23:00.0000	1614	1482
Fri Jun 16 2017 18:24:00.0000	1615	1380
Fri Jun 16 2017 18:25:00.0000	1616	1480
Fri Jun 16 2017 18:26:00.0000	1615	1523
Fri Jun 16 2017 18:27:00.0000	1613	1479
Fri Jun 16 2017 18:28:00.0000	1615	1477
Fri Jun 16 2017 18:29:00.0000	1616	1429
Fri Jun 16 2017 18:30:00.0000	1615	1533
Fri Jun 16 2017 18:31:00.0000	1614	1486
Fri Jun 16 2017 18:32:00.0000	1614	1638
Fri Jun 16 2017 18:33:00.0000	1615	1621
Fri Jun 16 2017 18:34:00.0000	1616	1459
Fri Jun 16 2017 18:35:00.0000	1615	1391
Fri Jun 16 2017 18:36:00.0000	1613	1464
Fri Jun 16 2017 18:37:00.0000	1615	1430
Fri Jun 16 2017 18:38:00.0000	1615	1499
Fri Jun 16 2017 18:39:00.0000	1615	1558
Fri Jun 16 2017 18:40:00.0000	1613	1412
Fri Jun 16 2017 18:41:00.0000	1613	1489
Fri Jun 16 2017 18:42:00.0000	1615	1436
Fri Jun 16 2017 18:43:00.0000	1615	1436
Fri Jun 16 2017 18:44:00.0000	1614	1417
Fri Jun 16 2017 18:45:00.0000	1612	1472
Fri Jun 16 2017 18:46:00.0000	1614	1452
Fri Jun 16 2017 18:47:00.0000	1615	1450
Fri Jun 16 2017 18:48:00.0000	1614	1483
Fri Jun 16 2017 18:49:00.0000	1613	1426
Fri Jun 16 2017 18:50:00.0000	1613	1451
Fri Jun 16 2017 18:51:00.0000	1614	1508
Fri Jun 16 2017 18:52:00.0000	1615	1530
Fri Jun 16 2017 18:53:00.0000	1613	1432
Fri Jun 16 2017 18:54:00.0000	1612	1454
Fri Jun 16 2017 18:55:00.0000	1614	1453
Fri Jun 16 2017 18:56:00.0000	1615	1415
Fri Jun 16 2017 18:57:00.0000	1614	1423
Fri Jun 16 2017 18:58:00.0000	1611	1444
Fri Jun 16 2017 18:59:00.0000	1612	1468
Fri Jun 16 2017 19:00:00.0000	1613	1465
Fri Jun 16 2017 19:01:00.0000	1614	1431
Fri Jun 16 2017 19:02:00.0000	1612	1429
Fri Jun 16 2017 19:03:00.0000	1612	1424
Fri Jun 16 2017 19:04:00.0000	1613	1404
Fri Jun 16 2017 19:05:00.0000	1614	1428
Fri Jun 16 2017 19:06:00.0000	1612	1465
Fri Jun 16 2017 19:07:00.0000	1611	1432
Fri Jun 16 2017 19:08:00.0000	1612	1450
Fri Jun 16 2017 19:09:00.0000	1613	1438

Date/Time	Process Temperature (°F)	Process Flow SCFM
Fri Jun 16 2017 19:10:00.0000	1613	1459
Fri Jun 16 2017 19:11:00.0000	1611	1433
Fri Jun 16 2017 19:12:00.0000	1611	1444
Fri Jun 16 2017 19:13:00.0000	1612	1431
Fri Jun 16 2017 19:14:00.0000	1613	1459
Fri Jun 16 2017 19:15:00.0000	1612	1457
Fri Jun 16 2017 19:16:00.0000	1610	1431
Fri Jun 16 2017 19:17:00.0000	1612	1405
Fri Jun 16 2017 19:18:00.0000	1613	1436
Fri Jun 16 2017 19:19:00.0000	1612	1439
Fri Jun 16 2017 19:20:00.0000	1610	1461
Fri Jun 16 2017 19:21:00.0000	1610	1438
Fri Jun 16 2017 19:22:00.0000	1612	1423
Fri Jun 16 2017 19:23:00.0000	1612	1437
Fri Jun 16 2017 19:24:00.0000	1611	1567
Fri Jun 16 2017 19:25:00.0000	1609	1480
Fri Jun 16 2017 19:26:00.0000	1611	1438
Fri Jun 16 2017 19:27:00.0000	1612	1426
Fri Jun 16 2017 19:28:00.0000	1611	1410
Fri Jun 16 2017 19:29:00.0000	1610	1484
Fri Jun 16 2017 19:30:00.0000	1610	1579
Fri Jun 16 2017 19:31:00.0000	1611	1504
Fri Jun 16 2017 19:32:00.0000	1611	1455
Fri Jun 16 2017 19:33:00.0000	1610	1523
Fri Jun 16 2017 19:34:00.0000	1608	1431
Fri Jun 16 2017 19:35:00.0000	1610	1533
Fri Jun 16 2017 19:36:00.0000	1610	1383
Fri Jun 16 2017 19:37:00.0000	1611	1415
Fri Jun 16 2017 19:38:00.0000	1609	1439
Fri Jun 16 2017 19:39:00.0000	1609	1432
Fri Jun 16 2017 19:40:00.0000	1610	1431
Fri Jun 16 2017 19:41:00.0000	1611	1434
Fri Jun 16 2017 19:42:00.0000	1609	1433
Fri Jun 16 2017 19:43:00.0000	1607	1473
Fri Jun 16 2017 19:44:00.0000	1609	1481
Fri Jun 16 2017 19:45:00.0000	1610	1429
Fri Jun 16 2017 19:46:00.0000	1610	1431
Fri Jun 16 2017 19:47:00.0000	1608	1406
Fri Jun 16 2017 19:48:00.0000	1608	1428
Fri Jun 16 2017 19:49:00.0000	1609	1418
Fri Jun 16 2017 19:50:00.0000	1610	1428
Fri Jun 16 2017 19:51:00.0000	1608	1442
Fri Jun 16 2017 19:52:00.0000	1607	1409
Fri Jun 16 2017 19:53:00.0000	1608	1447
Fri Jun 16 2017 19:54:00.0000	1609	1406
Fri Jun 16 2017 19:55:00.0000	1608	1407
Fri Jun 16 2017 19:56:00.0000	1606	1411
Fri Jun 16 2017 19:57:00.0000	1608	1454
Fri Jun 16 2017 19:58:00.0000	1608	1425
Fri Jun 16 2017 19:59:00.0000	1609	1443
Fri Jun 16 2017 20:00:00.0000	1607	1406
Fri Jun 16 2017 20:01:00.0000	1606	1423
Fri Jun 16 2017 20:02:00.0000	1607	1410
Fri Jun 16 2017 20:03:00.0000	1608	1498
Fri Jun 16 2017 20:04:00.0000	1607	1426
Fri Jun 16 2017 20:05:00.0000	1605	1427
Fri Jun 16 2017 20:06:00.0000	1607	1519

Date/Time	Process Temperature (°F)	Process Flow SCFM
Fri Jun 16 2017 20:07:00.0000	1607	1456
Fri Jun 16 2017 20:08:00.0000	1607	1401
Fri Jun 16 2017 20:09:00.0000	1606	1410
Fri Jun 16 2017 20:10:00.0000	1606	1452
Fri Jun 16 2017 20:11:00.0000	1607	1432
Fri Jun 16 2017 20:12:00.0000	1607	1424
Fri Jun 16 2017 20:13:00.0000	1606	1413
Fri Jun 16 2017 20:14:00.0000	1604	1468
Fri Jun 16 2017 20:15:00.0000	1606	1426
Fri Jun 16 2017 20:16:00.0000	1607	1384
Fri Jun 16 2017 20:17:00.0000	1606	1503
Fri Jun 16 2017 20:18:00.0000	1604	1469
Fri Jun 16 2017 20:19:00.0000	1604	1416
Fri Jun 16 2017 20:20:00.0000	1605	1449
Fri Jun 16 2017 20:21:00.0000	1606	1606
Fri Jun 16 2017 20:22:00.0000	1605	1432
Fri Jun 16 2017 20:23:00.0000	1604	1463
Fri Jun 16 2017 20:24:00.0000	1605	1470
Fri Jun 16 2017 20:25:00.0000	1606	1491
Fri Jun 16 2017 20:26:00.0000	1605	1362
Fri Jun 16 2017 20:27:00.0000	1603	1450
Fri Jun 16 2017 20:28:00.0000	1604	1436
Fri Jun 16 2017 20:29:00.0000	1605	1414
Fri Jun 16 2017 20:30:00.0000	1605	1434
Fri Jun 16 2017 20:31:00.0000	1603	1450
Fri Jun 16 2017 20:32:00.0000	1603	1477
Fri Jun 16 2017 20:33:00.0000	1609	1406
Fri Jun 16 2017 20:34:00.0000	1617	1467
Fri Jun 16 2017 20:35:00.0000	1619	1435
Fri Jun 16 2017 20:36:00.0000	1619	1450
Fri Jun 16 2017 20:37:00.0000	1624	1388
Fri Jun 16 2017 20:38:00.0000	1625	1475
Fri Jun 16 2017 20:39:00.0000	1629	1455
Fri Jun 16 2017 20:40:00.0000	1628	1488
Fri Jun 16 2017 20:41:00.0000	1629	1432
Fri Jun 16 2017 20:42:00.0000	1632	1361
Fri Jun 16 2017 20:43:00.0000	1632	1426
Fri Jun 16 2017 20:44:00.0000	1622	1416
Fri Jun 16 2017 20:45:00.0000	1618	1477
Fri Jun 16 2017 20:46:00.0000	1615	1427
Fri Jun 16 2017 20:47:00.0000	1611	1529
Fri Jun 16 2017 20:48:00.0000	1609	1360
Fri Jun 16 2017 20:49:00.0000	1606	1418
Fri Jun 16 2017 20:50:00.0000	1604	1424
Fri Jun 16 2017 20:51:00.0000	1603	1433
Fri Jun 16 2017 20:52:00.0000	1602	1404
Fri Jun 16 2017 20:53:00.0000	1607	1392
Fri Jun 16 2017 20:54:00.0000	1610	1446
Fri Jun 16 2017 20:55:00.0000	1617	1409
Fri Jun 16 2017 20:56:00.0000	1622	1451
Fri Jun 16 2017 20:57:00.0000	1626	1409
Fri Jun 16 2017 20:58:00.0000	1625	1392
Fri Jun 16 2017 20:59:00.0000	1627	1394
Fri Jun 16 2017 21:00:00.0000	1630	1395
Fri Jun 16 2017 21:01:00.0000	1632	1379
Fri Jun 16 2017 21:02:00.0000	1622	1473
Fri Jun 16 2017 21:03:00.0000	1617	1399

Date/Time	Process Temperature (°F)	Process Flow SCFM
Fri Jun 16 2017 21:04:00.0000	1614	1427
Fri Jun 16 2017 21:05:00.0000	1611	1394
Fri Jun 16 2017 21:06:00.0000	1608	1406
Fri Jun 16 2017 21:07:00.0000	1605	1378
Fri Jun 16 2017 21:08:00.0000	1604	1417
Fri Jun 16 2017 21:09:00.0000	1603	1382
Fri Jun 16 2017 21:10:00.0000	1602	1371
Fri Jun 16 2017 21:11:00.0000	1605	1404
Fri Jun 16 2017 21:12:00.0000	1606	1394
Fri Jun 16 2017 21:13:00.0000	1610	1400
Fri Jun 16 2017 21:14:00.0000	1614	1382
Fri Jun 16 2017 21:15:00.0000	1614	1410
Fri Jun 16 2017 21:16:00.0000	1613	1384
Fri Jun 16 2017 21:17:00.0000	1615	1408
Fri Jun 16 2017 21:18:00.0000	1616	1414
Fri Jun 16 2017 21:19:00.0000	1617	1414
Fri Jun 16 2017 21:20:00.0000	1615	1378
Fri Jun 16 2017 21:21:00.0000	1615	1408
Fri Jun 16 2017 21:22:00.0000	1616	1394
Fri Jun 16 2017 21:23:00.0000	1618	1401
Fri Jun 16 2017 21:24:00.0000	1616	1411
Fri Jun 16 2017 21:25:00.0000	1615	1422
Fri Jun 16 2017 21:26:00.0000	1617	1419
Fri Jun 16 2017 21:27:00.0000	1618	1412
Fri Jun 16 2017 21:28:00.0000	1618	1396
Fri Jun 16 2017 21:29:00.0000	1616	1400
Fri Jun 16 2017 21:30:00.0000	1616	1391
Fri Jun 16 2017 21:31:00.0000	1617	1413
Fri Jun 16 2017 21:32:00.0000	1619	1393
Fri Jun 16 2017 21:33:00.0000	1618	1395
Fri Jun 16 2017 21:34:00.0000	1616	1417
Fri Jun 16 2017 21:35:00.0000	1618	1396
Fri Jun 16 2017 21:36:00.0000	1619	1405
Fri Jun 16 2017 21:37:00.0000	1619	1384
Fri Jun 16 2017 21:38:00.0000	1617	1427
Fri Jun 16 2017 21:39:00.0000	1617	1416
Fri Jun 16 2017 21:40:00.0000	1619	1437
Fri Jun 16 2017 21:41:00.0000	1620	1355
Fri Jun 16 2017 21:42:00.0000	1619	1384
Fri Jun 16 2017 21:43:00.0000	1617	1399
Fri Jun 16 2017 21:44:00.0000	1619	1405
Fri Jun 16 2017 21:45:00.0000	1620	1391
Fri Jun 16 2017 21:46:00.0000	1620	1389
Fri Jun 16 2017 21:47:00.0000	1618	1408
Fri Jun 16 2017 21:48:00.0000	1618	1403
Fri Jun 16 2017 21:49:00.0000	1620	1387
Fri Jun 16 2017 21:50:00.0000	1621	1391
Fri Jun 16 2017 21:51:00.0000	1619	1408
Fri Jun 16 2017 21:52:00.0000	1618	1436
Fri Jun 16 2017 21:53:00.0000	1619	1361
Fri Jun 16 2017 21:54:00.0000	1621	1402
Fri Jun 16 2017 21:55:00.0000	1621	1411
Fri Jun 16 2017 21:56:00.0000	1618	1401
Fri Jun 16 2017 21:57:00.0000	1620	1415
Fri Jun 16 2017 21:58:00.0000	1621	1398
Fri Jun 16 2017 21:59:00.0000	1622	1380
Fri Jun 16 2017 22:00:00.0000	1620	1405

Date/Time	Process Temperature (°F)	Process Flow SCFM
Fri Jun 16 2017 22:01:00.0000	1619	1378
Fri Jun 16 2017 22:02:00.0000	1621	1375
Fri Jun 16 2017 22:03:00.0000	1622	1402
Fri Jun 16 2017 22:04:00.0000	1621	1386
Fri Jun 16 2017 22:05:00.0000	1619	1384
Fri Jun 16 2017 22:06:00.0000	1621	1463
Fri Jun 16 2017 22:07:00.0000	1622	1388
Fri Jun 16 2017 22:08:00.0000	1622	1428
Fri Jun 16 2017 22:09:00.0000	1621	1420
Fri Jun 16 2017 22:10:00.0000	1621	1425
Fri Jun 16 2017 22:11:00.0000	1622	1453
Fri Jun 16 2017 22:12:00.0000	1623	1373
Fri Jun 16 2017 22:13:00.0000	1621	1431
Fri Jun 16 2017 22:14:00.0000	1620	1425
Fri Jun 16 2017 22:15:00.0000	1622	1393
Fri Jun 16 2017 22:16:00.0000	1623	1401
Fri Jun 16 2017 22:17:00.0000	1622	1391
Fri Jun 16 2017 22:18:00.0000	1620	1431
Fri Jun 16 2017 22:19:00.0000	1621	1463
Fri Jun 16 2017 22:20:00.0000	1623	1486
Fri Jun 16 2017 22:21:00.0000	1623	1450
Fri Jun 16 2017 22:22:00.0000	1620	1403
Fri Jun 16 2017 22:23:00.0000	1621	1435
Fri Jun 16 2017 22:24:00.0000	1622	1492
Fri Jun 16 2017 22:25:00.0000	1624	1462
Fri Jun 16 2017 22:26:00.0000	1622	1407
Fri Jun 16 2017 22:27:00.0000	1621	1407
Fri Jun 16 2017 22:28:00.0000	1622	1406
Fri Jun 16 2017 22:29:00.0000	1624	1417
Fri Jun 16 2017 22:30:00.0000	1623	1461
Fri Jun 16 2017 22:31:00.0000	1621	1375
Fri Jun 16 2017 22:32:00.0000	1622	1376
Fri Jun 16 2017 22:33:00.0000	1623	1380
Fri Jun 16 2017 22:34:00.0000	1624	1432
Fri Jun 16 2017 22:35:00.0000	1622	1447
Fri Jun 16 2017 22:36:00.0000	1621	1520
Fri Jun 16 2017 22:37:00.0000	1623	1452
Fri Jun 16 2017 22:38:00.0000	1625	1420
Fri Jun 16 2017 22:39:00.0000	1624	1456
Fri Jun 16 2017 22:40:00.0000	1622	1344
Fri Jun 16 2017 22:41:00.0000	1623	1396
Fri Jun 16 2017 22:42:00.0000	1624	1372
Fri Jun 16 2017 22:43:00.0000	1625	1522
Fri Jun 16 2017 22:44:00.0000	1623	1380
Fri Jun 16 2017 22:45:00.0000	1622	1381
Fri Jun 16 2017 22:46:00.0000	1623	1420
Fri Jun 16 2017 22:47:00.0000	1625	1425
Fri Jun 16 2017 22:48:00.0000	1624	1515
Fri Jun 16 2017 22:49:00.0000	1622	1390
Fri Jun 16 2017 22:50:00.0000	1623	1450
Fri Jun 16 2017 22:51:00.0000	1624	1454
Fri Jun 16 2017 22:52:00.0000	1625	1494
Fri Jun 16 2017 22:53:00.0000	1623	1406
Fri Jun 16 2017 22:54:00.0000	1622	1425
Fri Jun 16 2017 22:55:00.0000	1623	1480
Fri Jun 16 2017 22:56:00.0000	1624	1482
Fri Jun 16 2017 22:57:00.0000	1623	1412

Date/Time	Process Temperature (°F)	Process Flow SCFM
Fri Jun 16 2017 22:58:00.0000	1621	1429
Fri Jun 16 2017 22:59:00.0000	1623	1395
Fri Jun 16 2017 23:00:00.0000	1623	1321
Fri Jun 16 2017 23:01:00.0000	1624	1413
Fri Jun 16 2017 23:02:00.0000	1622	1436
Fri Jun 16 2017 23:03:00.0000	1621	1348
Fri Jun 16 2017 23:04:00.0000	1623	1416
Fri Jun 16 2017 23:05:00.0000	1624	1413
Fri Jun 16 2017 23:06:00.0000	1623	1454
Fri Jun 16 2017 23:07:00.0000	1621	1458
Fri Jun 16 2017 23:08:00.0000	1622	1436
Fri Jun 16 2017 23:09:00.0000	1623	1431
Fri Jun 16 2017 23:10:00.0000	1624	1399
Fri Jun 16 2017 23:11:00.0000	1622	1442
Fri Jun 16 2017 23:12:00.0000	1622	1383
Fri Jun 16 2017 23:13:00.0000	1623	1392
Fri Jun 16 2017 23:14:00.0000	1624	1424
Fri Jun 16 2017 23:15:00.0000	1622	1403
Fri Jun 16 2017 23:16:00.0000	1621	1394
Fri Jun 16 2017 23:17:00.0000	1622	1344
Fri Jun 16 2017 23:18:00.0000	1623	1358
Fri Jun 16 2017 23:19:00.0000	1623	1402
Fri Jun 16 2017 23:20:00.0000	1621	1420
Fri Jun 16 2017 23:21:00.0000	1622	1454
Fri Jun 16 2017 23:22:00.0000	1623	1419
Fri Jun 16 2017 23:23:00.0000	1624	1439
Fri Jun 16 2017 23:24:00.0000	1622	1417
Fri Jun 16 2017 23:25:00.0000	1622	1503
Fri Jun 16 2017 23:26:00.0000	1623	1440
Fri Jun 16 2017 23:27:00.0000	1624	1387
Fri Jun 16 2017 23:28:00.0000	1624	1387
Fri Jun 16 2017 23:29:00.0000	1622	1404
Fri Jun 16 2017 23:30:00.0000	1622	1376
Fri Jun 16 2017 23:31:00.0000	1623	1443
Fri Jun 16 2017 23:32:00.0000	1624	1391
Fri Jun 16 2017 23:33:00.0000	1622	1404
Fri Jun 16 2017 23:34:00.0000	1621	1501
Fri Jun 16 2017 23:35:00.0000	1623	1401
Fri Jun 16 2017 23:36:00.0000	1624	1512
Fri Jun 16 2017 23:37:00.0000	1623	1461
Fri Jun 16 2017 23:38:00.0000	1621	1462
Fri Jun 16 2017 23:39:00.0000	1623	1462
Fri Jun 16 2017 23:40:00.0000	1623	1376
Fri Jun 16 2017 23:41:00.0000	1624	1488
Fri Jun 16 2017 23:42:00.0000	1622	1368
Fri Jun 16 2017 23:43:00.0000	1622	1431
Fri Jun 16 2017 23:44:00.0000	1623	1391
Fri Jun 16 2017 23:45:00.0000	1624	1413
Fri Jun 16 2017 23:46:00.0000	1624	1393
Fri Jun 16 2017 23:47:00.0000	1621	1450
Fri Jun 16 2017 23:48:00.0000	1623	1400
Fri Jun 16 2017 23:49:00.0000	1624	1391
Fri Jun 16 2017 23:50:00.0000	1625	1432
Fri Jun 16 2017 23:51:00.0000	1623	1411
Fri Jun 16 2017 23:52:00.0000	1622	1430
Fri Jun 16 2017 23:53:00.0000	1623	1388
Fri Jun 16 2017 23:54:00.0000	1625	1453

Date/Time	Process Temperature (°F)	Process Flow SCFM
Fri Jun 16 2017 23:55:00.0000	1624	1356
Fri Jun 16 2017 23:56:00.0000	1622	1411
Fri Jun 16 2017 23:57:00.0000	1623	1383
Fri Jun 16 2017 23:58:00.0000	1624	1354
Fri Jun 16 2017 23:59:00.0000	1625	1386
Sat Jun 17 2017 00:00:00.0000	1623	1401
Sat Jun 17 2017 00:01:00.0000	1622	1395
Sat Jun 17 2017 00:02:00.0000	1623	1384
Sat Jun 17 2017 00:03:00.0000	1625	1516
Sat Jun 17 2017 00:04:00.0000	1624	1386
Sat Jun 17 2017 00:05:00.0000	1622	1383
Sat Jun 17 2017 00:06:00.0000	1624	1344
Sat Jun 17 2017 00:07:00.0000	1624	1441
Sat Jun 17 2017 00:08:00.0000	1625	1393
Sat Jun 17 2017 00:09:00.0000	1623	1466
Sat Jun 17 2017 00:10:00.0000	1622	1419
Sat Jun 17 2017 00:11:00.0000	1624	1487
Sat Jun 17 2017 00:12:00.0000	1625	1340
Sat Jun 17 2017 00:13:00.0000	1625	1385
Sat Jun 17 2017 00:14:00.0000	1622	1427
Sat Jun 17 2017 00:15:00.0000	1624	1475
Sat Jun 17 2017 00:16:00.0000	1625	1497
Sat Jun 17 2017 00:17:00.0000	1626	1324
Sat Jun 17 2017 00:18:00.0000	1623	1411
Sat Jun 17 2017 00:19:00.0000	1623	1460
Sat Jun 17 2017 00:20:00.0000	1624	1369
Sat Jun 17 2017 00:21:00.0000	1626	1417
Sat Jun 17 2017 00:22:00.0000	1625	1394
Sat Jun 17 2017 00:23:00.0000	1622	1394
Sat Jun 17 2017 00:24:00.0000	1624	1373
Sat Jun 17 2017 00:25:00.0000	1625	1431
Sat Jun 17 2017 00:26:00.0000	1626	1382
Sat Jun 17 2017 00:27:00.0000	1624	1429
Sat Jun 17 2017 00:28:00.0000	1623	1389
Sat Jun 17 2017 00:29:00.0000	1624	1441
Sat Jun 17 2017 00:30:00.0000	1626	1473
Sat Jun 17 2017 00:31:00.0000	1625	1411
Sat Jun 17 2017 00:32:00.0000	1623	1391
Sat Jun 17 2017 00:33:00.0000	1624	1290
Sat Jun 17 2017 00:34:00.0000	1625	1533
Sat Jun 17 2017 00:35:00.0000	1626	1416
Sat Jun 17 2017 00:36:00.0000	1624	1450
Sat Jun 17 2017 00:37:00.0000	1623	1440
Sat Jun 17 2017 00:38:00.0000	1624	1502
Sat Jun 17 2017 00:39:00.0000	1626	1432
Sat Jun 17 2017 00:40:00.0000	1625	1467
Sat Jun 17 2017 00:41:00.0000	1623	1447
Sat Jun 17 2017 00:42:00.0000	1624	1331
Sat Jun 17 2017 00:43:00.0000	1626	1462
Sat Jun 17 2017 00:44:00.0000	1626	1471
Sat Jun 17 2017 00:45:00.0000	1624	1368
Sat Jun 17 2017 00:46:00.0000	1623	1419
Sat Jun 17 2017 00:47:00.0000	1625	1357
Sat Jun 17 2017 00:48:00.0000	1626	1368
Sat Jun 17 2017 00:49:00.0000	1625	1410
Sat Jun 17 2017 00:50:00.0000	1623	1348
Sat Jun 17 2017 00:51:00.0000	1624	1326

Date/Time	Process Temperature (°F)	Process Flow SCFM
Sat Jun 17 2017 00:52:00.0000	1626	1354
Sat Jun 17 2017 00:53:00.0000	1627	1371
Sat Jun 17 2017 00:54:00.0000	1625	1376
Sat Jun 17 2017 00:55:00.0000	1626	1367
Sat Jun 17 2017 00:56:00.0000	1628	1367
Sat Jun 17 2017 00:57:00.0000	1630	1399
Sat Jun 17 2017 00:58:00.0000	1629	1368
Sat Jun 17 2017 00:59:00.0000	1627	1373
Sat Jun 17 2017 01:00:00.0000	1629	1385
Sat Jun 17 2017 01:01:00.0000	1631	1365
Sat Jun 17 2017 01:02:00.0000	1631	1381
Sat Jun 17 2017 01:03:00.0000	1629	1393
Sat Jun 17 2017 01:04:00.0000	1629	1367
Sat Jun 17 2017 01:05:00.0000	1631	1353
Sat Jun 17 2017 01:06:00.0000	1633	1390
Sat Jun 17 2017 01:07:00.0000	1626	1373
Sat Jun 17 2017 01:08:00.0000	1621	1378
Sat Jun 17 2017 01:09:00.0000	1618	1377
Sat Jun 17 2017 01:10:00.0000	1615	1383
Sat Jun 17 2017 01:11:00.0000	1612	1375
Sat Jun 17 2017 01:12:00.0000	1609	1355
Sat Jun 17 2017 01:13:00.0000	1608	1396
Sat Jun 17 2017 01:14:00.0000	1607	1359
Sat Jun 17 2017 01:15:00.0000	1605	1364
Sat Jun 17 2017 01:16:00.0000	1602	1370
Sat Jun 17 2017 01:17:00.0000	1603	1394
Sat Jun 17 2017 01:18:00.0000	1608	1365
Sat Jun 17 2017 01:19:00.0000	1611	1371
Sat Jun 17 2017 01:20:00.0000	1613	1374
Sat Jun 17 2017 01:21:00.0000	1612	1352
Sat Jun 17 2017 01:22:00.0000	1613	1339
Sat Jun 17 2017 01:23:00.0000	1614	1348
Sat Jun 17 2017 01:24:00.0000	1617	1372
Sat Jun 17 2017 01:25:00.0000	1616	1384
Sat Jun 17 2017 01:26:00.0000	1614	1387
Sat Jun 17 2017 01:27:00.0000	1616	1382
Sat Jun 17 2017 01:28:00.0000	1618	1377
Sat Jun 17 2017 01:29:00.0000	1618	1381
Sat Jun 17 2017 01:30:00.0000	1617	1369
Sat Jun 17 2017 01:31:00.0000	1617	1346
Sat Jun 17 2017 01:32:00.0000	1618	1388
Sat Jun 17 2017 01:33:00.0000	1621	1367
Sat Jun 17 2017 01:34:00.0000	1620	1362
Sat Jun 17 2017 01:35:00.0000	1619	1369
Sat Jun 17 2017 01:36:00.0000	1621	1402
Sat Jun 17 2017 01:37:00.0000	1624	1392
Sat Jun 17 2017 01:38:00.0000	1623	1377
Sat Jun 17 2017 01:39:00.0000	1622	1416
Sat Jun 17 2017 01:40:00.0000	1623	1357
Sat Jun 17 2017 01:41:00.0000	1624	1379
Sat Jun 17 2017 01:42:00.0000	1626	1363
Sat Jun 17 2017 01:43:00.0000	1624	1292
Sat Jun 17 2017 01:44:00.0000	1623	1381
Sat Jun 17 2017 01:45:00.0000	1625	1313
Sat Jun 17 2017 01:46:00.0000	1627	1400
Sat Jun 17 2017 01:47:00.0000	1626	1393
Sat Jun 17 2017 01:48:00.0000	1625	1479

Date/Time	Process Temperature (°F)	Process Flow SCFM
Sat Jun 17 2017 01:49:00.0000	1627	1375
Sat Jun 17 2017 01:50:00.0000	1628	1387
Sat Jun 17 2017 01:51:00.0000	1629	1378
Sat Jun 17 2017 01:52:00.0000	1627	1371
Sat Jun 17 2017 01:53:00.0000	1626	1331
Sat Jun 17 2017 01:54:00.0000	1628	1383
Sat Jun 17 2017 01:55:00.0000	1630	1389
Sat Jun 17 2017 01:56:00.0000	1629	1373
Sat Jun 17 2017 01:57:00.0000	1627	1372
Sat Jun 17 2017 01:58:00.0000	1629	1401
Sat Jun 17 2017 01:59:00.0000	1630	1363
Sat Jun 17 2017 02:00:00.0000	1631	1358
Sat Jun 17 2017 02:01:00.0000	1628	1374
Sat Jun 17 2017 02:02:00.0000	1628	1371
Sat Jun 17 2017 02:03:00.0000	1629	1398
Sat Jun 17 2017 02:04:00.0000	1632	1374
Sat Jun 17 2017 02:05:00.0000	1630	1358
Sat Jun 17 2017 02:06:00.0000	1628	1354
Sat Jun 17 2017 02:07:00.0000	1630	1400
Sat Jun 17 2017 02:08:00.0000	1631	1364
Sat Jun 17 2017 02:09:00.0000	1632	1373
Sat Jun 17 2017 02:10:00.0000	1629	1359
Sat Jun 17 2017 02:11:00.0000	1630	1379
Sat Jun 17 2017 02:12:00.0000	1631	1383
Sat Jun 17 2017 02:13:00.0000	1633	1399
Sat Jun 17 2017 02:14:00.0000	1626	1373
Sat Jun 17 2017 02:15:00.0000	1621	1363
Sat Jun 17 2017 02:16:00.0000	1618	1402
Sat Jun 17 2017 02:17:00.0000	1615	1383
Sat Jun 17 2017 02:18:00.0000	1612	1375
Sat Jun 17 2017 02:19:00.0000	1609	1500
Sat Jun 17 2017 02:20:00.0000	1608	1369
Sat Jun 17 2017 02:21:00.0000	1606	1374
Sat Jun 17 2017 02:22:00.0000	1604	1378
Sat Jun 17 2017 02:23:00.0000	1602	1359
Sat Jun 17 2017 02:24:00.0000	1604	1372
Sat Jun 17 2017 02:25:00.0000	1609	1416
Sat Jun 17 2017 02:26:00.0000	1614	1364
Sat Jun 17 2017 02:27:00.0000	1614	1361
Sat Jun 17 2017 02:28:00.0000	1614	1369
Sat Jun 17 2017 02:29:00.0000	1617	1377
Sat Jun 17 2017 02:30:00.0000	1619	1382
Sat Jun 17 2017 02:31:00.0000	1620	1395
Sat Jun 17 2017 02:32:00.0000	1618	1376
Sat Jun 17 2017 02:33:00.0000	1620	1353
Sat Jun 17 2017 02:34:00.0000	1621	1372
Sat Jun 17 2017 02:35:00.0000	1623	1362
Sat Jun 17 2017 02:36:00.0000	1622	1380
Sat Jun 17 2017 02:37:00.0000	1621	1360
Sat Jun 17 2017 02:38:00.0000	1623	1389
Sat Jun 17 2017 02:39:00.0000	1625	1388
Sat Jun 17 2017 02:40:00.0000	1625	1386
Sat Jun 17 2017 02:41:00.0000	1623	1365
Sat Jun 17 2017 02:42:00.0000	1624	1370
Sat Jun 17 2017 02:43:00.0000	1626	1504
Sat Jun 17 2017 02:44:00.0000	1627	1417
Sat Jun 17 2017 02:45:00.0000	1625	1369

Date/Time	Process Temperature (°F)	Process Flow SCFM
Sat Jun 17 2017 02:46:00.0000	1624	1377
Sat Jun 17 2017 02:47:00.0000	1626	1376
Sat Jun 17 2017 02:48:00.0000	1628	1374
Sat Jun 17 2017 02:49:00.0000	1627	1379
Sat Jun 17 2017 02:50:00.0000	1625	1393
Sat Jun 17 2017 02:51:00.0000	1627	1373
Sat Jun 17 2017 02:52:00.0000	1628	1334
Sat Jun 17 2017 02:53:00.0000	1629	1364
Sat Jun 17 2017 02:54:00.0000	1627	1368
Sat Jun 17 2017 02:55:00.0000	1627	1366
Sat Jun 17 2017 02:56:00.0000	1628	1375
Sat Jun 17 2017 02:57:00.0000	1630	1347
Sat Jun 17 2017 02:58:00.0000	1629	1353
Sat Jun 17 2017 02:59:00.0000	1627	1393
Sat Jun 17 2017 03:00:00.0000	1629	1370
Sat Jun 17 2017 03:01:00.0000	1630	1369
Sat Jun 17 2017 03:02:00.0000	1631	1350
Sat Jun 17 2017 03:03:00.0000	1629	1369
Sat Jun 17 2017 03:04:00.0000	1628	1375
Sat Jun 17 2017 03:05:00.0000	1630	1394
Sat Jun 17 2017 03:06:00.0000	1632	1396
Sat Jun 17 2017 03:07:00.0000	1631	1379
Sat Jun 17 2017 03:08:00.0000	1629	1383
Sat Jun 17 2017 03:09:00.0000	1630	1373
Sat Jun 17 2017 03:10:00.0000	1631	1386
Sat Jun 17 2017 03:11:00.0000	1632	1378
Sat Jun 17 2017 03:12:00.0000	1630	1390
Sat Jun 17 2017 03:13:00.0000	1629	1422
Sat Jun 17 2017 03:14:00.0000	1631	1380
Sat Jun 17 2017 03:15:00.0000	1632	1368
Sat Jun 17 2017 03:16:00.0000	1625	1362
Sat Jun 17 2017 03:17:00.0000	1621	1359
Sat Jun 17 2017 03:18:00.0000	1620	1356
Sat Jun 17 2017 03:19:00.0000	1618	1387
Sat Jun 17 2017 03:20:00.0000	1615	1383
Sat Jun 17 2017 03:21:00.0000	1613	1368
Sat Jun 17 2017 03:22:00.0000	1612	1363
Sat Jun 17 2017 03:23:00.0000	1611	1358
Sat Jun 17 2017 03:24:00.0000	1610	1384
Sat Jun 17 2017 03:25:00.0000	1608	1376
Sat Jun 17 2017 03:26:00.0000	1606	1365
Sat Jun 17 2017 03:27:00.0000	1606	1344
Sat Jun 17 2017 03:28:00.0000	1606	1377
Sat Jun 17 2017 03:29:00.0000	1604	1377
Sat Jun 17 2017 03:30:00.0000	1602	1366
Sat Jun 17 2017 03:31:00.0000	1602	1356
Sat Jun 17 2017 03:32:00.0000	1602	1346
Sat Jun 17 2017 03:33:00.0000	1602	1374
Sat Jun 17 2017 03:34:00.0000	1604	1346
Sat Jun 17 2017 03:35:00.0000	1604	1341
Sat Jun 17 2017 03:36:00.0000	1608	1374
Sat Jun 17 2017 03:37:00.0000	1610	1380
Sat Jun 17 2017 03:38:00.0000	1611	1365
Sat Jun 17 2017 03:39:00.0000	1609	1388
Sat Jun 17 2017 03:40:00.0000	1611	1381
Sat Jun 17 2017 03:41:00.0000	1613	1358
Sat Jun 17 2017 03:42:00.0000	1614	1381

Date/Time	Process Temperature (°F)	Process Flow SCFM
Sat Jun 17 2017 03:43:00.0000	1613	1363
Sat Jun 17 2017 03:44:00.0000	1612	1358
Sat Jun 17 2017 03:45:00.0000	1614	1399
Sat Jun 17 2017 03:46:00.0000	1616	1390
Sat Jun 17 2017 03:47:00.0000	1615	1352
Sat Jun 17 2017 03:48:00.0000	1613	1410
Sat Jun 17 2017 03:49:00.0000	1615	1390
Sat Jun 17 2017 03:50:00.0000	1616	1390
Sat Jun 17 2017 03:51:00.0000	1617	1365
Sat Jun 17 2017 03:52:00.0000	1615	1425
Sat Jun 17 2017 03:53:00.0000	1615	1347
Sat Jun 17 2017 03:54:00.0000	1616	1381
Sat Jun 17 2017 03:55:00.0000	1618	1354
Sat Jun 17 2017 03:56:00.0000	1617	1404
Sat Jun 17 2017 03:57:00.0000	1615	1358
Sat Jun 17 2017 03:58:00.0000	1617	1353
Sat Jun 17 2017 03:59:00.0000	1618	1346
Sat Jun 17 2017 04:00:00.0000	1619	1380
Sat Jun 17 2017 04:01:00.0000	1616	1363
Sat Jun 17 2017 04:02:00.0000	1616	1360
Sat Jun 17 2017 04:03:00.0000	1617	1353
Sat Jun 17 2017 04:04:00.0000	1619	1369
Sat Jun 17 2017 04:05:00.0000	1618	1375
Sat Jun 17 2017 04:06:00.0000	1616	1370
Sat Jun 17 2017 04:07:00.0000	1618	1380
Sat Jun 17 2017 04:08:00.0000	1619	1378
Sat Jun 17 2017 04:09:00.0000	1619	1373
Sat Jun 17 2017 04:10:00.0000	1617	1351
Sat Jun 17 2017 04:11:00.0000	1617	1383
Sat Jun 17 2017 04:12:00.0000	1618	1343
Sat Jun 17 2017 04:13:00.0000	1620	1383
Sat Jun 17 2017 04:14:00.0000	1619	1344
Sat Jun 17 2017 04:15:00.0000	1617	1394
Sat Jun 17 2017 04:16:00.0000	1619	1364
Sat Jun 17 2017 04:17:00.0000	1620	1368
Sat Jun 17 2017 04:18:00.0000	1620	1357
Sat Jun 17 2017 04:19:00.0000	1618	1375
Sat Jun 17 2017 04:20:00.0000	1618	1356
Sat Jun 17 2017 04:21:00.0000	1619	1347
Sat Jun 17 2017 04:22:00.0000	1621	1485
Sat Jun 17 2017 04:23:00.0000	1620	1352
Sat Jun 17 2017 04:24:00.0000	1618	1387
Sat Jun 17 2017 04:25:00.0000	1619	1352
Sat Jun 17 2017 04:26:00.0000	1621	1359
Sat Jun 17 2017 04:27:00.0000	1621	1406
Sat Jun 17 2017 04:28:00.0000	1618	1400
Sat Jun 17 2017 04:29:00.0000	1619	1378
Sat Jun 17 2017 04:30:00.0000	1620	1348
Sat Jun 17 2017 04:31:00.0000	1621	1375
Sat Jun 17 2017 04:32:00.0000	1620	1352
Sat Jun 17 2017 04:33:00.0000	1618	1374
Sat Jun 17 2017 04:34:00.0000	1620	1469
Sat Jun 17 2017 04:35:00.0000	1621	1373
Sat Jun 17 2017 04:36:00.0000	1620	1362
Sat Jun 17 2017 04:37:00.0000	1618	1377
Sat Jun 17 2017 04:38:00.0000	1620	1362
Sat Jun 17 2017 04:39:00.0000	1620	1377

Date/Time	Process Temperature (°F)	Process Flow SCFM
Sat Jun 17 2017 04:40:00.0000	1621	1366
Sat Jun 17 2017 04:41:00.0000	1620	1341
Sat Jun 17 2017 04:42:00.0000	1620	1350
Sat Jun 17 2017 04:43:00.0000	1620	1361
Sat Jun 17 2017 04:44:00.0000	1622	1378
Sat Jun 17 2017 04:45:00.0000	1619	1365
Sat Jun 17 2017 04:46:00.0000	1619	1350
Sat Jun 17 2017 04:47:00.0000	1620	1344
Sat Jun 17 2017 04:48:00.0000	1622	1364
Sat Jun 17 2017 04:49:00.0000	1620	1341
Sat Jun 17 2017 04:50:00.0000	1618	1361
Sat Jun 17 2017 04:51:00.0000	1620	1362
Sat Jun 17 2017 04:52:00.0000	1621	1365
Sat Jun 17 2017 04:53:00.0000	1621	1367
Sat Jun 17 2017 04:54:00.0000	1619	1406
Sat Jun 17 2017 04:55:00.0000	1619	1390
Sat Jun 17 2017 04:56:00.0000	1620	1349
Sat Jun 17 2017 04:57:00.0000	1622	1372
Sat Jun 17 2017 04:58:00.0000	1620	1372
Sat Jun 17 2017 04:59:00.0000	1618	1359
Sat Jun 17 2017 05:00:00.0000	1620	1411
Sat Jun 17 2017 05:01:00.0000	1621	1340
Sat Jun 17 2017 05:02:00.0000	1622	1362
Sat Jun 17 2017 05:03:00.0000	1619	1317
Sat Jun 17 2017 05:04:00.0000	1619	1362
Sat Jun 17 2017 05:05:00.0000	1620	1365
Sat Jun 17 2017 05:06:00.0000	1622	1369
Sat Jun 17 2017 05:07:00.0000	1621	1377
Sat Jun 17 2017 05:08:00.0000	1619	1337
Sat Jun 17 2017 05:09:00.0000	1621	1382
Sat Jun 17 2017 05:10:00.0000	1622	1397
Sat Jun 17 2017 05:11:00.0000	1621	1337
Sat Jun 17 2017 05:12:00.0000	1619	1359
Sat Jun 17 2017 05:13:00.0000	1620	1380
Sat Jun 17 2017 05:14:00.0000	1621	1427
Sat Jun 17 2017 05:15:00.0000	1622	1396
Sat Jun 17 2017 05:16:00.0000	1620	1411
Sat Jun 17 2017 05:17:00.0000	1619	1453
Sat Jun 17 2017 05:18:00.0000	1621	1356
Sat Jun 17 2017 05:19:00.0000	1622	1369
Sat Jun 17 2017 05:20:00.0000	1621	1374
Sat Jun 17 2017 05:21:00.0000	1620	1397
Sat Jun 17 2017 05:22:00.0000	1622	1387
Sat Jun 17 2017 05:23:00.0000	1624	1381
Sat Jun 17 2017 05:24:00.0000	1625	1354
Sat Jun 17 2017 05:25:00.0000	1623	1368
Sat Jun 17 2017 05:26:00.0000	1624	1376
Sat Jun 17 2017 05:27:00.0000	1625	1359
Sat Jun 17 2017 05:28:00.0000	1627	1367
Sat Jun 17 2017 05:29:00.0000	1625	1345
Sat Jun 17 2017 05:30:00.0000	1624	1369
Sat Jun 17 2017 05:31:00.0000	1626	1340
Sat Jun 17 2017 05:32:00.0000	1628	1382
Sat Jun 17 2017 05:33:00.0000	1627	1377
Sat Jun 17 2017 05:34:00.0000	1624	1375
Sat Jun 17 2017 05:35:00.0000	1626	1356
Sat Jun 17 2017 05:36:00.0000	1627	1401

Date/Time	Process Temperature (°F)	Process Flow SCFM
Sat Jun 17 2017 05:37:00.0000	1628	1363
Sat Jun 17 2017 05:38:00.0000	1626	1380
Sat Jun 17 2017 05:39:00.0000	1626	1367
Sat Jun 17 2017 05:40:00.0000	1627	1352
Sat Jun 17 2017 05:41:00.0000	1629	1393
Sat Jun 17 2017 05:42:00.0000	1628	1330
Sat Jun 17 2017 05:43:00.0000	1626	1399
Sat Jun 17 2017 05:44:00.0000	1628	1402
Sat Jun 17 2017 05:45:00.0000	1629	1360
Sat Jun 17 2017 05:46:00.0000	1630	1356
Sat Jun 17 2017 05:47:00.0000	1628	1394
Sat Jun 17 2017 05:48:00.0000	1627	1384
Sat Jun 17 2017 05:49:00.0000	1628	1393
Sat Jun 17 2017 05:50:00.0000	1630	1407
Sat Jun 17 2017 05:51:00.0000	1629	1396
Sat Jun 17 2017 05:52:00.0000	1627	1340
Sat Jun 17 2017 05:53:00.0000	1629	1379
Sat Jun 17 2017 05:54:00.0000	1630	1340
Sat Jun 17 2017 05:55:00.0000	1631	1366
Sat Jun 17 2017 05:56:00.0000	1628	1357
Sat Jun 17 2017 05:57:00.0000	1628	1370
Sat Jun 17 2017 05:58:00.0000	1629	1354
Sat Jun 17 2017 05:59:00.0000	1631	1342
Sat Jun 17 2017 06:00:00.0000	1630	1377
Sat Jun 17 2017 06:01:00.0000	1628	1363
Sat Jun 17 2017 06:02:00.0000	1630	1328
Sat Jun 17 2017 06:03:00.0000	1631	1347
Sat Jun 17 2017 06:04:00.0000	1631	1384
Sat Jun 17 2017 06:05:00.0000	1629	1360
Sat Jun 17 2017 06:06:00.0000	1629	1350
Sat Jun 17 2017 06:07:00.0000	1630	1366
Sat Jun 17 2017 06:08:00.0000	1632	1372
Sat Jun 17 2017 06:09:00.0000	1631	1380
Sat Jun 17 2017 06:10:00.0000	1629	1372
Sat Jun 17 2017 06:11:00.0000	1631	1359
Sat Jun 17 2017 06:12:00.0000	1632	1385
Sat Jun 17 2017 06:13:00.0000	1632	1370
Sat Jun 17 2017 06:14:00.0000	1630	1353
Sat Jun 17 2017 06:15:00.0000	1630	1375
Sat Jun 17 2017 06:16:00.0000	1631	1303
Sat Jun 17 2017 06:17:00.0000	1631	1369
Sat Jun 17 2017 06:18:00.0000	1623	1362
Sat Jun 17 2017 06:19:00.0000	1619	1384
Sat Jun 17 2017 06:20:00.0000	1616	1356
Sat Jun 17 2017 06:21:00.0000	1614	1382
Sat Jun 17 2017 06:22:00.0000	1611	1360
Sat Jun 17 2017 06:23:00.0000	1608	1361
Sat Jun 17 2017 06:24:00.0000	1607	1354
Sat Jun 17 2017 06:25:00.0000	1605	1349
Sat Jun 17 2017 06:26:00.0000	1603	1374
Sat Jun 17 2017 06:27:00.0000	1601	1374
Sat Jun 17 2017 06:28:00.0000	1605	1340
Sat Jun 17 2017 06:29:00.0000	1613	1375
Sat Jun 17 2017 06:30:00.0000	1619	1374
Sat Jun 17 2017 06:31:00.0000	1625	1374
Sat Jun 17 2017 06:32:00.0000	1625	1390
Sat Jun 17 2017 06:33:00.0000	1627	1398

Date/Time	Process Temperature (°F)	Process Flow SCFM
Sat Jun 17 2017 06:34:00.0000	1630	1353
Sat Jun 17 2017 06:35:00.0000	1633	1381
Sat Jun 17 2017 06:36:00.0000	1624	1388
Sat Jun 17 2017 06:37:00.0000	1619	1337
Sat Jun 17 2017 06:38:00.0000	1617	1341
Sat Jun 17 2017 06:39:00.0000	1614	1349
Sat Jun 17 2017 06:40:00.0000	1611	1357
Sat Jun 17 2017 06:41:00.0000	1609	1362
Sat Jun 17 2017 06:42:00.0000	1608	1382
Sat Jun 17 2017 06:43:00.0000	1607	1375
Sat Jun 17 2017 06:44:00.0000	1605	1368
Sat Jun 17 2017 06:45:00.0000	1604	1350
Sat Jun 17 2017 06:46:00.0000	1602	1354
Sat Jun 17 2017 06:47:00.0000	1602	1331
Sat Jun 17 2017 06:48:00.0000	1604	1357
Sat Jun 17 2017 06:49:00.0000	1607	1344
Sat Jun 17 2017 06:50:00.0000	1607	1357
Sat Jun 17 2017 06:51:00.0000	1609	1385
Sat Jun 17 2017 06:52:00.0000	1612	1367
Sat Jun 17 2017 06:53:00.0000	1615	1357
Sat Jun 17 2017 06:54:00.0000	1614	1364
Sat Jun 17 2017 06:55:00.0000	1613	1343
Sat Jun 17 2017 06:56:00.0000	1615	1354
Sat Jun 17 2017 06:57:00.0000	1617	1379
Sat Jun 17 2017 06:58:00.0000	1617	1368
Sat Jun 17 2017 06:59:00.0000	1615	1351
Sat Jun 17 2017 07:00:00.0000	1617	1362
Sat Jun 17 2017 07:01:00.0000	1618	1329
Sat Jun 17 2017 07:02:00.0000	1620	1390
Sat Jun 17 2017 07:03:00.0000	1618	1425
Sat Jun 17 2017 07:04:00.0000	1617	1407
Sat Jun 17 2017 07:05:00.0000	1619	1400
Sat Jun 17 2017 07:06:00.0000	1621	1446
Sat Jun 17 2017 07:07:00.0000	1621	1367
Sat Jun 17 2017 07:08:00.0000	1618	1378
Sat Jun 17 2017 07:09:00.0000	1621	1332
Sat Jun 17 2017 07:10:00.0000	1621	1446
Sat Jun 17 2017 07:11:00.0000	1622	1368
Sat Jun 17 2017 07:12:00.0000	1621	1256
Sat Jun 17 2017 07:13:00.0000	1620	1365
Sat Jun 17 2017 07:14:00.0000	1622	1418
Sat Jun 17 2017 07:15:00.0000	1623	1385
Sat Jun 17 2017 07:16:00.0000	1622	1438
Sat Jun 17 2017 07:17:00.0000	1620	1419
Sat Jun 17 2017 07:18:00.0000	1622	1446
Sat Jun 17 2017 07:19:00.0000	1624	1481
Sat Jun 17 2017 07:20:00.0000	1624	1361
Sat Jun 17 2017 07:21:00.0000	1622	1528
Sat Jun 17 2017 07:22:00.0000	1623	1416
Sat Jun 17 2017 07:23:00.0000	1624	1391
Sat Jun 17 2017 07:24:00.0000	1625	1389
Sat Jun 17 2017 07:25:00.0000	1623	1429
Sat Jun 17 2017 07:26:00.0000	1622	1373
Sat Jun 17 2017 07:27:00.0000	1624	1457
Sat Jun 17 2017 07:28:00.0000	1626	1349
Sat Jun 17 2017 07:29:00.0000	1625	1446
Sat Jun 17 2017 07:30:00.0000	1623	1392

Date/Time	Process Temperature (°F)	Process Flow SCFM
Sat Jun 17 2017 07:31:00.0000	1624	1425
Sat Jun 17 2017 07:32:00.0000	1626	1380
Sat Jun 17 2017 07:33:00.0000	1626	1487
Sat Jun 17 2017 07:34:00.0000	1624	1286
Sat Jun 17 2017 07:35:00.0000	1623	1410
Sat Jun 17 2017 07:36:00.0000	1625	1406
Sat Jun 17 2017 07:37:00.0000	1627	1432
Sat Jun 17 2017 07:38:00.0000	1626	1446
Sat Jun 17 2017 07:39:00.0000	1624	1468
Sat Jun 17 2017 07:40:00.0000	1625	1402
Sat Jun 17 2017 07:41:00.0000	1626	1387
Sat Jun 17 2017 07:42:00.0000	1627	1414
Sat Jun 17 2017 07:43:00.0000	1625	1430
Sat Jun 17 2017 07:44:00.0000	1625	1359
Sat Jun 17 2017 07:45:00.0000	1626	1445
Sat Jun 17 2017 07:46:00.0000	1627	1442
Sat Jun 17 2017 07:47:00.0000	1626	1367
Sat Jun 17 2017 07:48:00.0000	1624	1381
Sat Jun 17 2017 07:49:00.0000	1626	1405
Sat Jun 17 2017 07:50:00.0000	1627	1359
Sat Jun 17 2017 07:51:00.0000	1628	1394
Sat Jun 17 2017 07:52:00.0000	1626	1391
Sat Jun 17 2017 07:53:00.0000	1625	1384
Sat Jun 17 2017 07:54:00.0000	1626	1381
Sat Jun 17 2017 07:55:00.0000	1628	1423
Sat Jun 17 2017 07:56:00.0000	1627	1380
Sat Jun 17 2017 07:57:00.0000	1625	1405
Sat Jun 17 2017 07:58:00.0000	1627	1431
Sat Jun 17 2017 07:59:00.0000	1628	1392
Sat Jun 17 2017 08:00:00.0000	1629	1406
Sat Jun 17 2017 08:01:00.0000	1627	1361
Sat Jun 17 2017 08:02:00.0000	1627	1395
Sat Jun 17 2017 08:03:00.0000	1627	1381
Sat Jun 17 2017 08:04:00.0000	1629	1385
Sat Jun 17 2017 08:05:00.0000	1628	1391
Sat Jun 17 2017 08:06:00.0000	1626	1385
Sat Jun 17 2017 08:07:00.0000	1628	1357
Sat Jun 17 2017 08:08:00.0000	1630	1404
Sat Jun 17 2017 08:09:00.0000	1628	1366
Sat Jun 17 2017 08:10:00.0000	1626	1375
Sat Jun 17 2017 08:11:00.0000	1628	1407
Sat Jun 17 2017 08:12:00.0000	1629	1440
Sat Jun 17 2017 08:13:00.0000	1630	1438
Sat Jun 17 2017 08:14:00.0000	1628	1377
Sat Jun 17 2017 08:15:00.0000	1627	1464
Sat Jun 17 2017 08:16:00.0000	1629	1396
Sat Jun 17 2017 08:17:00.0000	1630	1399
Sat Jun 17 2017 08:18:00.0000	1629	1395
Sat Jun 17 2017 08:19:00.0000	1627	1412
Sat Jun 17 2017 08:20:00.0000	1629	1476
Sat Jun 17 2017 08:21:00.0000	1630	1452
Sat Jun 17 2017 08:22:00.0000	1630	1381
Sat Jun 17 2017 08:23:00.0000	1629	1414
Sat Jun 17 2017 08:24:00.0000	1628	1427
Sat Jun 17 2017 08:25:00.0000	1629	1389
Sat Jun 17 2017 08:26:00.0000	1631	1417
Sat Jun 17 2017 08:27:00.0000	1630	1367

Date/Time	Process Temperature (°F)	Process Flow SCFM
Sat Jun 17 2017 08:28:00.0000	1628	1487
Sat Jun 17 2017 08:29:00.0000	1630	1411
Sat Jun 17 2017 08:30:00.0000	1631	1377
Sat Jun 17 2017 08:31:00.0000	1631	1392
Sat Jun 17 2017 08:32:00.0000	1629	1454
Sat Jun 17 2017 08:33:00.0000	1629	1426
Sat Jun 17 2017 08:34:00.0000	1630	1435
Sat Jun 17 2017 08:35:00.0000	1632	1409
Sat Jun 17 2017 08:36:00.0000	1631	1526
Sat Jun 17 2017 08:37:00.0000	1628	1391
Sat Jun 17 2017 08:38:00.0000	1630	1416
Sat Jun 17 2017 08:39:00.0000	1631	1406
Sat Jun 17 2017 08:40:00.0000	1632	1400
Sat Jun 17 2017 08:41:00.0000	1630	1389
Sat Jun 17 2017 08:42:00.0000	1629	1429
Sat Jun 17 2017 08:43:00.0000	1631	1386
Sat Jun 17 2017 08:44:00.0000	1632	1426
Sat Jun 17 2017 08:45:00.0000	1631	1410
Sat Jun 17 2017 08:46:00.0000	1629	1402
Sat Jun 17 2017 08:47:00.0000	1631	1366
Sat Jun 17 2017 08:48:00.0000	1633	1377
Sat Jun 17 2017 08:49:00.0000	1628	1396
Sat Jun 17 2017 08:50:00.0000	1622	1441
Sat Jun 17 2017 08:51:00.0000	1619	1415
Sat Jun 17 2017 08:52:00.0000	1617	1381
Sat Jun 17 2017 08:53:00.0000	1614	1425
Sat Jun 17 2017 08:54:00.0000	1611	1429
Sat Jun 17 2017 08:55:00.0000	1609	1402
Sat Jun 17 2017 08:56:00.0000	1608	1400
Sat Jun 17 2017 08:57:00.0000	1607	1378
Sat Jun 17 2017 08:58:00.0000	1605	1419
Sat Jun 17 2017 08:59:00.0000	1603	1411
Sat Jun 17 2017 09:00:00.0000	1603	1401
Sat Jun 17 2017 09:01:00.0000	1607	1407
Sat Jun 17 2017 09:02:00.0000	1612	1419
Sat Jun 17 2017 09:03:00.0000	1613	1396
Sat Jun 17 2017 09:04:00.0000	1613	1405
Sat Jun 17 2017 09:05:00.0000	1616	1390
Sat Jun 17 2017 09:06:00.0000	1618	1404
Sat Jun 17 2017 09:07:00.0000	1619	1404
Sat Jun 17 2017 09:08:00.0000	1617	1420
Sat Jun 17 2017 09:09:00.0000	1619	1396
Sat Jun 17 2017 09:10:00.0000	1620	1418
Sat Jun 17 2017 09:11:00.0000	1622	1412
Sat Jun 17 2017 09:12:00.0000	1621	1414
Sat Jun 17 2017 09:13:00.0000	1620	1389
Sat Jun 17 2017 09:14:00.0000	1622	1417
Sat Jun 17 2017 09:15:00.0000	1624	1449
Sat Jun 17 2017 09:16:00.0000	1623	1514
Sat Jun 17 2017 09:17:00.0000	1620	1425
Sat Jun 17 2017 09:18:00.0000	1622	1457
Sat Jun 17 2017 09:19:00.0000	1623	1340
Sat Jun 17 2017 09:20:00.0000	1623	1469
Sat Jun 17 2017 09:21:00.0000	1622	1384
Sat Jun 17 2017 09:22:00.0000	1621	1373
Sat Jun 17 2017 09:23:00.0000	1622	1391
Sat Jun 17 2017 09:24:00.0000	1624	1411

Date/Time	Process Temperature (°F)	Process Flow SCFM
Sat Jun 17 2017 09:25:00.0000	1623	1406
Sat Jun 17 2017 09:26:00.0000	1622	1437
Sat Jun 17 2017 09:27:00.0000	1623	1401
Sat Jun 17 2017 09:28:00.0000	1623	1386
Sat Jun 17 2017 09:29:00.0000	1624	1391
Sat Jun 17 2017 09:30:00.0000	1622	1428
Sat Jun 17 2017 09:31:00.0000	1622	1353
Sat Jun 17 2017 09:32:00.0000	1624	1531
Sat Jun 17 2017 09:33:00.0000	1625	1338
Sat Jun 17 2017 09:34:00.0000	1624	1379
Sat Jun 17 2017 09:35:00.0000	1622	1394
Sat Jun 17 2017 09:36:00.0000	1623	1445
Sat Jun 17 2017 09:37:00.0000	1624	1364
Sat Jun 17 2017 09:38:00.0000	1625	1495
Sat Jun 17 2017 09:39:00.0000	1623	1409
Sat Jun 17 2017 09:40:00.0000	1624	1453
Sat Jun 17 2017 09:41:00.0000	1624	1417
Sat Jun 17 2017 09:42:00.0000	1625	1419
Sat Jun 17 2017 09:43:00.0000	1624	1463
Sat Jun 17 2017 09:44:00.0000	1623	1433
Sat Jun 17 2017 09:45:00.0000	1624	1454
Sat Jun 17 2017 09:46:00.0000	1626	1427
Sat Jun 17 2017 09:47:00.0000	1625	1443
Sat Jun 17 2017 09:48:00.0000	1622	1539
Sat Jun 17 2017 09:49:00.0000	1624	1424
Sat Jun 17 2017 09:50:00.0000	1625	1440
Sat Jun 17 2017 09:51:00.0000	1626	1465
Sat Jun 17 2017 09:52:00.0000	1624	1426
Sat Jun 17 2017 09:53:00.0000	1624	1441
Sat Jun 17 2017 09:54:00.0000	1625	1448
Sat Jun 17 2017 09:55:00.0000	1627	1454
Sat Jun 17 2017 09:56:00.0000	1625	1429
Sat Jun 17 2017 09:57:00.0000	1623	1394
Sat Jun 17 2017 09:58:00.0000	1626	1426
Sat Jun 17 2017 09:59:00.0000	1626	1428
Sat Jun 17 2017 10:00:00.0000	1627	1451
Sat Jun 17 2017 10:01:00.0000	1625	1434
Sat Jun 17 2017 10:02:00.0000	1624	1493
Sat Jun 17 2017 10:03:00.0000	1626	1416
Sat Jun 17 2017 10:04:00.0000	1628	1417
Sat Jun 17 2017 10:05:00.0000	1626	1437
Sat Jun 17 2017 10:06:00.0000	1624	1401
Sat Jun 17 2017 10:07:00.0000	1627	1410
Sat Jun 17 2017 10:08:00.0000	1627	1446
Sat Jun 17 2017 10:09:00.0000	1628	1405
Sat Jun 17 2017 10:10:00.0000	1626	1420
Sat Jun 17 2017 10:11:00.0000	1626	1414
Sat Jun 17 2017 10:12:00.0000	1627	1399
Sat Jun 17 2017 10:13:00.0000	1629	1424
Sat Jun 17 2017 10:14:00.0000	1627	1422
Sat Jun 17 2017 10:15:00.0000	1625	1458
Sat Jun 17 2017 10:16:00.0000	1627	1422
Sat Jun 17 2017 10:17:00.0000	1628	1400
Sat Jun 17 2017 10:18:00.0000	1629	1454
Sat Jun 17 2017 10:19:00.0000	1627	1448
Sat Jun 17 2017 10:20:00.0000	1627	1456
Sat Jun 17 2017 10:21:00.0000	1628	1427

Date/Time	Process Temperature (°F)	Process Flow SCFM
Sat Jun 17 2017 10:22:00.0000	1630	1446
Sat Jun 17 2017 10:23:00.0000	1628	1437
Sat Jun 17 2017 10:24:00.0000	1626	1469
Sat Jun 17 2017 10:25:00.0000	1629	1430
Sat Jun 17 2017 10:26:00.0000	1630	1332
Sat Jun 17 2017 10:27:00.0000	1629	1422
Sat Jun 17 2017 10:28:00.0000	1627	1448
Sat Jun 17 2017 10:29:00.0000	1628	1417
Sat Jun 17 2017 10:30:00.0000	1629	1427
Sat Jun 17 2017 10:31:00.0000	1631	1416
Sat Jun 17 2017 10:32:00.0000	1629	1425
Sat Jun 17 2017 10:33:00.0000	1627	1436
Sat Jun 17 2017 10:34:00.0000	1629	1503
Sat Jun 17 2017 10:35:00.0000	1631	1390
Sat Jun 17 2017 10:36:00.0000	1630	1446
Sat Jun 17 2017 10:37:00.0000	1628	1451
Sat Jun 17 2017 10:38:00.0000	1629	1444
Sat Jun 17 2017 10:39:00.0000	1630	1490
Sat Jun 17 2017 10:40:00.0000	1632	1390
Sat Jun 17 2017 10:41:00.0000	1630	1525
Sat Jun 17 2017 10:42:00.0000	1628	1449
Sat Jun 17 2017 10:43:00.0000	1630	1390
Sat Jun 17 2017 10:44:00.0000	1632	1450
Sat Jun 17 2017 10:45:00.0000	1632	1492
Sat Jun 17 2017 10:46:00.0000	1629	1390
Sat Jun 17 2017 10:47:00.0000	1630	1581
Sat Jun 17 2017 10:48:00.0000	1632	1448
Sat Jun 17 2017 10:49:00.0000	1633	1437
Sat Jun 17 2017 10:50:00.0000	1626	1515
Sat Jun 17 2017 10:51:00.0000	1622	1458
Sat Jun 17 2017 10:52:00.0000	1620	1506
Sat Jun 17 2017 10:53:00.0000	1618	1497
Sat Jun 17 2017 10:54:00.0000	1615	1436
Sat Jun 17 2017 10:55:00.0000	1613	1505
Sat Jun 17 2017 10:56:00.0000	1612	1472
Sat Jun 17 2017 10:57:00.0000	1611	1425
Sat Jun 17 2017 10:58:00.0000	1610	1551
Sat Jun 17 2017 10:59:00.0000	1607	1494
Sat Jun 17 2017 11:00:00.0000	1607	1428
Sat Jun 17 2017 11:01:00.0000	1606	1484
Sat Jun 17 2017 11:02:00.0000	1605	1452
Sat Jun 17 2017 11:03:00.0000	1604	1518
Sat Jun 17 2017 11:04:00.0000	1602	1577
Sat Jun 17 2017 11:05:00.0000	1607	1501
Sat Jun 17 2017 11:06:00.0000	1611	1452
Sat Jun 17 2017 11:07:00.0000	1614	1462
Sat Jun 17 2017 11:08:00.0000	1614	1487
Sat Jun 17 2017 11:09:00.0000	1615	1430
Sat Jun 17 2017 11:10:00.0000	1617	1445
Sat Jun 17 2017 11:11:00.0000	1620	1496
Sat Jun 17 2017 11:12:00.0000	1620	1467
Sat Jun 17 2017 11:13:00.0000	1618	1454
Sat Jun 17 2017 11:14:00.0000	1621	1482
Sat Jun 17 2017 11:15:00.0000	1622	1456
Sat Jun 17 2017 11:16:00.0000	1624	1495
Sat Jun 17 2017 11:17:00.0000	1622	1502
Sat Jun 17 2017 11:18:00.0000	1622	1444

Date/Time	Process Temperature (°F)	Process Flow SCFM
Sat Jun 17 2017 11:19:00.0000	1624	1436
Sat Jun 17 2017 11:20:00.0000	1627	1509
Sat Jun 17 2017 11:21:00.0000	1626	1440
Sat Jun 17 2017 11:22:00.0000	1624	1461
Sat Jun 17 2017 11:23:00.0000	1626	1510
Sat Jun 17 2017 11:24:00.0000	1627	1463
Sat Jun 17 2017 11:25:00.0000	1628	1460
Sat Jun 17 2017 11:26:00.0000	1627	1507
Sat Jun 17 2017 11:27:00.0000	1627	1444
Sat Jun 17 2017 11:28:00.0000	1628	1507
Sat Jun 17 2017 11:29:00.0000	1631	1526
Sat Jun 17 2017 11:30:00.0000	1629	1468
Sat Jun 17 2017 11:31:00.0000	1627	1462
Sat Jun 17 2017 11:32:00.0000	1629	1509
Sat Jun 17 2017 11:33:00.0000	1631	1465
Sat Jun 17 2017 11:34:00.0000	1632	1454
Sat Jun 17 2017 11:35:00.0000	1630	1504
Sat Jun 17 2017 11:36:00.0000	1630	1463
Sat Jun 17 2017 11:37:00.0000	1632	1486
Sat Jun 17 2017 11:38:00.0000	1632	1443
Sat Jun 17 2017 11:39:00.0000	1624	1477
Sat Jun 17 2017 11:40:00.0000	1620	1439
Sat Jun 17 2017 11:41:00.0000	1619	1501
Sat Jun 17 2017 11:42:00.0000	1618	1412
Sat Jun 17 2017 11:43:00.0000	1615	1441
Sat Jun 17 2017 11:44:00.0000	1612	1463
Sat Jun 17 2017 11:45:00.0000	1611	1544
Sat Jun 17 2017 11:46:00.0000	1609	1423
Sat Jun 17 2017 11:47:00.0000	1607	1437
Sat Jun 17 2017 11:48:00.0000	1605	1458
Sat Jun 17 2017 11:49:00.0000	1604	1450
Sat Jun 17 2017 11:50:00.0000	1604	1465
Sat Jun 17 2017 11:51:00.0000	1602	1470
Sat Jun 17 2017 11:52:00.0000	1605	1462
Sat Jun 17 2017 11:53:00.0000	1606	1401
Sat Jun 17 2017 11:54:00.0000	1610	1459
Sat Jun 17 2017 11:55:00.0000	1613	1477
Sat Jun 17 2017 11:56:00.0000	1615	1518
Sat Jun 17 2017 11:57:00.0000	1614	1475
Sat Jun 17 2017 11:58:00.0000	1614	1468
Sat Jun 17 2017 11:59:00.0000	1617	1456
Sat Jun 17 2017 12:00:00.0000	1619	1473
Sat Jun 17 2017 12:01:00.0000	1619	1511
Sat Jun 17 2017 12:02:00.0000	1617	1503
Sat Jun 17 2017 12:03:00.0000	1619	1471
Sat Jun 17 2017 12:04:00.0000	1622	1509
Sat Jun 17 2017 12:05:00.0000	1622	1500
Sat Jun 17 2017 12:06:00.0000	1620	1479
Sat Jun 17 2017 12:07:00.0000	1620	1493
Sat Jun 17 2017 12:08:00.0000	1623	1515
Sat Jun 17 2017 12:09:00.0000	1624	1487
Sat Jun 17 2017 12:10:00.0000	1623	1501
Sat Jun 17 2017 12:11:00.0000	1622	1474
Sat Jun 17 2017 12:12:00.0000	1624	1475
Sat Jun 17 2017 12:13:00.0000	1625	1406
Sat Jun 17 2017 12:14:00.0000	1625	1512
Sat Jun 17 2017 12:15:00.0000	1623	1489

Date/Time	Process Temperature (°F)	Process Flow SCFM
Sat Jun 17 2017 12:16:00.0000	1625	1520
Sat Jun 17 2017 12:17:00.0000	1625	1427
Sat Jun 17 2017 12:18:00.0000	1627	1465
Sat Jun 17 2017 12:19:00.0000	1625	1568
Sat Jun 17 2017 12:20:00.0000	1624	1518
Sat Jun 17 2017 12:21:00.0000	1627	1477
Sat Jun 17 2017 12:22:00.0000	1628	1485
Sat Jun 17 2017 12:23:00.0000	1626	1496
Sat Jun 17 2017 12:24:00.0000	1624	1562
Sat Jun 17 2017 12:25:00.0000	1627	1467
Sat Jun 17 2017 12:26:00.0000	1628	1498
Sat Jun 17 2017 12:27:00.0000	1628	1557
Sat Jun 17 2017 12:28:00.0000	1626	1464
Sat Jun 17 2017 12:29:00.0000	1627	1470
Sat Jun 17 2017 12:30:00.0000	1628	1645
Sat Jun 17 2017 12:31:00.0000	1629	1520
Sat Jun 17 2017 12:32:00.0000	1627	1497
Sat Jun 17 2017 12:33:00.0000	1626	1449
Sat Jun 17 2017 12:34:00.0000	1628	1464
Sat Jun 17 2017 12:35:00.0000	1629	1435
Sat Jun 17 2017 12:36:00.0000	1629	1533
Sat Jun 17 2017 12:37:00.0000	1627	1514
Sat Jun 17 2017 12:38:00.0000	1628	1459
Sat Jun 17 2017 12:39:00.0000	1629	1515
Sat Jun 17 2017 12:40:00.0000	1631	1500
Sat Jun 17 2017 12:41:00.0000	1629	1532
Sat Jun 17 2017 12:42:00.0000	1629	1625
Sat Jun 17 2017 12:43:00.0000	1630	1568
Sat Jun 17 2017 12:44:00.0000	1631	1571
Sat Jun 17 2017 12:45:00.0000	1630	1542
Sat Jun 17 2017 12:46:00.0000	1629	1456
Sat Jun 17 2017 12:47:00.0000	1630	1531
Sat Jun 17 2017 12:48:00.0000	1631	1444
Sat Jun 17 2017 12:49:00.0000	1631	1563
Sat Jun 17 2017 12:50:00.0000	1629	1499
Sat Jun 17 2017 12:51:00.0000	1630	1512
Sat Jun 17 2017 12:52:00.0000	1631	1500
Sat Jun 17 2017 12:53:00.0000	1633	1517
Sat Jun 17 2017 12:54:00.0000	1631	1517
Sat Jun 17 2017 12:55:00.0000	1630	1431
Sat Jun 17 2017 12:56:00.0000	1632	1496
Sat Jun 17 2017 12:57:00.0000	1633	1492
Sat Jun 17 2017 12:58:00.0000	1629	1491
Sat Jun 17 2017 12:59:00.0000	1623	1599
Sat Jun 17 2017 13:00:00.0000	1621	1494
Sat Jun 17 2017 13:01:00.0000	1618	1601
Sat Jun 17 2017 13:02:00.0000	1616	1490
Sat Jun 17 2017 13:03:00.0000	1613	1536
Sat Jun 17 2017 13:04:00.0000	1612	1557
Sat Jun 17 2017 13:05:00.0000	1611	1513
Sat Jun 17 2017 13:06:00.0000	1610	1604
Sat Jun 17 2017 13:07:00.0000	1607	1517
Sat Jun 17 2017 13:08:00.0000	1605	1492
Sat Jun 17 2017 13:09:00.0000	1605	1516
Sat Jun 17 2017 13:10:00.0000	1604	1542
Sat Jun 17 2017 13:11:00.0000	1603	1537
Sat Jun 17 2017 13:12:00.0000	1603	1490

Date/Time	Process Temperature (°F)	Process Flow SCFM
Sat Jun 17 2017 13:13:00.0000	1608	1530
Sat Jun 17 2017 13:14:00.0000	1612	1404
Sat Jun 17 2017 13:15:00.0000	1617	1532
Sat Jun 17 2017 13:16:00.0000	1617	1550
Sat Jun 17 2017 13:17:00.0000	1616	1512
Sat Jun 17 2017 13:18:00.0000	1620	1538
Sat Jun 17 2017 13:19:00.0000	1622	1490
Sat Jun 17 2017 13:20:00.0000	1623	1595
Sat Jun 17 2017 13:21:00.0000	1622	1530
Sat Jun 17 2017 13:22:00.0000	1623	1534
Sat Jun 17 2017 13:23:00.0000	1625	1452
Sat Jun 17 2017 13:24:00.0000	1627	1516
Sat Jun 17 2017 13:25:00.0000	1627	1440
Sat Jun 17 2017 13:26:00.0000	1625	1583
Sat Jun 17 2017 13:27:00.0000	1628	1531
Sat Jun 17 2017 13:28:00.0000	1629	1416
Sat Jun 17 2017 13:29:00.0000	1630	1552
Sat Jun 17 2017 13:30:00.0000	1628	1527
Sat Jun 17 2017 13:31:00.0000	1629	1468
Sat Jun 17 2017 13:32:00.0000	1630	1604
Sat Jun 17 2017 13:33:00.0000	1632	1523
Sat Jun 17 2017 13:34:00.0000	1631	1487
Sat Jun 17 2017 13:35:00.0000	1628	1593
Sat Jun 17 2017 13:36:00.0000	1630	1458
Sat Jun 17 2017 13:37:00.0000	1631	1441
Sat Jun 17 2017 13:38:00.0000	1632	1515
Sat Jun 17 2017 13:39:00.0000	1629	1522
Sat Jun 17 2017 13:40:00.0000	1629	1495
Sat Jun 17 2017 13:41:00.0000	1631	1518
Sat Jun 17 2017 13:42:00.0000	1633	1521
Sat Jun 17 2017 13:43:00.0000	1631	1546
Sat Jun 17 2017 13:44:00.0000	1629	1494
Sat Jun 17 2017 13:45:00.0000	1631	1462
Sat Jun 17 2017 13:46:00.0000	1633	1510
Sat Jun 17 2017 13:47:00.0000	1633	1475
Sat Jun 17 2017 13:48:00.0000	1630	1487
Sat Jun 17 2017 13:49:00.0000	1631	1459
Sat Jun 17 2017 13:50:00.0000	1632	1480
Sat Jun 17 2017 13:51:00.0000	1633	1482
Sat Jun 17 2017 13:52:00.0000	1626	1470
Sat Jun 17 2017 13:53:00.0000	1622	1492
Sat Jun 17 2017 13:54:00.0000	1621	1476
Sat Jun 17 2017 13:55:00.0000	1619	1486
Sat Jun 17 2017 13:56:00.0000	1617	1494
Sat Jun 17 2017 13:57:00.0000	1615	1534
Sat Jun 17 2017 13:58:00.0000	1614	1463
Sat Jun 17 2017 13:59:00.0000	1614	1506
Sat Jun 17 2017 14:00:00.0000	1612	1508
Sat Jun 17 2017 14:01:00.0000	1610	1499
Sat Jun 17 2017 14:02:00.0000	1608	1481
Sat Jun 17 2017 14:03:00.0000	1607	1540
Sat Jun 17 2017 14:04:00.0000	1606	1500
Sat Jun 17 2017 14:05:00.0000	1605	1512
Sat Jun 17 2017 14:06:00.0000	1604	1509
Sat Jun 17 2017 14:07:00.0000	1604	1511
Sat Jun 17 2017 14:08:00.0000	1604	1506
Sat Jun 17 2017 14:09:00.0000	1603	1500

Date/Time	Process Temperature (°F)	Process Flow SCFM
Sat Jun 17 2017 14:10:00.0000	1602	1509
Sat Jun 17 2017 14:11:00.0000	1605	1517
Sat Jun 17 2017 14:12:00.0000	1610	1509
Sat Jun 17 2017 14:13:00.0000	1613	1551
Sat Jun 17 2017 14:14:00.0000	1615	1483
Sat Jun 17 2017 14:15:00.0000	1614	1502
Sat Jun 17 2017 14:16:00.0000	1615	1517
Sat Jun 17 2017 14:17:00.0000	1617	1475
Sat Jun 17 2017 14:18:00.0000	1620	1496
Sat Jun 17 2017 14:19:00.0000	1619	1493
Sat Jun 17 2017 14:20:00.0000	1618	1486
Sat Jun 17 2017 14:21:00.0000	1621	1531
Sat Jun 17 2017 14:22:00.0000	1622	1438
Sat Jun 17 2017 14:23:00.0000	1623	1499
Sat Jun 17 2017 14:24:00.0000	1621	1480
Sat Jun 17 2017 14:25:00.0000	1622	1531
Sat Jun 17 2017 14:26:00.0000	1623	1528
Sat Jun 17 2017 14:27:00.0000	1625	1499
Sat Jun 17 2017 14:28:00.0000	1624	1468
Sat Jun 17 2017 14:29:00.0000	1623	1496
Sat Jun 17 2017 14:30:00.0000	1625	1452
Sat Jun 17 2017 14:31:00.0000	1627	1564
Sat Jun 17 2017 14:32:00.0000	1626	1503
Sat Jun 17 2017 14:33:00.0000	1624	1483
Sat Jun 17 2017 14:34:00.0000	1626	1505
Sat Jun 17 2017 14:35:00.0000	1627	1529
Sat Jun 17 2017 14:36:00.0000	1628	1524
Sat Jun 17 2017 14:37:00.0000	1626	1473
Sat Jun 17 2017 14:38:00.0000	1626	1481
Sat Jun 17 2017 14:39:00.0000	1627	1486
Sat Jun 17 2017 14:40:00.0000	1629	1501
Sat Jun 17 2017 14:41:00.0000	1629	1492
Sat Jun 17 2017 14:42:00.0000	1626	1512
Sat Jun 17 2017 14:43:00.0000	1629	1489
Sat Jun 17 2017 14:44:00.0000	1629	1491
Sat Jun 17 2017 14:45:00.0000	1630	1486
Sat Jun 17 2017 14:46:00.0000	1628	1512
Sat Jun 17 2017 14:47:00.0000	1628	1465
Sat Jun 17 2017 14:48:00.0000	1630	1499
Sat Jun 17 2017 14:49:00.0000	1632	1517
Sat Jun 17 2017 14:50:00.0000	1631	1480
Sat Jun 17 2017 14:51:00.0000	1629	1438
Sat Jun 17 2017 14:52:00.0000	1631	1505
Sat Jun 17 2017 14:53:00.0000	1632	1504
Sat Jun 17 2017 14:54:00.0000	1632	1481
Sat Jun 17 2017 14:55:00.0000	1630	1486
Sat Jun 17 2017 14:56:00.0000	1630	1496
Sat Jun 17 2017 14:57:00.0000	1631	1531
Sat Jun 17 2017 14:58:00.0000	1633	1503
Sat Jun 17 2017 14:59:00.0000	1631	1512
Sat Jun 17 2017 15:00:00.0000	1630	1522
Sat Jun 17 2017 15:01:00.0000	1632	1443
Sat Jun 17 2017 15:02:00.0000	1634	1446
Sat Jun 17 2017 15:03:00.0000	1627	1501
Sat Jun 17 2017 15:04:00.0000	1622	1534
Sat Jun 17 2017 15:05:00.0000	1621	1457
Sat Jun 17 2017 15:06:00.0000	1618	1510

Date/Time	Process Temperature (°F)	Process Flow SCFM
Sat Jun 17 2017 15:07:00.0000	1615	1489
Sat Jun 17 2017 15:08:00.0000	1613	1480
Sat Jun 17 2017 15:09:00.0000	1611	1514
Sat Jun 17 2017 15:10:00.0000	1610	1485
Sat Jun 17 2017 15:11:00.0000	1609	1509
Sat Jun 17 2017 15:12:00.0000	1606	1515
Sat Jun 17 2017 15:13:00.0000	1604	1489
Sat Jun 17 2017 15:14:00.0000	1604	1478
Sat Jun 17 2017 15:15:00.0000	1604	1497
Sat Jun 17 2017 15:16:00.0000	1602	1491
Sat Jun 17 2017 15:17:00.0000	1604	1498
Sat Jun 17 2017 15:18:00.0000	1609	1453
Sat Jun 17 2017 15:19:00.0000	1612	1490
Sat Jun 17 2017 15:20:00.0000	1617	1460
Sat Jun 17 2017 15:21:00.0000	1617	1492
Sat Jun 17 2017 15:22:00.0000	1616	1503
Sat Jun 17 2017 15:23:00.0000	1620	1421
Sat Jun 17 2017 15:24:00.0000	1622	1451
Sat Jun 17 2017 15:25:00.0000	1623	1491
Sat Jun 17 2017 15:26:00.0000	1621	1471
Sat Jun 17 2017 15:27:00.0000	1623	1536
Sat Jun 17 2017 15:28:00.0000	1625	1475
Sat Jun 17 2017 15:29:00.0000	1627	1530
Sat Jun 17 2017 15:30:00.0000	1625	1484
Sat Jun 17 2017 15:31:00.0000	1624	1456
Sat Jun 17 2017 15:32:00.0000	1627	1476
Sat Jun 17 2017 15:33:00.0000	1628	1523
Sat Jun 17 2017 15:34:00.0000	1628	1484
Sat Jun 17 2017 15:35:00.0000	1627	1514
Sat Jun 17 2017 15:36:00.0000	1629	1429
Sat Jun 17 2017 15:37:00.0000	1630	1479
Sat Jun 17 2017 15:38:00.0000	1630	1490
Sat Jun 17 2017 15:39:00.0000	1628	1524
Sat Jun 17 2017 15:40:00.0000	1629	1485
Sat Jun 17 2017 15:41:00.0000	1630	1453
Sat Jun 17 2017 15:42:00.0000	1632	1462
Sat Jun 17 2017 15:43:00.0000	1630	1483
Sat Jun 17 2017 15:44:00.0000	1629	1525
Sat Jun 17 2017 15:45:00.0000	1631	1457
Sat Jun 17 2017 15:46:00.0000	1633	1505
Sat Jun 17 2017 15:47:00.0000	1628	1450
Sat Jun 17 2017 15:48:00.0000	1622	1477
Sat Jun 17 2017 15:49:00.0000	1620	1497
Sat Jun 17 2017 15:50:00.0000	1617	1467
Sat Jun 17 2017 15:51:00.0000	1615	1468
Sat Jun 17 2017 15:52:00.0000	1613	1501
Sat Jun 17 2017 15:53:00.0000	1612	1487
Sat Jun 17 2017 15:54:00.0000	1611	1422
Sat Jun 17 2017 15:55:00.0000	1610	1526
Sat Jun 17 2017 15:56:00.0000	1608	1495
Sat Jun 17 2017 15:57:00.0000	1606	1485
Sat Jun 17 2017 15:58:00.0000	1607	1414
Sat Jun 17 2017 15:59:00.0000	1606	1499
Sat Jun 17 2017 16:00:00.0000	1604	1596
Sat Jun 17 2017 16:01:00.0000	1603	1455
Sat Jun 17 2017 16:02:00.0000	1603	1648
Sat Jun 17 2017 16:03:00.0000	1603	1488

Date/Time	Process Temperature (°F)	Process Flow SCFM
Sat Jun 17 2017 16:04:00.0000	1605	1557
Sat Jun 17 2017 16:05:00.0000	1608	1566
Sat Jun 17 2017 16:06:00.0000	1611	1480
Sat Jun 17 2017 16:07:00.0000	1614	1478
Sat Jun 17 2017 16:08:00.0000	1617	1556
Sat Jun 17 2017 16:09:00.0000	1617	1531
Sat Jun 17 2017 16:10:00.0000	1616	1500
Sat Jun 17 2017 16:11:00.0000	1619	1545
Sat Jun 17 2017 16:12:00.0000	1620	1477
Sat Jun 17 2017 16:13:00.0000	1621	1521
Sat Jun 17 2017 16:14:00.0000	1619	1487
Sat Jun 17 2017 16:15:00.0000	1620	1492
Sat Jun 17 2017 16:16:00.0000	1621	1452
Sat Jun 17 2017 16:17:00.0000	1623	1536
Sat Jun 17 2017 16:18:00.0000	1622	1507
Sat Jun 17 2017 16:19:00.0000	1621	1485
Sat Jun 17 2017 16:20:00.0000	1623	1523
Sat Jun 17 2017 16:21:00.0000	1624	1480
Sat Jun 17 2017 16:22:00.0000	1624	1568
Sat Jun 17 2017 16:23:00.0000	1622	1536
Sat Jun 17 2017 16:24:00.0000	1623	1627
Sat Jun 17 2017 16:25:00.0000	1624	1495
Sat Jun 17 2017 16:26:00.0000	1626	1467
Sat Jun 17 2017 16:27:00.0000	1624	1585
Sat Jun 17 2017 16:28:00.0000	1623	1431
Sat Jun 17 2017 16:29:00.0000	1625	1454
Sat Jun 17 2017 16:30:00.0000	1626	1535
Sat Jun 17 2017 16:31:00.0000	1626	1468
Sat Jun 17 2017 16:32:00.0000	1624	1533
Sat Jun 17 2017 16:33:00.0000	1625	1516
Sat Jun 17 2017 16:34:00.0000	1626	1517
Sat Jun 17 2017 16:35:00.0000	1628	1607
Sat Jun 17 2017 16:36:00.0000	1626	1485
Sat Jun 17 2017 16:37:00.0000	1625	1525
Sat Jun 17 2017 16:38:00.0000	1627	1469
Sat Jun 17 2017 16:39:00.0000	1628	1458
Sat Jun 17 2017 16:40:00.0000	1628	1565
Sat Jun 17 2017 16:41:00.0000	1626	1506
Sat Jun 17 2017 16:42:00.0000	1627	1628
Sat Jun 17 2017 16:43:00.0000	1628	1514
Sat Jun 17 2017 16:44:00.0000	1629	1504
Sat Jun 17 2017 16:45:00.0000	1627	1524
Sat Jun 17 2017 16:46:00.0000	1626	1593
Sat Jun 17 2017 16:47:00.0000	1628	1437
Sat Jun 17 2017 16:48:00.0000	1630	1557
Sat Jun 17 2017 16:49:00.0000	1629	1518
Sat Jun 17 2017 16:50:00.0000	1627	1546
Sat Jun 17 2017 16:51:00.0000	1629	1457
Sat Jun 17 2017 16:52:00.0000	1630	1494
Sat Jun 17 2017 16:53:00.0000	1630	1476
Sat Jun 17 2017 16:54:00.0000	1628	1479
Sat Jun 17 2017 16:55:00.0000	1628	1479
Sat Jun 17 2017 16:56:00.0000	1629	1484
Sat Jun 17 2017 16:57:00.0000	1631	1543
Sat Jun 17 2017 16:58:00.0000	1630	1468
Sat Jun 17 2017 16:59:00.0000	1628	1491
Sat Jun 17 2017 17:00:00.0000	1630	1486

Date/Time	Process Temperature (°F)	Process Flow SCFM
Sat Jun 17 2017 17:01:00.0000	1631	1425
Sat Jun 17 2017 17:02:00.0000	1631	1472
Sat Jun 17 2017 17:03:00.0000	1629	1502
Sat Jun 17 2017 17:04:00.0000	1629	1492
Sat Jun 17 2017 17:05:00.0000	1630	1476
Sat Jun 17 2017 17:06:00.0000	1632	1484
Sat Jun 17 2017 17:07:00.0000	1630	1456
Sat Jun 17 2017 17:08:00.0000	1628	1479
Sat Jun 17 2017 17:09:00.0000	1630	1419
Sat Jun 17 2017 17:10:00.0000	1632	1499
Sat Jun 17 2017 17:11:00.0000	1631	1480
Sat Jun 17 2017 17:12:00.0000	1629	1441
Sat Jun 17 2017 17:13:00.0000	1630	1473
Sat Jun 17 2017 17:14:00.0000	1631	1428
Sat Jun 17 2017 17:15:00.0000	1632	1504
Sat Jun 17 2017 17:16:00.0000	1630	1461
Sat Jun 17 2017 17:17:00.0000	1629	1447
Sat Jun 17 2017 17:18:00.0000	1631	1469
Sat Jun 17 2017 17:19:00.0000	1633	1448
Sat Jun 17 2017 17:20:00.0000	1631	1460
Sat Jun 17 2017 17:21:00.0000	1629	1464
Sat Jun 17 2017 17:22:00.0000	1631	1469
Sat Jun 17 2017 17:23:00.0000	1632	1504
Sat Jun 17 2017 17:24:00.0000	1633	1477
Sat Jun 17 2017 17:25:00.0000	1630	1483
Sat Jun 17 2017 17:26:00.0000	1630	1423
Sat Jun 17 2017 17:27:00.0000	1631	1429
Sat Jun 17 2017 17:28:00.0000	1633	1438
Sat Jun 17 2017 17:29:00.0000	1631	1460
Sat Jun 17 2017 17:30:00.0000	1630	1481
Sat Jun 17 2017 17:31:00.0000	1632	1468
Sat Jun 17 2017 17:32:00.0000	1632	1471
Sat Jun 17 2017 17:33:00.0000	1633	1492
Sat Jun 17 2017 17:34:00.0000	1630	1475
Sat Jun 17 2017 17:35:00.0000	1631	1469
Sat Jun 17 2017 17:36:00.0000	1632	1461
Sat Jun 17 2017 17:37:00.0000	1633	1457
Sat Jun 17 2017 17:38:00.0000	1631	1444
Sat Jun 17 2017 17:39:00.0000	1630	1468
Sat Jun 17 2017 17:40:00.0000	1633	1463
Sat Jun 17 2017 17:41:00.0000	1634	1436
Sat Jun 17 2017 17:42:00.0000	1627	1458
Sat Jun 17 2017 17:43:00.0000	1621	1464
Sat Jun 17 2017 17:44:00.0000	1616	1446
Sat Jun 17 2017 17:45:00.0000	1612	1462
Sat Jun 17 2017 17:46:00.0000	1608	1477
Sat Jun 17 2017 17:47:00.0000	1604	1451
Sat Jun 17 2017 17:48:00.0000	1603	1438
Sat Jun 17 2017 17:49:00.0000	1603	1483
Sat Jun 17 2017 17:50:00.0000	1612	1498
Sat Jun 17 2017 17:51:00.0000	1615	1456
Sat Jun 17 2017 17:52:00.0000	1616	1453
Sat Jun 17 2017 17:53:00.0000	1621	1468
Sat Jun 17 2017 17:54:00.0000	1625	1481
Sat Jun 17 2017 17:55:00.0000	1627	1465
Sat Jun 17 2017 17:56:00.0000	1626	1474
Sat Jun 17 2017 17:57:00.0000	1627	1483

Date/Time	Process Temperature (°F)	Process Flow SCFM
Sat Jun 17 2017 17:58:00.0000	1630	1479
Sat Jun 17 2017 17:59:00.0000	1633	1469
Sat Jun 17 2017 18:00:00.0000	1632	1458
Sat Jun 17 2017 18:01:00.0000	1631	1427
Sat Jun 17 2017 18:02:00.0000	1633	1433
Sat Jun 17 2017 18:03:00.0000	1628	1481
Sat Jun 17 2017 18:04:00.0000	1624	1442
Sat Jun 17 2017 18:05:00.0000	1621	1480
Sat Jun 17 2017 18:06:00.0000	1620	1451
Sat Jun 17 2017 18:07:00.0000	1619	1465
Sat Jun 17 2017 18:08:00.0000	1617	1433
Sat Jun 17 2017 18:09:00.0000	1615	1427
Sat Jun 17 2017 18:10:00.0000	1613	1462
Sat Jun 17 2017 18:11:00.0000	1614	1439
Sat Jun 17 2017 18:12:00.0000	1613	1446
Sat Jun 17 2017 18:13:00.0000	1611	1452
Sat Jun 17 2017 18:14:00.0000	1609	1433
Sat Jun 17 2017 18:15:00.0000	1610	1504
Sat Jun 17 2017 18:16:00.0000	1610	1536
Sat Jun 17 2017 18:17:00.0000	1608	1519
Sat Jun 17 2017 18:18:00.0000	1606	1478
Sat Jun 17 2017 18:19:00.0000	1606	1512
Sat Jun 17 2017 18:20:00.0000	1607	1431
Sat Jun 17 2017 18:21:00.0000	1606	1484
Sat Jun 17 2017 18:22:00.0000	1604	1428
Sat Jun 17 2017 18:23:00.0000	1603	1511
Sat Jun 17 2017 18:24:00.0000	1604	1503
Sat Jun 17 2017 18:25:00.0000	1604	1451
Sat Jun 17 2017 18:26:00.0000	1603	1469
Sat Jun 17 2017 18:27:00.0000	1603	1450
Sat Jun 17 2017 18:28:00.0000	1614	1394
Sat Jun 17 2017 18:29:00.0000	1621	1396
Sat Jun 17 2017 18:30:00.0000	1629	1435
Sat Jun 17 2017 18:31:00.0000	1630	1447
Sat Jun 17 2017 18:32:00.0000	1631	1441
Sat Jun 17 2017 18:33:00.0000	1633	1470
Sat Jun 17 2017 18:34:00.0000	1624	1471
Sat Jun 17 2017 18:35:00.0000	1618	1556
Sat Jun 17 2017 18:36:00.0000	1613	1472
Sat Jun 17 2017 18:37:00.0000	1609	1429
Sat Jun 17 2017 18:38:00.0000	1607	1432
Sat Jun 17 2017 18:39:00.0000	1604	1443
Sat Jun 17 2017 18:40:00.0000	1601	1531
Sat Jun 17 2017 18:41:00.0000	1605	1542
Sat Jun 17 2017 18:42:00.0000	1611	1491
Sat Jun 17 2017 18:43:00.0000	1616	1358
Sat Jun 17 2017 18:44:00.0000	1619	1552
Sat Jun 17 2017 18:45:00.0000	1619	1518
Sat Jun 17 2017 18:46:00.0000	1622	1475
Sat Jun 17 2017 18:47:00.0000	1624	1453
Sat Jun 17 2017 18:48:00.0000	1627	1462
Sat Jun 17 2017 18:49:00.0000	1626	1460
Sat Jun 17 2017 18:50:00.0000	1626	1401
Sat Jun 17 2017 18:51:00.0000	1628	1461
Sat Jun 17 2017 18:52:00.0000	1631	1465
Sat Jun 17 2017 18:53:00.0000	1632	1437
Sat Jun 17 2017 18:54:00.0000	1629	1431

Date/Time	Process Temperature (°F)	Process Flow SCFM
Sat Jun 17 2017 18:55:00.0000	1631	1406
Sat Jun 17 2017 18:56:00.0000	1633	1460
Sat Jun 17 2017 18:57:00.0000	1633	1427
Sat Jun 17 2017 18:58:00.0000	1624	1427
Sat Jun 17 2017 18:59:00.0000	1619	1437
Sat Jun 17 2017 19:00:00.0000	1615	1421
Sat Jun 17 2017 19:01:00.0000	1611	1449
Sat Jun 17 2017 19:02:00.0000	1607	1431
Sat Jun 17 2017 19:03:00.0000	1604	1442
Sat Jun 17 2017 19:04:00.0000	1603	1428
Sat Jun 17 2017 19:05:00.0000	1603	1412
Sat Jun 17 2017 19:06:00.0000	1606	1417
Sat Jun 17 2017 19:07:00.0000	1606	1456
Sat Jun 17 2017 19:08:00.0000	1607	1463
Sat Jun 17 2017 19:09:00.0000	1610	1412
Sat Jun 17 2017 19:10:00.0000	1611	1472
Sat Jun 17 2017 19:11:00.0000	1610	1436
Sat Jun 17 2017 19:12:00.0000	1609	1436
Sat Jun 17 2017 19:13:00.0000	1611	1467
Sat Jun 17 2017 19:14:00.0000	1612	1450
Sat Jun 17 2017 19:15:00.0000	1612	1477
Sat Jun 17 2017 19:16:00.0000	1611	1434
Sat Jun 17 2017 19:17:00.0000	1611	1467
Sat Jun 17 2017 19:18:00.0000	1612	1533
Sat Jun 17 2017 19:19:00.0000	1613	1448
Sat Jun 17 2017 19:20:00.0000	1612	1384
Sat Jun 17 2017 19:21:00.0000	1610	1430
Sat Jun 17 2017 19:22:00.0000	1612	1443
Sat Jun 17 2017 19:23:00.0000	1613	1430
Sat Jun 17 2017 19:24:00.0000	1612	1569
Sat Jun 17 2017 19:25:00.0000	1611	1444
Sat Jun 17 2017 19:26:00.0000	1611	1469
Sat Jun 17 2017 19:27:00.0000	1612	1529
Sat Jun 17 2017 19:28:00.0000	1613	1460
Sat Jun 17 2017 19:29:00.0000	1612	1443
Sat Jun 17 2017 19:30:00.0000	1610	1402
Sat Jun 17 2017 19:31:00.0000	1612	1449
Sat Jun 17 2017 19:32:00.0000	1613	1447
Sat Jun 17 2017 19:33:00.0000	1612	1439
Sat Jun 17 2017 19:34:00.0000	1610	1431
Sat Jun 17 2017 19:35:00.0000	1611	1431
Sat Jun 17 2017 19:36:00.0000	1612	1395
Sat Jun 17 2017 19:37:00.0000	1613	1430
Sat Jun 17 2017 19:38:00.0000	1611	1439
Sat Jun 17 2017 19:39:00.0000	1611	1424
Sat Jun 17 2017 19:40:00.0000	1612	1420
Sat Jun 17 2017 19:41:00.0000	1612	1420
Sat Jun 17 2017 19:42:00.0000	1612	1444
Sat Jun 17 2017 19:43:00.0000	1610	1435
Sat Jun 17 2017 19:44:00.0000	1611	1431
Sat Jun 17 2017 19:45:00.0000	1612	1419
Sat Jun 17 2017 19:46:00.0000	1612	1407
Sat Jun 17 2017 19:47:00.0000	1610	1419
Sat Jun 17 2017 19:48:00.0000	1611	1432
Sat Jun 17 2017 19:49:00.0000	1611	1428
Sat Jun 17 2017 19:50:00.0000	1612	1440
Sat Jun 17 2017 19:51:00.0000	1611	1424

Date/Time	Process Temperature (°F)	Process Flow SCFM
Sat Jun 17 2017 19:52:00.0000	1609	1458
Sat Jun 17 2017 19:53:00.0000	1611	1441
Sat Jun 17 2017 19:54:00.0000	1612	1433
Sat Jun 17 2017 19:55:00.0000	1611	1411
Sat Jun 17 2017 19:56:00.0000	1609	1446
Sat Jun 17 2017 19:57:00.0000	1610	1429
Sat Jun 17 2017 19:58:00.0000	1611	1478
Sat Jun 17 2017 19:59:00.0000	1611	1423
Sat Jun 17 2017 20:00:00.0000	1610	1432
Sat Jun 17 2017 20:01:00.0000	1608	1461
Sat Jun 17 2017 20:02:00.0000	1610	1390
Sat Jun 17 2017 20:03:00.0000	1611	1440
Sat Jun 17 2017 20:04:00.0000	1610	1474
Sat Jun 17 2017 20:05:00.0000	1608	1460
Sat Jun 17 2017 20:06:00.0000	1609	1428
Sat Jun 17 2017 20:07:00.0000	1609	1478
Sat Jun 17 2017 20:08:00.0000	1610	1428
Sat Jun 17 2017 20:09:00.0000	1608	1469
Sat Jun 17 2017 20:10:00.0000	1607	1419
Sat Jun 17 2017 20:11:00.0000	1609	1409
Sat Jun 17 2017 20:12:00.0000	1610	1454
Sat Jun 17 2017 20:13:00.0000	1609	1421
Sat Jun 17 2017 20:14:00.0000	1607	1472
Sat Jun 17 2017 20:15:00.0000	1608	1429
Sat Jun 17 2017 20:16:00.0000	1609	1436
Sat Jun 17 2017 20:17:00.0000	1609	1440
Sat Jun 17 2017 20:18:00.0000	1607	1442
Sat Jun 17 2017 20:19:00.0000	1607	1368
Sat Jun 17 2017 20:20:00.0000	1608	1469
Sat Jun 17 2017 20:21:00.0000	1609	1393
Sat Jun 17 2017 20:22:00.0000	1608	1455
Sat Jun 17 2017 20:23:00.0000	1606	1382
Sat Jun 17 2017 20:24:00.0000	1608	1360
Sat Jun 17 2017 20:25:00.0000	1609	1376
Sat Jun 17 2017 20:26:00.0000	1608	1513
Sat Jun 17 2017 20:27:00.0000	1606	1441
Sat Jun 17 2017 20:28:00.0000	1607	1476
Sat Jun 17 2017 20:29:00.0000	1608	1473
Sat Jun 17 2017 20:30:00.0000	1609	1381
Sat Jun 17 2017 20:31:00.0000	1607	1458
Sat Jun 17 2017 20:32:00.0000	1606	1385
Sat Jun 17 2017 20:33:00.0000	1607	1412
Sat Jun 17 2017 20:34:00.0000	1608	1444
Sat Jun 17 2017 20:35:00.0000	1607	1362
Sat Jun 17 2017 20:36:00.0000	1606	1472
Sat Jun 17 2017 20:37:00.0000	1607	1443
Sat Jun 17 2017 20:38:00.0000	1609	1458
Sat Jun 17 2017 20:39:00.0000	1609	1422
Sat Jun 17 2017 20:40:00.0000	1607	1439
Sat Jun 17 2017 20:41:00.0000	1606	1412
Sat Jun 17 2017 20:42:00.0000	1609	1400
Sat Jun 17 2017 20:43:00.0000	1610	1464
Sat Jun 17 2017 20:44:00.0000	1608	1414
Sat Jun 17 2017 20:45:00.0000	1606	1438
Sat Jun 17 2017 20:46:00.0000	1608	1390
Sat Jun 17 2017 20:47:00.0000	1610	1408
Sat Jun 17 2017 20:48:00.0000	1609	1396

Date/Time	Process Temperature (°F)	Process Flow SCFM
Sat Jun 17 2017 20:49:00.0000	1607	1440
Sat Jun 17 2017 20:50:00.0000	1608	1380
Sat Jun 17 2017 20:51:00.0000	1609	1385
Sat Jun 17 2017 20:52:00.0000	1610	1383
Sat Jun 17 2017 20:53:00.0000	1608	1408
Sat Jun 17 2017 20:54:00.0000	1607	1385
Sat Jun 17 2017 20:55:00.0000	1609	1430
Sat Jun 17 2017 20:56:00.0000	1610	1393
Sat Jun 17 2017 20:57:00.0000	1609	1405
Sat Jun 17 2017 20:58:00.0000	1607	1395
Sat Jun 17 2017 20:59:00.0000	1608	1392
Sat Jun 17 2017 21:00:00.0000	1609	1450
Sat Jun 17 2017 21:01:00.0000	1610	1387
Sat Jun 17 2017 21:02:00.0000	1608	1389
Sat Jun 17 2017 21:03:00.0000	1607	1399
Sat Jun 17 2017 21:04:00.0000	1609	1410
Sat Jun 17 2017 21:05:00.0000	1610	1435
Sat Jun 17 2017 21:06:00.0000	1609	1424
Sat Jun 17 2017 21:07:00.0000	1607	1404
Sat Jun 17 2017 21:08:00.0000	1609	1381
Sat Jun 17 2017 21:09:00.0000	1609	1388
Sat Jun 17 2017 21:10:00.0000	1610	1406
Sat Jun 17 2017 21:11:00.0000	1607	1428
Sat Jun 17 2017 21:12:00.0000	1608	1429
Sat Jun 17 2017 21:13:00.0000	1609	1423
Sat Jun 17 2017 21:14:00.0000	1610	1419
Sat Jun 17 2017 21:15:00.0000	1609	1412
Sat Jun 17 2017 21:16:00.0000	1607	1399
Sat Jun 17 2017 21:17:00.0000	1608	1457
Sat Jun 17 2017 21:18:00.0000	1609	1393
Sat Jun 17 2017 21:19:00.0000	1610	1403
Sat Jun 17 2017 21:20:00.0000	1607	1427
Sat Jun 17 2017 21:21:00.0000	1607	1400
Sat Jun 17 2017 21:22:00.0000	1609	1414
Sat Jun 17 2017 21:23:00.0000	1610	1460
Sat Jun 17 2017 21:24:00.0000	1609	1404
Sat Jun 17 2017 21:25:00.0000	1607	1438
Sat Jun 17 2017 21:26:00.0000	1609	1442
Sat Jun 17 2017 21:27:00.0000	1609	1385
Sat Jun 17 2017 21:28:00.0000	1609	1395
Sat Jun 17 2017 21:29:00.0000	1607	1409
Sat Jun 17 2017 21:30:00.0000	1607	1371
Sat Jun 17 2017 21:31:00.0000	1609	1400
Sat Jun 17 2017 21:32:00.0000	1610	1441
Sat Jun 17 2017 21:33:00.0000	1608	1409
Sat Jun 17 2017 21:34:00.0000	1607	1394
Sat Jun 17 2017 21:35:00.0000	1609	1412
Sat Jun 17 2017 21:36:00.0000	1609	1386
Sat Jun 17 2017 21:37:00.0000	1609	1411
Sat Jun 17 2017 21:38:00.0000	1607	1405
Sat Jun 17 2017 21:39:00.0000	1608	1385
Sat Jun 17 2017 21:40:00.0000	1608	1400
Sat Jun 17 2017 21:41:00.0000	1609	1401
Sat Jun 17 2017 21:42:00.0000	1608	1442
Sat Jun 17 2017 21:43:00.0000	1607	1367
Sat Jun 17 2017 21:44:00.0000	1609	1412
Sat Jun 17 2017 21:45:00.0000	1610	1423

Date/Time	Process Temperature (°F)	Process Flow SCFM
Sat Jun 17 2017 21:46:00.0000	1609	1419
Sat Jun 17 2017 21:47:00.0000	1607	1399
Sat Jun 17 2017 21:48:00.0000	1608	1439
Sat Jun 17 2017 21:49:00.0000	1609	1408
Sat Jun 17 2017 21:50:00.0000	1609	1392
Sat Jun 17 2017 21:51:00.0000	1607	1411
Sat Jun 17 2017 21:52:00.0000	1607	1375
Sat Jun 17 2017 21:53:00.0000	1609	1575
Sat Jun 17 2017 21:54:00.0000	1609	1468
Sat Jun 17 2017 21:55:00.0000	1608	1390
Sat Jun 17 2017 21:56:00.0000	1607	1494
Sat Jun 17 2017 21:57:00.0000	1608	1440
Sat Jun 17 2017 21:58:00.0000	1609	1404
Sat Jun 17 2017 21:59:00.0000	1609	1464
Sat Jun 17 2017 22:00:00.0000	1607	1456
Sat Jun 17 2017 22:01:00.0000	1607	1425
Sat Jun 17 2017 22:02:00.0000	1609	1419
Sat Jun 17 2017 22:03:00.0000	1610	1432
Sat Jun 17 2017 22:04:00.0000	1609	1407
Sat Jun 17 2017 22:05:00.0000	1607	1389
Sat Jun 17 2017 22:06:00.0000	1609	1392
Sat Jun 17 2017 22:07:00.0000	1610	1412
Sat Jun 17 2017 22:08:00.0000	1609	1481
Sat Jun 17 2017 22:09:00.0000	1607	1548
Sat Jun 17 2017 22:10:00.0000	1608	1360
Sat Jun 17 2017 22:11:00.0000	1609	1420
Sat Jun 17 2017 22:12:00.0000	1609	1588
Sat Jun 17 2017 22:13:00.0000	1608	1372
Sat Jun 17 2017 22:14:00.0000	1607	1408
Sat Jun 17 2017 22:15:00.0000	1609	1428
Sat Jun 17 2017 22:16:00.0000	1609	1469
Sat Jun 17 2017 22:17:00.0000	1609	1355
Sat Jun 17 2017 22:18:00.0000	1607	1432
Sat Jun 17 2017 22:19:00.0000	1608	1461
Sat Jun 17 2017 22:20:00.0000	1609	1403
Sat Jun 17 2017 22:21:00.0000	1609	1448
Sat Jun 17 2017 22:22:00.0000	1607	1456
Sat Jun 17 2017 22:23:00.0000	1607	1406
Sat Jun 17 2017 22:24:00.0000	1609	1503
Sat Jun 17 2017 22:25:00.0000	1609	1405
Sat Jun 17 2017 22:26:00.0000	1609	1428
Sat Jun 17 2017 22:27:00.0000	1607	1469
Sat Jun 17 2017 22:28:00.0000	1608	1482
Sat Jun 17 2017 22:29:00.0000	1609	1410
Sat Jun 17 2017 22:30:00.0000	1609	1362
Sat Jun 17 2017 22:31:00.0000	1607	1463
Sat Jun 17 2017 22:32:00.0000	1607	1436
Sat Jun 17 2017 22:33:00.0000	1609	1404
Sat Jun 17 2017 22:34:00.0000	1609	1454
Sat Jun 17 2017 22:35:00.0000	1608	1453
Sat Jun 17 2017 22:36:00.0000	1607	1418
Sat Jun 17 2017 22:37:00.0000	1608	1445
Sat Jun 17 2017 22:38:00.0000	1609	1487
Sat Jun 17 2017 22:39:00.0000	1609	1406
Sat Jun 17 2017 22:40:00.0000	1607	1497
Sat Jun 17 2017 22:41:00.0000	1607	1406
Sat Jun 17 2017 22:42:00.0000	1609	1512

Date/Time	Process Temperature (°F)	Process Flow SCFM
Sat Jun 17 2017 22:43:00.0000	1609	1383
Sat Jun 17 2017 22:44:00.0000	1608	1444
Sat Jun 17 2017 22:45:00.0000	1606	1414
Sat Jun 17 2017 22:46:00.0000	1608	1415
Sat Jun 17 2017 22:47:00.0000	1609	1439
Sat Jun 17 2017 22:48:00.0000	1609	1372
Sat Jun 17 2017 22:49:00.0000	1606	1339
Sat Jun 17 2017 22:50:00.0000	1607	1366
Sat Jun 17 2017 22:51:00.0000	1608	1381
Sat Jun 17 2017 22:52:00.0000	1609	1494
Sat Jun 17 2017 22:53:00.0000	1607	1420
Sat Jun 17 2017 22:54:00.0000	1606	1484
Sat Jun 17 2017 22:55:00.0000	1608	1286
Sat Jun 17 2017 22:56:00.0000	1609	1349
Sat Jun 17 2017 22:57:00.0000	1608	1355
Sat Jun 17 2017 22:58:00.0000	1606	1407
Sat Jun 17 2017 22:59:00.0000	1607	1398
Sat Jun 17 2017 23:00:00.0000	1608	1365
Sat Jun 17 2017 23:01:00.0000	1609	1396
Sat Jun 17 2017 23:02:00.0000	1607	1430
Sat Jun 17 2017 23:03:00.0000	1606	1510
Sat Jun 17 2017 23:04:00.0000	1608	1458
Sat Jun 17 2017 23:05:00.0000	1609	1364
Sat Jun 17 2017 23:06:00.0000	1608	1372
Sat Jun 17 2017 23:07:00.0000	1606	1419
Sat Jun 17 2017 23:08:00.0000	1607	1361
Sat Jun 17 2017 23:09:00.0000	1608	1418
Sat Jun 17 2017 23:10:00.0000	1609	1396
Sat Jun 17 2017 23:11:00.0000	1607	1403
Sat Jun 17 2017 23:12:00.0000	1606	1428
Sat Jun 17 2017 23:13:00.0000	1608	1398
Sat Jun 17 2017 23:14:00.0000	1609	1405
Sat Jun 17 2017 23:15:00.0000	1608	1394
Sat Jun 17 2017 23:16:00.0000	1606	1362
Sat Jun 17 2017 23:17:00.0000	1607	1423
Sat Jun 17 2017 23:18:00.0000	1608	1381
Sat Jun 17 2017 23:19:00.0000	1609	1476
Sat Jun 17 2017 23:20:00.0000	1607	1367
Sat Jun 17 2017 23:21:00.0000	1607	1433
Sat Jun 17 2017 23:22:00.0000	1607	1414
Sat Jun 17 2017 23:23:00.0000	1609	1352
Sat Jun 17 2017 23:24:00.0000	1607	1428
Sat Jun 17 2017 23:25:00.0000	1606	1428
Sat Jun 17 2017 23:26:00.0000	1607	1386
Sat Jun 17 2017 23:27:00.0000	1608	1317
Sat Jun 17 2017 23:28:00.0000	1608	1502
Sat Jun 17 2017 23:29:00.0000	1606	1439
Sat Jun 17 2017 23:30:00.0000	1607	1390
Sat Jun 17 2017 23:31:00.0000	1607	1450
Sat Jun 17 2017 23:32:00.0000	1608	1413
Sat Jun 17 2017 23:33:00.0000	1607	1425
Sat Jun 17 2017 23:34:00.0000	1606	1442
Sat Jun 17 2017 23:35:00.0000	1607	1426
Sat Jun 17 2017 23:36:00.0000	1607	1465
Sat Jun 17 2017 23:37:00.0000	1607	1420
Sat Jun 17 2017 23:38:00.0000	1605	1426
Sat Jun 17 2017 23:39:00.0000	1606	1457

Date/Time	Process Temperature (°F)	Process Flow SCFM
Sat Jun 17 2017 23:40:00.0000	1607	1415
Sat Jun 17 2017 23:41:00.0000	1607	1359
Sat Jun 17 2017 23:42:00.0000	1605	1401
Sat Jun 17 2017 23:43:00.0000	1604	1356
Sat Jun 17 2017 23:44:00.0000	1605	1370
Sat Jun 17 2017 23:45:00.0000	1606	1359
Sat Jun 17 2017 23:46:00.0000	1605	1381
Sat Jun 17 2017 23:47:00.0000	1604	1476
Sat Jun 17 2017 23:48:00.0000	1605	1376
Sat Jun 17 2017 23:49:00.0000	1606	1444
Sat Jun 17 2017 23:50:00.0000	1606	1403
Sat Jun 17 2017 23:51:00.0000	1604	1381
Sat Jun 17 2017 23:52:00.0000	1603	1410
Sat Jun 17 2017 23:53:00.0000	1605	1369
Sat Jun 17 2017 23:54:00.0000	1606	1441
Sat Jun 17 2017 23:55:00.0000	1605	1358
Sat Jun 17 2017 23:56:00.0000	1603	1386
Sat Jun 17 2017 23:57:00.0000	1604	1375
Sat Jun 17 2017 23:58:00.0000	1605	1355
Sat Jun 17 2017 23:59:00.0000	1605	1369
Sun Jun 18 2017 00:00:00.0000	1603	1365
Sun Jun 18 2017 00:01:00.0000	1603	1393
Sun Jun 18 2017 00:02:00.0000	1604	1394
Sun Jun 18 2017 00:03:00.0000	1605	1425
Sun Jun 18 2017 00:04:00.0000	1604	1353
Sun Jun 18 2017 00:05:00.0000	1602	1367
Sun Jun 18 2017 00:06:00.0000	1607	1369
Sun Jun 18 2017 00:07:00.0000	1612	1387
Sun Jun 18 2017 00:08:00.0000	1617	1372
Sun Jun 18 2017 00:09:00.0000	1617	1361
Sun Jun 18 2017 00:10:00.0000	1619	1398
Sun Jun 18 2017 00:11:00.0000	1622	1331
Sun Jun 18 2017 00:12:00.0000	1627	1363
Sun Jun 18 2017 00:13:00.0000	1626	1388
Sun Jun 18 2017 00:14:00.0000	1625	1394
Sun Jun 18 2017 00:15:00.0000	1628	1395
Sun Jun 18 2017 00:16:00.0000	1631	1430
Sun Jun 18 2017 00:17:00.0000	1628	1427
Sun Jun 18 2017 00:18:00.0000	1622	1380
Sun Jun 18 2017 00:19:00.0000	1620	1354
Sun Jun 18 2017 00:20:00.0000	1618	1368
Sun Jun 18 2017 00:21:00.0000	1617	1394
Sun Jun 18 2017 00:22:00.0000	1614	1367
Sun Jun 18 2017 00:23:00.0000	1612	1384
Sun Jun 18 2017 00:24:00.0000	1612	1331
Sun Jun 18 2017 00:25:00.0000	1611	1354
Sun Jun 18 2017 00:26:00.0000	1610	1362
Sun Jun 18 2017 00:27:00.0000	1608	1361
Sun Jun 18 2017 00:28:00.0000	1607	1377
Sun Jun 18 2017 00:29:00.0000	1607	1362
Sun Jun 18 2017 00:30:00.0000	1607	1373
Sun Jun 18 2017 00:31:00.0000	1605	1367
Sun Jun 18 2017 00:32:00.0000	1604	1366
Sun Jun 18 2017 00:33:00.0000	1604	1373
Sun Jun 18 2017 00:34:00.0000	1604	1385
Sun Jun 18 2017 00:35:00.0000	1604	1374
Sun Jun 18 2017 00:36:00.0000	1602	1374

Date/Time	Process Temperature (°F)	Process Flow SCFM
Sun Jun 18 2017 00:37:00.0000	1605	1372
Sun Jun 18 2017 00:38:00.0000	1610	1386
Sun Jun 18 2017 00:39:00.0000	1616	1373
Sun Jun 18 2017 00:40:00.0000	1617	1363
Sun Jun 18 2017 00:41:00.0000	1618	1364
Sun Jun 18 2017 00:42:00.0000	1622	1319
Sun Jun 18 2017 00:43:00.0000	1626	1406
Sun Jun 18 2017 00:44:00.0000	1626	1377
Sun Jun 18 2017 00:45:00.0000	1624	1386
Sun Jun 18 2017 00:46:00.0000	1627	1350
Sun Jun 18 2017 00:47:00.0000	1629	1354
Sun Jun 18 2017 00:48:00.0000	1632	1380
Sun Jun 18 2017 00:49:00.0000	1629	1373
Sun Jun 18 2017 00:50:00.0000	1630	1380
Sun Jun 18 2017 00:51:00.0000	1632	1384
Sun Jun 18 2017 00:52:00.0000	1633	1370
Sun Jun 18 2017 00:53:00.0000	1623	1401
Sun Jun 18 2017 00:54:00.0000	1616	1385
Sun Jun 18 2017 00:55:00.0000	1611	1380
Sun Jun 18 2017 00:56:00.0000	1606	1332
Sun Jun 18 2017 00:57:00.0000	1602	1373
Sun Jun 18 2017 00:58:00.0000	1601	1347
Sun Jun 18 2017 00:59:00.0000	1613	1370
Sun Jun 18 2017 01:00:00.0000	1621	1362
Sun Jun 18 2017 01:01:00.0000	1633	1395
Sun Jun 18 2017 01:02:00.0000	1629	1374
Sun Jun 18 2017 01:03:00.0000	1624	1377
Sun Jun 18 2017 01:04:00.0000	1623	1371
Sun Jun 18 2017 01:05:00.0000	1621	1355
Sun Jun 18 2017 01:06:00.0000	1619	1386
Sun Jun 18 2017 01:07:00.0000	1617	1383
Sun Jun 18 2017 01:08:00.0000	1617	1368
Sun Jun 18 2017 01:09:00.0000	1617	1381
Sun Jun 18 2017 01:10:00.0000	1617	1391
Sun Jun 18 2017 01:11:00.0000	1614	1363
Sun Jun 18 2017 01:12:00.0000	1612	1394
Sun Jun 18 2017 01:13:00.0000	1612	1362
Sun Jun 18 2017 01:14:00.0000	1612	1363
Sun Jun 18 2017 01:15:00.0000	1611	1372
Sun Jun 18 2017 01:16:00.0000	1609	1351
Sun Jun 18 2017 01:17:00.0000	1609	1373
Sun Jun 18 2017 01:18:00.0000	1609	1340
Sun Jun 18 2017 01:19:00.0000	1609	1369
Sun Jun 18 2017 01:20:00.0000	1608	1365
Sun Jun 18 2017 01:21:00.0000	1606	1361
Sun Jun 18 2017 01:22:00.0000	1607	1375
Sun Jun 18 2017 01:23:00.0000	1607	1375
Sun Jun 18 2017 01:24:00.0000	1607	1382
Sun Jun 18 2017 01:25:00.0000	1605	1394
Sun Jun 18 2017 01:26:00.0000	1605	1391
Sun Jun 18 2017 01:27:00.0000	1605	1351
Sun Jun 18 2017 01:28:00.0000	1605	1385
Sun Jun 18 2017 01:29:00.0000	1604	1374
Sun Jun 18 2017 01:30:00.0000	1602	1376
Sun Jun 18 2017 01:31:00.0000	1603	1382
Sun Jun 18 2017 01:32:00.0000	1604	1345
Sun Jun 18 2017 01:33:00.0000	1603	1368

Date/Time	Process Temperature (°F)	Process Flow SCFM
Sun Jun 18 2017 01:34:00.0000	1602	1381
Sun Jun 18 2017 01:35:00.0000	1606	1383
Sun Jun 18 2017 01:36:00.0000	1611	1365
Sun Jun 18 2017 01:37:00.0000	1618	1370
Sun Jun 18 2017 01:38:00.0000	1619	1372
Sun Jun 18 2017 01:39:00.0000	1619	1388
Sun Jun 18 2017 01:40:00.0000	1623	1375
Sun Jun 18 2017 01:41:00.0000	1626	1359
Sun Jun 18 2017 01:42:00.0000	1629	1357
Sun Jun 18 2017 01:43:00.0000	1627	1370
Sun Jun 18 2017 01:44:00.0000	1628	1382
Sun Jun 18 2017 01:45:00.0000	1630	1381
Sun Jun 18 2017 01:46:00.0000	1632	1368
Sun Jun 18 2017 01:47:00.0000	1622	1385
Sun Jun 18 2017 01:48:00.0000	1617	1350
Sun Jun 18 2017 01:49:00.0000	1613	1355
Sun Jun 18 2017 01:50:00.0000	1610	1351
Sun Jun 18 2017 01:51:00.0000	1607	1393
Sun Jun 18 2017 01:52:00.0000	1604	1361
Sun Jun 18 2017 01:53:00.0000	1602	1382
Sun Jun 18 2017 01:54:00.0000	1602	1392
Sun Jun 18 2017 01:55:00.0000	1606	1358
Sun Jun 18 2017 01:56:00.0000	1607	1346
Sun Jun 18 2017 01:57:00.0000	1607	1363
Sun Jun 18 2017 01:58:00.0000	1611	1412
Sun Jun 18 2017 01:59:00.0000	1613	1376
Sun Jun 18 2017 02:00:00.0000	1614	1367
Sun Jun 18 2017 02:01:00.0000	1612	1383
Sun Jun 18 2017 02:02:00.0000	1613	1358
Sun Jun 18 2017 02:03:00.0000	1615	1407
Sun Jun 18 2017 02:04:00.0000	1617	1393
Sun Jun 18 2017 02:05:00.0000	1615	1369
Sun Jun 18 2017 02:06:00.0000	1614	1392
Sun Jun 18 2017 02:07:00.0000	1616	1332
Sun Jun 18 2017 02:08:00.0000	1618	1346
Sun Jun 18 2017 02:09:00.0000	1618	1399
Sun Jun 18 2017 02:10:00.0000	1616	1404
Sun Jun 18 2017 02:11:00.0000	1617	1362
Sun Jun 18 2017 02:12:00.0000	1618	1388
Sun Jun 18 2017 02:13:00.0000	1620	1379
Sun Jun 18 2017 02:14:00.0000	1618	1379
Sun Jun 18 2017 02:15:00.0000	1617	1354
Sun Jun 18 2017 02:16:00.0000	1619	1347
Sun Jun 18 2017 02:17:00.0000	1621	1398
Sun Jun 18 2017 02:18:00.0000	1621	1359
Sun Jun 18 2017 02:19:00.0000	1618	1375
Sun Jun 18 2017 02:20:00.0000	1619	1373
Sun Jun 18 2017 02:21:00.0000	1620	1351
Sun Jun 18 2017 02:22:00.0000	1622	1357
Sun Jun 18 2017 02:23:00.0000	1620	1365
Sun Jun 18 2017 02:24:00.0000	1619	1381
Sun Jun 18 2017 02:25:00.0000	1621	1404
Sun Jun 18 2017 02:26:00.0000	1622	1391
Sun Jun 18 2017 02:27:00.0000	1622	1378
Sun Jun 18 2017 02:28:00.0000	1620	1369
Sun Jun 18 2017 02:29:00.0000	1621	1371
Sun Jun 18 2017 02:30:00.0000	1622	1343

Date/Time	Process Temperature (°F)	Process Flow SCFM
Sun Jun 18 2017 02:31:00.0000	1623	1375
Sun Jun 18 2017 02:32:00.0000	1622	1396
Sun Jun 18 2017 02:33:00.0000	1621	1390
Sun Jun 18 2017 02:34:00.0000	1622	1378
Sun Jun 18 2017 02:35:00.0000	1624	1394
Sun Jun 18 2017 02:36:00.0000	1623	1393
Sun Jun 18 2017 02:37:00.0000	1621	1360
Sun Jun 18 2017 02:38:00.0000	1622	1402
Sun Jun 18 2017 02:39:00.0000	1624	1364
Sun Jun 18 2017 02:40:00.0000	1624	1382
Sun Jun 18 2017 02:41:00.0000	1622	1426
Sun Jun 18 2017 02:42:00.0000	1622	1400
Sun Jun 18 2017 02:43:00.0000	1623	1377
Sun Jun 18 2017 02:44:00.0000	1625	1385
Sun Jun 18 2017 02:45:00.0000	1624	1381
Sun Jun 18 2017 02:46:00.0000	1622	1382
Sun Jun 18 2017 02:47:00.0000	1623	1376
Sun Jun 18 2017 02:48:00.0000	1624	1365
Sun Jun 18 2017 02:49:00.0000	1625	1369
Sun Jun 18 2017 02:50:00.0000	1623	1390
Sun Jun 18 2017 02:51:00.0000	1623	1381
Sun Jun 18 2017 02:52:00.0000	1624	1377
Sun Jun 18 2017 02:53:00.0000	1626	1367
Sun Jun 18 2017 02:54:00.0000	1624	1374
Sun Jun 18 2017 02:55:00.0000	1622	1344
Sun Jun 18 2017 02:56:00.0000	1624	1407
Sun Jun 18 2017 02:57:00.0000	1625	1378
Sun Jun 18 2017 02:58:00.0000	1626	1387
Sun Jun 18 2017 02:59:00.0000	1624	1439
Sun Jun 18 2017 03:00:00.0000	1623	1358
Sun Jun 18 2017 03:01:00.0000	1624	1358
Sun Jun 18 2017 03:02:00.0000	1626	1402
Sun Jun 18 2017 03:03:00.0000	1625	1394
Sun Jun 18 2017 03:04:00.0000	1623	1368
Sun Jun 18 2017 03:05:00.0000	1625	1374
Sun Jun 18 2017 03:06:00.0000	1626	1366
Sun Jun 18 2017 03:07:00.0000	1626	1396
Sun Jun 18 2017 03:08:00.0000	1624	1391
Sun Jun 18 2017 03:09:00.0000	1624	1397
Sun Jun 18 2017 03:10:00.0000	1625	1374
Sun Jun 18 2017 03:11:00.0000	1627	1387
Sun Jun 18 2017 03:12:00.0000	1625	1354
Sun Jun 18 2017 03:13:00.0000	1624	1366
Sun Jun 18 2017 03:14:00.0000	1625	1386
Sun Jun 18 2017 03:15:00.0000	1626	1351
Sun Jun 18 2017 03:16:00.0000	1627	1356
Sun Jun 18 2017 03:17:00.0000	1624	1370
Sun Jun 18 2017 03:18:00.0000	1625	1392
Sun Jun 18 2017 03:19:00.0000	1626	1373
Sun Jun 18 2017 03:20:00.0000	1628	1361
Sun Jun 18 2017 03:21:00.0000	1626	1362
Sun Jun 18 2017 03:22:00.0000	1624	1366
Sun Jun 18 2017 03:23:00.0000	1626	1383
Sun Jun 18 2017 03:24:00.0000	1628	1354
Sun Jun 18 2017 03:25:00.0000	1627	1380
Sun Jun 18 2017 03:26:00.0000	1625	1360
Sun Jun 18 2017 03:27:00.0000	1625	1319

Date/Time	Process Temperature (°F)	Process Flow SCFM
Sun Jun 18 2017 03:28:00.0000	1627	1368
Sun Jun 18 2017 03:29:00.0000	1628	1369
Sun Jun 18 2017 03:30:00.0000	1626	1370
Sun Jun 18 2017 03:31:00.0000	1625	1364
Sun Jun 18 2017 03:32:00.0000	1626	1344
Sun Jun 18 2017 03:33:00.0000	1628	1406
Sun Jun 18 2017 03:34:00.0000	1627	1372
Sun Jun 18 2017 03:35:00.0000	1625	1380
Sun Jun 18 2017 03:36:00.0000	1627	1361
Sun Jun 18 2017 03:37:00.0000	1628	1382
Sun Jun 18 2017 03:38:00.0000	1628	1372
Sun Jun 18 2017 03:39:00.0000	1625	1394
Sun Jun 18 2017 03:40:00.0000	1626	1369
Sun Jun 18 2017 03:41:00.0000	1627	1344
Sun Jun 18 2017 03:42:00.0000	1629	1374
Sun Jun 18 2017 03:43:00.0000	1627	1360
Sun Jun 18 2017 03:44:00.0000	1625	1381
Sun Jun 18 2017 03:45:00.0000	1627	1343
Sun Jun 18 2017 03:46:00.0000	1628	1374
Sun Jun 18 2017 03:47:00.0000	1628	1366
Sun Jun 18 2017 03:48:00.0000	1626	1353
Sun Jun 18 2017 03:49:00.0000	1626	1369
Sun Jun 18 2017 03:50:00.0000	1628	1368
Sun Jun 18 2017 03:51:00.0000	1629	1373
Sun Jun 18 2017 03:52:00.0000	1627	1365
Sun Jun 18 2017 03:53:00.0000	1626	1385
Sun Jun 18 2017 03:54:00.0000	1627	1390
Sun Jun 18 2017 03:55:00.0000	1629	1379
Sun Jun 18 2017 03:56:00.0000	1628	1376
Sun Jun 18 2017 03:57:00.0000	1626	1341
Sun Jun 18 2017 03:58:00.0000	1628	1369
Sun Jun 18 2017 03:59:00.0000	1628	1375
Sun Jun 18 2017 04:00:00.0000	1629	1375
Sun Jun 18 2017 04:01:00.0000	1627	1381
Sun Jun 18 2017 04:02:00.0000	1627	1396
Sun Jun 18 2017 04:03:00.0000	1628	1461
Sun Jun 18 2017 04:04:00.0000	1630	1400
Sun Jun 18 2017 04:05:00.0000	1628	1364
Sun Jun 18 2017 04:06:00.0000	1627	1377
Sun Jun 18 2017 04:07:00.0000	1628	1406
Sun Jun 18 2017 04:08:00.0000	1629	1392
Sun Jun 18 2017 04:09:00.0000	1630	1367
Sun Jun 18 2017 04:10:00.0000	1627	1354
Sun Jun 18 2017 04:11:00.0000	1628	1382
Sun Jun 18 2017 04:12:00.0000	1629	1352
Sun Jun 18 2017 04:13:00.0000	1630	1386
Sun Jun 18 2017 04:14:00.0000	1628	1375
Sun Jun 18 2017 04:15:00.0000	1627	1365
Sun Jun 18 2017 04:16:00.0000	1628	1336
Sun Jun 18 2017 04:17:00.0000	1630	1362
Sun Jun 18 2017 04:18:00.0000	1629	1362
Sun Jun 18 2017 04:19:00.0000	1627	1374
Sun Jun 18 2017 04:20:00.0000	1629	1336
Sun Jun 18 2017 04:21:00.0000	1630	1383
Sun Jun 18 2017 04:22:00.0000	1630	1383
Sun Jun 18 2017 04:23:00.0000	1628	1344
Sun Jun 18 2017 04:24:00.0000	1628	1373

Date/Time	Process Temperature (°F)	Process Flow SCFM
Sun Jun 18 2017 04:25:00.0000	1629	1334
Sun Jun 18 2017 04:26:00.0000	1631	1362
Sun Jun 18 2017 04:27:00.0000	1629	1370
Sun Jun 18 2017 04:28:00.0000	1627	1380
Sun Jun 18 2017 04:29:00.0000	1629	1390
Sun Jun 18 2017 04:30:00.0000	1630	1340
Sun Jun 18 2017 04:31:00.0000	1630	1378
Sun Jun 18 2017 04:32:00.0000	1628	1353
Sun Jun 18 2017 04:33:00.0000	1628	1375
Sun Jun 18 2017 04:34:00.0000	1629	1377
Sun Jun 18 2017 04:35:00.0000	1631	1383
Sun Jun 18 2017 04:36:00.0000	1629	1379
Sun Jun 18 2017 04:37:00.0000	1627	1384
Sun Jun 18 2017 04:38:00.0000	1629	1372
Sun Jun 18 2017 04:39:00.0000	1630	1399
Sun Jun 18 2017 04:40:00.0000	1631	1374
Sun Jun 18 2017 04:41:00.0000	1628	1341
Sun Jun 18 2017 04:42:00.0000	1628	1342
Sun Jun 18 2017 04:43:00.0000	1629	1399
Sun Jun 18 2017 04:44:00.0000	1631	1378
Sun Jun 18 2017 04:45:00.0000	1629	1376
Sun Jun 18 2017 04:46:00.0000	1628	1406
Sun Jun 18 2017 04:47:00.0000	1629	1400
Sun Jun 18 2017 04:48:00.0000	1630	1355
Sun Jun 18 2017 04:49:00.0000	1630	1372
Sun Jun 18 2017 04:50:00.0000	1628	1372
Sun Jun 18 2017 04:51:00.0000	1629	1360
Sun Jun 18 2017 04:52:00.0000	1630	1375
Sun Jun 18 2017 04:53:00.0000	1631	1350
Sun Jun 18 2017 04:54:00.0000	1629	1378
Sun Jun 18 2017 04:55:00.0000	1628	1343
Sun Jun 18 2017 04:56:00.0000	1630	1385
Sun Jun 18 2017 04:57:00.0000	1631	1394
Sun Jun 18 2017 04:58:00.0000	1629	1362
Sun Jun 18 2017 04:59:00.0000	1628	1359
Sun Jun 18 2017 05:00:00.0000	1630	1360
Sun Jun 18 2017 05:01:00.0000	1631	1370
Sun Jun 18 2017 05:02:00.0000	1630	1360
Sun Jun 18 2017 05:03:00.0000	1628	1380
Sun Jun 18 2017 05:04:00.0000	1629	1358
Sun Jun 18 2017 05:05:00.0000	1630	1352
Sun Jun 18 2017 05:06:00.0000	1631	1360
Sun Jun 18 2017 05:07:00.0000	1628	1345
Sun Jun 18 2017 05:08:00.0000	1628	1392
Sun Jun 18 2017 05:09:00.0000	1629	1342
Sun Jun 18 2017 05:10:00.0000	1631	1362
Sun Jun 18 2017 05:11:00.0000	1629	1369
Sun Jun 18 2017 05:12:00.0000	1629	1381
Sun Jun 18 2017 05:13:00.0000	1630	1366
Sun Jun 18 2017 05:14:00.0000	1631	1378
Sun Jun 18 2017 05:15:00.0000	1631	1369
Sun Jun 18 2017 05:16:00.0000	1628	1377
Sun Jun 18 2017 05:17:00.0000	1629	1388
Sun Jun 18 2017 05:18:00.0000	1631	1374
Sun Jun 18 2017 05:19:00.0000	1631	1369
Sun Jun 18 2017 05:20:00.0000	1629	1366
Sun Jun 18 2017 05:21:00.0000	1628	1351

Date/Time	Process Temperature (°F)	Process Flow SCFM
Sun Jun 18 2017 05:22:00.0000	1630	1386
Sun Jun 18 2017 05:23:00.0000	1632	1396
Sun Jun 18 2017 05:24:00.0000	1631	1372
Sun Jun 18 2017 05:25:00.0000	1628	1361
Sun Jun 18 2017 05:26:00.0000	1630	1389
Sun Jun 18 2017 05:27:00.0000	1631	1340
Sun Jun 18 2017 05:28:00.0000	1631	1343
Sun Jun 18 2017 05:29:00.0000	1629	1376
Sun Jun 18 2017 05:30:00.0000	1628	1361
Sun Jun 18 2017 05:31:00.0000	1630	1377
Sun Jun 18 2017 05:32:00.0000	1632	1338
Sun Jun 18 2017 05:33:00.0000	1630	1353
Sun Jun 18 2017 05:34:00.0000	1628	1337
Sun Jun 18 2017 05:35:00.0000	1630	1309
Sun Jun 18 2017 05:36:00.0000	1631	1425
Sun Jun 18 2017 05:37:00.0000	1631	1357
Sun Jun 18 2017 05:38:00.0000	1628	1347
Sun Jun 18 2017 05:39:00.0000	1629	1402
Sun Jun 18 2017 05:40:00.0000	1631	1406
Sun Jun 18 2017 05:41:00.0000	1632	1366
Sun Jun 18 2017 05:42:00.0000	1630	1366
Sun Jun 18 2017 05:43:00.0000	1628	1388
Sun Jun 18 2017 05:44:00.0000	1630	1383
Sun Jun 18 2017 05:45:00.0000	1631	1421
Sun Jun 18 2017 05:46:00.0000	1631	1374
Sun Jun 18 2017 05:47:00.0000	1628	1385
Sun Jun 18 2017 05:48:00.0000	1629	1388
Sun Jun 18 2017 05:49:00.0000	1630	1377
Sun Jun 18 2017 05:50:00.0000	1632	1383
Sun Jun 18 2017 05:51:00.0000	1629	1357
Sun Jun 18 2017 05:52:00.0000	1628	1381
Sun Jun 18 2017 05:53:00.0000	1630	1378
Sun Jun 18 2017 05:54:00.0000	1631	1354
Sun Jun 18 2017 05:55:00.0000	1631	1376
Sun Jun 18 2017 05:56:00.0000	1628	1359
Sun Jun 18 2017 05:57:00.0000	1629	1381
Sun Jun 18 2017 05:58:00.0000	1630	1338
Sun Jun 18 2017 05:59:00.0000	1632	1388
Sun Jun 18 2017 06:00:00.0000	1630	1347
Sun Jun 18 2017 06:01:00.0000	1628	1377
Sun Jun 18 2017 06:02:00.0000	1630	1346
Sun Jun 18 2017 06:03:00.0000	1632	1395
Sun Jun 18 2017 06:04:00.0000	1631	1372
Sun Jun 18 2017 06:05:00.0000	1628	1356
Sun Jun 18 2017 06:06:00.0000	1630	1357
Sun Jun 18 2017 06:07:00.0000	1631	1375
Sun Jun 18 2017 06:08:00.0000	1632	1378
Sun Jun 18 2017 06:09:00.0000	1629	1439
Sun Jun 18 2017 06:10:00.0000	1630	1333
Sun Jun 18 2017 06:11:00.0000	1631	1389
Sun Jun 18 2017 06:12:00.0000	1632	1359
Sun Jun 18 2017 06:13:00.0000	1630	1383
Sun Jun 18 2017 06:14:00.0000	1628	1370
Sun Jun 18 2017 06:15:00.0000	1630	1387
Sun Jun 18 2017 06:16:00.0000	1631	1375
Sun Jun 18 2017 06:17:00.0000	1631	1349
Sun Jun 18 2017 06:18:00.0000	1629	1408

Date/Time	Process Temperature (°F)	Process Flow SCFM
Sun Jun 18 2017 06:19:00.0000	1630	1391
Sun Jun 18 2017 06:20:00.0000	1631	1397
Sun Jun 18 2017 06:21:00.0000	1632	1365
Sun Jun 18 2017 06:22:00.0000	1630	1381
Sun Jun 18 2017 06:23:00.0000	1629	1379
Sun Jun 18 2017 06:24:00.0000	1630	1354
Sun Jun 18 2017 06:25:00.0000	1632	1387
Sun Jun 18 2017 06:26:00.0000	1631	1362
Sun Jun 18 2017 06:27:00.0000	1629	1370
Sun Jun 18 2017 06:28:00.0000	1630	1347
Sun Jun 18 2017 06:29:00.0000	1631	1389
Sun Jun 18 2017 06:30:00.0000	1632	1382
Sun Jun 18 2017 06:31:00.0000	1630	1406
Sun Jun 18 2017 06:32:00.0000	1629	1362
Sun Jun 18 2017 06:33:00.0000	1630	1386
Sun Jun 18 2017 06:34:00.0000	1632	1468
Sun Jun 18 2017 06:35:00.0000	1631	1431
Sun Jun 18 2017 06:36:00.0000	1629	1366
Sun Jun 18 2017 06:37:00.0000	1630	1380
Sun Jun 18 2017 06:38:00.0000	1631	1440
Sun Jun 18 2017 06:39:00.0000	1632	1364
Sun Jun 18 2017 06:40:00.0000	1630	1356
Sun Jun 18 2017 06:41:00.0000	1629	1365
Sun Jun 18 2017 06:42:00.0000	1630	1362
Sun Jun 18 2017 06:43:00.0000	1632	1359
Sun Jun 18 2017 06:44:00.0000	1631	1384
Sun Jun 18 2017 06:45:00.0000	1629	1350
Sun Jun 18 2017 06:46:00.0000	1630	1389
Sun Jun 18 2017 06:47:00.0000	1631	1381
Sun Jun 18 2017 06:48:00.0000	1632	1391
Sun Jun 18 2017 06:49:00.0000	1630	1354
Sun Jun 18 2017 06:50:00.0000	1629	1353
Sun Jun 18 2017 06:51:00.0000	1630	1363
Sun Jun 18 2017 06:52:00.0000	1632	1333
Sun Jun 18 2017 06:53:00.0000	1631	1385
Sun Jun 18 2017 06:54:00.0000	1628	1399
Sun Jun 18 2017 06:55:00.0000	1630	1349
Sun Jun 18 2017 06:56:00.0000	1631	1355
Sun Jun 18 2017 06:57:00.0000	1632	1367
Sun Jun 18 2017 06:58:00.0000	1630	1350
Sun Jun 18 2017 06:59:00.0000	1629	1361
Sun Jun 18 2017 07:00:00.0000	1630	1382
Sun Jun 18 2017 07:01:00.0000	1632	1373
Sun Jun 18 2017 07:02:00.0000	1631	1385
Sun Jun 18 2017 07:03:00.0000	1629	1369
Sun Jun 18 2017 07:04:00.0000	1630	1362
Sun Jun 18 2017 07:05:00.0000	1631	1391
Sun Jun 18 2017 07:06:00.0000	1630	1366
Sun Jun 18 2017 07:07:00.0000	1623	1372
Sun Jun 18 2017 07:08:00.0000	1620	1365
Sun Jun 18 2017 07:09:00.0000	1618	1354
Sun Jun 18 2017 07:10:00.0000	1616	1337
Sun Jun 18 2017 07:11:00.0000	1614	1362
Sun Jun 18 2017 07:12:00.0000	1612	1340
Sun Jun 18 2017 07:13:00.0000	1611	1378
Sun Jun 18 2017 07:14:00.0000	1610	1380
Sun Jun 18 2017 07:15:00.0000	1609	1384

Date/Time	Process Temperature (°F)	Process Flow SCFM
Sun Jun 18 2017 07:16:00.0000	1607	1361
Sun Jun 18 2017 07:17:00.0000	1606	1385
Sun Jun 18 2017 07:18:00.0000	1606	1382
Sun Jun 18 2017 07:19:00.0000	1605	1406
Sun Jun 18 2017 07:20:00.0000	1604	1390
Sun Jun 18 2017 07:21:00.0000	1602	1377
Sun Jun 18 2017 07:22:00.0000	1604	1364
Sun Jun 18 2017 07:23:00.0000	1608	1385
Sun Jun 18 2017 07:24:00.0000	1611	1370
Sun Jun 18 2017 07:25:00.0000	1611	1352
Sun Jun 18 2017 07:26:00.0000	1612	1397
Sun Jun 18 2017 07:27:00.0000	1615	1436
Sun Jun 18 2017 07:28:00.0000	1617	1356
Sun Jun 18 2017 07:29:00.0000	1616	1435
Sun Jun 18 2017 07:30:00.0000	1615	1448
Sun Jun 18 2017 07:31:00.0000	1617	1334
Sun Jun 18 2017 07:32:00.0000	1619	1363
Sun Jun 18 2017 07:33:00.0000	1620	1456
Sun Jun 18 2017 07:34:00.0000	1618	1439
Sun Jun 18 2017 07:35:00.0000	1618	1427
Sun Jun 18 2017 07:36:00.0000	1620	1475
Sun Jun 18 2017 07:37:00.0000	1622	1412
Sun Jun 18 2017 07:38:00.0000	1621	1516
Sun Jun 18 2017 07:39:00.0000	1619	1332
Sun Jun 18 2017 07:40:00.0000	1621	1397
Sun Jun 18 2017 07:41:00.0000	1623	1319
Sun Jun 18 2017 07:42:00.0000	1623	1404
Sun Jun 18 2017 07:43:00.0000	1621	1464
Sun Jun 18 2017 07:44:00.0000	1622	1389
Sun Jun 18 2017 07:45:00.0000	1623	1415
Sun Jun 18 2017 07:46:00.0000	1625	1398
Sun Jun 18 2017 07:47:00.0000	1623	1413
Sun Jun 18 2017 07:48:00.0000	1623	1373
Sun Jun 18 2017 07:49:00.0000	1624	1408
Sun Jun 18 2017 07:50:00.0000	1625	1379
Sun Jun 18 2017 07:51:00.0000	1625	1503
Sun Jun 18 2017 07:52:00.0000	1624	1279
Sun Jun 18 2017 07:53:00.0000	1624	1423
Sun Jun 18 2017 07:54:00.0000	1626	1458
Sun Jun 18 2017 07:55:00.0000	1627	1398
Sun Jun 18 2017 07:56:00.0000	1625	1440
Sun Jun 18 2017 07:57:00.0000	1624	1361
Sun Jun 18 2017 07:58:00.0000	1626	1343
Sun Jun 18 2017 07:59:00.0000	1628	1390
Sun Jun 18 2017 08:00:00.0000	1627	1380
Sun Jun 18 2017 08:01:00.0000	1625	1402
Sun Jun 18 2017 08:02:00.0000	1626	1382
Sun Jun 18 2017 08:03:00.0000	1627	1383
Sun Jun 18 2017 08:04:00.0000	1629	1413
Sun Jun 18 2017 08:05:00.0000	1627	1401
Sun Jun 18 2017 08:06:00.0000	1626	1397
Sun Jun 18 2017 08:07:00.0000	1627	1400
Sun Jun 18 2017 08:08:00.0000	1630	1391
Sun Jun 18 2017 08:09:00.0000	1629	1410
Sun Jun 18 2017 08:10:00.0000	1627	1380
Sun Jun 18 2017 08:11:00.0000	1628	1436
Sun Jun 18 2017 08:12:00.0000	1629	1397

Date/Time	Process Temperature (°F)	Process Flow SCFM
Sun Jun 18 2017 08:13:00.0000	1630	1409
Sun Jun 18 2017 08:14:00.0000	1628	1428
Sun Jun 18 2017 08:15:00.0000	1628	1427
Sun Jun 18 2017 08:16:00.0000	1629	1373
Sun Jun 18 2017 08:17:00.0000	1631	1394
Sun Jun 18 2017 08:18:00.0000	1629	1367
Sun Jun 18 2017 08:19:00.0000	1627	1397
Sun Jun 18 2017 08:20:00.0000	1629	1351
Sun Jun 18 2017 08:21:00.0000	1631	1381
Sun Jun 18 2017 08:22:00.0000	1631	1366
Sun Jun 18 2017 08:23:00.0000	1628	1362
Sun Jun 18 2017 08:24:00.0000	1629	1353
Sun Jun 18 2017 08:25:00.0000	1630	1403
Sun Jun 18 2017 08:26:00.0000	1632	1519
Sun Jun 18 2017 08:27:00.0000	1630	1402
Sun Jun 18 2017 08:28:00.0000	1628	1410
Sun Jun 18 2017 08:29:00.0000	1630	1253
Sun Jun 18 2017 08:30:00.0000	1631	1406
Sun Jun 18 2017 08:31:00.0000	1630	1467
Sun Jun 18 2017 08:32:00.0000	1628	1464
Sun Jun 18 2017 08:33:00.0000	1629	1419
Sun Jun 18 2017 08:34:00.0000	1629	1479
Sun Jun 18 2017 08:35:00.0000	1630	1476
Sun Jun 18 2017 08:36:00.0000	1629	1394
Sun Jun 18 2017 08:37:00.0000	1627	1442
Sun Jun 18 2017 08:38:00.0000	1629	1350
Sun Jun 18 2017 08:39:00.0000	1630	1400
Sun Jun 18 2017 08:40:00.0000	1630	1410
Sun Jun 18 2017 08:41:00.0000	1627	1350
Sun Jun 18 2017 08:42:00.0000	1628	1413
Sun Jun 18 2017 08:43:00.0000	1629	1415
Sun Jun 18 2017 08:44:00.0000	1630	1502
Sun Jun 18 2017 08:45:00.0000	1628	1399
Sun Jun 18 2017 08:46:00.0000	1627	1412
Sun Jun 18 2017 08:47:00.0000	1628	1443
Sun Jun 18 2017 08:48:00.0000	1630	1408
Sun Jun 18 2017 08:49:00.0000	1629	1391
Sun Jun 18 2017 08:50:00.0000	1627	1415
Sun Jun 18 2017 08:51:00.0000	1628	1400
Sun Jun 18 2017 08:52:00.0000	1629	1392
Sun Jun 18 2017 08:53:00.0000	1630	1399
Sun Jun 18 2017 08:54:00.0000	1628	1406
Sun Jun 18 2017 08:55:00.0000	1627	1362
Sun Jun 18 2017 08:56:00.0000	1628	1382
Sun Jun 18 2017 08:57:00.0000	1630	1382
Sun Jun 18 2017 08:58:00.0000	1629	1393
Sun Jun 18 2017 08:59:00.0000	1627	1381
Sun Jun 18 2017 09:00:00.0000	1628	1414
Sun Jun 18 2017 09:01:00.0000	1628	1298
Sun Jun 18 2017 09:02:00.0000	1629	1416
Sun Jun 18 2017 09:03:00.0000	1627	1392
Sun Jun 18 2017 09:04:00.0000	1627	1374
Sun Jun 18 2017 09:05:00.0000	1628	1410
Sun Jun 18 2017 09:06:00.0000	1629	1469
Sun Jun 18 2017 09:07:00.0000	1628	1402
Sun Jun 18 2017 09:08:00.0000	1626	1389
Sun Jun 18 2017 09:09:00.0000	1627	1405

Date/Time	Process Temperature (°F)	Process Flow SCFM
Sun Jun 18 2017 09:10:00.0000	1628	1447
Sun Jun 18 2017 09:11:00.0000	1628	1382
Sun Jun 18 2017 09:12:00.0000	1626	1469
Sun Jun 18 2017 09:13:00.0000	1626	1397
Sun Jun 18 2017 09:14:00.0000	1628	1423
Sun Jun 18 2017 09:15:00.0000	1629	1412
Sun Jun 18 2017 09:16:00.0000	1627	1451
Sun Jun 18 2017 09:17:00.0000	1626	1412
Sun Jun 18 2017 09:18:00.0000	1627	1425
Sun Jun 18 2017 09:19:00.0000	1628	1440
Sun Jun 18 2017 09:20:00.0000	1629	1396
Sun Jun 18 2017 09:21:00.0000	1627	1438
Sun Jun 18 2017 09:22:00.0000	1627	1395
Sun Jun 18 2017 09:23:00.0000	1628	1456
Sun Jun 18 2017 09:24:00.0000	1629	1422
Sun Jun 18 2017 09:25:00.0000	1628	1414
Sun Jun 18 2017 09:26:00.0000	1627	1495
Sun Jun 18 2017 09:27:00.0000	1629	1470
Sun Jun 18 2017 09:28:00.0000	1630	1408
Sun Jun 18 2017 09:29:00.0000	1629	1532
Sun Jun 18 2017 09:30:00.0000	1627	1563
Sun Jun 18 2017 09:31:00.0000	1628	1394
Sun Jun 18 2017 09:32:00.0000	1629	1421
Sun Jun 18 2017 09:33:00.0000	1630	1416
Sun Jun 18 2017 09:34:00.0000	1628	1433
Sun Jun 18 2017 09:35:00.0000	1627	1374
Sun Jun 18 2017 09:36:00.0000	1629	1430
Sun Jun 18 2017 09:37:00.0000	1630	1466
Sun Jun 18 2017 09:38:00.0000	1629	1531
Sun Jun 18 2017 09:39:00.0000	1627	1461
Sun Jun 18 2017 09:40:00.0000	1628	1468
Sun Jun 18 2017 09:41:00.0000	1629	1464
Sun Jun 18 2017 09:42:00.0000	1630	1532
Sun Jun 18 2017 09:43:00.0000	1628	1472
Sun Jun 18 2017 09:44:00.0000	1628	1453
Sun Jun 18 2017 09:45:00.0000	1629	1434
Sun Jun 18 2017 09:46:00.0000	1630	1399
Sun Jun 18 2017 09:47:00.0000	1629	1437
Sun Jun 18 2017 09:48:00.0000	1628	1468
Sun Jun 18 2017 09:49:00.0000	1629	1412
Sun Jun 18 2017 09:50:00.0000	1630	1463
Sun Jun 18 2017 09:51:00.0000	1630	1428
Sun Jun 18 2017 09:52:00.0000	1627	1397
Sun Jun 18 2017 09:53:00.0000	1628	1428
Sun Jun 18 2017 09:54:00.0000	1630	1395
Sun Jun 18 2017 09:55:00.0000	1630	1426
Sun Jun 18 2017 09:56:00.0000	1628	1436
Sun Jun 18 2017 09:57:00.0000	1628	1432
Sun Jun 18 2017 09:58:00.0000	1629	1423
Sun Jun 18 2017 09:59:00.0000	1631	1385
Sun Jun 18 2017 10:00:00.0000	1630	1441
Sun Jun 18 2017 10:01:00.0000	1627	1443
Sun Jun 18 2017 10:02:00.0000	1629	1423
Sun Jun 18 2017 10:03:00.0000	1630	1427
Sun Jun 18 2017 10:04:00.0000	1631	1402
Sun Jun 18 2017 10:05:00.0000	1629	1439
Sun Jun 18 2017 10:06:00.0000	1628	1475

Date/Time	Process Temperature (°F)	Process Flow SCFM
Sun Jun 18 2017 10:07:00.0000	1630	1450
Sun Jun 18 2017 10:08:00.0000	1632	1431
Sun Jun 18 2017 10:09:00.0000	1631	1418
Sun Jun 18 2017 10:10:00.0000	1628	1429
Sun Jun 18 2017 10:11:00.0000	1630	1412
Sun Jun 18 2017 10:12:00.0000	1631	1456
Sun Jun 18 2017 10:13:00.0000	1631	1424
Sun Jun 18 2017 10:14:00.0000	1629	1454
Sun Jun 18 2017 10:15:00.0000	1629	1507
Sun Jun 18 2017 10:16:00.0000	1631	1425
Sun Jun 18 2017 10:17:00.0000	1632	1431
Sun Jun 18 2017 10:18:00.0000	1631	1448
Sun Jun 18 2017 10:19:00.0000	1629	1500
Sun Jun 18 2017 10:20:00.0000	1631	1447
Sun Jun 18 2017 10:21:00.0000	1632	1538
Sun Jun 18 2017 10:22:00.0000	1632	1401
Sun Jun 18 2017 10:23:00.0000	1630	1457
Sun Jun 18 2017 10:24:00.0000	1630	1509
Sun Jun 18 2017 10:25:00.0000	1632	1431
Sun Jun 18 2017 10:26:00.0000	1633	1432
Sun Jun 18 2017 10:27:00.0000	1631	1418
Sun Jun 18 2017 10:28:00.0000	1629	1431
Sun Jun 18 2017 10:29:00.0000	1632	1335
Sun Jun 18 2017 10:30:00.0000	1632	1453
Sun Jun 18 2017 10:31:00.0000	1629	1474
Sun Jun 18 2017 10:32:00.0000	1624	1471
Sun Jun 18 2017 10:33:00.0000	1622	1443
Sun Jun 18 2017 10:34:00.0000	1619	1497
Sun Jun 18 2017 10:35:00.0000	1617	1447
Sun Jun 18 2017 10:36:00.0000	1614	1435
Sun Jun 18 2017 10:37:00.0000	1613	1486
Sun Jun 18 2017 10:38:00.0000	1612	1450
Sun Jun 18 2017 10:39:00.0000	1611	1426
Sun Jun 18 2017 10:40:00.0000	1609	1503
Sun Jun 18 2017 10:41:00.0000	1607	1433
Sun Jun 18 2017 10:42:00.0000	1607	1437
Sun Jun 18 2017 10:43:00.0000	1607	1488
Sun Jun 18 2017 10:44:00.0000	1605	1439
Sun Jun 18 2017 10:45:00.0000	1603	1478
Sun Jun 18 2017 10:46:00.0000	1603	1449
Sun Jun 18 2017 10:47:00.0000	1603	1450
Sun Jun 18 2017 10:48:00.0000	1602	1435
Sun Jun 18 2017 10:49:00.0000	1603	1437
Sun Jun 18 2017 10:50:00.0000	1606	1475
Sun Jun 18 2017 10:51:00.0000	1610	1385
Sun Jun 18 2017 10:52:00.0000	1613	1475
Sun Jun 18 2017 10:53:00.0000	1615	1567
Sun Jun 18 2017 10:54:00.0000	1615	1420
Sun Jun 18 2017 10:55:00.0000	1615	1442
Sun Jun 18 2017 10:56:00.0000	1618	1411
Sun Jun 18 2017 10:57:00.0000	1620	1457
Sun Jun 18 2017 10:58:00.0000	1619	1430
Sun Jun 18 2017 10:59:00.0000	1618	1494
Sun Jun 18 2017 11:00:00.0000	1621	1457
Sun Jun 18 2017 11:01:00.0000	1623	1446
Sun Jun 18 2017 11:02:00.0000	1623	1436
Sun Jun 18 2017 11:03:00.0000	1622	1472

Date/Time	Process Temperature (°F)	Process Flow SCFM
Sun Jun 18 2017 11:04:00.0000	1623	1473
Sun Jun 18 2017 11:05:00.0000	1624	1451
Sun Jun 18 2017 11:06:00.0000	1626	1460
Sun Jun 18 2017 11:07:00.0000	1625	1475
Sun Jun 18 2017 11:08:00.0000	1623	1432
Sun Jun 18 2017 11:09:00.0000	1625	1468
Sun Jun 18 2017 11:10:00.0000	1626	1440
Sun Jun 18 2017 11:11:00.0000	1625	1428
Sun Jun 18 2017 11:12:00.0000	1623	1441
Sun Jun 18 2017 11:13:00.0000	1623	1418
Sun Jun 18 2017 11:14:00.0000	1624	1454
Sun Jun 18 2017 11:15:00.0000	1626	1451
Sun Jun 18 2017 11:16:00.0000	1624	1424
Sun Jun 18 2017 11:17:00.0000	1623	1471
Sun Jun 18 2017 11:18:00.0000	1624	1479
Sun Jun 18 2017 11:19:00.0000	1625	1500
Sun Jun 18 2017 11:20:00.0000	1625	1441
Sun Jun 18 2017 11:21:00.0000	1623	1495
Sun Jun 18 2017 11:22:00.0000	1624	1496
Sun Jun 18 2017 11:23:00.0000	1625	1486
Sun Jun 18 2017 11:24:00.0000	1626	1489
Sun Jun 18 2017 11:25:00.0000	1624	1481
Sun Jun 18 2017 11:26:00.0000	1623	1458
Sun Jun 18 2017 11:27:00.0000	1625	1412
Sun Jun 18 2017 11:28:00.0000	1626	1438
Sun Jun 18 2017 11:29:00.0000	1626	1478
Sun Jun 18 2017 11:30:00.0000	1624	1565
Sun Jun 18 2017 11:31:00.0000	1624	1440
Sun Jun 18 2017 11:32:00.0000	1626	1512
Sun Jun 18 2017 11:33:00.0000	1627	1446
Sun Jun 18 2017 11:34:00.0000	1624	1427
Sun Jun 18 2017 11:35:00.0000	1623	1422
Sun Jun 18 2017 11:36:00.0000	1625	1504
Sun Jun 18 2017 11:37:00.0000	1626	1448
Sun Jun 18 2017 11:38:00.0000	1626	1418
Sun Jun 18 2017 11:39:00.0000	1624	1453
Sun Jun 18 2017 11:40:00.0000	1625	1462
Sun Jun 18 2017 11:41:00.0000	1626	1471
Sun Jun 18 2017 11:42:00.0000	1627	1462
Sun Jun 18 2017 11:43:00.0000	1625	1474
Sun Jun 18 2017 11:44:00.0000	1624	1456
Sun Jun 18 2017 11:45:00.0000	1626	1512
Sun Jun 18 2017 11:46:00.0000	1627	1476
Sun Jun 18 2017 11:47:00.0000	1626	1468
Sun Jun 18 2017 11:48:00.0000	1624	1431
Sun Jun 18 2017 11:49:00.0000	1626	1506
Sun Jun 18 2017 11:50:00.0000	1627	1445
Sun Jun 18 2017 11:51:00.0000	1627	1480
Sun Jun 18 2017 11:52:00.0000	1625	1486
Sun Jun 18 2017 11:53:00.0000	1625	1479
Sun Jun 18 2017 11:54:00.0000	1626	1583
Sun Jun 18 2017 11:55:00.0000	1628	1543
Sun Jun 18 2017 11:56:00.0000	1627	1548
Sun Jun 18 2017 11:57:00.0000	1625	1486
Sun Jun 18 2017 11:58:00.0000	1627	1481
Sun Jun 18 2017 11:59:00.0000	1628	1508
Sun Jun 18 2017 12:00:00.0000	1628	1490

Date/Time	Process Temperature (°F)	Process Flow SCFM
Sun Jun 18 2017 12:01:00.0000	1626	1476
Sun Jun 18 2017 12:02:00.0000	1626	1483
Sun Jun 18 2017 12:03:00.0000	1627	1412
Sun Jun 18 2017 12:04:00.0000	1629	1418
Sun Jun 18 2017 12:05:00.0000	1627	1465
Sun Jun 18 2017 12:06:00.0000	1626	1519
Sun Jun 18 2017 12:07:00.0000	1627	1379
Sun Jun 18 2017 12:08:00.0000	1628	1658
Sun Jun 18 2017 12:09:00.0000	1628	1419
Sun Jun 18 2017 12:10:00.0000	1626	1473
Sun Jun 18 2017 12:11:00.0000	1626	1453
Sun Jun 18 2017 12:12:00.0000	1628	1449
Sun Jun 18 2017 12:13:00.0000	1629	1462
Sun Jun 18 2017 12:14:00.0000	1627	1437
Sun Jun 18 2017 12:15:00.0000	1626	1467
Sun Jun 18 2017 12:16:00.0000	1627	1453
Sun Jun 18 2017 12:17:00.0000	1629	1424
Sun Jun 18 2017 12:18:00.0000	1628	1494
Sun Jun 18 2017 12:19:00.0000	1626	1426
Sun Jun 18 2017 12:20:00.0000	1627	1440
Sun Jun 18 2017 12:21:00.0000	1628	1447
Sun Jun 18 2017 12:22:00.0000	1629	1449
Sun Jun 18 2017 12:23:00.0000	1627	1480
Sun Jun 18 2017 12:24:00.0000	1627	1443
Sun Jun 18 2017 12:25:00.0000	1628	1465
Sun Jun 18 2017 12:26:00.0000	1630	1484
Sun Jun 18 2017 12:27:00.0000	1628	1470
Sun Jun 18 2017 12:28:00.0000	1626	1479
Sun Jun 18 2017 12:29:00.0000	1628	1457
Sun Jun 18 2017 12:30:00.0000	1629	1378
Sun Jun 18 2017 12:31:00.0000	1630	1465
Sun Jun 18 2017 12:32:00.0000	1627	1515
Sun Jun 18 2017 12:33:00.0000	1627	1456
Sun Jun 18 2017 12:34:00.0000	1628	1496
Sun Jun 18 2017 12:35:00.0000	1630	1470
Sun Jun 18 2017 12:36:00.0000	1629	1459
Sun Jun 18 2017 12:37:00.0000	1627	1456
Sun Jun 18 2017 12:38:00.0000	1628	1487
Sun Jun 18 2017 12:39:00.0000	1629	1407
Sun Jun 18 2017 12:40:00.0000	1630	1432
Sun Jun 18 2017 12:41:00.0000	1628	1528
Sun Jun 18 2017 12:42:00.0000	1627	1461
Sun Jun 18 2017 12:43:00.0000	1628	1411
Sun Jun 18 2017 12:44:00.0000	1630	1522
Sun Jun 18 2017 12:45:00.0000	1629	1468
Sun Jun 18 2017 12:46:00.0000	1627	1497
Sun Jun 18 2017 12:47:00.0000	1629	1491
Sun Jun 18 2017 12:48:00.0000	1629	1442
Sun Jun 18 2017 12:49:00.0000	1630	1454
Sun Jun 18 2017 12:50:00.0000	1628	1491
Sun Jun 18 2017 12:51:00.0000	1628	1473
Sun Jun 18 2017 12:52:00.0000	1629	1441
Sun Jun 18 2017 12:53:00.0000	1630	1425
Sun Jun 18 2017 12:54:00.0000	1629	1463
Sun Jun 18 2017 12:55:00.0000	1627	1461
Sun Jun 18 2017 12:56:00.0000	1629	1511
Sun Jun 18 2017 12:57:00.0000	1630	1483

Date/Time	Process Temperature (°F)	Process Flow SCFM
Sun Jun 18 2017 12:58:00.0000	1630	1442
Sun Jun 18 2017 12:59:00.0000	1628	1499
Sun Jun 18 2017 13:00:00.0000	1628	1472
Sun Jun 18 2017 13:01:00.0000	1629	1438
Sun Jun 18 2017 13:02:00.0000	1631	1538
Sun Jun 18 2017 13:03:00.0000	1630	1466
Sun Jun 18 2017 13:04:00.0000	1627	1431
Sun Jun 18 2017 13:05:00.0000	1629	1485
Sun Jun 18 2017 13:06:00.0000	1630	1495
Sun Jun 18 2017 13:07:00.0000	1630	1469
Sun Jun 18 2017 13:08:00.0000	1628	1485
Sun Jun 18 2017 13:09:00.0000	1628	1434
Sun Jun 18 2017 13:10:00.0000	1629	1462
Sun Jun 18 2017 13:11:00.0000	1631	1517
Sun Jun 18 2017 13:12:00.0000	1630	1454
Sun Jun 18 2017 13:13:00.0000	1627	1484
Sun Jun 18 2017 13:14:00.0000	1629	1500
Sun Jun 18 2017 13:15:00.0000	1630	1505
Sun Jun 18 2017 13:16:00.0000	1631	1469
Sun Jun 18 2017 13:17:00.0000	1629	1487
Sun Jun 18 2017 13:18:00.0000	1628	1487
Sun Jun 18 2017 13:19:00.0000	1629	1520
Sun Jun 18 2017 13:20:00.0000	1631	1435
Sun Jun 18 2017 13:21:00.0000	1630	1478
Sun Jun 18 2017 13:22:00.0000	1628	1479
Sun Jun 18 2017 13:23:00.0000	1630	1487
Sun Jun 18 2017 13:24:00.0000	1630	1456
Sun Jun 18 2017 13:25:00.0000	1631	1494
Sun Jun 18 2017 13:26:00.0000	1629	1477
Sun Jun 18 2017 13:27:00.0000	1629	1463
Sun Jun 18 2017 13:28:00.0000	1630	1485
Sun Jun 18 2017 13:29:00.0000	1631	1453
Sun Jun 18 2017 13:30:00.0000	1630	1470
Sun Jun 18 2017 13:31:00.0000	1628	1478
Sun Jun 18 2017 13:32:00.0000	1630	1430
Sun Jun 18 2017 13:33:00.0000	1631	1511
Sun Jun 18 2017 13:34:00.0000	1631	1458
Sun Jun 18 2017 13:35:00.0000	1628	1481
Sun Jun 18 2017 13:36:00.0000	1629	1461
Sun Jun 18 2017 13:37:00.0000	1630	1471
Sun Jun 18 2017 13:38:00.0000	1632	1497
Sun Jun 18 2017 13:39:00.0000	1630	1491
Sun Jun 18 2017 13:40:00.0000	1628	1488
Sun Jun 18 2017 13:41:00.0000	1630	1605
Sun Jun 18 2017 13:42:00.0000	1631	1550
Sun Jun 18 2017 13:43:00.0000	1631	1630
Sun Jun 18 2017 13:44:00.0000	1629	1500
Sun Jun 18 2017 13:45:00.0000	1629	1504
Sun Jun 18 2017 13:46:00.0000	1630	1481
Sun Jun 18 2017 13:47:00.0000	1631	1456
Sun Jun 18 2017 13:48:00.0000	1630	1414
Sun Jun 18 2017 13:49:00.0000	1628	1517
Sun Jun 18 2017 13:50:00.0000	1630	1588
Sun Jun 18 2017 13:51:00.0000	1631	1540
Sun Jun 18 2017 13:52:00.0000	1631	1506
Sun Jun 18 2017 13:53:00.0000	1629	1535
Sun Jun 18 2017 13:54:00.0000	1630	1506

Date/Time	Process Temperature (°F)	Process Flow SCFM
Sun Jun 18 2017 13:55:00.0000	1631	1523
Sun Jun 18 2017 13:56:00.0000	1631	1524
Sun Jun 18 2017 13:57:00.0000	1629	1475
Sun Jun 18 2017 13:58:00.0000	1629	1483
Sun Jun 18 2017 13:59:00.0000	1630	1530
Sun Jun 18 2017 14:00:00.0000	1632	1502
Sun Jun 18 2017 14:01:00.0000	1630	1523
Sun Jun 18 2017 14:02:00.0000	1628	1517
Sun Jun 18 2017 14:03:00.0000	1630	1512
Sun Jun 18 2017 14:04:00.0000	1631	1451
Sun Jun 18 2017 14:05:00.0000	1631	1483
Sun Jun 18 2017 14:06:00.0000	1629	1486
Sun Jun 18 2017 14:07:00.0000	1629	1492
Sun Jun 18 2017 14:08:00.0000	1630	1488
Sun Jun 18 2017 14:09:00.0000	1632	1481
Sun Jun 18 2017 14:10:00.0000	1630	1549
Sun Jun 18 2017 14:11:00.0000	1629	1544
Sun Jun 18 2017 14:12:00.0000	1630	1451
Sun Jun 18 2017 14:13:00.0000	1631	1492
Sun Jun 18 2017 14:14:00.0000	1632	1475
Sun Jun 18 2017 14:15:00.0000	1630	1506
Sun Jun 18 2017 14:16:00.0000	1629	1468
Sun Jun 18 2017 14:17:00.0000	1630	1457
Sun Jun 18 2017 14:18:00.0000	1632	1435
Sun Jun 18 2017 14:19:00.0000	1630	1501
Sun Jun 18 2017 14:20:00.0000	1629	1431
Sun Jun 18 2017 14:21:00.0000	1630	1506
Sun Jun 18 2017 14:22:00.0000	1631	1603
Sun Jun 18 2017 14:23:00.0000	1631	1575
Sun Jun 18 2017 14:24:00.0000	1630	1487
Sun Jun 18 2017 14:25:00.0000	1629	1494
Sun Jun 18 2017 14:26:00.0000	1631	1536
Sun Jun 18 2017 14:27:00.0000	1632	1415
Sun Jun 18 2017 14:28:00.0000	1631	1506
Sun Jun 18 2017 14:29:00.0000	1629	1439
Sun Jun 18 2017 14:30:00.0000	1630	1521
Sun Jun 18 2017 14:31:00.0000	1631	1596
Sun Jun 18 2017 14:32:00.0000	1632	1671
Sun Jun 18 2017 14:33:00.0000	1630	1457
Sun Jun 18 2017 14:34:00.0000	1629	1569
Sun Jun 18 2017 14:35:00.0000	1631	1536
Sun Jun 18 2017 14:36:00.0000	1632	1510
Sun Jun 18 2017 14:37:00.0000	1631	1474
Sun Jun 18 2017 14:38:00.0000	1629	1496
Sun Jun 18 2017 14:39:00.0000	1631	1448
Sun Jun 18 2017 14:40:00.0000	1631	1560
Sun Jun 18 2017 14:41:00.0000	1631	1485
Sun Jun 18 2017 14:42:00.0000	1630	1484
Sun Jun 18 2017 14:43:00.0000	1630	1477
Sun Jun 18 2017 14:44:00.0000	1631	1493
Sun Jun 18 2017 14:45:00.0000	1632	1579
Sun Jun 18 2017 14:46:00.0000	1630	1530
Sun Jun 18 2017 14:47:00.0000	1629	1522
Sun Jun 18 2017 14:48:00.0000	1631	1513
Sun Jun 18 2017 14:49:00.0000	1632	1438
Sun Jun 18 2017 14:50:00.0000	1630	1670
Sun Jun 18 2017 14:51:00.0000	1629	1509

Date/Time	Process Temperature (°F)	Process Flow SCFM
Sun Jun 18 2017 14:52:00.0000	1631	1623
Sun Jun 18 2017 14:53:00.0000	1632	1475
Sun Jun 18 2017 14:54:00.0000	1631	1489
Sun Jun 18 2017 14:55:00.0000	1629	1498
Sun Jun 18 2017 14:56:00.0000	1630	1549
Sun Jun 18 2017 14:57:00.0000	1631	1518
Sun Jun 18 2017 14:58:00.0000	1632	1419
Sun Jun 18 2017 14:59:00.0000	1630	1536
Sun Jun 18 2017 15:00:00.0000	1629	1544
Sun Jun 18 2017 15:01:00.0000	1631	1407
Sun Jun 18 2017 15:02:00.0000	1632	1487
Sun Jun 18 2017 15:03:00.0000	1631	1475
Sun Jun 18 2017 15:04:00.0000	1629	1462
Sun Jun 18 2017 15:05:00.0000	1630	1508
Sun Jun 18 2017 15:06:00.0000	1632	1513
Sun Jun 18 2017 15:07:00.0000	1632	1535
Sun Jun 18 2017 15:08:00.0000	1630	1458
Sun Jun 18 2017 15:09:00.0000	1630	1467
Sun Jun 18 2017 15:10:00.0000	1630	1503
Sun Jun 18 2017 15:11:00.0000	1632	1483
Sun Jun 18 2017 15:12:00.0000	1631	1495
Sun Jun 18 2017 15:13:00.0000	1629	1527
Sun Jun 18 2017 15:14:00.0000	1631	1453
Sun Jun 18 2017 15:15:00.0000	1632	1483
Sun Jun 18 2017 15:16:00.0000	1632	1568
Sun Jun 18 2017 15:17:00.0000	1629	1549
Sun Jun 18 2017 15:18:00.0000	1631	1467
Sun Jun 18 2017 15:19:00.0000	1631	1503
Sun Jun 18 2017 15:20:00.0000	1632	1554
Sun Jun 18 2017 15:21:00.0000	1631	1490
Sun Jun 18 2017 15:22:00.0000	1629	1436
Sun Jun 18 2017 15:23:00.0000	1631	1486
Sun Jun 18 2017 15:24:00.0000	1633	1506
Sun Jun 18 2017 15:25:00.0000	1631	1491
Sun Jun 18 2017 15:26:00.0000	1629	1446
Sun Jun 18 2017 15:27:00.0000	1631	1516
Sun Jun 18 2017 15:28:00.0000	1632	1494
Sun Jun 18 2017 15:29:00.0000	1632	1532
Sun Jun 18 2017 15:30:00.0000	1631	1481
Sun Jun 18 2017 15:31:00.0000	1630	1469
Sun Jun 18 2017 15:32:00.0000	1631	1546
Sun Jun 18 2017 15:33:00.0000	1633	1513
Sun Jun 18 2017 15:34:00.0000	1632	1501
Sun Jun 18 2017 15:35:00.0000	1630	1463
Sun Jun 18 2017 15:36:00.0000	1632	1516
Sun Jun 18 2017 15:37:00.0000	1632	1464
Sun Jun 18 2017 15:38:00.0000	1633	1476
Sun Jun 18 2017 15:39:00.0000	1631	1464
Sun Jun 18 2017 15:40:00.0000	1630	1500
Sun Jun 18 2017 15:41:00.0000	1632	1463
Sun Jun 18 2017 15:42:00.0000	1633	1528
Sun Jun 18 2017 15:43:00.0000	1632	1462
Sun Jun 18 2017 15:44:00.0000	1629	1465
Sun Jun 18 2017 15:45:00.0000	1632	1542
Sun Jun 18 2017 15:46:00.0000	1632	1459
Sun Jun 18 2017 15:47:00.0000	1633	1477
Sun Jun 18 2017 15:48:00.0000	1631	1533

Date/Time	Process Temperature (°F)	Process Flow SCFM
Sun Jun 18 2017 15:49:00.0000	1631	1502
Sun Jun 18 2017 15:50:00.0000	1632	1509
Sun Jun 18 2017 15:51:00.0000	1633	1502
Sun Jun 18 2017 15:52:00.0000	1632	1496
Sun Jun 18 2017 15:53:00.0000	1630	1490
Sun Jun 18 2017 15:54:00.0000	1632	1509
Sun Jun 18 2017 15:55:00.0000	1633	1470
Sun Jun 18 2017 15:56:00.0000	1629	1525
Sun Jun 18 2017 15:57:00.0000	1623	1547
Sun Jun 18 2017 15:58:00.0000	1621	1518
Sun Jun 18 2017 15:59:00.0000	1619	1469
Sun Jun 18 2017 16:00:00.0000	1617	1539
Sun Jun 18 2017 16:01:00.0000	1614	1479
Sun Jun 18 2017 16:02:00.0000	1612	1494
Sun Jun 18 2017 16:03:00.0000	1611	1503
Sun Jun 18 2017 16:04:00.0000	1610	1550
Sun Jun 18 2017 16:05:00.0000	1608	1487
Sun Jun 18 2017 16:06:00.0000	1606	1552
Sun Jun 18 2017 16:07:00.0000	1606	1467
Sun Jun 18 2017 16:08:00.0000	1605	1483
Sun Jun 18 2017 16:09:00.0000	1604	1508
Sun Jun 18 2017 16:10:00.0000	1603	1494
Sun Jun 18 2017 16:11:00.0000	1603	1470
Sun Jun 18 2017 16:12:00.0000	1612	1483
Sun Jun 18 2017 16:13:00.0000	1618	1503
Sun Jun 18 2017 16:14:00.0000	1624	1493
Sun Jun 18 2017 16:15:00.0000	1624	1531
Sun Jun 18 2017 16:16:00.0000	1626	1506
Sun Jun 18 2017 16:17:00.0000	1629	1507
Sun Jun 18 2017 16:18:00.0000	1633	1508
Sun Jun 18 2017 16:19:00.0000	1625	1438
Sun Jun 18 2017 16:20:00.0000	1621	1481
Sun Jun 18 2017 16:21:00.0000	1619	1526
Sun Jun 18 2017 16:22:00.0000	1616	1484
Sun Jun 18 2017 16:23:00.0000	1614	1487
Sun Jun 18 2017 16:24:00.0000	1612	1516
Sun Jun 18 2017 16:25:00.0000	1611	1482
Sun Jun 18 2017 16:26:00.0000	1610	1491
Sun Jun 18 2017 16:27:00.0000	1607	1512
Sun Jun 18 2017 16:28:00.0000	1605	1468
Sun Jun 18 2017 16:29:00.0000	1603	1511
Sun Jun 18 2017 16:30:00.0000	1604	1476
Sun Jun 18 2017 16:31:00.0000	1603	1444
Sun Jun 18 2017 16:32:00.0000	1604	1479
Sun Jun 18 2017 16:33:00.0000	1605	1403
Sun Jun 18 2017 16:34:00.0000	1609	1484
Sun Jun 18 2017 16:35:00.0000	1612	1446
Sun Jun 18 2017 16:36:00.0000	1615	1421
Sun Jun 18 2017 16:37:00.0000	1615	1490
Sun Jun 18 2017 16:38:00.0000	1614	1495
Sun Jun 18 2017 16:39:00.0000	1616	1509
Sun Jun 18 2017 16:40:00.0000	1619	1486
Sun Jun 18 2017 16:41:00.0000	1619	1485
Sun Jun 18 2017 16:42:00.0000	1617	1500
Sun Jun 18 2017 16:43:00.0000	1618	1527
Sun Jun 18 2017 16:44:00.0000	1620	1493
Sun Jun 18 2017 16:45:00.0000	1622	1518

Date/Time	Process Temperature (°F)	Process Flow SCFM
Sun Jun 18 2017 16:46:00.0000	1620	1476
Sun Jun 18 2017 16:47:00.0000	1619	1518
Sun Jun 18 2017 16:48:00.0000	1621	1495
Sun Jun 18 2017 16:49:00.0000	1623	1464
Sun Jun 18 2017 16:50:00.0000	1622	1440
Sun Jun 18 2017 16:51:00.0000	1621	1452
Sun Jun 18 2017 16:52:00.0000	1622	1475
Sun Jun 18 2017 16:53:00.0000	1623	1556
Sun Jun 18 2017 16:54:00.0000	1624	1431
Sun Jun 18 2017 16:55:00.0000	1622	1539
Sun Jun 18 2017 16:56:00.0000	1622	1499
Sun Jun 18 2017 16:57:00.0000	1623	1460
Sun Jun 18 2017 16:58:00.0000	1625	1574
Sun Jun 18 2017 16:59:00.0000	1624	1501
Sun Jun 18 2017 17:00:00.0000	1622	1517
Sun Jun 18 2017 17:01:00.0000	1624	1465
Sun Jun 18 2017 17:02:00.0000	1625	1511
Sun Jun 18 2017 17:03:00.0000	1626	1506
Sun Jun 18 2017 17:04:00.0000	1624	1529
Sun Jun 18 2017 17:05:00.0000	1623	1475
Sun Jun 18 2017 17:06:00.0000	1625	1479
Sun Jun 18 2017 17:07:00.0000	1626	1512
Sun Jun 18 2017 17:08:00.0000	1626	1526
Sun Jun 18 2017 17:09:00.0000	1624	1537
Sun Jun 18 2017 17:10:00.0000	1625	1562
Sun Jun 18 2017 17:11:00.0000	1626	1517
Sun Jun 18 2017 17:12:00.0000	1627	1494
Sun Jun 18 2017 17:13:00.0000	1625	1533
Sun Jun 18 2017 17:14:00.0000	1624	1502
Sun Jun 18 2017 17:15:00.0000	1626	1512
Sun Jun 18 2017 17:16:00.0000	1627	1478
Sun Jun 18 2017 17:17:00.0000	1626	1539
Sun Jun 18 2017 17:18:00.0000	1624	1542
Sun Jun 18 2017 17:19:00.0000	1626	1448
Sun Jun 18 2017 17:20:00.0000	1626	1490
Sun Jun 18 2017 17:21:00.0000	1627	1446
Sun Jun 18 2017 17:22:00.0000	1625	1521
Sun Jun 18 2017 17:23:00.0000	1624	1575
Sun Jun 18 2017 17:24:00.0000	1626	1506
Sun Jun 18 2017 17:25:00.0000	1628	1459
Sun Jun 18 2017 17:26:00.0000	1626	1485
Sun Jun 18 2017 17:27:00.0000	1624	1423
Sun Jun 18 2017 17:28:00.0000	1626	1464
Sun Jun 18 2017 17:29:00.0000	1628	1463
Sun Jun 18 2017 17:30:00.0000	1627	1425
Sun Jun 18 2017 17:31:00.0000	1625	1475
Sun Jun 18 2017 17:32:00.0000	1626	1453
Sun Jun 18 2017 17:33:00.0000	1627	1463
Sun Jun 18 2017 17:34:00.0000	1628	1487
Sun Jun 18 2017 17:35:00.0000	1626	1499
Sun Jun 18 2017 17:36:00.0000	1625	1460
Sun Jun 18 2017 17:37:00.0000	1627	1511
Sun Jun 18 2017 17:38:00.0000	1628	1449
Sun Jun 18 2017 17:39:00.0000	1627	1475
Sun Jun 18 2017 17:40:00.0000	1625	1495
Sun Jun 18 2017 17:41:00.0000	1626	1437
Sun Jun 18 2017 17:42:00.0000	1627	1446

Date/Time	Process Temperature (°F)	Process Flow SCFM
Sun Jun 18 2017 17:43:00.0000	1628	1451
Sun Jun 18 2017 17:44:00.0000	1626	1477
Sun Jun 18 2017 17:45:00.0000	1625	1459
Sun Jun 18 2017 17:46:00.0000	1627	1480
Sun Jun 18 2017 17:47:00.0000	1628	1462
Sun Jun 18 2017 17:48:00.0000	1627	1463
Sun Jun 18 2017 17:49:00.0000	1625	1475
Sun Jun 18 2017 17:50:00.0000	1626	1458
Sun Jun 18 2017 17:51:00.0000	1627	1464
Sun Jun 18 2017 17:52:00.0000	1628	1454
Sun Jun 18 2017 17:53:00.0000	1626	1450
Sun Jun 18 2017 17:54:00.0000	1625	1455
Sun Jun 18 2017 17:55:00.0000	1627	1454
Sun Jun 18 2017 17:56:00.0000	1627	1433
Sun Jun 18 2017 17:57:00.0000	1627	1458
Sun Jun 18 2017 17:58:00.0000	1625	1506
Sun Jun 18 2017 17:59:00.0000	1626	1472
Sun Jun 18 2017 18:00:00.0000	1627	1447
Sun Jun 18 2017 18:01:00.0000	1628	1476
Sun Jun 18 2017 18:02:00.0000	1626	1481
Sun Jun 18 2017 18:03:00.0000	1625	1461
Sun Jun 18 2017 18:04:00.0000	1626	1502
Sun Jun 18 2017 18:05:00.0000	1627	1454
Sun Jun 18 2017 18:06:00.0000	1627	1514
Sun Jun 18 2017 18:07:00.0000	1625	1455
Sun Jun 18 2017 18:08:00.0000	1626	1420
Sun Jun 18 2017 18:09:00.0000	1627	1481
Sun Jun 18 2017 18:10:00.0000	1628	1445
Sun Jun 18 2017 18:11:00.0000	1626	1519
Sun Jun 18 2017 18:12:00.0000	1625	1509
Sun Jun 18 2017 18:13:00.0000	1626	1439
Sun Jun 18 2017 18:14:00.0000	1628	1536
Sun Jun 18 2017 18:15:00.0000	1626	1483
Sun Jun 18 2017 18:16:00.0000	1624	1415
Sun Jun 18 2017 18:17:00.0000	1626	1476
Sun Jun 18 2017 18:18:00.0000	1627	1511
Sun Jun 18 2017 18:19:00.0000	1627	1477
Sun Jun 18 2017 18:20:00.0000	1625	1436
Sun Jun 18 2017 18:21:00.0000	1625	1432
Sun Jun 18 2017 18:22:00.0000	1626	1512
Sun Jun 18 2017 18:23:00.0000	1627	1419
Sun Jun 18 2017 18:24:00.0000	1626	1436
Sun Jun 18 2017 18:25:00.0000	1624	1479
Sun Jun 18 2017 18:26:00.0000	1626	1453
Sun Jun 18 2017 18:27:00.0000	1627	1449
Sun Jun 18 2017 18:28:00.0000	1627	1397
Sun Jun 18 2017 18:29:00.0000	1625	1456
Sun Jun 18 2017 18:30:00.0000	1625	1398
Sun Jun 18 2017 18:31:00.0000	1626	1495
Sun Jun 18 2017 18:32:00.0000	1627	1442
Sun Jun 18 2017 18:33:00.0000	1626	1476
Sun Jun 18 2017 18:34:00.0000	1624	1487
Sun Jun 18 2017 18:35:00.0000	1626	1480
Sun Jun 18 2017 18:36:00.0000	1626	1551
Sun Jun 18 2017 18:37:00.0000	1626	1439
Sun Jun 18 2017 18:38:00.0000	1624	1483
Sun Jun 18 2017 18:39:00.0000	1624	1447

Date/Time	Process Temperature (°F)	Process Flow SCFM
Sun Jun 18 2017 18:40:00.0000	1625	1510
Sun Jun 18 2017 18:41:00.0000	1627	1435
Sun Jun 18 2017 18:42:00.0000	1625	1438
Sun Jun 18 2017 18:43:00.0000	1623	1489
Sun Jun 18 2017 18:44:00.0000	1625	1426
Sun Jun 18 2017 18:45:00.0000	1626	1437
Sun Jun 18 2017 18:46:00.0000	1626	1502
Sun Jun 18 2017 18:47:00.0000	1623	1448
Sun Jun 18 2017 18:48:00.0000	1624	1449
Sun Jun 18 2017 18:49:00.0000	1625	1449
Sun Jun 18 2017 18:50:00.0000	1626	1432
Sun Jun 18 2017 18:51:00.0000	1625	1437
Sun Jun 18 2017 18:52:00.0000	1623	1456
Sun Jun 18 2017 18:53:00.0000	1625	1469
Sun Jun 18 2017 18:54:00.0000	1625	1450
Sun Jun 18 2017 18:55:00.0000	1626	1442
Sun Jun 18 2017 18:56:00.0000	1623	1431
Sun Jun 18 2017 18:57:00.0000	1623	1441
Sun Jun 18 2017 18:58:00.0000	1625	1452
Sun Jun 18 2017 18:59:00.0000	1628	1443
Sun Jun 18 2017 19:00:00.0000	1626	1439
Sun Jun 18 2017 19:01:00.0000	1625	1443
Sun Jun 18 2017 19:02:00.0000	1627	1438
Sun Jun 18 2017 19:03:00.0000	1629	1440
Sun Jun 18 2017 19:04:00.0000	1629	1448
Sun Jun 18 2017 19:05:00.0000	1627	1446
Sun Jun 18 2017 19:06:00.0000	1628	1580
Sun Jun 18 2017 19:07:00.0000	1629	1459
Sun Jun 18 2017 19:08:00.0000	1631	1477
Sun Jun 18 2017 19:09:00.0000	1629	1430
Sun Jun 18 2017 19:10:00.0000	1628	1482
Sun Jun 18 2017 19:11:00.0000	1630	1465
Sun Jun 18 2017 19:12:00.0000	1631	1444
Sun Jun 18 2017 19:13:00.0000	1631	1542
Sun Jun 18 2017 19:14:00.0000	1629	1453
Sun Jun 18 2017 19:15:00.0000	1630	1409
Sun Jun 18 2017 19:16:00.0000	1631	1416
Sun Jun 18 2017 19:17:00.0000	1632	1432
Sun Jun 18 2017 19:18:00.0000	1631	1568
Sun Jun 18 2017 19:19:00.0000	1629	1417
Sun Jun 18 2017 19:20:00.0000	1631	1422
Sun Jun 18 2017 19:21:00.0000	1632	1431
Sun Jun 18 2017 19:22:00.0000	1632	1466
Sun Jun 18 2017 19:23:00.0000	1630	1450
Sun Jun 18 2017 19:24:00.0000	1631	1445
Sun Jun 18 2017 19:25:00.0000	1632	1459
Sun Jun 18 2017 19:26:00.0000	1633	1383
Sun Jun 18 2017 19:27:00.0000	1631	1450
Sun Jun 18 2017 19:28:00.0000	1631	1427
Sun Jun 18 2017 19:29:00.0000	1632	1525
Sun Jun 18 2017 19:30:00.0000	1633	1420
Sun Jun 18 2017 19:31:00.0000	1628	1363
Sun Jun 18 2017 19:32:00.0000	1624	1447
Sun Jun 18 2017 19:33:00.0000	1622	1445
Sun Jun 18 2017 19:34:00.0000	1620	1468
Sun Jun 18 2017 19:35:00.0000	1618	1400
Sun Jun 18 2017 19:36:00.0000	1615	1401

Date/Time	Process Temperature (°F)	Process Flow SCFM
Sun Jun 18 2017 19:37:00.0000	1614	1417
Sun Jun 18 2017 19:38:00.0000	1613	1391
Sun Jun 18 2017 19:39:00.0000	1612	1449
Sun Jun 18 2017 19:40:00.0000	1610	1445
Sun Jun 18 2017 19:41:00.0000	1608	1448
Sun Jun 18 2017 19:42:00.0000	1609	1430
Sun Jun 18 2017 19:43:00.0000	1608	1456
Sun Jun 18 2017 19:44:00.0000	1607	1413
Sun Jun 18 2017 19:45:00.0000	1604	1394
Sun Jun 18 2017 19:46:00.0000	1605	1418
Sun Jun 18 2017 19:47:00.0000	1604	1378
Sun Jun 18 2017 19:48:00.0000	1603	1395
Sun Jun 18 2017 19:49:00.0000	1602	1429
Sun Jun 18 2017 19:50:00.0000	1606	1412
Sun Jun 18 2017 19:51:00.0000	1615	1409
Sun Jun 18 2017 19:52:00.0000	1625	1403
Sun Jun 18 2017 19:53:00.0000	1629	1454
Sun Jun 18 2017 19:54:00.0000	1629	1405
Sun Jun 18 2017 19:55:00.0000	1633	1416
Sun Jun 18 2017 19:56:00.0000	1628	1463
Sun Jun 18 2017 19:57:00.0000	1623	1415
Sun Jun 18 2017 19:58:00.0000	1619	1428
Sun Jun 18 2017 19:59:00.0000	1616	1421
Sun Jun 18 2017 20:00:00.0000	1615	1426
Sun Jun 18 2017 20:01:00.0000	1615	1401
Sun Jun 18 2017 20:02:00.0000	1613	1433
Sun Jun 18 2017 20:03:00.0000	1611	1432
Sun Jun 18 2017 20:04:00.0000	1611	1423
Sun Jun 18 2017 20:05:00.0000	1611	1442
Sun Jun 18 2017 20:06:00.0000	1610	1421
Sun Jun 18 2017 20:07:00.0000	1608	1425
Sun Jun 18 2017 20:08:00.0000	1607	1448
Sun Jun 18 2017 20:09:00.0000	1607	1484
Sun Jun 18 2017 20:10:00.0000	1607	1352
Sun Jun 18 2017 20:11:00.0000	1606	1400
Sun Jun 18 2017 20:12:00.0000	1604	1394
Sun Jun 18 2017 20:13:00.0000	1605	1506
Sun Jun 18 2017 20:14:00.0000	1605	1414
Sun Jun 18 2017 20:15:00.0000	1605	1397
Sun Jun 18 2017 20:16:00.0000	1603	1467
Sun Jun 18 2017 20:17:00.0000	1603	1416
Sun Jun 18 2017 20:18:00.0000	1608	1413
Sun Jun 18 2017 20:19:00.0000	1614	1418
Sun Jun 18 2017 20:20:00.0000	1616	1453
Sun Jun 18 2017 20:21:00.0000	1615	1437
Sun Jun 18 2017 20:22:00.0000	1618	1392
Sun Jun 18 2017 20:23:00.0000	1620	1475
Sun Jun 18 2017 20:24:00.0000	1622	1456
Sun Jun 18 2017 20:25:00.0000	1621	1426
Sun Jun 18 2017 20:26:00.0000	1621	1441
Sun Jun 18 2017 20:27:00.0000	1623	1469
Sun Jun 18 2017 20:28:00.0000	1626	1444
Sun Jun 18 2017 20:29:00.0000	1625	1432
Sun Jun 18 2017 20:30:00.0000	1623	1416
Sun Jun 18 2017 20:31:00.0000	1625	1435
Sun Jun 18 2017 20:32:00.0000	1627	1625
Sun Jun 18 2017 20:33:00.0000	1628	1432

Date/Time	Process Temperature (°F)	Process Flow SCFM
Sun Jun 18 2017 20:34:00.0000	1626	1529
Sun Jun 18 2017 20:35:00.0000	1627	1422
Sun Jun 18 2017 20:36:00.0000	1628	1319
Sun Jun 18 2017 20:37:00.0000	1630	1418
Sun Jun 18 2017 20:38:00.0000	1629	1399
Sun Jun 18 2017 20:39:00.0000	1627	1427
Sun Jun 18 2017 20:40:00.0000	1629	1351
Sun Jun 18 2017 20:41:00.0000	1631	1429
Sun Jun 18 2017 20:42:00.0000	1632	1547
Sun Jun 18 2017 20:43:00.0000	1630	1451
Sun Jun 18 2017 20:44:00.0000	1631	1437
Sun Jun 18 2017 20:45:00.0000	1631	1365
Sun Jun 18 2017 20:46:00.0000	1633	1475
Sun Jun 18 2017 20:47:00.0000	1627	1358
Sun Jun 18 2017 20:48:00.0000	1623	1489
Sun Jun 18 2017 20:49:00.0000	1622	1392
Sun Jun 18 2017 20:50:00.0000	1620	1408
Sun Jun 18 2017 20:51:00.0000	1618	1406
Sun Jun 18 2017 20:52:00.0000	1615	1525
Sun Jun 18 2017 20:53:00.0000	1615	1367
Sun Jun 18 2017 20:54:00.0000	1614	1375
Sun Jun 18 2017 20:55:00.0000	1613	1416
Sun Jun 18 2017 20:56:00.0000	1611	1533
Sun Jun 18 2017 20:57:00.0000	1610	1418
Sun Jun 18 2017 20:58:00.0000	1610	1463
Sun Jun 18 2017 20:59:00.0000	1610	1488
Sun Jun 18 2017 21:00:00.0000	1608	1465
Sun Jun 18 2017 21:01:00.0000	1606	1386
Sun Jun 18 2017 21:02:00.0000	1606	1430
Sun Jun 18 2017 21:03:00.0000	1605	1459
Sun Jun 18 2017 21:04:00.0000	1603	1436
Sun Jun 18 2017 21:05:00.0000	1602	1400
Sun Jun 18 2017 21:06:00.0000	1606	1393
Sun Jun 18 2017 21:07:00.0000	1610	1394
Sun Jun 18 2017 21:08:00.0000	1615	1344
Sun Jun 18 2017 21:09:00.0000	1616	1455
Sun Jun 18 2017 21:10:00.0000	1615	1418
Sun Jun 18 2017 21:11:00.0000	1618	1389
Sun Jun 18 2017 21:12:00.0000	1620	1468
Sun Jun 18 2017 21:13:00.0000	1622	1416
Sun Jun 18 2017 21:14:00.0000	1621	1377
Sun Jun 18 2017 21:15:00.0000	1620	1452
Sun Jun 18 2017 21:16:00.0000	1622	1387
Sun Jun 18 2017 21:17:00.0000	1625	1453
Sun Jun 18 2017 21:18:00.0000	1625	1471
Sun Jun 18 2017 21:19:00.0000	1623	1414
Sun Jun 18 2017 21:20:00.0000	1625	1388
Sun Jun 18 2017 21:21:00.0000	1627	1417
Sun Jun 18 2017 21:22:00.0000	1628	1387
Sun Jun 18 2017 21:23:00.0000	1627	1407
Sun Jun 18 2017 21:24:00.0000	1626	1392
Sun Jun 18 2017 21:25:00.0000	1628	1412
Sun Jun 18 2017 21:26:00.0000	1631	1385
Sun Jun 18 2017 21:27:00.0000	1630	1412
Sun Jun 18 2017 21:28:00.0000	1628	1400
Sun Jun 18 2017 21:29:00.0000	1630	1423
Sun Jun 18 2017 21:30:00.0000	1631	1400

Date/Time	Process Temperature (°F)	Process Flow SCFM
Sun Jun 18 2017 21:31:00.0000	1633	1384
Sun Jun 18 2017 21:32:00.0000	1630	1419
Sun Jun 18 2017 21:33:00.0000	1630	1405
Sun Jun 18 2017 21:34:00.0000	1632	1425
Sun Jun 18 2017 21:35:00.0000	1631	1421
Sun Jun 18 2017 21:36:00.0000	1624	1396
Sun Jun 18 2017 21:37:00.0000	1619	1396
Sun Jun 18 2017 21:38:00.0000	1615	1438
Sun Jun 18 2017 21:39:00.0000	1611	1501
Sun Jun 18 2017 21:40:00.0000	1608	1415
Sun Jun 18 2017 21:41:00.0000	1605	1438
Sun Jun 18 2017 21:42:00.0000	1604	1400
Sun Jun 18 2017 21:43:00.0000	1603	1363
Sun Jun 18 2017 21:44:00.0000	1601	1416
Sun Jun 18 2017 21:45:00.0000	1606	1397
Sun Jun 18 2017 21:46:00.0000	1609	1401
Sun Jun 18 2017 21:47:00.0000	1614	1408
Sun Jun 18 2017 21:48:00.0000	1619	1393
Sun Jun 18 2017 21:49:00.0000	1621	1377
Sun Jun 18 2017 21:50:00.0000	1620	1407
Sun Jun 18 2017 21:51:00.0000	1622	1435
Sun Jun 18 2017 21:52:00.0000	1624	1380
Sun Jun 18 2017 21:53:00.0000	1628	1390
Sun Jun 18 2017 21:54:00.0000	1627	1406
Sun Jun 18 2017 21:55:00.0000	1627	1395
Sun Jun 18 2017 21:56:00.0000	1628	1426
Sun Jun 18 2017 21:57:00.0000	1631	1425
Sun Jun 18 2017 21:58:00.0000	1632	1381
Sun Jun 18 2017 21:59:00.0000	1630	1420
Sun Jun 18 2017 22:00:00.0000	1631	1375
Sun Jun 18 2017 22:01:00.0000	1633	1416
Sun Jun 18 2017 22:02:00.0000	1630	1398
Sun Jun 18 2017 22:03:00.0000	1623	1401
Sun Jun 18 2017 22:04:00.0000	1617	1383
Sun Jun 18 2017 22:05:00.0000	1614	1380
Sun Jun 18 2017 22:06:00.0000	1611	1412
Sun Jun 18 2017 22:07:00.0000	1608	1373
Sun Jun 18 2017 22:08:00.0000	1605	1393
Sun Jun 18 2017 22:09:00.0000	1604	1387
Sun Jun 18 2017 22:10:00.0000	1603	1379
Sun Jun 18 2017 22:11:00.0000	1602	1413
Sun Jun 18 2017 22:12:00.0000	1606	1407
Sun Jun 18 2017 22:13:00.0000	1609	1406
Sun Jun 18 2017 22:14:00.0000	1613	1383
Sun Jun 18 2017 22:15:00.0000	1618	1396
Sun Jun 18 2017 22:16:00.0000	1618	1406
Sun Jun 18 2017 22:17:00.0000	1617	1390
Sun Jun 18 2017 22:18:00.0000	1619	1361
Sun Jun 18 2017 22:19:00.0000	1621	1367
Sun Jun 18 2017 22:20:00.0000	1624	1403
Sun Jun 18 2017 22:21:00.0000	1622	1411
Sun Jun 18 2017 22:22:00.0000	1622	1398
Sun Jun 18 2017 22:23:00.0000	1624	1375
Sun Jun 18 2017 22:24:00.0000	1626	1382
Sun Jun 18 2017 22:25:00.0000	1626	1390
Sun Jun 18 2017 22:26:00.0000	1624	1490
Sun Jun 18 2017 22:27:00.0000	1627	1358

Date/Time	Process Temperature (°F)	Process Flow SCFM
Sun Jun 18 2017 22:28:00.0000	1629	1387
Sun Jun 18 2017 22:29:00.0000	1631	1402
Sun Jun 18 2017 22:30:00.0000	1630	1415
Sun Jun 18 2017 22:31:00.0000	1629	1374
Sun Jun 18 2017 22:32:00.0000	1632	1397
Sun Jun 18 2017 22:33:00.0000	1632	1364
Sun Jun 18 2017 22:34:00.0000	1624	1384
Sun Jun 18 2017 22:35:00.0000	1618	1405
Sun Jun 18 2017 22:36:00.0000	1615	1390
Sun Jun 18 2017 22:37:00.0000	1612	1387
Sun Jun 18 2017 22:38:00.0000	1608	1400
Sun Jun 18 2017 22:39:00.0000	1605	1393
Sun Jun 18 2017 22:40:00.0000	1604	1404
Sun Jun 18 2017 22:41:00.0000	1602	1407
Sun Jun 18 2017 22:42:00.0000	1602	1369
Sun Jun 18 2017 22:43:00.0000	1606	1360
Sun Jun 18 2017 22:44:00.0000	1609	1395
Sun Jun 18 2017 22:45:00.0000	1614	1401
Sun Jun 18 2017 22:46:00.0000	1617	1401
Sun Jun 18 2017 22:47:00.0000	1619	1376
Sun Jun 18 2017 22:48:00.0000	1617	1370
Sun Jun 18 2017 22:49:00.0000	1619	1385
Sun Jun 18 2017 22:50:00.0000	1622	1431
Sun Jun 18 2017 22:51:00.0000	1624	1381
Sun Jun 18 2017 22:52:00.0000	1622	1374
Sun Jun 18 2017 22:53:00.0000	1622	1476
Sun Jun 18 2017 22:54:00.0000	1625	1375
Sun Jun 18 2017 22:55:00.0000	1628	1383
Sun Jun 18 2017 22:56:00.0000	1628	1294
Sun Jun 18 2017 22:57:00.0000	1626	1370
Sun Jun 18 2017 22:58:00.0000	1629	1369
Sun Jun 18 2017 22:59:00.0000	1630	1411
Sun Jun 18 2017 23:00:00.0000	1633	1433
Sun Jun 18 2017 23:01:00.0000	1631	1334
Sun Jun 18 2017 23:02:00.0000	1630	1432
Sun Jun 18 2017 23:03:00.0000	1632	1383
Sun Jun 18 2017 23:04:00.0000	1633	1410
Sun Jun 18 2017 23:05:00.0000	1624	1419
Sun Jun 18 2017 23:06:00.0000	1618	1405
Sun Jun 18 2017 23:07:00.0000	1615	1385
Sun Jun 18 2017 23:08:00.0000	1612	1363
Sun Jun 18 2017 23:09:00.0000	1609	1416
Sun Jun 18 2017 23:10:00.0000	1606	1486
Sun Jun 18 2017 23:11:00.0000	1604	1404
Sun Jun 18 2017 23:12:00.0000	1603	1402
Sun Jun 18 2017 23:13:00.0000	1601	1436
Sun Jun 18 2017 23:14:00.0000	1606	1349
Sun Jun 18 2017 23:15:00.0000	1608	1398
Sun Jun 18 2017 23:16:00.0000	1613	1404
Sun Jun 18 2017 23:17:00.0000	1617	1408
Sun Jun 18 2017 23:18:00.0000	1621	1400
Sun Jun 18 2017 23:19:00.0000	1620	1372
Sun Jun 18 2017 23:20:00.0000	1620	1418
Sun Jun 18 2017 23:21:00.0000	1623	1397
Sun Jun 18 2017 23:22:00.0000	1626	1394
Sun Jun 18 2017 23:23:00.0000	1626	1464
Sun Jun 18 2017 23:24:00.0000	1624	1424

Date/Time	Process Temperature (°F)	Process Flow SCFM
Sun Jun 18 2017 23:25:00.0000	1627	1359
Sun Jun 18 2017 23:26:00.0000	1628	1386
Sun Jun 18 2017 23:27:00.0000	1631	1356
Sun Jun 18 2017 23:28:00.0000	1629	1372
Sun Jun 18 2017 23:29:00.0000	1628	1406
Sun Jun 18 2017 23:30:00.0000	1629	1423
Sun Jun 18 2017 23:31:00.0000	1631	1572
Sun Jun 18 2017 23:32:00.0000	1630	1394
Sun Jun 18 2017 23:33:00.0000	1628	1430
Sun Jun 18 2017 23:34:00.0000	1630	1369
Sun Jun 18 2017 23:35:00.0000	1631	1396
Sun Jun 18 2017 23:36:00.0000	1630	1400
Sun Jun 18 2017 23:37:00.0000	1623	1375
Sun Jun 18 2017 23:38:00.0000	1619	1438
Sun Jun 18 2017 23:39:00.0000	1617	1346
Sun Jun 18 2017 23:40:00.0000	1615	1383
Sun Jun 18 2017 23:41:00.0000	1612	1437
Sun Jun 18 2017 23:42:00.0000	1609	1481
Sun Jun 18 2017 23:43:00.0000	1609	1367
Sun Jun 18 2017 23:44:00.0000	1607	1410
Sun Jun 18 2017 23:45:00.0000	1606	1387
Sun Jun 18 2017 23:46:00.0000	1604	1342
Sun Jun 18 2017 23:47:00.0000	1603	1409
Sun Jun 18 2017 23:48:00.0000	1602	1391
Sun Jun 18 2017 23:49:00.0000	1602	1384
Sun Jun 18 2017 23:50:00.0000	1604	1462
Sun Jun 18 2017 23:51:00.0000	1605	1411
Sun Jun 18 2017 23:52:00.0000	1610	1445
Sun Jun 18 2017 23:53:00.0000	1613	1395
Sun Jun 18 2017 23:54:00.0000	1616	1360
Sun Jun 18 2017 23:55:00.0000	1615	1438
Sun Jun 18 2017 23:56:00.0000	1615	1373
Sun Jun 18 2017 23:57:00.0000	1618	1402
Sun Jun 18 2017 23:58:00.0000	1621	1441
Sun Jun 18 2017 23:59:00.0000	1621	1348
Mon Jun 19 2017 00:00:00.0000	1618	1452
Mon Jun 19 2017 00:01:00.0000	1621	1419
Mon Jun 19 2017 00:02:00.0000	1622	1417
Mon Jun 19 2017 00:03:00.0000	1624	1428
Mon Jun 19 2017 00:04:00.0000	1622	1428
Mon Jun 19 2017 00:05:00.0000	1622	1362
Mon Jun 19 2017 00:06:00.0000	1623	1391
Mon Jun 19 2017 00:07:00.0000	1626	1445
Mon Jun 19 2017 00:08:00.0000	1625	1389
Mon Jun 19 2017 00:09:00.0000	1623	1370
Mon Jun 19 2017 00:10:00.0000	1626	1497
Mon Jun 19 2017 00:11:00.0000	1626	1529
Mon Jun 19 2017 00:12:00.0000	1627	1476
Mon Jun 19 2017 00:13:00.0000	1626	1361
Mon Jun 19 2017 00:14:00.0000	1626	1544
Mon Jun 19 2017 00:15:00.0000	1627	1386
Mon Jun 19 2017 00:16:00.0000	1629	1407
Mon Jun 19 2017 00:17:00.0000	1627	1417
Mon Jun 19 2017 00:18:00.0000	1626	1350
Mon Jun 19 2017 00:19:00.0000	1628	1374
Mon Jun 19 2017 00:20:00.0000	1630	1455
Mon Jun 19 2017 00:21:00.0000	1628	1394

Date/Time	Process Temperature (°F)	Process Flow SCFM
Mon Jun 19 2017 00:22:00.0000	1627	1432
Mon Jun 19 2017 00:23:00.0000	1629	1388
Mon Jun 19 2017 00:24:00.0000	1630	1366
Mon Jun 19 2017 00:25:00.0000	1631	1437
Mon Jun 19 2017 00:26:00.0000	1628	1357
Mon Jun 19 2017 00:27:00.0000	1629	1355
Mon Jun 19 2017 00:28:00.0000	1630	1355
Mon Jun 19 2017 00:29:00.0000	1632	1403
Mon Jun 19 2017 00:30:00.0000	1630	1485
Mon Jun 19 2017 00:31:00.0000	1628	1373
Mon Jun 19 2017 00:32:00.0000	1630	1405
Mon Jun 19 2017 00:33:00.0000	1632	1369
Mon Jun 19 2017 00:34:00.0000	1630	1387
Mon Jun 19 2017 00:35:00.0000	1624	1348
Mon Jun 19 2017 00:36:00.0000	1621	1459
Mon Jun 19 2017 00:37:00.0000	1619	1441
Mon Jun 19 2017 00:38:00.0000	1618	1401
Mon Jun 19 2017 00:39:00.0000	1615	1414
Mon Jun 19 2017 00:40:00.0000	1612	1418
Mon Jun 19 2017 00:41:00.0000	1612	1396
Mon Jun 19 2017 00:42:00.0000	1611	1452
Mon Jun 19 2017 00:43:00.0000	1610	1415
Mon Jun 19 2017 00:44:00.0000	1607	1374
Mon Jun 19 2017 00:45:00.0000	1607	1398
Mon Jun 19 2017 00:46:00.0000	1606	1430
Mon Jun 19 2017 00:47:00.0000	1606	1397
Mon Jun 19 2017 00:48:00.0000	1604	1445
Mon Jun 19 2017 00:49:00.0000	1602	1313
Mon Jun 19 2017 00:50:00.0000	1603	1420
Mon Jun 19 2017 00:51:00.0000	1602	1414
Mon Jun 19 2017 00:52:00.0000	1602	1402
Mon Jun 19 2017 00:53:00.0000	1603	1345
Mon Jun 19 2017 00:54:00.0000	1607	1446
Mon Jun 19 2017 00:55:00.0000	1611	1363
Mon Jun 19 2017 00:56:00.0000	1615	1384
Mon Jun 19 2017 00:57:00.0000	1615	1449
Mon Jun 19 2017 00:58:00.0000	1614	1408
Mon Jun 19 2017 00:59:00.0000	1618	1494
Mon Jun 19 2017 01:00:00.0000	1621	1445
Mon Jun 19 2017 01:01:00.0000	1623	1461
Mon Jun 19 2017 01:02:00.0000	1621	1438
Mon Jun 19 2017 01:03:00.0000	1622	1408
Mon Jun 19 2017 01:04:00.0000	1624	1368
Mon Jun 19 2017 01:05:00.0000	1627	1366
Mon Jun 19 2017 01:06:00.0000	1626	1396
Mon Jun 19 2017 01:07:00.0000	1624	1384
Mon Jun 19 2017 01:08:00.0000	1627	1451
Mon Jun 19 2017 01:09:00.0000	1630	1473
Mon Jun 19 2017 01:10:00.0000	1629	1469
Mon Jun 19 2017 01:11:00.0000	1627	1552
Mon Jun 19 2017 01:12:00.0000	1628	1470
Mon Jun 19 2017 01:13:00.0000	1630	1389
Mon Jun 19 2017 01:14:00.0000	1633	1380
Mon Jun 19 2017 01:15:00.0000	1630	1465
Mon Jun 19 2017 01:16:00.0000	1630	1392
Mon Jun 19 2017 01:17:00.0000	1632	1375
Mon Jun 19 2017 01:18:00.0000	1633	1391

Date/Time	Process Temperature (°F)	Process Flow SCFM
Mon Jun 19 2017 01:19:00.0000	1627	1350
Mon Jun 19 2017 01:20:00.0000	1623	1348
Mon Jun 19 2017 01:21:00.0000	1621	1408
Mon Jun 19 2017 01:22:00.0000	1619	1480
Mon Jun 19 2017 01:23:00.0000	1617	1397
Mon Jun 19 2017 01:24:00.0000	1615	1399
Mon Jun 19 2017 01:25:00.0000	1613	1294
Mon Jun 19 2017 01:26:00.0000	1613	1443
Mon Jun 19 2017 01:27:00.0000	1612	1462
Mon Jun 19 2017 01:28:00.0000	1611	1396
Mon Jun 19 2017 01:29:00.0000	1609	1362
Mon Jun 19 2017 01:30:00.0000	1609	1391
Mon Jun 19 2017 01:31:00.0000	1608	1460
Mon Jun 19 2017 01:32:00.0000	1608	1387
Mon Jun 19 2017 01:33:00.0000	1605	1467
Mon Jun 19 2017 01:34:00.0000	1605	1440
Mon Jun 19 2017 01:35:00.0000	1605	1381
Mon Jun 19 2017 01:36:00.0000	1605	1406
Mon Jun 19 2017 01:37:00.0000	1603	1483
Mon Jun 19 2017 01:38:00.0000	1602	1464
Mon Jun 19 2017 01:39:00.0000	1602	1463
Mon Jun 19 2017 01:40:00.0000	1602	1317
Mon Jun 19 2017 01:41:00.0000	1604	1402
Mon Jun 19 2017 01:42:00.0000	1605	1455
Mon Jun 19 2017 01:43:00.0000	1608	1381
Mon Jun 19 2017 01:44:00.0000	1611	1385
Mon Jun 19 2017 01:45:00.0000	1616	1452
Mon Jun 19 2017 01:46:00.0000	1616	1406
Mon Jun 19 2017 01:47:00.0000	1615	1377
Mon Jun 19 2017 01:48:00.0000	1619	1511
Mon Jun 19 2017 01:49:00.0000	1621	1414
Mon Jun 19 2017 01:50:00.0000	1622	1394
Mon Jun 19 2017 01:51:00.0000	1620	1412
Mon Jun 19 2017 01:52:00.0000	1621	1390
Mon Jun 19 2017 01:53:00.0000	1622	1352
Mon Jun 19 2017 01:54:00.0000	1624	1429
Mon Jun 19 2017 01:55:00.0000	1622	1402
Mon Jun 19 2017 01:56:00.0000	1621	1443
Mon Jun 19 2017 01:57:00.0000	1623	1467
Mon Jun 19 2017 01:58:00.0000	1625	1503
Mon Jun 19 2017 01:59:00.0000	1625	1341
Mon Jun 19 2017 02:00:00.0000	1623	1418
Mon Jun 19 2017 02:01:00.0000	1624	1406
Mon Jun 19 2017 02:02:00.0000	1627	1351
Mon Jun 19 2017 02:03:00.0000	1628	1383
Mon Jun 19 2017 02:04:00.0000	1627	1473
Mon Jun 19 2017 02:05:00.0000	1627	1394
Mon Jun 19 2017 02:06:00.0000	1629	1431
Mon Jun 19 2017 02:07:00.0000	1632	1368
Mon Jun 19 2017 02:08:00.0000	1631	1342
Mon Jun 19 2017 02:09:00.0000	1629	1414
Mon Jun 19 2017 02:10:00.0000	1632	1326
Mon Jun 19 2017 02:11:00.0000	1633	1351
Mon Jun 19 2017 02:12:00.0000	1627	1337
Mon Jun 19 2017 02:13:00.0000	1619	1369
Mon Jun 19 2017 02:14:00.0000	1614	1468
Mon Jun 19 2017 02:15:00.0000	1611	1386

Date/Time	Process Temperature (°F)	Process Flow SCFM
Mon Jun 19 2017 02:16:00.0000	1607	1394
Mon Jun 19 2017 02:17:00.0000	1604	1415
Mon Jun 19 2017 02:18:00.0000	1602	1378
Mon Jun 19 2017 02:19:00.0000	1603	1335
Mon Jun 19 2017 02:20:00.0000	1606	1395
Mon Jun 19 2017 02:21:00.0000	1607	1422
Mon Jun 19 2017 02:22:00.0000	1606	1497
Mon Jun 19 2017 02:23:00.0000	1606	1412
Mon Jun 19 2017 02:24:00.0000	1608	1394
Mon Jun 19 2017 02:25:00.0000	1608	1393
Mon Jun 19 2017 02:26:00.0000	1608	1391
Mon Jun 19 2017 02:27:00.0000	1607	1405
Mon Jun 19 2017 02:28:00.0000	1608	1372
Mon Jun 19 2017 02:29:00.0000	1608	1412
Mon Jun 19 2017 02:30:00.0000	1608	1395
Mon Jun 19 2017 02:31:00.0000	1606	1391
Mon Jun 19 2017 02:32:00.0000	1606	1416
Mon Jun 19 2017 02:33:00.0000	1608	1431
Mon Jun 19 2017 02:34:00.0000	1608	1445
Mon Jun 19 2017 02:35:00.0000	1606	1412
Mon Jun 19 2017 02:36:00.0000	1605	1423
Mon Jun 19 2017 02:37:00.0000	1607	1386
Mon Jun 19 2017 02:38:00.0000	1607	1394
Mon Jun 19 2017 02:39:00.0000	1607	1359
Mon Jun 19 2017 02:40:00.0000	1605	1390
Mon Jun 19 2017 02:41:00.0000	1606	1394
Mon Jun 19 2017 02:42:00.0000	1606	1381
Mon Jun 19 2017 02:43:00.0000	1607	1344
Mon Jun 19 2017 02:44:00.0000	1605	1354
Mon Jun 19 2017 02:45:00.0000	1604	1455
Mon Jun 19 2017 02:46:00.0000	1605	1427
Mon Jun 19 2017 02:47:00.0000	1606	1363
Mon Jun 19 2017 02:48:00.0000	1605	1447
Mon Jun 19 2017 02:49:00.0000	1603	1390
Mon Jun 19 2017 02:50:00.0000	1605	1398
Mon Jun 19 2017 02:51:00.0000	1605	1436
Mon Jun 19 2017 02:52:00.0000	1606	1402
Mon Jun 19 2017 02:53:00.0000	1604	1386
Mon Jun 19 2017 02:54:00.0000	1603	1320
Mon Jun 19 2017 02:55:00.0000	1604	1337
Mon Jun 19 2017 02:56:00.0000	1605	1364
Mon Jun 19 2017 02:57:00.0000	1604	1402
Mon Jun 19 2017 02:58:00.0000	1602	1353
Mon Jun 19 2017 02:59:00.0000	1604	1389
Mon Jun 19 2017 03:00:00.0000	1604	1373
Mon Jun 19 2017 03:01:00.0000	1605	1374
Mon Jun 19 2017 03:02:00.0000	1603	1439
Mon Jun 19 2017 03:03:00.0000	1603	1367
Mon Jun 19 2017 03:04:00.0000	1607	1360
Mon Jun 19 2017 03:05:00.0000	1612	1483
Mon Jun 19 2017 03:06:00.0000	1613	1464
Mon Jun 19 2017 03:07:00.0000	1612	1363
Mon Jun 19 2017 03:08:00.0000	1614	1367
Mon Jun 19 2017 03:09:00.0000	1616	1374
Mon Jun 19 2017 03:10:00.0000	1619	1360
Mon Jun 19 2017 03:11:00.0000	1618	1350
Mon Jun 19 2017 03:12:00.0000	1618	1364

Date/Time	Process Temperature (°F)	Process Flow SCFM
Mon Jun 19 2017 03:13:00.0000	1620	1367
Mon Jun 19 2017 03:14:00.0000	1623	1401
Mon Jun 19 2017 03:15:00.0000	1623	1357
Mon Jun 19 2017 03:16:00.0000	1621	1358
Mon Jun 19 2017 03:17:00.0000	1623	1372
Mon Jun 19 2017 03:18:00.0000	1625	1377
Mon Jun 19 2017 03:19:00.0000	1627	1367
Mon Jun 19 2017 03:20:00.0000	1625	1354
Mon Jun 19 2017 03:21:00.0000	1624	1357
Mon Jun 19 2017 03:22:00.0000	1626	1380
Mon Jun 19 2017 03:23:00.0000	1629	1382
Mon Jun 19 2017 03:24:00.0000	1629	1363
Mon Jun 19 2017 03:25:00.0000	1626	1383
Mon Jun 19 2017 03:26:00.0000	1629	1369
Mon Jun 19 2017 03:27:00.0000	1629	1361
Mon Jun 19 2017 03:28:00.0000	1632	1373
Mon Jun 19 2017 03:29:00.0000	1630	1374
Mon Jun 19 2017 03:30:00.0000	1629	1363
Mon Jun 19 2017 03:31:00.0000	1630	1342
Mon Jun 19 2017 03:32:00.0000	1632	1389
Mon Jun 19 2017 03:33:00.0000	1623	1376
Mon Jun 19 2017 03:34:00.0000	1617	1363
Mon Jun 19 2017 03:35:00.0000	1614	1358
Mon Jun 19 2017 03:36:00.0000	1611	1353
Mon Jun 19 2017 03:37:00.0000	1607	1361
Mon Jun 19 2017 03:38:00.0000	1604	1393
Mon Jun 19 2017 03:39:00.0000	1602	1378
Mon Jun 19 2017 03:40:00.0000	1602	1361
Mon Jun 19 2017 03:41:00.0000	1604	1373
Mon Jun 19 2017 03:42:00.0000	1604	1364
Mon Jun 19 2017 03:43:00.0000	1603	1341
Mon Jun 19 2017 03:44:00.0000	1605	1381
Mon Jun 19 2017 03:45:00.0000	1605	1400
Mon Jun 19 2017 03:46:00.0000	1605	1376
Mon Jun 19 2017 03:47:00.0000	1604	1376
Mon Jun 19 2017 03:48:00.0000	1603	1372
Mon Jun 19 2017 03:49:00.0000	1604	1358
Mon Jun 19 2017 03:50:00.0000	1605	1391
Mon Jun 19 2017 03:51:00.0000	1604	1343
Mon Jun 19 2017 03:52:00.0000	1602	1392
Mon Jun 19 2017 03:53:00.0000	1603	1364
Mon Jun 19 2017 03:54:00.0000	1604	1369
Mon Jun 19 2017 03:55:00.0000	1604	1373
Mon Jun 19 2017 03:56:00.0000	1602	1384
Mon Jun 19 2017 03:57:00.0000	1605	1352
Mon Jun 19 2017 03:58:00.0000	1610	1339
Mon Jun 19 2017 03:59:00.0000	1615	1353
Mon Jun 19 2017 04:00:00.0000	1616	1336
Mon Jun 19 2017 04:01:00.0000	1615	1335
Mon Jun 19 2017 04:02:00.0000	1619	1335
Mon Jun 19 2017 04:03:00.0000	1621	1351
Mon Jun 19 2017 04:04:00.0000	1623	1371
Mon Jun 19 2017 04:05:00.0000	1622	1343
Mon Jun 19 2017 04:06:00.0000	1623	1383
Mon Jun 19 2017 04:07:00.0000	1625	1356
Mon Jun 19 2017 04:08:00.0000	1628	1308
Mon Jun 19 2017 04:09:00.0000	1627	1356

Date/Time	Process Temperature (°F)	Process Flow SCFM
Mon Jun 19 2017 04:10:00.0000	1626	1324
Mon Jun 19 2017 04:11:00.0000	1628	1359
Mon Jun 19 2017 04:12:00.0000	1630	1356
Mon Jun 19 2017 04:13:00.0000	1632	1361
Mon Jun 19 2017 04:14:00.0000	1630	1314
Mon Jun 19 2017 04:15:00.0000	1630	1361
Mon Jun 19 2017 04:16:00.0000	1632	1334
Mon Jun 19 2017 04:17:00.0000	1634	1324
Mon Jun 19 2017 04:18:00.0000	1624	1360
Mon Jun 19 2017 04:19:00.0000	1618	1347
Mon Jun 19 2017 04:20:00.0000	1615	1393
Mon Jun 19 2017 04:21:00.0000	1611	1364
Mon Jun 19 2017 04:22:00.0000	1607	1350
Mon Jun 19 2017 04:23:00.0000	1604	1379
Mon Jun 19 2017 04:24:00.0000	1602	1352
Mon Jun 19 2017 04:25:00.0000	1601	1353
Mon Jun 19 2017 04:26:00.0000	1604	1391
Mon Jun 19 2017 04:27:00.0000	1603	1388
Mon Jun 19 2017 04:28:00.0000	1603	1352
Mon Jun 19 2017 04:29:00.0000	1606	1357
Mon Jun 19 2017 04:30:00.0000	1608	1337
Mon Jun 19 2017 04:31:00.0000	1608	1341
Mon Jun 19 2017 04:32:00.0000	1607	1375
Mon Jun 19 2017 04:33:00.0000	1608	1351
Mon Jun 19 2017 04:34:00.0000	1609	1406
Mon Jun 19 2017 04:35:00.0000	1610	1363
Mon Jun 19 2017 04:36:00.0000	1609	1355
Mon Jun 19 2017 04:37:00.0000	1608	1332
Mon Jun 19 2017 04:38:00.0000	1610	1350
Mon Jun 19 2017 04:39:00.0000	1611	1352
Mon Jun 19 2017 04:40:00.0000	1610	1341
Mon Jun 19 2017 04:41:00.0000	1608	1325
Mon Jun 19 2017 04:42:00.0000	1610	1354
Mon Jun 19 2017 04:43:00.0000	1610	1353
Mon Jun 19 2017 04:44:00.0000	1611	1362
Mon Jun 19 2017 04:45:00.0000	1610	1356
Mon Jun 19 2017 04:46:00.0000	1609	1334
Mon Jun 19 2017 04:47:00.0000	1610	1380
Mon Jun 19 2017 04:48:00.0000	1611	1364
Mon Jun 19 2017 04:49:00.0000	1611	1372
Mon Jun 19 2017 04:50:00.0000	1609	1352
Mon Jun 19 2017 04:51:00.0000	1610	1404
Mon Jun 19 2017 04:52:00.0000	1611	1393
Mon Jun 19 2017 04:53:00.0000	1611	1431
Mon Jun 19 2017 04:54:00.0000	1609	1359
Mon Jun 19 2017 04:55:00.0000	1609	1327
Mon Jun 19 2017 04:56:00.0000	1610	1464
Mon Jun 19 2017 04:57:00.0000	1611	1417
Mon Jun 19 2017 04:58:00.0000	1609	1343
Mon Jun 19 2017 04:59:00.0000	1607	1359
Mon Jun 19 2017 05:00:00.0000	1607	1390
Mon Jun 19 2017 05:01:00.0000	1608	1391
Mon Jun 19 2017 05:02:00.0000	1607	1364
Mon Jun 19 2017 05:03:00.0000	1605	1369
Mon Jun 19 2017 05:04:00.0000	1604	1347
Mon Jun 19 2017 05:05:00.0000	1605	1349
Mon Jun 19 2017 05:06:00.0000	1605	1361

Date/Time	Process Temperature (°F)	Process Flow SCFM
Mon Jun 19 2017 05:07:00.0000	1604	1368
Mon Jun 19 2017 05:08:00.0000	1602	1379
Mon Jun 19 2017 05:09:00.0000	1606	1330
Mon Jun 19 2017 05:10:00.0000	1610	1337
Mon Jun 19 2017 05:11:00.0000	1612	1364
Mon Jun 19 2017 05:12:00.0000	1612	1373
Mon Jun 19 2017 05:13:00.0000	1613	1349
Mon Jun 19 2017 05:14:00.0000	1615	1329
Mon Jun 19 2017 05:15:00.0000	1619	1360
Mon Jun 19 2017 05:16:00.0000	1618	1373
Mon Jun 19 2017 05:17:00.0000	1617	1338
Mon Jun 19 2017 05:18:00.0000	1620	1354
Mon Jun 19 2017 05:19:00.0000	1621	1349
Mon Jun 19 2017 05:20:00.0000	1623	1374
Mon Jun 19 2017 05:21:00.0000	1621	1388
Mon Jun 19 2017 05:22:00.0000	1621	1350
Mon Jun 19 2017 05:23:00.0000	1623	1370
Mon Jun 19 2017 05:24:00.0000	1626	1354
Mon Jun 19 2017 05:25:00.0000	1624	1335
Mon Jun 19 2017 05:26:00.0000	1623	1372
Mon Jun 19 2017 05:27:00.0000	1625	1349
Mon Jun 19 2017 05:28:00.0000	1627	1306
Mon Jun 19 2017 05:29:00.0000	1628	1383
Mon Jun 19 2017 05:30:00.0000	1626	1392
Mon Jun 19 2017 05:31:00.0000	1626	1342
Mon Jun 19 2017 05:32:00.0000	1627	1375
Mon Jun 19 2017 05:33:00.0000	1630	1363
Mon Jun 19 2017 05:34:00.0000	1629	1343
Mon Jun 19 2017 05:35:00.0000	1627	1351
Mon Jun 19 2017 05:36:00.0000	1629	1336
Mon Jun 19 2017 05:37:00.0000	1631	1337
Mon Jun 19 2017 05:38:00.0000	1631	1357
Mon Jun 19 2017 05:39:00.0000	1629	1360
Mon Jun 19 2017 05:40:00.0000	1629	1353
Mon Jun 19 2017 05:41:00.0000	1631	1365
Mon Jun 19 2017 05:42:00.0000	1631	1350
Mon Jun 19 2017 05:43:00.0000	1624	1364
Mon Jun 19 2017 05:44:00.0000	1620	1377
Mon Jun 19 2017 05:45:00.0000	1618	1342
Mon Jun 19 2017 05:46:00.0000	1617	1372
Mon Jun 19 2017 05:47:00.0000	1614	1330
Mon Jun 19 2017 05:48:00.0000	1611	1335
Mon Jun 19 2017 05:49:00.0000	1610	1376
Mon Jun 19 2017 05:50:00.0000	1610	1373
Mon Jun 19 2017 05:51:00.0000	1609	1346
Mon Jun 19 2017 05:52:00.0000	1606	1367
Mon Jun 19 2017 05:53:00.0000	1605	1368
Mon Jun 19 2017 05:54:00.0000	1605	1362
Mon Jun 19 2017 05:55:00.0000	1605	1325
Mon Jun 19 2017 05:56:00.0000	1603	1350
Mon Jun 19 2017 05:57:00.0000	1601	1341
Mon Jun 19 2017 05:58:00.0000	1607	1360
Mon Jun 19 2017 05:59:00.0000	1611	1374
Mon Jun 19 2017 06:00:00.0000	1616	1372
Mon Jun 19 2017 06:01:00.0000	1615	1348
Mon Jun 19 2017 06:02:00.0000	1616	1373
Mon Jun 19 2017 06:03:00.0000	1618	1360

Date/Time	Process Temperature (°F)	Process Flow SCFM
Mon Jun 19 2017 06:04:00.0000	1622	1379
Mon Jun 19 2017 06:05:00.0000	1622	1370
Mon Jun 19 2017 06:06:00.0000	1621	1347
Mon Jun 19 2017 06:07:00.0000	1623	1321
Mon Jun 19 2017 06:08:00.0000	1624	1338
Mon Jun 19 2017 06:09:00.0000	1626	1362
Mon Jun 19 2017 06:10:00.0000	1624	1364
Mon Jun 19 2017 06:11:00.0000	1624	1366
Mon Jun 19 2017 06:12:00.0000	1626	1387
Mon Jun 19 2017 06:13:00.0000	1629	1362
Mon Jun 19 2017 06:14:00.0000	1628	1368
Mon Jun 19 2017 06:15:00.0000	1626	1376
Mon Jun 19 2017 06:16:00.0000	1628	1333
Mon Jun 19 2017 06:17:00.0000	1630	1381
Mon Jun 19 2017 06:18:00.0000	1631	1359
Mon Jun 19 2017 06:19:00.0000	1628	1378
Mon Jun 19 2017 06:20:00.0000	1630	1355
Mon Jun 19 2017 06:21:00.0000	1630	1343
Mon Jun 19 2017 06:22:00.0000	1632	1376
Mon Jun 19 2017 06:23:00.0000	1625	1344
Mon Jun 19 2017 06:24:00.0000	1621	1363
Mon Jun 19 2017 06:25:00.0000	1619	1340
Mon Jun 19 2017 06:26:00.0000	1617	1349
Mon Jun 19 2017 06:27:00.0000	1614	1344
Mon Jun 19 2017 06:28:00.0000	1612	1369
Mon Jun 19 2017 06:29:00.0000	1611	1341
Mon Jun 19 2017 06:30:00.0000	1610	1365
Mon Jun 19 2017 06:31:00.0000	1609	1382
Mon Jun 19 2017 06:32:00.0000	1606	1340
Mon Jun 19 2017 06:33:00.0000	1605	1384
Mon Jun 19 2017 06:34:00.0000	1605	1325
Mon Jun 19 2017 06:35:00.0000	1604	1313
Mon Jun 19 2017 06:36:00.0000	1603	1348
Mon Jun 19 2017 06:37:00.0000	1602	1359
Mon Jun 19 2017 06:38:00.0000	1607	1357
Mon Jun 19 2017 06:39:00.0000	1611	1353
Mon Jun 19 2017 06:40:00.0000	1616	1356
Mon Jun 19 2017 06:41:00.0000	1616	1349
Mon Jun 19 2017 06:42:00.0000	1617	1354
Mon Jun 19 2017 06:43:00.0000	1620	1325
Mon Jun 19 2017 06:44:00.0000	1624	1353
Mon Jun 19 2017 06:45:00.0000	1624	1368
Mon Jun 19 2017 06:46:00.0000	1622	1357
Mon Jun 19 2017 06:47:00.0000	1625	1360
Mon Jun 19 2017 06:48:00.0000	1627	1338
Mon Jun 19 2017 06:49:00.0000	1629	1345
Mon Jun 19 2017 06:50:00.0000	1627	1363
Mon Jun 19 2017 06:51:00.0000	1627	1352
Mon Jun 19 2017 06:52:00.0000	1629	1372
Mon Jun 19 2017 06:53:00.0000	1632	1349
Mon Jun 19 2017 06:54:00.0000	1632	1536
Mon Jun 19 2017 06:55:00.0000	1629	1395
Mon Jun 19 2017 06:56:00.0000	1631	1365
Mon Jun 19 2017 06:57:00.0000	1633	1445
Mon Jun 19 2017 06:58:00.0000	1631	1437
Mon Jun 19 2017 06:59:00.0000	1622	1327
Mon Jun 19 2017 07:00:00.0000	1617	1455

Date/Time	Process Temperature (°F)	Process Flow SCFM
Mon Jun 19 2017 07:01:00.0000	1613	1353
Mon Jun 19 2017 07:02:00.0000	1609	1381
Mon Jun 19 2017 07:03:00.0000	1606	1361
Mon Jun 19 2017 07:04:00.0000	1603	1439
Mon Jun 19 2017 07:05:00.0000	1602	1336
Mon Jun 19 2017 07:06:00.0000	1602	1380
Mon Jun 19 2017 07:07:00.0000	1604	1464
Mon Jun 19 2017 07:08:00.0000	1604	1417
Mon Jun 19 2017 07:09:00.0000	1605	1386
Mon Jun 19 2017 07:10:00.0000	1607	1418
Mon Jun 19 2017 07:11:00.0000	1608	1348
Mon Jun 19 2017 07:12:00.0000	1607	1407
Mon Jun 19 2017 07:13:00.0000	1606	1418
Mon Jun 19 2017 07:14:00.0000	1608	1380
Mon Jun 19 2017 07:15:00.0000	1609	1455
Mon Jun 19 2017 07:16:00.0000	1608	1418
Mon Jun 19 2017 07:17:00.0000	1606	1394
Mon Jun 19 2017 07:18:00.0000	1607	1508
Mon Jun 19 2017 07:19:00.0000	1609	1375
Mon Jun 19 2017 07:20:00.0000	1609	1373
Mon Jun 19 2017 07:21:00.0000	1607	1395
Mon Jun 19 2017 07:22:00.0000	1606	1458
Mon Jun 19 2017 07:23:00.0000	1607	1377
Mon Jun 19 2017 07:24:00.0000	1607	1399
Mon Jun 19 2017 07:25:00.0000	1605	1400
Mon Jun 19 2017 07:26:00.0000	1604	1389
Mon Jun 19 2017 07:27:00.0000	1604	1416
Mon Jun 19 2017 07:28:00.0000	1605	1411
Mon Jun 19 2017 07:29:00.0000	1604	1419
Mon Jun 19 2017 07:30:00.0000	1602	1406
Mon Jun 19 2017 07:31:00.0000	1603	1406
Mon Jun 19 2017 07:32:00.0000	1603	1377
Mon Jun 19 2017 07:33:00.0000	1603	1349
Mon Jun 19 2017 07:34:00.0000	1602	1481
Mon Jun 19 2017 07:35:00.0000	1604	1345
Mon Jun 19 2017 07:36:00.0000	1609	1458
Mon Jun 19 2017 07:37:00.0000	1614	1343
Mon Jun 19 2017 07:38:00.0000	1615	1398
Mon Jun 19 2017 07:39:00.0000	1614	1374
Mon Jun 19 2017 07:40:00.0000	1617	1385
Mon Jun 19 2017 07:41:00.0000	1620	1394
Mon Jun 19 2017 07:42:00.0000	1622	1454
Mon Jun 19 2017 07:43:00.0000	1621	1390
Mon Jun 19 2017 07:44:00.0000	1621	1375
Mon Jun 19 2017 07:45:00.0000	1624	1464
Mon Jun 19 2017 07:46:00.0000	1626	1383
Mon Jun 19 2017 07:47:00.0000	1626	1423
Mon Jun 19 2017 07:48:00.0000	1625	1533
Mon Jun 19 2017 07:49:00.0000	1627	1397
Mon Jun 19 2017 07:50:00.0000	1628	1430
Mon Jun 19 2017 07:51:00.0000	1630	1427
Mon Jun 19 2017 07:52:00.0000	1629	1403
Mon Jun 19 2017 07:53:00.0000	1628	1405
Mon Jun 19 2017 07:54:00.0000	1630	1386
Mon Jun 19 2017 07:55:00.0000	1633	1391
Mon Jun 19 2017 07:56:00.0000	1627	1421
Mon Jun 19 2017 07:57:00.0000	1622	1377

Date/Time	Process Temperature (°F)	Process Flow SCFM
Mon Jun 19 2017 07:58:00.0000	1619	1366
Mon Jun 19 2017 07:59:00.0000	1617	1379
Mon Jun 19 2017 08:00:00.0000	1615	1414
Mon Jun 19 2017 08:01:00.0000	1612	1388
Mon Jun 19 2017 08:02:00.0000	1610	1335
Mon Jun 19 2017 08:03:00.0000	1610	1375
Mon Jun 19 2017 08:04:00.0000	1609	1402
Mon Jun 19 2017 08:05:00.0000	1607	1383
Mon Jun 19 2017 08:06:00.0000	1604	1374
Mon Jun 19 2017 08:07:00.0000	1604	1345
Mon Jun 19 2017 08:08:00.0000	1604	1377
Mon Jun 19 2017 08:09:00.0000	1604	1393
Mon Jun 19 2017 08:10:00.0000	1601	1385
Mon Jun 19 2017 08:11:00.0000	1608	1374
Mon Jun 19 2017 08:12:00.0000	1614	1386
Mon Jun 19 2017 08:13:00.0000	1623	1427
Mon Jun 19 2017 08:14:00.0000	1626	1450
Mon Jun 19 2017 08:15:00.0000	1626	1401
Mon Jun 19 2017 08:16:00.0000	1631	1424
Mon Jun 19 2017 08:17:00.0000	1634	1386
Mon Jun 19 2017 08:18:00.0000	1623	1437
Mon Jun 19 2017 08:19:00.0000	1615	1468
Mon Jun 19 2017 08:20:00.0000	1610	1508
Mon Jun 19 2017 08:21:00.0000	1605	1405
Mon Jun 19 2017 08:22:00.0000	1601	1484
Mon Jun 19 2017 08:23:00.0000	1603	1511
Mon Jun 19 2017 08:24:00.0000	1613	1391
Mon Jun 19 2017 08:25:00.0000	1620	1415
Mon Jun 19 2017 08:26:00.0000	1629	1393
Mon Jun 19 2017 08:27:00.0000	1632	1343
Mon Jun 19 2017 08:28:00.0000	1631	1419
Mon Jun 19 2017 08:29:00.0000	1634	1351
Mon Jun 19 2017 08:30:00.0000	1627	1312
Mon Jun 19 2017 08:31:00.0000	1622	1441
Mon Jun 19 2017 08:32:00.0000	1617	1387
Mon Jun 19 2017 08:33:00.0000	1615	1568
Mon Jun 19 2017 08:34:00.0000	1613	1389
Mon Jun 19 2017 08:35:00.0000	1611	1412
Mon Jun 19 2017 08:36:00.0000	1609	1382
Mon Jun 19 2017 08:37:00.0000	1607	1441
Mon Jun 19 2017 08:38:00.0000	1606	1412
Mon Jun 19 2017 08:39:00.0000	1604	1406
Mon Jun 19 2017 08:40:00.0000	1602	1420
Mon Jun 19 2017 08:41:00.0000	1603	1360
Mon Jun 19 2017 08:42:00.0000	1611	1387
Mon Jun 19 2017 08:43:00.0000	1617	1418
Mon Jun 19 2017 08:44:00.0000	1622	1407
Mon Jun 19 2017 08:45:00.0000	1622	1401
Mon Jun 19 2017 08:46:00.0000	1624	1405
Mon Jun 19 2017 08:47:00.0000	1627	1384
Mon Jun 19 2017 08:48:00.0000	1632	1384
Mon Jun 19 2017 08:49:00.0000	1632	1411
Mon Jun 19 2017 08:50:00.0000	1630	1410
Mon Jun 19 2017 08:51:00.0000	1633	1419
Mon Jun 19 2017 08:52:00.0000	1629	1430
Mon Jun 19 2017 08:53:00.0000	1626	1406
Mon Jun 19 2017 08:54:00.0000	1622	1434

Date/Time	Process Temperature (°F)	Process Flow SCFM
Mon Jun 19 2017 08:55:00.0000	1620	1398
Mon Jun 19 2017 08:56:00.0000	1619	1470
Mon Jun 19 2017 08:57:00.0000	1619	1432
Mon Jun 19 2017 08:58:00.0000	1616	1514
Mon Jun 19 2017 08:59:00.0000	1614	1442
Mon Jun 19 2017 09:00:00.0000	1615	1396
Mon Jun 19 2017 09:01:00.0000	1615	1428
Mon Jun 19 2017 09:02:00.0000	1614	1417
Mon Jun 19 2017 09:03:00.0000	1611	1406
Mon Jun 19 2017 09:04:00.0000	1612	1389
Mon Jun 19 2017 09:05:00.0000	1612	1385
Mon Jun 19 2017 09:06:00.0000	1612	1413
Mon Jun 19 2017 09:07:00.0000	1610	1416
Mon Jun 19 2017 09:08:00.0000	1609	1414
Mon Jun 19 2017 09:09:00.0000	1610	1409
Mon Jun 19 2017 09:10:00.0000	1610	1375
Mon Jun 19 2017 09:11:00.0000	1609	1550
Mon Jun 19 2017 09:12:00.0000	1607	1529
Mon Jun 19 2017 09:13:00.0000	1608	1462
Mon Jun 19 2017 09:14:00.0000	1608	1494
Mon Jun 19 2017 09:15:00.0000	1608	1387
Mon Jun 19 2017 09:16:00.0000	1606	1448
Mon Jun 19 2017 09:17:00.0000	1606	1404
Mon Jun 19 2017 09:18:00.0000	1607	1419
Mon Jun 19 2017 09:19:00.0000	1607	1419
Mon Jun 19 2017 09:20:00.0000	1606	1431
Mon Jun 19 2017 09:21:00.0000	1604	1418
Mon Jun 19 2017 09:22:00.0000	1606	1418
Mon Jun 19 2017 09:23:00.0000	1606	1518
Mon Jun 19 2017 09:24:00.0000	1606	1517
Mon Jun 19 2017 09:25:00.0000	1604	1462
Mon Jun 19 2017 09:26:00.0000	1604	1426
Mon Jun 19 2017 09:27:00.0000	1605	1382
Mon Jun 19 2017 09:28:00.0000	1606	1478
Mon Jun 19 2017 09:29:00.0000	1604	1452
Mon Jun 19 2017 09:30:00.0000	1603	1426
Mon Jun 19 2017 09:31:00.0000	1604	1464
Mon Jun 19 2017 09:32:00.0000	1605	1405
Mon Jun 19 2017 09:33:00.0000	1605	1451
Mon Jun 19 2017 09:34:00.0000	1603	1447
Mon Jun 19 2017 09:35:00.0000	1603	1402
Mon Jun 19 2017 09:36:00.0000	1604	1406
Mon Jun 19 2017 09:37:00.0000	1605	1385
Mon Jun 19 2017 09:38:00.0000	1603	1390
Mon Jun 19 2017 09:39:00.0000	1603	1408
Mon Jun 19 2017 09:40:00.0000	1611	1414
Mon Jun 19 2017 09:41:00.0000	1616	1455
Mon Jun 19 2017 09:42:00.0000	1621	1409
Mon Jun 19 2017 09:43:00.0000	1621	1437
Mon Jun 19 2017 09:44:00.0000	1622	1405
Mon Jun 19 2017 09:45:00.0000	1625	1407
Mon Jun 19 2017 09:46:00.0000	1631	1415
Mon Jun 19 2017 09:47:00.0000	1631	1438
Mon Jun 19 2017 09:48:00.0000	1629	1419
Mon Jun 19 2017 09:49:00.0000	1632	1435
Mon Jun 19 2017 09:50:00.0000	1635	1444
Mon Jun 19 2017 09:51:00.0000	1629	1425

Date/Time	Process Temperature (°F)	Process Flow SCFM
Mon Jun 19 2017 09:52:00.0000	1622	1460
Mon Jun 19 2017 09:53:00.0000	1618	1381
Mon Jun 19 2017 09:54:00.0000	1615	1409
Mon Jun 19 2017 09:55:00.0000	1612	1416
Mon Jun 19 2017 09:56:00.0000	1609	1415
Mon Jun 19 2017 09:57:00.0000	1606	1395
Mon Jun 19 2017 09:58:00.0000	1605	1428
Mon Jun 19 2017 09:59:00.0000	1604	1419
Mon Jun 19 2017 10:00:00.0000	1602	1415
Mon Jun 19 2017 10:01:00.0000	1602	1411
Mon Jun 19 2017 10:02:00.0000	1611	1428
Mon Jun 19 2017 10:03:00.0000	1616	1430
Mon Jun 19 2017 10:04:00.0000	1623	1553
Mon Jun 19 2017 10:05:00.0000	1624	1428
Mon Jun 19 2017 10:06:00.0000	1625	1411
Mon Jun 19 2017 10:07:00.0000	1628	1437
Mon Jun 19 2017 10:08:00.0000	1633	1552
Mon Jun 19 2017 10:09:00.0000	1628	1551
Mon Jun 19 2017 10:10:00.0000	1621	1466
Mon Jun 19 2017 10:11:00.0000	1617	1417
Mon Jun 19 2017 10:12:00.0000	1614	1375
Mon Jun 19 2017 10:13:00.0000	1611	1431
Mon Jun 19 2017 10:14:00.0000	1608	1416
Mon Jun 19 2017 10:15:00.0000	1606	1555
Mon Jun 19 2017 10:16:00.0000	1605	1514
Mon Jun 19 2017 10:17:00.0000	1604	1455
Mon Jun 19 2017 10:18:00.0000	1602	1437
Mon Jun 19 2017 10:19:00.0000	1605	1431
Mon Jun 19 2017 10:20:00.0000	1614	1417
Mon Jun 19 2017 10:21:00.0000	1619	1518
Mon Jun 19 2017 10:22:00.0000	1625	1435
Mon Jun 19 2017 10:23:00.0000	1625	1450
Mon Jun 19 2017 10:24:00.0000	1626	1519
Mon Jun 19 2017 10:25:00.0000	1629	1471
Mon Jun 19 2017 10:26:00.0000	1633	1518
Mon Jun 19 2017 10:27:00.0000	1624	1428
Mon Jun 19 2017 10:28:00.0000	1619	1484
Mon Jun 19 2017 10:29:00.0000	1616	1554
Mon Jun 19 2017 10:30:00.0000	1614	1412
Mon Jun 19 2017 10:31:00.0000	1611	1460
Mon Jun 19 2017 10:32:00.0000	1608	1448
Mon Jun 19 2017 10:33:00.0000	1607	1469
Mon Jun 19 2017 10:34:00.0000	1606	1535
Mon Jun 19 2017 10:35:00.0000	1605	1489
Mon Jun 19 2017 10:36:00.0000	1603	1489
Mon Jun 19 2017 10:37:00.0000	1603	1449
Mon Jun 19 2017 10:38:00.0000	1611	1436
Mon Jun 19 2017 10:39:00.0000	1618	1494
Mon Jun 19 2017 10:40:00.0000	1623	1554
Mon Jun 19 2017 10:41:00.0000	1623	1443
Mon Jun 19 2017 10:42:00.0000	1626	1428
Mon Jun 19 2017 10:43:00.0000	1628	1438
Mon Jun 19 2017 10:44:00.0000	1632	1397
Mon Jun 19 2017 10:45:00.0000	1625	1488
Mon Jun 19 2017 10:46:00.0000	1622	1442
Mon Jun 19 2017 10:47:00.0000	1621	1501
Mon Jun 19 2017 10:48:00.0000	1620	1480

Date/Time	Process Temperature (°F)	Process Flow SCFM
Mon Jun 19 2017 10:49:00.0000	1619	1474
Mon Jun 19 2017 10:50:00.0000	1617	1494
Mon Jun 19 2017 10:51:00.0000	1617	1538
Mon Jun 19 2017 10:52:00.0000	1617	1490
Mon Jun 19 2017 10:53:00.0000	1617	1562
Mon Jun 19 2017 10:54:00.0000	1615	1477
Mon Jun 19 2017 10:55:00.0000	1614	1411
Mon Jun 19 2017 10:56:00.0000	1615	1474
Mon Jun 19 2017 10:57:00.0000	1615	1424
Mon Jun 19 2017 10:58:00.0000	1614	1474
Mon Jun 19 2017 10:59:00.0000	1612	1493
Mon Jun 19 2017 11:00:00.0000	1613	1433
Mon Jun 19 2017 11:01:00.0000	1613	1468
Mon Jun 19 2017 11:02:00.0000	1613	1488
Mon Jun 19 2017 11:03:00.0000	1612	1363
Mon Jun 19 2017 11:04:00.0000	1611	1495
Mon Jun 19 2017 11:05:00.0000	1612	1477
Mon Jun 19 2017 11:06:00.0000	1613	1423
Mon Jun 19 2017 11:07:00.0000	1612	1422
Mon Jun 19 2017 11:08:00.0000	1610	1467
Mon Jun 19 2017 11:09:00.0000	1611	1452
Mon Jun 19 2017 11:10:00.0000	1611	1480
Mon Jun 19 2017 11:11:00.0000	1612	1544
Mon Jun 19 2017 11:12:00.0000	1610	1322
Mon Jun 19 2017 11:13:00.0000	1609	1464
Mon Jun 19 2017 11:14:00.0000	1611	1451
Mon Jun 19 2017 11:15:00.0000	1611	1481
Mon Jun 19 2017 11:16:00.0000	1610	1465
Mon Jun 19 2017 11:17:00.0000	1608	1461
Mon Jun 19 2017 11:18:00.0000	1610	1563
Mon Jun 19 2017 11:19:00.0000	1610	1463
Mon Jun 19 2017 11:20:00.0000	1611	1485
Mon Jun 19 2017 11:21:00.0000	1609	1474
Mon Jun 19 2017 11:22:00.0000	1608	1490
Mon Jun 19 2017 11:23:00.0000	1610	1500
Mon Jun 19 2017 11:24:00.0000	1610	1446
Mon Jun 19 2017 11:25:00.0000	1609	1426
Mon Jun 19 2017 11:26:00.0000	1607	1468
Mon Jun 19 2017 11:27:00.0000	1609	1448
Mon Jun 19 2017 11:28:00.0000	1609	1442
Mon Jun 19 2017 11:29:00.0000	1610	1487
Mon Jun 19 2017 11:30:00.0000	1608	1437
Mon Jun 19 2017 11:31:00.0000	1608	1506
Mon Jun 19 2017 11:32:00.0000	1609	1437
Mon Jun 19 2017 11:33:00.0000	1610	1515
Mon Jun 19 2017 11:34:00.0000	1608	1474
Mon Jun 19 2017 11:35:00.0000	1607	1445
Mon Jun 19 2017 11:36:00.0000	1608	1507
Mon Jun 19 2017 11:37:00.0000	1609	1463
Mon Jun 19 2017 11:38:00.0000	1609	1481
Mon Jun 19 2017 11:39:00.0000	1607	1488
Mon Jun 19 2017 11:40:00.0000	1607	1427
Mon Jun 19 2017 11:41:00.0000	1608	1408
Mon Jun 19 2017 11:42:00.0000	1609	1488
Mon Jun 19 2017 11:43:00.0000	1607	1494
Mon Jun 19 2017 11:44:00.0000	1606	1430
Mon Jun 19 2017 11:45:00.0000	1608	1469

Date/Time	Process Temperature (°F)	Process Flow SCFM
Mon Jun 19 2017 11:46:00.0000	1609	1457
Mon Jun 19 2017 11:47:00.0000	1608	1477
Mon Jun 19 2017 11:48:00.0000	1606	1470
Mon Jun 19 2017 11:49:00.0000	1608	1492
Mon Jun 19 2017 11:50:00.0000	1608	1445
Mon Jun 19 2017 11:51:00.0000	1609	1473
Mon Jun 19 2017 11:52:00.0000	1607	1437
Mon Jun 19 2017 11:53:00.0000	1607	1472
Mon Jun 19 2017 11:54:00.0000	1608	1462
Mon Jun 19 2017 11:55:00.0000	1609	1458
Mon Jun 19 2017 11:56:00.0000	1607	1475
Mon Jun 19 2017 11:57:00.0000	1606	1481
Mon Jun 19 2017 11:58:00.0000	1607	1435
Mon Jun 19 2017 11:59:00.0000	1608	1431
Mon Jun 19 2017 12:00:00.0000	1607	1443
Mon Jun 19 2017 12:01:00.0000	1605	1460
Mon Jun 19 2017 12:02:00.0000	1607	1479
Mon Jun 19 2017 12:03:00.0000	1607	1512
Mon Jun 19 2017 12:04:00.0000	1608	1461
Mon Jun 19 2017 12:05:00.0000	1606	1470
Mon Jun 19 2017 12:06:00.0000	1606	1460
Mon Jun 19 2017 12:07:00.0000	1607	1456
Mon Jun 19 2017 12:08:00.0000	1608	1446
Mon Jun 19 2017 12:09:00.0000	1607	1456
Mon Jun 19 2017 12:10:00.0000	1605	1476
Mon Jun 19 2017 12:11:00.0000	1607	1514
Mon Jun 19 2017 12:12:00.0000	1608	1459
Mon Jun 19 2017 12:13:00.0000	1607	1440
Mon Jun 19 2017 12:14:00.0000	1606	1495
Mon Jun 19 2017 12:15:00.0000	1606	1422
Mon Jun 19 2017 12:16:00.0000	1607	1396
Mon Jun 19 2017 12:17:00.0000	1608	1469
Mon Jun 19 2017 12:18:00.0000	1606	1467
Mon Jun 19 2017 12:19:00.0000	1605	1475
Mon Jun 19 2017 12:20:00.0000	1607	1418
Mon Jun 19 2017 12:21:00.0000	1608	1466
Mon Jun 19 2017 12:22:00.0000	1607	1462
Mon Jun 19 2017 12:23:00.0000	1605	1496
Mon Jun 19 2017 12:24:00.0000	1607	1437
Mon Jun 19 2017 12:25:00.0000	1607	1452
Mon Jun 19 2017 12:26:00.0000	1607	1451
Mon Jun 19 2017 12:27:00.0000	1605	1451
Mon Jun 19 2017 12:28:00.0000	1606	1455
Mon Jun 19 2017 12:29:00.0000	1607	1433
Mon Jun 19 2017 12:30:00.0000	1608	1416
Mon Jun 19 2017 12:31:00.0000	1606	1485
Mon Jun 19 2017 12:32:00.0000	1605	1442
Mon Jun 19 2017 12:33:00.0000	1607	1474
Mon Jun 19 2017 12:34:00.0000	1608	1418
Mon Jun 19 2017 12:35:00.0000	1607	1453
Mon Jun 19 2017 12:36:00.0000	1605	1445
Mon Jun 19 2017 12:37:00.0000	1606	1483
Mon Jun 19 2017 12:38:00.0000	1607	1445
Mon Jun 19 2017 12:39:00.0000	1607	1479
Mon Jun 19 2017 12:40:00.0000	1606	1471
Mon Jun 19 2017 12:41:00.0000	1605	1446
Mon Jun 19 2017 12:42:00.0000	1607	1387

Date/Time	Process Temperature (°F)	Process Flow SCFM
Mon Jun 19 2017 12:43:00.0000	1607	1439
Mon Jun 19 2017 12:44:00.0000	1607	1410
Mon Jun 19 2017 12:45:00.0000	1605	1476
Mon Jun 19 2017 12:46:00.0000	1606	1454
Mon Jun 19 2017 12:47:00.0000	1607	1505
Mon Jun 19 2017 12:48:00.0000	1608	1516
Mon Jun 19 2017 12:49:00.0000	1606	1446
Mon Jun 19 2017 12:50:00.0000	1606	1494
Mon Jun 19 2017 12:51:00.0000	1607	1538
Mon Jun 19 2017 12:52:00.0000	1607	1453
Mon Jun 19 2017 12:53:00.0000	1607	1531
Mon Jun 19 2017 12:54:00.0000	1605	1462
Mon Jun 19 2017 12:55:00.0000	1606	1485
Mon Jun 19 2017 12:56:00.0000	1607	1476
Mon Jun 19 2017 12:57:00.0000	1607	1462
Mon Jun 19 2017 12:58:00.0000	1606	1553
Mon Jun 19 2017 12:59:00.0000	1606	1461
Mon Jun 19 2017 13:00:00.0000	1607	1434
Mon Jun 19 2017 13:01:00.0000	1608	1554
Mon Jun 19 2017 13:02:00.0000	1606	1473
Mon Jun 19 2017 13:03:00.0000	1605	1600
Mon Jun 19 2017 13:04:00.0000	1607	1514
Mon Jun 19 2017 13:05:00.0000	1607	1495
Mon Jun 19 2017 13:06:00.0000	1607	1449
Mon Jun 19 2017 13:07:00.0000	1606	1501
Mon Jun 19 2017 13:08:00.0000	1606	1442
Mon Jun 19 2017 13:09:00.0000	1607	1493
Mon Jun 19 2017 13:10:00.0000	1608	1480
Mon Jun 19 2017 13:11:00.0000	1606	1601
Mon Jun 19 2017 13:12:00.0000	1605	1480
Mon Jun 19 2017 13:13:00.0000	1607	1596
Mon Jun 19 2017 13:14:00.0000	1608	1446
Mon Jun 19 2017 13:15:00.0000	1607	1473
Mon Jun 19 2017 13:16:00.0000	1605	1447
Mon Jun 19 2017 13:17:00.0000	1606	1442
Mon Jun 19 2017 13:18:00.0000	1607	1473
Mon Jun 19 2017 13:19:00.0000	1608	1486
Mon Jun 19 2017 13:20:00.0000	1606	1481
Mon Jun 19 2017 13:21:00.0000	1606	1569
Mon Jun 19 2017 13:22:00.0000	1607	1482
Mon Jun 19 2017 13:23:00.0000	1607	1538
Mon Jun 19 2017 13:24:00.0000	1606	1523
Mon Jun 19 2017 13:25:00.0000	1604	1441
Mon Jun 19 2017 13:26:00.0000	1605	1535
Mon Jun 19 2017 13:27:00.0000	1606	1500
Mon Jun 19 2017 13:28:00.0000	1606	1467
Mon Jun 19 2017 13:29:00.0000	1604	1464
Mon Jun 19 2017 13:30:00.0000	1603	1443
Mon Jun 19 2017 13:31:00.0000	1605	1438
Mon Jun 19 2017 13:32:00.0000	1605	1525
Mon Jun 19 2017 13:33:00.0000	1604	1547
Mon Jun 19 2017 13:34:00.0000	1603	1445
Mon Jun 19 2017 13:35:00.0000	1605	1489
Mon Jun 19 2017 13:36:00.0000	1610	1525
Mon Jun 19 2017 13:37:00.0000	1614	1483
Mon Jun 19 2017 13:38:00.0000	1615	1444
Mon Jun 19 2017 13:39:00.0000	1616	1453

Date/Time	Process Temperature (°F)	Process Flow SCFM
Mon Jun 19 2017 13:40:00.0000	1619	1477
Mon Jun 19 2017 13:41:00.0000	1623	1478
Mon Jun 19 2017 13:42:00.0000	1622	1522
Mon Jun 19 2017 13:43:00.0000	1621	1527
Mon Jun 19 2017 13:44:00.0000	1624	1412
Mon Jun 19 2017 13:45:00.0000	1627	1467
Mon Jun 19 2017 13:46:00.0000	1627	1565
Mon Jun 19 2017 13:47:00.0000	1626	1455
Mon Jun 19 2017 13:48:00.0000	1628	1508
Mon Jun 19 2017 13:49:00.0000	1629	1531
Mon Jun 19 2017 13:50:00.0000	1631	1505
Mon Jun 19 2017 13:51:00.0000	1630	1495
Mon Jun 19 2017 13:52:00.0000	1629	1482
Mon Jun 19 2017 13:53:00.0000	1631	1463
Mon Jun 19 2017 13:54:00.0000	1633	1491
Mon Jun 19 2017 13:55:00.0000	1623	1507
Mon Jun 19 2017 13:56:00.0000	1618	1485
Mon Jun 19 2017 13:57:00.0000	1615	1567
Mon Jun 19 2017 13:58:00.0000	1611	1500
Mon Jun 19 2017 13:59:00.0000	1608	1462
Mon Jun 19 2017 14:00:00.0000	1605	1505
Mon Jun 19 2017 14:01:00.0000	1603	1512
Mon Jun 19 2017 14:02:00.0000	1602	1523
Mon Jun 19 2017 14:03:00.0000	1605	1536
Mon Jun 19 2017 14:04:00.0000	1606	1481
Mon Jun 19 2017 14:05:00.0000	1606	1467
Mon Jun 19 2017 14:06:00.0000	1610	1509
Mon Jun 19 2017 14:07:00.0000	1612	1497
Mon Jun 19 2017 14:08:00.0000	1613	1421
Mon Jun 19 2017 14:09:00.0000	1611	1516
Mon Jun 19 2017 14:10:00.0000	1612	1528
Mon Jun 19 2017 14:11:00.0000	1613	1496
Mon Jun 19 2017 14:12:00.0000	1614	1505
Mon Jun 19 2017 14:13:00.0000	1612	1474
Mon Jun 19 2017 14:14:00.0000	1611	1501
Mon Jun 19 2017 14:15:00.0000	1613	1514
Mon Jun 19 2017 14:16:00.0000	1614	1500
Mon Jun 19 2017 14:17:00.0000	1613	1487
Mon Jun 19 2017 14:18:00.0000	1611	1506
Mon Jun 19 2017 14:19:00.0000	1612	1485
Mon Jun 19 2017 14:20:00.0000	1613	1552
Mon Jun 19 2017 14:21:00.0000	1614	1483
Mon Jun 19 2017 14:22:00.0000	1612	1489
Mon Jun 19 2017 14:23:00.0000	1611	1508
Mon Jun 19 2017 14:24:00.0000	1613	1514
Mon Jun 19 2017 14:25:00.0000	1614	1479
Mon Jun 19 2017 14:26:00.0000	1613	1468
Mon Jun 19 2017 14:27:00.0000	1611	1518
Mon Jun 19 2017 14:28:00.0000	1612	1483
Mon Jun 19 2017 14:29:00.0000	1614	1492
Mon Jun 19 2017 14:30:00.0000	1614	1514
Mon Jun 19 2017 14:31:00.0000	1612	1499
Mon Jun 19 2017 14:32:00.0000	1612	1491
Mon Jun 19 2017 14:33:00.0000	1613	1519
Mon Jun 19 2017 14:34:00.0000	1614	1519
Mon Jun 19 2017 14:35:00.0000	1613	1502
Mon Jun 19 2017 14:36:00.0000	1611	1462

Date/Time	Process Temperature (°F)	Process Flow SCFM
Mon Jun 19 2017 14:37:00.0000	1613	1504
Mon Jun 19 2017 14:38:00.0000	1614	1494
Mon Jun 19 2017 14:39:00.0000	1614	1500
Mon Jun 19 2017 14:40:00.0000	1611	1483
Mon Jun 19 2017 14:41:00.0000	1613	1500
Mon Jun 19 2017 14:42:00.0000	1613	1495
Mon Jun 19 2017 14:43:00.0000	1615	1474
Mon Jun 19 2017 14:44:00.0000	1613	1496
Mon Jun 19 2017 14:45:00.0000	1612	1491
Mon Jun 19 2017 14:46:00.0000	1613	1500
Mon Jun 19 2017 14:47:00.0000	1614	1538
Mon Jun 19 2017 14:48:00.0000	1614	1488
Mon Jun 19 2017 14:49:00.0000	1611	1523
Mon Jun 19 2017 14:50:00.0000	1613	1442
Mon Jun 19 2017 14:51:00.0000	1614	1484
Mon Jun 19 2017 14:52:00.0000	1615	1500
Mon Jun 19 2017 14:53:00.0000	1613	1525
Mon Jun 19 2017 14:54:00.0000	1612	1404
Mon Jun 19 2017 14:55:00.0000	1613	1457
Mon Jun 19 2017 14:56:00.0000	1615	1488
Mon Jun 19 2017 14:57:00.0000	1614	1487
Mon Jun 19 2017 14:58:00.0000	1612	1473
Mon Jun 19 2017 14:59:00.0000	1613	1463
Mon Jun 19 2017 15:00:00.0000	1614	1520
Mon Jun 19 2017 15:01:00.0000	1615	1464
Mon Jun 19 2017 15:02:00.0000	1613	1497
Mon Jun 19 2017 15:03:00.0000	1612	1483
Mon Jun 19 2017 15:04:00.0000	1613	1475
Mon Jun 19 2017 15:05:00.0000	1615	1528
Mon Jun 19 2017 15:06:00.0000	1614	1503
Mon Jun 19 2017 15:07:00.0000	1612	1484
Mon Jun 19 2017 15:08:00.0000	1613	1468
Mon Jun 19 2017 15:09:00.0000	1614	1612
Mon Jun 19 2017 15:10:00.0000	1615	1519
Mon Jun 19 2017 15:11:00.0000	1612	1476
Mon Jun 19 2017 15:12:00.0000	1612	1512
Mon Jun 19 2017 15:13:00.0000	1613	1525
Mon Jun 19 2017 15:14:00.0000	1615	1500
Mon Jun 19 2017 15:15:00.0000	1613	1498
Mon Jun 19 2017 15:16:00.0000	1612	1497
Mon Jun 19 2017 15:17:00.0000	1613	1546
Mon Jun 19 2017 15:18:00.0000	1614	1506
Mon Jun 19 2017 15:19:00.0000	1614	1490
Mon Jun 19 2017 15:20:00.0000	1612	1491
Mon Jun 19 2017 15:21:00.0000	1612	1463
Mon Jun 19 2017 15:22:00.0000	1614	1500
Mon Jun 19 2017 15:23:00.0000	1615	1442
Mon Jun 19 2017 15:24:00.0000	1613	1490
Mon Jun 19 2017 15:25:00.0000	1612	1451
Mon Jun 19 2017 15:26:00.0000	1614	1559
Mon Jun 19 2017 15:27:00.0000	1614	1499
Mon Jun 19 2017 15:28:00.0000	1614	1485
Mon Jun 19 2017 15:29:00.0000	1612	1492
Mon Jun 19 2017 15:30:00.0000	1613	1517
Mon Jun 19 2017 15:31:00.0000	1614	1478
Mon Jun 19 2017 15:32:00.0000	1615	1508
Mon Jun 19 2017 15:33:00.0000	1613	1483

Date/Time	Process Temperature (°F)	Process Flow SCFM
Mon Jun 19 2017 15:34:00.0000	1613	1464
Mon Jun 19 2017 15:35:00.0000	1614	1491
Mon Jun 19 2017 15:36:00.0000	1615	1469
Mon Jun 19 2017 15:37:00.0000	1614	1492
Mon Jun 19 2017 15:38:00.0000	1612	1481
Mon Jun 19 2017 15:39:00.0000	1614	1512
Mon Jun 19 2017 15:40:00.0000	1615	1468
Mon Jun 19 2017 15:41:00.0000	1615	1487
Mon Jun 19 2017 15:42:00.0000	1613	1502
Mon Jun 19 2017 15:43:00.0000	1613	1476
Mon Jun 19 2017 15:44:00.0000	1614	1493
Mon Jun 19 2017 15:45:00.0000	1615	1538
Mon Jun 19 2017 15:46:00.0000	1614	1490
Mon Jun 19 2017 15:47:00.0000	1612	1529
Mon Jun 19 2017 15:48:00.0000	1614	1563
Mon Jun 19 2017 15:49:00.0000	1615	1499
Mon Jun 19 2017 15:50:00.0000	1615	1480
Mon Jun 19 2017 15:51:00.0000	1613	1539
Mon Jun 19 2017 15:52:00.0000	1613	1475
Mon Jun 19 2017 15:53:00.0000	1614	1492
Mon Jun 19 2017 15:54:00.0000	1615	1518
Mon Jun 19 2017 15:55:00.0000	1614	1460
Mon Jun 19 2017 15:56:00.0000	1612	1480
Mon Jun 19 2017 15:57:00.0000	1614	1516
Mon Jun 19 2017 15:58:00.0000	1615	1429
Mon Jun 19 2017 15:59:00.0000	1615	1486
Mon Jun 19 2017 16:00:00.0000	1613	1525
Mon Jun 19 2017 16:01:00.0000	1613	1508
Mon Jun 19 2017 16:02:00.0000	1614	1508
Mon Jun 19 2017 16:03:00.0000	1615	1524
Mon Jun 19 2017 16:04:00.0000	1614	1496
Mon Jun 19 2017 16:05:00.0000	1612	1481
Mon Jun 19 2017 16:06:00.0000	1614	1481
Mon Jun 19 2017 16:07:00.0000	1615	1461
Mon Jun 19 2017 16:08:00.0000	1615	1494
Mon Jun 19 2017 16:09:00.0000	1613	1526
Mon Jun 19 2017 16:10:00.0000	1613	1503
Mon Jun 19 2017 16:11:00.0000	1614	1427
Mon Jun 19 2017 16:12:00.0000	1616	1446
Mon Jun 19 2017 16:13:00.0000	1614	1533
Mon Jun 19 2017 16:14:00.0000	1613	1445
Mon Jun 19 2017 16:15:00.0000	1614	1508
Mon Jun 19 2017 16:16:00.0000	1615	1531
Mon Jun 19 2017 16:17:00.0000	1615	1496
Mon Jun 19 2017 16:18:00.0000	1614	1471
Mon Jun 19 2017 16:19:00.0000	1614	1486
Mon Jun 19 2017 16:20:00.0000	1615	1470
Mon Jun 19 2017 16:21:00.0000	1616	1467
Mon Jun 19 2017 16:22:00.0000	1615	1497
Mon Jun 19 2017 16:23:00.0000	1613	1467
Mon Jun 19 2017 16:24:00.0000	1615	1494
Mon Jun 19 2017 16:25:00.0000	1615	1466
Mon Jun 19 2017 16:26:00.0000	1615	1434
Mon Jun 19 2017 16:27:00.0000	1614	1467
Mon Jun 19 2017 16:28:00.0000	1614	1499
Mon Jun 19 2017 16:29:00.0000	1615	1611
Mon Jun 19 2017 16:30:00.0000	1616	1499

Date/Time	Process Temperature (°F)	Process Flow SCFM
Mon Jun 19 2017 16:31:00.0000	1614	1496
Mon Jun 19 2017 16:32:00.0000	1613	1504
Mon Jun 19 2017 16:33:00.0000	1615	1504
Mon Jun 19 2017 16:34:00.0000	1616	1470
Mon Jun 19 2017 16:35:00.0000	1615	1499
Mon Jun 19 2017 16:36:00.0000	1613	1534
Mon Jun 19 2017 16:37:00.0000	1614	1501
Mon Jun 19 2017 16:38:00.0000	1615	1506
Mon Jun 19 2017 16:39:00.0000	1615	1506
Mon Jun 19 2017 16:40:00.0000	1614	1470
Mon Jun 19 2017 16:41:00.0000	1613	1494
Mon Jun 19 2017 16:42:00.0000	1614	1506
Mon Jun 19 2017 16:43:00.0000	1615	1472
Mon Jun 19 2017 16:44:00.0000	1615	1514
Mon Jun 19 2017 16:45:00.0000	1612	1502
Mon Jun 19 2017 16:46:00.0000	1613	1419
Mon Jun 19 2017 16:47:00.0000	1614	1491
Mon Jun 19 2017 16:48:00.0000	1615	1504
Mon Jun 19 2017 16:49:00.0000	1613	1501
Mon Jun 19 2017 16:50:00.0000	1613	1496
Mon Jun 19 2017 16:51:00.0000	1614	1454
Mon Jun 19 2017 16:52:00.0000	1614	1474
Mon Jun 19 2017 16:53:00.0000	1613	1469
Mon Jun 19 2017 16:54:00.0000	1612	1494
Mon Jun 19 2017 16:55:00.0000	1613	1507
Mon Jun 19 2017 16:56:00.0000	1614	1464
Mon Jun 19 2017 16:57:00.0000	1614	1479
Mon Jun 19 2017 16:58:00.0000	1612	1586
Mon Jun 19 2017 16:59:00.0000	1612	1531
Mon Jun 19 2017 17:00:00.0000	1613	1467
Mon Jun 19 2017 17:01:00.0000	1614	1502
Mon Jun 19 2017 17:02:00.0000	1612	1437
Mon Jun 19 2017 17:03:00.0000	1611	1541
Mon Jun 19 2017 17:04:00.0000	1613	1519
Mon Jun 19 2017 17:05:00.0000	1614	1525
Mon Jun 19 2017 17:06:00.0000	1613	1491
Mon Jun 19 2017 17:07:00.0000	1611	1528
Mon Jun 19 2017 17:08:00.0000	1613	1475
Mon Jun 19 2017 17:09:00.0000	1613	1503
Mon Jun 19 2017 17:10:00.0000	1613	1449
Mon Jun 19 2017 17:11:00.0000	1612	1493
Mon Jun 19 2017 17:12:00.0000	1611	1452
Mon Jun 19 2017 17:13:00.0000	1612	1480
Mon Jun 19 2017 17:14:00.0000	1613	1510
Mon Jun 19 2017 17:15:00.0000	1612	1429
Mon Jun 19 2017 17:16:00.0000	1610	1480
Mon Jun 19 2017 17:17:00.0000	1612	1441
Mon Jun 19 2017 17:18:00.0000	1612	1450
Mon Jun 19 2017 17:19:00.0000	1612	1500
Mon Jun 19 2017 17:20:00.0000	1610	1425
Mon Jun 19 2017 17:21:00.0000	1610	1487
Mon Jun 19 2017 17:22:00.0000	1612	1546
Mon Jun 19 2017 17:23:00.0000	1613	1432
Mon Jun 19 2017 17:24:00.0000	1611	1469
Mon Jun 19 2017 17:25:00.0000	1610	1517
Mon Jun 19 2017 17:26:00.0000	1611	1489
Mon Jun 19 2017 17:27:00.0000	1612	1409

Date/Time	Process Temperature (°F)	Process Flow SCFM
Mon Jun 19 2017 17:28:00.0000	1611	1479
Mon Jun 19 2017 17:29:00.0000	1610	1442
Mon Jun 19 2017 17:30:00.0000	1611	1548
Mon Jun 19 2017 17:31:00.0000	1611	1478
Mon Jun 19 2017 17:32:00.0000	1612	1429
Mon Jun 19 2017 17:33:00.0000	1610	1443
Mon Jun 19 2017 17:34:00.0000	1610	1439
Mon Jun 19 2017 17:35:00.0000	1611	1437
Mon Jun 19 2017 17:36:00.0000	1612	1507
Mon Jun 19 2017 17:37:00.0000	1610	1464
Mon Jun 19 2017 17:38:00.0000	1608	1444
Mon Jun 19 2017 17:39:00.0000	1610	1454
Mon Jun 19 2017 17:40:00.0000	1611	1457
Mon Jun 19 2017 17:41:00.0000	1611	1469
Mon Jun 19 2017 17:42:00.0000	1609	1461
Mon Jun 19 2017 17:43:00.0000	1609	1461
Mon Jun 19 2017 17:44:00.0000	1610	1437
Mon Jun 19 2017 17:45:00.0000	1611	1432
Mon Jun 19 2017 17:46:00.0000	1610	1482
Mon Jun 19 2017 17:47:00.0000	1608	1429
Mon Jun 19 2017 17:48:00.0000	1610	1423
Mon Jun 19 2017 17:49:00.0000	1610	1464
Mon Jun 19 2017 17:50:00.0000	1610	1491
Mon Jun 19 2017 17:51:00.0000	1608	1412
Mon Jun 19 2017 17:52:00.0000	1609	1470
Mon Jun 19 2017 17:53:00.0000	1609	1531
Mon Jun 19 2017 17:54:00.0000	1610	1491
Mon Jun 19 2017 17:55:00.0000	1608	1446
Mon Jun 19 2017 17:56:00.0000	1607	1495
Mon Jun 19 2017 17:57:00.0000	1609	1485
Mon Jun 19 2017 17:58:00.0000	1610	1428
Mon Jun 19 2017 17:59:00.0000	1609	1484
Mon Jun 19 2017 18:00:00.0000	1607	1468
Mon Jun 19 2017 18:01:00.0000	1608	1429
Mon Jun 19 2017 18:02:00.0000	1609	1436
Mon Jun 19 2017 18:03:00.0000	1609	1418
Mon Jun 19 2017 18:04:00.0000	1607	1460
Mon Jun 19 2017 18:05:00.0000	1607	1476
Mon Jun 19 2017 18:06:00.0000	1608	1469
Mon Jun 19 2017 18:07:00.0000	1609	1529
Mon Jun 19 2017 18:08:00.0000	1608	1476
Mon Jun 19 2017 18:09:00.0000	1606	1463
Mon Jun 19 2017 18:10:00.0000	1607	1442
Mon Jun 19 2017 18:11:00.0000	1608	1445
Mon Jun 19 2017 18:12:00.0000	1609	1523
Mon Jun 19 2017 18:13:00.0000	1607	1479
Mon Jun 19 2017 18:14:00.0000	1606	1456
Mon Jun 19 2017 18:15:00.0000	1608	1471
Mon Jun 19 2017 18:16:00.0000	1608	1495
Mon Jun 19 2017 18:17:00.0000	1607	1475
Mon Jun 19 2017 18:18:00.0000	1605	1450
Mon Jun 19 2017 18:19:00.0000	1607	1480
Mon Jun 19 2017 18:20:00.0000	1607	1554
Mon Jun 19 2017 18:21:00.0000	1608	1493
Mon Jun 19 2017 18:22:00.0000	1606	1452
Mon Jun 19 2017 18:23:00.0000	1606	1634
Mon Jun 19 2017 18:24:00.0000	1607	1518

Date/Time	Process Temperature (°F)	Process Flow SCFM
Mon Jun 19 2017 18:25:00.0000	1608	1445
Mon Jun 19 2017 18:26:00.0000	1607	1500
Mon Jun 19 2017 18:27:00.0000	1605	1459
Mon Jun 19 2017 18:28:00.0000	1607	1477
Mon Jun 19 2017 18:29:00.0000	1607	1417
Mon Jun 19 2017 18:30:00.0000	1607	1493
Mon Jun 19 2017 18:31:00.0000	1606	1477
Mon Jun 19 2017 18:32:00.0000	1606	1473
Mon Jun 19 2017 18:33:00.0000	1607	1491
Mon Jun 19 2017 18:34:00.0000	1607	1572
Mon Jun 19 2017 18:35:00.0000	1606	1482
Mon Jun 19 2017 18:36:00.0000	1605	1462
Mon Jun 19 2017 18:37:00.0000	1606	1431
Mon Jun 19 2017 18:38:00.0000	1607	1484
Mon Jun 19 2017 18:39:00.0000	1606	1544
Mon Jun 19 2017 18:40:00.0000	1605	1462
Mon Jun 19 2017 18:41:00.0000	1605	1419
Mon Jun 19 2017 18:42:00.0000	1606	1464
Mon Jun 19 2017 18:43:00.0000	1607	1506
Mon Jun 19 2017 18:44:00.0000	1605	1437
Mon Jun 19 2017 18:45:00.0000	1604	1500
Mon Jun 19 2017 18:46:00.0000	1605	1458
Mon Jun 19 2017 18:47:00.0000	1606	1420
Mon Jun 19 2017 18:48:00.0000	1606	1417
Mon Jun 19 2017 18:49:00.0000	1604	1436
Mon Jun 19 2017 18:50:00.0000	1604	1469
Mon Jun 19 2017 18:51:00.0000	1605	1398
Mon Jun 19 2017 18:52:00.0000	1606	1444
Mon Jun 19 2017 18:53:00.0000	1605	1461
Mon Jun 19 2017 18:54:00.0000	1603	1428
Mon Jun 19 2017 18:55:00.0000	1605	1426
Mon Jun 19 2017 18:56:00.0000	1605	1410
Mon Jun 19 2017 18:57:00.0000	1605	1445
Mon Jun 19 2017 18:58:00.0000	1603	1441
Mon Jun 19 2017 18:59:00.0000	1604	1459
Mon Jun 19 2017 19:00:00.0000	1609	1450
Mon Jun 19 2017 19:01:00.0000	1614	1446
Mon Jun 19 2017 19:02:00.0000	1615	1430
Mon Jun 19 2017 19:03:00.0000	1614	1438
Mon Jun 19 2017 19:04:00.0000	1618	1413
Mon Jun 19 2017 19:05:00.0000	1620	1423
Mon Jun 19 2017 19:06:00.0000	1622	1409
Mon Jun 19 2017 19:07:00.0000	1620	1518
Mon Jun 19 2017 19:08:00.0000	1621	1437
Mon Jun 19 2017 19:09:00.0000	1623	1437
Mon Jun 19 2017 19:10:00.0000	1626	1458
Mon Jun 19 2017 19:11:00.0000	1625	1425
Mon Jun 19 2017 19:12:00.0000	1623	1468
Mon Jun 19 2017 19:13:00.0000	1627	1453
Mon Jun 19 2017 19:14:00.0000	1629	1447
Mon Jun 19 2017 19:15:00.0000	1629	1415
Mon Jun 19 2017 19:16:00.0000	1627	1460
Mon Jun 19 2017 19:17:00.0000	1628	1431
Mon Jun 19 2017 19:18:00.0000	1630	1400
Mon Jun 19 2017 19:19:00.0000	1632	1488
Mon Jun 19 2017 19:20:00.0000	1631	1454
Mon Jun 19 2017 19:21:00.0000	1629	1438

Date/Time	Process Temperature (°F)	Process Flow SCFM
Mon Jun 19 2017 19:22:00.0000	1632	1398
Mon Jun 19 2017 19:23:00.0000	1633	1597
Mon Jun 19 2017 19:24:00.0000	1624	1442
Mon Jun 19 2017 19:25:00.0000	1618	1451
Mon Jun 19 2017 19:26:00.0000	1614	1396
Mon Jun 19 2017 19:27:00.0000	1610	1485
Mon Jun 19 2017 19:28:00.0000	1606	1508
Mon Jun 19 2017 19:29:00.0000	1603	1394
Mon Jun 19 2017 19:30:00.0000	1603	1406
Mon Jun 19 2017 19:31:00.0000	1608	1438
Mon Jun 19 2017 19:32:00.0000	1614	1367
Mon Jun 19 2017 19:33:00.0000	1616	1486
Mon Jun 19 2017 19:34:00.0000	1616	1411
Mon Jun 19 2017 19:35:00.0000	1619	1380
Mon Jun 19 2017 19:36:00.0000	1622	1412
Mon Jun 19 2017 19:37:00.0000	1624	1392
Mon Jun 19 2017 19:38:00.0000	1622	1406
Mon Jun 19 2017 19:39:00.0000	1623	1419
Mon Jun 19 2017 19:40:00.0000	1625	1424
Mon Jun 19 2017 19:41:00.0000	1628	1421
Mon Jun 19 2017 19:42:00.0000	1627	1438
Mon Jun 19 2017 19:43:00.0000	1625	1413
Mon Jun 19 2017 19:44:00.0000	1628	1404
Mon Jun 19 2017 19:45:00.0000	1629	1415
Mon Jun 19 2017 19:46:00.0000	1630	1435
Mon Jun 19 2017 19:47:00.0000	1628	1436
Mon Jun 19 2017 19:48:00.0000	1629	1423
Mon Jun 19 2017 19:49:00.0000	1630	1425
Mon Jun 19 2017 19:50:00.0000	1633	1443
Mon Jun 19 2017 19:51:00.0000	1631	1409
Mon Jun 19 2017 19:52:00.0000	1629	1475
Mon Jun 19 2017 19:53:00.0000	1632	1394
Mon Jun 19 2017 19:54:00.0000	1633	1426
Mon Jun 19 2017 19:55:00.0000	1628	1399
Mon Jun 19 2017 19:56:00.0000	1621	1412
Mon Jun 19 2017 19:57:00.0000	1618	1450
Mon Jun 19 2017 19:58:00.0000	1615	1396
Mon Jun 19 2017 19:59:00.0000	1611	1417
Mon Jun 19 2017 20:00:00.0000	1608	1420
Mon Jun 19 2017 20:01:00.0000	1606	1396
Mon Jun 19 2017 20:02:00.0000	1603	1487
Mon Jun 19 2017 20:03:00.0000	1601	1498
Mon Jun 19 2017 20:04:00.0000	1606	1420
Mon Jun 19 2017 20:05:00.0000	1608	1385
Mon Jun 19 2017 20:06:00.0000	1611	1506
Mon Jun 19 2017 20:07:00.0000	1616	1400
Mon Jun 19 2017 20:08:00.0000	1619	1458
Mon Jun 19 2017 20:09:00.0000	1619	1494
Mon Jun 19 2017 20:10:00.0000	1619	1382
Mon Jun 19 2017 20:11:00.0000	1622	1412
Mon Jun 19 2017 20:12:00.0000	1623	1467
Mon Jun 19 2017 20:13:00.0000	1624	1493
Mon Jun 19 2017 20:14:00.0000	1623	1471
Mon Jun 19 2017 20:15:00.0000	1624	1488
Mon Jun 19 2017 20:16:00.0000	1626	1436
Mon Jun 19 2017 20:17:00.0000	1628	1531
Mon Jun 19 2017 20:18:00.0000	1627	1398

Date/Time	Process Temperature (°F)	Process Flow SCFM
Mon Jun 19 2017 20:19:00.0000	1625	1431
Mon Jun 19 2017 20:20:00.0000	1628	1493
Mon Jun 19 2017 20:21:00.0000	1630	1429
Mon Jun 19 2017 20:22:00.0000	1629	1422
Mon Jun 19 2017 20:23:00.0000	1628	1374
Mon Jun 19 2017 20:24:00.0000	1629	1393
Mon Jun 19 2017 20:25:00.0000	1630	1409
Mon Jun 19 2017 20:26:00.0000	1632	1426
Mon Jun 19 2017 20:27:00.0000	1630	1405
Mon Jun 19 2017 20:28:00.0000	1629	1399
Mon Jun 19 2017 20:29:00.0000	1632	1387
Mon Jun 19 2017 20:30:00.0000	1633	1421
Mon Jun 19 2017 20:31:00.0000	1629	1417
Mon Jun 19 2017 20:32:00.0000	1625	1396
Mon Jun 19 2017 20:33:00.0000	1623	1418
Mon Jun 19 2017 20:34:00.0000	1622	1383
Mon Jun 19 2017 20:35:00.0000	1621	1392
Mon Jun 19 2017 20:36:00.0000	1618	1400
Mon Jun 19 2017 20:37:00.0000	1617	1396
Mon Jun 19 2017 20:38:00.0000	1617	1361
Mon Jun 19 2017 20:39:00.0000	1617	1389
Mon Jun 19 2017 20:40:00.0000	1615	1426
Mon Jun 19 2017 20:41:00.0000	1613	1425
Mon Jun 19 2017 20:42:00.0000	1613	1373
Mon Jun 19 2017 20:43:00.0000	1613	1409
Mon Jun 19 2017 20:44:00.0000	1612	1377
Mon Jun 19 2017 20:45:00.0000	1611	1400
Mon Jun 19 2017 20:46:00.0000	1609	1405
Mon Jun 19 2017 20:47:00.0000	1610	1373
Mon Jun 19 2017 20:48:00.0000	1610	1387
Mon Jun 19 2017 20:49:00.0000	1609	1361
Mon Jun 19 2017 20:50:00.0000	1607	1404
Mon Jun 19 2017 20:51:00.0000	1607	1396
Mon Jun 19 2017 20:52:00.0000	1607	1418
Mon Jun 19 2017 20:53:00.0000	1608	1390
Mon Jun 19 2017 20:54:00.0000	1606	1381
Mon Jun 19 2017 20:55:00.0000	1605	1375
Mon Jun 19 2017 20:56:00.0000	1606	1403
Mon Jun 19 2017 20:57:00.0000	1606	1399
Mon Jun 19 2017 20:58:00.0000	1605	1387
Mon Jun 19 2017 20:59:00.0000	1603	1398
Mon Jun 19 2017 21:00:00.0000	1604	1395
Mon Jun 19 2017 21:01:00.0000	1604	1378
Mon Jun 19 2017 21:02:00.0000	1604	1381
Mon Jun 19 2017 21:03:00.0000	1602	1420
Mon Jun 19 2017 21:04:00.0000	1606	1375
Mon Jun 19 2017 21:05:00.0000	1615	1386
Mon Jun 19 2017 21:06:00.0000	1620	1376
Mon Jun 19 2017 21:07:00.0000	1620	1383
Mon Jun 19 2017 21:08:00.0000	1621	1402
Mon Jun 19 2017 21:09:00.0000	1625	1397
Mon Jun 19 2017 21:10:00.0000	1629	1400
Mon Jun 19 2017 21:11:00.0000	1629	1412
Mon Jun 19 2017 21:12:00.0000	1627	1400
Mon Jun 19 2017 21:13:00.0000	1631	1372
Mon Jun 19 2017 21:14:00.0000	1634	1453
Mon Jun 19 2017 21:15:00.0000	1629	1389

Date/Time	Process Temperature (°F)	Process Flow SCFM
Mon Jun 19 2017 21:16:00.0000	1622	1390
Mon Jun 19 2017 21:17:00.0000	1619	1400
Mon Jun 19 2017 21:18:00.0000	1616	1369
Mon Jun 19 2017 21:19:00.0000	1613	1410
Mon Jun 19 2017 21:20:00.0000	1611	1489
Mon Jun 19 2017 21:21:00.0000	1609	1409
Mon Jun 19 2017 21:22:00.0000	1609	1399
Mon Jun 19 2017 21:23:00.0000	1607	1380
Mon Jun 19 2017 21:24:00.0000	1604	1431
Mon Jun 19 2017 21:25:00.0000	1601	1514
Mon Jun 19 2017 21:26:00.0000	1605	1420
Mon Jun 19 2017 21:27:00.0000	1608	1425
Mon Jun 19 2017 21:28:00.0000	1610	1381
Mon Jun 19 2017 21:29:00.0000	1610	1393
Mon Jun 19 2017 21:30:00.0000	1612	1374
Mon Jun 19 2017 21:31:00.0000	1613	1507
Mon Jun 19 2017 21:32:00.0000	1615	1478
Mon Jun 19 2017 21:33:00.0000	1614	1415
Mon Jun 19 2017 21:34:00.0000	1613	1443
Mon Jun 19 2017 21:35:00.0000	1616	1388
Mon Jun 19 2017 21:36:00.0000	1617	1400
Mon Jun 19 2017 21:37:00.0000	1617	1430
Mon Jun 19 2017 21:38:00.0000	1616	1414
Mon Jun 19 2017 21:39:00.0000	1616	1323
Mon Jun 19 2017 21:40:00.0000	1618	1350
Mon Jun 19 2017 21:41:00.0000	1619	1421
Mon Jun 19 2017 21:42:00.0000	1618	1434
Mon Jun 19 2017 21:43:00.0000	1616	1461
Mon Jun 19 2017 21:44:00.0000	1618	1379
Mon Jun 19 2017 21:45:00.0000	1620	1382
Mon Jun 19 2017 21:46:00.0000	1620	1422
Mon Jun 19 2017 21:47:00.0000	1618	1425
Mon Jun 19 2017 21:48:00.0000	1618	1436
Mon Jun 19 2017 21:49:00.0000	1619	1405
Mon Jun 19 2017 21:50:00.0000	1621	1354
Mon Jun 19 2017 21:51:00.0000	1620	1493
Mon Jun 19 2017 21:52:00.0000	1618	1393
Mon Jun 19 2017 21:53:00.0000	1620	1412
Mon Jun 19 2017 21:54:00.0000	1621	1445
Mon Jun 19 2017 21:55:00.0000	1621	1397
Mon Jun 19 2017 21:56:00.0000	1619	1439
Mon Jun 19 2017 21:57:00.0000	1620	1351
Mon Jun 19 2017 21:58:00.0000	1621	1431
Mon Jun 19 2017 21:59:00.0000	1622	1354
Mon Jun 19 2017 22:00:00.0000	1621	1407
Mon Jun 19 2017 22:01:00.0000	1619	1425
Mon Jun 19 2017 22:02:00.0000	1621	1356
Mon Jun 19 2017 22:03:00.0000	1622	1332
Mon Jun 19 2017 22:04:00.0000	1622	1393
Mon Jun 19 2017 22:05:00.0000	1620	1416
Mon Jun 19 2017 22:06:00.0000	1621	1371
Mon Jun 19 2017 22:07:00.0000	1622	1489
Mon Jun 19 2017 22:08:00.0000	1623	1341
Mon Jun 19 2017 22:09:00.0000	1622	1334
Mon Jun 19 2017 22:10:00.0000	1620	1485
Mon Jun 19 2017 22:11:00.0000	1622	1420
Mon Jun 19 2017 22:12:00.0000	1623	1434

Date/Time	Process Temperature (°F)	Process Flow SCFM
Mon Jun 19 2017 22:13:00.0000	1623	1340
Mon Jun 19 2017 22:14:00.0000	1621	1374
Mon Jun 19 2017 22:15:00.0000	1621	1453
Mon Jun 19 2017 22:16:00.0000	1623	1386
Mon Jun 19 2017 22:17:00.0000	1624	1450
Mon Jun 19 2017 22:18:00.0000	1622	1504
Mon Jun 19 2017 22:19:00.0000	1621	1463
Mon Jun 19 2017 22:20:00.0000	1623	1411
Mon Jun 19 2017 22:21:00.0000	1624	1449
Mon Jun 19 2017 22:22:00.0000	1623	1488
Mon Jun 19 2017 22:23:00.0000	1621	1342
Mon Jun 19 2017 22:24:00.0000	1622	1386
Mon Jun 19 2017 22:25:00.0000	1623	1393
Mon Jun 19 2017 22:26:00.0000	1625	1341
Mon Jun 19 2017 22:27:00.0000	1623	1374
Mon Jun 19 2017 22:28:00.0000	1622	1389
Mon Jun 19 2017 22:29:00.0000	1623	1345
Mon Jun 19 2017 22:30:00.0000	1625	1448
Mon Jun 19 2017 22:31:00.0000	1624	1400
Mon Jun 19 2017 22:32:00.0000	1622	1357
Mon Jun 19 2017 22:33:00.0000	1623	1382
Mon Jun 19 2017 22:34:00.0000	1624	1357
Mon Jun 19 2017 22:35:00.0000	1625	1366
Mon Jun 19 2017 22:36:00.0000	1623	1390
Mon Jun 19 2017 22:37:00.0000	1622	1395
Mon Jun 19 2017 22:38:00.0000	1624	1386
Mon Jun 19 2017 22:39:00.0000	1625	1400
Mon Jun 19 2017 22:40:00.0000	1624	1542
Mon Jun 19 2017 22:41:00.0000	1622	1401
Mon Jun 19 2017 22:42:00.0000	1624	1348
Mon Jun 19 2017 22:43:00.0000	1624	1344
Mon Jun 19 2017 22:44:00.0000	1625	1366
Mon Jun 19 2017 22:45:00.0000	1623	1370
Mon Jun 19 2017 22:46:00.0000	1622	1353
Mon Jun 19 2017 22:47:00.0000	1624	1395
Mon Jun 19 2017 22:48:00.0000	1626	1396
Mon Jun 19 2017 22:49:00.0000	1625	1381
Mon Jun 19 2017 22:50:00.0000	1622	1404
Mon Jun 19 2017 22:51:00.0000	1624	1398
Mon Jun 19 2017 22:52:00.0000	1625	1360
Mon Jun 19 2017 22:53:00.0000	1626	1381
Mon Jun 19 2017 22:54:00.0000	1624	1391
Mon Jun 19 2017 22:55:00.0000	1623	1355
Mon Jun 19 2017 22:56:00.0000	1624	1359
Mon Jun 19 2017 22:57:00.0000	1626	1401
Mon Jun 19 2017 22:58:00.0000	1625	1370
Mon Jun 19 2017 22:59:00.0000	1622	1377
Mon Jun 19 2017 23:00:00.0000	1624	1340
Mon Jun 19 2017 23:01:00.0000	1625	1344
Mon Jun 19 2017 23:02:00.0000	1626	1372
Mon Jun 19 2017 23:03:00.0000	1624	1365
Mon Jun 19 2017 23:04:00.0000	1623	1396
Mon Jun 19 2017 23:05:00.0000	1625	1368
Mon Jun 19 2017 23:06:00.0000	1626	1383
Mon Jun 19 2017 23:07:00.0000	1625	1361
Mon Jun 19 2017 23:08:00.0000	1623	1383
Mon Jun 19 2017 23:09:00.0000	1624	1361

Date/Time	Process Temperature (°F)	Process Flow SCFM
Mon Jun 19 2017 23:10:00.0000	1625	1362
Mon Jun 19 2017 23:11:00.0000	1626	1398
Mon Jun 19 2017 23:12:00.0000	1624	1368
Mon Jun 19 2017 23:13:00.0000	1623	1374
Mon Jun 19 2017 23:14:00.0000	1625	1385
Mon Jun 19 2017 23:15:00.0000	1627	1346
Mon Jun 19 2017 23:16:00.0000	1626	1360
Mon Jun 19 2017 23:17:00.0000	1623	1350
Mon Jun 19 2017 23:18:00.0000	1625	1353
Mon Jun 19 2017 23:19:00.0000	1625	1383
Mon Jun 19 2017 23:20:00.0000	1626	1372
Mon Jun 19 2017 23:21:00.0000	1624	1380
Mon Jun 19 2017 23:22:00.0000	1623	1354
Mon Jun 19 2017 23:23:00.0000	1625	1350
Mon Jun 19 2017 23:24:00.0000	1626	1391
Mon Jun 19 2017 23:25:00.0000	1626	1385
Mon Jun 19 2017 23:26:00.0000	1623	1368
Mon Jun 19 2017 23:27:00.0000	1625	1351
Mon Jun 19 2017 23:28:00.0000	1625	1339
Mon Jun 19 2017 23:29:00.0000	1626	1370
Mon Jun 19 2017 23:30:00.0000	1625	1375
Mon Jun 19 2017 23:31:00.0000	1623	1383
Mon Jun 19 2017 23:32:00.0000	1625	1372
Mon Jun 19 2017 23:33:00.0000	1627	1363
Mon Jun 19 2017 23:34:00.0000	1626	1367
Mon Jun 19 2017 23:35:00.0000	1623	1363
Mon Jun 19 2017 23:36:00.0000	1625	1397
Mon Jun 19 2017 23:37:00.0000	1626	1369
Mon Jun 19 2017 23:38:00.0000	1627	1359
Mon Jun 19 2017 23:39:00.0000	1624	1410
Mon Jun 19 2017 23:40:00.0000	1624	1351
Mon Jun 19 2017 23:41:00.0000	1625	1352
Mon Jun 19 2017 23:42:00.0000	1627	1412
Mon Jun 19 2017 23:43:00.0000	1626	1368
Mon Jun 19 2017 23:44:00.0000	1623	1364
Mon Jun 19 2017 23:45:00.0000	1625	1404
Mon Jun 19 2017 23:46:00.0000	1626	1359
Mon Jun 19 2017 23:47:00.0000	1627	1370
Mon Jun 19 2017 23:48:00.0000	1625	1425
Mon Jun 19 2017 23:49:00.0000	1624	1361
Mon Jun 19 2017 23:50:00.0000	1625	1372
Mon Jun 19 2017 23:51:00.0000	1627	1437
Mon Jun 19 2017 23:52:00.0000	1626	1361
Mon Jun 19 2017 23:53:00.0000	1624	1383
Mon Jun 19 2017 23:54:00.0000	1625	1421
Mon Jun 19 2017 23:55:00.0000	1626	1368
Mon Jun 19 2017 23:56:00.0000	1627	1352
Mon Jun 19 2017 23:57:00.0000	1624	1437
Mon Jun 19 2017 23:58:00.0000	1624	1355
Mon Jun 19 2017 23:59:00.0000	1625	1344
Tue Jun 20 2017 00:00:00.0000	1627	1372
Tue Jun 20 2017 00:01:00.0000	1626	1381
Tue Jun 20 2017 00:02:00.0000	1624	1326
Tue Jun 20 2017 00:03:00.0000	1625	1361
Tue Jun 20 2017 00:04:00.0000	1627	1331
Tue Jun 20 2017 00:05:00.0000	1627	1362
Tue Jun 20 2017 00:06:00.0000	1624	1355

Date/Time	Process Temperature (°F)	Process Flow SCFM
Tue Jun 20 2017 00:07:00.0000	1625	1365
Tue Jun 20 2017 00:08:00.0000	1626	1338
Tue Jun 20 2017 00:09:00.0000	1627	1363
Tue Jun 20 2017 00:10:00.0000	1626	1383
Tue Jun 20 2017 00:11:00.0000	1624	1375
Tue Jun 20 2017 00:12:00.0000	1626	1395
Tue Jun 20 2017 00:13:00.0000	1627	1368
Tue Jun 20 2017 00:14:00.0000	1627	1343
Tue Jun 20 2017 00:15:00.0000	1625	1363
Tue Jun 20 2017 00:16:00.0000	1625	1367
Tue Jun 20 2017 00:17:00.0000	1626	1346
Tue Jun 20 2017 00:18:00.0000	1628	1358
Tue Jun 20 2017 00:19:00.0000	1626	1369
Tue Jun 20 2017 00:20:00.0000	1624	1379
Tue Jun 20 2017 00:21:00.0000	1626	1366
Tue Jun 20 2017 00:22:00.0000	1628	1393
Tue Jun 20 2017 00:23:00.0000	1627	1343
Tue Jun 20 2017 00:24:00.0000	1626	1377
Tue Jun 20 2017 00:25:00.0000	1627	1377
Tue Jun 20 2017 00:26:00.0000	1627	1348
Tue Jun 20 2017 00:27:00.0000	1628	1376
Tue Jun 20 2017 00:28:00.0000	1626	1362
Tue Jun 20 2017 00:29:00.0000	1625	1396
Tue Jun 20 2017 00:30:00.0000	1627	1327
Tue Jun 20 2017 00:31:00.0000	1628	1374
Tue Jun 20 2017 00:32:00.0000	1627	1358
Tue Jun 20 2017 00:33:00.0000	1625	1383
Tue Jun 20 2017 00:34:00.0000	1627	1321
Tue Jun 20 2017 00:35:00.0000	1628	1382
Tue Jun 20 2017 00:36:00.0000	1628	1367
Tue Jun 20 2017 00:37:00.0000	1626	1345
Tue Jun 20 2017 00:38:00.0000	1626	1343
Tue Jun 20 2017 00:39:00.0000	1627	1366
Tue Jun 20 2017 00:40:00.0000	1629	1342
Tue Jun 20 2017 00:41:00.0000	1627	1354
Tue Jun 20 2017 00:42:00.0000	1625	1334
Tue Jun 20 2017 00:43:00.0000	1627	1371
Tue Jun 20 2017 00:44:00.0000	1628	1341
Tue Jun 20 2017 00:45:00.0000	1628	1363
Tue Jun 20 2017 00:46:00.0000	1626	1374
Tue Jun 20 2017 00:47:00.0000	1626	1342
Tue Jun 20 2017 00:48:00.0000	1627	1375
Tue Jun 20 2017 00:49:00.0000	1629	1364
Tue Jun 20 2017 00:50:00.0000	1627	1354
Tue Jun 20 2017 00:51:00.0000	1626	1364
Tue Jun 20 2017 00:52:00.0000	1627	1354
Tue Jun 20 2017 00:53:00.0000	1628	1362
Tue Jun 20 2017 00:54:00.0000	1629	1354
Tue Jun 20 2017 00:55:00.0000	1627	1376
Tue Jun 20 2017 00:56:00.0000	1626	1370
Tue Jun 20 2017 00:57:00.0000	1627	1340
Tue Jun 20 2017 00:58:00.0000	1629	1360
Tue Jun 20 2017 00:59:00.0000	1628	1357
Tue Jun 20 2017 01:00:00.0000	1626	1374
Tue Jun 20 2017 01:01:00.0000	1627	1372
Tue Jun 20 2017 01:02:00.0000	1628	1364
Tue Jun 20 2017 01:03:00.0000	1629	1344

Date/Time	Process Temperature (°F)	Process Flow SCFM
Tue Jun 20 2017 01:04:00.0000	1627	1381
Tue Jun 20 2017 01:05:00.0000	1627	1344
Tue Jun 20 2017 01:06:00.0000	1627	1353
Tue Jun 20 2017 01:07:00.0000	1629	1362
Tue Jun 20 2017 01:08:00.0000	1628	1358
Tue Jun 20 2017 01:09:00.0000	1626	1366
Tue Jun 20 2017 01:10:00.0000	1628	1378
Tue Jun 20 2017 01:11:00.0000	1628	1372
Tue Jun 20 2017 01:12:00.0000	1629	1357
Tue Jun 20 2017 01:13:00.0000	1627	1392
Tue Jun 20 2017 01:14:00.0000	1627	1379
Tue Jun 20 2017 01:15:00.0000	1628	1332
Tue Jun 20 2017 01:16:00.0000	1629	1373
Tue Jun 20 2017 01:17:00.0000	1628	1356
Tue Jun 20 2017 01:18:00.0000	1626	1325
Tue Jun 20 2017 01:19:00.0000	1628	1371
Tue Jun 20 2017 01:20:00.0000	1628	1342
Tue Jun 20 2017 01:21:00.0000	1629	1371
Tue Jun 20 2017 01:22:00.0000	1627	1367
Tue Jun 20 2017 01:23:00.0000	1627	1321
Tue Jun 20 2017 01:24:00.0000	1628	1377
Tue Jun 20 2017 01:25:00.0000	1629	1364
Tue Jun 20 2017 01:26:00.0000	1628	1397
Tue Jun 20 2017 01:27:00.0000	1626	1361
Tue Jun 20 2017 01:28:00.0000	1628	1340
Tue Jun 20 2017 01:29:00.0000	1628	1394
Tue Jun 20 2017 01:30:00.0000	1629	1360
Tue Jun 20 2017 01:31:00.0000	1627	1354
Tue Jun 20 2017 01:32:00.0000	1627	1384
Tue Jun 20 2017 01:33:00.0000	1628	1353
Tue Jun 20 2017 01:34:00.0000	1629	1366
Tue Jun 20 2017 01:35:00.0000	1628	1362
Tue Jun 20 2017 01:36:00.0000	1626	1365
Tue Jun 20 2017 01:37:00.0000	1628	1391
Tue Jun 20 2017 01:38:00.0000	1628	1341
Tue Jun 20 2017 01:39:00.0000	1629	1349
Tue Jun 20 2017 01:40:00.0000	1627	1395
Tue Jun 20 2017 01:41:00.0000	1627	1374
Tue Jun 20 2017 01:42:00.0000	1628	1369
Tue Jun 20 2017 01:43:00.0000	1629	1378
Tue Jun 20 2017 01:44:00.0000	1628	1372
Tue Jun 20 2017 01:45:00.0000	1626	1352
Tue Jun 20 2017 01:46:00.0000	1628	1367
Tue Jun 20 2017 01:47:00.0000	1628	1374
Tue Jun 20 2017 01:48:00.0000	1629	1374
Tue Jun 20 2017 01:49:00.0000	1627	1369
Tue Jun 20 2017 01:50:00.0000	1627	1331
Tue Jun 20 2017 01:51:00.0000	1628	1363
Tue Jun 20 2017 01:52:00.0000	1629	1379
Tue Jun 20 2017 01:53:00.0000	1628	1361
Tue Jun 20 2017 01:54:00.0000	1626	1392
Tue Jun 20 2017 01:55:00.0000	1628	1373
Tue Jun 20 2017 01:56:00.0000	1628	1381
Tue Jun 20 2017 01:57:00.0000	1629	1370
Tue Jun 20 2017 01:58:00.0000	1627	1375
Tue Jun 20 2017 01:59:00.0000	1627	1362
Tue Jun 20 2017 02:00:00.0000	1628	1314

Date/Time	Process Temperature (°F)	Process Flow SCFM
Tue Jun 20 2017 02:01:00.0000	1629	1320
Tue Jun 20 2017 02:02:00.0000	1628	1351
Tue Jun 20 2017 02:03:00.0000	1626	1372
Tue Jun 20 2017 02:04:00.0000	1627	1350
Tue Jun 20 2017 02:05:00.0000	1628	1350
Tue Jun 20 2017 02:06:00.0000	1629	1360
Tue Jun 20 2017 02:07:00.0000	1627	1348
Tue Jun 20 2017 02:08:00.0000	1627	1375
Tue Jun 20 2017 02:09:00.0000	1628	1354
Tue Jun 20 2017 02:10:00.0000	1629	1373
Tue Jun 20 2017 02:11:00.0000	1628	1375
Tue Jun 20 2017 02:12:00.0000	1626	1400
Tue Jun 20 2017 02:13:00.0000	1628	1335
Tue Jun 20 2017 02:14:00.0000	1629	1352
Tue Jun 20 2017 02:15:00.0000	1629	1369
Tue Jun 20 2017 02:16:00.0000	1626	1350
Tue Jun 20 2017 02:17:00.0000	1626	1358
Tue Jun 20 2017 02:18:00.0000	1628	1311
Tue Jun 20 2017 02:19:00.0000	1629	1363
Tue Jun 20 2017 02:20:00.0000	1628	1372
Tue Jun 20 2017 02:21:00.0000	1626	1378
Tue Jun 20 2017 02:22:00.0000	1628	1363
Tue Jun 20 2017 02:23:00.0000	1629	1365
Tue Jun 20 2017 02:24:00.0000	1629	1354
Tue Jun 20 2017 02:25:00.0000	1627	1352
Tue Jun 20 2017 02:26:00.0000	1628	1360
Tue Jun 20 2017 02:27:00.0000	1628	1369
Tue Jun 20 2017 02:28:00.0000	1629	1348
Tue Jun 20 2017 02:29:00.0000	1628	1370
Tue Jun 20 2017 02:30:00.0000	1626	1378
Tue Jun 20 2017 02:31:00.0000	1628	1358
Tue Jun 20 2017 02:32:00.0000	1629	1348
Tue Jun 20 2017 02:33:00.0000	1629	1367
Tue Jun 20 2017 02:34:00.0000	1627	1382
Tue Jun 20 2017 02:35:00.0000	1627	1346
Tue Jun 20 2017 02:36:00.0000	1628	1386
Tue Jun 20 2017 02:37:00.0000	1629	1379
Tue Jun 20 2017 02:38:00.0000	1628	1348
Tue Jun 20 2017 02:39:00.0000	1626	1337
Tue Jun 20 2017 02:40:00.0000	1627	1341
Tue Jun 20 2017 02:41:00.0000	1628	1344
Tue Jun 20 2017 02:42:00.0000	1629	1361
Tue Jun 20 2017 02:43:00.0000	1626	1318
Tue Jun 20 2017 02:44:00.0000	1626	1315
Tue Jun 20 2017 02:45:00.0000	1627	1356
Tue Jun 20 2017 02:46:00.0000	1629	1353
Tue Jun 20 2017 02:47:00.0000	1628	1338
Tue Jun 20 2017 02:48:00.0000	1626	1363
Tue Jun 20 2017 02:49:00.0000	1627	1374
Tue Jun 20 2017 02:50:00.0000	1628	1353
Tue Jun 20 2017 02:51:00.0000	1628	1387
Tue Jun 20 2017 02:52:00.0000	1626	1348
Tue Jun 20 2017 02:53:00.0000	1626	1361
Tue Jun 20 2017 02:54:00.0000	1627	1380
Tue Jun 20 2017 02:55:00.0000	1629	1365
Tue Jun 20 2017 02:56:00.0000	1627	1372
Tue Jun 20 2017 02:57:00.0000	1626	1364

Date/Time	Process Temperature (°F)	Process Flow SCFM
Tue Jun 20 2017 02:58:00.0000	1627	1351
Tue Jun 20 2017 02:59:00.0000	1628	1342
Tue Jun 20 2017 03:00:00.0000	1628	1354
Tue Jun 20 2017 03:01:00.0000	1626	1375
Tue Jun 20 2017 03:02:00.0000	1627	1341
Tue Jun 20 2017 03:03:00.0000	1627	1342
Tue Jun 20 2017 03:04:00.0000	1629	1368
Tue Jun 20 2017 03:05:00.0000	1627	1356
Tue Jun 20 2017 03:06:00.0000	1627	1335
Tue Jun 20 2017 03:07:00.0000	1627	1415
Tue Jun 20 2017 03:08:00.0000	1628	1368
Tue Jun 20 2017 03:09:00.0000	1628	1350
Tue Jun 20 2017 03:10:00.0000	1626	1378
Tue Jun 20 2017 03:11:00.0000	1627	1376
Tue Jun 20 2017 03:12:00.0000	1628	1376
Tue Jun 20 2017 03:13:00.0000	1629	1340
Tue Jun 20 2017 03:14:00.0000	1627	1346
Tue Jun 20 2017 03:15:00.0000	1626	1362
Tue Jun 20 2017 03:16:00.0000	1627	1336
Tue Jun 20 2017 03:17:00.0000	1629	1369
Tue Jun 20 2017 03:18:00.0000	1628	1364
Tue Jun 20 2017 03:19:00.0000	1626	1360
Tue Jun 20 2017 03:20:00.0000	1627	1372
Tue Jun 20 2017 03:21:00.0000	1628	1370
Tue Jun 20 2017 03:22:00.0000	1629	1383
Tue Jun 20 2017 03:23:00.0000	1627	1384
Tue Jun 20 2017 03:24:00.0000	1626	1372
Tue Jun 20 2017 03:25:00.0000	1627	1382
Tue Jun 20 2017 03:26:00.0000	1629	1353
Tue Jun 20 2017 03:27:00.0000	1628	1360
Tue Jun 20 2017 03:28:00.0000	1626	1353
Tue Jun 20 2017 03:29:00.0000	1627	1349
Tue Jun 20 2017 03:30:00.0000	1628	1377
Tue Jun 20 2017 03:31:00.0000	1629	1358
Tue Jun 20 2017 03:32:00.0000	1626	1358
Tue Jun 20 2017 03:33:00.0000	1626	1373
Tue Jun 20 2017 03:34:00.0000	1627	1342
Tue Jun 20 2017 03:35:00.0000	1629	1355
Tue Jun 20 2017 03:36:00.0000	1628	1341
Tue Jun 20 2017 03:37:00.0000	1626	1368
Tue Jun 20 2017 03:38:00.0000	1627	1369
Tue Jun 20 2017 03:39:00.0000	1628	1351
Tue Jun 20 2017 03:40:00.0000	1629	1353
Tue Jun 20 2017 03:41:00.0000	1626	1377
Tue Jun 20 2017 03:42:00.0000	1627	1385
Tue Jun 20 2017 03:43:00.0000	1627	1345
Tue Jun 20 2017 03:44:00.0000	1629	1375
Tue Jun 20 2017 03:45:00.0000	1627	1356
Tue Jun 20 2017 03:46:00.0000	1626	1378
Tue Jun 20 2017 03:47:00.0000	1627	1383
Tue Jun 20 2017 03:48:00.0000	1629	1439
Tue Jun 20 2017 03:49:00.0000	1628	1375
Tue Jun 20 2017 03:50:00.0000	1626	1338
Tue Jun 20 2017 03:51:00.0000	1627	1371
Tue Jun 20 2017 03:52:00.0000	1628	1358
Tue Jun 20 2017 03:53:00.0000	1629	1387
Tue Jun 20 2017 03:54:00.0000	1627	1382

Date/Time	Process Temperature (°F)	Process Flow SCFM
Tue Jun 20 2017 03:55:00.0000	1626	1352
Tue Jun 20 2017 03:56:00.0000	1627	1351
Tue Jun 20 2017 03:57:00.0000	1629	1401
Tue Jun 20 2017 03:58:00.0000	1628	1360
Tue Jun 20 2017 03:59:00.0000	1626	1356
Tue Jun 20 2017 04:00:00.0000	1627	1364
Tue Jun 20 2017 04:01:00.0000	1628	1361
Tue Jun 20 2017 04:02:00.0000	1629	1371
Tue Jun 20 2017 04:03:00.0000	1627	1389
Tue Jun 20 2017 04:04:00.0000	1626	1359
Tue Jun 20 2017 04:05:00.0000	1627	1394
Tue Jun 20 2017 04:06:00.0000	1629	1378
Tue Jun 20 2017 04:07:00.0000	1628	1384
Tue Jun 20 2017 04:08:00.0000	1626	1372
Tue Jun 20 2017 04:09:00.0000	1627	1390
Tue Jun 20 2017 04:10:00.0000	1628	1367
Tue Jun 20 2017 04:11:00.0000	1629	1380
Tue Jun 20 2017 04:12:00.0000	1627	1345
Tue Jun 20 2017 04:13:00.0000	1626	1368
Tue Jun 20 2017 04:14:00.0000	1627	1321
Tue Jun 20 2017 04:15:00.0000	1628	1321
Tue Jun 20 2017 04:16:00.0000	1628	1367
Tue Jun 20 2017 04:17:00.0000	1626	1426
Tue Jun 20 2017 04:18:00.0000	1627	1368
Tue Jun 20 2017 04:19:00.0000	1628	1374
Tue Jun 20 2017 04:20:00.0000	1628	1362
Tue Jun 20 2017 04:21:00.0000	1626	1337
Tue Jun 20 2017 04:22:00.0000	1626	1360
Tue Jun 20 2017 04:23:00.0000	1627	1374
Tue Jun 20 2017 04:24:00.0000	1629	1351
Tue Jun 20 2017 04:25:00.0000	1627	1467
Tue Jun 20 2017 04:26:00.0000	1625	1375
Tue Jun 20 2017 04:27:00.0000	1627	1366
Tue Jun 20 2017 04:28:00.0000	1629	1336
Tue Jun 20 2017 04:29:00.0000	1628	1364
Tue Jun 20 2017 04:30:00.0000	1625	1366
Tue Jun 20 2017 04:31:00.0000	1627	1400
Tue Jun 20 2017 04:32:00.0000	1627	1385
Tue Jun 20 2017 04:33:00.0000	1628	1392
Tue Jun 20 2017 04:34:00.0000	1626	1376
Tue Jun 20 2017 04:35:00.0000	1625	1351
Tue Jun 20 2017 04:36:00.0000	1627	1384
Tue Jun 20 2017 04:37:00.0000	1628	1337
Tue Jun 20 2017 04:38:00.0000	1628	1357
Tue Jun 20 2017 04:39:00.0000	1625	1365
Tue Jun 20 2017 04:40:00.0000	1627	1347
Tue Jun 20 2017 04:41:00.0000	1627	1343
Tue Jun 20 2017 04:42:00.0000	1628	1367
Tue Jun 20 2017 04:43:00.0000	1627	1417
Tue Jun 20 2017 04:44:00.0000	1626	1359
Tue Jun 20 2017 04:45:00.0000	1627	1319
Tue Jun 20 2017 04:46:00.0000	1628	1334
Tue Jun 20 2017 04:47:00.0000	1628	1362
Tue Jun 20 2017 04:48:00.0000	1625	1357
Tue Jun 20 2017 04:49:00.0000	1627	1353
Tue Jun 20 2017 04:50:00.0000	1628	1371
Tue Jun 20 2017 04:51:00.0000	1628	1364

Date/Time	Process Temperature (°F)	Process Flow SCFM
Tue Jun 20 2017 04:52:00.0000	1626	1379
Tue Jun 20 2017 04:53:00.0000	1625	1368
Tue Jun 20 2017 04:54:00.0000	1627	1390
Tue Jun 20 2017 04:55:00.0000	1629	1416
Tue Jun 20 2017 04:56:00.0000	1627	1354
Tue Jun 20 2017 04:57:00.0000	1626	1369
Tue Jun 20 2017 04:58:00.0000	1627	1417
Tue Jun 20 2017 04:59:00.0000	1627	1375
Tue Jun 20 2017 05:00:00.0000	1628	1399
Tue Jun 20 2017 05:01:00.0000	1626	1419
Tue Jun 20 2017 05:02:00.0000	1626	1352
Tue Jun 20 2017 05:03:00.0000	1627	1406
Tue Jun 20 2017 05:04:00.0000	1628	1381
Tue Jun 20 2017 05:05:00.0000	1627	1377
Tue Jun 20 2017 05:06:00.0000	1625	1391
Tue Jun 20 2017 05:07:00.0000	1627	1373
Tue Jun 20 2017 05:08:00.0000	1628	1375
Tue Jun 20 2017 05:09:00.0000	1628	1367
Tue Jun 20 2017 05:10:00.0000	1626	1357
Tue Jun 20 2017 05:11:00.0000	1627	1350
Tue Jun 20 2017 05:12:00.0000	1627	1376
Tue Jun 20 2017 05:13:00.0000	1628	1354
Tue Jun 20 2017 05:14:00.0000	1627	1395
Tue Jun 20 2017 05:15:00.0000	1625	1357
Tue Jun 20 2017 05:16:00.0000	1627	1327
Tue Jun 20 2017 05:17:00.0000	1628	1344
Tue Jun 20 2017 05:18:00.0000	1628	1368
Tue Jun 20 2017 05:19:00.0000	1626	1398
Tue Jun 20 2017 05:20:00.0000	1627	1369
Tue Jun 20 2017 05:21:00.0000	1627	1375
Tue Jun 20 2017 05:22:00.0000	1628	1365
Tue Jun 20 2017 05:23:00.0000	1627	1369
Tue Jun 20 2017 05:24:00.0000	1625	1356
Tue Jun 20 2017 05:25:00.0000	1627	1373
Tue Jun 20 2017 05:26:00.0000	1628	1427
Tue Jun 20 2017 05:27:00.0000	1627	1352
Tue Jun 20 2017 05:28:00.0000	1625	1437
Tue Jun 20 2017 05:29:00.0000	1627	1387
Tue Jun 20 2017 05:30:00.0000	1627	1356
Tue Jun 20 2017 05:31:00.0000	1628	1367
Tue Jun 20 2017 05:32:00.0000	1626	1377
Tue Jun 20 2017 05:33:00.0000	1625	1362
Tue Jun 20 2017 05:34:00.0000	1627	1375
Tue Jun 20 2017 05:35:00.0000	1628	1345
Tue Jun 20 2017 05:36:00.0000	1627	1366
Tue Jun 20 2017 05:37:00.0000	1625	1353
Tue Jun 20 2017 05:38:00.0000	1626	1389
Tue Jun 20 2017 05:39:00.0000	1627	1392
Tue Jun 20 2017 05:40:00.0000	1628	1368
Tue Jun 20 2017 05:41:00.0000	1625	1358
Tue Jun 20 2017 05:42:00.0000	1626	1334
Tue Jun 20 2017 05:43:00.0000	1627	1379
Tue Jun 20 2017 05:44:00.0000	1628	1375
Tue Jun 20 2017 05:45:00.0000	1627	1381
Tue Jun 20 2017 05:46:00.0000	1625	1361
Tue Jun 20 2017 05:47:00.0000	1626	1383
Tue Jun 20 2017 05:48:00.0000	1627	1359

Date/Time	Process Temperature (°F)	Process Flow SCFM
Tue Jun 20 2017 05:49:00.0000	1628	1431
Tue Jun 20 2017 05:50:00.0000	1625	1375
Tue Jun 20 2017 05:51:00.0000	1626	1364
Tue Jun 20 2017 05:52:00.0000	1627	1389
Tue Jun 20 2017 05:53:00.0000	1628	1386
Tue Jun 20 2017 05:54:00.0000	1626	1381
Tue Jun 20 2017 05:55:00.0000	1624	1373
Tue Jun 20 2017 05:56:00.0000	1627	1372
Tue Jun 20 2017 05:57:00.0000	1627	1360
Tue Jun 20 2017 05:58:00.0000	1628	1372
Tue Jun 20 2017 05:59:00.0000	1625	1368
Tue Jun 20 2017 06:00:00.0000	1626	1389
Tue Jun 20 2017 06:01:00.0000	1627	1371
Tue Jun 20 2017 06:02:00.0000	1628	1361
Tue Jun 20 2017 06:03:00.0000	1626	1380
Tue Jun 20 2017 06:04:00.0000	1625	1463
Tue Jun 20 2017 06:05:00.0000	1627	1391
Tue Jun 20 2017 06:06:00.0000	1627	1363
Tue Jun 20 2017 06:07:00.0000	1628	1359
Tue Jun 20 2017 06:08:00.0000	1626	1370
Tue Jun 20 2017 06:09:00.0000	1626	1383
Tue Jun 20 2017 06:10:00.0000	1627	1396
Tue Jun 20 2017 06:11:00.0000	1628	1367
Tue Jun 20 2017 06:12:00.0000	1626	1375
Tue Jun 20 2017 06:13:00.0000	1625	1363
Tue Jun 20 2017 06:14:00.0000	1626	1335
Tue Jun 20 2017 06:15:00.0000	1628	1397
Tue Jun 20 2017 06:16:00.0000	1627	1357
Tue Jun 20 2017 06:17:00.0000	1625	1351
Tue Jun 20 2017 06:18:00.0000	1626	1379
Tue Jun 20 2017 06:19:00.0000	1627	1346
Tue Jun 20 2017 06:20:00.0000	1628	1360
Tue Jun 20 2017 06:21:00.0000	1626	1364
Tue Jun 20 2017 06:22:00.0000	1625	1378
Tue Jun 20 2017 06:23:00.0000	1626	1364
Tue Jun 20 2017 06:24:00.0000	1628	1336
Tue Jun 20 2017 06:25:00.0000	1627	1399
Tue Jun 20 2017 06:26:00.0000	1625	1399
Tue Jun 20 2017 06:27:00.0000	1626	1386
Tue Jun 20 2017 06:28:00.0000	1627	1343
Tue Jun 20 2017 06:29:00.0000	1628	1349
Tue Jun 20 2017 06:30:00.0000	1626	1372
Tue Jun 20 2017 06:31:00.0000	1625	1345
Tue Jun 20 2017 06:32:00.0000	1626	1396
Tue Jun 20 2017 06:33:00.0000	1628	1366
Tue Jun 20 2017 06:34:00.0000	1627	1372
Tue Jun 20 2017 06:35:00.0000	1625	1395
Tue Jun 20 2017 06:36:00.0000	1626	1368
Tue Jun 20 2017 06:37:00.0000	1627	1404
Tue Jun 20 2017 06:38:00.0000	1628	1391
Tue Jun 20 2017 06:39:00.0000	1626	1372
Tue Jun 20 2017 06:40:00.0000	1625	1375
Tue Jun 20 2017 06:41:00.0000	1626	1364
Tue Jun 20 2017 06:42:00.0000	1628	1379
Tue Jun 20 2017 06:43:00.0000	1627	1394
Tue Jun 20 2017 06:44:00.0000	1625	1389
Tue Jun 20 2017 06:45:00.0000	1626	1356

Date/Time	Process Temperature (°F)	Process Flow SCFM
Tue Jun 20 2017 06:46:00.0000	1627	1385
Tue Jun 20 2017 06:47:00.0000	1628	1366
Tue Jun 20 2017 06:48:00.0000	1626	1389
Tue Jun 20 2017 06:49:00.0000	1625	1381
Tue Jun 20 2017 06:50:00.0000	1626	1365
Tue Jun 20 2017 06:51:00.0000	1628	1356
Tue Jun 20 2017 06:52:00.0000	1627	1355
Tue Jun 20 2017 06:53:00.0000	1625	1375
Tue Jun 20 2017 06:54:00.0000	1626	1344
Tue Jun 20 2017 06:55:00.0000	1627	1404
Tue Jun 20 2017 06:56:00.0000	1628	1373
Tue Jun 20 2017 06:57:00.0000	1626	1370
Tue Jun 20 2017 06:58:00.0000	1625	1368
Tue Jun 20 2017 06:59:00.0000	1627	1524
Tue Jun 20 2017 07:00:00.0000	1628	1383
Tue Jun 20 2017 07:01:00.0000	1628	1363
Tue Jun 20 2017 07:02:00.0000	1625	1389
Tue Jun 20 2017 07:03:00.0000	1626	1398
Tue Jun 20 2017 07:04:00.0000	1627	1353
Tue Jun 20 2017 07:05:00.0000	1628	1366
Tue Jun 20 2017 07:06:00.0000	1626	1375
Tue Jun 20 2017 07:07:00.0000	1626	1393
Tue Jun 20 2017 07:08:00.0000	1627	1363
Tue Jun 20 2017 07:09:00.0000	1628	1363
Tue Jun 20 2017 07:10:00.0000	1628	1375
Tue Jun 20 2017 07:11:00.0000	1625	1410
Tue Jun 20 2017 07:12:00.0000	1627	1350
Tue Jun 20 2017 07:13:00.0000	1628	1375
Tue Jun 20 2017 07:14:00.0000	1627	1427
Tue Jun 20 2017 07:15:00.0000	1625	1462
Tue Jun 20 2017 07:16:00.0000	1627	1409
Tue Jun 20 2017 07:17:00.0000	1628	1400
Tue Jun 20 2017 07:18:00.0000	1628	1383
Tue Jun 20 2017 07:19:00.0000	1626	1395
Tue Jun 20 2017 07:20:00.0000	1626	1359
Tue Jun 20 2017 07:21:00.0000	1627	1517
Tue Jun 20 2017 07:22:00.0000	1629	1383
Tue Jun 20 2017 07:23:00.0000	1628	1414
Tue Jun 20 2017 07:24:00.0000	1626	1484
Tue Jun 20 2017 07:25:00.0000	1628	1420
Tue Jun 20 2017 07:26:00.0000	1628	1377
Tue Jun 20 2017 07:27:00.0000	1629	1394
Tue Jun 20 2017 07:28:00.0000	1627	1382
Tue Jun 20 2017 07:29:00.0000	1627	1402
Tue Jun 20 2017 07:30:00.0000	1628	1384
Tue Jun 20 2017 07:31:00.0000	1629	1376
Tue Jun 20 2017 07:32:00.0000	1628	1375
Tue Jun 20 2017 07:33:00.0000	1626	1366
Tue Jun 20 2017 07:34:00.0000	1628	1343
Tue Jun 20 2017 07:35:00.0000	1629	1356
Tue Jun 20 2017 07:36:00.0000	1629	1373
Tue Jun 20 2017 07:37:00.0000	1627	1369
Tue Jun 20 2017 07:38:00.0000	1627	1409
Tue Jun 20 2017 07:39:00.0000	1628	1373
Tue Jun 20 2017 07:40:00.0000	1629	1391
Tue Jun 20 2017 07:41:00.0000	1628	1378
Tue Jun 20 2017 07:42:00.0000	1626	1375

Date/Time	Process Temperature (°F)	Process Flow SCFM
Tue Jun 20 2017 07:43:00.0000	1628	1358
Tue Jun 20 2017 07:44:00.0000	1629	1359
Tue Jun 20 2017 07:45:00.0000	1629	1377
Tue Jun 20 2017 07:46:00.0000	1627	1358
Tue Jun 20 2017 07:47:00.0000	1627	1380
Tue Jun 20 2017 07:48:00.0000	1628	1384
Tue Jun 20 2017 07:49:00.0000	1630	1379
Tue Jun 20 2017 07:50:00.0000	1628	1390
Tue Jun 20 2017 07:51:00.0000	1628	1406
Tue Jun 20 2017 07:52:00.0000	1629	1345
Tue Jun 20 2017 07:53:00.0000	1630	1373
Tue Jun 20 2017 07:54:00.0000	1629	1376
Tue Jun 20 2017 07:55:00.0000	1627	1406
Tue Jun 20 2017 07:56:00.0000	1628	1430
Tue Jun 20 2017 07:57:00.0000	1630	1447
Tue Jun 20 2017 07:58:00.0000	1630	1382
Tue Jun 20 2017 07:59:00.0000	1628	1393
Tue Jun 20 2017 08:00:00.0000	1628	1379
Tue Jun 20 2017 08:01:00.0000	1629	1398
Tue Jun 20 2017 08:02:00.0000	1631	1416
Tue Jun 20 2017 08:03:00.0000	1630	1370
Tue Jun 20 2017 08:04:00.0000	1628	1336
Tue Jun 20 2017 08:05:00.0000	1630	1341
Tue Jun 20 2017 08:06:00.0000	1631	1366
Tue Jun 20 2017 08:07:00.0000	1631	1341
Tue Jun 20 2017 08:08:00.0000	1629	1409
Tue Jun 20 2017 08:09:00.0000	1629	1412
Tue Jun 20 2017 08:10:00.0000	1630	1441
Tue Jun 20 2017 08:11:00.0000	1632	1486
Tue Jun 20 2017 08:12:00.0000	1630	1403
Tue Jun 20 2017 08:13:00.0000	1629	1410
Tue Jun 20 2017 08:14:00.0000	1631	1409
Tue Jun 20 2017 08:15:00.0000	1632	1413
Tue Jun 20 2017 08:16:00.0000	1631	1483
Tue Jun 20 2017 08:17:00.0000	1630	1408
Tue Jun 20 2017 08:18:00.0000	1631	1422
Tue Jun 20 2017 08:19:00.0000	1632	1462
Tue Jun 20 2017 08:20:00.0000	1633	1383
Tue Jun 20 2017 08:21:00.0000	1631	1432
Tue Jun 20 2017 08:22:00.0000	1630	1412
Tue Jun 20 2017 08:23:00.0000	1632	1492
Tue Jun 20 2017 08:24:00.0000	1631	1441
Tue Jun 20 2017 08:25:00.0000	1624	1468
Tue Jun 20 2017 08:26:00.0000	1620	1400
Tue Jun 20 2017 08:27:00.0000	1618	1374
Tue Jun 20 2017 08:28:00.0000	1616	1386
Tue Jun 20 2017 08:29:00.0000	1613	1389
Tue Jun 20 2017 08:30:00.0000	1610	1404
Tue Jun 20 2017 08:31:00.0000	1610	1396
Tue Jun 20 2017 08:32:00.0000	1608	1411
Tue Jun 20 2017 08:33:00.0000	1607	1394
Tue Jun 20 2017 08:34:00.0000	1605	1378
Tue Jun 20 2017 08:35:00.0000	1603	1411
Tue Jun 20 2017 08:36:00.0000	1603	1364
Tue Jun 20 2017 08:37:00.0000	1602	1385
Tue Jun 20 2017 08:38:00.0000	1605	1430
Tue Jun 20 2017 08:39:00.0000	1607	1369

Date/Time	Process Temperature (°F)	Process Flow SCFM
Tue Jun 20 2017 08:40:00.0000	1611	1439
Tue Jun 20 2017 08:41:00.0000	1614	1368
Tue Jun 20 2017 08:42:00.0000	1616	1415
Tue Jun 20 2017 08:43:00.0000	1615	1417
Tue Jun 20 2017 08:44:00.0000	1616	1375
Tue Jun 20 2017 08:45:00.0000	1618	1365
Tue Jun 20 2017 08:46:00.0000	1621	1394
Tue Jun 20 2017 08:47:00.0000	1620	1394
Tue Jun 20 2017 08:48:00.0000	1619	1394
Tue Jun 20 2017 08:49:00.0000	1621	1362
Tue Jun 20 2017 08:50:00.0000	1623	1392
Tue Jun 20 2017 08:51:00.0000	1623	1400
Tue Jun 20 2017 08:52:00.0000	1621	1408
Tue Jun 20 2017 08:53:00.0000	1623	1404
Tue Jun 20 2017 08:54:00.0000	1624	1334
Tue Jun 20 2017 08:55:00.0000	1626	1396
Tue Jun 20 2017 08:56:00.0000	1625	1386
Tue Jun 20 2017 08:57:00.0000	1623	1392
Tue Jun 20 2017 08:58:00.0000	1626	1408
Tue Jun 20 2017 08:59:00.0000	1627	1397
Tue Jun 20 2017 09:00:00.0000	1627	1411
Tue Jun 20 2017 09:01:00.0000	1625	1449
Tue Jun 20 2017 09:02:00.0000	1626	1426
Tue Jun 20 2017 09:03:00.0000	1627	1437
Tue Jun 20 2017 09:04:00.0000	1629	1391
Tue Jun 20 2017 09:05:00.0000	1628	1429
Tue Jun 20 2017 09:06:00.0000	1626	1439
Tue Jun 20 2017 09:07:00.0000	1628	1418
Tue Jun 20 2017 09:08:00.0000	1630	1436
Tue Jun 20 2017 09:09:00.0000	1630	1396
Tue Jun 20 2017 09:10:00.0000	1628	1425
Tue Jun 20 2017 09:11:00.0000	1628	1397
Tue Jun 20 2017 09:12:00.0000	1630	1392
Tue Jun 20 2017 09:13:00.0000	1631	1372
Tue Jun 20 2017 09:14:00.0000	1629	1448
Tue Jun 20 2017 09:15:00.0000	1628	1451
Tue Jun 20 2017 09:16:00.0000	1630	1394
Tue Jun 20 2017 09:17:00.0000	1632	1475
Tue Jun 20 2017 09:18:00.0000	1631	1416
Tue Jun 20 2017 09:19:00.0000	1629	1362
Tue Jun 20 2017 09:20:00.0000	1630	1533
Tue Jun 20 2017 09:21:00.0000	1631	1375
Tue Jun 20 2017 09:22:00.0000	1633	1495
Tue Jun 20 2017 09:23:00.0000	1631	1441
Tue Jun 20 2017 09:24:00.0000	1630	1381
Tue Jun 20 2017 09:25:00.0000	1632	1400
Tue Jun 20 2017 09:26:00.0000	1633	1433
Tue Jun 20 2017 09:27:00.0000	1628	1452
Tue Jun 20 2017 09:28:00.0000	1623	1454
Tue Jun 20 2017 09:29:00.0000	1620	1474
Tue Jun 20 2017 09:30:00.0000	1618	1425
Tue Jun 20 2017 09:31:00.0000	1615	1492
Tue Jun 20 2017 09:32:00.0000	1612	1430
Tue Jun 20 2017 09:33:00.0000	1611	1430
Tue Jun 20 2017 09:34:00.0000	1609	1409
Tue Jun 20 2017 09:35:00.0000	1608	1407
Tue Jun 20 2017 09:36:00.0000	1606	1421

Date/Time	Process Temperature (°F)	Process Flow SCFM
Tue Jun 20 2017 09:37:00.0000	1604	1445
Tue Jun 20 2017 09:38:00.0000	1604	1409
Tue Jun 20 2017 09:39:00.0000	1603	1489
Tue Jun 20 2017 09:40:00.0000	1602	1481
Tue Jun 20 2017 09:41:00.0000	1605	1411
Tue Jun 20 2017 09:42:00.0000	1607	1437
Tue Jun 20 2017 09:43:00.0000	1611	1415
Tue Jun 20 2017 09:44:00.0000	1615	1421
Tue Jun 20 2017 09:45:00.0000	1616	1406
Tue Jun 20 2017 09:46:00.0000	1614	1426
Tue Jun 20 2017 09:47:00.0000	1617	1401
Tue Jun 20 2017 09:48:00.0000	1619	1382
Tue Jun 20 2017 09:49:00.0000	1621	1442
Tue Jun 20 2017 09:50:00.0000	1619	1431
Tue Jun 20 2017 09:51:00.0000	1619	1335
Tue Jun 20 2017 09:52:00.0000	1622	1327
Tue Jun 20 2017 09:53:00.0000	1624	1262
Tue Jun 20 2017 09:54:00.0000	1624	1300
Tue Jun 20 2017 09:55:00.0000	1622	1350
Tue Jun 20 2017 09:56:00.0000	1625	1365
Tue Jun 20 2017 09:57:00.0000	1625	1306
Tue Jun 20 2017 09:58:00.0000	1627	1364
Tue Jun 20 2017 09:59:00.0000	1625	1426
Tue Jun 20 2017 10:00:00.0000	1625	1332
Tue Jun 20 2017 10:01:00.0000	1627	1302
Tue Jun 20 2017 10:02:00.0000	1629	1319
Tue Jun 20 2017 10:03:00.0000	1628	1213
Tue Jun 20 2017 10:04:00.0000	1626	1251
Tue Jun 20 2017 10:05:00.0000	1628	1223
Tue Jun 20 2017 10:06:00.0000	1629	1238
Tue Jun 20 2017 10:07:00.0000	1630	1266
Tue Jun 20 2017 10:08:00.0000	1628	1293
Tue Jun 20 2017 10:09:00.0000	1629	1354
Tue Jun 20 2017 10:10:00.0000	1629	1068
Tue Jun 20 2017 10:11:00.0000	1632	1237
Tue Jun 20 2017 10:12:00.0000	1631	1226
Tue Jun 20 2017 10:13:00.0000	1629	1426
Tue Jun 20 2017 10:14:00.0000	1631	1226
Tue Jun 20 2017 10:15:00.0000	1632	1215
Tue Jun 20 2017 10:16:00.0000	1630	1206
Tue Jun 20 2017 10:17:00.0000	1623	1384
Tue Jun 20 2017 10:18:00.0000	1619	1405
Tue Jun 20 2017 10:19:00.0000	1617	1177
Tue Jun 20 2017 10:20:00.0000	1615	1229
Tue Jun 20 2017 10:21:00.0000	1612	1219
Tue Jun 20 2017 10:22:00.0000	1609	1265
Tue Jun 20 2017 10:23:00.0000	1608	1240
Tue Jun 20 2017 10:24:00.0000	1607	1161
Tue Jun 20 2017 10:25:00.0000	1606	1213
Tue Jun 20 2017 10:26:00.0000	1603	1309
Tue Jun 20 2017 10:27:00.0000	1604	1344
Tue Jun 20 2017 10:28:00.0000	1608	1159
Tue Jun 20 2017 10:29:00.0000	1614	1200
Tue Jun 20 2017 10:30:00.0000	1616	1253
Tue Jun 20 2017 10:31:00.0000	1615	1330
Tue Jun 20 2017 10:32:00.0000	1618	1280
Tue Jun 20 2017 10:33:00.0000	1621	1263

Date/Time	Process Temperature (°F)	Process Flow SCFM
Tue Jun 20 2017 10:34:00.0000	1622	1224
Tue Jun 20 2017 10:35:00.0000	1621	1179
Tue Jun 20 2017 10:36:00.0000	1622	1428
Tue Jun 20 2017 10:37:00.0000	1623	1218
Tue Jun 20 2017 10:38:00.0000	1626	1292
Tue Jun 20 2017 10:39:00.0000	1625	1301
Tue Jun 20 2017 10:40:00.0000	1624	1319
Tue Jun 20 2017 10:41:00.0000	1626	1249
Tue Jun 20 2017 10:42:00.0000	1628	1166
Tue Jun 20 2017 10:43:00.0000	1629	1264
Tue Jun 20 2017 10:44:00.0000	1627	1219
Tue Jun 20 2017 10:45:00.0000	1628	1391
Tue Jun 20 2017 10:46:00.0000	1629	1257
Tue Jun 20 2017 10:47:00.0000	1631	1247
Tue Jun 20 2017 10:48:00.0000	1629	1238
Tue Jun 20 2017 10:49:00.0000	1628	1300
Tue Jun 20 2017 10:50:00.0000	1630	1174
Tue Jun 20 2017 10:51:00.0000	1632	1219
Tue Jun 20 2017 10:52:00.0000	1632	1231
Tue Jun 20 2017 10:53:00.0000	1630	1427
Tue Jun 20 2017 10:54:00.0000	1631	1404
Tue Jun 20 2017 10:55:00.0000	1632	1177
Tue Jun 20 2017 10:56:00.0000	1631	1320
Tue Jun 20 2017 10:57:00.0000	1624	1290
Tue Jun 20 2017 10:58:00.0000	1620	1383
Tue Jun 20 2017 10:59:00.0000	1618	1202
Tue Jun 20 2017 11:00:00.0000	1616	1206
Tue Jun 20 2017 11:01:00.0000	1614	1268
Tue Jun 20 2017 11:02:00.0000	1611	1321
Tue Jun 20 2017 11:03:00.0000	1610	1299
Tue Jun 20 2017 11:04:00.0000	1609	1217
Tue Jun 20 2017 11:05:00.0000	1608	1223
Tue Jun 20 2017 11:06:00.0000	1605	1373
Tue Jun 20 2017 11:07:00.0000	1604	1389
Tue Jun 20 2017 11:08:00.0000	1603	1310
Tue Jun 20 2017 11:09:00.0000	1603	1213
Tue Jun 20 2017 11:10:00.0000	1602	1376
Tue Jun 20 2017 11:11:00.0000	1604	1366
Tue Jun 20 2017 11:12:00.0000	1614	1401
Tue Jun 20 2017 11:13:00.0000	1620	1231
Tue Jun 20 2017 11:14:00.0000	1627	1324
Tue Jun 20 2017 11:15:00.0000	1629	1371
Tue Jun 20 2017 11:16:00.0000	1629	1307
Tue Jun 20 2017 11:17:00.0000	1633	1209
Tue Jun 20 2017 11:18:00.0000	1636	1202
Tue Jun 20 2017 11:19:00.0000	1625	1225
Tue Jun 20 2017 11:20:00.0000	1616	1478
Tue Jun 20 2017 11:21:00.0000	1609	1300
Tue Jun 20 2017 11:22:00.0000	1604	1256
Tue Jun 20 2017 11:23:00.0000	1601	1206
Tue Jun 20 2017 11:24:00.0000	1606	1227
Tue Jun 20 2017 11:25:00.0000	1611	1417
Tue Jun 20 2017 11:26:00.0000	1616	1332
Tue Jun 20 2017 11:27:00.0000	1621	1247
Tue Jun 20 2017 11:28:00.0000	1624	1205
Tue Jun 20 2017 11:29:00.0000	1622	1332
Tue Jun 20 2017 11:30:00.0000	1625	1355

Date/Time	Process Temperature (°F)	Process Flow SCFM
Tue Jun 20 2017 11:31:00.0000	1628	1219
Tue Jun 20 2017 11:32:00.0000	1630	1214
Tue Jun 20 2017 11:33:00.0000	1629	1266
Tue Jun 20 2017 11:34:00.0000	1628	1386
Tue Jun 20 2017 11:35:00.0000	1631	1237
Tue Jun 20 2017 11:36:00.0000	1633	1236
Tue Jun 20 2017 11:37:00.0000	1627	1383
Tue Jun 20 2017 11:38:00.0000	1622	1397
Tue Jun 20 2017 11:39:00.0000	1620	1259
Tue Jun 20 2017 11:40:00.0000	1618	1245
Tue Jun 20 2017 11:41:00.0000	1617	1249
Tue Jun 20 2017 11:42:00.0000	1614	1239
Tue Jun 20 2017 11:43:00.0000	1612	1411
Tue Jun 20 2017 11:44:00.0000	1612	1184
Tue Jun 20 2017 11:45:00.0000	1611	1238
Tue Jun 20 2017 11:46:00.0000	1609	1311
Tue Jun 20 2017 11:47:00.0000	1607	1400
Tue Jun 20 2017 11:48:00.0000	1607	1303
Tue Jun 20 2017 11:49:00.0000	1607	1246
Tue Jun 20 2017 11:50:00.0000	1607	1276
Tue Jun 20 2017 11:51:00.0000	1605	1247
Tue Jun 20 2017 11:52:00.0000	1604	1401
Tue Jun 20 2017 11:53:00.0000	1604	1239
Tue Jun 20 2017 11:54:00.0000	1604	1207
Tue Jun 20 2017 11:55:00.0000	1603	1310
Tue Jun 20 2017 11:56:00.0000	1605	1460
Tue Jun 20 2017 11:57:00.0000	1617	1250
Tue Jun 20 2017 11:58:00.0000	1626	1242
Tue Jun 20 2017 11:59:00.0000	1633	1235
Tue Jun 20 2017 12:00:00.0000	1626	1344
Tue Jun 20 2017 12:01:00.0000	1624	1368
Tue Jun 20 2017 12:02:00.0000	1623	1227
Tue Jun 20 2017 12:03:00.0000	1624	1251
Tue Jun 20 2017 12:04:00.0000	1622	1363
Tue Jun 20 2017 12:05:00.0000	1622	1365
Tue Jun 20 2017 12:06:00.0000	1622	1219
Tue Jun 20 2017 12:07:00.0000	1624	1289
Tue Jun 20 2017 12:08:00.0000	1623	1224
Tue Jun 20 2017 12:09:00.0000	1622	1261
Tue Jun 20 2017 12:10:00.0000	1622	1213
Tue Jun 20 2017 12:11:00.0000	1623	1198
Tue Jun 20 2017 12:12:00.0000	1623	1273
Tue Jun 20 2017 12:13:00.0000	1622	1272
Tue Jun 20 2017 12:14:00.0000	1622	1437
Tue Jun 20 2017 12:15:00.0000	1623	1200
Tue Jun 20 2017 12:16:00.0000	1624	1305
Tue Jun 20 2017 12:17:00.0000	1623	1240
Tue Jun 20 2017 12:18:00.0000	1622	1464
Tue Jun 20 2017 12:19:00.0000	1623	1204
Tue Jun 20 2017 12:20:00.0000	1624	1234
Tue Jun 20 2017 12:21:00.0000	1625	1226
Tue Jun 20 2017 12:22:00.0000	1623	1350
Tue Jun 20 2017 12:23:00.0000	1623	1414
Tue Jun 20 2017 12:24:00.0000	1624	1213
Tue Jun 20 2017 12:25:00.0000	1626	1342
Tue Jun 20 2017 12:26:00.0000	1624	1308
Tue Jun 20 2017 12:27:00.0000	1623	1403

Date/Time	Process Temperature (°F)	Process Flow SCFM
Tue Jun 20 2017 12:28:00.0000	1624	1351
Tue Jun 20 2017 12:29:00.0000	1626	1285
Tue Jun 20 2017 12:30:00.0000	1626	1279
Tue Jun 20 2017 12:31:00.0000	1624	1289
Tue Jun 20 2017 12:32:00.0000	1624	1375
Tue Jun 20 2017 12:33:00.0000	1625	1254
Tue Jun 20 2017 12:34:00.0000	1627	1276
Tue Jun 20 2017 12:35:00.0000	1625	1238
Tue Jun 20 2017 12:36:00.0000	1624	1183
Tue Jun 20 2017 12:37:00.0000	1626	1169
Tue Jun 20 2017 12:38:00.0000	1627	1220
Tue Jun 20 2017 12:39:00.0000	1627	1308
Tue Jun 20 2017 12:40:00.0000	1625	1271
Tue Jun 20 2017 12:41:00.0000	1627	1292
Tue Jun 20 2017 12:42:00.0000	1626	1368
Tue Jun 20 2017 12:43:00.0000	1628	1315
Tue Jun 20 2017 12:44:00.0000	1626	1216
Tue Jun 20 2017 12:45:00.0000	1626	1460
Tue Jun 20 2017 12:46:00.0000	1627	1240
Tue Jun 20 2017 12:47:00.0000	1628	1243
Tue Jun 20 2017 12:48:00.0000	1627	1306
Tue Jun 20 2017 12:49:00.0000	1625	1324
Tue Jun 20 2017 12:50:00.0000	1627	1176
Tue Jun 20 2017 12:51:00.0000	1629	1184
Tue Jun 20 2017 12:52:00.0000	1628	1256
Tue Jun 20 2017 12:53:00.0000	1626	1369
Tue Jun 20 2017 12:54:00.0000	1627	1487
Tue Jun 20 2017 12:55:00.0000	1627	1283
Tue Jun 20 2017 12:56:00.0000	1629	1285
Tue Jun 20 2017 12:57:00.0000	1627	1290
Tue Jun 20 2017 12:58:00.0000	1626	1480
Tue Jun 20 2017 12:59:00.0000	1627	1235
Tue Jun 20 2017 13:00:00.0000	1629	1231
Tue Jun 20 2017 13:01:00.0000	1628	1270
Tue Jun 20 2017 13:02:00.0000	1626	1303
Tue Jun 20 2017 13:03:00.0000	1628	1405
Tue Jun 20 2017 13:04:00.0000	1629	1299
Tue Jun 20 2017 13:05:00.0000	1629	1219
Tue Jun 20 2017 13:06:00.0000	1627	1272
Tue Jun 20 2017 13:07:00.0000	1627	1412
Tue Jun 20 2017 13:08:00.0000	1628	1238
Tue Jun 20 2017 13:09:00.0000	1629	1247
Tue Jun 20 2017 13:10:00.0000	1628	1293
Tue Jun 20 2017 13:11:00.0000	1627	1455
Tue Jun 20 2017 13:12:00.0000	1628	1188
Tue Jun 20 2017 13:13:00.0000	1629	1219
Tue Jun 20 2017 13:14:00.0000	1629	1251
Tue Jun 20 2017 13:15:00.0000	1627	1253
Tue Jun 20 2017 13:16:00.0000	1629	1309
Tue Jun 20 2017 13:17:00.0000	1628	1238
Tue Jun 20 2017 13:18:00.0000	1630	1288
Tue Jun 20 2017 13:19:00.0000	1628	1291
Tue Jun 20 2017 13:20:00.0000	1627	1449
Tue Jun 20 2017 13:21:00.0000	1629	1346
Tue Jun 20 2017 13:22:00.0000	1630	1291
Tue Jun 20 2017 13:23:00.0000	1629	1243
Tue Jun 20 2017 13:24:00.0000	1627	1381

Date/Time	Process Temperature (°F)	Process Flow SCFM
Tue Jun 20 2017 13:25:00.0000	1629	1302
Tue Jun 20 2017 13:26:00.0000	1629	1269
Tue Jun 20 2017 13:27:00.0000	1630	1281
Tue Jun 20 2017 13:28:00.0000	1628	1358
Tue Jun 20 2017 13:29:00.0000	1628	1329
Tue Jun 20 2017 13:30:00.0000	1629	1235
Tue Jun 20 2017 13:31:00.0000	1631	1334
Tue Jun 20 2017 13:32:00.0000	1630	1233
Tue Jun 20 2017 13:33:00.0000	1627	1492
Tue Jun 20 2017 13:34:00.0000	1629	1255
Tue Jun 20 2017 13:35:00.0000	1630	1244
Tue Jun 20 2017 13:36:00.0000	1631	1323
Tue Jun 20 2017 13:37:00.0000	1629	1325
Tue Jun 20 2017 13:38:00.0000	1628	1505
Tue Jun 20 2017 13:39:00.0000	1630	1150
Tue Jun 20 2017 13:40:00.0000	1631	1322
Tue Jun 20 2017 13:41:00.0000	1630	1284
Tue Jun 20 2017 13:42:00.0000	1628	1304
Tue Jun 20 2017 13:43:00.0000	1630	1433
Tue Jun 20 2017 13:44:00.0000	1630	1277
Tue Jun 20 2017 13:45:00.0000	1632	1316
Tue Jun 20 2017 13:46:00.0000	1629	1325
Tue Jun 20 2017 13:47:00.0000	1630	1309
Tue Jun 20 2017 13:48:00.0000	1630	1279
Tue Jun 20 2017 13:49:00.0000	1632	1284
Tue Jun 20 2017 13:50:00.0000	1631	1263
Tue Jun 20 2017 13:51:00.0000	1629	1363
Tue Jun 20 2017 13:52:00.0000	1630	1241
Tue Jun 20 2017 13:53:00.0000	1632	1274
Tue Jun 20 2017 13:54:00.0000	1631	1252
Tue Jun 20 2017 13:55:00.0000	1629	1391
Tue Jun 20 2017 13:56:00.0000	1630	1405
Tue Jun 20 2017 13:57:00.0000	1631	1250
Tue Jun 20 2017 13:58:00.0000	1633	1306
Tue Jun 20 2017 13:59:00.0000	1631	1216
Tue Jun 20 2017 14:00:00.0000	1630	1304
Tue Jun 20 2017 14:01:00.0000	1631	1258
Tue Jun 20 2017 14:02:00.0000	1633	1217
Tue Jun 20 2017 14:03:00.0000	1632	1284
Tue Jun 20 2017 14:04:00.0000	1630	1259
Tue Jun 20 2017 14:05:00.0000	1631	1406
Tue Jun 20 2017 14:06:00.0000	1632	1255
Tue Jun 20 2017 14:07:00.0000	1633	1207
Tue Jun 20 2017 14:08:00.0000	1631	1274
Tue Jun 20 2017 14:09:00.0000	1630	1333
Tue Jun 20 2017 14:10:00.0000	1631	1236
Tue Jun 20 2017 14:11:00.0000	1633	1215
Tue Jun 20 2017 14:12:00.0000	1632	1258
Tue Jun 20 2017 14:13:00.0000	1630	1195
Tue Jun 20 2017 14:14:00.0000	1632	1205
Tue Jun 20 2017 14:15:00.0000	1632	1208
Tue Jun 20 2017 14:16:00.0000	1633	1330
Tue Jun 20 2017 14:17:00.0000	1631	1300
Tue Jun 20 2017 14:18:00.0000	1630	1382
Tue Jun 20 2017 14:19:00.0000	1632	1214
Tue Jun 20 2017 14:20:00.0000	1633	1295
Tue Jun 20 2017 14:21:00.0000	1632	1311

Date/Time	Process Temperature (°F)	Process Flow SCFM
Tue Jun 20 2017 14:22:00.0000	1630	1433
Tue Jun 20 2017 14:23:00.0000	1632	1302
Tue Jun 20 2017 14:24:00.0000	1633	1263
Tue Jun 20 2017 14:25:00.0000	1629	1317
Tue Jun 20 2017 14:26:00.0000	1625	1441
Tue Jun 20 2017 14:27:00.0000	1624	1353
Tue Jun 20 2017 14:28:00.0000	1622	1285
Tue Jun 20 2017 14:29:00.0000	1621	1258
Tue Jun 20 2017 14:30:00.0000	1619	1340
Tue Jun 20 2017 14:31:00.0000	1617	1221
Tue Jun 20 2017 14:32:00.0000	1617	1293
Tue Jun 20 2017 14:33:00.0000	1617	1209
Tue Jun 20 2017 14:34:00.0000	1615	1300
Tue Jun 20 2017 14:35:00.0000	1613	1406
Tue Jun 20 2017 14:36:00.0000	1613	1254
Tue Jun 20 2017 14:37:00.0000	1613	1237
Tue Jun 20 2017 14:38:00.0000	1613	1277
Tue Jun 20 2017 14:39:00.0000	1611	1312
Tue Jun 20 2017 14:40:00.0000	1610	1467
Tue Jun 20 2017 14:41:00.0000	1610	1270
Tue Jun 20 2017 14:42:00.0000	1610	1266
Tue Jun 20 2017 14:43:00.0000	1609	1314
Tue Jun 20 2017 14:44:00.0000	1607	1315
Tue Jun 20 2017 14:45:00.0000	1607	1504
Tue Jun 20 2017 14:46:00.0000	1607	1245
Tue Jun 20 2017 14:47:00.0000	1607	1331
Tue Jun 20 2017 14:48:00.0000	1605	1270
Tue Jun 20 2017 14:49:00.0000	1605	1216
Tue Jun 20 2017 14:50:00.0000	1605	1235
Tue Jun 20 2017 14:51:00.0000	1605	1216
Tue Jun 20 2017 14:52:00.0000	1604	1298
Tue Jun 20 2017 14:53:00.0000	1602	1327
Tue Jun 20 2017 14:54:00.0000	1610	1400
Tue Jun 20 2017 14:55:00.0000	1614	1230
Tue Jun 20 2017 14:56:00.0000	1620	1262
Tue Jun 20 2017 14:57:00.0000	1620	1402
Tue Jun 20 2017 14:58:00.0000	1622	1357
Tue Jun 20 2017 14:59:00.0000	1625	1255
Tue Jun 20 2017 15:00:00.0000	1629	1270
Tue Jun 20 2017 15:01:00.0000	1628	1263
Tue Jun 20 2017 15:02:00.0000	1628	1333
Tue Jun 20 2017 15:03:00.0000	1630	1214
Tue Jun 20 2017 15:04:00.0000	1633	1169
Tue Jun 20 2017 15:05:00.0000	1630	1241
Tue Jun 20 2017 15:06:00.0000	1625	1406
Tue Jun 20 2017 15:07:00.0000	1623	1319
Tue Jun 20 2017 15:08:00.0000	1622	1233
Tue Jun 20 2017 15:09:00.0000	1621	1284
Tue Jun 20 2017 15:10:00.0000	1618	1291
Tue Jun 20 2017 15:11:00.0000	1616	1392
Tue Jun 20 2017 15:12:00.0000	1616	1277
Tue Jun 20 2017 15:13:00.0000	1616	1254
Tue Jun 20 2017 15:14:00.0000	1615	1281
Tue Jun 20 2017 15:15:00.0000	1613	1356
Tue Jun 20 2017 15:16:00.0000	1613	1394
Tue Jun 20 2017 15:17:00.0000	1613	1251
Tue Jun 20 2017 15:18:00.0000	1613	1317

Date/Time	Process Temperature (°F)	Process Flow SCFM
Tue Jun 20 2017 15:19:00.0000	1611	1277
Tue Jun 20 2017 15:20:00.0000	1610	1435
Tue Jun 20 2017 15:21:00.0000	1611	1367
Tue Jun 20 2017 15:22:00.0000	1611	1275
Tue Jun 20 2017 15:23:00.0000	1610	1256
Tue Jun 20 2017 15:24:00.0000	1608	1418
Tue Jun 20 2017 15:25:00.0000	1609	1397
Tue Jun 20 2017 15:26:00.0000	1609	1260
Tue Jun 20 2017 15:27:00.0000	1609	1231
Tue Jun 20 2017 15:28:00.0000	1608	1275
Tue Jun 20 2017 15:29:00.0000	1606	1217
Tue Jun 20 2017 15:30:00.0000	1607	1271
Tue Jun 20 2017 15:31:00.0000	1608	1320
Tue Jun 20 2017 15:32:00.0000	1607	1310
Tue Jun 20 2017 15:33:00.0000	1605	1424
Tue Jun 20 2017 15:34:00.0000	1606	1335
Tue Jun 20 2017 15:35:00.0000	1606	1232
Tue Jun 20 2017 15:36:00.0000	1606	1257
Tue Jun 20 2017 15:37:00.0000	1605	1265
Tue Jun 20 2017 15:38:00.0000	1604	1367
Tue Jun 20 2017 15:39:00.0000	1605	1273
Tue Jun 20 2017 15:40:00.0000	1605	1206
Tue Jun 20 2017 15:41:00.0000	1605	1288
Tue Jun 20 2017 15:42:00.0000	1603	1409
Tue Jun 20 2017 15:43:00.0000	1604	1380
Tue Jun 20 2017 15:44:00.0000	1604	1256
Tue Jun 20 2017 15:45:00.0000	1604	1247
Tue Jun 20 2017 15:46:00.0000	1603	1391
Tue Jun 20 2017 15:47:00.0000	1606	1232
Tue Jun 20 2017 15:48:00.0000	1612	1233
Tue Jun 20 2017 15:49:00.0000	1618	1299
Tue Jun 20 2017 15:50:00.0000	1620	1311
Tue Jun 20 2017 15:51:00.0000	1619	1319
Tue Jun 20 2017 15:52:00.0000	1622	1354
Tue Jun 20 2017 15:53:00.0000	1625	1220
Tue Jun 20 2017 15:54:00.0000	1628	1286
Tue Jun 20 2017 15:55:00.0000	1627	1412
Tue Jun 20 2017 15:56:00.0000	1627	1314
Tue Jun 20 2017 15:57:00.0000	1629	1226
Tue Jun 20 2017 15:58:00.0000	1633	1375
Tue Jun 20 2017 15:59:00.0000	1633	1241
Tue Jun 20 2017 16:00:00.0000	1632	1319
Tue Jun 20 2017 16:01:00.0000	1631	1430
Tue Jun 20 2017 16:02:00.0000	1621	1266
Tue Jun 20 2017 16:03:00.0000	1616	1263
Tue Jun 20 2017 16:04:00.0000	1611	1326
Tue Jun 20 2017 16:05:00.0000	1607	1362
Tue Jun 20 2017 16:06:00.0000	1605	1245
Tue Jun 20 2017 16:07:00.0000	1602	1340
Tue Jun 20 2017 16:08:00.0000	1605	1269
Tue Jun 20 2017 16:09:00.0000	1609	1400
Tue Jun 20 2017 16:10:00.0000	1616	1321
Tue Jun 20 2017 16:11:00.0000	1620	1231
Tue Jun 20 2017 16:12:00.0000	1625	1248
Tue Jun 20 2017 16:13:00.0000	1624	1365
Tue Jun 20 2017 16:14:00.0000	1625	1409
Tue Jun 20 2017 16:15:00.0000	1627	1226

Date/Time	Process Temperature (°F)	Process Flow SCFM
Tue Jun 20 2017 16:16:00.0000	1632	1350
Tue Jun 20 2017 16:17:00.0000	1631	1313
Tue Jun 20 2017 16:18:00.0000	1630	1420
Tue Jun 20 2017 16:19:00.0000	1633	1200
Tue Jun 20 2017 16:20:00.0000	1634	1234
Tue Jun 20 2017 16:21:00.0000	1628	1292
Tue Jun 20 2017 16:22:00.0000	1620	1319
Tue Jun 20 2017 16:23:00.0000	1615	1409
Tue Jun 20 2017 16:24:00.0000	1611	1210
Tue Jun 20 2017 16:25:00.0000	1608	1364
Tue Jun 20 2017 16:26:00.0000	1604	1281
Tue Jun 20 2017 16:27:00.0000	1601	1354
Tue Jun 20 2017 16:28:00.0000	1606	1256
Tue Jun 20 2017 16:29:00.0000	1614	1259
Tue Jun 20 2017 16:30:00.0000	1621	1303
Tue Jun 20 2017 16:31:00.0000	1623	1295
Tue Jun 20 2017 16:32:00.0000	1624	1264
Tue Jun 20 2017 16:33:00.0000	1626	1223
Tue Jun 20 2017 16:34:00.0000	1630	1325
Tue Jun 20 2017 16:35:00.0000	1630	1247
Tue Jun 20 2017 16:36:00.0000	1629	1442
Tue Jun 20 2017 16:37:00.0000	1632	1389
Tue Jun 20 2017 16:38:00.0000	1634	1291
Tue Jun 20 2017 16:39:00.0000	1626	1256
Tue Jun 20 2017 16:40:00.0000	1618	1360
Tue Jun 20 2017 16:41:00.0000	1614	1280
Tue Jun 20 2017 16:42:00.0000	1610	1231
Tue Jun 20 2017 16:43:00.0000	1607	1236
Tue Jun 20 2017 16:44:00.0000	1604	1221
Tue Jun 20 2017 16:45:00.0000	1603	1319
Tue Jun 20 2017 16:46:00.0000	1609	1300
Tue Jun 20 2017 16:47:00.0000	1616	1271
Tue Jun 20 2017 16:48:00.0000	1621	1294
Tue Jun 20 2017 16:49:00.0000	1621	1288
Tue Jun 20 2017 16:50:00.0000	1625	1391
Tue Jun 20 2017 16:51:00.0000	1625	1331
Tue Jun 20 2017 16:52:00.0000	1630	1263
Tue Jun 20 2017 16:53:00.0000	1630	1280
Tue Jun 20 2017 16:54:00.0000	1629	1408
Tue Jun 20 2017 16:55:00.0000	1632	1224
Tue Jun 20 2017 16:56:00.0000	1634	1298
Tue Jun 20 2017 16:57:00.0000	1624	1281
Tue Jun 20 2017 16:58:00.0000	1617	1237
Tue Jun 20 2017 16:59:00.0000	1613	1385
Tue Jun 20 2017 17:00:00.0000	1609	1186
Tue Jun 20 2017 17:01:00.0000	1606	1302
Tue Jun 20 2017 17:02:00.0000	1602	1291
Tue Jun 20 2017 17:03:00.0000	1605	1380
Tue Jun 20 2017 17:04:00.0000	1612	1261
Tue Jun 20 2017 17:05:00.0000	1619	1297
Tue Jun 20 2017 17:06:00.0000	1622	1297
Tue Jun 20 2017 17:07:00.0000	1622	1255
Tue Jun 20 2017 17:08:00.0000	1625	1241
Tue Jun 20 2017 17:09:00.0000	1629	1235
Tue Jun 20 2017 17:10:00.0000	1631	1331
Tue Jun 20 2017 17:11:00.0000	1630	1314
Tue Jun 20 2017 17:12:00.0000	1631	1401

Date/Time	Process Temperature (°F)	Process Flow SCFM
Tue Jun 20 2017 17:13:00.0000	1633	1180
Tue Jun 20 2017 17:14:00.0000	1631	1266
Tue Jun 20 2017 17:15:00.0000	1622	1299
Tue Jun 20 2017 17:16:00.0000	1617	1364
Tue Jun 20 2017 17:17:00.0000	1612	1249
Tue Jun 20 2017 17:18:00.0000	1609	1230
Tue Jun 20 2017 17:19:00.0000	1606	1249
Tue Jun 20 2017 17:20:00.0000	1602	1391
Tue Jun 20 2017 17:21:00.0000	1604	1345
Tue Jun 20 2017 17:22:00.0000	1611	1242
Tue Jun 20 2017 17:23:00.0000	1619	1241
Tue Jun 20 2017 17:24:00.0000	1621	1319
Tue Jun 20 2017 17:25:00.0000	1622	1440
Tue Jun 20 2017 17:26:00.0000	1625	1281
Tue Jun 20 2017 17:27:00.0000	1628	1177
Tue Jun 20 2017 17:28:00.0000	1631	1246
Tue Jun 20 2017 17:29:00.0000	1630	1367
Tue Jun 20 2017 17:30:00.0000	1631	1263
Tue Jun 20 2017 17:31:00.0000	1633	1240
Tue Jun 20 2017 17:32:00.0000	1632	1254
Tue Jun 20 2017 17:33:00.0000	1624	1269
Tue Jun 20 2017 17:34:00.0000	1620	1346
Tue Jun 20 2017 17:35:00.0000	1617	1256
Tue Jun 20 2017 17:36:00.0000	1615	1207
Tue Jun 20 2017 17:37:00.0000	1612	1303
Tue Jun 20 2017 17:38:00.0000	1609	1220
Tue Jun 20 2017 17:39:00.0000	1608	1386
Tue Jun 20 2017 17:40:00.0000	1607	1270
Tue Jun 20 2017 17:41:00.0000	1606	1260
Tue Jun 20 2017 17:42:00.0000	1604	1260
Tue Jun 20 2017 17:43:00.0000	1602	1288
Tue Jun 20 2017 17:44:00.0000	1606	1178
Tue Jun 20 2017 17:45:00.0000	1612	1208
Tue Jun 20 2017 17:46:00.0000	1614	1258
Tue Jun 20 2017 17:47:00.0000	1613	1258
Tue Jun 20 2017 17:48:00.0000	1615	1320
Tue Jun 20 2017 17:49:00.0000	1616	1298
Tue Jun 20 2017 17:50:00.0000	1618	1254
Tue Jun 20 2017 17:51:00.0000	1617	1232
Tue Jun 20 2017 17:52:00.0000	1616	1345
Tue Jun 20 2017 17:53:00.0000	1618	1261
Tue Jun 20 2017 17:54:00.0000	1620	1252
Tue Jun 20 2017 17:55:00.0000	1620	1228
Tue Jun 20 2017 17:56:00.0000	1618	1223
Tue Jun 20 2017 17:57:00.0000	1620	1325
Tue Jun 20 2017 17:58:00.0000	1620	1225
Tue Jun 20 2017 17:59:00.0000	1622	1245
Tue Jun 20 2017 18:00:00.0000	1620	1281
Tue Jun 20 2017 18:01:00.0000	1620	1309
Tue Jun 20 2017 18:02:00.0000	1621	1224
Tue Jun 20 2017 18:03:00.0000	1623	1277
Tue Jun 20 2017 18:04:00.0000	1622	1304
Tue Jun 20 2017 18:05:00.0000	1621	1497
Tue Jun 20 2017 18:06:00.0000	1623	1294
Tue Jun 20 2017 18:07:00.0000	1624	1227
Tue Jun 20 2017 18:08:00.0000	1626	1300
Tue Jun 20 2017 18:09:00.0000	1625	1243

Date/Time	Process Temperature (°F)	Process Flow SCFM
Tue Jun 20 2017 18:10:00.0000	1625	1370
Tue Jun 20 2017 18:11:00.0000	1626	1164
Tue Jun 20 2017 18:12:00.0000	1628	1256
Tue Jun 20 2017 18:13:00.0000	1628	1281
Tue Jun 20 2017 18:14:00.0000	1626	1411
Tue Jun 20 2017 18:15:00.0000	1628	1493
Tue Jun 20 2017 18:16:00.0000	1629	1218
Tue Jun 20 2017 18:17:00.0000	1630	1263
Tue Jun 20 2017 18:18:00.0000	1628	1294
Tue Jun 20 2017 18:19:00.0000	1628	1285
Tue Jun 20 2017 18:20:00.0000	1629	1256
Tue Jun 20 2017 18:21:00.0000	1631	1247
Tue Jun 20 2017 18:22:00.0000	1631	1226
Tue Jun 20 2017 18:23:00.0000	1629	1272
Tue Jun 20 2017 18:24:00.0000	1630	1248
Tue Jun 20 2017 18:25:00.0000	1632	1233
Tue Jun 20 2017 18:26:00.0000	1632	1271
Tue Jun 20 2017 18:27:00.0000	1630	1248
Tue Jun 20 2017 18:28:00.0000	1630	1305
Tue Jun 20 2017 18:29:00.0000	1631	1310
Tue Jun 20 2017 18:30:00.0000	1633	1265
Tue Jun 20 2017 18:31:00.0000	1627	1250
Tue Jun 20 2017 18:32:00.0000	1623	1287
Tue Jun 20 2017 18:33:00.0000	1621	1238
Tue Jun 20 2017 18:34:00.0000	1619	1214
Tue Jun 20 2017 18:35:00.0000	1617	1249
Tue Jun 20 2017 18:36:00.0000	1614	1351
Tue Jun 20 2017 18:37:00.0000	1613	1335
Tue Jun 20 2017 18:38:00.0000	1612	1332
Tue Jun 20 2017 18:39:00.0000	1611	1244
Tue Jun 20 2017 18:40:00.0000	1609	1220
Tue Jun 20 2017 18:41:00.0000	1607	1325
Tue Jun 20 2017 18:42:00.0000	1607	1181
Tue Jun 20 2017 18:43:00.0000	1607	1238
Tue Jun 20 2017 18:44:00.0000	1606	1269
Tue Jun 20 2017 18:45:00.0000	1603	1405
Tue Jun 20 2017 18:46:00.0000	1603	1325
Tue Jun 20 2017 18:47:00.0000	1603	1206
Tue Jun 20 2017 18:48:00.0000	1603	1256
Tue Jun 20 2017 18:49:00.0000	1603	1263
Tue Jun 20 2017 18:50:00.0000	1607	1272
Tue Jun 20 2017 18:51:00.0000	1612	1203
Tue Jun 20 2017 18:52:00.0000	1617	1264
Tue Jun 20 2017 18:53:00.0000	1620	1257
Tue Jun 20 2017 18:54:00.0000	1619	1435
Tue Jun 20 2017 18:55:00.0000	1622	1316
Tue Jun 20 2017 18:56:00.0000	1624	1211
Tue Jun 20 2017 18:57:00.0000	1627	1216
Tue Jun 20 2017 18:58:00.0000	1627	1247
Tue Jun 20 2017 18:59:00.0000	1626	1232
Tue Jun 20 2017 19:00:00.0000	1628	1214
Tue Jun 20 2017 19:01:00.0000	1631	1271
Tue Jun 20 2017 19:02:00.0000	1632	1273
Tue Jun 20 2017 19:03:00.0000	1630	1318
Tue Jun 20 2017 19:04:00.0000	1632	1326
Tue Jun 20 2017 19:05:00.0000	1633	1340
Tue Jun 20 2017 19:06:00.0000	1632	1247

Date/Time	Process Temperature (°F)	Process Flow SCFM
Tue Jun 20 2017 19:07:00.0000	1621	1231
Tue Jun 20 2017 19:08:00.0000	1616	1283
Tue Jun 20 2017 19:09:00.0000	1612	1232
Tue Jun 20 2017 19:10:00.0000	1608	1174
Tue Jun 20 2017 19:11:00.0000	1604	1225
Tue Jun 20 2017 19:12:00.0000	1602	1348
Tue Jun 20 2017 19:13:00.0000	1609	1345
Tue Jun 20 2017 19:14:00.0000	1615	1174
Tue Jun 20 2017 19:15:00.0000	1621	1261
Tue Jun 20 2017 19:16:00.0000	1622	1289
Tue Jun 20 2017 19:17:00.0000	1624	1204
Tue Jun 20 2017 19:18:00.0000	1626	1202
Tue Jun 20 2017 19:19:00.0000	1630	1232
Tue Jun 20 2017 19:20:00.0000	1631	1231
Tue Jun 20 2017 19:21:00.0000	1629	1310
Tue Jun 20 2017 19:22:00.0000	1631	1295
Tue Jun 20 2017 19:23:00.0000	1632	1176
Tue Jun 20 2017 19:24:00.0000	1630	1234
Tue Jun 20 2017 19:25:00.0000	1622	1326
Tue Jun 20 2017 19:26:00.0000	1620	1274
Tue Jun 20 2017 19:27:00.0000	1618	1178
Tue Jun 20 2017 19:28:00.0000	1617	1274
Tue Jun 20 2017 19:29:00.0000	1615	1238
Tue Jun 20 2017 19:30:00.0000	1612	1306
Tue Jun 20 2017 19:31:00.0000	1612	1376
Tue Jun 20 2017 19:32:00.0000	1611	1120
Tue Jun 20 2017 19:33:00.0000	1610	1197
Tue Jun 20 2017 19:34:00.0000	1608	1316
Tue Jun 20 2017 19:35:00.0000	1607	1304
Tue Jun 20 2017 19:36:00.0000	1607	1207
Tue Jun 20 2017 19:37:00.0000	1607	1292
Tue Jun 20 2017 19:38:00.0000	1605	1239
Tue Jun 20 2017 19:39:00.0000	1603	1394
Tue Jun 20 2017 19:40:00.0000	1604	1418
Tue Jun 20 2017 19:41:00.0000	1604	1248
Tue Jun 20 2017 19:42:00.0000	1603	1211
Tue Jun 20 2017 19:43:00.0000	1602	1254
Tue Jun 20 2017 19:44:00.0000	1606	1256
Tue Jun 20 2017 19:45:00.0000	1612	1197
Tue Jun 20 2017 19:46:00.0000	1618	1266
Tue Jun 20 2017 19:47:00.0000	1619	1194
Tue Jun 20 2017 19:48:00.0000	1619	1289
Tue Jun 20 2017 19:49:00.0000	1623	1253
Tue Jun 20 2017 19:50:00.0000	1624	1180
Tue Jun 20 2017 19:51:00.0000	1627	1211
Tue Jun 20 2017 19:52:00.0000	1626	1328
Tue Jun 20 2017 19:53:00.0000	1627	1272
Tue Jun 20 2017 19:54:00.0000	1629	1255
Tue Jun 20 2017 19:55:00.0000	1632	1354
Tue Jun 20 2017 19:56:00.0000	1632	1256
Tue Jun 20 2017 19:57:00.0000	1630	1328
Tue Jun 20 2017 19:58:00.0000	1633	1218
Tue Jun 20 2017 19:59:00.0000	1635	1275
Tue Jun 20 2017 20:00:00.0000	1629	1224
Tue Jun 20 2017 20:01:00.0000	1621	1257
Tue Jun 20 2017 20:02:00.0000	1616	1358
Tue Jun 20 2017 20:03:00.0000	1612	1213

Date/Time	Process Temperature (°F)	Process Flow SCFM
Tue Jun 20 2017 20:04:00.0000	1609	1254
Tue Jun 20 2017 20:05:00.0000	1606	1269
Tue Jun 20 2017 20:06:00.0000	1603	1304
Tue Jun 20 2017 20:07:00.0000	1602	1330
Tue Jun 20 2017 20:08:00.0000	1606	1219
Tue Jun 20 2017 20:09:00.0000	1612	1227
Tue Jun 20 2017 20:10:00.0000	1613	1328
Tue Jun 20 2017 20:11:00.0000	1615	1217
Tue Jun 20 2017 20:12:00.0000	1619	1282
Tue Jun 20 2017 20:13:00.0000	1622	1318
Tue Jun 20 2017 20:14:00.0000	1622	1257
Tue Jun 20 2017 20:15:00.0000	1621	1248
Tue Jun 20 2017 20:16:00.0000	1624	1184
Tue Jun 20 2017 20:17:00.0000	1627	1191
Tue Jun 20 2017 20:18:00.0000	1627	1188
Tue Jun 20 2017 20:19:00.0000	1626	1272
Tue Jun 20 2017 20:20:00.0000	1626	1331
Tue Jun 20 2017 20:21:00.0000	1628	1167
Tue Jun 20 2017 20:22:00.0000	1631	1175
Tue Jun 20 2017 20:23:00.0000	1629	1205
Tue Jun 20 2017 20:24:00.0000	1628	1290
Tue Jun 20 2017 20:25:00.0000	1630	1190
Tue Jun 20 2017 20:26:00.0000	1631	1175
Tue Jun 20 2017 20:27:00.0000	1624	1181
Tue Jun 20 2017 20:28:00.0000	1620	1352
Tue Jun 20 2017 20:29:00.0000	1618	1263
Tue Jun 20 2017 20:30:00.0000	1617	1137
Tue Jun 20 2017 20:31:00.0000	1615	1200
Tue Jun 20 2017 20:32:00.0000	1612	1247
Tue Jun 20 2017 20:33:00.0000	1611	1219
Tue Jun 20 2017 20:34:00.0000	1611	1185
Tue Jun 20 2017 20:35:00.0000	1611	1253
Tue Jun 20 2017 20:36:00.0000	1609	1276
Tue Jun 20 2017 20:37:00.0000	1606	1195
Tue Jun 20 2017 20:38:00.0000	1607	1301
Tue Jun 20 2017 20:39:00.0000	1606	1164
Tue Jun 20 2017 20:40:00.0000	1606	1250
Tue Jun 20 2017 20:41:00.0000	1603	1151
Tue Jun 20 2017 20:42:00.0000	1603	1252
Tue Jun 20 2017 20:43:00.0000	1603	1186
Tue Jun 20 2017 20:44:00.0000	1603	1199
Tue Jun 20 2017 20:45:00.0000	1601	1231
Tue Jun 20 2017 20:46:00.0000	1607	1244
Tue Jun 20 2017 20:47:00.0000	1617	1159
Tue Jun 20 2017 20:48:00.0000	1625	1175
Tue Jun 20 2017 20:49:00.0000	1632	1225
Tue Jun 20 2017 20:50:00.0000	1633	1277
Tue Jun 20 2017 20:51:00.0000	1635	1417
Tue Jun 20 2017 20:52:00.0000	1628	1206
Tue Jun 20 2017 20:53:00.0000	1619	1228
Tue Jun 20 2017 20:54:00.0000	1613	1255
Tue Jun 20 2017 20:55:00.0000	1608	1275
Tue Jun 20 2017 20:56:00.0000	1605	1175
Tue Jun 20 2017 20:57:00.0000	1602	1220
Tue Jun 20 2017 20:58:00.0000	1601	1214
Tue Jun 20 2017 20:59:00.0000	1602	1276
Tue Jun 20 2017 21:00:00.0000	1608	1238

Date/Time	Process Temperature (°F)	Process Flow SCFM
Tue Jun 20 2017 21:01:00.0000	1613	1219
Tue Jun 20 2017 21:02:00.0000	1619	1208
Tue Jun 20 2017 21:03:00.0000	1621	1170
Tue Jun 20 2017 21:04:00.0000	1620	1184
Tue Jun 20 2017 21:05:00.0000	1623	1155
Tue Jun 20 2017 21:06:00.0000	1626	1271
Tue Jun 20 2017 21:07:00.0000	1628	1256
Tue Jun 20 2017 21:08:00.0000	1627	1218
Tue Jun 20 2017 21:09:00.0000	1628	1412
Tue Jun 20 2017 21:10:00.0000	1630	1214
Tue Jun 20 2017 21:11:00.0000	1633	1176
Tue Jun 20 2017 21:12:00.0000	1627	1224
Tue Jun 20 2017 21:13:00.0000	1622	1269
Tue Jun 20 2017 21:14:00.0000	1620	1203
Tue Jun 20 2017 21:15:00.0000	1617	1181
Tue Jun 20 2017 21:16:00.0000	1615	1201
Tue Jun 20 2017 21:17:00.0000	1612	1193
Tue Jun 20 2017 21:18:00.0000	1611	1280
Tue Jun 20 2017 21:19:00.0000	1611	1127
Tue Jun 20 2017 21:20:00.0000	1610	1167
Tue Jun 20 2017 21:21:00.0000	1608	1198
Tue Jun 20 2017 21:22:00.0000	1606	1345
Tue Jun 20 2017 21:23:00.0000	1606	1174
Tue Jun 20 2017 21:24:00.0000	1605	1206
Tue Jun 20 2017 21:25:00.0000	1605	1218
Tue Jun 20 2017 21:26:00.0000	1602	1274
Tue Jun 20 2017 21:27:00.0000	1602	1194
Tue Jun 20 2017 21:28:00.0000	1602	1160
Tue Jun 20 2017 21:29:00.0000	1608	1250
Tue Jun 20 2017 21:30:00.0000	1611	1218
Tue Jun 20 2017 21:31:00.0000	1611	1302
Tue Jun 20 2017 21:32:00.0000	1616	1252
Tue Jun 20 2017 21:33:00.0000	1619	1228
Tue Jun 20 2017 21:34:00.0000	1621	1208
Tue Jun 20 2017 21:35:00.0000	1620	1289
Tue Jun 20 2017 21:36:00.0000	1622	1287
Tue Jun 20 2017 21:37:00.0000	1623	1161
Tue Jun 20 2017 21:38:00.0000	1627	1198
Tue Jun 20 2017 21:39:00.0000	1626	1241
Tue Jun 20 2017 21:40:00.0000	1625	1242
Tue Jun 20 2017 21:41:00.0000	1627	1250
Tue Jun 20 2017 21:42:00.0000	1629	1150
Tue Jun 20 2017 21:43:00.0000	1630	1206
Tue Jun 20 2017 21:44:00.0000	1628	1232
Tue Jun 20 2017 21:45:00.0000	1629	1296
Tue Jun 20 2017 21:46:00.0000	1631	1171
Tue Jun 20 2017 21:47:00.0000	1632	1255
Tue Jun 20 2017 21:48:00.0000	1621	1209
Tue Jun 20 2017 21:49:00.0000	1616	1288
Tue Jun 20 2017 21:50:00.0000	1612	1169
Tue Jun 20 2017 21:51:00.0000	1609	1198
Tue Jun 20 2017 21:52:00.0000	1605	1207
Tue Jun 20 2017 21:53:00.0000	1601	1316
Tue Jun 20 2017 21:54:00.0000	1604	1265
Tue Jun 20 2017 21:55:00.0000	1610	1250
Tue Jun 20 2017 21:56:00.0000	1618	1179
Tue Jun 20 2017 21:57:00.0000	1620	1186

Date/Time	Process Temperature (°F)	Process Flow SCFM
Tue Jun 20 2017 21:58:00.0000	1620	1204
Tue Jun 20 2017 21:59:00.0000	1624	1164
Tue Jun 20 2017 22:00:00.0000	1627	1156
Tue Jun 20 2017 22:01:00.0000	1629	1157
Tue Jun 20 2017 22:02:00.0000	1628	1230
Tue Jun 20 2017 22:03:00.0000	1629	1417
Tue Jun 20 2017 22:04:00.0000	1631	1113
Tue Jun 20 2017 22:05:00.0000	1632	1169
Tue Jun 20 2017 22:06:00.0000	1622	1179
Tue Jun 20 2017 22:07:00.0000	1616	1243
Tue Jun 20 2017 22:08:00.0000	1612	1189
Tue Jun 20 2017 22:09:00.0000	1608	1208
Tue Jun 20 2017 22:10:00.0000	1605	1259
Tue Jun 20 2017 22:11:00.0000	1601	1261
Tue Jun 20 2017 22:12:00.0000	1603	1136
Tue Jun 20 2017 22:13:00.0000	1605	1183
Tue Jun 20 2017 22:14:00.0000	1609	1174
Tue Jun 20 2017 22:15:00.0000	1609	1182
Tue Jun 20 2017 22:16:00.0000	1608	1247
Tue Jun 20 2017 22:17:00.0000	1610	1250
Tue Jun 20 2017 22:18:00.0000	1611	1238
Tue Jun 20 2017 22:19:00.0000	1611	1218
Tue Jun 20 2017 22:20:00.0000	1610	1153
Tue Jun 20 2017 22:21:00.0000	1611	1175
Tue Jun 20 2017 22:22:00.0000	1611	1131
Tue Jun 20 2017 22:23:00.0000	1612	1164
Tue Jun 20 2017 22:24:00.0000	1611	1191
Tue Jun 20 2017 22:25:00.0000	1610	1330
Tue Jun 20 2017 22:26:00.0000	1611	1157
Tue Jun 20 2017 22:27:00.0000	1612	1119
Tue Jun 20 2017 22:28:00.0000	1612	1185
Tue Jun 20 2017 22:29:00.0000	1610	1221
Tue Jun 20 2017 22:30:00.0000	1611	1206
Tue Jun 20 2017 22:31:00.0000	1611	1135
Tue Jun 20 2017 22:32:00.0000	1612	1269
Tue Jun 20 2017 22:33:00.0000	1611	1201
Tue Jun 20 2017 22:34:00.0000	1610	1167
Tue Jun 20 2017 22:35:00.0000	1611	1158
Tue Jun 20 2017 22:36:00.0000	1612	1142
Tue Jun 20 2017 22:37:00.0000	1612	1170
Tue Jun 20 2017 22:38:00.0000	1610	1165
Tue Jun 20 2017 22:39:00.0000	1611	1310
Tue Jun 20 2017 22:40:00.0000	1611	1119
Tue Jun 20 2017 22:41:00.0000	1612	1189
Tue Jun 20 2017 22:42:00.0000	1611	1202
Tue Jun 20 2017 22:43:00.0000	1610	1254
Tue Jun 20 2017 22:44:00.0000	1611	1148
Tue Jun 20 2017 22:45:00.0000	1612	1252
Tue Jun 20 2017 22:46:00.0000	1611	1219
Tue Jun 20 2017 22:47:00.0000	1610	1215
Tue Jun 20 2017 22:48:00.0000	1610	1328
Tue Jun 20 2017 22:49:00.0000	1611	1131
Tue Jun 20 2017 22:50:00.0000	1612	1234
Tue Jun 20 2017 22:51:00.0000	1610	1225
Tue Jun 20 2017 22:52:00.0000	1609	1223
Tue Jun 20 2017 22:53:00.0000	1610	1156
Tue Jun 20 2017 22:54:00.0000	1611	1225

Date/Time	Process Temperature (°F)	Process Flow SCFM
Tue Jun 20 2017 22:55:00.0000	1611	1243
Tue Jun 20 2017 22:56:00.0000	1609	1214
Tue Jun 20 2017 22:57:00.0000	1610	1312
Tue Jun 20 2017 22:58:00.0000	1611	1206
Tue Jun 20 2017 22:59:00.0000	1611	1210
Tue Jun 20 2017 23:00:00.0000	1610	1220
Tue Jun 20 2017 23:01:00.0000	1609	1174
Tue Jun 20 2017 23:02:00.0000	1610	1130
Tue Jun 20 2017 23:03:00.0000	1612	1160
Tue Jun 20 2017 23:04:00.0000	1611	1226
Tue Jun 20 2017 23:05:00.0000	1609	1253
Tue Jun 20 2017 23:06:00.0000	1610	1152
Tue Jun 20 2017 23:07:00.0000	1611	1168
Tue Jun 20 2017 23:08:00.0000	1611	1199
Tue Jun 20 2017 23:09:00.0000	1609	1203
Tue Jun 20 2017 23:10:00.0000	1609	1324
Tue Jun 20 2017 23:11:00.0000	1610	1207
Tue Jun 20 2017 23:12:00.0000	1612	1134
Tue Jun 20 2017 23:13:00.0000	1611	1218
Tue Jun 20 2017 23:14:00.0000	1609	1184
Tue Jun 20 2017 23:15:00.0000	1610	1287
Tue Jun 20 2017 23:16:00.0000	1611	1122
Tue Jun 20 2017 23:17:00.0000	1611	1130
Tue Jun 20 2017 23:18:00.0000	1609	1254
Tue Jun 20 2017 23:19:00.0000	1609	1308
Tue Jun 20 2017 23:20:00.0000	1610	999
Tue Jun 20 2017 23:21:00.0000	1611	1186
Tue Jun 20 2017 23:22:00.0000	1610	1193
Tue Jun 20 2017 23:23:00.0000	1608	1244
Tue Jun 20 2017 23:24:00.0000	1610	1291
Tue Jun 20 2017 23:25:00.0000	1610	1180
Tue Jun 20 2017 23:26:00.0000	1611	1150
Tue Jun 20 2017 23:27:00.0000	1609	1182
Tue Jun 20 2017 23:28:00.0000	1609	1317
Tue Jun 20 2017 23:29:00.0000	1609	1146
Tue Jun 20 2017 23:30:00.0000	1611	1077
Tue Jun 20 2017 23:31:00.0000	1610	1172
Tue Jun 20 2017 23:32:00.0000	1608	1245
Tue Jun 20 2017 23:33:00.0000	1609	1193
Tue Jun 20 2017 23:34:00.0000	1610	1188
Tue Jun 20 2017 23:35:00.0000	1611	1187
Tue Jun 20 2017 23:36:00.0000	1609	1200
Tue Jun 20 2017 23:37:00.0000	1609	1418
Tue Jun 20 2017 23:38:00.0000	1609	1173
Tue Jun 20 2017 23:39:00.0000	1610	1176
Tue Jun 20 2017 23:40:00.0000	1610	1219
Tue Jun 20 2017 23:41:00.0000	1608	1354
Tue Jun 20 2017 23:42:00.0000	1609	1151
Tue Jun 20 2017 23:43:00.0000	1610	1189
Tue Jun 20 2017 23:44:00.0000	1610	1160
Tue Jun 20 2017 23:45:00.0000	1608	1274
Tue Jun 20 2017 23:46:00.0000	1608	1244
Tue Jun 20 2017 23:47:00.0000	1609	1169
Tue Jun 20 2017 23:48:00.0000	1610	1172
Tue Jun 20 2017 23:49:00.0000	1609	1170
Tue Jun 20 2017 23:50:00.0000	1608	1256
Tue Jun 20 2017 23:51:00.0000	1609	1205

Date/Time	Process Temperature (°F)	Process Flow SCFM
Tue Jun 20 2017 23:52:00.0000	1610	1100
Tue Jun 20 2017 23:53:00.0000	1610	1222
Tue Jun 20 2017 23:54:00.0000	1608	1282
Tue Jun 20 2017 23:55:00.0000	1608	1310
Tue Jun 20 2017 23:56:00.0000	1609	1194
Tue Jun 20 2017 23:57:00.0000	1610	1224
Tue Jun 20 2017 23:58:00.0000	1608	1218
Tue Jun 20 2017 23:59:00.0000	1607	1186
Wed Jun 21 2017 00:00:00.0000	1609	1130
Wed Jun 21 2017 00:01:00.0000	1610	1215
Wed Jun 21 2017 00:02:00.0000	1608	1190
Wed Jun 21 2017 00:03:00.0000	1607	1212
Wed Jun 21 2017 00:04:00.0000	1608	1313
Wed Jun 21 2017 00:05:00.0000	1609	1235
Wed Jun 21 2017 00:06:00.0000	1609	1192
Wed Jun 21 2017 00:07:00.0000	1607	1220
Wed Jun 21 2017 00:08:00.0000	1608	1204
Wed Jun 21 2017 00:09:00.0000	1609	1145
Wed Jun 21 2017 00:10:00.0000	1610	1204
Wed Jun 21 2017 00:11:00.0000	1608	1192
Wed Jun 21 2017 00:12:00.0000	1607	1195
Wed Jun 21 2017 00:13:00.0000	1608	1137
Wed Jun 21 2017 00:14:00.0000	1610	1173
Wed Jun 21 2017 00:15:00.0000	1609	1219
Wed Jun 21 2017 00:16:00.0000	1607	1179
Wed Jun 21 2017 00:17:00.0000	1608	1146
Wed Jun 21 2017 00:18:00.0000	1609	1175
Wed Jun 21 2017 00:19:00.0000	1610	1174
Wed Jun 21 2017 00:20:00.0000	1608	1156
Wed Jun 21 2017 00:21:00.0000	1607	1250
Wed Jun 21 2017 00:22:00.0000	1608	1157
Wed Jun 21 2017 00:23:00.0000	1610	1282
Wed Jun 21 2017 00:24:00.0000	1609	1152
Wed Jun 21 2017 00:25:00.0000	1607	1189
Wed Jun 21 2017 00:26:00.0000	1608	1407
Wed Jun 21 2017 00:27:00.0000	1609	1168
Wed Jun 21 2017 00:28:00.0000	1609	1204
Wed Jun 21 2017 00:29:00.0000	1607	1131
Wed Jun 21 2017 00:30:00.0000	1607	1189
Wed Jun 21 2017 00:31:00.0000	1609	1287
Wed Jun 21 2017 00:32:00.0000	1610	1130
Wed Jun 21 2017 00:33:00.0000	1608	1207
Wed Jun 21 2017 00:34:00.0000	1606	1263
Wed Jun 21 2017 00:35:00.0000	1608	1141
Wed Jun 21 2017 00:36:00.0000	1609	1172
Wed Jun 21 2017 00:37:00.0000	1609	1210
Wed Jun 21 2017 00:38:00.0000	1606	1192
Wed Jun 21 2017 00:39:00.0000	1608	1132
Wed Jun 21 2017 00:40:00.0000	1608	1153
Wed Jun 21 2017 00:41:00.0000	1609	1168
Wed Jun 21 2017 00:42:00.0000	1607	1236
Wed Jun 21 2017 00:43:00.0000	1607	1186
Wed Jun 21 2017 00:44:00.0000	1608	1139
Wed Jun 21 2017 00:45:00.0000	1609	1214
Wed Jun 21 2017 00:46:00.0000	1608	1224
Wed Jun 21 2017 00:47:00.0000	1606	1222
Wed Jun 21 2017 00:48:00.0000	1608	1175

Date/Time	Process Temperature (°F)	Process Flow SCFM
Wed Jun 21 2017 00:49:00.0000	1608	1250
Wed Jun 21 2017 00:50:00.0000	1609	1145
Wed Jun 21 2017 00:51:00.0000	1607	1183
Wed Jun 21 2017 00:52:00.0000	1608	1237
Wed Jun 21 2017 00:53:00.0000	1608	1191
Wed Jun 21 2017 00:54:00.0000	1609	1255
Wed Jun 21 2017 00:55:00.0000	1608	1158
Wed Jun 21 2017 00:56:00.0000	1607	1287
Wed Jun 21 2017 00:57:00.0000	1608	1243
Wed Jun 21 2017 00:58:00.0000	1608	1128
Wed Jun 21 2017 00:59:00.0000	1609	1218
Wed Jun 21 2017 01:00:00.0000	1607	1216
Wed Jun 21 2017 01:01:00.0000	1607	1097
Wed Jun 21 2017 01:02:00.0000	1609	1176
Wed Jun 21 2017 01:03:00.0000	1608	1163
Wed Jun 21 2017 01:04:00.0000	1606	1275
Wed Jun 21 2017 01:05:00.0000	1607	1066
Wed Jun 21 2017 01:06:00.0000	1608	1261
Wed Jun 21 2017 01:07:00.0000	1609	1218
Wed Jun 21 2017 01:08:00.0000	1607	1132
Wed Jun 21 2017 01:09:00.0000	1606	1205
Wed Jun 21 2017 01:10:00.0000	1607	1201
Wed Jun 21 2017 01:11:00.0000	1609	1160
Wed Jun 21 2017 01:12:00.0000	1608	1188
Wed Jun 21 2017 01:13:00.0000	1606	1151
Wed Jun 21 2017 01:14:00.0000	1607	1166
Wed Jun 21 2017 01:15:00.0000	1608	1174
Wed Jun 21 2017 01:16:00.0000	1609	1238
Wed Jun 21 2017 01:17:00.0000	1607	1232
Wed Jun 21 2017 01:18:00.0000	1606	1230
Wed Jun 21 2017 01:19:00.0000	1607	1128
Wed Jun 21 2017 01:20:00.0000	1609	1205
Wed Jun 21 2017 01:21:00.0000	1608	1220
Wed Jun 21 2017 01:22:00.0000	1606	1139
Wed Jun 21 2017 01:23:00.0000	1607	1262
Wed Jun 21 2017 01:24:00.0000	1608	1153
Wed Jun 21 2017 01:25:00.0000	1609	1223
Wed Jun 21 2017 01:26:00.0000	1607	1167
Wed Jun 21 2017 01:27:00.0000	1607	1292
Wed Jun 21 2017 01:28:00.0000	1607	1185
Wed Jun 21 2017 01:29:00.0000	1609	1219
Wed Jun 21 2017 01:30:00.0000	1608	1186
Wed Jun 21 2017 01:31:00.0000	1606	1225
Wed Jun 21 2017 01:32:00.0000	1608	1240
Wed Jun 21 2017 01:33:00.0000	1609	1176
Wed Jun 21 2017 01:34:00.0000	1608	1208
Wed Jun 21 2017 01:35:00.0000	1606	1137
Wed Jun 21 2017 01:36:00.0000	1607	1129
Wed Jun 21 2017 01:37:00.0000	1608	1099
Wed Jun 21 2017 01:38:00.0000	1608	1182
Wed Jun 21 2017 01:39:00.0000	1606	1252
Wed Jun 21 2017 01:40:00.0000	1606	1192
Wed Jun 21 2017 01:41:00.0000	1607	1224
Wed Jun 21 2017 01:42:00.0000	1609	1231
Wed Jun 21 2017 01:43:00.0000	1607	1176
Wed Jun 21 2017 01:44:00.0000	1607	1215
Wed Jun 21 2017 01:45:00.0000	1608	1207

Date/Time	Process Temperature (°F)	Process Flow SCFM
Wed Jun 21 2017 01:46:00.0000	1608	1146
Wed Jun 21 2017 01:47:00.0000	1608	1171
Wed Jun 21 2017 01:48:00.0000	1607	1309
Wed Jun 21 2017 01:49:00.0000	1608	1267
Wed Jun 21 2017 01:50:00.0000	1608	1138
Wed Jun 21 2017 01:51:00.0000	1609	1152
Wed Jun 21 2017 01:52:00.0000	1607	1214
Wed Jun 21 2017 01:53:00.0000	1606	1192
Wed Jun 21 2017 01:54:00.0000	1607	1122
Wed Jun 21 2017 01:55:00.0000	1609	1245
Wed Jun 21 2017 01:56:00.0000	1608	1198
Wed Jun 21 2017 01:57:00.0000	1607	1156
Wed Jun 21 2017 01:58:00.0000	1608	1131
Wed Jun 21 2017 01:59:00.0000	1609	1266
Wed Jun 21 2017 02:00:00.0000	1608	1181
Wed Jun 21 2017 02:01:00.0000	1607	1214
Wed Jun 21 2017 02:02:00.0000	1607	1343
Wed Jun 21 2017 02:03:00.0000	1608	1195
Wed Jun 21 2017 02:04:00.0000	1609	1156
Wed Jun 21 2017 02:05:00.0000	1607	1117
Wed Jun 21 2017 02:06:00.0000	1607	1386
Wed Jun 21 2017 02:07:00.0000	1608	1091
Wed Jun 21 2017 02:08:00.0000	1609	1232
Wed Jun 21 2017 02:09:00.0000	1608	1189
Wed Jun 21 2017 02:10:00.0000	1606	1235
Wed Jun 21 2017 02:11:00.0000	1608	1160
Wed Jun 21 2017 02:12:00.0000	1609	1144
Wed Jun 21 2017 02:13:00.0000	1609	1218
Wed Jun 21 2017 02:14:00.0000	1607	1253
Wed Jun 21 2017 02:15:00.0000	1608	1350
Wed Jun 21 2017 02:16:00.0000	1609	1170
Wed Jun 21 2017 02:17:00.0000	1610	1182
Wed Jun 21 2017 02:18:00.0000	1608	1147
Wed Jun 21 2017 02:19:00.0000	1607	1270
Wed Jun 21 2017 02:20:00.0000	1608	1159
Wed Jun 21 2017 02:21:00.0000	1609	1079
Wed Jun 21 2017 02:22:00.0000	1609	1236
Wed Jun 21 2017 02:23:00.0000	1607	1186
Wed Jun 21 2017 02:24:00.0000	1607	1366
Wed Jun 21 2017 02:25:00.0000	1609	1139
Wed Jun 21 2017 02:26:00.0000	1610	1186
Wed Jun 21 2017 02:27:00.0000	1608	1192
Wed Jun 21 2017 02:28:00.0000	1606	1262
Wed Jun 21 2017 02:29:00.0000	1608	1154
Wed Jun 21 2017 02:30:00.0000	1609	1157
Wed Jun 21 2017 02:31:00.0000	1609	1233
Wed Jun 21 2017 02:32:00.0000	1606	1274
Wed Jun 21 2017 02:33:00.0000	1608	1230
Wed Jun 21 2017 02:34:00.0000	1609	1185
Wed Jun 21 2017 02:35:00.0000	1609	1217
Wed Jun 21 2017 02:36:00.0000	1607	1229
Wed Jun 21 2017 02:37:00.0000	1607	1160
Wed Jun 21 2017 02:38:00.0000	1608	1153
Wed Jun 21 2017 02:39:00.0000	1609	1229
Wed Jun 21 2017 02:40:00.0000	1608	1127
Wed Jun 21 2017 02:41:00.0000	1607	1248
Wed Jun 21 2017 02:42:00.0000	1608	1347

Date/Time	Process Temperature (°F)	Process Flow SCFM
Wed Jun 21 2017 02:43:00.0000	1608	1172
Wed Jun 21 2017 02:44:00.0000	1609	1158
Wed Jun 21 2017 02:45:00.0000	1607	1284
Wed Jun 21 2017 02:46:00.0000	1607	1270
Wed Jun 21 2017 02:47:00.0000	1608	1156
Wed Jun 21 2017 02:48:00.0000	1609	1144
Wed Jun 21 2017 02:49:00.0000	1607	1167
Wed Jun 21 2017 02:50:00.0000	1606	1221
Wed Jun 21 2017 02:51:00.0000	1608	1170
Wed Jun 21 2017 02:52:00.0000	1609	1184
Wed Jun 21 2017 02:53:00.0000	1608	1088
Wed Jun 21 2017 02:54:00.0000	1606	1303
Wed Jun 21 2017 02:55:00.0000	1607	1291
Wed Jun 21 2017 02:56:00.0000	1608	1219
Wed Jun 21 2017 02:57:00.0000	1609	1177
Wed Jun 21 2017 02:58:00.0000	1607	1194
Wed Jun 21 2017 02:59:00.0000	1606	1233
Wed Jun 21 2017 03:00:00.0000	1607	1114
Wed Jun 21 2017 03:01:00.0000	1609	1082
Wed Jun 21 2017 03:02:00.0000	1608	1234
Wed Jun 21 2017 03:03:00.0000	1606	1127
Wed Jun 21 2017 03:04:00.0000	1607	1184
Wed Jun 21 2017 03:05:00.0000	1608	1206
Wed Jun 21 2017 03:06:00.0000	1609	1201
Wed Jun 21 2017 03:07:00.0000	1607	1198
Wed Jun 21 2017 03:08:00.0000	1606	1265
Wed Jun 21 2017 03:09:00.0000	1607	1181
Wed Jun 21 2017 03:10:00.0000	1609	1211
Wed Jun 21 2017 03:11:00.0000	1608	1243
Wed Jun 21 2017 03:12:00.0000	1607	1350
Wed Jun 21 2017 03:13:00.0000	1608	1280
Wed Jun 21 2017 03:14:00.0000	1608	1167
Wed Jun 21 2017 03:15:00.0000	1609	1131
Wed Jun 21 2017 03:16:00.0000	1607	1218
Wed Jun 21 2017 03:17:00.0000	1606	1298
Wed Jun 21 2017 03:18:00.0000	1608	1210
Wed Jun 21 2017 03:19:00.0000	1609	1179
Wed Jun 21 2017 03:20:00.0000	1607	1178
Wed Jun 21 2017 03:21:00.0000	1606	1177
Wed Jun 21 2017 03:22:00.0000	1607	1187
Wed Jun 21 2017 03:23:00.0000	1609	1137
Wed Jun 21 2017 03:24:00.0000	1608	1174
Wed Jun 21 2017 03:25:00.0000	1606	1178
Wed Jun 21 2017 03:26:00.0000	1607	1106
Wed Jun 21 2017 03:27:00.0000	1608	1158
Wed Jun 21 2017 03:28:00.0000	1609	1174
Wed Jun 21 2017 03:29:00.0000	1607	1157
Wed Jun 21 2017 03:30:00.0000	1606	1228
Wed Jun 21 2017 03:31:00.0000	1607	1170
Wed Jun 21 2017 03:32:00.0000	1609	1130
Wed Jun 21 2017 03:33:00.0000	1608	1176
Wed Jun 21 2017 03:34:00.0000	1606	1194
Wed Jun 21 2017 03:35:00.0000	1607	1198
Wed Jun 21 2017 03:36:00.0000	1608	1175
Wed Jun 21 2017 03:37:00.0000	1608	1145
Wed Jun 21 2017 03:38:00.0000	1606	1176
Wed Jun 21 2017 03:39:00.0000	1606	1269

Date/Time	Process Temperature (°F)	Process Flow SCFM
Wed Jun 21 2017 03:40:00.0000	1607	1229
Wed Jun 21 2017 03:41:00.0000	1609	1241
Wed Jun 21 2017 03:42:00.0000	1607	1214
Wed Jun 21 2017 03:43:00.0000	1605	1233
Wed Jun 21 2017 03:44:00.0000	1607	1216
Wed Jun 21 2017 03:45:00.0000	1608	1153
Wed Jun 21 2017 03:46:00.0000	1608	1153
Wed Jun 21 2017 03:47:00.0000	1606	1204
Wed Jun 21 2017 03:48:00.0000	1606	1213
Wed Jun 21 2017 03:49:00.0000	1607	1108
Wed Jun 21 2017 03:50:00.0000	1608	1289
Wed Jun 21 2017 03:51:00.0000	1607	1239
Wed Jun 21 2017 03:52:00.0000	1605	1194
Wed Jun 21 2017 03:53:00.0000	1607	1094
Wed Jun 21 2017 03:54:00.0000	1608	1231
Wed Jun 21 2017 03:55:00.0000	1608	1275
Wed Jun 21 2017 03:56:00.0000	1606	1152
Wed Jun 21 2017 03:57:00.0000	1606	1355
Wed Jun 21 2017 03:58:00.0000	1607	1187
Wed Jun 21 2017 03:59:00.0000	1608	1214
Wed Jun 21 2017 04:00:00.0000	1607	1240
Wed Jun 21 2017 04:01:00.0000	1605	1305
Wed Jun 21 2017 04:02:00.0000	1607	1181
Wed Jun 21 2017 04:03:00.0000	1608	1152
Wed Jun 21 2017 04:04:00.0000	1608	1164
Wed Jun 21 2017 04:05:00.0000	1605	1178
Wed Jun 21 2017 04:06:00.0000	1607	1291
Wed Jun 21 2017 04:07:00.0000	1607	1157
Wed Jun 21 2017 04:08:00.0000	1608	1238
Wed Jun 21 2017 04:09:00.0000	1607	1140
Wed Jun 21 2017 04:10:00.0000	1605	1261
Wed Jun 21 2017 04:11:00.0000	1607	1169
Wed Jun 21 2017 04:12:00.0000	1608	1240
Wed Jun 21 2017 04:13:00.0000	1608	1177
Wed Jun 21 2017 04:14:00.0000	1605	1188
Wed Jun 21 2017 04:15:00.0000	1606	1363
Wed Jun 21 2017 04:16:00.0000	1607	1178
Wed Jun 21 2017 04:17:00.0000	1608	1194
Wed Jun 21 2017 04:18:00.0000	1607	1167
Wed Jun 21 2017 04:19:00.0000	1605	1190
Wed Jun 21 2017 04:20:00.0000	1607	1136
Wed Jun 21 2017 04:21:00.0000	1608	1170
Wed Jun 21 2017 04:22:00.0000	1607	1161
Wed Jun 21 2017 04:23:00.0000	1605	1160
Wed Jun 21 2017 04:24:00.0000	1606	1141
Wed Jun 21 2017 04:25:00.0000	1607	1126
Wed Jun 21 2017 04:26:00.0000	1608	1205
Wed Jun 21 2017 04:27:00.0000	1606	1249
Wed Jun 21 2017 04:28:00.0000	1606	1272
Wed Jun 21 2017 04:29:00.0000	1607	1198
Wed Jun 21 2017 04:30:00.0000	1608	1204
Wed Jun 21 2017 04:31:00.0000	1607	1127
Wed Jun 21 2017 04:32:00.0000	1606	1146
Wed Jun 21 2017 04:33:00.0000	1607	1304
Wed Jun 21 2017 04:34:00.0000	1607	1191
Wed Jun 21 2017 04:35:00.0000	1608	1216
Wed Jun 21 2017 04:36:00.0000	1606	1187

Date/Time	Process Temperature (°F)	Process Flow SCFM
Wed Jun 21 2017 04:37:00.0000	1606	1140
Wed Jun 21 2017 04:38:00.0000	1607	1131
Wed Jun 21 2017 04:39:00.0000	1608	1148
Wed Jun 21 2017 04:40:00.0000	1606	1204
Wed Jun 21 2017 04:41:00.0000	1605	1175
Wed Jun 21 2017 04:42:00.0000	1606	1202
Wed Jun 21 2017 04:43:00.0000	1608	1149
Wed Jun 21 2017 04:44:00.0000	1607	1183
Wed Jun 21 2017 04:45:00.0000	1605	1145
Wed Jun 21 2017 04:46:00.0000	1606	1220
Wed Jun 21 2017 04:47:00.0000	1606	1049
Wed Jun 21 2017 04:48:00.0000	1608	1174
Wed Jun 21 2017 04:49:00.0000	1606	1162
Wed Jun 21 2017 04:50:00.0000	1605	1242
Wed Jun 21 2017 04:51:00.0000	1606	1173
Wed Jun 21 2017 04:52:00.0000	1608	1202
Wed Jun 21 2017 04:53:00.0000	1607	1186
Wed Jun 21 2017 04:54:00.0000	1604	1321
Wed Jun 21 2017 04:55:00.0000	1606	1314
Wed Jun 21 2017 04:56:00.0000	1606	1133
Wed Jun 21 2017 04:57:00.0000	1607	1248
Wed Jun 21 2017 04:58:00.0000	1605	1259
Wed Jun 21 2017 04:59:00.0000	1605	1249
Wed Jun 21 2017 05:00:00.0000	1606	1138
Wed Jun 21 2017 05:01:00.0000	1607	1247
Wed Jun 21 2017 05:02:00.0000	1606	1178
Wed Jun 21 2017 05:03:00.0000	1604	1222
Wed Jun 21 2017 05:04:00.0000	1606	1263
Wed Jun 21 2017 05:05:00.0000	1606	1214
Wed Jun 21 2017 05:06:00.0000	1607	1200
Wed Jun 21 2017 05:07:00.0000	1605	1231
Wed Jun 21 2017 05:08:00.0000	1605	1240
Wed Jun 21 2017 05:09:00.0000	1606	1219
Wed Jun 21 2017 05:10:00.0000	1607	1233
Wed Jun 21 2017 05:11:00.0000	1606	1170
Wed Jun 21 2017 05:12:00.0000	1604	1204
Wed Jun 21 2017 05:13:00.0000	1606	1290
Wed Jun 21 2017 05:14:00.0000	1606	1108
Wed Jun 21 2017 05:15:00.0000	1606	1172
Wed Jun 21 2017 05:16:00.0000	1605	1308
Wed Jun 21 2017 05:17:00.0000	1605	1234
Wed Jun 21 2017 05:18:00.0000	1606	1160
Wed Jun 21 2017 05:19:00.0000	1607	1177
Wed Jun 21 2017 05:20:00.0000	1606	1112
Wed Jun 21 2017 05:21:00.0000	1604	1125
Wed Jun 21 2017 05:22:00.0000	1605	1106
Wed Jun 21 2017 05:23:00.0000	1606	1145
Wed Jun 21 2017 05:24:00.0000	1607	1171
Wed Jun 21 2017 05:25:00.0000	1604	1271
Wed Jun 21 2017 05:26:00.0000	1605	1148
Wed Jun 21 2017 05:27:00.0000	1606	1227
Wed Jun 21 2017 05:28:00.0000	1607	1230
Wed Jun 21 2017 05:29:00.0000	1605	1203
Wed Jun 21 2017 05:30:00.0000	1604	1232
Wed Jun 21 2017 05:31:00.0000	1605	1184
Wed Jun 21 2017 05:32:00.0000	1607	1236
Wed Jun 21 2017 05:33:00.0000	1606	1234

Date/Time	Process Temperature (°F)	Process Flow SCFM
Wed Jun 21 2017 05:34:00.0000	1604	1186
Wed Jun 21 2017 05:35:00.0000	1606	1204
Wed Jun 21 2017 05:36:00.0000	1605	1137
Wed Jun 21 2017 05:37:00.0000	1606	1164
Wed Jun 21 2017 05:38:00.0000	1605	1113
Wed Jun 21 2017 05:39:00.0000	1604	1280
Wed Jun 21 2017 05:40:00.0000	1605	1201
Wed Jun 21 2017 05:41:00.0000	1606	1137
Wed Jun 21 2017 05:42:00.0000	1605	1197
Wed Jun 21 2017 05:43:00.0000	1604	1150
Wed Jun 21 2017 05:44:00.0000	1605	1184
Wed Jun 21 2017 05:45:00.0000	1606	1151
Wed Jun 21 2017 05:46:00.0000	1606	1151
Wed Jun 21 2017 05:47:00.0000	1604	1125
Wed Jun 21 2017 05:48:00.0000	1604	1265
Wed Jun 21 2017 05:49:00.0000	1606	1189
Wed Jun 21 2017 05:50:00.0000	1606	1144
Wed Jun 21 2017 05:51:00.0000	1604	1178
Wed Jun 21 2017 05:52:00.0000	1603	1115
Wed Jun 21 2017 05:53:00.0000	1605	1136
Wed Jun 21 2017 05:54:00.0000	1606	1182
Wed Jun 21 2017 05:55:00.0000	1605	1170
Wed Jun 21 2017 05:56:00.0000	1603	1261
Wed Jun 21 2017 05:57:00.0000	1605	1135
Wed Jun 21 2017 05:58:00.0000	1605	1183
Wed Jun 21 2017 05:59:00.0000	1606	1202
Wed Jun 21 2017 06:00:00.0000	1604	1243
Wed Jun 21 2017 06:01:00.0000	1604	1164
Wed Jun 21 2017 06:02:00.0000	1605	1131
Wed Jun 21 2017 06:03:00.0000	1606	1201
Wed Jun 21 2017 06:04:00.0000	1605	1175
Wed Jun 21 2017 06:05:00.0000	1603	1185
Wed Jun 21 2017 06:06:00.0000	1604	1134
Wed Jun 21 2017 06:07:00.0000	1605	1129
Wed Jun 21 2017 06:08:00.0000	1605	1200
Wed Jun 21 2017 06:09:00.0000	1604	1198
Wed Jun 21 2017 06:10:00.0000	1603	1429
Wed Jun 21 2017 06:11:00.0000	1605	1163
Wed Jun 21 2017 06:12:00.0000	1606	1268
Wed Jun 21 2017 06:13:00.0000	1604	1198
Wed Jun 21 2017 06:14:00.0000	1603	1274
Wed Jun 21 2017 06:15:00.0000	1604	1156
Wed Jun 21 2017 06:16:00.0000	1605	1162
Wed Jun 21 2017 06:17:00.0000	1605	1181
Wed Jun 21 2017 06:18:00.0000	1603	1209
Wed Jun 21 2017 06:19:00.0000	1605	1164
Wed Jun 21 2017 06:20:00.0000	1605	1154
Wed Jun 21 2017 06:21:00.0000	1605	1166
Wed Jun 21 2017 06:22:00.0000	1603	1250
Wed Jun 21 2017 06:23:00.0000	1604	1200
Wed Jun 21 2017 06:24:00.0000	1604	1090
Wed Jun 21 2017 06:25:00.0000	1605	1156
Wed Jun 21 2017 06:26:00.0000	1603	1132
Wed Jun 21 2017 06:27:00.0000	1602	1179
Wed Jun 21 2017 06:28:00.0000	1604	1116
Wed Jun 21 2017 06:29:00.0000	1605	1169
Wed Jun 21 2017 06:30:00.0000	1604	1122

Date/Time	Process Temperature (°F)	Process Flow SCFM
Wed Jun 21 2017 06:31:00.0000	1602	1232
Wed Jun 21 2017 06:32:00.0000	1603	1254
Wed Jun 21 2017 06:33:00.0000	1604	1128
Wed Jun 21 2017 06:34:00.0000	1605	1219
Wed Jun 21 2017 06:35:00.0000	1603	1147
Wed Jun 21 2017 06:36:00.0000	1603	1144
Wed Jun 21 2017 06:37:00.0000	1607	1161
Wed Jun 21 2017 06:38:00.0000	1611	1137
Wed Jun 21 2017 06:39:00.0000	1613	1223
Wed Jun 21 2017 06:40:00.0000	1612	1224
Wed Jun 21 2017 06:41:00.0000	1615	1305
Wed Jun 21 2017 06:42:00.0000	1617	1164
Wed Jun 21 2017 06:43:00.0000	1619	1206
Wed Jun 21 2017 06:44:00.0000	1618	1225
Wed Jun 21 2017 06:45:00.0000	1618	1206
Wed Jun 21 2017 06:46:00.0000	1620	1095
Wed Jun 21 2017 06:47:00.0000	1623	1124
Wed Jun 21 2017 06:48:00.0000	1623	1150
Wed Jun 21 2017 06:49:00.0000	1620	1263
Wed Jun 21 2017 06:50:00.0000	1623	1297
Wed Jun 21 2017 06:51:00.0000	1624	1067
Wed Jun 21 2017 06:52:00.0000	1626	1211
Wed Jun 21 2017 06:53:00.0000	1625	1130
Wed Jun 21 2017 06:54:00.0000	1624	1219
Wed Jun 21 2017 06:55:00.0000	1626	1150
Wed Jun 21 2017 06:56:00.0000	1629	1072
Wed Jun 21 2017 06:57:00.0000	1628	1210
Wed Jun 21 2017 06:58:00.0000	1626	1201
Wed Jun 21 2017 06:59:00.0000	1628	1299
Wed Jun 21 2017 07:00:00.0000	1629	1196
Wed Jun 21 2017 07:01:00.0000	1631	1164
Wed Jun 21 2017 07:02:00.0000	1629	1210
Wed Jun 21 2017 07:03:00.0000	1628	1332
Wed Jun 21 2017 07:04:00.0000	1630	1131
Wed Jun 21 2017 07:05:00.0000	1632	1300
Wed Jun 21 2017 07:06:00.0000	1625	1184
Wed Jun 21 2017 07:07:00.0000	1620	1249
Wed Jun 21 2017 07:08:00.0000	1617	1199
Wed Jun 21 2017 07:09:00.0000	1615	1172
Wed Jun 21 2017 07:10:00.0000	1613	1161
Wed Jun 21 2017 07:11:00.0000	1610	1217
Wed Jun 21 2017 07:12:00.0000	1608	1334
Wed Jun 21 2017 07:13:00.0000	1607	1215
Wed Jun 21 2017 07:14:00.0000	1606	1162
Wed Jun 21 2017 07:15:00.0000	1604	1186
Wed Jun 21 2017 07:16:00.0000	1602	1319
Wed Jun 21 2017 07:17:00.0000	1605	1182
Wed Jun 21 2017 07:18:00.0000	1611	1188
Wed Jun 21 2017 07:19:00.0000	1616	1192
Wed Jun 21 2017 07:20:00.0000	1616	1194
Wed Jun 21 2017 07:21:00.0000	1617	1219
Wed Jun 21 2017 07:22:00.0000	1619	1226
Wed Jun 21 2017 07:23:00.0000	1623	1175
Wed Jun 21 2017 07:24:00.0000	1623	1257
Wed Jun 21 2017 07:25:00.0000	1621	1268
Wed Jun 21 2017 07:26:00.0000	1623	1195
Wed Jun 21 2017 07:27:00.0000	1625	1141

Date/Time	Process Temperature (°F)	Process Flow SCFM
Wed Jun 21 2017 07:28:00.0000	1627	1199
Wed Jun 21 2017 07:29:00.0000	1625	1195
Wed Jun 21 2017 07:30:00.0000	1625	1217
Wed Jun 21 2017 07:31:00.0000	1627	1125
Wed Jun 21 2017 07:32:00.0000	1630	1210
Wed Jun 21 2017 07:33:00.0000	1629	1114
Wed Jun 21 2017 07:34:00.0000	1628	1253
Wed Jun 21 2017 07:35:00.0000	1629	1274
Wed Jun 21 2017 07:36:00.0000	1631	1154
Wed Jun 21 2017 07:37:00.0000	1633	1243
Wed Jun 21 2017 07:38:00.0000	1631	1216
Wed Jun 21 2017 07:39:00.0000	1631	1220
Wed Jun 21 2017 07:40:00.0000	1632	1188
Wed Jun 21 2017 07:41:00.0000	1632	1188
Wed Jun 21 2017 07:42:00.0000	1625	1178
Wed Jun 21 2017 07:43:00.0000	1621	1300
Wed Jun 21 2017 07:44:00.0000	1619	1177
Wed Jun 21 2017 07:45:00.0000	1616	1103
Wed Jun 21 2017 07:46:00.0000	1615	1216
Wed Jun 21 2017 07:47:00.0000	1612	1237
Wed Jun 21 2017 07:48:00.0000	1610	1262
Wed Jun 21 2017 07:49:00.0000	1610	1169
Wed Jun 21 2017 07:50:00.0000	1609	1219
Wed Jun 21 2017 07:51:00.0000	1607	1239
Wed Jun 21 2017 07:52:00.0000	1605	1252
Wed Jun 21 2017 07:53:00.0000	1605	1266
Wed Jun 21 2017 07:54:00.0000	1604	1178
Wed Jun 21 2017 07:55:00.0000	1603	1154
Wed Jun 21 2017 07:56:00.0000	1601	1221
Wed Jun 21 2017 07:57:00.0000	1605	1298
Wed Jun 21 2017 07:58:00.0000	1615	1178
Wed Jun 21 2017 07:59:00.0000	1626	1173
Wed Jun 21 2017 08:00:00.0000	1631	1189
Wed Jun 21 2017 08:01:00.0000	1632	1348
Wed Jun 21 2017 08:02:00.0000	1631	1137
Wed Jun 21 2017 08:03:00.0000	1625	1134
Wed Jun 21 2017 08:04:00.0000	1620	1182
Wed Jun 21 2017 08:05:00.0000	1616	1225
Wed Jun 21 2017 08:06:00.0000	1614	1178
Wed Jun 21 2017 08:07:00.0000	1613	1205
Wed Jun 21 2017 08:08:00.0000	1612	1209
Wed Jun 21 2017 08:09:00.0000	1609	1344
Wed Jun 21 2017 08:10:00.0000	1607	1329
Wed Jun 21 2017 08:11:00.0000	1607	1245
Wed Jun 21 2017 08:12:00.0000	1606	1246
Wed Jun 21 2017 08:13:00.0000	1605	1185
Wed Jun 21 2017 08:14:00.0000	1603	1221
Wed Jun 21 2017 08:15:00.0000	1603	1382
Wed Jun 21 2017 08:16:00.0000	1603	1154
Wed Jun 21 2017 08:17:00.0000	1602	1154
Wed Jun 21 2017 08:18:00.0000	1602	1196
Wed Jun 21 2017 08:19:00.0000	1614	1343
Wed Jun 21 2017 08:20:00.0000	1619	1141
Wed Jun 21 2017 08:21:00.0000	1629	1358
Wed Jun 21 2017 08:22:00.0000	1632	1253
Wed Jun 21 2017 08:23:00.0000	1626	1256
Wed Jun 21 2017 08:24:00.0000	1623	1219

Date/Time	Process Temperature (°F)	Process Flow SCFM
Wed Jun 21 2017 08:25:00.0000	1622	1174
Wed Jun 21 2017 08:26:00.0000	1620	1281
Wed Jun 21 2017 08:27:00.0000	1618	1376
Wed Jun 21 2017 08:28:00.0000	1618	1281
Wed Jun 21 2017 08:29:00.0000	1618	1200
Wed Jun 21 2017 08:30:00.0000	1619	1185
Wed Jun 21 2017 08:31:00.0000	1618	1247
Wed Jun 21 2017 08:32:00.0000	1618	1212
Wed Jun 21 2017 08:33:00.0000	1619	1260
Wed Jun 21 2017 08:34:00.0000	1620	1184
Wed Jun 21 2017 08:35:00.0000	1620	1240
Wed Jun 21 2017 08:36:00.0000	1618	1219
Wed Jun 21 2017 08:37:00.0000	1619	1329
Wed Jun 21 2017 08:38:00.0000	1620	1160
Wed Jun 21 2017 08:39:00.0000	1621	1205
Wed Jun 21 2017 08:40:00.0000	1619	1221
Wed Jun 21 2017 08:41:00.0000	1620	1217
Wed Jun 21 2017 08:42:00.0000	1620	1200
Wed Jun 21 2017 08:43:00.0000	1622	1237
Wed Jun 21 2017 08:44:00.0000	1620	1192
Wed Jun 21 2017 08:45:00.0000	1619	1338
Wed Jun 21 2017 08:46:00.0000	1621	1186
Wed Jun 21 2017 08:47:00.0000	1622	1250
Wed Jun 21 2017 08:48:00.0000	1622	1191
Wed Jun 21 2017 08:49:00.0000	1619	1228
Wed Jun 21 2017 08:50:00.0000	1621	1291
Wed Jun 21 2017 08:51:00.0000	1622	1166
Wed Jun 21 2017 08:52:00.0000	1623	1224
Wed Jun 21 2017 08:53:00.0000	1620	1271
Wed Jun 21 2017 08:54:00.0000	1620	1372
Wed Jun 21 2017 08:55:00.0000	1622	1269
Wed Jun 21 2017 08:56:00.0000	1623	1285
Wed Jun 21 2017 08:57:00.0000	1622	1248
Wed Jun 21 2017 08:58:00.0000	1620	1262
Wed Jun 21 2017 08:59:00.0000	1622	1321
Wed Jun 21 2017 09:00:00.0000	1623	1177
Wed Jun 21 2017 09:01:00.0000	1624	1188
Wed Jun 21 2017 09:02:00.0000	1622	1269
Wed Jun 21 2017 09:03:00.0000	1622	1260
Wed Jun 21 2017 09:04:00.0000	1623	1200
Wed Jun 21 2017 09:05:00.0000	1624	1241
Wed Jun 21 2017 09:06:00.0000	1623	1250
Wed Jun 21 2017 09:07:00.0000	1622	1288
Wed Jun 21 2017 09:08:00.0000	1623	1344
Wed Jun 21 2017 09:09:00.0000	1624	1210
Wed Jun 21 2017 09:10:00.0000	1625	1258
Wed Jun 21 2017 09:11:00.0000	1623	1323
Wed Jun 21 2017 09:12:00.0000	1623	1240
Wed Jun 21 2017 09:13:00.0000	1624	1280
Wed Jun 21 2017 09:14:00.0000	1626	1267
Wed Jun 21 2017 09:15:00.0000	1624	1232
Wed Jun 21 2017 09:16:00.0000	1622	1241
Wed Jun 21 2017 09:17:00.0000	1624	1261
Wed Jun 21 2017 09:18:00.0000	1625	1196
Wed Jun 21 2017 09:19:00.0000	1626	1169
Wed Jun 21 2017 09:20:00.0000	1624	1284
Wed Jun 21 2017 09:21:00.0000	1624	1377

Date/Time	Process Temperature (°F)	Process Flow SCFM
Wed Jun 21 2017 09:22:00.0000	1625	1194
Wed Jun 21 2017 09:23:00.0000	1626	1279
Wed Jun 21 2017 09:24:00.0000	1626	1230
Wed Jun 21 2017 09:25:00.0000	1623	1438
Wed Jun 21 2017 09:26:00.0000	1625	1246
Wed Jun 21 2017 09:27:00.0000	1627	1170
Wed Jun 21 2017 09:28:00.0000	1627	1182
Wed Jun 21 2017 09:29:00.0000	1625	1280
Wed Jun 21 2017 09:30:00.0000	1625	1334
Wed Jun 21 2017 09:31:00.0000	1626	1296
Wed Jun 21 2017 09:32:00.0000	1628	1250
Wed Jun 21 2017 09:33:00.0000	1626	1229
Wed Jun 21 2017 09:34:00.0000	1624	1278
Wed Jun 21 2017 09:35:00.0000	1626	1175
Wed Jun 21 2017 09:36:00.0000	1628	1180
Wed Jun 21 2017 09:37:00.0000	1627	1281
Wed Jun 21 2017 09:38:00.0000	1625	1331
Wed Jun 21 2017 09:39:00.0000	1626	1400
Wed Jun 21 2017 09:40:00.0000	1627	1189
Wed Jun 21 2017 09:41:00.0000	1628	1181
Wed Jun 21 2017 09:42:00.0000	1627	1223
Wed Jun 21 2017 09:43:00.0000	1626	1302
Wed Jun 21 2017 09:44:00.0000	1627	1281
Wed Jun 21 2017 09:45:00.0000	1629	1261
Wed Jun 21 2017 09:46:00.0000	1628	1171
Wed Jun 21 2017 09:47:00.0000	1626	1379
Wed Jun 21 2017 09:48:00.0000	1627	1282
Wed Jun 21 2017 09:49:00.0000	1628	1197
Wed Jun 21 2017 09:50:00.0000	1629	1211
Wed Jun 21 2017 09:51:00.0000	1628	1220
Wed Jun 21 2017 09:52:00.0000	1627	1289
Wed Jun 21 2017 09:53:00.0000	1628	1195
Wed Jun 21 2017 09:54:00.0000	1630	1206
Wed Jun 21 2017 09:55:00.0000	1629	1211
Wed Jun 21 2017 09:56:00.0000	1627	1257
Wed Jun 21 2017 09:57:00.0000	1628	1454
Wed Jun 21 2017 09:58:00.0000	1629	1217
Wed Jun 21 2017 09:59:00.0000	1630	1221
Wed Jun 21 2017 10:00:00.0000	1628	1254
Wed Jun 21 2017 10:01:00.0000	1628	1385
Wed Jun 21 2017 10:02:00.0000	1629	1150
Wed Jun 21 2017 10:03:00.0000	1631	1271
Wed Jun 21 2017 10:04:00.0000	1630	1238
Wed Jun 21 2017 10:05:00.0000	1628	1273
Wed Jun 21 2017 10:06:00.0000	1629	1366
Wed Jun 21 2017 10:07:00.0000	1630	1218
Wed Jun 21 2017 10:08:00.0000	1631	1221
Wed Jun 21 2017 10:09:00.0000	1629	1270
Wed Jun 21 2017 10:10:00.0000	1629	1344
Wed Jun 21 2017 10:11:00.0000	1630	1206
Wed Jun 21 2017 10:12:00.0000	1632	1185
Wed Jun 21 2017 10:13:00.0000	1631	1330
Wed Jun 21 2017 10:14:00.0000	1630	1211
Wed Jun 21 2017 10:15:00.0000	1631	1238
Wed Jun 21 2017 10:16:00.0000	1631	1183
Wed Jun 21 2017 10:17:00.0000	1633	1179
Wed Jun 21 2017 10:18:00.0000	1631	1259

Date/Time	Process Temperature (°F)	Process Flow SCFM
Wed Jun 21 2017 10:19:00.0000	1630	1206
Wed Jun 21 2017 10:20:00.0000	1632	1230
Wed Jun 21 2017 10:21:00.0000	1633	1187
Wed Jun 21 2017 10:22:00.0000	1627	1249
Wed Jun 21 2017 10:23:00.0000	1623	1451
Wed Jun 21 2017 10:24:00.0000	1621	1206
Wed Jun 21 2017 10:25:00.0000	1619	1197
Wed Jun 21 2017 10:26:00.0000	1618	1238
Wed Jun 21 2017 10:27:00.0000	1615	1362
Wed Jun 21 2017 10:28:00.0000	1614	1299
Wed Jun 21 2017 10:29:00.0000	1613	1196
Wed Jun 21 2017 10:30:00.0000	1612	1229
Wed Jun 21 2017 10:31:00.0000	1611	1258
Wed Jun 21 2017 10:32:00.0000	1609	1473
Wed Jun 21 2017 10:33:00.0000	1609	1138
Wed Jun 21 2017 10:34:00.0000	1609	1254
Wed Jun 21 2017 10:35:00.0000	1608	1174
Wed Jun 21 2017 10:36:00.0000	1606	1382
Wed Jun 21 2017 10:37:00.0000	1605	1450
Wed Jun 21 2017 10:38:00.0000	1605	1223
Wed Jun 21 2017 10:39:00.0000	1605	1227
Wed Jun 21 2017 10:40:00.0000	1603	1274
Wed Jun 21 2017 10:41:00.0000	1603	1461
Wed Jun 21 2017 10:42:00.0000	1610	1224
Wed Jun 21 2017 10:43:00.0000	1617	1316
Wed Jun 21 2017 10:44:00.0000	1620	1234
Wed Jun 21 2017 10:45:00.0000	1620	1286
Wed Jun 21 2017 10:46:00.0000	1622	1462
Wed Jun 21 2017 10:47:00.0000	1625	1203
Wed Jun 21 2017 10:48:00.0000	1628	1240
Wed Jun 21 2017 10:49:00.0000	1627	1261
Wed Jun 21 2017 10:50:00.0000	1627	1257
Wed Jun 21 2017 10:51:00.0000	1629	1276
Wed Jun 21 2017 10:52:00.0000	1633	1231
Wed Jun 21 2017 10:53:00.0000	1628	1198
Wed Jun 21 2017 10:54:00.0000	1622	1387
Wed Jun 21 2017 10:55:00.0000	1620	1429
Wed Jun 21 2017 10:56:00.0000	1617	1242
Wed Jun 21 2017 10:57:00.0000	1616	1252
Wed Jun 21 2017 10:58:00.0000	1613	1252
Wed Jun 21 2017 10:59:00.0000	1611	1315
Wed Jun 21 2017 11:00:00.0000	1611	1178
Wed Jun 21 2017 11:01:00.0000	1611	1209
Wed Jun 21 2017 11:02:00.0000	1609	1319
Wed Jun 21 2017 11:03:00.0000	1606	1296
Wed Jun 21 2017 11:04:00.0000	1607	1261
Wed Jun 21 2017 11:05:00.0000	1606	1342
Wed Jun 21 2017 11:06:00.0000	1606	1247
Wed Jun 21 2017 11:07:00.0000	1604	1293
Wed Jun 21 2017 11:08:00.0000	1603	1368
Wed Jun 21 2017 11:09:00.0000	1603	1269
Wed Jun 21 2017 11:10:00.0000	1603	1216
Wed Jun 21 2017 11:11:00.0000	1602	1275
Wed Jun 21 2017 11:12:00.0000	1606	1325
Wed Jun 21 2017 11:13:00.0000	1612	1285
Wed Jun 21 2017 11:14:00.0000	1616	1306
Wed Jun 21 2017 11:15:00.0000	1621	1168

Date/Time	Process Temperature (°F)	Process Flow SCFM
Wed Jun 21 2017 11:16:00.0000	1621	1209
Wed Jun 21 2017 11:17:00.0000	1621	1340
Wed Jun 21 2017 11:18:00.0000	1624	1213
Wed Jun 21 2017 11:19:00.0000	1627	1228
Wed Jun 21 2017 11:20:00.0000	1628	1298
Wed Jun 21 2017 11:21:00.0000	1627	1363
Wed Jun 21 2017 11:22:00.0000	1629	1421
Wed Jun 21 2017 11:23:00.0000	1630	1213
Wed Jun 21 2017 11:24:00.0000	1632	1246
Wed Jun 21 2017 11:25:00.0000	1625	1229
Wed Jun 21 2017 11:26:00.0000	1621	1262
Wed Jun 21 2017 11:27:00.0000	1619	1191
Wed Jun 21 2017 11:28:00.0000	1617	1241
Wed Jun 21 2017 11:29:00.0000	1615	1277
Wed Jun 21 2017 11:30:00.0000	1612	1420
Wed Jun 21 2017 11:31:00.0000	1612	1330
Wed Jun 21 2017 11:32:00.0000	1611	1144
Wed Jun 21 2017 11:33:00.0000	1610	1263
Wed Jun 21 2017 11:34:00.0000	1608	1253
Wed Jun 21 2017 11:35:00.0000	1608	1206
Wed Jun 21 2017 11:36:00.0000	1607	1213
Wed Jun 21 2017 11:37:00.0000	1607	1287
Wed Jun 21 2017 11:38:00.0000	1605	1299
Wed Jun 21 2017 11:39:00.0000	1603	1325
Wed Jun 21 2017 11:40:00.0000	1604	1089
Wed Jun 21 2017 11:41:00.0000	1604	1182
Wed Jun 21 2017 11:42:00.0000	1603	1270
Wed Jun 21 2017 11:43:00.0000	1603	1436
Wed Jun 21 2017 11:44:00.0000	1615	1299
Wed Jun 21 2017 11:45:00.0000	1622	1235
Wed Jun 21 2017 11:46:00.0000	1632	1253
Wed Jun 21 2017 11:47:00.0000	1630	1287
Wed Jun 21 2017 11:48:00.0000	1621	1264
Wed Jun 21 2017 11:49:00.0000	1618	1221
Wed Jun 21 2017 11:50:00.0000	1615	1267
Wed Jun 21 2017 11:51:00.0000	1612	1237
Wed Jun 21 2017 11:52:00.0000	1609	1348
Wed Jun 21 2017 11:53:00.0000	1609	1355
Wed Jun 21 2017 11:54:00.0000	1608	1247
Wed Jun 21 2017 11:55:00.0000	1606	1241
Wed Jun 21 2017 11:56:00.0000	1604	1193
Wed Jun 21 2017 11:57:00.0000	1603	1398
Wed Jun 21 2017 11:58:00.0000	1603	1238
Wed Jun 21 2017 11:59:00.0000	1603	1279
Wed Jun 21 2017 12:00:00.0000	1603	1220
Wed Jun 21 2017 12:01:00.0000	1604	1338
Wed Jun 21 2017 12:02:00.0000	1615	1359
Wed Jun 21 2017 12:03:00.0000	1621	1179
Wed Jun 21 2017 12:04:00.0000	1629	1228
Wed Jun 21 2017 12:05:00.0000	1631	1227
Wed Jun 21 2017 12:06:00.0000	1634	1377
Wed Jun 21 2017 12:07:00.0000	1627	1278
Wed Jun 21 2017 12:08:00.0000	1621	1254
Wed Jun 21 2017 12:09:00.0000	1617	1324
Wed Jun 21 2017 12:10:00.0000	1613	1317
Wed Jun 21 2017 12:11:00.0000	1611	1221
Wed Jun 21 2017 12:12:00.0000	1610	1293

Date/Time	Process Temperature (°F)	Process Flow SCFM
Wed Jun 21 2017 12:13:00.0000	1609	1219
Wed Jun 21 2017 12:14:00.0000	1606	1225
Wed Jun 21 2017 12:15:00.0000	1605	1304
Wed Jun 21 2017 12:16:00.0000	1604	1226
Wed Jun 21 2017 12:17:00.0000	1604	1249
Wed Jun 21 2017 12:18:00.0000	1602	1225
Wed Jun 21 2017 12:19:00.0000	1602	1280
Wed Jun 21 2017 12:20:00.0000	1609	1151
Wed Jun 21 2017 12:21:00.0000	1613	1139
Wed Jun 21 2017 12:22:00.0000	1617	1270
Wed Jun 21 2017 12:23:00.0000	1617	1319
Wed Jun 21 2017 12:24:00.0000	1619	1504
Wed Jun 21 2017 12:25:00.0000	1621	1149
Wed Jun 21 2017 12:26:00.0000	1624	1287
Wed Jun 21 2017 12:27:00.0000	1624	1236
Wed Jun 21 2017 12:28:00.0000	1623	1261
Wed Jun 21 2017 12:29:00.0000	1625	1310
Wed Jun 21 2017 12:30:00.0000	1628	1254
Wed Jun 21 2017 12:31:00.0000	1629	1317
Wed Jun 21 2017 12:32:00.0000	1628	1294
Wed Jun 21 2017 12:33:00.0000	1629	1339
Wed Jun 21 2017 12:34:00.0000	1630	1274
Wed Jun 21 2017 12:35:00.0000	1633	1264
Wed Jun 21 2017 12:36:00.0000	1625	1272
Wed Jun 21 2017 12:37:00.0000	1621	1301
Wed Jun 21 2017 12:38:00.0000	1619	1238
Wed Jun 21 2017 12:39:00.0000	1617	1194
Wed Jun 21 2017 12:40:00.0000	1615	1250
Wed Jun 21 2017 12:41:00.0000	1612	1397
Wed Jun 21 2017 12:42:00.0000	1611	1400
Wed Jun 21 2017 12:43:00.0000	1610	1241
Wed Jun 21 2017 12:44:00.0000	1609	1262
Wed Jun 21 2017 12:45:00.0000	1607	1270
Wed Jun 21 2017 12:46:00.0000	1607	1344
Wed Jun 21 2017 12:47:00.0000	1606	1252
Wed Jun 21 2017 12:48:00.0000	1606	1291
Wed Jun 21 2017 12:49:00.0000	1604	1275
Wed Jun 21 2017 12:50:00.0000	1602	1259
Wed Jun 21 2017 12:51:00.0000	1603	1242
Wed Jun 21 2017 12:52:00.0000	1603	1202
Wed Jun 21 2017 12:53:00.0000	1602	1299
Wed Jun 21 2017 12:54:00.0000	1603	1317
Wed Jun 21 2017 12:55:00.0000	1611	1240
Wed Jun 21 2017 12:56:00.0000	1614	1232
Wed Jun 21 2017 12:57:00.0000	1619	1254
Wed Jun 21 2017 12:58:00.0000	1620	1247
Wed Jun 21 2017 12:59:00.0000	1621	1299
Wed Jun 21 2017 13:00:00.0000	1623	1261
Wed Jun 21 2017 13:01:00.0000	1626	1357
Wed Jun 21 2017 13:02:00.0000	1627	1222
Wed Jun 21 2017 13:03:00.0000	1625	1194
Wed Jun 21 2017 13:04:00.0000	1628	1211
Wed Jun 21 2017 13:05:00.0000	1631	1241
Wed Jun 21 2017 13:06:00.0000	1632	1297
Wed Jun 21 2017 13:07:00.0000	1629	1271
Wed Jun 21 2017 13:08:00.0000	1631	1374
Wed Jun 21 2017 13:09:00.0000	1633	1187

Date/Time	Process Temperature (°F)	Process Flow SCFM
Wed Jun 21 2017 13:10:00.0000	1634	1249
Wed Jun 21 2017 13:11:00.0000	1626	1279
Wed Jun 21 2017 13:12:00.0000	1622	1175
Wed Jun 21 2017 13:13:00.0000	1620	1187
Wed Jun 21 2017 13:14:00.0000	1619	1264
Wed Jun 21 2017 13:15:00.0000	1617	1250
Wed Jun 21 2017 13:16:00.0000	1614	1307
Wed Jun 21 2017 13:17:00.0000	1613	1434
Wed Jun 21 2017 13:18:00.0000	1613	1208
Wed Jun 21 2017 13:19:00.0000	1612	1259
Wed Jun 21 2017 13:20:00.0000	1610	1290
Wed Jun 21 2017 13:21:00.0000	1609	1390
Wed Jun 21 2017 13:22:00.0000	1609	1213
Wed Jun 21 2017 13:23:00.0000	1609	1224
Wed Jun 21 2017 13:24:00.0000	1607	1207
Wed Jun 21 2017 13:25:00.0000	1605	1303
Wed Jun 21 2017 13:26:00.0000	1606	1231
Wed Jun 21 2017 13:27:00.0000	1606	1180
Wed Jun 21 2017 13:28:00.0000	1605	1291
Wed Jun 21 2017 13:29:00.0000	1603	1340
Wed Jun 21 2017 13:30:00.0000	1603	1413
Wed Jun 21 2017 13:31:00.0000	1603	1272
Wed Jun 21 2017 13:32:00.0000	1603	1305
Wed Jun 21 2017 13:33:00.0000	1602	1293
Wed Jun 21 2017 13:34:00.0000	1606	1417
Wed Jun 21 2017 13:35:00.0000	1614	1267
Wed Jun 21 2017 13:36:00.0000	1624	1210
Wed Jun 21 2017 13:37:00.0000	1629	1207
Wed Jun 21 2017 13:38:00.0000	1630	1280
Wed Jun 21 2017 13:39:00.0000	1633	1389
Wed Jun 21 2017 13:40:00.0000	1625	1320
Wed Jun 21 2017 13:41:00.0000	1622	1272
Wed Jun 21 2017 13:42:00.0000	1617	1300
Wed Jun 21 2017 13:43:00.0000	1614	1401
Wed Jun 21 2017 13:44:00.0000	1614	1265
Wed Jun 21 2017 13:45:00.0000	1612	1272
Wed Jun 21 2017 13:46:00.0000	1610	1189
Wed Jun 21 2017 13:47:00.0000	1608	1277
Wed Jun 21 2017 13:48:00.0000	1608	1288
Wed Jun 21 2017 13:49:00.0000	1608	1303
Wed Jun 21 2017 13:50:00.0000	1606	1275
Wed Jun 21 2017 13:51:00.0000	1604	1169
Wed Jun 21 2017 13:52:00.0000	1604	1125
Wed Jun 21 2017 13:53:00.0000	1604	1211
Wed Jun 21 2017 13:54:00.0000	1604	1232
Wed Jun 21 2017 13:55:00.0000	1602	1237
Wed Jun 21 2017 13:56:00.0000	1607	1331
Wed Jun 21 2017 13:57:00.0000	1616	1166
Wed Jun 21 2017 13:58:00.0000	1626	1148
Wed Jun 21 2017 13:59:00.0000	1632	1273
Wed Jun 21 2017 14:00:00.0000	1632	1434
Wed Jun 21 2017 14:01:00.0000	1633	1287
Wed Jun 21 2017 14:02:00.0000	1625	1232
Wed Jun 21 2017 14:03:00.0000	1621	1268
Wed Jun 21 2017 14:04:00.0000	1616	1154
Wed Jun 21 2017 14:05:00.0000	1614	1355
Wed Jun 21 2017 14:06:00.0000	1613	1267

Date/Time	Process Temperature (°F)	Process Flow SCFM
Wed Jun 21 2017 14:07:00.0000	1612	1213
Wed Jun 21 2017 14:08:00.0000	1610	1251
Wed Jun 21 2017 14:09:00.0000	1608	1274
Wed Jun 21 2017 14:10:00.0000	1607	1288
Wed Jun 21 2017 14:11:00.0000	1607	1195
Wed Jun 21 2017 14:12:00.0000	1606	1258
Wed Jun 21 2017 14:13:00.0000	1603	1286
Wed Jun 21 2017 14:14:00.0000	1603	1419
Wed Jun 21 2017 14:15:00.0000	1603	1334
Wed Jun 21 2017 14:16:00.0000	1603	1285
Wed Jun 21 2017 14:17:00.0000	1602	1300
Wed Jun 21 2017 14:18:00.0000	1607	1253
Wed Jun 21 2017 14:19:00.0000	1611	1331
Wed Jun 21 2017 14:20:00.0000	1617	1289
Wed Jun 21 2017 14:21:00.0000	1620	1246
Wed Jun 21 2017 14:22:00.0000	1619	1320
Wed Jun 21 2017 14:23:00.0000	1622	1376
Wed Jun 21 2017 14:24:00.0000	1625	1296
Wed Jun 21 2017 14:25:00.0000	1628	1296
Wed Jun 21 2017 14:26:00.0000	1626	1408
Wed Jun 21 2017 14:27:00.0000	1627	1429
Wed Jun 21 2017 14:28:00.0000	1629	1250
Wed Jun 21 2017 14:29:00.0000	1633	1316
Wed Jun 21 2017 14:30:00.0000	1627	1303
Wed Jun 21 2017 14:31:00.0000	1622	1270
Wed Jun 21 2017 14:32:00.0000	1619	1325
Wed Jun 21 2017 14:33:00.0000	1617	1184
Wed Jun 21 2017 14:34:00.0000	1615	1263
Wed Jun 21 2017 14:35:00.0000	1612	1386
Wed Jun 21 2017 14:36:00.0000	1612	1287
Wed Jun 21 2017 14:37:00.0000	1610	1288
Wed Jun 21 2017 14:38:00.0000	1610	1270
Wed Jun 21 2017 14:39:00.0000	1608	1273
Wed Jun 21 2017 14:40:00.0000	1606	1340
Wed Jun 21 2017 14:41:00.0000	1606	1323
Wed Jun 21 2017 14:42:00.0000	1606	1227
Wed Jun 21 2017 14:43:00.0000	1605	1299
Wed Jun 21 2017 14:44:00.0000	1603	1335
Wed Jun 21 2017 14:45:00.0000	1606	1351
Wed Jun 21 2017 14:46:00.0000	1612	1238
Wed Jun 21 2017 14:47:00.0000	1618	1262
Wed Jun 21 2017 14:48:00.0000	1619	1327
Wed Jun 21 2017 14:49:00.0000	1620	1417
Wed Jun 21 2017 14:50:00.0000	1623	1200
Wed Jun 21 2017 14:51:00.0000	1628	1229
Wed Jun 21 2017 14:52:00.0000	1628	1302
Wed Jun 21 2017 14:53:00.0000	1627	1398
Wed Jun 21 2017 14:54:00.0000	1629	1202
Wed Jun 21 2017 14:55:00.0000	1631	1309
Wed Jun 21 2017 14:56:00.0000	1632	1274
Wed Jun 21 2017 14:57:00.0000	1624	1268
Wed Jun 21 2017 14:58:00.0000	1620	1334
Wed Jun 21 2017 14:59:00.0000	1618	1291
Wed Jun 21 2017 15:00:00.0000	1616	1210
Wed Jun 21 2017 15:01:00.0000	1613	1242
Wed Jun 21 2017 15:02:00.0000	1611	1302
Wed Jun 21 2017 15:03:00.0000	1610	1519

Date/Time	Process Temperature (°F)	Process Flow SCFM
Wed Jun 21 2017 15:04:00.0000	1609	1312
Wed Jun 21 2017 15:05:00.0000	1608	1267
Wed Jun 21 2017 15:06:00.0000	1606	1250
Wed Jun 21 2017 15:07:00.0000	1605	1420
Wed Jun 21 2017 15:08:00.0000	1605	1238
Wed Jun 21 2017 15:09:00.0000	1604	1281
Wed Jun 21 2017 15:10:00.0000	1603	1272
Wed Jun 21 2017 15:11:00.0000	1604	1353
Wed Jun 21 2017 15:12:00.0000	1616	1132
Wed Jun 21 2017 15:13:00.0000	1624	1278
Wed Jun 21 2017 15:14:00.0000	1632	1303
Wed Jun 21 2017 15:15:00.0000	1633	1215
Wed Jun 21 2017 15:16:00.0000	1635	1256
Wed Jun 21 2017 15:17:00.0000	1626	1312
Wed Jun 21 2017 15:18:00.0000	1618	1276
Wed Jun 21 2017 15:19:00.0000	1612	1250
Wed Jun 21 2017 15:20:00.0000	1608	1316
Wed Jun 21 2017 15:21:00.0000	1605	1300
Wed Jun 21 2017 15:22:00.0000	1603	1299
Wed Jun 21 2017 15:23:00.0000	1602	1288
Wed Jun 21 2017 15:24:00.0000	1604	1268
Wed Jun 21 2017 15:25:00.0000	1606	1432
Wed Jun 21 2017 15:26:00.0000	1609	1231
Wed Jun 21 2017 15:27:00.0000	1612	1293
Wed Jun 21 2017 15:28:00.0000	1611	1288
Wed Jun 21 2017 15:29:00.0000	1610	1353
Wed Jun 21 2017 15:30:00.0000	1612	1244
Wed Jun 21 2017 15:31:00.0000	1614	1288
Wed Jun 21 2017 15:32:00.0000	1614	1233
Wed Jun 21 2017 15:33:00.0000	1612	1405
Wed Jun 21 2017 15:34:00.0000	1612	1324
Wed Jun 21 2017 15:35:00.0000	1614	1216
Wed Jun 21 2017 15:36:00.0000	1615	1305
Wed Jun 21 2017 15:37:00.0000	1614	1173
Wed Jun 21 2017 15:38:00.0000	1613	1297
Wed Jun 21 2017 15:39:00.0000	1614	1229
Wed Jun 21 2017 15:40:00.0000	1616	1236
Wed Jun 21 2017 15:41:00.0000	1616	1315
Wed Jun 21 2017 15:42:00.0000	1614	1350
Wed Jun 21 2017 15:43:00.0000	1614	1525
Wed Jun 21 2017 15:44:00.0000	1615	1208
Wed Jun 21 2017 15:45:00.0000	1617	1247
Wed Jun 21 2017 15:46:00.0000	1616	1258
Wed Jun 21 2017 15:47:00.0000	1614	1231
Wed Jun 21 2017 15:48:00.0000	1616	1187
Wed Jun 21 2017 15:49:00.0000	1617	1242
Wed Jun 21 2017 15:50:00.0000	1617	1287
Wed Jun 21 2017 15:51:00.0000	1615	1214
Wed Jun 21 2017 15:52:00.0000	1616	1280
Wed Jun 21 2017 15:53:00.0000	1616	1220
Wed Jun 21 2017 15:54:00.0000	1618	1266
Wed Jun 21 2017 15:55:00.0000	1616	1270
Wed Jun 21 2017 15:56:00.0000	1615	1288
Wed Jun 21 2017 15:57:00.0000	1616	1312
Wed Jun 21 2017 15:58:00.0000	1618	1302
Wed Jun 21 2017 15:59:00.0000	1618	1314
Wed Jun 21 2017 16:00:00.0000	1615	1219

Date/Time	Process Temperature (°F)	Process Flow SCFM
Wed Jun 21 2017 16:01:00.0000	1617	1317
Wed Jun 21 2017 16:02:00.0000	1617	1366
Wed Jun 21 2017 16:03:00.0000	1618	1267
Wed Jun 21 2017 16:04:00.0000	1617	1263
Wed Jun 21 2017 16:05:00.0000	1616	1247
Wed Jun 21 2017 16:06:00.0000	1617	1302
Wed Jun 21 2017 16:07:00.0000	1618	1218
Wed Jun 21 2017 16:08:00.0000	1618	1283
Wed Jun 21 2017 16:09:00.0000	1616	1281
Wed Jun 21 2017 16:10:00.0000	1617	1287
Wed Jun 21 2017 16:11:00.0000	1618	1229
Wed Jun 21 2017 16:12:00.0000	1619	1314
Wed Jun 21 2017 16:13:00.0000	1617	1309
Wed Jun 21 2017 16:14:00.0000	1616	1443
Wed Jun 21 2017 16:15:00.0000	1617	1212
Wed Jun 21 2017 16:16:00.0000	1618	1167
Wed Jun 21 2017 16:17:00.0000	1618	1264
Wed Jun 21 2017 16:18:00.0000	1616	1351
Wed Jun 21 2017 16:19:00.0000	1617	1306
Wed Jun 21 2017 16:20:00.0000	1618	1177
Wed Jun 21 2017 16:21:00.0000	1619	1314
Wed Jun 21 2017 16:22:00.0000	1618	1247
Wed Jun 21 2017 16:23:00.0000	1617	1492
Wed Jun 21 2017 16:24:00.0000	1618	1231
Wed Jun 21 2017 16:25:00.0000	1619	1337
Wed Jun 21 2017 16:26:00.0000	1619	1307
Wed Jun 21 2017 16:27:00.0000	1616	1476
Wed Jun 21 2017 16:28:00.0000	1618	1393
Wed Jun 21 2017 16:29:00.0000	1619	1316
Wed Jun 21 2017 16:30:00.0000	1620	1274
Wed Jun 21 2017 16:31:00.0000	1618	1318
Wed Jun 21 2017 16:32:00.0000	1617	1324
Wed Jun 21 2017 16:33:00.0000	1618	1233
Wed Jun 21 2017 16:34:00.0000	1620	1222
Wed Jun 21 2017 16:35:00.0000	1619	1262
Wed Jun 21 2017 16:36:00.0000	1617	1335
Wed Jun 21 2017 16:37:00.0000	1618	1303
Wed Jun 21 2017 16:38:00.0000	1619	1213
Wed Jun 21 2017 16:39:00.0000	1620	1258
Wed Jun 21 2017 16:40:00.0000	1618	1268
Wed Jun 21 2017 16:41:00.0000	1617	1374
Wed Jun 21 2017 16:42:00.0000	1618	1168
Wed Jun 21 2017 16:43:00.0000	1620	1298
Wed Jun 21 2017 16:44:00.0000	1619	1250
Wed Jun 21 2017 16:45:00.0000	1617	1350
Wed Jun 21 2017 16:46:00.0000	1618	1413
Wed Jun 21 2017 16:47:00.0000	1619	1202
Wed Jun 21 2017 16:48:00.0000	1620	1288
Wed Jun 21 2017 16:49:00.0000	1618	1293
Wed Jun 21 2017 16:50:00.0000	1617	1474
Wed Jun 21 2017 16:51:00.0000	1618	1200
Wed Jun 21 2017 16:52:00.0000	1620	1261
Wed Jun 21 2017 16:53:00.0000	1619	1293
Wed Jun 21 2017 16:54:00.0000	1617	1277
Wed Jun 21 2017 16:55:00.0000	1618	1280
Wed Jun 21 2017 16:56:00.0000	1619	1240
Wed Jun 21 2017 16:57:00.0000	1620	1264

Date/Time	Process Temperature (°F)	Process Flow SCFM
Wed Jun 21 2017 16:58:00.0000	1618	1310
Wed Jun 21 2017 16:59:00.0000	1617	1361
Wed Jun 21 2017 17:00:00.0000	1618	1219
Wed Jun 21 2017 17:01:00.0000	1620	1234
Wed Jun 21 2017 17:02:00.0000	1619	1291
Wed Jun 21 2017 17:03:00.0000	1617	1368
Wed Jun 21 2017 17:04:00.0000	1618	1417
Wed Jun 21 2017 17:05:00.0000	1620	1289
Wed Jun 21 2017 17:06:00.0000	1619	1344
Wed Jun 21 2017 17:07:00.0000	1617	1297
Wed Jun 21 2017 17:08:00.0000	1617	1338
Wed Jun 21 2017 17:09:00.0000	1618	1207
Wed Jun 21 2017 17:10:00.0000	1620	1212
Wed Jun 21 2017 17:11:00.0000	1619	1273
Wed Jun 21 2017 17:12:00.0000	1617	1375
Wed Jun 21 2017 17:13:00.0000	1618	1297
Wed Jun 21 2017 17:14:00.0000	1619	1267
Wed Jun 21 2017 17:15:00.0000	1620	1219
Wed Jun 21 2017 17:16:00.0000	1617	1276
Wed Jun 21 2017 17:17:00.0000	1618	1356
Wed Jun 21 2017 17:18:00.0000	1619	1206
Wed Jun 21 2017 17:19:00.0000	1620	1277
Wed Jun 21 2017 17:20:00.0000	1618	1222
Wed Jun 21 2017 17:21:00.0000	1617	1431
Wed Jun 21 2017 17:22:00.0000	1618	1250
Wed Jun 21 2017 17:23:00.0000	1620	1296
Wed Jun 21 2017 17:24:00.0000	1619	1245
Wed Jun 21 2017 17:25:00.0000	1616	1289
Wed Jun 21 2017 17:26:00.0000	1618	1363
Wed Jun 21 2017 17:27:00.0000	1619	1275
Wed Jun 21 2017 17:28:00.0000	1620	1277
Wed Jun 21 2017 17:29:00.0000	1617	1390
Wed Jun 21 2017 17:30:00.0000	1617	1261
Wed Jun 21 2017 17:31:00.0000	1618	1211
Wed Jun 21 2017 17:32:00.0000	1620	1328
Wed Jun 21 2017 17:33:00.0000	1619	1251
Wed Jun 21 2017 17:34:00.0000	1617	1301
Wed Jun 21 2017 17:35:00.0000	1618	1264
Wed Jun 21 2017 17:36:00.0000	1619	1158
Wed Jun 21 2017 17:37:00.0000	1620	1253
Wed Jun 21 2017 17:38:00.0000	1617	1357
Wed Jun 21 2017 17:39:00.0000	1617	1315
Wed Jun 21 2017 17:40:00.0000	1619	1291
Wed Jun 21 2017 17:41:00.0000	1620	1274
Wed Jun 21 2017 17:42:00.0000	1618	1257
Wed Jun 21 2017 17:43:00.0000	1616	1304
Wed Jun 21 2017 17:44:00.0000	1618	1366
Wed Jun 21 2017 17:45:00.0000	1619	1310
Wed Jun 21 2017 17:46:00.0000	1619	1249
Wed Jun 21 2017 17:47:00.0000	1617	1439
Wed Jun 21 2017 17:48:00.0000	1618	1245
Wed Jun 21 2017 17:49:00.0000	1619	1265
Wed Jun 21 2017 17:50:00.0000	1620	1287
Wed Jun 21 2017 17:51:00.0000	1618	1278
Wed Jun 21 2017 17:52:00.0000	1617	1446
Wed Jun 21 2017 17:53:00.0000	1618	1205
Wed Jun 21 2017 17:54:00.0000	1619	1194

Date/Time	Process Temperature (°F)	Process Flow SCFM
Wed Jun 21 2017 17:55:00.0000	1618	1279
Wed Jun 21 2017 17:56:00.0000	1617	1338
Wed Jun 21 2017 17:57:00.0000	1618	1246
Wed Jun 21 2017 17:58:00.0000	1619	1224
Wed Jun 21 2017 17:59:00.0000	1619	1261
Wed Jun 21 2017 18:00:00.0000	1617	1282
Wed Jun 21 2017 18:01:00.0000	1617	1332
Wed Jun 21 2017 18:02:00.0000	1619	1235
Wed Jun 21 2017 18:03:00.0000	1620	1180
Wed Jun 21 2017 18:04:00.0000	1618	1252
Wed Jun 21 2017 18:05:00.0000	1617	1379
Wed Jun 21 2017 18:06:00.0000	1618	1242
Wed Jun 21 2017 18:07:00.0000	1619	1227
Wed Jun 21 2017 18:08:00.0000	1619	1315
Wed Jun 21 2017 18:09:00.0000	1617	1385
Wed Jun 21 2017 18:10:00.0000	1617	1462
Wed Jun 21 2017 18:11:00.0000	1618	1205
Wed Jun 21 2017 18:12:00.0000	1619	1281
Wed Jun 21 2017 18:13:00.0000	1618	1280
Wed Jun 21 2017 18:14:00.0000	1616	1277
Wed Jun 21 2017 18:15:00.0000	1618	1225
Wed Jun 21 2017 18:16:00.0000	1619	1216
Wed Jun 21 2017 18:17:00.0000	1619	1285
Wed Jun 21 2017 18:18:00.0000	1616	1412
Wed Jun 21 2017 18:19:00.0000	1617	1387
Wed Jun 21 2017 18:20:00.0000	1618	1188
Wed Jun 21 2017 18:21:00.0000	1619	1321
Wed Jun 21 2017 18:22:00.0000	1617	1240
Wed Jun 21 2017 18:23:00.0000	1616	1546
Wed Jun 21 2017 18:24:00.0000	1617	1274
Wed Jun 21 2017 18:25:00.0000	1619	1293
Wed Jun 21 2017 18:26:00.0000	1618	1280
Wed Jun 21 2017 18:27:00.0000	1616	1375
Wed Jun 21 2017 18:28:00.0000	1616	1386
Wed Jun 21 2017 18:29:00.0000	1617	1294
Wed Jun 21 2017 18:30:00.0000	1619	1261
Wed Jun 21 2017 18:31:00.0000	1617	1220
Wed Jun 21 2017 18:32:00.0000	1616	1400
Wed Jun 21 2017 18:33:00.0000	1617	1283
Wed Jun 21 2017 18:34:00.0000	1618	1239
Wed Jun 21 2017 18:35:00.0000	1618	1291
Wed Jun 21 2017 18:36:00.0000	1616	1365
Wed Jun 21 2017 18:37:00.0000	1617	1349
Wed Jun 21 2017 18:38:00.0000	1618	1210
Wed Jun 21 2017 18:39:00.0000	1618	1248
Wed Jun 21 2017 18:40:00.0000	1616	1306
Wed Jun 21 2017 18:41:00.0000	1616	1455
Wed Jun 21 2017 18:42:00.0000	1617	1197
Wed Jun 21 2017 18:43:00.0000	1618	1269
Wed Jun 21 2017 18:44:00.0000	1617	1233
Wed Jun 21 2017 18:45:00.0000	1615	1255
Wed Jun 21 2017 18:46:00.0000	1617	1217
Wed Jun 21 2017 18:47:00.0000	1618	1194
Wed Jun 21 2017 18:48:00.0000	1618	1234
Wed Jun 21 2017 18:49:00.0000	1616	1344
Wed Jun 21 2017 18:50:00.0000	1616	1255
Wed Jun 21 2017 18:51:00.0000	1617	1248

Date/Time	Process Temperature (°F)	Process Flow SCFM
Wed Jun 21 2017 18:52:00.0000	1618	1299
Wed Jun 21 2017 18:53:00.0000	1617	1247
Wed Jun 21 2017 18:54:00.0000	1615	1194
Wed Jun 21 2017 18:55:00.0000	1616	1190
Wed Jun 21 2017 18:56:00.0000	1617	1238
Wed Jun 21 2017 18:57:00.0000	1617	1217
Wed Jun 21 2017 18:58:00.0000	1615	1354
Wed Jun 21 2017 18:59:00.0000	1615	1308
Wed Jun 21 2017 19:00:00.0000	1616	1284
Wed Jun 21 2017 19:01:00.0000	1618	1259
Wed Jun 21 2017 19:02:00.0000	1616	1258
Wed Jun 21 2017 19:03:00.0000	1614	1280
Wed Jun 21 2017 19:04:00.0000	1616	1268
Wed Jun 21 2017 19:05:00.0000	1617	1187
Wed Jun 21 2017 19:06:00.0000	1617	1309
Wed Jun 21 2017 19:07:00.0000	1615	1393
Wed Jun 21 2017 19:08:00.0000	1615	1324
Wed Jun 21 2017 19:09:00.0000	1616	1173
Wed Jun 21 2017 19:10:00.0000	1617	1280
Wed Jun 21 2017 19:11:00.0000	1615	1244
Wed Jun 21 2017 19:12:00.0000	1614	1294
Wed Jun 21 2017 19:13:00.0000	1615	1238
Wed Jun 21 2017 19:14:00.0000	1617	1278
Wed Jun 21 2017 19:15:00.0000	1616	1227
Wed Jun 21 2017 19:16:00.0000	1614	1342
Wed Jun 21 2017 19:17:00.0000	1615	1365
Wed Jun 21 2017 19:18:00.0000	1615	1369
Wed Jun 21 2017 19:19:00.0000	1616	1231
Wed Jun 21 2017 19:20:00.0000	1614	1301
Wed Jun 21 2017 19:21:00.0000	1613	1179
Wed Jun 21 2017 19:22:00.0000	1614	1252
Wed Jun 21 2017 19:23:00.0000	1616	1266
Wed Jun 21 2017 19:24:00.0000	1615	1229
Wed Jun 21 2017 19:25:00.0000	1613	1375
Wed Jun 21 2017 19:26:00.0000	1614	1402
Wed Jun 21 2017 19:27:00.0000	1614	1190
Wed Jun 21 2017 19:28:00.0000	1616	1269
Wed Jun 21 2017 19:29:00.0000	1614	1217
Wed Jun 21 2017 19:30:00.0000	1613	1400
Wed Jun 21 2017 19:31:00.0000	1614	1355
Wed Jun 21 2017 19:32:00.0000	1615	1311
Wed Jun 21 2017 19:33:00.0000	1614	1221
Wed Jun 21 2017 19:34:00.0000	1612	1193
Wed Jun 21 2017 19:35:00.0000	1613	1341
Wed Jun 21 2017 19:36:00.0000	1613	1146
Wed Jun 21 2017 19:37:00.0000	1615	1287
Wed Jun 21 2017 19:38:00.0000	1613	1353
Wed Jun 21 2017 19:39:00.0000	1612	1312
Wed Jun 21 2017 19:40:00.0000	1613	1159
Wed Jun 21 2017 19:41:00.0000	1614	1255
Wed Jun 21 2017 19:42:00.0000	1613	1254
Wed Jun 21 2017 19:43:00.0000	1612	1269
Wed Jun 21 2017 19:44:00.0000	1613	1382
Wed Jun 21 2017 19:45:00.0000	1613	1140
Wed Jun 21 2017 19:46:00.0000	1613	1202
Wed Jun 21 2017 19:47:00.0000	1612	1281
Wed Jun 21 2017 19:48:00.0000	1611	1289

Date/Time	Process Temperature (°F)	Process Flow SCFM
Wed Jun 21 2017 19:49:00.0000	1612	1295
Wed Jun 21 2017 19:50:00.0000	1613	1224
Wed Jun 21 2017 19:51:00.0000	1612	1206
Wed Jun 21 2017 19:52:00.0000	1610	1325
Wed Jun 21 2017 19:53:00.0000	1612	1163
Wed Jun 21 2017 19:54:00.0000	1612	1172
Wed Jun 21 2017 19:55:00.0000	1612	1318
Wed Jun 21 2017 19:56:00.0000	1610	1154
Wed Jun 21 2017 19:57:00.0000	1611	1201
Wed Jun 21 2017 19:58:00.0000	1611	1204
Wed Jun 21 2017 19:59:00.0000	1613	1250
Wed Jun 21 2017 20:00:00.0000	1611	1175
Wed Jun 21 2017 20:01:00.0000	1610	1335
Wed Jun 21 2017 20:02:00.0000	1611	1180
Wed Jun 21 2017 20:03:00.0000	1612	1247
Wed Jun 21 2017 20:04:00.0000	1612	1272
Wed Jun 21 2017 20:05:00.0000	1610	1313
Wed Jun 21 2017 20:06:00.0000	1611	1352
Wed Jun 21 2017 20:07:00.0000	1612	1174
Wed Jun 21 2017 20:08:00.0000	1613	1180
Wed Jun 21 2017 20:09:00.0000	1611	1242
Wed Jun 21 2017 20:10:00.0000	1610	1225
Wed Jun 21 2017 20:11:00.0000	1611	1225
Wed Jun 21 2017 20:12:00.0000	1613	1306
Wed Jun 21 2017 20:13:00.0000	1612	1223
Wed Jun 21 2017 20:14:00.0000	1610	1205
Wed Jun 21 2017 20:15:00.0000	1611	1282
Wed Jun 21 2017 20:16:00.0000	1611	1192
Wed Jun 21 2017 20:17:00.0000	1613	1246
Wed Jun 21 2017 20:18:00.0000	1611	1193
Wed Jun 21 2017 20:19:00.0000	1610	1241
Wed Jun 21 2017 20:20:00.0000	1611	1286
Wed Jun 21 2017 20:21:00.0000	1612	1246
Wed Jun 21 2017 20:22:00.0000	1612	1204
Wed Jun 21 2017 20:23:00.0000	1610	1368
Wed Jun 21 2017 20:24:00.0000	1610	1219
Wed Jun 21 2017 20:25:00.0000	1611	1152
Wed Jun 21 2017 20:26:00.0000	1612	1259
Wed Jun 21 2017 20:27:00.0000	1611	1219
Wed Jun 21 2017 20:28:00.0000	1609	1279
Wed Jun 21 2017 20:29:00.0000	1610	1198
Wed Jun 21 2017 20:30:00.0000	1611	1324
Wed Jun 21 2017 20:31:00.0000	1611	1210
Wed Jun 21 2017 20:32:00.0000	1609	1205
Wed Jun 21 2017 20:33:00.0000	1610	1226
Wed Jun 21 2017 20:34:00.0000	1610	1217
Wed Jun 21 2017 20:35:00.0000	1611	1181
Wed Jun 21 2017 20:36:00.0000	1610	1230
Wed Jun 21 2017 20:37:00.0000	1609	1373
Wed Jun 21 2017 20:38:00.0000	1610	1182
Wed Jun 21 2017 20:39:00.0000	1611	1213
Wed Jun 21 2017 20:40:00.0000	1610	1209
Wed Jun 21 2017 20:41:00.0000	1608	1282
Wed Jun 21 2017 20:42:00.0000	1609	1206
Wed Jun 21 2017 20:43:00.0000	1610	1292
Wed Jun 21 2017 20:44:00.0000	1610	1235
Wed Jun 21 2017 20:45:00.0000	1608	1157

Date/Time	Process Temperature (°F)	Process Flow SCFM
Wed Jun 21 2017 20:46:00.0000	1608	1161
Wed Jun 21 2017 20:47:00.0000	1609	1093
Wed Jun 21 2017 20:48:00.0000	1610	1294
Wed Jun 21 2017 20:49:00.0000	1609	1226
Wed Jun 21 2017 20:50:00.0000	1607	1313
Wed Jun 21 2017 20:51:00.0000	1609	1215
Wed Jun 21 2017 20:52:00.0000	1610	1231
Wed Jun 21 2017 20:53:00.0000	1610	1211
Wed Jun 21 2017 20:54:00.0000	1608	1300
Wed Jun 21 2017 20:55:00.0000	1608	1369
Wed Jun 21 2017 20:56:00.0000	1608	1225
Wed Jun 21 2017 20:57:00.0000	1610	1231
Wed Jun 21 2017 20:58:00.0000	1609	1193
Wed Jun 21 2017 20:59:00.0000	1607	1301
Wed Jun 21 2017 21:00:00.0000	1608	1226
Wed Jun 21 2017 21:01:00.0000	1609	1268
Wed Jun 21 2017 21:02:00.0000	1609	1230
Wed Jun 21 2017 21:03:00.0000	1607	1279
Wed Jun 21 2017 21:04:00.0000	1607	1238
Wed Jun 21 2017 21:05:00.0000	1607	1168
Wed Jun 21 2017 21:06:00.0000	1609	1288
Wed Jun 21 2017 21:07:00.0000	1607	1187
Wed Jun 21 2017 21:08:00.0000	1606	1273
Wed Jun 21 2017 21:09:00.0000	1607	1180
Wed Jun 21 2017 21:10:00.0000	1608	1275
Wed Jun 21 2017 21:11:00.0000	1608	1237
Wed Jun 21 2017 21:12:00.0000	1606	1257
Wed Jun 21 2017 21:13:00.0000	1606	1222
Wed Jun 21 2017 21:14:00.0000	1607	1193
Wed Jun 21 2017 21:15:00.0000	1608	1152
Wed Jun 21 2017 21:16:00.0000	1606	1263
Wed Jun 21 2017 21:17:00.0000	1606	1410
Wed Jun 21 2017 21:18:00.0000	1607	1209
Wed Jun 21 2017 21:19:00.0000	1607	1124
Wed Jun 21 2017 21:20:00.0000	1607	1199
Wed Jun 21 2017 21:21:00.0000	1605	1221
Wed Jun 21 2017 21:22:00.0000	1606	1141
Wed Jun 21 2017 21:23:00.0000	1607	1160
Wed Jun 21 2017 21:24:00.0000	1607	1226
Wed Jun 21 2017 21:25:00.0000	1604	1187
Wed Jun 21 2017 21:26:00.0000	1605	1128
Wed Jun 21 2017 21:27:00.0000	1606	1206
Wed Jun 21 2017 21:28:00.0000	1607	1200
Wed Jun 21 2017 21:29:00.0000	1605	1145
Wed Jun 21 2017 21:30:00.0000	1604	1290
Wed Jun 21 2017 21:31:00.0000	1605	1152
Wed Jun 21 2017 21:32:00.0000	1606	1179
Wed Jun 21 2017 21:33:00.0000	1606	1190
Wed Jun 21 2017 21:34:00.0000	1604	1223
Wed Jun 21 2017 21:35:00.0000	1605	1159
Wed Jun 21 2017 21:36:00.0000	1605	1147
Wed Jun 21 2017 21:37:00.0000	1606	1184
Wed Jun 21 2017 21:38:00.0000	1604	1204
Wed Jun 21 2017 21:39:00.0000	1603	1215
Wed Jun 21 2017 21:40:00.0000	1604	1160
Wed Jun 21 2017 21:41:00.0000	1605	1247
Wed Jun 21 2017 21:42:00.0000	1605	1195

Date/Time	Process Temperature (°F)	Process Flow SCFM
Wed Jun 21 2017 21:43:00.0000	1603	1294
Wed Jun 21 2017 21:44:00.0000	1604	1220
Wed Jun 21 2017 21:45:00.0000	1604	1128
Wed Jun 21 2017 21:46:00.0000	1605	1182
Wed Jun 21 2017 21:47:00.0000	1604	1201
Wed Jun 21 2017 21:48:00.0000	1602	1227
Wed Jun 21 2017 21:49:00.0000	1603	1204
Wed Jun 21 2017 21:50:00.0000	1605	1190
Wed Jun 21 2017 21:51:00.0000	1604	1208
Wed Jun 21 2017 21:52:00.0000	1602	1222
Wed Jun 21 2017 21:53:00.0000	1603	1187
Wed Jun 21 2017 21:54:00.0000	1604	1232
Wed Jun 21 2017 21:55:00.0000	1604	1142
Wed Jun 21 2017 21:56:00.0000	1603	1248
Wed Jun 21 2017 21:57:00.0000	1604	1352
Wed Jun 21 2017 21:58:00.0000	1610	1197
Wed Jun 21 2017 21:59:00.0000	1616	1144
Wed Jun 21 2017 22:00:00.0000	1619	1159
Wed Jun 21 2017 22:01:00.0000	1619	1192
Wed Jun 21 2017 22:02:00.0000	1621	1257
Wed Jun 21 2017 22:03:00.0000	1624	1175
Wed Jun 21 2017 22:04:00.0000	1628	1213
Wed Jun 21 2017 22:05:00.0000	1627	1194
Wed Jun 21 2017 22:06:00.0000	1627	1223
Wed Jun 21 2017 22:07:00.0000	1629	1207
Wed Jun 21 2017 22:08:00.0000	1632	1184
Wed Jun 21 2017 22:09:00.0000	1626	1231
Wed Jun 21 2017 22:10:00.0000	1622	1177
Wed Jun 21 2017 22:11:00.0000	1621	1172
Wed Jun 21 2017 22:12:00.0000	1620	1112
Wed Jun 21 2017 22:13:00.0000	1619	1169
Wed Jun 21 2017 22:14:00.0000	1617	1185
Wed Jun 21 2017 22:15:00.0000	1616	1125
Wed Jun 21 2017 22:16:00.0000	1616	1195
Wed Jun 21 2017 22:17:00.0000	1616	1183
Wed Jun 21 2017 22:18:00.0000	1615	1225
Wed Jun 21 2017 22:19:00.0000	1613	1347
Wed Jun 21 2017 22:20:00.0000	1614	1278
Wed Jun 21 2017 22:21:00.0000	1614	1195
Wed Jun 21 2017 22:22:00.0000	1614	1216
Wed Jun 21 2017 22:23:00.0000	1612	1201
Wed Jun 21 2017 22:24:00.0000	1612	1259
Wed Jun 21 2017 22:25:00.0000	1612	1141
Wed Jun 21 2017 22:26:00.0000	1613	1253
Wed Jun 21 2017 22:27:00.0000	1612	1208
Wed Jun 21 2017 22:28:00.0000	1610	1141
Wed Jun 21 2017 22:29:00.0000	1611	1176
Wed Jun 21 2017 22:30:00.0000	1612	1218
Wed Jun 21 2017 22:31:00.0000	1610	1226
Wed Jun 21 2017 22:32:00.0000	1609	1255
Wed Jun 21 2017 22:33:00.0000	1610	1179
Wed Jun 21 2017 22:34:00.0000	1610	1265
Wed Jun 21 2017 22:35:00.0000	1610	1215
Wed Jun 21 2017 22:36:00.0000	1608	1183
Wed Jun 21 2017 22:37:00.0000	1608	1263
Wed Jun 21 2017 22:38:00.0000	1609	1225
Wed Jun 21 2017 22:39:00.0000	1610	1246

Date/Time	Process Temperature (°F)	Process Flow SCFM
Wed Jun 21 2017 22:40:00.0000	1608	1207
Wed Jun 21 2017 22:41:00.0000	1607	1142
Wed Jun 21 2017 22:42:00.0000	1608	1205
Wed Jun 21 2017 22:43:00.0000	1609	1116
Wed Jun 21 2017 22:44:00.0000	1609	1185
Wed Jun 21 2017 22:45:00.0000	1607	1273
Wed Jun 21 2017 22:46:00.0000	1607	1193
Wed Jun 21 2017 22:47:00.0000	1607	1277
Wed Jun 21 2017 22:48:00.0000	1609	1186
Wed Jun 21 2017 22:49:00.0000	1607	1202
Wed Jun 21 2017 22:50:00.0000	1606	1337
Wed Jun 21 2017 22:51:00.0000	1607	1148
Wed Jun 21 2017 22:52:00.0000	1608	1204
Wed Jun 21 2017 22:53:00.0000	1607	1221
Wed Jun 21 2017 22:54:00.0000	1606	1195
Wed Jun 21 2017 22:55:00.0000	1606	1197
Wed Jun 21 2017 22:56:00.0000	1606	1183
Wed Jun 21 2017 22:57:00.0000	1607	1167
Wed Jun 21 2017 22:58:00.0000	1606	1213
Wed Jun 21 2017 22:59:00.0000	1605	1177
Wed Jun 21 2017 23:00:00.0000	1606	1144
Wed Jun 21 2017 23:01:00.0000	1607	1141
Wed Jun 21 2017 23:02:00.0000	1607	1173
Wed Jun 21 2017 23:03:00.0000	1605	1157
Wed Jun 21 2017 23:04:00.0000	1605	1224
Wed Jun 21 2017 23:05:00.0000	1606	1166
Wed Jun 21 2017 23:06:00.0000	1606	1226
Wed Jun 21 2017 23:07:00.0000	1605	1201
Wed Jun 21 2017 23:08:00.0000	1604	1201
Wed Jun 21 2017 23:09:00.0000	1605	1095
Wed Jun 21 2017 23:10:00.0000	1606	1181
Wed Jun 21 2017 23:11:00.0000	1606	1223
Wed Jun 21 2017 23:12:00.0000	1604	1288
Wed Jun 21 2017 23:13:00.0000	1605	1391
Wed Jun 21 2017 23:14:00.0000	1605	1227
Wed Jun 21 2017 23:15:00.0000	1606	1202
Wed Jun 21 2017 23:16:00.0000	1604	1184
Wed Jun 21 2017 23:17:00.0000	1604	1270
Wed Jun 21 2017 23:18:00.0000	1604	1230
Wed Jun 21 2017 23:19:00.0000	1606	1182
Wed Jun 21 2017 23:20:00.0000	1605	1202
Wed Jun 21 2017 23:21:00.0000	1603	1301
Wed Jun 21 2017 23:22:00.0000	1604	1292
Wed Jun 21 2017 23:23:00.0000	1604	1282
Wed Jun 21 2017 23:24:00.0000	1605	1207
Wed Jun 21 2017 23:25:00.0000	1603	1233
Wed Jun 21 2017 23:26:00.0000	1603	1180
Wed Jun 21 2017 23:27:00.0000	1603	1192
Wed Jun 21 2017 23:28:00.0000	1605	1266
Wed Jun 21 2017 23:29:00.0000	1603	1223
Wed Jun 21 2017 23:30:00.0000	1602	1141
Wed Jun 21 2017 23:31:00.0000	1607	1206
Wed Jun 21 2017 23:32:00.0000	1613	1194
Wed Jun 21 2017 23:33:00.0000	1618	1230
Wed Jun 21 2017 23:34:00.0000	1618	1286
Wed Jun 21 2017 23:35:00.0000	1619	1201
Wed Jun 21 2017 23:36:00.0000	1622	1171

Date/Time	Process Temperature (°F)	Process Flow SCFM
Wed Jun 21 2017 23:37:00.0000	1626	1215
Wed Jun 21 2017 23:38:00.0000	1627	1157
Wed Jun 21 2017 23:39:00.0000	1625	1170
Wed Jun 21 2017 23:40:00.0000	1628	1116
Wed Jun 21 2017 23:41:00.0000	1630	1140
Wed Jun 21 2017 23:42:00.0000	1632	1210
Wed Jun 21 2017 23:43:00.0000	1631	1153
Wed Jun 21 2017 23:44:00.0000	1631	1198
Wed Jun 21 2017 23:45:00.0000	1629	1187
Wed Jun 21 2017 23:46:00.0000	1626	1237
Wed Jun 21 2017 23:47:00.0000	1623	1241
Wed Jun 21 2017 23:48:00.0000	1619	1220
Wed Jun 21 2017 23:49:00.0000	1619	1196
Wed Jun 21 2017 23:50:00.0000	1619	1105
Wed Jun 21 2017 23:51:00.0000	1618	1213
Wed Jun 21 2017 23:52:00.0000	1615	1175
Wed Jun 21 2017 23:53:00.0000	1615	1340
Wed Jun 21 2017 23:54:00.0000	1615	1207
Wed Jun 21 2017 23:55:00.0000	1615	1197
Wed Jun 21 2017 23:56:00.0000	1613	1196
Wed Jun 21 2017 23:57:00.0000	1612	1159
Wed Jun 21 2017 23:58:00.0000	1612	1195
Wed Jun 21 2017 23:59:00.0000	1613	1145
Thu Jun 22 2017 00:00:00.0000	1612	1225
Thu Jun 22 2017 00:01:00.0000	1610	1162
Thu Jun 22 2017 00:02:00.0000	1610	1277
Thu Jun 22 2017 00:03:00.0000	1611	1158
Thu Jun 22 2017 00:04:00.0000	1612	1195
Thu Jun 22 2017 00:05:00.0000	1610	1231
Thu Jun 22 2017 00:06:00.0000	1608	1233
Thu Jun 22 2017 00:07:00.0000	1609	1197
Thu Jun 22 2017 00:08:00.0000	1610	1106
Thu Jun 22 2017 00:09:00.0000	1609	1263
Thu Jun 22 2017 00:10:00.0000	1607	1253
Thu Jun 22 2017 00:11:00.0000	1607	1293
Thu Jun 22 2017 00:12:00.0000	1608	1213
Thu Jun 22 2017 00:13:00.0000	1609	1178
Thu Jun 22 2017 00:14:00.0000	1607	1224
Thu Jun 22 2017 00:15:00.0000	1606	1206
Thu Jun 22 2017 00:16:00.0000	1607	1192
Thu Jun 22 2017 00:17:00.0000	1608	1153
Thu Jun 22 2017 00:18:00.0000	1608	1137
Thu Jun 22 2017 00:19:00.0000	1605	1162
Thu Jun 22 2017 00:20:00.0000	1606	1220
Thu Jun 22 2017 00:21:00.0000	1606	1162
Thu Jun 22 2017 00:22:00.0000	1607	1250
Thu Jun 22 2017 00:23:00.0000	1605	1203
Thu Jun 22 2017 00:24:00.0000	1605	1192
Thu Jun 22 2017 00:25:00.0000	1605	1255
Thu Jun 22 2017 00:26:00.0000	1607	1245
Thu Jun 22 2017 00:27:00.0000	1606	1199
Thu Jun 22 2017 00:28:00.0000	1604	1244
Thu Jun 22 2017 00:29:00.0000	1605	1332
Thu Jun 22 2017 00:30:00.0000	1605	1152
Thu Jun 22 2017 00:31:00.0000	1606	1175
Thu Jun 22 2017 00:32:00.0000	1604	1233
Thu Jun 22 2017 00:33:00.0000	1604	1209

Date/Time	Process Temperature (°F)	Process Flow SCFM
Thu Jun 22 2017 00:34:00.0000	1605	1144
Thu Jun 22 2017 00:35:00.0000	1606	1144
Thu Jun 22 2017 00:36:00.0000	1605	1237
Thu Jun 22 2017 00:37:00.0000	1603	1267
Thu Jun 22 2017 00:38:00.0000	1604	1199
Thu Jun 22 2017 00:39:00.0000	1605	1213
Thu Jun 22 2017 00:40:00.0000	1605	1215
Thu Jun 22 2017 00:41:00.0000	1603	1216
Thu Jun 22 2017 00:42:00.0000	1603	1215
Thu Jun 22 2017 00:43:00.0000	1604	1223
Thu Jun 22 2017 00:44:00.0000	1605	1094
Thu Jun 22 2017 00:45:00.0000	1604	1189
Thu Jun 22 2017 00:46:00.0000	1602	1217
Thu Jun 22 2017 00:47:00.0000	1603	1192
Thu Jun 22 2017 00:48:00.0000	1604	1144
Thu Jun 22 2017 00:49:00.0000	1605	1212
Thu Jun 22 2017 00:50:00.0000	1603	1184
Thu Jun 22 2017 00:51:00.0000	1602	1163
Thu Jun 22 2017 00:52:00.0000	1603	1192
Thu Jun 22 2017 00:53:00.0000	1604	1159
Thu Jun 22 2017 00:54:00.0000	1604	1203
Thu Jun 22 2017 00:55:00.0000	1602	1164
Thu Jun 22 2017 00:56:00.0000	1608	1174
Thu Jun 22 2017 00:57:00.0000	1614	1208
Thu Jun 22 2017 00:58:00.0000	1618	1204
Thu Jun 22 2017 00:59:00.0000	1618	1222
Thu Jun 22 2017 01:00:00.0000	1619	1203
Thu Jun 22 2017 01:01:00.0000	1622	1213
Thu Jun 22 2017 01:02:00.0000	1626	1158
Thu Jun 22 2017 01:03:00.0000	1627	1185
Thu Jun 22 2017 01:04:00.0000	1625	1110
Thu Jun 22 2017 01:05:00.0000	1628	1271
Thu Jun 22 2017 01:06:00.0000	1631	1283
Thu Jun 22 2017 01:07:00.0000	1629	1212
Thu Jun 22 2017 01:08:00.0000	1622	1150
Thu Jun 22 2017 01:09:00.0000	1619	1114
Thu Jun 22 2017 01:10:00.0000	1617	1174
Thu Jun 22 2017 01:11:00.0000	1616	1159
Thu Jun 22 2017 01:12:00.0000	1614	1212
Thu Jun 22 2017 01:13:00.0000	1611	1285
Thu Jun 22 2017 01:14:00.0000	1611	1163
Thu Jun 22 2017 01:15:00.0000	1611	1194
Thu Jun 22 2017 01:16:00.0000	1610	1176
Thu Jun 22 2017 01:17:00.0000	1608	1268
Thu Jun 22 2017 01:18:00.0000	1607	1233
Thu Jun 22 2017 01:19:00.0000	1608	1172
Thu Jun 22 2017 01:20:00.0000	1610	1197
Thu Jun 22 2017 01:21:00.0000	1608	1177
Thu Jun 22 2017 01:22:00.0000	1607	1306
Thu Jun 22 2017 01:23:00.0000	1608	1176
Thu Jun 22 2017 01:24:00.0000	1609	1174
Thu Jun 22 2017 01:25:00.0000	1609	1176
Thu Jun 22 2017 01:26:00.0000	1607	1232
Thu Jun 22 2017 01:27:00.0000	1607	1174
Thu Jun 22 2017 01:28:00.0000	1607	1144
Thu Jun 22 2017 01:29:00.0000	1609	1155
Thu Jun 22 2017 01:30:00.0000	1607	1156

Date/Time	Process Temperature (°F)	Process Flow SCFM
Thu Jun 22 2017 01:31:00.0000	1605	1240
Thu Jun 22 2017 01:32:00.0000	1607	1191
Thu Jun 22 2017 01:33:00.0000	1607	1163
Thu Jun 22 2017 01:34:00.0000	1607	1153
Thu Jun 22 2017 01:35:00.0000	1605	1237
Thu Jun 22 2017 01:36:00.0000	1605	1209
Thu Jun 22 2017 01:37:00.0000	1606	1203
Thu Jun 22 2017 01:38:00.0000	1607	1241
Thu Jun 22 2017 01:39:00.0000	1606	1171
Thu Jun 22 2017 01:40:00.0000	1605	1288
Thu Jun 22 2017 01:41:00.0000	1606	1188
Thu Jun 22 2017 01:42:00.0000	1606	1213
Thu Jun 22 2017 01:43:00.0000	1607	1161
Thu Jun 22 2017 01:44:00.0000	1604	1213
Thu Jun 22 2017 01:45:00.0000	1604	1318
Thu Jun 22 2017 01:46:00.0000	1605	1056
Thu Jun 22 2017 01:47:00.0000	1606	1237
Thu Jun 22 2017 01:48:00.0000	1605	1199
Thu Jun 22 2017 01:49:00.0000	1603	1261
Thu Jun 22 2017 01:50:00.0000	1605	1233
Thu Jun 22 2017 01:51:00.0000	1606	1192
Thu Jun 22 2017 01:52:00.0000	1605	1213
Thu Jun 22 2017 01:53:00.0000	1603	1279
Thu Jun 22 2017 01:54:00.0000	1605	1178
Thu Jun 22 2017 01:55:00.0000	1604	1147
Thu Jun 22 2017 01:56:00.0000	1605	1175
Thu Jun 22 2017 01:57:00.0000	1604	1209
Thu Jun 22 2017 01:58:00.0000	1603	1246
Thu Jun 22 2017 01:59:00.0000	1604	1242
Thu Jun 22 2017 02:00:00.0000	1605	1159
Thu Jun 22 2017 02:01:00.0000	1604	1223
Thu Jun 22 2017 02:02:00.0000	1602	1252
Thu Jun 22 2017 02:03:00.0000	1604	1239
Thu Jun 22 2017 02:04:00.0000	1604	1233
Thu Jun 22 2017 02:05:00.0000	1604	1247
Thu Jun 22 2017 02:06:00.0000	1602	1313
Thu Jun 22 2017 02:07:00.0000	1604	1194
Thu Jun 22 2017 02:08:00.0000	1610	1090
Thu Jun 22 2017 02:09:00.0000	1619	1225
Thu Jun 22 2017 02:10:00.0000	1621	1194
Thu Jun 22 2017 02:11:00.0000	1621	1168
Thu Jun 22 2017 02:12:00.0000	1625	1306
Thu Jun 22 2017 02:13:00.0000	1628	1089
Thu Jun 22 2017 02:14:00.0000	1632	1156
Thu Jun 22 2017 02:15:00.0000	1631	1245
Thu Jun 22 2017 02:16:00.0000	1632	1168
Thu Jun 22 2017 02:17:00.0000	1630	1134
Thu Jun 22 2017 02:18:00.0000	1625	1239
Thu Jun 22 2017 02:19:00.0000	1621	1175
Thu Jun 22 2017 02:20:00.0000	1617	1275
Thu Jun 22 2017 02:21:00.0000	1615	1159
Thu Jun 22 2017 02:22:00.0000	1614	1117
Thu Jun 22 2017 02:23:00.0000	1613	1220
Thu Jun 22 2017 02:24:00.0000	1610	1231
Thu Jun 22 2017 02:25:00.0000	1609	1255
Thu Jun 22 2017 02:26:00.0000	1609	1175
Thu Jun 22 2017 02:27:00.0000	1609	1279

Date/Time	Process Temperature (°F)	Process Flow SCFM
Thu Jun 22 2017 02:28:00.0000	1608	1174
Thu Jun 22 2017 02:29:00.0000	1606	1388
Thu Jun 22 2017 02:30:00.0000	1608	1228
Thu Jun 22 2017 02:31:00.0000	1608	1187
Thu Jun 22 2017 02:32:00.0000	1609	1146
Thu Jun 22 2017 02:33:00.0000	1607	1241
Thu Jun 22 2017 02:34:00.0000	1606	1278
Thu Jun 22 2017 02:35:00.0000	1607	1179
Thu Jun 22 2017 02:36:00.0000	1608	1235
Thu Jun 22 2017 02:37:00.0000	1607	1186
Thu Jun 22 2017 02:38:00.0000	1605	1185
Thu Jun 22 2017 02:39:00.0000	1606	1201
Thu Jun 22 2017 02:40:00.0000	1607	1170
Thu Jun 22 2017 02:41:00.0000	1607	1184
Thu Jun 22 2017 02:42:00.0000	1605	1279
Thu Jun 22 2017 02:43:00.0000	1605	1176
Thu Jun 22 2017 02:44:00.0000	1606	1170
Thu Jun 22 2017 02:45:00.0000	1607	1172
Thu Jun 22 2017 02:46:00.0000	1606	1190
Thu Jun 22 2017 02:47:00.0000	1604	1150
Thu Jun 22 2017 02:48:00.0000	1605	1331
Thu Jun 22 2017 02:49:00.0000	1606	1204
Thu Jun 22 2017 02:50:00.0000	1606	1193
Thu Jun 22 2017 02:51:00.0000	1604	1242
Thu Jun 22 2017 02:52:00.0000	1604	1240
Thu Jun 22 2017 02:53:00.0000	1605	1188
Thu Jun 22 2017 02:54:00.0000	1606	1231
Thu Jun 22 2017 02:55:00.0000	1604	1206
Thu Jun 22 2017 02:56:00.0000	1602	1127
Thu Jun 22 2017 02:57:00.0000	1604	1200
Thu Jun 22 2017 02:58:00.0000	1604	1242
Thu Jun 22 2017 02:59:00.0000	1604	1200
Thu Jun 22 2017 03:00:00.0000	1603	1258
Thu Jun 22 2017 03:01:00.0000	1603	1180
Thu Jun 22 2017 03:02:00.0000	1604	1157
Thu Jun 22 2017 03:03:00.0000	1605	1269
Thu Jun 22 2017 03:04:00.0000	1603	1173
Thu Jun 22 2017 03:05:00.0000	1602	1132
Thu Jun 22 2017 03:06:00.0000	1603	1165
Thu Jun 22 2017 03:07:00.0000	1604	1226
Thu Jun 22 2017 03:08:00.0000	1604	1231
Thu Jun 22 2017 03:09:00.0000	1602	1166
Thu Jun 22 2017 03:10:00.0000	1604	1226
Thu Jun 22 2017 03:11:00.0000	1612	1185
Thu Jun 22 2017 03:12:00.0000	1619	1171
Thu Jun 22 2017 03:13:00.0000	1619	1222
Thu Jun 22 2017 03:14:00.0000	1621	1150
Thu Jun 22 2017 03:15:00.0000	1624	1119
Thu Jun 22 2017 03:16:00.0000	1629	1161
Thu Jun 22 2017 03:17:00.0000	1630	1187
Thu Jun 22 2017 03:18:00.0000	1629	1241
Thu Jun 22 2017 03:19:00.0000	1632	1173
Thu Jun 22 2017 03:20:00.0000	1627	1193
Thu Jun 22 2017 03:21:00.0000	1623	1201
Thu Jun 22 2017 03:22:00.0000	1619	1107
Thu Jun 22 2017 03:23:00.0000	1615	1327
Thu Jun 22 2017 03:24:00.0000	1614	1109

Date/Time	Process Temperature (°F)	Process Flow SCFM
Thu Jun 22 2017 03:25:00.0000	1614	1096
Thu Jun 22 2017 03:26:00.0000	1612	1194
Thu Jun 22 2017 03:27:00.0000	1609	1190
Thu Jun 22 2017 03:28:00.0000	1608	1309
Thu Jun 22 2017 03:29:00.0000	1608	1221
Thu Jun 22 2017 03:30:00.0000	1608	1161
Thu Jun 22 2017 03:31:00.0000	1605	1161
Thu Jun 22 2017 03:32:00.0000	1604	1328
Thu Jun 22 2017 03:33:00.0000	1604	1202
Thu Jun 22 2017 03:34:00.0000	1605	1222
Thu Jun 22 2017 03:35:00.0000	1603	1155
Thu Jun 22 2017 03:36:00.0000	1601	1212
Thu Jun 22 2017 03:37:00.0000	1612	1283
Thu Jun 22 2017 03:38:00.0000	1624	1128
Thu Jun 22 2017 03:39:00.0000	1633	1169
Thu Jun 22 2017 03:40:00.0000	1627	1224
Thu Jun 22 2017 03:41:00.0000	1620	1193
Thu Jun 22 2017 03:42:00.0000	1617	1270
Thu Jun 22 2017 03:43:00.0000	1615	1188
Thu Jun 22 2017 03:44:00.0000	1611	1143
Thu Jun 22 2017 03:45:00.0000	1609	1234
Thu Jun 22 2017 03:46:00.0000	1609	1163
Thu Jun 22 2017 03:47:00.0000	1608	1134
Thu Jun 22 2017 03:48:00.0000	1607	1169
Thu Jun 22 2017 03:49:00.0000	1604	1248
Thu Jun 22 2017 03:50:00.0000	1604	1214
Thu Jun 22 2017 03:51:00.0000	1604	1196
Thu Jun 22 2017 03:52:00.0000	1604	1201
Thu Jun 22 2017 03:53:00.0000	1602	1200
Thu Jun 22 2017 03:54:00.0000	1603	1198
Thu Jun 22 2017 03:55:00.0000	1610	1158
Thu Jun 22 2017 03:56:00.0000	1618	1180
Thu Jun 22 2017 03:57:00.0000	1621	1183
Thu Jun 22 2017 03:58:00.0000	1621	1175
Thu Jun 22 2017 03:59:00.0000	1624	1301
Thu Jun 22 2017 04:00:00.0000	1628	1168
Thu Jun 22 2017 04:01:00.0000	1631	1240
Thu Jun 22 2017 04:02:00.0000	1630	1166
Thu Jun 22 2017 04:03:00.0000	1630	1218
Thu Jun 22 2017 04:04:00.0000	1632	1153
Thu Jun 22 2017 04:05:00.0000	1629	1103
Thu Jun 22 2017 04:06:00.0000	1625	1221
Thu Jun 22 2017 04:07:00.0000	1621	1141
Thu Jun 22 2017 04:08:00.0000	1620	1194
Thu Jun 22 2017 04:09:00.0000	1620	1126
Thu Jun 22 2017 04:10:00.0000	1619	1161
Thu Jun 22 2017 04:11:00.0000	1617	1179
Thu Jun 22 2017 04:12:00.0000	1614	1277
Thu Jun 22 2017 04:13:00.0000	1614	1120
Thu Jun 22 2017 04:14:00.0000	1615	1113
Thu Jun 22 2017 04:15:00.0000	1614	1215
Thu Jun 22 2017 04:16:00.0000	1612	1137
Thu Jun 22 2017 04:17:00.0000	1612	1269
Thu Jun 22 2017 04:18:00.0000	1613	1137
Thu Jun 22 2017 04:19:00.0000	1612	1231
Thu Jun 22 2017 04:20:00.0000	1610	1163
Thu Jun 22 2017 04:21:00.0000	1610	1072

Date/Time	Process Temperature (°F)	Process Flow SCFM
Thu Jun 22 2017 04:22:00.0000	1610	1171
Thu Jun 22 2017 04:23:00.0000	1611	1312
Thu Jun 22 2017 04:24:00.0000	1610	1177
Thu Jun 22 2017 04:25:00.0000	1608	1323
Thu Jun 22 2017 04:26:00.0000	1609	1188
Thu Jun 22 2017 04:27:00.0000	1609	1200
Thu Jun 22 2017 04:28:00.0000	1609	1221
Thu Jun 22 2017 04:29:00.0000	1607	1272
Thu Jun 22 2017 04:30:00.0000	1607	1142
Thu Jun 22 2017 04:31:00.0000	1608	1218
Thu Jun 22 2017 04:32:00.0000	1609	1258
Thu Jun 22 2017 04:33:00.0000	1607	1150
Thu Jun 22 2017 04:34:00.0000	1606	1259
Thu Jun 22 2017 04:35:00.0000	1607	1195
Thu Jun 22 2017 04:36:00.0000	1607	1137
Thu Jun 22 2017 04:37:00.0000	1607	1174
Thu Jun 22 2017 04:38:00.0000	1605	1156
Thu Jun 22 2017 04:39:00.0000	1605	1153
Thu Jun 22 2017 04:40:00.0000	1606	1182
Thu Jun 22 2017 04:41:00.0000	1607	1206
Thu Jun 22 2017 04:42:00.0000	1606	1111
Thu Jun 22 2017 04:43:00.0000	1604	1096
Thu Jun 22 2017 04:44:00.0000	1605	1262
Thu Jun 22 2017 04:45:00.0000	1606	1167
Thu Jun 22 2017 04:46:00.0000	1606	1238
Thu Jun 22 2017 04:47:00.0000	1604	1190
Thu Jun 22 2017 04:48:00.0000	1603	1162
Thu Jun 22 2017 04:49:00.0000	1604	1095
Thu Jun 22 2017 04:50:00.0000	1605	1249
Thu Jun 22 2017 04:51:00.0000	1604	1143
Thu Jun 22 2017 04:52:00.0000	1602	1321
Thu Jun 22 2017 04:53:00.0000	1603	1269
Thu Jun 22 2017 04:54:00.0000	1604	1183
Thu Jun 22 2017 04:55:00.0000	1604	1181
Thu Jun 22 2017 04:56:00.0000	1602	1175
Thu Jun 22 2017 04:57:00.0000	1604	1198
Thu Jun 22 2017 04:58:00.0000	1610	1145
Thu Jun 22 2017 04:59:00.0000	1618	1194
Thu Jun 22 2017 05:00:00.0000	1621	1166
Thu Jun 22 2017 05:01:00.0000	1621	1365
Thu Jun 22 2017 05:02:00.0000	1625	1318
Thu Jun 22 2017 05:03:00.0000	1628	1153
Thu Jun 22 2017 05:04:00.0000	1631	1182
Thu Jun 22 2017 05:05:00.0000	1630	1179
Thu Jun 22 2017 05:06:00.0000	1631	1320
Thu Jun 22 2017 05:07:00.0000	1629	1200
Thu Jun 22 2017 05:08:00.0000	1624	1243
Thu Jun 22 2017 05:09:00.0000	1620	1166
Thu Jun 22 2017 05:10:00.0000	1616	1192
Thu Jun 22 2017 05:11:00.0000	1615	1209
Thu Jun 22 2017 05:12:00.0000	1613	1100
Thu Jun 22 2017 05:13:00.0000	1613	1201
Thu Jun 22 2017 05:14:00.0000	1611	1183
Thu Jun 22 2017 05:15:00.0000	1611	1200
Thu Jun 22 2017 05:16:00.0000	1611	1150
Thu Jun 22 2017 05:17:00.0000	1612	1212
Thu Jun 22 2017 05:18:00.0000	1610	1200

Date/Time	Process Temperature (°F)	Process Flow SCFM
Thu Jun 22 2017 05:19:00.0000	1609	1269
Thu Jun 22 2017 05:20:00.0000	1610	1145
Thu Jun 22 2017 05:21:00.0000	1610	1165
Thu Jun 22 2017 05:22:00.0000	1610	1208
Thu Jun 22 2017 05:23:00.0000	1608	1209
Thu Jun 22 2017 05:24:00.0000	1609	1207
Thu Jun 22 2017 05:25:00.0000	1610	1122
Thu Jun 22 2017 05:26:00.0000	1609	1192
Thu Jun 22 2017 05:27:00.0000	1607	1277
Thu Jun 22 2017 05:28:00.0000	1608	1271
Thu Jun 22 2017 05:29:00.0000	1608	1164
Thu Jun 22 2017 05:30:00.0000	1609	1170
Thu Jun 22 2017 05:31:00.0000	1607	1152
Thu Jun 22 2017 05:32:00.0000	1606	1290
Thu Jun 22 2017 05:33:00.0000	1607	1113
Thu Jun 22 2017 05:34:00.0000	1608	1270
Thu Jun 22 2017 05:35:00.0000	1607	1201
Thu Jun 22 2017 05:36:00.0000	1605	1239
Thu Jun 22 2017 05:37:00.0000	1606	1115
Thu Jun 22 2017 05:38:00.0000	1606	1158
Thu Jun 22 2017 05:39:00.0000	1607	1144
Thu Jun 22 2017 05:40:00.0000	1605	1184
Thu Jun 22 2017 05:41:00.0000	1604	1191
Thu Jun 22 2017 05:42:00.0000	1605	1167
Thu Jun 22 2017 05:43:00.0000	1606	1213
Thu Jun 22 2017 05:44:00.0000	1606	1155
Thu Jun 22 2017 05:45:00.0000	1604	1282
Thu Jun 22 2017 05:46:00.0000	1605	1128
Thu Jun 22 2017 05:47:00.0000	1605	1169
Thu Jun 22 2017 05:48:00.0000	1605	1171
Thu Jun 22 2017 05:49:00.0000	1603	1198
Thu Jun 22 2017 05:50:00.0000	1603	1216
Thu Jun 22 2017 05:51:00.0000	1604	1169
Thu Jun 22 2017 05:52:00.0000	1605	1194
Thu Jun 22 2017 05:53:00.0000	1604	1181
Thu Jun 22 2017 05:54:00.0000	1602	1124
Thu Jun 22 2017 05:55:00.0000	1603	1166
Thu Jun 22 2017 05:56:00.0000	1604	1194
Thu Jun 22 2017 05:57:00.0000	1604	1195
Thu Jun 22 2017 05:58:00.0000	1602	1174
Thu Jun 22 2017 05:59:00.0000	1602	1150
Thu Jun 22 2017 06:00:00.0000	1603	1166
Thu Jun 22 2017 06:01:00.0000	1604	1264
Thu Jun 22 2017 06:02:00.0000	1603	1223
Thu Jun 22 2017 06:03:00.0000	1603	1204
Thu Jun 22 2017 06:04:00.0000	1611	1290
Thu Jun 22 2017 06:05:00.0000	1616	1242
Thu Jun 22 2017 06:06:00.0000	1622	1263
Thu Jun 22 2017 06:07:00.0000	1622	1221
Thu Jun 22 2017 06:08:00.0000	1624	1359
Thu Jun 22 2017 06:09:00.0000	1626	1240
Thu Jun 22 2017 06:10:00.0000	1632	1207
Thu Jun 22 2017 06:11:00.0000	1632	1154
Thu Jun 22 2017 06:12:00.0000	1630	1177
Thu Jun 22 2017 06:13:00.0000	1632	1229
Thu Jun 22 2017 06:14:00.0000	1634	1243
Thu Jun 22 2017 06:15:00.0000	1627	1201

Date/Time	Process Temperature (°F)	Process Flow SCFM
Thu Jun 22 2017 06:16:00.0000	1618	1116
Thu Jun 22 2017 06:17:00.0000	1613	1174
Thu Jun 22 2017 06:18:00.0000	1609	1132
Thu Jun 22 2017 06:19:00.0000	1607	1174
Thu Jun 22 2017 06:20:00.0000	1603	1192
Thu Jun 22 2017 06:21:00.0000	1602	1256
Thu Jun 22 2017 06:22:00.0000	1610	1179
Thu Jun 22 2017 06:23:00.0000	1615	1152
Thu Jun 22 2017 06:24:00.0000	1621	1169
Thu Jun 22 2017 06:25:00.0000	1622	1137
Thu Jun 22 2017 06:26:00.0000	1624	1158
Thu Jun 22 2017 06:27:00.0000	1627	1282
Thu Jun 22 2017 06:28:00.0000	1630	1248
Thu Jun 22 2017 06:29:00.0000	1629	1189
Thu Jun 22 2017 06:30:00.0000	1629	1162
Thu Jun 22 2017 06:31:00.0000	1631	1147
Thu Jun 22 2017 06:32:00.0000	1633	1182
Thu Jun 22 2017 06:33:00.0000	1628	1175
Thu Jun 22 2017 06:34:00.0000	1624	1222
Thu Jun 22 2017 06:35:00.0000	1622	1115
Thu Jun 22 2017 06:36:00.0000	1621	1170
Thu Jun 22 2017 06:37:00.0000	1621	1158
Thu Jun 22 2017 06:38:00.0000	1618	1222
Thu Jun 22 2017 06:39:00.0000	1618	1317
Thu Jun 22 2017 06:40:00.0000	1617	1183
Thu Jun 22 2017 06:41:00.0000	1617	1185
Thu Jun 22 2017 06:42:00.0000	1616	1147
Thu Jun 22 2017 06:43:00.0000	1614	1286
Thu Jun 22 2017 06:44:00.0000	1615	1293
Thu Jun 22 2017 06:45:00.0000	1615	1155
Thu Jun 22 2017 06:46:00.0000	1615	1202
Thu Jun 22 2017 06:47:00.0000	1613	1273
Thu Jun 22 2017 06:48:00.0000	1612	1314
Thu Jun 22 2017 06:49:00.0000	1613	1154
Thu Jun 22 2017 06:50:00.0000	1613	1293
Thu Jun 22 2017 06:51:00.0000	1611	1217
Thu Jun 22 2017 06:52:00.0000	1610	1100
Thu Jun 22 2017 06:53:00.0000	1611	1144
Thu Jun 22 2017 06:54:00.0000	1611	1175
Thu Jun 22 2017 06:55:00.0000	1611	1203
Thu Jun 22 2017 06:56:00.0000	1609	1118
Thu Jun 22 2017 06:57:00.0000	1609	1298
Thu Jun 22 2017 06:58:00.0000	1610	1118
Thu Jun 22 2017 06:59:00.0000	1610	1158
Thu Jun 22 2017 07:00:00.0000	1609	1186
Thu Jun 22 2017 07:01:00.0000	1607	1183
Thu Jun 22 2017 07:02:00.0000	1608	1203
Thu Jun 22 2017 07:03:00.0000	1609	1220
Thu Jun 22 2017 07:04:00.0000	1608	1169
Thu Jun 22 2017 07:05:00.0000	1606	1171
Thu Jun 22 2017 07:06:00.0000	1607	1280
Thu Jun 22 2017 07:07:00.0000	1607	1206
Thu Jun 22 2017 07:08:00.0000	1608	1221
Thu Jun 22 2017 07:09:00.0000	1607	1173
Thu Jun 22 2017 07:10:00.0000	1605	1198
Thu Jun 22 2017 07:11:00.0000	1606	1183
Thu Jun 22 2017 07:12:00.0000	1607	1182

Date/Time	Process Temperature (°F)	Process Flow SCFM
Thu Jun 22 2017 07:13:00.0000	1607	1202
Thu Jun 22 2017 07:14:00.0000	1605	1175
Thu Jun 22 2017 07:15:00.0000	1605	1303
Thu Jun 22 2017 07:16:00.0000	1606	1240
Thu Jun 22 2017 07:17:00.0000	1607	1126
Thu Jun 22 2017 07:18:00.0000	1605	1167
Thu Jun 22 2017 07:19:00.0000	1604	1222
Thu Jun 22 2017 07:20:00.0000	1605	1153
Thu Jun 22 2017 07:21:00.0000	1606	1180
Thu Jun 22 2017 07:22:00.0000	1605	1118
Thu Jun 22 2017 07:23:00.0000	1603	1286
Thu Jun 22 2017 07:24:00.0000	1604	1101
Thu Jun 22 2017 07:25:00.0000	1605	1169
Thu Jun 22 2017 07:26:00.0000	1605	1125
Thu Jun 22 2017 07:27:00.0000	1604	1173
Thu Jun 22 2017 07:28:00.0000	1602	1247
Thu Jun 22 2017 07:29:00.0000	1604	1148
Thu Jun 22 2017 07:30:00.0000	1605	1219
Thu Jun 22 2017 07:31:00.0000	1604	1202
Thu Jun 22 2017 07:32:00.0000	1602	1169
Thu Jun 22 2017 07:33:00.0000	1603	1233
Thu Jun 22 2017 07:34:00.0000	1604	1176
Thu Jun 22 2017 07:35:00.0000	1604	1192
Thu Jun 22 2017 07:36:00.0000	1602	1180
Thu Jun 22 2017 07:37:00.0000	1604	1147
Thu Jun 22 2017 07:38:00.0000	1610	1161
Thu Jun 22 2017 07:39:00.0000	1618	1153
Thu Jun 22 2017 07:40:00.0000	1619	1207
Thu Jun 22 2017 07:41:00.0000	1619	1258
Thu Jun 22 2017 07:42:00.0000	1622	1121
Thu Jun 22 2017 07:43:00.0000	1626	1106
Thu Jun 22 2017 07:44:00.0000	1627	1158
Thu Jun 22 2017 07:45:00.0000	1625	1130
Thu Jun 22 2017 07:46:00.0000	1627	1276
Thu Jun 22 2017 07:47:00.0000	1629	1169
Thu Jun 22 2017 07:48:00.0000	1632	1222
Thu Jun 22 2017 07:49:00.0000	1625	1249
Thu Jun 22 2017 07:50:00.0000	1622	1138
Thu Jun 22 2017 07:51:00.0000	1620	1167
Thu Jun 22 2017 07:52:00.0000	1620	1130
Thu Jun 22 2017 07:53:00.0000	1618	1150
Thu Jun 22 2017 07:54:00.0000	1615	1315
Thu Jun 22 2017 07:55:00.0000	1615	1229
Thu Jun 22 2017 07:56:00.0000	1615	1152
Thu Jun 22 2017 07:57:00.0000	1615	1121
Thu Jun 22 2017 07:58:00.0000	1613	1124
Thu Jun 22 2017 07:59:00.0000	1611	1162
Thu Jun 22 2017 08:00:00.0000	1612	1152
Thu Jun 22 2017 08:01:00.0000	1612	1138
Thu Jun 22 2017 08:02:00.0000	1611	1166
Thu Jun 22 2017 08:03:00.0000	1609	1107
Thu Jun 22 2017 08:04:00.0000	1610	1184
Thu Jun 22 2017 08:05:00.0000	1610	1156
Thu Jun 22 2017 08:06:00.0000	1611	1240
Thu Jun 22 2017 08:07:00.0000	1609	1196
Thu Jun 22 2017 08:08:00.0000	1608	1259
Thu Jun 22 2017 08:09:00.0000	1608	1102

Date/Time	Process Temperature (°F)	Process Flow SCFM
Thu Jun 22 2017 08:10:00.0000	1609	1186
Thu Jun 22 2017 08:11:00.0000	1608	1179
Thu Jun 22 2017 08:12:00.0000	1606	1302
Thu Jun 22 2017 08:13:00.0000	1607	1190
Thu Jun 22 2017 08:14:00.0000	1608	1151
Thu Jun 22 2017 08:15:00.0000	1608	1210
Thu Jun 22 2017 08:16:00.0000	1606	1288
Thu Jun 22 2017 08:17:00.0000	1606	1340
Thu Jun 22 2017 08:18:00.0000	1606	1220
Thu Jun 22 2017 08:19:00.0000	1607	1190
Thu Jun 22 2017 08:20:00.0000	1606	1192
Thu Jun 22 2017 08:21:00.0000	1604	1295
Thu Jun 22 2017 08:22:00.0000	1605	1102
Thu Jun 22 2017 08:23:00.0000	1606	1223
Thu Jun 22 2017 08:24:00.0000	1606	1221
Thu Jun 22 2017 08:25:00.0000	1604	1201
Thu Jun 22 2017 08:26:00.0000	1604	1231
Thu Jun 22 2017 08:27:00.0000	1605	1161
Thu Jun 22 2017 08:28:00.0000	1606	1177
Thu Jun 22 2017 08:29:00.0000	1604	1194
Thu Jun 22 2017 08:30:00.0000	1603	1175
Thu Jun 22 2017 08:31:00.0000	1604	1177
Thu Jun 22 2017 08:32:00.0000	1605	1147
Thu Jun 22 2017 08:33:00.0000	1605	1200
Thu Jun 22 2017 08:34:00.0000	1603	1323
Thu Jun 22 2017 08:35:00.0000	1604	1138
Thu Jun 22 2017 08:36:00.0000	1603	1143
Thu Jun 22 2017 08:37:00.0000	1605	1203
Thu Jun 22 2017 08:38:00.0000	1604	1145
Thu Jun 22 2017 08:39:00.0000	1602	1207
Thu Jun 22 2017 08:40:00.0000	1603	1144
Thu Jun 22 2017 08:41:00.0000	1604	1158
Thu Jun 22 2017 08:42:00.0000	1603	1262
Thu Jun 22 2017 08:43:00.0000	1602	1311
Thu Jun 22 2017 08:44:00.0000	1608	1095
Thu Jun 22 2017 08:45:00.0000	1612	1160
Thu Jun 22 2017 08:46:00.0000	1618	1245
Thu Jun 22 2017 08:47:00.0000	1619	1184
Thu Jun 22 2017 08:48:00.0000	1619	1127
Thu Jun 22 2017 08:49:00.0000	1623	1168
Thu Jun 22 2017 08:50:00.0000	1627	1190
Thu Jun 22 2017 08:51:00.0000	1627	1102
Thu Jun 22 2017 08:52:00.0000	1625	1273
Thu Jun 22 2017 08:53:00.0000	1628	1159
Thu Jun 22 2017 08:54:00.0000	1631	1192
Thu Jun 22 2017 08:55:00.0000	1629	1223
Thu Jun 22 2017 08:56:00.0000	1622	1126
Thu Jun 22 2017 08:57:00.0000	1619	1167
Thu Jun 22 2017 08:58:00.0000	1617	1168
Thu Jun 22 2017 08:59:00.0000	1616	1226
Thu Jun 22 2017 09:00:00.0000	1613	1151
Thu Jun 22 2017 09:01:00.0000	1610	1137
Thu Jun 22 2017 09:02:00.0000	1610	1190
Thu Jun 22 2017 09:03:00.0000	1610	1157
Thu Jun 22 2017 09:04:00.0000	1609	1210
Thu Jun 22 2017 09:05:00.0000	1607	1172
Thu Jun 22 2017 09:06:00.0000	1606	1310

Date/Time	Process Temperature (°F)	Process Flow SCFM
Thu Jun 22 2017 09:07:00.0000	1607	1247
Thu Jun 22 2017 09:08:00.0000	1607	1156
Thu Jun 22 2017 09:09:00.0000	1604	1222
Thu Jun 22 2017 09:10:00.0000	1603	1310
Thu Jun 22 2017 09:11:00.0000	1603	1135
Thu Jun 22 2017 09:12:00.0000	1604	1145
Thu Jun 22 2017 09:13:00.0000	1603	1169
Thu Jun 22 2017 09:14:00.0000	1602	1173
Thu Jun 22 2017 09:15:00.0000	1614	1197
Thu Jun 22 2017 09:16:00.0000	1623	1131
Thu Jun 22 2017 09:17:00.0000	1633	1203
Thu Jun 22 2017 09:18:00.0000	1625	1193
Thu Jun 22 2017 09:19:00.0000	1622	1375
Thu Jun 22 2017 09:20:00.0000	1618	1137
Thu Jun 22 2017 09:21:00.0000	1617	1107
Thu Jun 22 2017 09:22:00.0000	1615	1200
Thu Jun 22 2017 09:23:00.0000	1613	1200
Thu Jun 22 2017 09:24:00.0000	1613	1190
Thu Jun 22 2017 09:25:00.0000	1614	1169
Thu Jun 22 2017 09:26:00.0000	1613	1192
Thu Jun 22 2017 09:27:00.0000	1611	1198
Thu Jun 22 2017 09:28:00.0000	1611	1294
Thu Jun 22 2017 09:29:00.0000	1611	1156
Thu Jun 22 2017 09:30:00.0000	1612	1189
Thu Jun 22 2017 09:31:00.0000	1610	1179
Thu Jun 22 2017 09:32:00.0000	1609	1104
Thu Jun 22 2017 09:33:00.0000	1610	1131
Thu Jun 22 2017 09:34:00.0000	1610	1025
Thu Jun 22 2017 09:35:00.0000	1610	1176
Thu Jun 22 2017 09:36:00.0000	1608	1211
Thu Jun 22 2017 09:37:00.0000	1609	1274
Thu Jun 22 2017 09:38:00.0000	1609	1158
Thu Jun 22 2017 09:39:00.0000	1610	1217
Thu Jun 22 2017 09:40:00.0000	1608	1183
Thu Jun 22 2017 09:41:00.0000	1607	1150
Thu Jun 22 2017 09:42:00.0000	1608	1198
Thu Jun 22 2017 09:43:00.0000	1609	1183
Thu Jun 22 2017 09:44:00.0000	1608	1176
Thu Jun 22 2017 09:45:00.0000	1606	1206
Thu Jun 22 2017 09:46:00.0000	1607	1110
Thu Jun 22 2017 09:47:00.0000	1608	1144
Thu Jun 22 2017 09:48:00.0000	1608	1185
Thu Jun 22 2017 09:49:00.0000	1606	1136
Thu Jun 22 2017 09:50:00.0000	1606	1192
Thu Jun 22 2017 09:51:00.0000	1607	1154
Thu Jun 22 2017 09:52:00.0000	1608	1063
Thu Jun 22 2017 09:53:00.0000	1607	1202
Thu Jun 22 2017 09:54:00.0000	1605	1250
Thu Jun 22 2017 09:55:00.0000	1606	1265
Thu Jun 22 2017 09:56:00.0000	1607	1161
Thu Jun 22 2017 09:57:00.0000	1608	1146
Thu Jun 22 2017 09:58:00.0000	1606	1159
Thu Jun 22 2017 09:59:00.0000	1605	1246
Thu Jun 22 2017 10:00:00.0000	1606	1130
Thu Jun 22 2017 10:01:00.0000	1607	1151
Thu Jun 22 2017 10:02:00.0000	1607	1206
Thu Jun 22 2017 10:03:00.0000	1605	1220

Date/Time	Process Temperature (°F)	Process Flow SCFM
Thu Jun 22 2017 10:04:00.0000	1606	1117
Thu Jun 22 2017 10:05:00.0000	1606	1136
Thu Jun 22 2017 10:06:00.0000	1607	1160
Thu Jun 22 2017 10:07:00.0000	1605	1213
Thu Jun 22 2017 10:08:00.0000	1605	1206
Thu Jun 22 2017 10:09:00.0000	1606	1164
Thu Jun 22 2017 10:10:00.0000	1607	1193
Thu Jun 22 2017 10:11:00.0000	1605	1163
Thu Jun 22 2017 10:12:00.0000	1606	1153
Thu Jun 22 2017 10:13:00.0000	1606	1107
Thu Jun 22 2017 10:14:00.0000	1607	1241
Thu Jun 22 2017 10:15:00.0000	1606	1181
Thu Jun 22 2017 10:16:00.0000	1604	1230
Thu Jun 22 2017 10:17:00.0000	1605	1226
Thu Jun 22 2017 10:18:00.0000	1607	1092
Thu Jun 22 2017 10:19:00.0000	1606	1220
Thu Jun 22 2017 10:20:00.0000	1604	1365
Thu Jun 22 2017 10:21:00.0000	1605	1206
Thu Jun 22 2017 10:22:00.0000	1606	1174
Thu Jun 22 2017 10:23:00.0000	1606	1211
Thu Jun 22 2017 10:24:00.0000	1605	1185
Thu Jun 22 2017 10:25:00.0000	1604	1175
Thu Jun 22 2017 10:26:00.0000	1605	1190
Thu Jun 22 2017 10:27:00.0000	1606	1263
Thu Jun 22 2017 10:28:00.0000	1606	1162
Thu Jun 22 2017 10:29:00.0000	1604	1194
Thu Jun 22 2017 10:30:00.0000	1605	1289
Thu Jun 22 2017 10:31:00.0000	1605	1208
Thu Jun 22 2017 10:32:00.0000	1606	1203
Thu Jun 22 2017 10:33:00.0000	1605	1179
Thu Jun 22 2017 10:34:00.0000	1604	1234
Thu Jun 22 2017 10:35:00.0000	1605	1158
Thu Jun 22 2017 10:36:00.0000	1606	1193
Thu Jun 22 2017 10:37:00.0000	1606	1262
Thu Jun 22 2017 10:38:00.0000	1604	1212
Thu Jun 22 2017 10:39:00.0000	1605	1304
Thu Jun 22 2017 10:40:00.0000	1605	1190
Thu Jun 22 2017 10:41:00.0000	1606	1193
Thu Jun 22 2017 10:42:00.0000	1605	1158
Thu Jun 22 2017 10:43:00.0000	1604	1136
Thu Jun 22 2017 10:44:00.0000	1605	1244
Thu Jun 22 2017 10:45:00.0000	1607	1182
Thu Jun 22 2017 10:46:00.0000	1606	1205
Thu Jun 22 2017 10:47:00.0000	1604	1303
Thu Jun 22 2017 10:48:00.0000	1605	1267
Thu Jun 22 2017 10:49:00.0000	1606	1129
Thu Jun 22 2017 10:50:00.0000	1607	1230
Thu Jun 22 2017 10:51:00.0000	1605	1231
Thu Jun 22 2017 10:52:00.0000	1604	1183
Thu Jun 22 2017 10:53:00.0000	1605	1150
Thu Jun 22 2017 10:54:00.0000	1607	1193
Thu Jun 22 2017 10:55:00.0000	1606	1263
Thu Jun 22 2017 10:56:00.0000	1604	1229
Thu Jun 22 2017 10:57:00.0000	1605	1343
Thu Jun 22 2017 10:58:00.0000	1606	1177
Thu Jun 22 2017 10:59:00.0000	1607	1205
Thu Jun 22 2017 11:00:00.0000	1605	1173

Date/Time	Process Temperature (°F)	Process Flow SCFM
Thu Jun 22 2017 11:01:00.0000	1604	1322
Thu Jun 22 2017 11:02:00.0000	1605	1177
Thu Jun 22 2017 11:03:00.0000	1607	1205
Thu Jun 22 2017 11:04:00.0000	1606	1186
Thu Jun 22 2017 11:05:00.0000	1604	1262
Thu Jun 22 2017 11:06:00.0000	1605	1396
Thu Jun 22 2017 11:07:00.0000	1606	1177
Thu Jun 22 2017 11:08:00.0000	1607	1208
Thu Jun 22 2017 11:09:00.0000	1605	1214
Thu Jun 22 2017 11:10:00.0000	1606	1303
Thu Jun 22 2017 11:11:00.0000	1606	1305
Thu Jun 22 2017 11:12:00.0000	1607	1151
Thu Jun 22 2017 11:13:00.0000	1606	1222
Thu Jun 22 2017 11:14:00.0000	1604	1229
Thu Jun 22 2017 11:15:00.0000	1605	1113
Thu Jun 22 2017 11:16:00.0000	1607	1190
Thu Jun 22 2017 11:17:00.0000	1606	1209
Thu Jun 22 2017 11:18:00.0000	1604	1308
Thu Jun 22 2017 11:19:00.0000	1605	1253
Thu Jun 22 2017 11:20:00.0000	1606	1125
Thu Jun 22 2017 11:21:00.0000	1607	1219
Thu Jun 22 2017 11:22:00.0000	1605	1175
Thu Jun 22 2017 11:23:00.0000	1604	1215
Thu Jun 22 2017 11:24:00.0000	1606	1056
Thu Jun 22 2017 11:25:00.0000	1607	1114
Thu Jun 22 2017 11:26:00.0000	1606	1165
Thu Jun 22 2017 11:27:00.0000	1604	1135
Thu Jun 22 2017 11:28:00.0000	1605	1362
Thu Jun 22 2017 11:29:00.0000	1606	1218
Thu Jun 22 2017 11:30:00.0000	1607	1196
Thu Jun 22 2017 11:31:00.0000	1606	1154
Thu Jun 22 2017 11:32:00.0000	1605	1236
Thu Jun 22 2017 11:33:00.0000	1606	1213
Thu Jun 22 2017 11:34:00.0000	1607	1194
Thu Jun 22 2017 11:35:00.0000	1607	1163
Thu Jun 22 2017 11:36:00.0000	1605	1223
Thu Jun 22 2017 11:37:00.0000	1606	1219
Thu Jun 22 2017 11:38:00.0000	1606	1256
Thu Jun 22 2017 11:39:00.0000	1607	1171
Thu Jun 22 2017 11:40:00.0000	1605	1222
Thu Jun 22 2017 11:41:00.0000	1604	1267
Thu Jun 22 2017 11:42:00.0000	1605	1187
Thu Jun 22 2017 11:43:00.0000	1607	1215
Thu Jun 22 2017 11:44:00.0000	1606	1207
Thu Jun 22 2017 11:45:00.0000	1604	1313
Thu Jun 22 2017 11:46:00.0000	1605	1346
Thu Jun 22 2017 11:47:00.0000	1606	1207
Thu Jun 22 2017 11:48:00.0000	1607	1238
Thu Jun 22 2017 11:49:00.0000	1605	1250
Thu Jun 22 2017 11:50:00.0000	1605	1225
Thu Jun 22 2017 11:51:00.0000	1606	1239
Thu Jun 22 2017 11:52:00.0000	1607	1227
Thu Jun 22 2017 11:53:00.0000	1606	1183
Thu Jun 22 2017 11:54:00.0000	1604	1229
Thu Jun 22 2017 11:55:00.0000	1605	1300
Thu Jun 22 2017 11:56:00.0000	1606	1238
Thu Jun 22 2017 11:57:00.0000	1607	1231

Date/Time	Process Temperature (°F)	Process Flow SCFM
Thu Jun 22 2017 11:58:00.0000	1605	1199
Thu Jun 22 2017 11:59:00.0000	1605	1313
Thu Jun 22 2017 12:00:00.0000	1606	1214
Thu Jun 22 2017 12:01:00.0000	1607	1193
Thu Jun 22 2017 12:02:00.0000	1606	1247
Thu Jun 22 2017 12:03:00.0000	1604	1220
Thu Jun 22 2017 12:04:00.0000	1605	1319
Thu Jun 22 2017 12:05:00.0000	1606	1175
Thu Jun 22 2017 12:06:00.0000	1607	1308
Thu Jun 22 2017 12:07:00.0000	1605	1226
Thu Jun 22 2017 12:08:00.0000	1605	1279
Thu Jun 22 2017 12:09:00.0000	1606	1163
Thu Jun 22 2017 12:10:00.0000	1607	1239
Thu Jun 22 2017 12:11:00.0000	1606	1220
Thu Jun 22 2017 12:12:00.0000	1603	1185
Thu Jun 22 2017 12:13:00.0000	1603	1368
Thu Jun 22 2017 12:14:00.0000	1602	1202
Thu Jun 22 2017 12:15:00.0000	1602	1278
Thu Jun 22 2017 12:16:00.0000	1605	1226
Thu Jun 22 2017 12:17:00.0000	1610	1314
Thu Jun 22 2017 12:18:00.0000	1615	1172
Thu Jun 22 2017 12:19:00.0000	1621	1281
Thu Jun 22 2017 12:20:00.0000	1623	1236
Thu Jun 22 2017 12:21:00.0000	1621	1302
Thu Jun 22 2017 12:22:00.0000	1625	1325
Thu Jun 22 2017 12:23:00.0000	1627	1180
Thu Jun 22 2017 12:24:00.0000	1631	1297
Thu Jun 22 2017 12:25:00.0000	1630	1182
Thu Jun 22 2017 12:26:00.0000	1630	1313
Thu Jun 22 2017 12:27:00.0000	1632	1189
Thu Jun 22 2017 12:28:00.0000	1634	1176
Thu Jun 22 2017 12:29:00.0000	1624	1226
Thu Jun 22 2017 12:30:00.0000	1617	1322
Thu Jun 22 2017 12:31:00.0000	1614	1344
Thu Jun 22 2017 12:32:00.0000	1610	1174
Thu Jun 22 2017 12:33:00.0000	1608	1204
Thu Jun 22 2017 12:34:00.0000	1604	1225
Thu Jun 22 2017 12:35:00.0000	1602	1330
Thu Jun 22 2017 12:36:00.0000	1605	1222
Thu Jun 22 2017 12:37:00.0000	1611	1281
Thu Jun 22 2017 12:38:00.0000	1612	1247
Thu Jun 22 2017 12:39:00.0000	1611	1317
Thu Jun 22 2017 12:40:00.0000	1614	1330
Thu Jun 22 2017 12:41:00.0000	1615	1183
Thu Jun 22 2017 12:42:00.0000	1617	1251
Thu Jun 22 2017 12:43:00.0000	1616	1265
Thu Jun 22 2017 12:44:00.0000	1616	1352
Thu Jun 22 2017 12:45:00.0000	1617	1201
Thu Jun 22 2017 12:46:00.0000	1619	1236
Thu Jun 22 2017 12:47:00.0000	1619	1264
Thu Jun 22 2017 12:48:00.0000	1617	1279
Thu Jun 22 2017 12:49:00.0000	1619	1321
Thu Jun 22 2017 12:50:00.0000	1620	1215
Thu Jun 22 2017 12:51:00.0000	1622	1217
Thu Jun 22 2017 12:52:00.0000	1620	1227
Thu Jun 22 2017 12:53:00.0000	1620	1306
Thu Jun 22 2017 12:54:00.0000	1621	1153

Date/Time	Process Temperature (°F)	Process Flow SCFM
Thu Jun 22 2017 12:55:00.0000	1623	1175
Thu Jun 22 2017 12:56:00.0000	1623	1229
Thu Jun 22 2017 12:57:00.0000	1621	1412
Thu Jun 22 2017 12:58:00.0000	1623	1294
Thu Jun 22 2017 12:59:00.0000	1624	1157
Thu Jun 22 2017 13:00:00.0000	1625	1217
Thu Jun 22 2017 13:01:00.0000	1623	1238
Thu Jun 22 2017 13:02:00.0000	1623	1368
Thu Jun 22 2017 13:03:00.0000	1624	1191
Thu Jun 22 2017 13:04:00.0000	1627	1213
Thu Jun 22 2017 13:05:00.0000	1626	1245
Thu Jun 22 2017 13:06:00.0000	1624	1232
Thu Jun 22 2017 13:07:00.0000	1626	1191
Thu Jun 22 2017 13:08:00.0000	1627	1114
Thu Jun 22 2017 13:09:00.0000	1628	1185
Thu Jun 22 2017 13:10:00.0000	1626	1240
Thu Jun 22 2017 13:11:00.0000	1626	1339
Thu Jun 22 2017 13:12:00.0000	1627	1198
Thu Jun 22 2017 13:13:00.0000	1629	1303
Thu Jun 22 2017 13:14:00.0000	1628	1238
Thu Jun 22 2017 13:15:00.0000	1626	1426
Thu Jun 22 2017 13:16:00.0000	1628	1187
Thu Jun 22 2017 13:17:00.0000	1629	1240
Thu Jun 22 2017 13:18:00.0000	1630	1251
Thu Jun 22 2017 13:19:00.0000	1627	1374
Thu Jun 22 2017 13:20:00.0000	1628	1451
Thu Jun 22 2017 13:21:00.0000	1629	1167
Thu Jun 22 2017 13:22:00.0000	1631	1240
Thu Jun 22 2017 13:23:00.0000	1629	1178
Thu Jun 22 2017 13:24:00.0000	1628	1178
Thu Jun 22 2017 13:25:00.0000	1629	1194
Thu Jun 22 2017 13:26:00.0000	1631	1206
Thu Jun 22 2017 13:27:00.0000	1631	1219
Thu Jun 22 2017 13:28:00.0000	1629	1255
Thu Jun 22 2017 13:29:00.0000	1629	1342
Thu Jun 22 2017 13:30:00.0000	1631	1283
Thu Jun 22 2017 13:31:00.0000	1633	1213
Thu Jun 22 2017 13:32:00.0000	1631	1175
Thu Jun 22 2017 13:33:00.0000	1630	1159
Thu Jun 22 2017 13:34:00.0000	1632	1190
Thu Jun 22 2017 13:35:00.0000	1632	1170
Thu Jun 22 2017 13:36:00.0000	1627	1177
Thu Jun 22 2017 13:37:00.0000	1621	1269
Thu Jun 22 2017 13:38:00.0000	1618	1254
Thu Jun 22 2017 13:39:00.0000	1615	1201
Thu Jun 22 2017 13:40:00.0000	1613	1200
Thu Jun 22 2017 13:41:00.0000	1610	1184
Thu Jun 22 2017 13:42:00.0000	1608	1277
Thu Jun 22 2017 13:43:00.0000	1607	1239
Thu Jun 22 2017 13:44:00.0000	1606	1242
Thu Jun 22 2017 13:45:00.0000	1605	1231
Thu Jun 22 2017 13:46:00.0000	1602	1350
Thu Jun 22 2017 13:47:00.0000	1605	1303
Thu Jun 22 2017 13:48:00.0000	1609	1234
Thu Jun 22 2017 13:49:00.0000	1614	1264
Thu Jun 22 2017 13:50:00.0000	1614	1235
Thu Jun 22 2017 13:51:00.0000	1614	1187

Date/Time	Process Temperature (°F)	Process Flow SCFM
Thu Jun 22 2017 13:52:00.0000	1616	1181
Thu Jun 22 2017 13:53:00.0000	1619	1294
Thu Jun 22 2017 13:54:00.0000	1619	1266
Thu Jun 22 2017 13:55:00.0000	1618	1352
Thu Jun 22 2017 13:56:00.0000	1619	1455
Thu Jun 22 2017 13:57:00.0000	1620	1210
Thu Jun 22 2017 13:58:00.0000	1622	1227
Thu Jun 22 2017 13:59:00.0000	1621	1158
Thu Jun 22 2017 14:00:00.0000	1620	1337
Thu Jun 22 2017 14:01:00.0000	1622	1184
Thu Jun 22 2017 14:02:00.0000	1624	1341
Thu Jun 22 2017 14:03:00.0000	1624	1194
Thu Jun 22 2017 14:04:00.0000	1622	1240
Thu Jun 22 2017 14:05:00.0000	1623	1398
Thu Jun 22 2017 14:06:00.0000	1624	1162
Thu Jun 22 2017 14:07:00.0000	1626	1266
Thu Jun 22 2017 14:08:00.0000	1624	1261
Thu Jun 22 2017 14:09:00.0000	1623	1329
Thu Jun 22 2017 14:10:00.0000	1624	1147
Thu Jun 22 2017 14:11:00.0000	1626	1171
Thu Jun 22 2017 14:12:00.0000	1626	1214
Thu Jun 22 2017 14:13:00.0000	1624	1331
Thu Jun 22 2017 14:14:00.0000	1625	1321
Thu Jun 22 2017 14:15:00.0000	1626	1216
Thu Jun 22 2017 14:16:00.0000	1627	1258
Thu Jun 22 2017 14:17:00.0000	1626	1251
Thu Jun 22 2017 14:18:00.0000	1624	1295
Thu Jun 22 2017 14:19:00.0000	1626	1142
Thu Jun 22 2017 14:20:00.0000	1627	1293
Thu Jun 22 2017 14:21:00.0000	1627	1249
Thu Jun 22 2017 14:22:00.0000	1625	1193
Thu Jun 22 2017 14:23:00.0000	1627	1266
Thu Jun 22 2017 14:24:00.0000	1628	1243
Thu Jun 22 2017 14:25:00.0000	1629	1259
Thu Jun 22 2017 14:26:00.0000	1627	1253
Thu Jun 22 2017 14:27:00.0000	1626	1294
Thu Jun 22 2017 14:28:00.0000	1628	1219
Thu Jun 22 2017 14:29:00.0000	1629	1179
Thu Jun 22 2017 14:30:00.0000	1629	1230
Thu Jun 22 2017 14:31:00.0000	1627	1352
Thu Jun 22 2017 14:32:00.0000	1628	1260
Thu Jun 22 2017 14:33:00.0000	1629	1254
Thu Jun 22 2017 14:34:00.0000	1630	1259
Thu Jun 22 2017 14:35:00.0000	1629	1252
Thu Jun 22 2017 14:36:00.0000	1628	1404
Thu Jun 22 2017 14:37:00.0000	1629	1246
Thu Jun 22 2017 14:38:00.0000	1631	1253
Thu Jun 22 2017 14:39:00.0000	1631	1219
Thu Jun 22 2017 14:40:00.0000	1628	1274
Thu Jun 22 2017 14:41:00.0000	1630	1273
Thu Jun 22 2017 14:42:00.0000	1630	1192
Thu Jun 22 2017 14:43:00.0000	1632	1241
Thu Jun 22 2017 14:44:00.0000	1630	1239
Thu Jun 22 2017 14:45:00.0000	1630	1273
Thu Jun 22 2017 14:46:00.0000	1630	1264
Thu Jun 22 2017 14:47:00.0000	1632	1259
Thu Jun 22 2017 14:48:00.0000	1632	1251

Date/Time	Process Temperature (°F)	Process Flow SCFM
Thu Jun 22 2017 14:49:00.0000	1629	1355
Thu Jun 22 2017 14:50:00.0000	1631	1250
Thu Jun 22 2017 14:51:00.0000	1632	1257
Thu Jun 22 2017 14:52:00.0000	1632	1316
Thu Jun 22 2017 14:53:00.0000	1630	1344
Thu Jun 22 2017 14:54:00.0000	1630	1423
Thu Jun 22 2017 14:55:00.0000	1631	1255
Thu Jun 22 2017 14:56:00.0000	1633	1289
Thu Jun 22 2017 14:57:00.0000	1631	1209
Thu Jun 22 2017 14:58:00.0000	1630	1225
Thu Jun 22 2017 14:59:00.0000	1632	1241
Thu Jun 22 2017 15:00:00.0000	1633	1176
Thu Jun 22 2017 15:01:00.0000	1628	1257
Thu Jun 22 2017 15:02:00.0000	1622	1223
Thu Jun 22 2017 15:03:00.0000	1619	1286
Thu Jun 22 2017 15:04:00.0000	1617	1135
Thu Jun 22 2017 15:05:00.0000	1615	1274
Thu Jun 22 2017 15:06:00.0000	1612	1257
Thu Jun 22 2017 15:07:00.0000	1609	1410
Thu Jun 22 2017 15:08:00.0000	1608	1172
Thu Jun 22 2017 15:09:00.0000	1607	1299
Thu Jun 22 2017 15:10:00.0000	1605	1233
Thu Jun 22 2017 15:11:00.0000	1603	1409
Thu Jun 22 2017 15:12:00.0000	1604	1266
Thu Jun 22 2017 15:13:00.0000	1609	1189
Thu Jun 22 2017 15:14:00.0000	1614	1246
Thu Jun 22 2017 15:15:00.0000	1615	1216
Thu Jun 22 2017 15:16:00.0000	1614	1340
Thu Jun 22 2017 15:17:00.0000	1617	1274
Thu Jun 22 2017 15:18:00.0000	1619	1338
Thu Jun 22 2017 15:19:00.0000	1620	1239
Thu Jun 22 2017 15:20:00.0000	1618	1340
Thu Jun 22 2017 15:21:00.0000	1620	1326
Thu Jun 22 2017 15:22:00.0000	1621	1158
Thu Jun 22 2017 15:23:00.0000	1623	1250
Thu Jun 22 2017 15:24:00.0000	1622	1216
Thu Jun 22 2017 15:25:00.0000	1621	1357
Thu Jun 22 2017 15:26:00.0000	1622	1266
Thu Jun 22 2017 15:27:00.0000	1624	1265
Thu Jun 22 2017 15:28:00.0000	1624	1225
Thu Jun 22 2017 15:29:00.0000	1622	1365
Thu Jun 22 2017 15:30:00.0000	1624	1356
Thu Jun 22 2017 15:31:00.0000	1625	1246
Thu Jun 22 2017 15:32:00.0000	1626	1289
Thu Jun 22 2017 15:33:00.0000	1625	1289
Thu Jun 22 2017 15:34:00.0000	1624	1395
Thu Jun 22 2017 15:35:00.0000	1626	1141
Thu Jun 22 2017 15:36:00.0000	1627	1256
Thu Jun 22 2017 15:37:00.0000	1627	1239
Thu Jun 22 2017 15:38:00.0000	1625	1409
Thu Jun 22 2017 15:39:00.0000	1626	1336
Thu Jun 22 2017 15:40:00.0000	1627	1143
Thu Jun 22 2017 15:41:00.0000	1628	1201
Thu Jun 22 2017 15:42:00.0000	1627	1262
Thu Jun 22 2017 15:43:00.0000	1627	1288
Thu Jun 22 2017 15:44:00.0000	1628	1209
Thu Jun 22 2017 15:45:00.0000	1629	1244

Date/Time	Process Temperature (°F)	Process Flow SCFM
Thu Jun 22 2017 15:46:00.0000	1629	1286
Thu Jun 22 2017 15:47:00.0000	1627	1325
Thu Jun 22 2017 15:48:00.0000	1628	1409
Thu Jun 22 2017 15:49:00.0000	1629	1208
Thu Jun 22 2017 15:50:00.0000	1630	1240
Thu Jun 22 2017 15:51:00.0000	1628	1232
Thu Jun 22 2017 15:52:00.0000	1628	1280
Thu Jun 22 2017 15:53:00.0000	1629	1203
Thu Jun 22 2017 15:54:00.0000	1631	1204
Thu Jun 22 2017 15:55:00.0000	1630	1269
Thu Jun 22 2017 15:56:00.0000	1628	1354
Thu Jun 22 2017 15:57:00.0000	1629	1346
Thu Jun 22 2017 15:58:00.0000	1631	1218
Thu Jun 22 2017 15:59:00.0000	1631	1294
Thu Jun 22 2017 16:00:00.0000	1629	1359
Thu Jun 22 2017 16:01:00.0000	1629	1270
Thu Jun 22 2017 16:02:00.0000	1630	1256
Thu Jun 22 2017 16:03:00.0000	1633	1210
Thu Jun 22 2017 16:04:00.0000	1631	1277
Thu Jun 22 2017 16:05:00.0000	1630	1294
Thu Jun 22 2017 16:06:00.0000	1631	1229
Thu Jun 22 2017 16:07:00.0000	1632	1168
Thu Jun 22 2017 16:08:00.0000	1632	1335
Thu Jun 22 2017 16:09:00.0000	1630	1347
Thu Jun 22 2017 16:10:00.0000	1630	1338
Thu Jun 22 2017 16:11:00.0000	1632	1306
Thu Jun 22 2017 16:12:00.0000	1630	1270
Thu Jun 22 2017 16:13:00.0000	1621	1313
Thu Jun 22 2017 16:14:00.0000	1618	1426
Thu Jun 22 2017 16:15:00.0000	1616	1194
Thu Jun 22 2017 16:16:00.0000	1614	1268
Thu Jun 22 2017 16:17:00.0000	1612	1306
Thu Jun 22 2017 16:18:00.0000	1609	1388
Thu Jun 22 2017 16:19:00.0000	1609	1403
Thu Jun 22 2017 16:20:00.0000	1608	1229
Thu Jun 22 2017 16:21:00.0000	1606	1278
Thu Jun 22 2017 16:22:00.0000	1604	1273
Thu Jun 22 2017 16:23:00.0000	1603	1348
Thu Jun 22 2017 16:24:00.0000	1603	1317
Thu Jun 22 2017 16:25:00.0000	1602	1249
Thu Jun 22 2017 16:26:00.0000	1604	1256
Thu Jun 22 2017 16:27:00.0000	1605	1342
Thu Jun 22 2017 16:28:00.0000	1609	1256
Thu Jun 22 2017 16:29:00.0000	1611	1246
Thu Jun 22 2017 16:30:00.0000	1613	1240
Thu Jun 22 2017 16:31:00.0000	1612	1294
Thu Jun 22 2017 16:32:00.0000	1612	1246
Thu Jun 22 2017 16:33:00.0000	1614	1214
Thu Jun 22 2017 16:34:00.0000	1617	1241
Thu Jun 22 2017 16:35:00.0000	1616	1238
Thu Jun 22 2017 16:36:00.0000	1614	1301
Thu Jun 22 2017 16:37:00.0000	1616	1320
Thu Jun 22 2017 16:38:00.0000	1617	1231
Thu Jun 22 2017 16:39:00.0000	1618	1271
Thu Jun 22 2017 16:40:00.0000	1616	1274
Thu Jun 22 2017 16:41:00.0000	1616	1425
Thu Jun 22 2017 16:42:00.0000	1617	1245

Date/Time	Process Temperature (°F)	Process Flow SCFM
Thu Jun 22 2017 16:43:00.0000	1619	1226
Thu Jun 22 2017 16:44:00.0000	1618	1213
Thu Jun 22 2017 16:45:00.0000	1616	1291
Thu Jun 22 2017 16:46:00.0000	1618	1253
Thu Jun 22 2017 16:47:00.0000	1619	1119
Thu Jun 22 2017 16:48:00.0000	1620	1232
Thu Jun 22 2017 16:49:00.0000	1618	1237
Thu Jun 22 2017 16:50:00.0000	1618	1389
Thu Jun 22 2017 16:51:00.0000	1619	1192
Thu Jun 22 2017 16:52:00.0000	1621	1237
Thu Jun 22 2017 16:53:00.0000	1620	1302
Thu Jun 22 2017 16:54:00.0000	1618	1310
Thu Jun 22 2017 16:55:00.0000	1619	1256
Thu Jun 22 2017 16:56:00.0000	1621	1187
Thu Jun 22 2017 16:57:00.0000	1621	1253
Thu Jun 22 2017 16:58:00.0000	1619	1315
Thu Jun 22 2017 16:59:00.0000	1619	1434
Thu Jun 22 2017 17:00:00.0000	1620	1206
Thu Jun 22 2017 17:01:00.0000	1622	1262
Thu Jun 22 2017 17:02:00.0000	1621	1259
Thu Jun 22 2017 17:03:00.0000	1620	1385
Thu Jun 22 2017 17:04:00.0000	1622	1206
Thu Jun 22 2017 17:05:00.0000	1623	1217
Thu Jun 22 2017 17:06:00.0000	1624	1239
Thu Jun 22 2017 17:07:00.0000	1623	1298
Thu Jun 22 2017 17:08:00.0000	1623	1331
Thu Jun 22 2017 17:09:00.0000	1624	1140
Thu Jun 22 2017 17:10:00.0000	1627	1282
Thu Jun 22 2017 17:11:00.0000	1625	1293
Thu Jun 22 2017 17:12:00.0000	1625	1353
Thu Jun 22 2017 17:13:00.0000	1626	1205
Thu Jun 22 2017 17:14:00.0000	1626	1186
Thu Jun 22 2017 17:15:00.0000	1627	1256
Thu Jun 22 2017 17:16:00.0000	1626	1198
Thu Jun 22 2017 17:17:00.0000	1626	1350
Thu Jun 22 2017 17:18:00.0000	1627	1251
Thu Jun 22 2017 17:19:00.0000	1629	1293
Thu Jun 22 2017 17:20:00.0000	1627	1255
Thu Jun 22 2017 17:21:00.0000	1627	1219
Thu Jun 22 2017 17:22:00.0000	1627	1246
Thu Jun 22 2017 17:23:00.0000	1629	1195
Thu Jun 22 2017 17:24:00.0000	1629	1264
Thu Jun 22 2017 17:25:00.0000	1627	1378
Thu Jun 22 2017 17:26:00.0000	1628	1206
Thu Jun 22 2017 17:27:00.0000	1630	1214
Thu Jun 22 2017 17:28:00.0000	1630	1257
Thu Jun 22 2017 17:29:00.0000	1628	1259
Thu Jun 22 2017 17:30:00.0000	1629	1275
Thu Jun 22 2017 17:31:00.0000	1630	1198
Thu Jun 22 2017 17:32:00.0000	1631	1299
Thu Jun 22 2017 17:33:00.0000	1629	1211
Thu Jun 22 2017 17:34:00.0000	1628	1429
Thu Jun 22 2017 17:35:00.0000	1629	1229
Thu Jun 22 2017 17:36:00.0000	1631	1327
Thu Jun 22 2017 17:37:00.0000	1631	1208
Thu Jun 22 2017 17:38:00.0000	1628	1206
Thu Jun 22 2017 17:39:00.0000	1630	1275

Date/Time	Process Temperature (°F)	Process Flow SCFM
Thu Jun 22 2017 17:40:00.0000	1632	1203
Thu Jun 22 2017 17:41:00.0000	1632	1308
Thu Jun 22 2017 17:42:00.0000	1629	1300
Thu Jun 22 2017 17:43:00.0000	1630	1405
Thu Jun 22 2017 17:44:00.0000	1631	1187
Thu Jun 22 2017 17:45:00.0000	1633	1254
Thu Jun 22 2017 17:46:00.0000	1631	1313
Thu Jun 22 2017 17:47:00.0000	1630	1384
Thu Jun 22 2017 17:48:00.0000	1631	1211
Thu Jun 22 2017 17:49:00.0000	1633	1174
Thu Jun 22 2017 17:50:00.0000	1633	1199
Thu Jun 22 2017 17:51:00.0000	1630	1248
Thu Jun 22 2017 17:52:00.0000	1631	1363
Thu Jun 22 2017 17:53:00.0000	1632	1232
Thu Jun 22 2017 17:54:00.0000	1631	1229
Thu Jun 22 2017 17:55:00.0000	1625	1235
Thu Jun 22 2017 17:56:00.0000	1620	1381
Thu Jun 22 2017 17:57:00.0000	1618	1173
Thu Jun 22 2017 17:58:00.0000	1616	1290
Thu Jun 22 2017 17:59:00.0000	1613	1245
Thu Jun 22 2017 18:00:00.0000	1610	1299
Thu Jun 22 2017 18:01:00.0000	1609	1393
Thu Jun 22 2017 18:02:00.0000	1608	1151
Thu Jun 22 2017 18:03:00.0000	1606	1226
Thu Jun 22 2017 18:04:00.0000	1604	1220
Thu Jun 22 2017 18:05:00.0000	1602	1231
Thu Jun 22 2017 18:06:00.0000	1607	1277
Thu Jun 22 2017 18:07:00.0000	1613	1184
Thu Jun 22 2017 18:08:00.0000	1616	1210
Thu Jun 22 2017 18:09:00.0000	1616	1352
Thu Jun 22 2017 18:10:00.0000	1618	1326
Thu Jun 22 2017 18:11:00.0000	1620	1171
Thu Jun 22 2017 18:12:00.0000	1624	1294
Thu Jun 22 2017 18:13:00.0000	1623	1237
Thu Jun 22 2017 18:14:00.0000	1622	1331
Thu Jun 22 2017 18:15:00.0000	1624	1197
Thu Jun 22 2017 18:16:00.0000	1627	1215
Thu Jun 22 2017 18:17:00.0000	1627	1240
Thu Jun 22 2017 18:18:00.0000	1626	1219
Thu Jun 22 2017 18:19:00.0000	1627	1344
Thu Jun 22 2017 18:20:00.0000	1628	1192
Thu Jun 22 2017 18:21:00.0000	1630	1264
Thu Jun 22 2017 18:22:00.0000	1629	1238
Thu Jun 22 2017 18:23:00.0000	1628	1349
Thu Jun 22 2017 18:24:00.0000	1630	1163
Thu Jun 22 2017 18:25:00.0000	1632	1218
Thu Jun 22 2017 18:26:00.0000	1632	1242
Thu Jun 22 2017 18:27:00.0000	1630	1300
Thu Jun 22 2017 18:28:00.0000	1631	1208
Thu Jun 22 2017 18:29:00.0000	1632	1114
Thu Jun 22 2017 18:30:00.0000	1631	1244
Thu Jun 22 2017 18:31:00.0000	1624	1205
Thu Jun 22 2017 18:32:00.0000	1620	1327
Thu Jun 22 2017 18:33:00.0000	1617	1233
Thu Jun 22 2017 18:34:00.0000	1615	1189
Thu Jun 22 2017 18:35:00.0000	1612	1182
Thu Jun 22 2017 18:36:00.0000	1609	1320

Date/Time	Process Temperature (°F)	Process Flow SCFM
Thu Jun 22 2017 18:37:00.0000	1608	1330
Thu Jun 22 2017 18:38:00.0000	1607	1141
Thu Jun 22 2017 18:39:00.0000	1605	1182
Thu Jun 22 2017 18:40:00.0000	1603	1203
Thu Jun 22 2017 18:41:00.0000	1604	1198
Thu Jun 22 2017 18:42:00.0000	1609	1213
Thu Jun 22 2017 18:43:00.0000	1615	1174
Thu Jun 22 2017 18:44:00.0000	1616	1224
Thu Jun 22 2017 18:45:00.0000	1615	1336
Thu Jun 22 2017 18:46:00.0000	1617	1308
Thu Jun 22 2017 18:47:00.0000	1619	1291
Thu Jun 22 2017 18:48:00.0000	1621	1245
Thu Jun 22 2017 18:49:00.0000	1619	1177
Thu Jun 22 2017 18:50:00.0000	1619	1172
Thu Jun 22 2017 18:51:00.0000	1621	1176
Thu Jun 22 2017 18:52:00.0000	1624	1258
Thu Jun 22 2017 18:53:00.0000	1622	1246
Thu Jun 22 2017 18:54:00.0000	1622	1358
Thu Jun 22 2017 18:55:00.0000	1623	1288
Thu Jun 22 2017 18:56:00.0000	1624	1171
Thu Jun 22 2017 18:57:00.0000	1625	1275
Thu Jun 22 2017 18:58:00.0000	1623	1398
Thu Jun 22 2017 18:59:00.0000	1624	1319
Thu Jun 22 2017 19:00:00.0000	1625	1225
Thu Jun 22 2017 19:01:00.0000	1626	1306
Thu Jun 22 2017 19:02:00.0000	1624	1314
Thu Jun 22 2017 19:03:00.0000	1624	1248
Thu Jun 22 2017 19:04:00.0000	1625	1239
Thu Jun 22 2017 19:05:00.0000	1627	1295
Thu Jun 22 2017 19:06:00.0000	1627	1243
Thu Jun 22 2017 19:07:00.0000	1625	1237
Thu Jun 22 2017 19:08:00.0000	1626	1210
Thu Jun 22 2017 19:09:00.0000	1628	1121
Thu Jun 22 2017 19:10:00.0000	1628	1204
Thu Jun 22 2017 19:11:00.0000	1626	1244
Thu Jun 22 2017 19:12:00.0000	1626	1355
Thu Jun 22 2017 19:13:00.0000	1627	1235
Thu Jun 22 2017 19:14:00.0000	1629	1169
Thu Jun 22 2017 19:15:00.0000	1628	1158
Thu Jun 22 2017 19:16:00.0000	1626	1338
Thu Jun 22 2017 19:17:00.0000	1627	1172
Thu Jun 22 2017 19:18:00.0000	1629	1190
Thu Jun 22 2017 19:19:00.0000	1629	1221
Thu Jun 22 2017 19:20:00.0000	1627	1325
Thu Jun 22 2017 19:21:00.0000	1627	1374
Thu Jun 22 2017 19:22:00.0000	1628	1161
Thu Jun 22 2017 19:23:00.0000	1630	1221
Thu Jun 22 2017 19:24:00.0000	1628	1233
Thu Jun 22 2017 19:25:00.0000	1627	1364
Thu Jun 22 2017 19:26:00.0000	1628	1151
Thu Jun 22 2017 19:27:00.0000	1630	1217
Thu Jun 22 2017 19:28:00.0000	1630	1209
Thu Jun 22 2017 19:29:00.0000	1627	1210
Thu Jun 22 2017 19:30:00.0000	1628	1354
Thu Jun 22 2017 19:31:00.0000	1629	1203
Thu Jun 22 2017 19:32:00.0000	1630	1189
Thu Jun 22 2017 19:33:00.0000	1628	1208

Date/Time	Process Temperature (°F)	Process Flow SCFM
Thu Jun 22 2017 19:34:00.0000	1627	1273
Thu Jun 22 2017 19:35:00.0000	1629	1187
Thu Jun 22 2017 19:36:00.0000	1630	1203
Thu Jun 22 2017 19:37:00.0000	1630	1202
Thu Jun 22 2017 19:38:00.0000	1628	1323
Thu Jun 22 2017 19:39:00.0000	1629	1312
Thu Jun 22 2017 19:40:00.0000	1629	1193
Thu Jun 22 2017 19:41:00.0000	1631	1243
Thu Jun 22 2017 19:42:00.0000	1629	1200
Thu Jun 22 2017 19:43:00.0000	1628	1291
Thu Jun 22 2017 19:44:00.0000	1629	1198
Thu Jun 22 2017 19:45:00.0000	1631	1165
Thu Jun 22 2017 19:46:00.0000	1630	1164
Thu Jun 22 2017 19:47:00.0000	1628	1251
Thu Jun 22 2017 19:48:00.0000	1629	1241
Thu Jun 22 2017 19:49:00.0000	1630	1144
Thu Jun 22 2017 19:50:00.0000	1631	1178
Thu Jun 22 2017 19:51:00.0000	1629	1158
Thu Jun 22 2017 19:52:00.0000	1628	1252
Thu Jun 22 2017 19:53:00.0000	1629	1199
Thu Jun 22 2017 19:54:00.0000	1631	1182
Thu Jun 22 2017 19:55:00.0000	1630	1228
Thu Jun 22 2017 19:56:00.0000	1628	1228
Thu Jun 22 2017 19:57:00.0000	1629	1319
Thu Jun 22 2017 19:58:00.0000	1630	1178
Thu Jun 22 2017 19:59:00.0000	1631	1213
Thu Jun 22 2017 20:00:00.0000	1629	1206
Thu Jun 22 2017 20:01:00.0000	1628	1272
Thu Jun 22 2017 20:02:00.0000	1629	1150
Thu Jun 22 2017 20:03:00.0000	1631	1222
Thu Jun 22 2017 20:04:00.0000	1630	1191
Thu Jun 22 2017 20:05:00.0000	1627	1187
Thu Jun 22 2017 20:06:00.0000	1629	1250
Thu Jun 22 2017 20:07:00.0000	1629	1187
Thu Jun 22 2017 20:08:00.0000	1630	1251
Thu Jun 22 2017 20:09:00.0000	1628	1312
Thu Jun 22 2017 20:10:00.0000	1628	1192
Thu Jun 22 2017 20:11:00.0000	1628	1132
Thu Jun 22 2017 20:12:00.0000	1630	1207
Thu Jun 22 2017 20:13:00.0000	1629	1144
Thu Jun 22 2017 20:14:00.0000	1627	1236
Thu Jun 22 2017 20:15:00.0000	1628	1311
Thu Jun 22 2017 20:16:00.0000	1630	1148
Thu Jun 22 2017 20:17:00.0000	1630	1133
Thu Jun 22 2017 20:18:00.0000	1628	1198
Thu Jun 22 2017 20:19:00.0000	1629	1285
Thu Jun 22 2017 20:20:00.0000	1628	1159
Thu Jun 22 2017 20:21:00.0000	1630	1226
Thu Jun 22 2017 20:22:00.0000	1628	1213
Thu Jun 22 2017 20:23:00.0000	1627	1204
Thu Jun 22 2017 20:24:00.0000	1628	1154
Thu Jun 22 2017 20:25:00.0000	1630	1176
Thu Jun 22 2017 20:26:00.0000	1628	1200
Thu Jun 22 2017 20:27:00.0000	1626	1186
Thu Jun 22 2017 20:28:00.0000	1628	1189
Thu Jun 22 2017 20:29:00.0000	1629	1153
Thu Jun 22 2017 20:30:00.0000	1629	1161

Date/Time	Process Temperature (°F)	Process Flow SCFM
Thu Jun 22 2017 20:31:00.0000	1627	1128
Thu Jun 22 2017 20:32:00.0000	1627	1389
Thu Jun 22 2017 20:33:00.0000	1627	1169
Thu Jun 22 2017 20:34:00.0000	1629	1225
Thu Jun 22 2017 20:35:00.0000	1628	1175
Thu Jun 22 2017 20:36:00.0000	1626	1178
Thu Jun 22 2017 20:37:00.0000	1627	1164
Thu Jun 22 2017 20:38:00.0000	1628	1188
Thu Jun 22 2017 20:39:00.0000	1628	1216
Thu Jun 22 2017 20:40:00.0000	1627	1130
Thu Jun 22 2017 20:41:00.0000	1626	1232
Thu Jun 22 2017 20:42:00.0000	1627	1181
Thu Jun 22 2017 20:43:00.0000	1629	1188
Thu Jun 22 2017 20:44:00.0000	1627	1158
Thu Jun 22 2017 20:45:00.0000	1626	1265
Thu Jun 22 2017 20:46:00.0000	1627	1175
Thu Jun 22 2017 20:47:00.0000	1628	1217
Thu Jun 22 2017 20:48:00.0000	1628	1232
Thu Jun 22 2017 20:49:00.0000	1626	1213
Thu Jun 22 2017 20:50:00.0000	1626	1263
Thu Jun 22 2017 20:51:00.0000	1627	1205
Thu Jun 22 2017 20:52:00.0000	1628	1191
Thu Jun 22 2017 20:53:00.0000	1627	1190
Thu Jun 22 2017 20:54:00.0000	1625	1131
Thu Jun 22 2017 20:55:00.0000	1626	1174
Thu Jun 22 2017 20:56:00.0000	1627	1206
Thu Jun 22 2017 20:57:00.0000	1628	1203
Thu Jun 22 2017 20:58:00.0000	1626	1231
Thu Jun 22 2017 20:59:00.0000	1626	1175
Thu Jun 22 2017 21:00:00.0000	1626	1183
Thu Jun 22 2017 21:01:00.0000	1628	1164
Thu Jun 22 2017 21:02:00.0000	1626	1223
Thu Jun 22 2017 21:03:00.0000	1625	1305
Thu Jun 22 2017 21:04:00.0000	1626	1211
Thu Jun 22 2017 21:05:00.0000	1627	1194
Thu Jun 22 2017 21:06:00.0000	1627	1176
Thu Jun 22 2017 21:07:00.0000	1625	1338
Thu Jun 22 2017 21:08:00.0000	1625	1148
Thu Jun 22 2017 21:09:00.0000	1626	1171
Thu Jun 22 2017 21:10:00.0000	1627	1167
Thu Jun 22 2017 21:11:00.0000	1626	1203
Thu Jun 22 2017 21:12:00.0000	1625	1162
Thu Jun 22 2017 21:13:00.0000	1626	1167
Thu Jun 22 2017 21:14:00.0000	1627	1150
Thu Jun 22 2017 21:15:00.0000	1627	1168
Thu Jun 22 2017 21:16:00.0000	1625	1230
Thu Jun 22 2017 21:17:00.0000	1625	1344
Thu Jun 22 2017 21:18:00.0000	1626	1222
Thu Jun 22 2017 21:19:00.0000	1627	1190
Thu Jun 22 2017 21:20:00.0000	1625	1267
Thu Jun 22 2017 21:21:00.0000	1625	1301
Thu Jun 22 2017 21:22:00.0000	1626	1177
Thu Jun 22 2017 21:23:00.0000	1627	1176
Thu Jun 22 2017 21:24:00.0000	1625	1188
Thu Jun 22 2017 21:25:00.0000	1624	1333
Thu Jun 22 2017 21:26:00.0000	1625	1154
Thu Jun 22 2017 21:27:00.0000	1626	1210

Date/Time	Process Temperature (°F)	Process Flow SCFM
Thu Jun 22 2017 21:28:00.0000	1626	1240
Thu Jun 22 2017 21:29:00.0000	1624	1238
Thu Jun 22 2017 21:30:00.0000	1625	1240
Thu Jun 22 2017 21:31:00.0000	1625	1165
Thu Jun 22 2017 21:32:00.0000	1626	1219
Thu Jun 22 2017 21:33:00.0000	1624	1203
Thu Jun 22 2017 21:34:00.0000	1624	1347
Thu Jun 22 2017 21:35:00.0000	1625	1084
Thu Jun 22 2017 21:36:00.0000	1626	1181
Thu Jun 22 2017 21:37:00.0000	1626	1215
Thu Jun 22 2017 21:38:00.0000	1624	1215
Thu Jun 22 2017 21:39:00.0000	1625	1376
Thu Jun 22 2017 21:40:00.0000	1625	1304
Thu Jun 22 2017 21:41:00.0000	1626	1222
Thu Jun 22 2017 21:42:00.0000	1625	1154
Thu Jun 22 2017 21:43:00.0000	1624	1184
Thu Jun 22 2017 21:44:00.0000	1625	1319
Thu Jun 22 2017 21:45:00.0000	1626	1202
Thu Jun 22 2017 21:46:00.0000	1625	1206
Thu Jun 22 2017 21:47:00.0000	1623	1197
Thu Jun 22 2017 21:48:00.0000	1625	1191
Thu Jun 22 2017 21:49:00.0000	1626	1171
Thu Jun 22 2017 21:50:00.0000	1626	1269
Thu Jun 22 2017 21:51:00.0000	1624	1263
Thu Jun 22 2017 21:52:00.0000	1625	1215
Thu Jun 22 2017 21:53:00.0000	1625	1159
Thu Jun 22 2017 21:54:00.0000	1626	1183
Thu Jun 22 2017 21:55:00.0000	1625	1237
Thu Jun 22 2017 21:56:00.0000	1624	1155
Thu Jun 22 2017 21:57:00.0000	1625	1184
Thu Jun 22 2017 21:58:00.0000	1626	1149
Thu Jun 22 2017 21:59:00.0000	1626	1241
Thu Jun 22 2017 22:00:00.0000	1624	1211
Thu Jun 22 2017 22:01:00.0000	1626	1248
Thu Jun 22 2017 22:02:00.0000	1626	1176
Thu Jun 22 2017 22:03:00.0000	1627	1174
Thu Jun 22 2017 22:04:00.0000	1625	1154
Thu Jun 22 2017 22:05:00.0000	1624	1209
Thu Jun 22 2017 22:06:00.0000	1625	1174
Thu Jun 22 2017 22:07:00.0000	1627	1223
Thu Jun 22 2017 22:08:00.0000	1625	1156
Thu Jun 22 2017 22:09:00.0000	1625	1291
Thu Jun 22 2017 22:10:00.0000	1626	1183
Thu Jun 22 2017 22:11:00.0000	1627	1185
Thu Jun 22 2017 22:12:00.0000	1627	1166
Thu Jun 22 2017 22:13:00.0000	1624	1251
Thu Jun 22 2017 22:14:00.0000	1625	1344
Thu Jun 22 2017 22:15:00.0000	1626	1175
Thu Jun 22 2017 22:16:00.0000	1627	1197
Thu Jun 22 2017 22:17:00.0000	1625	1194
Thu Jun 22 2017 22:18:00.0000	1625	1332
Thu Jun 22 2017 22:19:00.0000	1626	1161
Thu Jun 22 2017 22:20:00.0000	1627	1206
Thu Jun 22 2017 22:21:00.0000	1626	1218
Thu Jun 22 2017 22:22:00.0000	1625	1228
Thu Jun 22 2017 22:23:00.0000	1626	1164
Thu Jun 22 2017 22:24:00.0000	1627	1169

Date/Time	Process Temperature (°F)	Process Flow SCFM
Thu Jun 22 2017 22:25:00.0000	1627	1204
Thu Jun 22 2017 22:26:00.0000	1625	1319
Thu Jun 22 2017 22:27:00.0000	1626	1376
Thu Jun 22 2017 22:28:00.0000	1626	1242
Thu Jun 22 2017 22:29:00.0000	1628	1219
Thu Jun 22 2017 22:30:00.0000	1627	1221
Thu Jun 22 2017 22:31:00.0000	1627	1218
Thu Jun 22 2017 22:32:00.0000	1629	1165
Thu Jun 22 2017 22:33:00.0000	1631	1164
Thu Jun 22 2017 22:34:00.0000	1631	1170
Thu Jun 22 2017 22:35:00.0000	1629	1206
Thu Jun 22 2017 22:36:00.0000	1631	1175
Thu Jun 22 2017 22:37:00.0000	1632	1164
Thu Jun 22 2017 22:38:00.0000	1630	1219
Thu Jun 22 2017 22:39:00.0000	1624	1183
Thu Jun 22 2017 22:40:00.0000	1621	1250
Thu Jun 22 2017 22:41:00.0000	1620	1217
Thu Jun 22 2017 22:42:00.0000	1618	1071
Thu Jun 22 2017 22:43:00.0000	1616	1197
Thu Jun 22 2017 22:44:00.0000	1613	1155
Thu Jun 22 2017 22:45:00.0000	1613	1240
Thu Jun 22 2017 22:46:00.0000	1612	1146
Thu Jun 22 2017 22:47:00.0000	1611	1160
Thu Jun 22 2017 22:48:00.0000	1609	1133
Thu Jun 22 2017 22:49:00.0000	1608	1238
Thu Jun 22 2017 22:50:00.0000	1608	1169
Thu Jun 22 2017 22:51:00.0000	1608	1167
Thu Jun 22 2017 22:52:00.0000	1606	1242
Thu Jun 22 2017 22:53:00.0000	1604	1154
Thu Jun 22 2017 22:54:00.0000	1605	1287
Thu Jun 22 2017 22:55:00.0000	1605	1281
Thu Jun 22 2017 22:56:00.0000	1604	1218
Thu Jun 22 2017 22:57:00.0000	1602	1257
Thu Jun 22 2017 22:58:00.0000	1606	1294
Thu Jun 22 2017 22:59:00.0000	1610	1181
Thu Jun 22 2017 23:00:00.0000	1617	1258
Thu Jun 22 2017 23:01:00.0000	1618	1210
Thu Jun 22 2017 23:02:00.0000	1618	1221
Thu Jun 22 2017 23:03:00.0000	1620	1157
Thu Jun 22 2017 23:04:00.0000	1623	1126
Thu Jun 22 2017 23:05:00.0000	1624	1142
Thu Jun 22 2017 23:06:00.0000	1623	1248
Thu Jun 22 2017 23:07:00.0000	1624	1285
Thu Jun 22 2017 23:08:00.0000	1626	1181
Thu Jun 22 2017 23:09:00.0000	1629	1235
Thu Jun 22 2017 23:10:00.0000	1628	1205
Thu Jun 22 2017 23:11:00.0000	1628	1287
Thu Jun 22 2017 23:12:00.0000	1629	1199
Thu Jun 22 2017 23:13:00.0000	1631	1170
Thu Jun 22 2017 23:14:00.0000	1632	1235
Thu Jun 22 2017 23:15:00.0000	1630	1160
Thu Jun 22 2017 23:16:00.0000	1631	1222
Thu Jun 22 2017 23:17:00.0000	1632	1191
Thu Jun 22 2017 23:18:00.0000	1628	1175
Thu Jun 22 2017 23:19:00.0000	1620	1141
Thu Jun 22 2017 23:20:00.0000	1615	1213
Thu Jun 22 2017 23:21:00.0000	1611	1176

Date/Time	Process Temperature (°F)	Process Flow SCFM
Thu Jun 22 2017 23:22:00.0000	1608	1277
Thu Jun 22 2017 23:23:00.0000	1605	1148
Thu Jun 22 2017 23:24:00.0000	1602	1258
Thu Jun 22 2017 23:25:00.0000	1603	1150
Thu Jun 22 2017 23:26:00.0000	1606	1195
Thu Jun 22 2017 23:27:00.0000	1609	1206
Thu Jun 22 2017 23:28:00.0000	1608	1277
Thu Jun 22 2017 23:29:00.0000	1609	1227
Thu Jun 22 2017 23:30:00.0000	1610	1158
Thu Jun 22 2017 23:31:00.0000	1611	1198
Thu Jun 22 2017 23:32:00.0000	1610	1189
Thu Jun 22 2017 23:33:00.0000	1608	1252
Thu Jun 22 2017 23:34:00.0000	1609	1169
Thu Jun 22 2017 23:35:00.0000	1610	1154
Thu Jun 22 2017 23:36:00.0000	1610	1159
Thu Jun 22 2017 23:37:00.0000	1608	1206
Thu Jun 22 2017 23:38:00.0000	1608	1304
Thu Jun 22 2017 23:39:00.0000	1609	1168
Thu Jun 22 2017 23:40:00.0000	1610	1181
Thu Jun 22 2017 23:41:00.0000	1608	1215
Thu Jun 22 2017 23:42:00.0000	1607	1341
Thu Jun 22 2017 23:43:00.0000	1607	1155
Thu Jun 22 2017 23:44:00.0000	1608	1179
Thu Jun 22 2017 23:45:00.0000	1608	1164
Thu Jun 22 2017 23:46:00.0000	1606	1128
Thu Jun 22 2017 23:47:00.0000	1607	1254
Thu Jun 22 2017 23:48:00.0000	1607	1199
Thu Jun 22 2017 23:49:00.0000	1608	1221
Thu Jun 22 2017 23:50:00.0000	1606	1180
Thu Jun 22 2017 23:51:00.0000	1605	1220
Thu Jun 22 2017 23:52:00.0000	1606	1236
Thu Jun 22 2017 23:53:00.0000	1607	1176
Thu Jun 22 2017 23:54:00.0000	1607	1180
Thu Jun 22 2017 23:55:00.0000	1605	1364
Thu Jun 22 2017 23:56:00.0000	1606	1246
Thu Jun 22 2017 23:57:00.0000	1606	1180
Thu Jun 22 2017 23:58:00.0000	1607	1181
Thu Jun 22 2017 23:59:00.0000	1605	1180
Fri Jun 23 2017 00:00:00.0000	1604	1211
Fri Jun 23 2017 00:01:00.0000	1605	1203
Fri Jun 23 2017 00:02:00.0000	1606	1227
Fri Jun 23 2017 00:03:00.0000	1606	1181
Fri Jun 23 2017 00:04:00.0000	1604	1278
Fri Jun 23 2017 00:05:00.0000	1605	1376
Fri Jun 23 2017 00:06:00.0000	1605	1148
Fri Jun 23 2017 00:07:00.0000	1606	1195
Fri Jun 23 2017 00:08:00.0000	1604	1213
Fri Jun 23 2017 00:09:00.0000	1603	1351
Fri Jun 23 2017 00:10:00.0000	1604	1201
Fri Jun 23 2017 00:11:00.0000	1606	1180
Fri Jun 23 2017 00:12:00.0000	1605	1239
Fri Jun 23 2017 00:13:00.0000	1603	1272
Fri Jun 23 2017 00:14:00.0000	1604	1288
Fri Jun 23 2017 00:15:00.0000	1605	1162
Fri Jun 23 2017 00:16:00.0000	1605	1154
Fri Jun 23 2017 00:17:00.0000	1604	1215
Fri Jun 23 2017 00:18:00.0000	1604	1268

Date/Time	Process Temperature (°F)	Process Flow SCFM
Fri Jun 23 2017 00:19:00.0000	1604	1168
Fri Jun 23 2017 00:20:00.0000	1605	1192
Fri Jun 23 2017 00:21:00.0000	1604	1181
Fri Jun 23 2017 00:22:00.0000	1602	1281
Fri Jun 23 2017 00:23:00.0000	1604	1154
Fri Jun 23 2017 00:24:00.0000	1605	1220
Fri Jun 23 2017 00:25:00.0000	1605	1157
Fri Jun 23 2017 00:26:00.0000	1603	1200
Fri Jun 23 2017 00:27:00.0000	1603	1336
Fri Jun 23 2017 00:28:00.0000	1604	1144
Fri Jun 23 2017 00:29:00.0000	1605	1152
Fri Jun 23 2017 00:30:00.0000	1603	1146
Fri Jun 23 2017 00:31:00.0000	1602	1319
Fri Jun 23 2017 00:32:00.0000	1608	1212
Fri Jun 23 2017 00:33:00.0000	1613	1141
Fri Jun 23 2017 00:34:00.0000	1617	1244
Fri Jun 23 2017 00:35:00.0000	1618	1235
Fri Jun 23 2017 00:36:00.0000	1620	1174
Fri Jun 23 2017 00:37:00.0000	1622	1133
Fri Jun 23 2017 00:38:00.0000	1627	1206
Fri Jun 23 2017 00:39:00.0000	1627	1116
Fri Jun 23 2017 00:40:00.0000	1625	1224
Fri Jun 23 2017 00:41:00.0000	1628	1174
Fri Jun 23 2017 00:42:00.0000	1631	1195
Fri Jun 23 2017 00:43:00.0000	1629	1219
Fri Jun 23 2017 00:44:00.0000	1622	1219
Fri Jun 23 2017 00:45:00.0000	1618	1246
Fri Jun 23 2017 00:46:00.0000	1615	1210
Fri Jun 23 2017 00:47:00.0000	1614	1183
Fri Jun 23 2017 00:48:00.0000	1611	1165
Fri Jun 23 2017 00:49:00.0000	1608	1219
Fri Jun 23 2017 00:50:00.0000	1608	1119
Fri Jun 23 2017 00:51:00.0000	1607	1075
Fri Jun 23 2017 00:52:00.0000	1606	1199
Fri Jun 23 2017 00:53:00.0000	1603	1265
Fri Jun 23 2017 00:54:00.0000	1602	1295
Fri Jun 23 2017 00:55:00.0000	1602	1182
Fri Jun 23 2017 00:56:00.0000	1602	1215
Fri Jun 23 2017 00:57:00.0000	1602	1219
Fri Jun 23 2017 00:58:00.0000	1605	1148
Fri Jun 23 2017 00:59:00.0000	1611	1148
Fri Jun 23 2017 01:00:00.0000	1615	1216
Fri Jun 23 2017 01:01:00.0000	1618	1127
Fri Jun 23 2017 01:02:00.0000	1617	1154
Fri Jun 23 2017 01:03:00.0000	1619	1217
Fri Jun 23 2017 01:04:00.0000	1621	1202
Fri Jun 23 2017 01:05:00.0000	1624	1195
Fri Jun 23 2017 01:06:00.0000	1624	1141
Fri Jun 23 2017 01:07:00.0000	1622	1178
Fri Jun 23 2017 01:08:00.0000	1625	1173
Fri Jun 23 2017 01:09:00.0000	1627	1137
Fri Jun 23 2017 01:10:00.0000	1628	1180
Fri Jun 23 2017 01:11:00.0000	1627	1235
Fri Jun 23 2017 01:12:00.0000	1628	1272
Fri Jun 23 2017 01:13:00.0000	1629	1182
Fri Jun 23 2017 01:14:00.0000	1632	1160
Fri Jun 23 2017 01:15:00.0000	1630	1205

Date/Time	Process Temperature (°F)	Process Flow SCFM
Fri Jun 23 2017 01:16:00.0000	1629	1203
Fri Jun 23 2017 01:17:00.0000	1631	1189
Fri Jun 23 2017 01:18:00.0000	1633	1152
Fri Jun 23 2017 01:19:00.0000	1627	1213
Fri Jun 23 2017 01:20:00.0000	1622	1216
Fri Jun 23 2017 01:21:00.0000	1619	1200
Fri Jun 23 2017 01:22:00.0000	1617	1143
Fri Jun 23 2017 01:23:00.0000	1615	1229
Fri Jun 23 2017 01:24:00.0000	1612	1157
Fri Jun 23 2017 01:25:00.0000	1610	1211
Fri Jun 23 2017 01:26:00.0000	1610	1238
Fri Jun 23 2017 01:27:00.0000	1609	1182
Fri Jun 23 2017 01:28:00.0000	1607	1217
Fri Jun 23 2017 01:29:00.0000	1605	1165
Fri Jun 23 2017 01:30:00.0000	1605	1249
Fri Jun 23 2017 01:31:00.0000	1604	1209
Fri Jun 23 2017 01:32:00.0000	1604	1188
Fri Jun 23 2017 01:33:00.0000	1601	1176
Fri Jun 23 2017 01:34:00.0000	1604	1164
Fri Jun 23 2017 01:35:00.0000	1613	1144
Fri Jun 23 2017 01:36:00.0000	1625	1130
Fri Jun 23 2017 01:37:00.0000	1630	1170
Fri Jun 23 2017 01:38:00.0000	1631	1235
Fri Jun 23 2017 01:39:00.0000	1634	1206
Fri Jun 23 2017 01:40:00.0000	1626	1193
Fri Jun 23 2017 01:41:00.0000	1622	1166
Fri Jun 23 2017 01:42:00.0000	1617	1201
Fri Jun 23 2017 01:43:00.0000	1614	1324
Fri Jun 23 2017 01:44:00.0000	1612	1113
Fri Jun 23 2017 01:45:00.0000	1611	1106
Fri Jun 23 2017 01:46:00.0000	1609	1217
Fri Jun 23 2017 01:47:00.0000	1607	1199
Fri Jun 23 2017 01:48:00.0000	1606	1275
Fri Jun 23 2017 01:49:00.0000	1605	1175
Fri Jun 23 2017 01:50:00.0000	1605	1170
Fri Jun 23 2017 01:51:00.0000	1602	1219
Fri Jun 23 2017 01:52:00.0000	1601	1267
Fri Jun 23 2017 01:53:00.0000	1603	1123
Fri Jun 23 2017 01:54:00.0000	1611	1232
Fri Jun 23 2017 01:55:00.0000	1614	1142
Fri Jun 23 2017 01:56:00.0000	1615	1221
Fri Jun 23 2017 01:57:00.0000	1619	1161
Fri Jun 23 2017 01:58:00.0000	1622	1164
Fri Jun 23 2017 01:59:00.0000	1624	1181
Fri Jun 23 2017 02:00:00.0000	1623	1112
Fri Jun 23 2017 02:01:00.0000	1625	1231
Fri Jun 23 2017 02:02:00.0000	1627	1163
Fri Jun 23 2017 02:03:00.0000	1631	1201
Fri Jun 23 2017 02:04:00.0000	1630	1235
Fri Jun 23 2017 02:05:00.0000	1628	1167
Fri Jun 23 2017 02:06:00.0000	1631	1193
Fri Jun 23 2017 02:07:00.0000	1633	1231
Fri Jun 23 2017 02:08:00.0000	1626	1178
Fri Jun 23 2017 02:09:00.0000	1618	1149
Fri Jun 23 2017 02:10:00.0000	1613	1281
Fri Jun 23 2017 02:11:00.0000	1609	1184
Fri Jun 23 2017 02:12:00.0000	1606	1211

Date/Time	Process Temperature (°F)	Process Flow SCFM
Fri Jun 23 2017 02:13:00.0000	1602	1174
Fri Jun 23 2017 02:14:00.0000	1602	1094
Fri Jun 23 2017 02:15:00.0000	1607	1161
Fri Jun 23 2017 02:16:00.0000	1614	1003
Fri Jun 23 2017 02:17:00.0000	1618	1187
Fri Jun 23 2017 02:18:00.0000	1618	1174
Fri Jun 23 2017 02:19:00.0000	1620	1217
Fri Jun 23 2017 02:20:00.0000	1623	1206
Fri Jun 23 2017 02:21:00.0000	1626	1176
Fri Jun 23 2017 02:22:00.0000	1625	1190
Fri Jun 23 2017 02:23:00.0000	1625	1150
Fri Jun 23 2017 02:24:00.0000	1627	1126
Fri Jun 23 2017 02:25:00.0000	1629	1161
Fri Jun 23 2017 02:26:00.0000	1630	1188
Fri Jun 23 2017 02:27:00.0000	1628	1124
Fri Jun 23 2017 02:28:00.0000	1630	1194
Fri Jun 23 2017 02:29:00.0000	1632	1083
Fri Jun 23 2017 02:30:00.0000	1631	1175
Fri Jun 23 2017 02:31:00.0000	1621	1236
Fri Jun 23 2017 02:32:00.0000	1616	1296
Fri Jun 23 2017 02:33:00.0000	1612	1176
Fri Jun 23 2017 02:34:00.0000	1608	1141
Fri Jun 23 2017 02:35:00.0000	1604	1232
Fri Jun 23 2017 02:36:00.0000	1601	1167
Fri Jun 23 2017 02:37:00.0000	1605	1260
Fri Jun 23 2017 02:38:00.0000	1611	1002
Fri Jun 23 2017 02:39:00.0000	1616	1216
Fri Jun 23 2017 02:40:00.0000	1617	1248
Fri Jun 23 2017 02:41:00.0000	1619	1220
Fri Jun 23 2017 02:42:00.0000	1621	1139
Fri Jun 23 2017 02:43:00.0000	1624	1242
Fri Jun 23 2017 02:44:00.0000	1625	1157
Fri Jun 23 2017 02:45:00.0000	1624	1273
Fri Jun 23 2017 02:46:00.0000	1626	1209
Fri Jun 23 2017 02:47:00.0000	1627	1097
Fri Jun 23 2017 02:48:00.0000	1629	1170
Fri Jun 23 2017 02:49:00.0000	1628	1250
Fri Jun 23 2017 02:50:00.0000	1628	1240
Fri Jun 23 2017 02:51:00.0000	1630	1146
Fri Jun 23 2017 02:52:00.0000	1632	1132
Fri Jun 23 2017 02:53:00.0000	1631	1207
Fri Jun 23 2017 02:54:00.0000	1630	1233
Fri Jun 23 2017 02:55:00.0000	1632	1273
Fri Jun 23 2017 02:56:00.0000	1633	1197
Fri Jun 23 2017 02:57:00.0000	1625	1156
Fri Jun 23 2017 02:58:00.0000	1618	1155
Fri Jun 23 2017 02:59:00.0000	1613	1224
Fri Jun 23 2017 03:00:00.0000	1610	1211
Fri Jun 23 2017 03:01:00.0000	1606	1174
Fri Jun 23 2017 03:02:00.0000	1603	1161
Fri Jun 23 2017 03:03:00.0000	1602	1238
Fri Jun 23 2017 03:04:00.0000	1604	1153
Fri Jun 23 2017 03:05:00.0000	1608	1125
Fri Jun 23 2017 03:06:00.0000	1609	1174
Fri Jun 23 2017 03:07:00.0000	1608	1233
Fri Jun 23 2017 03:08:00.0000	1609	1156
Fri Jun 23 2017 03:09:00.0000	1610	1184

Date/Time	Process Temperature (°F)	Process Flow SCFM
Fri Jun 23 2017 03:10:00.0000	1611	1178
Fri Jun 23 2017 03:11:00.0000	1610	1231
Fri Jun 23 2017 03:12:00.0000	1609	1342
Fri Jun 23 2017 03:13:00.0000	1610	1162
Fri Jun 23 2017 03:14:00.0000	1612	1190
Fri Jun 23 2017 03:15:00.0000	1610	1161
Fri Jun 23 2017 03:16:00.0000	1609	1208
Fri Jun 23 2017 03:17:00.0000	1610	1166
Fri Jun 23 2017 03:18:00.0000	1611	1217
Fri Jun 23 2017 03:19:00.0000	1611	1166
Fri Jun 23 2017 03:20:00.0000	1609	1295
Fri Jun 23 2017 03:21:00.0000	1609	1198
Fri Jun 23 2017 03:22:00.0000	1610	1128
Fri Jun 23 2017 03:23:00.0000	1611	1200
Fri Jun 23 2017 03:24:00.0000	1610	1153
Fri Jun 23 2017 03:25:00.0000	1609	1241
Fri Jun 23 2017 03:26:00.0000	1610	1166
Fri Jun 23 2017 03:27:00.0000	1611	1127
Fri Jun 23 2017 03:28:00.0000	1611	1185
Fri Jun 23 2017 03:29:00.0000	1609	1192
Fri Jun 23 2017 03:30:00.0000	1609	1249
Fri Jun 23 2017 03:31:00.0000	1610	1174
Fri Jun 23 2017 03:32:00.0000	1611	1145
Fri Jun 23 2017 03:33:00.0000	1610	1173
Fri Jun 23 2017 03:34:00.0000	1608	1206
Fri Jun 23 2017 03:35:00.0000	1609	1180
Fri Jun 23 2017 03:36:00.0000	1610	1180
Fri Jun 23 2017 03:37:00.0000	1611	1181
Fri Jun 23 2017 03:38:00.0000	1609	1225
Fri Jun 23 2017 03:39:00.0000	1609	1193
Fri Jun 23 2017 03:40:00.0000	1610	1157
Fri Jun 23 2017 03:41:00.0000	1611	1174
Fri Jun 23 2017 03:42:00.0000	1609	1176
Fri Jun 23 2017 03:43:00.0000	1608	1288
Fri Jun 23 2017 03:44:00.0000	1609	1183
Fri Jun 23 2017 03:45:00.0000	1610	1207
Fri Jun 23 2017 03:46:00.0000	1610	1180
Fri Jun 23 2017 03:47:00.0000	1608	1257
Fri Jun 23 2017 03:48:00.0000	1608	1156
Fri Jun 23 2017 03:49:00.0000	1609	1120
Fri Jun 23 2017 03:50:00.0000	1610	1214
Fri Jun 23 2017 03:51:00.0000	1609	1206
Fri Jun 23 2017 03:52:00.0000	1607	1193
Fri Jun 23 2017 03:53:00.0000	1609	1120
Fri Jun 23 2017 03:54:00.0000	1609	1252
Fri Jun 23 2017 03:55:00.0000	1609	1208
Fri Jun 23 2017 03:56:00.0000	1607	1200
Fri Jun 23 2017 03:57:00.0000	1608	1166
Fri Jun 23 2017 03:58:00.0000	1608	1043
Fri Jun 23 2017 03:59:00.0000	1609	1180
Fri Jun 23 2017 04:00:00.0000	1608	1162
Fri Jun 23 2017 04:01:00.0000	1606	1268
Fri Jun 23 2017 04:02:00.0000	1608	1180
Fri Jun 23 2017 04:03:00.0000	1609	1176
Fri Jun 23 2017 04:04:00.0000	1608	1232
Fri Jun 23 2017 04:05:00.0000	1606	1156
Fri Jun 23 2017 04:06:00.0000	1607	1298

Date/Time	Process Temperature (°F)	Process Flow SCFM
Fri Jun 23 2017 04:07:00.0000	1607	1160
Fri Jun 23 2017 04:08:00.0000	1609	1213
Fri Jun 23 2017 04:09:00.0000	1607	1201
Fri Jun 23 2017 04:10:00.0000	1606	1170
Fri Jun 23 2017 04:11:00.0000	1607	1156
Fri Jun 23 2017 04:12:00.0000	1608	1301
Fri Jun 23 2017 04:13:00.0000	1608	1195
Fri Jun 23 2017 04:14:00.0000	1606	1214
Fri Jun 23 2017 04:15:00.0000	1606	1265
Fri Jun 23 2017 04:16:00.0000	1607	1203
Fri Jun 23 2017 04:17:00.0000	1608	1228
Fri Jun 23 2017 04:18:00.0000	1607	1206
Fri Jun 23 2017 04:19:00.0000	1605	1300
Fri Jun 23 2017 04:20:00.0000	1606	1128
Fri Jun 23 2017 04:21:00.0000	1607	1164
Fri Jun 23 2017 04:22:00.0000	1607	1186
Fri Jun 23 2017 04:23:00.0000	1605	1124
Fri Jun 23 2017 04:24:00.0000	1606	1306
Fri Jun 23 2017 04:25:00.0000	1607	1269
Fri Jun 23 2017 04:26:00.0000	1607	1220
Fri Jun 23 2017 04:27:00.0000	1606	1222
Fri Jun 23 2017 04:28:00.0000	1604	1279
Fri Jun 23 2017 04:29:00.0000	1605	1207
Fri Jun 23 2017 04:30:00.0000	1606	1156
Fri Jun 23 2017 04:31:00.0000	1606	1223
Fri Jun 23 2017 04:32:00.0000	1604	1224
Fri Jun 23 2017 04:33:00.0000	1605	1219
Fri Jun 23 2017 04:34:00.0000	1606	1218
Fri Jun 23 2017 04:35:00.0000	1607	1213
Fri Jun 23 2017 04:36:00.0000	1605	1171
Fri Jun 23 2017 04:37:00.0000	1604	1170
Fri Jun 23 2017 04:38:00.0000	1605	1155
Fri Jun 23 2017 04:39:00.0000	1607	1159
Fri Jun 23 2017 04:40:00.0000	1606	1209
Fri Jun 23 2017 04:41:00.0000	1604	1371
Fri Jun 23 2017 04:42:00.0000	1605	1277
Fri Jun 23 2017 04:43:00.0000	1605	1134
Fri Jun 23 2017 04:44:00.0000	1606	1238
Fri Jun 23 2017 04:45:00.0000	1604	1140
Fri Jun 23 2017 04:46:00.0000	1604	1221
Fri Jun 23 2017 04:47:00.0000	1605	1206
Fri Jun 23 2017 04:48:00.0000	1606	1133
Fri Jun 23 2017 04:49:00.0000	1605	1204
Fri Jun 23 2017 04:50:00.0000	1603	1185
Fri Jun 23 2017 04:51:00.0000	1605	1315
Fri Jun 23 2017 04:52:00.0000	1605	1131
Fri Jun 23 2017 04:53:00.0000	1605	1175
Fri Jun 23 2017 04:54:00.0000	1603	1166
Fri Jun 23 2017 04:55:00.0000	1603	1371
Fri Jun 23 2017 04:56:00.0000	1608	1162
Fri Jun 23 2017 04:57:00.0000	1614	1159
Fri Jun 23 2017 04:58:00.0000	1616	1193
Fri Jun 23 2017 04:59:00.0000	1617	1140
Fri Jun 23 2017 05:00:00.0000	1620	1190
Fri Jun 23 2017 05:01:00.0000	1622	1220
Fri Jun 23 2017 05:02:00.0000	1624	1176
Fri Jun 23 2017 05:03:00.0000	1623	1288

Date/Time	Process Temperature (°F)	Process Flow SCFM
Fri Jun 23 2017 05:04:00.0000	1624	1230
Fri Jun 23 2017 05:05:00.0000	1626	1151
Fri Jun 23 2017 05:06:00.0000	1629	1198
Fri Jun 23 2017 05:07:00.0000	1629	1169
Fri Jun 23 2017 05:08:00.0000	1628	1169
Fri Jun 23 2017 05:09:00.0000	1630	1146
Fri Jun 23 2017 05:10:00.0000	1631	1172
Fri Jun 23 2017 05:11:00.0000	1623	1186
Fri Jun 23 2017 05:12:00.0000	1618	1213
Fri Jun 23 2017 05:13:00.0000	1616	1248
Fri Jun 23 2017 05:14:00.0000	1613	1123
Fri Jun 23 2017 05:15:00.0000	1611	1167
Fri Jun 23 2017 05:16:00.0000	1608	1132
Fri Jun 23 2017 05:17:00.0000	1607	1224
Fri Jun 23 2017 05:18:00.0000	1606	1203
Fri Jun 23 2017 05:19:00.0000	1605	1196
Fri Jun 23 2017 05:20:00.0000	1603	1171
Fri Jun 23 2017 05:21:00.0000	1601	1201
Fri Jun 23 2017 05:22:00.0000	1606	1195
Fri Jun 23 2017 05:23:00.0000	1613	1125
Fri Jun 23 2017 05:24:00.0000	1615	1177
Fri Jun 23 2017 05:25:00.0000	1615	1236
Fri Jun 23 2017 05:26:00.0000	1617	1326
Fri Jun 23 2017 05:27:00.0000	1619	1191
Fri Jun 23 2017 05:28:00.0000	1622	1144
Fri Jun 23 2017 05:29:00.0000	1622	1150
Fri Jun 23 2017 05:30:00.0000	1621	1121
Fri Jun 23 2017 05:31:00.0000	1623	1159
Fri Jun 23 2017 05:32:00.0000	1625	1104
Fri Jun 23 2017 05:33:00.0000	1627	1182
Fri Jun 23 2017 05:34:00.0000	1624	1321
Fri Jun 23 2017 05:35:00.0000	1626	1188
Fri Jun 23 2017 05:36:00.0000	1627	1246
Fri Jun 23 2017 05:37:00.0000	1630	1236
Fri Jun 23 2017 05:38:00.0000	1629	1187
Fri Jun 23 2017 05:39:00.0000	1628	1246
Fri Jun 23 2017 05:40:00.0000	1629	1173
Fri Jun 23 2017 05:41:00.0000	1632	1153
Fri Jun 23 2017 05:42:00.0000	1632	1205
Fri Jun 23 2017 05:43:00.0000	1630	1209
Fri Jun 23 2017 05:44:00.0000	1631	1239
Fri Jun 23 2017 05:45:00.0000	1632	1239
Fri Jun 23 2017 05:46:00.0000	1631	1201
Fri Jun 23 2017 05:47:00.0000	1625	1168
Fri Jun 23 2017 05:48:00.0000	1622	1152
Fri Jun 23 2017 05:49:00.0000	1621	1218
Fri Jun 23 2017 05:50:00.0000	1620	1163
Fri Jun 23 2017 05:51:00.0000	1617	1247
Fri Jun 23 2017 05:52:00.0000	1615	1252
Fri Jun 23 2017 05:53:00.0000	1615	1249
Fri Jun 23 2017 05:54:00.0000	1614	1164
Fri Jun 23 2017 05:55:00.0000	1614	1171
Fri Jun 23 2017 05:56:00.0000	1611	1206
Fri Jun 23 2017 05:57:00.0000	1611	1284
Fri Jun 23 2017 05:58:00.0000	1610	1124
Fri Jun 23 2017 05:59:00.0000	1611	1214
Fri Jun 23 2017 06:00:00.0000	1609	1164

Date/Time	Process Temperature (°F)	Process Flow SCFM
Fri Jun 23 2017 06:01:00.0000	1607	1176
Fri Jun 23 2017 06:02:00.0000	1607	1112
Fri Jun 23 2017 06:03:00.0000	1608	1150
Fri Jun 23 2017 06:04:00.0000	1607	1244
Fri Jun 23 2017 06:05:00.0000	1605	1161
Fri Jun 23 2017 06:06:00.0000	1605	1267
Fri Jun 23 2017 06:07:00.0000	1605	1158
Fri Jun 23 2017 06:08:00.0000	1605	1174
Fri Jun 23 2017 06:09:00.0000	1604	1177
Fri Jun 23 2017 06:10:00.0000	1602	1361
Fri Jun 23 2017 06:11:00.0000	1603	1128
Fri Jun 23 2017 06:12:00.0000	1604	1199
Fri Jun 23 2017 06:13:00.0000	1603	1177
Fri Jun 23 2017 06:14:00.0000	1601	1217
Fri Jun 23 2017 06:15:00.0000	1603	1170
Fri Jun 23 2017 06:16:00.0000	1607	1174
Fri Jun 23 2017 06:17:00.0000	1613	1191
Fri Jun 23 2017 06:18:00.0000	1614	1216
Fri Jun 23 2017 06:19:00.0000	1613	1354
Fri Jun 23 2017 06:20:00.0000	1616	1148
Fri Jun 23 2017 06:21:00.0000	1618	1213
Fri Jun 23 2017 06:22:00.0000	1620	1209
Fri Jun 23 2017 06:23:00.0000	1619	1200
Fri Jun 23 2017 06:24:00.0000	1620	1288
Fri Jun 23 2017 06:25:00.0000	1621	1269
Fri Jun 23 2017 06:26:00.0000	1624	1199
Fri Jun 23 2017 06:27:00.0000	1623	1192
Fri Jun 23 2017 06:28:00.0000	1622	1181
Fri Jun 23 2017 06:29:00.0000	1624	1142
Fri Jun 23 2017 06:30:00.0000	1627	1155
Fri Jun 23 2017 06:31:00.0000	1627	1205
Fri Jun 23 2017 06:32:00.0000	1625	1236
Fri Jun 23 2017 06:33:00.0000	1626	1170
Fri Jun 23 2017 06:34:00.0000	1627	1158
Fri Jun 23 2017 06:35:00.0000	1630	1216
Fri Jun 23 2017 06:36:00.0000	1628	1255
Fri Jun 23 2017 06:37:00.0000	1628	1174
Fri Jun 23 2017 06:38:00.0000	1629	1121
Fri Jun 23 2017 06:39:00.0000	1632	1211
Fri Jun 23 2017 06:40:00.0000	1631	1180
Fri Jun 23 2017 06:41:00.0000	1629	1123
Fri Jun 23 2017 06:42:00.0000	1631	1171
Fri Jun 23 2017 06:43:00.0000	1632	1159
Fri Jun 23 2017 06:44:00.0000	1628	1216
Fri Jun 23 2017 06:45:00.0000	1622	1263
Fri Jun 23 2017 06:46:00.0000	1619	1264
Fri Jun 23 2017 06:47:00.0000	1617	1158
Fri Jun 23 2017 06:48:00.0000	1615	1138
Fri Jun 23 2017 06:49:00.0000	1612	1226
Fri Jun 23 2017 06:50:00.0000	1610	1260
Fri Jun 23 2017 06:51:00.0000	1609	1086
Fri Jun 23 2017 06:52:00.0000	1608	1126
Fri Jun 23 2017 06:53:00.0000	1607	1202
Fri Jun 23 2017 06:54:00.0000	1605	1121
Fri Jun 23 2017 06:55:00.0000	1604	1318
Fri Jun 23 2017 06:56:00.0000	1603	1143
Fri Jun 23 2017 06:57:00.0000	1603	1140

Date/Time	Process Temperature (°F)	Process Flow SCFM
Fri Jun 23 2017 06:58:00.0000	1601	1190
Fri Jun 23 2017 06:59:00.0000	1606	1204
Fri Jun 23 2017 07:00:00.0000	1616	1206
Fri Jun 23 2017 07:01:00.0000	1624	1165
Fri Jun 23 2017 07:02:00.0000	1631	1165
Fri Jun 23 2017 07:03:00.0000	1632	1230
Fri Jun 23 2017 07:04:00.0000	1634	1328
Fri Jun 23 2017 07:05:00.0000	1629	1173
Fri Jun 23 2017 07:06:00.0000	1623	1173
Fri Jun 23 2017 07:07:00.0000	1618	1194
Fri Jun 23 2017 07:08:00.0000	1614	1175
Fri Jun 23 2017 07:09:00.0000	1612	1157
Fri Jun 23 2017 07:10:00.0000	1611	1199
Fri Jun 23 2017 07:11:00.0000	1609	1195
Fri Jun 23 2017 07:12:00.0000	1606	1298
Fri Jun 23 2017 07:13:00.0000	1605	1256
Fri Jun 23 2017 07:14:00.0000	1604	1162
Fri Jun 23 2017 07:15:00.0000	1604	1211
Fri Jun 23 2017 07:16:00.0000	1601	1169
Fri Jun 23 2017 07:17:00.0000	1604	1190
Fri Jun 23 2017 07:18:00.0000	1613	1166
Fri Jun 23 2017 07:19:00.0000	1623	1116
Fri Jun 23 2017 07:20:00.0000	1629	1177
Fri Jun 23 2017 07:21:00.0000	1630	1194
Fri Jun 23 2017 07:22:00.0000	1634	1153
Fri Jun 23 2017 07:23:00.0000	1628	1178
Fri Jun 23 2017 07:24:00.0000	1623	1182
Fri Jun 23 2017 07:25:00.0000	1618	1198
Fri Jun 23 2017 07:26:00.0000	1614	1363
Fri Jun 23 2017 07:27:00.0000	1612	1159
Fri Jun 23 2017 07:28:00.0000	1611	1200
Fri Jun 23 2017 07:29:00.0000	1609	1199
Fri Jun 23 2017 07:30:00.0000	1606	1094
Fri Jun 23 2017 07:31:00.0000	1605	1201
Fri Jun 23 2017 07:32:00.0000	1605	1220
Fri Jun 23 2017 07:33:00.0000	1604	1180
Fri Jun 23 2017 07:34:00.0000	1601	1185
Fri Jun 23 2017 07:35:00.0000	1603	1265
Fri Jun 23 2017 07:36:00.0000	1607	1227
Fri Jun 23 2017 07:37:00.0000	1613	1268
Fri Jun 23 2017 07:38:00.0000	1615	1166
Fri Jun 23 2017 07:39:00.0000	1615	1268
Fri Jun 23 2017 07:40:00.0000	1617	1140
Fri Jun 23 2017 07:41:00.0000	1620	1171
Fri Jun 23 2017 07:42:00.0000	1621	1202
Fri Jun 23 2017 07:43:00.0000	1620	1205
Fri Jun 23 2017 07:44:00.0000	1621	1146
Fri Jun 23 2017 07:45:00.0000	1622	1143
Fri Jun 23 2017 07:46:00.0000	1626	1171
Fri Jun 23 2017 07:47:00.0000	1625	1187
Fri Jun 23 2017 07:48:00.0000	1623	1201
Fri Jun 23 2017 07:49:00.0000	1625	1204
Fri Jun 23 2017 07:50:00.0000	1628	1146
Fri Jun 23 2017 07:51:00.0000	1628	1148
Fri Jun 23 2017 07:52:00.0000	1626	1154
Fri Jun 23 2017 07:53:00.0000	1628	1312
Fri Jun 23 2017 07:54:00.0000	1628	1251

Date/Time	Process Temperature (°F)	Process Flow SCFM
Fri Jun 23 2017 07:55:00.0000	1631	1139
Fri Jun 23 2017 07:56:00.0000	1629	1200
Fri Jun 23 2017 07:57:00.0000	1630	1192
Fri Jun 23 2017 07:58:00.0000	1630	1103
Fri Jun 23 2017 07:59:00.0000	1633	1171
Fri Jun 23 2017 08:00:00.0000	1626	1256
Fri Jun 23 2017 08:01:00.0000	1621	1253
Fri Jun 23 2017 08:02:00.0000	1618	1162
Fri Jun 23 2017 08:03:00.0000	1617	1076
Fri Jun 23 2017 08:04:00.0000	1614	1242
Fri Jun 23 2017 08:05:00.0000	1611	1263
Fri Jun 23 2017 08:06:00.0000	1610	1367
Fri Jun 23 2017 08:07:00.0000	1609	1087
Fri Jun 23 2017 08:08:00.0000	1609	1171
Fri Jun 23 2017 08:09:00.0000	1606	1304
Fri Jun 23 2017 08:10:00.0000	1605	1399
Fri Jun 23 2017 08:11:00.0000	1604	-1
Fri Jun 23 2017 08:12:00.0000	1592	-1
Fri Jun 23 2017 08:13:00.0000	1587	0
Fri Jun 23 2017 08:14:00.0000	1582	-1
Fri Jun 23 2017 08:15:00.0000	1578	-1
Fri Jun 23 2017 08:16:00.0000	1574	-1
Fri Jun 23 2017 08:17:00.0000	1571	-1
Fri Jun 23 2017 08:18:00.0000	1568	-1
Fri Jun 23 2017 08:19:00.0000	1565	-1
Fri Jun 23 2017 08:20:00.0000	1562	-1
Fri Jun 23 2017 08:21:00.0000	1559	-1
Fri Jun 23 2017 08:22:00.0000	1557	-1
Fri Jun 23 2017 08:23:00.0000	1554	-1
Fri Jun 23 2017 08:24:00.0000	1552	-1
Fri Jun 23 2017 08:25:00.0000	1549	-1
Fri Jun 23 2017 08:26:00.0000	1547	0
Fri Jun 23 2017 08:27:00.0000	1545	-1
Fri Jun 23 2017 08:28:00.0000	1543	-1
Fri Jun 23 2017 08:29:00.0000	1541	-1
Fri Jun 23 2017 08:30:00.0000	1539	-1
Fri Jun 23 2017 08:31:00.0000	1537	-1
Fri Jun 23 2017 08:32:00.0000	1535	-1
Fri Jun 23 2017 08:33:00.0000	1533	-1
Fri Jun 23 2017 08:34:00.0000	1532	-1
Fri Jun 23 2017 08:35:00.0000	1530	-1
Fri Jun 23 2017 08:36:00.0000	1528	-1
Fri Jun 23 2017 08:37:00.0000	1526	-1
Fri Jun 23 2017 08:38:00.0000	1525	-1
Fri Jun 23 2017 08:39:00.0000	1524	-1
Fri Jun 23 2017 08:40:00.0000	1522	-1
Fri Jun 23 2017 08:41:00.0000	1520	-1
Fri Jun 23 2017 08:42:00.0000	1520	-1
Fri Jun 23 2017 08:43:00.0000	1520	0
Fri Jun 23 2017 08:44:00.0000	1520	-1
Fri Jun 23 2017 08:45:00.0000	1519	-1
Fri Jun 23 2017 08:46:00.0000	1519	0
Fri Jun 23 2017 08:47:00.0000	1519	0
Fri Jun 23 2017 08:48:00.0000	1518	0
Fri Jun 23 2017 08:49:00.0000	1518	0
Fri Jun 23 2017 08:50:00.0000	1518	0
Fri Jun 23 2017 08:51:00.0000	1518	0

Date/Time	Process Temperature (°F)	Process Flow SCFM
Fri Jun 23 2017 08:52:00.0000	1518	0
Fri Jun 23 2017 08:53:00.0000	1518	0
Fri Jun 23 2017 08:54:00.0000	1518	0
Fri Jun 23 2017 08:55:00.0000	1518	0
Fri Jun 23 2017 08:56:00.0000	1518	0
Fri Jun 23 2017 08:57:00.0000	1518	0
Fri Jun 23 2017 08:58:00.0000	1518	0
Fri Jun 23 2017 08:59:00.0000	1518	0
Fri Jun 23 2017 09:00:00.0000	1518	0
Fri Jun 23 2017 09:01:00.0000	1515	0
Fri Jun 23 2017 09:02:00.0000	1515	0
Fri Jun 23 2017 09:03:00.0000	1515	0
Fri Jun 23 2017 09:04:00.0000	1515	0
Fri Jun 23 2017 09:05:00.0000	1514	0
Fri Jun 23 2017 09:06:00.0000	1514	0
Fri Jun 23 2017 09:07:00.0000	1514	0
Fri Jun 23 2017 09:08:00.0000	1514	0
Fri Jun 23 2017 09:09:00.0000	1513	0
Fri Jun 23 2017 09:10:00.0000	1513	0
Fri Jun 23 2017 09:11:00.0000	1513	0
Fri Jun 23 2017 09:12:00.0000	1513	0
Fri Jun 23 2017 09:13:00.0000	1513	0
Fri Jun 23 2017 09:14:00.0000	1512	0
Fri Jun 23 2017 09:15:00.0000	1512	0
Fri Jun 23 2017 09:16:00.0000	1512	0
Fri Jun 23 2017 09:17:00.0000	1512	0
Fri Jun 23 2017 09:18:00.0000	1512	0
Fri Jun 23 2017 09:19:00.0000	1511	0
Fri Jun 23 2017 09:20:00.0000	1511	0
Fri Jun 23 2017 09:21:00.0000	1511	0
Fri Jun 23 2017 09:22:00.0000	1510	0
Fri Jun 23 2017 09:23:00.0000	1510	0
Fri Jun 23 2017 09:24:00.0000	1510	0
Fri Jun 23 2017 09:25:00.0000	1510	0
Fri Jun 23 2017 09:26:00.0000	1509	0
Fri Jun 23 2017 09:27:00.0000	1509	0
Fri Jun 23 2017 09:28:00.0000	1509	0
Fri Jun 23 2017 09:29:00.0000	1509	0
Fri Jun 23 2017 09:30:00.0000	1508	0
Fri Jun 23 2017 09:31:00.0000	1508	0
Fri Jun 23 2017 09:32:00.0000	1508	0
Fri Jun 23 2017 09:33:00.0000	1507	0
Fri Jun 23 2017 09:34:00.0000	1507	0
Fri Jun 23 2017 09:35:00.0000	1507	0
Fri Jun 23 2017 09:36:00.0000	1506	0
Fri Jun 23 2017 09:37:00.0000	1506	0
Fri Jun 23 2017 09:38:00.0000	1506	0
Fri Jun 23 2017 09:39:00.0000	1504	0
Fri Jun 23 2017 09:40:00.0000	1504	0
Fri Jun 23 2017 09:41:00.0000	1533	0
Fri Jun 23 2017 09:42:00.0000	1660	1642
Fri Jun 23 2017 09:43:00.0000	1720	0
Fri Jun 23 2017 09:44:00.0000	1714	0
Fri Jun 23 2017 09:45:00.0000	1657	0
Fri Jun 23 2017 09:46:00.0000	1615	0
Fri Jun 23 2017 09:47:00.0000	1601	0
Fri Jun 23 2017 09:48:00.0000	1611	0

Date/Time	Process Temperature (°F)	Process Flow SCFM
Fri Jun 23 2017 09:49:00.0000	1629	1285
Fri Jun 23 2017 09:50:00.0000	1626	1217
Fri Jun 23 2017 09:51:00.0000	1613	1212
Fri Jun 23 2017 09:52:00.0000	1610	1188
Fri Jun 23 2017 09:53:00.0000	1610	1280
Fri Jun 23 2017 09:54:00.0000	1607	1009
Fri Jun 23 2017 09:55:00.0000	1610	1175
Fri Jun 23 2017 09:56:00.0000	1614	1282
Fri Jun 23 2017 09:57:00.0000	1611	1327
Fri Jun 23 2017 09:58:00.0000	1611	1326
Fri Jun 23 2017 09:59:00.0000	1614	1155
Fri Jun 23 2017 10:00:00.0000	1618	1289
Fri Jun 23 2017 10:01:00.0000	1618	1313
Fri Jun 23 2017 10:02:00.0000	1616	1394
Fri Jun 23 2017 10:03:00.0000	1620	1175
Fri Jun 23 2017 10:04:00.0000	1623	1303
Fri Jun 23 2017 10:05:00.0000	1625	1234
Fri Jun 23 2017 10:06:00.0000	1623	1263
Fri Jun 23 2017 10:07:00.0000	1624	1143
Fri Jun 23 2017 10:08:00.0000	1626	1252
Fri Jun 23 2017 10:09:00.0000	1631	1281
Fri Jun 23 2017 10:10:00.0000	1630	1334
Fri Jun 23 2017 10:11:00.0000	1628	1267
Fri Jun 23 2017 10:12:00.0000	1632	1213
Fri Jun 23 2017 10:13:00.0000	1634	1318
Fri Jun 23 2017 10:14:00.0000	1625	1259
Fri Jun 23 2017 10:15:00.0000	1617	1266
Fri Jun 23 2017 10:16:00.0000	1614	1171
Fri Jun 23 2017 10:17:00.0000	1610	1150
Fri Jun 23 2017 10:18:00.0000	1608	1341
Fri Jun 23 2017 10:19:00.0000	1604	1302
Fri Jun 23 2017 10:20:00.0000	1602	1230
Fri Jun 23 2017 10:21:00.0000	1605	1144
Fri Jun 23 2017 10:22:00.0000	1611	1306
Fri Jun 23 2017 10:23:00.0000	1612	1328
Fri Jun 23 2017 10:24:00.0000	1612	1313
Fri Jun 23 2017 10:25:00.0000	1614	1191
Fri Jun 23 2017 10:26:00.0000	1616	1182
Fri Jun 23 2017 10:27:00.0000	1618	1338
Fri Jun 23 2017 10:28:00.0000	1617	1371
Fri Jun 23 2017 10:29:00.0000	1617	1108
Fri Jun 23 2017 10:30:00.0000	1619	1178
Fri Jun 23 2017 10:31:00.0000	1622	1344
Fri Jun 23 2017 10:32:00.0000	1621	1382
Fri Jun 23 2017 10:33:00.0000	1620	1325
Fri Jun 23 2017 10:34:00.0000	1622	1118
Fri Jun 23 2017 10:35:00.0000	1623	1219
Fri Jun 23 2017 10:36:00.0000	1625	1291
Fri Jun 23 2017 10:37:00.0000	1623	1286
Fri Jun 23 2017 10:38:00.0000	1623	1139
Fri Jun 23 2017 10:39:00.0000	1625	1223
Fri Jun 23 2017 10:40:00.0000	1628	1388
Fri Jun 23 2017 10:41:00.0000	1627	1341
Fri Jun 23 2017 10:42:00.0000	1625	1294
Fri Jun 23 2017 10:43:00.0000	1627	1138
Fri Jun 23 2017 10:44:00.0000	1628	1189
Fri Jun 23 2017 10:45:00.0000	1630	1227

Date/Time	Process Temperature (°F)	Process Flow SCFM
Fri Jun 23 2017 10:46:00.0000	1628	1414
Fri Jun 23 2017 10:47:00.0000	1630	1148
Fri Jun 23 2017 10:48:00.0000	1629	1141
Fri Jun 23 2017 10:49:00.0000	1632	1328
Fri Jun 23 2017 10:50:00.0000	1631	1360
Fri Jun 23 2017 10:51:00.0000	1630	1344
Fri Jun 23 2017 10:52:00.0000	1631	1159
Fri Jun 23 2017 10:53:00.0000	1633	1282
Fri Jun 23 2017 10:54:00.0000	1622	1322
Fri Jun 23 2017 10:55:00.0000	1615	1366
Fri Jun 23 2017 10:56:00.0000	1610	1143
Fri Jun 23 2017 10:57:00.0000	1606	1285
Fri Jun 23 2017 10:58:00.0000	1602	1293
Fri Jun 23 2017 10:59:00.0000	1602	1385
Fri Jun 23 2017 11:00:00.0000	1614	1158
Fri Jun 23 2017 11:01:00.0000	1622	1119
Fri Jun 23 2017 11:02:00.0000	1632	1345
Fri Jun 23 2017 11:03:00.0000	1628	1328
Fri Jun 23 2017 11:04:00.0000	1621	1315
Fri Jun 23 2017 11:05:00.0000	1618	1183
Fri Jun 23 2017 11:06:00.0000	1616	1224
Fri Jun 23 2017 11:07:00.0000	1613	1326
Fri Jun 23 2017 11:08:00.0000	1611	1391
Fri Jun 23 2017 11:09:00.0000	1610	1138
Fri Jun 23 2017 11:10:00.0000	1608	1126
Fri Jun 23 2017 11:11:00.0000	1608	1367
Fri Jun 23 2017 11:12:00.0000	1606	1376
Fri Jun 23 2017 11:13:00.0000	1604	1359
Fri Jun 23 2017 11:14:00.0000	1604	1247
Fri Jun 23 2017 11:15:00.0000	1604	1262
Fri Jun 23 2017 11:16:00.0000	1603	1261
Fri Jun 23 2017 11:17:00.0000	1602	1444
Fri Jun 23 2017 11:18:00.0000	1613	1155
Fri Jun 23 2017 11:19:00.0000	1621	1222
Fri Jun 23 2017 11:20:00.0000	1629	1313
Fri Jun 23 2017 11:21:00.0000	1632	1376
Fri Jun 23 2017 11:22:00.0000	1633	1138
Fri Jun 23 2017 11:23:00.0000	1630	1126
Fri Jun 23 2017 11:24:00.0000	1622	1258
Fri Jun 23 2017 11:25:00.0000	1618	1415
Fri Jun 23 2017 11:26:00.0000	1614	1334
Fri Jun 23 2017 11:27:00.0000	1613	1141
Fri Jun 23 2017 11:28:00.0000	1612	1156
Fri Jun 23 2017 11:29:00.0000	1611	1266
Fri Jun 23 2017 11:30:00.0000	1608	1346
Fri Jun 23 2017 11:31:00.0000	1607	1146
Fri Jun 23 2017 11:32:00.0000	1606	1166
Fri Jun 23 2017 11:33:00.0000	1606	1384
Fri Jun 23 2017 11:34:00.0000	1605	1267
Fri Jun 23 2017 11:35:00.0000	1603	1330
Fri Jun 23 2017 11:36:00.0000	1603	1146
Fri Jun 23 2017 11:37:00.0000	1603	1139
Fri Jun 23 2017 11:38:00.0000	1603	1307
Fri Jun 23 2017 11:39:00.0000	1602	1400
Fri Jun 23 2017 11:40:00.0000	1611	1202
Fri Jun 23 2017 11:41:00.0000	1618	1186
Fri Jun 23 2017 11:42:00.0000	1628	1325

Date/Time	Process Temperature (°F)	Process Flow SCFM
Fri Jun 23 2017 11:43:00.0000	1632	1321
Fri Jun 23 2017 11:44:00.0000	1634	1300
Fri Jun 23 2017 11:45:00.0000	1632	1283
Fri Jun 23 2017 11:46:00.0000	1619	1137
Fri Jun 23 2017 11:47:00.0000	1612	1356
Fri Jun 23 2017 11:48:00.0000	1606	1384
Fri Jun 23 2017 11:49:00.0000	1602	1206
Fri Jun 23 2017 11:50:00.0000	1603	1148
Fri Jun 23 2017 11:51:00.0000	1611	1278
Fri Jun 23 2017 11:52:00.0000	1613	1299
Fri Jun 23 2017 11:53:00.0000	1615	1204
Fri Jun 23 2017 11:54:00.0000	1619	1192
Fri Jun 23 2017 11:55:00.0000	1623	1362
Fri Jun 23 2017 11:56:00.0000	1624	1330
Fri Jun 23 2017 11:57:00.0000	1622	1214
Fri Jun 23 2017 11:58:00.0000	1625	1196
Fri Jun 23 2017 11:59:00.0000	1627	1157
Fri Jun 23 2017 12:00:00.0000	1630	1249
Fri Jun 23 2017 12:01:00.0000	1629	1403
Fri Jun 23 2017 12:02:00.0000	1628	1147
Fri Jun 23 2017 12:03:00.0000	1630	1169
Fri Jun 23 2017 12:04:00.0000	1632	1263
Fri Jun 23 2017 12:05:00.0000	1625	1299
Fri Jun 23 2017 12:06:00.0000	1620	1411
Fri Jun 23 2017 12:07:00.0000	1617	1121
Fri Jun 23 2017 12:08:00.0000	1615	1262
Fri Jun 23 2017 12:09:00.0000	1612	1266
Fri Jun 23 2017 12:10:00.0000	1609	1359
Fri Jun 23 2017 12:11:00.0000	1608	1197
Fri Jun 23 2017 12:12:00.0000	1607	1230
Fri Jun 23 2017 12:13:00.0000	1607	1310
Fri Jun 23 2017 12:14:00.0000	1604	1402
Fri Jun 23 2017 12:15:00.0000	1603	1483
Fri Jun 23 2017 12:16:00.0000	1608	1173
Fri Jun 23 2017 12:17:00.0000	1615	1365
Fri Jun 23 2017 12:18:00.0000	1618	1235
Fri Jun 23 2017 12:19:00.0000	1619	1379
Fri Jun 23 2017 12:20:00.0000	1621	1219
Fri Jun 23 2017 12:21:00.0000	1623	1189
Fri Jun 23 2017 12:22:00.0000	1627	1375
Fri Jun 23 2017 12:23:00.0000	1627	1377
Fri Jun 23 2017 12:24:00.0000	1626	1381
Fri Jun 23 2017 12:25:00.0000	1629	1234
Fri Jun 23 2017 12:26:00.0000	1632	1373
Fri Jun 23 2017 12:27:00.0000	1632	1344
Fri Jun 23 2017 12:28:00.0000	1630	1383
Fri Jun 23 2017 12:29:00.0000	1632	1156
Fri Jun 23 2017 12:30:00.0000	1633	1334
Fri Jun 23 2017 12:31:00.0000	1630	1291
Fri Jun 23 2017 12:32:00.0000	1621	1435
Fri Jun 23 2017 12:33:00.0000	1615	1189
Fri Jun 23 2017 12:34:00.0000	1611	1167
Fri Jun 23 2017 12:35:00.0000	1607	1292
Fri Jun 23 2017 12:36:00.0000	1603	1333
Fri Jun 23 2017 12:37:00.0000	1603	1273
Fri Jun 23 2017 12:38:00.0000	1610	1160
Fri Jun 23 2017 12:39:00.0000	1615	1282

Date/Time	Process Temperature (°F)	Process Flow SCFM
Fri Jun 23 2017 12:40:00.0000	1620	1211
Fri Jun 23 2017 12:41:00.0000	1620	1274
Fri Jun 23 2017 12:42:00.0000	1621	1180
Fri Jun 23 2017 12:43:00.0000	1623	1217
Fri Jun 23 2017 12:44:00.0000	1626	1297
Fri Jun 23 2017 12:45:00.0000	1626	1287
Fri Jun 23 2017 12:46:00.0000	1625	1361
Fri Jun 23 2017 12:47:00.0000	1627	1131
Fri Jun 23 2017 12:48:00.0000	1628	1283
Fri Jun 23 2017 12:49:00.0000	1630	1375
Fri Jun 23 2017 12:50:00.0000	1628	1331
Fri Jun 23 2017 12:51:00.0000	1628	1176
Fri Jun 23 2017 12:52:00.0000	1630	1191
Fri Jun 23 2017 12:53:00.0000	1633	1331
Fri Jun 23 2017 12:54:00.0000	1632	1338
Fri Jun 23 2017 12:55:00.0000	1630	1332
Fri Jun 23 2017 12:56:00.0000	1632	1198
Fri Jun 23 2017 12:57:00.0000	1633	1282
Fri Jun 23 2017 12:58:00.0000	1629	1292
Fri Jun 23 2017 12:59:00.0000	1620	1390
Fri Jun 23 2017 13:00:00.0000	1615	1186
Fri Jun 23 2017 13:01:00.0000	1611	1188
Fri Jun 23 2017 13:02:00.0000	1607	1437
Fri Jun 23 2017 13:03:00.0000	1604	1315
Fri Jun 23 2017 13:04:00.0000	1602	1466
Fri Jun 23 2017 13:05:00.0000	1609	1190
Fri Jun 23 2017 13:06:00.0000	1616	1326
Fri Jun 23 2017 13:07:00.0000	1621	1312
Fri Jun 23 2017 13:08:00.0000	1622	1365
Fri Jun 23 2017 13:09:00.0000	1624	1190
Fri Jun 23 2017 13:10:00.0000	1626	1231
Fri Jun 23 2017 13:11:00.0000	1631	1365
Fri Jun 23 2017 13:12:00.0000	1631	1407
Fri Jun 23 2017 13:13:00.0000	1630	1359
Fri Jun 23 2017 13:14:00.0000	1633	1172
Fri Jun 23 2017 13:15:00.0000	1634	1323
Fri Jun 23 2017 13:16:00.0000	1627	1365
Fri Jun 23 2017 13:17:00.0000	1619	1473
Fri Jun 23 2017 13:18:00.0000	1614	1198
Fri Jun 23 2017 13:19:00.0000	1610	1214
Fri Jun 23 2017 13:20:00.0000	1607	1344
Fri Jun 23 2017 13:21:00.0000	1603	1358
Fri Jun 23 2017 13:22:00.0000	1601	1342
Fri Jun 23 2017 13:23:00.0000	1606	1231
Fri Jun 23 2017 13:24:00.0000	1613	1356
Fri Jun 23 2017 13:25:00.0000	1618	1237
Fri Jun 23 2017 13:26:00.0000	1620	1376
Fri Jun 23 2017 13:27:00.0000	1624	1199
Fri Jun 23 2017 13:28:00.0000	1624	1256
Fri Jun 23 2017 13:29:00.0000	1628	1281
Fri Jun 23 2017 13:30:00.0000	1629	1359
Fri Jun 23 2017 13:31:00.0000	1628	1350
Fri Jun 23 2017 13:32:00.0000	1631	1095
Fri Jun 23 2017 13:33:00.0000	1634	1383
Fri Jun 23 2017 13:34:00.0000	1624	1364
Fri Jun 23 2017 13:35:00.0000	1617	1460
Fri Jun 23 2017 13:36:00.0000	1613	1188

Date/Time	Process Temperature (°F)	Process Flow SCFM
Fri Jun 23 2017 13:37:00.0000	1609	1345
Fri Jun 23 2017 13:38:00.0000	1605	1318
Fri Jun 23 2017 13:39:00.0000	1602	1376
Fri Jun 23 2017 13:40:00.0000	1607	1101
Fri Jun 23 2017 13:41:00.0000	1613	1207
Fri Jun 23 2017 13:42:00.0000	1620	1306
Fri Jun 23 2017 13:43:00.0000	1622	1336
Fri Jun 23 2017 13:44:00.0000	1622	1192
Fri Jun 23 2017 13:45:00.0000	1626	1149
Fri Jun 23 2017 13:46:00.0000	1628	1297
Fri Jun 23 2017 13:47:00.0000	1630	-1
Fri Jun 23 2017 13:48:00.0000	1629	-1
Fri Jun 23 2017 13:49:00.0000	1599	-1
Fri Jun 23 2017 13:50:00.0000	1593	-1
Fri Jun 23 2017 13:51:00.0000	1590	-1
Fri Jun 23 2017 13:52:00.0000	1587	-1
Fri Jun 23 2017 13:53:00.0000	1583	-1
Fri Jun 23 2017 13:54:00.0000	1579	-1
Fri Jun 23 2017 13:55:00.0000	1576	-1
Fri Jun 23 2017 13:56:00.0000	1573	-1
Fri Jun 23 2017 13:57:00.0000	1569	-1
Fri Jun 23 2017 13:58:00.0000	1566	-1
Fri Jun 23 2017 13:59:00.0000	1564	-1
Fri Jun 23 2017 14:00:00.0000	1561	-1
Fri Jun 23 2017 14:01:00.0000	1559	-1
Fri Jun 23 2017 14:02:00.0000	1556	-1
Fri Jun 23 2017 14:03:00.0000	1554	-1
Fri Jun 23 2017 14:04:00.0000	1552	-1
Fri Jun 23 2017 14:05:00.0000	1550	-1
Fri Jun 23 2017 14:06:00.0000	1547	-1
Fri Jun 23 2017 14:07:00.0000	1545	-1
Fri Jun 23 2017 14:08:00.0000	1543	-1
Fri Jun 23 2017 14:09:00.0000	1541	-1
Fri Jun 23 2017 14:10:00.0000	1539	-1
Fri Jun 23 2017 14:11:00.0000	1537	-1
Fri Jun 23 2017 14:12:00.0000	1536	-1
Fri Jun 23 2017 14:13:00.0000	1534	-1
Fri Jun 23 2017 14:14:00.0000	1532	-1
Fri Jun 23 2017 14:15:00.0000	1530	-1
Fri Jun 23 2017 14:16:00.0000	1529	-1
Fri Jun 23 2017 14:17:00.0000	1527	-1
Fri Jun 23 2017 14:18:00.0000	1525	-1
Fri Jun 23 2017 14:19:00.0000	1524	-1
Fri Jun 23 2017 14:20:00.0000	1522	-1
Fri Jun 23 2017 14:21:00.0000	1520	-1
Fri Jun 23 2017 14:22:00.0000	1519	-1
Fri Jun 23 2017 14:23:00.0000	1517	-1
Fri Jun 23 2017 14:24:00.0000	1516	-1
Fri Jun 23 2017 14:25:00.0000	1516	-1
Fri Jun 23 2017 14:26:00.0000	1515	-1
Fri Jun 23 2017 14:27:00.0000	1515	-1
Fri Jun 23 2017 14:28:00.0000	1515	-1
Fri Jun 23 2017 14:29:00.0000	1515	-1
Fri Jun 23 2017 14:30:00.0000	1514	-1
Fri Jun 23 2017 14:31:00.0000	1514	-1
Fri Jun 23 2017 14:32:00.0000	1514	-1
Fri Jun 23 2017 14:33:00.0000	1514	-1

Date/Time	Process Temperature (°F)	Process Flow SCFM
Fri Jun 23 2017 14:34:00.0000	1513	-1
Fri Jun 23 2017 14:35:00.0000	1513	-1
Fri Jun 23 2017 14:36:00.0000	1513	-1
Fri Jun 23 2017 14:37:00.0000	1512	-1
Fri Jun 23 2017 14:38:00.0000	1512	-1
Fri Jun 23 2017 14:39:00.0000	1512	-1
Fri Jun 23 2017 14:40:00.0000	1512	-1
Fri Jun 23 2017 14:41:00.0000	1511	-1
Fri Jun 23 2017 14:42:00.0000	1511	-1
Fri Jun 23 2017 14:43:00.0000	1511	-1
Fri Jun 23 2017 14:44:00.0000	1511	-1
Fri Jun 23 2017 14:45:00.0000	1511	-1
Fri Jun 23 2017 14:46:00.0000	1510	-1
Fri Jun 23 2017 14:47:00.0000	1510	-1
Fri Jun 23 2017 14:48:00.0000	1510	-1
Fri Jun 23 2017 14:49:00.0000	1509	-1
Fri Jun 23 2017 14:50:00.0000	1509	-1
Fri Jun 23 2017 14:51:00.0000	1509	-1
Fri Jun 23 2017 14:52:00.0000	1508	-1
Fri Jun 23 2017 14:53:00.0000	1508	-1
Fri Jun 23 2017 14:54:00.0000	1508	-1
Fri Jun 23 2017 14:55:00.0000	1507	-1
Fri Jun 23 2017 14:56:00.0000	1507	-1
Fri Jun 23 2017 14:57:00.0000	1507	-1
Fri Jun 23 2017 14:58:00.0000	1507	-1
Fri Jun 23 2017 14:59:00.0000	1507	-1
Fri Jun 23 2017 15:00:00.0000	1506	-1
Fri Jun 23 2017 15:01:00.0000	1506	-1
Fri Jun 23 2017 15:02:00.0000	1506	-1
Fri Jun 23 2017 15:03:00.0000	1506	-1
Fri Jun 23 2017 15:04:00.0000	1505	-1
Fri Jun 23 2017 15:05:00.0000	1505	-1
Fri Jun 23 2017 15:06:00.0000	1505	-1
Fri Jun 23 2017 15:07:00.0000	1505	-1
Fri Jun 23 2017 15:08:00.0000	1504	-1
Fri Jun 23 2017 15:09:00.0000	1504	-1
Fri Jun 23 2017 15:10:00.0000	1504	-1
Fri Jun 23 2017 15:11:00.0000	1503	-1
Fri Jun 23 2017 15:12:00.0000	1503	-1
Fri Jun 23 2017 15:13:00.0000	1503	-1
Fri Jun 23 2017 15:14:00.0000	1502	-1
Fri Jun 23 2017 15:15:00.0000	1502	-1
Fri Jun 23 2017 15:16:00.0000	1502	-1
Fri Jun 23 2017 15:17:00.0000	1502	-1
Fri Jun 23 2017 15:18:00.0000	1502	-1
Fri Jun 23 2017 15:19:00.0000	1502	-1
Fri Jun 23 2017 15:20:00.0000	1502	-1
Fri Jun 23 2017 15:21:00.0000	1501	-1
Fri Jun 23 2017 15:22:00.0000	1501	-1
Fri Jun 23 2017 15:23:00.0000	1500	-1
Fri Jun 23 2017 15:24:00.0000	1500	-1
Fri Jun 23 2017 15:25:00.0000	1500	-1
Fri Jun 23 2017 15:26:00.0000	1499	-1
Fri Jun 23 2017 15:27:00.0000	1499	-1
Fri Jun 23 2017 15:28:00.0000	1499	-1
Fri Jun 23 2017 15:29:00.0000	1498	-1
Fri Jun 23 2017 15:30:00.0000	1498	-1

Date/Time	Process Temperature (°F)	Process Flow SCFM
Fri Jun 23 2017 15:31:00.0000	1498	-1
Fri Jun 23 2017 15:32:00.0000	1497	-1
Fri Jun 23 2017 15:33:00.0000	1497	-1
Fri Jun 23 2017 15:34:00.0000	1497	-1
Fri Jun 23 2017 15:35:00.0000	1497	-1
Fri Jun 23 2017 15:36:00.0000	1496	-1
Fri Jun 23 2017 15:37:00.0000	1496	-1
Fri Jun 23 2017 15:38:00.0000	1496	-1
Fri Jun 23 2017 15:39:00.0000	1496	-1
Fri Jun 23 2017 15:40:00.0000	1495	-1
Fri Jun 23 2017 15:41:00.0000	1495	-1
Fri Jun 23 2017 15:42:00.0000	1495	-1
Fri Jun 23 2017 15:43:00.0000	1495	-1
Fri Jun 23 2017 15:44:00.0000	1494	-1
Fri Jun 23 2017 15:45:00.0000	1494	-1
Fri Jun 23 2017 15:46:00.0000	1494	-1
Fri Jun 23 2017 15:47:00.0000	1493	-1
Fri Jun 23 2017 15:48:00.0000	1493	-1
Fri Jun 23 2017 15:49:00.0000	1493	-1
Fri Jun 23 2017 15:50:00.0000	1492	-1
Fri Jun 23 2017 15:51:00.0000	1492	-1
Fri Jun 23 2017 15:52:00.0000	1492	-1
Fri Jun 23 2017 15:53:00.0000	1491	-1
Fri Jun 23 2017 15:54:00.0000	1491	-1
Fri Jun 23 2017 15:55:00.0000	1491	-1
Fri Jun 23 2017 15:56:00.0000	1490	-1
Fri Jun 23 2017 15:57:00.0000	1490	-1
Fri Jun 23 2017 15:58:00.0000	1490	-1
Fri Jun 23 2017 15:59:00.0000	1490	-1
Fri Jun 23 2017 16:00:00.0000	1489	-1
Fri Jun 23 2017 16:01:00.0000	1489	-1
Fri Jun 23 2017 16:02:00.0000	1489	-1
Fri Jun 23 2017 16:03:00.0000	1489	-1
Fri Jun 23 2017 16:04:00.0000	1488	-1
Fri Jun 23 2017 16:05:00.0000	1488	-1
Fri Jun 23 2017 16:06:00.0000	1488	-1
Fri Jun 23 2017 16:07:00.0000	1487	-1
Fri Jun 23 2017 16:08:00.0000	1487	-1
Fri Jun 23 2017 16:09:00.0000	1487	-1
Fri Jun 23 2017 16:10:00.0000	1487	-1
Fri Jun 23 2017 16:11:00.0000	1486	-1
Fri Jun 23 2017 16:12:00.0000	1486	-1
Fri Jun 23 2017 16:13:00.0000	1486	-1
Fri Jun 23 2017 16:14:00.0000	1485	-1
Fri Jun 23 2017 16:15:00.0000	1485	-1
Fri Jun 23 2017 16:16:00.0000	1485	-1
Fri Jun 23 2017 16:17:00.0000	1485	-1
Fri Jun 23 2017 16:18:00.0000	1484	-1
Fri Jun 23 2017 16:19:00.0000	1484	-1
Fri Jun 23 2017 16:20:00.0000	1484	-1
Fri Jun 23 2017 16:21:00.0000	1483	-1
Fri Jun 23 2017 16:22:00.0000	1483	-1
Fri Jun 23 2017 16:23:00.0000	1483	-1
Fri Jun 23 2017 16:24:00.0000	1483	-1
Fri Jun 23 2017 16:25:00.0000	1482	-1
Fri Jun 23 2017 16:26:00.0000	1482	-1
Fri Jun 23 2017 16:27:00.0000	1481	-1

Date/Time	Process Temperature (°F)	Process Flow SCFM
Fri Jun 23 2017 16:28:00.0000	1481	-1
Fri Jun 23 2017 16:29:00.0000	1481	-1
Fri Jun 23 2017 16:30:00.0000	1480	-1
Fri Jun 23 2017 16:31:00.0000	1480	-1
Fri Jun 23 2017 16:32:00.0000	1480	-1
Fri Jun 23 2017 16:33:00.0000	1480	-1
Fri Jun 23 2017 16:34:00.0000	1479	-1
Fri Jun 23 2017 16:35:00.0000	1479	-1
Fri Jun 23 2017 16:36:00.0000	1479	-1
Fri Jun 23 2017 16:37:00.0000	1478	-1
Fri Jun 23 2017 16:38:00.0000	1478	-1
Fri Jun 23 2017 16:39:00.0000	1478	-1
Fri Jun 23 2017 16:40:00.0000	1478	-1
Fri Jun 23 2017 16:41:00.0000	1477	-1
Fri Jun 23 2017 16:42:00.0000	1477	-1
Fri Jun 23 2017 16:43:00.0000	1477	-1
Fri Jun 23 2017 16:44:00.0000	1477	-1
Fri Jun 23 2017 16:45:00.0000	1476	-1
Fri Jun 23 2017 16:46:00.0000	1476	-1
Fri Jun 23 2017 16:47:00.0000	1475	-1
Fri Jun 23 2017 16:48:00.0000	1475	-1
Fri Jun 23 2017 16:49:00.0000	1475	-1
Fri Jun 23 2017 16:50:00.0000	1474	-1
Fri Jun 23 2017 16:51:00.0000	1474	-1
Fri Jun 23 2017 16:52:00.0000	1474	-1
Fri Jun 23 2017 16:53:00.0000	1473	-1
Fri Jun 23 2017 16:54:00.0000	1473	-1
Fri Jun 23 2017 16:55:00.0000	1473	-1
Fri Jun 23 2017 16:56:00.0000	1472	-1
Fri Jun 23 2017 16:57:00.0000	1472	-1
Fri Jun 23 2017 16:58:00.0000	1472	-1
Fri Jun 23 2017 16:59:00.0000	1471	-1
Fri Jun 23 2017 17:00:00.0000	1471	-1
Fri Jun 23 2017 17:01:00.0000	1471	-1
Fri Jun 23 2017 17:02:00.0000	1470	-1
Fri Jun 23 2017 17:03:00.0000	1470	-1
Fri Jun 23 2017 17:04:00.0000	1470	-1
Fri Jun 23 2017 17:05:00.0000	1470	-1
Fri Jun 23 2017 17:06:00.0000	1469	-1
Fri Jun 23 2017 17:07:00.0000	1469	-1
Fri Jun 23 2017 17:08:00.0000	1469	-1
Fri Jun 23 2017 17:09:00.0000	1468	-1
Fri Jun 23 2017 17:10:00.0000	1468	-1
Fri Jun 23 2017 17:11:00.0000	1468	-1
Fri Jun 23 2017 17:12:00.0000	1467	-1
Fri Jun 23 2017 17:13:00.0000	1467	-1
Fri Jun 23 2017 17:14:00.0000	1467	-1
Fri Jun 23 2017 17:15:00.0000	1466	-1
Fri Jun 23 2017 17:16:00.0000	1466	-1
Fri Jun 23 2017 17:17:00.0000	1466	-1
Fri Jun 23 2017 17:18:00.0000	1465	-1
Fri Jun 23 2017 17:19:00.0000	1465	-1
Fri Jun 23 2017 17:20:00.0000	1465	-1
Fri Jun 23 2017 17:21:00.0000	1464	-1
Fri Jun 23 2017 17:22:00.0000	1464	-1
Fri Jun 23 2017 17:23:00.0000	1464	-1
Fri Jun 23 2017 17:24:00.0000	1463	-1

Date/Time	Process Temperature (°F)	Process Flow SCFM
Fri Jun 23 2017 17:25:00.0000	1463	-1
Fri Jun 23 2017 17:26:00.0000	1463	-1
Fri Jun 23 2017 17:27:00.0000	1462	-1
Fri Jun 23 2017 17:28:00.0000	1462	-1
Fri Jun 23 2017 17:29:00.0000	1462	-1
Fri Jun 23 2017 17:30:00.0000	1462	-1
Fri Jun 23 2017 17:31:00.0000	1461	-1
Fri Jun 23 2017 17:32:00.0000	1461	-1
Fri Jun 23 2017 17:33:00.0000	1461	-1
Fri Jun 23 2017 17:34:00.0000	1460	-1
Fri Jun 23 2017 17:35:00.0000	1460	-1
Fri Jun 23 2017 17:36:00.0000	1460	-1
Fri Jun 23 2017 17:37:00.0000	1459	-1
Fri Jun 23 2017 17:38:00.0000	1459	-1
Fri Jun 23 2017 17:39:00.0000	1459	-1
Fri Jun 23 2017 17:40:00.0000	1458	-1
Fri Jun 23 2017 17:41:00.0000	1458	-1
Fri Jun 23 2017 17:42:00.0000	1458	-1
Fri Jun 23 2017 17:43:00.0000	1457	-1
Fri Jun 23 2017 17:44:00.0000	1457	-1
Fri Jun 23 2017 17:45:00.0000	1456	-1
Fri Jun 23 2017 17:46:00.0000	1456	-1
Fri Jun 23 2017 17:47:00.0000	1456	-1
Fri Jun 23 2017 17:48:00.0000	1455	-1
Fri Jun 23 2017 17:49:00.0000	1455	-1
Fri Jun 23 2017 17:50:00.0000	1455	-1
Fri Jun 23 2017 17:51:00.0000	1454	-1
Fri Jun 23 2017 17:52:00.0000	1454	-1
Fri Jun 23 2017 17:53:00.0000	1454	-1
Fri Jun 23 2017 17:54:00.0000	1453	-1
Fri Jun 23 2017 17:55:00.0000	1453	-1
Fri Jun 23 2017 17:56:00.0000	1453	-1
Fri Jun 23 2017 17:57:00.0000	1452	-1
Fri Jun 23 2017 17:58:00.0000	1452	-1
Fri Jun 23 2017 17:59:00.0000	1452	-1
Fri Jun 23 2017 18:00:00.0000	1451	-1
Fri Jun 23 2017 18:01:00.0000	1451	-1
Fri Jun 23 2017 18:02:00.0000	1451	-1
Fri Jun 23 2017 18:03:00.0000	1451	-1
Fri Jun 23 2017 18:04:00.0000	1450	-1
Fri Jun 23 2017 18:05:00.0000	1450	-1
Fri Jun 23 2017 18:06:00.0000	1450	-1
Fri Jun 23 2017 18:07:00.0000	1449	-1
Fri Jun 23 2017 18:08:00.0000	1449	-1
Fri Jun 23 2017 18:09:00.0000	1449	-1
Fri Jun 23 2017 18:10:00.0000	1448	-1
Fri Jun 23 2017 18:11:00.0000	1448	-1
Fri Jun 23 2017 18:12:00.0000	1448	-1
Fri Jun 23 2017 18:13:00.0000	1447	-1
Fri Jun 23 2017 18:14:00.0000	1447	-1
Fri Jun 23 2017 18:15:00.0000	1446	-1
Fri Jun 23 2017 18:16:00.0000	1446	-1
Fri Jun 23 2017 18:17:00.0000	1446	-1
Fri Jun 23 2017 18:18:00.0000	1445	-1
Fri Jun 23 2017 18:19:00.0000	1445	-1
Fri Jun 23 2017 18:20:00.0000	1445	-1
Fri Jun 23 2017 18:21:00.0000	1444	-1

Date/Time	Process Temperature (°F)	Process Flow SCFM
Fri Jun 23 2017 18:22:00.0000	1444	-1
Fri Jun 23 2017 18:23:00.0000	1443	-1
Fri Jun 23 2017 18:24:00.0000	1443	-1
Fri Jun 23 2017 18:25:00.0000	1443	-1
Fri Jun 23 2017 18:26:00.0000	1442	-1
Fri Jun 23 2017 18:27:00.0000	1442	-1
Fri Jun 23 2017 18:28:00.0000	1442	-1
Fri Jun 23 2017 18:29:00.0000	1441	-1
Fri Jun 23 2017 18:30:00.0000	1441	-1
Fri Jun 23 2017 18:31:00.0000	1441	-1
Fri Jun 23 2017 18:32:00.0000	1440	-1
Fri Jun 23 2017 18:33:00.0000	1440	-1
Fri Jun 23 2017 18:34:00.0000	1440	-1
Fri Jun 23 2017 18:35:00.0000	1439	-1
Fri Jun 23 2017 18:36:00.0000	1439	-1
Fri Jun 23 2017 18:37:00.0000	1439	-1
Fri Jun 23 2017 18:38:00.0000	1438	-1
Fri Jun 23 2017 18:39:00.0000	1438	-1
Fri Jun 23 2017 18:40:00.0000	1438	-1
Fri Jun 23 2017 18:41:00.0000	1437	-1
Fri Jun 23 2017 18:42:00.0000	1437	-1
Fri Jun 23 2017 18:43:00.0000	1437	-1
Fri Jun 23 2017 18:44:00.0000	1436	-1
Fri Jun 23 2017 18:45:00.0000	1436	-1
Fri Jun 23 2017 18:46:00.0000	1436	-1
Fri Jun 23 2017 18:47:00.0000	1435	-1
Fri Jun 23 2017 18:48:00.0000	1435	-1
Fri Jun 23 2017 18:49:00.0000	1435	-1
Fri Jun 23 2017 18:50:00.0000	1434	-1
Fri Jun 23 2017 18:51:00.0000	1434	-1
Fri Jun 23 2017 18:52:00.0000	1434	-1
Fri Jun 23 2017 18:53:00.0000	1433	-1
Fri Jun 23 2017 18:54:00.0000	1433	-1
Fri Jun 23 2017 18:55:00.0000	1432	-1
Fri Jun 23 2017 18:56:00.0000	1432	-1
Fri Jun 23 2017 18:57:00.0000	1432	-1
Fri Jun 23 2017 18:58:00.0000	1431	-1
Fri Jun 23 2017 18:59:00.0000	1431	-1
Fri Jun 23 2017 19:00:00.0000	1431	-1
Fri Jun 23 2017 19:01:00.0000	1430	-1
Fri Jun 23 2017 19:02:00.0000	1430	-1
Fri Jun 23 2017 19:03:00.0000	1429	-1
Fri Jun 23 2017 19:04:00.0000	1429	-1
Fri Jun 23 2017 19:05:00.0000	1429	-1
Fri Jun 23 2017 19:06:00.0000	1428	-1
Fri Jun 23 2017 19:07:00.0000	1428	-1
Fri Jun 23 2017 19:08:00.0000	1428	-1
Fri Jun 23 2017 19:09:00.0000	1427	-1
Fri Jun 23 2017 19:10:00.0000	1427	-1
Fri Jun 23 2017 19:11:00.0000	1427	-1
Fri Jun 23 2017 19:12:00.0000	1426	-1
Fri Jun 23 2017 19:13:00.0000	1426	-1
Fri Jun 23 2017 19:14:00.0000	1426	-1
Fri Jun 23 2017 19:15:00.0000	1425	-1
Fri Jun 23 2017 19:16:00.0000	1425	-1
Fri Jun 23 2017 19:17:00.0000	1425	-1
Fri Jun 23 2017 19:18:00.0000	1424	-1

Date/Time	Process Temperature (°F)	Process Flow SCFM
Fri Jun 23 2017 19:19:00.0000	1424	-1
Fri Jun 23 2017 19:20:00.0000	1423	-1
Fri Jun 23 2017 19:21:00.0000	1423	-1
Fri Jun 23 2017 19:22:00.0000	1423	-1
Fri Jun 23 2017 19:23:00.0000	1422	-1
Fri Jun 23 2017 19:24:00.0000	1422	-1
Fri Jun 23 2017 19:25:00.0000	1422	-1
Fri Jun 23 2017 19:26:00.0000	1421	-1
Fri Jun 23 2017 19:27:00.0000	1421	-1
Fri Jun 23 2017 19:28:00.0000	1421	-1
Fri Jun 23 2017 19:29:00.0000	1420	-1
Fri Jun 23 2017 19:30:00.0000	1420	-1
Fri Jun 23 2017 19:31:00.0000	1420	-1
Fri Jun 23 2017 19:32:00.0000	1419	-1
Fri Jun 23 2017 19:33:00.0000	1419	-1
Fri Jun 23 2017 19:34:00.0000	1419	-1
Fri Jun 23 2017 19:35:00.0000	1418	-1
Fri Jun 23 2017 19:36:00.0000	1418	-1
Fri Jun 23 2017 19:37:00.0000	1417	-1
Fri Jun 23 2017 19:38:00.0000	1417	-1
Fri Jun 23 2017 19:39:00.0000	1417	-1
Fri Jun 23 2017 19:40:00.0000	1416	-1
Fri Jun 23 2017 19:41:00.0000	1416	-1
Fri Jun 23 2017 19:42:00.0000	1416	-1
Fri Jun 23 2017 19:43:00.0000	1415	-1
Fri Jun 23 2017 19:44:00.0000	1415	-1
Fri Jun 23 2017 19:45:00.0000	1415	-1
Fri Jun 23 2017 19:46:00.0000	1414	-1
Fri Jun 23 2017 19:47:00.0000	1414	-1
Fri Jun 23 2017 19:48:00.0000	1413	0
Fri Jun 23 2017 19:49:00.0000	1413	-1
Fri Jun 23 2017 19:50:00.0000	1413	0
Fri Jun 23 2017 19:51:00.0000	1412	-1
Fri Jun 23 2017 19:52:00.0000	1412	-1
Fri Jun 23 2017 19:53:00.0000	1412	-1
Fri Jun 23 2017 19:54:00.0000	1411	-1
Fri Jun 23 2017 19:55:00.0000	1411	-1
Fri Jun 23 2017 19:56:00.0000	1411	-1
Fri Jun 23 2017 19:57:00.0000	1410	-1
Fri Jun 23 2017 19:58:00.0000	1410	0
Fri Jun 23 2017 19:59:00.0000	1409	-1
Fri Jun 23 2017 20:00:00.0000	1409	0
Fri Jun 23 2017 20:01:00.0000	1409	-1
Fri Jun 23 2017 20:02:00.0000	1408	0
Fri Jun 23 2017 20:03:00.0000	1408	-1
Fri Jun 23 2017 20:04:00.0000	1408	-1
Fri Jun 23 2017 20:05:00.0000	1407	-1
Fri Jun 23 2017 20:06:00.0000	1407	-1
Fri Jun 23 2017 20:07:00.0000	1407	-1
Fri Jun 23 2017 20:08:00.0000	1406	-1
Fri Jun 23 2017 20:09:00.0000	1406	-1
Fri Jun 23 2017 20:10:00.0000	1406	0
Fri Jun 23 2017 20:11:00.0000	1405	-1
Fri Jun 23 2017 20:12:00.0000	1405	-1
Fri Jun 23 2017 20:13:00.0000	1405	0
Fri Jun 23 2017 20:14:00.0000	1404	-1
Fri Jun 23 2017 20:15:00.0000	1404	-1

Date/Time	Process Temperature (°F)	Process Flow SCFM
Fri Jun 23 2017 20:16:00.0000	1404	0
Fri Jun 23 2017 20:17:00.0000	1403	0
Fri Jun 23 2017 20:18:00.0000	1403	-1
Fri Jun 23 2017 20:19:00.0000	1402	-1
Fri Jun 23 2017 20:20:00.0000	1402	-1
Fri Jun 23 2017 20:21:00.0000	1402	-1
Fri Jun 23 2017 20:22:00.0000	1401	-1
Fri Jun 23 2017 20:23:00.0000	1401	-1
Fri Jun 23 2017 20:24:00.0000	1401	0
Fri Jun 23 2017 20:25:00.0000	1400	-1
Fri Jun 23 2017 20:26:00.0000	1400	-1
Fri Jun 23 2017 20:27:00.0000	1399	-1
Fri Jun 23 2017 20:28:00.0000	1399	0
Fri Jun 23 2017 20:29:00.0000	1399	-1
Fri Jun 23 2017 20:30:00.0000	1398	-1
Fri Jun 23 2017 20:31:00.0000	1398	0
Fri Jun 23 2017 20:32:00.0000	1398	-1
Fri Jun 23 2017 20:33:00.0000	1397	-1
Fri Jun 23 2017 20:34:00.0000	1397	-1
Fri Jun 23 2017 20:35:00.0000	1396	-1
Fri Jun 23 2017 20:36:00.0000	1395	-1
Fri Jun 23 2017 20:37:00.0000	1395	-1
Fri Jun 23 2017 20:38:00.0000	1395	-1
Fri Jun 23 2017 20:39:00.0000	1395	-1
Fri Jun 23 2017 20:40:00.0000	1395	-1
Fri Jun 23 2017 20:41:00.0000	1394	0
Fri Jun 23 2017 20:42:00.0000	1394	0
Fri Jun 23 2017 20:43:00.0000	1393	0
Fri Jun 23 2017 20:44:00.0000	1393	0
Fri Jun 23 2017 20:45:00.0000	1393	0
Fri Jun 23 2017 20:46:00.0000	1392	0
Fri Jun 23 2017 20:47:00.0000	1392	-1
Fri Jun 23 2017 20:48:00.0000	1392	0
Fri Jun 23 2017 20:49:00.0000	1391	0
Fri Jun 23 2017 20:50:00.0000	1391	0
Fri Jun 23 2017 20:51:00.0000	1391	0
Fri Jun 23 2017 20:52:00.0000	1390	0
Fri Jun 23 2017 20:53:00.0000	1390	0
Fri Jun 23 2017 20:54:00.0000	1389	0
Fri Jun 23 2017 20:55:00.0000	1389	0
Fri Jun 23 2017 20:56:00.0000	1389	0
Fri Jun 23 2017 20:57:00.0000	1388	0
Fri Jun 23 2017 20:58:00.0000	1388	0
Fri Jun 23 2017 20:59:00.0000	1388	0
Fri Jun 23 2017 21:00:00.0000	1387	0
Fri Jun 23 2017 21:01:00.0000	1387	0
Fri Jun 23 2017 21:02:00.0000	1387	0
Fri Jun 23 2017 21:03:00.0000	1386	0
Fri Jun 23 2017 21:04:00.0000	1386	0
Fri Jun 23 2017 21:05:00.0000	1386	0
Fri Jun 23 2017 21:06:00.0000	1385	0
Fri Jun 23 2017 21:07:00.0000	1385	0
Fri Jun 23 2017 21:08:00.0000	1385	0
Fri Jun 23 2017 21:09:00.0000	1383	0
Fri Jun 23 2017 21:10:00.0000	1383	0
Fri Jun 23 2017 21:11:00.0000	1383	0
Fri Jun 23 2017 21:12:00.0000	1383	0

Date/Time	Process Temperature (°F)	Process Flow SCFM
Fri Jun 23 2017 21:13:00.0000	1383	0
Fri Jun 23 2017 21:14:00.0000	1382	0
Fri Jun 23 2017 21:15:00.0000	1382	0
Fri Jun 23 2017 21:16:00.0000	1382	0
Fri Jun 23 2017 21:17:00.0000	1381	0
Fri Jun 23 2017 21:18:00.0000	1381	0
Fri Jun 23 2017 21:19:00.0000	1381	0
Fri Jun 23 2017 21:20:00.0000	1380	0
Fri Jun 23 2017 21:21:00.0000	1380	0
Fri Jun 23 2017 21:22:00.0000	1380	0
Fri Jun 23 2017 21:23:00.0000	1379	0
Fri Jun 23 2017 21:24:00.0000	1379	0
Fri Jun 23 2017 21:25:00.0000	1379	0
Fri Jun 23 2017 21:26:00.0000	1378	0
Fri Jun 23 2017 21:27:00.0000	1378	0
Fri Jun 23 2017 21:28:00.0000	1377	0
Fri Jun 23 2017 21:29:00.0000	1377	0
Fri Jun 23 2017 21:30:00.0000	1377	0
Fri Jun 23 2017 21:31:00.0000	1376	0
Fri Jun 23 2017 21:32:00.0000	1376	0
Fri Jun 23 2017 21:33:00.0000	1376	0
Fri Jun 23 2017 21:34:00.0000	1375	0
Fri Jun 23 2017 21:35:00.0000	1375	0
Fri Jun 23 2017 21:36:00.0000	1374	0
Fri Jun 23 2017 21:37:00.0000	1374	0
Fri Jun 23 2017 21:38:00.0000	1374	0
Fri Jun 23 2017 21:39:00.0000	1373	0
Fri Jun 23 2017 21:40:00.0000	1373	0
Fri Jun 23 2017 21:41:00.0000	1373	0
Fri Jun 23 2017 21:42:00.0000	1372	0
Fri Jun 23 2017 21:43:00.0000	1371	0
Fri Jun 23 2017 21:44:00.0000	1371	0
Fri Jun 23 2017 21:45:00.0000	1371	0
Fri Jun 23 2017 21:46:00.0000	1371	0
Fri Jun 23 2017 21:47:00.0000	1370	0
Fri Jun 23 2017 21:48:00.0000	1370	0
Fri Jun 23 2017 21:49:00.0000	1370	0
Fri Jun 23 2017 21:50:00.0000	1369	0
Fri Jun 23 2017 21:51:00.0000	1369	0
Fri Jun 23 2017 21:52:00.0000	1369	0
Fri Jun 23 2017 21:53:00.0000	1368	0
Fri Jun 23 2017 21:54:00.0000	1368	0
Fri Jun 23 2017 21:55:00.0000	1367	0
Fri Jun 23 2017 21:56:00.0000	1366	0
Fri Jun 23 2017 21:57:00.0000	1366	0
Fri Jun 23 2017 21:58:00.0000	1366	0
Fri Jun 23 2017 21:59:00.0000	1366	0
Fri Jun 23 2017 22:00:00.0000	1366	0
Fri Jun 23 2017 22:01:00.0000	1365	0
Fri Jun 23 2017 22:02:00.0000	1364	0
Fri Jun 23 2017 22:03:00.0000	1364	0
Fri Jun 23 2017 22:04:00.0000	1364	0
Fri Jun 23 2017 22:05:00.0000	1363	0
Fri Jun 23 2017 22:06:00.0000	1363	0
Fri Jun 23 2017 22:07:00.0000	1363	0
Fri Jun 23 2017 22:08:00.0000	1363	0
Fri Jun 23 2017 22:09:00.0000	1362	0

Date/Time	Process Temperature (°F)	Process Flow SCFM
Fri Jun 23 2017 22:10:00.0000	1362	0
Fri Jun 23 2017 22:11:00.0000	1362	0
Fri Jun 23 2017 22:12:00.0000	1361	0
Fri Jun 23 2017 22:13:00.0000	1360	0
Fri Jun 23 2017 22:14:00.0000	1360	0
Fri Jun 23 2017 22:15:00.0000	1360	0
Fri Jun 23 2017 22:16:00.0000	1359	0
Fri Jun 23 2017 22:17:00.0000	1359	0
Fri Jun 23 2017 22:18:00.0000	1359	0
Fri Jun 23 2017 22:19:00.0000	1359	0
Fri Jun 23 2017 22:20:00.0000	1359	0
Fri Jun 23 2017 22:21:00.0000	1358	0
Fri Jun 23 2017 22:22:00.0000	1358	0
Fri Jun 23 2017 22:23:00.0000	1358	0
Fri Jun 23 2017 22:24:00.0000	1357	0
Fri Jun 23 2017 22:25:00.0000	1357	0
Fri Jun 23 2017 22:26:00.0000	1357	0
Fri Jun 23 2017 22:27:00.0000	1356	0
Fri Jun 23 2017 22:28:00.0000	1356	0
Fri Jun 23 2017 22:29:00.0000	1356	0
Fri Jun 23 2017 22:30:00.0000	1354	0
Fri Jun 23 2017 22:31:00.0000	1354	0
Fri Jun 23 2017 22:32:00.0000	1354	0
Fri Jun 23 2017 22:33:00.0000	1354	0
Fri Jun 23 2017 22:34:00.0000	1354	0
Fri Jun 23 2017 22:35:00.0000	1353	0
Fri Jun 23 2017 22:36:00.0000	1353	0
Fri Jun 23 2017 22:37:00.0000	1353	0
Fri Jun 23 2017 22:38:00.0000	1352	0
Fri Jun 23 2017 22:39:00.0000	1352	0
Fri Jun 23 2017 22:40:00.0000	1352	0
Fri Jun 23 2017 22:41:00.0000	1351	0
Fri Jun 23 2017 22:42:00.0000	1351	0
Fri Jun 23 2017 22:43:00.0000	1351	0
Fri Jun 23 2017 22:44:00.0000	1350	0
Fri Jun 23 2017 22:45:00.0000	1349	0
Fri Jun 23 2017 22:46:00.0000	1349	0
Fri Jun 23 2017 22:47:00.0000	1349	0
Fri Jun 23 2017 22:48:00.0000	1348	0
Fri Jun 23 2017 22:49:00.0000	1348	0
Fri Jun 23 2017 22:50:00.0000	1347	0
Fri Jun 23 2017 22:51:00.0000	1347	0
Fri Jun 23 2017 22:52:00.0000	1347	0
Fri Jun 23 2017 22:53:00.0000	1347	0
Fri Jun 23 2017 22:54:00.0000	1347	0
Fri Jun 23 2017 22:55:00.0000	1346	0
Fri Jun 23 2017 22:56:00.0000	1345	0
Fri Jun 23 2017 22:57:00.0000	1345	0
Fri Jun 23 2017 22:58:00.0000	1345	0
Fri Jun 23 2017 22:59:00.0000	1345	0
Fri Jun 23 2017 23:00:00.0000	1345	0
Fri Jun 23 2017 23:01:00.0000	1344	0
Fri Jun 23 2017 23:02:00.0000	1344	0
Fri Jun 23 2017 23:03:00.0000	1343	0
Fri Jun 23 2017 23:04:00.0000	1342	0
Fri Jun 23 2017 23:05:00.0000	1342	0
Fri Jun 23 2017 23:06:00.0000	1342	0

Date/Time	Process Temperature (°F)	Process Flow SCFM
Fri Jun 23 2017 23:07:00.0000	1341	0
Fri Jun 23 2017 23:08:00.0000	1341	0
Fri Jun 23 2017 23:09:00.0000	1341	0
Fri Jun 23 2017 23:10:00.0000	1340	0
Fri Jun 23 2017 23:11:00.0000	1340	0
Fri Jun 23 2017 23:12:00.0000	1340	0
Fri Jun 23 2017 23:13:00.0000	1340	0
Fri Jun 23 2017 23:14:00.0000	1339	0
Fri Jun 23 2017 23:15:00.0000	1339	0
Fri Jun 23 2017 23:16:00.0000	1339	0
Fri Jun 23 2017 23:17:00.0000	1338	0
Fri Jun 23 2017 23:18:00.0000	1337	0
Fri Jun 23 2017 23:19:00.0000	1337	0
Fri Jun 23 2017 23:20:00.0000	1337	0
Fri Jun 23 2017 23:21:00.0000	1337	0
Fri Jun 23 2017 23:22:00.0000	1337	0
Fri Jun 23 2017 23:23:00.0000	1336	0
Fri Jun 23 2017 23:24:00.0000	1335	0
Fri Jun 23 2017 23:25:00.0000	1335	0
Fri Jun 23 2017 23:26:00.0000	1335	0
Fri Jun 23 2017 23:27:00.0000	1335	0
Fri Jun 23 2017 23:28:00.0000	1334	0
Fri Jun 23 2017 23:29:00.0000	1334	0
Fri Jun 23 2017 23:30:00.0000	1334	0
Fri Jun 23 2017 23:31:00.0000	1333	0
Fri Jun 23 2017 23:32:00.0000	1332	0
Fri Jun 23 2017 23:33:00.0000	1332	0
Fri Jun 23 2017 23:34:00.0000	1332	0
Fri Jun 23 2017 23:35:00.0000	1332	0
Fri Jun 23 2017 23:36:00.0000	1332	0
Fri Jun 23 2017 23:37:00.0000	1331	0
Fri Jun 23 2017 23:38:00.0000	1331	0
Fri Jun 23 2017 23:39:00.0000	1331	0
Fri Jun 23 2017 23:40:00.0000	1330	0
Fri Jun 23 2017 23:41:00.0000	1330	0
Fri Jun 23 2017 23:42:00.0000	1330	0
Fri Jun 23 2017 23:43:00.0000	1329	0
Fri Jun 23 2017 23:44:00.0000	1328	0
Fri Jun 23 2017 23:45:00.0000	1328	0
Fri Jun 23 2017 23:46:00.0000	1328	0
Fri Jun 23 2017 23:47:00.0000	1328	0
Fri Jun 23 2017 23:48:00.0000	1328	0
Fri Jun 23 2017 23:49:00.0000	1326	0
Fri Jun 23 2017 23:50:00.0000	1326	0
Fri Jun 23 2017 23:51:00.0000	1326	0
Fri Jun 23 2017 23:52:00.0000	1325	0
Fri Jun 23 2017 23:53:00.0000	1325	0
Fri Jun 23 2017 23:54:00.0000	1325	0
Fri Jun 23 2017 23:55:00.0000	1325	0
Fri Jun 23 2017 23:56:00.0000	1325	0
Fri Jun 23 2017 23:57:00.0000	1325	0
Fri Jun 23 2017 23:58:00.0000	1324	0
Fri Jun 23 2017 23:59:00.0000	1324	0
Sat Jun 24 2017 00:00:00.0000	1323	0
Sat Jun 24 2017 00:01:00.0000	1323	0
Sat Jun 24 2017 00:02:00.0000	1323	0
Sat Jun 24 2017 00:03:00.0000	1323	0

Date/Time	Process Temperature (°F)	Process Flow SCFM
Sat Jun 24 2017 00:04:00.0000	1321	0
Sat Jun 24 2017 00:05:00.0000	1321	0
Sat Jun 24 2017 00:06:00.0000	1321	0
Sat Jun 24 2017 00:07:00.0000	1320	0
Sat Jun 24 2017 00:08:00.0000	1320	0
Sat Jun 24 2017 00:09:00.0000	1320	0
Sat Jun 24 2017 00:10:00.0000	1320	0
Sat Jun 24 2017 00:11:00.0000	1320	0
Sat Jun 24 2017 00:12:00.0000	1319	0
Sat Jun 24 2017 00:13:00.0000	1318	0
Sat Jun 24 2017 00:14:00.0000	1318	0
Sat Jun 24 2017 00:15:00.0000	1318	0
Sat Jun 24 2017 00:16:00.0000	1318	0
Sat Jun 24 2017 00:17:00.0000	1318	0
Sat Jun 24 2017 00:18:00.0000	1317	0
Sat Jun 24 2017 00:19:00.0000	1317	0
Sat Jun 24 2017 00:20:00.0000	1316	0
Sat Jun 24 2017 00:21:00.0000	1316	0
Sat Jun 24 2017 00:22:00.0000	1316	0
Sat Jun 24 2017 00:23:00.0000	1315	0
Sat Jun 24 2017 00:24:00.0000	1314	0
Sat Jun 24 2017 00:25:00.0000	1314	0
Sat Jun 24 2017 00:26:00.0000	1314	0
Sat Jun 24 2017 00:27:00.0000	1314	0
Sat Jun 24 2017 00:28:00.0000	1314	0
Sat Jun 24 2017 00:29:00.0000	1313	0
Sat Jun 24 2017 00:30:00.0000	1313	0
Sat Jun 24 2017 00:31:00.0000	1313	0
Sat Jun 24 2017 00:32:00.0000	1312	0
Sat Jun 24 2017 00:33:00.0000	1312	0
Sat Jun 24 2017 00:34:00.0000	1312	0
Sat Jun 24 2017 00:35:00.0000	1311	0
Sat Jun 24 2017 00:36:00.0000	1311	0
Sat Jun 24 2017 00:37:00.0000	1311	0
Sat Jun 24 2017 00:38:00.0000	1310	0
Sat Jun 24 2017 00:39:00.0000	1309	0
Sat Jun 24 2017 00:40:00.0000	1309	0
Sat Jun 24 2017 00:41:00.0000	1308	0
Sat Jun 24 2017 00:42:00.0000	1309	0
Sat Jun 24 2017 00:43:00.0000	1308	0
Sat Jun 24 2017 00:44:00.0000	1308	0
Sat Jun 24 2017 00:45:00.0000	1308	0
Sat Jun 24 2017 00:46:00.0000	1307	0
Sat Jun 24 2017 00:47:00.0000	1307	0
Sat Jun 24 2017 00:48:00.0000	1307	0
Sat Jun 24 2017 00:49:00.0000	1306	0
Sat Jun 24 2017 00:50:00.0000	1306	0
Sat Jun 24 2017 00:51:00.0000	1306	0
Sat Jun 24 2017 00:52:00.0000	1305	0
Sat Jun 24 2017 00:53:00.0000	1305	0
Sat Jun 24 2017 00:54:00.0000	1305	0
Sat Jun 24 2017 00:55:00.0000	1304	0
Sat Jun 24 2017 00:56:00.0000	1304	0
Sat Jun 24 2017 00:57:00.0000	1304	0
Sat Jun 24 2017 00:58:00.0000	1303	0
Sat Jun 24 2017 00:59:00.0000	1302	0
Sat Jun 24 2017 01:00:00.0000	1302	0

Date/Time	Process Temperature (°F)	Process Flow SCFM
Sat Jun 24 2017 01:01:00.0000	1302	0
Sat Jun 24 2017 01:02:00.0000	1302	0
Sat Jun 24 2017 01:03:00.0000	1301	0
Sat Jun 24 2017 01:04:00.0000	1301	0
Sat Jun 24 2017 01:05:00.0000	1301	0
Sat Jun 24 2017 01:06:00.0000	1300	0
Sat Jun 24 2017 01:07:00.0000	1300	0
Sat Jun 24 2017 01:08:00.0000	1300	0
Sat Jun 24 2017 01:09:00.0000	1299	0
Sat Jun 24 2017 01:10:00.0000	1299	0
Sat Jun 24 2017 01:11:00.0000	1299	0
Sat Jun 24 2017 01:12:00.0000	1298	0
Sat Jun 24 2017 01:13:00.0000	1298	0
Sat Jun 24 2017 01:14:00.0000	1298	0
Sat Jun 24 2017 01:15:00.0000	1297	0
Sat Jun 24 2017 01:16:00.0000	1297	0
Sat Jun 24 2017 01:17:00.0000	1297	0
Sat Jun 24 2017 01:18:00.0000	1296	0
Sat Jun 24 2017 01:19:00.0000	1295	0
Sat Jun 24 2017 01:20:00.0000	1295	0
Sat Jun 24 2017 01:21:00.0000	1295	0
Sat Jun 24 2017 01:22:00.0000	1295	0
Sat Jun 24 2017 01:23:00.0000	1295	0
Sat Jun 24 2017 01:24:00.0000	1294	0
Sat Jun 24 2017 01:25:00.0000	1294	0
Sat Jun 24 2017 01:26:00.0000	1294	0
Sat Jun 24 2017 01:27:00.0000	1293	0
Sat Jun 24 2017 01:28:00.0000	1293	0
Sat Jun 24 2017 01:29:00.0000	1293	0
Sat Jun 24 2017 01:30:00.0000	1293	0
Sat Jun 24 2017 01:31:00.0000	1292	0
Sat Jun 24 2017 01:32:00.0000	1292	0
Sat Jun 24 2017 01:33:00.0000	1292	0
Sat Jun 24 2017 01:34:00.0000	1291	0
Sat Jun 24 2017 01:35:00.0000	1291	0
Sat Jun 24 2017 01:36:00.0000	1291	0
Sat Jun 24 2017 01:37:00.0000	1290	0
Sat Jun 24 2017 01:38:00.0000	1290	0
Sat Jun 24 2017 01:39:00.0000	1290	0
Sat Jun 24 2017 01:40:00.0000	1289	0
Sat Jun 24 2017 01:41:00.0000	1289	0
Sat Jun 24 2017 01:42:00.0000	1289	0
Sat Jun 24 2017 01:43:00.0000	1288	0
Sat Jun 24 2017 01:44:00.0000	1288	0
Sat Jun 24 2017 01:45:00.0000	1288	0
Sat Jun 24 2017 01:46:00.0000	1287	0
Sat Jun 24 2017 01:47:00.0000	1287	0
Sat Jun 24 2017 01:48:00.0000	1287	0
Sat Jun 24 2017 01:49:00.0000	1286	0
Sat Jun 24 2017 01:50:00.0000	1285	0
Sat Jun 24 2017 01:51:00.0000	1285	0
Sat Jun 24 2017 01:52:00.0000	1285	0
Sat Jun 24 2017 01:53:00.0000	1285	0
Sat Jun 24 2017 01:54:00.0000	1285	0
Sat Jun 24 2017 01:55:00.0000	1284	0
Sat Jun 24 2017 01:56:00.0000	1284	0
Sat Jun 24 2017 01:57:00.0000	1284	0

Date/Time	Process Temperature (°F)	Process Flow SCFM
Sat Jun 24 2017 01:58:00.0000	1283	0
Sat Jun 24 2017 01:59:00.0000	1283	0
Sat Jun 24 2017 02:00:00.0000	1283	0
Sat Jun 24 2017 02:01:00.0000	1282	0
Sat Jun 24 2017 02:02:00.0000	1282	0
Sat Jun 24 2017 02:03:00.0000	1282	0
Sat Jun 24 2017 02:04:00.0000	1281	0
Sat Jun 24 2017 02:05:00.0000	1280	0
Sat Jun 24 2017 02:06:00.0000	1280	0
Sat Jun 24 2017 02:07:00.0000	1280	0
Sat Jun 24 2017 02:08:00.0000	1280	0
Sat Jun 24 2017 02:09:00.0000	1280	0
Sat Jun 24 2017 02:10:00.0000	1279	0
Sat Jun 24 2017 02:11:00.0000	1279	0
Sat Jun 24 2017 02:12:00.0000	1279	0
Sat Jun 24 2017 02:13:00.0000	1278	0
Sat Jun 24 2017 02:14:00.0000	1278	0
Sat Jun 24 2017 02:15:00.0000	1278	0
Sat Jun 24 2017 02:16:00.0000	1277	0
Sat Jun 24 2017 02:17:00.0000	1277	0
Sat Jun 24 2017 02:18:00.0000	1277	0
Sat Jun 24 2017 02:19:00.0000	1276	0
Sat Jun 24 2017 02:20:00.0000	1276	0
Sat Jun 24 2017 02:21:00.0000	1276	0
Sat Jun 24 2017 02:22:00.0000	1275	0
Sat Jun 24 2017 02:23:00.0000	1275	0
Sat Jun 24 2017 02:24:00.0000	1275	0
Sat Jun 24 2017 02:25:00.0000	1274	0
Sat Jun 24 2017 02:26:00.0000	1273	0
Sat Jun 24 2017 02:27:00.0000	1273	0
Sat Jun 24 2017 02:28:00.0000	1273	0
Sat Jun 24 2017 02:29:00.0000	1273	0
Sat Jun 24 2017 02:30:00.0000	1273	0
Sat Jun 24 2017 02:31:00.0000	1272	0
Sat Jun 24 2017 02:32:00.0000	1272	0
Sat Jun 24 2017 02:33:00.0000	1272	0
Sat Jun 24 2017 02:34:00.0000	1271	0
Sat Jun 24 2017 02:35:00.0000	1271	0
Sat Jun 24 2017 02:36:00.0000	1271	0
Sat Jun 24 2017 02:37:00.0000	1270	0
Sat Jun 24 2017 02:38:00.0000	1270	0
Sat Jun 24 2017 02:39:00.0000	1270	0
Sat Jun 24 2017 02:40:00.0000	1269	0
Sat Jun 24 2017 02:41:00.0000	1269	0
Sat Jun 24 2017 02:42:00.0000	1269	0
Sat Jun 24 2017 02:43:00.0000	1268	0
Sat Jun 24 2017 02:44:00.0000	1268	0
Sat Jun 24 2017 02:45:00.0000	1268	0
Sat Jun 24 2017 02:46:00.0000	1267	0
Sat Jun 24 2017 02:47:00.0000	1267	0
Sat Jun 24 2017 02:48:00.0000	1266	0
Sat Jun 24 2017 02:49:00.0000	1266	0
Sat Jun 24 2017 02:50:00.0000	1266	0
Sat Jun 24 2017 02:51:00.0000	1266	0
Sat Jun 24 2017 02:52:00.0000	1265	0
Sat Jun 24 2017 02:53:00.0000	1265	0
Sat Jun 24 2017 02:54:00.0000	1265	0

Date/Time	Process Temperature (°F)	Process Flow SCFM
Sat Jun 24 2017 02:55:00.0000	1264	0
Sat Jun 24 2017 02:56:00.0000	1263	0
Sat Jun 24 2017 02:57:00.0000	1263	0
Sat Jun 24 2017 02:58:00.0000	1263	0
Sat Jun 24 2017 02:59:00.0000	1263	0
Sat Jun 24 2017 03:00:00.0000	1263	0
Sat Jun 24 2017 03:01:00.0000	1262	0
Sat Jun 24 2017 03:02:00.0000	1262	0
Sat Jun 24 2017 03:03:00.0000	1262	0
Sat Jun 24 2017 03:04:00.0000	1261	0
Sat Jun 24 2017 03:05:00.0000	1261	0
Sat Jun 24 2017 03:06:00.0000	1261	0
Sat Jun 24 2017 03:07:00.0000	1260	0
Sat Jun 24 2017 03:08:00.0000	1259	0
Sat Jun 24 2017 03:09:00.0000	1259	0
Sat Jun 24 2017 03:10:00.0000	1259	0
Sat Jun 24 2017 03:11:00.0000	1259	0
Sat Jun 24 2017 03:12:00.0000	1259	0
Sat Jun 24 2017 03:13:00.0000	1258	0
Sat Jun 24 2017 03:14:00.0000	1258	0
Sat Jun 24 2017 03:15:00.0000	1258	0
Sat Jun 24 2017 03:16:00.0000	1257	0
Sat Jun 24 2017 03:17:00.0000	1256	0
Sat Jun 24 2017 03:18:00.0000	1256	0
Sat Jun 24 2017 03:19:00.0000	1256	0
Sat Jun 24 2017 03:20:00.0000	1256	0
Sat Jun 24 2017 03:21:00.0000	1256	0
Sat Jun 24 2017 03:22:00.0000	1255	0
Sat Jun 24 2017 03:23:00.0000	1255	0
Sat Jun 24 2017 03:24:00.0000	1255	0
Sat Jun 24 2017 03:25:00.0000	1254	0
Sat Jun 24 2017 03:26:00.0000	1254	0
Sat Jun 24 2017 03:27:00.0000	1254	0
Sat Jun 24 2017 03:28:00.0000	1253	0
Sat Jun 24 2017 03:29:00.0000	1252	0
Sat Jun 24 2017 03:30:00.0000	1252	0
Sat Jun 24 2017 03:31:00.0000	1252	0
Sat Jun 24 2017 03:32:00.0000	1251	0
Sat Jun 24 2017 03:33:00.0000	1251	0
Sat Jun 24 2017 03:34:00.0000	1251	0
Sat Jun 24 2017 03:35:00.0000	1251	0
Sat Jun 24 2017 03:36:00.0000	1251	0
Sat Jun 24 2017 03:37:00.0000	1250	0
Sat Jun 24 2017 03:38:00.0000	1249	0
Sat Jun 24 2017 03:39:00.0000	1249	0
Sat Jun 24 2017 03:40:00.0000	1249	0
Sat Jun 24 2017 03:41:00.0000	1249	0
Sat Jun 24 2017 03:42:00.0000	1249	0
Sat Jun 24 2017 03:43:00.0000	1249	0
Sat Jun 24 2017 03:44:00.0000	1248	0
Sat Jun 24 2017 03:45:00.0000	1248	0
Sat Jun 24 2017 03:46:00.0000	1248	0
Sat Jun 24 2017 03:47:00.0000	1247	0
Sat Jun 24 2017 03:48:00.0000	1247	0
Sat Jun 24 2017 03:49:00.0000	1247	0
Sat Jun 24 2017 03:50:00.0000	1246	0
Sat Jun 24 2017 03:51:00.0000	1245	0

Date/Time	Process Temperature (°F)	Process Flow SCFM
Sat Jun 24 2017 03:52:00.0000	1245	0
Sat Jun 24 2017 03:53:00.0000	1245	0
Sat Jun 24 2017 03:54:00.0000	1244	0
Sat Jun 24 2017 03:55:00.0000	1244	0
Sat Jun 24 2017 03:56:00.0000	1244	0
Sat Jun 24 2017 03:57:00.0000	1244	0
Sat Jun 24 2017 03:58:00.0000	1244	0
Sat Jun 24 2017 03:59:00.0000	1244	0
Sat Jun 24 2017 04:00:00.0000	1243	0
Sat Jun 24 2017 04:01:00.0000	1242	0
Sat Jun 24 2017 04:02:00.0000	1242	0
Sat Jun 24 2017 04:03:00.0000	1242	0
Sat Jun 24 2017 04:04:00.0000	1242	0
Sat Jun 24 2017 04:05:00.0000	1242	0
Sat Jun 24 2017 04:06:00.0000	1241	0
Sat Jun 24 2017 04:07:00.0000	1240	0
Sat Jun 24 2017 04:08:00.0000	1240	0
Sat Jun 24 2017 04:09:00.0000	1240	0
Sat Jun 24 2017 04:10:00.0000	1239	0
Sat Jun 24 2017 04:11:00.0000	1239	0
Sat Jun 24 2017 04:12:00.0000	1239	0
Sat Jun 24 2017 04:13:00.0000	1238	0
Sat Jun 24 2017 04:14:00.0000	1238	0
Sat Jun 24 2017 04:15:00.0000	1238	0
Sat Jun 24 2017 04:16:00.0000	1238	0
Sat Jun 24 2017 04:17:00.0000	1237	0
Sat Jun 24 2017 04:18:00.0000	1237	0
Sat Jun 24 2017 04:19:00.0000	1237	0
Sat Jun 24 2017 04:20:00.0000	1237	0
Sat Jun 24 2017 04:21:00.0000	1237	0
Sat Jun 24 2017 04:22:00.0000	1236	0
Sat Jun 24 2017 04:23:00.0000	1235	0
Sat Jun 24 2017 04:24:00.0000	1235	0
Sat Jun 24 2017 04:25:00.0000	1235	0
Sat Jun 24 2017 04:26:00.0000	1234	0
Sat Jun 24 2017 04:27:00.0000	1234	0
Sat Jun 24 2017 04:28:00.0000	1234	0
Sat Jun 24 2017 04:29:00.0000	1233	0
Sat Jun 24 2017 04:30:00.0000	1233	0
Sat Jun 24 2017 04:31:00.0000	1233	0
Sat Jun 24 2017 04:32:00.0000	1233	0
Sat Jun 24 2017 04:33:00.0000	1232	0
Sat Jun 24 2017 04:34:00.0000	1232	0
Sat Jun 24 2017 04:35:00.0000	1232	0
Sat Jun 24 2017 04:36:00.0000	1231	0
Sat Jun 24 2017 04:37:00.0000	1231	0
Sat Jun 24 2017 04:38:00.0000	1231	0
Sat Jun 24 2017 04:39:00.0000	1230	0
Sat Jun 24 2017 04:40:00.0000	1230	0
Sat Jun 24 2017 04:41:00.0000	1230	0
Sat Jun 24 2017 04:42:00.0000	1230	0
Sat Jun 24 2017 04:43:00.0000	1230	0
Sat Jun 24 2017 04:44:00.0000	1229	0
Sat Jun 24 2017 04:45:00.0000	1228	0
Sat Jun 24 2017 04:46:00.0000	1228	0
Sat Jun 24 2017 04:47:00.0000	1228	0
Sat Jun 24 2017 04:48:00.0000	1227	0

Date/Time	Process Temperature (°F)	Process Flow SCFM
Sat Jun 24 2017 04:49:00.0000	1227	0
Sat Jun 24 2017 04:50:00.0000	1227	0
Sat Jun 24 2017 04:51:00.0000	1227	0
Sat Jun 24 2017 04:52:00.0000	1226	0
Sat Jun 24 2017 04:53:00.0000	1226	0
Sat Jun 24 2017 04:54:00.0000	1226	0
Sat Jun 24 2017 04:55:00.0000	1225	0
Sat Jun 24 2017 04:56:00.0000	1225	0
Sat Jun 24 2017 04:57:00.0000	1225	0
Sat Jun 24 2017 04:58:00.0000	1224	0
Sat Jun 24 2017 04:59:00.0000	1224	0
Sat Jun 24 2017 05:00:00.0000	1224	0
Sat Jun 24 2017 05:01:00.0000	1223	0
Sat Jun 24 2017 05:02:00.0000	1223	0
Sat Jun 24 2017 05:03:00.0000	1223	0
Sat Jun 24 2017 05:04:00.0000	1223	0
Sat Jun 24 2017 05:05:00.0000	1222	0
Sat Jun 24 2017 05:06:00.0000	1222	0
Sat Jun 24 2017 05:07:00.0000	1222	0
Sat Jun 24 2017 05:08:00.0000	1221	0
Sat Jun 24 2017 05:09:00.0000	1221	0
Sat Jun 24 2017 05:10:00.0000	1221	0
Sat Jun 24 2017 05:11:00.0000	1220	0
Sat Jun 24 2017 05:12:00.0000	1220	0
Sat Jun 24 2017 05:13:00.0000	1220	0
Sat Jun 24 2017 05:14:00.0000	1219	0
Sat Jun 24 2017 05:15:00.0000	1219	0
Sat Jun 24 2017 05:16:00.0000	1219	0
Sat Jun 24 2017 05:17:00.0000	1218	0
Sat Jun 24 2017 05:18:00.0000	1218	0
Sat Jun 24 2017 05:19:00.0000	1218	0
Sat Jun 24 2017 05:20:00.0000	1217	0
Sat Jun 24 2017 05:21:00.0000	1217	0
Sat Jun 24 2017 05:22:00.0000	1217	0
Sat Jun 24 2017 05:23:00.0000	1216	0
Sat Jun 24 2017 05:24:00.0000	1216	0
Sat Jun 24 2017 05:25:00.0000	1216	0
Sat Jun 24 2017 05:26:00.0000	1216	0
Sat Jun 24 2017 05:27:00.0000	1215	0
Sat Jun 24 2017 05:28:00.0000	1215	0
Sat Jun 24 2017 05:29:00.0000	1215	0
Sat Jun 24 2017 05:30:00.0000	1214	0
Sat Jun 24 2017 05:31:00.0000	1214	0
Sat Jun 24 2017 05:32:00.0000	1214	0
Sat Jun 24 2017 05:33:00.0000	1213	0
Sat Jun 24 2017 05:34:00.0000	1213	0
Sat Jun 24 2017 05:35:00.0000	1213	0
Sat Jun 24 2017 05:36:00.0000	1212	0
Sat Jun 24 2017 05:37:00.0000	1212	0
Sat Jun 24 2017 05:38:00.0000	1212	0
Sat Jun 24 2017 05:39:00.0000	1211	0
Sat Jun 24 2017 05:40:00.0000	1211	0
Sat Jun 24 2017 05:41:00.0000	1211	0
Sat Jun 24 2017 05:42:00.0000	1210	0
Sat Jun 24 2017 05:43:00.0000	1210	0
Sat Jun 24 2017 05:44:00.0000	1210	0
Sat Jun 24 2017 05:45:00.0000	1210	0

Date/Time	Process Temperature (°F)	Process Flow SCFM
Sat Jun 24 2017 05:46:00.0000	1209	0
Sat Jun 24 2017 05:47:00.0000	1209	0
Sat Jun 24 2017 05:48:00.0000	1209	0
Sat Jun 24 2017 05:49:00.0000	1208	0
Sat Jun 24 2017 05:50:00.0000	1208	0
Sat Jun 24 2017 05:51:00.0000	1208	0
Sat Jun 24 2017 05:52:00.0000	1207	0
Sat Jun 24 2017 05:53:00.0000	1207	0
Sat Jun 24 2017 05:54:00.0000	1207	0
Sat Jun 24 2017 05:55:00.0000	1206	0
Sat Jun 24 2017 05:56:00.0000	1206	0
Sat Jun 24 2017 05:57:00.0000	1206	0
Sat Jun 24 2017 05:58:00.0000	1205	0
Sat Jun 24 2017 05:59:00.0000	1205	0
Sat Jun 24 2017 06:00:00.0000	1205	0
Sat Jun 24 2017 06:01:00.0000	1205	0
Sat Jun 24 2017 06:02:00.0000	1204	0
Sat Jun 24 2017 06:03:00.0000	1204	0
Sat Jun 24 2017 06:04:00.0000	1204	0
Sat Jun 24 2017 06:05:00.0000	1203	0
Sat Jun 24 2017 06:06:00.0000	1203	0
Sat Jun 24 2017 06:07:00.0000	1203	0
Sat Jun 24 2017 06:08:00.0000	1202	0
Sat Jun 24 2017 06:09:00.0000	1202	0
Sat Jun 24 2017 06:10:00.0000	1202	0
Sat Jun 24 2017 06:11:00.0000	1201	0
Sat Jun 24 2017 06:12:00.0000	1201	0
Sat Jun 24 2017 06:13:00.0000	1201	0
Sat Jun 24 2017 06:14:00.0000	1200	0
Sat Jun 24 2017 06:15:00.0000	1200	0
Sat Jun 24 2017 06:16:00.0000	1200	0
Sat Jun 24 2017 06:17:00.0000	1200	0
Sat Jun 24 2017 06:18:00.0000	1199	0
Sat Jun 24 2017 06:19:00.0000	1199	0
Sat Jun 24 2017 06:20:00.0000	1199	0
Sat Jun 24 2017 06:21:00.0000	1198	0
Sat Jun 24 2017 06:22:00.0000	1198	0
Sat Jun 24 2017 06:23:00.0000	1198	0
Sat Jun 24 2017 06:24:00.0000	1197	0
Sat Jun 24 2017 06:25:00.0000	1197	0
Sat Jun 24 2017 06:26:00.0000	1197	0
Sat Jun 24 2017 06:27:00.0000	1196	0
Sat Jun 24 2017 06:28:00.0000	1196	0
Sat Jun 24 2017 06:29:00.0000	1196	0
Sat Jun 24 2017 06:30:00.0000	1196	0
Sat Jun 24 2017 06:31:00.0000	1195	0
Sat Jun 24 2017 06:32:00.0000	1195	0
Sat Jun 24 2017 06:33:00.0000	1195	0
Sat Jun 24 2017 06:34:00.0000	1194	0
Sat Jun 24 2017 06:35:00.0000	1194	0
Sat Jun 24 2017 06:36:00.0000	1194	0
Sat Jun 24 2017 06:37:00.0000	1193	0
Sat Jun 24 2017 06:38:00.0000	1193	0
Sat Jun 24 2017 06:39:00.0000	1193	0
Sat Jun 24 2017 06:40:00.0000	1193	0
Sat Jun 24 2017 06:41:00.0000	1192	0
Sat Jun 24 2017 06:42:00.0000	1192	0

Date/Time	Process Temperature (°F)	Process Flow SCFM
Sat Jun 24 2017 06:43:00.0000	1192	0
Sat Jun 24 2017 06:44:00.0000	1191	0
Sat Jun 24 2017 06:45:00.0000	1191	0
Sat Jun 24 2017 06:46:00.0000	1191	0
Sat Jun 24 2017 06:47:00.0000	1190	0
Sat Jun 24 2017 06:48:00.0000	1190	0
Sat Jun 24 2017 06:49:00.0000	1190	0
Sat Jun 24 2017 06:50:00.0000	1190	0
Sat Jun 24 2017 06:51:00.0000	1189	0
Sat Jun 24 2017 06:52:00.0000	1189	0
Sat Jun 24 2017 06:53:00.0000	1189	0
Sat Jun 24 2017 06:54:00.0000	1188	0
Sat Jun 24 2017 06:55:00.0000	1188	0
Sat Jun 24 2017 06:56:00.0000	1188	0
Sat Jun 24 2017 06:57:00.0000	1188	0
Sat Jun 24 2017 06:58:00.0000	1187	0
Sat Jun 24 2017 06:59:00.0000	1187	0
Sat Jun 24 2017 07:00:00.0000	1187	0
Sat Jun 24 2017 07:01:00.0000	1186	0
Sat Jun 24 2017 07:02:00.0000	1186	0
Sat Jun 24 2017 07:03:00.0000	1186	0
Sat Jun 24 2017 07:04:00.0000	1185	0
Sat Jun 24 2017 07:05:00.0000	1185	0
Sat Jun 24 2017 07:06:00.0000	1185	0
Sat Jun 24 2017 07:07:00.0000	1185	0
Sat Jun 24 2017 07:08:00.0000	1184	0
Sat Jun 24 2017 07:09:00.0000	1184	0
Sat Jun 24 2017 07:10:00.0000	1184	0
Sat Jun 24 2017 07:11:00.0000	1183	0
Sat Jun 24 2017 07:12:00.0000	1183	0
Sat Jun 24 2017 07:13:00.0000	1183	0
Sat Jun 24 2017 07:14:00.0000	1183	0
Sat Jun 24 2017 07:15:00.0000	1182	0
Sat Jun 24 2017 07:16:00.0000	1182	0
Sat Jun 24 2017 07:17:00.0000	1182	0
Sat Jun 24 2017 07:18:00.0000	1181	0
Sat Jun 24 2017 07:19:00.0000	1181	0
Sat Jun 24 2017 07:20:00.0000	1181	0
Sat Jun 24 2017 07:21:00.0000	1180	0
Sat Jun 24 2017 07:22:00.0000	1180	0
Sat Jun 24 2017 07:23:00.0000	1180	0
Sat Jun 24 2017 07:24:00.0000	1180	0
Sat Jun 24 2017 07:25:00.0000	1179	0
Sat Jun 24 2017 07:26:00.0000	1179	0
Sat Jun 24 2017 07:27:00.0000	1179	0
Sat Jun 24 2017 07:28:00.0000	1178	0
Sat Jun 24 2017 07:29:00.0000	1178	0
Sat Jun 24 2017 07:30:00.0000	1178	0
Sat Jun 24 2017 07:31:00.0000	1178	0
Sat Jun 24 2017 07:32:00.0000	1177	0
Sat Jun 24 2017 07:33:00.0000	1177	0
Sat Jun 24 2017 07:34:00.0000	1177	0
Sat Jun 24 2017 07:35:00.0000	1176	0
Sat Jun 24 2017 07:36:00.0000	1176	0
Sat Jun 24 2017 07:37:00.0000	1176	0
Sat Jun 24 2017 07:38:00.0000	1176	0
Sat Jun 24 2017 07:39:00.0000	1175	0

Date/Time	Process Temperature (°F)	Process Flow SCFM
Sat Jun 24 2017 07:40:00.0000	1175	0
Sat Jun 24 2017 07:41:00.0000	1175	0
Sat Jun 24 2017 07:42:00.0000	1174	0
Sat Jun 24 2017 07:43:00.0000	1174	0
Sat Jun 24 2017 07:44:00.0000	1174	0
Sat Jun 24 2017 07:45:00.0000	1174	0
Sat Jun 24 2017 07:46:00.0000	1173	0
Sat Jun 24 2017 07:47:00.0000	1173	0
Sat Jun 24 2017 07:48:00.0000	1173	0
Sat Jun 24 2017 07:49:00.0000	1172	0
Sat Jun 24 2017 07:50:00.0000	1172	0
Sat Jun 24 2017 07:51:00.0000	1172	0
Sat Jun 24 2017 07:52:00.0000	1171	0
Sat Jun 24 2017 07:53:00.0000	1171	0
Sat Jun 24 2017 07:54:00.0000	1171	0
Sat Jun 24 2017 07:55:00.0000	1171	0
Sat Jun 24 2017 07:56:00.0000	1170	0
Sat Jun 24 2017 07:57:00.0000	1170	0
Sat Jun 24 2017 07:58:00.0000	1170	0
Sat Jun 24 2017 07:59:00.0000	1169	0
Sat Jun 24 2017 08:00:00.0000	1169	0
Sat Jun 24 2017 08:01:00.0000	1169	0
Sat Jun 24 2017 08:02:00.0000	1169	0
Sat Jun 24 2017 08:03:00.0000	1168	0
Sat Jun 24 2017 08:04:00.0000	1168	0
Sat Jun 24 2017 08:05:00.0000	1168	0
Sat Jun 24 2017 08:06:00.0000	1168	0
Sat Jun 24 2017 08:07:00.0000	1167	0
Sat Jun 24 2017 08:08:00.0000	1167	0
Sat Jun 24 2017 08:09:00.0000	1167	0
Sat Jun 24 2017 08:10:00.0000	1166	0
Sat Jun 24 2017 08:11:00.0000	1166	0
Sat Jun 24 2017 08:12:00.0000	1166	0
Sat Jun 24 2017 08:13:00.0000	1165	0
Sat Jun 24 2017 08:14:00.0000	1165	0
Sat Jun 24 2017 08:15:00.0000	1165	0
Sat Jun 24 2017 08:16:00.0000	1165	0
Sat Jun 24 2017 08:17:00.0000	1164	0
Sat Jun 24 2017 08:18:00.0000	1164	0
Sat Jun 24 2017 08:19:00.0000	1164	0
Sat Jun 24 2017 08:20:00.0000	1163	0
Sat Jun 24 2017 08:21:00.0000	1163	0
Sat Jun 24 2017 08:22:00.0000	1163	0
Sat Jun 24 2017 08:23:00.0000	1163	0
Sat Jun 24 2017 08:24:00.0000	1162	0
Sat Jun 24 2017 08:25:00.0000	1162	0
Sat Jun 24 2017 08:26:00.0000	1162	0
Sat Jun 24 2017 08:27:00.0000	1161	0
Sat Jun 24 2017 08:28:00.0000	1161	0
Sat Jun 24 2017 08:29:00.0000	1161	0
Sat Jun 24 2017 08:30:00.0000	1161	0
Sat Jun 24 2017 08:31:00.0000	1160	0
Sat Jun 24 2017 08:32:00.0000	1160	0
Sat Jun 24 2017 08:33:00.0000	1160	0
Sat Jun 24 2017 08:34:00.0000	1159	0
Sat Jun 24 2017 08:35:00.0000	1159	0
Sat Jun 24 2017 08:36:00.0000	1159	0

Date/Time	Process Temperature (°F)	Process Flow SCFM
Sat Jun 24 2017 08:37:00.0000	1158	0
Sat Jun 24 2017 08:38:00.0000	1158	0
Sat Jun 24 2017 08:39:00.0000	1158	0
Sat Jun 24 2017 08:40:00.0000	1158	0
Sat Jun 24 2017 08:41:00.0000	1157	0
Sat Jun 24 2017 08:42:00.0000	1157	0
Sat Jun 24 2017 08:43:00.0000	1157	0
Sat Jun 24 2017 08:44:00.0000	1156	0
Sat Jun 24 2017 08:45:00.0000	1156	0
Sat Jun 24 2017 08:46:00.0000	1156	0
Sat Jun 24 2017 08:47:00.0000	1156	0
Sat Jun 24 2017 08:48:00.0000	1155	0
Sat Jun 24 2017 08:49:00.0000	1155	0
Sat Jun 24 2017 08:50:00.0000	1155	0
Sat Jun 24 2017 08:51:00.0000	1154	0
Sat Jun 24 2017 08:52:00.0000	1154	0
Sat Jun 24 2017 08:53:00.0000	1154	0
Sat Jun 24 2017 08:54:00.0000	1154	0
Sat Jun 24 2017 08:55:00.0000	1153	0
Sat Jun 24 2017 08:56:00.0000	1153	0
Sat Jun 24 2017 08:57:00.0000	1153	0
Sat Jun 24 2017 08:58:00.0000	1152	0
Sat Jun 24 2017 08:59:00.0000	1152	0
Sat Jun 24 2017 09:00:00.0000	1152	0
Sat Jun 24 2017 09:01:00.0000	1152	0
Sat Jun 24 2017 09:02:00.0000	1151	0
Sat Jun 24 2017 09:03:00.0000	1151	0
Sat Jun 24 2017 09:04:00.0000	1151	0
Sat Jun 24 2017 09:05:00.0000	1150	0
Sat Jun 24 2017 09:06:00.0000	1150	0
Sat Jun 24 2017 09:07:00.0000	1150	0
Sat Jun 24 2017 09:08:00.0000	1150	0
Sat Jun 24 2017 09:09:00.0000	1149	0
Sat Jun 24 2017 09:10:00.0000	1149	0
Sat Jun 24 2017 09:11:00.0000	1149	0
Sat Jun 24 2017 09:12:00.0000	1148	0
Sat Jun 24 2017 09:13:00.0000	1148	0
Sat Jun 24 2017 09:14:00.0000	1148	0
Sat Jun 24 2017 09:15:00.0000	1147	0
Sat Jun 24 2017 09:16:00.0000	1147	0
Sat Jun 24 2017 09:17:00.0000	1147	0
Sat Jun 24 2017 09:18:00.0000	1147	0
Sat Jun 24 2017 09:19:00.0000	1146	0
Sat Jun 24 2017 09:20:00.0000	1146	0
Sat Jun 24 2017 09:21:00.0000	1146	0
Sat Jun 24 2017 09:22:00.0000	1145	0
Sat Jun 24 2017 09:23:00.0000	1145	0
Sat Jun 24 2017 09:24:00.0000	1145	0
Sat Jun 24 2017 09:25:00.0000	1145	0
Sat Jun 24 2017 09:26:00.0000	1144	0
Sat Jun 24 2017 09:27:00.0000	1144	0
Sat Jun 24 2017 09:28:00.0000	1144	0
Sat Jun 24 2017 09:29:00.0000	1144	0
Sat Jun 24 2017 09:30:00.0000	1143	0
Sat Jun 24 2017 09:31:00.0000	1143	0
Sat Jun 24 2017 09:32:00.0000	1143	0
Sat Jun 24 2017 09:33:00.0000	1142	0

Date/Time	Process Temperature (°F)	Process Flow SCFM
Sat Jun 24 2017 09:34:00.0000	1142	0
Sat Jun 24 2017 09:35:00.0000	1142	0
Sat Jun 24 2017 09:36:00.0000	1141	0
Sat Jun 24 2017 09:37:00.0000	1141	0
Sat Jun 24 2017 09:38:00.0000	1141	0
Sat Jun 24 2017 09:39:00.0000	1141	0
Sat Jun 24 2017 09:40:00.0000	1140	0
Sat Jun 24 2017 09:41:00.0000	1140	0
Sat Jun 24 2017 09:42:00.0000	1140	0
Sat Jun 24 2017 09:43:00.0000	1139	0
Sat Jun 24 2017 09:44:00.0000	1139	0
Sat Jun 24 2017 09:45:00.0000	1139	0
Sat Jun 24 2017 09:46:00.0000	1139	0
Sat Jun 24 2017 09:47:00.0000	1139	0
Sat Jun 24 2017 09:48:00.0000	1139	0
Sat Jun 24 2017 09:49:00.0000	1139	0
Sat Jun 24 2017 09:50:00.0000	1138	0
Sat Jun 24 2017 09:51:00.0000	1137	0
Sat Jun 24 2017 09:52:00.0000	1137	0
Sat Jun 24 2017 09:53:00.0000	1137	0
Sat Jun 24 2017 09:54:00.0000	1136	0
Sat Jun 24 2017 09:55:00.0000	1136	0
Sat Jun 24 2017 09:56:00.0000	1136	0
Sat Jun 24 2017 09:57:00.0000	1135	0
Sat Jun 24 2017 09:58:00.0000	1135	0
Sat Jun 24 2017 09:59:00.0000	1135	0
Sat Jun 24 2017 10:00:00.0000	1135	0
Sat Jun 24 2017 10:01:00.0000	1134	0
Sat Jun 24 2017 10:02:00.0000	1134	0
Sat Jun 24 2017 10:03:00.0000	1134	-1
Sat Jun 24 2017 10:04:00.0000	1134	-1
Sat Jun 24 2017 10:05:00.0000	1133	0
Sat Jun 24 2017 10:06:00.0000	1133	0
Sat Jun 24 2017 10:07:00.0000	1133	0
Sat Jun 24 2017 10:08:00.0000	1132	-1
Sat Jun 24 2017 10:09:00.0000	1132	0
Sat Jun 24 2017 10:10:00.0000	1132	0
Sat Jun 24 2017 10:11:00.0000	1132	-1
Sat Jun 24 2017 10:12:00.0000	1131	0
Sat Jun 24 2017 10:13:00.0000	1131	0
Sat Jun 24 2017 10:14:00.0000	1131	0
Sat Jun 24 2017 10:15:00.0000	1131	0
Sat Jun 24 2017 10:16:00.0000	1130	0
Sat Jun 24 2017 10:17:00.0000	1130	0
Sat Jun 24 2017 10:18:00.0000	1130	0
Sat Jun 24 2017 10:19:00.0000	1130	-1
Sat Jun 24 2017 10:20:00.0000	1129	-1
Sat Jun 24 2017 10:21:00.0000	1129	0
Sat Jun 24 2017 10:22:00.0000	1129	-1
Sat Jun 24 2017 10:23:00.0000	1128	0
Sat Jun 24 2017 10:24:00.0000	1128	0
Sat Jun 24 2017 10:25:00.0000	1128	-1
Sat Jun 24 2017 10:26:00.0000	1128	0
Sat Jun 24 2017 10:27:00.0000	1127	0
Sat Jun 24 2017 10:28:00.0000	1127	0
Sat Jun 24 2017 10:29:00.0000	1127	-1
Sat Jun 24 2017 10:30:00.0000	1127	0

Date/Time	Process Temperature (°F)	Process Flow SCFM
Sat Jun 24 2017 10:31:00.0000	1126	0
Sat Jun 24 2017 10:32:00.0000	1126	-1
Sat Jun 24 2017 10:33:00.0000	1126	0
Sat Jun 24 2017 10:34:00.0000	1125	0
Sat Jun 24 2017 10:35:00.0000	1125	0
Sat Jun 24 2017 10:36:00.0000	1125	0
Sat Jun 24 2017 10:37:00.0000	1125	0
Sat Jun 24 2017 10:38:00.0000	1124	0
Sat Jun 24 2017 10:39:00.0000	1124	0
Sat Jun 24 2017 10:40:00.0000	1124	0
Sat Jun 24 2017 10:41:00.0000	1124	0
Sat Jun 24 2017 10:42:00.0000	1123	0
Sat Jun 24 2017 10:43:00.0000	1123	-1
Sat Jun 24 2017 10:44:00.0000	1123	-1
Sat Jun 24 2017 10:45:00.0000	1122	0
Sat Jun 24 2017 10:46:00.0000	1122	0
Sat Jun 24 2017 10:47:00.0000	1122	-1
Sat Jun 24 2017 10:48:00.0000	1122	-1
Sat Jun 24 2017 10:49:00.0000	1121	0
Sat Jun 24 2017 10:50:00.0000	1121	-1
Sat Jun 24 2017 10:51:00.0000	1121	-1
Sat Jun 24 2017 10:52:00.0000	1121	-1
Sat Jun 24 2017 10:53:00.0000	1121	-1
Sat Jun 24 2017 10:54:00.0000	1121	-1
Sat Jun 24 2017 10:55:00.0000	1121	-1
Sat Jun 24 2017 10:56:00.0000	1120	-1
Sat Jun 24 2017 10:57:00.0000	1119	-1
Sat Jun 24 2017 10:58:00.0000	1119	-1
Sat Jun 24 2017 10:59:00.0000	1119	-1
Sat Jun 24 2017 11:00:00.0000	1118	-1
Sat Jun 24 2017 11:01:00.0000	1118	-1
Sat Jun 24 2017 11:02:00.0000	1118	-1
Sat Jun 24 2017 11:03:00.0000	1118	0
Sat Jun 24 2017 11:04:00.0000	1117	-1
Sat Jun 24 2017 11:05:00.0000	1117	-1
Sat Jun 24 2017 11:06:00.0000	1117	-1
Sat Jun 24 2017 11:07:00.0000	1117	-1
Sat Jun 24 2017 11:08:00.0000	1116	-1
Sat Jun 24 2017 11:09:00.0000	1116	-1
Sat Jun 24 2017 11:10:00.0000	1116	-1
Sat Jun 24 2017 11:11:00.0000	1116	-1
Sat Jun 24 2017 11:12:00.0000	1115	-1
Sat Jun 24 2017 11:13:00.0000	1115	-1
Sat Jun 24 2017 11:14:00.0000	1116	-1
Sat Jun 24 2017 11:15:00.0000	1115	-1
Sat Jun 24 2017 11:16:00.0000	1114	-1
Sat Jun 24 2017 11:17:00.0000	1114	-1
Sat Jun 24 2017 11:18:00.0000	1114	-1
Sat Jun 24 2017 11:19:00.0000	1113	-1
Sat Jun 24 2017 11:20:00.0000	1113	-1
Sat Jun 24 2017 11:21:00.0000	1113	-1
Sat Jun 24 2017 11:22:00.0000	1113	-1
Sat Jun 24 2017 11:23:00.0000	1113	-1
Sat Jun 24 2017 11:24:00.0000	1113	-1
Sat Jun 24 2017 11:25:00.0000	1113	-1
Sat Jun 24 2017 11:26:00.0000	1112	-1
Sat Jun 24 2017 11:27:00.0000	1111	-1

Date/Time	Process Temperature (°F)	Process Flow SCFM
Sat Jun 24 2017 11:28:00.0000	1111	-1
Sat Jun 24 2017 11:29:00.0000	1111	-1
Sat Jun 24 2017 11:30:00.0000	1111	-1
Sat Jun 24 2017 11:31:00.0000	1110	-1
Sat Jun 24 2017 11:32:00.0000	1110	-1
Sat Jun 24 2017 11:33:00.0000	1111	-1
Sat Jun 24 2017 11:34:00.0000	1110	-1
Sat Jun 24 2017 11:35:00.0000	1109	-1
Sat Jun 24 2017 11:36:00.0000	1109	-1
Sat Jun 24 2017 11:37:00.0000	1109	-1
Sat Jun 24 2017 11:38:00.0000	1109	-1
Sat Jun 24 2017 11:39:00.0000	1109	-1
Sat Jun 24 2017 11:40:00.0000	1109	-1
Sat Jun 24 2017 11:41:00.0000	1108	-1
Sat Jun 24 2017 11:42:00.0000	1108	-1
Sat Jun 24 2017 11:43:00.0000	1108	-1
Sat Jun 24 2017 11:44:00.0000	1108	-1
Sat Jun 24 2017 11:45:00.0000	1107	-1
Sat Jun 24 2017 11:46:00.0000	1106	-1
Sat Jun 24 2017 11:47:00.0000	1106	-1
Sat Jun 24 2017 11:48:00.0000	1106	-1
Sat Jun 24 2017 11:49:00.0000	1106	-1
Sat Jun 24 2017 11:50:00.0000	1106	-1
Sat Jun 24 2017 11:51:00.0000	1106	-1
Sat Jun 24 2017 11:52:00.0000	1105	-1
Sat Jun 24 2017 11:53:00.0000	1105	-1
Sat Jun 24 2017 11:54:00.0000	1105	-1
Sat Jun 24 2017 11:55:00.0000	1105	-1
Sat Jun 24 2017 11:56:00.0000	1104	-1
Sat Jun 24 2017 11:57:00.0000	1104	-1
Sat Jun 24 2017 11:58:00.0000	1104	-1
Sat Jun 24 2017 11:59:00.0000	1104	-1
Sat Jun 24 2017 12:00:00.0000	1103	-1
Sat Jun 24 2017 12:01:00.0000	1102	-1
Sat Jun 24 2017 12:02:00.0000	1102	-1
Sat Jun 24 2017 12:03:00.0000	1102	-1
Sat Jun 24 2017 12:04:00.0000	1101	-1
Sat Jun 24 2017 12:05:00.0000	1101	-1
Sat Jun 24 2017 12:06:00.0000	1101	-1
Sat Jun 24 2017 12:07:00.0000	1101	-1
Sat Jun 24 2017 12:08:00.0000	1101	-1
Sat Jun 24 2017 12:09:00.0000	1101	-1
Sat Jun 24 2017 12:10:00.0000	1101	-1
Sat Jun 24 2017 12:11:00.0000	1100	-1
Sat Jun 24 2017 12:12:00.0000	1100	-1
Sat Jun 24 2017 12:13:00.0000	1100	-1
Sat Jun 24 2017 12:14:00.0000	1100	-1
Sat Jun 24 2017 12:15:00.0000	1099	-1
Sat Jun 24 2017 12:16:00.0000	1099	-1
Sat Jun 24 2017 12:17:00.0000	1099	-1
Sat Jun 24 2017 12:18:00.0000	1099	-1
Sat Jun 24 2017 12:19:00.0000	1098	-1
Sat Jun 24 2017 12:20:00.0000	1098	-1
Sat Jun 24 2017 12:21:00.0000	1098	-1
Sat Jun 24 2017 12:22:00.0000	1097	-1
Sat Jun 24 2017 12:23:00.0000	1096	-1
Sat Jun 24 2017 12:24:00.0000	1096	-1

Date/Time	Process Temperature (°F)	Process Flow SCFM
Sat Jun 24 2017 12:25:00.0000	1096	-1
Sat Jun 24 2017 12:26:00.0000	1096	-1
Sat Jun 24 2017 12:27:00.0000	1095	-1
Sat Jun 24 2017 12:28:00.0000	1095	-1
Sat Jun 24 2017 12:29:00.0000	1095	-1
Sat Jun 24 2017 12:30:00.0000	1095	-1
Sat Jun 24 2017 12:31:00.0000	1095	-1
Sat Jun 24 2017 12:32:00.0000	1095	-1
Sat Jun 24 2017 12:33:00.0000	1095	-1
Sat Jun 24 2017 12:34:00.0000	1094	-1
Sat Jun 24 2017 12:35:00.0000	1094	-1
Sat Jun 24 2017 12:36:00.0000	1094	-1
Sat Jun 24 2017 12:37:00.0000	1093	-1
Sat Jun 24 2017 12:38:00.0000	1093	-1
Sat Jun 24 2017 12:39:00.0000	1093	-1
Sat Jun 24 2017 12:40:00.0000	1093	-1
Sat Jun 24 2017 12:41:00.0000	1092	-1
Sat Jun 24 2017 12:42:00.0000	1092	-1
Sat Jun 24 2017 12:43:00.0000	1092	-1
Sat Jun 24 2017 12:44:00.0000	1092	-1
Sat Jun 24 2017 12:45:00.0000	1091	-1
Sat Jun 24 2017 12:46:00.0000	1091	-1
Sat Jun 24 2017 12:47:00.0000	1091	-1
Sat Jun 24 2017 12:48:00.0000	1091	-1
Sat Jun 24 2017 12:49:00.0000	1090	-1
Sat Jun 24 2017 12:50:00.0000	1090	-1
Sat Jun 24 2017 12:51:00.0000	1090	-1
Sat Jun 24 2017 12:52:00.0000	1089	-1
Sat Jun 24 2017 12:53:00.0000	1089	-1
Sat Jun 24 2017 12:54:00.0000	1089	-1
Sat Jun 24 2017 12:55:00.0000	1089	-1
Sat Jun 24 2017 12:56:00.0000	1088	-1
Sat Jun 24 2017 12:57:00.0000	1088	-1
Sat Jun 24 2017 12:58:00.0000	1088	-1
Sat Jun 24 2017 12:59:00.0000	1088	-1
Sat Jun 24 2017 13:00:00.0000	1087	-1
Sat Jun 24 2017 13:01:00.0000	1087	-1
Sat Jun 24 2017 13:02:00.0000	1087	-1
Sat Jun 24 2017 13:03:00.0000	1087	-1
Sat Jun 24 2017 13:04:00.0000	1086	-1
Sat Jun 24 2017 13:05:00.0000	1085	-1
Sat Jun 24 2017 13:06:00.0000	1085	-1
Sat Jun 24 2017 13:07:00.0000	1085	-1
Sat Jun 24 2017 13:08:00.0000	1085	-1
Sat Jun 24 2017 13:09:00.0000	1085	-1
Sat Jun 24 2017 13:10:00.0000	1085	-1
Sat Jun 24 2017 13:11:00.0000	1085	-1
Sat Jun 24 2017 13:12:00.0000	1084	-1
Sat Jun 24 2017 13:13:00.0000	1083	-1
Sat Jun 24 2017 13:14:00.0000	1083	-1
Sat Jun 24 2017 13:15:00.0000	1083	-1
Sat Jun 24 2017 13:16:00.0000	1083	-1
Sat Jun 24 2017 13:17:00.0000	1082	-1
Sat Jun 24 2017 13:18:00.0000	1082	-1
Sat Jun 24 2017 13:19:00.0000	1082	-1
Sat Jun 24 2017 13:20:00.0000	1082	-1
Sat Jun 24 2017 13:21:00.0000	1082	-1

Date/Time	Process Temperature (°F)	Process Flow SCFM
Sat Jun 24 2017 13:22:00.0000	1082	-1
Sat Jun 24 2017 13:23:00.0000	1082	-1
Sat Jun 24 2017 13:24:00.0000	1081	-1
Sat Jun 24 2017 13:25:00.0000	1081	-1
Sat Jun 24 2017 13:26:00.0000	1081	-1
Sat Jun 24 2017 13:27:00.0000	1081	-1
Sat Jun 24 2017 13:28:00.0000	1080	-1
Sat Jun 24 2017 13:29:00.0000	1080	-1
Sat Jun 24 2017 13:30:00.0000	1080	-1
Sat Jun 24 2017 13:31:00.0000	1080	-1
Sat Jun 24 2017 13:32:00.0000	1079	-1
Sat Jun 24 2017 13:33:00.0000	1078	-1
Sat Jun 24 2017 13:34:00.0000	1078	-1
Sat Jun 24 2017 13:35:00.0000	1078	-1
Sat Jun 24 2017 13:36:00.0000	1078	-1
Sat Jun 24 2017 13:37:00.0000	1078	-1
Sat Jun 24 2017 13:38:00.0000	1078	-1
Sat Jun 24 2017 13:39:00.0000	1078	-1
Sat Jun 24 2017 13:40:00.0000	1077	-1
Sat Jun 24 2017 13:41:00.0000	1077	-1
Sat Jun 24 2017 13:42:00.0000	1077	-1
Sat Jun 24 2017 13:43:00.0000	1077	-1
Sat Jun 24 2017 13:44:00.0000	1076	-1
Sat Jun 24 2017 13:45:00.0000	1076	-1
Sat Jun 24 2017 13:46:00.0000	1076	-1
Sat Jun 24 2017 13:47:00.0000	1076	-1
Sat Jun 24 2017 13:48:00.0000	1075	-1
Sat Jun 24 2017 13:49:00.0000	1075	-1
Sat Jun 24 2017 13:50:00.0000	1075	-1
Sat Jun 24 2017 13:51:00.0000	1075	-1
Sat Jun 24 2017 13:52:00.0000	1074	-1
Sat Jun 24 2017 13:53:00.0000	1073	-1
Sat Jun 24 2017 13:54:00.0000	1073	-1
Sat Jun 24 2017 13:55:00.0000	1073	-1
Sat Jun 24 2017 13:56:00.0000	1073	-1
Sat Jun 24 2017 13:57:00.0000	1073	-1
Sat Jun 24 2017 13:58:00.0000	1073	-1
Sat Jun 24 2017 13:59:00.0000	1073	-1
Sat Jun 24 2017 14:00:00.0000	1072	-1
Sat Jun 24 2017 14:01:00.0000	1071	-1
Sat Jun 24 2017 14:02:00.0000	1071	-1
Sat Jun 24 2017 14:03:00.0000	1071	-1
Sat Jun 24 2017 14:04:00.0000	1071	-1
Sat Jun 24 2017 14:05:00.0000	1071	-1
Sat Jun 24 2017 14:06:00.0000	1071	-1
Sat Jun 24 2017 14:07:00.0000	1071	-1
Sat Jun 24 2017 14:08:00.0000	1071	-1
Sat Jun 24 2017 14:09:00.0000	1070	-1
Sat Jun 24 2017 14:10:00.0000	1070	-1
Sat Jun 24 2017 14:11:00.0000	1070	-1
Sat Jun 24 2017 14:12:00.0000	1070	-1
Sat Jun 24 2017 14:13:00.0000	1069	-1
Sat Jun 24 2017 14:14:00.0000	1069	-1
Sat Jun 24 2017 14:15:00.0000	1069	-1
Sat Jun 24 2017 14:16:00.0000	1069	-1
Sat Jun 24 2017 14:17:00.0000	1068	-1
Sat Jun 24 2017 14:18:00.0000	1068	-1

Date/Time	Process Temperature (°F)	Process Flow SCFM
Sat Jun 24 2017 14:19:00.0000	1068	-1
Sat Jun 24 2017 14:20:00.0000	1068	-1
Sat Jun 24 2017 14:21:00.0000	1067	-1
Sat Jun 24 2017 14:22:00.0000	1067	-1
Sat Jun 24 2017 14:23:00.0000	1067	-1
Sat Jun 24 2017 14:24:00.0000	1067	-1
Sat Jun 24 2017 14:25:00.0000	1066	-1
Sat Jun 24 2017 14:26:00.0000	1066	-1
Sat Jun 24 2017 14:27:00.0000	1066	-1
Sat Jun 24 2017 14:28:00.0000	1065	-1
Sat Jun 24 2017 14:29:00.0000	1065	-1
Sat Jun 24 2017 14:30:00.0000	1065	-1
Sat Jun 24 2017 14:31:00.0000	1065	-1
Sat Jun 24 2017 14:32:00.0000	1064	-1
Sat Jun 24 2017 14:33:00.0000	1064	-1
Sat Jun 24 2017 14:34:00.0000	1064	-1
Sat Jun 24 2017 14:35:00.0000	1064	-1
Sat Jun 24 2017 14:36:00.0000	1063	-1
Sat Jun 24 2017 14:37:00.0000	1063	-1
Sat Jun 24 2017 14:38:00.0000	1063	-1
Sat Jun 24 2017 14:39:00.0000	1063	-1
Sat Jun 24 2017 14:40:00.0000	1062	-1
Sat Jun 24 2017 14:41:00.0000	1062	-1
Sat Jun 24 2017 14:42:00.0000	1062	-1
Sat Jun 24 2017 14:43:00.0000	1062	-1
Sat Jun 24 2017 14:44:00.0000	1061	-1
Sat Jun 24 2017 14:45:00.0000	1061	-1
Sat Jun 24 2017 14:46:00.0000	1061	-1
Sat Jun 24 2017 14:47:00.0000	1061	-1
Sat Jun 24 2017 14:48:00.0000	1060	-1
Sat Jun 24 2017 14:49:00.0000	1060	-1
Sat Jun 24 2017 14:50:00.0000	1060	-1
Sat Jun 24 2017 14:51:00.0000	1060	-1
Sat Jun 24 2017 14:52:00.0000	1059	-1
Sat Jun 24 2017 14:53:00.0000	1059	-1
Sat Jun 24 2017 14:54:00.0000	1059	-1
Sat Jun 24 2017 14:55:00.0000	1059	-1
Sat Jun 24 2017 14:56:00.0000	1058	-1
Sat Jun 24 2017 14:57:00.0000	1058	-1
Sat Jun 24 2017 14:58:00.0000	1058	-1
Sat Jun 24 2017 14:59:00.0000	1058	-1
Sat Jun 24 2017 15:00:00.0000	1057	-1
Sat Jun 24 2017 15:01:00.0000	1057	-1
Sat Jun 24 2017 15:02:00.0000	1057	-1
Sat Jun 24 2017 15:03:00.0000	1057	-1
Sat Jun 24 2017 15:04:00.0000	1056	-1
Sat Jun 24 2017 15:05:00.0000	1056	-1
Sat Jun 24 2017 15:06:00.0000	1056	-1
Sat Jun 24 2017 15:07:00.0000	1056	-1
Sat Jun 24 2017 15:08:00.0000	1055	-1
Sat Jun 24 2017 15:09:00.0000	1055	-1
Sat Jun 24 2017 15:10:00.0000	1055	-1
Sat Jun 24 2017 15:11:00.0000	1055	-1
Sat Jun 24 2017 15:12:00.0000	1054	-1
Sat Jun 24 2017 15:13:00.0000	1054	-1
Sat Jun 24 2017 15:14:00.0000	1054	-1
Sat Jun 24 2017 15:15:00.0000	1054	-1

Date/Time	Process Temperature (°F)	Process Flow SCFM
Sat Jun 24 2017 15:16:00.0000	1053	-1
Sat Jun 24 2017 15:17:00.0000	1053	-1
Sat Jun 24 2017 15:18:00.0000	1053	-1
Sat Jun 24 2017 15:19:00.0000	1053	-1
Sat Jun 24 2017 15:20:00.0000	1052	-1
Sat Jun 24 2017 15:21:00.0000	1052	-1
Sat Jun 24 2017 15:22:00.0000	1052	-1
Sat Jun 24 2017 15:23:00.0000	1052	-1
Sat Jun 24 2017 15:24:00.0000	1052	-1
Sat Jun 24 2017 15:25:00.0000	1051	-1
Sat Jun 24 2017 15:26:00.0000	1051	-1
Sat Jun 24 2017 15:27:00.0000	1051	-1
Sat Jun 24 2017 15:28:00.0000	1051	-1
Sat Jun 24 2017 15:29:00.0000	1050	-1
Sat Jun 24 2017 15:30:00.0000	1050	-1
Sat Jun 24 2017 15:31:00.0000	1050	-1
Sat Jun 24 2017 15:32:00.0000	1050	-1
Sat Jun 24 2017 15:33:00.0000	1049	-1
Sat Jun 24 2017 15:34:00.0000	1049	-1
Sat Jun 24 2017 15:35:00.0000	1049	-1
Sat Jun 24 2017 15:36:00.0000	1049	-1
Sat Jun 24 2017 15:37:00.0000	1048	-1
Sat Jun 24 2017 15:38:00.0000	1048	-1
Sat Jun 24 2017 15:39:00.0000	1048	-1
Sat Jun 24 2017 15:40:00.0000	1048	-1
Sat Jun 24 2017 15:41:00.0000	1047	-1
Sat Jun 24 2017 15:42:00.0000	1047	-1
Sat Jun 24 2017 15:43:00.0000	1047	-1
Sat Jun 24 2017 15:44:00.0000	1047	-1
Sat Jun 24 2017 15:45:00.0000	1046	-1
Sat Jun 24 2017 15:46:00.0000	1046	-1
Sat Jun 24 2017 15:47:00.0000	1046	-1
Sat Jun 24 2017 15:48:00.0000	1046	-1
Sat Jun 24 2017 15:49:00.0000	1045	-1
Sat Jun 24 2017 15:50:00.0000	1045	-1
Sat Jun 24 2017 15:51:00.0000	1045	-1
Sat Jun 24 2017 15:52:00.0000	1045	-1
Sat Jun 24 2017 15:53:00.0000	1044	-1
Sat Jun 24 2017 15:54:00.0000	1044	-1
Sat Jun 24 2017 15:55:00.0000	1044	-1
Sat Jun 24 2017 15:56:00.0000	1044	-1
Sat Jun 24 2017 15:57:00.0000	1043	-1
Sat Jun 24 2017 15:58:00.0000	1043	-1
Sat Jun 24 2017 15:59:00.0000	1043	-1
Sat Jun 24 2017 16:00:00.0000	1043	-1
Sat Jun 24 2017 16:01:00.0000	1042	-1
Sat Jun 24 2017 16:02:00.0000	1042	-1
Sat Jun 24 2017 16:03:00.0000	1042	-1
Sat Jun 24 2017 16:04:00.0000	1042	-1
Sat Jun 24 2017 16:05:00.0000	1041	-1
Sat Jun 24 2017 16:06:00.0000	1041	-1
Sat Jun 24 2017 16:07:00.0000	1041	-1
Sat Jun 24 2017 16:08:00.0000	1041	-1
Sat Jun 24 2017 16:09:00.0000	1040	-1
Sat Jun 24 2017 16:10:00.0000	1040	-1
Sat Jun 24 2017 16:11:00.0000	1040	-1
Sat Jun 24 2017 16:12:00.0000	1040	-1

Date/Time	Process Temperature (°F)	Process Flow SCFM
Sat Jun 24 2017 16:13:00.0000	1040	-1
Sat Jun 24 2017 16:14:00.0000	1039	-1
Sat Jun 24 2017 16:15:00.0000	1039	-1
Sat Jun 24 2017 16:16:00.0000	1039	-1
Sat Jun 24 2017 16:17:00.0000	1038	-1
Sat Jun 24 2017 16:18:00.0000	1038	-1
Sat Jun 24 2017 16:19:00.0000	1038	-1
Sat Jun 24 2017 16:20:00.0000	1038	-1
Sat Jun 24 2017 16:21:00.0000	1038	-1
Sat Jun 24 2017 16:22:00.0000	1037	-1
Sat Jun 24 2017 16:23:00.0000	1037	-1
Sat Jun 24 2017 16:24:00.0000	1037	-1
Sat Jun 24 2017 16:25:00.0000	1037	-1
Sat Jun 24 2017 16:26:00.0000	1036	-1
Sat Jun 24 2017 16:27:00.0000	1036	-1
Sat Jun 24 2017 16:28:00.0000	1036	-1
Sat Jun 24 2017 16:29:00.0000	1036	-1
Sat Jun 24 2017 16:30:00.0000	1035	-1
Sat Jun 24 2017 16:31:00.0000	1035	-1
Sat Jun 24 2017 16:32:00.0000	1035	-1
Sat Jun 24 2017 16:33:00.0000	1035	-1
Sat Jun 24 2017 16:34:00.0000	1034	-1
Sat Jun 24 2017 16:35:00.0000	1034	-1
Sat Jun 24 2017 16:36:00.0000	1034	-1
Sat Jun 24 2017 16:37:00.0000	1034	-1
Sat Jun 24 2017 16:38:00.0000	1033	-1
Sat Jun 24 2017 16:39:00.0000	1033	-1
Sat Jun 24 2017 16:40:00.0000	1033	-1
Sat Jun 24 2017 16:41:00.0000	1033	-1
Sat Jun 24 2017 16:42:00.0000	1033	-1
Sat Jun 24 2017 16:43:00.0000	1032	-1
Sat Jun 24 2017 16:44:00.0000	1032	-1
Sat Jun 24 2017 16:45:00.0000	1032	-1
Sat Jun 24 2017 16:46:00.0000	1032	-1
Sat Jun 24 2017 16:47:00.0000	1031	-1
Sat Jun 24 2017 16:48:00.0000	1031	-1
Sat Jun 24 2017 16:49:00.0000	1031	-1
Sat Jun 24 2017 16:50:00.0000	1031	-1
Sat Jun 24 2017 16:51:00.0000	1030	-1
Sat Jun 24 2017 16:52:00.0000	1030	-1
Sat Jun 24 2017 16:53:00.0000	1030	-1
Sat Jun 24 2017 16:54:00.0000	1030	-1
Sat Jun 24 2017 16:55:00.0000	1030	-1
Sat Jun 24 2017 16:56:00.0000	1029	-1
Sat Jun 24 2017 16:57:00.0000	1029	-1
Sat Jun 24 2017 16:58:00.0000	1029	-1
Sat Jun 24 2017 16:59:00.0000	1029	-1
Sat Jun 24 2017 17:00:00.0000	1028	-1
Sat Jun 24 2017 17:01:00.0000	1028	-1
Sat Jun 24 2017 17:02:00.0000	1028	-1
Sat Jun 24 2017 17:03:00.0000	1028	-1
Sat Jun 24 2017 17:04:00.0000	1027	-1
Sat Jun 24 2017 17:05:00.0000	1027	-1
Sat Jun 24 2017 17:06:00.0000	1027	-1
Sat Jun 24 2017 17:07:00.0000	1027	-1
Sat Jun 24 2017 17:08:00.0000	1026	-1
Sat Jun 24 2017 17:09:00.0000	1026	-1

Date/Time	Process Temperature (°F)	Process Flow SCFM
Sat Jun 24 2017 17:10:00.0000	1026	-1
Sat Jun 24 2017 17:11:00.0000	1026	-1
Sat Jun 24 2017 17:12:00.0000	1025	-1
Sat Jun 24 2017 17:13:00.0000	1025	-1
Sat Jun 24 2017 17:14:00.0000	1025	-1
Sat Jun 24 2017 17:15:00.0000	1025	-1
Sat Jun 24 2017 17:16:00.0000	1025	-1
Sat Jun 24 2017 17:17:00.0000	1024	-1
Sat Jun 24 2017 17:18:00.0000	1024	-1
Sat Jun 24 2017 17:19:00.0000	1024	-1
Sat Jun 24 2017 17:20:00.0000	1024	-1
Sat Jun 24 2017 17:21:00.0000	1023	-1
Sat Jun 24 2017 17:22:00.0000	1023	-1
Sat Jun 24 2017 17:23:00.0000	1023	-1
Sat Jun 24 2017 17:24:00.0000	1023	-1
Sat Jun 24 2017 17:25:00.0000	1022	-1
Sat Jun 24 2017 17:26:00.0000	1022	-1
Sat Jun 24 2017 17:27:00.0000	1022	-1
Sat Jun 24 2017 17:28:00.0000	1022	-1
Sat Jun 24 2017 17:29:00.0000	1021	-1
Sat Jun 24 2017 17:30:00.0000	1021	-1
Sat Jun 24 2017 17:31:00.0000	1021	-1
Sat Jun 24 2017 17:32:00.0000	1021	-1
Sat Jun 24 2017 17:33:00.0000	1020	-1
Sat Jun 24 2017 17:34:00.0000	1020	-1
Sat Jun 24 2017 17:35:00.0000	1020	-1
Sat Jun 24 2017 17:36:00.0000	1020	-1
Sat Jun 24 2017 17:37:00.0000	1020	-1
Sat Jun 24 2017 17:38:00.0000	1019	-1
Sat Jun 24 2017 17:39:00.0000	1019	-1
Sat Jun 24 2017 17:40:00.0000	1019	-1
Sat Jun 24 2017 17:41:00.0000	1019	-1
Sat Jun 24 2017 17:42:00.0000	1018	-1
Sat Jun 24 2017 17:43:00.0000	1018	-1
Sat Jun 24 2017 17:44:00.0000	1018	-1
Sat Jun 24 2017 17:45:00.0000	1018	-1
Sat Jun 24 2017 17:46:00.0000	1017	-1
Sat Jun 24 2017 17:47:00.0000	1017	-1
Sat Jun 24 2017 17:48:00.0000	1017	-1
Sat Jun 24 2017 17:49:00.0000	1017	-1
Sat Jun 24 2017 17:50:00.0000	1016	-1
Sat Jun 24 2017 17:51:00.0000	1016	-1
Sat Jun 24 2017 17:52:00.0000	1016	-1
Sat Jun 24 2017 17:53:00.0000	1016	-1
Sat Jun 24 2017 17:54:00.0000	1016	-1
Sat Jun 24 2017 17:55:00.0000	1015	-1
Sat Jun 24 2017 17:56:00.0000	1015	-1
Sat Jun 24 2017 17:57:00.0000	1015	-1
Sat Jun 24 2017 17:58:00.0000	1015	-1
Sat Jun 24 2017 17:59:00.0000	1014	-1
Sat Jun 24 2017 18:00:00.0000	1014	-1
Sat Jun 24 2017 18:01:00.0000	1014	-1
Sat Jun 24 2017 18:02:00.0000	1014	-1
Sat Jun 24 2017 18:03:00.0000	1013	-1
Sat Jun 24 2017 18:04:00.0000	1013	-1
Sat Jun 24 2017 18:05:00.0000	1013	-1
Sat Jun 24 2017 18:06:00.0000	1013	-1

Date/Time	Process Temperature (°F)	Process Flow SCFM
Sat Jun 24 2017 18:07:00.0000	1013	-1
Sat Jun 24 2017 18:08:00.0000	1012	-1
Sat Jun 24 2017 18:09:00.0000	1012	-1
Sat Jun 24 2017 18:10:00.0000	1012	-1
Sat Jun 24 2017 18:11:00.0000	1012	-1
Sat Jun 24 2017 18:12:00.0000	1011	-1
Sat Jun 24 2017 18:13:00.0000	1011	-1
Sat Jun 24 2017 18:14:00.0000	1011	-1
Sat Jun 24 2017 18:15:00.0000	1011	-1
Sat Jun 24 2017 18:16:00.0000	1010	-1
Sat Jun 24 2017 18:17:00.0000	1010	-1
Sat Jun 24 2017 18:18:00.0000	1010	-1
Sat Jun 24 2017 18:19:00.0000	1010	-1
Sat Jun 24 2017 18:20:00.0000	1009	-1
Sat Jun 24 2017 18:21:00.0000	1009	-1
Sat Jun 24 2017 18:22:00.0000	1009	-1
Sat Jun 24 2017 18:23:00.0000	1009	-1
Sat Jun 24 2017 18:24:00.0000	1009	-1
Sat Jun 24 2017 18:25:00.0000	1008	-1
Sat Jun 24 2017 18:26:00.0000	1008	-1
Sat Jun 24 2017 18:27:00.0000	1008	-1
Sat Jun 24 2017 18:28:00.0000	1008	-1
Sat Jun 24 2017 18:29:00.0000	1007	-1
Sat Jun 24 2017 18:30:00.0000	1007	-1
Sat Jun 24 2017 18:31:00.0000	1007	-1
Sat Jun 24 2017 18:32:00.0000	1007	-1
Sat Jun 24 2017 18:33:00.0000	1007	-1
Sat Jun 24 2017 18:34:00.0000	1006	-1
Sat Jun 24 2017 18:35:00.0000	1006	-1
Sat Jun 24 2017 18:36:00.0000	1006	-1
Sat Jun 24 2017 18:37:00.0000	1006	-1
Sat Jun 24 2017 18:38:00.0000	1005	-1
Sat Jun 24 2017 18:39:00.0000	1005	-1
Sat Jun 24 2017 18:40:00.0000	1005	-1
Sat Jun 24 2017 18:41:00.0000	1005	-1
Sat Jun 24 2017 18:42:00.0000	1004	-1
Sat Jun 24 2017 18:43:00.0000	1004	-1
Sat Jun 24 2017 18:44:00.0000	1004	-1
Sat Jun 24 2017 18:45:00.0000	1004	-1
Sat Jun 24 2017 18:46:00.0000	1003	-1
Sat Jun 24 2017 18:47:00.0000	1003	-1
Sat Jun 24 2017 18:48:00.0000	1003	-1
Sat Jun 24 2017 18:49:00.0000	1003	-1
Sat Jun 24 2017 18:50:00.0000	1003	-1
Sat Jun 24 2017 18:51:00.0000	1002	-1
Sat Jun 24 2017 18:52:00.0000	1002	-1
Sat Jun 24 2017 18:53:00.0000	1002	-1
Sat Jun 24 2017 18:54:00.0000	1002	-1
Sat Jun 24 2017 18:55:00.0000	1001	-1
Sat Jun 24 2017 18:56:00.0000	1001	-1
Sat Jun 24 2017 18:57:00.0000	1001	-1
Sat Jun 24 2017 18:58:00.0000	1001	-1
Sat Jun 24 2017 18:59:00.0000	1001	-1
Sat Jun 24 2017 19:00:00.0000	1000	-1
Sat Jun 24 2017 19:01:00.0000	1000	-1
Sat Jun 24 2017 19:02:00.0000	1000	-1
Sat Jun 24 2017 19:03:00.0000	1000	-1

Date/Time	Process Temperature (°F)	Process Flow SCFM
Sat Jun 24 2017 19:04:00.0000	999	-1
Sat Jun 24 2017 19:05:00.0000	999	-1
Sat Jun 24 2017 19:06:00.0000	999	-1
Sat Jun 24 2017 19:07:00.0000	999	-1
Sat Jun 24 2017 19:08:00.0000	998	-1
Sat Jun 24 2017 19:09:00.0000	998	-1
Sat Jun 24 2017 19:10:00.0000	998	-1
Sat Jun 24 2017 19:11:00.0000	998	-1
Sat Jun 24 2017 19:12:00.0000	998	-1
Sat Jun 24 2017 19:13:00.0000	997	-1
Sat Jun 24 2017 19:14:00.0000	997	-1
Sat Jun 24 2017 19:15:00.0000	997	-1
Sat Jun 24 2017 19:16:00.0000	997	-1
Sat Jun 24 2017 19:17:00.0000	996	-1
Sat Jun 24 2017 19:18:00.0000	996	-1
Sat Jun 24 2017 19:19:00.0000	996	-1
Sat Jun 24 2017 19:20:00.0000	996	-1
Sat Jun 24 2017 19:21:00.0000	995	-1
Sat Jun 24 2017 19:22:00.0000	995	-1
Sat Jun 24 2017 19:23:00.0000	995	-1
Sat Jun 24 2017 19:24:00.0000	995	-1
Sat Jun 24 2017 19:25:00.0000	995	-1
Sat Jun 24 2017 19:26:00.0000	994	-1
Sat Jun 24 2017 19:27:00.0000	994	-1
Sat Jun 24 2017 19:28:00.0000	994	-1
Sat Jun 24 2017 19:29:00.0000	994	-1
Sat Jun 24 2017 19:30:00.0000	993	-1
Sat Jun 24 2017 19:31:00.0000	993	-1
Sat Jun 24 2017 19:32:00.0000	992	-1
Sat Jun 24 2017 19:33:00.0000	992	-1
Sat Jun 24 2017 19:34:00.0000	992	-1
Sat Jun 24 2017 19:35:00.0000	992	-1
Sat Jun 24 2017 19:36:00.0000	992	-1
Sat Jun 24 2017 19:37:00.0000	992	-1
Sat Jun 24 2017 19:38:00.0000	992	-1
Sat Jun 24 2017 19:39:00.0000	991	-1
Sat Jun 24 2017 19:40:00.0000	991	-1
Sat Jun 24 2017 19:41:00.0000	991	-1
Sat Jun 24 2017 19:42:00.0000	991	-1
Sat Jun 24 2017 19:43:00.0000	991	-1
Sat Jun 24 2017 19:44:00.0000	990	-1
Sat Jun 24 2017 19:45:00.0000	990	-1
Sat Jun 24 2017 19:46:00.0000	990	-1
Sat Jun 24 2017 19:47:00.0000	990	-1
Sat Jun 24 2017 19:48:00.0000	989	-1
Sat Jun 24 2017 19:49:00.0000	989	-1
Sat Jun 24 2017 19:50:00.0000	989	-1
Sat Jun 24 2017 19:51:00.0000	989	-1
Sat Jun 24 2017 19:52:00.0000	989	-1
Sat Jun 24 2017 19:53:00.0000	988	-1
Sat Jun 24 2017 19:54:00.0000	987	-1
Sat Jun 24 2017 19:55:00.0000	987	-1
Sat Jun 24 2017 19:56:00.0000	987	-1
Sat Jun 24 2017 19:57:00.0000	987	-1
Sat Jun 24 2017 19:58:00.0000	987	-1
Sat Jun 24 2017 19:59:00.0000	987	-1
Sat Jun 24 2017 20:00:00.0000	987	-1

Date/Time	Process Temperature (°F)	Process Flow SCFM
Sat Jun 24 2017 20:01:00.0000	987	-1
Sat Jun 24 2017 20:02:00.0000	986	-1
Sat Jun 24 2017 20:03:00.0000	985	-1
Sat Jun 24 2017 20:04:00.0000	985	-1
Sat Jun 24 2017 20:05:00.0000	985	-1
Sat Jun 24 2017 20:06:00.0000	985	-1
Sat Jun 24 2017 20:07:00.0000	985	-1
Sat Jun 24 2017 20:08:00.0000	985	-1
Sat Jun 24 2017 20:09:00.0000	985	-1
Sat Jun 24 2017 20:10:00.0000	985	-1
Sat Jun 24 2017 20:11:00.0000	983	-1
Sat Jun 24 2017 20:12:00.0000	983	-1
Sat Jun 24 2017 20:13:00.0000	983	-1
Sat Jun 24 2017 20:14:00.0000	983	-1
Sat Jun 24 2017 20:15:00.0000	983	-1
Sat Jun 24 2017 20:16:00.0000	983	-1
Sat Jun 24 2017 20:17:00.0000	983	-1
Sat Jun 24 2017 20:18:00.0000	983	-1
Sat Jun 24 2017 20:19:00.0000	982	-1
Sat Jun 24 2017 20:20:00.0000	982	-1
Sat Jun 24 2017 20:21:00.0000	982	-1
Sat Jun 24 2017 20:22:00.0000	982	-1
Sat Jun 24 2017 20:23:00.0000	981	-1
Sat Jun 24 2017 20:24:00.0000	980	-1
Sat Jun 24 2017 20:25:00.0000	980	-1
Sat Jun 24 2017 20:26:00.0000	980	-1
Sat Jun 24 2017 20:27:00.0000	980	-1
Sat Jun 24 2017 20:28:00.0000	980	-1
Sat Jun 24 2017 20:29:00.0000	979	-1
Sat Jun 24 2017 20:30:00.0000	979	0
Sat Jun 24 2017 20:31:00.0000	979	-1
Sat Jun 24 2017 20:32:00.0000	979	-1
Sat Jun 24 2017 20:33:00.0000	978	0
Sat Jun 24 2017 20:34:00.0000	978	-1
Sat Jun 24 2017 20:35:00.0000	978	-1
Sat Jun 24 2017 20:36:00.0000	978	-1
Sat Jun 24 2017 20:37:00.0000	978	-1
Sat Jun 24 2017 20:38:00.0000	977	-1
Sat Jun 24 2017 20:39:00.0000	977	-1
Sat Jun 24 2017 20:40:00.0000	977	-1
Sat Jun 24 2017 20:41:00.0000	977	-1
Sat Jun 24 2017 20:42:00.0000	977	0
Sat Jun 24 2017 20:43:00.0000	977	-1
Sat Jun 24 2017 20:44:00.0000	977	-1
Sat Jun 24 2017 20:45:00.0000	977	-1
Sat Jun 24 2017 20:46:00.0000	976	-1
Sat Jun 24 2017 20:47:00.0000	975	-1
Sat Jun 24 2017 20:48:00.0000	975	0
Sat Jun 24 2017 20:49:00.0000	975	-1
Sat Jun 24 2017 20:50:00.0000	975	0
Sat Jun 24 2017 20:51:00.0000	974	0
Sat Jun 24 2017 20:52:00.0000	974	0
Sat Jun 24 2017 20:53:00.0000	974	0
Sat Jun 24 2017 20:54:00.0000	974	-1
Sat Jun 24 2017 20:55:00.0000	973	0
Sat Jun 24 2017 20:56:00.0000	973	-1
Sat Jun 24 2017 20:57:00.0000	973	-1

Date/Time	Process Temperature (°F)	Process Flow SCFM
Sat Jun 24 2017 20:58:00.0000	973	0
Sat Jun 24 2017 20:59:00.0000	973	0
Sat Jun 24 2017 21:00:00.0000	972	0
Sat Jun 24 2017 21:01:00.0000	972	-1
Sat Jun 24 2017 21:02:00.0000	972	0
Sat Jun 24 2017 21:03:00.0000	972	0
Sat Jun 24 2017 21:04:00.0000	971	-1
Sat Jun 24 2017 21:05:00.0000	971	0
Sat Jun 24 2017 21:06:00.0000	971	-1
Sat Jun 24 2017 21:07:00.0000	971	0
Sat Jun 24 2017 21:08:00.0000	971	0
Sat Jun 24 2017 21:09:00.0000	970	0
Sat Jun 24 2017 21:10:00.0000	970	0
Sat Jun 24 2017 21:11:00.0000	970	0
Sat Jun 24 2017 21:12:00.0000	970	0
Sat Jun 24 2017 21:13:00.0000	969	0
Sat Jun 24 2017 21:14:00.0000	969	0
Sat Jun 24 2017 21:15:00.0000	969	0
Sat Jun 24 2017 21:16:00.0000	969	0
Sat Jun 24 2017 21:17:00.0000	969	0
Sat Jun 24 2017 21:18:00.0000	968	0
Sat Jun 24 2017 21:19:00.0000	968	0
Sat Jun 24 2017 21:20:00.0000	968	0
Sat Jun 24 2017 21:21:00.0000	968	0
Sat Jun 24 2017 21:22:00.0000	967	0
Sat Jun 24 2017 21:23:00.0000	967	0
Sat Jun 24 2017 21:24:00.0000	967	0
Sat Jun 24 2017 21:25:00.0000	967	0
Sat Jun 24 2017 21:26:00.0000	967	0
Sat Jun 24 2017 21:27:00.0000	966	0
Sat Jun 24 2017 21:28:00.0000	966	0
Sat Jun 24 2017 21:29:00.0000	966	0
Sat Jun 24 2017 21:30:00.0000	966	0
Sat Jun 24 2017 21:31:00.0000	965	0
Sat Jun 24 2017 21:32:00.0000	965	0
Sat Jun 24 2017 21:33:00.0000	965	0
Sat Jun 24 2017 21:34:00.0000	965	0
Sat Jun 24 2017 21:35:00.0000	965	0
Sat Jun 24 2017 21:36:00.0000	964	0
Sat Jun 24 2017 21:37:00.0000	964	0
Sat Jun 24 2017 21:38:00.0000	964	0
Sat Jun 24 2017 21:39:00.0000	964	0
Sat Jun 24 2017 21:40:00.0000	963	0
Sat Jun 24 2017 21:41:00.0000	963	0
Sat Jun 24 2017 21:42:00.0000	963	0
Sat Jun 24 2017 21:43:00.0000	963	0
Sat Jun 24 2017 21:44:00.0000	963	0
Sat Jun 24 2017 21:45:00.0000	962	0
Sat Jun 24 2017 21:46:00.0000	962	0
Sat Jun 24 2017 21:47:00.0000	962	0
Sat Jun 24 2017 21:48:00.0000	962	0
Sat Jun 24 2017 21:49:00.0000	961	0
Sat Jun 24 2017 21:50:00.0000	961	0
Sat Jun 24 2017 21:51:00.0000	961	0
Sat Jun 24 2017 21:52:00.0000	961	0
Sat Jun 24 2017 21:53:00.0000	961	0
Sat Jun 24 2017 21:54:00.0000	960	0

Date/Time	Process Temperature (°F)	Process Flow SCFM
Sat Jun 24 2017 21:55:00.0000	960	0
Sat Jun 24 2017 21:56:00.0000	960	0
Sat Jun 24 2017 21:57:00.0000	960	0
Sat Jun 24 2017 21:58:00.0000	959	0
Sat Jun 24 2017 21:59:00.0000	959	0
Sat Jun 24 2017 22:00:00.0000	959	0
Sat Jun 24 2017 22:01:00.0000	959	0
Sat Jun 24 2017 22:02:00.0000	959	0
Sat Jun 24 2017 22:03:00.0000	958	0
Sat Jun 24 2017 22:04:00.0000	958	0
Sat Jun 24 2017 22:05:00.0000	958	0
Sat Jun 24 2017 22:06:00.0000	958	0
Sat Jun 24 2017 22:07:00.0000	957	0
Sat Jun 24 2017 22:08:00.0000	957	0
Sat Jun 24 2017 22:09:00.0000	957	0
Sat Jun 24 2017 22:10:00.0000	957	0
Sat Jun 24 2017 22:11:00.0000	957	0
Sat Jun 24 2017 22:12:00.0000	956	0
Sat Jun 24 2017 22:13:00.0000	956	0
Sat Jun 24 2017 22:14:00.0000	956	0
Sat Jun 24 2017 22:15:00.0000	956	0
Sat Jun 24 2017 22:16:00.0000	955	0
Sat Jun 24 2017 22:17:00.0000	955	0
Sat Jun 24 2017 22:18:00.0000	955	0
Sat Jun 24 2017 22:19:00.0000	955	0
Sat Jun 24 2017 22:20:00.0000	955	0
Sat Jun 24 2017 22:21:00.0000	954	0
Sat Jun 24 2017 22:22:00.0000	954	0
Sat Jun 24 2017 22:23:00.0000	954	0
Sat Jun 24 2017 22:24:00.0000	954	0
Sat Jun 24 2017 22:25:00.0000	953	0
Sat Jun 24 2017 22:26:00.0000	953	0
Sat Jun 24 2017 22:27:00.0000	953	0
Sat Jun 24 2017 22:28:00.0000	953	0
Sat Jun 24 2017 22:29:00.0000	953	0
Sat Jun 24 2017 22:30:00.0000	952	0
Sat Jun 24 2017 22:31:00.0000	952	0
Sat Jun 24 2017 22:32:00.0000	952	0
Sat Jun 24 2017 22:33:00.0000	952	0
Sat Jun 24 2017 22:34:00.0000	951	0
Sat Jun 24 2017 22:35:00.0000	951	0
Sat Jun 24 2017 22:36:00.0000	951	0
Sat Jun 24 2017 22:37:00.0000	951	0
Sat Jun 24 2017 22:38:00.0000	951	0
Sat Jun 24 2017 22:39:00.0000	950	0
Sat Jun 24 2017 22:40:00.0000	950	0
Sat Jun 24 2017 22:41:00.0000	950	0
Sat Jun 24 2017 22:42:00.0000	950	0
Sat Jun 24 2017 22:43:00.0000	950	0
Sat Jun 24 2017 22:44:00.0000	949	0
Sat Jun 24 2017 22:45:00.0000	949	0
Sat Jun 24 2017 22:46:00.0000	949	0
Sat Jun 24 2017 22:47:00.0000	949	0
Sat Jun 24 2017 22:48:00.0000	949	0
Sat Jun 24 2017 22:49:00.0000	948	0
Sat Jun 24 2017 22:50:00.0000	948	0
Sat Jun 24 2017 22:51:00.0000	948	0

Date/Time	Process Temperature (°F)	Process Flow SCFM
Sat Jun 24 2017 22:52:00.0000	948	0
Sat Jun 24 2017 22:53:00.0000	947	0
Sat Jun 24 2017 22:54:00.0000	947	0
Sat Jun 24 2017 22:55:00.0000	947	0
Sat Jun 24 2017 22:56:00.0000	947	0
Sat Jun 24 2017 22:57:00.0000	947	0
Sat Jun 24 2017 22:58:00.0000	946	0
Sat Jun 24 2017 22:59:00.0000	946	0
Sat Jun 24 2017 23:00:00.0000	946	0
Sat Jun 24 2017 23:01:00.0000	946	0
Sat Jun 24 2017 23:02:00.0000	946	0
Sat Jun 24 2017 23:03:00.0000	945	0
Sat Jun 24 2017 23:04:00.0000	945	0
Sat Jun 24 2017 23:05:00.0000	945	0
Sat Jun 24 2017 23:06:00.0000	945	0
Sat Jun 24 2017 23:07:00.0000	944	0
Sat Jun 24 2017 23:08:00.0000	944	0
Sat Jun 24 2017 23:09:00.0000	944	0
Sat Jun 24 2017 23:10:00.0000	944	0
Sat Jun 24 2017 23:11:00.0000	944	0
Sat Jun 24 2017 23:12:00.0000	943	0
Sat Jun 24 2017 23:13:00.0000	943	0
Sat Jun 24 2017 23:14:00.0000	943	0
Sat Jun 24 2017 23:15:00.0000	943	0
Sat Jun 24 2017 23:16:00.0000	942	0
Sat Jun 24 2017 23:17:00.0000	942	0
Sat Jun 24 2017 23:18:00.0000	942	0
Sat Jun 24 2017 23:19:00.0000	942	0
Sat Jun 24 2017 23:20:00.0000	942	0
Sat Jun 24 2017 23:21:00.0000	941	0
Sat Jun 24 2017 23:22:00.0000	941	0
Sat Jun 24 2017 23:23:00.0000	941	0
Sat Jun 24 2017 23:24:00.0000	941	0
Sat Jun 24 2017 23:25:00.0000	940	0
Sat Jun 24 2017 23:26:00.0000	940	0
Sat Jun 24 2017 23:27:00.0000	940	0
Sat Jun 24 2017 23:28:00.0000	940	0
Sat Jun 24 2017 23:29:00.0000	940	0
Sat Jun 24 2017 23:30:00.0000	939	0
Sat Jun 24 2017 23:31:00.0000	939	0
Sat Jun 24 2017 23:32:00.0000	939	0
Sat Jun 24 2017 23:33:00.0000	939	0
Sat Jun 24 2017 23:34:00.0000	939	0
Sat Jun 24 2017 23:35:00.0000	938	0
Sat Jun 24 2017 23:36:00.0000	938	0
Sat Jun 24 2017 23:37:00.0000	938	0
Sat Jun 24 2017 23:38:00.0000	938	0
Sat Jun 24 2017 23:39:00.0000	937	0
Sat Jun 24 2017 23:40:00.0000	937	0
Sat Jun 24 2017 23:41:00.0000	937	0
Sat Jun 24 2017 23:42:00.0000	937	0
Sat Jun 24 2017 23:43:00.0000	937	0
Sat Jun 24 2017 23:44:00.0000	936	0
Sat Jun 24 2017 23:45:00.0000	936	0
Sat Jun 24 2017 23:46:00.0000	936	0
Sat Jun 24 2017 23:47:00.0000	936	0
Sat Jun 24 2017 23:48:00.0000	935	0

Date/Time	Process Temperature (°F)	Process Flow SCFM
Sat Jun 24 2017 23:49:00.0000	935	0
Sat Jun 24 2017 23:50:00.0000	935	0
Sat Jun 24 2017 23:51:00.0000	935	0
Sat Jun 24 2017 23:52:00.0000	935	0
Sat Jun 24 2017 23:53:00.0000	934	0
Sat Jun 24 2017 23:54:00.0000	934	0
Sat Jun 24 2017 23:55:00.0000	934	0
Sat Jun 24 2017 23:56:00.0000	934	0
Sat Jun 24 2017 23:57:00.0000	933	0
Sat Jun 24 2017 23:58:00.0000	933	0
Sat Jun 24 2017 23:59:00.0000	933	0
Sun Jun 25 2017 00:00:00.0000	933	0
Sun Jun 25 2017 00:01:00.0000	933	0
Sun Jun 25 2017 00:02:00.0000	932	0
Sun Jun 25 2017 00:03:00.0000	932	0
Sun Jun 25 2017 00:04:00.0000	932	0
Sun Jun 25 2017 00:05:00.0000	932	0
Sun Jun 25 2017 00:06:00.0000	932	0
Sun Jun 25 2017 00:07:00.0000	931	0
Sun Jun 25 2017 00:08:00.0000	931	0
Sun Jun 25 2017 00:09:00.0000	931	0
Sun Jun 25 2017 00:10:00.0000	931	0
Sun Jun 25 2017 00:11:00.0000	930	0
Sun Jun 25 2017 00:12:00.0000	930	0
Sun Jun 25 2017 00:13:00.0000	930	0
Sun Jun 25 2017 00:14:00.0000	930	0
Sun Jun 25 2017 00:15:00.0000	930	0
Sun Jun 25 2017 00:16:00.0000	929	0
Sun Jun 25 2017 00:17:00.0000	929	0
Sun Jun 25 2017 00:18:00.0000	929	0
Sun Jun 25 2017 00:19:00.0000	929	0
Sun Jun 25 2017 00:20:00.0000	929	0
Sun Jun 25 2017 00:21:00.0000	928	0
Sun Jun 25 2017 00:22:00.0000	928	0
Sun Jun 25 2017 00:23:00.0000	928	0
Sun Jun 25 2017 00:24:00.0000	928	0
Sun Jun 25 2017 00:25:00.0000	927	0
Sun Jun 25 2017 00:26:00.0000	927	0
Sun Jun 25 2017 00:27:00.0000	927	0
Sun Jun 25 2017 00:28:00.0000	927	0
Sun Jun 25 2017 00:29:00.0000	927	0
Sun Jun 25 2017 00:30:00.0000	926	0
Sun Jun 25 2017 00:31:00.0000	926	0
Sun Jun 25 2017 00:32:00.0000	926	0
Sun Jun 25 2017 00:33:00.0000	926	0
Sun Jun 25 2017 00:34:00.0000	926	0
Sun Jun 25 2017 00:35:00.0000	925	0
Sun Jun 25 2017 00:36:00.0000	925	0
Sun Jun 25 2017 00:37:00.0000	925	0
Sun Jun 25 2017 00:38:00.0000	925	0
Sun Jun 25 2017 00:39:00.0000	924	0
Sun Jun 25 2017 00:40:00.0000	924	0
Sun Jun 25 2017 00:41:00.0000	924	0
Sun Jun 25 2017 00:42:00.0000	924	0
Sun Jun 25 2017 00:43:00.0000	924	0
Sun Jun 25 2017 00:44:00.0000	923	0
Sun Jun 25 2017 00:45:00.0000	923	0

Date/Time	Process Temperature (°F)	Process Flow SCFM
Sun Jun 25 2017 00:46:00.0000	923	0
Sun Jun 25 2017 00:47:00.0000	923	0
Sun Jun 25 2017 00:48:00.0000	922	0
Sun Jun 25 2017 00:49:00.0000	922	0
Sun Jun 25 2017 00:50:00.0000	922	0
Sun Jun 25 2017 00:51:00.0000	922	0
Sun Jun 25 2017 00:52:00.0000	922	0
Sun Jun 25 2017 00:53:00.0000	921	0
Sun Jun 25 2017 00:54:00.0000	921	0
Sun Jun 25 2017 00:55:00.0000	921	0
Sun Jun 25 2017 00:56:00.0000	921	0
Sun Jun 25 2017 00:57:00.0000	921	0
Sun Jun 25 2017 00:58:00.0000	920	0
Sun Jun 25 2017 00:59:00.0000	920	0
Sun Jun 25 2017 01:00:00.0000	920	0
Sun Jun 25 2017 01:01:00.0000	920	0
Sun Jun 25 2017 01:02:00.0000	920	0
Sun Jun 25 2017 01:03:00.0000	919	0
Sun Jun 25 2017 01:04:00.0000	919	0
Sun Jun 25 2017 01:05:00.0000	919	0
Sun Jun 25 2017 01:06:00.0000	919	0
Sun Jun 25 2017 01:07:00.0000	918	0
Sun Jun 25 2017 01:08:00.0000	918	0
Sun Jun 25 2017 01:09:00.0000	918	0
Sun Jun 25 2017 01:10:00.0000	918	0
Sun Jun 25 2017 01:11:00.0000	918	0
Sun Jun 25 2017 01:12:00.0000	917	0
Sun Jun 25 2017 01:13:00.0000	917	0
Sun Jun 25 2017 01:14:00.0000	917	0
Sun Jun 25 2017 01:15:00.0000	917	0
Sun Jun 25 2017 01:16:00.0000	917	0
Sun Jun 25 2017 01:17:00.0000	916	0
Sun Jun 25 2017 01:18:00.0000	916	0
Sun Jun 25 2017 01:19:00.0000	916	0
Sun Jun 25 2017 01:20:00.0000	916	0
Sun Jun 25 2017 01:21:00.0000	916	0
Sun Jun 25 2017 01:22:00.0000	915	0
Sun Jun 25 2017 01:23:00.0000	915	0
Sun Jun 25 2017 01:24:00.0000	915	0
Sun Jun 25 2017 01:25:00.0000	915	0
Sun Jun 25 2017 01:26:00.0000	915	0
Sun Jun 25 2017 01:27:00.0000	914	0
Sun Jun 25 2017 01:28:00.0000	914	0
Sun Jun 25 2017 01:29:00.0000	914	0
Sun Jun 25 2017 01:30:00.0000	914	0
Sun Jun 25 2017 01:31:00.0000	914	0
Sun Jun 25 2017 01:32:00.0000	913	0
Sun Jun 25 2017 01:33:00.0000	913	0
Sun Jun 25 2017 01:34:00.0000	913	0
Sun Jun 25 2017 01:35:00.0000	913	0
Sun Jun 25 2017 01:36:00.0000	913	0
Sun Jun 25 2017 01:37:00.0000	912	0
Sun Jun 25 2017 01:38:00.0000	912	0
Sun Jun 25 2017 01:39:00.0000	912	0
Sun Jun 25 2017 01:40:00.0000	912	0
Sun Jun 25 2017 01:41:00.0000	912	0
Sun Jun 25 2017 01:42:00.0000	911	0

Date/Time	Process Temperature (°F)	Process Flow SCFM
Sun Jun 25 2017 01:43:00.0000	911	0
Sun Jun 25 2017 01:44:00.0000	911	0
Sun Jun 25 2017 01:45:00.0000	911	0
Sun Jun 25 2017 01:46:00.0000	911	0
Sun Jun 25 2017 01:47:00.0000	910	0
Sun Jun 25 2017 01:48:00.0000	910	0
Sun Jun 25 2017 01:49:00.0000	910	0
Sun Jun 25 2017 01:50:00.0000	910	0
Sun Jun 25 2017 01:51:00.0000	909	0
Sun Jun 25 2017 01:52:00.0000	909	0
Sun Jun 25 2017 01:53:00.0000	909	0
Sun Jun 25 2017 01:54:00.0000	909	0
Sun Jun 25 2017 01:55:00.0000	909	0
Sun Jun 25 2017 01:56:00.0000	908	0
Sun Jun 25 2017 01:57:00.0000	908	0
Sun Jun 25 2017 01:58:00.0000	908	0
Sun Jun 25 2017 01:59:00.0000	908	0
Sun Jun 25 2017 02:00:00.0000	908	0
Sun Jun 25 2017 02:01:00.0000	907	0
Sun Jun 25 2017 02:02:00.0000	907	0
Sun Jun 25 2017 02:03:00.0000	907	0
Sun Jun 25 2017 02:04:00.0000	907	0
Sun Jun 25 2017 02:05:00.0000	907	0
Sun Jun 25 2017 02:06:00.0000	906	0
Sun Jun 25 2017 02:07:00.0000	906	0
Sun Jun 25 2017 02:08:00.0000	906	0
Sun Jun 25 2017 02:09:00.0000	906	0
Sun Jun 25 2017 02:10:00.0000	906	0
Sun Jun 25 2017 02:11:00.0000	905	0
Sun Jun 25 2017 02:12:00.0000	905	0
Sun Jun 25 2017 02:13:00.0000	905	0
Sun Jun 25 2017 02:14:00.0000	905	0
Sun Jun 25 2017 02:15:00.0000	905	0
Sun Jun 25 2017 02:16:00.0000	904	0
Sun Jun 25 2017 02:17:00.0000	904	0
Sun Jun 25 2017 02:18:00.0000	904	0
Sun Jun 25 2017 02:19:00.0000	904	0
Sun Jun 25 2017 02:20:00.0000	904	0
Sun Jun 25 2017 02:21:00.0000	903	0
Sun Jun 25 2017 02:22:00.0000	903	0
Sun Jun 25 2017 02:23:00.0000	903	0
Sun Jun 25 2017 02:24:00.0000	903	0
Sun Jun 25 2017 02:25:00.0000	903	0
Sun Jun 25 2017 02:26:00.0000	902	0
Sun Jun 25 2017 02:27:00.0000	902	0
Sun Jun 25 2017 02:28:00.0000	902	0
Sun Jun 25 2017 02:29:00.0000	902	0
Sun Jun 25 2017 02:30:00.0000	902	0
Sun Jun 25 2017 02:31:00.0000	901	0
Sun Jun 25 2017 02:32:00.0000	901	0
Sun Jun 25 2017 02:33:00.0000	901	0
Sun Jun 25 2017 02:34:00.0000	901	0
Sun Jun 25 2017 02:35:00.0000	901	0
Sun Jun 25 2017 02:36:00.0000	900	0
Sun Jun 25 2017 02:37:00.0000	900	0
Sun Jun 25 2017 02:38:00.0000	900	0
Sun Jun 25 2017 02:39:00.0000	900	0

Date/Time	Process Temperature (°F)	Process Flow SCFM
Sun Jun 25 2017 02:40:00.0000	900	0
Sun Jun 25 2017 02:41:00.0000	899	0
Sun Jun 25 2017 02:42:00.0000	899	0
Sun Jun 25 2017 02:43:00.0000	899	0
Sun Jun 25 2017 02:44:00.0000	899	0
Sun Jun 25 2017 02:45:00.0000	899	0
Sun Jun 25 2017 02:46:00.0000	898	0
Sun Jun 25 2017 02:47:00.0000	898	0
Sun Jun 25 2017 02:48:00.0000	898	0
Sun Jun 25 2017 02:49:00.0000	898	0
Sun Jun 25 2017 02:50:00.0000	898	0
Sun Jun 25 2017 02:51:00.0000	897	0
Sun Jun 25 2017 02:52:00.0000	897	0
Sun Jun 25 2017 02:53:00.0000	897	0
Sun Jun 25 2017 02:54:00.0000	897	0
Sun Jun 25 2017 02:55:00.0000	897	0
Sun Jun 25 2017 02:56:00.0000	896	0
Sun Jun 25 2017 02:57:00.0000	896	0
Sun Jun 25 2017 02:58:00.0000	896	0
Sun Jun 25 2017 02:59:00.0000	896	0
Sun Jun 25 2017 03:00:00.0000	896	0
Sun Jun 25 2017 03:01:00.0000	895	0
Sun Jun 25 2017 03:02:00.0000	895	0
Sun Jun 25 2017 03:03:00.0000	895	0
Sun Jun 25 2017 03:04:00.0000	895	0
Sun Jun 25 2017 03:05:00.0000	895	0
Sun Jun 25 2017 03:06:00.0000	894	0
Sun Jun 25 2017 03:07:00.0000	894	0
Sun Jun 25 2017 03:08:00.0000	894	0
Sun Jun 25 2017 03:09:00.0000	894	0
Sun Jun 25 2017 03:10:00.0000	894	0
Sun Jun 25 2017 03:11:00.0000	893	0
Sun Jun 25 2017 03:12:00.0000	893	0
Sun Jun 25 2017 03:13:00.0000	893	0
Sun Jun 25 2017 03:14:00.0000	893	0
Sun Jun 25 2017 03:15:00.0000	893	0
Sun Jun 25 2017 03:16:00.0000	892	0
Sun Jun 25 2017 03:17:00.0000	892	0
Sun Jun 25 2017 03:18:00.0000	892	0
Sun Jun 25 2017 03:19:00.0000	892	0
Sun Jun 25 2017 03:20:00.0000	892	0
Sun Jun 25 2017 03:21:00.0000	891	0
Sun Jun 25 2017 03:22:00.0000	891	0
Sun Jun 25 2017 03:23:00.0000	891	0
Sun Jun 25 2017 03:24:00.0000	891	0
Sun Jun 25 2017 03:25:00.0000	891	0
Sun Jun 25 2017 03:26:00.0000	890	0
Sun Jun 25 2017 03:27:00.0000	890	0
Sun Jun 25 2017 03:28:00.0000	890	0
Sun Jun 25 2017 03:29:00.0000	890	0
Sun Jun 25 2017 03:30:00.0000	890	0
Sun Jun 25 2017 03:31:00.0000	889	0
Sun Jun 25 2017 03:32:00.0000	889	0
Sun Jun 25 2017 03:33:00.0000	889	0
Sun Jun 25 2017 03:34:00.0000	889	0
Sun Jun 25 2017 03:35:00.0000	888	0
Sun Jun 25 2017 03:36:00.0000	888	0

Date/Time	Process Temperature (°F)	Process Flow SCFM
Sun Jun 25 2017 03:37:00.0000	888	0
Sun Jun 25 2017 03:38:00.0000	888	0
Sun Jun 25 2017 03:39:00.0000	888	0
Sun Jun 25 2017 03:40:00.0000	887	0
Sun Jun 25 2017 03:41:00.0000	887	0
Sun Jun 25 2017 03:42:00.0000	887	0
Sun Jun 25 2017 03:43:00.0000	887	0
Sun Jun 25 2017 03:44:00.0000	887	0
Sun Jun 25 2017 03:45:00.0000	886	0
Sun Jun 25 2017 03:46:00.0000	886	0
Sun Jun 25 2017 03:47:00.0000	886	0
Sun Jun 25 2017 03:48:00.0000	886	0
Sun Jun 25 2017 03:49:00.0000	886	0
Sun Jun 25 2017 03:50:00.0000	885	0
Sun Jun 25 2017 03:51:00.0000	885	0
Sun Jun 25 2017 03:52:00.0000	885	0
Sun Jun 25 2017 03:53:00.0000	885	0
Sun Jun 25 2017 03:54:00.0000	885	0
Sun Jun 25 2017 03:55:00.0000	884	0
Sun Jun 25 2017 03:56:00.0000	884	0
Sun Jun 25 2017 03:57:00.0000	884	0
Sun Jun 25 2017 03:58:00.0000	884	0
Sun Jun 25 2017 03:59:00.0000	884	0
Sun Jun 25 2017 04:00:00.0000	883	0
Sun Jun 25 2017 04:01:00.0000	883	0
Sun Jun 25 2017 04:02:00.0000	883	0
Sun Jun 25 2017 04:03:00.0000	883	0
Sun Jun 25 2017 04:04:00.0000	883	0
Sun Jun 25 2017 04:05:00.0000	882	0
Sun Jun 25 2017 04:06:00.0000	882	0
Sun Jun 25 2017 04:07:00.0000	882	0
Sun Jun 25 2017 04:08:00.0000	882	0
Sun Jun 25 2017 04:09:00.0000	882	0
Sun Jun 25 2017 04:10:00.0000	881	0
Sun Jun 25 2017 04:11:00.0000	881	0
Sun Jun 25 2017 04:12:00.0000	881	0
Sun Jun 25 2017 04:13:00.0000	881	0
Sun Jun 25 2017 04:14:00.0000	881	0
Sun Jun 25 2017 04:15:00.0000	880	0
Sun Jun 25 2017 04:16:00.0000	880	0
Sun Jun 25 2017 04:17:00.0000	880	0
Sun Jun 25 2017 04:18:00.0000	880	0
Sun Jun 25 2017 04:19:00.0000	880	0
Sun Jun 25 2017 04:20:00.0000	879	0
Sun Jun 25 2017 04:21:00.0000	879	0
Sun Jun 25 2017 04:22:00.0000	879	0
Sun Jun 25 2017 04:23:00.0000	879	0
Sun Jun 25 2017 04:24:00.0000	879	0
Sun Jun 25 2017 04:25:00.0000	878	0
Sun Jun 25 2017 04:26:00.0000	878	0
Sun Jun 25 2017 04:27:00.0000	878	0
Sun Jun 25 2017 04:28:00.0000	878	0
Sun Jun 25 2017 04:29:00.0000	878	0
Sun Jun 25 2017 04:30:00.0000	877	0
Sun Jun 25 2017 04:31:00.0000	877	0
Sun Jun 25 2017 04:32:00.0000	877	0
Sun Jun 25 2017 04:33:00.0000	877	0

Date/Time	Process Temperature (°F)	Process Flow SCFM
Sun Jun 25 2017 04:34:00.0000	877	0
Sun Jun 25 2017 04:35:00.0000	876	0
Sun Jun 25 2017 04:36:00.0000	876	0
Sun Jun 25 2017 04:37:00.0000	876	0
Sun Jun 25 2017 04:38:00.0000	876	0
Sun Jun 25 2017 04:39:00.0000	875	0
Sun Jun 25 2017 04:40:00.0000	875	0
Sun Jun 25 2017 04:41:00.0000	875	0
Sun Jun 25 2017 04:42:00.0000	875	0
Sun Jun 25 2017 04:43:00.0000	875	0
Sun Jun 25 2017 04:44:00.0000	874	0
Sun Jun 25 2017 04:45:00.0000	874	0
Sun Jun 25 2017 04:46:00.0000	874	0
Sun Jun 25 2017 04:47:00.0000	874	0
Sun Jun 25 2017 04:48:00.0000	874	0
Sun Jun 25 2017 04:49:00.0000	873	0
Sun Jun 25 2017 04:50:00.0000	873	0
Sun Jun 25 2017 04:51:00.0000	873	0
Sun Jun 25 2017 04:52:00.0000	873	0
Sun Jun 25 2017 04:53:00.0000	873	0
Sun Jun 25 2017 04:54:00.0000	872	0
Sun Jun 25 2017 04:55:00.0000	872	0
Sun Jun 25 2017 04:56:00.0000	872	0
Sun Jun 25 2017 04:57:00.0000	872	0
Sun Jun 25 2017 04:58:00.0000	872	0
Sun Jun 25 2017 04:59:00.0000	871	0
Sun Jun 25 2017 05:00:00.0000	871	0
Sun Jun 25 2017 05:01:00.0000	871	0
Sun Jun 25 2017 05:02:00.0000	871	0
Sun Jun 25 2017 05:03:00.0000	871	0
Sun Jun 25 2017 05:04:00.0000	870	0
Sun Jun 25 2017 05:05:00.0000	870	0
Sun Jun 25 2017 05:06:00.0000	870	0
Sun Jun 25 2017 05:07:00.0000	870	0
Sun Jun 25 2017 05:08:00.0000	870	0
Sun Jun 25 2017 05:09:00.0000	869	0
Sun Jun 25 2017 05:10:00.0000	869	0
Sun Jun 25 2017 05:11:00.0000	869	0
Sun Jun 25 2017 05:12:00.0000	869	0
Sun Jun 25 2017 05:13:00.0000	869	0
Sun Jun 25 2017 05:14:00.0000	868	0
Sun Jun 25 2017 05:15:00.0000	868	0
Sun Jun 25 2017 05:16:00.0000	868	0
Sun Jun 25 2017 05:17:00.0000	868	0
Sun Jun 25 2017 05:18:00.0000	868	0
Sun Jun 25 2017 05:19:00.0000	867	0
Sun Jun 25 2017 05:20:00.0000	867	0
Sun Jun 25 2017 05:21:00.0000	867	0
Sun Jun 25 2017 05:22:00.0000	867	0
Sun Jun 25 2017 05:23:00.0000	867	0
Sun Jun 25 2017 05:24:00.0000	866	0
Sun Jun 25 2017 05:25:00.0000	866	0
Sun Jun 25 2017 05:26:00.0000	866	0
Sun Jun 25 2017 05:27:00.0000	866	0
Sun Jun 25 2017 05:28:00.0000	866	0
Sun Jun 25 2017 05:29:00.0000	866	0
Sun Jun 25 2017 05:30:00.0000	865	0

Date/Time	Process Temperature (°F)	Process Flow SCFM
Sun Jun 25 2017 05:31:00.0000	865	0
Sun Jun 25 2017 05:32:00.0000	865	0
Sun Jun 25 2017 05:33:00.0000	865	0
Sun Jun 25 2017 05:34:00.0000	865	0
Sun Jun 25 2017 05:35:00.0000	864	0
Sun Jun 25 2017 05:36:00.0000	864	0
Sun Jun 25 2017 05:37:00.0000	864	0
Sun Jun 25 2017 05:38:00.0000	864	0
Sun Jun 25 2017 05:39:00.0000	864	0
Sun Jun 25 2017 05:40:00.0000	863	0
Sun Jun 25 2017 05:41:00.0000	863	0
Sun Jun 25 2017 05:42:00.0000	863	0
Sun Jun 25 2017 05:43:00.0000	863	0
Sun Jun 25 2017 05:44:00.0000	863	0
Sun Jun 25 2017 05:45:00.0000	862	0
Sun Jun 25 2017 05:46:00.0000	862	0
Sun Jun 25 2017 05:47:00.0000	862	0
Sun Jun 25 2017 05:48:00.0000	862	0
Sun Jun 25 2017 05:49:00.0000	862	0
Sun Jun 25 2017 05:50:00.0000	861	0
Sun Jun 25 2017 05:51:00.0000	861	0
Sun Jun 25 2017 05:52:00.0000	861	0
Sun Jun 25 2017 05:53:00.0000	861	0
Sun Jun 25 2017 05:54:00.0000	861	0
Sun Jun 25 2017 05:55:00.0000	860	0
Sun Jun 25 2017 05:56:00.0000	860	0
Sun Jun 25 2017 05:57:00.0000	860	0
Sun Jun 25 2017 05:58:00.0000	860	0
Sun Jun 25 2017 05:59:00.0000	860	0
Sun Jun 25 2017 06:00:00.0000	859	0
Sun Jun 25 2017 06:01:00.0000	859	0
Sun Jun 25 2017 06:02:00.0000	859	0
Sun Jun 25 2017 06:03:00.0000	859	0
Sun Jun 25 2017 06:04:00.0000	859	0
Sun Jun 25 2017 06:05:00.0000	858	0
Sun Jun 25 2017 06:06:00.0000	858	0
Sun Jun 25 2017 06:07:00.0000	858	0
Sun Jun 25 2017 06:08:00.0000	858	0
Sun Jun 25 2017 06:09:00.0000	858	0
Sun Jun 25 2017 06:10:00.0000	858	0
Sun Jun 25 2017 06:11:00.0000	857	0
Sun Jun 25 2017 06:12:00.0000	857	0
Sun Jun 25 2017 06:13:00.0000	857	0
Sun Jun 25 2017 06:14:00.0000	857	0
Sun Jun 25 2017 06:15:00.0000	857	0
Sun Jun 25 2017 06:16:00.0000	856	0
Sun Jun 25 2017 06:17:00.0000	856	0
Sun Jun 25 2017 06:18:00.0000	856	0
Sun Jun 25 2017 06:19:00.0000	856	0
Sun Jun 25 2017 06:20:00.0000	855	0
Sun Jun 25 2017 06:21:00.0000	855	0
Sun Jun 25 2017 06:22:00.0000	855	0
Sun Jun 25 2017 06:23:00.0000	855	0
Sun Jun 25 2017 06:24:00.0000	855	0
Sun Jun 25 2017 06:25:00.0000	855	0
Sun Jun 25 2017 06:26:00.0000	854	0
Sun Jun 25 2017 06:27:00.0000	854	0

Date/Time	Process Temperature (°F)	Process Flow SCFM
Sun Jun 25 2017 06:28:00.0000	854	0
Sun Jun 25 2017 06:29:00.0000	854	0
Sun Jun 25 2017 06:30:00.0000	854	0
Sun Jun 25 2017 06:31:00.0000	853	0
Sun Jun 25 2017 06:32:00.0000	853	0
Sun Jun 25 2017 06:33:00.0000	853	0
Sun Jun 25 2017 06:34:00.0000	853	0
Sun Jun 25 2017 06:35:00.0000	853	0
Sun Jun 25 2017 06:36:00.0000	852	0
Sun Jun 25 2017 06:37:00.0000	852	0
Sun Jun 25 2017 06:38:00.0000	852	0
Sun Jun 25 2017 06:39:00.0000	852	0
Sun Jun 25 2017 06:40:00.0000	852	0
Sun Jun 25 2017 06:41:00.0000	851	0
Sun Jun 25 2017 06:42:00.0000	851	0
Sun Jun 25 2017 06:43:00.0000	851	0
Sun Jun 25 2017 06:44:00.0000	851	0
Sun Jun 25 2017 06:45:00.0000	851	0
Sun Jun 25 2017 06:46:00.0000	850	0
Sun Jun 25 2017 06:47:00.0000	850	0
Sun Jun 25 2017 06:48:00.0000	850	0
Sun Jun 25 2017 06:49:00.0000	850	0
Sun Jun 25 2017 06:50:00.0000	850	0
Sun Jun 25 2017 06:51:00.0000	850	0
Sun Jun 25 2017 06:52:00.0000	849	0
Sun Jun 25 2017 06:53:00.0000	849	0
Sun Jun 25 2017 06:54:00.0000	849	0
Sun Jun 25 2017 06:55:00.0000	849	0
Sun Jun 25 2017 06:56:00.0000	849	0
Sun Jun 25 2017 06:57:00.0000	848	0
Sun Jun 25 2017 06:58:00.0000	848	0
Sun Jun 25 2017 06:59:00.0000	848	0
Sun Jun 25 2017 07:00:00.0000	848	0
Sun Jun 25 2017 07:01:00.0000	848	0
Sun Jun 25 2017 07:02:00.0000	847	0
Sun Jun 25 2017 07:03:00.0000	847	0
Sun Jun 25 2017 07:04:00.0000	847	0
Sun Jun 25 2017 07:05:00.0000	847	0
Sun Jun 25 2017 07:06:00.0000	847	0
Sun Jun 25 2017 07:07:00.0000	846	0
Sun Jun 25 2017 07:08:00.0000	846	0
Sun Jun 25 2017 07:09:00.0000	846	0
Sun Jun 25 2017 07:10:00.0000	846	0
Sun Jun 25 2017 07:11:00.0000	846	0
Sun Jun 25 2017 07:12:00.0000	846	0
Sun Jun 25 2017 07:13:00.0000	845	0
Sun Jun 25 2017 07:14:00.0000	845	0
Sun Jun 25 2017 07:15:00.0000	845	0
Sun Jun 25 2017 07:16:00.0000	845	0
Sun Jun 25 2017 07:17:00.0000	845	0
Sun Jun 25 2017 07:18:00.0000	844	0
Sun Jun 25 2017 07:19:00.0000	844	0
Sun Jun 25 2017 07:20:00.0000	844	0
Sun Jun 25 2017 07:21:00.0000	844	0
Sun Jun 25 2017 07:22:00.0000	844	0
Sun Jun 25 2017 07:23:00.0000	843	0
Sun Jun 25 2017 07:24:00.0000	843	0

Date/Time	Process Temperature (°F)	Process Flow SCFM
Sun Jun 25 2017 07:25:00.0000	843	0
Sun Jun 25 2017 07:26:00.0000	843	0
Sun Jun 25 2017 07:27:00.0000	843	0
Sun Jun 25 2017 07:28:00.0000	842	0
Sun Jun 25 2017 07:29:00.0000	842	0
Sun Jun 25 2017 07:30:00.0000	842	0
Sun Jun 25 2017 07:31:00.0000	842	0
Sun Jun 25 2017 07:32:00.0000	842	0
Sun Jun 25 2017 07:33:00.0000	842	0
Sun Jun 25 2017 07:34:00.0000	841	0
Sun Jun 25 2017 07:35:00.0000	841	0
Sun Jun 25 2017 07:36:00.0000	841	0
Sun Jun 25 2017 07:37:00.0000	841	0
Sun Jun 25 2017 07:38:00.0000	841	0
Sun Jun 25 2017 07:39:00.0000	840	0
Sun Jun 25 2017 07:40:00.0000	840	0
Sun Jun 25 2017 07:41:00.0000	840	0
Sun Jun 25 2017 07:42:00.0000	840	0
Sun Jun 25 2017 07:43:00.0000	840	0
Sun Jun 25 2017 07:44:00.0000	839	0
Sun Jun 25 2017 07:45:00.0000	839	0
Sun Jun 25 2017 07:46:00.0000	839	0
Sun Jun 25 2017 07:47:00.0000	839	0
Sun Jun 25 2017 07:48:00.0000	839	0
Sun Jun 25 2017 07:49:00.0000	838	0
Sun Jun 25 2017 07:50:00.0000	838	0
Sun Jun 25 2017 07:51:00.0000	838	0
Sun Jun 25 2017 07:52:00.0000	838	0
Sun Jun 25 2017 07:53:00.0000	838	0
Sun Jun 25 2017 07:54:00.0000	838	0
Sun Jun 25 2017 07:55:00.0000	837	0
Sun Jun 25 2017 07:56:00.0000	837	0
Sun Jun 25 2017 07:57:00.0000	837	0
Sun Jun 25 2017 07:58:00.0000	837	0
Sun Jun 25 2017 07:59:00.0000	837	0
Sun Jun 25 2017 08:00:00.0000	836	0
Sun Jun 25 2017 08:01:00.0000	836	0
Sun Jun 25 2017 08:02:00.0000	836	0
Sun Jun 25 2017 08:03:00.0000	836	0
Sun Jun 25 2017 08:04:00.0000	836	0
Sun Jun 25 2017 08:05:00.0000	835	0
Sun Jun 25 2017 08:06:00.0000	835	0
Sun Jun 25 2017 08:07:00.0000	835	0
Sun Jun 25 2017 08:08:00.0000	835	0
Sun Jun 25 2017 08:09:00.0000	835	0
Sun Jun 25 2017 08:10:00.0000	835	0
Sun Jun 25 2017 08:11:00.0000	834	0
Sun Jun 25 2017 08:12:00.0000	834	0
Sun Jun 25 2017 08:13:00.0000	834	0
Sun Jun 25 2017 08:14:00.0000	834	0
Sun Jun 25 2017 08:15:00.0000	833	0
Sun Jun 25 2017 08:16:00.0000	833	0
Sun Jun 25 2017 08:17:00.0000	833	0
Sun Jun 25 2017 08:18:00.0000	833	0
Sun Jun 25 2017 08:19:00.0000	833	0
Sun Jun 25 2017 08:20:00.0000	832	0
Sun Jun 25 2017 08:21:00.0000	832	0

Date/Time	Process Temperature (°F)	Process Flow SCFM
Sun Jun 25 2017 08:22:00.0000	832	0
Sun Jun 25 2017 08:23:00.0000	832	0
Sun Jun 25 2017 08:24:00.0000	832	0
Sun Jun 25 2017 08:25:00.0000	832	0
Sun Jun 25 2017 08:26:00.0000	831	0
Sun Jun 25 2017 08:27:00.0000	831	0
Sun Jun 25 2017 08:28:00.0000	831	0
Sun Jun 25 2017 08:29:00.0000	831	0
Sun Jun 25 2017 08:30:00.0000	831	0
Sun Jun 25 2017 08:31:00.0000	831	0
Sun Jun 25 2017 08:32:00.0000	830	0
Sun Jun 25 2017 08:33:00.0000	830	0
Sun Jun 25 2017 08:34:00.0000	830	0
Sun Jun 25 2017 08:35:00.0000	830	0
Sun Jun 25 2017 08:36:00.0000	830	0
Sun Jun 25 2017 08:37:00.0000	829	0
Sun Jun 25 2017 08:38:00.0000	829	0
Sun Jun 25 2017 08:39:00.0000	829	0
Sun Jun 25 2017 08:40:00.0000	829	0
Sun Jun 25 2017 08:41:00.0000	829	0
Sun Jun 25 2017 08:42:00.0000	829	0
Sun Jun 25 2017 08:43:00.0000	828	0
Sun Jun 25 2017 08:44:00.0000	828	0
Sun Jun 25 2017 08:45:00.0000	828	0
Sun Jun 25 2017 08:46:00.0000	828	-1
Sun Jun 25 2017 08:47:00.0000	828	0
Sun Jun 25 2017 08:48:00.0000	827	-1
Sun Jun 25 2017 08:49:00.0000	827	0
Sun Jun 25 2017 08:50:00.0000	827	-1
Sun Jun 25 2017 08:51:00.0000	827	-1
Sun Jun 25 2017 08:52:00.0000	827	0
Sun Jun 25 2017 08:53:00.0000	827	0
Sun Jun 25 2017 08:54:00.0000	826	-1
Sun Jun 25 2017 08:55:00.0000	826	0
Sun Jun 25 2017 08:56:00.0000	826	0
Sun Jun 25 2017 08:57:00.0000	826	-1
Sun Jun 25 2017 08:58:00.0000	826	0
Sun Jun 25 2017 08:59:00.0000	825	-1
Sun Jun 25 2017 09:00:00.0000	825	-1
Sun Jun 25 2017 09:01:00.0000	825	0
Sun Jun 25 2017 09:02:00.0000	825	0
Sun Jun 25 2017 09:03:00.0000	825	0
Sun Jun 25 2017 09:04:00.0000	825	-1
Sun Jun 25 2017 09:05:00.0000	824	0
Sun Jun 25 2017 09:06:00.0000	824	-1
Sun Jun 25 2017 09:07:00.0000	824	0
Sun Jun 25 2017 09:08:00.0000	824	-1
Sun Jun 25 2017 09:09:00.0000	824	0
Sun Jun 25 2017 09:10:00.0000	824	0
Sun Jun 25 2017 09:11:00.0000	823	-1
Sun Jun 25 2017 09:12:00.0000	823	-1
Sun Jun 25 2017 09:13:00.0000	823	-1
Sun Jun 25 2017 09:14:00.0000	823	0
Sun Jun 25 2017 09:15:00.0000	823	0
Sun Jun 25 2017 09:16:00.0000	822	-1
Sun Jun 25 2017 09:17:00.0000	822	0
Sun Jun 25 2017 09:18:00.0000	822	0

Date/Time	Process Temperature (°F)	Process Flow SCFM
Sun Jun 25 2017 09:19:00.0000	822	-1
Sun Jun 25 2017 09:20:00.0000	822	-1
Sun Jun 25 2017 09:21:00.0000	821	-1
Sun Jun 25 2017 09:22:00.0000	821	-1
Sun Jun 25 2017 09:23:00.0000	821	0
Sun Jun 25 2017 09:24:00.0000	821	-1
Sun Jun 25 2017 09:25:00.0000	821	-1
Sun Jun 25 2017 09:26:00.0000	820	0
Sun Jun 25 2017 09:27:00.0000	820	-1
Sun Jun 25 2017 09:28:00.0000	820	-1
Sun Jun 25 2017 09:29:00.0000	820	-1
Sun Jun 25 2017 09:30:00.0000	820	-1
Sun Jun 25 2017 09:31:00.0000	820	-1
Sun Jun 25 2017 09:32:00.0000	819	-1
Sun Jun 25 2017 09:33:00.0000	819	-1
Sun Jun 25 2017 09:34:00.0000	819	-1
Sun Jun 25 2017 09:35:00.0000	819	-1
Sun Jun 25 2017 09:36:00.0000	819	-1
Sun Jun 25 2017 09:37:00.0000	818	-1
Sun Jun 25 2017 09:38:00.0000	818	0
Sun Jun 25 2017 09:39:00.0000	818	0
Sun Jun 25 2017 09:40:00.0000	818	-1
Sun Jun 25 2017 09:41:00.0000	818	-1
Sun Jun 25 2017 09:42:00.0000	818	-1
Sun Jun 25 2017 09:43:00.0000	817	-1
Sun Jun 25 2017 09:44:00.0000	817	0
Sun Jun 25 2017 09:45:00.0000	817	-1
Sun Jun 25 2017 09:46:00.0000	817	0
Sun Jun 25 2017 09:47:00.0000	817	-1
Sun Jun 25 2017 09:48:00.0000	816	-1
Sun Jun 25 2017 09:49:00.0000	816	-1
Sun Jun 25 2017 09:50:00.0000	816	-1
Sun Jun 25 2017 09:51:00.0000	816	-1
Sun Jun 25 2017 09:52:00.0000	816	-1
Sun Jun 25 2017 09:53:00.0000	815	0
Sun Jun 25 2017 09:54:00.0000	815	0
Sun Jun 25 2017 09:55:00.0000	815	-1
Sun Jun 25 2017 09:56:00.0000	815	-1
Sun Jun 25 2017 09:57:00.0000	815	-1
Sun Jun 25 2017 09:58:00.0000	815	-1
Sun Jun 25 2017 09:59:00.0000	814	-1
Sun Jun 25 2017 10:00:00.0000	814	0
Sun Jun 25 2017 10:01:00.0000	814	-1
Sun Jun 25 2017 10:02:00.0000	814	-1
Sun Jun 25 2017 10:03:00.0000	814	-1
Sun Jun 25 2017 10:04:00.0000	813	-1
Sun Jun 25 2017 10:05:00.0000	813	-1
Sun Jun 25 2017 10:06:00.0000	813	-1
Sun Jun 25 2017 10:07:00.0000	813	-1
Sun Jun 25 2017 10:08:00.0000	813	0
Sun Jun 25 2017 10:09:00.0000	812	-1
Sun Jun 25 2017 10:10:00.0000	812	-1
Sun Jun 25 2017 10:11:00.0000	812	-1
Sun Jun 25 2017 10:12:00.0000	812	-1
Sun Jun 25 2017 10:13:00.0000	812	-1
Sun Jun 25 2017 10:14:00.0000	812	-1
Sun Jun 25 2017 10:15:00.0000	811	-1

Date/Time	Process Temperature (°F)	Process Flow SCFM
Sun Jun 25 2017 10:16:00.0000	811	-1
Sun Jun 25 2017 10:17:00.0000	811	-1
Sun Jun 25 2017 10:18:00.0000	811	-1
Sun Jun 25 2017 10:19:00.0000	811	-1
Sun Jun 25 2017 10:20:00.0000	811	-1
Sun Jun 25 2017 10:21:00.0000	810	-1
Sun Jun 25 2017 10:22:00.0000	810	-1
Sun Jun 25 2017 10:23:00.0000	810	-1
Sun Jun 25 2017 10:24:00.0000	810	-1
Sun Jun 25 2017 10:25:00.0000	810	-1
Sun Jun 25 2017 10:26:00.0000	809	-1
Sun Jun 25 2017 10:27:00.0000	809	-1
Sun Jun 25 2017 10:28:00.0000	809	-1
Sun Jun 25 2017 10:29:00.0000	809	-1
Sun Jun 25 2017 10:30:00.0000	809	-1
Sun Jun 25 2017 10:31:00.0000	809	-1
Sun Jun 25 2017 10:32:00.0000	808	-1
Sun Jun 25 2017 10:33:00.0000	808	-1
Sun Jun 25 2017 10:34:00.0000	808	-1
Sun Jun 25 2017 10:35:00.0000	808	-1
Sun Jun 25 2017 10:36:00.0000	808	-1
Sun Jun 25 2017 10:37:00.0000	807	-1
Sun Jun 25 2017 10:38:00.0000	807	-1
Sun Jun 25 2017 10:39:00.0000	807	-1
Sun Jun 25 2017 10:40:00.0000	807	-1
Sun Jun 25 2017 10:41:00.0000	807	-1
Sun Jun 25 2017 10:42:00.0000	807	-1
Sun Jun 25 2017 10:43:00.0000	806	-1
Sun Jun 25 2017 10:44:00.0000	806	-1
Sun Jun 25 2017 10:45:00.0000	806	-1
Sun Jun 25 2017 10:46:00.0000	806	-1
Sun Jun 25 2017 10:47:00.0000	806	-1
Sun Jun 25 2017 10:48:00.0000	806	-1
Sun Jun 25 2017 10:49:00.0000	805	-1
Sun Jun 25 2017 10:50:00.0000	805	-1
Sun Jun 25 2017 10:51:00.0000	805	-1
Sun Jun 25 2017 10:52:00.0000	805	-1
Sun Jun 25 2017 10:53:00.0000	805	-1
Sun Jun 25 2017 10:54:00.0000	804	-1
Sun Jun 25 2017 10:55:00.0000	804	-1
Sun Jun 25 2017 10:56:00.0000	804	-1
Sun Jun 25 2017 10:57:00.0000	804	-1
Sun Jun 25 2017 10:58:00.0000	804	-1
Sun Jun 25 2017 10:59:00.0000	804	-1
Sun Jun 25 2017 11:00:00.0000	803	-1
Sun Jun 25 2017 11:01:00.0000	803	-1
Sun Jun 25 2017 11:02:00.0000	803	-1
Sun Jun 25 2017 11:03:00.0000	803	-1
Sun Jun 25 2017 11:04:00.0000	803	-1
Sun Jun 25 2017 11:05:00.0000	802	-1
Sun Jun 25 2017 11:06:00.0000	802	-1
Sun Jun 25 2017 11:07:00.0000	802	-1
Sun Jun 25 2017 11:08:00.0000	802	-1
Sun Jun 25 2017 11:09:00.0000	802	-1
Sun Jun 25 2017 11:10:00.0000	802	-1
Sun Jun 25 2017 11:11:00.0000	801	-1
Sun Jun 25 2017 11:12:00.0000	801	-1

Date/Time	Process Temperature (°F)	Process Flow SCFM
Sun Jun 25 2017 11:13:00.0000	801	-1
Sun Jun 25 2017 11:14:00.0000	801	-1
Sun Jun 25 2017 11:15:00.0000	801	-1
Sun Jun 25 2017 11:16:00.0000	800	-1
Sun Jun 25 2017 11:17:00.0000	800	-1
Sun Jun 25 2017 11:18:00.0000	800	-1
Sun Jun 25 2017 11:19:00.0000	800	-1
Sun Jun 25 2017 11:20:00.0000	800	-1
Sun Jun 25 2017 11:21:00.0000	800	-1
Sun Jun 25 2017 11:22:00.0000	799	-1
Sun Jun 25 2017 11:23:00.0000	799	-1
Sun Jun 25 2017 11:24:00.0000	799	-1
Sun Jun 25 2017 11:25:00.0000	799	-1
Sun Jun 25 2017 11:26:00.0000	799	-1
Sun Jun 25 2017 11:27:00.0000	799	-1
Sun Jun 25 2017 11:28:00.0000	798	-1
Sun Jun 25 2017 11:29:00.0000	798	-1
Sun Jun 25 2017 11:30:00.0000	798	-1
Sun Jun 25 2017 11:31:00.0000	798	-1
Sun Jun 25 2017 11:32:00.0000	798	-1
Sun Jun 25 2017 11:33:00.0000	797	-1
Sun Jun 25 2017 11:34:00.0000	797	-1
Sun Jun 25 2017 11:35:00.0000	797	-1
Sun Jun 25 2017 11:36:00.0000	797	-1
Sun Jun 25 2017 11:37:00.0000	797	-1
Sun Jun 25 2017 11:38:00.0000	797	-1
Sun Jun 25 2017 11:39:00.0000	796	-1
Sun Jun 25 2017 11:40:00.0000	796	-1
Sun Jun 25 2017 11:41:00.0000	796	-1
Sun Jun 25 2017 11:42:00.0000	796	-1
Sun Jun 25 2017 11:43:00.0000	796	-1
Sun Jun 25 2017 11:44:00.0000	795	-1
Sun Jun 25 2017 11:45:00.0000	795	-1
Sun Jun 25 2017 11:46:00.0000	795	-1
Sun Jun 25 2017 11:47:00.0000	795	-1
Sun Jun 25 2017 11:48:00.0000	795	-1
Sun Jun 25 2017 11:49:00.0000	795	-1
Sun Jun 25 2017 11:50:00.0000	794	-1
Sun Jun 25 2017 11:51:00.0000	794	-1
Sun Jun 25 2017 11:52:00.0000	794	-1
Sun Jun 25 2017 11:53:00.0000	794	-1
Sun Jun 25 2017 11:54:00.0000	794	-1
Sun Jun 25 2017 11:55:00.0000	794	-1
Sun Jun 25 2017 11:56:00.0000	794	-1
Sun Jun 25 2017 11:57:00.0000	794	-1
Sun Jun 25 2017 11:58:00.0000	794	-1
Sun Jun 25 2017 11:59:00.0000	794	-1
Sun Jun 25 2017 12:00:00.0000	794	-1
Sun Jun 25 2017 12:01:00.0000	793	-1
Sun Jun 25 2017 12:02:00.0000	792	-1
Sun Jun 25 2017 12:03:00.0000	792	-1
Sun Jun 25 2017 12:04:00.0000	792	-1
Sun Jun 25 2017 12:05:00.0000	792	-1
Sun Jun 25 2017 12:06:00.0000	792	-1
Sun Jun 25 2017 12:07:00.0000	791	-1
Sun Jun 25 2017 12:08:00.0000	791	-1
Sun Jun 25 2017 12:09:00.0000	791	-1

Date/Time	Process Temperature (°F)	Process Flow SCFM
Sun Jun 25 2017 12:10:00.0000	791	-1
Sun Jun 25 2017 12:11:00.0000	791	-1
Sun Jun 25 2017 12:12:00.0000	791	-1
Sun Jun 25 2017 12:13:00.0000	790	-1
Sun Jun 25 2017 12:14:00.0000	790	-1
Sun Jun 25 2017 12:15:00.0000	790	-1
Sun Jun 25 2017 12:16:00.0000	790	-1
Sun Jun 25 2017 12:17:00.0000	790	-1
Sun Jun 25 2017 12:18:00.0000	790	-1
Sun Jun 25 2017 12:19:00.0000	789	-1
Sun Jun 25 2017 12:20:00.0000	789	-1
Sun Jun 25 2017 12:21:00.0000	789	-1
Sun Jun 25 2017 12:22:00.0000	789	-1
Sun Jun 25 2017 12:23:00.0000	789	-1
Sun Jun 25 2017 12:24:00.0000	789	-1
Sun Jun 25 2017 12:25:00.0000	789	-1
Sun Jun 25 2017 12:26:00.0000	789	-1
Sun Jun 25 2017 12:27:00.0000	789	-1
Sun Jun 25 2017 12:28:00.0000	789	-1
Sun Jun 25 2017 12:29:00.0000	788	-1
Sun Jun 25 2017 12:30:00.0000	788	-1
Sun Jun 25 2017 12:31:00.0000	788	-1
Sun Jun 25 2017 12:32:00.0000	788	-1
Sun Jun 25 2017 12:33:00.0000	788	-1
Sun Jun 25 2017 12:34:00.0000	788	-1
Sun Jun 25 2017 12:35:00.0000	787	-1
Sun Jun 25 2017 12:36:00.0000	786	-1
Sun Jun 25 2017 12:37:00.0000	786	-1
Sun Jun 25 2017 12:38:00.0000	786	-1
Sun Jun 25 2017 12:39:00.0000	786	-1
Sun Jun 25 2017 12:40:00.0000	786	-1
Sun Jun 25 2017 12:41:00.0000	786	-1
Sun Jun 25 2017 12:42:00.0000	785	-1
Sun Jun 25 2017 12:43:00.0000	785	-1
Sun Jun 25 2017 12:44:00.0000	785	-1
Sun Jun 25 2017 12:45:00.0000	785	-1
Sun Jun 25 2017 12:46:00.0000	785	-1
Sun Jun 25 2017 12:47:00.0000	785	-1
Sun Jun 25 2017 12:48:00.0000	785	-1
Sun Jun 25 2017 12:49:00.0000	785	-1
Sun Jun 25 2017 12:50:00.0000	785	-1
Sun Jun 25 2017 12:51:00.0000	785	-1
Sun Jun 25 2017 12:52:00.0000	784	-1
Sun Jun 25 2017 12:53:00.0000	784	-1
Sun Jun 25 2017 12:54:00.0000	784	-1
Sun Jun 25 2017 12:55:00.0000	784	-1
Sun Jun 25 2017 12:56:00.0000	784	-1
Sun Jun 25 2017 12:57:00.0000	784	-1
Sun Jun 25 2017 12:58:00.0000	783	-1
Sun Jun 25 2017 12:59:00.0000	783	-1
Sun Jun 25 2017 13:00:00.0000	783	-1
Sun Jun 25 2017 13:01:00.0000	783	-1
Sun Jun 25 2017 13:02:00.0000	783	-1
Sun Jun 25 2017 13:03:00.0000	782	-1
Sun Jun 25 2017 13:04:00.0000	782	-1
Sun Jun 25 2017 13:05:00.0000	782	-1
Sun Jun 25 2017 13:06:00.0000	782	-1

Date/Time	Process Temperature (°F)	Process Flow SCFM
Sun Jun 25 2017 13:07:00.0000	782	-1
Sun Jun 25 2017 13:08:00.0000	782	-1
Sun Jun 25 2017 13:09:00.0000	782	-1
Sun Jun 25 2017 13:10:00.0000	780	-1
Sun Jun 25 2017 13:11:00.0000	780	-1
Sun Jun 25 2017 13:12:00.0000	780	-1
Sun Jun 25 2017 13:13:00.0000	780	-1
Sun Jun 25 2017 13:14:00.0000	780	-1
Sun Jun 25 2017 13:15:00.0000	780	-1
Sun Jun 25 2017 13:16:00.0000	779	-1
Sun Jun 25 2017 13:17:00.0000	779	-1
Sun Jun 25 2017 13:18:00.0000	779	-1
Sun Jun 25 2017 13:19:00.0000	779	-1
Sun Jun 25 2017 13:20:00.0000	779	-1
Sun Jun 25 2017 13:21:00.0000	779	-1
Sun Jun 25 2017 13:22:00.0000	778	-1
Sun Jun 25 2017 13:23:00.0000	778	-1
Sun Jun 25 2017 13:24:00.0000	778	-1
Sun Jun 25 2017 13:25:00.0000	778	-1
Sun Jun 25 2017 13:26:00.0000	778	-1
Sun Jun 25 2017 13:27:00.0000	778	-1
Sun Jun 25 2017 13:28:00.0000	778	-1
Sun Jun 25 2017 13:29:00.0000	778	-1
Sun Jun 25 2017 13:30:00.0000	778	-1
Sun Jun 25 2017 13:31:00.0000	778	-1
Sun Jun 25 2017 13:32:00.0000	778	-1
Sun Jun 25 2017 13:33:00.0000	777	-1
Sun Jun 25 2017 13:34:00.0000	777	-1
Sun Jun 25 2017 13:35:00.0000	777	-1
Sun Jun 25 2017 13:36:00.0000	777	-1
Sun Jun 25 2017 13:37:00.0000	777	-1
Sun Jun 25 2017 13:38:00.0000	777	-1
Sun Jun 25 2017 13:39:00.0000	775	-1
Sun Jun 25 2017 13:40:00.0000	775	-1
Sun Jun 25 2017 13:41:00.0000	775	-1
Sun Jun 25 2017 13:42:00.0000	775	-1
Sun Jun 25 2017 13:43:00.0000	775	-1
Sun Jun 25 2017 13:44:00.0000	775	-1
Sun Jun 25 2017 13:45:00.0000	774	-1
Sun Jun 25 2017 13:46:00.0000	774	-1
Sun Jun 25 2017 13:47:00.0000	774	-1
Sun Jun 25 2017 13:48:00.0000	774	-1
Sun Jun 25 2017 13:49:00.0000	774	-1
Sun Jun 25 2017 13:50:00.0000	774	-1
Sun Jun 25 2017 13:51:00.0000	773	-1
Sun Jun 25 2017 13:52:00.0000	773	-1
Sun Jun 25 2017 13:53:00.0000	773	-1
Sun Jun 25 2017 13:54:00.0000	773	-1
Sun Jun 25 2017 13:55:00.0000	773	-1
Sun Jun 25 2017 13:56:00.0000	773	-1
Sun Jun 25 2017 13:57:00.0000	772	-1
Sun Jun 25 2017 13:58:00.0000	772	-1
Sun Jun 25 2017 13:59:00.0000	772	-1
Sun Jun 25 2017 14:00:00.0000	772	-1
Sun Jun 25 2017 14:01:00.0000	772	-1
Sun Jun 25 2017 14:02:00.0000	771	-1
Sun Jun 25 2017 14:03:00.0000	771	-1

Date/Time	Process Temperature (°F)	Process Flow SCFM
Sun Jun 25 2017 14:04:00.0000	771	-1
Sun Jun 25 2017 14:05:00.0000	771	-1
Sun Jun 25 2017 14:06:00.0000	771	-1
Sun Jun 25 2017 14:07:00.0000	771	-1
Sun Jun 25 2017 14:08:00.0000	771	-1
Sun Jun 25 2017 14:09:00.0000	771	-1
Sun Jun 25 2017 14:10:00.0000	771	-1
Sun Jun 25 2017 14:11:00.0000	771	-1
Sun Jun 25 2017 14:12:00.0000	771	-1
Sun Jun 25 2017 14:13:00.0000	770	-1
Sun Jun 25 2017 14:14:00.0000	770	-1
Sun Jun 25 2017 14:15:00.0000	770	-1
Sun Jun 25 2017 14:16:00.0000	770	-1
Sun Jun 25 2017 14:17:00.0000	770	-1
Sun Jun 25 2017 14:18:00.0000	770	-1
Sun Jun 25 2017 14:19:00.0000	769	-1
Sun Jun 25 2017 14:20:00.0000	768	-1
Sun Jun 25 2017 14:21:00.0000	768	-1
Sun Jun 25 2017 14:22:00.0000	768	-1
Sun Jun 25 2017 14:23:00.0000	768	-1
Sun Jun 25 2017 14:24:00.0000	768	-1
Sun Jun 25 2017 14:25:00.0000	768	-1
Sun Jun 25 2017 14:26:00.0000	767	-1
Sun Jun 25 2017 14:27:00.0000	768	-1
Sun Jun 25 2017 14:28:00.0000	767	-1
Sun Jun 25 2017 14:29:00.0000	767	-1
Sun Jun 25 2017 14:30:00.0000	768	-1
Sun Jun 25 2017 14:31:00.0000	767	-1
Sun Jun 25 2017 14:32:00.0000	766	-1
Sun Jun 25 2017 14:33:00.0000	766	-1
Sun Jun 25 2017 14:34:00.0000	766	-1
Sun Jun 25 2017 14:35:00.0000	766	-1
Sun Jun 25 2017 14:36:00.0000	766	-1
Sun Jun 25 2017 14:37:00.0000	766	-1
Sun Jun 25 2017 14:38:00.0000	766	-1
Sun Jun 25 2017 14:39:00.0000	766	-1
Sun Jun 25 2017 14:40:00.0000	766	-1
Sun Jun 25 2017 14:41:00.0000	766	-1
Sun Jun 25 2017 14:42:00.0000	766	-1
Sun Jun 25 2017 14:43:00.0000	765	-1
Sun Jun 25 2017 14:44:00.0000	764	-1
Sun Jun 25 2017 14:45:00.0000	764	-1
Sun Jun 25 2017 14:46:00.0000	764	-1
Sun Jun 25 2017 14:47:00.0000	764	-1
Sun Jun 25 2017 14:48:00.0000	764	-1
Sun Jun 25 2017 14:49:00.0000	764	-1
Sun Jun 25 2017 14:50:00.0000	763	-1
Sun Jun 25 2017 14:51:00.0000	763	-1
Sun Jun 25 2017 14:52:00.0000	763	-1
Sun Jun 25 2017 14:53:00.0000	763	-1
Sun Jun 25 2017 14:54:00.0000	763	-1
Sun Jun 25 2017 14:55:00.0000	763	-1
Sun Jun 25 2017 14:56:00.0000	763	-1
Sun Jun 25 2017 14:57:00.0000	763	-1
Sun Jun 25 2017 14:58:00.0000	763	-1
Sun Jun 25 2017 14:59:00.0000	763	-1
Sun Jun 25 2017 15:00:00.0000	763	-1

Date/Time	Process Temperature (°F)	Process Flow SCFM
Sun Jun 25 2017 15:01:00.0000	762	-1
Sun Jun 25 2017 15:02:00.0000	761	-1
Sun Jun 25 2017 15:03:00.0000	761	-1
Sun Jun 25 2017 15:04:00.0000	761	-1
Sun Jun 25 2017 15:05:00.0000	761	-1
Sun Jun 25 2017 15:06:00.0000	761	-1
Sun Jun 25 2017 15:07:00.0000	761	-1
Sun Jun 25 2017 15:08:00.0000	761	-1
Sun Jun 25 2017 15:09:00.0000	761	-1
Sun Jun 25 2017 15:10:00.0000	761	-1
Sun Jun 25 2017 15:11:00.0000	760	-1
Sun Jun 25 2017 15:12:00.0000	760	-1
Sun Jun 25 2017 15:13:00.0000	759	-1
Sun Jun 25 2017 15:14:00.0000	759	-1
Sun Jun 25 2017 15:15:00.0000	759	-1
Sun Jun 25 2017 15:16:00.0000	759	-1
Sun Jun 25 2017 15:17:00.0000	759	-1
Sun Jun 25 2017 15:18:00.0000	759	-1
Sun Jun 25 2017 15:19:00.0000	759	-1
Sun Jun 25 2017 15:20:00.0000	759	-1
Sun Jun 25 2017 15:21:00.0000	759	-1
Sun Jun 25 2017 15:22:00.0000	759	-1
Sun Jun 25 2017 15:23:00.0000	759	-1
Sun Jun 25 2017 15:24:00.0000	759	-1
Sun Jun 25 2017 15:25:00.0000	758	-1
Sun Jun 25 2017 15:26:00.0000	758	-1
Sun Jun 25 2017 15:27:00.0000	758	-1
Sun Jun 25 2017 15:28:00.0000	758	-1
Sun Jun 25 2017 15:29:00.0000	758	-1
Sun Jun 25 2017 15:30:00.0000	758	-1
Sun Jun 25 2017 15:31:00.0000	757	-1
Sun Jun 25 2017 15:32:00.0000	756	-1
Sun Jun 25 2017 15:33:00.0000	756	-1
Sun Jun 25 2017 15:34:00.0000	756	-1
Sun Jun 25 2017 15:35:00.0000	756	-1
Sun Jun 25 2017 15:36:00.0000	756	-1
Sun Jun 25 2017 15:37:00.0000	756	-1
Sun Jun 25 2017 15:38:00.0000	756	-1
Sun Jun 25 2017 15:39:00.0000	756	-1
Sun Jun 25 2017 15:40:00.0000	755	-1
Sun Jun 25 2017 15:41:00.0000	755	-1
Sun Jun 25 2017 15:42:00.0000	755	-1
Sun Jun 25 2017 15:43:00.0000	755	-1
Sun Jun 25 2017 15:44:00.0000	754	-1
Sun Jun 25 2017 15:45:00.0000	754	-1
Sun Jun 25 2017 15:46:00.0000	754	-1
Sun Jun 25 2017 15:47:00.0000	754	-1
Sun Jun 25 2017 15:48:00.0000	754	-1
Sun Jun 25 2017 15:49:00.0000	754	-1
Sun Jun 25 2017 15:50:00.0000	754	-1
Sun Jun 25 2017 15:51:00.0000	753	-1
Sun Jun 25 2017 15:52:00.0000	753	-1
Sun Jun 25 2017 15:53:00.0000	754	-1
Sun Jun 25 2017 15:54:00.0000	754	-1
Sun Jun 25 2017 15:55:00.0000	754	-1
Sun Jun 25 2017 15:56:00.0000	752	-1
Sun Jun 25 2017 15:57:00.0000	752	-1

Date/Time	Process Temperature (°F)	Process Flow SCFM
Sun Jun 25 2017 15:58:00.0000	752	-1
Sun Jun 25 2017 15:59:00.0000	752	-1
Sun Jun 25 2017 16:00:00.0000	752	-1
Sun Jun 25 2017 16:01:00.0000	752	-1
Sun Jun 25 2017 16:02:00.0000	752	-1
Sun Jun 25 2017 16:03:00.0000	751	-1
Sun Jun 25 2017 16:04:00.0000	751	-1
Sun Jun 25 2017 16:05:00.0000	751	-1
Sun Jun 25 2017 16:06:00.0000	751	-1
Sun Jun 25 2017 16:07:00.0000	751	-1
Sun Jun 25 2017 16:08:00.0000	751	-1
Sun Jun 25 2017 16:09:00.0000	750	-1
Sun Jun 25 2017 16:10:00.0000	750	-1
Sun Jun 25 2017 16:11:00.0000	750	-1
Sun Jun 25 2017 16:12:00.0000	750	-1
Sun Jun 25 2017 16:13:00.0000	750	-1
Sun Jun 25 2017 16:14:00.0000	750	-1
Sun Jun 25 2017 16:15:00.0000	749	-1
Sun Jun 25 2017 16:16:00.0000	749	-1
Sun Jun 25 2017 16:17:00.0000	749	-1
Sun Jun 25 2017 16:18:00.0000	749	-1
Sun Jun 25 2017 16:19:00.0000	749	-1
Sun Jun 25 2017 16:20:00.0000	749	-1
Sun Jun 25 2017 16:21:00.0000	748	-1
Sun Jun 25 2017 16:22:00.0000	748	-1
Sun Jun 25 2017 16:23:00.0000	748	-1
Sun Jun 25 2017 16:24:00.0000	748	-1
Sun Jun 25 2017 16:25:00.0000	748	-1
Sun Jun 25 2017 16:26:00.0000	747	-1
Sun Jun 25 2017 16:27:00.0000	747	-1
Sun Jun 25 2017 16:28:00.0000	747	-1
Sun Jun 25 2017 16:29:00.0000	747	-1
Sun Jun 25 2017 16:30:00.0000	747	-1
Sun Jun 25 2017 16:31:00.0000	747	-1
Sun Jun 25 2017 16:32:00.0000	746	-1
Sun Jun 25 2017 16:33:00.0000	746	-1
Sun Jun 25 2017 16:34:00.0000	746	-1
Sun Jun 25 2017 16:35:00.0000	746	-1
Sun Jun 25 2017 16:36:00.0000	746	-1
Sun Jun 25 2017 16:37:00.0000	746	-1
Sun Jun 25 2017 16:38:00.0000	745	-1
Sun Jun 25 2017 16:39:00.0000	745	-1
Sun Jun 25 2017 16:40:00.0000	745	-1
Sun Jun 25 2017 16:41:00.0000	745	-1
Sun Jun 25 2017 16:42:00.0000	745	-1
Sun Jun 25 2017 16:43:00.0000	745	-1
Sun Jun 25 2017 16:44:00.0000	744	-1
Sun Jun 25 2017 16:45:00.0000	744	-1
Sun Jun 25 2017 16:46:00.0000	744	-1
Sun Jun 25 2017 16:47:00.0000	744	-1
Sun Jun 25 2017 16:48:00.0000	744	-1
Sun Jun 25 2017 16:49:00.0000	744	-1
Sun Jun 25 2017 16:50:00.0000	744	-1
Sun Jun 25 2017 16:51:00.0000	744	-1
Sun Jun 25 2017 16:52:00.0000	744	-1
Sun Jun 25 2017 16:53:00.0000	744	-1
Sun Jun 25 2017 16:54:00.0000	744	-1

Date/Time	Process Temperature (°F)	Process Flow SCFM
Sun Jun 25 2017 16:55:00.0000	743	-1
Sun Jun 25 2017 16:56:00.0000	742	-1
Sun Jun 25 2017 16:57:00.0000	742	-1
Sun Jun 25 2017 16:58:00.0000	742	-1
Sun Jun 25 2017 16:59:00.0000	742	-1
Sun Jun 25 2017 17:00:00.0000	742	-1
Sun Jun 25 2017 17:01:00.0000	742	-1
Sun Jun 25 2017 17:02:00.0000	741	-1
Sun Jun 25 2017 17:03:00.0000	741	-1
Sun Jun 25 2017 17:04:00.0000	741	-1
Sun Jun 25 2017 17:05:00.0000	741	-1
Sun Jun 25 2017 17:06:00.0000	741	-1
Sun Jun 25 2017 17:07:00.0000	741	-1
Sun Jun 25 2017 17:08:00.0000	740	-1
Sun Jun 25 2017 17:09:00.0000	740	-1
Sun Jun 25 2017 17:10:00.0000	740	-1
Sun Jun 25 2017 17:11:00.0000	740	-1
Sun Jun 25 2017 17:12:00.0000	740	-1
Sun Jun 25 2017 17:13:00.0000	740	-1
Sun Jun 25 2017 17:14:00.0000	739	-1
Sun Jun 25 2017 17:15:00.0000	739	-1
Sun Jun 25 2017 17:16:00.0000	739	-1
Sun Jun 25 2017 17:17:00.0000	739	-1
Sun Jun 25 2017 17:18:00.0000	739	-1
Sun Jun 25 2017 17:19:00.0000	739	-1
Sun Jun 25 2017 17:20:00.0000	738	-1
Sun Jun 25 2017 17:21:00.0000	738	-1
Sun Jun 25 2017 17:22:00.0000	738	-1
Sun Jun 25 2017 17:23:00.0000	738	-1
Sun Jun 25 2017 17:24:00.0000	738	-1
Sun Jun 25 2017 17:25:00.0000	738	-1
Sun Jun 25 2017 17:26:00.0000	737	-1
Sun Jun 25 2017 17:27:00.0000	737	-1
Sun Jun 25 2017 17:28:00.0000	737	-1
Sun Jun 25 2017 17:29:00.0000	737	-1
Sun Jun 25 2017 17:30:00.0000	737	-1
Sun Jun 25 2017 17:31:00.0000	737	-1
Sun Jun 25 2017 17:32:00.0000	737	-1
Sun Jun 25 2017 17:33:00.0000	737	-1
Sun Jun 25 2017 17:34:00.0000	737	-1
Sun Jun 25 2017 17:35:00.0000	737	-1
Sun Jun 25 2017 17:36:00.0000	737	-1
Sun Jun 25 2017 17:37:00.0000	736	-1
Sun Jun 25 2017 17:38:00.0000	735	-1
Sun Jun 25 2017 17:39:00.0000	735	-1
Sun Jun 25 2017 17:40:00.0000	735	-1
Sun Jun 25 2017 17:41:00.0000	735	-1
Sun Jun 25 2017 17:42:00.0000	735	-1
Sun Jun 25 2017 17:43:00.0000	735	-1
Sun Jun 25 2017 17:44:00.0000	734	-1
Sun Jun 25 2017 17:45:00.0000	734	-1
Sun Jun 25 2017 17:46:00.0000	734	-1
Sun Jun 25 2017 17:47:00.0000	734	-1
Sun Jun 25 2017 17:48:00.0000	734	-1
Sun Jun 25 2017 17:49:00.0000	734	-1
Sun Jun 25 2017 17:50:00.0000	733	-1
Sun Jun 25 2017 17:51:00.0000	733	-1

Date/Time	Process Temperature (°F)	Process Flow SCFM
Sun Jun 25 2017 17:52:00.0000	733	-1
Sun Jun 25 2017 17:53:00.0000	733	-1
Sun Jun 25 2017 17:54:00.0000	733	-1
Sun Jun 25 2017 17:55:00.0000	733	-1
Sun Jun 25 2017 17:56:00.0000	733	-1
Sun Jun 25 2017 17:57:00.0000	732	-1
Sun Jun 25 2017 17:58:00.0000	732	-1
Sun Jun 25 2017 17:59:00.0000	732	-1
Sun Jun 25 2017 18:00:00.0000	732	-1
Sun Jun 25 2017 18:01:00.0000	732	-1
Sun Jun 25 2017 18:02:00.0000	732	-1
Sun Jun 25 2017 18:03:00.0000	731	-1
Sun Jun 25 2017 18:04:00.0000	731	-1
Sun Jun 25 2017 18:05:00.0000	731	-1
Sun Jun 25 2017 18:06:00.0000	731	-1
Sun Jun 25 2017 18:07:00.0000	731	-1
Sun Jun 25 2017 18:08:00.0000	731	-1
Sun Jun 25 2017 18:09:00.0000	730	-1
Sun Jun 25 2017 18:10:00.0000	730	-1
Sun Jun 25 2017 18:11:00.0000	730	-1
Sun Jun 25 2017 18:12:00.0000	730	-1
Sun Jun 25 2017 18:13:00.0000	730	-1
Sun Jun 25 2017 18:14:00.0000	730	-1
Sun Jun 25 2017 18:15:00.0000	729	-1
Sun Jun 25 2017 18:16:00.0000	729	-1
Sun Jun 25 2017 18:17:00.0000	729	-1
Sun Jun 25 2017 18:18:00.0000	729	-1
Sun Jun 25 2017 18:19:00.0000	729	-1
Sun Jun 25 2017 18:20:00.0000	729	-1
Sun Jun 25 2017 18:21:00.0000	728	-1
Sun Jun 25 2017 18:22:00.0000	728	-1
Sun Jun 25 2017 18:23:00.0000	728	-1
Sun Jun 25 2017 18:24:00.0000	728	-1
Sun Jun 25 2017 18:25:00.0000	728	-1
Sun Jun 25 2017 18:26:00.0000	728	-1
Sun Jun 25 2017 18:27:00.0000	728	-1
Sun Jun 25 2017 18:28:00.0000	727	-1
Sun Jun 25 2017 18:29:00.0000	727	-1
Sun Jun 25 2017 18:30:00.0000	727	-1
Sun Jun 25 2017 18:31:00.0000	727	-1
Sun Jun 25 2017 18:32:00.0000	727	-1
Sun Jun 25 2017 18:33:00.0000	727	-1
Sun Jun 25 2017 18:34:00.0000	726	-1
Sun Jun 25 2017 18:35:00.0000	726	-1
Sun Jun 25 2017 18:36:00.0000	726	-1
Sun Jun 25 2017 18:37:00.0000	726	-1
Sun Jun 25 2017 18:38:00.0000	726	-1
Sun Jun 25 2017 18:39:00.0000	726	-1
Sun Jun 25 2017 18:40:00.0000	726	-1
Sun Jun 25 2017 18:41:00.0000	725	-1
Sun Jun 25 2017 18:42:00.0000	725	-1
Sun Jun 25 2017 18:43:00.0000	725	-1
Sun Jun 25 2017 18:44:00.0000	725	-1
Sun Jun 25 2017 18:45:00.0000	725	-1
Sun Jun 25 2017 18:46:00.0000	725	-1
Sun Jun 25 2017 18:47:00.0000	724	-1
Sun Jun 25 2017 18:48:00.0000	724	-1

Date/Time	Process Temperature (°F)	Process Flow SCFM
Sun Jun 25 2017 18:49:00.0000	724	-1
Sun Jun 25 2017 18:50:00.0000	724	-1
Sun Jun 25 2017 18:51:00.0000	724	-1
Sun Jun 25 2017 18:52:00.0000	724	-1
Sun Jun 25 2017 18:53:00.0000	724	-1
Sun Jun 25 2017 18:54:00.0000	723	-1
Sun Jun 25 2017 18:55:00.0000	723	-1
Sun Jun 25 2017 18:56:00.0000	723	-1
Sun Jun 25 2017 18:57:00.0000	723	-1
Sun Jun 25 2017 18:58:00.0000	723	-1
Sun Jun 25 2017 18:59:00.0000	723	-1
Sun Jun 25 2017 19:00:00.0000	722	-1
Sun Jun 25 2017 19:01:00.0000	722	-1
Sun Jun 25 2017 19:02:00.0000	722	-1
Sun Jun 25 2017 19:03:00.0000	722	-1
Sun Jun 25 2017 19:04:00.0000	722	-1
Sun Jun 25 2017 19:05:00.0000	722	-1
Sun Jun 25 2017 19:06:00.0000	721	-1
Sun Jun 25 2017 19:07:00.0000	721	-1
Sun Jun 25 2017 19:08:00.0000	721	-1
Sun Jun 25 2017 19:09:00.0000	721	-1
Sun Jun 25 2017 19:10:00.0000	721	-1
Sun Jun 25 2017 19:11:00.0000	721	-1
Sun Jun 25 2017 19:12:00.0000	721	-1
Sun Jun 25 2017 19:13:00.0000	720	-1
Sun Jun 25 2017 19:14:00.0000	720	-1
Sun Jun 25 2017 19:15:00.0000	720	-1
Sun Jun 25 2017 19:16:00.0000	720	-1
Sun Jun 25 2017 19:17:00.0000	720	-1
Sun Jun 25 2017 19:18:00.0000	720	-1
Sun Jun 25 2017 19:19:00.0000	720	-1
Sun Jun 25 2017 19:20:00.0000	719	-1
Sun Jun 25 2017 19:21:00.0000	719	-1
Sun Jun 25 2017 19:22:00.0000	719	-1
Sun Jun 25 2017 19:23:00.0000	719	-1
Sun Jun 25 2017 19:24:00.0000	719	-1
Sun Jun 25 2017 19:25:00.0000	719	-1
Sun Jun 25 2017 19:26:00.0000	718	-1
Sun Jun 25 2017 19:27:00.0000	718	-1
Sun Jun 25 2017 19:28:00.0000	718	-1
Sun Jun 25 2017 19:29:00.0000	718	-1
Sun Jun 25 2017 19:30:00.0000	718	-1
Sun Jun 25 2017 19:31:00.0000	718	-1
Sun Jun 25 2017 19:32:00.0000	718	-1
Sun Jun 25 2017 19:33:00.0000	717	-1
Sun Jun 25 2017 19:34:00.0000	717	-1
Sun Jun 25 2017 19:35:00.0000	717	-1
Sun Jun 25 2017 19:36:00.0000	717	-1
Sun Jun 25 2017 19:37:00.0000	717	-1
Sun Jun 25 2017 19:38:00.0000	717	-1
Sun Jun 25 2017 19:39:00.0000	716	-1
Sun Jun 25 2017 19:40:00.0000	716	-1
Sun Jun 25 2017 19:41:00.0000	716	-1
Sun Jun 25 2017 19:42:00.0000	716	-1
Sun Jun 25 2017 19:43:00.0000	716	-1
Sun Jun 25 2017 19:44:00.0000	716	-1
Sun Jun 25 2017 19:45:00.0000	716	-1

Date/Time	Process Temperature (°F)	Process Flow SCFM
Sun Jun 25 2017 19:46:00.0000	715	-1
Sun Jun 25 2017 19:47:00.0000	715	-1
Sun Jun 25 2017 19:48:00.0000	715	-1
Sun Jun 25 2017 19:49:00.0000	715	-1
Sun Jun 25 2017 19:50:00.0000	715	-1
Sun Jun 25 2017 19:51:00.0000	715	-1
Sun Jun 25 2017 19:52:00.0000	714	-1
Sun Jun 25 2017 19:53:00.0000	714	-1
Sun Jun 25 2017 19:54:00.0000	714	-1
Sun Jun 25 2017 19:55:00.0000	714	-1
Sun Jun 25 2017 19:56:00.0000	714	-1
Sun Jun 25 2017 19:57:00.0000	714	-1
Sun Jun 25 2017 19:58:00.0000	714	-1
Sun Jun 25 2017 19:59:00.0000	713	-1
Sun Jun 25 2017 20:00:00.0000	713	-1
Sun Jun 25 2017 20:01:00.0000	713	-1
Sun Jun 25 2017 20:02:00.0000	713	-1
Sun Jun 25 2017 20:03:00.0000	713	-1
Sun Jun 25 2017 20:04:00.0000	713	-1
Sun Jun 25 2017 20:05:00.0000	713	-1
Sun Jun 25 2017 20:06:00.0000	712	-1
Sun Jun 25 2017 20:07:00.0000	712	-1
Sun Jun 25 2017 20:08:00.0000	712	-1
Sun Jun 25 2017 20:09:00.0000	712	-1
Sun Jun 25 2017 20:10:00.0000	712	-1
Sun Jun 25 2017 20:11:00.0000	712	-1
Sun Jun 25 2017 20:12:00.0000	711	-1
Sun Jun 25 2017 20:13:00.0000	711	-1
Sun Jun 25 2017 20:14:00.0000	711	-1
Sun Jun 25 2017 20:15:00.0000	711	-1
Sun Jun 25 2017 20:16:00.0000	711	-1
Sun Jun 25 2017 20:17:00.0000	711	-1
Sun Jun 25 2017 20:18:00.0000	711	-1
Sun Jun 25 2017 20:19:00.0000	710	-1
Sun Jun 25 2017 20:20:00.0000	710	-1
Sun Jun 25 2017 20:21:00.0000	710	-1
Sun Jun 25 2017 20:22:00.0000	710	-1
Sun Jun 25 2017 20:23:00.0000	710	-1
Sun Jun 25 2017 20:24:00.0000	710	-1
Sun Jun 25 2017 20:25:00.0000	709	-1
Sun Jun 25 2017 20:26:00.0000	709	-1
Sun Jun 25 2017 20:27:00.0000	709	-1
Sun Jun 25 2017 20:28:00.0000	709	-1
Sun Jun 25 2017 20:29:00.0000	709	-1
Sun Jun 25 2017 20:30:00.0000	709	-1
Sun Jun 25 2017 20:31:00.0000	708	-1
Sun Jun 25 2017 20:32:00.0000	708	-1
Sun Jun 25 2017 20:33:00.0000	708	-1
Sun Jun 25 2017 20:34:00.0000	708	-1
Sun Jun 25 2017 20:35:00.0000	708	-1
Sun Jun 25 2017 20:36:00.0000	708	-1
Sun Jun 25 2017 20:37:00.0000	707	-1
Sun Jun 25 2017 20:38:00.0000	707	-1
Sun Jun 25 2017 20:39:00.0000	707	-1
Sun Jun 25 2017 20:40:00.0000	707	-1
Sun Jun 25 2017 20:41:00.0000	707	-1
Sun Jun 25 2017 20:42:00.0000	707	-1

Date/Time	Process Temperature (°F)	Process Flow SCFM
Sun Jun 25 2017 20:43:00.0000	706	-1
Sun Jun 25 2017 20:44:00.0000	706	-1
Sun Jun 25 2017 20:45:00.0000	706	-1
Sun Jun 25 2017 20:46:00.0000	706	0
Sun Jun 25 2017 20:47:00.0000	706	-1
Sun Jun 25 2017 20:48:00.0000	706	-1
Sun Jun 25 2017 20:49:00.0000	705	0
Sun Jun 25 2017 20:50:00.0000	705	-1
Sun Jun 25 2017 20:51:00.0000	705	-1
Sun Jun 25 2017 20:52:00.0000	705	-1
Sun Jun 25 2017 20:53:00.0000	705	-1
Sun Jun 25 2017 20:54:00.0000	705	-1
Sun Jun 25 2017 20:55:00.0000	704	-1
Sun Jun 25 2017 20:56:00.0000	704	-1
Sun Jun 25 2017 20:57:00.0000	704	0
Sun Jun 25 2017 20:58:00.0000	704	-1
Sun Jun 25 2017 20:59:00.0000	704	0
Sun Jun 25 2017 21:00:00.0000	704	0
Sun Jun 25 2017 21:01:00.0000	703	0
Sun Jun 25 2017 21:02:00.0000	703	0
Sun Jun 25 2017 21:03:00.0000	703	0
Sun Jun 25 2017 21:04:00.0000	703	0
Sun Jun 25 2017 21:05:00.0000	703	0
Sun Jun 25 2017 21:06:00.0000	703	-1
Sun Jun 25 2017 21:07:00.0000	702	0
Sun Jun 25 2017 21:08:00.0000	702	-1
Sun Jun 25 2017 21:09:00.0000	702	0
Sun Jun 25 2017 21:10:00.0000	702	0
Sun Jun 25 2017 21:11:00.0000	702	-1
Sun Jun 25 2017 21:12:00.0000	702	-1
Sun Jun 25 2017 21:13:00.0000	701	-1
Sun Jun 25 2017 21:14:00.0000	701	0
Sun Jun 25 2017 21:15:00.0000	701	0
Sun Jun 25 2017 21:16:00.0000	701	0
Sun Jun 25 2017 21:17:00.0000	701	-1
Sun Jun 25 2017 21:18:00.0000	701	-1
Sun Jun 25 2017 21:19:00.0000	701	0
Sun Jun 25 2017 21:20:00.0000	700	-1
Sun Jun 25 2017 21:21:00.0000	700	0
Sun Jun 25 2017 21:22:00.0000	700	0
Sun Jun 25 2017 21:23:00.0000	700	0
Sun Jun 25 2017 21:24:00.0000	700	-1
Sun Jun 25 2017 21:25:00.0000	700	-1
Sun Jun 25 2017 21:26:00.0000	699	0
Sun Jun 25 2017 21:27:00.0000	699	0
Sun Jun 25 2017 21:28:00.0000	699	-1
Sun Jun 25 2017 21:29:00.0000	699	0
Sun Jun 25 2017 21:30:00.0000	699	0
Sun Jun 25 2017 21:31:00.0000	699	0
Sun Jun 25 2017 21:32:00.0000	698	0
Sun Jun 25 2017 21:33:00.0000	698	0
Sun Jun 25 2017 21:34:00.0000	698	0
Sun Jun 25 2017 21:35:00.0000	698	0
Sun Jun 25 2017 21:36:00.0000	698	-1
Sun Jun 25 2017 21:37:00.0000	698	0
Sun Jun 25 2017 21:38:00.0000	697	0
Sun Jun 25 2017 21:39:00.0000	697	0

Date/Time	Process Temperature (°F)	Process Flow SCFM
Sun Jun 25 2017 21:40:00.0000	697	0
Sun Jun 25 2017 21:41:00.0000	697	0
Sun Jun 25 2017 21:42:00.0000	697	0
Sun Jun 25 2017 21:43:00.0000	697	-1
Sun Jun 25 2017 21:44:00.0000	696	0
Sun Jun 25 2017 21:45:00.0000	696	0
Sun Jun 25 2017 21:46:00.0000	696	0
Sun Jun 25 2017 21:47:00.0000	696	0
Sun Jun 25 2017 21:48:00.0000	696	0
Sun Jun 25 2017 21:49:00.0000	696	0
Sun Jun 25 2017 21:50:00.0000	696	0
Sun Jun 25 2017 21:51:00.0000	695	0
Sun Jun 25 2017 21:52:00.0000	695	0
Sun Jun 25 2017 21:53:00.0000	695	0
Sun Jun 25 2017 21:54:00.0000	695	0
Sun Jun 25 2017 21:55:00.0000	695	0
Sun Jun 25 2017 21:56:00.0000	695	0
Sun Jun 25 2017 21:57:00.0000	694	0
Sun Jun 25 2017 21:58:00.0000	694	0
Sun Jun 25 2017 21:59:00.0000	694	0
Sun Jun 25 2017 22:00:00.0000	694	0
Sun Jun 25 2017 22:01:00.0000	694	0
Sun Jun 25 2017 22:02:00.0000	694	0
Sun Jun 25 2017 22:03:00.0000	694	0
Sun Jun 25 2017 22:04:00.0000	693	0
Sun Jun 25 2017 22:05:00.0000	693	0
Sun Jun 25 2017 22:06:00.0000	693	0
Sun Jun 25 2017 22:07:00.0000	693	0
Sun Jun 25 2017 22:08:00.0000	693	0
Sun Jun 25 2017 22:09:00.0000	693	0
Sun Jun 25 2017 22:10:00.0000	693	0
Sun Jun 25 2017 22:11:00.0000	692	0
Sun Jun 25 2017 22:12:00.0000	692	0
Sun Jun 25 2017 22:13:00.0000	692	0
Sun Jun 25 2017 22:14:00.0000	692	0
Sun Jun 25 2017 22:15:00.0000	692	0
Sun Jun 25 2017 22:16:00.0000	692	0
Sun Jun 25 2017 22:17:00.0000	691	0
Sun Jun 25 2017 22:18:00.0000	691	0
Sun Jun 25 2017 22:19:00.0000	691	0
Sun Jun 25 2017 22:20:00.0000	691	0
Sun Jun 25 2017 22:21:00.0000	691	0
Sun Jun 25 2017 22:22:00.0000	691	0
Sun Jun 25 2017 22:23:00.0000	691	0
Sun Jun 25 2017 22:24:00.0000	690	0
Sun Jun 25 2017 22:25:00.0000	690	0
Sun Jun 25 2017 22:26:00.0000	690	0
Sun Jun 25 2017 22:27:00.0000	690	0
Sun Jun 25 2017 22:28:00.0000	690	0
Sun Jun 25 2017 22:29:00.0000	690	-1
Sun Jun 25 2017 22:30:00.0000	690	0
Sun Jun 25 2017 22:31:00.0000	689	0
Sun Jun 25 2017 22:32:00.0000	689	0
Sun Jun 25 2017 22:33:00.0000	689	0
Sun Jun 25 2017 22:34:00.0000	689	0
Sun Jun 25 2017 22:35:00.0000	689	0
Sun Jun 25 2017 22:36:00.0000	689	0

Date/Time	Process Temperature (°F)	Process Flow SCFM
Sun Jun 25 2017 22:37:00.0000	688	0
Sun Jun 25 2017 22:38:00.0000	688	0
Sun Jun 25 2017 22:39:00.0000	688	0
Sun Jun 25 2017 22:40:00.0000	688	0
Sun Jun 25 2017 22:41:00.0000	688	0
Sun Jun 25 2017 22:42:00.0000	688	0
Sun Jun 25 2017 22:43:00.0000	688	0
Sun Jun 25 2017 22:44:00.0000	687	0
Sun Jun 25 2017 22:45:00.0000	687	0
Sun Jun 25 2017 22:46:00.0000	687	0
Sun Jun 25 2017 22:47:00.0000	687	0
Sun Jun 25 2017 22:48:00.0000	687	0
Sun Jun 25 2017 22:49:00.0000	687	0
Sun Jun 25 2017 22:50:00.0000	687	0
Sun Jun 25 2017 22:51:00.0000	686	0
Sun Jun 25 2017 22:52:00.0000	686	0
Sun Jun 25 2017 22:53:00.0000	686	0
Sun Jun 25 2017 22:54:00.0000	686	0
Sun Jun 25 2017 22:55:00.0000	686	0
Sun Jun 25 2017 22:56:00.0000	686	0
Sun Jun 25 2017 22:57:00.0000	686	0
Sun Jun 25 2017 22:58:00.0000	685	0
Sun Jun 25 2017 22:59:00.0000	685	0
Sun Jun 25 2017 23:00:00.0000	685	0
Sun Jun 25 2017 23:01:00.0000	685	0
Sun Jun 25 2017 23:02:00.0000	685	0
Sun Jun 25 2017 23:03:00.0000	685	0
Sun Jun 25 2017 23:04:00.0000	684	-1
Sun Jun 25 2017 23:05:00.0000	684	0
Sun Jun 25 2017 23:06:00.0000	684	0
Sun Jun 25 2017 23:07:00.0000	684	0
Sun Jun 25 2017 23:08:00.0000	684	0
Sun Jun 25 2017 23:09:00.0000	684	0
Sun Jun 25 2017 23:10:00.0000	684	0
Sun Jun 25 2017 23:11:00.0000	683	0
Sun Jun 25 2017 23:12:00.0000	683	0
Sun Jun 25 2017 23:13:00.0000	683	0
Sun Jun 25 2017 23:14:00.0000	683	0
Sun Jun 25 2017 23:15:00.0000	683	0
Sun Jun 25 2017 23:16:00.0000	683	0
Sun Jun 25 2017 23:17:00.0000	682	0
Sun Jun 25 2017 23:18:00.0000	682	0
Sun Jun 25 2017 23:19:00.0000	682	0
Sun Jun 25 2017 23:20:00.0000	682	0
Sun Jun 25 2017 23:21:00.0000	682	0
Sun Jun 25 2017 23:22:00.0000	682	0
Sun Jun 25 2017 23:23:00.0000	682	0
Sun Jun 25 2017 23:24:00.0000	681	0
Sun Jun 25 2017 23:25:00.0000	681	0
Sun Jun 25 2017 23:26:00.0000	681	0
Sun Jun 25 2017 23:27:00.0000	681	0
Sun Jun 25 2017 23:28:00.0000	681	0
Sun Jun 25 2017 23:29:00.0000	681	0
Sun Jun 25 2017 23:30:00.0000	681	0
Sun Jun 25 2017 23:31:00.0000	680	0
Sun Jun 25 2017 23:32:00.0000	680	0
Sun Jun 25 2017 23:33:00.0000	680	0

Date/Time	Process Temperature (°F)	Process Flow SCFM
Sun Jun 25 2017 23:34:00.0000	680	0
Sun Jun 25 2017 23:35:00.0000	680	0
Sun Jun 25 2017 23:36:00.0000	680	0
Sun Jun 25 2017 23:37:00.0000	679	0
Sun Jun 25 2017 23:38:00.0000	679	0
Sun Jun 25 2017 23:39:00.0000	679	0
Sun Jun 25 2017 23:40:00.0000	679	0
Sun Jun 25 2017 23:41:00.0000	679	0
Sun Jun 25 2017 23:42:00.0000	679	0
Sun Jun 25 2017 23:43:00.0000	679	0
Sun Jun 25 2017 23:44:00.0000	678	0
Sun Jun 25 2017 23:45:00.0000	678	0
Sun Jun 25 2017 23:46:00.0000	678	0
Sun Jun 25 2017 23:47:00.0000	678	0
Sun Jun 25 2017 23:48:00.0000	678	0
Sun Jun 25 2017 23:49:00.0000	678	0
Sun Jun 25 2017 23:50:00.0000	677	0
Sun Jun 25 2017 23:51:00.0000	677	0
Sun Jun 25 2017 23:52:00.0000	677	0
Sun Jun 25 2017 23:53:00.0000	677	0
Sun Jun 25 2017 23:54:00.0000	677	0
Sun Jun 25 2017 23:55:00.0000	677	0
Sun Jun 25 2017 23:56:00.0000	677	0
Sun Jun 25 2017 23:57:00.0000	676	0
Sun Jun 25 2017 23:58:00.0000	676	0
Sun Jun 25 2017 23:59:00.0000	676	0
Mon Jun 26 2017 00:00:00.0000	676	0
Mon Jun 26 2017 00:01:00.0000	676	0
Mon Jun 26 2017 00:02:00.0000	676	0
Mon Jun 26 2017 00:03:00.0000	675	0
Mon Jun 26 2017 00:04:00.0000	675	0
Mon Jun 26 2017 00:05:00.0000	675	0
Mon Jun 26 2017 00:06:00.0000	675	0
Mon Jun 26 2017 00:07:00.0000	675	0
Mon Jun 26 2017 00:08:00.0000	675	0
Mon Jun 26 2017 00:09:00.0000	675	0
Mon Jun 26 2017 00:10:00.0000	674	0
Mon Jun 26 2017 00:11:00.0000	674	0
Mon Jun 26 2017 00:12:00.0000	674	0
Mon Jun 26 2017 00:13:00.0000	674	0
Mon Jun 26 2017 00:14:00.0000	674	0
Mon Jun 26 2017 00:15:00.0000	674	0
Mon Jun 26 2017 00:16:00.0000	673	0
Mon Jun 26 2017 00:17:00.0000	673	0
Mon Jun 26 2017 00:18:00.0000	673	0
Mon Jun 26 2017 00:19:00.0000	673	0
Mon Jun 26 2017 00:20:00.0000	673	0
Mon Jun 26 2017 00:21:00.0000	673	0
Mon Jun 26 2017 00:22:00.0000	673	0
Mon Jun 26 2017 00:23:00.0000	672	0
Mon Jun 26 2017 00:24:00.0000	672	0
Mon Jun 26 2017 00:25:00.0000	672	0
Mon Jun 26 2017 00:26:00.0000	672	0
Mon Jun 26 2017 00:27:00.0000	672	0
Mon Jun 26 2017 00:28:00.0000	672	0
Mon Jun 26 2017 00:29:00.0000	672	0
Mon Jun 26 2017 00:30:00.0000	671	0

Date/Time	Process Temperature (°F)	Process Flow SCFM
Mon Jun 26 2017 00:31:00.0000	671	0
Mon Jun 26 2017 00:32:00.0000	671	0
Mon Jun 26 2017 00:33:00.0000	671	0
Mon Jun 26 2017 00:34:00.0000	671	0
Mon Jun 26 2017 00:35:00.0000	671	0
Mon Jun 26 2017 00:36:00.0000	670	0
Mon Jun 26 2017 00:37:00.0000	670	0
Mon Jun 26 2017 00:38:00.0000	670	0
Mon Jun 26 2017 00:39:00.0000	670	0
Mon Jun 26 2017 00:40:00.0000	670	0
Mon Jun 26 2017 00:41:00.0000	670	0
Mon Jun 26 2017 00:42:00.0000	670	0
Mon Jun 26 2017 00:43:00.0000	669	0
Mon Jun 26 2017 00:44:00.0000	669	0
Mon Jun 26 2017 00:45:00.0000	669	0
Mon Jun 26 2017 00:46:00.0000	669	0
Mon Jun 26 2017 00:47:00.0000	669	0
Mon Jun 26 2017 00:48:00.0000	669	0
Mon Jun 26 2017 00:49:00.0000	669	0
Mon Jun 26 2017 00:50:00.0000	668	0
Mon Jun 26 2017 00:51:00.0000	668	0
Mon Jun 26 2017 00:52:00.0000	668	0
Mon Jun 26 2017 00:53:00.0000	668	0
Mon Jun 26 2017 00:54:00.0000	668	0
Mon Jun 26 2017 00:55:00.0000	668	0
Mon Jun 26 2017 00:56:00.0000	668	0
Mon Jun 26 2017 00:57:00.0000	667	0
Mon Jun 26 2017 00:58:00.0000	667	0
Mon Jun 26 2017 00:59:00.0000	667	0
Mon Jun 26 2017 01:00:00.0000	667	0
Mon Jun 26 2017 01:01:00.0000	667	0
Mon Jun 26 2017 01:02:00.0000	667	0
Mon Jun 26 2017 01:03:00.0000	666	0
Mon Jun 26 2017 01:04:00.0000	666	0
Mon Jun 26 2017 01:05:00.0000	666	0
Mon Jun 26 2017 01:06:00.0000	666	0
Mon Jun 26 2017 01:07:00.0000	666	0
Mon Jun 26 2017 01:08:00.0000	666	0
Mon Jun 26 2017 01:09:00.0000	666	0
Mon Jun 26 2017 01:10:00.0000	665	0
Mon Jun 26 2017 01:11:00.0000	665	0
Mon Jun 26 2017 01:12:00.0000	665	0
Mon Jun 26 2017 01:13:00.0000	665	0
Mon Jun 26 2017 01:14:00.0000	665	0
Mon Jun 26 2017 01:15:00.0000	665	0
Mon Jun 26 2017 01:16:00.0000	665	0
Mon Jun 26 2017 01:17:00.0000	664	0
Mon Jun 26 2017 01:18:00.0000	664	0
Mon Jun 26 2017 01:19:00.0000	664	0
Mon Jun 26 2017 01:20:00.0000	664	0
Mon Jun 26 2017 01:21:00.0000	664	0
Mon Jun 26 2017 01:22:00.0000	664	0
Mon Jun 26 2017 01:23:00.0000	664	0
Mon Jun 26 2017 01:24:00.0000	663	0
Mon Jun 26 2017 01:25:00.0000	663	0
Mon Jun 26 2017 01:26:00.0000	663	0
Mon Jun 26 2017 01:27:00.0000	663	0

Date/Time	Process Temperature (°F)	Process Flow SCFM
Mon Jun 26 2017 01:28:00.0000	663	0
Mon Jun 26 2017 01:29:00.0000	663	0
Mon Jun 26 2017 01:30:00.0000	662	0
Mon Jun 26 2017 01:31:00.0000	662	0
Mon Jun 26 2017 01:32:00.0000	662	0
Mon Jun 26 2017 01:33:00.0000	662	0
Mon Jun 26 2017 01:34:00.0000	662	0
Mon Jun 26 2017 01:35:00.0000	662	0
Mon Jun 26 2017 01:36:00.0000	662	0
Mon Jun 26 2017 01:37:00.0000	661	0
Mon Jun 26 2017 01:38:00.0000	661	0
Mon Jun 26 2017 01:39:00.0000	661	0
Mon Jun 26 2017 01:40:00.0000	661	0
Mon Jun 26 2017 01:41:00.0000	661	0
Mon Jun 26 2017 01:42:00.0000	661	0
Mon Jun 26 2017 01:43:00.0000	661	0
Mon Jun 26 2017 01:44:00.0000	660	0
Mon Jun 26 2017 01:45:00.0000	660	0
Mon Jun 26 2017 01:46:00.0000	660	0
Mon Jun 26 2017 01:47:00.0000	660	0
Mon Jun 26 2017 01:48:00.0000	660	0
Mon Jun 26 2017 01:49:00.0000	660	0
Mon Jun 26 2017 01:50:00.0000	660	0
Mon Jun 26 2017 01:51:00.0000	659	0
Mon Jun 26 2017 01:52:00.0000	659	0
Mon Jun 26 2017 01:53:00.0000	659	0
Mon Jun 26 2017 01:54:00.0000	659	0
Mon Jun 26 2017 01:55:00.0000	659	0
Mon Jun 26 2017 01:56:00.0000	659	0
Mon Jun 26 2017 01:57:00.0000	659	0
Mon Jun 26 2017 01:58:00.0000	658	0
Mon Jun 26 2017 01:59:00.0000	658	0
Mon Jun 26 2017 02:00:00.0000	658	0
Mon Jun 26 2017 02:01:00.0000	658	0
Mon Jun 26 2017 02:02:00.0000	658	0
Mon Jun 26 2017 02:03:00.0000	658	0
Mon Jun 26 2017 02:04:00.0000	658	0
Mon Jun 26 2017 02:05:00.0000	657	0
Mon Jun 26 2017 02:06:00.0000	657	0
Mon Jun 26 2017 02:07:00.0000	657	0
Mon Jun 26 2017 02:08:00.0000	657	0
Mon Jun 26 2017 02:09:00.0000	657	0
Mon Jun 26 2017 02:10:00.0000	657	0
Mon Jun 26 2017 02:11:00.0000	657	0
Mon Jun 26 2017 02:12:00.0000	656	0
Mon Jun 26 2017 02:13:00.0000	656	0
Mon Jun 26 2017 02:14:00.0000	656	0
Mon Jun 26 2017 02:15:00.0000	656	0
Mon Jun 26 2017 02:16:00.0000	656	0
Mon Jun 26 2017 02:17:00.0000	656	0
Mon Jun 26 2017 02:18:00.0000	655	0
Mon Jun 26 2017 02:19:00.0000	655	0
Mon Jun 26 2017 02:20:00.0000	655	0
Mon Jun 26 2017 02:21:00.0000	655	0
Mon Jun 26 2017 02:22:00.0000	655	0
Mon Jun 26 2017 02:23:00.0000	655	0
Mon Jun 26 2017 02:24:00.0000	655	0

Date/Time	Process Temperature (°F)	Process Flow SCFM
Mon Jun 26 2017 02:25:00.0000	654	0
Mon Jun 26 2017 02:26:00.0000	654	0
Mon Jun 26 2017 02:27:00.0000	654	0
Mon Jun 26 2017 02:28:00.0000	654	0
Mon Jun 26 2017 02:29:00.0000	654	0
Mon Jun 26 2017 02:30:00.0000	654	0
Mon Jun 26 2017 02:31:00.0000	654	0
Mon Jun 26 2017 02:32:00.0000	653	0
Mon Jun 26 2017 02:33:00.0000	653	0
Mon Jun 26 2017 02:34:00.0000	653	0
Mon Jun 26 2017 02:35:00.0000	653	0
Mon Jun 26 2017 02:36:00.0000	653	0
Mon Jun 26 2017 02:37:00.0000	653	0
Mon Jun 26 2017 02:38:00.0000	653	0
Mon Jun 26 2017 02:39:00.0000	652	0
Mon Jun 26 2017 02:40:00.0000	652	0
Mon Jun 26 2017 02:41:00.0000	652	0
Mon Jun 26 2017 02:42:00.0000	652	0
Mon Jun 26 2017 02:43:00.0000	652	0
Mon Jun 26 2017 02:44:00.0000	652	0
Mon Jun 26 2017 02:45:00.0000	652	0
Mon Jun 26 2017 02:46:00.0000	651	0
Mon Jun 26 2017 02:47:00.0000	651	0
Mon Jun 26 2017 02:48:00.0000	651	0
Mon Jun 26 2017 02:49:00.0000	651	0
Mon Jun 26 2017 02:50:00.0000	651	0
Mon Jun 26 2017 02:51:00.0000	651	0
Mon Jun 26 2017 02:52:00.0000	651	0
Mon Jun 26 2017 02:53:00.0000	650	0
Mon Jun 26 2017 02:54:00.0000	650	0
Mon Jun 26 2017 02:55:00.0000	650	0
Mon Jun 26 2017 02:56:00.0000	650	0
Mon Jun 26 2017 02:57:00.0000	650	0
Mon Jun 26 2017 02:58:00.0000	650	0
Mon Jun 26 2017 02:59:00.0000	650	0
Mon Jun 26 2017 03:00:00.0000	649	0
Mon Jun 26 2017 03:01:00.0000	649	0
Mon Jun 26 2017 03:02:00.0000	649	0
Mon Jun 26 2017 03:03:00.0000	649	0
Mon Jun 26 2017 03:04:00.0000	649	0
Mon Jun 26 2017 03:05:00.0000	649	0
Mon Jun 26 2017 03:06:00.0000	649	0
Mon Jun 26 2017 03:07:00.0000	648	0
Mon Jun 26 2017 03:08:00.0000	648	0
Mon Jun 26 2017 03:09:00.0000	648	0
Mon Jun 26 2017 03:10:00.0000	648	0
Mon Jun 26 2017 03:11:00.0000	648	0
Mon Jun 26 2017 03:12:00.0000	648	0
Mon Jun 26 2017 03:13:00.0000	648	0
Mon Jun 26 2017 03:14:00.0000	647	0
Mon Jun 26 2017 03:15:00.0000	647	0
Mon Jun 26 2017 03:16:00.0000	647	0
Mon Jun 26 2017 03:17:00.0000	647	0
Mon Jun 26 2017 03:18:00.0000	647	0
Mon Jun 26 2017 03:19:00.0000	647	0
Mon Jun 26 2017 03:20:00.0000	647	0
Mon Jun 26 2017 03:21:00.0000	646	0

Date/Time	Process Temperature (°F)	Process Flow SCFM
Mon Jun 26 2017 03:22:00.0000	646	0
Mon Jun 26 2017 03:23:00.0000	646	0
Mon Jun 26 2017 03:24:00.0000	646	0
Mon Jun 26 2017 03:25:00.0000	646	0
Mon Jun 26 2017 03:26:00.0000	646	0
Mon Jun 26 2017 03:27:00.0000	646	0
Mon Jun 26 2017 03:28:00.0000	645	0
Mon Jun 26 2017 03:29:00.0000	645	0
Mon Jun 26 2017 03:30:00.0000	645	0
Mon Jun 26 2017 03:31:00.0000	645	0
Mon Jun 26 2017 03:32:00.0000	645	0
Mon Jun 26 2017 03:33:00.0000	645	0
Mon Jun 26 2017 03:34:00.0000	645	0
Mon Jun 26 2017 03:35:00.0000	644	0
Mon Jun 26 2017 03:36:00.0000	644	0
Mon Jun 26 2017 03:37:00.0000	644	0
Mon Jun 26 2017 03:38:00.0000	644	0
Mon Jun 26 2017 03:39:00.0000	644	0
Mon Jun 26 2017 03:40:00.0000	644	0
Mon Jun 26 2017 03:41:00.0000	644	0
Mon Jun 26 2017 03:42:00.0000	643	0
Mon Jun 26 2017 03:43:00.0000	643	0
Mon Jun 26 2017 03:44:00.0000	643	0
Mon Jun 26 2017 03:45:00.0000	643	0
Mon Jun 26 2017 03:46:00.0000	643	0
Mon Jun 26 2017 03:47:00.0000	643	0
Mon Jun 26 2017 03:48:00.0000	643	0
Mon Jun 26 2017 03:49:00.0000	642	0
Mon Jun 26 2017 03:50:00.0000	642	0
Mon Jun 26 2017 03:51:00.0000	642	0
Mon Jun 26 2017 03:52:00.0000	642	0
Mon Jun 26 2017 03:53:00.0000	642	0
Mon Jun 26 2017 03:54:00.0000	642	0
Mon Jun 26 2017 03:55:00.0000	642	0
Mon Jun 26 2017 03:56:00.0000	641	0
Mon Jun 26 2017 03:57:00.0000	641	0
Mon Jun 26 2017 03:58:00.0000	641	0
Mon Jun 26 2017 03:59:00.0000	641	0
Mon Jun 26 2017 04:00:00.0000	641	0
Mon Jun 26 2017 04:01:00.0000	641	0
Mon Jun 26 2017 04:02:00.0000	641	0
Mon Jun 26 2017 04:03:00.0000	640	0
Mon Jun 26 2017 04:04:00.0000	640	0
Mon Jun 26 2017 04:05:00.0000	640	0
Mon Jun 26 2017 04:06:00.0000	640	0
Mon Jun 26 2017 04:07:00.0000	640	0
Mon Jun 26 2017 04:08:00.0000	640	0
Mon Jun 26 2017 04:09:00.0000	640	0
Mon Jun 26 2017 04:10:00.0000	639	0
Mon Jun 26 2017 04:11:00.0000	639	0
Mon Jun 26 2017 04:12:00.0000	639	0
Mon Jun 26 2017 04:13:00.0000	639	0
Mon Jun 26 2017 04:14:00.0000	639	0
Mon Jun 26 2017 04:15:00.0000	639	0
Mon Jun 26 2017 04:16:00.0000	639	0
Mon Jun 26 2017 04:17:00.0000	639	0
Mon Jun 26 2017 04:18:00.0000	638	0

Date/Time	Process Temperature (°F)	Process Flow SCFM
Mon Jun 26 2017 04:19:00.0000	638	0
Mon Jun 26 2017 04:20:00.0000	638	0
Mon Jun 26 2017 04:21:00.0000	638	0
Mon Jun 26 2017 04:22:00.0000	638	0
Mon Jun 26 2017 04:23:00.0000	638	0
Mon Jun 26 2017 04:24:00.0000	638	0
Mon Jun 26 2017 04:25:00.0000	637	0
Mon Jun 26 2017 04:26:00.0000	637	0
Mon Jun 26 2017 04:27:00.0000	637	0
Mon Jun 26 2017 04:28:00.0000	637	0
Mon Jun 26 2017 04:29:00.0000	637	0
Mon Jun 26 2017 04:30:00.0000	637	0
Mon Jun 26 2017 04:31:00.0000	637	0
Mon Jun 26 2017 04:32:00.0000	636	0
Mon Jun 26 2017 04:33:00.0000	636	0
Mon Jun 26 2017 04:34:00.0000	636	0
Mon Jun 26 2017 04:35:00.0000	636	0
Mon Jun 26 2017 04:36:00.0000	636	0
Mon Jun 26 2017 04:37:00.0000	636	0
Mon Jun 26 2017 04:38:00.0000	636	0
Mon Jun 26 2017 04:39:00.0000	635	0
Mon Jun 26 2017 04:40:00.0000	635	0
Mon Jun 26 2017 04:41:00.0000	635	0
Mon Jun 26 2017 04:42:00.0000	635	0
Mon Jun 26 2017 04:43:00.0000	635	0
Mon Jun 26 2017 04:44:00.0000	635	0
Mon Jun 26 2017 04:45:00.0000	635	0
Mon Jun 26 2017 04:46:00.0000	634	0
Mon Jun 26 2017 04:47:00.0000	634	0
Mon Jun 26 2017 04:48:00.0000	634	0
Mon Jun 26 2017 04:49:00.0000	634	0
Mon Jun 26 2017 04:50:00.0000	634	0
Mon Jun 26 2017 04:51:00.0000	634	0
Mon Jun 26 2017 04:52:00.0000	634	0
Mon Jun 26 2017 04:53:00.0000	633	0
Mon Jun 26 2017 04:54:00.0000	633	0
Mon Jun 26 2017 04:55:00.0000	633	0
Mon Jun 26 2017 04:56:00.0000	633	0
Mon Jun 26 2017 04:57:00.0000	633	0
Mon Jun 26 2017 04:58:00.0000	633	0
Mon Jun 26 2017 04:59:00.0000	633	0
Mon Jun 26 2017 05:00:00.0000	632	0
Mon Jun 26 2017 05:01:00.0000	632	0
Mon Jun 26 2017 05:02:00.0000	632	0
Mon Jun 26 2017 05:03:00.0000	632	0
Mon Jun 26 2017 05:04:00.0000	632	0
Mon Jun 26 2017 05:05:00.0000	632	0
Mon Jun 26 2017 05:06:00.0000	632	0
Mon Jun 26 2017 05:07:00.0000	632	0
Mon Jun 26 2017 05:08:00.0000	631	0
Mon Jun 26 2017 05:09:00.0000	631	0
Mon Jun 26 2017 05:10:00.0000	631	0
Mon Jun 26 2017 05:11:00.0000	631	0
Mon Jun 26 2017 05:12:00.0000	631	0
Mon Jun 26 2017 05:13:00.0000	631	0
Mon Jun 26 2017 05:14:00.0000	631	0
Mon Jun 26 2017 05:15:00.0000	630	0

Date/Time	Process Temperature (°F)	Process Flow SCFM
Mon Jun 26 2017 05:16:00.0000	630	0
Mon Jun 26 2017 05:17:00.0000	630	0
Mon Jun 26 2017 05:18:00.0000	630	0
Mon Jun 26 2017 05:19:00.0000	630	0
Mon Jun 26 2017 05:20:00.0000	630	0
Mon Jun 26 2017 05:21:00.0000	630	0
Mon Jun 26 2017 05:22:00.0000	629	0
Mon Jun 26 2017 05:23:00.0000	629	0
Mon Jun 26 2017 05:24:00.0000	629	0
Mon Jun 26 2017 05:25:00.0000	629	0
Mon Jun 26 2017 05:26:00.0000	629	0
Mon Jun 26 2017 05:27:00.0000	629	0
Mon Jun 26 2017 05:28:00.0000	629	0
Mon Jun 26 2017 05:29:00.0000	628	0
Mon Jun 26 2017 05:30:00.0000	628	0
Mon Jun 26 2017 05:31:00.0000	628	0
Mon Jun 26 2017 05:32:00.0000	628	0
Mon Jun 26 2017 05:33:00.0000	628	0
Mon Jun 26 2017 05:34:00.0000	628	0
Mon Jun 26 2017 05:35:00.0000	628	0
Mon Jun 26 2017 05:36:00.0000	627	0
Mon Jun 26 2017 05:37:00.0000	627	0
Mon Jun 26 2017 05:38:00.0000	627	0
Mon Jun 26 2017 05:39:00.0000	627	0
Mon Jun 26 2017 05:40:00.0000	627	0
Mon Jun 26 2017 05:41:00.0000	627	0
Mon Jun 26 2017 05:42:00.0000	627	0
Mon Jun 26 2017 05:43:00.0000	627	0
Mon Jun 26 2017 05:44:00.0000	626	0
Mon Jun 26 2017 05:45:00.0000	625	0
Mon Jun 26 2017 05:46:00.0000	625	0
Mon Jun 26 2017 05:47:00.0000	625	0
Mon Jun 26 2017 05:48:00.0000	625	0
Mon Jun 26 2017 05:49:00.0000	625	0
Mon Jun 26 2017 05:50:00.0000	625	0
Mon Jun 26 2017 05:51:00.0000	625	0
Mon Jun 26 2017 05:52:00.0000	625	0
Mon Jun 26 2017 05:53:00.0000	625	0
Mon Jun 26 2017 05:54:00.0000	625	0
Mon Jun 26 2017 05:55:00.0000	625	0
Mon Jun 26 2017 05:56:00.0000	625	0
Mon Jun 26 2017 05:57:00.0000	625	0
Mon Jun 26 2017 05:58:00.0000	624	0
Mon Jun 26 2017 05:59:00.0000	624	0
Mon Jun 26 2017 06:00:00.0000	624	0
Mon Jun 26 2017 06:01:00.0000	624	0
Mon Jun 26 2017 06:02:00.0000	624	0
Mon Jun 26 2017 06:03:00.0000	624	0
Mon Jun 26 2017 06:04:00.0000	624	0
Mon Jun 26 2017 06:05:00.0000	624	0
Mon Jun 26 2017 06:06:00.0000	623	0
Mon Jun 26 2017 06:07:00.0000	623	0
Mon Jun 26 2017 06:08:00.0000	623	0
Mon Jun 26 2017 06:09:00.0000	623	0
Mon Jun 26 2017 06:10:00.0000	623	0
Mon Jun 26 2017 06:11:00.0000	623	0
Mon Jun 26 2017 06:12:00.0000	623	0

Date/Time	Process Temperature (°F)	Process Flow SCFM
Mon Jun 26 2017 06:13:00.0000	622	0
Mon Jun 26 2017 06:14:00.0000	622	0
Mon Jun 26 2017 06:15:00.0000	622	0
Mon Jun 26 2017 06:16:00.0000	622	0
Mon Jun 26 2017 06:17:00.0000	622	0
Mon Jun 26 2017 06:18:00.0000	622	0
Mon Jun 26 2017 06:19:00.0000	622	0
Mon Jun 26 2017 06:20:00.0000	621	0
Mon Jun 26 2017 06:21:00.0000	621	0
Mon Jun 26 2017 06:22:00.0000	621	0
Mon Jun 26 2017 06:23:00.0000	621	0
Mon Jun 26 2017 06:24:00.0000	621	0
Mon Jun 26 2017 06:25:00.0000	621	0
Mon Jun 26 2017 06:26:00.0000	621	0
Mon Jun 26 2017 06:27:00.0000	620	0
Mon Jun 26 2017 06:28:00.0000	620	0
Mon Jun 26 2017 06:29:00.0000	620	0
Mon Jun 26 2017 06:30:00.0000	620	0
Mon Jun 26 2017 06:31:00.0000	620	0
Mon Jun 26 2017 06:32:00.0000	620	0
Mon Jun 26 2017 06:33:00.0000	620	0
Mon Jun 26 2017 06:34:00.0000	619	0
Mon Jun 26 2017 06:35:00.0000	619	0
Mon Jun 26 2017 06:36:00.0000	619	0
Mon Jun 26 2017 06:37:00.0000	619	0
Mon Jun 26 2017 06:38:00.0000	619	0
Mon Jun 26 2017 06:39:00.0000	619	0
Mon Jun 26 2017 06:40:00.0000	618	0
Mon Jun 26 2017 06:41:00.0000	618	0
Mon Jun 26 2017 06:42:00.0000	618	0
Mon Jun 26 2017 06:43:00.0000	618	0
Mon Jun 26 2017 06:44:00.0000	618	0
Mon Jun 26 2017 06:45:00.0000	618	0
Mon Jun 26 2017 06:46:00.0000	618	0
Mon Jun 26 2017 06:47:00.0000	617	0
Mon Jun 26 2017 06:48:00.0000	617	0
Mon Jun 26 2017 06:49:00.0000	617	0
Mon Jun 26 2017 06:50:00.0000	617	0
Mon Jun 26 2017 06:51:00.0000	617	0
Mon Jun 26 2017 06:52:00.0000	617	0
Mon Jun 26 2017 06:53:00.0000	616	0
Mon Jun 26 2017 06:54:00.0000	616	0
Mon Jun 26 2017 06:55:00.0000	616	0
Mon Jun 26 2017 06:56:00.0000	616	0
Mon Jun 26 2017 06:57:00.0000	616	0
Mon Jun 26 2017 06:58:00.0000	616	0
Mon Jun 26 2017 06:59:00.0000	616	0
Mon Jun 26 2017 07:00:00.0000	616	0
Mon Jun 26 2017 07:01:00.0000	615	0
Mon Jun 26 2017 07:02:00.0000	615	0
Mon Jun 26 2017 07:03:00.0000	615	0
Mon Jun 26 2017 07:04:00.0000	615	0
Mon Jun 26 2017 07:05:00.0000	615	0
Mon Jun 26 2017 07:06:00.0000	615	0
Mon Jun 26 2017 07:07:00.0000	615	0
Mon Jun 26 2017 07:08:00.0000	614	0
Mon Jun 26 2017 07:09:00.0000	614	0

Date/Time	Process Temperature (°F)	Process Flow SCFM
Mon Jun 26 2017 07:10:00.0000	614	0
Mon Jun 26 2017 07:11:00.0000	614	0
Mon Jun 26 2017 07:12:00.0000	614	0
Mon Jun 26 2017 07:13:00.0000	614	0
Mon Jun 26 2017 07:14:00.0000	614	0
Mon Jun 26 2017 07:15:00.0000	614	0
Mon Jun 26 2017 07:16:00.0000	613	0
Mon Jun 26 2017 07:17:00.0000	613	0
Mon Jun 26 2017 07:18:00.0000	613	0
Mon Jun 26 2017 07:19:00.0000	613	0
Mon Jun 26 2017 07:20:00.0000	613	0
Mon Jun 26 2017 07:21:00.0000	613	0
Mon Jun 26 2017 07:22:00.0000	613	0
Mon Jun 26 2017 07:23:00.0000	612	0
Mon Jun 26 2017 07:24:00.0000	612	0
Mon Jun 26 2017 07:25:00.0000	612	0
Mon Jun 26 2017 07:26:00.0000	612	0
Mon Jun 26 2017 07:27:00.0000	612	0
Mon Jun 26 2017 07:28:00.0000	612	0
Mon Jun 26 2017 07:29:00.0000	612	0
Mon Jun 26 2017 07:30:00.0000	612	0
Mon Jun 26 2017 07:31:00.0000	611	0
Mon Jun 26 2017 07:32:00.0000	611	0
Mon Jun 26 2017 07:33:00.0000	611	0
Mon Jun 26 2017 07:34:00.0000	611	0
Mon Jun 26 2017 07:35:00.0000	611	0
Mon Jun 26 2017 07:36:00.0000	611	0
Mon Jun 26 2017 07:37:00.0000	611	0
Mon Jun 26 2017 07:38:00.0000	611	0
Mon Jun 26 2017 07:39:00.0000	610	0
Mon Jun 26 2017 07:40:00.0000	610	0
Mon Jun 26 2017 07:41:00.0000	610	0
Mon Jun 26 2017 07:42:00.0000	610	0
Mon Jun 26 2017 07:43:00.0000	610	0
Mon Jun 26 2017 07:44:00.0000	610	0
Mon Jun 26 2017 07:45:00.0000	610	0
Mon Jun 26 2017 07:46:00.0000	610	0
Mon Jun 26 2017 07:47:00.0000	609	0
Mon Jun 26 2017 07:48:00.0000	609	0
Mon Jun 26 2017 07:49:00.0000	609	0
Mon Jun 26 2017 07:50:00.0000	609	0
Mon Jun 26 2017 07:51:00.0000	609	0
Mon Jun 26 2017 07:52:00.0000	609	0
Mon Jun 26 2017 07:53:00.0000	609	0
Mon Jun 26 2017 07:54:00.0000	608	0
Mon Jun 26 2017 07:55:00.0000	608	0
Mon Jun 26 2017 07:56:00.0000	608	0
Mon Jun 26 2017 07:57:00.0000	608	0
Mon Jun 26 2017 07:58:00.0000	608	0
Mon Jun 26 2017 07:59:00.0000	608	0
Mon Jun 26 2017 08:00:00.0000	608	0
Mon Jun 26 2017 08:01:00.0000	608	0
Mon Jun 26 2017 08:02:00.0000	607	0
Mon Jun 26 2017 08:03:00.0000	607	0
Mon Jun 26 2017 08:04:00.0000	607	0
Mon Jun 26 2017 08:05:00.0000	607	0
Mon Jun 26 2017 08:06:00.0000	607	0

Date/Time	Process Temperature (°F)	Process Flow SCFM
Mon Jun 26 2017 08:07:00.0000	607	0
Mon Jun 26 2017 08:08:00.0000	607	0
Mon Jun 26 2017 08:09:00.0000	607	0
Mon Jun 26 2017 08:10:00.0000	606	0
Mon Jun 26 2017 08:11:00.0000	606	0
Mon Jun 26 2017 08:12:00.0000	606	0
Mon Jun 26 2017 08:13:00.0000	606	0
Mon Jun 26 2017 08:14:00.0000	606	0
Mon Jun 26 2017 08:15:00.0000	606	0
Mon Jun 26 2017 08:16:00.0000	606	0
Mon Jun 26 2017 08:17:00.0000	606	0
Mon Jun 26 2017 08:18:00.0000	605	0
Mon Jun 26 2017 08:19:00.0000	605	0
Mon Jun 26 2017 08:20:00.0000	605	0
Mon Jun 26 2017 08:21:00.0000	605	0
Mon Jun 26 2017 08:22:00.0000	605	0
Mon Jun 26 2017 08:23:00.0000	605	0
Mon Jun 26 2017 08:24:00.0000	605	0
Mon Jun 26 2017 08:25:00.0000	605	0
Mon Jun 26 2017 08:26:00.0000	604	0
Mon Jun 26 2017 08:27:00.0000	604	0
Mon Jun 26 2017 08:28:00.0000	604	0
Mon Jun 26 2017 08:29:00.0000	604	0
Mon Jun 26 2017 08:30:00.0000	604	0
Mon Jun 26 2017 08:31:00.0000	604	0
Mon Jun 26 2017 08:32:00.0000	604	0
Mon Jun 26 2017 08:33:00.0000	604	0
Mon Jun 26 2017 08:34:00.0000	603	0
Mon Jun 26 2017 08:35:00.0000	603	0
Mon Jun 26 2017 08:36:00.0000	603	0
Mon Jun 26 2017 08:37:00.0000	603	0
Mon Jun 26 2017 08:38:00.0000	603	0
Mon Jun 26 2017 08:39:00.0000	603	0
Mon Jun 26 2017 08:40:00.0000	603	0
Mon Jun 26 2017 08:41:00.0000	603	0
Mon Jun 26 2017 08:42:00.0000	602	0
Mon Jun 26 2017 08:43:00.0000	602	0
Mon Jun 26 2017 08:44:00.0000	602	0
Mon Jun 26 2017 08:45:00.0000	602	0
Mon Jun 26 2017 08:46:00.0000	602	-1
Mon Jun 26 2017 08:47:00.0000	602	0
Mon Jun 26 2017 08:48:00.0000	602	-1
Mon Jun 26 2017 08:49:00.0000	602	0
Mon Jun 26 2017 08:50:00.0000	601	0
Mon Jun 26 2017 08:51:00.0000	601	0
Mon Jun 26 2017 08:52:00.0000	601	0
Mon Jun 26 2017 08:53:00.0000	601	0
Mon Jun 26 2017 08:54:00.0000	601	-1
Mon Jun 26 2017 08:55:00.0000	601	0
Mon Jun 26 2017 08:56:00.0000	601	0
Mon Jun 26 2017 08:57:00.0000	601	0
Mon Jun 26 2017 08:58:00.0000	600	-1
Mon Jun 26 2017 08:59:00.0000	600	-1
Mon Jun 26 2017 09:00:00.0000	600	0
Mon Jun 26 2017 09:01:00.0000	600	0
Mon Jun 26 2017 09:02:00.0000	600	0
Mon Jun 26 2017 09:03:00.0000	600	0

Date/Time	Process Temperature (°F)	Process Flow SCFM
Mon Jun 26 2017 09:04:00.0000	600	-1
Mon Jun 26 2017 09:05:00.0000	599	-1
Mon Jun 26 2017 09:06:00.0000	599	-1
Mon Jun 26 2017 09:07:00.0000	599	-1
Mon Jun 26 2017 09:08:00.0000	599	-1
Mon Jun 26 2017 09:09:00.0000	599	-1
Mon Jun 26 2017 09:10:00.0000	599	-1
Mon Jun 26 2017 09:11:00.0000	599	-1
Mon Jun 26 2017 09:12:00.0000	599	-1
Mon Jun 26 2017 09:13:00.0000	598	-1
Mon Jun 26 2017 09:14:00.0000	598	-1
Mon Jun 26 2017 09:15:00.0000	598	-1
Mon Jun 26 2017 09:16:00.0000	598	-1
Mon Jun 26 2017 09:17:00.0000	598	-1
Mon Jun 26 2017 09:18:00.0000	598	0
Mon Jun 26 2017 09:19:00.0000	598	0
Mon Jun 26 2017 09:20:00.0000	598	-1
Mon Jun 26 2017 09:21:00.0000	597	-1
Mon Jun 26 2017 09:22:00.0000	597	-1
Mon Jun 26 2017 09:23:00.0000	597	0
Mon Jun 26 2017 09:24:00.0000	597	-1
Mon Jun 26 2017 09:25:00.0000	597	-1
Mon Jun 26 2017 09:26:00.0000	597	-1
Mon Jun 26 2017 09:27:00.0000	597	-1
Mon Jun 26 2017 09:28:00.0000	596	-1
Mon Jun 26 2017 09:29:00.0000	596	-1
Mon Jun 26 2017 09:30:00.0000	596	-1
Mon Jun 26 2017 09:31:00.0000	596	0
Mon Jun 26 2017 09:32:00.0000	596	-1
Mon Jun 26 2017 09:33:00.0000	596	-1
Mon Jun 26 2017 09:34:00.0000	596	-1
Mon Jun 26 2017 09:35:00.0000	596	-1
Mon Jun 26 2017 09:36:00.0000	595	-1
Mon Jun 26 2017 09:37:00.0000	595	-1
Mon Jun 26 2017 09:38:00.0000	595	-1
Mon Jun 26 2017 09:39:00.0000	595	-1
Mon Jun 26 2017 09:40:00.0000	595	-1
Mon Jun 26 2017 09:41:00.0000	595	-1
Mon Jun 26 2017 09:42:00.0000	595	-1
Mon Jun 26 2017 09:43:00.0000	594	-1
Mon Jun 26 2017 09:44:00.0000	594	-1
Mon Jun 26 2017 09:45:00.0000	594	-1
Mon Jun 26 2017 09:46:00.0000	594	-1
Mon Jun 26 2017 09:47:00.0000	594	-1
Mon Jun 26 2017 09:48:00.0000	594	-1
Mon Jun 26 2017 09:49:00.0000	594	-1
Mon Jun 26 2017 09:50:00.0000	593	-1
Mon Jun 26 2017 09:51:00.0000	593	-1
Mon Jun 26 2017 09:52:00.0000	593	-1
Mon Jun 26 2017 09:53:00.0000	593	-1
Mon Jun 26 2017 09:54:00.0000	593	-1
Mon Jun 26 2017 09:55:00.0000	593	-1
Mon Jun 26 2017 09:56:00.0000	593	-1
Mon Jun 26 2017 09:57:00.0000	593	-1
Mon Jun 26 2017 09:58:00.0000	592	-1
Mon Jun 26 2017 09:59:00.0000	592	-1
Mon Jun 26 2017 10:00:00.0000	592	-1

Date/Time	Process Temperature (°F)	Process Flow SCFM
Mon Jun 26 2017 10:01:00.0000	592	-1
Mon Jun 26 2017 10:02:00.0000	592	-1
Mon Jun 26 2017 10:03:00.0000	592	-1
Mon Jun 26 2017 10:04:00.0000	592	-1
Mon Jun 26 2017 10:05:00.0000	591	-1
Mon Jun 26 2017 10:06:00.0000	591	-1
Mon Jun 26 2017 10:07:00.0000	591	-1
Mon Jun 26 2017 10:08:00.0000	591	-1
Mon Jun 26 2017 10:09:00.0000	591	-1
Mon Jun 26 2017 10:10:00.0000	591	-1
Mon Jun 26 2017 10:11:00.0000	591	-1
Mon Jun 26 2017 10:12:00.0000	590	-1
Mon Jun 26 2017 10:13:00.0000	590	-1
Mon Jun 26 2017 10:14:00.0000	590	-1
Mon Jun 26 2017 10:15:00.0000	590	-1
Mon Jun 26 2017 10:16:00.0000	590	-1
Mon Jun 26 2017 10:17:00.0000	590	-1
Mon Jun 26 2017 10:18:00.0000	590	-1
Mon Jun 26 2017 10:19:00.0000	590	-1
Mon Jun 26 2017 10:20:00.0000	589	-1
Mon Jun 26 2017 10:21:00.0000	589	-1
Mon Jun 26 2017 10:22:00.0000	589	-1
Mon Jun 26 2017 10:23:00.0000	589	-1
Mon Jun 26 2017 10:24:00.0000	589	-1
Mon Jun 26 2017 10:25:00.0000	589	-1
Mon Jun 26 2017 10:26:00.0000	589	-1
Mon Jun 26 2017 10:27:00.0000	588	-1
Mon Jun 26 2017 10:28:00.0000	588	-1
Mon Jun 26 2017 10:29:00.0000	588	-1
Mon Jun 26 2017 10:30:00.0000	588	-1
Mon Jun 26 2017 10:31:00.0000	588	-1
Mon Jun 26 2017 10:32:00.0000	588	-1
Mon Jun 26 2017 10:33:00.0000	588	-1
Mon Jun 26 2017 10:34:00.0000	587	-1
Mon Jun 26 2017 10:35:00.0000	587	-1
Mon Jun 26 2017 10:36:00.0000	587	-1
Mon Jun 26 2017 10:37:00.0000	587	-1
Mon Jun 26 2017 10:38:00.0000	587	-1
Mon Jun 26 2017 10:39:00.0000	587	-1
Mon Jun 26 2017 10:40:00.0000	587	-1
Mon Jun 26 2017 10:41:00.0000	587	-1
Mon Jun 26 2017 10:42:00.0000	586	-1
Mon Jun 26 2017 10:43:00.0000	586	-1
Mon Jun 26 2017 10:44:00.0000	586	-1
Mon Jun 26 2017 10:45:00.0000	586	-1
Mon Jun 26 2017 10:46:00.0000	586	-1
Mon Jun 26 2017 10:47:00.0000	586	-1
Mon Jun 26 2017 10:48:00.0000	586	-1
Mon Jun 26 2017 10:49:00.0000	586	-1
Mon Jun 26 2017 10:50:00.0000	585	-1
Mon Jun 26 2017 10:51:00.0000	585	-1
Mon Jun 26 2017 10:52:00.0000	585	-1
Mon Jun 26 2017 10:53:00.0000	585	-1
Mon Jun 26 2017 10:54:00.0000	585	-1
Mon Jun 26 2017 10:55:00.0000	585	-1
Mon Jun 26 2017 10:56:00.0000	585	-1
Mon Jun 26 2017 10:57:00.0000	585	-1

Date/Time	Process Temperature (°F)	Process Flow SCFM
Mon Jun 26 2017 10:58:00.0000	584	-1
Mon Jun 26 2017 10:59:00.0000	584	-1
Mon Jun 26 2017 11:00:00.0000	584	-1
Mon Jun 26 2017 11:01:00.0000	584	-1
Mon Jun 26 2017 11:02:00.0000	584	-1
Mon Jun 26 2017 11:03:00.0000	584	-1
Mon Jun 26 2017 11:04:00.0000	584	-1
Mon Jun 26 2017 11:05:00.0000	584	-1
Mon Jun 26 2017 11:06:00.0000	583	-1
Mon Jun 26 2017 11:07:00.0000	583	-1
Mon Jun 26 2017 11:08:00.0000	583	-1
Mon Jun 26 2017 11:09:00.0000	583	-1
Mon Jun 26 2017 11:10:00.0000	583	-1
Mon Jun 26 2017 11:11:00.0000	583	-1
Mon Jun 26 2017 11:12:00.0000	583	-1
Mon Jun 26 2017 11:13:00.0000	583	-1
Mon Jun 26 2017 11:14:00.0000	582	-1
Mon Jun 26 2017 11:15:00.0000	582	-1
Mon Jun 26 2017 11:16:00.0000	582	-1
Mon Jun 26 2017 11:17:00.0000	582	-1
Mon Jun 26 2017 11:18:00.0000	582	-1
Mon Jun 26 2017 11:19:00.0000	582	-1
Mon Jun 26 2017 11:20:00.0000	582	-1
Mon Jun 26 2017 11:21:00.0000	582	-1
Mon Jun 26 2017 11:22:00.0000	581	-1
Mon Jun 26 2017 11:23:00.0000	581	-1
Mon Jun 26 2017 11:24:00.0000	581	-1
Mon Jun 26 2017 11:25:00.0000	581	-1
Mon Jun 26 2017 11:26:00.0000	581	-1
Mon Jun 26 2017 11:27:00.0000	581	-1
Mon Jun 26 2017 11:28:00.0000	581	-1
Mon Jun 26 2017 11:29:00.0000	581	-1
Mon Jun 26 2017 11:30:00.0000	581	-1
Mon Jun 26 2017 11:31:00.0000	580	-1
Mon Jun 26 2017 11:32:00.0000	580	-1
Mon Jun 26 2017 11:33:00.0000	580	-1
Mon Jun 26 2017 11:34:00.0000	580	-1
Mon Jun 26 2017 11:35:00.0000	580	-1
Mon Jun 26 2017 11:36:00.0000	580	-1
Mon Jun 26 2017 11:37:00.0000	580	-1
Mon Jun 26 2017 11:38:00.0000	580	-1
Mon Jun 26 2017 11:39:00.0000	579	-1
Mon Jun 26 2017 11:40:00.0000	579	-1
Mon Jun 26 2017 11:41:00.0000	579	-1
Mon Jun 26 2017 11:42:00.0000	579	-1
Mon Jun 26 2017 11:43:00.0000	579	-1
Mon Jun 26 2017 11:44:00.0000	579	-1
Mon Jun 26 2017 11:45:00.0000	579	-1
Mon Jun 26 2017 11:46:00.0000	579	-1
Mon Jun 26 2017 11:47:00.0000	578	-1
Mon Jun 26 2017 11:48:00.0000	578	-1
Mon Jun 26 2017 11:49:00.0000	578	-1
Mon Jun 26 2017 11:50:00.0000	578	-1
Mon Jun 26 2017 11:51:00.0000	578	-1
Mon Jun 26 2017 11:52:00.0000	578	-1
Mon Jun 26 2017 11:53:00.0000	578	-1
Mon Jun 26 2017 11:54:00.0000	578	-1

Date/Time	Process Temperature (°F)	Process Flow SCFM
Mon Jun 26 2017 11:55:00.0000	577	-1
Mon Jun 26 2017 11:56:00.0000	577	-1
Mon Jun 26 2017 11:57:00.0000	577	-1
Mon Jun 26 2017 11:58:00.0000	577	-1
Mon Jun 26 2017 11:59:00.0000	577	-1
Mon Jun 26 2017 12:00:00.0000	577	-1
Mon Jun 26 2017 12:01:00.0000	577	-1
Mon Jun 26 2017 12:02:00.0000	577	-1
Mon Jun 26 2017 12:03:00.0000	577	-1
Mon Jun 26 2017 12:04:00.0000	576	-1
Mon Jun 26 2017 12:05:00.0000	576	-1
Mon Jun 26 2017 12:06:00.0000	576	-1
Mon Jun 26 2017 12:07:00.0000	576	-1
Mon Jun 26 2017 12:08:00.0000	576	-1
Mon Jun 26 2017 12:09:00.0000	576	-1
Mon Jun 26 2017 12:10:00.0000	576	-1
Mon Jun 26 2017 12:11:00.0000	576	-1
Mon Jun 26 2017 12:12:00.0000	575	-1
Mon Jun 26 2017 12:13:00.0000	575	-1
Mon Jun 26 2017 12:14:00.0000	575	-1
Mon Jun 26 2017 12:15:00.0000	575	-1
Mon Jun 26 2017 12:16:00.0000	575	-1
Mon Jun 26 2017 12:17:00.0000	575	-1
Mon Jun 26 2017 12:18:00.0000	575	-1
Mon Jun 26 2017 12:19:00.0000	575	-1
Mon Jun 26 2017 12:20:00.0000	575	-1
Mon Jun 26 2017 12:21:00.0000	574	-1
Mon Jun 26 2017 12:22:00.0000	574	-1
Mon Jun 26 2017 12:23:00.0000	574	-1
Mon Jun 26 2017 12:24:00.0000	574	-1
Mon Jun 26 2017 12:25:00.0000	574	-1
Mon Jun 26 2017 12:26:00.0000	574	-1
Mon Jun 26 2017 12:27:00.0000	574	-1
Mon Jun 26 2017 12:28:00.0000	574	-1
Mon Jun 26 2017 12:29:00.0000	573	-1
Mon Jun 26 2017 12:30:00.0000	573	-1
Mon Jun 26 2017 12:31:00.0000	573	-1
Mon Jun 26 2017 12:32:00.0000	573	-1
Mon Jun 26 2017 12:33:00.0000	573	-1
Mon Jun 26 2017 12:34:00.0000	573	-1
Mon Jun 26 2017 12:35:00.0000	573	-1
Mon Jun 26 2017 12:36:00.0000	573	-1
Mon Jun 26 2017 12:37:00.0000	573	-1
Mon Jun 26 2017 12:38:00.0000	572	-1
Mon Jun 26 2017 12:39:00.0000	572	-1
Mon Jun 26 2017 12:40:00.0000	572	-1
Mon Jun 26 2017 12:41:00.0000	572	-1
Mon Jun 26 2017 12:42:00.0000	572	-1
Mon Jun 26 2017 12:43:00.0000	572	-1
Mon Jun 26 2017 12:44:00.0000	572	-1
Mon Jun 26 2017 12:45:00.0000	572	-1
Mon Jun 26 2017 12:46:00.0000	571	-1
Mon Jun 26 2017 12:47:00.0000	571	-1
Mon Jun 26 2017 12:48:00.0000	571	-1
Mon Jun 26 2017 12:49:00.0000	571	-1
Mon Jun 26 2017 12:50:00.0000	571	-1
Mon Jun 26 2017 12:51:00.0000	571	-1

Date/Time	Process Temperature (°F)	Process Flow SCFM
Mon Jun 26 2017 12:52:00.0000	571	-1
Mon Jun 26 2017 12:53:00.0000	571	-1
Mon Jun 26 2017 12:54:00.0000	570	-1
Mon Jun 26 2017 12:55:00.0000	570	-1
Mon Jun 26 2017 12:56:00.0000	570	-1
Mon Jun 26 2017 12:57:00.0000	570	-1
Mon Jun 26 2017 12:58:00.0000	570	-1
Mon Jun 26 2017 12:59:00.0000	570	-1
Mon Jun 26 2017 13:00:00.0000	570	-1
Mon Jun 26 2017 13:01:00.0000	570	-1
Mon Jun 26 2017 13:02:00.0000	570	-1
Mon Jun 26 2017 13:03:00.0000	569	-1
Mon Jun 26 2017 13:04:00.0000	569	-1
Mon Jun 26 2017 13:05:00.0000	569	-1
Mon Jun 26 2017 13:06:00.0000	569	-1
Mon Jun 26 2017 13:07:00.0000	569	-1
Mon Jun 26 2017 13:08:00.0000	569	-1
Mon Jun 26 2017 13:09:00.0000	569	-1
Mon Jun 26 2017 13:10:00.0000	569	-1
Mon Jun 26 2017 13:11:00.0000	568	-1
Mon Jun 26 2017 13:12:00.0000	568	-1
Mon Jun 26 2017 13:13:00.0000	568	-1
Mon Jun 26 2017 13:14:00.0000	568	-1
Mon Jun 26 2017 13:15:00.0000	568	-1
Mon Jun 26 2017 13:16:00.0000	568	-1
Mon Jun 26 2017 13:17:00.0000	568	-1
Mon Jun 26 2017 13:18:00.0000	567	-1
Mon Jun 26 2017 13:19:00.0000	567	-1
Mon Jun 26 2017 13:20:00.0000	567	-1
Mon Jun 26 2017 13:21:00.0000	567	-1
Mon Jun 26 2017 13:22:00.0000	567	-1
Mon Jun 26 2017 13:23:00.0000	567	-1
Mon Jun 26 2017 13:24:00.0000	567	-1
Mon Jun 26 2017 13:25:00.0000	567	-1
Mon Jun 26 2017 13:26:00.0000	566	-1
Mon Jun 26 2017 13:27:00.0000	566	-1
Mon Jun 26 2017 13:28:00.0000	566	-1
Mon Jun 26 2017 13:29:00.0000	566	-1
Mon Jun 26 2017 13:30:00.0000	566	-1
Mon Jun 26 2017 13:31:00.0000	566	-1
Mon Jun 26 2017 13:32:00.0000	566	-1
Mon Jun 26 2017 13:33:00.0000	566	-1
Mon Jun 26 2017 13:34:00.0000	565	-1
Mon Jun 26 2017 13:35:00.0000	565	-1
Mon Jun 26 2017 13:36:00.0000	565	-1
Mon Jun 26 2017 13:37:00.0000	565	-1
Mon Jun 26 2017 13:38:00.0000	565	-1
Mon Jun 26 2017 13:39:00.0000	565	-1
Mon Jun 26 2017 13:40:00.0000	565	-1
Mon Jun 26 2017 13:41:00.0000	565	-1
Mon Jun 26 2017 13:42:00.0000	564	-1
Mon Jun 26 2017 13:43:00.0000	564	-1
Mon Jun 26 2017 13:44:00.0000	564	-1
Mon Jun 26 2017 13:45:00.0000	564	-1
Mon Jun 26 2017 13:46:00.0000	564	-1
Mon Jun 26 2017 13:47:00.0000	564	-1
Mon Jun 26 2017 13:48:00.0000	564	-1

Date/Time	Process Temperature (°F)	Process Flow SCFM
Mon Jun 26 2017 13:49:00.0000	564	-1
Mon Jun 26 2017 13:50:00.0000	563	-1
Mon Jun 26 2017 13:51:00.0000	563	-1
Mon Jun 26 2017 13:52:00.0000	563	-1
Mon Jun 26 2017 13:53:00.0000	563	-1
Mon Jun 26 2017 13:54:00.0000	563	-1
Mon Jun 26 2017 13:55:00.0000	563	-1
Mon Jun 26 2017 13:56:00.0000	563	-1
Mon Jun 26 2017 13:57:00.0000	563	-1
Mon Jun 26 2017 13:58:00.0000	562	-1
Mon Jun 26 2017 13:59:00.0000	562	-1
Mon Jun 26 2017 14:00:00.0000	562	-1
Mon Jun 26 2017 14:01:00.0000	562	-1
Mon Jun 26 2017 14:02:00.0000	562	-1
Mon Jun 26 2017 14:03:00.0000	562	-1
Mon Jun 26 2017 14:04:00.0000	562	-1
Mon Jun 26 2017 14:05:00.0000	562	-1
Mon Jun 26 2017 14:06:00.0000	562	-1
Mon Jun 26 2017 14:07:00.0000	561	-1
Mon Jun 26 2017 14:08:00.0000	561	-1
Mon Jun 26 2017 14:09:00.0000	561	-1
Mon Jun 26 2017 14:10:00.0000	561	-1
Mon Jun 26 2017 14:11:00.0000	561	-1
Mon Jun 26 2017 14:12:00.0000	561	-1
Mon Jun 26 2017 14:13:00.0000	561	-1
Mon Jun 26 2017 14:14:00.0000	561	-1
Mon Jun 26 2017 14:15:00.0000	560	-1
Mon Jun 26 2017 14:16:00.0000	560	-1
Mon Jun 26 2017 14:17:00.0000	560	-1
Mon Jun 26 2017 14:18:00.0000	560	-1
Mon Jun 26 2017 14:19:00.0000	560	-1
Mon Jun 26 2017 14:20:00.0000	560	-1
Mon Jun 26 2017 14:21:00.0000	560	-1
Mon Jun 26 2017 14:22:00.0000	560	-1
Mon Jun 26 2017 14:23:00.0000	560	-1
Mon Jun 26 2017 14:24:00.0000	559	-1
Mon Jun 26 2017 14:25:00.0000	559	-1
Mon Jun 26 2017 14:26:00.0000	559	-1
Mon Jun 26 2017 14:27:00.0000	559	-1
Mon Jun 26 2017 14:28:00.0000	559	-1
Mon Jun 26 2017 14:29:00.0000	559	-1
Mon Jun 26 2017 14:30:00.0000	559	-1
Mon Jun 26 2017 14:31:00.0000	559	-1
Mon Jun 26 2017 14:32:00.0000	558	-1
Mon Jun 26 2017 14:33:00.0000	558	-1
Mon Jun 26 2017 14:34:00.0000	558	-1
Mon Jun 26 2017 14:35:00.0000	558	-1
Mon Jun 26 2017 14:36:00.0000	558	-1
Mon Jun 26 2017 14:37:00.0000	558	-1
Mon Jun 26 2017 14:38:00.0000	558	-1
Mon Jun 26 2017 14:39:00.0000	558	-1
Mon Jun 26 2017 14:40:00.0000	558	-1
Mon Jun 26 2017 14:41:00.0000	558	-1
Mon Jun 26 2017 14:42:00.0000	558	-1
Mon Jun 26 2017 14:43:00.0000	558	-1
Mon Jun 26 2017 14:44:00.0000	558	-1
Mon Jun 26 2017 14:45:00.0000	558	-1

Date/Time	Process Temperature (°F)	Process Flow SCFM
Mon Jun 26 2017 14:46:00.0000	558	-1
Mon Jun 26 2017 14:47:00.0000	558	-1
Mon Jun 26 2017 14:48:00.0000	557	-1
Mon Jun 26 2017 14:49:00.0000	556	-1
Mon Jun 26 2017 14:50:00.0000	556	-1
Mon Jun 26 2017 14:51:00.0000	556	-1
Mon Jun 26 2017 14:52:00.0000	556	-1
Mon Jun 26 2017 14:53:00.0000	556	-1
Mon Jun 26 2017 14:54:00.0000	556	-1
Mon Jun 26 2017 14:55:00.0000	556	-1
Mon Jun 26 2017 14:56:00.0000	556	-1
Mon Jun 26 2017 14:57:00.0000	556	-1
Mon Jun 26 2017 14:58:00.0000	555	-1
Mon Jun 26 2017 14:59:00.0000	555	-1
Mon Jun 26 2017 15:00:00.0000	555	-1
Mon Jun 26 2017 15:01:00.0000	555	-1
Mon Jun 26 2017 15:02:00.0000	555	-1
Mon Jun 26 2017 15:03:00.0000	555	-1
Mon Jun 26 2017 15:04:00.0000	555	-1
Mon Jun 26 2017 15:05:00.0000	555	-1
Mon Jun 26 2017 15:06:00.0000	554	-1
Mon Jun 26 2017 15:07:00.0000	554	-1
Mon Jun 26 2017 15:08:00.0000	554	-1
Mon Jun 26 2017 15:09:00.0000	554	-1
Mon Jun 26 2017 15:10:00.0000	554	-1
Mon Jun 26 2017 15:11:00.0000	554	-1
Mon Jun 26 2017 15:12:00.0000	554	-1
Mon Jun 26 2017 15:13:00.0000	554	-1
Mon Jun 26 2017 15:14:00.0000	554	-1
Mon Jun 26 2017 15:15:00.0000	553	-1
Mon Jun 26 2017 15:16:00.0000	553	-1
Mon Jun 26 2017 15:17:00.0000	553	-1
Mon Jun 26 2017 15:18:00.0000	553	-1
Mon Jun 26 2017 15:19:00.0000	553	-1
Mon Jun 26 2017 15:20:00.0000	553	-1
Mon Jun 26 2017 15:21:00.0000	553	-1
Mon Jun 26 2017 15:22:00.0000	553	-1
Mon Jun 26 2017 15:23:00.0000	552	-1
Mon Jun 26 2017 15:24:00.0000	552	-1
Mon Jun 26 2017 15:25:00.0000	552	-1
Mon Jun 26 2017 15:26:00.0000	552	-1
Mon Jun 26 2017 15:27:00.0000	552	-1
Mon Jun 26 2017 15:28:00.0000	552	-1
Mon Jun 26 2017 15:29:00.0000	552	-1
Mon Jun 26 2017 15:30:00.0000	552	-1
Mon Jun 26 2017 15:31:00.0000	552	-1
Mon Jun 26 2017 15:32:00.0000	552	-1
Mon Jun 26 2017 15:33:00.0000	552	-1
Mon Jun 26 2017 15:34:00.0000	552	-1
Mon Jun 26 2017 15:35:00.0000	552	-1
Mon Jun 26 2017 15:36:00.0000	552	-1
Mon Jun 26 2017 15:37:00.0000	552	-1
Mon Jun 26 2017 15:38:00.0000	552	-1
Mon Jun 26 2017 15:39:00.0000	552	-1
Mon Jun 26 2017 15:40:00.0000	551	-1
Mon Jun 26 2017 15:41:00.0000	550	-1
Mon Jun 26 2017 15:42:00.0000	550	-1

Date/Time	Process Temperature (°F)	Process Flow SCFM
Mon Jun 26 2017 15:43:00.0000	550	-1
Mon Jun 26 2017 15:44:00.0000	550	-1
Mon Jun 26 2017 15:45:00.0000	550	-1
Mon Jun 26 2017 15:46:00.0000	550	-1
Mon Jun 26 2017 15:47:00.0000	550	-1
Mon Jun 26 2017 15:48:00.0000	550	-1
Mon Jun 26 2017 15:49:00.0000	549	-1
Mon Jun 26 2017 15:50:00.0000	549	-1
Mon Jun 26 2017 15:51:00.0000	549	-1
Mon Jun 26 2017 15:52:00.0000	549	-1
Mon Jun 26 2017 15:53:00.0000	549	-1
Mon Jun 26 2017 15:54:00.0000	549	-1
Mon Jun 26 2017 15:55:00.0000	549	-1
Mon Jun 26 2017 15:56:00.0000	549	-1
Mon Jun 26 2017 15:57:00.0000	549	-1
Mon Jun 26 2017 15:58:00.0000	548	-1
Mon Jun 26 2017 15:59:00.0000	548	-1
Mon Jun 26 2017 16:00:00.0000	548	-1
Mon Jun 26 2017 16:01:00.0000	548	-1
Mon Jun 26 2017 16:02:00.0000	548	-1
Mon Jun 26 2017 16:03:00.0000	548	-1
Mon Jun 26 2017 16:04:00.0000	548	-1
Mon Jun 26 2017 16:05:00.0000	548	-1
Mon Jun 26 2017 16:06:00.0000	548	-1
Mon Jun 26 2017 16:07:00.0000	547	-1
Mon Jun 26 2017 16:08:00.0000	547	-1
Mon Jun 26 2017 16:09:00.0000	547	-1
Mon Jun 26 2017 16:10:00.0000	547	-1
Mon Jun 26 2017 16:11:00.0000	547	-1
Mon Jun 26 2017 16:12:00.0000	547	-1
Mon Jun 26 2017 16:13:00.0000	547	-1
Mon Jun 26 2017 16:14:00.0000	547	-1
Mon Jun 26 2017 16:15:00.0000	547	-1
Mon Jun 26 2017 16:16:00.0000	547	-1
Mon Jun 26 2017 16:17:00.0000	547	-1
Mon Jun 26 2017 16:18:00.0000	547	-1
Mon Jun 26 2017 16:19:00.0000	547	-1
Mon Jun 26 2017 16:20:00.0000	547	-1
Mon Jun 26 2017 16:21:00.0000	547	-1
Mon Jun 26 2017 16:22:00.0000	547	-1
Mon Jun 26 2017 16:23:00.0000	546	-1
Mon Jun 26 2017 16:24:00.0000	545	-1
Mon Jun 26 2017 16:25:00.0000	545	-1
Mon Jun 26 2017 16:26:00.0000	545	-1
Mon Jun 26 2017 16:27:00.0000	545	-1
Mon Jun 26 2017 16:28:00.0000	545	-1
Mon Jun 26 2017 16:29:00.0000	545	-1
Mon Jun 26 2017 16:30:00.0000	545	-1
Mon Jun 26 2017 16:31:00.0000	545	-1
Mon Jun 26 2017 16:32:00.0000	545	-1
Mon Jun 26 2017 16:33:00.0000	544	-1
Mon Jun 26 2017 16:34:00.0000	544	-1
Mon Jun 26 2017 16:35:00.0000	544	-1
Mon Jun 26 2017 16:36:00.0000	544	-1
Mon Jun 26 2017 16:37:00.0000	544	-1
Mon Jun 26 2017 16:38:00.0000	544	-1
Mon Jun 26 2017 16:39:00.0000	544	-1

Date/Time	Process Temperature (°F)	Process Flow SCFM
Mon Jun 26 2017 16:40:00.0000	544	-1
Mon Jun 26 2017 16:41:00.0000	543	-1
Mon Jun 26 2017 16:42:00.0000	543	-1
Mon Jun 26 2017 16:43:00.0000	543	-1
Mon Jun 26 2017 16:44:00.0000	543	-1
Mon Jun 26 2017 16:45:00.0000	543	-1
Mon Jun 26 2017 16:46:00.0000	543	-1
Mon Jun 26 2017 16:47:00.0000	543	-1
Mon Jun 26 2017 16:48:00.0000	543	-1
Mon Jun 26 2017 16:49:00.0000	543	-1
Mon Jun 26 2017 16:50:00.0000	542	-1
Mon Jun 26 2017 16:51:00.0000	542	-1
Mon Jun 26 2017 16:52:00.0000	542	-1
Mon Jun 26 2017 16:53:00.0000	542	-1
Mon Jun 26 2017 16:54:00.0000	542	-1
Mon Jun 26 2017 16:55:00.0000	542	-1
Mon Jun 26 2017 16:56:00.0000	542	-1
Mon Jun 26 2017 16:57:00.0000	542	-1
Mon Jun 26 2017 16:58:00.0000	542	-1
Mon Jun 26 2017 16:59:00.0000	542	-1
Mon Jun 26 2017 17:00:00.0000	542	-1
Mon Jun 26 2017 17:01:00.0000	542	-1
Mon Jun 26 2017 17:02:00.0000	542	-1
Mon Jun 26 2017 17:03:00.0000	542	-1
Mon Jun 26 2017 17:04:00.0000	542	-1
Mon Jun 26 2017 17:05:00.0000	542	-1
Mon Jun 26 2017 17:06:00.0000	541	-1
Mon Jun 26 2017 17:07:00.0000	540	-1
Mon Jun 26 2017 17:08:00.0000	540	-1
Mon Jun 26 2017 17:09:00.0000	540	-1
Mon Jun 26 2017 17:10:00.0000	540	-1
Mon Jun 26 2017 17:11:00.0000	540	-1
Mon Jun 26 2017 17:12:00.0000	540	-1
Mon Jun 26 2017 17:13:00.0000	540	-1
Mon Jun 26 2017 17:14:00.0000	540	-1
Mon Jun 26 2017 17:15:00.0000	539	-1
Mon Jun 26 2017 17:16:00.0000	539	-1
Mon Jun 26 2017 17:17:00.0000	539	-1
Mon Jun 26 2017 17:18:00.0000	539	-1
Mon Jun 26 2017 17:19:00.0000	539	-1
Mon Jun 26 2017 17:20:00.0000	539	-1
Mon Jun 26 2017 17:21:00.0000	539	-1
Mon Jun 26 2017 17:22:00.0000	539	-1
Mon Jun 26 2017 17:23:00.0000	539	-1
Mon Jun 26 2017 17:24:00.0000	539	-1
Mon Jun 26 2017 17:25:00.0000	539	-1
Mon Jun 26 2017 17:26:00.0000	539	-1
Mon Jun 26 2017 17:27:00.0000	539	-1
Mon Jun 26 2017 17:28:00.0000	539	-1
Mon Jun 26 2017 17:29:00.0000	539	-1
Mon Jun 26 2017 17:30:00.0000	539	-1
Mon Jun 26 2017 17:31:00.0000	539	-1
Mon Jun 26 2017 17:32:00.0000	538	-1
Mon Jun 26 2017 17:33:00.0000	537	-1
Mon Jun 26 2017 17:34:00.0000	537	-1
Mon Jun 26 2017 17:35:00.0000	537	-1
Mon Jun 26 2017 17:36:00.0000	537	-1

Date/Time	Process Temperature (°F)	Process Flow SCFM
Mon Jun 26 2017 17:37:00.0000	537	-1
Mon Jun 26 2017 17:38:00.0000	537	-1
Mon Jun 26 2017 17:39:00.0000	537	-1
Mon Jun 26 2017 17:40:00.0000	537	-1
Mon Jun 26 2017 17:41:00.0000	537	-1
Mon Jun 26 2017 17:42:00.0000	537	-1
Mon Jun 26 2017 17:43:00.0000	537	-1
Mon Jun 26 2017 17:44:00.0000	537	-1
Mon Jun 26 2017 17:45:00.0000	537	-1
Mon Jun 26 2017 17:46:00.0000	537	-1
Mon Jun 26 2017 17:47:00.0000	537	-1
Mon Jun 26 2017 17:48:00.0000	537	-1
Mon Jun 26 2017 17:49:00.0000	537	-1
Mon Jun 26 2017 17:50:00.0000	536	-1
Mon Jun 26 2017 17:51:00.0000	535	-1
Mon Jun 26 2017 17:52:00.0000	535	-1
Mon Jun 26 2017 17:53:00.0000	535	-1
Mon Jun 26 2017 17:54:00.0000	535	-1
Mon Jun 26 2017 17:55:00.0000	535	-1
Mon Jun 26 2017 17:56:00.0000	535	-1
Mon Jun 26 2017 17:57:00.0000	535	-1
Mon Jun 26 2017 17:58:00.0000	535	-1
Mon Jun 26 2017 17:59:00.0000	535	-1
Mon Jun 26 2017 18:00:00.0000	535	-1
Mon Jun 26 2017 18:01:00.0000	535	-1
Mon Jun 26 2017 18:02:00.0000	535	-1
Mon Jun 26 2017 18:03:00.0000	535	-1
Mon Jun 26 2017 18:04:00.0000	535	-1
Mon Jun 26 2017 18:05:00.0000	535	-1
Mon Jun 26 2017 18:06:00.0000	535	-1
Mon Jun 26 2017 18:07:00.0000	535	-1
Mon Jun 26 2017 18:08:00.0000	534	-1
Mon Jun 26 2017 18:09:00.0000	533	-1
Mon Jun 26 2017 18:10:00.0000	533	-1
Mon Jun 26 2017 18:11:00.0000	533	-1
Mon Jun 26 2017 18:12:00.0000	533	-1
Mon Jun 26 2017 18:13:00.0000	533	-1
Mon Jun 26 2017 18:14:00.0000	533	-1
Mon Jun 26 2017 18:15:00.0000	533	-1
Mon Jun 26 2017 18:16:00.0000	533	-1
Mon Jun 26 2017 18:17:00.0000	533	-1
Mon Jun 26 2017 18:18:00.0000	532	-1
Mon Jun 26 2017 18:19:00.0000	532	-1
Mon Jun 26 2017 18:20:00.0000	532	-1
Mon Jun 26 2017 18:21:00.0000	532	-1
Mon Jun 26 2017 18:22:00.0000	532	-1
Mon Jun 26 2017 18:23:00.0000	532	-1
Mon Jun 26 2017 18:24:00.0000	532	-1
Mon Jun 26 2017 18:25:00.0000	532	-1
Mon Jun 26 2017 18:26:00.0000	532	-1
Mon Jun 26 2017 18:27:00.0000	532	-1
Mon Jun 26 2017 18:28:00.0000	532	-1
Mon Jun 26 2017 18:29:00.0000	532	-1
Mon Jun 26 2017 18:30:00.0000	532	-1
Mon Jun 26 2017 18:31:00.0000	532	-1
Mon Jun 26 2017 18:32:00.0000	532	-1
Mon Jun 26 2017 18:33:00.0000	532	-1

Date/Time	Process Temperature (°F)	Process Flow SCFM
Mon Jun 26 2017 18:34:00.0000	532	-1
Mon Jun 26 2017 18:35:00.0000	532	-1
Mon Jun 26 2017 18:36:00.0000	531	-1
Mon Jun 26 2017 18:37:00.0000	531	-1
Mon Jun 26 2017 18:38:00.0000	531	-1
Mon Jun 26 2017 18:39:00.0000	531	-1
Mon Jun 26 2017 18:40:00.0000	531	-1
Mon Jun 26 2017 18:41:00.0000	531	-1
Mon Jun 26 2017 18:42:00.0000	531	-1
Mon Jun 26 2017 18:43:00.0000	531	-1
Mon Jun 26 2017 18:44:00.0000	531	-1
Mon Jun 26 2017 18:45:00.0000	530	-1
Mon Jun 26 2017 18:46:00.0000	530	-1
Mon Jun 26 2017 18:47:00.0000	530	-1
Mon Jun 26 2017 18:48:00.0000	530	-1
Mon Jun 26 2017 18:49:00.0000	530	-1
Mon Jun 26 2017 18:50:00.0000	530	-1
Mon Jun 26 2017 18:51:00.0000	530	-1
Mon Jun 26 2017 18:52:00.0000	530	-1
Mon Jun 26 2017 18:53:00.0000	530	0
Mon Jun 26 2017 18:54:00.0000	530	-1
Mon Jun 26 2017 18:55:00.0000	530	-1
Mon Jun 26 2017 18:56:00.0000	530	-1
Mon Jun 26 2017 18:57:00.0000	530	-1
Mon Jun 26 2017 18:58:00.0000	530	-1
Mon Jun 26 2017 18:59:00.0000	530	-1
Mon Jun 26 2017 19:00:00.0000	530	-1
Mon Jun 26 2017 19:01:00.0000	529	-1
Mon Jun 26 2017 19:02:00.0000	529	-1
Mon Jun 26 2017 19:03:00.0000	528	-1
Mon Jun 26 2017 19:04:00.0000	527	-1
Mon Jun 26 2017 19:05:00.0000	527	-1
Mon Jun 26 2017 19:06:00.0000	527	-1
Mon Jun 26 2017 19:07:00.0000	527	-1
Mon Jun 26 2017 19:08:00.0000	527	-1
Mon Jun 26 2017 19:09:00.0000	527	-1
Mon Jun 26 2017 19:10:00.0000	527	-1
Mon Jun 26 2017 19:11:00.0000	527	-1
Mon Jun 26 2017 19:12:00.0000	527	-1
Mon Jun 26 2017 19:13:00.0000	527	-1
Mon Jun 26 2017 19:14:00.0000	527	-1
Mon Jun 26 2017 19:15:00.0000	527	-1
Mon Jun 26 2017 19:16:00.0000	527	-1
Mon Jun 26 2017 19:17:00.0000	527	-1
Mon Jun 26 2017 19:18:00.0000	527	-1
Mon Jun 26 2017 19:19:00.0000	527	-1
Mon Jun 26 2017 19:20:00.0000	527	-1
Mon Jun 26 2017 19:21:00.0000	526	-1
Mon Jun 26 2017 19:22:00.0000	526	-1
Mon Jun 26 2017 19:23:00.0000	526	-1
Mon Jun 26 2017 19:24:00.0000	526	-1
Mon Jun 26 2017 19:25:00.0000	526	-1
Mon Jun 26 2017 19:26:00.0000	526	-1
Mon Jun 26 2017 19:27:00.0000	526	-1
Mon Jun 26 2017 19:28:00.0000	526	-1
Mon Jun 26 2017 19:29:00.0000	526	-1
Mon Jun 26 2017 19:30:00.0000	526	-1

Date/Time	Process Temperature (°F)	Process Flow SCFM
Mon Jun 26 2017 19:31:00.0000	526	-1
Mon Jun 26 2017 19:32:00.0000	526	-1
Mon Jun 26 2017 19:33:00.0000	526	-1
Mon Jun 26 2017 19:34:00.0000	526	-1
Mon Jun 26 2017 19:35:00.0000	526	-1
Mon Jun 26 2017 19:36:00.0000	525	-1
Mon Jun 26 2017 19:37:00.0000	525	-1
Mon Jun 26 2017 19:38:00.0000	525	-1
Mon Jun 26 2017 19:39:00.0000	525	-1
Mon Jun 26 2017 19:40:00.0000	525	-1
Mon Jun 26 2017 19:41:00.0000	525	-1
Mon Jun 26 2017 19:42:00.0000	525	-1
Mon Jun 26 2017 19:43:00.0000	525	-1
Mon Jun 26 2017 19:44:00.0000	525	0
Mon Jun 26 2017 19:45:00.0000	525	-1
Mon Jun 26 2017 19:46:00.0000	525	-1
Mon Jun 26 2017 19:47:00.0000	525	-1
Mon Jun 26 2017 19:48:00.0000	525	-1
Mon Jun 26 2017 19:49:00.0000	525	-1
Mon Jun 26 2017 19:50:00.0000	525	-1
Mon Jun 26 2017 19:51:00.0000	525	-1
Mon Jun 26 2017 19:52:00.0000	525	-1
Mon Jun 26 2017 19:53:00.0000	525	0
Mon Jun 26 2017 19:54:00.0000	525	-1
Mon Jun 26 2017 19:55:00.0000	525	-1
Mon Jun 26 2017 19:56:00.0000	524	-1
Mon Jun 26 2017 19:57:00.0000	524	-1
Mon Jun 26 2017 19:58:00.0000	524	-1
Mon Jun 26 2017 19:59:00.0000	524	-1
Mon Jun 26 2017 20:00:00.0000	524	-1
Mon Jun 26 2017 20:01:00.0000	524	-1
Mon Jun 26 2017 20:02:00.0000	524	-1
Mon Jun 26 2017 20:03:00.0000	524	-1
Mon Jun 26 2017 20:04:00.0000	523	-1
Mon Jun 26 2017 20:05:00.0000	522	-1
Mon Jun 26 2017 20:06:00.0000	522	-1
Mon Jun 26 2017 20:07:00.0000	522	-1
Mon Jun 26 2017 20:08:00.0000	522	-1
Mon Jun 26 2017 20:09:00.0000	522	-1
Mon Jun 26 2017 20:10:00.0000	522	-1
Mon Jun 26 2017 20:11:00.0000	522	0
Mon Jun 26 2017 20:12:00.0000	522	0
Mon Jun 26 2017 20:13:00.0000	522	-1
Mon Jun 26 2017 20:14:00.0000	522	-1
Mon Jun 26 2017 20:15:00.0000	522	0
Mon Jun 26 2017 20:16:00.0000	522	-1
Mon Jun 26 2017 20:17:00.0000	521	0
Mon Jun 26 2017 20:18:00.0000	521	-1
Mon Jun 26 2017 20:19:00.0000	521	-1
Mon Jun 26 2017 20:20:00.0000	521	-1
Mon Jun 26 2017 20:21:00.0000	521	0
Mon Jun 26 2017 20:22:00.0000	521	-1
Mon Jun 26 2017 20:23:00.0000	521	0
Mon Jun 26 2017 20:24:00.0000	521	0
Mon Jun 26 2017 20:25:00.0000	521	0
Mon Jun 26 2017 20:26:00.0000	521	0
Mon Jun 26 2017 20:27:00.0000	521	0

Date/Time	Process Temperature (°F)	Process Flow SCFM
Mon Jun 26 2017 20:28:00.0000	521	-1
Mon Jun 26 2017 20:29:00.0000	520	0
Mon Jun 26 2017 20:30:00.0000	520	-1
Mon Jun 26 2017 20:31:00.0000	520	0
Mon Jun 26 2017 20:32:00.0000	520	0
Mon Jun 26 2017 20:33:00.0000	520	-1
Mon Jun 26 2017 20:34:00.0000	520	0
Mon Jun 26 2017 20:35:00.0000	520	-1
Mon Jun 26 2017 20:36:00.0000	519	-1
Mon Jun 26 2017 20:37:00.0000	519	0
Mon Jun 26 2017 20:38:00.0000	519	0
Mon Jun 26 2017 20:39:00.0000	519	0
Mon Jun 26 2017 20:40:00.0000	518	0
Mon Jun 26 2017 20:41:00.0000	518	0
Mon Jun 26 2017 20:42:00.0000	518	0
Mon Jun 26 2017 20:43:00.0000	518	0
Mon Jun 26 2017 20:44:00.0000	518	-1
Mon Jun 26 2017 20:45:00.0000	518	0
Mon Jun 26 2017 20:46:00.0000	518	0
Mon Jun 26 2017 20:47:00.0000	518	0
Mon Jun 26 2017 20:48:00.0000	518	0
Mon Jun 26 2017 20:49:00.0000	518	0
Mon Jun 26 2017 20:50:00.0000	518	0
Mon Jun 26 2017 20:51:00.0000	518	0
Mon Jun 26 2017 20:52:00.0000	518	0
Mon Jun 26 2017 20:53:00.0000	518	0
Mon Jun 26 2017 20:54:00.0000	518	0
Mon Jun 26 2017 20:55:00.0000	518	0
Mon Jun 26 2017 20:56:00.0000	516	0
Mon Jun 26 2017 20:57:00.0000	516	0
Mon Jun 26 2017 20:58:00.0000	516	0
Mon Jun 26 2017 20:59:00.0000	516	0
Mon Jun 26 2017 21:00:00.0000	516	0
Mon Jun 26 2017 21:01:00.0000	516	-1
Mon Jun 26 2017 21:02:00.0000	516	0
Mon Jun 26 2017 21:03:00.0000	515	0
Mon Jun 26 2017 21:04:00.0000	515	0
Mon Jun 26 2017 21:05:00.0000	515	0
Mon Jun 26 2017 21:06:00.0000	515	0
Mon Jun 26 2017 21:07:00.0000	515	0
Mon Jun 26 2017 21:08:00.0000	515	0
Mon Jun 26 2017 21:09:00.0000	515	0
Mon Jun 26 2017 21:10:00.0000	514	0
Mon Jun 26 2017 21:11:00.0000	514	0
Mon Jun 26 2017 21:12:00.0000	514	0
Mon Jun 26 2017 21:13:00.0000	514	0
Mon Jun 26 2017 21:14:00.0000	514	0
Mon Jun 26 2017 21:15:00.0000	514	0
Mon Jun 26 2017 21:16:00.0000	514	0
Mon Jun 26 2017 21:17:00.0000	514	0
Mon Jun 26 2017 21:18:00.0000	514	0
Mon Jun 26 2017 21:19:00.0000	514	0
Mon Jun 26 2017 21:20:00.0000	513	0
Mon Jun 26 2017 21:21:00.0000	513	0
Mon Jun 26 2017 21:22:00.0000	513	0
Mon Jun 26 2017 21:23:00.0000	513	0
Mon Jun 26 2017 21:24:00.0000	513	0

Date/Time	Process Temperature (°F)	Process Flow SCFM
Mon Jun 26 2017 21:25:00.0000	513	0
Mon Jun 26 2017 21:26:00.0000	513	0
Mon Jun 26 2017 21:27:00.0000	513	0
Mon Jun 26 2017 21:28:00.0000	513	0
Mon Jun 26 2017 21:29:00.0000	512	0
Mon Jun 26 2017 21:30:00.0000	512	0
Mon Jun 26 2017 21:31:00.0000	512	0
Mon Jun 26 2017 21:32:00.0000	512	0
Mon Jun 26 2017 21:33:00.0000	512	0
Mon Jun 26 2017 21:34:00.0000	512	0
Mon Jun 26 2017 21:35:00.0000	512	0
Mon Jun 26 2017 21:36:00.0000	512	0
Mon Jun 26 2017 21:37:00.0000	512	0
Mon Jun 26 2017 21:38:00.0000	511	0
Mon Jun 26 2017 21:39:00.0000	511	0
Mon Jun 26 2017 21:40:00.0000	511	0
Mon Jun 26 2017 21:41:00.0000	511	0
Mon Jun 26 2017 21:42:00.0000	511	0
Mon Jun 26 2017 21:43:00.0000	511	0
Mon Jun 26 2017 21:44:00.0000	511	0
Mon Jun 26 2017 21:45:00.0000	511	0
Mon Jun 26 2017 21:46:00.0000	510	0
Mon Jun 26 2017 21:47:00.0000	510	0
Mon Jun 26 2017 21:48:00.0000	510	0
Mon Jun 26 2017 21:49:00.0000	510	0
Mon Jun 26 2017 21:50:00.0000	510	0
Mon Jun 26 2017 21:51:00.0000	510	0
Mon Jun 26 2017 21:52:00.0000	509	0
Mon Jun 26 2017 21:53:00.0000	509	0
Mon Jun 26 2017 21:54:00.0000	509	0
Mon Jun 26 2017 21:55:00.0000	509	0
Mon Jun 26 2017 21:56:00.0000	509	0
Mon Jun 26 2017 21:57:00.0000	509	0
Mon Jun 26 2017 21:58:00.0000	509	0
Mon Jun 26 2017 21:59:00.0000	509	0
Mon Jun 26 2017 22:00:00.0000	509	0
Mon Jun 26 2017 22:01:00.0000	508	0
Mon Jun 26 2017 22:02:00.0000	508	0
Mon Jun 26 2017 22:03:00.0000	508	0
Mon Jun 26 2017 22:04:00.0000	508	0
Mon Jun 26 2017 22:05:00.0000	508	0
Mon Jun 26 2017 22:06:00.0000	508	0
Mon Jun 26 2017 22:07:00.0000	508	0
Mon Jun 26 2017 22:08:00.0000	508	0
Mon Jun 26 2017 22:09:00.0000	507	0
Mon Jun 26 2017 22:10:00.0000	507	0
Mon Jun 26 2017 22:11:00.0000	507	0
Mon Jun 26 2017 22:12:00.0000	507	0
Mon Jun 26 2017 22:13:00.0000	507	0
Mon Jun 26 2017 22:14:00.0000	507	0
Mon Jun 26 2017 22:15:00.0000	507	0
Mon Jun 26 2017 22:16:00.0000	507	0
Mon Jun 26 2017 22:17:00.0000	507	0
Mon Jun 26 2017 22:18:00.0000	506	0
Mon Jun 26 2017 22:19:00.0000	506	0
Mon Jun 26 2017 22:20:00.0000	506	0
Mon Jun 26 2017 22:21:00.0000	506	0

Date/Time	Process Temperature (°F)	Process Flow SCFM
Mon Jun 26 2017 22:22:00.0000	506	0
Mon Jun 26 2017 22:23:00.0000	506	0
Mon Jun 26 2017 22:24:00.0000	506	0
Mon Jun 26 2017 22:25:00.0000	506	0
Mon Jun 26 2017 22:26:00.0000	505	0
Mon Jun 26 2017 22:27:00.0000	505	0
Mon Jun 26 2017 22:28:00.0000	505	0
Mon Jun 26 2017 22:29:00.0000	505	0
Mon Jun 26 2017 22:30:00.0000	505	0
Mon Jun 26 2017 22:31:00.0000	505	0
Mon Jun 26 2017 22:32:00.0000	505	0
Mon Jun 26 2017 22:33:00.0000	504	0
Mon Jun 26 2017 22:34:00.0000	504	0
Mon Jun 26 2017 22:35:00.0000	504	0
Mon Jun 26 2017 22:36:00.0000	504	0
Mon Jun 26 2017 22:37:00.0000	504	0
Mon Jun 26 2017 22:38:00.0000	504	0
Mon Jun 26 2017 22:39:00.0000	504	0
Mon Jun 26 2017 22:40:00.0000	503	0
Mon Jun 26 2017 22:41:00.0000	503	0
Mon Jun 26 2017 22:42:00.0000	503	0
Mon Jun 26 2017 22:43:00.0000	503	0
Mon Jun 26 2017 22:44:00.0000	503	0
Mon Jun 26 2017 22:45:00.0000	503	0
Mon Jun 26 2017 22:46:00.0000	503	0
Mon Jun 26 2017 22:47:00.0000	502	0
Mon Jun 26 2017 22:48:00.0000	502	0
Mon Jun 26 2017 22:49:00.0000	502	0
Mon Jun 26 2017 22:50:00.0000	502	0
Mon Jun 26 2017 22:51:00.0000	502	0
Mon Jun 26 2017 22:52:00.0000	502	0
Mon Jun 26 2017 22:53:00.0000	502	0
Mon Jun 26 2017 22:54:00.0000	502	0
Mon Jun 26 2017 22:55:00.0000	502	0
Mon Jun 26 2017 22:56:00.0000	501	0
Mon Jun 26 2017 22:57:00.0000	501	0
Mon Jun 26 2017 22:58:00.0000	501	0
Mon Jun 26 2017 22:59:00.0000	501	0
Mon Jun 26 2017 23:00:00.0000	501	0
Mon Jun 26 2017 23:01:00.0000	501	0
Mon Jun 26 2017 23:02:00.0000	501	0
Mon Jun 26 2017 23:03:00.0000	501	0
Mon Jun 26 2017 23:04:00.0000	501	0
Mon Jun 26 2017 23:05:00.0000	500	0
Mon Jun 26 2017 23:06:00.0000	500	0
Mon Jun 26 2017 23:07:00.0000	500	0
Mon Jun 26 2017 23:08:00.0000	500	0
Mon Jun 26 2017 23:09:00.0000	500	0
Mon Jun 26 2017 23:10:00.0000	500	0
Mon Jun 26 2017 23:11:00.0000	500	0
Mon Jun 26 2017 23:12:00.0000	500	0
Mon Jun 26 2017 23:13:00.0000	499	0
Mon Jun 26 2017 23:14:00.0000	499	0
Mon Jun 26 2017 23:15:00.0000	499	0
Mon Jun 26 2017 23:16:00.0000	499	0
Mon Jun 26 2017 23:17:00.0000	499	0
Mon Jun 26 2017 23:18:00.0000	499	0

Date/Time	Process Temperature (°F)	Process Flow SCFM
Mon Jun 26 2017 23:19:00.0000	499	0
Mon Jun 26 2017 23:20:00.0000	499	0
Mon Jun 26 2017 23:21:00.0000	499	0
Mon Jun 26 2017 23:22:00.0000	498	0
Mon Jun 26 2017 23:23:00.0000	498	0
Mon Jun 26 2017 23:24:00.0000	498	0
Mon Jun 26 2017 23:25:00.0000	498	0
Mon Jun 26 2017 23:26:00.0000	498	0
Mon Jun 26 2017 23:27:00.0000	498	0
Mon Jun 26 2017 23:28:00.0000	498	0
Mon Jun 26 2017 23:29:00.0000	497	0
Mon Jun 26 2017 23:30:00.0000	497	0
Mon Jun 26 2017 23:31:00.0000	497	0
Mon Jun 26 2017 23:32:00.0000	497	0
Mon Jun 26 2017 23:33:00.0000	497	0
Mon Jun 26 2017 23:34:00.0000	497	0
Mon Jun 26 2017 23:35:00.0000	497	0
Mon Jun 26 2017 23:36:00.0000	496	0
Mon Jun 26 2017 23:37:00.0000	496	0
Mon Jun 26 2017 23:38:00.0000	496	0
Mon Jun 26 2017 23:39:00.0000	496	0
Mon Jun 26 2017 23:40:00.0000	496	0
Mon Jun 26 2017 23:41:00.0000	496	0
Mon Jun 26 2017 23:42:00.0000	496	0
Mon Jun 26 2017 23:43:00.0000	496	0
Mon Jun 26 2017 23:44:00.0000	495	0
Mon Jun 26 2017 23:45:00.0000	495	0
Mon Jun 26 2017 23:46:00.0000	495	0
Mon Jun 26 2017 23:47:00.0000	495	0
Mon Jun 26 2017 23:48:00.0000	495	0
Mon Jun 26 2017 23:49:00.0000	495	0
Mon Jun 26 2017 23:50:00.0000	495	0
Mon Jun 26 2017 23:51:00.0000	495	0
Mon Jun 26 2017 23:52:00.0000	495	0
Mon Jun 26 2017 23:53:00.0000	494	0
Mon Jun 26 2017 23:54:00.0000	494	0
Mon Jun 26 2017 23:55:00.0000	494	0
Mon Jun 26 2017 23:56:00.0000	494	0
Mon Jun 26 2017 23:57:00.0000	494	0
Mon Jun 26 2017 23:58:00.0000	494	0
Mon Jun 26 2017 23:59:00.0000	494	0
Tue Jun 27 2017 00:00:00.0000	494	0
Tue Jun 27 2017 00:01:00.0000	493	0
Tue Jun 27 2017 00:02:00.0000	493	0
Tue Jun 27 2017 00:03:00.0000	493	0
Tue Jun 27 2017 00:04:00.0000	493	0
Tue Jun 27 2017 00:05:00.0000	493	0
Tue Jun 27 2017 00:06:00.0000	493	0
Tue Jun 27 2017 00:07:00.0000	493	0
Tue Jun 27 2017 00:08:00.0000	493	0
Tue Jun 27 2017 00:09:00.0000	493	0
Tue Jun 27 2017 00:10:00.0000	492	0
Tue Jun 27 2017 00:11:00.0000	492	0
Tue Jun 27 2017 00:12:00.0000	492	0
Tue Jun 27 2017 00:13:00.0000	492	0
Tue Jun 27 2017 00:14:00.0000	492	0
Tue Jun 27 2017 00:15:00.0000	492	0

Date/Time	Process Temperature (°F)	Process Flow SCFM
Tue Jun 27 2017 00:16:00.0000	492	0
Tue Jun 27 2017 00:17:00.0000	492	0
Tue Jun 27 2017 00:18:00.0000	491	0
Tue Jun 27 2017 00:19:00.0000	491	0
Tue Jun 27 2017 00:20:00.0000	491	0
Tue Jun 27 2017 00:21:00.0000	491	0
Tue Jun 27 2017 00:22:00.0000	491	0
Tue Jun 27 2017 00:23:00.0000	491	0
Tue Jun 27 2017 00:24:00.0000	491	0
Tue Jun 27 2017 00:25:00.0000	491	0
Tue Jun 27 2017 00:26:00.0000	490	0
Tue Jun 27 2017 00:27:00.0000	490	0
Tue Jun 27 2017 00:28:00.0000	490	0
Tue Jun 27 2017 00:29:00.0000	490	0
Tue Jun 27 2017 00:30:00.0000	490	0
Tue Jun 27 2017 00:31:00.0000	490	0
Tue Jun 27 2017 00:32:00.0000	490	0
Tue Jun 27 2017 00:33:00.0000	489	0
Tue Jun 27 2017 00:34:00.0000	489	0
Tue Jun 27 2017 00:35:00.0000	489	0
Tue Jun 27 2017 00:36:00.0000	489	0
Tue Jun 27 2017 00:37:00.0000	489	0
Tue Jun 27 2017 00:38:00.0000	489	0
Tue Jun 27 2017 00:39:00.0000	489	0
Tue Jun 27 2017 00:40:00.0000	488	0
Tue Jun 27 2017 00:41:00.0000	488	0
Tue Jun 27 2017 00:42:00.0000	488	0
Tue Jun 27 2017 00:43:00.0000	488	0
Tue Jun 27 2017 00:44:00.0000	488	0
Tue Jun 27 2017 00:45:00.0000	488	0
Tue Jun 27 2017 00:46:00.0000	488	0
Tue Jun 27 2017 00:47:00.0000	488	0
Tue Jun 27 2017 00:48:00.0000	487	0
Tue Jun 27 2017 00:49:00.0000	487	0
Tue Jun 27 2017 00:50:00.0000	487	0
Tue Jun 27 2017 00:51:00.0000	487	0
Tue Jun 27 2017 00:52:00.0000	487	0
Tue Jun 27 2017 00:53:00.0000	487	0
Tue Jun 27 2017 00:54:00.0000	487	0
Tue Jun 27 2017 00:55:00.0000	487	0
Tue Jun 27 2017 00:56:00.0000	487	0
Tue Jun 27 2017 00:57:00.0000	486	0
Tue Jun 27 2017 00:58:00.0000	486	0
Tue Jun 27 2017 00:59:00.0000	486	0
Tue Jun 27 2017 01:00:00.0000	486	0
Tue Jun 27 2017 01:01:00.0000	486	0
Tue Jun 27 2017 01:02:00.0000	486	0
Tue Jun 27 2017 01:03:00.0000	486	0
Tue Jun 27 2017 01:04:00.0000	486	0
Tue Jun 27 2017 01:05:00.0000	486	0
Tue Jun 27 2017 01:06:00.0000	485	0
Tue Jun 27 2017 01:07:00.0000	485	0
Tue Jun 27 2017 01:08:00.0000	485	0
Tue Jun 27 2017 01:09:00.0000	485	0
Tue Jun 27 2017 01:10:00.0000	485	0
Tue Jun 27 2017 01:11:00.0000	485	0
Tue Jun 27 2017 01:12:00.0000	485	0

Date/Time	Process Temperature (°F)	Process Flow SCFM
Tue Jun 27 2017 01:13:00.0000	485	0
Tue Jun 27 2017 01:14:00.0000	484	0
Tue Jun 27 2017 01:15:00.0000	484	0
Tue Jun 27 2017 01:16:00.0000	484	0
Tue Jun 27 2017 01:17:00.0000	484	0
Tue Jun 27 2017 01:18:00.0000	484	0
Tue Jun 27 2017 01:19:00.0000	484	0
Tue Jun 27 2017 01:20:00.0000	484	0
Tue Jun 27 2017 01:21:00.0000	484	0
Tue Jun 27 2017 01:22:00.0000	484	0
Tue Jun 27 2017 01:23:00.0000	483	0
Tue Jun 27 2017 01:24:00.0000	483	0
Tue Jun 27 2017 01:25:00.0000	483	0
Tue Jun 27 2017 01:26:00.0000	483	0
Tue Jun 27 2017 01:27:00.0000	483	0
Tue Jun 27 2017 01:28:00.0000	483	0
Tue Jun 27 2017 01:29:00.0000	483	0
Tue Jun 27 2017 01:30:00.0000	482	0
Tue Jun 27 2017 01:31:00.0000	482	0
Tue Jun 27 2017 01:32:00.0000	482	0
Tue Jun 27 2017 01:33:00.0000	482	0
Tue Jun 27 2017 01:34:00.0000	482	0
Tue Jun 27 2017 01:35:00.0000	482	0
Tue Jun 27 2017 01:36:00.0000	482	0
Tue Jun 27 2017 01:37:00.0000	481	0
Tue Jun 27 2017 01:38:00.0000	481	0
Tue Jun 27 2017 01:39:00.0000	481	0
Tue Jun 27 2017 01:40:00.0000	481	0
Tue Jun 27 2017 01:41:00.0000	481	0
Tue Jun 27 2017 01:42:00.0000	481	0
Tue Jun 27 2017 01:43:00.0000	481	0
Tue Jun 27 2017 01:44:00.0000	480	0
Tue Jun 27 2017 01:45:00.0000	480	0
Tue Jun 27 2017 01:46:00.0000	480	0
Tue Jun 27 2017 01:47:00.0000	480	0
Tue Jun 27 2017 01:48:00.0000	480	0
Tue Jun 27 2017 01:49:00.0000	480	0
Tue Jun 27 2017 01:50:00.0000	480	0
Tue Jun 27 2017 01:51:00.0000	480	0
Tue Jun 27 2017 01:52:00.0000	479	0
Tue Jun 27 2017 01:53:00.0000	479	0
Tue Jun 27 2017 01:54:00.0000	479	0
Tue Jun 27 2017 01:55:00.0000	479	0
Tue Jun 27 2017 01:56:00.0000	479	0
Tue Jun 27 2017 01:57:00.0000	479	0
Tue Jun 27 2017 01:58:00.0000	479	0
Tue Jun 27 2017 01:59:00.0000	479	0
Tue Jun 27 2017 02:00:00.0000	479	0
Tue Jun 27 2017 02:01:00.0000	478	0
Tue Jun 27 2017 02:02:00.0000	478	0
Tue Jun 27 2017 02:03:00.0000	478	0
Tue Jun 27 2017 02:04:00.0000	478	0
Tue Jun 27 2017 02:05:00.0000	478	0
Tue Jun 27 2017 02:06:00.0000	478	0
Tue Jun 27 2017 02:07:00.0000	478	0
Tue Jun 27 2017 02:08:00.0000	478	0
Tue Jun 27 2017 02:09:00.0000	477	0

Date/Time	Process Temperature (°F)	Process Flow SCFM
Tue Jun 27 2017 02:10:00.0000	477	0
Tue Jun 27 2017 02:11:00.0000	477	0
Tue Jun 27 2017 02:12:00.0000	477	0
Tue Jun 27 2017 02:13:00.0000	477	0
Tue Jun 27 2017 02:14:00.0000	477	0
Tue Jun 27 2017 02:15:00.0000	477	0
Tue Jun 27 2017 02:16:00.0000	477	0
Tue Jun 27 2017 02:17:00.0000	477	0
Tue Jun 27 2017 02:18:00.0000	476	0
Tue Jun 27 2017 02:19:00.0000	476	0
Tue Jun 27 2017 02:20:00.0000	476	0
Tue Jun 27 2017 02:21:00.0000	476	0
Tue Jun 27 2017 02:22:00.0000	476	0
Tue Jun 27 2017 02:23:00.0000	476	0
Tue Jun 27 2017 02:24:00.0000	476	0
Tue Jun 27 2017 02:25:00.0000	476	0
Tue Jun 27 2017 02:26:00.0000	475	0
Tue Jun 27 2017 02:27:00.0000	475	0
Tue Jun 27 2017 02:28:00.0000	475	0
Tue Jun 27 2017 02:29:00.0000	475	0
Tue Jun 27 2017 02:30:00.0000	475	0
Tue Jun 27 2017 02:31:00.0000	475	0
Tue Jun 27 2017 02:32:00.0000	475	0
Tue Jun 27 2017 02:33:00.0000	475	0
Tue Jun 27 2017 02:34:00.0000	475	0
Tue Jun 27 2017 02:35:00.0000	474	0
Tue Jun 27 2017 02:36:00.0000	474	0
Tue Jun 27 2017 02:37:00.0000	474	0
Tue Jun 27 2017 02:38:00.0000	474	0
Tue Jun 27 2017 02:39:00.0000	474	0
Tue Jun 27 2017 02:40:00.0000	474	0
Tue Jun 27 2017 02:41:00.0000	474	0
Tue Jun 27 2017 02:42:00.0000	474	0
Tue Jun 27 2017 02:43:00.0000	473	0
Tue Jun 27 2017 02:44:00.0000	473	0
Tue Jun 27 2017 02:45:00.0000	473	0
Tue Jun 27 2017 02:46:00.0000	473	0
Tue Jun 27 2017 02:47:00.0000	473	0
Tue Jun 27 2017 02:48:00.0000	473	0
Tue Jun 27 2017 02:49:00.0000	473	0
Tue Jun 27 2017 02:50:00.0000	472	0
Tue Jun 27 2017 02:51:00.0000	472	0
Tue Jun 27 2017 02:52:00.0000	472	0
Tue Jun 27 2017 02:53:00.0000	472	0
Tue Jun 27 2017 02:54:00.0000	472	0
Tue Jun 27 2017 02:55:00.0000	472	0
Tue Jun 27 2017 02:56:00.0000	472	0
Tue Jun 27 2017 02:57:00.0000	472	0
Tue Jun 27 2017 02:58:00.0000	472	0
Tue Jun 27 2017 02:59:00.0000	471	0
Tue Jun 27 2017 03:00:00.0000	471	0
Tue Jun 27 2017 03:01:00.0000	471	0
Tue Jun 27 2017 03:02:00.0000	471	0
Tue Jun 27 2017 03:03:00.0000	471	0
Tue Jun 27 2017 03:04:00.0000	471	0
Tue Jun 27 2017 03:05:00.0000	471	0
Tue Jun 27 2017 03:06:00.0000	471	0

Date/Time	Process Temperature (°F)	Process Flow SCFM
Tue Jun 27 2017 03:07:00.0000	470	0
Tue Jun 27 2017 03:08:00.0000	470	0
Tue Jun 27 2017 03:09:00.0000	470	0
Tue Jun 27 2017 03:10:00.0000	470	0
Tue Jun 27 2017 03:11:00.0000	470	0
Tue Jun 27 2017 03:12:00.0000	470	0
Tue Jun 27 2017 03:13:00.0000	470	0
Tue Jun 27 2017 03:14:00.0000	470	0
Tue Jun 27 2017 03:15:00.0000	470	0
Tue Jun 27 2017 03:16:00.0000	469	0
Tue Jun 27 2017 03:17:00.0000	469	0
Tue Jun 27 2017 03:18:00.0000	469	0
Tue Jun 27 2017 03:19:00.0000	469	0
Tue Jun 27 2017 03:20:00.0000	469	0
Tue Jun 27 2017 03:21:00.0000	469	0
Tue Jun 27 2017 03:22:00.0000	469	0
Tue Jun 27 2017 03:23:00.0000	469	0
Tue Jun 27 2017 03:24:00.0000	469	0
Tue Jun 27 2017 03:25:00.0000	468	0
Tue Jun 27 2017 03:26:00.0000	468	0
Tue Jun 27 2017 03:27:00.0000	468	0
Tue Jun 27 2017 03:28:00.0000	468	0
Tue Jun 27 2017 03:29:00.0000	468	0
Tue Jun 27 2017 03:30:00.0000	468	0
Tue Jun 27 2017 03:31:00.0000	468	0
Tue Jun 27 2017 03:32:00.0000	468	0
Tue Jun 27 2017 03:33:00.0000	467	0
Tue Jun 27 2017 03:34:00.0000	467	0
Tue Jun 27 2017 03:35:00.0000	467	0
Tue Jun 27 2017 03:36:00.0000	467	0
Tue Jun 27 2017 03:37:00.0000	467	0
Tue Jun 27 2017 03:38:00.0000	467	0
Tue Jun 27 2017 03:39:00.0000	467	0
Tue Jun 27 2017 03:40:00.0000	467	0
Tue Jun 27 2017 03:41:00.0000	466	0
Tue Jun 27 2017 03:42:00.0000	466	0
Tue Jun 27 2017 03:43:00.0000	466	0
Tue Jun 27 2017 03:44:00.0000	466	0
Tue Jun 27 2017 03:45:00.0000	466	0
Tue Jun 27 2017 03:46:00.0000	466	0
Tue Jun 27 2017 03:47:00.0000	466	0
Tue Jun 27 2017 03:48:00.0000	465	0
Tue Jun 27 2017 03:49:00.0000	465	0
Tue Jun 27 2017 03:50:00.0000	465	0
Tue Jun 27 2017 03:51:00.0000	465	0
Tue Jun 27 2017 03:52:00.0000	465	0
Tue Jun 27 2017 03:53:00.0000	465	0
Tue Jun 27 2017 03:54:00.0000	465	0
Tue Jun 27 2017 03:55:00.0000	464	0
Tue Jun 27 2017 03:56:00.0000	464	0
Tue Jun 27 2017 03:57:00.0000	464	0
Tue Jun 27 2017 03:58:00.0000	464	0
Tue Jun 27 2017 03:59:00.0000	464	0
Tue Jun 27 2017 04:00:00.0000	464	0
Tue Jun 27 2017 04:01:00.0000	464	0
Tue Jun 27 2017 04:02:00.0000	464	0
Tue Jun 27 2017 04:03:00.0000	463	0

Date/Time	Process Temperature (°F)	Process Flow SCFM
Tue Jun 27 2017 04:04:00.0000	463	0
Tue Jun 27 2017 04:05:00.0000	463	0
Tue Jun 27 2017 04:06:00.0000	463	0
Tue Jun 27 2017 04:07:00.0000	463	0
Tue Jun 27 2017 04:08:00.0000	463	0
Tue Jun 27 2017 04:09:00.0000	463	0
Tue Jun 27 2017 04:10:00.0000	462	0
Tue Jun 27 2017 04:11:00.0000	462	0
Tue Jun 27 2017 04:12:00.0000	462	0
Tue Jun 27 2017 04:13:00.0000	462	0
Tue Jun 27 2017 04:14:00.0000	462	0
Tue Jun 27 2017 04:15:00.0000	462	0
Tue Jun 27 2017 04:16:00.0000	462	0
Tue Jun 27 2017 04:17:00.0000	462	0
Tue Jun 27 2017 04:18:00.0000	461	0
Tue Jun 27 2017 04:19:00.0000	461	0
Tue Jun 27 2017 04:20:00.0000	461	0
Tue Jun 27 2017 04:21:00.0000	461	0
Tue Jun 27 2017 04:22:00.0000	461	0
Tue Jun 27 2017 04:23:00.0000	461	0
Tue Jun 27 2017 04:24:00.0000	461	0
Tue Jun 27 2017 04:25:00.0000	461	0
Tue Jun 27 2017 04:26:00.0000	461	0
Tue Jun 27 2017 04:27:00.0000	460	0
Tue Jun 27 2017 04:28:00.0000	460	0
Tue Jun 27 2017 04:29:00.0000	460	0
Tue Jun 27 2017 04:30:00.0000	460	0
Tue Jun 27 2017 04:31:00.0000	460	0
Tue Jun 27 2017 04:32:00.0000	460	0
Tue Jun 27 2017 04:33:00.0000	460	0
Tue Jun 27 2017 04:34:00.0000	460	0
Tue Jun 27 2017 04:35:00.0000	460	0
Tue Jun 27 2017 04:36:00.0000	459	0
Tue Jun 27 2017 04:37:00.0000	459	0
Tue Jun 27 2017 04:38:00.0000	459	0
Tue Jun 27 2017 04:39:00.0000	459	0
Tue Jun 27 2017 04:40:00.0000	459	0
Tue Jun 27 2017 04:41:00.0000	459	0
Tue Jun 27 2017 04:42:00.0000	459	0
Tue Jun 27 2017 04:43:00.0000	459	0
Tue Jun 27 2017 04:44:00.0000	458	0
Tue Jun 27 2017 04:45:00.0000	458	0
Tue Jun 27 2017 04:46:00.0000	458	0
Tue Jun 27 2017 04:47:00.0000	458	0
Tue Jun 27 2017 04:48:00.0000	458	0
Tue Jun 27 2017 04:49:00.0000	458	0
Tue Jun 27 2017 04:50:00.0000	458	0
Tue Jun 27 2017 04:51:00.0000	458	0
Tue Jun 27 2017 04:52:00.0000	458	0
Tue Jun 27 2017 04:53:00.0000	457	0
Tue Jun 27 2017 04:54:00.0000	457	0
Tue Jun 27 2017 04:55:00.0000	457	0
Tue Jun 27 2017 04:56:00.0000	457	0
Tue Jun 27 2017 04:57:00.0000	457	0
Tue Jun 27 2017 04:58:00.0000	457	0
Tue Jun 27 2017 04:59:00.0000	457	0
Tue Jun 27 2017 05:00:00.0000	457	0

Date/Time	Process Temperature (°F)	Process Flow SCFM
Tue Jun 27 2017 05:01:00.0000	457	0
Tue Jun 27 2017 05:02:00.0000	456	0
Tue Jun 27 2017 05:03:00.0000	456	0
Tue Jun 27 2017 05:04:00.0000	456	0
Tue Jun 27 2017 05:05:00.0000	456	0
Tue Jun 27 2017 05:06:00.0000	456	0
Tue Jun 27 2017 05:07:00.0000	456	0
Tue Jun 27 2017 05:08:00.0000	456	0
Tue Jun 27 2017 05:09:00.0000	456	0
Tue Jun 27 2017 05:10:00.0000	455	0
Tue Jun 27 2017 05:11:00.0000	455	0
Tue Jun 27 2017 05:12:00.0000	455	0
Tue Jun 27 2017 05:13:00.0000	455	0
Tue Jun 27 2017 05:14:00.0000	455	0
Tue Jun 27 2017 05:15:00.0000	455	0
Tue Jun 27 2017 05:16:00.0000	455	0
Tue Jun 27 2017 05:17:00.0000	455	0
Tue Jun 27 2017 05:18:00.0000	455	0
Tue Jun 27 2017 05:19:00.0000	454	0
Tue Jun 27 2017 05:20:00.0000	454	0
Tue Jun 27 2017 05:21:00.0000	454	0
Tue Jun 27 2017 05:22:00.0000	454	0
Tue Jun 27 2017 05:23:00.0000	454	0
Tue Jun 27 2017 05:24:00.0000	454	0
Tue Jun 27 2017 05:25:00.0000	454	0
Tue Jun 27 2017 05:26:00.0000	454	0
Tue Jun 27 2017 05:27:00.0000	454	0
Tue Jun 27 2017 05:28:00.0000	453	0
Tue Jun 27 2017 05:29:00.0000	453	0
Tue Jun 27 2017 05:30:00.0000	453	0
Tue Jun 27 2017 05:31:00.0000	453	0
Tue Jun 27 2017 05:32:00.0000	453	0
Tue Jun 27 2017 05:33:00.0000	453	0
Tue Jun 27 2017 05:34:00.0000	453	0
Tue Jun 27 2017 05:35:00.0000	453	0
Tue Jun 27 2017 05:36:00.0000	453	0
Tue Jun 27 2017 05:37:00.0000	453	0
Tue Jun 27 2017 05:38:00.0000	452	0
Tue Jun 27 2017 05:39:00.0000	452	0
Tue Jun 27 2017 05:40:00.0000	452	0
Tue Jun 27 2017 05:41:00.0000	452	0
Tue Jun 27 2017 05:42:00.0000	452	0
Tue Jun 27 2017 05:43:00.0000	452	0
Tue Jun 27 2017 05:44:00.0000	452	0
Tue Jun 27 2017 05:45:00.0000	452	0
Tue Jun 27 2017 05:46:00.0000	452	0
Tue Jun 27 2017 05:47:00.0000	452	0
Tue Jun 27 2017 05:48:00.0000	452	0
Tue Jun 27 2017 05:49:00.0000	452	0
Tue Jun 27 2017 05:50:00.0000	451	0
Tue Jun 27 2017 05:51:00.0000	451	0
Tue Jun 27 2017 05:52:00.0000	451	0
Tue Jun 27 2017 05:53:00.0000	451	0
Tue Jun 27 2017 05:54:00.0000	451	0
Tue Jun 27 2017 05:55:00.0000	451	0
Tue Jun 27 2017 05:56:00.0000	451	0
Tue Jun 27 2017 05:57:00.0000	451	0

Date/Time	Process Temperature (°F)	Process Flow SCFM
Tue Jun 27 2017 05:58:00.0000	451	0
Tue Jun 27 2017 05:59:00.0000	451	0
Tue Jun 27 2017 06:00:00.0000	451	0
Tue Jun 27 2017 06:01:00.0000	451	0
Tue Jun 27 2017 06:02:00.0000	451	0
Tue Jun 27 2017 06:03:00.0000	450	0
Tue Jun 27 2017 06:04:00.0000	450	0
Tue Jun 27 2017 06:05:00.0000	450	0
Tue Jun 27 2017 06:06:00.0000	450	0
Tue Jun 27 2017 06:07:00.0000	450	0
Tue Jun 27 2017 06:08:00.0000	450	0
Tue Jun 27 2017 06:09:00.0000	450	0
Tue Jun 27 2017 06:10:00.0000	450	0
Tue Jun 27 2017 06:11:00.0000	450	0
Tue Jun 27 2017 06:12:00.0000	450	0
Tue Jun 27 2017 06:13:00.0000	449	0
Tue Jun 27 2017 06:14:00.0000	449	0
Tue Jun 27 2017 06:15:00.0000	449	0
Tue Jun 27 2017 06:16:00.0000	449	0
Tue Jun 27 2017 06:17:00.0000	449	0
Tue Jun 27 2017 06:18:00.0000	449	0
Tue Jun 27 2017 06:19:00.0000	449	0
Tue Jun 27 2017 06:20:00.0000	449	0
Tue Jun 27 2017 06:21:00.0000	449	0
Tue Jun 27 2017 06:22:00.0000	449	0
Tue Jun 27 2017 06:23:00.0000	449	0
Tue Jun 27 2017 06:24:00.0000	449	0
Tue Jun 27 2017 06:25:00.0000	449	0
Tue Jun 27 2017 06:26:00.0000	449	0
Tue Jun 27 2017 06:27:00.0000	448	0
Tue Jun 27 2017 06:28:00.0000	448	0
Tue Jun 27 2017 06:29:00.0000	448	0
Tue Jun 27 2017 06:30:00.0000	448	0
Tue Jun 27 2017 06:31:00.0000	448	0
Tue Jun 27 2017 06:32:00.0000	448	0
Tue Jun 27 2017 06:33:00.0000	448	0
Tue Jun 27 2017 06:34:00.0000	448	0
Tue Jun 27 2017 06:35:00.0000	448	0
Tue Jun 27 2017 06:36:00.0000	448	0
Tue Jun 27 2017 06:37:00.0000	448	0
Tue Jun 27 2017 06:38:00.0000	448	0
Tue Jun 27 2017 06:39:00.0000	448	0
Tue Jun 27 2017 06:40:00.0000	447	0
Tue Jun 27 2017 06:41:00.0000	447	0
Tue Jun 27 2017 06:42:00.0000	447	0
Tue Jun 27 2017 06:43:00.0000	447	0
Tue Jun 27 2017 06:44:00.0000	447	0
Tue Jun 27 2017 06:45:00.0000	447	0
Tue Jun 27 2017 06:46:00.0000	447	0
Tue Jun 27 2017 06:47:00.0000	447	0
Tue Jun 27 2017 06:48:00.0000	447	0
Tue Jun 27 2017 06:49:00.0000	447	0
Tue Jun 27 2017 06:50:00.0000	447	0
Tue Jun 27 2017 06:51:00.0000	447	0
Tue Jun 27 2017 06:52:00.0000	447	0
Tue Jun 27 2017 06:53:00.0000	447	0
Tue Jun 27 2017 06:54:00.0000	446	0

Date/Time	Process Temperature (°F)	Process Flow SCFM
Tue Jun 27 2017 06:55:00.0000	446	0
Tue Jun 27 2017 06:56:00.0000	446	0
Tue Jun 27 2017 06:57:00.0000	446	0
Tue Jun 27 2017 06:58:00.0000	446	0
Tue Jun 27 2017 06:59:00.0000	446	0
Tue Jun 27 2017 07:00:00.0000	446	0
Tue Jun 27 2017 07:01:00.0000	446	0
Tue Jun 27 2017 07:02:00.0000	446	0
Tue Jun 27 2017 07:03:00.0000	446	0
Tue Jun 27 2017 07:04:00.0000	446	0
Tue Jun 27 2017 07:05:00.0000	446	0
Tue Jun 27 2017 07:06:00.0000	446	0
Tue Jun 27 2017 07:07:00.0000	445	0
Tue Jun 27 2017 07:08:00.0000	445	0
Tue Jun 27 2017 07:09:00.0000	445	0
Tue Jun 27 2017 07:10:00.0000	444	0
Tue Jun 27 2017 07:11:00.0000	444	0
Tue Jun 27 2017 07:12:00.0000	441	0
Tue Jun 27 2017 07:13:00.0000	464	0
Tue Jun 27 2017 07:14:00.0000	616	0
Tue Jun 27 2017 07:15:00.0000	836	0
Tue Jun 27 2017 07:16:00.0000	956	0
Tue Jun 27 2017 07:17:00.0000	1016	0
Tue Jun 27 2017 07:18:00.0000	1053	0
Tue Jun 27 2017 07:19:00.0000	1143	0
Tue Jun 27 2017 07:20:00.0000	1190	0
Tue Jun 27 2017 07:21:00.0000	1208	0
Tue Jun 27 2017 07:22:00.0000	1237	0
Tue Jun 27 2017 07:23:00.0000	1280	0
Tue Jun 27 2017 07:24:00.0000	1337	0
Tue Jun 27 2017 07:25:00.0000	1354	0
Tue Jun 27 2017 07:26:00.0000	1368	0
Tue Jun 27 2017 07:27:00.0000	1387	0
Tue Jun 27 2017 07:28:00.0000	1446	0
Tue Jun 27 2017 07:29:00.0000	1466	0
Tue Jun 27 2017 07:30:00.0000	1472	0
Tue Jun 27 2017 07:31:00.0000	1492	0
Tue Jun 27 2017 07:32:00.0000	1524	0
Tue Jun 27 2017 07:33:00.0000	1556	0
Tue Jun 27 2017 07:34:00.0000	1564	0
Tue Jun 27 2017 07:35:00.0000	1572	0
Tue Jun 27 2017 07:36:00.0000	1587	0
Tue Jun 27 2017 07:37:00.0000	1631	0
Tue Jun 27 2017 07:38:00.0000	1639	0
Tue Jun 27 2017 07:39:00.0000	1639	0
Tue Jun 27 2017 07:40:00.0000	1646	0
Tue Jun 27 2017 07:41:00.0000	1642	0
Tue Jun 27 2017 07:42:00.0000	1620	0
Tue Jun 27 2017 07:43:00.0000	1595	0
Tue Jun 27 2017 07:44:00.0000	1611	0
Tue Jun 27 2017 07:45:00.0000	1634	0
Tue Jun 27 2017 07:46:00.0000	1667	0
Tue Jun 27 2017 07:47:00.0000	1619	0
Tue Jun 27 2017 07:48:00.0000	1593	0
Tue Jun 27 2017 07:49:00.0000	1623	0
Tue Jun 27 2017 07:50:00.0000	1655	0
Tue Jun 27 2017 07:51:00.0000	1656	0

Date/Time	Process Temperature (°F)	Process Flow SCFM
Tue Jun 27 2017 07:52:00.0000	1600	0
Tue Jun 27 2017 07:53:00.0000	1599	0
Tue Jun 27 2017 07:54:00.0000	1631	0
Tue Jun 27 2017 07:55:00.0000	1675	0
Tue Jun 27 2017 07:56:00.0000	1635	0
Tue Jun 27 2017 07:57:00.0000	1591	0
Tue Jun 27 2017 07:58:00.0000	1606	0
Tue Jun 27 2017 07:59:00.0000	1663	0
Tue Jun 27 2017 08:00:00.0000	1658	0
Tue Jun 27 2017 08:01:00.0000	1607	0
Tue Jun 27 2017 08:02:00.0000	1591	0
Tue Jun 27 2017 08:03:00.0000	1628	0
Tue Jun 27 2017 08:04:00.0000	1678	0
Tue Jun 27 2017 08:05:00.0000	1648	0
Tue Jun 27 2017 08:06:00.0000	1600	0
Tue Jun 27 2017 08:07:00.0000	1590	0
Tue Jun 27 2017 08:08:00.0000	1656	0
Tue Jun 27 2017 08:09:00.0000	1682	0
Tue Jun 27 2017 08:10:00.0000	1635	0
Tue Jun 27 2017 08:11:00.0000	1585	0
Tue Jun 27 2017 08:12:00.0000	1602	0
Tue Jun 27 2017 08:13:00.0000	1676	0
Tue Jun 27 2017 08:14:00.0000	1675	0
Tue Jun 27 2017 08:15:00.0000	1622	0
Tue Jun 27 2017 08:16:00.0000	1585	0
Tue Jun 27 2017 08:17:00.0000	1635	0
Tue Jun 27 2017 08:18:00.0000	1663	0
Tue Jun 27 2017 08:19:00.0000	1631	0
Tue Jun 27 2017 08:20:00.0000	1599	0
Tue Jun 27 2017 08:21:00.0000	1620	0
Tue Jun 27 2017 08:22:00.0000	1624	0
Tue Jun 27 2017 08:23:00.0000	1616	0
Tue Jun 27 2017 08:24:00.0000	1616	0
Tue Jun 27 2017 08:25:00.0000	1618	0
Tue Jun 27 2017 08:26:00.0000	1627	0
Tue Jun 27 2017 08:27:00.0000	1625	-1
Tue Jun 27 2017 08:28:00.0000	1624	0
Tue Jun 27 2017 08:29:00.0000	1627	-1
Tue Jun 27 2017 08:30:00.0000	1629	0
Tue Jun 27 2017 08:31:00.0000	1626	-1
Tue Jun 27 2017 08:32:00.0000	1611	0
Tue Jun 27 2017 08:33:00.0000	1604	-1
Tue Jun 27 2017 08:34:00.0000	1602	0
Tue Jun 27 2017 08:35:00.0000	1625	0
Tue Jun 27 2017 08:36:00.0000	1632	-1
Tue Jun 27 2017 08:37:00.0000	1617	-1
Tue Jun 27 2017 08:38:00.0000	1611	0
Tue Jun 27 2017 08:39:00.0000	1611	0
Tue Jun 27 2017 08:40:00.0000	1606	-1
Tue Jun 27 2017 08:41:00.0000	1604	0
Tue Jun 27 2017 08:42:00.0000	1614	0
Tue Jun 27 2017 08:43:00.0000	1620	0
Tue Jun 27 2017 08:44:00.0000	1633	-1
Tue Jun 27 2017 08:45:00.0000	1616	0
Tue Jun 27 2017 08:46:00.0000	1606	0
Tue Jun 27 2017 08:47:00.0000	1604	-1
Tue Jun 27 2017 08:48:00.0000	1606	0

Date/Time	Process Temperature (°F)	Process Flow SCFM
Tue Jun 27 2017 08:49:00.0000	1618	0
Tue Jun 27 2017 08:50:00.0000	1618	-1
Tue Jun 27 2017 08:51:00.0000	1621	-1
Tue Jun 27 2017 08:52:00.0000	1624	-1
Tue Jun 27 2017 08:53:00.0000	1632	-1
Tue Jun 27 2017 08:54:00.0000	1614	-1
Tue Jun 27 2017 08:55:00.0000	1603	-1
Tue Jun 27 2017 08:56:00.0000	1606	-1
Tue Jun 27 2017 08:57:00.0000	1611	-1
Tue Jun 27 2017 08:58:00.0000	1616	-1
Tue Jun 27 2017 08:59:00.0000	1613	-1
Tue Jun 27 2017 09:00:00.0000	1612	-1
Tue Jun 27 2017 09:01:00.0000	1614	-1
Tue Jun 27 2017 09:02:00.0000	1621	-1
Tue Jun 27 2017 09:03:00.0000	1620	0
Tue Jun 27 2017 09:04:00.0000	1615	-1
Tue Jun 27 2017 09:05:00.0000	1618	-1
Tue Jun 27 2017 09:06:00.0000	1622	-1
Tue Jun 27 2017 09:07:00.0000	1626	-1
Tue Jun 27 2017 09:08:00.0000	1623	-1
Tue Jun 27 2017 09:09:00.0000	1621	0
Tue Jun 27 2017 09:10:00.0000	1623	-1
Tue Jun 27 2017 09:11:00.0000	1631	-1
Tue Jun 27 2017 09:12:00.0000	1629	-1
Tue Jun 27 2017 09:13:00.0000	1626	-1
Tue Jun 27 2017 09:14:00.0000	1629	-1
Tue Jun 27 2017 09:15:00.0000	1631	-1
Tue Jun 27 2017 09:16:00.0000	1628	-1
Tue Jun 27 2017 09:17:00.0000	1611	-1
Tue Jun 27 2017 09:18:00.0000	1603	-1
Tue Jun 27 2017 09:19:00.0000	1604	-1
Tue Jun 27 2017 09:20:00.0000	1612	-1
Tue Jun 27 2017 09:21:00.0000	1610	-1
Tue Jun 27 2017 09:22:00.0000	1607	-1
Tue Jun 27 2017 09:23:00.0000	1609	-1
Tue Jun 27 2017 09:24:00.0000	1610	-1
Tue Jun 27 2017 09:25:00.0000	1613	-1
Tue Jun 27 2017 09:26:00.0000	1610	-1
Tue Jun 27 2017 09:27:00.0000	1608	-1
Tue Jun 27 2017 09:28:00.0000	1609	-1
Tue Jun 27 2017 09:29:00.0000	1615	-1
Tue Jun 27 2017 09:30:00.0000	1613	-1
Tue Jun 27 2017 09:31:00.0000	1610	-1
Tue Jun 27 2017 09:32:00.0000	1612	-1
Tue Jun 27 2017 09:33:00.0000	1614	-1
Tue Jun 27 2017 09:34:00.0000	1617	-1
Tue Jun 27 2017 09:35:00.0000	1614	-1
Tue Jun 27 2017 09:36:00.0000	1612	-1
Tue Jun 27 2017 09:37:00.0000	1613	-1
Tue Jun 27 2017 09:38:00.0000	1620	-1
Tue Jun 27 2017 09:39:00.0000	1618	-1
Tue Jun 27 2017 09:40:00.0000	1614	-1
Tue Jun 27 2017 09:41:00.0000	1617	-1
Tue Jun 27 2017 09:42:00.0000	1619	-1
Tue Jun 27 2017 09:43:00.0000	1623	-1
Tue Jun 27 2017 09:44:00.0000	1620	-1
Tue Jun 27 2017 09:45:00.0000	1619	-1

Date/Time	Process Temperature (°F)	Process Flow SCFM
Tue Jun 27 2017 09:46:00.0000	1620	-1
Tue Jun 27 2017 09:47:00.0000	1626	-1
Tue Jun 27 2017 09:48:00.0000	1625	-1
Tue Jun 27 2017 09:49:00.0000	1621	-1
Tue Jun 27 2017 09:50:00.0000	1624	-1
Tue Jun 27 2017 09:51:00.0000	1626	-1
Tue Jun 27 2017 09:52:00.0000	1630	-1
Tue Jun 27 2017 09:53:00.0000	1627	-1
Tue Jun 27 2017 09:54:00.0000	1626	-1
Tue Jun 27 2017 09:55:00.0000	1627	-1
Tue Jun 27 2017 09:56:00.0000	1631	-1
Tue Jun 27 2017 09:57:00.0000	1619	-1
Tue Jun 27 2017 09:58:00.0000	1610	-1
Tue Jun 27 2017 09:59:00.0000	1607	-1
Tue Jun 27 2017 10:00:00.0000	1604	-1
Tue Jun 27 2017 10:01:00.0000	1603	-1
Tue Jun 27 2017 10:02:00.0000	1603	-1
Tue Jun 27 2017 10:03:00.0000	1616	-1
Tue Jun 27 2017 10:04:00.0000	1625	-1
Tue Jun 27 2017 10:05:00.0000	1637	-1
Tue Jun 27 2017 10:06:00.0000	1619	-1
Tue Jun 27 2017 10:07:00.0000	1604	-1
Tue Jun 27 2017 10:08:00.0000	1601	-1
Tue Jun 27 2017 10:09:00.0000	1621	-1
Tue Jun 27 2017 10:10:00.0000	1632	-1
Tue Jun 27 2017 10:11:00.0000	1619	-1
Tue Jun 27 2017 10:12:00.0000	1613	-1
Tue Jun 27 2017 10:13:00.0000	1611	-1
Tue Jun 27 2017 10:14:00.0000	1612	-1
Tue Jun 27 2017 10:15:00.0000	1609	-1
Tue Jun 27 2017 10:16:00.0000	1605	-1
Tue Jun 27 2017 10:17:00.0000	1605	-1
Tue Jun 27 2017 10:18:00.0000	1605	-1
Tue Jun 27 2017 10:19:00.0000	1607	-1
Tue Jun 27 2017 10:20:00.0000	1603	-1
Tue Jun 27 2017 10:21:00.0000	1605	-1
Tue Jun 27 2017 10:22:00.0000	1612	-1
Tue Jun 27 2017 10:23:00.0000	1621	-1
Tue Jun 27 2017 10:24:00.0000	1623	-1
Tue Jun 27 2017 10:25:00.0000	1621	-1
Tue Jun 27 2017 10:26:00.0000	1624	-1
Tue Jun 27 2017 10:27:00.0000	1627	-1
Tue Jun 27 2017 10:28:00.0000	1631	-1
Tue Jun 27 2017 10:29:00.0000	1620	-1
Tue Jun 27 2017 10:30:00.0000	1613	-1
Tue Jun 27 2017 10:31:00.0000	1610	-1
Tue Jun 27 2017 10:32:00.0000	1610	-1
Tue Jun 27 2017 10:33:00.0000	1606	-1
Tue Jun 27 2017 10:34:00.0000	1602	-1
Tue Jun 27 2017 10:35:00.0000	1610	-1
Tue Jun 27 2017 10:36:00.0000	1618	-1
Tue Jun 27 2017 10:37:00.0000	1626	-1
Tue Jun 27 2017 10:38:00.0000	1626	-1
Tue Jun 27 2017 10:39:00.0000	1626	-1
Tue Jun 27 2017 10:40:00.0000	1630	-1
Tue Jun 27 2017 10:41:00.0000	1636	-1
Tue Jun 27 2017 10:42:00.0000	1619	-1

Date/Time	Process Temperature (°F)	Process Flow SCFM
Tue Jun 27 2017 10:43:00.0000	1605	-1
Tue Jun 27 2017 10:44:00.0000	1600	-1
Tue Jun 27 2017 10:45:00.0000	1618	-1
Tue Jun 27 2017 10:46:00.0000	1634	-1
Tue Jun 27 2017 10:47:00.0000	1622	-1
Tue Jun 27 2017 10:48:00.0000	1618	-1
Tue Jun 27 2017 10:49:00.0000	1613	-1
Tue Jun 27 2017 10:50:00.0000	1614	-1
Tue Jun 27 2017 10:51:00.0000	1611	-1
Tue Jun 27 2017 10:52:00.0000	1608	-1
Tue Jun 27 2017 10:53:00.0000	1607	-1
Tue Jun 27 2017 10:54:00.0000	1607	-1
Tue Jun 27 2017 10:55:00.0000	1609	-1
Tue Jun 27 2017 10:56:00.0000	1605	-1
Tue Jun 27 2017 10:57:00.0000	1603	-1
Tue Jun 27 2017 10:58:00.0000	1603	-1
Tue Jun 27 2017 10:59:00.0000	1606	-1
Tue Jun 27 2017 11:00:00.0000	1605	-1
Tue Jun 27 2017 11:01:00.0000	1601	-1
Tue Jun 27 2017 11:02:00.0000	1613	-1
Tue Jun 27 2017 11:03:00.0000	1628	-1
Tue Jun 27 2017 11:04:00.0000	1632	-1
Tue Jun 27 2017 11:05:00.0000	1621	-1
Tue Jun 27 2017 11:06:00.0000	1616	-1
Tue Jun 27 2017 11:07:00.0000	1613	-1
Tue Jun 27 2017 11:08:00.0000	1615	-1
Tue Jun 27 2017 11:09:00.0000	1612	-1
Tue Jun 27 2017 11:10:00.0000	1609	-1
Tue Jun 27 2017 11:11:00.0000	1609	-1
Tue Jun 27 2017 11:12:00.0000	1609	-1
Tue Jun 27 2017 11:13:00.0000	1611	-1
Tue Jun 27 2017 11:14:00.0000	1607	-1
Tue Jun 27 2017 11:15:00.0000	1605	-1
Tue Jun 27 2017 11:16:00.0000	1606	-1
Tue Jun 27 2017 11:17:00.0000	1609	-1
Tue Jun 27 2017 11:18:00.0000	1608	-1
Tue Jun 27 2017 11:19:00.0000	1604	-1
Tue Jun 27 2017 11:20:00.0000	1605	-1
Tue Jun 27 2017 11:21:00.0000	1606	-1
Tue Jun 27 2017 11:22:00.0000	1609	-1
Tue Jun 27 2017 11:23:00.0000	1606	-1
Tue Jun 27 2017 11:24:00.0000	1604	-1
Tue Jun 27 2017 11:25:00.0000	1604	-1
Tue Jun 27 2017 11:26:00.0000	1608	-1
Tue Jun 27 2017 11:27:00.0000	1607	-1
Tue Jun 27 2017 11:28:00.0000	1604	-1
Tue Jun 27 2017 11:29:00.0000	1605	-1
Tue Jun 27 2017 11:30:00.0000	1606	-1
Tue Jun 27 2017 11:31:00.0000	1608	-1
Tue Jun 27 2017 11:32:00.0000	1605	-1
Tue Jun 27 2017 11:33:00.0000	1604	-1
Tue Jun 27 2017 11:34:00.0000	1605	-1
Tue Jun 27 2017 11:35:00.0000	1609	-1
Tue Jun 27 2017 11:36:00.0000	1608	-1
Tue Jun 27 2017 11:37:00.0000	1604	-1
Tue Jun 27 2017 11:38:00.0000	1606	-1
Tue Jun 27 2017 11:39:00.0000	1608	-1

Date/Time	Process Temperature (°F)	Process Flow SCFM
Tue Jun 27 2017 11:40:00.0000	1609	-1
Tue Jun 27 2017 11:41:00.0000	1606	-1
Tue Jun 27 2017 11:42:00.0000	1605	-1
Tue Jun 27 2017 11:43:00.0000	1607	-1
Tue Jun 27 2017 11:44:00.0000	1610	-1
Tue Jun 27 2017 11:45:00.0000	1608	-1
Tue Jun 27 2017 11:46:00.0000	1605	-1
Tue Jun 27 2017 11:47:00.0000	1607	-1
Tue Jun 27 2017 11:48:00.0000	1609	-1
Tue Jun 27 2017 11:49:00.0000	1611	-1
Tue Jun 27 2017 11:50:00.0000	1608	-1
Tue Jun 27 2017 11:51:00.0000	1607	-1
Tue Jun 27 2017 11:52:00.0000	1609	-1
Tue Jun 27 2017 11:53:00.0000	1612	-1
Tue Jun 27 2017 11:54:00.0000	1610	-1
Tue Jun 27 2017 11:55:00.0000	1608	-1
Tue Jun 27 2017 11:56:00.0000	1610	-1
Tue Jun 27 2017 11:57:00.0000	1610	-1
Tue Jun 27 2017 11:58:00.0000	1612	-1
Tue Jun 27 2017 11:59:00.0000	1610	-1
Tue Jun 27 2017 12:00:00.0000	1610	-1
Tue Jun 27 2017 12:01:00.0000	1610	-1
Tue Jun 27 2017 12:02:00.0000	1614	-1
Tue Jun 27 2017 12:03:00.0000	1613	-1
Tue Jun 27 2017 12:04:00.0000	1610	-1
Tue Jun 27 2017 12:05:00.0000	1611	-1
Tue Jun 27 2017 12:06:00.0000	1612	-1
Tue Jun 27 2017 12:07:00.0000	1614	-1
Tue Jun 27 2017 12:08:00.0000	1612	-1
Tue Jun 27 2017 12:09:00.0000	1611	-1
Tue Jun 27 2017 12:10:00.0000	1612	-1
Tue Jun 27 2017 12:11:00.0000	1616	-1
Tue Jun 27 2017 12:12:00.0000	1614	-1
Tue Jun 27 2017 12:13:00.0000	1612	-1
Tue Jun 27 2017 12:14:00.0000	1613	-1
Tue Jun 27 2017 12:15:00.0000	1614	-1
Tue Jun 27 2017 12:16:00.0000	1617	-1
Tue Jun 27 2017 12:17:00.0000	1614	-1
Tue Jun 27 2017 12:18:00.0000	1613	-1
Tue Jun 27 2017 12:19:00.0000	1615	-1
Tue Jun 27 2017 12:20:00.0000	1618	-1
Tue Jun 27 2017 12:21:00.0000	1617	-1
Tue Jun 27 2017 12:22:00.0000	1615	-1
Tue Jun 27 2017 12:23:00.0000	1616	-1
Tue Jun 27 2017 12:24:00.0000	1618	-1
Tue Jun 27 2017 12:25:00.0000	1620	-1
Tue Jun 27 2017 12:26:00.0000	1618	-1
Tue Jun 27 2017 12:27:00.0000	1617	-1
Tue Jun 27 2017 12:28:00.0000	1618	-1
Tue Jun 27 2017 12:29:00.0000	1621	-1
Tue Jun 27 2017 12:30:00.0000	1620	-1
Tue Jun 27 2017 12:31:00.0000	1618	-1
Tue Jun 27 2017 12:32:00.0000	1619	-1
Tue Jun 27 2017 12:33:00.0000	1620	-1
Tue Jun 27 2017 12:34:00.0000	1622	-1
Tue Jun 27 2017 12:35:00.0000	1621	-1
Tue Jun 27 2017 12:36:00.0000	1619	-1

Date/Time	Process Temperature (°F)	Process Flow SCFM
Tue Jun 27 2017 12:37:00.0000	1620	-1
Tue Jun 27 2017 12:38:00.0000	1623	-1
Tue Jun 27 2017 12:39:00.0000	1623	-1
Tue Jun 27 2017 12:40:00.0000	1620	-1
Tue Jun 27 2017 12:41:00.0000	1622	-1
Tue Jun 27 2017 12:42:00.0000	1623	-1
Tue Jun 27 2017 12:43:00.0000	1625	-1
Tue Jun 27 2017 12:44:00.0000	1623	-1
Tue Jun 27 2017 12:45:00.0000	1622	-1
Tue Jun 27 2017 12:46:00.0000	1623	-1
Tue Jun 27 2017 12:47:00.0000	1627	-1
Tue Jun 27 2017 12:48:00.0000	1626	-1
Tue Jun 27 2017 12:49:00.0000	1625	-1
Tue Jun 27 2017 12:50:00.0000	1625	-1
Tue Jun 27 2017 12:51:00.0000	1625	-1
Tue Jun 27 2017 12:52:00.0000	1628	-1
Tue Jun 27 2017 12:53:00.0000	1626	-1
Tue Jun 27 2017 12:54:00.0000	1625	-1
Tue Jun 27 2017 12:55:00.0000	1626	-1
Tue Jun 27 2017 12:56:00.0000	1630	-1
Tue Jun 27 2017 12:57:00.0000	1629	-1
Tue Jun 27 2017 12:58:00.0000	1626	-1
Tue Jun 27 2017 12:59:00.0000	1627	-1
Tue Jun 27 2017 13:00:00.0000	1629	-1
Tue Jun 27 2017 13:01:00.0000	1631	-1
Tue Jun 27 2017 13:02:00.0000	1629	-1
Tue Jun 27 2017 13:03:00.0000	1628	-1
Tue Jun 27 2017 13:04:00.0000	1629	-1
Tue Jun 27 2017 13:05:00.0000	1633	-1
Tue Jun 27 2017 13:06:00.0000	1632	-1
Tue Jun 27 2017 13:07:00.0000	1629	-1
Tue Jun 27 2017 13:08:00.0000	1631	-1
Tue Jun 27 2017 13:09:00.0000	1632	-1
Tue Jun 27 2017 13:10:00.0000	1625	-1
Tue Jun 27 2017 13:11:00.0000	1615	-1
Tue Jun 27 2017 13:12:00.0000	1610	-1
Tue Jun 27 2017 13:13:00.0000	1605	-1
Tue Jun 27 2017 13:14:00.0000	1603	-1
Tue Jun 27 2017 13:15:00.0000	1602	-1
Tue Jun 27 2017 13:16:00.0000	1616	-1
Tue Jun 27 2017 13:17:00.0000	1629	-1
Tue Jun 27 2017 13:18:00.0000	1638	-1
Tue Jun 27 2017 13:19:00.0000	1628	-1
Tue Jun 27 2017 13:20:00.0000	1613	-1
Tue Jun 27 2017 13:21:00.0000	1605	-1
Tue Jun 27 2017 13:22:00.0000	1599	-1
Tue Jun 27 2017 13:23:00.0000	1613	-1
Tue Jun 27 2017 13:24:00.0000	1620	-1
Tue Jun 27 2017 13:25:00.0000	1622	-1
Tue Jun 27 2017 13:26:00.0000	1628	-1
Tue Jun 27 2017 13:27:00.0000	1634	-1
Tue Jun 27 2017 13:28:00.0000	1625	-1
Tue Jun 27 2017 13:29:00.0000	1613	-1
Tue Jun 27 2017 13:30:00.0000	1608	-1
Tue Jun 27 2017 13:31:00.0000	1603	-1
Tue Jun 27 2017 13:32:00.0000	1606	-1
Tue Jun 27 2017 13:33:00.0000	1609	-1

Date/Time	Process Temperature (°F)	Process Flow SCFM
Tue Jun 27 2017 13:34:00.0000	1609	-1
Tue Jun 27 2017 13:35:00.0000	1612	-1
Tue Jun 27 2017 13:36:00.0000	1615	-1
Tue Jun 27 2017 13:37:00.0000	1616	-1
Tue Jun 27 2017 13:38:00.0000	1615	-1
Tue Jun 27 2017 13:39:00.0000	1615	-1
Tue Jun 27 2017 13:40:00.0000	1616	-1
Tue Jun 27 2017 13:41:00.0000	1619	-1
Tue Jun 27 2017 13:42:00.0000	1617	-1
Tue Jun 27 2017 13:43:00.0000	1615	-1
Tue Jun 27 2017 13:44:00.0000	1617	-1
Tue Jun 27 2017 13:45:00.0000	1619	-1
Tue Jun 27 2017 13:46:00.0000	1619	-1
Tue Jun 27 2017 13:47:00.0000	1617	-1
Tue Jun 27 2017 13:48:00.0000	1618	-1
Tue Jun 27 2017 13:49:00.0000	1618	-1
Tue Jun 27 2017 13:50:00.0000	1621	-1
Tue Jun 27 2017 13:51:00.0000	1620	-1
Tue Jun 27 2017 13:52:00.0000	1618	-1
Tue Jun 27 2017 13:53:00.0000	1620	-1
Tue Jun 27 2017 13:54:00.0000	1621	-1
Tue Jun 27 2017 13:55:00.0000	1622	-1
Tue Jun 27 2017 13:56:00.0000	1620	-1
Tue Jun 27 2017 13:57:00.0000	1620	-1
Tue Jun 27 2017 13:58:00.0000	1621	-1
Tue Jun 27 2017 13:59:00.0000	1624	-1
Tue Jun 27 2017 14:00:00.0000	1622	-1
Tue Jun 27 2017 14:01:00.0000	1620	-1
Tue Jun 27 2017 14:02:00.0000	1622	-1
Tue Jun 27 2017 14:03:00.0000	1623	-1
Tue Jun 27 2017 14:04:00.0000	1624	-1
Tue Jun 27 2017 14:05:00.0000	1620	-1
Tue Jun 27 2017 14:06:00.0000	1620	-1
Tue Jun 27 2017 14:07:00.0000	1620	-1
Tue Jun 27 2017 14:08:00.0000	1624	-1
Tue Jun 27 2017 14:09:00.0000	1622	-1
Tue Jun 27 2017 14:10:00.0000	1620	-1
Tue Jun 27 2017 14:11:00.0000	1620	-1
Tue Jun 27 2017 14:12:00.0000	1622	-1
Tue Jun 27 2017 14:13:00.0000	1623	-1
Tue Jun 27 2017 14:14:00.0000	1620	-1
Tue Jun 27 2017 14:15:00.0000	1621	-1
Tue Jun 27 2017 14:16:00.0000	1621	-1
Tue Jun 27 2017 14:17:00.0000	1624	-1
Tue Jun 27 2017 14:18:00.0000	1622	-1
Tue Jun 27 2017 14:19:00.0000	1620	-1
Tue Jun 27 2017 14:20:00.0000	1621	-1
Tue Jun 27 2017 14:21:00.0000	1623	-1
Tue Jun 27 2017 14:22:00.0000	1624	-1
Tue Jun 27 2017 14:23:00.0000	1621	-1
Tue Jun 27 2017 14:24:00.0000	1621	-1
Tue Jun 27 2017 14:25:00.0000	1622	-1
Tue Jun 27 2017 14:26:00.0000	1625	-1
Tue Jun 27 2017 14:27:00.0000	1623	-1
Tue Jun 27 2017 14:28:00.0000	1621	-1
Tue Jun 27 2017 14:29:00.0000	1622	-1
Tue Jun 27 2017 14:30:00.0000	1625	-1

Date/Time	Process Temperature (°F)	Process Flow SCFM
Tue Jun 27 2017 14:31:00.0000	1625	-1
Tue Jun 27 2017 14:32:00.0000	1622	-1
Tue Jun 27 2017 14:33:00.0000	1623	-1
Tue Jun 27 2017 14:34:00.0000	1622	-1
Tue Jun 27 2017 14:35:00.0000	1626	-1
Tue Jun 27 2017 14:36:00.0000	1625	-1
Tue Jun 27 2017 14:37:00.0000	1623	-1
Tue Jun 27 2017 14:38:00.0000	1623	-1
Tue Jun 27 2017 14:39:00.0000	1625	-1
Tue Jun 27 2017 14:40:00.0000	1626	-1
Tue Jun 27 2017 14:41:00.0000	1623	-1
Tue Jun 27 2017 14:42:00.0000	1623	-1
Tue Jun 27 2017 14:43:00.0000	1624	-1
Tue Jun 27 2017 14:44:00.0000	1627	-1
Tue Jun 27 2017 14:45:00.0000	1625	-1
Tue Jun 27 2017 14:46:00.0000	1623	-1
Tue Jun 27 2017 14:47:00.0000	1624	-1
Tue Jun 27 2017 14:48:00.0000	1627	-1
Tue Jun 27 2017 14:49:00.0000	1627	-1
Tue Jun 27 2017 14:50:00.0000	1625	-1
Tue Jun 27 2017 14:51:00.0000	1625	-1
Tue Jun 27 2017 14:52:00.0000	1625	-1
Tue Jun 27 2017 14:53:00.0000	1628	-1
Tue Jun 27 2017 14:54:00.0000	1627	-1
Tue Jun 27 2017 14:55:00.0000	1625	-1
Tue Jun 27 2017 14:56:00.0000	1625	-1
Tue Jun 27 2017 14:57:00.0000	1628	-1
Tue Jun 27 2017 14:58:00.0000	1628	-1
Tue Jun 27 2017 14:59:00.0000	1626	-1
Tue Jun 27 2017 15:00:00.0000	1626	-1
Tue Jun 27 2017 15:01:00.0000	1628	-1
Tue Jun 27 2017 15:02:00.0000	1629	-1
Tue Jun 27 2017 15:03:00.0000	1627	-1
Tue Jun 27 2017 15:04:00.0000	1626	-1
Tue Jun 27 2017 15:05:00.0000	1627	-1
Tue Jun 27 2017 15:06:00.0000	1630	-1
Tue Jun 27 2017 15:07:00.0000	1629	-1
Tue Jun 27 2017 15:08:00.0000	1627	-1
Tue Jun 27 2017 15:09:00.0000	1627	-1
Tue Jun 27 2017 15:10:00.0000	1629	-1
Tue Jun 27 2017 15:11:00.0000	1631	-1
Tue Jun 27 2017 15:12:00.0000	1628	-1
Tue Jun 27 2017 15:13:00.0000	1628	-1
Tue Jun 27 2017 15:14:00.0000	1628	-1
Tue Jun 27 2017 15:15:00.0000	1631	-1
Tue Jun 27 2017 15:16:00.0000	1630	-1
Tue Jun 27 2017 15:17:00.0000	1628	-1
Tue Jun 27 2017 15:18:00.0000	1629	-1
Tue Jun 27 2017 15:19:00.0000	1629	-1
Tue Jun 27 2017 15:20:00.0000	1632	-1
Tue Jun 27 2017 15:21:00.0000	1630	-1
Tue Jun 27 2017 15:22:00.0000	1629	-1
Tue Jun 27 2017 15:23:00.0000	1629	-1
Tue Jun 27 2017 15:24:00.0000	1633	-1
Tue Jun 27 2017 15:25:00.0000	1632	-1
Tue Jun 27 2017 15:26:00.0000	1629	-1
Tue Jun 27 2017 15:27:00.0000	1630	-1

Date/Time	Process Temperature (°F)	Process Flow SCFM
Tue Jun 27 2017 15:28:00.0000	1631	-1
Tue Jun 27 2017 15:29:00.0000	1629	-1
Tue Jun 27 2017 15:30:00.0000	1620	-1
Tue Jun 27 2017 15:31:00.0000	1616	-1
Tue Jun 27 2017 15:32:00.0000	1613	-1
Tue Jun 27 2017 15:33:00.0000	1612	-1
Tue Jun 27 2017 15:34:00.0000	1609	-1
Tue Jun 27 2017 15:35:00.0000	1606	-1
Tue Jun 27 2017 15:36:00.0000	1604	-1
Tue Jun 27 2017 15:37:00.0000	1603	-1
Tue Jun 27 2017 15:38:00.0000	1602	-1
Tue Jun 27 2017 15:39:00.0000	1604	-1
Tue Jun 27 2017 15:40:00.0000	1615	-1
Tue Jun 27 2017 15:41:00.0000	1623	-1
Tue Jun 27 2017 15:42:00.0000	1631	-1
Tue Jun 27 2017 15:43:00.0000	1633	-1
Tue Jun 27 2017 15:44:00.0000	1628	-1
Tue Jun 27 2017 15:45:00.0000	1623	-1
Tue Jun 27 2017 15:46:00.0000	1621	-1
Tue Jun 27 2017 15:47:00.0000	1619	-1
Tue Jun 27 2017 15:48:00.0000	1615	-1
Tue Jun 27 2017 15:49:00.0000	1614	-1
Tue Jun 27 2017 15:50:00.0000	1614	-1
Tue Jun 27 2017 15:51:00.0000	1614	-1
Tue Jun 27 2017 15:52:00.0000	1612	-1
Tue Jun 27 2017 15:53:00.0000	1610	-1
Tue Jun 27 2017 15:54:00.0000	1609	-1
Tue Jun 27 2017 15:55:00.0000	1611	-1
Tue Jun 27 2017 15:56:00.0000	1610	-1
Tue Jun 27 2017 15:57:00.0000	1607	-1
Tue Jun 27 2017 15:58:00.0000	1607	-1
Tue Jun 27 2017 15:59:00.0000	1607	-1
Tue Jun 27 2017 16:00:00.0000	1608	-1
Tue Jun 27 2017 16:01:00.0000	1606	-1
Tue Jun 27 2017 16:02:00.0000	1605	-1
Tue Jun 27 2017 16:03:00.0000	1605	-1
Tue Jun 27 2017 16:04:00.0000	1607	-1
Tue Jun 27 2017 16:05:00.0000	1606	-1
Tue Jun 27 2017 16:06:00.0000	1603	-1
Tue Jun 27 2017 16:07:00.0000	1603	-1
Tue Jun 27 2017 16:08:00.0000	1604	-1
Tue Jun 27 2017 16:09:00.0000	1605	-1
Tue Jun 27 2017 16:10:00.0000	1603	156
Tue Jun 27 2017 16:11:00.0000	1607	1291
Tue Jun 27 2017 16:12:00.0000	1614	1216
Tue Jun 27 2017 16:13:00.0000	1621	1177
Tue Jun 27 2017 16:14:00.0000	1622	1296
Tue Jun 27 2017 16:15:00.0000	1622	1246
Tue Jun 27 2017 16:16:00.0000	1625	1284
Tue Jun 27 2017 16:17:00.0000	1632	1371
Tue Jun 27 2017 16:18:00.0000	1632	1282
Tue Jun 27 2017 16:19:00.0000	1630	1226
Tue Jun 27 2017 16:20:00.0000	1633	1180
Tue Jun 27 2017 16:21:00.0000	1633	1267
Tue Jun 27 2017 16:22:00.0000	1631	1265
Tue Jun 27 2017 16:23:00.0000	1627	1385
Tue Jun 27 2017 16:24:00.0000	1626	1294

Date/Time	Process Temperature (°F)	Process Flow SCFM
Tue Jun 27 2017 16:25:00.0000	1626	1163
Tue Jun 27 2017 16:26:00.0000	1627	1304
Tue Jun 27 2017 16:27:00.0000	1625	1252
Tue Jun 27 2017 16:28:00.0000	1623	1473
Tue Jun 27 2017 16:29:00.0000	1624	1326
Tue Jun 27 2017 16:30:00.0000	1626	1277
Tue Jun 27 2017 16:31:00.0000	1625	1318
Tue Jun 27 2017 16:32:00.0000	1622	1437
Tue Jun 27 2017 16:33:00.0000	1624	1274
Tue Jun 27 2017 16:34:00.0000	1624	1223
Tue Jun 27 2017 16:35:00.0000	1626	1346
Tue Jun 27 2017 16:36:00.0000	1624	1364
Tue Jun 27 2017 16:37:00.0000	1623	1273
Tue Jun 27 2017 16:38:00.0000	1624	1211
Tue Jun 27 2017 16:39:00.0000	1627	1397
Tue Jun 27 2017 16:40:00.0000	1625	1341
Tue Jun 27 2017 16:41:00.0000	1623	1313
Tue Jun 27 2017 16:42:00.0000	1625	1124
Tue Jun 27 2017 16:43:00.0000	1626	1087
Tue Jun 27 2017 16:44:00.0000	1627	1319
Tue Jun 27 2017 16:45:00.0000	1625	1270
Tue Jun 27 2017 16:46:00.0000	1624	1383
Tue Jun 27 2017 16:47:00.0000	1625	1290
Tue Jun 27 2017 16:48:00.0000	1628	1316
Tue Jun 27 2017 16:49:00.0000	1627	1416
Tue Jun 27 2017 16:50:00.0000	1624	1481
Tue Jun 27 2017 16:51:00.0000	1626	1199
Tue Jun 27 2017 16:52:00.0000	1627	1279
Tue Jun 27 2017 16:53:00.0000	1628	1436
Tue Jun 27 2017 16:54:00.0000	1626	1366
Tue Jun 27 2017 16:55:00.0000	1626	1428
Tue Jun 27 2017 16:56:00.0000	1627	1294
Tue Jun 27 2017 16:57:00.0000	1630	1248
Tue Jun 27 2017 16:58:00.0000	1628	1369
Tue Jun 27 2017 16:59:00.0000	1626	1408
Tue Jun 27 2017 17:00:00.0000	1628	1207
Tue Jun 27 2017 17:01:00.0000	1629	1417
Tue Jun 27 2017 17:02:00.0000	1630	1236
Tue Jun 27 2017 17:03:00.0000	1628	1357
Tue Jun 27 2017 17:04:00.0000	1628	1493
Tue Jun 27 2017 17:05:00.0000	1628	1349
Tue Jun 27 2017 17:06:00.0000	1631	1311
Tue Jun 27 2017 17:07:00.0000	1630	1275
Tue Jun 27 2017 17:08:00.0000	1629	1299
Tue Jun 27 2017 17:09:00.0000	1629	1339
Tue Jun 27 2017 17:10:00.0000	1631	1250
Tue Jun 27 2017 17:11:00.0000	1632	1331
Tue Jun 27 2017 17:12:00.0000	1629	1338
Tue Jun 27 2017 17:13:00.0000	1629	1266
Tue Jun 27 2017 17:14:00.0000	1629	1189
Tue Jun 27 2017 17:15:00.0000	1632	1380
Tue Jun 27 2017 17:16:00.0000	1631	1266
Tue Jun 27 2017 17:17:00.0000	1629	1382
Tue Jun 27 2017 17:18:00.0000	1630	1396
Tue Jun 27 2017 17:19:00.0000	1632	1273
Tue Jun 27 2017 17:20:00.0000	1632	1256
Tue Jun 27 2017 17:21:00.0000	1630	1408

Date/Time	Process Temperature (°F)	Process Flow SCFM
Tue Jun 27 2017 17:22:00.0000	1630	1281
Tue Jun 27 2017 17:23:00.0000	1631	1279
Tue Jun 27 2017 17:24:00.0000	1633	1230
Tue Jun 27 2017 17:25:00.0000	1632	1333
Tue Jun 27 2017 17:26:00.0000	1630	1375
Tue Jun 27 2017 17:27:00.0000	1631	1193
Tue Jun 27 2017 17:28:00.0000	1632	1325
Tue Jun 27 2017 17:29:00.0000	1629	1400
Tue Jun 27 2017 17:30:00.0000	1624	1303
Tue Jun 27 2017 17:31:00.0000	1622	1333
Tue Jun 27 2017 17:32:00.0000	1621	1384
Tue Jun 27 2017 17:33:00.0000	1621	1294
Tue Jun 27 2017 17:34:00.0000	1618	1293
Tue Jun 27 2017 17:35:00.0000	1616	1398
Tue Jun 27 2017 17:36:00.0000	1616	1180
Tue Jun 27 2017 17:37:00.0000	1616	1296
Tue Jun 27 2017 17:38:00.0000	1615	1327
Tue Jun 27 2017 17:39:00.0000	1613	1447
Tue Jun 27 2017 17:40:00.0000	1612	1267
Tue Jun 27 2017 17:41:00.0000	1612	1387
Tue Jun 27 2017 17:42:00.0000	1612	1322
Tue Jun 27 2017 17:43:00.0000	1610	1300
Tue Jun 27 2017 17:44:00.0000	1609	1481
Tue Jun 27 2017 17:45:00.0000	1609	1340
Tue Jun 27 2017 17:46:00.0000	1609	1321
Tue Jun 27 2017 17:47:00.0000	1609	1259
Tue Jun 27 2017 17:48:00.0000	1607	1456
Tue Jun 27 2017 17:49:00.0000	1606	1454
Tue Jun 27 2017 17:50:00.0000	1606	1366
Tue Jun 27 2017 17:51:00.0000	1607	1283
Tue Jun 27 2017 17:52:00.0000	1605	1322
Tue Jun 27 2017 17:53:00.0000	1604	1394
Tue Jun 27 2017 17:54:00.0000	1604	1290
Tue Jun 27 2017 17:55:00.0000	1605	1356
Tue Jun 27 2017 17:56:00.0000	1604	1358
Tue Jun 27 2017 17:57:00.0000	1603	1233
Tue Jun 27 2017 17:58:00.0000	1604	1349
Tue Jun 27 2017 17:59:00.0000	1613	1305
Tue Jun 27 2017 18:00:00.0000	1622	1298
Tue Jun 27 2017 18:01:00.0000	1624	1337
Tue Jun 27 2017 18:02:00.0000	1626	1358
Tue Jun 27 2017 18:03:00.0000	1629	1309
Tue Jun 27 2017 18:04:00.0000	1633	1271
Tue Jun 27 2017 18:05:00.0000	1627	1263
Tue Jun 27 2017 18:06:00.0000	1619	1472
Tue Jun 27 2017 18:07:00.0000	1615	1424
Tue Jun 27 2017 18:08:00.0000	1611	1352
Tue Jun 27 2017 18:09:00.0000	1609	1284
Tue Jun 27 2017 18:10:00.0000	1606	1265
Tue Jun 27 2017 18:11:00.0000	1604	1372
Tue Jun 27 2017 18:12:00.0000	1602	1326
Tue Jun 27 2017 18:13:00.0000	1605	1374
Tue Jun 27 2017 18:14:00.0000	1609	1316
Tue Jun 27 2017 18:15:00.0000	1609	1421
Tue Jun 27 2017 18:16:00.0000	1611	1350
Tue Jun 27 2017 18:17:00.0000	1613	1315
Tue Jun 27 2017 18:18:00.0000	1616	1269

Date/Time	Process Temperature (°F)	Process Flow SCFM
Tue Jun 27 2017 18:19:00.0000	1616	1361
Tue Jun 27 2017 18:20:00.0000	1615	1337
Tue Jun 27 2017 18:21:00.0000	1617	1314
Tue Jun 27 2017 18:22:00.0000	1618	1318
Tue Jun 27 2017 18:23:00.0000	1619	1357
Tue Jun 27 2017 18:24:00.0000	1617	1481
Tue Jun 27 2017 18:25:00.0000	1618	1385
Tue Jun 27 2017 18:26:00.0000	1619	1387
Tue Jun 27 2017 18:27:00.0000	1621	1375
Tue Jun 27 2017 18:28:00.0000	1620	1343
Tue Jun 27 2017 18:29:00.0000	1619	1318
Tue Jun 27 2017 18:30:00.0000	1620	1175
Tue Jun 27 2017 18:31:00.0000	1622	1294
Tue Jun 27 2017 18:32:00.0000	1622	1315
Tue Jun 27 2017 18:33:00.0000	1621	1238
Tue Jun 27 2017 18:34:00.0000	1621	1388
Tue Jun 27 2017 18:35:00.0000	1622	1300
Tue Jun 27 2017 18:36:00.0000	1624	1298
Tue Jun 27 2017 18:37:00.0000	1622	1230
Tue Jun 27 2017 18:38:00.0000	1623	1437
Tue Jun 27 2017 18:39:00.0000	1623	1367
Tue Jun 27 2017 18:40:00.0000	1625	1402
Tue Jun 27 2017 18:41:00.0000	1624	1318
Tue Jun 27 2017 18:42:00.0000	1622	1444
Tue Jun 27 2017 18:43:00.0000	1623	1317
Tue Jun 27 2017 18:44:00.0000	1623	1300
Tue Jun 27 2017 18:45:00.0000	1625	1281
Tue Jun 27 2017 18:46:00.0000	1624	1249
Tue Jun 27 2017 18:47:00.0000	1623	1413
Tue Jun 27 2017 18:48:00.0000	1624	1364
Tue Jun 27 2017 18:49:00.0000	1625	1381
Tue Jun 27 2017 18:50:00.0000	1626	1259
Tue Jun 27 2017 18:51:00.0000	1624	1241
Tue Jun 27 2017 18:52:00.0000	1624	1305
Tue Jun 27 2017 18:53:00.0000	1625	1253
Tue Jun 27 2017 18:54:00.0000	1627	1356
Tue Jun 27 2017 18:55:00.0000	1625	1214
Tue Jun 27 2017 18:56:00.0000	1625	1353
Tue Jun 27 2017 18:57:00.0000	1625	1220
Tue Jun 27 2017 18:58:00.0000	1626	1241
Tue Jun 27 2017 18:59:00.0000	1626	1294
Tue Jun 27 2017 19:00:00.0000	1625	1392
Tue Jun 27 2017 19:01:00.0000	1627	1160
Tue Jun 27 2017 19:02:00.0000	1626	1399
Tue Jun 27 2017 19:03:00.0000	1627	1299
Tue Jun 27 2017 19:04:00.0000	1626	1345
Tue Jun 27 2017 19:05:00.0000	1626	1232
Tue Jun 27 2017 19:06:00.0000	1627	1336
Tue Jun 27 2017 19:07:00.0000	1628	1332
Tue Jun 27 2017 19:08:00.0000	1627	1300
Tue Jun 27 2017 19:09:00.0000	1625	1384
Tue Jun 27 2017 19:10:00.0000	1627	1283
Tue Jun 27 2017 19:11:00.0000	1628	1257
Tue Jun 27 2017 19:12:00.0000	1628	1281
Tue Jun 27 2017 19:13:00.0000	1626	1334
Tue Jun 27 2017 19:14:00.0000	1627	1416
Tue Jun 27 2017 19:15:00.0000	1628	1251

Date/Time	Process Temperature (°F)	Process Flow SCFM
Tue Jun 27 2017 19:16:00.0000	1629	1314
Tue Jun 27 2017 19:17:00.0000	1627	1311
Tue Jun 27 2017 19:18:00.0000	1627	1263
Tue Jun 27 2017 19:19:00.0000	1627	1301
Tue Jun 27 2017 19:20:00.0000	1629	1217
Tue Jun 27 2017 19:21:00.0000	1628	1220
Tue Jun 27 2017 19:22:00.0000	1626	1223
Tue Jun 27 2017 19:23:00.0000	1628	1218
Tue Jun 27 2017 19:24:00.0000	1628	1166
Tue Jun 27 2017 19:25:00.0000	1629	1207
Tue Jun 27 2017 19:26:00.0000	1627	1341
Tue Jun 27 2017 19:27:00.0000	1627	1296
Tue Jun 27 2017 19:28:00.0000	1627	1250
Tue Jun 27 2017 19:29:00.0000	1629	1234
Tue Jun 27 2017 19:30:00.0000	1628	1272
Tue Jun 27 2017 19:31:00.0000	1626	1230
Tue Jun 27 2017 19:32:00.0000	1627	1275
Tue Jun 27 2017 19:33:00.0000	1628	1309
Tue Jun 27 2017 19:34:00.0000	1629	1330
Tue Jun 27 2017 19:35:00.0000	1627	1353
Tue Jun 27 2017 19:36:00.0000	1627	1408
Tue Jun 27 2017 19:37:00.0000	1627	1344
Tue Jun 27 2017 19:38:00.0000	1629	1345
Tue Jun 27 2017 19:39:00.0000	1628	1241
Tue Jun 27 2017 19:40:00.0000	1626	1319
Tue Jun 27 2017 19:41:00.0000	1627	1357
Tue Jun 27 2017 19:42:00.0000	1628	1317
Tue Jun 27 2017 19:43:00.0000	1628	1351
Tue Jun 27 2017 19:44:00.0000	1627	1299
Tue Jun 27 2017 19:45:00.0000	1628	1221
Tue Jun 27 2017 19:46:00.0000	1627	1348
Tue Jun 27 2017 19:47:00.0000	1629	1347
Tue Jun 27 2017 19:48:00.0000	1628	1338
Tue Jun 27 2017 19:49:00.0000	1627	1460
Tue Jun 27 2017 19:50:00.0000	1627	1246
Tue Jun 27 2017 19:51:00.0000	1629	1347
Tue Jun 27 2017 19:52:00.0000	1628	1261
Tue Jun 27 2017 19:53:00.0000	1626	1240
Tue Jun 27 2017 19:54:00.0000	1627	1240
Tue Jun 27 2017 19:55:00.0000	1629	1326
Tue Jun 27 2017 19:56:00.0000	1629	1351
Tue Jun 27 2017 19:57:00.0000	1627	1319
Tue Jun 27 2017 19:58:00.0000	1627	1360
Tue Jun 27 2017 19:59:00.0000	1628	1283
Tue Jun 27 2017 20:00:00.0000	1629	1322
Tue Jun 27 2017 20:01:00.0000	1628	1374
Tue Jun 27 2017 20:02:00.0000	1627	1338
Tue Jun 27 2017 20:03:00.0000	1628	1338
Tue Jun 27 2017 20:04:00.0000	1629	1310
Tue Jun 27 2017 20:05:00.0000	1629	1320
Tue Jun 27 2017 20:06:00.0000	1627	1407
Tue Jun 27 2017 20:07:00.0000	1627	1189
Tue Jun 27 2017 20:08:00.0000	1628	1296
Tue Jun 27 2017 20:09:00.0000	1629	1344
Tue Jun 27 2017 20:10:00.0000	1627	1256
Tue Jun 27 2017 20:11:00.0000	1627	1429
Tue Jun 27 2017 20:12:00.0000	1627	1261

Date/Time	Process Temperature (°F)	Process Flow SCFM
Tue Jun 27 2017 20:13:00.0000	1629	1316
Tue Jun 27 2017 20:14:00.0000	1628	1296
Tue Jun 27 2017 20:15:00.0000	1627	1304
Tue Jun 27 2017 20:16:00.0000	1627	1278
Tue Jun 27 2017 20:17:00.0000	1628	1417
Tue Jun 27 2017 20:18:00.0000	1629	1326
Tue Jun 27 2017 20:19:00.0000	1627	1389
Tue Jun 27 2017 20:20:00.0000	1627	1325
Tue Jun 27 2017 20:21:00.0000	1627	1213
Tue Jun 27 2017 20:22:00.0000	1629	1300
Tue Jun 27 2017 20:23:00.0000	1628	1347
Tue Jun 27 2017 20:24:00.0000	1626	1294
Tue Jun 27 2017 20:25:00.0000	1627	1248
Tue Jun 27 2017 20:26:00.0000	1628	1318
Tue Jun 27 2017 20:27:00.0000	1629	1302
Tue Jun 27 2017 20:28:00.0000	1627	1294
Tue Jun 27 2017 20:29:00.0000	1627	1339
Tue Jun 27 2017 20:30:00.0000	1627	1272
Tue Jun 27 2017 20:31:00.0000	1629	1348
Tue Jun 27 2017 20:32:00.0000	1628	1297
Tue Jun 27 2017 20:33:00.0000	1627	1431
Tue Jun 27 2017 20:34:00.0000	1627	1278
Tue Jun 27 2017 20:35:00.0000	1628	1359
Tue Jun 27 2017 20:36:00.0000	1629	1223
Tue Jun 27 2017 20:37:00.0000	1627	1243
Tue Jun 27 2017 20:38:00.0000	1627	1238
Tue Jun 27 2017 20:39:00.0000	1627	1278
Tue Jun 27 2017 20:40:00.0000	1629	1252
Tue Jun 27 2017 20:41:00.0000	1628	1265
Tue Jun 27 2017 20:42:00.0000	1627	1205
Tue Jun 27 2017 20:43:00.0000	1628	1230
Tue Jun 27 2017 20:44:00.0000	1628	1372
Tue Jun 27 2017 20:45:00.0000	1629	1222
Tue Jun 27 2017 20:46:00.0000	1627	1336
Tue Jun 27 2017 20:47:00.0000	1627	1311
Tue Jun 27 2017 20:48:00.0000	1627	1234
Tue Jun 27 2017 20:49:00.0000	1629	1259
Tue Jun 27 2017 20:50:00.0000	1628	1258
Tue Jun 27 2017 20:51:00.0000	1627	1241
Tue Jun 27 2017 20:52:00.0000	1627	1395
Tue Jun 27 2017 20:53:00.0000	1628	1158
Tue Jun 27 2017 20:54:00.0000	1629	1253
Tue Jun 27 2017 20:55:00.0000	1627	1264
Tue Jun 27 2017 20:56:00.0000	1627	1258
Tue Jun 27 2017 20:57:00.0000	1628	1314
Tue Jun 27 2017 20:58:00.0000	1629	1228
Tue Jun 27 2017 20:59:00.0000	1628	1276
Tue Jun 27 2017 21:00:00.0000	1626	1409
Tue Jun 27 2017 21:01:00.0000	1627	1301
Tue Jun 27 2017 21:02:00.0000	1628	1263
Tue Jun 27 2017 21:03:00.0000	1629	1263
Tue Jun 27 2017 21:04:00.0000	1627	1253
Tue Jun 27 2017 21:05:00.0000	1627	1191
Tue Jun 27 2017 21:06:00.0000	1627	1103
Tue Jun 27 2017 21:07:00.0000	1629	1304
Tue Jun 27 2017 21:08:00.0000	1627	1244
Tue Jun 27 2017 21:09:00.0000	1626	1252

Date/Time	Process Temperature (°F)	Process Flow SCFM
Tue Jun 27 2017 21:10:00.0000	1627	1194
Tue Jun 27 2017 21:11:00.0000	1628	1244
Tue Jun 27 2017 21:12:00.0000	1628	1250
Tue Jun 27 2017 21:13:00.0000	1627	1220
Tue Jun 27 2017 21:14:00.0000	1627	1273
Tue Jun 27 2017 21:15:00.0000	1627	1223
Tue Jun 27 2017 21:16:00.0000	1629	1238
Tue Jun 27 2017 21:17:00.0000	1627	1317
Tue Jun 27 2017 21:18:00.0000	1626	1319
Tue Jun 27 2017 21:19:00.0000	1627	1277
Tue Jun 27 2017 21:20:00.0000	1628	1216
Tue Jun 27 2017 21:21:00.0000	1628	1248
Tue Jun 27 2017 21:22:00.0000	1626	1223
Tue Jun 27 2017 21:23:00.0000	1627	1175
Tue Jun 27 2017 21:24:00.0000	1628	1198
Tue Jun 27 2017 21:25:00.0000	1629	1231
Tue Jun 27 2017 21:26:00.0000	1627	1197
Tue Jun 27 2017 21:27:00.0000	1626	1194
Tue Jun 27 2017 21:28:00.0000	1627	1184
Tue Jun 27 2017 21:29:00.0000	1628	1224
Tue Jun 27 2017 21:30:00.0000	1628	1236
Tue Jun 27 2017 21:31:00.0000	1626	1235
Tue Jun 27 2017 21:32:00.0000	1627	1222
Tue Jun 27 2017 21:33:00.0000	1627	1153
Tue Jun 27 2017 21:34:00.0000	1628	1227
Tue Jun 27 2017 21:35:00.0000	1627	1212
Tue Jun 27 2017 21:36:00.0000	1627	1244
Tue Jun 27 2017 21:37:00.0000	1627	1310
Tue Jun 27 2017 21:38:00.0000	1628	1231
Tue Jun 27 2017 21:39:00.0000	1628	1211
Tue Jun 27 2017 21:40:00.0000	1626	1259
Tue Jun 27 2017 21:41:00.0000	1627	1145
Tue Jun 27 2017 21:42:00.0000	1627	1159
Tue Jun 27 2017 21:43:00.0000	1628	1237
Tue Jun 27 2017 21:44:00.0000	1626	1235
Tue Jun 27 2017 21:45:00.0000	1626	1195
Tue Jun 27 2017 21:46:00.0000	1626	1300
Tue Jun 27 2017 21:47:00.0000	1628	1261
Tue Jun 27 2017 21:48:00.0000	1627	1206
Tue Jun 27 2017 21:49:00.0000	1625	1277
Tue Jun 27 2017 21:50:00.0000	1626	1290
Tue Jun 27 2017 21:51:00.0000	1627	1231
Tue Jun 27 2017 21:52:00.0000	1627	1166
Tue Jun 27 2017 21:53:00.0000	1626	1208
Tue Jun 27 2017 21:54:00.0000	1626	1216
Tue Jun 27 2017 21:55:00.0000	1626	1150
Tue Jun 27 2017 21:56:00.0000	1627	1180
Tue Jun 27 2017 21:57:00.0000	1627	1274
Tue Jun 27 2017 21:58:00.0000	1626	1198
Tue Jun 27 2017 21:59:00.0000	1626	1269
Tue Jun 27 2017 22:00:00.0000	1627	1225
Tue Jun 27 2017 22:01:00.0000	1627	1185
Tue Jun 27 2017 22:02:00.0000	1625	1229
Tue Jun 27 2017 22:03:00.0000	1626	1178
Tue Jun 27 2017 22:04:00.0000	1626	1268
Tue Jun 27 2017 22:05:00.0000	1627	1240
Tue Jun 27 2017 22:06:00.0000	1626	1220

Date/Time	Process Temperature (°F)	Process Flow SCFM
Tue Jun 27 2017 22:07:00.0000	1626	1259
Tue Jun 27 2017 22:08:00.0000	1626	1265
Tue Jun 27 2017 22:09:00.0000	1627	1229
Tue Jun 27 2017 22:10:00.0000	1626	1245
Tue Jun 27 2017 22:11:00.0000	1625	1265
Tue Jun 27 2017 22:12:00.0000	1626	1199
Tue Jun 27 2017 22:13:00.0000	1627	1277
Tue Jun 27 2017 22:14:00.0000	1627	1241
Tue Jun 27 2017 22:15:00.0000	1625	1109
Tue Jun 27 2017 22:16:00.0000	1626	1266
Tue Jun 27 2017 22:17:00.0000	1626	1199
Tue Jun 27 2017 22:18:00.0000	1627	1243
Tue Jun 27 2017 22:19:00.0000	1626	1256
Tue Jun 27 2017 22:20:00.0000	1625	1249
Tue Jun 27 2017 22:21:00.0000	1626	1229
Tue Jun 27 2017 22:22:00.0000	1627	1263
Tue Jun 27 2017 22:23:00.0000	1627	1290
Tue Jun 27 2017 22:24:00.0000	1625	1182
Tue Jun 27 2017 22:25:00.0000	1626	1301
Tue Jun 27 2017 22:26:00.0000	1627	1234
Tue Jun 27 2017 22:27:00.0000	1626	1202
Tue Jun 27 2017 22:28:00.0000	1625	1188
Tue Jun 27 2017 22:29:00.0000	1626	1283
Tue Jun 27 2017 22:30:00.0000	1626	1215
Tue Jun 27 2017 22:31:00.0000	1627	1219
Tue Jun 27 2017 22:32:00.0000	1625	1190
Tue Jun 27 2017 22:33:00.0000	1625	1331
Tue Jun 27 2017 22:34:00.0000	1626	1338
Tue Jun 27 2017 22:35:00.0000	1627	1190
Tue Jun 27 2017 22:36:00.0000	1625	1241
Tue Jun 27 2017 22:37:00.0000	1624	1188
Tue Jun 27 2017 22:38:00.0000	1625	1282
Tue Jun 27 2017 22:39:00.0000	1627	1276
Tue Jun 27 2017 22:40:00.0000	1626	1216
Tue Jun 27 2017 22:41:00.0000	1624	1230
Tue Jun 27 2017 22:42:00.0000	1625	1305
Tue Jun 27 2017 22:43:00.0000	1625	1281
Tue Jun 27 2017 22:44:00.0000	1626	1210
Tue Jun 27 2017 22:45:00.0000	1624	1170
Tue Jun 27 2017 22:46:00.0000	1624	1356
Tue Jun 27 2017 22:47:00.0000	1625	1410
Tue Jun 27 2017 22:48:00.0000	1626	1267
Tue Jun 27 2017 22:49:00.0000	1625	1210
Tue Jun 27 2017 22:50:00.0000	1624	1321
Tue Jun 27 2017 22:51:00.0000	1625	1057
Tue Jun 27 2017 22:52:00.0000	1625	1311
Tue Jun 27 2017 22:53:00.0000	1626	1245
Tue Jun 27 2017 22:54:00.0000	1624	1264
Tue Jun 27 2017 22:55:00.0000	1624	1171
Tue Jun 27 2017 22:56:00.0000	1625	1150
Tue Jun 27 2017 22:57:00.0000	1627	1239
Tue Jun 27 2017 22:58:00.0000	1625	1289
Tue Jun 27 2017 22:59:00.0000	1624	1150
Tue Jun 27 2017 23:00:00.0000	1625	1297
Tue Jun 27 2017 23:01:00.0000	1625	1201
Tue Jun 27 2017 23:02:00.0000	1626	1222
Tue Jun 27 2017 23:03:00.0000	1624	1200

Date/Time	Process Temperature (°F)	Process Flow SCFM
Tue Jun 27 2017 23:04:00.0000	1625	1332
Tue Jun 27 2017 23:05:00.0000	1625	1371
Tue Jun 27 2017 23:06:00.0000	1626	1197
Tue Jun 27 2017 23:07:00.0000	1624	1230
Tue Jun 27 2017 23:08:00.0000	1624	1145
Tue Jun 27 2017 23:09:00.0000	1624	1161
Tue Jun 27 2017 23:10:00.0000	1626	1238
Tue Jun 27 2017 23:11:00.0000	1626	1167
Tue Jun 27 2017 23:12:00.0000	1624	1287
Tue Jun 27 2017 23:13:00.0000	1625	1120
Tue Jun 27 2017 23:14:00.0000	1625	1206
Tue Jun 27 2017 23:15:00.0000	1626	1209
Tue Jun 27 2017 23:16:00.0000	1625	1230
Tue Jun 27 2017 23:17:00.0000	1624	1194
Tue Jun 27 2017 23:18:00.0000	1624	1227
Tue Jun 27 2017 23:19:00.0000	1626	1232
Tue Jun 27 2017 23:20:00.0000	1625	1210
Tue Jun 27 2017 23:21:00.0000	1624	1178
Tue Jun 27 2017 23:22:00.0000	1624	1162
Tue Jun 27 2017 23:23:00.0000	1625	1238
Tue Jun 27 2017 23:24:00.0000	1626	1235
Tue Jun 27 2017 23:25:00.0000	1624	1217
Tue Jun 27 2017 23:26:00.0000	1624	1238
Tue Jun 27 2017 23:27:00.0000	1624	1243
Tue Jun 27 2017 23:28:00.0000	1625	1247
Tue Jun 27 2017 23:29:00.0000	1625	1207
Tue Jun 27 2017 23:30:00.0000	1623	1232
Tue Jun 27 2017 23:31:00.0000	1624	1187
Tue Jun 27 2017 23:32:00.0000	1624	1173
Tue Jun 27 2017 23:33:00.0000	1625	1281
Tue Jun 27 2017 23:34:00.0000	1624	1239
Tue Jun 27 2017 23:35:00.0000	1623	1290
Tue Jun 27 2017 23:36:00.0000	1624	1234
Tue Jun 27 2017 23:37:00.0000	1626	1220
Tue Jun 27 2017 23:38:00.0000	1625	1214
Tue Jun 27 2017 23:39:00.0000	1623	1217
Tue Jun 27 2017 23:40:00.0000	1624	1268
Tue Jun 27 2017 23:41:00.0000	1625	1307
Tue Jun 27 2017 23:42:00.0000	1626	1217
Tue Jun 27 2017 23:43:00.0000	1624	1229
Tue Jun 27 2017 23:44:00.0000	1624	1224
Tue Jun 27 2017 23:45:00.0000	1624	1283
Tue Jun 27 2017 23:46:00.0000	1626	1246
Tue Jun 27 2017 23:47:00.0000	1625	1266
Tue Jun 27 2017 23:48:00.0000	1624	1209
Tue Jun 27 2017 23:49:00.0000	1625	1312
Tue Jun 27 2017 23:50:00.0000	1625	1214
Tue Jun 27 2017 23:51:00.0000	1626	1237
Tue Jun 27 2017 23:52:00.0000	1624	1177
Tue Jun 27 2017 23:53:00.0000	1624	1263
Tue Jun 27 2017 23:54:00.0000	1625	1342
Tue Jun 27 2017 23:55:00.0000	1627	1230
Tue Jun 27 2017 23:56:00.0000	1626	1261
Tue Jun 27 2017 23:57:00.0000	1624	1242
Tue Jun 27 2017 23:58:00.0000	1625	1216
Tue Jun 27 2017 23:59:00.0000	1626	1262
Wed Jun 28 2017 00:00:00.0000	1626	1250

Date/Time	Process Temperature (°F)	Process Flow SCFM
Wed Jun 28 2017 00:01:00.0000	1625	1121
Wed Jun 28 2017 00:02:00.0000	1625	1145
Wed Jun 28 2017 00:03:00.0000	1625	1232
Wed Jun 28 2017 00:04:00.0000	1627	1237
Wed Jun 28 2017 00:05:00.0000	1626	1292
Wed Jun 28 2017 00:06:00.0000	1624	1217
Wed Jun 28 2017 00:07:00.0000	1625	1194
Wed Jun 28 2017 00:08:00.0000	1626	1172
Wed Jun 28 2017 00:09:00.0000	1627	1236
Wed Jun 28 2017 00:10:00.0000	1625	1239
Wed Jun 28 2017 00:11:00.0000	1626	1183
Wed Jun 28 2017 00:12:00.0000	1626	1226
Wed Jun 28 2017 00:13:00.0000	1627	1207
Wed Jun 28 2017 00:14:00.0000	1626	1202
Wed Jun 28 2017 00:15:00.0000	1625	1227
Wed Jun 28 2017 00:16:00.0000	1626	1200
Wed Jun 28 2017 00:17:00.0000	1627	1255
Wed Jun 28 2017 00:18:00.0000	1627	1226
Wed Jun 28 2017 00:19:00.0000	1625	1314
Wed Jun 28 2017 00:20:00.0000	1626	1265
Wed Jun 28 2017 00:21:00.0000	1626	1213
Wed Jun 28 2017 00:22:00.0000	1627	1169
Wed Jun 28 2017 00:23:00.0000	1626	1245
Wed Jun 28 2017 00:24:00.0000	1625	1267
Wed Jun 28 2017 00:25:00.0000	1626	1254
Wed Jun 28 2017 00:26:00.0000	1627	1247
Wed Jun 28 2017 00:27:00.0000	1627	1199
Wed Jun 28 2017 00:28:00.0000	1625	1254
Wed Jun 28 2017 00:29:00.0000	1626	1158
Wed Jun 28 2017 00:30:00.0000	1626	1316
Wed Jun 28 2017 00:31:00.0000	1628	1175
Wed Jun 28 2017 00:32:00.0000	1626	1184
Wed Jun 28 2017 00:33:00.0000	1625	1235
Wed Jun 28 2017 00:34:00.0000	1626	1231
Wed Jun 28 2017 00:35:00.0000	1628	1235
Wed Jun 28 2017 00:36:00.0000	1627	1213
Wed Jun 28 2017 00:37:00.0000	1625	1226
Wed Jun 28 2017 00:38:00.0000	1626	1179
Wed Jun 28 2017 00:39:00.0000	1627	1221
Wed Jun 28 2017 00:40:00.0000	1628	1203
Wed Jun 28 2017 00:41:00.0000	1626	1227
Wed Jun 28 2017 00:42:00.0000	1626	1126
Wed Jun 28 2017 00:43:00.0000	1626	1263
Wed Jun 28 2017 00:44:00.0000	1628	1239
Wed Jun 28 2017 00:45:00.0000	1627	1238
Wed Jun 28 2017 00:46:00.0000	1625	1212
Wed Jun 28 2017 00:47:00.0000	1626	1236
Wed Jun 28 2017 00:48:00.0000	1627	1174
Wed Jun 28 2017 00:49:00.0000	1628	1225
Wed Jun 28 2017 00:50:00.0000	1626	1299
Wed Jun 28 2017 00:51:00.0000	1626	1139
Wed Jun 28 2017 00:52:00.0000	1626	1270
Wed Jun 28 2017 00:53:00.0000	1628	1152
Wed Jun 28 2017 00:54:00.0000	1627	1237
Wed Jun 28 2017 00:55:00.0000	1625	1216
Wed Jun 28 2017 00:56:00.0000	1626	1174
Wed Jun 28 2017 00:57:00.0000	1627	1252

Date/Time	Process Temperature (°F)	Process Flow SCFM
Wed Jun 28 2017 00:58:00.0000	1628	1240
Wed Jun 28 2017 00:59:00.0000	1626	1191
Wed Jun 28 2017 01:00:00.0000	1627	1208
Wed Jun 28 2017 01:01:00.0000	1627	1305
Wed Jun 28 2017 01:02:00.0000	1628	1240
Wed Jun 28 2017 01:03:00.0000	1627	1275
Wed Jun 28 2017 01:04:00.0000	1626	1178
Wed Jun 28 2017 01:05:00.0000	1627	1221
Wed Jun 28 2017 01:06:00.0000	1629	1185
Wed Jun 28 2017 01:07:00.0000	1627	1220
Wed Jun 28 2017 01:08:00.0000	1626	1250
Wed Jun 28 2017 01:09:00.0000	1627	1224
Wed Jun 28 2017 01:10:00.0000	1628	1256
Wed Jun 28 2017 01:11:00.0000	1628	1251
Wed Jun 28 2017 01:12:00.0000	1626	1268
Wed Jun 28 2017 01:13:00.0000	1627	1219
Wed Jun 28 2017 01:14:00.0000	1627	1219
Wed Jun 28 2017 01:15:00.0000	1628	1178
Wed Jun 28 2017 01:16:00.0000	1627	1255
Wed Jun 28 2017 01:17:00.0000	1626	1222
Wed Jun 28 2017 01:18:00.0000	1627	1204
Wed Jun 28 2017 01:19:00.0000	1628	1201
Wed Jun 28 2017 01:20:00.0000	1627	1245
Wed Jun 28 2017 01:21:00.0000	1626	1130
Wed Jun 28 2017 01:22:00.0000	1627	1103
Wed Jun 28 2017 01:23:00.0000	1628	1216
Wed Jun 28 2017 01:24:00.0000	1628	1238
Wed Jun 28 2017 01:25:00.0000	1626	1233
Wed Jun 28 2017 01:26:00.0000	1626	1134
Wed Jun 28 2017 01:27:00.0000	1627	1181
Wed Jun 28 2017 01:28:00.0000	1628	1089
Wed Jun 28 2017 01:29:00.0000	1626	1209
Wed Jun 28 2017 01:30:00.0000	1626	1239
Wed Jun 28 2017 01:31:00.0000	1626	1172
Wed Jun 28 2017 01:32:00.0000	1628	1199
Wed Jun 28 2017 01:33:00.0000	1627	1210
Wed Jun 28 2017 01:34:00.0000	1626	1288
Wed Jun 28 2017 01:35:00.0000	1627	1241
Wed Jun 28 2017 01:36:00.0000	1627	1216
Wed Jun 28 2017 01:37:00.0000	1628	1194
Wed Jun 28 2017 01:38:00.0000	1627	1280
Wed Jun 28 2017 01:39:00.0000	1626	1201
Wed Jun 28 2017 01:40:00.0000	1627	1220
Wed Jun 28 2017 01:41:00.0000	1628	1219
Wed Jun 28 2017 01:42:00.0000	1627	1223
Wed Jun 28 2017 01:43:00.0000	1626	1244
Wed Jun 28 2017 01:44:00.0000	1627	1253
Wed Jun 28 2017 01:45:00.0000	1627	1137
Wed Jun 28 2017 01:46:00.0000	1628	1227
Wed Jun 28 2017 01:47:00.0000	1627	1126
Wed Jun 28 2017 01:48:00.0000	1626	1235
Wed Jun 28 2017 01:49:00.0000	1627	1304
Wed Jun 28 2017 01:50:00.0000	1628	1207
Wed Jun 28 2017 01:51:00.0000	1627	1172
Wed Jun 28 2017 01:52:00.0000	1626	1190
Wed Jun 28 2017 01:53:00.0000	1627	1119
Wed Jun 28 2017 01:54:00.0000	1627	1123

Date/Time	Process Temperature (°F)	Process Flow SCFM
Wed Jun 28 2017 01:55:00.0000	1628	1236
Wed Jun 28 2017 01:56:00.0000	1627	1148
Wed Jun 28 2017 01:57:00.0000	1628	1207
Wed Jun 28 2017 01:58:00.0000	1627	1127
Wed Jun 28 2017 01:59:00.0000	1628	1229
Wed Jun 28 2017 02:00:00.0000	1628	1202
Wed Jun 28 2017 02:01:00.0000	1626	1210
Wed Jun 28 2017 02:02:00.0000	1627	1235
Wed Jun 28 2017 02:03:00.0000	1629	1233
Wed Jun 28 2017 02:04:00.0000	1628	1214
Wed Jun 28 2017 02:05:00.0000	1626	1256
Wed Jun 28 2017 02:06:00.0000	1627	1238
Wed Jun 28 2017 02:07:00.0000	1628	1262
Wed Jun 28 2017 02:08:00.0000	1629	1229
Wed Jun 28 2017 02:09:00.0000	1627	1250
Wed Jun 28 2017 02:10:00.0000	1627	1279
Wed Jun 28 2017 02:11:00.0000	1627	1261
Wed Jun 28 2017 02:12:00.0000	1629	1219
Wed Jun 28 2017 02:13:00.0000	1628	1253
Wed Jun 28 2017 02:14:00.0000	1627	1231
Wed Jun 28 2017 02:15:00.0000	1627	1229
Wed Jun 28 2017 02:16:00.0000	1628	1236
Wed Jun 28 2017 02:17:00.0000	1628	1233
Wed Jun 28 2017 02:18:00.0000	1627	1130
Wed Jun 28 2017 02:19:00.0000	1627	1147
Wed Jun 28 2017 02:20:00.0000	1627	1305
Wed Jun 28 2017 02:21:00.0000	1629	1224
Wed Jun 28 2017 02:22:00.0000	1627	1275
Wed Jun 28 2017 02:23:00.0000	1626	1315
Wed Jun 28 2017 02:24:00.0000	1627	1273
Wed Jun 28 2017 02:25:00.0000	1628	1194
Wed Jun 28 2017 02:26:00.0000	1628	1181
Wed Jun 28 2017 02:27:00.0000	1626	1288
Wed Jun 28 2017 02:28:00.0000	1627	1038
Wed Jun 28 2017 02:29:00.0000	1627	1131
Wed Jun 28 2017 02:30:00.0000	1628	1265
Wed Jun 28 2017 02:31:00.0000	1627	1181
Wed Jun 28 2017 02:32:00.0000	1626	1262
Wed Jun 28 2017 02:33:00.0000	1627	1158
Wed Jun 28 2017 02:34:00.0000	1628	1234
Wed Jun 28 2017 02:35:00.0000	1627	1217
Wed Jun 28 2017 02:36:00.0000	1626	1244
Wed Jun 28 2017 02:37:00.0000	1627	1157
Wed Jun 28 2017 02:38:00.0000	1627	1284
Wed Jun 28 2017 02:39:00.0000	1628	1195
Wed Jun 28 2017 02:40:00.0000	1626	1224
Wed Jun 28 2017 02:41:00.0000	1626	1331
Wed Jun 28 2017 02:42:00.0000	1626	1252
Wed Jun 28 2017 02:43:00.0000	1628	1230
Wed Jun 28 2017 02:44:00.0000	1627	1219
Wed Jun 28 2017 02:45:00.0000	1626	1282
Wed Jun 28 2017 02:46:00.0000	1626	1268
Wed Jun 28 2017 02:47:00.0000	1627	1221
Wed Jun 28 2017 02:48:00.0000	1628	1274
Wed Jun 28 2017 02:49:00.0000	1626	1175
Wed Jun 28 2017 02:50:00.0000	1626	1195
Wed Jun 28 2017 02:51:00.0000	1626	1190

Date/Time	Process Temperature (°F)	Process Flow SCFM
Wed Jun 28 2017 02:52:00.0000	1628	1223
Wed Jun 28 2017 02:53:00.0000	1627	1189
Wed Jun 28 2017 02:54:00.0000	1625	1301
Wed Jun 28 2017 02:55:00.0000	1626	1239
Wed Jun 28 2017 02:56:00.0000	1627	1219
Wed Jun 28 2017 02:57:00.0000	1628	1231
Wed Jun 28 2017 02:58:00.0000	1626	1278
Wed Jun 28 2017 02:59:00.0000	1626	1356
Wed Jun 28 2017 03:00:00.0000	1626	1251
Wed Jun 28 2017 03:01:00.0000	1628	1243
Wed Jun 28 2017 03:02:00.0000	1626	1288
Wed Jun 28 2017 03:03:00.0000	1625	1249
Wed Jun 28 2017 03:04:00.0000	1626	1227
Wed Jun 28 2017 03:05:00.0000	1627	1249
Wed Jun 28 2017 03:06:00.0000	1627	1268
Wed Jun 28 2017 03:07:00.0000	1625	1258
Wed Jun 28 2017 03:08:00.0000	1626	1250
Wed Jun 28 2017 03:09:00.0000	1626	1293
Wed Jun 28 2017 03:10:00.0000	1628	1202
Wed Jun 28 2017 03:11:00.0000	1626	1188
Wed Jun 28 2017 03:12:00.0000	1625	1245
Wed Jun 28 2017 03:13:00.0000	1626	1109
Wed Jun 28 2017 03:14:00.0000	1627	1220
Wed Jun 28 2017 03:15:00.0000	1627	1238
Wed Jun 28 2017 03:16:00.0000	1625	1173
Wed Jun 28 2017 03:17:00.0000	1626	1186
Wed Jun 28 2017 03:18:00.0000	1626	1213
Wed Jun 28 2017 03:19:00.0000	1628	1224
Wed Jun 28 2017 03:20:00.0000	1626	1236
Wed Jun 28 2017 03:21:00.0000	1626	1141
Wed Jun 28 2017 03:22:00.0000	1626	1243
Wed Jun 28 2017 03:23:00.0000	1627	1236
Wed Jun 28 2017 03:24:00.0000	1627	1177
Wed Jun 28 2017 03:25:00.0000	1625	1227
Wed Jun 28 2017 03:26:00.0000	1626	1243
Wed Jun 28 2017 03:27:00.0000	1627	1289
Wed Jun 28 2017 03:28:00.0000	1627	1286
Wed Jun 28 2017 03:29:00.0000	1625	1180
Wed Jun 28 2017 03:30:00.0000	1625	1313
Wed Jun 28 2017 03:31:00.0000	1626	1241
Wed Jun 28 2017 03:32:00.0000	1628	1231
Wed Jun 28 2017 03:33:00.0000	1626	1262
Wed Jun 28 2017 03:34:00.0000	1625	1250
Wed Jun 28 2017 03:35:00.0000	1626	1168
Wed Jun 28 2017 03:36:00.0000	1628	1219
Wed Jun 28 2017 03:37:00.0000	1627	1249
Wed Jun 28 2017 03:38:00.0000	1625	1231
Wed Jun 28 2017 03:39:00.0000	1625	1270
Wed Jun 28 2017 03:40:00.0000	1627	1266
Wed Jun 28 2017 03:41:00.0000	1628	1218
Wed Jun 28 2017 03:42:00.0000	1626	1221
Wed Jun 28 2017 03:43:00.0000	1625	1281
Wed Jun 28 2017 03:44:00.0000	1626	1201
Wed Jun 28 2017 03:45:00.0000	1628	1197
Wed Jun 28 2017 03:46:00.0000	1626	1214
Wed Jun 28 2017 03:47:00.0000	1625	1327
Wed Jun 28 2017 03:48:00.0000	1626	1125

Date/Time	Process Temperature (°F)	Process Flow SCFM
Wed Jun 28 2017 03:49:00.0000	1627	1262
Wed Jun 28 2017 03:50:00.0000	1627	1174
Wed Jun 28 2017 03:51:00.0000	1625	1269
Wed Jun 28 2017 03:52:00.0000	1626	1222
Wed Jun 28 2017 03:53:00.0000	1626	1098
Wed Jun 28 2017 03:54:00.0000	1628	1205
Wed Jun 28 2017 03:55:00.0000	1626	1247
Wed Jun 28 2017 03:56:00.0000	1625	1259
Wed Jun 28 2017 03:57:00.0000	1626	1160
Wed Jun 28 2017 03:58:00.0000	1627	1231
Wed Jun 28 2017 03:59:00.0000	1627	1208
Wed Jun 28 2017 04:00:00.0000	1625	1218
Wed Jun 28 2017 04:01:00.0000	1626	1167
Wed Jun 28 2017 04:02:00.0000	1626	1333
Wed Jun 28 2017 04:03:00.0000	1628	1197
Wed Jun 28 2017 04:04:00.0000	1626	1255
Wed Jun 28 2017 04:05:00.0000	1625	1222
Wed Jun 28 2017 04:06:00.0000	1626	1214
Wed Jun 28 2017 04:07:00.0000	1627	1239
Wed Jun 28 2017 04:08:00.0000	1628	1238
Wed Jun 28 2017 04:09:00.0000	1626	1202
Wed Jun 28 2017 04:10:00.0000	1626	1277
Wed Jun 28 2017 04:11:00.0000	1627	1158
Wed Jun 28 2017 04:12:00.0000	1628	1234
Wed Jun 28 2017 04:13:00.0000	1626	1246
Wed Jun 28 2017 04:14:00.0000	1625	1205
Wed Jun 28 2017 04:15:00.0000	1626	1273
Wed Jun 28 2017 04:16:00.0000	1627	1233
Wed Jun 28 2017 04:17:00.0000	1627	1194
Wed Jun 28 2017 04:18:00.0000	1625	1245
Wed Jun 28 2017 04:19:00.0000	1626	1262
Wed Jun 28 2017 04:20:00.0000	1626	1180
Wed Jun 28 2017 04:21:00.0000	1628	1171
Wed Jun 28 2017 04:22:00.0000	1626	1226
Wed Jun 28 2017 04:23:00.0000	1625	1166
Wed Jun 28 2017 04:24:00.0000	1626	1152
Wed Jun 28 2017 04:25:00.0000	1627	1182
Wed Jun 28 2017 04:26:00.0000	1627	1200
Wed Jun 28 2017 04:27:00.0000	1625	1258
Wed Jun 28 2017 04:28:00.0000	1626	1144
Wed Jun 28 2017 04:29:00.0000	1626	1243
Wed Jun 28 2017 04:30:00.0000	1628	1219
Wed Jun 28 2017 04:31:00.0000	1626	1227
Wed Jun 28 2017 04:32:00.0000	1625	1225
Wed Jun 28 2017 04:33:00.0000	1626	1113
Wed Jun 28 2017 04:34:00.0000	1627	1211
Wed Jun 28 2017 04:35:00.0000	1627	1213
Wed Jun 28 2017 04:36:00.0000	1625	1109
Wed Jun 28 2017 04:37:00.0000	1626	1184
Wed Jun 28 2017 04:38:00.0000	1627	1272
Wed Jun 28 2017 04:39:00.0000	1628	1198
Wed Jun 28 2017 04:40:00.0000	1626	1213
Wed Jun 28 2017 04:41:00.0000	1625	1249
Wed Jun 28 2017 04:42:00.0000	1626	1217
Wed Jun 28 2017 04:43:00.0000	1627	1159
Wed Jun 28 2017 04:44:00.0000	1627	1223
Wed Jun 28 2017 04:45:00.0000	1625	1231

Date/Time	Process Temperature (°F)	Process Flow SCFM
Wed Jun 28 2017 04:46:00.0000	1626	1177
Wed Jun 28 2017 04:47:00.0000	1628	1149
Wed Jun 28 2017 04:48:00.0000	1627	1202
Wed Jun 28 2017 04:49:00.0000	1625	1260
Wed Jun 28 2017 04:50:00.0000	1625	1220
Wed Jun 28 2017 04:51:00.0000	1626	1286
Wed Jun 28 2017 04:52:00.0000	1628	1234
Wed Jun 28 2017 04:53:00.0000	1626	1325
Wed Jun 28 2017 04:54:00.0000	1625	1217
Wed Jun 28 2017 04:55:00.0000	1626	1152
Wed Jun 28 2017 04:56:00.0000	1627	1225
Wed Jun 28 2017 04:57:00.0000	1627	1214
Wed Jun 28 2017 04:58:00.0000	1625	1212
Wed Jun 28 2017 04:59:00.0000	1626	1252
Wed Jun 28 2017 05:00:00.0000	1626	1278
Wed Jun 28 2017 05:01:00.0000	1628	1215
Wed Jun 28 2017 05:02:00.0000	1626	1167
Wed Jun 28 2017 05:03:00.0000	1625	1294
Wed Jun 28 2017 05:04:00.0000	1626	1247
Wed Jun 28 2017 05:05:00.0000	1627	1223
Wed Jun 28 2017 05:06:00.0000	1627	1179
Wed Jun 28 2017 05:07:00.0000	1625	1127
Wed Jun 28 2017 05:08:00.0000	1626	1200
Wed Jun 28 2017 05:09:00.0000	1626	1270
Wed Jun 28 2017 05:10:00.0000	1628	1226
Wed Jun 28 2017 05:11:00.0000	1626	1283
Wed Jun 28 2017 05:12:00.0000	1626	1240
Wed Jun 28 2017 05:13:00.0000	1626	1170
Wed Jun 28 2017 05:14:00.0000	1627	1225
Wed Jun 28 2017 05:15:00.0000	1627	1214
Wed Jun 28 2017 05:16:00.0000	1625	1240
Wed Jun 28 2017 05:17:00.0000	1626	1121
Wed Jun 28 2017 05:18:00.0000	1628	1218
Wed Jun 28 2017 05:19:00.0000	1628	1223
Wed Jun 28 2017 05:20:00.0000	1625	1161
Wed Jun 28 2017 05:21:00.0000	1626	1368
Wed Jun 28 2017 05:22:00.0000	1626	1281
Wed Jun 28 2017 05:23:00.0000	1628	1186
Wed Jun 28 2017 05:24:00.0000	1626	1128
Wed Jun 28 2017 05:25:00.0000	1626	1270
Wed Jun 28 2017 05:26:00.0000	1626	1222
Wed Jun 28 2017 05:27:00.0000	1628	1231
Wed Jun 28 2017 05:28:00.0000	1627	1222
Wed Jun 28 2017 05:29:00.0000	1626	1245
Wed Jun 28 2017 05:30:00.0000	1627	1270
Wed Jun 28 2017 05:31:00.0000	1627	1259
Wed Jun 28 2017 05:32:00.0000	1628	1205
Wed Jun 28 2017 05:33:00.0000	1627	1224
Wed Jun 28 2017 05:34:00.0000	1626	1206
Wed Jun 28 2017 05:35:00.0000	1627	1213
Wed Jun 28 2017 05:36:00.0000	1628	1193
Wed Jun 28 2017 05:37:00.0000	1628	1227
Wed Jun 28 2017 05:38:00.0000	1626	1157
Wed Jun 28 2017 05:39:00.0000	1627	1246
Wed Jun 28 2017 05:40:00.0000	1627	1221
Wed Jun 28 2017 05:41:00.0000	1629	1225
Wed Jun 28 2017 05:42:00.0000	1627	1234

Date/Time	Process Temperature (°F)	Process Flow SCFM
Wed Jun 28 2017 05:43:00.0000	1626	1213
Wed Jun 28 2017 05:44:00.0000	1627	1294
Wed Jun 28 2017 05:45:00.0000	1628	1198
Wed Jun 28 2017 05:46:00.0000	1628	1225
Wed Jun 28 2017 05:47:00.0000	1626	1246
Wed Jun 28 2017 05:48:00.0000	1627	1141
Wed Jun 28 2017 05:49:00.0000	1627	1288
Wed Jun 28 2017 05:50:00.0000	1628	1221
Wed Jun 28 2017 05:51:00.0000	1627	1191
Wed Jun 28 2017 05:52:00.0000	1626	1204
Wed Jun 28 2017 05:53:00.0000	1627	1136
Wed Jun 28 2017 05:54:00.0000	1628	1179
Wed Jun 28 2017 05:55:00.0000	1628	1246
Wed Jun 28 2017 05:56:00.0000	1626	1306
Wed Jun 28 2017 05:57:00.0000	1627	1160
Wed Jun 28 2017 05:58:00.0000	1627	1095
Wed Jun 28 2017 05:59:00.0000	1628	1210
Wed Jun 28 2017 06:00:00.0000	1627	1259
Wed Jun 28 2017 06:01:00.0000	1626	1225
Wed Jun 28 2017 06:02:00.0000	1626	1233
Wed Jun 28 2017 06:03:00.0000	1628	1209
Wed Jun 28 2017 06:04:00.0000	1627	1238
Wed Jun 28 2017 06:05:00.0000	1625	1199
Wed Jun 28 2017 06:06:00.0000	1626	1351
Wed Jun 28 2017 06:07:00.0000	1627	1186
Wed Jun 28 2017 06:08:00.0000	1628	1205
Wed Jun 28 2017 06:09:00.0000	1626	1211
Wed Jun 28 2017 06:10:00.0000	1625	1262
Wed Jun 28 2017 06:11:00.0000	1626	1294
Wed Jun 28 2017 06:12:00.0000	1628	1237
Wed Jun 28 2017 06:13:00.0000	1627	1160
Wed Jun 28 2017 06:14:00.0000	1625	1306
Wed Jun 28 2017 06:15:00.0000	1626	1312
Wed Jun 28 2017 06:16:00.0000	1626	1275
Wed Jun 28 2017 06:17:00.0000	1628	1197
Wed Jun 28 2017 06:18:00.0000	1626	1188
Wed Jun 28 2017 06:19:00.0000	1625	1185
Wed Jun 28 2017 06:20:00.0000	1626	1203
Wed Jun 28 2017 06:21:00.0000	1627	1173
Wed Jun 28 2017 06:22:00.0000	1627	1214
Wed Jun 28 2017 06:23:00.0000	1625	1298
Wed Jun 28 2017 06:24:00.0000	1626	1262
Wed Jun 28 2017 06:25:00.0000	1626	1236
Wed Jun 28 2017 06:26:00.0000	1627	1279
Wed Jun 28 2017 06:27:00.0000	1626	1260
Wed Jun 28 2017 06:28:00.0000	1625	1197
Wed Jun 28 2017 06:29:00.0000	1626	1200
Wed Jun 28 2017 06:30:00.0000	1627	1228
Wed Jun 28 2017 06:31:00.0000	1627	1168
Wed Jun 28 2017 06:32:00.0000	1625	1155
Wed Jun 28 2017 06:33:00.0000	1626	1381
Wed Jun 28 2017 06:34:00.0000	1626	1170
Wed Jun 28 2017 06:35:00.0000	1628	1191
Wed Jun 28 2017 06:36:00.0000	1626	1171
Wed Jun 28 2017 06:37:00.0000	1625	1252
Wed Jun 28 2017 06:38:00.0000	1626	1262
Wed Jun 28 2017 06:39:00.0000	1627	1225

Date/Time	Process Temperature (°F)	Process Flow SCFM
Wed Jun 28 2017 06:40:00.0000	1627	1221
Wed Jun 28 2017 06:41:00.0000	1625	1128
Wed Jun 28 2017 06:42:00.0000	1626	1167
Wed Jun 28 2017 06:43:00.0000	1626	1267
Wed Jun 28 2017 06:44:00.0000	1628	1195
Wed Jun 28 2017 06:45:00.0000	1626	1219
Wed Jun 28 2017 06:46:00.0000	1626	1229
Wed Jun 28 2017 06:47:00.0000	1626	1113
Wed Jun 28 2017 06:48:00.0000	1628	1191
Wed Jun 28 2017 06:49:00.0000	1627	1237
Wed Jun 28 2017 06:50:00.0000	1625	1259
Wed Jun 28 2017 06:51:00.0000	1626	1297
Wed Jun 28 2017 06:52:00.0000	1627	1197
Wed Jun 28 2017 06:53:00.0000	1628	1136
Wed Jun 28 2017 06:54:00.0000	1626	1227
Wed Jun 28 2017 06:55:00.0000	1625	1192
Wed Jun 28 2017 06:56:00.0000	1626	1144
Wed Jun 28 2017 06:57:00.0000	1628	1147
Wed Jun 28 2017 06:58:00.0000	1627	1146
Wed Jun 28 2017 06:59:00.0000	1625	1312
Wed Jun 28 2017 07:00:00.0000	1626	1267
Wed Jun 28 2017 07:01:00.0000	1628	1231
Wed Jun 28 2017 07:02:00.0000	1628	1222
Wed Jun 28 2017 07:03:00.0000	1626	1317
Wed Jun 28 2017 07:04:00.0000	1626	1162
Wed Jun 28 2017 07:05:00.0000	1626	1272
Wed Jun 28 2017 07:06:00.0000	1628	1182
Wed Jun 28 2017 07:07:00.0000	1627	1296
Wed Jun 28 2017 07:08:00.0000	1626	1270
Wed Jun 28 2017 07:09:00.0000	1626	1303
Wed Jun 28 2017 07:10:00.0000	1628	1180
Wed Jun 28 2017 07:11:00.0000	1628	1249
Wed Jun 28 2017 07:12:00.0000	1626	1336
Wed Jun 28 2017 07:13:00.0000	1626	1187
Wed Jun 28 2017 07:14:00.0000	1627	1173
Wed Jun 28 2017 07:15:00.0000	1628	1237
Wed Jun 28 2017 07:16:00.0000	1626	1151
Wed Jun 28 2017 07:17:00.0000	1626	1244
Wed Jun 28 2017 07:18:00.0000	1626	1113
Wed Jun 28 2017 07:19:00.0000	1628	1147
Wed Jun 28 2017 07:20:00.0000	1628	1254
Wed Jun 28 2017 07:21:00.0000	1626	1346
Wed Jun 28 2017 07:22:00.0000	1627	1225
Wed Jun 28 2017 07:23:00.0000	1628	1219
Wed Jun 28 2017 07:24:00.0000	1628	1109
Wed Jun 28 2017 07:25:00.0000	1626	1243
Wed Jun 28 2017 07:26:00.0000	1626	1287
Wed Jun 28 2017 07:27:00.0000	1626	1166
Wed Jun 28 2017 07:28:00.0000	1628	1171
Wed Jun 28 2017 07:29:00.0000	1627	1212
Wed Jun 28 2017 07:30:00.0000	1625	1240
Wed Jun 28 2017 07:31:00.0000	1626	1157
Wed Jun 28 2017 07:32:00.0000	1627	1067
Wed Jun 28 2017 07:33:00.0000	1628	1188
Wed Jun 28 2017 07:34:00.0000	1626	1234
Wed Jun 28 2017 07:35:00.0000	1626	1223
Wed Jun 28 2017 07:36:00.0000	1626	1307

Date/Time	Process Temperature (°F)	Process Flow SCFM
Wed Jun 28 2017 07:37:00.0000	1628	1201
Wed Jun 28 2017 07:38:00.0000	1627	1225
Wed Jun 28 2017 07:39:00.0000	1626	1302
Wed Jun 28 2017 07:40:00.0000	1626	1229
Wed Jun 28 2017 07:41:00.0000	1627	1139
Wed Jun 28 2017 07:42:00.0000	1628	1169
Wed Jun 28 2017 07:43:00.0000	1626	1271
Wed Jun 28 2017 07:44:00.0000	1626	1309
Wed Jun 28 2017 07:45:00.0000	1626	1165
Wed Jun 28 2017 07:46:00.0000	1628	1222
Wed Jun 28 2017 07:47:00.0000	1628	1263
Wed Jun 28 2017 07:48:00.0000	1627	1192
Wed Jun 28 2017 07:49:00.0000	1627	1089
Wed Jun 28 2017 07:50:00.0000	1627	1034
Wed Jun 28 2017 07:51:00.0000	1629	1123
Wed Jun 28 2017 07:52:00.0000	1627	1251
Wed Jun 28 2017 07:53:00.0000	1627	1094
Wed Jun 28 2017 07:54:00.0000	1628	985
Wed Jun 28 2017 07:55:00.0000	1629	1168
Wed Jun 28 2017 07:56:00.0000	1627	1294
Wed Jun 28 2017 07:57:00.0000	1628	1270
Wed Jun 28 2017 07:58:00.0000	1628	1141
Wed Jun 28 2017 07:59:00.0000	1629	1132
Wed Jun 28 2017 08:00:00.0000	1628	1299
Wed Jun 28 2017 08:01:00.0000	1627	1293
Wed Jun 28 2017 08:02:00.0000	1628	1164
Wed Jun 28 2017 08:03:00.0000	1629	1224
Wed Jun 28 2017 08:04:00.0000	1628	1173
Wed Jun 28 2017 08:05:00.0000	1627	1319
Wed Jun 28 2017 08:06:00.0000	1628	1257
Wed Jun 28 2017 08:07:00.0000	1628	1225
Wed Jun 28 2017 08:08:00.0000	1629	1189
Wed Jun 28 2017 08:09:00.0000	1628	1194
Wed Jun 28 2017 08:10:00.0000	1627	1262
Wed Jun 28 2017 08:11:00.0000	1628	1176
Wed Jun 28 2017 08:12:00.0000	1629	1231
Wed Jun 28 2017 08:13:00.0000	1628	1127
Wed Jun 28 2017 08:14:00.0000	1627	1339
Wed Jun 28 2017 08:15:00.0000	1627	1324
Wed Jun 28 2017 08:16:00.0000	1628	1242
Wed Jun 28 2017 08:17:00.0000	1629	1108
Wed Jun 28 2017 08:18:00.0000	1627	1288
Wed Jun 28 2017 08:19:00.0000	1627	1279
Wed Jun 28 2017 08:20:00.0000	1628	1094
Wed Jun 28 2017 08:21:00.0000	1630	1087
Wed Jun 28 2017 08:22:00.0000	1629	1221
Wed Jun 28 2017 08:23:00.0000	1627	1256
Wed Jun 28 2017 08:24:00.0000	1628	1307
Wed Jun 28 2017 08:25:00.0000	1629	1122
Wed Jun 28 2017 08:26:00.0000	1630	1216
Wed Jun 28 2017 08:27:00.0000	1628	1290
Wed Jun 28 2017 08:28:00.0000	1628	1213
Wed Jun 28 2017 08:29:00.0000	1628	1292
Wed Jun 28 2017 08:30:00.0000	1630	1137
Wed Jun 28 2017 08:31:00.0000	1629	1255
Wed Jun 28 2017 08:32:00.0000	1628	1242
Wed Jun 28 2017 08:33:00.0000	1629	1107

Date/Time	Process Temperature (°F)	Process Flow SCFM
Wed Jun 28 2017 08:34:00.0000	1630	1350
Wed Jun 28 2017 08:35:00.0000	1630	1169
Wed Jun 28 2017 08:36:00.0000	1628	1338
Wed Jun 28 2017 08:37:00.0000	1628	1271
Wed Jun 28 2017 08:38:00.0000	1629	1079
Wed Jun 28 2017 08:39:00.0000	1631	1144
Wed Jun 28 2017 08:40:00.0000	1630	1167
Wed Jun 28 2017 08:41:00.0000	1628	1304
Wed Jun 28 2017 08:42:00.0000	1629	1238
Wed Jun 28 2017 08:43:00.0000	1630	1232
Wed Jun 28 2017 08:44:00.0000	1631	1119
Wed Jun 28 2017 08:45:00.0000	1629	1238
Wed Jun 28 2017 08:46:00.0000	1629	1365
Wed Jun 28 2017 08:47:00.0000	1629	1123
Wed Jun 28 2017 08:48:00.0000	1632	1175
Wed Jun 28 2017 08:49:00.0000	1630	1167
Wed Jun 28 2017 08:50:00.0000	1629	1256
Wed Jun 28 2017 08:51:00.0000	1630	1290
Wed Jun 28 2017 08:52:00.0000	1631	1281
Wed Jun 28 2017 08:53:00.0000	1631	1269
Wed Jun 28 2017 08:54:00.0000	1629	1360
Wed Jun 28 2017 08:55:00.0000	1631	1296
Wed Jun 28 2017 08:56:00.0000	1630	1108
Wed Jun 28 2017 08:57:00.0000	1632	1221
Wed Jun 28 2017 08:58:00.0000	1631	1208
Wed Jun 28 2017 08:59:00.0000	1629	1309
Wed Jun 28 2017 09:00:00.0000	1630	1254
Wed Jun 28 2017 09:01:00.0000	1631	1207
Wed Jun 28 2017 09:02:00.0000	1632	1277
Wed Jun 28 2017 09:03:00.0000	1630	1319
Wed Jun 28 2017 09:04:00.0000	1630	1302
Wed Jun 28 2017 09:05:00.0000	1631	1203
Wed Jun 28 2017 09:06:00.0000	1632	1222
Wed Jun 28 2017 09:07:00.0000	1630	1144
Wed Jun 28 2017 09:08:00.0000	1631	1354
Wed Jun 28 2017 09:09:00.0000	1631	1306
Wed Jun 28 2017 09:10:00.0000	1631	1237
Wed Jun 28 2017 09:11:00.0000	1623	1255
Wed Jun 28 2017 09:12:00.0000	1619	1401
Wed Jun 28 2017 09:13:00.0000	1616	1265
Wed Jun 28 2017 09:14:00.0000	1614	1245
Wed Jun 28 2017 09:15:00.0000	1611	1249
Wed Jun 28 2017 09:16:00.0000	1609	1187
Wed Jun 28 2017 09:17:00.0000	1607	1174
Wed Jun 28 2017 09:18:00.0000	1606	1137
Wed Jun 28 2017 09:19:00.0000	1605	1213
Wed Jun 28 2017 09:20:00.0000	1602	1303
Wed Jun 28 2017 09:21:00.0000	1603	1281
Wed Jun 28 2017 09:22:00.0000	1608	1210
Wed Jun 28 2017 09:23:00.0000	1613	1175
Wed Jun 28 2017 09:24:00.0000	1615	1174
Wed Jun 28 2017 09:25:00.0000	1616	1277
Wed Jun 28 2017 09:26:00.0000	1618	1240
Wed Jun 28 2017 09:27:00.0000	1619	1121
Wed Jun 28 2017 09:28:00.0000	1621	1187
Wed Jun 28 2017 09:29:00.0000	1620	1333
Wed Jun 28 2017 09:30:00.0000	1621	1400

Date/Time	Process Temperature (°F)	Process Flow SCFM
Wed Jun 28 2017 09:31:00.0000	1623	1231
Wed Jun 28 2017 09:32:00.0000	1624	1265
Wed Jun 28 2017 09:33:00.0000	1622	1169
Wed Jun 28 2017 09:34:00.0000	1623	1320
Wed Jun 28 2017 09:35:00.0000	1624	1140
Wed Jun 28 2017 09:36:00.0000	1626	1241
Wed Jun 28 2017 09:37:00.0000	1626	1251
Wed Jun 28 2017 09:38:00.0000	1624	1241
Wed Jun 28 2017 09:39:00.0000	1626	1224
Wed Jun 28 2017 09:40:00.0000	1627	1348
Wed Jun 28 2017 09:41:00.0000	1628	1220
Wed Jun 28 2017 09:42:00.0000	1626	1378
Wed Jun 28 2017 09:43:00.0000	1627	1318
Wed Jun 28 2017 09:44:00.0000	1626	1179
Wed Jun 28 2017 09:45:00.0000	1628	1246
Wed Jun 28 2017 09:46:00.0000	1627	1323
Wed Jun 28 2017 09:47:00.0000	1625	1251
Wed Jun 28 2017 09:48:00.0000	1626	1270
Wed Jun 28 2017 09:49:00.0000	1628	1213
Wed Jun 28 2017 09:50:00.0000	1627	1194
Wed Jun 28 2017 09:51:00.0000	1625	1309
Wed Jun 28 2017 09:52:00.0000	1627	1174
Wed Jun 28 2017 09:53:00.0000	1627	1165
Wed Jun 28 2017 09:54:00.0000	1629	1207
Wed Jun 28 2017 09:55:00.0000	1627	1407
Wed Jun 28 2017 09:56:00.0000	1627	1358
Wed Jun 28 2017 09:57:00.0000	1627	1219
Wed Jun 28 2017 09:58:00.0000	1629	1261
Wed Jun 28 2017 09:59:00.0000	1628	1202
Wed Jun 28 2017 10:00:00.0000	1626	1294
Wed Jun 28 2017 10:01:00.0000	1627	1102
Wed Jun 28 2017 10:02:00.0000	1628	1094
Wed Jun 28 2017 10:03:00.0000	1629	1305
Wed Jun 28 2017 10:04:00.0000	1628	1275
Wed Jun 28 2017 10:05:00.0000	1628	1266
Wed Jun 28 2017 10:06:00.0000	1628	1095
Wed Jun 28 2017 10:07:00.0000	1630	1241
Wed Jun 28 2017 10:08:00.0000	1629	1206
Wed Jun 28 2017 10:09:00.0000	1627	1285
Wed Jun 28 2017 10:10:00.0000	1629	1247
Wed Jun 28 2017 10:11:00.0000	1629	1171
Wed Jun 28 2017 10:12:00.0000	1631	1245
Wed Jun 28 2017 10:13:00.0000	1629	1329
Wed Jun 28 2017 10:14:00.0000	1629	1231
Wed Jun 28 2017 10:15:00.0000	1629	1112
Wed Jun 28 2017 10:16:00.0000	1631	1267
Wed Jun 28 2017 10:17:00.0000	1631	1207
Wed Jun 28 2017 10:18:00.0000	1629	1254
Wed Jun 28 2017 10:19:00.0000	1630	1072
Wed Jun 28 2017 10:20:00.0000	1631	1127
Wed Jun 28 2017 10:21:00.0000	1632	1262
Wed Jun 28 2017 10:22:00.0000	1630	1356
Wed Jun 28 2017 10:23:00.0000	1630	1425
Wed Jun 28 2017 10:24:00.0000	1630	1302
Wed Jun 28 2017 10:25:00.0000	1632	1253
Wed Jun 28 2017 10:26:00.0000	1632	1092
Wed Jun 28 2017 10:27:00.0000	1630	1299

Date/Time	Process Temperature (°F)	Process Flow SCFM
Wed Jun 28 2017 10:28:00.0000	1631	1231
Wed Jun 28 2017 10:29:00.0000	1632	1017
Wed Jun 28 2017 10:30:00.0000	1629	1274
Wed Jun 28 2017 10:31:00.0000	1623	1335
Wed Jun 28 2017 10:32:00.0000	1619	1368
Wed Jun 28 2017 10:33:00.0000	1617	1073
Wed Jun 28 2017 10:34:00.0000	1615	1259
Wed Jun 28 2017 10:35:00.0000	1613	1269
Wed Jun 28 2017 10:36:00.0000	1610	1247
Wed Jun 28 2017 10:37:00.0000	1609	1142
Wed Jun 28 2017 10:38:00.0000	1609	1190
Wed Jun 28 2017 10:39:00.0000	1607	1222
Wed Jun 28 2017 10:40:00.0000	1605	1458
Wed Jun 28 2017 10:41:00.0000	1604	1311
Wed Jun 28 2017 10:42:00.0000	1603	1141
Wed Jun 28 2017 10:43:00.0000	1602	1244
Wed Jun 28 2017 10:44:00.0000	1603	1270
Wed Jun 28 2017 10:45:00.0000	1607	1225
Wed Jun 28 2017 10:46:00.0000	1611	1107
Wed Jun 28 2017 10:47:00.0000	1616	1177
Wed Jun 28 2017 10:48:00.0000	1617	1160
Wed Jun 28 2017 10:49:00.0000	1616	1393
Wed Jun 28 2017 10:50:00.0000	1617	1147
Wed Jun 28 2017 10:51:00.0000	1619	1154
Wed Jun 28 2017 10:52:00.0000	1621	1275
Wed Jun 28 2017 10:53:00.0000	1620	1254
Wed Jun 28 2017 10:54:00.0000	1620	1185
Wed Jun 28 2017 10:55:00.0000	1621	1161
Wed Jun 28 2017 10:56:00.0000	1624	1200
Wed Jun 28 2017 10:57:00.0000	1623	1266
Wed Jun 28 2017 10:58:00.0000	1623	1306
Wed Jun 28 2017 10:59:00.0000	1623	1105
Wed Jun 28 2017 11:00:00.0000	1624	1203
Wed Jun 28 2017 11:01:00.0000	1626	1152
Wed Jun 28 2017 11:02:00.0000	1624	1359
Wed Jun 28 2017 11:03:00.0000	1625	1248
Wed Jun 28 2017 11:04:00.0000	1626	1010
Wed Jun 28 2017 11:05:00.0000	1628	1235
Wed Jun 28 2017 11:06:00.0000	1626	1352
Wed Jun 28 2017 11:07:00.0000	1625	1225
Wed Jun 28 2017 11:08:00.0000	1627	1051
Wed Jun 28 2017 11:09:00.0000	1629	1124
Wed Jun 28 2017 11:10:00.0000	1629	1280
Wed Jun 28 2017 11:11:00.0000	1627	1338
Wed Jun 28 2017 11:12:00.0000	1628	1325
Wed Jun 28 2017 11:13:00.0000	1629	1063
Wed Jun 28 2017 11:14:00.0000	1631	1182
Wed Jun 28 2017 11:15:00.0000	1629	1348
Wed Jun 28 2017 11:16:00.0000	1628	1380
Wed Jun 28 2017 11:17:00.0000	1629	1200
Wed Jun 28 2017 11:18:00.0000	1632	1213
Wed Jun 28 2017 11:19:00.0000	1631	1260
Wed Jun 28 2017 11:20:00.0000	1629	1328
Wed Jun 28 2017 11:21:00.0000	1630	1164
Wed Jun 28 2017 11:22:00.0000	1631	1237
Wed Jun 28 2017 11:23:00.0000	1631	1268
Wed Jun 28 2017 11:24:00.0000	1623	1258

Date/Time	Process Temperature (°F)	Process Flow SCFM
Wed Jun 28 2017 11:25:00.0000	1620	1397
Wed Jun 28 2017 11:26:00.0000	1617	1179
Wed Jun 28 2017 11:27:00.0000	1615	1172
Wed Jun 28 2017 11:28:00.0000	1612	1252
Wed Jun 28 2017 11:29:00.0000	1610	1276
Wed Jun 28 2017 11:30:00.0000	1608	1242
Wed Jun 28 2017 11:31:00.0000	1607	1209
Wed Jun 28 2017 11:32:00.0000	1606	1287
Wed Jun 28 2017 11:33:00.0000	1603	1411
Wed Jun 28 2017 11:34:00.0000	1603	1420
Wed Jun 28 2017 11:35:00.0000	1602	1246
Wed Jun 28 2017 11:36:00.0000	1602	1223
Wed Jun 28 2017 11:37:00.0000	1603	1208
Wed Jun 28 2017 11:38:00.0000	1606	1394
Wed Jun 28 2017 11:39:00.0000	1610	1348
Wed Jun 28 2017 11:40:00.0000	1613	1250
Wed Jun 28 2017 11:41:00.0000	1616	1186
Wed Jun 28 2017 11:42:00.0000	1615	1280
Wed Jun 28 2017 11:43:00.0000	1616	1468
Wed Jun 28 2017 11:44:00.0000	1618	1134
Wed Jun 28 2017 11:45:00.0000	1621	1187
Wed Jun 28 2017 11:46:00.0000	1621	1257
Wed Jun 28 2017 11:47:00.0000	1620	1475
Wed Jun 28 2017 11:48:00.0000	1622	1187
Wed Jun 28 2017 11:49:00.0000	1623	1148
Wed Jun 28 2017 11:50:00.0000	1625	1270
Wed Jun 28 2017 11:51:00.0000	1623	1404
Wed Jun 28 2017 11:52:00.0000	1623	0
Wed Jun 28 2017 11:53:00.0000	1600	0
Wed Jun 28 2017 11:54:00.0000	1590	0
Wed Jun 28 2017 11:55:00.0000	1587	0
Wed Jun 28 2017 11:56:00.0000	1583	0
Wed Jun 28 2017 11:57:00.0000	1579	0
Wed Jun 28 2017 11:58:00.0000	1576	0
Wed Jun 28 2017 11:59:00.0000	1573	0
Wed Jun 28 2017 12:00:00.0000	1570	0
Wed Jun 28 2017 12:01:00.0000	1567	0
Wed Jun 28 2017 12:02:00.0000	1565	0
Wed Jun 28 2017 12:03:00.0000	1562	0
Wed Jun 28 2017 12:04:00.0000	1560	0
Wed Jun 28 2017 12:05:00.0000	1557	0
Wed Jun 28 2017 12:06:00.0000	1555	0
Wed Jun 28 2017 12:07:00.0000	1553	0
Wed Jun 28 2017 12:08:00.0000	1550	0
Wed Jun 28 2017 12:09:00.0000	1548	0
Wed Jun 28 2017 12:10:00.0000	1544	0
Wed Jun 28 2017 12:11:00.0000	1527	0
Wed Jun 28 2017 12:12:00.0000	1527	0
Wed Jun 28 2017 12:13:00.0000	1551	453
Wed Jun 28 2017 12:14:00.0000	1691	1215
Wed Jun 28 2017 12:15:00.0000	1692	1093
Wed Jun 28 2017 12:16:00.0000	1653	1220
Wed Jun 28 2017 12:17:00.0000	1618	1218
Wed Jun 28 2017 12:18:00.0000	1596	1214
Wed Jun 28 2017 12:19:00.0000	1593	1315
Wed Jun 28 2017 12:20:00.0000	1634	1316
Wed Jun 28 2017 12:21:00.0000	1663	1227

Date/Time	Process Temperature (°F)	Process Flow SCFM
Wed Jun 28 2017 12:22:00.0000	1639	1260
Wed Jun 28 2017 12:23:00.0000	1620	1273
Wed Jun 28 2017 12:24:00.0000	1607	1157
Wed Jun 28 2017 12:25:00.0000	1596	1341
Wed Jun 28 2017 12:26:00.0000	1602	1348
Wed Jun 28 2017 12:27:00.0000	1618	1436
Wed Jun 28 2017 12:28:00.0000	1632	1227
Wed Jun 28 2017 12:29:00.0000	1629	1235
Wed Jun 28 2017 12:30:00.0000	1625	1275
Wed Jun 28 2017 12:31:00.0000	1620	1347
Wed Jun 28 2017 12:32:00.0000	1618	1423
Wed Jun 28 2017 12:33:00.0000	1617	1160
Wed Jun 28 2017 12:34:00.0000	1618	1265
Wed Jun 28 2017 12:35:00.0000	1616	1256
Wed Jun 28 2017 12:36:00.0000	1614	1457
Wed Jun 28 2017 12:37:00.0000	1614	1342
Wed Jun 28 2017 12:38:00.0000	1615	1267
Wed Jun 28 2017 12:39:00.0000	1615	1319
Wed Jun 28 2017 12:40:00.0000	1612	1283
Wed Jun 28 2017 12:41:00.0000	1613	1159
Wed Jun 28 2017 12:42:00.0000	1613	1216
Wed Jun 28 2017 12:43:00.0000	1614	1303
Wed Jun 28 2017 12:44:00.0000	1613	1212
Wed Jun 28 2017 12:45:00.0000	1612	1327
Wed Jun 28 2017 12:46:00.0000	1612	1158
Wed Jun 28 2017 12:47:00.0000	1613	1255
Wed Jun 28 2017 12:48:00.0000	1613	1260
Wed Jun 28 2017 12:49:00.0000	1611	1353
Wed Jun 28 2017 12:50:00.0000	1611	1164
Wed Jun 28 2017 12:51:00.0000	1612	1167
Wed Jun 28 2017 12:52:00.0000	1612	1347
Wed Jun 28 2017 12:53:00.0000	1610	1336
Wed Jun 28 2017 12:54:00.0000	1610	1347
Wed Jun 28 2017 12:55:00.0000	1611	1142
Wed Jun 28 2017 12:56:00.0000	1612	1300
Wed Jun 28 2017 12:57:00.0000	1611	1247
Wed Jun 28 2017 12:58:00.0000	1609	1375
Wed Jun 28 2017 12:59:00.0000	1610	1145
Wed Jun 28 2017 13:00:00.0000	1611	1183
Wed Jun 28 2017 13:01:00.0000	1611	1367
Wed Jun 28 2017 13:02:00.0000	1609	1428
Wed Jun 28 2017 13:03:00.0000	1609	1423
Wed Jun 28 2017 13:04:00.0000	1610	1114
Wed Jun 28 2017 13:05:00.0000	1611	1178
Wed Jun 28 2017 13:06:00.0000	1610	1184
Wed Jun 28 2017 13:07:00.0000	1608	1353
Wed Jun 28 2017 13:08:00.0000	1610	1202
Wed Jun 28 2017 13:09:00.0000	1611	1169
Wed Jun 28 2017 13:10:00.0000	1611	1265
Wed Jun 28 2017 13:11:00.0000	1609	1328
Wed Jun 28 2017 13:12:00.0000	1609	1282
Wed Jun 28 2017 13:13:00.0000	1610	1220
Wed Jun 28 2017 13:14:00.0000	1611	1316
Wed Jun 28 2017 13:15:00.0000	1610	1302
Wed Jun 28 2017 13:16:00.0000	1608	1397
Wed Jun 28 2017 13:17:00.0000	1609	1206
Wed Jun 28 2017 13:18:00.0000	1610	1291

Date/Time	Process Temperature (°F)	Process Flow SCFM
Wed Jun 28 2017 13:19:00.0000	1610	1202
Wed Jun 28 2017 13:20:00.0000	1609	1356
Wed Jun 28 2017 13:21:00.0000	1609	1450
Wed Jun 28 2017 13:22:00.0000	1609	1182
Wed Jun 28 2017 13:23:00.0000	1611	1226
Wed Jun 28 2017 13:24:00.0000	1610	1272
Wed Jun 28 2017 13:25:00.0000	1608	1460
Wed Jun 28 2017 13:26:00.0000	1609	1171
Wed Jun 28 2017 13:27:00.0000	1610	1226
Wed Jun 28 2017 13:28:00.0000	1610	1277
Wed Jun 28 2017 13:29:00.0000	1608	1345
Wed Jun 28 2017 13:30:00.0000	1608	1375
Wed Jun 28 2017 13:31:00.0000	1609	1203
Wed Jun 28 2017 13:32:00.0000	1610	1294
Wed Jun 28 2017 13:33:00.0000	1610	1206
Wed Jun 28 2017 13:34:00.0000	1608	1308
Wed Jun 28 2017 13:35:00.0000	1609	1189
Wed Jun 28 2017 13:36:00.0000	1610	1187
Wed Jun 28 2017 13:37:00.0000	1610	1264
Wed Jun 28 2017 13:38:00.0000	1608	1349
Wed Jun 28 2017 13:39:00.0000	1608	1194
Wed Jun 28 2017 13:40:00.0000	1609	1226
Wed Jun 28 2017 13:41:00.0000	1611	1301
Wed Jun 28 2017 13:42:00.0000	1609	1435
Wed Jun 28 2017 13:43:00.0000	1608	1177
Wed Jun 28 2017 13:44:00.0000	1609	1125
Wed Jun 28 2017 13:45:00.0000	1610	1281
Wed Jun 28 2017 13:46:00.0000	1610	1321
Wed Jun 28 2017 13:47:00.0000	1608	1313
Wed Jun 28 2017 13:48:00.0000	1609	1201
Wed Jun 28 2017 13:49:00.0000	1609	1264
Wed Jun 28 2017 13:50:00.0000	1610	1328
Wed Jun 28 2017 13:51:00.0000	1609	1274
Wed Jun 28 2017 13:52:00.0000	1607	1366
Wed Jun 28 2017 13:53:00.0000	1609	1166
Wed Jun 28 2017 13:54:00.0000	1610	1323
Wed Jun 28 2017 13:55:00.0000	1610	1288
Wed Jun 28 2017 13:56:00.0000	1608	1303
Wed Jun 28 2017 13:57:00.0000	1608	1118
Wed Jun 28 2017 13:58:00.0000	1609	1125
Wed Jun 28 2017 13:59:00.0000	1610	1277
Wed Jun 28 2017 14:00:00.0000	1608	1412
Wed Jun 28 2017 14:01:00.0000	1607	1543
Wed Jun 28 2017 14:02:00.0000	1608	1112
Wed Jun 28 2017 14:03:00.0000	1609	1234
Wed Jun 28 2017 14:04:00.0000	1609	1280
Wed Jun 28 2017 14:05:00.0000	1607	1372
Wed Jun 28 2017 14:06:00.0000	1608	1232
Wed Jun 28 2017 14:07:00.0000	1608	1125
Wed Jun 28 2017 14:08:00.0000	1610	1272
Wed Jun 28 2017 14:09:00.0000	1608	1412
Wed Jun 28 2017 14:10:00.0000	1608	1269
Wed Jun 28 2017 14:11:00.0000	1609	1191
Wed Jun 28 2017 14:12:00.0000	1610	1162
Wed Jun 28 2017 14:13:00.0000	1609	1375
Wed Jun 28 2017 14:14:00.0000	1607	1218
Wed Jun 28 2017 14:15:00.0000	1608	1393

Date/Time	Process Temperature (°F)	Process Flow SCFM
Wed Jun 28 2017 14:16:00.0000	1609	1190
Wed Jun 28 2017 14:17:00.0000	1610	1293
Wed Jun 28 2017 14:18:00.0000	1608	1404
Wed Jun 28 2017 14:19:00.0000	1608	1414
Wed Jun 28 2017 14:20:00.0000	1609	1273
Wed Jun 28 2017 14:21:00.0000	1610	1254
Wed Jun 28 2017 14:22:00.0000	1609	1282
Wed Jun 28 2017 14:23:00.0000	1607	1400
Wed Jun 28 2017 14:24:00.0000	1608	1175
Wed Jun 28 2017 14:25:00.0000	1609	1247
Wed Jun 28 2017 14:26:00.0000	1609	1299
Wed Jun 28 2017 14:27:00.0000	1607	1418
Wed Jun 28 2017 14:28:00.0000	1608	1350
Wed Jun 28 2017 14:29:00.0000	1609	1214
Wed Jun 28 2017 14:30:00.0000	1610	1307
Wed Jun 28 2017 14:31:00.0000	1608	1352
Wed Jun 28 2017 14:32:00.0000	1607	1320
Wed Jun 28 2017 14:33:00.0000	1608	1151
Wed Jun 28 2017 14:34:00.0000	1609	1279
Wed Jun 28 2017 14:35:00.0000	1609	1368
Wed Jun 28 2017 14:36:00.0000	1607	1359
Wed Jun 28 2017 14:37:00.0000	1608	1293
Wed Jun 28 2017 14:38:00.0000	1609	1121
Wed Jun 28 2017 14:39:00.0000	1610	1319
Wed Jun 28 2017 14:40:00.0000	1608	1309
Wed Jun 28 2017 14:41:00.0000	1608	1385
Wed Jun 28 2017 14:42:00.0000	1609	1231
Wed Jun 28 2017 14:43:00.0000	1610	1279
Wed Jun 28 2017 14:44:00.0000	1609	1319
Wed Jun 28 2017 14:45:00.0000	1607	1296
Wed Jun 28 2017 14:46:00.0000	1608	1262
Wed Jun 28 2017 14:47:00.0000	1609	1177
Wed Jun 28 2017 14:48:00.0000	1609	1331
Wed Jun 28 2017 14:49:00.0000	1607	1400
Wed Jun 28 2017 14:50:00.0000	1608	1241
Wed Jun 28 2017 14:51:00.0000	1609	1204
Wed Jun 28 2017 14:52:00.0000	1609	1326
Wed Jun 28 2017 14:53:00.0000	1607	1435
Wed Jun 28 2017 14:54:00.0000	1607	1370
Wed Jun 28 2017 14:55:00.0000	1608	1202
Wed Jun 28 2017 14:56:00.0000	1610	1304
Wed Jun 28 2017 14:57:00.0000	1608	1378
Wed Jun 28 2017 14:58:00.0000	1608	1281
Wed Jun 28 2017 14:59:00.0000	1608	1181
Wed Jun 28 2017 15:00:00.0000	1609	1414
Wed Jun 28 2017 15:01:00.0000	1609	1315
Wed Jun 28 2017 15:02:00.0000	1607	1317
Wed Jun 28 2017 15:03:00.0000	1607	1187
Wed Jun 28 2017 15:04:00.0000	1609	1223
Wed Jun 28 2017 15:05:00.0000	1610	1286
Wed Jun 28 2017 15:06:00.0000	1608	1456
Wed Jun 28 2017 15:07:00.0000	1607	1381
Wed Jun 28 2017 15:08:00.0000	1608	1209
Wed Jun 28 2017 15:09:00.0000	1610	1258
Wed Jun 28 2017 15:10:00.0000	1609	1381
Wed Jun 28 2017 15:11:00.0000	1607	1221
Wed Jun 28 2017 15:12:00.0000	1608	1189

Date/Time	Process Temperature (°F)	Process Flow SCFM
Wed Jun 28 2017 15:13:00.0000	1609	1145
Wed Jun 28 2017 15:14:00.0000	1609	1323
Wed Jun 28 2017 15:15:00.0000	1607	1444
Wed Jun 28 2017 15:16:00.0000	1607	1369
Wed Jun 28 2017 15:17:00.0000	1608	1213
Wed Jun 28 2017 15:18:00.0000	1609	1235
Wed Jun 28 2017 15:19:00.0000	1608	1330
Wed Jun 28 2017 15:20:00.0000	1606	1397
Wed Jun 28 2017 15:21:00.0000	1608	1173
Wed Jun 28 2017 15:22:00.0000	1608	1215
Wed Jun 28 2017 15:23:00.0000	1609	1221
Wed Jun 28 2017 15:24:00.0000	1607	1330
Wed Jun 28 2017 15:25:00.0000	1607	1522
Wed Jun 28 2017 15:26:00.0000	1608	1215
Wed Jun 28 2017 15:27:00.0000	1609	1312
Wed Jun 28 2017 15:28:00.0000	1608	1401
Wed Jun 28 2017 15:29:00.0000	1606	1420
Wed Jun 28 2017 15:30:00.0000	1608	1186
Wed Jun 28 2017 15:31:00.0000	1608	1206
Wed Jun 28 2017 15:32:00.0000	1609	1345
Wed Jun 28 2017 15:33:00.0000	1607	1346
Wed Jun 28 2017 15:34:00.0000	1607	1321
Wed Jun 28 2017 15:35:00.0000	1608	1234
Wed Jun 28 2017 15:36:00.0000	1609	1246
Wed Jun 28 2017 15:37:00.0000	1608	1290
Wed Jun 28 2017 15:38:00.0000	1606	1424
Wed Jun 28 2017 15:39:00.0000	1607	1243
Wed Jun 28 2017 15:40:00.0000	1608	1147
Wed Jun 28 2017 15:41:00.0000	1609	1205
Wed Jun 28 2017 15:42:00.0000	1607	1449
Wed Jun 28 2017 15:43:00.0000	1606	1340
Wed Jun 28 2017 15:44:00.0000	1607	1196
Wed Jun 28 2017 15:45:00.0000	1609	1300
Wed Jun 28 2017 15:46:00.0000	1608	1325
Wed Jun 28 2017 15:47:00.0000	1606	1364
Wed Jun 28 2017 15:48:00.0000	1607	1170
Wed Jun 28 2017 15:49:00.0000	1608	1150
Wed Jun 28 2017 15:50:00.0000	1608	1268
Wed Jun 28 2017 15:51:00.0000	1606	1285
Wed Jun 28 2017 15:52:00.0000	1606	1299
Wed Jun 28 2017 15:53:00.0000	1607	1114
Wed Jun 28 2017 15:54:00.0000	1609	1358
Wed Jun 28 2017 15:55:00.0000	1608	1280
Wed Jun 28 2017 15:56:00.0000	1606	1417
Wed Jun 28 2017 15:57:00.0000	1607	1211
Wed Jun 28 2017 15:58:00.0000	1608	1155
Wed Jun 28 2017 15:59:00.0000	1608	1390
Wed Jun 28 2017 16:00:00.0000	1606	1278
Wed Jun 28 2017 16:01:00.0000	1606	1181
Wed Jun 28 2017 16:02:00.0000	1607	1158
Wed Jun 28 2017 16:03:00.0000	1608	1236
Wed Jun 28 2017 16:04:00.0000	1607	1312
Wed Jun 28 2017 16:05:00.0000	1606	1428
Wed Jun 28 2017 16:06:00.0000	1607	1188
Wed Jun 28 2017 16:07:00.0000	1608	1284
Wed Jun 28 2017 16:08:00.0000	1607	1232
Wed Jun 28 2017 16:09:00.0000	1605	1375

Date/Time	Process Temperature (°F)	Process Flow SCFM
Wed Jun 28 2017 16:10:00.0000	1606	1115
Wed Jun 28 2017 16:11:00.0000	1606	1259
Wed Jun 28 2017 16:12:00.0000	1608	1329
Wed Jun 28 2017 16:13:00.0000	1606	1404
Wed Jun 28 2017 16:14:00.0000	1606	1314
Wed Jun 28 2017 16:15:00.0000	1607	1291
Wed Jun 28 2017 16:16:00.0000	1608	1208
Wed Jun 28 2017 16:17:00.0000	1607	1232
Wed Jun 28 2017 16:18:00.0000	1606	1383
Wed Jun 28 2017 16:19:00.0000	1607	1123
Wed Jun 28 2017 16:20:00.0000	1607	1187
Wed Jun 28 2017 16:21:00.0000	1607	1294
Wed Jun 28 2017 16:22:00.0000	1606	1364
Wed Jun 28 2017 16:23:00.0000	1606	1401
Wed Jun 28 2017 16:24:00.0000	1606	1208
Wed Jun 28 2017 16:25:00.0000	1608	1222
Wed Jun 28 2017 16:26:00.0000	1606	1353
Wed Jun 28 2017 16:27:00.0000	1605	1466
Wed Jun 28 2017 16:28:00.0000	1606	1187
Wed Jun 28 2017 16:29:00.0000	1608	1235
Wed Jun 28 2017 16:30:00.0000	1607	1300
Wed Jun 28 2017 16:31:00.0000	1605	1405
Wed Jun 28 2017 16:32:00.0000	1606	1216
Wed Jun 28 2017 16:33:00.0000	1607	1196
Wed Jun 28 2017 16:34:00.0000	1607	1309
Wed Jun 28 2017 16:35:00.0000	1606	1356
Wed Jun 28 2017 16:36:00.0000	1605	1362
Wed Jun 28 2017 16:37:00.0000	1606	1168
Wed Jun 28 2017 16:38:00.0000	1607	1252
Wed Jun 28 2017 16:39:00.0000	1607	1285
Wed Jun 28 2017 16:40:00.0000	1605	1216
Wed Jun 28 2017 16:41:00.0000	1606	1184
Wed Jun 28 2017 16:42:00.0000	1607	1258
Wed Jun 28 2017 16:43:00.0000	1607	1314
Wed Jun 28 2017 16:44:00.0000	1605	1412
Wed Jun 28 2017 16:45:00.0000	1605	1297
Wed Jun 28 2017 16:46:00.0000	1606	1157
Wed Jun 28 2017 16:47:00.0000	1607	1261
Wed Jun 28 2017 16:48:00.0000	1606	1344
Wed Jun 28 2017 16:49:00.0000	1604	1284
Wed Jun 28 2017 16:50:00.0000	1605	1203
Wed Jun 28 2017 16:51:00.0000	1606	1277
Wed Jun 28 2017 16:52:00.0000	1606	1293
Wed Jun 28 2017 16:53:00.0000	1605	1305
Wed Jun 28 2017 16:54:00.0000	1606	1145
Wed Jun 28 2017 16:55:00.0000	1607	1237
Wed Jun 28 2017 16:56:00.0000	1607	1219
Wed Jun 28 2017 16:57:00.0000	1604	1312
Wed Jun 28 2017 16:58:00.0000	1605	1366
Wed Jun 28 2017 16:59:00.0000	1605	1125
Wed Jun 28 2017 17:00:00.0000	1606	1209
Wed Jun 28 2017 17:01:00.0000	1605	1375
Wed Jun 28 2017 17:02:00.0000	1604	1327
Wed Jun 28 2017 17:03:00.0000	1605	1083
Wed Jun 28 2017 17:04:00.0000	1607	1323
Wed Jun 28 2017 17:05:00.0000	1605	1379
Wed Jun 28 2017 17:06:00.0000	1604	1396

Date/Time	Process Temperature (°F)	Process Flow SCFM
Wed Jun 28 2017 17:07:00.0000	1605	1217
Wed Jun 28 2017 17:08:00.0000	1606	1301
Wed Jun 28 2017 17:09:00.0000	1605	1277
Wed Jun 28 2017 17:10:00.0000	1604	1350
Wed Jun 28 2017 17:11:00.0000	1604	1175
Wed Jun 28 2017 17:12:00.0000	1605	1307
Wed Jun 28 2017 17:13:00.0000	1606	1312
Wed Jun 28 2017 17:14:00.0000	1604	1362
Wed Jun 28 2017 17:15:00.0000	1603	1291
Wed Jun 28 2017 17:16:00.0000	1604	1165
Wed Jun 28 2017 17:17:00.0000	1605	1239
Wed Jun 28 2017 17:18:00.0000	1605	1282
Wed Jun 28 2017 17:19:00.0000	1603	1391
Wed Jun 28 2017 17:20:00.0000	1604	1175
Wed Jun 28 2017 17:21:00.0000	1604	1183
Wed Jun 28 2017 17:22:00.0000	1606	1209
Wed Jun 28 2017 17:23:00.0000	1604	1415
Wed Jun 28 2017 17:24:00.0000	1604	1275
Wed Jun 28 2017 17:25:00.0000	1604	1173
Wed Jun 28 2017 17:26:00.0000	1605	1190
Wed Jun 28 2017 17:27:00.0000	1604	1203
Wed Jun 28 2017 17:28:00.0000	1602	1256
Wed Jun 28 2017 17:29:00.0000	1609	1264
Wed Jun 28 2017 17:30:00.0000	1617	1269
Wed Jun 28 2017 17:31:00.0000	1622	1298
Wed Jun 28 2017 17:32:00.0000	1622	1212
Wed Jun 28 2017 17:33:00.0000	1626	1111
Wed Jun 28 2017 17:34:00.0000	1628	1162
Wed Jun 28 2017 17:35:00.0000	1632	1220
Wed Jun 28 2017 17:36:00.0000	1622	1280
Wed Jun 28 2017 17:37:00.0000	1616	1324
Wed Jun 28 2017 17:38:00.0000	1612	1210
Wed Jun 28 2017 17:39:00.0000	1610	1243
Wed Jun 28 2017 17:40:00.0000	1607	1170
Wed Jun 28 2017 17:41:00.0000	1603	1301
Wed Jun 28 2017 17:42:00.0000	1602	1247
Wed Jun 28 2017 17:43:00.0000	1606	1171
Wed Jun 28 2017 17:44:00.0000	1611	1293
Wed Jun 28 2017 17:45:00.0000	1611	1338
Wed Jun 28 2017 17:46:00.0000	1611	1301
Wed Jun 28 2017 17:47:00.0000	1614	1218
Wed Jun 28 2017 17:48:00.0000	1616	1207
Wed Jun 28 2017 17:49:00.0000	1617	1283
Wed Jun 28 2017 17:50:00.0000	1615	1268
Wed Jun 28 2017 17:51:00.0000	1616	1167
Wed Jun 28 2017 17:52:00.0000	1617	1207
Wed Jun 28 2017 17:53:00.0000	1620	1334
Wed Jun 28 2017 17:54:00.0000	1619	1271
Wed Jun 28 2017 17:55:00.0000	1618	1246
Wed Jun 28 2017 17:56:00.0000	1620	1164
Wed Jun 28 2017 17:57:00.0000	1622	1272
Wed Jun 28 2017 17:58:00.0000	1621	1348
Wed Jun 28 2017 17:59:00.0000	1620	1353
Wed Jun 28 2017 18:00:00.0000	1622	1167
Wed Jun 28 2017 18:01:00.0000	1622	1152
Wed Jun 28 2017 18:02:00.0000	1624	1287
Wed Jun 28 2017 18:03:00.0000	1622	1320

Date/Time	Process Temperature (°F)	Process Flow SCFM
Wed Jun 28 2017 18:04:00.0000	1623	1235
Wed Jun 28 2017 18:05:00.0000	1624	1277
Wed Jun 28 2017 18:06:00.0000	1624	1326
Wed Jun 28 2017 18:07:00.0000	1622	1467
Wed Jun 28 2017 18:08:00.0000	1623	1180
Wed Jun 28 2017 18:09:00.0000	1624	1129
Wed Jun 28 2017 18:10:00.0000	1626	1345
Wed Jun 28 2017 18:11:00.0000	1624	1278
Wed Jun 28 2017 18:12:00.0000	1623	1332
Wed Jun 28 2017 18:13:00.0000	1624	1359
Wed Jun 28 2017 18:14:00.0000	1626	1317
Wed Jun 28 2017 18:15:00.0000	1626	1278
Wed Jun 28 2017 18:16:00.0000	1624	1296
Wed Jun 28 2017 18:17:00.0000	1625	1210
Wed Jun 28 2017 18:18:00.0000	1626	1170
Wed Jun 28 2017 18:19:00.0000	1627	1231
Wed Jun 28 2017 18:20:00.0000	1626	1350
Wed Jun 28 2017 18:21:00.0000	1625	1394
Wed Jun 28 2017 18:22:00.0000	1626	1239
Wed Jun 28 2017 18:23:00.0000	1628	1275
Wed Jun 28 2017 18:24:00.0000	1627	1226
Wed Jun 28 2017 18:25:00.0000	1626	1347
Wed Jun 28 2017 18:26:00.0000	1627	1317
Wed Jun 28 2017 18:27:00.0000	1628	1191
Wed Jun 28 2017 18:28:00.0000	1629	1249
Wed Jun 28 2017 18:29:00.0000	1627	1229
Wed Jun 28 2017 18:30:00.0000	1627	1265
Wed Jun 28 2017 18:31:00.0000	1628	1148
Wed Jun 28 2017 18:32:00.0000	1630	1256
Wed Jun 28 2017 18:33:00.0000	1628	1257
Wed Jun 28 2017 18:34:00.0000	1627	1340
Wed Jun 28 2017 18:35:00.0000	1628	1203
Wed Jun 28 2017 18:36:00.0000	1629	1197
Wed Jun 28 2017 18:37:00.0000	1630	1243
Wed Jun 28 2017 18:38:00.0000	1628	1284
Wed Jun 28 2017 18:39:00.0000	1629	1222
Wed Jun 28 2017 18:40:00.0000	1629	1207
Wed Jun 28 2017 18:41:00.0000	1631	1175
Wed Jun 28 2017 18:42:00.0000	1629	1188
Wed Jun 28 2017 18:43:00.0000	1628	1325
Wed Jun 28 2017 18:44:00.0000	1629	1237
Wed Jun 28 2017 18:45:00.0000	1632	1204
Wed Jun 28 2017 18:46:00.0000	1630	1305
Wed Jun 28 2017 18:47:00.0000	1628	1331
Wed Jun 28 2017 18:48:00.0000	1629	1152
Wed Jun 28 2017 18:49:00.0000	1630	1227
Wed Jun 28 2017 18:50:00.0000	1632	1213
Wed Jun 28 2017 18:51:00.0000	1630	1310
Wed Jun 28 2017 18:52:00.0000	1630	1331
Wed Jun 28 2017 18:53:00.0000	1630	1177
Wed Jun 28 2017 18:54:00.0000	1633	1213
Wed Jun 28 2017 18:55:00.0000	1631	1295
Wed Jun 28 2017 18:56:00.0000	1629	1318
Wed Jun 28 2017 18:57:00.0000	1631	1170
Wed Jun 28 2017 18:58:00.0000	1632	1314
Wed Jun 28 2017 18:59:00.0000	1632	1317
Wed Jun 28 2017 19:00:00.0000	1630	1312

Date/Time	Process Temperature (°F)	Process Flow SCFM
Wed Jun 28 2017 19:01:00.0000	1632	1401
Wed Jun 28 2017 19:02:00.0000	1631	1390
Wed Jun 28 2017 19:03:00.0000	1633	1284
Wed Jun 28 2017 19:04:00.0000	1632	1264
Wed Jun 28 2017 19:05:00.0000	1630	1364
Wed Jun 28 2017 19:06:00.0000	1631	1208
Wed Jun 28 2017 19:07:00.0000	1633	1207
Wed Jun 28 2017 19:08:00.0000	1629	1287
Wed Jun 28 2017 19:09:00.0000	1622	1297
Wed Jun 28 2017 19:10:00.0000	1620	1058
Wed Jun 28 2017 19:11:00.0000	1617	1108
Wed Jun 28 2017 19:12:00.0000	1614	1151
Wed Jun 28 2017 19:13:00.0000	1611	1275
Wed Jun 28 2017 19:14:00.0000	1609	1332
Wed Jun 28 2017 19:15:00.0000	1608	1121
Wed Jun 28 2017 19:16:00.0000	1607	1288
Wed Jun 28 2017 19:17:00.0000	1605	1200
Wed Jun 28 2017 19:18:00.0000	1603	1363
Wed Jun 28 2017 19:19:00.0000	1602	1131
Wed Jun 28 2017 19:20:00.0000	1605	1185
Wed Jun 28 2017 19:21:00.0000	1611	1250
Wed Jun 28 2017 19:22:00.0000	1612	1302
Wed Jun 28 2017 19:23:00.0000	1614	1319
Wed Jun 28 2017 19:24:00.0000	1616	1155
Wed Jun 28 2017 19:25:00.0000	1619	1216
Wed Jun 28 2017 19:26:00.0000	1619	1237
Wed Jun 28 2017 19:27:00.0000	1618	1271
Wed Jun 28 2017 19:28:00.0000	1620	1118
Wed Jun 28 2017 19:29:00.0000	1622	1170
Wed Jun 28 2017 19:30:00.0000	1623	1157
Wed Jun 28 2017 19:31:00.0000	1622	1192
Wed Jun 28 2017 19:32:00.0000	1624	1159
Wed Jun 28 2017 19:33:00.0000	1624	1157
Wed Jun 28 2017 19:34:00.0000	1626	1137
Wed Jun 28 2017 19:35:00.0000	1625	1328
Wed Jun 28 2017 19:36:00.0000	1624	1422
Wed Jun 28 2017 19:37:00.0000	1625	1112
Wed Jun 28 2017 19:38:00.0000	1627	1226
Wed Jun 28 2017 19:39:00.0000	1626	1270
Wed Jun 28 2017 19:40:00.0000	1624	1266
Wed Jun 28 2017 19:41:00.0000	1627	1168
Wed Jun 28 2017 19:42:00.0000	1628	1248
Wed Jun 28 2017 19:43:00.0000	1629	1233
Wed Jun 28 2017 19:44:00.0000	1627	1319
Wed Jun 28 2017 19:45:00.0000	1627	1372
Wed Jun 28 2017 19:46:00.0000	1628	1096
Wed Jun 28 2017 19:47:00.0000	1630	1169
Wed Jun 28 2017 19:48:00.0000	1629	1161
Wed Jun 28 2017 19:49:00.0000	1627	1398
Wed Jun 28 2017 19:50:00.0000	1629	1238
Wed Jun 28 2017 19:51:00.0000	1630	1168
Wed Jun 28 2017 19:52:00.0000	1631	1282
Wed Jun 28 2017 19:53:00.0000	1629	1361
Wed Jun 28 2017 19:54:00.0000	1629	1288
Wed Jun 28 2017 19:55:00.0000	1630	1254
Wed Jun 28 2017 19:56:00.0000	1632	1247
Wed Jun 28 2017 19:57:00.0000	1631	1211

Date/Time	Process Temperature (°F)	Process Flow SCFM
Wed Jun 28 2017 19:58:00.0000	1629	1350
Wed Jun 28 2017 19:59:00.0000	1631	1178
Wed Jun 28 2017 20:00:00.0000	1632	1200
Wed Jun 28 2017 20:01:00.0000	1632	1265
Wed Jun 28 2017 20:02:00.0000	1630	1398
Wed Jun 28 2017 20:03:00.0000	1630	1344
Wed Jun 28 2017 20:04:00.0000	1631	1157
Wed Jun 28 2017 20:05:00.0000	1633	1219
Wed Jun 28 2017 20:06:00.0000	1632	1297
Wed Jun 28 2017 20:07:00.0000	1630	1296
Wed Jun 28 2017 20:08:00.0000	1631	1194
Wed Jun 28 2017 20:09:00.0000	1632	1238
Wed Jun 28 2017 20:10:00.0000	1628	1151
Wed Jun 28 2017 20:11:00.0000	1622	1283
Wed Jun 28 2017 20:12:00.0000	1620	1434
Wed Jun 28 2017 20:13:00.0000	1618	1232
Wed Jun 28 2017 20:14:00.0000	1616	1281
Wed Jun 28 2017 20:15:00.0000	1613	1294
Wed Jun 28 2017 20:16:00.0000	1611	1449
Wed Jun 28 2017 20:17:00.0000	1611	1162
Wed Jun 28 2017 20:18:00.0000	1610	1182
Wed Jun 28 2017 20:19:00.0000	1608	1351
Wed Jun 28 2017 20:20:00.0000	1606	1369
Wed Jun 28 2017 20:21:00.0000	1605	1127
Wed Jun 28 2017 20:22:00.0000	1605	1331
Wed Jun 28 2017 20:23:00.0000	1604	1278
Wed Jun 28 2017 20:24:00.0000	1602	1320
Wed Jun 28 2017 20:25:00.0000	1606	1366
Wed Jun 28 2017 20:26:00.0000	1609	1150
Wed Jun 28 2017 20:27:00.0000	1613	1259
Wed Jun 28 2017 20:28:00.0000	1614	1318
Wed Jun 28 2017 20:29:00.0000	1614	1285
Wed Jun 28 2017 20:30:00.0000	1616	1195
Wed Jun 28 2017 20:31:00.0000	1618	1202
Wed Jun 28 2017 20:32:00.0000	1619	1244
Wed Jun 28 2017 20:33:00.0000	1618	1416
Wed Jun 28 2017 20:34:00.0000	1619	1312
Wed Jun 28 2017 20:35:00.0000	1620	1144
Wed Jun 28 2017 20:36:00.0000	1623	1219
Wed Jun 28 2017 20:37:00.0000	1622	1269
Wed Jun 28 2017 20:38:00.0000	1621	1397
Wed Jun 28 2017 20:39:00.0000	1623	1150
Wed Jun 28 2017 20:40:00.0000	1624	1265
Wed Jun 28 2017 20:41:00.0000	1625	1206
Wed Jun 28 2017 20:42:00.0000	1623	1357
Wed Jun 28 2017 20:43:00.0000	1624	1352
Wed Jun 28 2017 20:44:00.0000	1625	1179
Wed Jun 28 2017 20:45:00.0000	1627	1137
Wed Jun 28 2017 20:46:00.0000	1625	1333
Wed Jun 28 2017 20:47:00.0000	1624	1325
Wed Jun 28 2017 20:48:00.0000	1626	1140
Wed Jun 28 2017 20:49:00.0000	1627	1155
Wed Jun 28 2017 20:50:00.0000	1627	1326
Wed Jun 28 2017 20:51:00.0000	1625	1275
Wed Jun 28 2017 20:52:00.0000	1626	1242
Wed Jun 28 2017 20:53:00.0000	1627	1119
Wed Jun 28 2017 20:54:00.0000	1629	1202

Date/Time	Process Temperature (°F)	Process Flow SCFM
Wed Jun 28 2017 20:55:00.0000	1627	1327
Wed Jun 28 2017 20:56:00.0000	1626	1347
Wed Jun 28 2017 20:57:00.0000	1627	1109
Wed Jun 28 2017 20:58:00.0000	1629	1158
Wed Jun 28 2017 20:59:00.0000	1629	1237
Wed Jun 28 2017 21:00:00.0000	1627	1279
Wed Jun 28 2017 21:01:00.0000	1629	1209
Wed Jun 28 2017 21:02:00.0000	1629	1170
Wed Jun 28 2017 21:03:00.0000	1631	1185
Wed Jun 28 2017 21:04:00.0000	1629	1232
Wed Jun 28 2017 21:05:00.0000	1628	1150
Wed Jun 28 2017 21:06:00.0000	1630	1156
Wed Jun 28 2017 21:07:00.0000	1631	1155
Wed Jun 28 2017 21:08:00.0000	1629	1171
Wed Jun 28 2017 21:09:00.0000	1629	1333
Wed Jun 28 2017 21:10:00.0000	1630	1186
Wed Jun 28 2017 21:11:00.0000	1631	1176
Wed Jun 28 2017 21:12:00.0000	1631	1162
Wed Jun 28 2017 21:13:00.0000	1629	1324
Wed Jun 28 2017 21:14:00.0000	1630	1147
Wed Jun 28 2017 21:15:00.0000	1631	1162
Wed Jun 28 2017 21:16:00.0000	1632	1189
Wed Jun 28 2017 21:17:00.0000	1630	1116
Wed Jun 28 2017 21:18:00.0000	1629	1202
Wed Jun 28 2017 21:19:00.0000	1630	1119
Wed Jun 28 2017 21:20:00.0000	1632	1122
Wed Jun 28 2017 21:21:00.0000	1632	1196
Wed Jun 28 2017 21:22:00.0000	1629	1306
Wed Jun 28 2017 21:23:00.0000	1631	1119
Wed Jun 28 2017 21:24:00.0000	1631	1144
Wed Jun 28 2017 21:25:00.0000	1631	1177
Wed Jun 28 2017 21:26:00.0000	1623	1311
Wed Jun 28 2017 21:27:00.0000	1620	1236
Wed Jun 28 2017 21:28:00.0000	1618	1130
Wed Jun 28 2017 21:29:00.0000	1616	1156
Wed Jun 28 2017 21:30:00.0000	1614	1248
Wed Jun 28 2017 21:31:00.0000	1611	1307
Wed Jun 28 2017 21:32:00.0000	1610	1142
Wed Jun 28 2017 21:33:00.0000	1609	1127
Wed Jun 28 2017 21:34:00.0000	1608	1224
Wed Jun 28 2017 21:35:00.0000	1605	1219
Wed Jun 28 2017 21:36:00.0000	1604	1325
Wed Jun 28 2017 21:37:00.0000	1603	1099
Wed Jun 28 2017 21:38:00.0000	1603	1250
Wed Jun 28 2017 21:39:00.0000	1601	1210
Wed Jun 28 2017 21:40:00.0000	1603	1212
Wed Jun 28 2017 21:41:00.0000	1612	1155
Wed Jun 28 2017 21:42:00.0000	1618	1194
Wed Jun 28 2017 21:43:00.0000	1625	1124
Wed Jun 28 2017 21:44:00.0000	1626	1285
Wed Jun 28 2017 21:45:00.0000	1628	1205
Wed Jun 28 2017 21:46:00.0000	1631	1208
Wed Jun 28 2017 21:47:00.0000	1636	1291
Wed Jun 28 2017 21:48:00.0000	1625	1241
Wed Jun 28 2017 21:49:00.0000	1615	1336
Wed Jun 28 2017 21:50:00.0000	1607	1196
Wed Jun 28 2017 21:51:00.0000	1601	1159

Date/Time	Process Temperature (°F)	Process Flow SCFM
Wed Jun 28 2017 21:52:00.0000	1602	1275
Wed Jun 28 2017 21:53:00.0000	1610	1360
Wed Jun 28 2017 21:54:00.0000	1616	1132
Wed Jun 28 2017 21:55:00.0000	1622	1169
Wed Jun 28 2017 21:56:00.0000	1629	1230
Wed Jun 28 2017 21:57:00.0000	1630	1213
Wed Jun 28 2017 21:58:00.0000	1629	1194
Wed Jun 28 2017 21:59:00.0000	1633	1112
Wed Jun 28 2017 22:00:00.0000	1627	1179
Wed Jun 28 2017 22:01:00.0000	1620	1273
Wed Jun 28 2017 22:02:00.0000	1615	1144
Wed Jun 28 2017 22:03:00.0000	1613	1333
Wed Jun 28 2017 22:04:00.0000	1611	1135
Wed Jun 28 2017 22:05:00.0000	1609	1134
Wed Jun 28 2017 22:06:00.0000	1607	1231
Wed Jun 28 2017 22:07:00.0000	1604	1325
Wed Jun 28 2017 22:08:00.0000	1604	1131
Wed Jun 28 2017 22:09:00.0000	1603	1121
Wed Jun 28 2017 22:10:00.0000	1602	1156
Wed Jun 28 2017 22:11:00.0000	1603	1254
Wed Jun 28 2017 22:12:00.0000	1607	1352
Wed Jun 28 2017 22:13:00.0000	1610	1173
Wed Jun 28 2017 22:14:00.0000	1614	1178
Wed Jun 28 2017 22:15:00.0000	1614	1182
Wed Jun 28 2017 22:16:00.0000	1614	1327
Wed Jun 28 2017 22:17:00.0000	1616	1164
Wed Jun 28 2017 22:18:00.0000	1617	1093
Wed Jun 28 2017 22:19:00.0000	1619	1230
Wed Jun 28 2017 22:20:00.0000	1617	1214
Wed Jun 28 2017 22:21:00.0000	1618	1153
Wed Jun 28 2017 22:22:00.0000	1620	1097
Wed Jun 28 2017 22:23:00.0000	1622	1206
Wed Jun 28 2017 22:24:00.0000	1620	1317
Wed Jun 28 2017 22:25:00.0000	1619	1367
Wed Jun 28 2017 22:26:00.0000	1621	1193
Wed Jun 28 2017 22:27:00.0000	1623	1128
Wed Jun 28 2017 22:28:00.0000	1623	1173
Wed Jun 28 2017 22:29:00.0000	1621	1269
Wed Jun 28 2017 22:30:00.0000	1622	1109
Wed Jun 28 2017 22:31:00.0000	1624	1194
Wed Jun 28 2017 22:32:00.0000	1625	1177
Wed Jun 28 2017 22:33:00.0000	1623	1345
Wed Jun 28 2017 22:34:00.0000	1622	1304
Wed Jun 28 2017 22:35:00.0000	1624	1180
Wed Jun 28 2017 22:36:00.0000	1626	1145
Wed Jun 28 2017 22:37:00.0000	1625	1241
Wed Jun 28 2017 22:38:00.0000	1623	1235
Wed Jun 28 2017 22:39:00.0000	1625	1112
Wed Jun 28 2017 22:40:00.0000	1626	1113
Wed Jun 28 2017 22:41:00.0000	1627	1141
Wed Jun 28 2017 22:42:00.0000	1625	1338
Wed Jun 28 2017 22:43:00.0000	1625	1253
Wed Jun 28 2017 22:44:00.0000	1627	1134
Wed Jun 28 2017 22:45:00.0000	1628	1195
Wed Jun 28 2017 22:46:00.0000	1627	1242
Wed Jun 28 2017 22:47:00.0000	1625	1268
Wed Jun 28 2017 22:48:00.0000	1627	1195

Date/Time	Process Temperature (°F)	Process Flow SCFM
Wed Jun 28 2017 22:49:00.0000	1628	1141
Wed Jun 28 2017 22:50:00.0000	1628	1165
Wed Jun 28 2017 22:51:00.0000	1626	1328
Wed Jun 28 2017 22:52:00.0000	1627	1178
Wed Jun 28 2017 22:53:00.0000	1629	1169
Wed Jun 28 2017 22:54:00.0000	1630	1226
Wed Jun 28 2017 22:55:00.0000	1628	1134
Wed Jun 28 2017 22:56:00.0000	1627	1270
Wed Jun 28 2017 22:57:00.0000	1628	1166
Wed Jun 28 2017 22:58:00.0000	1630	1122
Wed Jun 28 2017 22:59:00.0000	1629	1153
Wed Jun 28 2017 23:00:00.0000	1627	1251
Wed Jun 28 2017 23:01:00.0000	1629	1051
Wed Jun 28 2017 23:02:00.0000	1630	1083
Wed Jun 28 2017 23:03:00.0000	1631	1232
Wed Jun 28 2017 23:04:00.0000	1629	1211
Wed Jun 28 2017 23:05:00.0000	1629	1277
Wed Jun 28 2017 23:06:00.0000	1630	1157
Wed Jun 28 2017 23:07:00.0000	1632	1192
Wed Jun 28 2017 23:08:00.0000	1630	1206
Wed Jun 28 2017 23:09:00.0000	1628	1320
Wed Jun 28 2017 23:10:00.0000	1630	1092
Wed Jun 28 2017 23:11:00.0000	1631	1168
Wed Jun 28 2017 23:12:00.0000	1632	1261
Wed Jun 28 2017 23:13:00.0000	1629	1373
Wed Jun 28 2017 23:14:00.0000	1630	1123
Wed Jun 28 2017 23:15:00.0000	1631	1220
Wed Jun 28 2017 23:16:00.0000	1631	1159
Wed Jun 28 2017 23:17:00.0000	1623	1118
Wed Jun 28 2017 23:18:00.0000	1619	1254
Wed Jun 28 2017 23:19:00.0000	1617	1148
Wed Jun 28 2017 23:20:00.0000	1615	1239
Wed Jun 28 2017 23:21:00.0000	1613	1225
Wed Jun 28 2017 23:22:00.0000	1611	1333
Wed Jun 28 2017 23:23:00.0000	1610	1148
Wed Jun 28 2017 23:24:00.0000	1609	1141
Wed Jun 28 2017 23:25:00.0000	1608	1172
Wed Jun 28 2017 23:26:00.0000	1606	1270
Wed Jun 28 2017 23:27:00.0000	1604	1249
Wed Jun 28 2017 23:28:00.0000	1604	1079
Wed Jun 28 2017 23:29:00.0000	1603	1070
Wed Jun 28 2017 23:30:00.0000	1602	1164
Wed Jun 28 2017 23:31:00.0000	1602	1256
Wed Jun 28 2017 23:32:00.0000	1612	1149
Wed Jun 28 2017 23:33:00.0000	1617	1139
Wed Jun 28 2017 23:34:00.0000	1625	1273
Wed Jun 28 2017 23:35:00.0000	1627	1324
Wed Jun 28 2017 23:36:00.0000	1628	1297
Wed Jun 28 2017 23:37:00.0000	1631	1211
Wed Jun 28 2017 23:38:00.0000	1634	1184
Wed Jun 28 2017 23:39:00.0000	1625	1195
Wed Jun 28 2017 23:40:00.0000	1619	1288
Wed Jun 28 2017 23:41:00.0000	1616	1143
Wed Jun 28 2017 23:42:00.0000	1613	983
Wed Jun 28 2017 23:43:00.0000	1611	1276
Wed Jun 28 2017 23:44:00.0000	1608	1302
Wed Jun 28 2017 23:45:00.0000	1607	1144

Date/Time	Process Temperature (°F)	Process Flow SCFM
Wed Jun 28 2017 23:46:00.0000	1606	1214
Wed Jun 28 2017 23:47:00.0000	1605	1276
Wed Jun 28 2017 23:48:00.0000	1603	1176
Wed Jun 28 2017 23:49:00.0000	1601	1207
Wed Jun 28 2017 23:50:00.0000	1604	1063
Wed Jun 28 2017 23:51:00.0000	1609	1227
Wed Jun 28 2017 23:52:00.0000	1612	1268
Wed Jun 28 2017 23:53:00.0000	1612	1425
Wed Jun 28 2017 23:54:00.0000	1613	1089
Wed Jun 28 2017 23:55:00.0000	1616	1154
Wed Jun 28 2017 23:56:00.0000	1618	1227
Wed Jun 28 2017 23:57:00.0000	1617	1267
Wed Jun 28 2017 23:58:00.0000	1616	1275
Wed Jun 28 2017 23:59:00.0000	1618	1212
Thu Jun 29 2017 00:00:00.0000	1620	1118
Thu Jun 29 2017 00:01:00.0000	1621	1148
Thu Jun 29 2017 00:02:00.0000	1619	1286
Thu Jun 29 2017 00:03:00.0000	1621	1166
Thu Jun 29 2017 00:04:00.0000	1622	1163
Thu Jun 29 2017 00:05:00.0000	1624	1141
Thu Jun 29 2017 00:06:00.0000	1622	1292
Thu Jun 29 2017 00:07:00.0000	1622	1231
Thu Jun 29 2017 00:08:00.0000	1624	1224
Thu Jun 29 2017 00:09:00.0000	1626	1150
Thu Jun 29 2017 00:10:00.0000	1625	1215
Thu Jun 29 2017 00:11:00.0000	1623	1283
Thu Jun 29 2017 00:12:00.0000	1625	1147
Thu Jun 29 2017 00:13:00.0000	1626	1329
Thu Jun 29 2017 00:14:00.0000	1627	1290
Thu Jun 29 2017 00:15:00.0000	1625	1325
Thu Jun 29 2017 00:16:00.0000	1626	1304
Thu Jun 29 2017 00:17:00.0000	1627	1172
Thu Jun 29 2017 00:18:00.0000	1629	1160
Thu Jun 29 2017 00:19:00.0000	1628	1217
Thu Jun 29 2017 00:20:00.0000	1626	1390
Thu Jun 29 2017 00:21:00.0000	1628	1112
Thu Jun 29 2017 00:22:00.0000	1629	1180
Thu Jun 29 2017 00:23:00.0000	1630	1266
Thu Jun 29 2017 00:24:00.0000	1627	1425
Thu Jun 29 2017 00:25:00.0000	1629	1275
Thu Jun 29 2017 00:26:00.0000	1629	1222
Thu Jun 29 2017 00:27:00.0000	1631	1173
Thu Jun 29 2017 00:28:00.0000	1630	1216
Thu Jun 29 2017 00:29:00.0000	1629	1393
Thu Jun 29 2017 00:30:00.0000	1630	1140
Thu Jun 29 2017 00:31:00.0000	1632	1236
Thu Jun 29 2017 00:32:00.0000	1632	1200
Thu Jun 29 2017 00:33:00.0000	1630	1212
Thu Jun 29 2017 00:34:00.0000	1631	1134
Thu Jun 29 2017 00:35:00.0000	1632	1059
Thu Jun 29 2017 00:36:00.0000	1626	1261
Thu Jun 29 2017 00:37:00.0000	1617	1237
Thu Jun 29 2017 00:38:00.0000	1612	1261
Thu Jun 29 2017 00:39:00.0000	1607	1137
Thu Jun 29 2017 00:40:00.0000	1604	1235
Thu Jun 29 2017 00:41:00.0000	1600	1245
Thu Jun 29 2017 00:42:00.0000	1605	1243

Date/Time	Process Temperature (°F)	Process Flow SCFM
Thu Jun 29 2017 00:43:00.0000	1616	1152
Thu Jun 29 2017 00:44:00.0000	1622	1300
Thu Jun 29 2017 00:45:00.0000	1629	1181
Thu Jun 29 2017 00:46:00.0000	1630	1362
Thu Jun 29 2017 00:47:00.0000	1632	1309
Thu Jun 29 2017 00:48:00.0000	1630	1173
Thu Jun 29 2017 00:49:00.0000	1627	1185
Thu Jun 29 2017 00:50:00.0000	1623	1225
Thu Jun 29 2017 00:51:00.0000	1620	1416
Thu Jun 29 2017 00:52:00.0000	1620	1169
Thu Jun 29 2017 00:53:00.0000	1618	1164
Thu Jun 29 2017 00:54:00.0000	1618	1261
Thu Jun 29 2017 00:55:00.0000	1615	1256
Thu Jun 29 2017 00:56:00.0000	1614	1285
Thu Jun 29 2017 00:57:00.0000	1614	1044
Thu Jun 29 2017 00:58:00.0000	1615	1238
Thu Jun 29 2017 00:59:00.0000	1613	1310
Thu Jun 29 2017 01:00:00.0000	1611	1312
Thu Jun 29 2017 01:01:00.0000	1612	1326
Thu Jun 29 2017 01:02:00.0000	1612	1207
Thu Jun 29 2017 01:03:00.0000	1611	1199
Thu Jun 29 2017 01:04:00.0000	1609	1289
Thu Jun 29 2017 01:05:00.0000	1609	1189
Thu Jun 29 2017 01:06:00.0000	1609	1170
Thu Jun 29 2017 01:07:00.0000	1610	1239
Thu Jun 29 2017 01:08:00.0000	1608	1288
Thu Jun 29 2017 01:09:00.0000	1607	1161
Thu Jun 29 2017 01:10:00.0000	1607	1155
Thu Jun 29 2017 01:11:00.0000	1608	1207
Thu Jun 29 2017 01:12:00.0000	1607	1180
Thu Jun 29 2017 01:13:00.0000	1605	1211
Thu Jun 29 2017 01:14:00.0000	1606	1176
Thu Jun 29 2017 01:15:00.0000	1606	1138
Thu Jun 29 2017 01:16:00.0000	1606	1257
Thu Jun 29 2017 01:17:00.0000	1605	1208
Thu Jun 29 2017 01:18:00.0000	1605	1308
Thu Jun 29 2017 01:19:00.0000	1605	1159
Thu Jun 29 2017 01:20:00.0000	1605	1222
Thu Jun 29 2017 01:21:00.0000	1604	1238
Thu Jun 29 2017 01:22:00.0000	1603	1262
Thu Jun 29 2017 01:23:00.0000	1603	1225
Thu Jun 29 2017 01:24:00.0000	1604	1237
Thu Jun 29 2017 01:25:00.0000	1603	1187
Thu Jun 29 2017 01:26:00.0000	1602	1269
Thu Jun 29 2017 01:27:00.0000	1603	1131
Thu Jun 29 2017 01:28:00.0000	1602	1148
Thu Jun 29 2017 01:29:00.0000	1603	1143
Thu Jun 29 2017 01:30:00.0000	1602	1286
Thu Jun 29 2017 01:31:00.0000	1609	1256
Thu Jun 29 2017 01:32:00.0000	1616	1080
Thu Jun 29 2017 01:33:00.0000	1623	1186
Thu Jun 29 2017 01:34:00.0000	1624	1238
Thu Jun 29 2017 01:35:00.0000	1625	1328
Thu Jun 29 2017 01:36:00.0000	1628	1181
Thu Jun 29 2017 01:37:00.0000	1633	1252
Thu Jun 29 2017 01:38:00.0000	1625	1268
Thu Jun 29 2017 01:39:00.0000	1618	1324

Date/Time	Process Temperature (°F)	Process Flow SCFM
Thu Jun 29 2017 01:40:00.0000	1615	1136
Thu Jun 29 2017 01:41:00.0000	1612	1172
Thu Jun 29 2017 01:42:00.0000	1610	1172
Thu Jun 29 2017 01:43:00.0000	1607	1290
Thu Jun 29 2017 01:44:00.0000	1605	1341
Thu Jun 29 2017 01:45:00.0000	1604	1215
Thu Jun 29 2017 01:46:00.0000	1603	1187
Thu Jun 29 2017 01:47:00.0000	1601	1236
Thu Jun 29 2017 01:48:00.0000	1603	1210
Thu Jun 29 2017 01:49:00.0000	1613	1225
Thu Jun 29 2017 01:50:00.0000	1618	1129
Thu Jun 29 2017 01:51:00.0000	1625	1262
Thu Jun 29 2017 01:52:00.0000	1626	1107
Thu Jun 29 2017 01:53:00.0000	1627	1328
Thu Jun 29 2017 01:54:00.0000	1631	1156
Thu Jun 29 2017 01:55:00.0000	1633	1238
Thu Jun 29 2017 01:56:00.0000	1620	1220
Thu Jun 29 2017 01:57:00.0000	1612	1233
Thu Jun 29 2017 01:58:00.0000	1606	1191
Thu Jun 29 2017 01:59:00.0000	1601	1229
Thu Jun 29 2017 02:00:00.0000	1604	1235
Thu Jun 29 2017 02:01:00.0000	1612	1281
Thu Jun 29 2017 02:02:00.0000	1617	1270
Thu Jun 29 2017 02:03:00.0000	1623	1214
Thu Jun 29 2017 02:04:00.0000	1630	1179
Thu Jun 29 2017 02:05:00.0000	1631	1224
Thu Jun 29 2017 02:06:00.0000	1631	1307
Thu Jun 29 2017 02:07:00.0000	1633	1100
Thu Jun 29 2017 02:08:00.0000	1625	1182
Thu Jun 29 2017 02:09:00.0000	1620	1281
Thu Jun 29 2017 02:10:00.0000	1615	1308
Thu Jun 29 2017 02:11:00.0000	1613	1292
Thu Jun 29 2017 02:12:00.0000	1610	1107
Thu Jun 29 2017 02:13:00.0000	1609	1162
Thu Jun 29 2017 02:14:00.0000	1606	1265
Thu Jun 29 2017 02:15:00.0000	1604	1238
Thu Jun 29 2017 02:16:00.0000	1603	1127
Thu Jun 29 2017 02:17:00.0000	1602	1182
Thu Jun 29 2017 02:18:00.0000	1601	1202
Thu Jun 29 2017 02:19:00.0000	1603	1314
Thu Jun 29 2017 02:20:00.0000	1607	1155
Thu Jun 29 2017 02:21:00.0000	1610	1215
Thu Jun 29 2017 02:22:00.0000	1613	1290
Thu Jun 29 2017 02:23:00.0000	1612	1213
Thu Jun 29 2017 02:24:00.0000	1612	1272
Thu Jun 29 2017 02:25:00.0000	1614	1130
Thu Jun 29 2017 02:26:00.0000	1616	1261
Thu Jun 29 2017 02:27:00.0000	1617	1252
Thu Jun 29 2017 02:28:00.0000	1615	1331
Thu Jun 29 2017 02:29:00.0000	1616	1122
Thu Jun 29 2017 02:30:00.0000	1618	1182
Thu Jun 29 2017 02:31:00.0000	1620	1238
Thu Jun 29 2017 02:32:00.0000	1618	1312
Thu Jun 29 2017 02:33:00.0000	1617	1264
Thu Jun 29 2017 02:34:00.0000	1618	1124
Thu Jun 29 2017 02:35:00.0000	1621	1199
Thu Jun 29 2017 02:36:00.0000	1620	1236

Date/Time	Process Temperature (°F)	Process Flow SCFM
Thu Jun 29 2017 02:37:00.0000	1618	1224
Thu Jun 29 2017 02:38:00.0000	1620	1185
Thu Jun 29 2017 02:39:00.0000	1620	1100
Thu Jun 29 2017 02:40:00.0000	1622	1184
Thu Jun 29 2017 02:41:00.0000	1620	1156
Thu Jun 29 2017 02:42:00.0000	1620	1333
Thu Jun 29 2017 02:43:00.0000	1621	1291
Thu Jun 29 2017 02:44:00.0000	1623	1192
Thu Jun 29 2017 02:45:00.0000	1623	1225
Thu Jun 29 2017 02:46:00.0000	1621	1272
Thu Jun 29 2017 02:47:00.0000	1622	1207
Thu Jun 29 2017 02:48:00.0000	1623	1103
Thu Jun 29 2017 02:49:00.0000	1624	1155
Thu Jun 29 2017 02:50:00.0000	1623	1339
Thu Jun 29 2017 02:51:00.0000	1622	1340
Thu Jun 29 2017 02:52:00.0000	1623	1156
Thu Jun 29 2017 02:53:00.0000	1625	1281
Thu Jun 29 2017 02:54:00.0000	1624	1188
Thu Jun 29 2017 02:55:00.0000	1622	1189
Thu Jun 29 2017 02:56:00.0000	1623	1105
Thu Jun 29 2017 02:57:00.0000	1624	1182
Thu Jun 29 2017 02:58:00.0000	1625	1194
Thu Jun 29 2017 02:59:00.0000	1624	1301
Thu Jun 29 2017 03:00:00.0000	1623	1321
Thu Jun 29 2017 03:01:00.0000	1624	1182
Thu Jun 29 2017 03:02:00.0000	1626	1281
Thu Jun 29 2017 03:03:00.0000	1625	1206
Thu Jun 29 2017 03:04:00.0000	1622	1272
Thu Jun 29 2017 03:05:00.0000	1624	1137
Thu Jun 29 2017 03:06:00.0000	1625	1282
Thu Jun 29 2017 03:07:00.0000	1626	1163
Thu Jun 29 2017 03:08:00.0000	1624	1378
Thu Jun 29 2017 03:09:00.0000	1624	1312
Thu Jun 29 2017 03:10:00.0000	1625	1160
Thu Jun 29 2017 03:11:00.0000	1627	1214
Thu Jun 29 2017 03:12:00.0000	1625	1164
Thu Jun 29 2017 03:13:00.0000	1624	1238
Thu Jun 29 2017 03:14:00.0000	1625	1149
Thu Jun 29 2017 03:15:00.0000	1626	1193
Thu Jun 29 2017 03:16:00.0000	1627	1157
Thu Jun 29 2017 03:17:00.0000	1625	1348
Thu Jun 29 2017 03:18:00.0000	1626	1209
Thu Jun 29 2017 03:19:00.0000	1626	1178
Thu Jun 29 2017 03:20:00.0000	1627	1285
Thu Jun 29 2017 03:21:00.0000	1626	1228
Thu Jun 29 2017 03:22:00.0000	1625	1277
Thu Jun 29 2017 03:23:00.0000	1626	1299
Thu Jun 29 2017 03:24:00.0000	1628	1125
Thu Jun 29 2017 03:25:00.0000	1627	1126
Thu Jun 29 2017 03:26:00.0000	1625	1320
Thu Jun 29 2017 03:27:00.0000	1627	1176
Thu Jun 29 2017 03:28:00.0000	1627	1142
Thu Jun 29 2017 03:29:00.0000	1628	1281
Thu Jun 29 2017 03:30:00.0000	1626	1363
Thu Jun 29 2017 03:31:00.0000	1627	1329
Thu Jun 29 2017 03:32:00.0000	1627	1100
Thu Jun 29 2017 03:33:00.0000	1629	1236

Date/Time	Process Temperature (°F)	Process Flow SCFM
Thu Jun 29 2017 03:34:00.0000	1627	1380
Thu Jun 29 2017 03:35:00.0000	1626	1146
Thu Jun 29 2017 03:36:00.0000	1627	1120
Thu Jun 29 2017 03:37:00.0000	1629	1176
Thu Jun 29 2017 03:38:00.0000	1627	1190
Thu Jun 29 2017 03:39:00.0000	1626	1248
Thu Jun 29 2017 03:40:00.0000	1627	1184
Thu Jun 29 2017 03:41:00.0000	1629	1206
Thu Jun 29 2017 03:42:00.0000	1628	1223
Thu Jun 29 2017 03:43:00.0000	1626	1310
Thu Jun 29 2017 03:44:00.0000	1627	1183
Thu Jun 29 2017 03:45:00.0000	1628	1202
Thu Jun 29 2017 03:46:00.0000	1629	1196
Thu Jun 29 2017 03:47:00.0000	1627	1293
Thu Jun 29 2017 03:48:00.0000	1627	1338
Thu Jun 29 2017 03:49:00.0000	1628	1176
Thu Jun 29 2017 03:50:00.0000	1629	1167
Thu Jun 29 2017 03:51:00.0000	1629	1223
Thu Jun 29 2017 03:52:00.0000	1626	1417
Thu Jun 29 2017 03:53:00.0000	1628	1161
Thu Jun 29 2017 03:54:00.0000	1628	1105
Thu Jun 29 2017 03:55:00.0000	1629	1147
Thu Jun 29 2017 03:56:00.0000	1628	1310
Thu Jun 29 2017 03:57:00.0000	1627	1281
Thu Jun 29 2017 03:58:00.0000	1628	1123
Thu Jun 29 2017 03:59:00.0000	1630	1181
Thu Jun 29 2017 04:00:00.0000	1629	1269
Thu Jun 29 2017 04:01:00.0000	1627	1294
Thu Jun 29 2017 04:02:00.0000	1628	1144
Thu Jun 29 2017 04:03:00.0000	1629	1190
Thu Jun 29 2017 04:04:00.0000	1630	1246
Thu Jun 29 2017 04:05:00.0000	1628	1308
Thu Jun 29 2017 04:06:00.0000	1627	1280
Thu Jun 29 2017 04:07:00.0000	1629	1125
Thu Jun 29 2017 04:08:00.0000	1630	1167
Thu Jun 29 2017 04:09:00.0000	1629	1206
Thu Jun 29 2017 04:10:00.0000	1627	1344
Thu Jun 29 2017 04:11:00.0000	1629	1077
Thu Jun 29 2017 04:12:00.0000	1629	1199
Thu Jun 29 2017 04:13:00.0000	1630	1247
Thu Jun 29 2017 04:14:00.0000	1628	1221
Thu Jun 29 2017 04:15:00.0000	1628	1061
Thu Jun 29 2017 04:16:00.0000	1629	1093
Thu Jun 29 2017 04:17:00.0000	1630	1130
Thu Jun 29 2017 04:18:00.0000	1629	1142
Thu Jun 29 2017 04:19:00.0000	1628	1326
Thu Jun 29 2017 04:20:00.0000	1629	1124
Thu Jun 29 2017 04:21:00.0000	1630	1200
Thu Jun 29 2017 04:22:00.0000	1631	1167
Thu Jun 29 2017 04:23:00.0000	1628	1317
Thu Jun 29 2017 04:24:00.0000	1629	1251
Thu Jun 29 2017 04:25:00.0000	1629	1147
Thu Jun 29 2017 04:26:00.0000	1631	1285
Thu Jun 29 2017 04:27:00.0000	1630	1142
Thu Jun 29 2017 04:28:00.0000	1628	1320
Thu Jun 29 2017 04:29:00.0000	1629	1126
Thu Jun 29 2017 04:30:00.0000	1631	1196

Date/Time	Process Temperature (°F)	Process Flow SCFM
Thu Jun 29 2017 04:31:00.0000	1631	1190
Thu Jun 29 2017 04:32:00.0000	1629	1356
Thu Jun 29 2017 04:33:00.0000	1629	1395
Thu Jun 29 2017 04:34:00.0000	1630	1174
Thu Jun 29 2017 04:35:00.0000	1632	1262
Thu Jun 29 2017 04:36:00.0000	1630	1285
Thu Jun 29 2017 04:37:00.0000	1628	1394
Thu Jun 29 2017 04:38:00.0000	1630	1240
Thu Jun 29 2017 04:39:00.0000	1631	1124
Thu Jun 29 2017 04:40:00.0000	1631	1264
Thu Jun 29 2017 04:41:00.0000	1629	1238
Thu Jun 29 2017 04:42:00.0000	1629	1170
Thu Jun 29 2017 04:43:00.0000	1630	1137
Thu Jun 29 2017 04:44:00.0000	1632	1195
Thu Jun 29 2017 04:45:00.0000	1630	1137
Thu Jun 29 2017 04:46:00.0000	1629	1328
Thu Jun 29 2017 04:47:00.0000	1630	1146
Thu Jun 29 2017 04:48:00.0000	1632	1165
Thu Jun 29 2017 04:49:00.0000	1632	1222
Thu Jun 29 2017 04:50:00.0000	1629	1330
Thu Jun 29 2017 04:51:00.0000	1630	1184
Thu Jun 29 2017 04:52:00.0000	1631	1183
Thu Jun 29 2017 04:53:00.0000	1632	1191
Thu Jun 29 2017 04:54:00.0000	1631	1159
Thu Jun 29 2017 04:55:00.0000	1629	1263
Thu Jun 29 2017 04:56:00.0000	1631	1207
Thu Jun 29 2017 04:57:00.0000	1632	1185
Thu Jun 29 2017 04:58:00.0000	1632	1222
Thu Jun 29 2017 04:59:00.0000	1629	1309
Thu Jun 29 2017 05:00:00.0000	1630	1189
Thu Jun 29 2017 05:01:00.0000	1631	1166
Thu Jun 29 2017 05:02:00.0000	1632	1168
Thu Jun 29 2017 05:03:00.0000	1630	1254
Thu Jun 29 2017 05:04:00.0000	1629	1351
Thu Jun 29 2017 05:05:00.0000	1630	1120
Thu Jun 29 2017 05:06:00.0000	1632	1187
Thu Jun 29 2017 05:07:00.0000	1632	1164
Thu Jun 29 2017 05:08:00.0000	1630	1309
Thu Jun 29 2017 05:09:00.0000	1631	1201
Thu Jun 29 2017 05:10:00.0000	1632	1111
Thu Jun 29 2017 05:11:00.0000	1630	1251
Thu Jun 29 2017 05:12:00.0000	1623	1179
Thu Jun 29 2017 05:13:00.0000	1619	1369
Thu Jun 29 2017 05:14:00.0000	1618	1132
Thu Jun 29 2017 05:15:00.0000	1616	1147
Thu Jun 29 2017 05:16:00.0000	1613	1237
Thu Jun 29 2017 05:17:00.0000	1611	1306
Thu Jun 29 2017 05:18:00.0000	1610	1093
Thu Jun 29 2017 05:19:00.0000	1609	1186
Thu Jun 29 2017 05:20:00.0000	1607	1264
Thu Jun 29 2017 05:21:00.0000	1605	1300
Thu Jun 29 2017 05:22:00.0000	1604	1103
Thu Jun 29 2017 05:23:00.0000	1603	1221
Thu Jun 29 2017 05:24:00.0000	1602	1239
Thu Jun 29 2017 05:25:00.0000	1601	1241
Thu Jun 29 2017 05:26:00.0000	1609	1325
Thu Jun 29 2017 05:27:00.0000	1616	1119

Date/Time	Process Temperature (°F)	Process Flow SCFM
Thu Jun 29 2017 05:28:00.0000	1624	1208
Thu Jun 29 2017 05:29:00.0000	1628	1220
Thu Jun 29 2017 05:30:00.0000	1628	1219
Thu Jun 29 2017 05:31:00.0000	1632	1119
Thu Jun 29 2017 05:32:00.0000	1634	1139
Thu Jun 29 2017 05:33:00.0000	1631	1244
Thu Jun 29 2017 05:34:00.0000	1621	1280
Thu Jun 29 2017 05:35:00.0000	1615	1250
Thu Jun 29 2017 05:36:00.0000	1610	1291
Thu Jun 29 2017 05:37:00.0000	1606	1182
Thu Jun 29 2017 05:38:00.0000	1603	1242
Thu Jun 29 2017 05:39:00.0000	1601	1382
Thu Jun 29 2017 05:40:00.0000	1606	1107
Thu Jun 29 2017 05:41:00.0000	1609	1133
Thu Jun 29 2017 05:42:00.0000	1614	1276
Thu Jun 29 2017 05:43:00.0000	1614	1227
Thu Jun 29 2017 05:44:00.0000	1615	1283
Thu Jun 29 2017 05:45:00.0000	1616	1114
Thu Jun 29 2017 05:46:00.0000	1619	1147
Thu Jun 29 2017 05:47:00.0000	1619	1243
Thu Jun 29 2017 05:48:00.0000	1618	1330
Thu Jun 29 2017 05:49:00.0000	1619	1164
Thu Jun 29 2017 05:50:00.0000	1620	1101
Thu Jun 29 2017 05:51:00.0000	1622	1306
Thu Jun 29 2017 05:52:00.0000	1621	1177
Thu Jun 29 2017 05:53:00.0000	1620	1344
Thu Jun 29 2017 05:54:00.0000	1622	1138
Thu Jun 29 2017 05:55:00.0000	1624	1172
Thu Jun 29 2017 05:56:00.0000	1624	1285
Thu Jun 29 2017 05:57:00.0000	1621	1376
Thu Jun 29 2017 05:58:00.0000	1623	1174
Thu Jun 29 2017 05:59:00.0000	1624	1169
Thu Jun 29 2017 06:00:00.0000	1626	1262
Thu Jun 29 2017 06:01:00.0000	1624	1207
Thu Jun 29 2017 06:02:00.0000	1623	1346
Thu Jun 29 2017 06:03:00.0000	1625	1155
Thu Jun 29 2017 06:04:00.0000	1627	1240
Thu Jun 29 2017 06:05:00.0000	1626	1224
Thu Jun 29 2017 06:06:00.0000	1624	1300
Thu Jun 29 2017 06:07:00.0000	1626	1070
Thu Jun 29 2017 06:08:00.0000	1626	1147
Thu Jun 29 2017 06:09:00.0000	1628	1171
Thu Jun 29 2017 06:10:00.0000	1626	1286
Thu Jun 29 2017 06:11:00.0000	1626	1306
Thu Jun 29 2017 06:12:00.0000	1626	1147
Thu Jun 29 2017 06:13:00.0000	1628	1185
Thu Jun 29 2017 06:14:00.0000	1628	1261
Thu Jun 29 2017 06:15:00.0000	1626	1265
Thu Jun 29 2017 06:16:00.0000	1627	1115
Thu Jun 29 2017 06:17:00.0000	1628	1233
Thu Jun 29 2017 06:18:00.0000	1629	1189
Thu Jun 29 2017 06:19:00.0000	1627	1216
Thu Jun 29 2017 06:20:00.0000	1627	1411
Thu Jun 29 2017 06:21:00.0000	1628	1141
Thu Jun 29 2017 06:22:00.0000	1630	1284
Thu Jun 29 2017 06:23:00.0000	1628	1297
Thu Jun 29 2017 06:24:00.0000	1627	1360

Date/Time	Process Temperature (°F)	Process Flow SCFM
Thu Jun 29 2017 06:25:00.0000	1628	1213
Thu Jun 29 2017 06:26:00.0000	1630	1190
Thu Jun 29 2017 06:27:00.0000	1630	1108
Thu Jun 29 2017 06:28:00.0000	1628	1288
Thu Jun 29 2017 06:29:00.0000	1628	1221
Thu Jun 29 2017 06:30:00.0000	1629	1085
Thu Jun 29 2017 06:31:00.0000	1631	1241
Thu Jun 29 2017 06:32:00.0000	1629	1346
Thu Jun 29 2017 06:33:00.0000	1628	1231
Thu Jun 29 2017 06:34:00.0000	1629	1159
Thu Jun 29 2017 06:35:00.0000	1631	1167
Thu Jun 29 2017 06:36:00.0000	1630	1192
Thu Jun 29 2017 06:37:00.0000	1628	1271
Thu Jun 29 2017 06:38:00.0000	1630	1133
Thu Jun 29 2017 06:39:00.0000	1631	1168
Thu Jun 29 2017 06:40:00.0000	1632	1179
Thu Jun 29 2017 06:41:00.0000	1630	1207
Thu Jun 29 2017 06:42:00.0000	1631	1237
Thu Jun 29 2017 06:43:00.0000	1631	1092
Thu Jun 29 2017 06:44:00.0000	1633	1124
Thu Jun 29 2017 06:45:00.0000	1626	1164
Thu Jun 29 2017 06:46:00.0000	1621	1226
Thu Jun 29 2017 06:47:00.0000	1617	1168
Thu Jun 29 2017 06:48:00.0000	1614	1291
Thu Jun 29 2017 06:49:00.0000	1611	1264
Thu Jun 29 2017 06:50:00.0000	1609	1334
Thu Jun 29 2017 06:51:00.0000	1609	1150
Thu Jun 29 2017 06:52:00.0000	1608	1205
Thu Jun 29 2017 06:53:00.0000	1607	1198
Thu Jun 29 2017 06:54:00.0000	1605	1293
Thu Jun 29 2017 06:55:00.0000	1604	1323
Thu Jun 29 2017 06:56:00.0000	1603	1115
Thu Jun 29 2017 06:57:00.0000	1603	1246
Thu Jun 29 2017 06:58:00.0000	1601	1213
Thu Jun 29 2017 06:59:00.0000	1604	1203
Thu Jun 29 2017 07:00:00.0000	1614	1065
Thu Jun 29 2017 07:01:00.0000	1620	1183
Thu Jun 29 2017 07:02:00.0000	1626	1284
Thu Jun 29 2017 07:03:00.0000	1628	1310
Thu Jun 29 2017 07:04:00.0000	1629	1349
Thu Jun 29 2017 07:05:00.0000	1632	1098
Thu Jun 29 2017 07:06:00.0000	1634	1238
Thu Jun 29 2017 07:07:00.0000	1624	1275
Thu Jun 29 2017 07:08:00.0000	1618	1291
Thu Jun 29 2017 07:09:00.0000	1614	1063
Thu Jun 29 2017 07:10:00.0000	1611	1183
Thu Jun 29 2017 07:11:00.0000	1608	1308
Thu Jun 29 2017 07:12:00.0000	1605	1269
Thu Jun 29 2017 07:13:00.0000	1604	1377
Thu Jun 29 2017 07:14:00.0000	1602	1171
Thu Jun 29 2017 07:15:00.0000	1604	1237
Thu Jun 29 2017 07:16:00.0000	1609	1275
Thu Jun 29 2017 07:17:00.0000	1609	1256
Thu Jun 29 2017 07:18:00.0000	1613	1122
Thu Jun 29 2017 07:19:00.0000	1615	1121
Thu Jun 29 2017 07:20:00.0000	1617	1319
Thu Jun 29 2017 07:21:00.0000	1616	1235

Date/Time	Process Temperature (°F)	Process Flow SCFM
Thu Jun 29 2017 07:22:00.0000	1616	1309
Thu Jun 29 2017 07:23:00.0000	1618	1112
Thu Jun 29 2017 07:24:00.0000	1621	1131
Thu Jun 29 2017 07:25:00.0000	1620	1279
Thu Jun 29 2017 07:26:00.0000	1618	1199
Thu Jun 29 2017 07:27:00.0000	1620	1121
Thu Jun 29 2017 07:28:00.0000	1622	1264
Thu Jun 29 2017 07:29:00.0000	1623	1179
Thu Jun 29 2017 07:30:00.0000	1621	1275
Thu Jun 29 2017 07:31:00.0000	1621	1394
Thu Jun 29 2017 07:32:00.0000	1623	1060
Thu Jun 29 2017 07:33:00.0000	1625	1206
Thu Jun 29 2017 07:34:00.0000	1624	1300
Thu Jun 29 2017 07:35:00.0000	1622	1227
Thu Jun 29 2017 07:36:00.0000	1624	1111
Thu Jun 29 2017 07:37:00.0000	1625	1131
Thu Jun 29 2017 07:38:00.0000	1626	1226
Thu Jun 29 2017 07:39:00.0000	1624	1319
Thu Jun 29 2017 07:40:00.0000	1624	1326
Thu Jun 29 2017 07:41:00.0000	1625	1099
Thu Jun 29 2017 07:42:00.0000	1627	1151
Thu Jun 29 2017 07:43:00.0000	1626	1241
Thu Jun 29 2017 07:44:00.0000	1625	1245
Thu Jun 29 2017 07:45:00.0000	1627	1093
Thu Jun 29 2017 07:46:00.0000	1628	1184
Thu Jun 29 2017 07:47:00.0000	1628	1265
Thu Jun 29 2017 07:48:00.0000	1626	1167
Thu Jun 29 2017 07:49:00.0000	1626	1050
Thu Jun 29 2017 07:50:00.0000	1627	1112
Thu Jun 29 2017 07:51:00.0000	1629	1166
Thu Jun 29 2017 07:52:00.0000	1628	1221
Thu Jun 29 2017 07:53:00.0000	1627	1227
Thu Jun 29 2017 07:54:00.0000	1629	1071
Thu Jun 29 2017 07:55:00.0000	1631	1211
Thu Jun 29 2017 07:56:00.0000	1629	1284
Thu Jun 29 2017 07:57:00.0000	1627	1341
Thu Jun 29 2017 07:58:00.0000	1629	1145
Thu Jun 29 2017 07:59:00.0000	1630	1144
Thu Jun 29 2017 08:00:00.0000	1631	1214
Thu Jun 29 2017 08:01:00.0000	1629	1381
Thu Jun 29 2017 08:02:00.0000	1629	1178
Thu Jun 29 2017 08:03:00.0000	1631	1119
Thu Jun 29 2017 08:04:00.0000	1632	1200
Thu Jun 29 2017 08:05:00.0000	1630	1276
Thu Jun 29 2017 08:06:00.0000	1629	1341
Thu Jun 29 2017 08:07:00.0000	1631	1108
Thu Jun 29 2017 08:08:00.0000	1633	1217
Thu Jun 29 2017 08:09:00.0000	1631	1300
Thu Jun 29 2017 08:10:00.0000	1629	1330
Thu Jun 29 2017 08:11:00.0000	1631	1140
Thu Jun 29 2017 08:12:00.0000	1632	1089
Thu Jun 29 2017 08:13:00.0000	1627	1213
Thu Jun 29 2017 08:14:00.0000	1621	1232
Thu Jun 29 2017 08:15:00.0000	1617	1071
Thu Jun 29 2017 08:16:00.0000	1614	1108
Thu Jun 29 2017 08:17:00.0000	1612	1249
Thu Jun 29 2017 08:18:00.0000	1610	1187

Date/Time	Process Temperature (°F)	Process Flow SCFM
Thu Jun 29 2017 08:19:00.0000	1609	1328
Thu Jun 29 2017 08:20:00.0000	1608	1130
Thu Jun 29 2017 08:21:00.0000	1608	1157
Thu Jun 29 2017 08:22:00.0000	1606	1255
Thu Jun 29 2017 08:23:00.0000	1604	1199
Thu Jun 29 2017 08:24:00.0000	1604	1164
Thu Jun 29 2017 08:25:00.0000	1603	1171
Thu Jun 29 2017 08:26:00.0000	1603	1304
Thu Jun 29 2017 08:27:00.0000	1601	1350
Thu Jun 29 2017 08:28:00.0000	1608	1229
Thu Jun 29 2017 08:29:00.0000	1616	1200
Thu Jun 29 2017 08:30:00.0000	1624	1158
Thu Jun 29 2017 08:31:00.0000	1628	1189
Thu Jun 29 2017 08:32:00.0000	1629	1370
Thu Jun 29 2017 08:33:00.0000	1632	1196
Thu Jun 29 2017 08:34:00.0000	1628	1099
Thu Jun 29 2017 08:35:00.0000	1625	1219
Thu Jun 29 2017 08:36:00.0000	1622	1398
Thu Jun 29 2017 08:37:00.0000	1619	1288
Thu Jun 29 2017 08:38:00.0000	1618	1134
Thu Jun 29 2017 08:39:00.0000	1618	1122
Thu Jun 29 2017 08:40:00.0000	1617	1298
Thu Jun 29 2017 08:41:00.0000	1616	1277
Thu Jun 29 2017 08:42:00.0000	1617	1113
Thu Jun 29 2017 08:43:00.0000	1618	1160
Thu Jun 29 2017 08:44:00.0000	1618	1140
Thu Jun 29 2017 08:45:00.0000	1616	1188
Thu Jun 29 2017 08:46:00.0000	1616	1255
Thu Jun 29 2017 08:47:00.0000	1617	1091
Thu Jun 29 2017 08:48:00.0000	1618	1256
Thu Jun 29 2017 08:49:00.0000	1616	1350
Thu Jun 29 2017 08:50:00.0000	1615	1375
Thu Jun 29 2017 08:51:00.0000	1616	1162
Thu Jun 29 2017 08:52:00.0000	1616	1198
Thu Jun 29 2017 08:53:00.0000	1617	1275
Thu Jun 29 2017 08:54:00.0000	1615	1226
Thu Jun 29 2017 08:55:00.0000	1615	1195
Thu Jun 29 2017 08:56:00.0000	1616	1119
Thu Jun 29 2017 08:57:00.0000	1617	1298
Thu Jun 29 2017 08:58:00.0000	1615	1273
Thu Jun 29 2017 08:59:00.0000	1615	1300
Thu Jun 29 2017 09:00:00.0000	1615	1097
Thu Jun 29 2017 09:01:00.0000	1616	1224
Thu Jun 29 2017 09:02:00.0000	1616	1224
Thu Jun 29 2017 09:03:00.0000	1614	1302
Thu Jun 29 2017 09:04:00.0000	1614	1191
Thu Jun 29 2017 09:05:00.0000	1615	1207
Thu Jun 29 2017 09:06:00.0000	1616	1237
Thu Jun 29 2017 09:07:00.0000	1615	1353
Thu Jun 29 2017 09:08:00.0000	1614	1282
Thu Jun 29 2017 09:09:00.0000	1615	1137
Thu Jun 29 2017 09:10:00.0000	1616	1223
Thu Jun 29 2017 09:11:00.0000	1616	1272
Thu Jun 29 2017 09:12:00.0000	1613	1232
Thu Jun 29 2017 09:13:00.0000	1614	1211
Thu Jun 29 2017 09:14:00.0000	1615	1147
Thu Jun 29 2017 09:15:00.0000	1616	1243

Date/Time	Process Temperature (°F)	Process Flow SCFM
Thu Jun 29 2017 09:16:00.0000	1615	1281
Thu Jun 29 2017 09:17:00.0000	1615	1388
Thu Jun 29 2017 09:18:00.0000	1615	1241
Thu Jun 29 2017 09:19:00.0000	1616	1215
Thu Jun 29 2017 09:20:00.0000	1615	1284
Thu Jun 29 2017 09:21:00.0000	1614	1346
Thu Jun 29 2017 09:22:00.0000	1615	1171
Thu Jun 29 2017 09:23:00.0000	1616	1153
Thu Jun 29 2017 09:24:00.0000	1616	1214
Thu Jun 29 2017 09:25:00.0000	1614	1289
Thu Jun 29 2017 09:26:00.0000	1614	1236
Thu Jun 29 2017 09:27:00.0000	1615	1183
Thu Jun 29 2017 09:28:00.0000	1616	1208
Thu Jun 29 2017 09:29:00.0000	1616	1265
Thu Jun 29 2017 09:30:00.0000	1614	1369
Thu Jun 29 2017 09:31:00.0000	1615	1148
Thu Jun 29 2017 09:32:00.0000	1616	1253
Thu Jun 29 2017 09:33:00.0000	1616	1305
Thu Jun 29 2017 09:34:00.0000	1614	1342
Thu Jun 29 2017 09:35:00.0000	1615	1325
Thu Jun 29 2017 09:36:00.0000	1615	1153
Thu Jun 29 2017 09:37:00.0000	1616	1251
Thu Jun 29 2017 09:38:00.0000	1616	1311
Thu Jun 29 2017 09:39:00.0000	1614	1379
Thu Jun 29 2017 09:40:00.0000	1615	1116
Thu Jun 29 2017 09:41:00.0000	1616	1089
Thu Jun 29 2017 09:42:00.0000	1616	1265
Thu Jun 29 2017 09:43:00.0000	1614	1295
Thu Jun 29 2017 09:44:00.0000	1615	1151
Thu Jun 29 2017 09:45:00.0000	1616	1206
Thu Jun 29 2017 09:46:00.0000	1617	1316
Thu Jun 29 2017 09:47:00.0000	1615	1220
Thu Jun 29 2017 09:48:00.0000	1614	1275
Thu Jun 29 2017 09:49:00.0000	1615	1147
Thu Jun 29 2017 09:50:00.0000	1617	1178
Thu Jun 29 2017 09:51:00.0000	1616	1275
Thu Jun 29 2017 09:52:00.0000	1613	1428
Thu Jun 29 2017 09:53:00.0000	1615	1087
Thu Jun 29 2017 09:54:00.0000	1616	1133
Thu Jun 29 2017 09:55:00.0000	1616	1302
Thu Jun 29 2017 09:56:00.0000	1614	1424
Thu Jun 29 2017 09:57:00.0000	1614	1302
Thu Jun 29 2017 09:58:00.0000	1615	1205
Thu Jun 29 2017 09:59:00.0000	1616	1288
Thu Jun 29 2017 10:00:00.0000	1616	1297
Thu Jun 29 2017 10:01:00.0000	1614	1350
Thu Jun 29 2017 10:02:00.0000	1615	1217
Thu Jun 29 2017 10:03:00.0000	1616	1200
Thu Jun 29 2017 10:04:00.0000	1616	1245
Thu Jun 29 2017 10:05:00.0000	1615	1219
Thu Jun 29 2017 10:06:00.0000	1615	1444
Thu Jun 29 2017 10:07:00.0000	1615	1110
Thu Jun 29 2017 10:08:00.0000	1617	1296
Thu Jun 29 2017 10:09:00.0000	1616	1256
Thu Jun 29 2017 10:10:00.0000	1614	1324
Thu Jun 29 2017 10:11:00.0000	1615	1148
Thu Jun 29 2017 10:12:00.0000	1616	1173

Date/Time	Process Temperature (°F)	Process Flow SCFM
Thu Jun 29 2017 10:13:00.0000	1617	1360
Thu Jun 29 2017 10:14:00.0000	1615	1357
Thu Jun 29 2017 10:15:00.0000	1615	1365
Thu Jun 29 2017 10:16:00.0000	1616	1245
Thu Jun 29 2017 10:17:00.0000	1617	1290
Thu Jun 29 2017 10:18:00.0000	1616	1281
Thu Jun 29 2017 10:19:00.0000	1614	1392
Thu Jun 29 2017 10:20:00.0000	1616	1163
Thu Jun 29 2017 10:21:00.0000	1617	1222
Thu Jun 29 2017 10:22:00.0000	1617	1218
Thu Jun 29 2017 10:23:00.0000	1614	1344
Thu Jun 29 2017 10:24:00.0000	1613	1139
Thu Jun 29 2017 10:25:00.0000	1614	1152
Thu Jun 29 2017 10:26:00.0000	1614	1299
Thu Jun 29 2017 10:27:00.0000	1612	1394
Thu Jun 29 2017 10:28:00.0000	1611	1382
Thu Jun 29 2017 10:29:00.0000	1612	1114
Thu Jun 29 2017 10:30:00.0000	1612	1206
Thu Jun 29 2017 10:31:00.0000	1611	1251
Thu Jun 29 2017 10:32:00.0000	1610	1338
Thu Jun 29 2017 10:33:00.0000	1610	1166
Thu Jun 29 2017 10:34:00.0000	1611	1160
Thu Jun 29 2017 10:35:00.0000	1611	1239
Thu Jun 29 2017 10:36:00.0000	1610	1254
Thu Jun 29 2017 10:37:00.0000	1609	1400
Thu Jun 29 2017 10:38:00.0000	1610	1127
Thu Jun 29 2017 10:39:00.0000	1611	1336
Thu Jun 29 2017 10:40:00.0000	1610	1262
Thu Jun 29 2017 10:41:00.0000	1608	1311
Thu Jun 29 2017 10:42:00.0000	1609	1150
Thu Jun 29 2017 10:43:00.0000	1610	1232
Thu Jun 29 2017 10:44:00.0000	1610	1251
Thu Jun 29 2017 10:45:00.0000	1608	1430
Thu Jun 29 2017 10:46:00.0000	1608	1198
Thu Jun 29 2017 10:47:00.0000	1609	1198
Thu Jun 29 2017 10:48:00.0000	1609	1250
Thu Jun 29 2017 10:49:00.0000	1608	1295
Thu Jun 29 2017 10:50:00.0000	1607	1332
Thu Jun 29 2017 10:51:00.0000	1607	1217
Thu Jun 29 2017 10:52:00.0000	1609	1192
Thu Jun 29 2017 10:53:00.0000	1608	1299
Thu Jun 29 2017 10:54:00.0000	1606	1254
Thu Jun 29 2017 10:55:00.0000	1607	1037
Thu Jun 29 2017 10:56:00.0000	1608	1231
Thu Jun 29 2017 10:57:00.0000	1608	1315
Thu Jun 29 2017 10:58:00.0000	1606	1339
Thu Jun 29 2017 10:59:00.0000	1605	1331
Thu Jun 29 2017 11:00:00.0000	1606	1167
Thu Jun 29 2017 11:01:00.0000	1607	1301
Thu Jun 29 2017 11:02:00.0000	1607	1372
Thu Jun 29 2017 11:03:00.0000	1605	1459
Thu Jun 29 2017 11:04:00.0000	1606	1227
Thu Jun 29 2017 11:05:00.0000	1607	1221
Thu Jun 29 2017 11:06:00.0000	1607	1298
Thu Jun 29 2017 11:07:00.0000	1605	1372
Thu Jun 29 2017 11:08:00.0000	1606	1190
Thu Jun 29 2017 11:09:00.0000	1606	1155

Date/Time	Process Temperature (°F)	Process Flow SCFM
Thu Jun 29 2017 11:10:00.0000	1608	1326
Thu Jun 29 2017 11:11:00.0000	1606	1306
Thu Jun 29 2017 11:12:00.0000	1605	1461
Thu Jun 29 2017 11:13:00.0000	1606	1198
Thu Jun 29 2017 11:14:00.0000	1607	1146
Thu Jun 29 2017 11:15:00.0000	1606	1321
Thu Jun 29 2017 11:16:00.0000	1605	1282
Thu Jun 29 2017 11:17:00.0000	1605	1150
Thu Jun 29 2017 11:18:00.0000	1606	1190
Thu Jun 29 2017 11:19:00.0000	1607	1257
Thu Jun 29 2017 11:20:00.0000	1605	1244
Thu Jun 29 2017 11:21:00.0000	1605	1462
Thu Jun 29 2017 11:22:00.0000	1605	1182
Thu Jun 29 2017 11:23:00.0000	1606	1263
Thu Jun 29 2017 11:24:00.0000	1606	1256
Thu Jun 29 2017 11:25:00.0000	1604	1456
Thu Jun 29 2017 11:26:00.0000	1605	1137
Thu Jun 29 2017 11:27:00.0000	1606	1239
Thu Jun 29 2017 11:28:00.0000	1606	1294
Thu Jun 29 2017 11:29:00.0000	1604	1409
Thu Jun 29 2017 11:30:00.0000	1605	1166
Thu Jun 29 2017 11:31:00.0000	1605	1164
Thu Jun 29 2017 11:32:00.0000	1606	1309
Thu Jun 29 2017 11:33:00.0000	1605	1435
Thu Jun 29 2017 11:34:00.0000	1604	1422
Thu Jun 29 2017 11:35:00.0000	1605	1161
Thu Jun 29 2017 11:36:00.0000	1605	1320
Thu Jun 29 2017 11:37:00.0000	1605	1325
Thu Jun 29 2017 11:38:00.0000	1603	1328
Thu Jun 29 2017 11:39:00.0000	1604	1181
Thu Jun 29 2017 11:40:00.0000	1604	1169
Thu Jun 29 2017 11:41:00.0000	1605	1275
Thu Jun 29 2017 11:42:00.0000	1604	1380
Thu Jun 29 2017 11:43:00.0000	1603	1423
Thu Jun 29 2017 11:44:00.0000	1604	1191
Thu Jun 29 2017 11:45:00.0000	1605	1356
Thu Jun 29 2017 11:46:00.0000	1604	1336
Thu Jun 29 2017 11:47:00.0000	1602	1386
Thu Jun 29 2017 11:48:00.0000	1604	1164
Thu Jun 29 2017 11:49:00.0000	1604	1243
Thu Jun 29 2017 11:50:00.0000	1605	1344
Thu Jun 29 2017 11:51:00.0000	1603	1502
Thu Jun 29 2017 11:52:00.0000	1603	1470
Thu Jun 29 2017 11:53:00.0000	1604	1161
Thu Jun 29 2017 11:54:00.0000	1605	1312
Thu Jun 29 2017 11:55:00.0000	1604	1352
Thu Jun 29 2017 11:56:00.0000	1603	1331
Thu Jun 29 2017 11:57:00.0000	1604	1172
Thu Jun 29 2017 11:58:00.0000	1605	1194
Thu Jun 29 2017 11:59:00.0000	1605	1363
Thu Jun 29 2017 12:00:00.0000	1603	1469
Thu Jun 29 2017 12:01:00.0000	1603	1374
Thu Jun 29 2017 12:02:00.0000	1604	1201
Thu Jun 29 2017 12:03:00.0000	1605	1287
Thu Jun 29 2017 12:04:00.0000	1604	1435
Thu Jun 29 2017 12:05:00.0000	1603	1369
Thu Jun 29 2017 12:06:00.0000	1609	1205

Date/Time	Process Temperature (°F)	Process Flow SCFM
Thu Jun 29 2017 12:07:00.0000	1617	1199
Thu Jun 29 2017 12:08:00.0000	1623	1354
Thu Jun 29 2017 12:09:00.0000	1623	1367
Thu Jun 29 2017 12:10:00.0000	1625	1351
Thu Jun 29 2017 12:11:00.0000	1628	1201
Thu Jun 29 2017 12:12:00.0000	1633	1382
Thu Jun 29 2017 12:13:00.0000	1625	1437
Thu Jun 29 2017 12:14:00.0000	1621	1389
Thu Jun 29 2017 12:15:00.0000	1619	1164
Thu Jun 29 2017 12:16:00.0000	1618	1254
Thu Jun 29 2017 12:17:00.0000	1616	1319
Thu Jun 29 2017 12:18:00.0000	1614	1423
Thu Jun 29 2017 12:19:00.0000	1613	1340
Thu Jun 29 2017 12:20:00.0000	1613	1182
Thu Jun 29 2017 12:21:00.0000	1614	1312
Thu Jun 29 2017 12:22:00.0000	1612	1320
Thu Jun 29 2017 12:23:00.0000	1610	1322
Thu Jun 29 2017 12:24:00.0000	1611	1198
Thu Jun 29 2017 12:25:00.0000	1612	1326
Thu Jun 29 2017 12:26:00.0000	1611	1282
Thu Jun 29 2017 12:27:00.0000	1609	1321
Thu Jun 29 2017 12:28:00.0000	1609	1302
Thu Jun 29 2017 12:29:00.0000	1610	1153
Thu Jun 29 2017 12:30:00.0000	1610	1326
Thu Jun 29 2017 12:31:00.0000	1608	1372
Thu Jun 29 2017 12:32:00.0000	1607	1324
Thu Jun 29 2017 12:33:00.0000	1608	1261
Thu Jun 29 2017 12:34:00.0000	1610	1319
Thu Jun 29 2017 12:35:00.0000	1609	1397
Thu Jun 29 2017 12:36:00.0000	1607	1305
Thu Jun 29 2017 12:37:00.0000	1607	1195
Thu Jun 29 2017 12:38:00.0000	1608	1173
Thu Jun 29 2017 12:39:00.0000	1609	1326
Thu Jun 29 2017 12:40:00.0000	1607	1335
Thu Jun 29 2017 12:41:00.0000	1606	1406
Thu Jun 29 2017 12:42:00.0000	1607	1270
Thu Jun 29 2017 12:43:00.0000	1608	1259
Thu Jun 29 2017 12:44:00.0000	1607	1286
Thu Jun 29 2017 12:45:00.0000	1605	1436
Thu Jun 29 2017 12:46:00.0000	1606	1137
Thu Jun 29 2017 12:47:00.0000	1606	1187
Thu Jun 29 2017 12:48:00.0000	1607	1294
Thu Jun 29 2017 12:49:00.0000	1606	1376
Thu Jun 29 2017 12:50:00.0000	1605	1266
Thu Jun 29 2017 12:51:00.0000	1606	1190
Thu Jun 29 2017 12:52:00.0000	1607	1175
Thu Jun 29 2017 12:53:00.0000	1606	1428
Thu Jun 29 2017 12:54:00.0000	1604	1390
Thu Jun 29 2017 12:55:00.0000	1605	1238
Thu Jun 29 2017 12:56:00.0000	1605	1203
Thu Jun 29 2017 12:57:00.0000	1606	1246
Thu Jun 29 2017 12:58:00.0000	1604	1357
Thu Jun 29 2017 12:59:00.0000	1603	1344
Thu Jun 29 2017 13:00:00.0000	1604	1215
Thu Jun 29 2017 13:01:00.0000	1605	1273
Thu Jun 29 2017 13:02:00.0000	1604	1288
Thu Jun 29 2017 13:03:00.0000	1602	1343

Date/Time	Process Temperature (°F)	Process Flow SCFM
Thu Jun 29 2017 13:04:00.0000	1608	1191
Thu Jun 29 2017 13:05:00.0000	1616	1180
Thu Jun 29 2017 13:06:00.0000	1623	1297
Thu Jun 29 2017 13:07:00.0000	1624	1246
Thu Jun 29 2017 13:08:00.0000	1627	1379
Thu Jun 29 2017 13:09:00.0000	1630	1252
Thu Jun 29 2017 13:10:00.0000	1634	1373
Thu Jun 29 2017 13:11:00.0000	1623	1347
Thu Jun 29 2017 13:12:00.0000	1617	1373
Thu Jun 29 2017 13:13:00.0000	1613	1224
Thu Jun 29 2017 13:14:00.0000	1609	1173
Thu Jun 29 2017 13:15:00.0000	1606	1328
Thu Jun 29 2017 13:16:00.0000	1603	1399
Thu Jun 29 2017 13:17:00.0000	1603	1379
Thu Jun 29 2017 13:18:00.0000	1608	1066
Thu Jun 29 2017 13:19:00.0000	1614	1319
Thu Jun 29 2017 13:20:00.0000	1616	1430
Thu Jun 29 2017 13:21:00.0000	1615	1316
Thu Jun 29 2017 13:22:00.0000	1618	1161
Thu Jun 29 2017 13:23:00.0000	1620	1197
Thu Jun 29 2017 13:24:00.0000	1621	1370
Thu Jun 29 2017 13:25:00.0000	1620	1407
Thu Jun 29 2017 13:26:00.0000	1620	1104
Thu Jun 29 2017 13:27:00.0000	1621	1201
Thu Jun 29 2017 13:28:00.0000	1623	1293
Thu Jun 29 2017 13:29:00.0000	1622	1200
Thu Jun 29 2017 13:30:00.0000	1621	1406
Thu Jun 29 2017 13:31:00.0000	1622	1175
Thu Jun 29 2017 13:32:00.0000	1624	1157
Thu Jun 29 2017 13:33:00.0000	1624	1356
Thu Jun 29 2017 13:34:00.0000	1623	1350
Thu Jun 29 2017 13:35:00.0000	1623	1210
Thu Jun 29 2017 13:36:00.0000	1624	1280
Thu Jun 29 2017 13:37:00.0000	1627	1301
Thu Jun 29 2017 13:38:00.0000	1625	1325
Thu Jun 29 2017 13:39:00.0000	1624	1195
Thu Jun 29 2017 13:40:00.0000	1626	1216
Thu Jun 29 2017 13:41:00.0000	1627	1193
Thu Jun 29 2017 13:42:00.0000	1627	1280
Thu Jun 29 2017 13:43:00.0000	1626	1400
Thu Jun 29 2017 13:44:00.0000	1626	1220
Thu Jun 29 2017 13:45:00.0000	1627	1184
Thu Jun 29 2017 13:46:00.0000	1629	1352
Thu Jun 29 2017 13:47:00.0000	1628	1377
Thu Jun 29 2017 13:48:00.0000	1627	1399
Thu Jun 29 2017 13:49:00.0000	1628	1214
Thu Jun 29 2017 13:50:00.0000	1629	1268
Thu Jun 29 2017 13:51:00.0000	1629	1277
Thu Jun 29 2017 13:52:00.0000	1627	1452
Thu Jun 29 2017 13:53:00.0000	1628	1156
Thu Jun 29 2017 13:54:00.0000	1629	1217
Thu Jun 29 2017 13:55:00.0000	1631	1335
Thu Jun 29 2017 13:56:00.0000	1629	1396
Thu Jun 29 2017 13:57:00.0000	1628	1381
Thu Jun 29 2017 13:58:00.0000	1629	1175
Thu Jun 29 2017 13:59:00.0000	1631	1244
Thu Jun 29 2017 14:00:00.0000	1631	1324

Date/Time	Process Temperature (°F)	Process Flow SCFM
Thu Jun 29 2017 14:01:00.0000	1629	1305
Thu Jun 29 2017 14:02:00.0000	1629	1166
Thu Jun 29 2017 14:03:00.0000	1630	1309
Thu Jun 29 2017 14:04:00.0000	1632	1229
Thu Jun 29 2017 14:05:00.0000	1630	1388
Thu Jun 29 2017 14:06:00.0000	1629	1394
Thu Jun 29 2017 14:07:00.0000	1630	1146
Thu Jun 29 2017 14:08:00.0000	1632	1272
Thu Jun 29 2017 14:09:00.0000	1632	1303
Thu Jun 29 2017 14:10:00.0000	1630	1399
Thu Jun 29 2017 14:11:00.0000	1631	1202
Thu Jun 29 2017 14:12:00.0000	1632	1123
Thu Jun 29 2017 14:13:00.0000	1632	1331
Thu Jun 29 2017 14:14:00.0000	1625	1516
Thu Jun 29 2017 14:15:00.0000	1621	1316
Thu Jun 29 2017 14:16:00.0000	1618	1145
Thu Jun 29 2017 14:17:00.0000	1617	1344
Thu Jun 29 2017 14:18:00.0000	1614	1307
Thu Jun 29 2017 14:19:00.0000	1611	1311
Thu Jun 29 2017 14:20:00.0000	1610	1224
Thu Jun 29 2017 14:21:00.0000	1609	1189
Thu Jun 29 2017 14:22:00.0000	1608	1266
Thu Jun 29 2017 14:23:00.0000	1605	1388
Thu Jun 29 2017 14:24:00.0000	1604	1335
Thu Jun 29 2017 14:25:00.0000	1604	1237
Thu Jun 29 2017 14:26:00.0000	1604	1189
Thu Jun 29 2017 14:27:00.0000	1602	1283
Thu Jun 29 2017 14:28:00.0000	1605	1281
Thu Jun 29 2017 14:29:00.0000	1616	1209
Thu Jun 29 2017 14:30:00.0000	1621	1253
Thu Jun 29 2017 14:31:00.0000	1628	1340
Thu Jun 29 2017 14:32:00.0000	1628	1474
Thu Jun 29 2017 14:33:00.0000	1631	1467
Thu Jun 29 2017 14:34:00.0000	1631	1185
Thu Jun 29 2017 14:35:00.0000	1633	1311
Thu Jun 29 2017 14:36:00.0000	1623	1310
Thu Jun 29 2017 14:37:00.0000	1618	1421
Thu Jun 29 2017 14:38:00.0000	1615	1281
Thu Jun 29 2017 14:39:00.0000	1612	1311
Thu Jun 29 2017 14:40:00.0000	1610	1325
Thu Jun 29 2017 14:41:00.0000	1607	1465
Thu Jun 29 2017 14:42:00.0000	1606	1322
Thu Jun 29 2017 14:43:00.0000	1605	1164
Thu Jun 29 2017 14:44:00.0000	1604	1334
Thu Jun 29 2017 14:45:00.0000	1602	1366
Thu Jun 29 2017 14:46:00.0000	1610	1306
Thu Jun 29 2017 14:47:00.0000	1617	1164
Thu Jun 29 2017 14:48:00.0000	1626	1304
Thu Jun 29 2017 14:49:00.0000	1628	1322
Thu Jun 29 2017 14:50:00.0000	1629	1384
Thu Jun 29 2017 14:51:00.0000	1633	1178
Thu Jun 29 2017 14:52:00.0000	1634	1321
Thu Jun 29 2017 14:53:00.0000	1624	1252
Thu Jun 29 2017 14:54:00.0000	1619	1282
Thu Jun 29 2017 14:55:00.0000	1616	1240
Thu Jun 29 2017 14:56:00.0000	1613	1275
Thu Jun 29 2017 14:57:00.0000	1611	1356

Date/Time	Process Temperature (°F)	Process Flow SCFM
Thu Jun 29 2017 14:58:00.0000	1608	1379
Thu Jun 29 2017 14:59:00.0000	1607	1352
Thu Jun 29 2017 15:00:00.0000	1606	1224
Thu Jun 29 2017 15:01:00.0000	1605	1309
Thu Jun 29 2017 15:02:00.0000	1602	1313
Thu Jun 29 2017 15:03:00.0000	1603	1305
Thu Jun 29 2017 15:04:00.0000	1607	1237
Thu Jun 29 2017 15:05:00.0000	1612	1209
Thu Jun 29 2017 15:06:00.0000	1614	1296
Thu Jun 29 2017 15:07:00.0000	1613	1412
Thu Jun 29 2017 15:08:00.0000	1616	1235
Thu Jun 29 2017 15:09:00.0000	1617	1227
Thu Jun 29 2017 15:10:00.0000	1620	1241
Thu Jun 29 2017 15:11:00.0000	1619	1337
Thu Jun 29 2017 15:12:00.0000	1619	1444
Thu Jun 29 2017 15:13:00.0000	1620	1209
Thu Jun 29 2017 15:14:00.0000	1623	1361
Thu Jun 29 2017 15:15:00.0000	1622	1351
Thu Jun 29 2017 15:16:00.0000	1621	1352
Thu Jun 29 2017 15:17:00.0000	1623	1248
Thu Jun 29 2017 15:18:00.0000	1625	1213
Thu Jun 29 2017 15:19:00.0000	1625	1167
Thu Jun 29 2017 15:20:00.0000	1623	1296
Thu Jun 29 2017 15:21:00.0000	1624	1209
Thu Jun 29 2017 15:22:00.0000	1625	1210
Thu Jun 29 2017 15:23:00.0000	1627	1249
Thu Jun 29 2017 15:24:00.0000	1626	1470
Thu Jun 29 2017 15:25:00.0000	1625	1363
Thu Jun 29 2017 15:26:00.0000	1626	1250
Thu Jun 29 2017 15:27:00.0000	1628	1253
Thu Jun 29 2017 15:28:00.0000	1628	1213
Thu Jun 29 2017 15:29:00.0000	1627	1344
Thu Jun 29 2017 15:30:00.0000	1628	1194
Thu Jun 29 2017 15:31:00.0000	1629	1206
Thu Jun 29 2017 15:32:00.0000	1630	1377
Thu Jun 29 2017 15:33:00.0000	1628	1495
Thu Jun 29 2017 15:34:00.0000	1630	1209
Thu Jun 29 2017 15:35:00.0000	1630	1216
Thu Jun 29 2017 15:36:00.0000	1632	1241
Thu Jun 29 2017 15:37:00.0000	1630	1399
Thu Jun 29 2017 15:38:00.0000	1630	1205
Thu Jun 29 2017 15:39:00.0000	1631	1145
Thu Jun 29 2017 15:40:00.0000	1633	1297
Thu Jun 29 2017 15:41:00.0000	1631	1326
Thu Jun 29 2017 15:42:00.0000	1630	1240
Thu Jun 29 2017 15:43:00.0000	1632	1135
Thu Jun 29 2017 15:44:00.0000	1632	1319
Thu Jun 29 2017 15:45:00.0000	1624	1347
Thu Jun 29 2017 15:46:00.0000	1618	1194
Thu Jun 29 2017 15:47:00.0000	1616	1208
Thu Jun 29 2017 15:48:00.0000	1613	1254
Thu Jun 29 2017 15:49:00.0000	1611	1332
Thu Jun 29 2017 15:50:00.0000	1609	1321
Thu Jun 29 2017 15:51:00.0000	1608	1232
Thu Jun 29 2017 15:52:00.0000	1608	1374
Thu Jun 29 2017 15:53:00.0000	1607	1358
Thu Jun 29 2017 15:54:00.0000	1604	1415

Date/Time	Process Temperature (°F)	Process Flow SCFM
Thu Jun 29 2017 15:55:00.0000	1603	1331
Thu Jun 29 2017 15:56:00.0000	1603	1220
Thu Jun 29 2017 15:57:00.0000	1603	1316
Thu Jun 29 2017 15:58:00.0000	1603	1288
Thu Jun 29 2017 15:59:00.0000	1605	1363
Thu Jun 29 2017 16:00:00.0000	1609	1194
Thu Jun 29 2017 16:01:00.0000	1613	1194
Thu Jun 29 2017 16:02:00.0000	1616	1337
Thu Jun 29 2017 16:03:00.0000	1616	1418
Thu Jun 29 2017 16:04:00.0000	1616	1478
Thu Jun 29 2017 16:05:00.0000	1618	1267
Thu Jun 29 2017 16:06:00.0000	1621	1312
Thu Jun 29 2017 16:07:00.0000	1622	1275
Thu Jun 29 2017 16:08:00.0000	1620	1456
Thu Jun 29 2017 16:09:00.0000	1622	1147
Thu Jun 29 2017 16:10:00.0000	1623	1250
Thu Jun 29 2017 16:11:00.0000	1625	1256
Thu Jun 29 2017 16:12:00.0000	1624	1379
Thu Jun 29 2017 16:13:00.0000	1623	1407
Thu Jun 29 2017 16:14:00.0000	1625	1175
Thu Jun 29 2017 16:15:00.0000	1627	1219
Thu Jun 29 2017 16:16:00.0000	1627	1265
Thu Jun 29 2017 16:17:00.0000	1625	1450
Thu Jun 29 2017 16:18:00.0000	1627	1181
Thu Jun 29 2017 16:19:00.0000	1628	1175
Thu Jun 29 2017 16:20:00.0000	1629	1315
Thu Jun 29 2017 16:21:00.0000	1628	1284
Thu Jun 29 2017 16:22:00.0000	1627	1359
Thu Jun 29 2017 16:23:00.0000	1628	1257
Thu Jun 29 2017 16:24:00.0000	1631	1238
Thu Jun 29 2017 16:25:00.0000	1630	1320
Thu Jun 29 2017 16:26:00.0000	1628	1328
Thu Jun 29 2017 16:27:00.0000	1630	1142
Thu Jun 29 2017 16:28:00.0000	1632	1090
Thu Jun 29 2017 16:29:00.0000	1632	1313
Thu Jun 29 2017 16:30:00.0000	1630	1432
Thu Jun 29 2017 16:31:00.0000	1630	1345
Thu Jun 29 2017 16:32:00.0000	1632	1174
Thu Jun 29 2017 16:33:00.0000	1631	1219
Thu Jun 29 2017 16:34:00.0000	1624	1381
Thu Jun 29 2017 16:35:00.0000	1620	1316
Thu Jun 29 2017 16:36:00.0000	1617	1226
Thu Jun 29 2017 16:37:00.0000	1616	1242
Thu Jun 29 2017 16:38:00.0000	1613	1306
Thu Jun 29 2017 16:39:00.0000	1610	1346
Thu Jun 29 2017 16:40:00.0000	1609	1230
Thu Jun 29 2017 16:41:00.0000	1608	1211
Thu Jun 29 2017 16:42:00.0000	1607	1347
Thu Jun 29 2017 16:43:00.0000	1604	1343
Thu Jun 29 2017 16:44:00.0000	1603	1395
Thu Jun 29 2017 16:45:00.0000	1603	1207
Thu Jun 29 2017 16:46:00.0000	1609	1293
Thu Jun 29 2017 16:47:00.0000	1612	1312
Thu Jun 29 2017 16:48:00.0000	1613	1277
Thu Jun 29 2017 16:49:00.0000	1617	1185
Thu Jun 29 2017 16:50:00.0000	1620	1250
Thu Jun 29 2017 16:51:00.0000	1622	1256

Date/Time	Process Temperature (°F)	Process Flow SCFM
Thu Jun 29 2017 16:52:00.0000	1621	1251
Thu Jun 29 2017 16:53:00.0000	1621	1336
Thu Jun 29 2017 16:54:00.0000	1622	1210
Thu Jun 29 2017 16:55:00.0000	1625	1324
Thu Jun 29 2017 16:56:00.0000	1624	1309
Thu Jun 29 2017 16:57:00.0000	1622	1466
Thu Jun 29 2017 16:58:00.0000	1625	1271
Thu Jun 29 2017 16:59:00.0000	1626	1129
Thu Jun 29 2017 17:00:00.0000	1627	1290
Thu Jun 29 2017 17:01:00.0000	1625	1446
Thu Jun 29 2017 17:02:00.0000	1625	1382
Thu Jun 29 2017 17:03:00.0000	1627	1184
Thu Jun 29 2017 17:04:00.0000	1629	1290
Thu Jun 29 2017 17:05:00.0000	1628	1325
Thu Jun 29 2017 17:06:00.0000	1626	1343
Thu Jun 29 2017 17:07:00.0000	1628	1187
Thu Jun 29 2017 17:08:00.0000	1629	1326
Thu Jun 29 2017 17:09:00.0000	1630	1369
Thu Jun 29 2017 17:10:00.0000	1628	1347
Thu Jun 29 2017 17:11:00.0000	1629	1419
Thu Jun 29 2017 17:12:00.0000	1629	1249
Thu Jun 29 2017 17:13:00.0000	1632	1286
Thu Jun 29 2017 17:14:00.0000	1631	1220
Thu Jun 29 2017 17:15:00.0000	1629	1397
Thu Jun 29 2017 17:16:00.0000	1630	1162
Thu Jun 29 2017 17:17:00.0000	1632	1280
Thu Jun 29 2017 17:18:00.0000	1633	1272
Thu Jun 29 2017 17:19:00.0000	1630	1275
Thu Jun 29 2017 17:20:00.0000	1631	1126
Thu Jun 29 2017 17:21:00.0000	1631	1255
Thu Jun 29 2017 17:22:00.0000	1632	1285
Thu Jun 29 2017 17:23:00.0000	1625	1301
Thu Jun 29 2017 17:24:00.0000	1621	1377
Thu Jun 29 2017 17:25:00.0000	1618	1188
Thu Jun 29 2017 17:26:00.0000	1616	1321
Thu Jun 29 2017 17:27:00.0000	1614	1300
Thu Jun 29 2017 17:28:00.0000	1611	1360
Thu Jun 29 2017 17:29:00.0000	1610	1166
Thu Jun 29 2017 17:30:00.0000	1609	1223
Thu Jun 29 2017 17:31:00.0000	1607	1290
Thu Jun 29 2017 17:32:00.0000	1605	1361
Thu Jun 29 2017 17:33:00.0000	1604	1319
Thu Jun 29 2017 17:34:00.0000	1604	1189
Thu Jun 29 2017 17:35:00.0000	1603	1267
Thu Jun 29 2017 17:36:00.0000	1603	1463
Thu Jun 29 2017 17:37:00.0000	1607	1253
Thu Jun 29 2017 17:38:00.0000	1611	1171
Thu Jun 29 2017 17:39:00.0000	1615	1265
Thu Jun 29 2017 17:40:00.0000	1616	1287
Thu Jun 29 2017 17:41:00.0000	1615	1363
Thu Jun 29 2017 17:42:00.0000	1618	1083
Thu Jun 29 2017 17:43:00.0000	1620	1294
Thu Jun 29 2017 17:44:00.0000	1622	1250
Thu Jun 29 2017 17:45:00.0000	1620	1261
Thu Jun 29 2017 17:46:00.0000	1621	1360
Thu Jun 29 2017 17:47:00.0000	1622	1308
Thu Jun 29 2017 17:48:00.0000	1625	1294

Date/Time	Process Temperature (°F)	Process Flow SCFM
Thu Jun 29 2017 17:49:00.0000	1624	1413
Thu Jun 29 2017 17:50:00.0000	1623	1325
Thu Jun 29 2017 17:51:00.0000	1624	1209
Thu Jun 29 2017 17:52:00.0000	1627	1290
Thu Jun 29 2017 17:53:00.0000	1627	1257
Thu Jun 29 2017 17:54:00.0000	1625	1357
Thu Jun 29 2017 17:55:00.0000	1625	1442
Thu Jun 29 2017 17:56:00.0000	1626	1191
Thu Jun 29 2017 17:57:00.0000	1629	1324
Thu Jun 29 2017 17:58:00.0000	1627	1395
Thu Jun 29 2017 17:59:00.0000	1626	1386
Thu Jun 29 2017 18:00:00.0000	1628	1179
Thu Jun 29 2017 18:01:00.0000	1630	1248
Thu Jun 29 2017 18:02:00.0000	1629	1412
Thu Jun 29 2017 18:03:00.0000	1627	1372
Thu Jun 29 2017 18:04:00.0000	1629	1217
Thu Jun 29 2017 18:05:00.0000	1630	1202
Thu Jun 29 2017 18:06:00.0000	1632	1349
Thu Jun 29 2017 18:07:00.0000	1630	1358
Thu Jun 29 2017 18:08:00.0000	1629	1372
Thu Jun 29 2017 18:09:00.0000	1630	1129
Thu Jun 29 2017 18:10:00.0000	1632	1232
Thu Jun 29 2017 18:11:00.0000	1632	1217
Thu Jun 29 2017 18:12:00.0000	1630	1346
Thu Jun 29 2017 18:13:00.0000	1631	1213
Thu Jun 29 2017 18:14:00.0000	1632	1125
Thu Jun 29 2017 18:15:00.0000	1633	1324
Thu Jun 29 2017 18:16:00.0000	1625	1365
Thu Jun 29 2017 18:17:00.0000	1620	1344
Thu Jun 29 2017 18:18:00.0000	1617	1215
Thu Jun 29 2017 18:19:00.0000	1615	1302
Thu Jun 29 2017 18:20:00.0000	1612	1335
Thu Jun 29 2017 18:21:00.0000	1609	1430
Thu Jun 29 2017 18:22:00.0000	1608	1131
Thu Jun 29 2017 18:23:00.0000	1607	1225
Thu Jun 29 2017 18:24:00.0000	1605	1278
Thu Jun 29 2017 18:25:00.0000	1603	1303
Thu Jun 29 2017 18:26:00.0000	1604	1198
Thu Jun 29 2017 18:27:00.0000	1611	1244
Thu Jun 29 2017 18:28:00.0000	1614	1316
Thu Jun 29 2017 18:29:00.0000	1615	1446
Thu Jun 29 2017 18:30:00.0000	1616	1332
Thu Jun 29 2017 18:31:00.0000	1619	1139
Thu Jun 29 2017 18:32:00.0000	1622	1273
Thu Jun 29 2017 18:33:00.0000	1621	1333
Thu Jun 29 2017 18:34:00.0000	1620	1417
Thu Jun 29 2017 18:35:00.0000	1621	1132
Thu Jun 29 2017 18:36:00.0000	1623	1225
Thu Jun 29 2017 18:37:00.0000	1623	1205
Thu Jun 29 2017 18:38:00.0000	1622	1297
Thu Jun 29 2017 18:39:00.0000	1624	1175
Thu Jun 29 2017 18:40:00.0000	1623	1155
Thu Jun 29 2017 18:41:00.0000	1625	1328
Thu Jun 29 2017 18:42:00.0000	1624	1323
Thu Jun 29 2017 18:43:00.0000	1623	1280
Thu Jun 29 2017 18:44:00.0000	1624	1169
Thu Jun 29 2017 18:45:00.0000	1626	1213

Date/Time	Process Temperature (°F)	Process Flow SCFM
Thu Jun 29 2017 18:46:00.0000	1626	1289
Thu Jun 29 2017 18:47:00.0000	1624	1263
Thu Jun 29 2017 18:48:00.0000	1625	1122
Thu Jun 29 2017 18:49:00.0000	1626	1149
Thu Jun 29 2017 18:50:00.0000	1627	1203
Thu Jun 29 2017 18:51:00.0000	1625	1359
Thu Jun 29 2017 18:52:00.0000	1625	1370
Thu Jun 29 2017 18:53:00.0000	1626	1197
Thu Jun 29 2017 18:54:00.0000	1628	1306
Thu Jun 29 2017 18:55:00.0000	1627	1250
Thu Jun 29 2017 18:56:00.0000	1625	1336
Thu Jun 29 2017 18:57:00.0000	1626	1301
Thu Jun 29 2017 18:58:00.0000	1627	1298
Thu Jun 29 2017 18:59:00.0000	1628	1295
Thu Jun 29 2017 19:00:00.0000	1626	1388
Thu Jun 29 2017 19:01:00.0000	1626	1327
Thu Jun 29 2017 19:02:00.0000	1627	1248
Thu Jun 29 2017 19:03:00.0000	1629	1326
Thu Jun 29 2017 19:04:00.0000	1628	1413
Thu Jun 29 2017 19:05:00.0000	1626	1299
Thu Jun 29 2017 19:06:00.0000	1627	1132
Thu Jun 29 2017 19:07:00.0000	1629	1229
Thu Jun 29 2017 19:08:00.0000	1629	1302
Thu Jun 29 2017 19:09:00.0000	1627	1426
Thu Jun 29 2017 19:10:00.0000	1627	1219
Thu Jun 29 2017 19:11:00.0000	1628	1301
Thu Jun 29 2017 19:12:00.0000	1630	1203
Thu Jun 29 2017 19:13:00.0000	1628	1359
Thu Jun 29 2017 19:14:00.0000	1627	1309
Thu Jun 29 2017 19:15:00.0000	1628	1202
Thu Jun 29 2017 19:16:00.0000	1630	1315
Thu Jun 29 2017 19:17:00.0000	1629	1189
Thu Jun 29 2017 19:18:00.0000	1627	1348
Thu Jun 29 2017 19:19:00.0000	1628	1234
Thu Jun 29 2017 19:20:00.0000	1629	1192
Thu Jun 29 2017 19:21:00.0000	1630	1337
Thu Jun 29 2017 19:22:00.0000	1628	1344
Thu Jun 29 2017 19:23:00.0000	1627	1280
Thu Jun 29 2017 19:24:00.0000	1628	1086
Thu Jun 29 2017 19:25:00.0000	1630	1132
Thu Jun 29 2017 19:26:00.0000	1630	1228
Thu Jun 29 2017 19:27:00.0000	1627	1275
Thu Jun 29 2017 19:28:00.0000	1629	1177
Thu Jun 29 2017 19:29:00.0000	1629	1138
Thu Jun 29 2017 19:30:00.0000	1630	1191
Thu Jun 29 2017 19:31:00.0000	1629	1308
Thu Jun 29 2017 19:32:00.0000	1628	1354
Thu Jun 29 2017 19:33:00.0000	1629	1205
Thu Jun 29 2017 19:34:00.0000	1631	1225
Thu Jun 29 2017 19:35:00.0000	1630	1266
Thu Jun 29 2017 19:36:00.0000	1628	1343
Thu Jun 29 2017 19:37:00.0000	1629	1187
Thu Jun 29 2017 19:38:00.0000	1630	1263
Thu Jun 29 2017 19:39:00.0000	1631	1275
Thu Jun 29 2017 19:40:00.0000	1629	1356
Thu Jun 29 2017 19:41:00.0000	1628	1219
Thu Jun 29 2017 19:42:00.0000	1629	1165

Date/Time	Process Temperature (°F)	Process Flow SCFM
Thu Jun 29 2017 19:43:00.0000	1631	1199
Thu Jun 29 2017 19:44:00.0000	1630	1229
Thu Jun 29 2017 19:45:00.0000	1628	1312
Thu Jun 29 2017 19:46:00.0000	1629	1103
Thu Jun 29 2017 19:47:00.0000	1629	1201
Thu Jun 29 2017 19:48:00.0000	1630	1270
Thu Jun 29 2017 19:49:00.0000	1628	1364
Thu Jun 29 2017 19:50:00.0000	1628	1329
Thu Jun 29 2017 19:51:00.0000	1629	1209
Thu Jun 29 2017 19:52:00.0000	1630	1215
Thu Jun 29 2017 19:53:00.0000	1629	1194
Thu Jun 29 2017 19:54:00.0000	1628	1279
Thu Jun 29 2017 19:55:00.0000	1629	1156
Thu Jun 29 2017 19:56:00.0000	1630	1192
Thu Jun 29 2017 19:57:00.0000	1630	1276
Thu Jun 29 2017 19:58:00.0000	1628	1343
Thu Jun 29 2017 19:59:00.0000	1628	1317
Thu Jun 29 2017 20:00:00.0000	1629	1187
Thu Jun 29 2017 20:01:00.0000	1631	1215
Thu Jun 29 2017 20:02:00.0000	1630	1272
Thu Jun 29 2017 20:03:00.0000	1628	1303
Thu Jun 29 2017 20:04:00.0000	1629	1161
Thu Jun 29 2017 20:05:00.0000	1630	1241
Thu Jun 29 2017 20:06:00.0000	1630	1250
Thu Jun 29 2017 20:07:00.0000	1628	1378
Thu Jun 29 2017 20:08:00.0000	1629	1272
Thu Jun 29 2017 20:09:00.0000	1629	1108
Thu Jun 29 2017 20:10:00.0000	1631	1206
Thu Jun 29 2017 20:11:00.0000	1629	1302
Thu Jun 29 2017 20:12:00.0000	1628	1374
Thu Jun 29 2017 20:13:00.0000	1629	1184
Thu Jun 29 2017 20:14:00.0000	1630	1190
Thu Jun 29 2017 20:15:00.0000	1630	1273
Thu Jun 29 2017 20:16:00.0000	1628	1219
Thu Jun 29 2017 20:17:00.0000	1628	1187
Thu Jun 29 2017 20:18:00.0000	1630	1170
Thu Jun 29 2017 20:19:00.0000	1631	1138
Thu Jun 29 2017 20:20:00.0000	1629	1144
Thu Jun 29 2017 20:21:00.0000	1628	1264
Thu Jun 29 2017 20:22:00.0000	1629	1155
Thu Jun 29 2017 20:23:00.0000	1630	1181
Thu Jun 29 2017 20:24:00.0000	1630	1190
Thu Jun 29 2017 20:25:00.0000	1628	1304
Thu Jun 29 2017 20:26:00.0000	1629	1185
Thu Jun 29 2017 20:27:00.0000	1630	1161
Thu Jun 29 2017 20:28:00.0000	1630	1221
Thu Jun 29 2017 20:29:00.0000	1628	1254
Thu Jun 29 2017 20:30:00.0000	1629	1320
Thu Jun 29 2017 20:31:00.0000	1630	1106
Thu Jun 29 2017 20:32:00.0000	1633	1276
Thu Jun 29 2017 20:33:00.0000	1626	1254
Thu Jun 29 2017 20:34:00.0000	1621	1225
Thu Jun 29 2017 20:35:00.0000	1620	1175
Thu Jun 29 2017 20:36:00.0000	1618	1244
Thu Jun 29 2017 20:37:00.0000	1616	1283
Thu Jun 29 2017 20:38:00.0000	1613	1262
Thu Jun 29 2017 20:39:00.0000	1612	1335

Date/Time	Process Temperature (°F)	Process Flow SCFM
Thu Jun 29 2017 20:40:00.0000	1611	1095
Thu Jun 29 2017 20:41:00.0000	1610	1262
Thu Jun 29 2017 20:42:00.0000	1608	1338
Thu Jun 29 2017 20:43:00.0000	1606	1390
Thu Jun 29 2017 20:44:00.0000	1606	1198
Thu Jun 29 2017 20:45:00.0000	1606	1297
Thu Jun 29 2017 20:46:00.0000	1605	1112
Thu Jun 29 2017 20:47:00.0000	1603	1272
Thu Jun 29 2017 20:48:00.0000	1603	1393
Thu Jun 29 2017 20:49:00.0000	1602	1172
Thu Jun 29 2017 20:50:00.0000	1602	1189
Thu Jun 29 2017 20:51:00.0000	1602	1296
Thu Jun 29 2017 20:52:00.0000	1604	1250
Thu Jun 29 2017 20:53:00.0000	1609	1249
Thu Jun 29 2017 20:54:00.0000	1613	1189
Thu Jun 29 2017 20:55:00.0000	1615	1261
Thu Jun 29 2017 20:56:00.0000	1614	1438
Thu Jun 29 2017 20:57:00.0000	1616	1313
Thu Jun 29 2017 20:58:00.0000	1617	1155
Thu Jun 29 2017 20:59:00.0000	1621	1132
Thu Jun 29 2017 21:00:00.0000	1620	1194
Thu Jun 29 2017 21:01:00.0000	1619	1370
Thu Jun 29 2017 21:02:00.0000	1621	1027
Thu Jun 29 2017 21:03:00.0000	1622	1167
Thu Jun 29 2017 21:04:00.0000	1623	1238
Thu Jun 29 2017 21:05:00.0000	1622	1311
Thu Jun 29 2017 21:06:00.0000	1622	1054
Thu Jun 29 2017 21:07:00.0000	1624	1200
Thu Jun 29 2017 21:08:00.0000	1626	1190
Thu Jun 29 2017 21:09:00.0000	1625	1239
Thu Jun 29 2017 21:10:00.0000	1623	1237
Thu Jun 29 2017 21:11:00.0000	1625	1100
Thu Jun 29 2017 21:12:00.0000	1627	1143
Thu Jun 29 2017 21:13:00.0000	1627	1178
Thu Jun 29 2017 21:14:00.0000	1626	1274
Thu Jun 29 2017 21:15:00.0000	1626	997
Thu Jun 29 2017 21:16:00.0000	1627	1130
Thu Jun 29 2017 21:17:00.0000	1629	1180
Thu Jun 29 2017 21:18:00.0000	1628	1149
Thu Jun 29 2017 21:19:00.0000	1626	1276
Thu Jun 29 2017 21:20:00.0000	1628	1128
Thu Jun 29 2017 21:21:00.0000	1629	1109
Thu Jun 29 2017 21:22:00.0000	1630	1220
Thu Jun 29 2017 21:23:00.0000	1628	1348
Thu Jun 29 2017 21:24:00.0000	1628	1176
Thu Jun 29 2017 21:25:00.0000	1629	1144
Thu Jun 29 2017 21:26:00.0000	1631	1265
Thu Jun 29 2017 21:27:00.0000	1630	1381
Thu Jun 29 2017 21:28:00.0000	1628	1337
Thu Jun 29 2017 21:29:00.0000	1630	1144
Thu Jun 29 2017 21:30:00.0000	1631	1171
Thu Jun 29 2017 21:31:00.0000	1631	1271
Thu Jun 29 2017 21:32:00.0000	1629	1263
Thu Jun 29 2017 21:33:00.0000	1631	1149
Thu Jun 29 2017 21:34:00.0000	1631	1148
Thu Jun 29 2017 21:35:00.0000	1632	1176
Thu Jun 29 2017 21:36:00.0000	1631	1372

Date/Time	Process Temperature (°F)	Process Flow SCFM
Thu Jun 29 2017 21:37:00.0000	1630	1288
Thu Jun 29 2017 21:38:00.0000	1632	1214
Thu Jun 29 2017 21:39:00.0000	1631	1242
Thu Jun 29 2017 21:40:00.0000	1624	1356
Thu Jun 29 2017 21:41:00.0000	1621	1336
Thu Jun 29 2017 21:42:00.0000	1619	1130
Thu Jun 29 2017 21:43:00.0000	1617	1116
Thu Jun 29 2017 21:44:00.0000	1614	1258
Thu Jun 29 2017 21:45:00.0000	1611	1332
Thu Jun 29 2017 21:46:00.0000	1610	1144
Thu Jun 29 2017 21:47:00.0000	1609	965
Thu Jun 29 2017 21:48:00.0000	1608	1148
Thu Jun 29 2017 21:49:00.0000	1606	1242
Thu Jun 29 2017 21:50:00.0000	1604	1313
Thu Jun 29 2017 21:51:00.0000	1604	1097
Thu Jun 29 2017 21:52:00.0000	1603	1066
Thu Jun 29 2017 21:53:00.0000	1602	1171
Thu Jun 29 2017 21:54:00.0000	1602	1388
Thu Jun 29 2017 21:55:00.0000	1611	1065
Thu Jun 29 2017 21:56:00.0000	1617	1170
Thu Jun 29 2017 21:57:00.0000	1625	1171
Thu Jun 29 2017 21:58:00.0000	1627	1238
Thu Jun 29 2017 21:59:00.0000	1628	1316
Thu Jun 29 2017 22:00:00.0000	1632	1147
Thu Jun 29 2017 22:01:00.0000	1636	1220
Thu Jun 29 2017 22:02:00.0000	1628	1141
Thu Jun 29 2017 22:03:00.0000	1621	1311
Thu Jun 29 2017 22:04:00.0000	1616	1147
Thu Jun 29 2017 22:05:00.0000	1613	1161
Thu Jun 29 2017 22:06:00.0000	1610	1148
Thu Jun 29 2017 22:07:00.0000	1607	1224
Thu Jun 29 2017 22:08:00.0000	1605	1215
Thu Jun 29 2017 22:09:00.0000	1603	1105
Thu Jun 29 2017 22:10:00.0000	1602	1116
Thu Jun 29 2017 22:11:00.0000	1602	1170
Thu Jun 29 2017 22:12:00.0000	1608	1366
Thu Jun 29 2017 22:13:00.0000	1617	1201
Thu Jun 29 2017 22:14:00.0000	1622	1141
Thu Jun 29 2017 22:15:00.0000	1628	1269
Thu Jun 29 2017 22:16:00.0000	1628	1307
Thu Jun 29 2017 22:17:00.0000	1631	1209
Thu Jun 29 2017 22:18:00.0000	1634	1190
Thu Jun 29 2017 22:19:00.0000	1629	1189
Thu Jun 29 2017 22:20:00.0000	1617	1285
Thu Jun 29 2017 22:21:00.0000	1611	1328
Thu Jun 29 2017 22:22:00.0000	1605	1087
Thu Jun 29 2017 22:23:00.0000	1601	1160
Thu Jun 29 2017 22:24:00.0000	1603	1284
Thu Jun 29 2017 22:25:00.0000	1607	1250
Thu Jun 29 2017 22:26:00.0000	1612	1153
Thu Jun 29 2017 22:27:00.0000	1615	1213
Thu Jun 29 2017 22:28:00.0000	1619	1163
Thu Jun 29 2017 22:29:00.0000	1619	1347
Thu Jun 29 2017 22:30:00.0000	1619	1246
Thu Jun 29 2017 22:31:00.0000	1622	1213
Thu Jun 29 2017 22:32:00.0000	1625	1183
Thu Jun 29 2017 22:33:00.0000	1625	1194

Date/Time	Process Temperature (°F)	Process Flow SCFM
Thu Jun 29 2017 22:34:00.0000	1624	1438
Thu Jun 29 2017 22:35:00.0000	1626	1137
Thu Jun 29 2017 22:36:00.0000	1626	1108
Thu Jun 29 2017 22:37:00.0000	1629	1194
Thu Jun 29 2017 22:38:00.0000	1628	1286
Thu Jun 29 2017 22:39:00.0000	1628	1302
Thu Jun 29 2017 22:40:00.0000	1629	1150
Thu Jun 29 2017 22:41:00.0000	1631	1181
Thu Jun 29 2017 22:42:00.0000	1629	1312
Thu Jun 29 2017 22:43:00.0000	1628	1304
Thu Jun 29 2017 22:44:00.0000	1629	1169
Thu Jun 29 2017 22:45:00.0000	1631	1146
Thu Jun 29 2017 22:46:00.0000	1629	1172
Thu Jun 29 2017 22:47:00.0000	1627	1394
Thu Jun 29 2017 22:48:00.0000	1629	1164
Thu Jun 29 2017 22:49:00.0000	1630	1259
Thu Jun 29 2017 22:50:00.0000	1631	1166
Thu Jun 29 2017 22:51:00.0000	1628	1261
Thu Jun 29 2017 22:52:00.0000	1629	1128
Thu Jun 29 2017 22:53:00.0000	1630	1155
Thu Jun 29 2017 22:54:00.0000	1632	1117
Thu Jun 29 2017 22:55:00.0000	1630	1269
Thu Jun 29 2017 22:56:00.0000	1629	1314
Thu Jun 29 2017 22:57:00.0000	1630	1089
Thu Jun 29 2017 22:58:00.0000	1632	1205
Thu Jun 29 2017 22:59:00.0000	1632	1215
Thu Jun 29 2017 23:00:00.0000	1630	1237
Thu Jun 29 2017 23:01:00.0000	1630	1186
Thu Jun 29 2017 23:02:00.0000	1631	1099
Thu Jun 29 2017 23:03:00.0000	1630	1192
Thu Jun 29 2017 23:04:00.0000	1622	1262
Thu Jun 29 2017 23:05:00.0000	1617	1350
Thu Jun 29 2017 23:06:00.0000	1614	1146
Thu Jun 29 2017 23:07:00.0000	1611	1121
Thu Jun 29 2017 23:08:00.0000	1609	1163
Thu Jun 29 2017 23:09:00.0000	1605	1394
Thu Jun 29 2017 23:10:00.0000	1604	1113
Thu Jun 29 2017 23:11:00.0000	1602	1152
Thu Jun 29 2017 23:12:00.0000	1603	1273
Thu Jun 29 2017 23:13:00.0000	1607	1200
Thu Jun 29 2017 23:14:00.0000	1607	1205
Thu Jun 29 2017 23:15:00.0000	1610	1201
Thu Jun 29 2017 23:16:00.0000	1613	1153
Thu Jun 29 2017 23:17:00.0000	1615	1174
Thu Jun 29 2017 23:18:00.0000	1614	1288
Thu Jun 29 2017 23:19:00.0000	1615	1110
Thu Jun 29 2017 23:20:00.0000	1617	1080
Thu Jun 29 2017 23:21:00.0000	1620	1156
Thu Jun 29 2017 23:22:00.0000	1619	1254
Thu Jun 29 2017 23:23:00.0000	1618	1217
Thu Jun 29 2017 23:24:00.0000	1619	1093
Thu Jun 29 2017 23:25:00.0000	1621	1189
Thu Jun 29 2017 23:26:00.0000	1622	1188
Thu Jun 29 2017 23:27:00.0000	1620	1327
Thu Jun 29 2017 23:28:00.0000	1621	1121
Thu Jun 29 2017 23:29:00.0000	1622	1165
Thu Jun 29 2017 23:30:00.0000	1624	1151

Date/Time	Process Temperature (°F)	Process Flow SCFM
Thu Jun 29 2017 23:31:00.0000	1622	1216
Thu Jun 29 2017 23:32:00.0000	1621	1248
Thu Jun 29 2017 23:33:00.0000	1623	1125
Thu Jun 29 2017 23:34:00.0000	1624	1206
Thu Jun 29 2017 23:35:00.0000	1624	1254
Thu Jun 29 2017 23:36:00.0000	1622	1333
Thu Jun 29 2017 23:37:00.0000	1624	1254
Thu Jun 29 2017 23:38:00.0000	1625	1171
Thu Jun 29 2017 23:39:00.0000	1626	1157
Thu Jun 29 2017 23:40:00.0000	1625	1197
Thu Jun 29 2017 23:41:00.0000	1624	1318
Thu Jun 29 2017 23:42:00.0000	1625	1159
Thu Jun 29 2017 23:43:00.0000	1627	1185
Thu Jun 29 2017 23:44:00.0000	1627	1265
Thu Jun 29 2017 23:45:00.0000	1624	1352
Thu Jun 29 2017 23:46:00.0000	1626	1136
Thu Jun 29 2017 23:47:00.0000	1626	1177
Thu Jun 29 2017 23:48:00.0000	1628	1181
Thu Jun 29 2017 23:49:00.0000	1626	1266
Thu Jun 29 2017 23:50:00.0000	1625	1295
Thu Jun 29 2017 23:51:00.0000	1627	1108
Thu Jun 29 2017 23:52:00.0000	1629	1123
Thu Jun 29 2017 23:53:00.0000	1627	1204
Thu Jun 29 2017 23:54:00.0000	1625	1267
Thu Jun 29 2017 23:55:00.0000	1627	1105
Thu Jun 29 2017 23:56:00.0000	1627	1215
Thu Jun 29 2017 23:57:00.0000	1628	1246
Thu Jun 29 2017 23:58:00.0000	1626	1314
Thu Jun 29 2017 23:59:00.0000	1627	1087
Fri Jun 30 2017 00:00:00.0000	1628	1105
Fri Jun 30 2017 00:01:00.0000	1629	1071
Fri Jun 30 2017 00:02:00.0000	1628	1167
Fri Jun 30 2017 00:03:00.0000	1627	1365
Fri Jun 30 2017 00:04:00.0000	1628	1142
Fri Jun 30 2017 00:05:00.0000	1629	1166
Fri Jun 30 2017 00:06:00.0000	1630	1210
Fri Jun 30 2017 00:07:00.0000	1627	1211
Fri Jun 30 2017 00:08:00.0000	1628	1226
Fri Jun 30 2017 00:09:00.0000	1629	1087
Fri Jun 30 2017 00:10:00.0000	1630	1137
Fri Jun 30 2017 00:11:00.0000	1629	1243
Fri Jun 30 2017 00:12:00.0000	1628	1235
Fri Jun 30 2017 00:13:00.0000	1629	1154
Fri Jun 30 2017 00:14:00.0000	1631	1162
Fri Jun 30 2017 00:15:00.0000	1630	1209
Fri Jun 30 2017 00:16:00.0000	1628	1242
Fri Jun 30 2017 00:17:00.0000	1629	1219
Fri Jun 30 2017 00:18:00.0000	1630	1162
Fri Jun 30 2017 00:19:00.0000	1631	1219
Fri Jun 30 2017 00:20:00.0000	1629	1214
Fri Jun 30 2017 00:21:00.0000	1628	1210
Fri Jun 30 2017 00:22:00.0000	1630	1250
Fri Jun 30 2017 00:23:00.0000	1632	1240
Fri Jun 30 2017 00:24:00.0000	1631	1183
Fri Jun 30 2017 00:25:00.0000	1628	1303
Fri Jun 30 2017 00:26:00.0000	1630	1168
Fri Jun 30 2017 00:27:00.0000	1631	1218

Date/Time	Process Temperature (°F)	Process Flow SCFM
Fri Jun 30 2017 00:28:00.0000	1632	1157
Fri Jun 30 2017 00:29:00.0000	1629	1150
Fri Jun 30 2017 00:30:00.0000	1630	1271
Fri Jun 30 2017 00:31:00.0000	1630	1050
Fri Jun 30 2017 00:32:00.0000	1632	1083
Fri Jun 30 2017 00:33:00.0000	1631	1182
Fri Jun 30 2017 00:34:00.0000	1629	1251
Fri Jun 30 2017 00:35:00.0000	1631	1154
Fri Jun 30 2017 00:36:00.0000	1632	1147
Fri Jun 30 2017 00:37:00.0000	1630	1238
Fri Jun 30 2017 00:38:00.0000	1623	1225
Fri Jun 30 2017 00:39:00.0000	1620	1353
Fri Jun 30 2017 00:40:00.0000	1617	1162
Fri Jun 30 2017 00:41:00.0000	1615	1179
Fri Jun 30 2017 00:42:00.0000	1612	1201
Fri Jun 30 2017 00:43:00.0000	1610	1284
Fri Jun 30 2017 00:44:00.0000	1609	1147
Fri Jun 30 2017 00:45:00.0000	1608	1172
Fri Jun 30 2017 00:46:00.0000	1606	1160
Fri Jun 30 2017 00:47:00.0000	1604	1241
Fri Jun 30 2017 00:48:00.0000	1603	1189
Fri Jun 30 2017 00:49:00.0000	1603	1070
Fri Jun 30 2017 00:50:00.0000	1602	1161
Fri Jun 30 2017 00:51:00.0000	1601	1163
Fri Jun 30 2017 00:52:00.0000	1608	1249
Fri Jun 30 2017 00:53:00.0000	1617	1095
Fri Jun 30 2017 00:54:00.0000	1623	1201
Fri Jun 30 2017 00:55:00.0000	1628	1109
Fri Jun 30 2017 00:56:00.0000	1629	1155
Fri Jun 30 2017 00:57:00.0000	1632	1201
Fri Jun 30 2017 00:58:00.0000	1629	1152
Fri Jun 30 2017 00:59:00.0000	1623	1153
Fri Jun 30 2017 01:00:00.0000	1618	1146
Fri Jun 30 2017 01:01:00.0000	1614	1296
Fri Jun 30 2017 01:02:00.0000	1612	1112
Fri Jun 30 2017 01:03:00.0000	1610	1203
Fri Jun 30 2017 01:04:00.0000	1608	1192
Fri Jun 30 2017 01:05:00.0000	1605	1275
Fri Jun 30 2017 01:06:00.0000	1604	1252
Fri Jun 30 2017 01:07:00.0000	1603	1116
Fri Jun 30 2017 01:08:00.0000	1603	1127
Fri Jun 30 2017 01:09:00.0000	1601	1256
Fri Jun 30 2017 01:10:00.0000	1607	1343
Fri Jun 30 2017 01:11:00.0000	1615	1181
Fri Jun 30 2017 01:12:00.0000	1622	1225
Fri Jun 30 2017 01:13:00.0000	1627	1150
Fri Jun 30 2017 01:14:00.0000	1628	1280
Fri Jun 30 2017 01:15:00.0000	1630	1151
Fri Jun 30 2017 01:16:00.0000	1633	1029
Fri Jun 30 2017 01:17:00.0000	1635	1185
Fri Jun 30 2017 01:18:00.0000	1625	1195
Fri Jun 30 2017 01:19:00.0000	1620	1297
Fri Jun 30 2017 01:20:00.0000	1617	1127
Fri Jun 30 2017 01:21:00.0000	1614	1141
Fri Jun 30 2017 01:22:00.0000	1611	1281
Fri Jun 30 2017 01:23:00.0000	1608	1346
Fri Jun 30 2017 01:24:00.0000	1607	1141

Date/Time	Process Temperature (°F)	Process Flow SCFM
Fri Jun 30 2017 01:25:00.0000	1606	1114
Fri Jun 30 2017 01:26:00.0000	1605	1211
Fri Jun 30 2017 01:27:00.0000	1603	1286
Fri Jun 30 2017 01:28:00.0000	1601	1275
Fri Jun 30 2017 01:29:00.0000	1605	1104
Fri Jun 30 2017 01:30:00.0000	1611	1187
Fri Jun 30 2017 01:31:00.0000	1612	1225
Fri Jun 30 2017 01:32:00.0000	1612	1332
Fri Jun 30 2017 01:33:00.0000	1614	1144
Fri Jun 30 2017 01:34:00.0000	1617	1142
Fri Jun 30 2017 01:35:00.0000	1617	1135
Fri Jun 30 2017 01:36:00.0000	1615	1250
Fri Jun 30 2017 01:37:00.0000	1618	1135
Fri Jun 30 2017 01:38:00.0000	1619	1160
Fri Jun 30 2017 01:39:00.0000	1620	1088
Fri Jun 30 2017 01:40:00.0000	1619	1330
Fri Jun 30 2017 01:41:00.0000	1621	1383
Fri Jun 30 2017 01:42:00.0000	1621	1174
Fri Jun 30 2017 01:43:00.0000	1623	1146
Fri Jun 30 2017 01:44:00.0000	1622	1268
Fri Jun 30 2017 01:45:00.0000	1621	1375
Fri Jun 30 2017 01:46:00.0000	1622	1078
Fri Jun 30 2017 01:47:00.0000	1624	1138
Fri Jun 30 2017 01:48:00.0000	1624	1274
Fri Jun 30 2017 01:49:00.0000	1622	1288
Fri Jun 30 2017 01:50:00.0000	1623	1164
Fri Jun 30 2017 01:51:00.0000	1624	1137
Fri Jun 30 2017 01:52:00.0000	1626	1223
Fri Jun 30 2017 01:53:00.0000	1624	1315
Fri Jun 30 2017 01:54:00.0000	1623	1335
Fri Jun 30 2017 01:55:00.0000	1624	1094
Fri Jun 30 2017 01:56:00.0000	1626	1115
Fri Jun 30 2017 01:57:00.0000	1626	1219
Fri Jun 30 2017 01:58:00.0000	1624	1200
Fri Jun 30 2017 01:59:00.0000	1625	1110
Fri Jun 30 2017 02:00:00.0000	1627	1132
Fri Jun 30 2017 02:01:00.0000	1627	1154
Fri Jun 30 2017 02:02:00.0000	1626	1232
Fri Jun 30 2017 02:03:00.0000	1625	1294
Fri Jun 30 2017 02:04:00.0000	1626	1176
Fri Jun 30 2017 02:05:00.0000	1628	1217
Fri Jun 30 2017 02:06:00.0000	1628	1281
Fri Jun 30 2017 02:07:00.0000	1626	1226
Fri Jun 30 2017 02:08:00.0000	1627	1153
Fri Jun 30 2017 02:09:00.0000	1628	1215
Fri Jun 30 2017 02:10:00.0000	1629	1265
Fri Jun 30 2017 02:11:00.0000	1627	1285
Fri Jun 30 2017 02:12:00.0000	1628	1091
Fri Jun 30 2017 02:13:00.0000	1628	1110
Fri Jun 30 2017 02:14:00.0000	1630	1193
Fri Jun 30 2017 02:15:00.0000	1628	1245
Fri Jun 30 2017 02:16:00.0000	1627	1254
Fri Jun 30 2017 02:17:00.0000	1628	1124
Fri Jun 30 2017 02:18:00.0000	1630	1190
Fri Jun 30 2017 02:19:00.0000	1630	1187
Fri Jun 30 2017 02:20:00.0000	1628	1293
Fri Jun 30 2017 02:21:00.0000	1630	1121

Date/Time	Process Temperature (°F)	Process Flow SCFM
Fri Jun 30 2017 02:22:00.0000	1629	1154
Fri Jun 30 2017 02:23:00.0000	1631	1217
Fri Jun 30 2017 02:24:00.0000	1629	1195
Fri Jun 30 2017 02:25:00.0000	1628	1131
Fri Jun 30 2017 02:26:00.0000	1630	1082
Fri Jun 30 2017 02:27:00.0000	1631	1129
Fri Jun 30 2017 02:28:00.0000	1630	1347
Fri Jun 30 2017 02:29:00.0000	1629	1338
Fri Jun 30 2017 02:30:00.0000	1630	1127
Fri Jun 30 2017 02:31:00.0000	1632	1171
Fri Jun 30 2017 02:32:00.0000	1631	1228
Fri Jun 30 2017 02:33:00.0000	1629	1406
Fri Jun 30 2017 02:34:00.0000	1630	1142
Fri Jun 30 2017 02:35:00.0000	1631	1190
Fri Jun 30 2017 02:36:00.0000	1632	1228
Fri Jun 30 2017 02:37:00.0000	1631	1306
Fri Jun 30 2017 02:38:00.0000	1630	1275
Fri Jun 30 2017 02:39:00.0000	1631	1213
Fri Jun 30 2017 02:40:00.0000	1632	1134
Fri Jun 30 2017 02:41:00.0000	1626	1267
Fri Jun 30 2017 02:42:00.0000	1621	1351
Fri Jun 30 2017 02:43:00.0000	1619	1221
Fri Jun 30 2017 02:44:00.0000	1617	1119
Fri Jun 30 2017 02:45:00.0000	1615	1209
Fri Jun 30 2017 02:46:00.0000	1612	1220
Fri Jun 30 2017 02:47:00.0000	1610	1241
Fri Jun 30 2017 02:48:00.0000	1609	1125
Fri Jun 30 2017 02:49:00.0000	1608	1135
Fri Jun 30 2017 02:50:00.0000	1606	1264
Fri Jun 30 2017 02:51:00.0000	1604	1239
Fri Jun 30 2017 02:52:00.0000	1603	1151
Fri Jun 30 2017 02:53:00.0000	1603	1047
Fri Jun 30 2017 02:54:00.0000	1602	1206
Fri Jun 30 2017 02:55:00.0000	1603	1323
Fri Jun 30 2017 02:56:00.0000	1612	1167
Fri Jun 30 2017 02:57:00.0000	1618	1175
Fri Jun 30 2017 02:58:00.0000	1626	1104
Fri Jun 30 2017 02:59:00.0000	1628	1320
Fri Jun 30 2017 03:00:00.0000	1629	1289
Fri Jun 30 2017 03:01:00.0000	1632	1152
Fri Jun 30 2017 03:02:00.0000	1635	1126
Fri Jun 30 2017 03:03:00.0000	1626	1185
Fri Jun 30 2017 03:04:00.0000	1620	1361
Fri Jun 30 2017 03:05:00.0000	1617	1132
Fri Jun 30 2017 03:06:00.0000	1614	1156
Fri Jun 30 2017 03:07:00.0000	1612	1226
Fri Jun 30 2017 03:08:00.0000	1609	1306
Fri Jun 30 2017 03:09:00.0000	1603	1255
Fri Jun 30 2017 03:10:00.0000	1601	1153
Fri Jun 30 2017 03:11:00.0000	1613	1159
Fri Jun 30 2017 03:12:00.0000	1619	1192
Fri Jun 30 2017 03:13:00.0000	1621	1300
Fri Jun 30 2017 03:14:00.0000	1626	1194
Fri Jun 30 2017 03:15:00.0000	1630	1160
Fri Jun 30 2017 03:16:00.0000	1630	1185
Fri Jun 30 2017 03:17:00.0000	1620	1271
Fri Jun 30 2017 03:18:00.0000	1615	1234

Date/Time	Process Temperature (°F)	Process Flow SCFM
Fri Jun 30 2017 03:19:00.0000	1611	1113
Fri Jun 30 2017 03:20:00.0000	1608	1184
Fri Jun 30 2017 03:21:00.0000	1605	1239
Fri Jun 30 2017 03:22:00.0000	1602	1341
Fri Jun 30 2017 03:23:00.0000	1601	1128
Fri Jun 30 2017 03:24:00.0000	1607	1127
Fri Jun 30 2017 03:25:00.0000	1611	1129
Fri Jun 30 2017 03:26:00.0000	1611	1155
Fri Jun 30 2017 03:27:00.0000	1612	1142
Fri Jun 30 2017 03:28:00.0000	1615	1125
Fri Jun 30 2017 03:29:00.0000	1617	1190
Fri Jun 30 2017 03:30:00.0000	1616	1292
Fri Jun 30 2017 03:31:00.0000	1616	1257
Fri Jun 30 2017 03:32:00.0000	1617	1153
Fri Jun 30 2017 03:33:00.0000	1620	1109
Fri Jun 30 2017 03:34:00.0000	1620	1175
Fri Jun 30 2017 03:35:00.0000	1618	1330
Fri Jun 30 2017 03:36:00.0000	1620	1219
Fri Jun 30 2017 03:37:00.0000	1621	1126
Fri Jun 30 2017 03:38:00.0000	1622	1164
Fri Jun 30 2017 03:39:00.0000	1621	1245
Fri Jun 30 2017 03:40:00.0000	1620	1309
Fri Jun 30 2017 03:41:00.0000	1622	1110
Fri Jun 30 2017 03:42:00.0000	1624	1084
Fri Jun 30 2017 03:43:00.0000	1623	1231
Fri Jun 30 2017 03:44:00.0000	1621	1253
Fri Jun 30 2017 03:45:00.0000	1623	1137
Fri Jun 30 2017 03:46:00.0000	1624	1134
Fri Jun 30 2017 03:47:00.0000	1625	1213
Fri Jun 30 2017 03:48:00.0000	1623	1211
Fri Jun 30 2017 03:49:00.0000	1623	1271
Fri Jun 30 2017 03:50:00.0000	1624	1161
Fri Jun 30 2017 03:51:00.0000	1627	1263
Fri Jun 30 2017 03:52:00.0000	1626	1189
Fri Jun 30 2017 03:53:00.0000	1624	1262
Fri Jun 30 2017 03:54:00.0000	1626	1129
Fri Jun 30 2017 03:55:00.0000	1626	1080
Fri Jun 30 2017 03:56:00.0000	1627	1282
Fri Jun 30 2017 03:57:00.0000	1626	1275
Fri Jun 30 2017 03:58:00.0000	1625	1368
Fri Jun 30 2017 03:59:00.0000	1627	1128
Fri Jun 30 2017 04:00:00.0000	1628	1152
Fri Jun 30 2017 04:01:00.0000	1628	1252
Fri Jun 30 2017 04:02:00.0000	1625	1275
Fri Jun 30 2017 04:03:00.0000	1627	1167
Fri Jun 30 2017 04:04:00.0000	1628	1124
Fri Jun 30 2017 04:05:00.0000	1629	1177
Fri Jun 30 2017 04:06:00.0000	1627	1206
Fri Jun 30 2017 04:07:00.0000	1627	1367
Fri Jun 30 2017 04:08:00.0000	1628	1114
Fri Jun 30 2017 04:09:00.0000	1630	1099
Fri Jun 30 2017 04:10:00.0000	1628	1269
Fri Jun 30 2017 04:11:00.0000	1628	1358
Fri Jun 30 2017 04:12:00.0000	1628	1131
Fri Jun 30 2017 04:13:00.0000	1629	1192
Fri Jun 30 2017 04:14:00.0000	1630	1104
Fri Jun 30 2017 04:15:00.0000	1628	1237

Date/Time	Process Temperature (°F)	Process Flow SCFM
Fri Jun 30 2017 04:16:00.0000	1628	1102
Fri Jun 30 2017 04:17:00.0000	1629	1119
Fri Jun 30 2017 04:18:00.0000	1630	1170
Fri Jun 30 2017 04:19:00.0000	1628	1224
Fri Jun 30 2017 04:20:00.0000	1627	1230
Fri Jun 30 2017 04:21:00.0000	1628	1143
Fri Jun 30 2017 04:22:00.0000	1630	1119
Fri Jun 30 2017 04:23:00.0000	1630	1247
Fri Jun 30 2017 04:24:00.0000	1627	1268
Fri Jun 30 2017 04:25:00.0000	1629	1105
Fri Jun 30 2017 04:26:00.0000	1629	1099
Fri Jun 30 2017 04:27:00.0000	1630	1162
Fri Jun 30 2017 04:28:00.0000	1629	1274
Fri Jun 30 2017 04:29:00.0000	1628	1268
Fri Jun 30 2017 04:30:00.0000	1629	1154
Fri Jun 30 2017 04:31:00.0000	1631	1186
Fri Jun 30 2017 04:32:00.0000	1630	1185
Fri Jun 30 2017 04:33:00.0000	1628	1232
Fri Jun 30 2017 04:34:00.0000	1629	1128
Fri Jun 30 2017 04:35:00.0000	1630	1134
Fri Jun 30 2017 04:36:00.0000	1631	1235
Fri Jun 30 2017 04:37:00.0000	1629	1272
Fri Jun 30 2017 04:38:00.0000	1628	1302
Fri Jun 30 2017 04:39:00.0000	1629	1097
Fri Jun 30 2017 04:40:00.0000	1631	1175
Fri Jun 30 2017 04:41:00.0000	1631	1276
Fri Jun 30 2017 04:42:00.0000	1628	1275
Fri Jun 30 2017 04:43:00.0000	1630	1128
Fri Jun 30 2017 04:44:00.0000	1631	1120
Fri Jun 30 2017 04:45:00.0000	1631	1243
Fri Jun 30 2017 04:46:00.0000	1629	1388
Fri Jun 30 2017 04:47:00.0000	1629	1281
Fri Jun 30 2017 04:48:00.0000	1630	1090
Fri Jun 30 2017 04:49:00.0000	1631	1120
Fri Jun 30 2017 04:50:00.0000	1630	1268
Fri Jun 30 2017 04:51:00.0000	1630	1369
Fri Jun 30 2017 04:52:00.0000	1630	1136
Fri Jun 30 2017 04:53:00.0000	1631	1193
Fri Jun 30 2017 04:54:00.0000	1631	1108
Fri Jun 30 2017 04:55:00.0000	1629	1267
Fri Jun 30 2017 04:56:00.0000	1630	1083
Fri Jun 30 2017 04:57:00.0000	1631	1094
Fri Jun 30 2017 04:58:00.0000	1632	1113
Fri Jun 30 2017 04:59:00.0000	1630	1262
Fri Jun 30 2017 05:00:00.0000	1629	1200
Fri Jun 30 2017 05:01:00.0000	1631	1097
Fri Jun 30 2017 05:02:00.0000	1632	1133
Fri Jun 30 2017 05:03:00.0000	1631	1106
Fri Jun 30 2017 05:04:00.0000	1629	1200
Fri Jun 30 2017 05:05:00.0000	1631	1126
Fri Jun 30 2017 05:06:00.0000	1631	1139
Fri Jun 30 2017 05:07:00.0000	1633	1132
Fri Jun 30 2017 05:08:00.0000	1630	1267
Fri Jun 30 2017 05:09:00.0000	1630	1317
Fri Jun 30 2017 05:10:00.0000	1631	1158
Fri Jun 30 2017 05:11:00.0000	1631	1192
Fri Jun 30 2017 05:12:00.0000	1624	1132

Date/Time	Process Temperature (°F)	Process Flow SCFM
Fri Jun 30 2017 05:13:00.0000	1620	1188
Fri Jun 30 2017 05:14:00.0000	1618	1139
Fri Jun 30 2017 05:15:00.0000	1616	1100
Fri Jun 30 2017 05:16:00.0000	1614	1186
Fri Jun 30 2017 05:17:00.0000	1611	1362
Fri Jun 30 2017 05:18:00.0000	1609	1151
Fri Jun 30 2017 05:19:00.0000	1608	1157
Fri Jun 30 2017 05:20:00.0000	1608	1146
Fri Jun 30 2017 05:21:00.0000	1605	1201
Fri Jun 30 2017 05:22:00.0000	1604	1333
Fri Jun 30 2017 05:23:00.0000	1604	1144
Fri Jun 30 2017 05:24:00.0000	1603	1167
Fri Jun 30 2017 05:25:00.0000	1601	1209
Fri Jun 30 2017 05:26:00.0000	1602	1321
Fri Jun 30 2017 05:27:00.0000	1612	1076
Fri Jun 30 2017 05:28:00.0000	1618	1105
Fri Jun 30 2017 05:29:00.0000	1626	1159
Fri Jun 30 2017 05:30:00.0000	1627	1230
Fri Jun 30 2017 05:31:00.0000	1629	1260
Fri Jun 30 2017 05:32:00.0000	1632	1249
Fri Jun 30 2017 05:33:00.0000	1634	1209
Fri Jun 30 2017 05:34:00.0000	1623	1160
Fri Jun 30 2017 05:35:00.0000	1616	1334
Fri Jun 30 2017 05:36:00.0000	1611	1094
Fri Jun 30 2017 05:37:00.0000	1607	1100
Fri Jun 30 2017 05:38:00.0000	1603	1247
Fri Jun 30 2017 05:39:00.0000	1600	1301
Fri Jun 30 2017 05:40:00.0000	1607	1272
Fri Jun 30 2017 05:41:00.0000	1615	1143
Fri Jun 30 2017 05:42:00.0000	1624	1194
Fri Jun 30 2017 05:43:00.0000	1627	1272
Fri Jun 30 2017 05:44:00.0000	1627	1283
Fri Jun 30 2017 05:45:00.0000	1631	1130
Fri Jun 30 2017 05:46:00.0000	1634	1169
Fri Jun 30 2017 05:47:00.0000	1627	1208
Fri Jun 30 2017 05:48:00.0000	1617	1357
Fri Jun 30 2017 05:49:00.0000	1611	1158
Fri Jun 30 2017 05:50:00.0000	1605	1164
Fri Jun 30 2017 05:51:00.0000	1601	1166
Fri Jun 30 2017 05:52:00.0000	1602	1172
Fri Jun 30 2017 05:53:00.0000	1606	1159
Fri Jun 30 2017 05:54:00.0000	1611	1171
Fri Jun 30 2017 05:55:00.0000	1615	1213
Fri Jun 30 2017 05:56:00.0000	1616	1145
Fri Jun 30 2017 05:57:00.0000	1616	1352
Fri Jun 30 2017 05:58:00.0000	1617	1095
Fri Jun 30 2017 05:59:00.0000	1619	1194
Fri Jun 30 2017 06:00:00.0000	1620	1162
Fri Jun 30 2017 06:01:00.0000	1619	1161
Fri Jun 30 2017 06:02:00.0000	1619	1211
Fri Jun 30 2017 06:03:00.0000	1621	1137
Fri Jun 30 2017 06:04:00.0000	1623	1176
Fri Jun 30 2017 06:05:00.0000	1621	1352
Fri Jun 30 2017 06:06:00.0000	1621	1231
Fri Jun 30 2017 06:07:00.0000	1622	1092
Fri Jun 30 2017 06:08:00.0000	1625	1083
Fri Jun 30 2017 06:09:00.0000	1624	1170

Date/Time	Process Temperature (°F)	Process Flow SCFM
Fri Jun 30 2017 06:10:00.0000	1622	1257
Fri Jun 30 2017 06:11:00.0000	1624	1125
Fri Jun 30 2017 06:12:00.0000	1625	1169
Fri Jun 30 2017 06:13:00.0000	1626	1144
Fri Jun 30 2017 06:14:00.0000	1625	1275
Fri Jun 30 2017 06:15:00.0000	1625	1322
Fri Jun 30 2017 06:16:00.0000	1626	1113
Fri Jun 30 2017 06:17:00.0000	1628	1162
Fri Jun 30 2017 06:18:00.0000	1627	1193
Fri Jun 30 2017 06:19:00.0000	1625	1294
Fri Jun 30 2017 06:20:00.0000	1627	1163
Fri Jun 30 2017 06:21:00.0000	1628	1113
Fri Jun 30 2017 06:22:00.0000	1629	1235
Fri Jun 30 2017 06:23:00.0000	1627	1274
Fri Jun 30 2017 06:24:00.0000	1627	1139
Fri Jun 30 2017 06:25:00.0000	1628	1183
Fri Jun 30 2017 06:26:00.0000	1630	1248
Fri Jun 30 2017 06:27:00.0000	1629	1214
Fri Jun 30 2017 06:28:00.0000	1628	1238
Fri Jun 30 2017 06:29:00.0000	1629	1108
Fri Jun 30 2017 06:30:00.0000	1631	1215
Fri Jun 30 2017 06:31:00.0000	1631	1240
Fri Jun 30 2017 06:32:00.0000	1628	1242
Fri Jun 30 2017 06:33:00.0000	1630	1139
Fri Jun 30 2017 06:34:00.0000	1630	1140
Fri Jun 30 2017 06:35:00.0000	1632	1164
Fri Jun 30 2017 06:36:00.0000	1630	1217
Fri Jun 30 2017 06:37:00.0000	1629	1281
Fri Jun 30 2017 06:38:00.0000	1631	1085
Fri Jun 30 2017 06:39:00.0000	1633	1131
Fri Jun 30 2017 06:40:00.0000	1628	1210
Fri Jun 30 2017 06:41:00.0000	1622	1370
Fri Jun 30 2017 06:42:00.0000	1620	1111
Fri Jun 30 2017 06:43:00.0000	1617	1141
Fri Jun 30 2017 06:44:00.0000	1615	1093
Fri Jun 30 2017 06:45:00.0000	1612	1267
Fri Jun 30 2017 06:46:00.0000	1610	1275
Fri Jun 30 2017 06:47:00.0000	1609	1109
Fri Jun 30 2017 06:48:00.0000	1608	1222
Fri Jun 30 2017 06:49:00.0000	1606	1202
Fri Jun 30 2017 06:50:00.0000	1604	1389
Fri Jun 30 2017 06:51:00.0000	1603	1093
Fri Jun 30 2017 06:52:00.0000	1603	1160
Fri Jun 30 2017 06:53:00.0000	1602	1179
Fri Jun 30 2017 06:54:00.0000	1602	1242
Fri Jun 30 2017 06:55:00.0000	1610	1244
Fri Jun 30 2017 06:56:00.0000	1617	1102
Fri Jun 30 2017 06:57:00.0000	1624	1189
Fri Jun 30 2017 06:58:00.0000	1628	1186
Fri Jun 30 2017 06:59:00.0000	1627	1356
Fri Jun 30 2017 07:00:00.0000	1631	1240
Fri Jun 30 2017 07:01:00.0000	1634	1151
Fri Jun 30 2017 07:02:00.0000	1631	1178
Fri Jun 30 2017 07:03:00.0000	1622	1364
Fri Jun 30 2017 07:04:00.0000	1618	1228
Fri Jun 30 2017 07:05:00.0000	1615	1135
Fri Jun 30 2017 07:06:00.0000	1613	1251

Date/Time	Process Temperature (°F)	Process Flow SCFM
Fri Jun 30 2017 07:07:00.0000	1611	1231
Fri Jun 30 2017 07:08:00.0000	1607	1311
Fri Jun 30 2017 07:09:00.0000	1607	1164
Fri Jun 30 2017 07:10:00.0000	1605	1081
Fri Jun 30 2017 07:11:00.0000	1604	1138
Fri Jun 30 2017 07:12:00.0000	1602	1316
Fri Jun 30 2017 07:13:00.0000	1602	1269
Fri Jun 30 2017 07:14:00.0000	1607	1124
Fri Jun 30 2017 07:15:00.0000	1612	1110
Fri Jun 30 2017 07:16:00.0000	1613	1105
Fri Jun 30 2017 07:17:00.0000	1613	1299
Fri Jun 30 2017 07:18:00.0000	1615	1162
Fri Jun 30 2017 07:19:00.0000	1617	1227
Fri Jun 30 2017 07:20:00.0000	1619	1219
Fri Jun 30 2017 07:21:00.0000	1617	1257
Fri Jun 30 2017 07:22:00.0000	1618	1175
Fri Jun 30 2017 07:23:00.0000	1620	1127
Fri Jun 30 2017 07:24:00.0000	1622	1175
Fri Jun 30 2017 07:25:00.0000	1621	1171
Fri Jun 30 2017 07:26:00.0000	1620	1219
Fri Jun 30 2017 07:27:00.0000	1622	1100
Fri Jun 30 2017 07:28:00.0000	1623	1127
Fri Jun 30 2017 07:29:00.0000	1624	1194
Fri Jun 30 2017 07:30:00.0000	1622	1203
Fri Jun 30 2017 07:31:00.0000	1623	1099
Fri Jun 30 2017 07:32:00.0000	1624	1112
Fri Jun 30 2017 07:33:00.0000	1626	1213
Fri Jun 30 2017 07:34:00.0000	1625	1200
Fri Jun 30 2017 07:35:00.0000	1624	1315
Fri Jun 30 2017 07:36:00.0000	1625	1147
Fri Jun 30 2017 07:37:00.0000	1627	1124
Fri Jun 30 2017 07:38:00.0000	1627	1175
Fri Jun 30 2017 07:39:00.0000	1626	1129
Fri Jun 30 2017 07:40:00.0000	1627	1216
Fri Jun 30 2017 07:41:00.0000	1627	1104
Fri Jun 30 2017 07:42:00.0000	1629	1171
Fri Jun 30 2017 07:43:00.0000	1628	1331
Fri Jun 30 2017 07:44:00.0000	1627	1358
Fri Jun 30 2017 07:45:00.0000	1628	1112
Fri Jun 30 2017 07:46:00.0000	1629	1119
Fri Jun 30 2017 07:47:00.0000	1629	1162
Fri Jun 30 2017 07:48:00.0000	1627	1286
Fri Jun 30 2017 07:49:00.0000	1628	1137
Fri Jun 30 2017 07:50:00.0000	1629	1164
Fri Jun 30 2017 07:51:00.0000	1630	1114
Fri Jun 30 2017 07:52:00.0000	1628	1348
Fri Jun 30 2017 07:53:00.0000	1628	1334
Fri Jun 30 2017 07:54:00.0000	1629	1161
Fri Jun 30 2017 07:55:00.0000	1631	1187
Fri Jun 30 2017 07:56:00.0000	1630	1227
Fri Jun 30 2017 07:57:00.0000	1628	1157
Fri Jun 30 2017 07:58:00.0000	1630	1107
Fri Jun 30 2017 07:59:00.0000	1630	1154
Fri Jun 30 2017 08:00:00.0000	1631	1191
Fri Jun 30 2017 08:01:00.0000	1629	1357
Fri Jun 30 2017 08:02:00.0000	1629	1250
Fri Jun 30 2017 08:03:00.0000	1630	1134

Date/Time	Process Temperature (°F)	Process Flow SCFM
Fri Jun 30 2017 08:04:00.0000	1632	1153
Fri Jun 30 2017 08:05:00.0000	1631	1224
Fri Jun 30 2017 08:06:00.0000	1629	1326
Fri Jun 30 2017 08:07:00.0000	1631	1068
Fri Jun 30 2017 08:08:00.0000	1632	1238
Fri Jun 30 2017 08:09:00.0000	1629	1194
Fri Jun 30 2017 08:10:00.0000	1622	1370
Fri Jun 30 2017 08:11:00.0000	1618	1368
Fri Jun 30 2017 08:12:00.0000	1615	1148
Fri Jun 30 2017 08:13:00.0000	1612	1094
Fri Jun 30 2017 08:14:00.0000	1609	1240
Fri Jun 30 2017 08:15:00.0000	1606	1319
Fri Jun 30 2017 08:16:00.0000	1604	1182
Fri Jun 30 2017 08:17:00.0000	1603	1214
Fri Jun 30 2017 08:18:00.0000	1601	1262
Fri Jun 30 2017 08:19:00.0000	1603	1311
Fri Jun 30 2017 08:20:00.0000	1606	1266
Fri Jun 30 2017 08:21:00.0000	1610	1065
Fri Jun 30 2017 08:22:00.0000	1613	1197
Fri Jun 30 2017 08:23:00.0000	1613	1252
Fri Jun 30 2017 08:24:00.0000	1612	1407
Fri Jun 30 2017 08:25:00.0000	1614	1148
Fri Jun 30 2017 08:26:00.0000	1616	1235
Fri Jun 30 2017 08:27:00.0000	1617	1258
Fri Jun 30 2017 08:28:00.0000	1615	1280
Fri Jun 30 2017 08:29:00.0000	1615	1312
Fri Jun 30 2017 08:30:00.0000	1616	1128
Fri Jun 30 2017 08:31:00.0000	1618	1123
Fri Jun 30 2017 08:32:00.0000	1618	1197
Fri Jun 30 2017 08:33:00.0000	1616	1116
Fri Jun 30 2017 08:34:00.0000	1618	1131
Fri Jun 30 2017 08:35:00.0000	1619	1114
Fri Jun 30 2017 08:36:00.0000	1619	1230
Fri Jun 30 2017 08:37:00.0000	1618	1311
Fri Jun 30 2017 08:38:00.0000	1619	1281
Fri Jun 30 2017 08:39:00.0000	1619	1181
Fri Jun 30 2017 08:40:00.0000	1620	1202
Fri Jun 30 2017 08:41:00.0000	1619	1097
Fri Jun 30 2017 08:42:00.0000	1618	1283
Fri Jun 30 2017 08:43:00.0000	1619	1081
Fri Jun 30 2017 08:44:00.0000	1621	1295
Fri Jun 30 2017 08:45:00.0000	1620	1314
Fri Jun 30 2017 08:46:00.0000	1618	1247
Fri Jun 30 2017 08:47:00.0000	1619	1163
Fri Jun 30 2017 08:48:00.0000	1621	1152
Fri Jun 30 2017 08:49:00.0000	1621	1217
Fri Jun 30 2017 08:50:00.0000	1619	1202
Fri Jun 30 2017 08:51:00.0000	1619	1342
Fri Jun 30 2017 08:52:00.0000	1620	1175
Fri Jun 30 2017 08:53:00.0000	1622	1239
Fri Jun 30 2017 08:54:00.0000	1621	1260
Fri Jun 30 2017 08:55:00.0000	1619	1372
Fri Jun 30 2017 08:56:00.0000	1621	1145
Fri Jun 30 2017 08:57:00.0000	1621	1189
Fri Jun 30 2017 08:58:00.0000	1622	1287
Fri Jun 30 2017 08:59:00.0000	1620	1344
Fri Jun 30 2017 09:00:00.0000	1622	1338

Date/Time	Process Temperature (°F)	Process Flow SCFM
Fri Jun 30 2017 09:01:00.0000	1622	1142
Fri Jun 30 2017 09:02:00.0000	1625	1146
Fri Jun 30 2017 09:03:00.0000	1624	1295
Fri Jun 30 2017 09:04:00.0000	1623	1299
Fri Jun 30 2017 09:05:00.0000	1625	1166
Fri Jun 30 2017 09:06:00.0000	1627	1208
Fri Jun 30 2017 09:07:00.0000	1626	1127
Fri Jun 30 2017 09:08:00.0000	1624	1281
Fri Jun 30 2017 09:09:00.0000	1626	1151
Fri Jun 30 2017 09:10:00.0000	1627	1169
Fri Jun 30 2017 09:11:00.0000	1628	1134
Fri Jun 30 2017 09:12:00.0000	1626	1256
Fri Jun 30 2017 09:13:00.0000	1626	1295
Fri Jun 30 2017 09:14:00.0000	1628	1272
Fri Jun 30 2017 09:15:00.0000	1630	1284
Fri Jun 30 2017 09:16:00.0000	1629	1269
Fri Jun 30 2017 09:17:00.0000	1627	1319
Fri Jun 30 2017 09:18:00.0000	1629	1137
Fri Jun 30 2017 09:19:00.0000	1630	1113
Fri Jun 30 2017 09:20:00.0000	1631	1231
Fri Jun 30 2017 09:21:00.0000	1629	1312
Fri Jun 30 2017 09:22:00.0000	1629	1316
Fri Jun 30 2017 09:23:00.0000	1630	1147
Fri Jun 30 2017 09:24:00.0000	1632	1213
Fri Jun 30 2017 09:25:00.0000	1631	1234
Fri Jun 30 2017 09:26:00.0000	1629	1366
Fri Jun 30 2017 09:27:00.0000	1631	1119
Fri Jun 30 2017 09:28:00.0000	1632	1189
Fri Jun 30 2017 09:29:00.0000	1631	1252
Fri Jun 30 2017 09:30:00.0000	1623	1374
Fri Jun 30 2017 09:31:00.0000	1619	1382
Fri Jun 30 2017 09:32:00.0000	1616	1177
Fri Jun 30 2017 09:33:00.0000	1614	1221
Fri Jun 30 2017 09:34:00.0000	1610	1348
Fri Jun 30 2017 09:35:00.0000	1608	1257
Fri Jun 30 2017 09:36:00.0000	1607	1113
Fri Jun 30 2017 09:37:00.0000	1605	1182
Fri Jun 30 2017 09:38:00.0000	1604	1275
Fri Jun 30 2017 09:39:00.0000	1601	1342
Fri Jun 30 2017 09:40:00.0000	1606	1324
Fri Jun 30 2017 09:41:00.0000	1610	1191
Fri Jun 30 2017 09:42:00.0000	1614	1297
Fri Jun 30 2017 09:43:00.0000	1615	1340
Fri Jun 30 2017 09:44:00.0000	1615	1392
Fri Jun 30 2017 09:45:00.0000	1617	1131
Fri Jun 30 2017 09:46:00.0000	1620	1248
Fri Jun 30 2017 09:47:00.0000	1621	1313
Fri Jun 30 2017 09:48:00.0000	1619	1301
Fri Jun 30 2017 09:49:00.0000	1620	1264
Fri Jun 30 2017 09:50:00.0000	1622	1233
Fri Jun 30 2017 09:51:00.0000	1624	1187
Fri Jun 30 2017 09:52:00.0000	1623	1143
Fri Jun 30 2017 09:53:00.0000	1623	1288
Fri Jun 30 2017 09:54:00.0000	1624	1122
Fri Jun 30 2017 09:55:00.0000	1625	1281
Fri Jun 30 2017 09:56:00.0000	1626	1284
Fri Jun 30 2017 09:57:00.0000	1624	1365

Date/Time	Process Temperature (°F)	Process Flow SCFM
Fri Jun 30 2017 09:58:00.0000	1625	1137
Fri Jun 30 2017 09:59:00.0000	1627	1181
Fri Jun 30 2017 10:00:00.0000	1628	1278
Fri Jun 30 2017 10:01:00.0000	1626	1248
Fri Jun 30 2017 10:02:00.0000	1626	1376
Fri Jun 30 2017 10:03:00.0000	1627	1169
Fri Jun 30 2017 10:04:00.0000	1629	1300
Fri Jun 30 2017 10:05:00.0000	1629	1210
Fri Jun 30 2017 10:06:00.0000	1627	1173
Fri Jun 30 2017 10:07:00.0000	1628	1179
Fri Jun 30 2017 10:08:00.0000	1629	1170
Fri Jun 30 2017 10:09:00.0000	1631	1287
Fri Jun 30 2017 10:10:00.0000	1629	1355
Fri Jun 30 2017 10:11:00.0000	1628	1146
Fri Jun 30 2017 10:12:00.0000	1629	1177
Fri Jun 30 2017 10:13:00.0000	1632	1194
Fri Jun 30 2017 10:14:00.0000	1631	1280
Fri Jun 30 2017 10:15:00.0000	1629	1312
Fri Jun 30 2017 10:16:00.0000	1631	1164
Fri Jun 30 2017 10:17:00.0000	1633	1183
Fri Jun 30 2017 10:18:00.0000	1629	1300
Fri Jun 30 2017 10:19:00.0000	1622	1337
Fri Jun 30 2017 10:20:00.0000	1618	1242
Fri Jun 30 2017 10:21:00.0000	1615	1225
Fri Jun 30 2017 10:22:00.0000	1613	1246
Fri Jun 30 2017 10:23:00.0000	1609	1225
Fri Jun 30 2017 10:24:00.0000	1607	1259
Fri Jun 30 2017 10:25:00.0000	1605	1194
Fri Jun 30 2017 10:26:00.0000	1604	1218
Fri Jun 30 2017 10:27:00.0000	1603	1305
Fri Jun 30 2017 10:28:00.0000	1602	1292
Fri Jun 30 2017 10:29:00.0000	1607	1136
Fri Jun 30 2017 10:30:00.0000	1610	1183
Fri Jun 30 2017 10:31:00.0000	1615	1184
Fri Jun 30 2017 10:32:00.0000	1615	1261
Fri Jun 30 2017 10:33:00.0000	1615	1345
Fri Jun 30 2017 10:34:00.0000	1618	1121
Fri Jun 30 2017 10:35:00.0000	1621	1260
Fri Jun 30 2017 10:36:00.0000	1621	1280
Fri Jun 30 2017 10:37:00.0000	1619	1257
Fri Jun 30 2017 10:38:00.0000	1622	1113
Fri Jun 30 2017 10:39:00.0000	1623	1198
Fri Jun 30 2017 10:40:00.0000	1624	1244
Fri Jun 30 2017 10:41:00.0000	1623	1259
Fri Jun 30 2017 10:42:00.0000	1623	1218
Fri Jun 30 2017 10:43:00.0000	1625	1104
Fri Jun 30 2017 10:44:00.0000	1627	1285
Fri Jun 30 2017 10:45:00.0000	1626	1318
Fri Jun 30 2017 10:46:00.0000	1624	1406
Fri Jun 30 2017 10:47:00.0000	1627	1175
Fri Jun 30 2017 10:48:00.0000	1628	1288
Fri Jun 30 2017 10:49:00.0000	1629	1335
Fri Jun 30 2017 10:50:00.0000	1627	1321
Fri Jun 30 2017 10:51:00.0000	1628	1161
Fri Jun 30 2017 10:52:00.0000	1630	1170
Fri Jun 30 2017 10:53:00.0000	1631	1258
Fri Jun 30 2017 10:54:00.0000	1629	1385

Date/Time	Process Temperature (°F)	Process Flow SCFM
Fri Jun 30 2017 10:55:00.0000	1629	1251
Fri Jun 30 2017 10:56:00.0000	1630	1134
Fri Jun 30 2017 10:57:00.0000	1632	1291
Fri Jun 30 2017 10:58:00.0000	1631	1334
Fri Jun 30 2017 10:59:00.0000	1629	1432
Fri Jun 30 2017 11:00:00.0000	1631	1143
Fri Jun 30 2017 11:01:00.0000	1632	1318
Fri Jun 30 2017 11:02:00.0000	1628	1266
Fri Jun 30 2017 11:03:00.0000	1621	1280
Fri Jun 30 2017 11:04:00.0000	1618	1311
Fri Jun 30 2017 11:05:00.0000	1615	1203
Fri Jun 30 2017 11:06:00.0000	1613	1326
Fri Jun 30 2017 11:07:00.0000	1610	1366
Fri Jun 30 2017 11:08:00.0000	1607	1344
Fri Jun 30 2017 11:09:00.0000	1606	1063
Fri Jun 30 2017 11:10:00.0000	1604	1225
Fri Jun 30 2017 11:11:00.0000	1603	1189
Fri Jun 30 2017 11:12:00.0000	1602	1333
Fri Jun 30 2017 11:13:00.0000	1611	1330
Fri Jun 30 2017 11:14:00.0000	1618	1178
Fri Jun 30 2017 11:15:00.0000	1627	1275
Fri Jun 30 2017 11:16:00.0000	1630	1337
Fri Jun 30 2017 11:17:00.0000	1630	1329
Fri Jun 30 2017 11:18:00.0000	1633	1172
Fri Jun 30 2017 11:19:00.0000	1624	1275
Fri Jun 30 2017 11:20:00.0000	1619	1275
Fri Jun 30 2017 11:21:00.0000	1614	1351
Fri Jun 30 2017 11:22:00.0000	1611	1460
Fri Jun 30 2017 11:23:00.0000	1609	1157
Fri Jun 30 2017 11:24:00.0000	1608	1291
Fri Jun 30 2017 11:25:00.0000	1605	1335
Fri Jun 30 2017 11:26:00.0000	1602	1399
Fri Jun 30 2017 11:27:00.0000	1603	1176
Fri Jun 30 2017 11:28:00.0000	1609	1213
Fri Jun 30 2017 11:29:00.0000	1613	1308
Fri Jun 30 2017 11:30:00.0000	1613	1284
Fri Jun 30 2017 11:31:00.0000	1615	1202
Fri Jun 30 2017 11:32:00.0000	1618	1151
Fri Jun 30 2017 11:33:00.0000	1621	1296
Fri Jun 30 2017 11:34:00.0000	1620	1301
Fri Jun 30 2017 11:35:00.0000	1619	1332
Fri Jun 30 2017 11:36:00.0000	1622	1183
Fri Jun 30 2017 11:37:00.0000	1624	1298
Fri Jun 30 2017 11:38:00.0000	1624	1297
Fri Jun 30 2017 11:39:00.0000	1623	1302
Fri Jun 30 2017 11:40:00.0000	1624	1173
Fri Jun 30 2017 11:41:00.0000	1626	1131
Fri Jun 30 2017 11:42:00.0000	1627	1295
Fri Jun 30 2017 11:43:00.0000	1626	1354
Fri Jun 30 2017 11:44:00.0000	1626	1332
Fri Jun 30 2017 11:45:00.0000	1627	1188
Fri Jun 30 2017 11:46:00.0000	1629	1357
Fri Jun 30 2017 11:47:00.0000	1629	1266
Fri Jun 30 2017 11:48:00.0000	1627	1314
Fri Jun 30 2017 11:49:00.0000	1629	1269
Fri Jun 30 2017 11:50:00.0000	1630	1221
Fri Jun 30 2017 11:51:00.0000	1632	1349

Date/Time	Process Temperature (°F)	Process Flow SCFM
Fri Jun 30 2017 11:52:00.0000	1629	1382
Fri Jun 30 2017 11:53:00.0000	1630	1314
Fri Jun 30 2017 11:54:00.0000	1629	1159
Fri Jun 30 2017 11:55:00.0000	1631	1304
Fri Jun 30 2017 11:56:00.0000	1630	1279
Fri Jun 30 2017 11:57:00.0000	1628	1318
Fri Jun 30 2017 11:58:00.0000	1629	1191
Fri Jun 30 2017 11:59:00.0000	1630	1193
Fri Jun 30 2017 12:00:00.0000	1631	1306
Fri Jun 30 2017 12:01:00.0000	1629	1318
Fri Jun 30 2017 12:02:00.0000	1629	1372
Fri Jun 30 2017 12:03:00.0000	1630	1215
Fri Jun 30 2017 12:04:00.0000	1632	1285
Fri Jun 30 2017 12:05:00.0000	1630	1215
Fri Jun 30 2017 12:06:00.0000	1629	1385
Fri Jun 30 2017 12:07:00.0000	1630	1133
Fri Jun 30 2017 12:08:00.0000	1631	1159
Fri Jun 30 2017 12:09:00.0000	1632	1324
Fri Jun 30 2017 12:10:00.0000	1629	1220
Fri Jun 30 2017 12:11:00.0000	1630	1245
Fri Jun 30 2017 12:12:00.0000	1630	1166
Fri Jun 30 2017 12:13:00.0000	1633	1189
Fri Jun 30 2017 12:14:00.0000	1631	1152
Fri Jun 30 2017 12:15:00.0000	1630	1264
Fri Jun 30 2017 12:16:00.0000	1631	1188
Fri Jun 30 2017 12:17:00.0000	1632	1207
Fri Jun 30 2017 12:18:00.0000	1632	1311
Fri Jun 30 2017 12:19:00.0000	1630	1210
Fri Jun 30 2017 12:20:00.0000	1631	1188
Fri Jun 30 2017 12:21:00.0000	1632	1147
Fri Jun 30 2017 12:22:00.0000	1633	1202
Fri Jun 30 2017 12:23:00.0000	1631	1246
Fri Jun 30 2017 12:24:00.0000	1630	1354
Fri Jun 30 2017 12:25:00.0000	1632	1156
Fri Jun 30 2017 12:26:00.0000	1632	1194
Fri Jun 30 2017 12:27:00.0000	1627	1317
Fri Jun 30 2017 12:28:00.0000	1623	1242
Fri Jun 30 2017 12:29:00.0000	1621	1177
Fri Jun 30 2017 12:30:00.0000	1620	1164
Fri Jun 30 2017 12:31:00.0000	1618	1175
Fri Jun 30 2017 12:32:00.0000	1616	1386
Fri Jun 30 2017 12:33:00.0000	1614	1305
Fri Jun 30 2017 12:34:00.0000	1614	1132
Fri Jun 30 2017 12:35:00.0000	1614	1244
Fri Jun 30 2017 12:36:00.0000	1611	1179
Fri Jun 30 2017 12:37:00.0000	1608	1483
Fri Jun 30 2017 12:38:00.0000	1607	1205
Fri Jun 30 2017 12:39:00.0000	1606	1299
Fri Jun 30 2017 12:40:00.0000	1605	1244
Fri Jun 30 2017 12:41:00.0000	1602	1340
Fri Jun 30 2017 12:42:00.0000	1604	1341
Fri Jun 30 2017 12:43:00.0000	1610	1144
Fri Jun 30 2017 12:44:00.0000	1615	1181
Fri Jun 30 2017 12:45:00.0000	1616	1351
Fri Jun 30 2017 12:46:00.0000	1615	1319
Fri Jun 30 2017 12:47:00.0000	1618	1158
Fri Jun 30 2017 12:48:00.0000	1620	1275

Date/Time	Process Temperature (°F)	Process Flow SCFM
Fri Jun 30 2017 12:49:00.0000	1622	1188
Fri Jun 30 2017 12:50:00.0000	1620	1214
Fri Jun 30 2017 12:51:00.0000	1622	1227
Fri Jun 30 2017 12:52:00.0000	1623	1194
Fri Jun 30 2017 12:53:00.0000	1625	1263
Fri Jun 30 2017 12:54:00.0000	1624	1258
Fri Jun 30 2017 12:55:00.0000	1623	1371
Fri Jun 30 2017 12:56:00.0000	1624	1249
Fri Jun 30 2017 12:57:00.0000	1627	1341
Fri Jun 30 2017 12:58:00.0000	1626	1240
Fri Jun 30 2017 12:59:00.0000	1625	1354
Fri Jun 30 2017 13:00:00.0000	1626	1144
Fri Jun 30 2017 13:01:00.0000	1627	1199
Fri Jun 30 2017 13:02:00.0000	1629	1320
Fri Jun 30 2017 13:03:00.0000	1627	1309
Fri Jun 30 2017 13:04:00.0000	1628	1379
Fri Jun 30 2017 13:05:00.0000	1628	1194
Fri Jun 30 2017 13:06:00.0000	1630	1209
Fri Jun 30 2017 13:07:00.0000	1630	1299
Fri Jun 30 2017 13:08:00.0000	1628	1252
Fri Jun 30 2017 13:09:00.0000	1629	1207
Fri Jun 30 2017 13:10:00.0000	1630	1110
Fri Jun 30 2017 13:11:00.0000	1632	1296
Fri Jun 30 2017 13:12:00.0000	1630	1414
Fri Jun 30 2017 13:13:00.0000	1629	1470
Fri Jun 30 2017 13:14:00.0000	1630	1194
Fri Jun 30 2017 13:15:00.0000	1633	1231
Fri Jun 30 2017 13:16:00.0000	1632	1286
Fri Jun 30 2017 13:17:00.0000	1630	1193
Fri Jun 30 2017 13:18:00.0000	1632	1227
Fri Jun 30 2017 13:19:00.0000	1633	1183
Fri Jun 30 2017 13:20:00.0000	1630	1288
Fri Jun 30 2017 13:21:00.0000	1621	1429
Fri Jun 30 2017 13:22:00.0000	1616	1317
Fri Jun 30 2017 13:23:00.0000	1612	1210
Fri Jun 30 2017 13:24:00.0000	1608	1201
Fri Jun 30 2017 13:25:00.0000	1605	1314
Fri Jun 30 2017 13:26:00.0000	1602	1421
Fri Jun 30 2017 13:27:00.0000	1603	1129
Fri Jun 30 2017 13:28:00.0000	1606	1178
Fri Jun 30 2017 13:29:00.0000	1608	1328
Fri Jun 30 2017 13:30:00.0000	1607	1294
Fri Jun 30 2017 13:31:00.0000	1608	1261
Fri Jun 30 2017 13:32:00.0000	1608	1139
Fri Jun 30 2017 13:33:00.0000	1610	1344
Fri Jun 30 2017 13:34:00.0000	1609	1248
Fri Jun 30 2017 13:35:00.0000	1608	1382
Fri Jun 30 2017 13:36:00.0000	1609	1194
Fri Jun 30 2017 13:37:00.0000	1610	1206
Fri Jun 30 2017 13:38:00.0000	1609	1334
Fri Jun 30 2017 13:39:00.0000	1607	1255
Fri Jun 30 2017 13:40:00.0000	1607	1130
Fri Jun 30 2017 13:41:00.0000	1606	1201
Fri Jun 30 2017 13:42:00.0000	1607	1347
Fri Jun 30 2017 13:43:00.0000	1605	1396
Fri Jun 30 2017 13:44:00.0000	1604	1341
Fri Jun 30 2017 13:45:00.0000	1604	1240

Date/Time	Process Temperature (°F)	Process Flow SCFM
Fri Jun 30 2017 13:46:00.0000	1605	1233
Fri Jun 30 2017 13:47:00.0000	1605	1308
Fri Jun 30 2017 13:48:00.0000	1603	1332
Fri Jun 30 2017 13:49:00.0000	1604	1179
Fri Jun 30 2017 13:50:00.0000	1603	1166
Fri Jun 30 2017 13:51:00.0000	1604	1308
Fri Jun 30 2017 13:52:00.0000	1602	1322
Fri Jun 30 2017 13:53:00.0000	1604	1315
Fri Jun 30 2017 13:54:00.0000	1609	1161
Fri Jun 30 2017 13:55:00.0000	1614	1334
Fri Jun 30 2017 13:56:00.0000	1615	1279
Fri Jun 30 2017 13:57:00.0000	1614	1347
Fri Jun 30 2017 13:58:00.0000	1616	1288
Fri Jun 30 2017 13:59:00.0000	1618	1204
Fri Jun 30 2017 14:00:00.0000	1620	1331
Fri Jun 30 2017 14:01:00.0000	1619	1321
Fri Jun 30 2017 14:02:00.0000	1619	1388
Fri Jun 30 2017 14:03:00.0000	1621	1235
Fri Jun 30 2017 14:04:00.0000	1623	1232
Fri Jun 30 2017 14:05:00.0000	1623	1316
Fri Jun 30 2017 14:06:00.0000	1621	1338
Fri Jun 30 2017 14:07:00.0000	1623	1191
Fri Jun 30 2017 14:08:00.0000	1624	1216
Fri Jun 30 2017 14:09:00.0000	1626	1278
Fri Jun 30 2017 14:10:00.0000	1624	1313
Fri Jun 30 2017 14:11:00.0000	1624	1268
Fri Jun 30 2017 14:12:00.0000	1626	1209
Fri Jun 30 2017 14:13:00.0000	1628	1301
Fri Jun 30 2017 14:14:00.0000	1627	1270
Fri Jun 30 2017 14:15:00.0000	1625	1406
Fri Jun 30 2017 14:16:00.0000	1627	1156
Fri Jun 30 2017 14:17:00.0000	1628	1287
Fri Jun 30 2017 14:18:00.0000	1630	1349
Fri Jun 30 2017 14:19:00.0000	1628	1475
Fri Jun 30 2017 14:20:00.0000	1628	1424
Fri Jun 30 2017 14:21:00.0000	1629	1205
Fri Jun 30 2017 14:22:00.0000	1632	1306
Fri Jun 30 2017 14:23:00.0000	1631	1397
Fri Jun 30 2017 14:24:00.0000	1628	1444
Fri Jun 30 2017 14:25:00.0000	1631	1058
Fri Jun 30 2017 14:26:00.0000	1632	1203
Fri Jun 30 2017 14:27:00.0000	1633	1311
Fri Jun 30 2017 14:28:00.0000	1631	1401
Fri Jun 30 2017 14:29:00.0000	1631	1189
Fri Jun 30 2017 14:30:00.0000	1632	1194
Fri Jun 30 2017 14:31:00.0000	1631	1346
Fri Jun 30 2017 14:32:00.0000	1624	1266
Fri Jun 30 2017 14:33:00.0000	1620	1522
Fri Jun 30 2017 14:34:00.0000	1618	1252
Fri Jun 30 2017 14:35:00.0000	1616	1277
Fri Jun 30 2017 14:36:00.0000	1613	1294
Fri Jun 30 2017 14:37:00.0000	1610	1327
Fri Jun 30 2017 14:38:00.0000	1610	1239
Fri Jun 30 2017 14:39:00.0000	1609	1203
Fri Jun 30 2017 14:40:00.0000	1607	1382
Fri Jun 30 2017 14:41:00.0000	1605	1456
Fri Jun 30 2017 14:42:00.0000	1604	1300

Date/Time	Process Temperature (°F)	Process Flow SCFM
Fri Jun 30 2017 14:43:00.0000	1604	1207
Fri Jun 30 2017 14:44:00.0000	1603	1279
Fri Jun 30 2017 14:45:00.0000	1602	1401
Fri Jun 30 2017 14:46:00.0000	1605	1300
Fri Jun 30 2017 14:47:00.0000	1610	1207
Fri Jun 30 2017 14:48:00.0000	1614	1241
Fri Jun 30 2017 14:49:00.0000	1616	1310
Fri Jun 30 2017 14:50:00.0000	1615	1376
Fri Jun 30 2017 14:51:00.0000	1617	1346
Fri Jun 30 2017 14:52:00.0000	1620	1222
Fri Jun 30 2017 14:53:00.0000	1622	1247
Fri Jun 30 2017 14:54:00.0000	1621	1365
Fri Jun 30 2017 14:55:00.0000	1620	1389
Fri Jun 30 2017 14:56:00.0000	1622	1164
Fri Jun 30 2017 14:57:00.0000	1624	1373
Fri Jun 30 2017 14:58:00.0000	1625	1397
Fri Jun 30 2017 14:59:00.0000	1623	1295
Fri Jun 30 2017 15:00:00.0000	1625	1178
Fri Jun 30 2017 15:01:00.0000	1626	1170
Fri Jun 30 2017 15:02:00.0000	1628	1325
Fri Jun 30 2017 15:03:00.0000	1627	1439
Fri Jun 30 2017 15:04:00.0000	1626	1356
Fri Jun 30 2017 15:05:00.0000	1627	1241
Fri Jun 30 2017 15:06:00.0000	1630	1219
Fri Jun 30 2017 15:07:00.0000	1629	1179
Fri Jun 30 2017 15:08:00.0000	1628	1261
Fri Jun 30 2017 15:09:00.0000	1629	1244
Fri Jun 30 2017 15:10:00.0000	1630	1170
Fri Jun 30 2017 15:11:00.0000	1632	1370
Fri Jun 30 2017 15:12:00.0000	1630	1269
Fri Jun 30 2017 15:13:00.0000	1629	1425
Fri Jun 30 2017 15:14:00.0000	1630	1192
Fri Jun 30 2017 15:15:00.0000	1633	1277
Fri Jun 30 2017 15:16:00.0000	1632	1312
Fri Jun 30 2017 15:17:00.0000	1630	1286
Fri Jun 30 2017 15:18:00.0000	1632	1225
Fri Jun 30 2017 15:19:00.0000	1633	1172
Fri Jun 30 2017 15:20:00.0000	1631	1349
Fri Jun 30 2017 15:21:00.0000	1622	1331
Fri Jun 30 2017 15:22:00.0000	1617	1248
Fri Jun 30 2017 15:23:00.0000	1613	1155
Fri Jun 30 2017 15:24:00.0000	1609	1281
Fri Jun 30 2017 15:25:00.0000	1606	1280
Fri Jun 30 2017 15:26:00.0000	1602	1364
Fri Jun 30 2017 15:27:00.0000	1604	1245
Fri Jun 30 2017 15:28:00.0000	1611	1214
Fri Jun 30 2017 15:29:00.0000	1616	1242
Fri Jun 30 2017 15:30:00.0000	1617	1282
Fri Jun 30 2017 15:31:00.0000	1618	1455
Fri Jun 30 2017 15:32:00.0000	1621	1243
Fri Jun 30 2017 15:33:00.0000	1624	1183
Fri Jun 30 2017 15:34:00.0000	1624	1259
Fri Jun 30 2017 15:35:00.0000	1623	1372
Fri Jun 30 2017 15:36:00.0000	1625	1219
Fri Jun 30 2017 15:37:00.0000	1626	1167
Fri Jun 30 2017 15:38:00.0000	1628	1274
Fri Jun 30 2017 15:39:00.0000	1627	1288

Date/Time	Process Temperature (°F)	Process Flow SCFM
Fri Jun 30 2017 15:40:00.0000	1627	1316
Fri Jun 30 2017 15:41:00.0000	1628	1171
Fri Jun 30 2017 15:42:00.0000	1631	1314
Fri Jun 30 2017 15:43:00.0000	1630	1351
Fri Jun 30 2017 15:44:00.0000	1629	1339
Fri Jun 30 2017 15:45:00.0000	1630	1248
Fri Jun 30 2017 15:46:00.0000	1631	1202
Fri Jun 30 2017 15:47:00.0000	1633	1380
Fri Jun 30 2017 15:48:00.0000	1631	1501
Fri Jun 30 2017 15:49:00.0000	1633	1325
Fri Jun 30 2017 15:50:00.0000	1632	1200
Fri Jun 30 2017 15:51:00.0000	1632	1272
Fri Jun 30 2017 15:52:00.0000	1624	1289
Fri Jun 30 2017 15:53:00.0000	1620	1293
Fri Jun 30 2017 15:54:00.0000	1616	1193
Fri Jun 30 2017 15:55:00.0000	1614	1199
Fri Jun 30 2017 15:56:00.0000	1613	1276
Fri Jun 30 2017 15:57:00.0000	1610	1399
Fri Jun 30 2017 15:58:00.0000	1610	1245
Fri Jun 30 2017 15:59:00.0000	1609	1174
Fri Jun 30 2017 16:00:00.0000	1608	1388
Fri Jun 30 2017 16:01:00.0000	1606	1414
Fri Jun 30 2017 16:02:00.0000	1604	1444
Fri Jun 30 2017 16:03:00.0000	1604	1178
Fri Jun 30 2017 16:04:00.0000	1604	1365
Fri Jun 30 2017 16:05:00.0000	1602	1263
Fri Jun 30 2017 16:06:00.0000	1602	1452
Fri Jun 30 2017 16:07:00.0000	1612	1168
Fri Jun 30 2017 16:08:00.0000	1618	1233
Fri Jun 30 2017 16:09:00.0000	1625	1335
Fri Jun 30 2017 16:10:00.0000	1627	1287
Fri Jun 30 2017 16:11:00.0000	1628	1365
Fri Jun 30 2017 16:12:00.0000	1631	1292
Fri Jun 30 2017 16:13:00.0000	1634	1261
Fri Jun 30 2017 16:14:00.0000	1625	1264
Fri Jun 30 2017 16:15:00.0000	1620	1238
Fri Jun 30 2017 16:16:00.0000	1617	1235
Fri Jun 30 2017 16:17:00.0000	1614	1219
Fri Jun 30 2017 16:18:00.0000	1612	1353
Fri Jun 30 2017 16:19:00.0000	1609	1256
Fri Jun 30 2017 16:20:00.0000	1608	1386
Fri Jun 30 2017 16:21:00.0000	1606	1212
Fri Jun 30 2017 16:22:00.0000	1606	1290
Fri Jun 30 2017 16:23:00.0000	1604	1324
Fri Jun 30 2017 16:24:00.0000	1602	1421
Fri Jun 30 2017 16:25:00.0000	1606	1197
Fri Jun 30 2017 16:26:00.0000	1611	1237
Fri Jun 30 2017 16:27:00.0000	1615	1287
Fri Jun 30 2017 16:28:00.0000	1615	1375
Fri Jun 30 2017 16:29:00.0000	1617	1359
Fri Jun 30 2017 16:30:00.0000	1618	1164
Fri Jun 30 2017 16:31:00.0000	1621	1336
Fri Jun 30 2017 16:32:00.0000	1621	1385
Fri Jun 30 2017 16:33:00.0000	1620	1408
Fri Jun 30 2017 16:34:00.0000	1622	1183
Fri Jun 30 2017 16:35:00.0000	1624	1219
Fri Jun 30 2017 16:36:00.0000	1625	1264

Date/Time	Process Temperature (°F)	Process Flow SCFM
Fri Jun 30 2017 16:37:00.0000	1623	1327
Fri Jun 30 2017 16:38:00.0000	1624	1271
Fri Jun 30 2017 16:39:00.0000	1626	1269
Fri Jun 30 2017 16:40:00.0000	1628	1340
Fri Jun 30 2017 16:41:00.0000	1626	1276
Fri Jun 30 2017 16:42:00.0000	1625	1435
Fri Jun 30 2017 16:43:00.0000	1627	1231
Fri Jun 30 2017 16:44:00.0000	1628	1163
Fri Jun 30 2017 16:45:00.0000	1629	1352
Fri Jun 30 2017 16:46:00.0000	1627	1326
Fri Jun 30 2017 16:47:00.0000	1628	1195
Fri Jun 30 2017 16:48:00.0000	1629	1175
Fri Jun 30 2017 16:49:00.0000	1631	1270
Fri Jun 30 2017 16:50:00.0000	1630	1425
Fri Jun 30 2017 16:51:00.0000	1630	1342
Fri Jun 30 2017 16:52:00.0000	1630	1205
Fri Jun 30 2017 16:53:00.0000	1632	1190
Fri Jun 30 2017 16:54:00.0000	1632	1245
Fri Jun 30 2017 16:55:00.0000	1630	1213
Fri Jun 30 2017 16:56:00.0000	1631	1183
Fri Jun 30 2017 16:57:00.0000	1632	1242
Fri Jun 30 2017 16:58:00.0000	1629	1237
Fri Jun 30 2017 16:59:00.0000	1623	1390
Fri Jun 30 2017 17:00:00.0000	1620	1448
Fri Jun 30 2017 17:01:00.0000	1617	1227
Fri Jun 30 2017 17:02:00.0000	1615	1255
Fri Jun 30 2017 17:03:00.0000	1613	1376
Fri Jun 30 2017 17:04:00.0000	1610	1275
Fri Jun 30 2017 17:05:00.0000	1609	1145
Fri Jun 30 2017 17:06:00.0000	1608	1218
Fri Jun 30 2017 17:07:00.0000	1607	1340
Fri Jun 30 2017 17:08:00.0000	1604	1336
Fri Jun 30 2017 17:09:00.0000	1604	1202
Fri Jun 30 2017 17:10:00.0000	1603	1184
Fri Jun 30 2017 17:11:00.0000	1602	1281
Fri Jun 30 2017 17:12:00.0000	1604	1414
Fri Jun 30 2017 17:13:00.0000	1606	1306
Fri Jun 30 2017 17:14:00.0000	1610	1187
Fri Jun 30 2017 17:15:00.0000	1614	1418
Fri Jun 30 2017 17:16:00.0000	1614	1242
Fri Jun 30 2017 17:17:00.0000	1614	1325
Fri Jun 30 2017 17:18:00.0000	1616	1174
Fri Jun 30 2017 17:19:00.0000	1618	1299
Fri Jun 30 2017 17:20:00.0000	1620	1311
Fri Jun 30 2017 17:21:00.0000	1618	1250
Fri Jun 30 2017 17:22:00.0000	1619	1254
Fri Jun 30 2017 17:23:00.0000	1620	1280
Fri Jun 30 2017 17:24:00.0000	1622	1332
Fri Jun 30 2017 17:25:00.0000	1622	1425
Fri Jun 30 2017 17:26:00.0000	1620	1382
Fri Jun 30 2017 17:27:00.0000	1622	1198
Fri Jun 30 2017 17:28:00.0000	1623	1300
Fri Jun 30 2017 17:29:00.0000	1624	1263
Fri Jun 30 2017 17:30:00.0000	1622	1384
Fri Jun 30 2017 17:31:00.0000	1623	1349
Fri Jun 30 2017 17:32:00.0000	1623	1287
Fri Jun 30 2017 17:33:00.0000	1626	1249

Date/Time	Process Temperature (°F)	Process Flow SCFM
Fri Jun 30 2017 17:34:00.0000	1625	1260
Fri Jun 30 2017 17:35:00.0000	1623	1306
Fri Jun 30 2017 17:36:00.0000	1625	1176
Fri Jun 30 2017 17:37:00.0000	1626	1295
Fri Jun 30 2017 17:38:00.0000	1627	1349
Fri Jun 30 2017 17:39:00.0000	1625	1345
Fri Jun 30 2017 17:40:00.0000	1625	1347
Fri Jun 30 2017 17:41:00.0000	1626	1208
Fri Jun 30 2017 17:42:00.0000	1628	1227
Fri Jun 30 2017 17:43:00.0000	1627	1395
Fri Jun 30 2017 17:44:00.0000	1625	1342
Fri Jun 30 2017 17:45:00.0000	1627	1156
Fri Jun 30 2017 17:46:00.0000	1628	1270
Fri Jun 30 2017 17:47:00.0000	1628	1336
Fri Jun 30 2017 17:48:00.0000	1627	1303
Fri Jun 30 2017 17:49:00.0000	1627	1346
Fri Jun 30 2017 17:50:00.0000	1627	1207
Fri Jun 30 2017 17:51:00.0000	1630	1234
Fri Jun 30 2017 17:52:00.0000	1628	1274
Fri Jun 30 2017 17:53:00.0000	1627	1174
Fri Jun 30 2017 17:54:00.0000	1628	1254
Fri Jun 30 2017 17:55:00.0000	1629	1243
Fri Jun 30 2017 17:56:00.0000	1629	1245
Fri Jun 30 2017 17:57:00.0000	1628	1376
Fri Jun 30 2017 17:58:00.0000	1628	1039
Fri Jun 30 2017 17:59:00.0000	1629	1209
Fri Jun 30 2017 18:00:00.0000	1631	1330
Fri Jun 30 2017 18:01:00.0000	1630	1219
Fri Jun 30 2017 18:02:00.0000	1628	1368
Fri Jun 30 2017 18:03:00.0000	1629	1205
Fri Jun 30 2017 18:04:00.0000	1631	1217
Fri Jun 30 2017 18:05:00.0000	1631	1324
Fri Jun 30 2017 18:06:00.0000	1629	1292
Fri Jun 30 2017 18:07:00.0000	1629	1201
Fri Jun 30 2017 18:08:00.0000	1630	1231
Fri Jun 30 2017 18:09:00.0000	1632	1307
Fri Jun 30 2017 18:10:00.0000	1630	1233
Fri Jun 30 2017 18:11:00.0000	1629	1279
Fri Jun 30 2017 18:12:00.0000	1630	1207
Fri Jun 30 2017 18:13:00.0000	1632	1216
Fri Jun 30 2017 18:14:00.0000	1632	1336
Fri Jun 30 2017 18:15:00.0000	1630	1362
Fri Jun 30 2017 18:16:00.0000	1630	1199
Fri Jun 30 2017 18:17:00.0000	1631	1183
Fri Jun 30 2017 18:18:00.0000	1633	1342
Fri Jun 30 2017 18:19:00.0000	1631	1416
Fri Jun 30 2017 18:20:00.0000	1630	1378
Fri Jun 30 2017 18:21:00.0000	1631	1189
Fri Jun 30 2017 18:22:00.0000	1632	1250
Fri Jun 30 2017 18:23:00.0000	1632	1233
Fri Jun 30 2017 18:24:00.0000	1630	1357
Fri Jun 30 2017 18:25:00.0000	1632	1208
Fri Jun 30 2017 18:26:00.0000	1631	1156
Fri Jun 30 2017 18:27:00.0000	1633	1225
Fri Jun 30 2017 18:28:00.0000	1631	1344
Fri Jun 30 2017 18:29:00.0000	1630	1246
Fri Jun 30 2017 18:30:00.0000	1632	1323

Date/Time	Process Temperature (°F)	Process Flow SCFM
Fri Jun 30 2017 18:31:00.0000	1633	1262
Fri Jun 30 2017 18:32:00.0000	1627	1370
Fri Jun 30 2017 18:33:00.0000	1624	1408
Fri Jun 30 2017 18:34:00.0000	1622	1232
Fri Jun 30 2017 18:35:00.0000	1620	1303
Fri Jun 30 2017 18:36:00.0000	1616	1335
Fri Jun 30 2017 18:37:00.0000	1613	1265
Fri Jun 30 2017 18:38:00.0000	1611	1166
Fri Jun 30 2017 18:39:00.0000	1610	1264
Fri Jun 30 2017 18:40:00.0000	1608	1284
Fri Jun 30 2017 18:41:00.0000	1605	1335
Fri Jun 30 2017 18:42:00.0000	1604	1348
Fri Jun 30 2017 18:43:00.0000	1603	1106
Fri Jun 30 2017 18:44:00.0000	1602	1310
Fri Jun 30 2017 18:45:00.0000	1603	1444
Fri Jun 30 2017 18:46:00.0000	1607	1432
Fri Jun 30 2017 18:47:00.0000	1611	1404
Fri Jun 30 2017 18:48:00.0000	1615	1202
Fri Jun 30 2017 18:49:00.0000	1617	1254
Fri Jun 30 2017 18:50:00.0000	1615	1312
Fri Jun 30 2017 18:51:00.0000	1618	1138
Fri Jun 30 2017 18:52:00.0000	1619	1143
Fri Jun 30 2017 18:53:00.0000	1622	1310
Fri Jun 30 2017 18:54:00.0000	1621	1311
Fri Jun 30 2017 18:55:00.0000	1620	1323
Fri Jun 30 2017 18:56:00.0000	1622	1196
Fri Jun 30 2017 18:57:00.0000	1624	1193
Fri Jun 30 2017 18:58:00.0000	1624	1281
Fri Jun 30 2017 18:59:00.0000	1622	1370
Fri Jun 30 2017 19:00:00.0000	1624	1206
Fri Jun 30 2017 19:01:00.0000	1625	1132
Fri Jun 30 2017 19:02:00.0000	1627	1264
Fri Jun 30 2017 19:03:00.0000	1625	1187
Fri Jun 30 2017 19:04:00.0000	1625	1361
Fri Jun 30 2017 19:05:00.0000	1626	1123
Fri Jun 30 2017 19:06:00.0000	1628	1156
Fri Jun 30 2017 19:07:00.0000	1627	1216
Fri Jun 30 2017 19:08:00.0000	1625	1368
Fri Jun 30 2017 19:09:00.0000	1627	1153
Fri Jun 30 2017 19:10:00.0000	1628	1145
Fri Jun 30 2017 19:11:00.0000	1629	1261
Fri Jun 30 2017 19:12:00.0000	1627	1348
Fri Jun 30 2017 19:13:00.0000	1626	1255
Fri Jun 30 2017 19:14:00.0000	1628	1189
Fri Jun 30 2017 19:15:00.0000	1630	1205
Fri Jun 30 2017 19:16:00.0000	1629	1245
Fri Jun 30 2017 19:17:00.0000	1627	1352
Fri Jun 30 2017 19:18:00.0000	1628	1189
Fri Jun 30 2017 19:19:00.0000	1629	1145
Fri Jun 30 2017 19:20:00.0000	1630	1338
Fri Jun 30 2017 19:21:00.0000	1629	1190
Fri Jun 30 2017 19:22:00.0000	1628	1378
Fri Jun 30 2017 19:23:00.0000	1629	1203
Fri Jun 30 2017 19:24:00.0000	1631	1230
Fri Jun 30 2017 19:25:00.0000	1630	1275
Fri Jun 30 2017 19:26:00.0000	1628	1275
Fri Jun 30 2017 19:27:00.0000	1630	1157

Date/Time	Process Temperature (°F)	Process Flow SCFM
Fri Jun 30 2017 19:28:00.0000	1631	1285
Fri Jun 30 2017 19:29:00.0000	1631	1306
Fri Jun 30 2017 19:30:00.0000	1629	1296
Fri Jun 30 2017 19:31:00.0000	1629	1355
Fri Jun 30 2017 19:32:00.0000	1630	1123
Fri Jun 30 2017 19:33:00.0000	1632	1129
Fri Jun 30 2017 19:34:00.0000	1631	1315
Fri Jun 30 2017 19:35:00.0000	1630	1118
Fri Jun 30 2017 19:36:00.0000	1630	1215
Fri Jun 30 2017 19:37:00.0000	1632	1251
Fri Jun 30 2017 19:38:00.0000	1631	1300
Fri Jun 30 2017 19:39:00.0000	1629	1306
Fri Jun 30 2017 19:40:00.0000	1630	1160
Fri Jun 30 2017 19:41:00.0000	1631	1220
Fri Jun 30 2017 19:42:00.0000	1632	1260
Fri Jun 30 2017 19:43:00.0000	1629	1416
Fri Jun 30 2017 19:44:00.0000	1630	1313
Fri Jun 30 2017 19:45:00.0000	1630	1159
Fri Jun 30 2017 19:46:00.0000	1632	1227
Fri Jun 30 2017 19:47:00.0000	1631	1292
Fri Jun 30 2017 19:48:00.0000	1629	1308
Fri Jun 30 2017 19:49:00.0000	1630	1174
Fri Jun 30 2017 19:50:00.0000	1631	1201
Fri Jun 30 2017 19:51:00.0000	1632	1242
Fri Jun 30 2017 19:52:00.0000	1630	1263
Fri Jun 30 2017 19:53:00.0000	1630	1398
Fri Jun 30 2017 19:54:00.0000	1631	1123
Fri Jun 30 2017 19:55:00.0000	1632	1176
Fri Jun 30 2017 19:56:00.0000	1631	1334
Fri Jun 30 2017 19:57:00.0000	1629	1270
Fri Jun 30 2017 19:58:00.0000	1631	1334
Fri Jun 30 2017 19:59:00.0000	1632	1234
Fri Jun 30 2017 20:00:00.0000	1632	1285
Fri Jun 30 2017 20:01:00.0000	1630	1352
Fri Jun 30 2017 20:02:00.0000	1630	1338
Fri Jun 30 2017 20:03:00.0000	1630	1169
Fri Jun 30 2017 20:04:00.0000	1632	1264
Fri Jun 30 2017 20:05:00.0000	1631	1340
Fri Jun 30 2017 20:06:00.0000	1629	1267
Fri Jun 30 2017 20:07:00.0000	1630	1182
Fri Jun 30 2017 20:08:00.0000	1631	1244
Fri Jun 30 2017 20:09:00.0000	1632	1250
Fri Jun 30 2017 20:10:00.0000	1630	1357
Fri Jun 30 2017 20:11:00.0000	1631	1386
Fri Jun 30 2017 20:12:00.0000	1631	1170
Fri Jun 30 2017 20:13:00.0000	1632	1144
Fri Jun 30 2017 20:14:00.0000	1631	1251
Fri Jun 30 2017 20:15:00.0000	1629	1336
Fri Jun 30 2017 20:16:00.0000	1630	1155
Fri Jun 30 2017 20:17:00.0000	1631	1244
Fri Jun 30 2017 20:18:00.0000	1632	1252
Fri Jun 30 2017 20:19:00.0000	1631	1432
Fri Jun 30 2017 20:20:00.0000	1632	1168
Fri Jun 30 2017 20:21:00.0000	1634	1214
Fri Jun 30 2017 20:22:00.0000	1626	1295
Fri Jun 30 2017 20:23:00.0000	1618	1437
Fri Jun 30 2017 20:24:00.0000	1613	1357

Date/Time	Process Temperature (°F)	Process Flow SCFM
Fri Jun 30 2017 20:25:00.0000	1609	1143
Fri Jun 30 2017 20:26:00.0000	1605	1155
Fri Jun 30 2017 20:27:00.0000	1601	1341
Fri Jun 30 2017 20:28:00.0000	1605	1400
Fri Jun 30 2017 20:29:00.0000	1615	1190
Fri Jun 30 2017 20:30:00.0000	1622	1199
Fri Jun 30 2017 20:31:00.0000	1629	1106
Fri Jun 30 2017 20:32:00.0000	1630	1294
Fri Jun 30 2017 20:33:00.0000	1632	1298
Fri Jun 30 2017 20:34:00.0000	1630	1151
Fri Jun 30 2017 20:35:00.0000	1623	1151
Fri Jun 30 2017 20:36:00.0000	1619	1331
Fri Jun 30 2017 20:37:00.0000	1615	1350
Fri Jun 30 2017 20:38:00.0000	1613	1090
Fri Jun 30 2017 20:39:00.0000	1611	1216
Fri Jun 30 2017 20:40:00.0000	1610	1246
Fri Jun 30 2017 20:41:00.0000	1607	1351
Fri Jun 30 2017 20:42:00.0000	1606	1261
Fri Jun 30 2017 20:43:00.0000	1605	1042
Fri Jun 30 2017 20:44:00.0000	1604	1281
Fri Jun 30 2017 20:45:00.0000	1602	1229
Fri Jun 30 2017 20:46:00.0000	1602	1248
Fri Jun 30 2017 20:47:00.0000	1610	1096
Fri Jun 30 2017 20:48:00.0000	1618	1219
Fri Jun 30 2017 20:49:00.0000	1624	1262
Fri Jun 30 2017 20:50:00.0000	1626	1280
Fri Jun 30 2017 20:51:00.0000	1629	1278
Fri Jun 30 2017 20:52:00.0000	1632	1200
Fri Jun 30 2017 20:53:00.0000	1630	1174
Fri Jun 30 2017 20:54:00.0000	1622	1134
Fri Jun 30 2017 20:55:00.0000	1618	1322
Fri Jun 30 2017 20:56:00.0000	1615	1170
Fri Jun 30 2017 20:57:00.0000	1612	1304
Fri Jun 30 2017 20:58:00.0000	1610	1254
Fri Jun 30 2017 20:59:00.0000	1607	1405
Fri Jun 30 2017 21:00:00.0000	1607	1207
Fri Jun 30 2017 21:01:00.0000	1606	1302
Fri Jun 30 2017 21:02:00.0000	1604	1272
Fri Jun 30 2017 21:03:00.0000	1602	1367
Fri Jun 30 2017 21:04:00.0000	1604	1412
Fri Jun 30 2017 21:05:00.0000	1608	1095
Fri Jun 30 2017 21:06:00.0000	1612	1230
Fri Jun 30 2017 21:07:00.0000	1613	1215
Fri Jun 30 2017 21:08:00.0000	1613	1231
Fri Jun 30 2017 21:09:00.0000	1615	1197
Fri Jun 30 2017 21:10:00.0000	1617	1192
Fri Jun 30 2017 21:11:00.0000	1618	1268
Fri Jun 30 2017 21:12:00.0000	1616	1311
Fri Jun 30 2017 21:13:00.0000	1618	1162
Fri Jun 30 2017 21:14:00.0000	1619	1143
Fri Jun 30 2017 21:15:00.0000	1621	1145
Fri Jun 30 2017 21:16:00.0000	1620	1243
Fri Jun 30 2017 21:17:00.0000	1619	1364
Fri Jun 30 2017 21:18:00.0000	1620	1150
Fri Jun 30 2017 21:19:00.0000	1622	1221
Fri Jun 30 2017 21:20:00.0000	1622	1230
Fri Jun 30 2017 21:21:00.0000	1621	1362

Date/Time	Process Temperature (°F)	Process Flow SCFM
Fri Jun 30 2017 21:22:00.0000	1623	1121
Fri Jun 30 2017 21:23:00.0000	1622	1115
Fri Jun 30 2017 21:24:00.0000	1624	1162
Fri Jun 30 2017 21:25:00.0000	1623	1265
Fri Jun 30 2017 21:26:00.0000	1623	1359
Fri Jun 30 2017 21:27:00.0000	1624	1088
Fri Jun 30 2017 21:28:00.0000	1625	1236
Fri Jun 30 2017 21:29:00.0000	1624	1274
Fri Jun 30 2017 21:30:00.0000	1623	1091
Fri Jun 30 2017 21:31:00.0000	1625	1132
Fri Jun 30 2017 21:32:00.0000	1626	1178
Fri Jun 30 2017 21:33:00.0000	1625	1110
Fri Jun 30 2017 21:34:00.0000	1623	1287
Fri Jun 30 2017 21:35:00.0000	1625	1098
Fri Jun 30 2017 21:36:00.0000	1626	1134
Fri Jun 30 2017 21:37:00.0000	1627	1119
Fri Jun 30 2017 21:38:00.0000	1624	1325
Fri Jun 30 2017 21:39:00.0000	1625	1158
Fri Jun 30 2017 21:40:00.0000	1627	1120
Fri Jun 30 2017 21:41:00.0000	1628	1148
Fri Jun 30 2017 21:42:00.0000	1626	1186
Fri Jun 30 2017 21:43:00.0000	1625	1295
Fri Jun 30 2017 21:44:00.0000	1626	1183
Fri Jun 30 2017 21:45:00.0000	1628	1163
Fri Jun 30 2017 21:46:00.0000	1628	1247
Fri Jun 30 2017 21:47:00.0000	1626	1221
Fri Jun 30 2017 21:48:00.0000	1627	1132
Fri Jun 30 2017 21:49:00.0000	1628	1119
Fri Jun 30 2017 21:50:00.0000	1629	1246
Fri Jun 30 2017 21:51:00.0000	1627	1287
Fri Jun 30 2017 21:52:00.0000	1627	1386
Fri Jun 30 2017 21:53:00.0000	1628	1093
Fri Jun 30 2017 21:54:00.0000	1630	1163
Fri Jun 30 2017 21:55:00.0000	1629	1222
Fri Jun 30 2017 21:56:00.0000	1627	1398
Fri Jun 30 2017 21:57:00.0000	1628	1098
Fri Jun 30 2017 21:58:00.0000	1629	1120
Fri Jun 30 2017 21:59:00.0000	1630	1147
Fri Jun 30 2017 22:00:00.0000	1628	1289
Fri Jun 30 2017 22:01:00.0000	1628	1303
Fri Jun 30 2017 22:02:00.0000	1629	1125
Fri Jun 30 2017 22:03:00.0000	1631	1154
Fri Jun 30 2017 22:04:00.0000	1630	1187
Fri Jun 30 2017 22:05:00.0000	1628	1264
Fri Jun 30 2017 22:06:00.0000	1629	1180
Fri Jun 30 2017 22:07:00.0000	1630	1047
Fri Jun 30 2017 22:08:00.0000	1631	1194
Fri Jun 30 2017 22:09:00.0000	1629	1319
Fri Jun 30 2017 22:10:00.0000	1629	1187
Fri Jun 30 2017 22:11:00.0000	1630	1146
Fri Jun 30 2017 22:12:00.0000	1632	1222
Fri Jun 30 2017 22:13:00.0000	1631	1227
Fri Jun 30 2017 22:14:00.0000	1629	1207
Fri Jun 30 2017 22:15:00.0000	1630	1137
Fri Jun 30 2017 22:16:00.0000	1631	1103
Fri Jun 30 2017 22:17:00.0000	1632	1116
Fri Jun 30 2017 22:18:00.0000	1630	1336

Date/Time	Process Temperature (°F)	Process Flow SCFM
Fri Jun 30 2017 22:19:00.0000	1630	1203
Fri Jun 30 2017 22:20:00.0000	1631	1121
Fri Jun 30 2017 22:21:00.0000	1632	1156
Fri Jun 30 2017 22:22:00.0000	1632	1195
Fri Jun 30 2017 22:23:00.0000	1630	1281
Fri Jun 30 2017 22:24:00.0000	1631	1152
Fri Jun 30 2017 22:25:00.0000	1632	1170
Fri Jun 30 2017 22:26:00.0000	1628	1139
Fri Jun 30 2017 22:27:00.0000	1622	1312
Fri Jun 30 2017 22:28:00.0000	1619	1361
Fri Jun 30 2017 22:29:00.0000	1617	1083
Fri Jun 30 2017 22:30:00.0000	1615	1170
Fri Jun 30 2017 22:31:00.0000	1613	1206
Fri Jun 30 2017 22:32:00.0000	1610	1193
Fri Jun 30 2017 22:33:00.0000	1610	1180
Fri Jun 30 2017 22:34:00.0000	1609	1198
Fri Jun 30 2017 22:35:00.0000	1607	1157
Fri Jun 30 2017 22:36:00.0000	1605	1205
Fri Jun 30 2017 22:37:00.0000	1604	1264
Fri Jun 30 2017 22:38:00.0000	1603	1137
Fri Jun 30 2017 22:39:00.0000	1603	1194
Fri Jun 30 2017 22:40:00.0000	1601	1214
Fri Jun 30 2017 22:41:00.0000	1606	1273
Fri Jun 30 2017 22:42:00.0000	1614	1132
Fri Jun 30 2017 22:43:00.0000	1620	1269
Fri Jun 30 2017 22:44:00.0000	1626	1125
Fri Jun 30 2017 22:45:00.0000	1627	1180
Fri Jun 30 2017 22:46:00.0000	1629	1141
Fri Jun 30 2017 22:47:00.0000	1634	1195
Fri Jun 30 2017 22:48:00.0000	1630	1163
Fri Jun 30 2017 22:49:00.0000	1619	1137
Fri Jun 30 2017 22:50:00.0000	1613	1416
Fri Jun 30 2017 22:51:00.0000	1608	1230
Fri Jun 30 2017 22:52:00.0000	1604	1142
Fri Jun 30 2017 22:53:00.0000	1600	1340
Fri Jun 30 2017 22:54:00.0000	1606	1275
Fri Jun 30 2017 22:55:00.0000	1615	1126
Fri Jun 30 2017 22:56:00.0000	1621	1201
Fri Jun 30 2017 22:57:00.0000	1627	1088
Fri Jun 30 2017 22:58:00.0000	1628	1246
Fri Jun 30 2017 22:59:00.0000	1632	1309
Fri Jun 30 2017 23:00:00.0000	1632	1176
Fri Jun 30 2017 23:01:00.0000	1633	1144
Fri Jun 30 2017 23:02:00.0000	1623	1243
Fri Jun 30 2017 23:03:00.0000	1618	1308
Fri Jun 30 2017 23:04:00.0000	1614	1142
Fri Jun 30 2017 23:05:00.0000	1610	1202
Fri Jun 30 2017 23:06:00.0000	1608	1229
Fri Jun 30 2017 23:07:00.0000	1606	1296
Fri Jun 30 2017 23:08:00.0000	1605	1159
Fri Jun 30 2017 23:09:00.0000	1604	1198
Fri Jun 30 2017 23:10:00.0000	1604	1230
Fri Jun 30 2017 23:11:00.0000	1601	1324
Fri Jun 30 2017 23:12:00.0000	1605	1269
Fri Jun 30 2017 23:13:00.0000	1607	1202
Fri Jun 30 2017 23:14:00.0000	1611	1173
Fri Jun 30 2017 23:15:00.0000	1611	1158

Date/Time	Process Temperature (°F)	Process Flow SCFM
Fri Jun 30 2017 23:16:00.0000	1611	1295
Fri Jun 30 2017 23:17:00.0000	1614	1153
Fri Jun 30 2017 23:18:00.0000	1615	1210
Fri Jun 30 2017 23:19:00.0000	1617	1136
Fri Jun 30 2017 23:20:00.0000	1616	1319
Fri Jun 30 2017 23:21:00.0000	1617	1279
Fri Jun 30 2017 23:22:00.0000	1618	1134
Fri Jun 30 2017 23:23:00.0000	1621	1252
Fri Jun 30 2017 23:24:00.0000	1621	1151
Fri Jun 30 2017 23:25:00.0000	1619	1281
Fri Jun 30 2017 23:26:00.0000	1621	1104
Fri Jun 30 2017 23:27:00.0000	1622	1037
Fri Jun 30 2017 23:28:00.0000	1623	1134
Fri Jun 30 2017 23:29:00.0000	1621	1296
Fri Jun 30 2017 23:30:00.0000	1621	1256
Fri Jun 30 2017 23:31:00.0000	1622	1125
Fri Jun 30 2017 23:32:00.0000	1625	1178
Fri Jun 30 2017 23:33:00.0000	1624	1207
Fri Jun 30 2017 23:34:00.0000	1622	1134
Fri Jun 30 2017 23:35:00.0000	1624	1116
Fri Jun 30 2017 23:36:00.0000	1625	1121
Fri Jun 30 2017 23:37:00.0000	1626	1184
Fri Jun 30 2017 23:38:00.0000	1624	1346
Fri Jun 30 2017 23:39:00.0000	1624	1298
Fri Jun 30 2017 23:40:00.0000	1625	1091
Fri Jun 30 2017 23:41:00.0000	1627	1200
Fri Jun 30 2017 23:42:00.0000	1626	1167
Fri Jun 30 2017 23:43:00.0000	1624	1242
Fri Jun 30 2017 23:44:00.0000	1626	1098
Fri Jun 30 2017 23:45:00.0000	1627	1112
Fri Jun 30 2017 23:46:00.0000	1628	1131
Fri Jun 30 2017 23:47:00.0000	1626	1266
Fri Jun 30 2017 23:48:00.0000	1626	1183
Fri Jun 30 2017 23:49:00.0000	1627	1175
Fri Jun 30 2017 23:50:00.0000	1629	1246
Fri Jun 30 2017 23:51:00.0000	1628	1229
Fri Jun 30 2017 23:52:00.0000	1626	1255
Fri Jun 30 2017 23:53:00.0000	1628	1140
Fri Jun 30 2017 23:54:00.0000	1628	1167
Fri Jun 30 2017 23:55:00.0000	1629	1148
Fri Jun 30 2017 23:56:00.0000	1627	1462
Fri Jun 30 2017 23:57:00.0000	1628	1092
Fri Jun 30 2017 23:58:00.0000	1629	1095
Fri Jun 30 2017 23:59:00.0000	1630	1221
Sat Jul 01 2017 00:00:00.0000	1629	1174
Sat Jul 01 2017 00:01:00.0000	1628	1319
Sat Jul 01 2017 00:02:00.0000	1629	1145
Sat Jul 01 2017 00:03:00.0000	1630	1143
Sat Jul 01 2017 00:04:00.0000	1631	1197
Sat Jul 01 2017 00:05:00.0000	1629	1186
Sat Jul 01 2017 00:06:00.0000	1629	1164
Sat Jul 01 2017 00:07:00.0000	1630	1126
Sat Jul 01 2017 00:08:00.0000	1632	1169
Sat Jul 01 2017 00:09:00.0000	1630	1107
Sat Jul 01 2017 00:10:00.0000	1629	1287
Sat Jul 01 2017 00:11:00.0000	1630	1125
Sat Jul 01 2017 00:12:00.0000	1632	1216

Date/Time	Process Temperature (°F)	Process Flow SCFM
Sat Jul 01 2017 00:13:00.0000	1632	1143
Sat Jul 01 2017 00:14:00.0000	1630	1269
Sat Jul 01 2017 00:15:00.0000	1631	1182
Sat Jul 01 2017 00:16:00.0000	1631	1179
Sat Jul 01 2017 00:17:00.0000	1630	1197
Sat Jul 01 2017 00:18:00.0000	1623	1305
Sat Jul 01 2017 00:19:00.0000	1618	1246
Sat Jul 01 2017 00:20:00.0000	1615	1091
Sat Jul 01 2017 00:21:00.0000	1613	1212
Sat Jul 01 2017 00:22:00.0000	1610	1185
Sat Jul 01 2017 00:23:00.0000	1606	1247
Sat Jul 01 2017 00:24:00.0000	1605	1160
Sat Jul 01 2017 00:25:00.0000	1604	1161
Sat Jul 01 2017 00:26:00.0000	1602	1165
Sat Jul 01 2017 00:27:00.0000	1602	1283
Sat Jul 01 2017 00:28:00.0000	1609	1289
Sat Jul 01 2017 00:29:00.0000	1617	1077
Sat Jul 01 2017 00:30:00.0000	1624	1131
Sat Jul 01 2017 00:31:00.0000	1629	1194
Sat Jul 01 2017 00:32:00.0000	1629	1312
Sat Jul 01 2017 00:33:00.0000	1632	1116
Sat Jul 01 2017 00:34:00.0000	1630	1135
Sat Jul 01 2017 00:35:00.0000	1626	1183
Sat Jul 01 2017 00:36:00.0000	1622	1167
Sat Jul 01 2017 00:37:00.0000	1619	1336
Sat Jul 01 2017 00:38:00.0000	1618	1105
Sat Jul 01 2017 00:39:00.0000	1617	1117
Sat Jul 01 2017 00:40:00.0000	1616	1205
Sat Jul 01 2017 00:41:00.0000	1613	1231
Sat Jul 01 2017 00:42:00.0000	1613	1294
Sat Jul 01 2017 00:43:00.0000	1613	1163
Sat Jul 01 2017 00:44:00.0000	1613	1184
Sat Jul 01 2017 00:45:00.0000	1613	1176
Sat Jul 01 2017 00:46:00.0000	1612	1232
Sat Jul 01 2017 00:47:00.0000	1613	1174
Sat Jul 01 2017 00:48:00.0000	1614	1190
Sat Jul 01 2017 00:49:00.0000	1613	1117
Sat Jul 01 2017 00:50:00.0000	1611	1259
Sat Jul 01 2017 00:51:00.0000	1612	1100
Sat Jul 01 2017 00:52:00.0000	1613	1162
Sat Jul 01 2017 00:53:00.0000	1613	1162
Sat Jul 01 2017 00:54:00.0000	1612	1308
Sat Jul 01 2017 00:55:00.0000	1611	1363
Sat Jul 01 2017 00:56:00.0000	1612	1107
Sat Jul 01 2017 00:57:00.0000	1613	1168
Sat Jul 01 2017 00:58:00.0000	1612	1208
Sat Jul 01 2017 00:59:00.0000	1610	1326
Sat Jul 01 2017 01:00:00.0000	1611	1166
Sat Jul 01 2017 01:01:00.0000	1612	1160
Sat Jul 01 2017 01:02:00.0000	1612	1194
Sat Jul 01 2017 01:03:00.0000	1610	1246
Sat Jul 01 2017 01:04:00.0000	1610	1204
Sat Jul 01 2017 01:05:00.0000	1611	1106
Sat Jul 01 2017 01:06:00.0000	1612	1138
Sat Jul 01 2017 01:07:00.0000	1611	1134
Sat Jul 01 2017 01:08:00.0000	1609	1325
Sat Jul 01 2017 01:09:00.0000	1610	1066

Date/Time	Process Temperature (°F)	Process Flow SCFM
Sat Jul 01 2017 01:10:00.0000	1611	1169
Sat Jul 01 2017 01:11:00.0000	1611	1259
Sat Jul 01 2017 01:12:00.0000	1609	1313
Sat Jul 01 2017 01:13:00.0000	1610	1137
Sat Jul 01 2017 01:14:00.0000	1610	1138
Sat Jul 01 2017 01:15:00.0000	1611	1102
Sat Jul 01 2017 01:16:00.0000	1609	1201
Sat Jul 01 2017 01:17:00.0000	1608	1273
Sat Jul 01 2017 01:18:00.0000	1609	1086
Sat Jul 01 2017 01:19:00.0000	1610	1156
Sat Jul 01 2017 01:20:00.0000	1609	1220
Sat Jul 01 2017 01:21:00.0000	1608	1249
Sat Jul 01 2017 01:22:00.0000	1608	1106
Sat Jul 01 2017 01:23:00.0000	1609	1164
Sat Jul 01 2017 01:24:00.0000	1609	1230
Sat Jul 01 2017 01:25:00.0000	1608	1362
Sat Jul 01 2017 01:26:00.0000	1607	1252
Sat Jul 01 2017 01:27:00.0000	1608	1103
Sat Jul 01 2017 01:28:00.0000	1609	1110
Sat Jul 01 2017 01:29:00.0000	1608	1211
Sat Jul 01 2017 01:30:00.0000	1607	1204
Sat Jul 01 2017 01:31:00.0000	1607	1124
Sat Jul 01 2017 01:32:00.0000	1608	1132
Sat Jul 01 2017 01:33:00.0000	1609	1255
Sat Jul 01 2017 01:34:00.0000	1607	1116
Sat Jul 01 2017 01:35:00.0000	1606	1262
Sat Jul 01 2017 01:36:00.0000	1607	1129
Sat Jul 01 2017 01:37:00.0000	1608	1150
Sat Jul 01 2017 01:38:00.0000	1607	1154
Sat Jul 01 2017 01:39:00.0000	1605	1245
Sat Jul 01 2017 01:40:00.0000	1606	1122
Sat Jul 01 2017 01:41:00.0000	1607	1170
Sat Jul 01 2017 01:42:00.0000	1608	1208
Sat Jul 01 2017 01:43:00.0000	1606	1244
Sat Jul 01 2017 01:44:00.0000	1605	1209
Sat Jul 01 2017 01:45:00.0000	1606	1061
Sat Jul 01 2017 01:46:00.0000	1607	1174
Sat Jul 01 2017 01:47:00.0000	1607	1172
Sat Jul 01 2017 01:48:00.0000	1605	1209
Sat Jul 01 2017 01:49:00.0000	1606	1153
Sat Jul 01 2017 01:50:00.0000	1606	1174
Sat Jul 01 2017 01:51:00.0000	1607	1262
Sat Jul 01 2017 01:52:00.0000	1606	1282
Sat Jul 01 2017 01:53:00.0000	1605	1295
Sat Jul 01 2017 01:54:00.0000	1606	1161
Sat Jul 01 2017 01:55:00.0000	1607	1157
Sat Jul 01 2017 01:56:00.0000	1606	1175
Sat Jul 01 2017 01:57:00.0000	1605	1386
Sat Jul 01 2017 01:58:00.0000	1605	1140
Sat Jul 01 2017 01:59:00.0000	1606	1139
Sat Jul 01 2017 02:00:00.0000	1607	1187
Sat Jul 01 2017 02:01:00.0000	1605	1271
Sat Jul 01 2017 02:02:00.0000	1605	1348
Sat Jul 01 2017 02:03:00.0000	1605	1131
Sat Jul 01 2017 02:04:00.0000	1606	1159
Sat Jul 01 2017 02:05:00.0000	1606	1184
Sat Jul 01 2017 02:06:00.0000	1604	1150

Date/Time	Process Temperature (°F)	Process Flow SCFM
Sat Jul 01 2017 02:07:00.0000	1605	1156
Sat Jul 01 2017 02:08:00.0000	1606	1183
Sat Jul 01 2017 02:09:00.0000	1606	1211
Sat Jul 01 2017 02:10:00.0000	1604	1325
Sat Jul 01 2017 02:11:00.0000	1605	1150
Sat Jul 01 2017 02:12:00.0000	1605	1182
Sat Jul 01 2017 02:13:00.0000	1606	1180
Sat Jul 01 2017 02:14:00.0000	1604	1299
Sat Jul 01 2017 02:15:00.0000	1604	1115
Sat Jul 01 2017 02:16:00.0000	1605	1220
Sat Jul 01 2017 02:17:00.0000	1606	1141
Sat Jul 01 2017 02:18:00.0000	1605	1280
Sat Jul 01 2017 02:19:00.0000	1604	1280
Sat Jul 01 2017 02:20:00.0000	1605	1115
Sat Jul 01 2017 02:21:00.0000	1605	1133
Sat Jul 01 2017 02:22:00.0000	1606	1256
Sat Jul 01 2017 02:23:00.0000	1604	1247
Sat Jul 01 2017 02:24:00.0000	1603	1249
Sat Jul 01 2017 02:25:00.0000	1604	1059
Sat Jul 01 2017 02:26:00.0000	1605	1257
Sat Jul 01 2017 02:27:00.0000	1604	1231
Sat Jul 01 2017 02:28:00.0000	1603	1219
Sat Jul 01 2017 02:29:00.0000	1604	1166
Sat Jul 01 2017 02:30:00.0000	1605	1215
Sat Jul 01 2017 02:31:00.0000	1605	1261
Sat Jul 01 2017 02:32:00.0000	1603	1325
Sat Jul 01 2017 02:33:00.0000	1604	1144
Sat Jul 01 2017 02:34:00.0000	1604	1157
Sat Jul 01 2017 02:35:00.0000	1605	1297
Sat Jul 01 2017 02:36:00.0000	1604	1343
Sat Jul 01 2017 02:37:00.0000	1603	1300
Sat Jul 01 2017 02:38:00.0000	1604	1124
Sat Jul 01 2017 02:39:00.0000	1605	1245
Sat Jul 01 2017 02:40:00.0000	1604	1180
Sat Jul 01 2017 02:41:00.0000	1602	1315
Sat Jul 01 2017 02:42:00.0000	1603	1127
Sat Jul 01 2017 02:43:00.0000	1604	1154
Sat Jul 01 2017 02:44:00.0000	1605	1183
Sat Jul 01 2017 02:45:00.0000	1603	1295
Sat Jul 01 2017 02:46:00.0000	1602	1269
Sat Jul 01 2017 02:47:00.0000	1603	1182
Sat Jul 01 2017 02:48:00.0000	1605	1136
Sat Jul 01 2017 02:49:00.0000	1604	1269
Sat Jul 01 2017 02:50:00.0000	1602	1303
Sat Jul 01 2017 02:51:00.0000	1609	1159
Sat Jul 01 2017 02:52:00.0000	1614	1075
Sat Jul 01 2017 02:53:00.0000	1621	1191
Sat Jul 01 2017 02:54:00.0000	1622	1334
Sat Jul 01 2017 02:55:00.0000	1623	1369
Sat Jul 01 2017 02:56:00.0000	1626	1166
Sat Jul 01 2017 02:57:00.0000	1630	1163
Sat Jul 01 2017 02:58:00.0000	1632	1264
Sat Jul 01 2017 02:59:00.0000	1630	1301
Sat Jul 01 2017 03:00:00.0000	1633	1098
Sat Jul 01 2017 03:01:00.0000	1627	1128
Sat Jul 01 2017 03:02:00.0000	1624	1280
Sat Jul 01 2017 03:03:00.0000	1619	1244

Date/Time	Process Temperature (°F)	Process Flow SCFM
Sat Jul 01 2017 03:04:00.0000	1616	1428
Sat Jul 01 2017 03:05:00.0000	1615	1213
Sat Jul 01 2017 03:06:00.0000	1615	1128
Sat Jul 01 2017 03:07:00.0000	1615	1215
Sat Jul 01 2017 03:08:00.0000	1613	1250
Sat Jul 01 2017 03:09:00.0000	1613	1134
Sat Jul 01 2017 03:10:00.0000	1614	1161
Sat Jul 01 2017 03:11:00.0000	1614	1186
Sat Jul 01 2017 03:12:00.0000	1612	1326
Sat Jul 01 2017 03:13:00.0000	1611	1228
Sat Jul 01 2017 03:14:00.0000	1612	1137
Sat Jul 01 2017 03:15:00.0000	1613	1218
Sat Jul 01 2017 03:16:00.0000	1611	1224
Sat Jul 01 2017 03:17:00.0000	1610	1298
Sat Jul 01 2017 03:18:00.0000	1611	1112
Sat Jul 01 2017 03:19:00.0000	1611	1191
Sat Jul 01 2017 03:20:00.0000	1611	1060
Sat Jul 01 2017 03:21:00.0000	1609	1241
Sat Jul 01 2017 03:22:00.0000	1610	1105
Sat Jul 01 2017 03:23:00.0000	1610	1116
Sat Jul 01 2017 03:24:00.0000	1611	1189
Sat Jul 01 2017 03:25:00.0000	1609	1331
Sat Jul 01 2017 03:26:00.0000	1608	1325
Sat Jul 01 2017 03:27:00.0000	1609	1092
Sat Jul 01 2017 03:28:00.0000	1610	1164
Sat Jul 01 2017 03:29:00.0000	1609	1227
Sat Jul 01 2017 03:30:00.0000	1607	1194
Sat Jul 01 2017 03:31:00.0000	1608	1140
Sat Jul 01 2017 03:32:00.0000	1608	1146
Sat Jul 01 2017 03:33:00.0000	1609	1152
Sat Jul 01 2017 03:34:00.0000	1608	1181
Sat Jul 01 2017 03:35:00.0000	1606	1248
Sat Jul 01 2017 03:36:00.0000	1607	1139
Sat Jul 01 2017 03:37:00.0000	1609	1099
Sat Jul 01 2017 03:38:00.0000	1608	1117
Sat Jul 01 2017 03:39:00.0000	1606	1205
Sat Jul 01 2017 03:40:00.0000	1607	1098
Sat Jul 01 2017 03:41:00.0000	1607	1127
Sat Jul 01 2017 03:42:00.0000	1608	1162
Sat Jul 01 2017 03:43:00.0000	1607	1082
Sat Jul 01 2017 03:44:00.0000	1606	1269
Sat Jul 01 2017 03:45:00.0000	1606	1123
Sat Jul 01 2017 03:46:00.0000	1608	1145
Sat Jul 01 2017 03:47:00.0000	1607	1269
Sat Jul 01 2017 03:48:00.0000	1605	1293
Sat Jul 01 2017 03:49:00.0000	1606	1068
Sat Jul 01 2017 03:50:00.0000	1606	1146
Sat Jul 01 2017 03:51:00.0000	1607	1281
Sat Jul 01 2017 03:52:00.0000	1606	1108
Sat Jul 01 2017 03:53:00.0000	1605	1334
Sat Jul 01 2017 03:54:00.0000	1606	1352
Sat Jul 01 2017 03:55:00.0000	1607	1171
Sat Jul 01 2017 03:56:00.0000	1606	1283
Sat Jul 01 2017 03:57:00.0000	1604	1200
Sat Jul 01 2017 03:58:00.0000	1605	1129
Sat Jul 01 2017 03:59:00.0000	1605	1147
Sat Jul 01 2017 04:00:00.0000	1606	1152

Date/Time	Process Temperature (°F)	Process Flow SCFM
Sat Jul 01 2017 04:01:00.0000	1605	1327
Sat Jul 01 2017 04:02:00.0000	1604	1256
Sat Jul 01 2017 04:03:00.0000	1605	1205
Sat Jul 01 2017 04:04:00.0000	1606	1187
Sat Jul 01 2017 04:05:00.0000	1606	1225
Sat Jul 01 2017 04:06:00.0000	1604	1286
Sat Jul 01 2017 04:07:00.0000	1604	1138
Sat Jul 01 2017 04:08:00.0000	1605	1144
Sat Jul 01 2017 04:09:00.0000	1606	1191
Sat Jul 01 2017 04:10:00.0000	1604	1213
Sat Jul 01 2017 04:11:00.0000	1603	1262
Sat Jul 01 2017 04:12:00.0000	1604	1148
Sat Jul 01 2017 04:13:00.0000	1606	1170
Sat Jul 01 2017 04:14:00.0000	1605	1156
Sat Jul 01 2017 04:15:00.0000	1603	1174
Sat Jul 01 2017 04:16:00.0000	1604	1134
Sat Jul 01 2017 04:17:00.0000	1605	1141
Sat Jul 01 2017 04:18:00.0000	1605	1147
Sat Jul 01 2017 04:19:00.0000	1604	1267
Sat Jul 01 2017 04:20:00.0000	1604	1340
Sat Jul 01 2017 04:21:00.0000	1604	1100
Sat Jul 01 2017 04:22:00.0000	1605	1166
Sat Jul 01 2017 04:23:00.0000	1605	1186
Sat Jul 01 2017 04:24:00.0000	1603	1328
Sat Jul 01 2017 04:25:00.0000	1604	1143
Sat Jul 01 2017 04:26:00.0000	1605	1163
Sat Jul 01 2017 04:27:00.0000	1605	1184
Sat Jul 01 2017 04:28:00.0000	1603	1282
Sat Jul 01 2017 04:29:00.0000	1603	1288
Sat Jul 01 2017 04:30:00.0000	1604	1107
Sat Jul 01 2017 04:31:00.0000	1605	1182
Sat Jul 01 2017 04:32:00.0000	1604	1317
Sat Jul 01 2017 04:33:00.0000	1602	1187
Sat Jul 01 2017 04:34:00.0000	1603	1148
Sat Jul 01 2017 04:35:00.0000	1604	1253
Sat Jul 01 2017 04:36:00.0000	1604	1097
Sat Jul 01 2017 04:37:00.0000	1602	1216
Sat Jul 01 2017 04:38:00.0000	1605	1235
Sat Jul 01 2017 04:39:00.0000	1611	1156
Sat Jul 01 2017 04:40:00.0000	1619	1108
Sat Jul 01 2017 04:41:00.0000	1621	1204
Sat Jul 01 2017 04:42:00.0000	1622	1391
Sat Jul 01 2017 04:43:00.0000	1625	1080
Sat Jul 01 2017 04:44:00.0000	1629	1160
Sat Jul 01 2017 04:45:00.0000	1632	1173
Sat Jul 01 2017 04:46:00.0000	1631	1293
Sat Jul 01 2017 04:47:00.0000	1632	1283
Sat Jul 01 2017 04:48:00.0000	1628	1134
Sat Jul 01 2017 04:49:00.0000	1619	1128
Sat Jul 01 2017 04:50:00.0000	1614	1264
Sat Jul 01 2017 04:51:00.0000	1610	1224
Sat Jul 01 2017 04:52:00.0000	1608	1127
Sat Jul 01 2017 04:53:00.0000	1606	1221
Sat Jul 01 2017 04:54:00.0000	1604	1184
Sat Jul 01 2017 04:55:00.0000	1601	1324
Sat Jul 01 2017 04:56:00.0000	1606	1312
Sat Jul 01 2017 04:57:00.0000	1614	1145

Date/Time	Process Temperature (°F)	Process Flow SCFM
Sat Jul 01 2017 04:58:00.0000	1622	1191
Sat Jul 01 2017 04:59:00.0000	1624	1246
Sat Jul 01 2017 05:00:00.0000	1624	1394
Sat Jul 01 2017 05:01:00.0000	1628	1115
Sat Jul 01 2017 05:02:00.0000	1632	1193
Sat Jul 01 2017 05:03:00.0000	1627	1268
Sat Jul 01 2017 05:04:00.0000	1618	1361
Sat Jul 01 2017 05:05:00.0000	1613	1093
Sat Jul 01 2017 05:06:00.0000	1608	1152
Sat Jul 01 2017 05:07:00.0000	1605	1207
Sat Jul 01 2017 05:08:00.0000	1603	1240
Sat Jul 01 2017 05:09:00.0000	1602	1296
Sat Jul 01 2017 05:10:00.0000	1606	1197
Sat Jul 01 2017 05:11:00.0000	1610	1140
Sat Jul 01 2017 05:12:00.0000	1612	1222
Sat Jul 01 2017 05:13:00.0000	1611	1277
Sat Jul 01 2017 05:14:00.0000	1614	1125
Sat Jul 01 2017 05:15:00.0000	1615	1148
Sat Jul 01 2017 05:16:00.0000	1617	1119
Sat Jul 01 2017 05:17:00.0000	1616	1289
Sat Jul 01 2017 05:18:00.0000	1615	1236
Sat Jul 01 2017 05:19:00.0000	1617	1109
Sat Jul 01 2017 05:20:00.0000	1619	1163
Sat Jul 01 2017 05:21:00.0000	1619	1212
Sat Jul 01 2017 05:22:00.0000	1617	1216
Sat Jul 01 2017 05:23:00.0000	1618	1186
Sat Jul 01 2017 05:24:00.0000	1619	1128
Sat Jul 01 2017 05:25:00.0000	1621	1220
Sat Jul 01 2017 05:26:00.0000	1619	1087
Sat Jul 01 2017 05:27:00.0000	1619	1350
Sat Jul 01 2017 05:28:00.0000	1620	1163
Sat Jul 01 2017 05:29:00.0000	1622	1127
Sat Jul 01 2017 05:30:00.0000	1621	1139
Sat Jul 01 2017 05:31:00.0000	1619	1254
Sat Jul 01 2017 05:32:00.0000	1621	1129
Sat Jul 01 2017 05:33:00.0000	1621	1171
Sat Jul 01 2017 05:34:00.0000	1623	1068
Sat Jul 01 2017 05:35:00.0000	1621	1285
Sat Jul 01 2017 05:36:00.0000	1621	1248
Sat Jul 01 2017 05:37:00.0000	1622	1162
Sat Jul 01 2017 05:38:00.0000	1624	1163
Sat Jul 01 2017 05:39:00.0000	1623	1206
Sat Jul 01 2017 05:40:00.0000	1621	1262
Sat Jul 01 2017 05:41:00.0000	1623	1192
Sat Jul 01 2017 05:42:00.0000	1623	1156
Sat Jul 01 2017 05:43:00.0000	1625	1244
Sat Jul 01 2017 05:44:00.0000	1623	1189
Sat Jul 01 2017 05:45:00.0000	1622	1373
Sat Jul 01 2017 05:46:00.0000	1623	1163
Sat Jul 01 2017 05:47:00.0000	1625	1142
Sat Jul 01 2017 05:48:00.0000	1625	1201
Sat Jul 01 2017 05:49:00.0000	1623	1217
Sat Jul 01 2017 05:50:00.0000	1624	1143
Sat Jul 01 2017 05:51:00.0000	1624	1156
Sat Jul 01 2017 05:52:00.0000	1626	1114
Sat Jul 01 2017 05:53:00.0000	1624	1154
Sat Jul 01 2017 05:54:00.0000	1623	1349

Date/Time	Process Temperature (°F)	Process Flow SCFM
Sat Jul 01 2017 05:55:00.0000	1624	1177
Sat Jul 01 2017 05:56:00.0000	1626	1148
Sat Jul 01 2017 05:57:00.0000	1626	1242
Sat Jul 01 2017 05:58:00.0000	1624	1231
Sat Jul 01 2017 05:59:00.0000	1625	1144
Sat Jul 01 2017 06:00:00.0000	1626	1107
Sat Jul 01 2017 06:01:00.0000	1627	1118
Sat Jul 01 2017 06:02:00.0000	1625	1329
Sat Jul 01 2017 06:03:00.0000	1624	1241
Sat Jul 01 2017 06:04:00.0000	1625	1186
Sat Jul 01 2017 06:05:00.0000	1627	1181
Sat Jul 01 2017 06:06:00.0000	1626	1187
Sat Jul 01 2017 06:07:00.0000	1625	1348
Sat Jul 01 2017 06:08:00.0000	1626	1225
Sat Jul 01 2017 06:09:00.0000	1627	1180
Sat Jul 01 2017 06:10:00.0000	1627	1093
Sat Jul 01 2017 06:11:00.0000	1625	1282
Sat Jul 01 2017 06:12:00.0000	1626	1144
Sat Jul 01 2017 06:13:00.0000	1627	1070
Sat Jul 01 2017 06:14:00.0000	1628	1225
Sat Jul 01 2017 06:15:00.0000	1627	1125
Sat Jul 01 2017 06:16:00.0000	1626	1338
Sat Jul 01 2017 06:17:00.0000	1627	1183
Sat Jul 01 2017 06:18:00.0000	1628	1194
Sat Jul 01 2017 06:19:00.0000	1628	1211
Sat Jul 01 2017 06:20:00.0000	1626	1308
Sat Jul 01 2017 06:21:00.0000	1627	1182
Sat Jul 01 2017 06:22:00.0000	1628	1119
Sat Jul 01 2017 06:23:00.0000	1629	1224
Sat Jul 01 2017 06:24:00.0000	1627	1308
Sat Jul 01 2017 06:25:00.0000	1626	1292
Sat Jul 01 2017 06:26:00.0000	1628	1169
Sat Jul 01 2017 06:27:00.0000	1629	1169
Sat Jul 01 2017 06:28:00.0000	1629	1223
Sat Jul 01 2017 06:29:00.0000	1627	1270
Sat Jul 01 2017 06:30:00.0000	1628	1153
Sat Jul 01 2017 06:31:00.0000	1629	1102
Sat Jul 01 2017 06:32:00.0000	1630	1173
Sat Jul 01 2017 06:33:00.0000	1628	1341
Sat Jul 01 2017 06:34:00.0000	1628	1296
Sat Jul 01 2017 06:35:00.0000	1628	1122
Sat Jul 01 2017 06:36:00.0000	1630	1127
Sat Jul 01 2017 06:37:00.0000	1629	1218
Sat Jul 01 2017 06:38:00.0000	1627	1300
Sat Jul 01 2017 06:39:00.0000	1629	1074
Sat Jul 01 2017 06:40:00.0000	1629	1096
Sat Jul 01 2017 06:41:00.0000	1630	1221
Sat Jul 01 2017 06:42:00.0000	1628	1218
Sat Jul 01 2017 06:43:00.0000	1628	1212
Sat Jul 01 2017 06:44:00.0000	1629	1115
Sat Jul 01 2017 06:45:00.0000	1631	1191
Sat Jul 01 2017 06:46:00.0000	1630	1155
Sat Jul 01 2017 06:47:00.0000	1628	1230
Sat Jul 01 2017 06:48:00.0000	1629	1140
Sat Jul 01 2017 06:49:00.0000	1630	1092
Sat Jul 01 2017 06:50:00.0000	1631	1094
Sat Jul 01 2017 06:51:00.0000	1629	1248

Date/Time	Process Temperature (°F)	Process Flow SCFM
Sat Jul 01 2017 06:52:00.0000	1628	1239
Sat Jul 01 2017 06:53:00.0000	1629	1112
Sat Jul 01 2017 06:54:00.0000	1631	1138
Sat Jul 01 2017 06:55:00.0000	1630	1221
Sat Jul 01 2017 06:56:00.0000	1628	1302
Sat Jul 01 2017 06:57:00.0000	1630	1144
Sat Jul 01 2017 06:58:00.0000	1631	1098
Sat Jul 01 2017 06:59:00.0000	1632	1208
Sat Jul 01 2017 07:00:00.0000	1629	1227
Sat Jul 01 2017 07:01:00.0000	1629	1196
Sat Jul 01 2017 07:02:00.0000	1630	1155
Sat Jul 01 2017 07:03:00.0000	1632	1235
Sat Jul 01 2017 07:04:00.0000	1631	1200
Sat Jul 01 2017 07:05:00.0000	1629	1303
Sat Jul 01 2017 07:06:00.0000	1630	1112
Sat Jul 01 2017 07:07:00.0000	1631	1153
Sat Jul 01 2017 07:08:00.0000	1632	1147
Sat Jul 01 2017 07:09:00.0000	1630	1291
Sat Jul 01 2017 07:10:00.0000	1629	1302
Sat Jul 01 2017 07:11:00.0000	1630	1128
Sat Jul 01 2017 07:12:00.0000	1632	1201
Sat Jul 01 2017 07:13:00.0000	1631	1206
Sat Jul 01 2017 07:14:00.0000	1629	1167
Sat Jul 01 2017 07:15:00.0000	1630	1092
Sat Jul 01 2017 07:16:00.0000	1631	1098
Sat Jul 01 2017 07:17:00.0000	1632	1129
Sat Jul 01 2017 07:18:00.0000	1630	1132
Sat Jul 01 2017 07:19:00.0000	1630	1287
Sat Jul 01 2017 07:20:00.0000	1631	1156
Sat Jul 01 2017 07:21:00.0000	1632	1196
Sat Jul 01 2017 07:22:00.0000	1625	1258
Sat Jul 01 2017 07:23:00.0000	1621	1192
Sat Jul 01 2017 07:24:00.0000	1618	1188
Sat Jul 01 2017 07:25:00.0000	1617	1104
Sat Jul 01 2017 07:26:00.0000	1615	1078
Sat Jul 01 2017 07:27:00.0000	1611	1280
Sat Jul 01 2017 07:28:00.0000	1610	1294
Sat Jul 01 2017 07:29:00.0000	1609	1161
Sat Jul 01 2017 07:30:00.0000	1608	1135
Sat Jul 01 2017 07:31:00.0000	1606	1198
Sat Jul 01 2017 07:32:00.0000	1604	1218
Sat Jul 01 2017 07:33:00.0000	1604	1163
Sat Jul 01 2017 07:34:00.0000	1603	1116
Sat Jul 01 2017 07:35:00.0000	1602	1223
Sat Jul 01 2017 07:36:00.0000	1602	1326
Sat Jul 01 2017 07:37:00.0000	1606	1348
Sat Jul 01 2017 07:38:00.0000	1610	1113
Sat Jul 01 2017 07:39:00.0000	1614	1191
Sat Jul 01 2017 07:40:00.0000	1614	1260
Sat Jul 01 2017 07:41:00.0000	1613	1266
Sat Jul 01 2017 07:42:00.0000	1616	1120
Sat Jul 01 2017 07:43:00.0000	1617	1149
Sat Jul 01 2017 07:44:00.0000	1619	1190
Sat Jul 01 2017 07:45:00.0000	1617	1373
Sat Jul 01 2017 07:46:00.0000	1618	1227
Sat Jul 01 2017 07:47:00.0000	1619	1088
Sat Jul 01 2017 07:48:00.0000	1622	1122

Date/Time	Process Temperature (°F)	Process Flow SCFM
Sat Jul 01 2017 07:49:00.0000	1621	1272
Sat Jul 01 2017 07:50:00.0000	1620	1292
Sat Jul 01 2017 07:51:00.0000	1621	1134
Sat Jul 01 2017 07:52:00.0000	1623	1154
Sat Jul 01 2017 07:53:00.0000	1624	1111
Sat Jul 01 2017 07:54:00.0000	1622	1355
Sat Jul 01 2017 07:55:00.0000	1622	1356
Sat Jul 01 2017 07:56:00.0000	1623	1091
Sat Jul 01 2017 07:57:00.0000	1625	1096
Sat Jul 01 2017 07:58:00.0000	1625	1162
Sat Jul 01 2017 07:59:00.0000	1623	1255
Sat Jul 01 2017 08:00:00.0000	1624	1125
Sat Jul 01 2017 08:01:00.0000	1625	1095
Sat Jul 01 2017 08:02:00.0000	1626	1126
Sat Jul 01 2017 08:03:00.0000	1624	1316
Sat Jul 01 2017 08:04:00.0000	1624	1312
Sat Jul 01 2017 08:05:00.0000	1625	1154
Sat Jul 01 2017 08:06:00.0000	1627	1093
Sat Jul 01 2017 08:07:00.0000	1626	1231
Sat Jul 01 2017 08:08:00.0000	1624	1282
Sat Jul 01 2017 08:09:00.0000	1626	1093
Sat Jul 01 2017 08:10:00.0000	1627	1127
Sat Jul 01 2017 08:11:00.0000	1627	1133
Sat Jul 01 2017 08:12:00.0000	1625	1218
Sat Jul 01 2017 08:13:00.0000	1625	1300
Sat Jul 01 2017 08:14:00.0000	1626	1154
Sat Jul 01 2017 08:15:00.0000	1628	1142
Sat Jul 01 2017 08:16:00.0000	1627	1255
Sat Jul 01 2017 08:17:00.0000	1626	1246
Sat Jul 01 2017 08:18:00.0000	1627	1064
Sat Jul 01 2017 08:19:00.0000	1628	1141
Sat Jul 01 2017 08:20:00.0000	1628	1127
Sat Jul 01 2017 08:21:00.0000	1626	1253
Sat Jul 01 2017 08:22:00.0000	1627	1246
Sat Jul 01 2017 08:23:00.0000	1628	1161
Sat Jul 01 2017 08:24:00.0000	1629	1194
Sat Jul 01 2017 08:25:00.0000	1628	1302
Sat Jul 01 2017 08:26:00.0000	1627	1209
Sat Jul 01 2017 08:27:00.0000	1628	1106
Sat Jul 01 2017 08:28:00.0000	1629	1160
Sat Jul 01 2017 08:29:00.0000	1630	1149
Sat Jul 01 2017 08:30:00.0000	1628	1265
Sat Jul 01 2017 08:31:00.0000	1628	1301
Sat Jul 01 2017 08:32:00.0000	1629	1106
Sat Jul 01 2017 08:33:00.0000	1630	1172
Sat Jul 01 2017 08:34:00.0000	1629	1250
Sat Jul 01 2017 08:35:00.0000	1628	1335
Sat Jul 01 2017 08:36:00.0000	1629	1159
Sat Jul 01 2017 08:37:00.0000	1630	1163
Sat Jul 01 2017 08:38:00.0000	1630	1122
Sat Jul 01 2017 08:39:00.0000	1628	1293
Sat Jul 01 2017 08:40:00.0000	1629	1300
Sat Jul 01 2017 08:41:00.0000	1630	1168
Sat Jul 01 2017 08:42:00.0000	1632	1175
Sat Jul 01 2017 08:43:00.0000	1630	1192
Sat Jul 01 2017 08:44:00.0000	1629	1222
Sat Jul 01 2017 08:45:00.0000	1630	1074

Date/Time	Process Temperature (°F)	Process Flow SCFM
Sat Jul 01 2017 08:46:00.0000	1631	1221
Sat Jul 01 2017 08:47:00.0000	1632	1214
Sat Jul 01 2017 08:48:00.0000	1630	1231
Sat Jul 01 2017 08:49:00.0000	1630	1048
Sat Jul 01 2017 08:50:00.0000	1631	1190
Sat Jul 01 2017 08:51:00.0000	1633	1126
Sat Jul 01 2017 08:52:00.0000	1631	1147
Sat Jul 01 2017 08:53:00.0000	1630	1198
Sat Jul 01 2017 08:54:00.0000	1631	1130
Sat Jul 01 2017 08:55:00.0000	1632	1204
Sat Jul 01 2017 08:56:00.0000	1629	1272
Sat Jul 01 2017 08:57:00.0000	1622	1326
Sat Jul 01 2017 08:58:00.0000	1618	1175
Sat Jul 01 2017 08:59:00.0000	1615	1123
Sat Jul 01 2017 09:00:00.0000	1612	1280
Sat Jul 01 2017 09:01:00.0000	1609	1283
Sat Jul 01 2017 09:02:00.0000	1606	1318
Sat Jul 01 2017 09:03:00.0000	1605	1090
Sat Jul 01 2017 09:04:00.0000	1603	1140
Sat Jul 01 2017 09:05:00.0000	1601	1209
Sat Jul 01 2017 09:06:00.0000	1604	1323
Sat Jul 01 2017 09:07:00.0000	1610	1089
Sat Jul 01 2017 09:08:00.0000	1614	1122
Sat Jul 01 2017 09:09:00.0000	1617	1188
Sat Jul 01 2017 09:10:00.0000	1617	1209
Sat Jul 01 2017 09:11:00.0000	1616	1230
Sat Jul 01 2017 09:12:00.0000	1618	1031
Sat Jul 01 2017 09:13:00.0000	1621	1216
Sat Jul 01 2017 09:14:00.0000	1621	1343
Sat Jul 01 2017 09:15:00.0000	1619	1329
Sat Jul 01 2017 09:16:00.0000	1621	1124
Sat Jul 01 2017 09:17:00.0000	1622	1121
Sat Jul 01 2017 09:18:00.0000	1624	1290
Sat Jul 01 2017 09:19:00.0000	1623	1461
Sat Jul 01 2017 09:20:00.0000	1622	1159
Sat Jul 01 2017 09:21:00.0000	1624	1147
Sat Jul 01 2017 09:22:00.0000	1626	1189
Sat Jul 01 2017 09:23:00.0000	1625	1283
Sat Jul 01 2017 09:24:00.0000	1624	1331
Sat Jul 01 2017 09:25:00.0000	1625	1128
Sat Jul 01 2017 09:26:00.0000	1626	1206
Sat Jul 01 2017 09:27:00.0000	1627	1262
Sat Jul 01 2017 09:28:00.0000	1626	1164
Sat Jul 01 2017 09:29:00.0000	1625	1239
Sat Jul 01 2017 09:30:00.0000	1627	1161
Sat Jul 01 2017 09:31:00.0000	1628	1218
Sat Jul 01 2017 09:32:00.0000	1628	1280
Sat Jul 01 2017 09:33:00.0000	1626	1262
Sat Jul 01 2017 09:34:00.0000	1628	1175
Sat Jul 01 2017 09:35:00.0000	1628	1167
Sat Jul 01 2017 09:36:00.0000	1630	1185
Sat Jul 01 2017 09:37:00.0000	1628	1248
Sat Jul 01 2017 09:38:00.0000	1628	1350
Sat Jul 01 2017 09:39:00.0000	1629	1099
Sat Jul 01 2017 09:40:00.0000	1631	1296
Sat Jul 01 2017 09:41:00.0000	1630	1341
Sat Jul 01 2017 09:42:00.0000	1628	1441

Date/Time	Process Temperature (°F)	Process Flow SCFM
Sat Jul 01 2017 09:43:00.0000	1630	1163
Sat Jul 01 2017 09:44:00.0000	1630	1070
Sat Jul 01 2017 09:45:00.0000	1632	1115
Sat Jul 01 2017 09:46:00.0000	1630	1267
Sat Jul 01 2017 09:47:00.0000	1629	1406
Sat Jul 01 2017 09:48:00.0000	1631	1216
Sat Jul 01 2017 09:49:00.0000	1632	1141
Sat Jul 01 2017 09:50:00.0000	1632	1235
Sat Jul 01 2017 09:51:00.0000	1630	1333
Sat Jul 01 2017 09:52:00.0000	1631	1144
Sat Jul 01 2017 09:53:00.0000	1632	1079
Sat Jul 01 2017 09:54:00.0000	1631	1137
Sat Jul 01 2017 09:55:00.0000	1624	1295
Sat Jul 01 2017 09:56:00.0000	1621	1312
Sat Jul 01 2017 09:57:00.0000	1619	1096
Sat Jul 01 2017 09:58:00.0000	1617	1175
Sat Jul 01 2017 09:59:00.0000	1614	1286
Sat Jul 01 2017 10:00:00.0000	1612	1338
Sat Jul 01 2017 10:01:00.0000	1611	1116
Sat Jul 01 2017 10:02:00.0000	1610	1156
Sat Jul 01 2017 10:03:00.0000	1609	1143
Sat Jul 01 2017 10:04:00.0000	1606	1281
Sat Jul 01 2017 10:05:00.0000	1605	1340
Sat Jul 01 2017 10:06:00.0000	1605	1141
Sat Jul 01 2017 10:07:00.0000	1605	1194
Sat Jul 01 2017 10:08:00.0000	1603	1244
Sat Jul 01 2017 10:09:00.0000	1602	1281
Sat Jul 01 2017 10:10:00.0000	1607	1197
Sat Jul 01 2017 10:11:00.0000	1610	1127
Sat Jul 01 2017 10:12:00.0000	1613	1171
Sat Jul 01 2017 10:13:00.0000	1613	1197
Sat Jul 01 2017 10:14:00.0000	1614	1371
Sat Jul 01 2017 10:15:00.0000	1616	1106
Sat Jul 01 2017 10:16:00.0000	1619	1162
Sat Jul 01 2017 10:17:00.0000	1618	1308
Sat Jul 01 2017 10:18:00.0000	1617	1303
Sat Jul 01 2017 10:19:00.0000	1619	1168
Sat Jul 01 2017 10:20:00.0000	1620	1099
Sat Jul 01 2017 10:21:00.0000	1622	1227
Sat Jul 01 2017 10:22:00.0000	1620	1223
Sat Jul 01 2017 10:23:00.0000	1620	1374
Sat Jul 01 2017 10:24:00.0000	1622	1118
Sat Jul 01 2017 10:25:00.0000	1624	1266
Sat Jul 01 2017 10:26:00.0000	1623	1232
Sat Jul 01 2017 10:27:00.0000	1622	1251
Sat Jul 01 2017 10:28:00.0000	1623	1154
Sat Jul 01 2017 10:29:00.0000	1625	1197
Sat Jul 01 2017 10:30:00.0000	1626	1248
Sat Jul 01 2017 10:31:00.0000	1624	1403
Sat Jul 01 2017 10:32:00.0000	1624	1354
Sat Jul 01 2017 10:33:00.0000	1625	1128
Sat Jul 01 2017 10:34:00.0000	1627	1257
Sat Jul 01 2017 10:35:00.0000	1626	1288
Sat Jul 01 2017 10:36:00.0000	1625	1397
Sat Jul 01 2017 10:37:00.0000	1626	1125
Sat Jul 01 2017 10:38:00.0000	1628	1148
Sat Jul 01 2017 10:39:00.0000	1628	1320

Date/Time	Process Temperature (°F)	Process Flow SCFM
Sat Jul 01 2017 10:40:00.0000	1626	1233
Sat Jul 01 2017 10:41:00.0000	1627	1200
Sat Jul 01 2017 10:42:00.0000	1628	1291
Sat Jul 01 2017 10:43:00.0000	1630	1195
Sat Jul 01 2017 10:44:00.0000	1628	1243
Sat Jul 01 2017 10:45:00.0000	1627	1294
Sat Jul 01 2017 10:46:00.0000	1629	1128
Sat Jul 01 2017 10:47:00.0000	1631	1249
Sat Jul 01 2017 10:48:00.0000	1630	1279
Sat Jul 01 2017 10:49:00.0000	1628	1314
Sat Jul 01 2017 10:50:00.0000	1629	1120
Sat Jul 01 2017 10:51:00.0000	1630	1127
Sat Jul 01 2017 10:52:00.0000	1631	1135
Sat Jul 01 2017 10:53:00.0000	1629	1304
Sat Jul 01 2017 10:54:00.0000	1631	1269
Sat Jul 01 2017 10:55:00.0000	1630	1131
Sat Jul 01 2017 10:56:00.0000	1632	1248
Sat Jul 01 2017 10:57:00.0000	1632	1283
Sat Jul 01 2017 10:58:00.0000	1630	1327
Sat Jul 01 2017 10:59:00.0000	1631	1120
Sat Jul 01 2017 11:00:00.0000	1633	1141
Sat Jul 01 2017 11:01:00.0000	1632	1228
Sat Jul 01 2017 11:02:00.0000	1630	1320
Sat Jul 01 2017 11:03:00.0000	1631	1100
Sat Jul 01 2017 11:04:00.0000	1632	1166
Sat Jul 01 2017 11:05:00.0000	1630	1183
Sat Jul 01 2017 11:06:00.0000	1623	1270
Sat Jul 01 2017 11:07:00.0000	1619	1350
Sat Jul 01 2017 11:08:00.0000	1616	1170
Sat Jul 01 2017 11:09:00.0000	1615	1131
Sat Jul 01 2017 11:10:00.0000	1613	1315
Sat Jul 01 2017 11:11:00.0000	1611	1430
Sat Jul 01 2017 11:12:00.0000	1610	1132
Sat Jul 01 2017 11:13:00.0000	1609	1087
Sat Jul 01 2017 11:14:00.0000	1608	1287
Sat Jul 01 2017 11:15:00.0000	1606	1299
Sat Jul 01 2017 11:16:00.0000	1605	1398
Sat Jul 01 2017 11:17:00.0000	1605	1198
Sat Jul 01 2017 11:18:00.0000	1604	1219
Sat Jul 01 2017 11:19:00.0000	1603	1299
Sat Jul 01 2017 11:20:00.0000	1602	1325
Sat Jul 01 2017 11:21:00.0000	1607	1146
Sat Jul 01 2017 11:22:00.0000	1610	1140
Sat Jul 01 2017 11:23:00.0000	1613	1334
Sat Jul 01 2017 11:24:00.0000	1612	1365
Sat Jul 01 2017 11:25:00.0000	1613	1373
Sat Jul 01 2017 11:26:00.0000	1615	1189
Sat Jul 01 2017 11:27:00.0000	1617	1293
Sat Jul 01 2017 11:28:00.0000	1617	1311
Sat Jul 01 2017 11:29:00.0000	1615	1218
Sat Jul 01 2017 11:30:00.0000	1617	1162
Sat Jul 01 2017 11:31:00.0000	1618	1156
Sat Jul 01 2017 11:32:00.0000	1619	1284
Sat Jul 01 2017 11:33:00.0000	1618	1321
Sat Jul 01 2017 11:34:00.0000	1618	1335
Sat Jul 01 2017 11:35:00.0000	1619	1127
Sat Jul 01 2017 11:36:00.0000	1621	1332

Date/Time	Process Temperature (°F)	Process Flow SCFM
Sat Jul 01 2017 11:37:00.0000	1620	1243
Sat Jul 01 2017 11:38:00.0000	1620	1363
Sat Jul 01 2017 11:39:00.0000	1621	1243
Sat Jul 01 2017 11:40:00.0000	1621	1148
Sat Jul 01 2017 11:41:00.0000	1623	1306
Sat Jul 01 2017 11:42:00.0000	1621	1369
Sat Jul 01 2017 11:43:00.0000	1621	1158
Sat Jul 01 2017 11:44:00.0000	1622	1143
Sat Jul 01 2017 11:45:00.0000	1623	1268
Sat Jul 01 2017 11:46:00.0000	1622	1248
Sat Jul 01 2017 11:47:00.0000	1621	1286
Sat Jul 01 2017 11:48:00.0000	1622	1190
Sat Jul 01 2017 11:49:00.0000	1624	1246
Sat Jul 01 2017 11:50:00.0000	1624	1315
Sat Jul 01 2017 11:51:00.0000	1622	1325
Sat Jul 01 2017 11:52:00.0000	1623	1195
Sat Jul 01 2017 11:53:00.0000	1625	1167
Sat Jul 01 2017 11:54:00.0000	1625	1265
Sat Jul 01 2017 11:55:00.0000	1624	1316
Sat Jul 01 2017 11:56:00.0000	1623	1329
Sat Jul 01 2017 11:57:00.0000	1624	1149
Sat Jul 01 2017 11:58:00.0000	1626	1284
Sat Jul 01 2017 11:59:00.0000	1625	1372
Sat Jul 01 2017 12:00:00.0000	1623	1230
Sat Jul 01 2017 12:01:00.0000	1625	1167
Sat Jul 01 2017 12:02:00.0000	1626	1272
Sat Jul 01 2017 12:03:00.0000	1627	1335
Sat Jul 01 2017 12:04:00.0000	1625	1304
Sat Jul 01 2017 12:05:00.0000	1625	1490
Sat Jul 01 2017 12:06:00.0000	1626	1240
Sat Jul 01 2017 12:07:00.0000	1628	1377
Sat Jul 01 2017 12:08:00.0000	1627	1388
Sat Jul 01 2017 12:09:00.0000	1625	1314
Sat Jul 01 2017 12:10:00.0000	1627	1234
Sat Jul 01 2017 12:11:00.0000	1628	1229
Sat Jul 01 2017 12:12:00.0000	1628	1335
Sat Jul 01 2017 12:13:00.0000	1627	1364
Sat Jul 01 2017 12:14:00.0000	1627	1342
Sat Jul 01 2017 12:15:00.0000	1627	1132
Sat Jul 01 2017 12:16:00.0000	1629	1324
Sat Jul 01 2017 12:17:00.0000	1628	1293
Sat Jul 01 2017 12:18:00.0000	1627	1389
Sat Jul 01 2017 12:19:00.0000	1628	1146
Sat Jul 01 2017 12:20:00.0000	1629	1212
Sat Jul 01 2017 12:21:00.0000	1629	1288
Sat Jul 01 2017 12:22:00.0000	1628	1412
Sat Jul 01 2017 12:23:00.0000	1628	1206
Sat Jul 01 2017 12:24:00.0000	1629	1172
Sat Jul 01 2017 12:25:00.0000	1631	1326
Sat Jul 01 2017 12:26:00.0000	1629	1384
Sat Jul 01 2017 12:27:00.0000	1628	1500
Sat Jul 01 2017 12:28:00.0000	1629	1143
Sat Jul 01 2017 12:29:00.0000	1631	1144
Sat Jul 01 2017 12:30:00.0000	1631	1357
Sat Jul 01 2017 12:31:00.0000	1628	1328
Sat Jul 01 2017 12:32:00.0000	1629	1148
Sat Jul 01 2017 12:33:00.0000	1630	1143

Date/Time	Process Temperature (°F)	Process Flow SCFM
Sat Jul 01 2017 12:34:00.0000	1632	1339
Sat Jul 01 2017 12:35:00.0000	1630	1326
Sat Jul 01 2017 12:36:00.0000	1629	1311
Sat Jul 01 2017 12:37:00.0000	1630	1150
Sat Jul 01 2017 12:38:00.0000	1632	1205
Sat Jul 01 2017 12:39:00.0000	1632	1296
Sat Jul 01 2017 12:40:00.0000	1630	1319
Sat Jul 01 2017 12:41:00.0000	1632	1305
Sat Jul 01 2017 12:42:00.0000	1631	1176
Sat Jul 01 2017 12:43:00.0000	1633	1364
Sat Jul 01 2017 12:44:00.0000	1626	1490
Sat Jul 01 2017 12:45:00.0000	1622	1393
Sat Jul 01 2017 12:46:00.0000	1619	1162
Sat Jul 01 2017 12:47:00.0000	1617	1301
Sat Jul 01 2017 12:48:00.0000	1614	1353
Sat Jul 01 2017 12:49:00.0000	1611	1342
Sat Jul 01 2017 12:50:00.0000	1610	1166
Sat Jul 01 2017 12:51:00.0000	1610	1178
Sat Jul 01 2017 12:52:00.0000	1608	1327
Sat Jul 01 2017 12:53:00.0000	1606	1372
Sat Jul 01 2017 12:54:00.0000	1605	1363
Sat Jul 01 2017 12:55:00.0000	1605	1185
Sat Jul 01 2017 12:56:00.0000	1604	1369
Sat Jul 01 2017 12:57:00.0000	1602	1322
Sat Jul 01 2017 12:58:00.0000	1605	1296
Sat Jul 01 2017 12:59:00.0000	1614	1213
Sat Jul 01 2017 13:00:00.0000	1621	1196
Sat Jul 01 2017 13:01:00.0000	1627	1370
Sat Jul 01 2017 13:02:00.0000	1628	1255
Sat Jul 01 2017 13:03:00.0000	1629	1298
Sat Jul 01 2017 13:04:00.0000	1631	1201
Sat Jul 01 2017 13:05:00.0000	1633	1200
Sat Jul 01 2017 13:06:00.0000	1624	1337
Sat Jul 01 2017 13:07:00.0000	1619	1360
Sat Jul 01 2017 13:08:00.0000	1616	1183
Sat Jul 01 2017 13:09:00.0000	1613	1176
Sat Jul 01 2017 13:10:00.0000	1611	1295
Sat Jul 01 2017 13:11:00.0000	1608	1340
Sat Jul 01 2017 13:12:00.0000	1606	1365
Sat Jul 01 2017 13:13:00.0000	1605	1151
Sat Jul 01 2017 13:14:00.0000	1604	1317
Sat Jul 01 2017 13:15:00.0000	1602	1363
Sat Jul 01 2017 13:16:00.0000	1605	1420
Sat Jul 01 2017 13:17:00.0000	1615	1205
Sat Jul 01 2017 13:18:00.0000	1622	1232
Sat Jul 01 2017 13:19:00.0000	1628	1328
Sat Jul 01 2017 13:20:00.0000	1629	1359
Sat Jul 01 2017 13:21:00.0000	1632	1230
Sat Jul 01 2017 13:22:00.0000	1629	1209
Sat Jul 01 2017 13:23:00.0000	1625	1283
Sat Jul 01 2017 13:24:00.0000	1622	1305
Sat Jul 01 2017 13:25:00.0000	1620	1294
Sat Jul 01 2017 13:26:00.0000	1619	1180
Sat Jul 01 2017 13:27:00.0000	1620	1225
Sat Jul 01 2017 13:28:00.0000	1619	1325
Sat Jul 01 2017 13:29:00.0000	1617	1408
Sat Jul 01 2017 13:30:00.0000	1617	1153

Date/Time	Process Temperature (°F)	Process Flow SCFM
Sat Jul 01 2017 13:31:00.0000	1617	1235
Sat Jul 01 2017 13:32:00.0000	1618	1297
Sat Jul 01 2017 13:33:00.0000	1617	1233
Sat Jul 01 2017 13:34:00.0000	1615	1444
Sat Jul 01 2017 13:35:00.0000	1615	1232
Sat Jul 01 2017 13:36:00.0000	1616	1225
Sat Jul 01 2017 13:37:00.0000	1616	1289
Sat Jul 01 2017 13:38:00.0000	1614	1325
Sat Jul 01 2017 13:39:00.0000	1614	1172
Sat Jul 01 2017 13:40:00.0000	1615	1198
Sat Jul 01 2017 13:41:00.0000	1615	1263
Sat Jul 01 2017 13:42:00.0000	1614	1406
Sat Jul 01 2017 13:43:00.0000	1612	1325
Sat Jul 01 2017 13:44:00.0000	1613	1177
Sat Jul 01 2017 13:45:00.0000	1614	1356
Sat Jul 01 2017 13:46:00.0000	1614	1360
Sat Jul 01 2017 13:47:00.0000	1612	1417
Sat Jul 01 2017 13:48:00.0000	1613	1137
Sat Jul 01 2017 13:49:00.0000	1614	1379
Sat Jul 01 2017 13:50:00.0000	1614	1394
Sat Jul 01 2017 13:51:00.0000	1612	1279
Sat Jul 01 2017 13:52:00.0000	1612	1309
Sat Jul 01 2017 13:53:00.0000	1613	1192
Sat Jul 01 2017 13:54:00.0000	1614	1269
Sat Jul 01 2017 13:55:00.0000	1613	1314
Sat Jul 01 2017 13:56:00.0000	1611	1547
Sat Jul 01 2017 13:57:00.0000	1612	1270
Sat Jul 01 2017 13:58:00.0000	1613	1189
Sat Jul 01 2017 13:59:00.0000	1613	1381
Sat Jul 01 2017 14:00:00.0000	1612	1423
Sat Jul 01 2017 14:01:00.0000	1611	1467
Sat Jul 01 2017 14:02:00.0000	1612	1210
Sat Jul 01 2017 14:03:00.0000	1613	1291
Sat Jul 01 2017 14:04:00.0000	1612	1213
Sat Jul 01 2017 14:05:00.0000	1611	1369
Sat Jul 01 2017 14:06:00.0000	1612	1231
Sat Jul 01 2017 14:07:00.0000	1612	1161
Sat Jul 01 2017 14:08:00.0000	1613	1314
Sat Jul 01 2017 14:09:00.0000	1611	1340
Sat Jul 01 2017 14:10:00.0000	1611	1265
Sat Jul 01 2017 14:11:00.0000	1611	1170
Sat Jul 01 2017 14:12:00.0000	1612	1254
Sat Jul 01 2017 14:13:00.0000	1611	1356
Sat Jul 01 2017 14:14:00.0000	1610	1420
Sat Jul 01 2017 14:15:00.0000	1611	1236
Sat Jul 01 2017 14:16:00.0000	1611	1338
Sat Jul 01 2017 14:17:00.0000	1612	1324
Sat Jul 01 2017 14:18:00.0000	1610	1356
Sat Jul 01 2017 14:19:00.0000	1610	1340
Sat Jul 01 2017 14:20:00.0000	1610	1185
Sat Jul 01 2017 14:21:00.0000	1612	1327
Sat Jul 01 2017 14:22:00.0000	1611	1302
Sat Jul 01 2017 14:23:00.0000	1609	1393
Sat Jul 01 2017 14:24:00.0000	1610	1161
Sat Jul 01 2017 14:25:00.0000	1611	1301
Sat Jul 01 2017 14:26:00.0000	1612	1318
Sat Jul 01 2017 14:27:00.0000	1610	1358

Date/Time	Process Temperature (°F)	Process Flow SCFM
Sat Jul 01 2017 14:28:00.0000	1610	1290
Sat Jul 01 2017 14:29:00.0000	1610	1211
Sat Jul 01 2017 14:30:00.0000	1611	1333
Sat Jul 01 2017 14:31:00.0000	1610	1423
Sat Jul 01 2017 14:32:00.0000	1609	1401
Sat Jul 01 2017 14:33:00.0000	1610	1171
Sat Jul 01 2017 14:34:00.0000	1611	1250
Sat Jul 01 2017 14:35:00.0000	1611	1299
Sat Jul 01 2017 14:36:00.0000	1609	1355
Sat Jul 01 2017 14:37:00.0000	1609	1356
Sat Jul 01 2017 14:38:00.0000	1610	1237
Sat Jul 01 2017 14:39:00.0000	1611	1399
Sat Jul 01 2017 14:40:00.0000	1610	1150
Sat Jul 01 2017 14:41:00.0000	1609	1349
Sat Jul 01 2017 14:42:00.0000	1610	1166
Sat Jul 01 2017 14:43:00.0000	1611	1198
Sat Jul 01 2017 14:44:00.0000	1611	1278
Sat Jul 01 2017 14:45:00.0000	1609	1367
Sat Jul 01 2017 14:46:00.0000	1609	1124
Sat Jul 01 2017 14:47:00.0000	1610	1196
Sat Jul 01 2017 14:48:00.0000	1611	1266
Sat Jul 01 2017 14:49:00.0000	1610	1108
Sat Jul 01 2017 14:50:00.0000	1608	1437
Sat Jul 01 2017 14:51:00.0000	1610	1188
Sat Jul 01 2017 14:52:00.0000	1610	1196
Sat Jul 01 2017 14:53:00.0000	1610	1339
Sat Jul 01 2017 14:54:00.0000	1608	1330
Sat Jul 01 2017 14:55:00.0000	1609	1217
Sat Jul 01 2017 14:56:00.0000	1609	1202
Sat Jul 01 2017 14:57:00.0000	1611	1362
Sat Jul 01 2017 14:58:00.0000	1609	1293
Sat Jul 01 2017 14:59:00.0000	1609	1375
Sat Jul 01 2017 15:00:00.0000	1609	1143
Sat Jul 01 2017 15:01:00.0000	1610	1189
Sat Jul 01 2017 15:02:00.0000	1610	1348
Sat Jul 01 2017 15:03:00.0000	1608	1341
Sat Jul 01 2017 15:04:00.0000	1609	1125
Sat Jul 01 2017 15:05:00.0000	1610	1179
Sat Jul 01 2017 15:06:00.0000	1610	1325
Sat Jul 01 2017 15:07:00.0000	1608	1422
Sat Jul 01 2017 15:08:00.0000	1608	1392
Sat Jul 01 2017 15:09:00.0000	1609	1217
Sat Jul 01 2017 15:10:00.0000	1610	1326
Sat Jul 01 2017 15:11:00.0000	1609	1476
Sat Jul 01 2017 15:12:00.0000	1607	1423
Sat Jul 01 2017 15:13:00.0000	1609	1305
Sat Jul 01 2017 15:14:00.0000	1610	1262
Sat Jul 01 2017 15:15:00.0000	1609	1343
Sat Jul 01 2017 15:16:00.0000	1607	1328
Sat Jul 01 2017 15:17:00.0000	1608	1121
Sat Jul 01 2017 15:18:00.0000	1609	1235
Sat Jul 01 2017 15:19:00.0000	1610	1294
Sat Jul 01 2017 15:20:00.0000	1608	1456
Sat Jul 01 2017 15:21:00.0000	1607	1358
Sat Jul 01 2017 15:22:00.0000	1608	1225
Sat Jul 01 2017 15:23:00.0000	1610	1364
Sat Jul 01 2017 15:24:00.0000	1609	1305

Date/Time	Process Temperature (°F)	Process Flow SCFM
Sat Jul 01 2017 15:25:00.0000	1607	1409
Sat Jul 01 2017 15:26:00.0000	1608	1195
Sat Jul 01 2017 15:27:00.0000	1608	1207
Sat Jul 01 2017 15:28:00.0000	1609	1294
Sat Jul 01 2017 15:29:00.0000	1607	1436
Sat Jul 01 2017 15:30:00.0000	1607	1322
Sat Jul 01 2017 15:31:00.0000	1608	1180
Sat Jul 01 2017 15:32:00.0000	1609	1344
Sat Jul 01 2017 15:33:00.0000	1608	1269
Sat Jul 01 2017 15:34:00.0000	1607	1322
Sat Jul 01 2017 15:35:00.0000	1608	1157
Sat Jul 01 2017 15:36:00.0000	1608	1187
Sat Jul 01 2017 15:37:00.0000	1609	1278
Sat Jul 01 2017 15:38:00.0000	1607	1323
Sat Jul 01 2017 15:39:00.0000	1607	1392
Sat Jul 01 2017 15:40:00.0000	1608	1240
Sat Jul 01 2017 15:41:00.0000	1609	1268
Sat Jul 01 2017 15:42:00.0000	1608	1353
Sat Jul 01 2017 15:43:00.0000	1606	1385
Sat Jul 01 2017 15:44:00.0000	1608	1157
Sat Jul 01 2017 15:45:00.0000	1608	1155
Sat Jul 01 2017 15:46:00.0000	1609	1304
Sat Jul 01 2017 15:47:00.0000	1607	1485
Sat Jul 01 2017 15:48:00.0000	1606	1381
Sat Jul 01 2017 15:49:00.0000	1607	1204
Sat Jul 01 2017 15:50:00.0000	1609	1273
Sat Jul 01 2017 15:51:00.0000	1608	1345
Sat Jul 01 2017 15:52:00.0000	1606	1370
Sat Jul 01 2017 15:53:00.0000	1607	1271
Sat Jul 01 2017 15:54:00.0000	1608	1206
Sat Jul 01 2017 15:55:00.0000	1609	1309
Sat Jul 01 2017 15:56:00.0000	1607	1427
Sat Jul 01 2017 15:57:00.0000	1606	1379
Sat Jul 01 2017 15:58:00.0000	1607	1192
Sat Jul 01 2017 15:59:00.0000	1609	1277
Sat Jul 01 2017 16:00:00.0000	1608	1338
Sat Jul 01 2017 16:01:00.0000	1606	1443
Sat Jul 01 2017 16:02:00.0000	1607	1256
Sat Jul 01 2017 16:03:00.0000	1608	1188
Sat Jul 01 2017 16:04:00.0000	1608	1328
Sat Jul 01 2017 16:05:00.0000	1607	1444
Sat Jul 01 2017 16:06:00.0000	1606	1440
Sat Jul 01 2017 16:07:00.0000	1607	1185
Sat Jul 01 2017 16:08:00.0000	1608	1237
Sat Jul 01 2017 16:09:00.0000	1607	1302
Sat Jul 01 2017 16:10:00.0000	1606	1276
Sat Jul 01 2017 16:11:00.0000	1607	1193
Sat Jul 01 2017 16:12:00.0000	1607	1201
Sat Jul 01 2017 16:13:00.0000	1608	1360
Sat Jul 01 2017 16:14:00.0000	1606	1325
Sat Jul 01 2017 16:15:00.0000	1606	1264
Sat Jul 01 2017 16:16:00.0000	1607	1153
Sat Jul 01 2017 16:17:00.0000	1608	1358
Sat Jul 01 2017 16:18:00.0000	1607	1352
Sat Jul 01 2017 16:19:00.0000	1605	1481
Sat Jul 01 2017 16:20:00.0000	1607	1158
Sat Jul 01 2017 16:21:00.0000	1607	1251

Date/Time	Process Temperature (°F)	Process Flow SCFM
Sat Jul 01 2017 16:22:00.0000	1608	1325
Sat Jul 01 2017 16:23:00.0000	1606	1394
Sat Jul 01 2017 16:24:00.0000	1606	1342
Sat Jul 01 2017 16:25:00.0000	1607	1203
Sat Jul 01 2017 16:26:00.0000	1608	1359
Sat Jul 01 2017 16:27:00.0000	1607	1301
Sat Jul 01 2017 16:28:00.0000	1605	1402
Sat Jul 01 2017 16:29:00.0000	1607	1222
Sat Jul 01 2017 16:30:00.0000	1607	1296
Sat Jul 01 2017 16:31:00.0000	1608	1346
Sat Jul 01 2017 16:32:00.0000	1605	1454
Sat Jul 01 2017 16:33:00.0000	1606	1424
Sat Jul 01 2017 16:34:00.0000	1606	1169
Sat Jul 01 2017 16:35:00.0000	1608	1353
Sat Jul 01 2017 16:36:00.0000	1606	1380
Sat Jul 01 2017 16:37:00.0000	1605	1484
Sat Jul 01 2017 16:38:00.0000	1606	1253
Sat Jul 01 2017 16:39:00.0000	1607	1306
Sat Jul 01 2017 16:40:00.0000	1607	1305
Sat Jul 01 2017 16:41:00.0000	1605	1412
Sat Jul 01 2017 16:42:00.0000	1605	1326
Sat Jul 01 2017 16:43:00.0000	1606	1174
Sat Jul 01 2017 16:44:00.0000	1607	1340
Sat Jul 01 2017 16:45:00.0000	1606	1339
Sat Jul 01 2017 16:46:00.0000	1605	1376
Sat Jul 01 2017 16:47:00.0000	1606	1190
Sat Jul 01 2017 16:48:00.0000	1606	1299
Sat Jul 01 2017 16:49:00.0000	1607	1289
Sat Jul 01 2017 16:50:00.0000	1605	1462
Sat Jul 01 2017 16:51:00.0000	1605	1368
Sat Jul 01 2017 16:52:00.0000	1606	1173
Sat Jul 01 2017 16:53:00.0000	1607	1254
Sat Jul 01 2017 16:54:00.0000	1606	1319
Sat Jul 01 2017 16:55:00.0000	1604	1382
Sat Jul 01 2017 16:56:00.0000	1605	1182
Sat Jul 01 2017 16:57:00.0000	1606	1270
Sat Jul 01 2017 16:58:00.0000	1606	1331
Sat Jul 01 2017 16:59:00.0000	1604	1265
Sat Jul 01 2017 17:00:00.0000	1604	1467
Sat Jul 01 2017 17:01:00.0000	1605	1127
Sat Jul 01 2017 17:02:00.0000	1606	1308
Sat Jul 01 2017 17:03:00.0000	1605	1349
Sat Jul 01 2017 17:04:00.0000	1604	1256
Sat Jul 01 2017 17:05:00.0000	1605	1215
Sat Jul 01 2017 17:06:00.0000	1606	1267
Sat Jul 01 2017 17:07:00.0000	1606	1326
Sat Jul 01 2017 17:08:00.0000	1604	1340
Sat Jul 01 2017 17:09:00.0000	1604	1499
Sat Jul 01 2017 17:10:00.0000	1605	1222
Sat Jul 01 2017 17:11:00.0000	1606	1253
Sat Jul 01 2017 17:12:00.0000	1605	1405
Sat Jul 01 2017 17:13:00.0000	1604	1378
Sat Jul 01 2017 17:14:00.0000	1605	1158
Sat Jul 01 2017 17:15:00.0000	1606	1264
Sat Jul 01 2017 17:16:00.0000	1606	1341
Sat Jul 01 2017 17:17:00.0000	1604	1297
Sat Jul 01 2017 17:18:00.0000	1604	1179

Date/Time	Process Temperature (°F)	Process Flow SCFM
Sat Jul 01 2017 17:19:00.0000	1605	1112
Sat Jul 01 2017 17:20:00.0000	1606	1385
Sat Jul 01 2017 17:21:00.0000	1604	1344
Sat Jul 01 2017 17:22:00.0000	1603	1321
Sat Jul 01 2017 17:23:00.0000	1604	1157
Sat Jul 01 2017 17:24:00.0000	1605	1336
Sat Jul 01 2017 17:25:00.0000	1605	1311
Sat Jul 01 2017 17:26:00.0000	1603	1297
Sat Jul 01 2017 17:27:00.0000	1604	1257
Sat Jul 01 2017 17:28:00.0000	1605	1199
Sat Jul 01 2017 17:29:00.0000	1605	1321
Sat Jul 01 2017 17:30:00.0000	1603	1418
Sat Jul 01 2017 17:31:00.0000	1603	1379
Sat Jul 01 2017 17:32:00.0000	1604	1093
Sat Jul 01 2017 17:33:00.0000	1605	1291
Sat Jul 01 2017 17:34:00.0000	1604	1371
Sat Jul 01 2017 17:35:00.0000	1603	1290
Sat Jul 01 2017 17:36:00.0000	1610	1190
Sat Jul 01 2017 17:37:00.0000	1617	1198
Sat Jul 01 2017 17:38:00.0000	1624	1312
Sat Jul 01 2017 17:39:00.0000	1623	1468
Sat Jul 01 2017 17:40:00.0000	1625	1404
Sat Jul 01 2017 17:41:00.0000	1627	1175
Sat Jul 01 2017 17:42:00.0000	1631	1319
Sat Jul 01 2017 17:43:00.0000	1632	1258
Sat Jul 01 2017 17:44:00.0000	1630	1322
Sat Jul 01 2017 17:45:00.0000	1633	1155
Sat Jul 01 2017 17:46:00.0000	1629	1194
Sat Jul 01 2017 17:47:00.0000	1626	1358
Sat Jul 01 2017 17:48:00.0000	1623	1481
Sat Jul 01 2017 17:49:00.0000	1621	1318
Sat Jul 01 2017 17:50:00.0000	1620	1412
Sat Jul 01 2017 17:51:00.0000	1620	1333
Sat Jul 01 2017 17:52:00.0000	1618	1226
Sat Jul 01 2017 17:53:00.0000	1616	1330
Sat Jul 01 2017 17:54:00.0000	1617	1170
Sat Jul 01 2017 17:55:00.0000	1616	1048
Sat Jul 01 2017 17:56:00.0000	1616	1323
Sat Jul 01 2017 17:57:00.0000	1614	1346
Sat Jul 01 2017 17:58:00.0000	1614	1222
Sat Jul 01 2017 17:59:00.0000	1614	1142
Sat Jul 01 2017 18:00:00.0000	1615	1308
Sat Jul 01 2017 18:01:00.0000	1613	1270
Sat Jul 01 2017 18:02:00.0000	1611	1341
Sat Jul 01 2017 18:03:00.0000	1612	1232
Sat Jul 01 2017 18:04:00.0000	1613	1208
Sat Jul 01 2017 18:05:00.0000	1612	1232
Sat Jul 01 2017 18:06:00.0000	1611	1349
Sat Jul 01 2017 18:07:00.0000	1611	1259
Sat Jul 01 2017 18:08:00.0000	1611	1146
Sat Jul 01 2017 18:09:00.0000	1611	1373
Sat Jul 01 2017 18:10:00.0000	1610	1291
Sat Jul 01 2017 18:11:00.0000	1609	1217
Sat Jul 01 2017 18:12:00.0000	1610	1214
Sat Jul 01 2017 18:13:00.0000	1611	1265
Sat Jul 01 2017 18:14:00.0000	1609	1284
Sat Jul 01 2017 18:15:00.0000	1608	1242

Date/Time	Process Temperature (°F)	Process Flow SCFM
Sat Jul 01 2017 18:16:00.0000	1609	1201
Sat Jul 01 2017 18:17:00.0000	1610	1234
Sat Jul 01 2017 18:18:00.0000	1609	1200
Sat Jul 01 2017 18:19:00.0000	1607	1279
Sat Jul 01 2017 18:20:00.0000	1608	1171
Sat Jul 01 2017 18:21:00.0000	1608	1184
Sat Jul 01 2017 18:22:00.0000	1609	1337
Sat Jul 01 2017 18:23:00.0000	1607	1338
Sat Jul 01 2017 18:24:00.0000	1606	1364
Sat Jul 01 2017 18:25:00.0000	1607	1140
Sat Jul 01 2017 18:26:00.0000	1608	1169
Sat Jul 01 2017 18:27:00.0000	1607	1307
Sat Jul 01 2017 18:28:00.0000	1606	1396
Sat Jul 01 2017 18:29:00.0000	1607	1150
Sat Jul 01 2017 18:30:00.0000	1607	1135
Sat Jul 01 2017 18:31:00.0000	1607	1256
Sat Jul 01 2017 18:32:00.0000	1606	1346
Sat Jul 01 2017 18:33:00.0000	1606	1210
Sat Jul 01 2017 18:34:00.0000	1606	1186
Sat Jul 01 2017 18:35:00.0000	1607	1293
Sat Jul 01 2017 18:36:00.0000	1606	1281
Sat Jul 01 2017 18:37:00.0000	1604	1231
Sat Jul 01 2017 18:38:00.0000	1605	1163
Sat Jul 01 2017 18:39:00.0000	1606	1257
Sat Jul 01 2017 18:40:00.0000	1606	1286
Sat Jul 01 2017 18:41:00.0000	1604	1388
Sat Jul 01 2017 18:42:00.0000	1604	1174
Sat Jul 01 2017 18:43:00.0000	1605	1144
Sat Jul 01 2017 18:44:00.0000	1606	1258
Sat Jul 01 2017 18:45:00.0000	1605	1318
Sat Jul 01 2017 18:46:00.0000	1603	1282
Sat Jul 01 2017 18:47:00.0000	1604	1174
Sat Jul 01 2017 18:48:00.0000	1605	1188
Sat Jul 01 2017 18:49:00.0000	1605	1292
Sat Jul 01 2017 18:50:00.0000	1603	1262
Sat Jul 01 2017 18:51:00.0000	1603	1295
Sat Jul 01 2017 18:52:00.0000	1604	1105
Sat Jul 01 2017 18:53:00.0000	1605	1208
Sat Jul 01 2017 18:54:00.0000	1604	1312
Sat Jul 01 2017 18:55:00.0000	1603	1313
Sat Jul 01 2017 18:56:00.0000	1611	1129
Sat Jul 01 2017 18:57:00.0000	1618	1165
Sat Jul 01 2017 18:58:00.0000	1623	1271
Sat Jul 01 2017 18:59:00.0000	1624	1340
Sat Jul 01 2017 19:00:00.0000	1626	1304
Sat Jul 01 2017 19:01:00.0000	1629	1178
Sat Jul 01 2017 19:02:00.0000	1633	1275
Sat Jul 01 2017 19:03:00.0000	1622	1340
Sat Jul 01 2017 19:04:00.0000	1616	1107
Sat Jul 01 2017 19:05:00.0000	1612	1115
Sat Jul 01 2017 19:06:00.0000	1609	1211
Sat Jul 01 2017 19:07:00.0000	1606	1236
Sat Jul 01 2017 19:08:00.0000	1603	1320
Sat Jul 01 2017 19:09:00.0000	1603	1377
Sat Jul 01 2017 19:10:00.0000	1607	1156
Sat Jul 01 2017 19:11:00.0000	1612	1244
Sat Jul 01 2017 19:12:00.0000	1613	1186

Date/Time	Process Temperature (°F)	Process Flow SCFM
Sat Jul 01 2017 19:13:00.0000	1613	1310
Sat Jul 01 2017 19:14:00.0000	1614	1126
Sat Jul 01 2017 19:15:00.0000	1616	1275
Sat Jul 01 2017 19:16:00.0000	1616	1300
Sat Jul 01 2017 19:17:00.0000	1615	1423
Sat Jul 01 2017 19:18:00.0000	1615	1243
Sat Jul 01 2017 19:19:00.0000	1616	1148
Sat Jul 01 2017 19:20:00.0000	1618	1254
Sat Jul 01 2017 19:21:00.0000	1617	1216
Sat Jul 01 2017 19:22:00.0000	1616	1312
Sat Jul 01 2017 19:23:00.0000	1617	1174
Sat Jul 01 2017 19:24:00.0000	1618	1141
Sat Jul 01 2017 19:25:00.0000	1619	1252
Sat Jul 01 2017 19:26:00.0000	1617	1326
Sat Jul 01 2017 19:27:00.0000	1618	1137
Sat Jul 01 2017 19:28:00.0000	1619	1138
Sat Jul 01 2017 19:29:00.0000	1620	1282
Sat Jul 01 2017 19:30:00.0000	1619	1186
Sat Jul 01 2017 19:31:00.0000	1617	1242
Sat Jul 01 2017 19:32:00.0000	1619	1200
Sat Jul 01 2017 19:33:00.0000	1620	1296
Sat Jul 01 2017 19:34:00.0000	1620	1281
Sat Jul 01 2017 19:35:00.0000	1618	1386
Sat Jul 01 2017 19:36:00.0000	1619	1072
Sat Jul 01 2017 19:37:00.0000	1621	1236
Sat Jul 01 2017 19:38:00.0000	1621	1283
Sat Jul 01 2017 19:39:00.0000	1619	1281
Sat Jul 01 2017 19:40:00.0000	1620	1321
Sat Jul 01 2017 19:41:00.0000	1620	1100
Sat Jul 01 2017 19:42:00.0000	1622	1269
Sat Jul 01 2017 19:43:00.0000	1621	1308
Sat Jul 01 2017 19:44:00.0000	1619	1311
Sat Jul 01 2017 19:45:00.0000	1621	1178
Sat Jul 01 2017 19:46:00.0000	1622	1236
Sat Jul 01 2017 19:47:00.0000	1622	1340
Sat Jul 01 2017 19:48:00.0000	1621	1230
Sat Jul 01 2017 19:49:00.0000	1621	1171
Sat Jul 01 2017 19:50:00.0000	1621	1201
Sat Jul 01 2017 19:51:00.0000	1624	1238
Sat Jul 01 2017 19:52:00.0000	1622	1247
Sat Jul 01 2017 19:53:00.0000	1621	1418
Sat Jul 01 2017 19:54:00.0000	1622	1173
Sat Jul 01 2017 19:55:00.0000	1623	1267
Sat Jul 01 2017 19:56:00.0000	1624	1257
Sat Jul 01 2017 19:57:00.0000	1622	1297
Sat Jul 01 2017 19:58:00.0000	1622	1209
Sat Jul 01 2017 19:59:00.0000	1622	1187
Sat Jul 01 2017 20:00:00.0000	1624	1242
Sat Jul 01 2017 20:01:00.0000	1623	1223
Sat Jul 01 2017 20:02:00.0000	1621	1287
Sat Jul 01 2017 20:03:00.0000	1623	1112
Sat Jul 01 2017 20:04:00.0000	1624	1327
Sat Jul 01 2017 20:05:00.0000	1624	1191
Sat Jul 01 2017 20:06:00.0000	1622	1288
Sat Jul 01 2017 20:07:00.0000	1623	1156
Sat Jul 01 2017 20:08:00.0000	1623	1217
Sat Jul 01 2017 20:09:00.0000	1625	1201

Date/Time	Process Temperature (°F)	Process Flow SCFM
Sat Jul 01 2017 20:10:00.0000	1624	1200
Sat Jul 01 2017 20:11:00.0000	1622	1298
Sat Jul 01 2017 20:12:00.0000	1623	1142
Sat Jul 01 2017 20:13:00.0000	1625	1215
Sat Jul 01 2017 20:14:00.0000	1625	1238
Sat Jul 01 2017 20:15:00.0000	1623	1342
Sat Jul 01 2017 20:16:00.0000	1623	1206
Sat Jul 01 2017 20:17:00.0000	1624	1135
Sat Jul 01 2017 20:18:00.0000	1626	1233
Sat Jul 01 2017 20:19:00.0000	1624	1349
Sat Jul 01 2017 20:20:00.0000	1623	1301
Sat Jul 01 2017 20:21:00.0000	1624	1166
Sat Jul 01 2017 20:22:00.0000	1625	1172
Sat Jul 01 2017 20:23:00.0000	1625	1272
Sat Jul 01 2017 20:24:00.0000	1623	1302
Sat Jul 01 2017 20:25:00.0000	1624	1124
Sat Jul 01 2017 20:26:00.0000	1625	1157
Sat Jul 01 2017 20:27:00.0000	1626	1260
Sat Jul 01 2017 20:28:00.0000	1625	1235
Sat Jul 01 2017 20:29:00.0000	1624	1281
Sat Jul 01 2017 20:30:00.0000	1625	1185
Sat Jul 01 2017 20:31:00.0000	1626	1180
Sat Jul 01 2017 20:32:00.0000	1626	1213
Sat Jul 01 2017 20:33:00.0000	1624	1334
Sat Jul 01 2017 20:34:00.0000	1625	1225
Sat Jul 01 2017 20:35:00.0000	1626	1159
Sat Jul 01 2017 20:36:00.0000	1626	1168
Sat Jul 01 2017 20:37:00.0000	1624	1386
Sat Jul 01 2017 20:38:00.0000	1625	1177
Sat Jul 01 2017 20:39:00.0000	1625	1168
Sat Jul 01 2017 20:40:00.0000	1627	1278
Sat Jul 01 2017 20:41:00.0000	1625	1121
Sat Jul 01 2017 20:42:00.0000	1624	1314
Sat Jul 01 2017 20:43:00.0000	1625	1174
Sat Jul 01 2017 20:44:00.0000	1626	1207
Sat Jul 01 2017 20:45:00.0000	1626	1230
Sat Jul 01 2017 20:46:00.0000	1624	1325
Sat Jul 01 2017 20:47:00.0000	1626	1111
Sat Jul 01 2017 20:48:00.0000	1626	1159
Sat Jul 01 2017 20:49:00.0000	1627	1185
Sat Jul 01 2017 20:50:00.0000	1626	1156
Sat Jul 01 2017 20:51:00.0000	1624	1337
Sat Jul 01 2017 20:52:00.0000	1626	1215
Sat Jul 01 2017 20:53:00.0000	1627	1252
Sat Jul 01 2017 20:54:00.0000	1626	1283
Sat Jul 01 2017 20:55:00.0000	1624	1224
Sat Jul 01 2017 20:56:00.0000	1626	1179
Sat Jul 01 2017 20:57:00.0000	1626	1181
Sat Jul 01 2017 20:58:00.0000	1627	1309
Sat Jul 01 2017 20:59:00.0000	1625	1314
Sat Jul 01 2017 21:00:00.0000	1625	1341
Sat Jul 01 2017 21:01:00.0000	1626	1170
Sat Jul 01 2017 21:02:00.0000	1628	1256
Sat Jul 01 2017 21:03:00.0000	1627	1345
Sat Jul 01 2017 21:04:00.0000	1625	1334
Sat Jul 01 2017 21:05:00.0000	1626	1222
Sat Jul 01 2017 21:06:00.0000	1627	1285

Date/Time	Process Temperature (°F)	Process Flow SCFM
Sat Jul 01 2017 21:07:00.0000	1627	1194
Sat Jul 01 2017 21:08:00.0000	1626	1328
Sat Jul 01 2017 21:09:00.0000	1626	1401
Sat Jul 01 2017 21:10:00.0000	1626	1150
Sat Jul 01 2017 21:11:00.0000	1628	1152
Sat Jul 01 2017 21:12:00.0000	1627	1325
Sat Jul 01 2017 21:13:00.0000	1625	1361
Sat Jul 01 2017 21:14:00.0000	1626	1145
Sat Jul 01 2017 21:15:00.0000	1627	1218
Sat Jul 01 2017 21:16:00.0000	1628	1259
Sat Jul 01 2017 21:17:00.0000	1626	1189
Sat Jul 01 2017 21:18:00.0000	1626	1402
Sat Jul 01 2017 21:19:00.0000	1627	1178
Sat Jul 01 2017 21:20:00.0000	1628	1199
Sat Jul 01 2017 21:21:00.0000	1627	1231
Sat Jul 01 2017 21:22:00.0000	1625	1302
Sat Jul 01 2017 21:23:00.0000	1627	1213
Sat Jul 01 2017 21:24:00.0000	1628	1186
Sat Jul 01 2017 21:25:00.0000	1628	1262
Sat Jul 01 2017 21:26:00.0000	1626	1356
Sat Jul 01 2017 21:27:00.0000	1626	1306
Sat Jul 01 2017 21:28:00.0000	1627	1173
Sat Jul 01 2017 21:29:00.0000	1628	1240
Sat Jul 01 2017 21:30:00.0000	1627	1249
Sat Jul 01 2017 21:31:00.0000	1626	1209
Sat Jul 01 2017 21:32:00.0000	1627	1105
Sat Jul 01 2017 21:33:00.0000	1628	1183
Sat Jul 01 2017 21:34:00.0000	1629	1291
Sat Jul 01 2017 21:35:00.0000	1628	1381
Sat Jul 01 2017 21:36:00.0000	1629	1327
Sat Jul 01 2017 21:37:00.0000	1630	1113
Sat Jul 01 2017 21:38:00.0000	1632	1254
Sat Jul 01 2017 21:39:00.0000	1631	1321
Sat Jul 01 2017 21:40:00.0000	1630	1418
Sat Jul 01 2017 21:41:00.0000	1632	1172
Sat Jul 01 2017 21:42:00.0000	1633	1215
Sat Jul 01 2017 21:43:00.0000	1628	1211
Sat Jul 01 2017 21:44:00.0000	1619	1341
Sat Jul 01 2017 21:45:00.0000	1613	1401
Sat Jul 01 2017 21:46:00.0000	1609	1141
Sat Jul 01 2017 21:47:00.0000	1605	1181
Sat Jul 01 2017 21:48:00.0000	1601	1303
Sat Jul 01 2017 21:49:00.0000	1606	1322
Sat Jul 01 2017 21:50:00.0000	1616	1106
Sat Jul 01 2017 21:51:00.0000	1623	1243
Sat Jul 01 2017 21:52:00.0000	1629	1219
Sat Jul 01 2017 21:53:00.0000	1630	1288
Sat Jul 01 2017 21:54:00.0000	1632	1382
Sat Jul 01 2017 21:55:00.0000	1629	1154
Sat Jul 01 2017 21:56:00.0000	1627	1246
Sat Jul 01 2017 21:57:00.0000	1625	1301
Sat Jul 01 2017 21:58:00.0000	1622	1289
Sat Jul 01 2017 21:59:00.0000	1623	1167
Sat Jul 01 2017 22:00:00.0000	1623	1186
Sat Jul 01 2017 22:01:00.0000	1622	1295
Sat Jul 01 2017 22:02:00.0000	1620	1243
Sat Jul 01 2017 22:03:00.0000	1620	1247

Date/Time	Process Temperature (°F)	Process Flow SCFM
Sat Jul 01 2017 22:04:00.0000	1621	1175
Sat Jul 01 2017 22:05:00.0000	1621	1231
Sat Jul 01 2017 22:06:00.0000	1620	1169
Sat Jul 01 2017 22:07:00.0000	1618	1194
Sat Jul 01 2017 22:08:00.0000	1619	1117
Sat Jul 01 2017 22:09:00.0000	1620	1275
Sat Jul 01 2017 22:10:00.0000	1620	1237
Sat Jul 01 2017 22:11:00.0000	1618	1353
Sat Jul 01 2017 22:12:00.0000	1619	1168
Sat Jul 01 2017 22:13:00.0000	1619	1155
Sat Jul 01 2017 22:14:00.0000	1618	1144
Sat Jul 01 2017 22:15:00.0000	1616	1305
Sat Jul 01 2017 22:16:00.0000	1614	1289
Sat Jul 01 2017 22:17:00.0000	1614	1110
Sat Jul 01 2017 22:18:00.0000	1614	1194
Sat Jul 01 2017 22:19:00.0000	1613	1183
Sat Jul 01 2017 22:20:00.0000	1611	1309
Sat Jul 01 2017 22:21:00.0000	1611	1234
Sat Jul 01 2017 22:22:00.0000	1611	1148
Sat Jul 01 2017 22:23:00.0000	1612	1279
Sat Jul 01 2017 22:24:00.0000	1610	1234
Sat Jul 01 2017 22:25:00.0000	1609	1325
Sat Jul 01 2017 22:26:00.0000	1609	1195
Sat Jul 01 2017 22:27:00.0000	1610	1245
Sat Jul 01 2017 22:28:00.0000	1609	1281
Sat Jul 01 2017 22:29:00.0000	1607	1304
Sat Jul 01 2017 22:30:00.0000	1607	1159
Sat Jul 01 2017 22:31:00.0000	1608	1135
Sat Jul 01 2017 22:32:00.0000	1608	1225
Sat Jul 01 2017 22:33:00.0000	1606	1144
Sat Jul 01 2017 22:34:00.0000	1605	1307
Sat Jul 01 2017 22:35:00.0000	1606	1170
Sat Jul 01 2017 22:36:00.0000	1607	1182
Sat Jul 01 2017 22:37:00.0000	1606	1305
Sat Jul 01 2017 22:38:00.0000	1604	1210
Sat Jul 01 2017 22:39:00.0000	1604	1113
Sat Jul 01 2017 22:40:00.0000	1605	1131
Sat Jul 01 2017 22:41:00.0000	1605	1190
Sat Jul 01 2017 22:42:00.0000	1603	1282
Sat Jul 01 2017 22:43:00.0000	1602	1141
Sat Jul 01 2017 22:44:00.0000	1603	1150
Sat Jul 01 2017 22:45:00.0000	1604	1251
Sat Jul 01 2017 22:46:00.0000	1603	1269
Sat Jul 01 2017 22:47:00.0000	1601	1303
Sat Jul 01 2017 22:48:00.0000	1606	1198
Sat Jul 01 2017 22:49:00.0000	1615	1138
Sat Jul 01 2017 22:50:00.0000	1621	1161
Sat Jul 01 2017 22:51:00.0000	1622	1282
Sat Jul 01 2017 22:52:00.0000	1624	1328
Sat Jul 01 2017 22:53:00.0000	1628	1186
Sat Jul 01 2017 22:54:00.0000	1633	1144
Sat Jul 01 2017 22:55:00.0000	1625	1293
Sat Jul 01 2017 22:56:00.0000	1619	1401
Sat Jul 01 2017 22:57:00.0000	1615	1110
Sat Jul 01 2017 22:58:00.0000	1612	1180
Sat Jul 01 2017 22:59:00.0000	1609	1226
Sat Jul 01 2017 23:00:00.0000	1606	1424

Date/Time	Process Temperature (°F)	Process Flow SCFM
Sat Jul 01 2017 23:01:00.0000	1605	1163
Sat Jul 01 2017 23:02:00.0000	1604	1140
Sat Jul 01 2017 23:03:00.0000	1602	1266
Sat Jul 01 2017 23:04:00.0000	1601	1280
Sat Jul 01 2017 23:05:00.0000	1609	1242
Sat Jul 01 2017 23:06:00.0000	1615	1178
Sat Jul 01 2017 23:07:00.0000	1622	1185
Sat Jul 01 2017 23:08:00.0000	1627	1225
Sat Jul 01 2017 23:09:00.0000	1627	1279
Sat Jul 01 2017 23:10:00.0000	1630	1158
Sat Jul 01 2017 23:11:00.0000	1634	1178
Sat Jul 01 2017 23:12:00.0000	1628	1237
Sat Jul 01 2017 23:13:00.0000	1616	1300
Sat Jul 01 2017 23:14:00.0000	1608	1274
Sat Jul 01 2017 23:15:00.0000	1602	1150
Sat Jul 01 2017 23:16:00.0000	1601	1225
Sat Jul 01 2017 23:17:00.0000	1609	1217
Sat Jul 01 2017 23:18:00.0000	1611	1231
Sat Jul 01 2017 23:19:00.0000	1616	1198
Sat Jul 01 2017 23:20:00.0000	1620	1193
Sat Jul 01 2017 23:21:00.0000	1622	1251
Sat Jul 01 2017 23:22:00.0000	1622	1375
Sat Jul 01 2017 23:23:00.0000	1623	1341
Sat Jul 01 2017 23:24:00.0000	1625	1205
Sat Jul 01 2017 23:25:00.0000	1629	1237
Sat Jul 01 2017 23:26:00.0000	1628	1281
Sat Jul 01 2017 23:27:00.0000	1627	1292
Sat Jul 01 2017 23:28:00.0000	1629	1127
Sat Jul 01 2017 23:29:00.0000	1631	1142
Sat Jul 01 2017 23:30:00.0000	1631	1201
Sat Jul 01 2017 23:31:00.0000	1623	1215
Sat Jul 01 2017 23:32:00.0000	1620	1347
Sat Jul 01 2017 23:33:00.0000	1618	1147
Sat Jul 01 2017 23:34:00.0000	1616	1262
Sat Jul 01 2017 23:35:00.0000	1613	1176
Sat Jul 01 2017 23:36:00.0000	1611	1320
Sat Jul 01 2017 23:37:00.0000	1610	1146
Sat Jul 01 2017 23:38:00.0000	1609	1235
Sat Jul 01 2017 23:39:00.0000	1608	1251
Sat Jul 01 2017 23:40:00.0000	1606	1301
Sat Jul 01 2017 23:41:00.0000	1605	1338
Sat Jul 01 2017 23:42:00.0000	1605	1175
Sat Jul 01 2017 23:43:00.0000	1605	1246
Sat Jul 01 2017 23:44:00.0000	1603	1270
Sat Jul 01 2017 23:45:00.0000	1602	1295
Sat Jul 01 2017 23:46:00.0000	1608	1123
Sat Jul 01 2017 23:47:00.0000	1614	1230
Sat Jul 01 2017 23:48:00.0000	1618	1141
Sat Jul 01 2017 23:49:00.0000	1618	1329
Sat Jul 01 2017 23:50:00.0000	1620	1462
Sat Jul 01 2017 23:51:00.0000	1622	1209
Sat Jul 01 2017 23:52:00.0000	1625	1205
Sat Jul 01 2017 23:53:00.0000	1625	1304
Sat Jul 01 2017 23:54:00.0000	1624	1363
Sat Jul 01 2017 23:55:00.0000	1627	1148
Sat Jul 01 2017 23:56:00.0000	1629	1188
Sat Jul 01 2017 23:57:00.0000	1631	1176

Date/Time	Process Temperature (°F)	Process Flow SCFM
Sat Jul 01 2017 23:58:00.0000	1629	1262
Sat Jul 01 2017 23:59:00.0000	1629	1361
Sun Jul 02 2017 00:00:00.0000	1631	1191
Sun Jul 02 2017 00:01:00.0000	1633	1144
Sun Jul 02 2017 00:02:00.0000	1624	1288
Sun Jul 02 2017 00:03:00.0000	1617	1400
Sun Jul 02 2017 00:04:00.0000	1613	1121
Sun Jul 02 2017 00:05:00.0000	1610	1323
Sun Jul 02 2017 00:06:00.0000	1606	1252
Sun Jul 02 2017 00:07:00.0000	1602	1248
Sun Jul 02 2017 00:08:00.0000	1602	1415
Sun Jul 02 2017 00:09:00.0000	1605	1156
Sun Jul 02 2017 00:10:00.0000	1609	1154
Sun Jul 02 2017 00:11:00.0000	1610	1320
Sun Jul 02 2017 00:12:00.0000	1609	1309
Sun Jul 02 2017 00:13:00.0000	1611	1143
Sun Jul 02 2017 00:14:00.0000	1612	1213
Sun Jul 02 2017 00:15:00.0000	1613	1235
Sun Jul 02 2017 00:16:00.0000	1611	1361
Sun Jul 02 2017 00:17:00.0000	1612	1332
Sun Jul 02 2017 00:18:00.0000	1612	1135
Sun Jul 02 2017 00:19:00.0000	1614	1254
Sun Jul 02 2017 00:20:00.0000	1613	1298
Sun Jul 02 2017 00:21:00.0000	1612	1325
Sun Jul 02 2017 00:22:00.0000	1613	1146
Sun Jul 02 2017 00:23:00.0000	1614	1187
Sun Jul 02 2017 00:24:00.0000	1614	1135
Sun Jul 02 2017 00:25:00.0000	1612	1335
Sun Jul 02 2017 00:26:00.0000	1613	1340
Sun Jul 02 2017 00:27:00.0000	1613	1153
Sun Jul 02 2017 00:28:00.0000	1615	1154
Sun Jul 02 2017 00:29:00.0000	1614	1289
Sun Jul 02 2017 00:30:00.0000	1612	1303
Sun Jul 02 2017 00:31:00.0000	1613	1141
Sun Jul 02 2017 00:32:00.0000	1614	1190
Sun Jul 02 2017 00:33:00.0000	1615	1232
Sun Jul 02 2017 00:34:00.0000	1613	1314
Sun Jul 02 2017 00:35:00.0000	1613	1444
Sun Jul 02 2017 00:36:00.0000	1614	1171
Sun Jul 02 2017 00:37:00.0000	1615	1192
Sun Jul 02 2017 00:38:00.0000	1614	1164
Sun Jul 02 2017 00:39:00.0000	1613	1289
Sun Jul 02 2017 00:40:00.0000	1614	1131
Sun Jul 02 2017 00:41:00.0000	1615	1225
Sun Jul 02 2017 00:42:00.0000	1615	1289
Sun Jul 02 2017 00:43:00.0000	1613	1169
Sun Jul 02 2017 00:44:00.0000	1613	1159
Sun Jul 02 2017 00:45:00.0000	1614	1115
Sun Jul 02 2017 00:46:00.0000	1615	1241
Sun Jul 02 2017 00:47:00.0000	1613	1320
Sun Jul 02 2017 00:48:00.0000	1613	1254
Sun Jul 02 2017 00:49:00.0000	1614	1210
Sun Jul 02 2017 00:50:00.0000	1615	1203
Sun Jul 02 2017 00:51:00.0000	1614	1243
Sun Jul 02 2017 00:52:00.0000	1612	1250
Sun Jul 02 2017 00:53:00.0000	1614	1167
Sun Jul 02 2017 00:54:00.0000	1614	1163

Date/Time	Process Temperature (°F)	Process Flow SCFM
Sun Jul 02 2017 00:55:00.0000	1615	1253
Sun Jul 02 2017 00:56:00.0000	1613	1245
Sun Jul 02 2017 00:57:00.0000	1613	1300
Sun Jul 02 2017 00:58:00.0000	1614	1171
Sun Jul 02 2017 00:59:00.0000	1615	1189
Sun Jul 02 2017 01:00:00.0000	1614	1270
Sun Jul 02 2017 01:01:00.0000	1612	1392
Sun Jul 02 2017 01:02:00.0000	1614	1137
Sun Jul 02 2017 01:03:00.0000	1614	1184
Sun Jul 02 2017 01:04:00.0000	1615	1230
Sun Jul 02 2017 01:05:00.0000	1613	1328
Sun Jul 02 2017 01:06:00.0000	1613	1229
Sun Jul 02 2017 01:07:00.0000	1614	1158
Sun Jul 02 2017 01:08:00.0000	1615	1265
Sun Jul 02 2017 01:09:00.0000	1614	1257
Sun Jul 02 2017 01:10:00.0000	1612	1363
Sun Jul 02 2017 01:11:00.0000	1614	1195
Sun Jul 02 2017 01:12:00.0000	1614	1163
Sun Jul 02 2017 01:13:00.0000	1615	1161
Sun Jul 02 2017 01:14:00.0000	1613	1330
Sun Jul 02 2017 01:15:00.0000	1613	1207
Sun Jul 02 2017 01:16:00.0000	1614	1169
Sun Jul 02 2017 01:17:00.0000	1615	1151
Sun Jul 02 2017 01:18:00.0000	1614	1265
Sun Jul 02 2017 01:19:00.0000	1612	1388
Sun Jul 02 2017 01:20:00.0000	1614	1244
Sun Jul 02 2017 01:21:00.0000	1615	1188
Sun Jul 02 2017 01:22:00.0000	1615	1117
Sun Jul 02 2017 01:23:00.0000	1613	1391
Sun Jul 02 2017 01:24:00.0000	1613	1194
Sun Jul 02 2017 01:25:00.0000	1614	1184
Sun Jul 02 2017 01:26:00.0000	1615	1195
Sun Jul 02 2017 01:27:00.0000	1614	1167
Sun Jul 02 2017 01:28:00.0000	1612	1350
Sun Jul 02 2017 01:29:00.0000	1614	1125
Sun Jul 02 2017 01:30:00.0000	1615	1206
Sun Jul 02 2017 01:31:00.0000	1615	1282
Sun Jul 02 2017 01:32:00.0000	1613	1282
Sun Jul 02 2017 01:33:00.0000	1613	1103
Sun Jul 02 2017 01:34:00.0000	1614	1130
Sun Jul 02 2017 01:35:00.0000	1615	1211
Sun Jul 02 2017 01:36:00.0000	1614	1171
Sun Jul 02 2017 01:37:00.0000	1612	1347
Sun Jul 02 2017 01:38:00.0000	1614	1156
Sun Jul 02 2017 01:39:00.0000	1615	1246
Sun Jul 02 2017 01:40:00.0000	1615	1235
Sun Jul 02 2017 01:41:00.0000	1613	1298
Sun Jul 02 2017 01:42:00.0000	1613	1149
Sun Jul 02 2017 01:43:00.0000	1614	1209
Sun Jul 02 2017 01:44:00.0000	1615	1164
Sun Jul 02 2017 01:45:00.0000	1614	1277
Sun Jul 02 2017 01:46:00.0000	1612	1360
Sun Jul 02 2017 01:47:00.0000	1614	1138
Sun Jul 02 2017 01:48:00.0000	1615	1164
Sun Jul 02 2017 01:49:00.0000	1615	1232
Sun Jul 02 2017 01:50:00.0000	1613	1324
Sun Jul 02 2017 01:51:00.0000	1613	1054

Date/Time	Process Temperature (°F)	Process Flow SCFM
Sun Jul 02 2017 01:52:00.0000	1614	1195
Sun Jul 02 2017 01:53:00.0000	1615	1243
Sun Jul 02 2017 01:54:00.0000	1614	1216
Sun Jul 02 2017 01:55:00.0000	1612	1326
Sun Jul 02 2017 01:56:00.0000	1614	1168
Sun Jul 02 2017 01:57:00.0000	1615	1224
Sun Jul 02 2017 01:58:00.0000	1615	1280
Sun Jul 02 2017 01:59:00.0000	1613	1324
Sun Jul 02 2017 02:00:00.0000	1613	1191
Sun Jul 02 2017 02:01:00.0000	1614	1156
Sun Jul 02 2017 02:02:00.0000	1615	1219
Sun Jul 02 2017 02:03:00.0000	1614	1176
Sun Jul 02 2017 02:04:00.0000	1612	1396
Sun Jul 02 2017 02:05:00.0000	1614	1162
Sun Jul 02 2017 02:06:00.0000	1615	1171
Sun Jul 02 2017 02:07:00.0000	1615	1181
Sun Jul 02 2017 02:08:00.0000	1613	1285
Sun Jul 02 2017 02:09:00.0000	1613	1180
Sun Jul 02 2017 02:10:00.0000	1614	1215
Sun Jul 02 2017 02:11:00.0000	1615	1180
Sun Jul 02 2017 02:12:00.0000	1614	1182
Sun Jul 02 2017 02:13:00.0000	1612	1306
Sun Jul 02 2017 02:14:00.0000	1614	1136
Sun Jul 02 2017 02:15:00.0000	1615	1163
Sun Jul 02 2017 02:16:00.0000	1615	1186
Sun Jul 02 2017 02:17:00.0000	1613	1275
Sun Jul 02 2017 02:18:00.0000	1614	1155
Sun Jul 02 2017 02:19:00.0000	1614	1166
Sun Jul 02 2017 02:20:00.0000	1615	1127
Sun Jul 02 2017 02:21:00.0000	1614	1348
Sun Jul 02 2017 02:22:00.0000	1612	1361
Sun Jul 02 2017 02:23:00.0000	1614	1240
Sun Jul 02 2017 02:24:00.0000	1615	1145
Sun Jul 02 2017 02:25:00.0000	1615	1259
Sun Jul 02 2017 02:26:00.0000	1612	1256
Sun Jul 02 2017 02:27:00.0000	1613	1169
Sun Jul 02 2017 02:28:00.0000	1614	1131
Sun Jul 02 2017 02:29:00.0000	1615	1235
Sun Jul 02 2017 02:30:00.0000	1613	1285
Sun Jul 02 2017 02:31:00.0000	1612	1286
Sun Jul 02 2017 02:32:00.0000	1613	1119
Sun Jul 02 2017 02:33:00.0000	1615	1182
Sun Jul 02 2017 02:34:00.0000	1614	1255
Sun Jul 02 2017 02:35:00.0000	1612	1384
Sun Jul 02 2017 02:36:00.0000	1613	1162
Sun Jul 02 2017 02:37:00.0000	1614	1227
Sun Jul 02 2017 02:38:00.0000	1615	1258
Sun Jul 02 2017 02:39:00.0000	1613	1342
Sun Jul 02 2017 02:40:00.0000	1612	1299
Sun Jul 02 2017 02:41:00.0000	1613	1144
Sun Jul 02 2017 02:42:00.0000	1615	1137
Sun Jul 02 2017 02:43:00.0000	1614	1218
Sun Jul 02 2017 02:44:00.0000	1612	1296
Sun Jul 02 2017 02:45:00.0000	1613	1080
Sun Jul 02 2017 02:46:00.0000	1614	1166
Sun Jul 02 2017 02:47:00.0000	1615	1204
Sun Jul 02 2017 02:48:00.0000	1613	1218

Date/Time	Process Temperature (°F)	Process Flow SCFM
Sun Jul 02 2017 02:49:00.0000	1612	1357
Sun Jul 02 2017 02:50:00.0000	1613	1155
Sun Jul 02 2017 02:51:00.0000	1615	1141
Sun Jul 02 2017 02:52:00.0000	1614	1275
Sun Jul 02 2017 02:53:00.0000	1612	1286
Sun Jul 02 2017 02:54:00.0000	1613	1170
Sun Jul 02 2017 02:55:00.0000	1614	1163
Sun Jul 02 2017 02:56:00.0000	1614	1265
Sun Jul 02 2017 02:57:00.0000	1613	1275
Sun Jul 02 2017 02:58:00.0000	1612	1442
Sun Jul 02 2017 02:59:00.0000	1613	1121
Sun Jul 02 2017 03:00:00.0000	1614	1257
Sun Jul 02 2017 03:01:00.0000	1614	1248
Sun Jul 02 2017 03:02:00.0000	1612	1317
Sun Jul 02 2017 03:03:00.0000	1613	1163
Sun Jul 02 2017 03:04:00.0000	1614	1200
Sun Jul 02 2017 03:05:00.0000	1615	1138
Sun Jul 02 2017 03:06:00.0000	1613	1360
Sun Jul 02 2017 03:07:00.0000	1612	1379
Sun Jul 02 2017 03:08:00.0000	1613	1153
Sun Jul 02 2017 03:09:00.0000	1614	1173
Sun Jul 02 2017 03:10:00.0000	1614	1241
Sun Jul 02 2017 03:11:00.0000	1611	1305
Sun Jul 02 2017 03:12:00.0000	1613	1170
Sun Jul 02 2017 03:13:00.0000	1613	1143
Sun Jul 02 2017 03:14:00.0000	1614	1251
Sun Jul 02 2017 03:15:00.0000	1612	1309
Sun Jul 02 2017 03:16:00.0000	1612	1349
Sun Jul 02 2017 03:17:00.0000	1613	1175
Sun Jul 02 2017 03:18:00.0000	1614	1251
Sun Jul 02 2017 03:19:00.0000	1613	1199
Sun Jul 02 2017 03:20:00.0000	1611	1256
Sun Jul 02 2017 03:21:00.0000	1613	1105
Sun Jul 02 2017 03:22:00.0000	1613	1167
Sun Jul 02 2017 03:23:00.0000	1614	1242
Sun Jul 02 2017 03:24:00.0000	1612	1280
Sun Jul 02 2017 03:25:00.0000	1612	1172
Sun Jul 02 2017 03:26:00.0000	1613	1137
Sun Jul 02 2017 03:27:00.0000	1614	1180
Sun Jul 02 2017 03:28:00.0000	1613	1256
Sun Jul 02 2017 03:29:00.0000	1611	1240
Sun Jul 02 2017 03:30:00.0000	1613	1345
Sun Jul 02 2017 03:31:00.0000	1613	1177
Sun Jul 02 2017 03:32:00.0000	1614	1187
Sun Jul 02 2017 03:33:00.0000	1612	1348
Sun Jul 02 2017 03:34:00.0000	1613	1120
Sun Jul 02 2017 03:35:00.0000	1614	1147
Sun Jul 02 2017 03:36:00.0000	1614	1188
Sun Jul 02 2017 03:37:00.0000	1612	1363
Sun Jul 02 2017 03:38:00.0000	1613	1389
Sun Jul 02 2017 03:39:00.0000	1613	1171
Sun Jul 02 2017 03:40:00.0000	1614	1133
Sun Jul 02 2017 03:41:00.0000	1613	1160
Sun Jul 02 2017 03:42:00.0000	1612	1191
Sun Jul 02 2017 03:43:00.0000	1613	1099
Sun Jul 02 2017 03:44:00.0000	1614	1105
Sun Jul 02 2017 03:45:00.0000	1612	1154

Date/Time	Process Temperature (°F)	Process Flow SCFM
Sun Jul 02 2017 03:46:00.0000	1612	1288
Sun Jul 02 2017 03:47:00.0000	1613	1220
Sun Jul 02 2017 03:48:00.0000	1613	1124
Sun Jul 02 2017 03:49:00.0000	1613	1113
Sun Jul 02 2017 03:50:00.0000	1612	1195
Sun Jul 02 2017 03:51:00.0000	1612	1140
Sun Jul 02 2017 03:52:00.0000	1613	1113
Sun Jul 02 2017 03:53:00.0000	1614	1162
Sun Jul 02 2017 03:54:00.0000	1612	1288
Sun Jul 02 2017 03:55:00.0000	1611	1327
Sun Jul 02 2017 03:56:00.0000	1612	1115
Sun Jul 02 2017 03:57:00.0000	1614	1195
Sun Jul 02 2017 03:58:00.0000	1613	1158
Sun Jul 02 2017 03:59:00.0000	1611	1298
Sun Jul 02 2017 04:00:00.0000	1612	1134
Sun Jul 02 2017 04:01:00.0000	1613	1139
Sun Jul 02 2017 04:02:00.0000	1613	1220
Sun Jul 02 2017 04:03:00.0000	1612	1298
Sun Jul 02 2017 04:04:00.0000	1612	1374
Sun Jul 02 2017 04:05:00.0000	1612	1106
Sun Jul 02 2017 04:06:00.0000	1614	1123
Sun Jul 02 2017 04:07:00.0000	1613	1195
Sun Jul 02 2017 04:08:00.0000	1611	1306
Sun Jul 02 2017 04:09:00.0000	1612	1152
Sun Jul 02 2017 04:10:00.0000	1613	1155
Sun Jul 02 2017 04:11:00.0000	1613	1171
Sun Jul 02 2017 04:12:00.0000	1612	1395
Sun Jul 02 2017 04:13:00.0000	1612	1375
Sun Jul 02 2017 04:14:00.0000	1612	1154
Sun Jul 02 2017 04:15:00.0000	1614	1187
Sun Jul 02 2017 04:16:00.0000	1612	1253
Sun Jul 02 2017 04:17:00.0000	1611	1397
Sun Jul 02 2017 04:18:00.0000	1612	1201
Sun Jul 02 2017 04:19:00.0000	1613	1263
Sun Jul 02 2017 04:20:00.0000	1613	1226
Sun Jul 02 2017 04:21:00.0000	1611	1205
Sun Jul 02 2017 04:22:00.0000	1612	1270
Sun Jul 02 2017 04:23:00.0000	1612	1159
Sun Jul 02 2017 04:24:00.0000	1614	1157
Sun Jul 02 2017 04:25:00.0000	1612	1214
Sun Jul 02 2017 04:26:00.0000	1611	1312
Sun Jul 02 2017 04:27:00.0000	1612	1182
Sun Jul 02 2017 04:28:00.0000	1613	1235
Sun Jul 02 2017 04:29:00.0000	1613	1194
Sun Jul 02 2017 04:30:00.0000	1611	1417
Sun Jul 02 2017 04:31:00.0000	1612	1374
Sun Jul 02 2017 04:32:00.0000	1612	1160
Sun Jul 02 2017 04:33:00.0000	1614	1180
Sun Jul 02 2017 04:34:00.0000	1612	1171
Sun Jul 02 2017 04:35:00.0000	1611	1263
Sun Jul 02 2017 04:36:00.0000	1612	1140
Sun Jul 02 2017 04:37:00.0000	1613	1163
Sun Jul 02 2017 04:38:00.0000	1613	1217
Sun Jul 02 2017 04:39:00.0000	1611	1375
Sun Jul 02 2017 04:40:00.0000	1612	1301
Sun Jul 02 2017 04:41:00.0000	1612	1087
Sun Jul 02 2017 04:42:00.0000	1614	1174

Date/Time	Process Temperature (°F)	Process Flow SCFM
Sun Jul 02 2017 04:43:00.0000	1612	1201
Sun Jul 02 2017 04:44:00.0000	1611	1370
Sun Jul 02 2017 04:45:00.0000	1612	1157
Sun Jul 02 2017 04:46:00.0000	1613	1219
Sun Jul 02 2017 04:47:00.0000	1613	1231
Sun Jul 02 2017 04:48:00.0000	1611	1311
Sun Jul 02 2017 04:49:00.0000	1612	1105
Sun Jul 02 2017 04:50:00.0000	1613	1088
Sun Jul 02 2017 04:51:00.0000	1613	1169
Sun Jul 02 2017 04:52:00.0000	1611	1343
Sun Jul 02 2017 04:53:00.0000	1611	1254
Sun Jul 02 2017 04:54:00.0000	1612	1171
Sun Jul 02 2017 04:55:00.0000	1613	1147
Sun Jul 02 2017 04:56:00.0000	1613	1262
Sun Jul 02 2017 04:57:00.0000	1611	1184
Sun Jul 02 2017 04:58:00.0000	1612	1186
Sun Jul 02 2017 04:59:00.0000	1613	1162
Sun Jul 02 2017 05:00:00.0000	1613	1273
Sun Jul 02 2017 05:01:00.0000	1611	1237
Sun Jul 02 2017 05:02:00.0000	1611	1294
Sun Jul 02 2017 05:03:00.0000	1612	1140
Sun Jul 02 2017 05:04:00.0000	1613	1148
Sun Jul 02 2017 05:05:00.0000	1612	1295
Sun Jul 02 2017 05:06:00.0000	1610	1342
Sun Jul 02 2017 05:07:00.0000	1612	1151
Sun Jul 02 2017 05:08:00.0000	1612	1177
Sun Jul 02 2017 05:09:00.0000	1613	1180
Sun Jul 02 2017 05:10:00.0000	1611	1275
Sun Jul 02 2017 05:11:00.0000	1611	1308
Sun Jul 02 2017 05:12:00.0000	1612	1189
Sun Jul 02 2017 05:13:00.0000	1613	1160
Sun Jul 02 2017 05:14:00.0000	1612	1271
Sun Jul 02 2017 05:15:00.0000	1610	1229
Sun Jul 02 2017 05:16:00.0000	1612	1131
Sun Jul 02 2017 05:17:00.0000	1613	1175
Sun Jul 02 2017 05:18:00.0000	1612	1294
Sun Jul 02 2017 05:19:00.0000	1610	1329
Sun Jul 02 2017 05:20:00.0000	1611	1156
Sun Jul 02 2017 05:21:00.0000	1612	1128
Sun Jul 02 2017 05:22:00.0000	1613	1223
Sun Jul 02 2017 05:23:00.0000	1611	1282
Sun Jul 02 2017 05:24:00.0000	1610	1352
Sun Jul 02 2017 05:25:00.0000	1611	1164
Sun Jul 02 2017 05:26:00.0000	1613	1223
Sun Jul 02 2017 05:27:00.0000	1612	1279
Sun Jul 02 2017 05:28:00.0000	1610	1225
Sun Jul 02 2017 05:29:00.0000	1611	1144
Sun Jul 02 2017 05:30:00.0000	1612	1141
Sun Jul 02 2017 05:31:00.0000	1613	1224
Sun Jul 02 2017 05:32:00.0000	1611	1306
Sun Jul 02 2017 05:33:00.0000	1610	1314
Sun Jul 02 2017 05:34:00.0000	1611	1166
Sun Jul 02 2017 05:35:00.0000	1613	1250
Sun Jul 02 2017 05:36:00.0000	1612	1289
Sun Jul 02 2017 05:37:00.0000	1610	1296
Sun Jul 02 2017 05:38:00.0000	1611	1127
Sun Jul 02 2017 05:39:00.0000	1612	1162

Date/Time	Process Temperature (°F)	Process Flow SCFM
Sun Jul 02 2017 05:40:00.0000	1612	1112
Sun Jul 02 2017 05:41:00.0000	1611	1231
Sun Jul 02 2017 05:42:00.0000	1610	1361
Sun Jul 02 2017 05:43:00.0000	1611	1125
Sun Jul 02 2017 05:44:00.0000	1612	1206
Sun Jul 02 2017 05:45:00.0000	1612	1271
Sun Jul 02 2017 05:46:00.0000	1610	1299
Sun Jul 02 2017 05:47:00.0000	1611	1133
Sun Jul 02 2017 05:48:00.0000	1612	1182
Sun Jul 02 2017 05:49:00.0000	1612	1311
Sun Jul 02 2017 05:50:00.0000	1611	1245
Sun Jul 02 2017 05:51:00.0000	1610	1188
Sun Jul 02 2017 05:52:00.0000	1611	1194
Sun Jul 02 2017 05:53:00.0000	1613	1200
Sun Jul 02 2017 05:54:00.0000	1612	1248
Sun Jul 02 2017 05:55:00.0000	1610	1306
Sun Jul 02 2017 05:56:00.0000	1611	1128
Sun Jul 02 2017 05:57:00.0000	1612	1134
Sun Jul 02 2017 05:58:00.0000	1612	1259
Sun Jul 02 2017 05:59:00.0000	1611	1216
Sun Jul 02 2017 06:00:00.0000	1610	1237
Sun Jul 02 2017 06:01:00.0000	1612	1156
Sun Jul 02 2017 06:02:00.0000	1613	1282
Sun Jul 02 2017 06:03:00.0000	1611	1253
Sun Jul 02 2017 06:04:00.0000	1610	1295
Sun Jul 02 2017 06:05:00.0000	1611	1187
Sun Jul 02 2017 06:06:00.0000	1612	1182
Sun Jul 02 2017 06:07:00.0000	1612	1304
Sun Jul 02 2017 06:08:00.0000	1610	1213
Sun Jul 02 2017 06:09:00.0000	1611	1151
Sun Jul 02 2017 06:10:00.0000	1612	1119
Sun Jul 02 2017 06:11:00.0000	1612	1213
Sun Jul 02 2017 06:12:00.0000	1611	1277
Sun Jul 02 2017 06:13:00.0000	1610	1348
Sun Jul 02 2017 06:14:00.0000	1611	1154
Sun Jul 02 2017 06:15:00.0000	1613	1241
Sun Jul 02 2017 06:16:00.0000	1612	1289
Sun Jul 02 2017 06:17:00.0000	1610	1387
Sun Jul 02 2017 06:18:00.0000	1612	1169
Sun Jul 02 2017 06:19:00.0000	1611	1111
Sun Jul 02 2017 06:20:00.0000	1612	1245
Sun Jul 02 2017 06:21:00.0000	1611	1373
Sun Jul 02 2017 06:22:00.0000	1610	1421
Sun Jul 02 2017 06:23:00.0000	1611	1143
Sun Jul 02 2017 06:24:00.0000	1612	1179
Sun Jul 02 2017 06:25:00.0000	1612	1298
Sun Jul 02 2017 06:26:00.0000	1610	1322
Sun Jul 02 2017 06:27:00.0000	1611	1148
Sun Jul 02 2017 06:28:00.0000	1612	1157
Sun Jul 02 2017 06:29:00.0000	1612	1261
Sun Jul 02 2017 06:30:00.0000	1611	1338
Sun Jul 02 2017 06:31:00.0000	1610	1267
Sun Jul 02 2017 06:32:00.0000	1611	1094
Sun Jul 02 2017 06:33:00.0000	1612	1246
Sun Jul 02 2017 06:34:00.0000	1611	1278
Sun Jul 02 2017 06:35:00.0000	1610	1268
Sun Jul 02 2017 06:36:00.0000	1611	1227

Date/Time	Process Temperature (°F)	Process Flow SCFM
Sun Jul 02 2017 06:37:00.0000	1612	1159
Sun Jul 02 2017 06:38:00.0000	1612	1153
Sun Jul 02 2017 06:39:00.0000	1610	1284
Sun Jul 02 2017 06:40:00.0000	1610	1287
Sun Jul 02 2017 06:41:00.0000	1611	1168
Sun Jul 02 2017 06:42:00.0000	1612	1242
Sun Jul 02 2017 06:43:00.0000	1611	1286
Sun Jul 02 2017 06:44:00.0000	1609	1263
Sun Jul 02 2017 06:45:00.0000	1611	1116
Sun Jul 02 2017 06:46:00.0000	1612	1246
Sun Jul 02 2017 06:47:00.0000	1612	1312
Sun Jul 02 2017 06:48:00.0000	1610	1188
Sun Jul 02 2017 06:49:00.0000	1610	1171
Sun Jul 02 2017 06:50:00.0000	1612	1069
Sun Jul 02 2017 06:51:00.0000	1612	1188
Sun Jul 02 2017 06:52:00.0000	1611	1093
Sun Jul 02 2017 06:53:00.0000	1609	1270
Sun Jul 02 2017 06:54:00.0000	1611	1094
Sun Jul 02 2017 06:55:00.0000	1612	1156
Sun Jul 02 2017 06:56:00.0000	1612	1293
Sun Jul 02 2017 06:57:00.0000	1610	1317
Sun Jul 02 2017 06:58:00.0000	1611	1150
Sun Jul 02 2017 06:59:00.0000	1612	1162
Sun Jul 02 2017 07:00:00.0000	1612	1208
Sun Jul 02 2017 07:01:00.0000	1610	1219
Sun Jul 02 2017 07:02:00.0000	1611	1342
Sun Jul 02 2017 07:03:00.0000	1611	1163
Sun Jul 02 2017 07:04:00.0000	1612	1119
Sun Jul 02 2017 07:05:00.0000	1611	1320
Sun Jul 02 2017 07:06:00.0000	1610	1213
Sun Jul 02 2017 07:07:00.0000	1611	1138
Sun Jul 02 2017 07:08:00.0000	1612	1198
Sun Jul 02 2017 07:09:00.0000	1612	1265
Sun Jul 02 2017 07:10:00.0000	1610	1288
Sun Jul 02 2017 07:11:00.0000	1611	1165
Sun Jul 02 2017 07:12:00.0000	1612	1242
Sun Jul 02 2017 07:13:00.0000	1612	1209
Sun Jul 02 2017 07:14:00.0000	1610	1275
Sun Jul 02 2017 07:15:00.0000	1610	1306
Sun Jul 02 2017 07:16:00.0000	1611	1081
Sun Jul 02 2017 07:17:00.0000	1612	1278
Sun Jul 02 2017 07:18:00.0000	1611	1194
Sun Jul 02 2017 07:19:00.0000	1610	1288
Sun Jul 02 2017 07:20:00.0000	1611	1133
Sun Jul 02 2017 07:21:00.0000	1612	1167
Sun Jul 02 2017 07:22:00.0000	1612	1230
Sun Jul 02 2017 07:23:00.0000	1610	1407
Sun Jul 02 2017 07:24:00.0000	1610	1138
Sun Jul 02 2017 07:25:00.0000	1611	1142
Sun Jul 02 2017 07:26:00.0000	1612	1284
Sun Jul 02 2017 07:27:00.0000	1611	1197
Sun Jul 02 2017 07:28:00.0000	1610	1335
Sun Jul 02 2017 07:29:00.0000	1611	1231
Sun Jul 02 2017 07:30:00.0000	1612	1172
Sun Jul 02 2017 07:31:00.0000	1612	1324
Sun Jul 02 2017 07:32:00.0000	1610	1423
Sun Jul 02 2017 07:33:00.0000	1611	1182

Date/Time	Process Temperature (°F)	Process Flow SCFM
Sun Jul 02 2017 07:34:00.0000	1611	1179
Sun Jul 02 2017 07:35:00.0000	1612	1201
Sun Jul 02 2017 07:36:00.0000	1611	1219
Sun Jul 02 2017 07:37:00.0000	1611	1254
Sun Jul 02 2017 07:38:00.0000	1611	1149
Sun Jul 02 2017 07:39:00.0000	1612	1174
Sun Jul 02 2017 07:40:00.0000	1612	1304
Sun Jul 02 2017 07:41:00.0000	1610	1335
Sun Jul 02 2017 07:42:00.0000	1611	1193
Sun Jul 02 2017 07:43:00.0000	1612	1145
Sun Jul 02 2017 07:44:00.0000	1612	1270
Sun Jul 02 2017 07:45:00.0000	1610	1374
Sun Jul 02 2017 07:46:00.0000	1610	1151
Sun Jul 02 2017 07:47:00.0000	1611	1070
Sun Jul 02 2017 07:48:00.0000	1612	1222
Sun Jul 02 2017 07:49:00.0000	1611	1234
Sun Jul 02 2017 07:50:00.0000	1609	1395
Sun Jul 02 2017 07:51:00.0000	1611	1109
Sun Jul 02 2017 07:52:00.0000	1612	1209
Sun Jul 02 2017 07:53:00.0000	1612	1155
Sun Jul 02 2017 07:54:00.0000	1610	1270
Sun Jul 02 2017 07:55:00.0000	1610	1389
Sun Jul 02 2017 07:56:00.0000	1611	1155
Sun Jul 02 2017 07:57:00.0000	1612	1231
Sun Jul 02 2017 07:58:00.0000	1611	1338
Sun Jul 02 2017 07:59:00.0000	1609	1319
Sun Jul 02 2017 08:00:00.0000	1611	1121
Sun Jul 02 2017 08:01:00.0000	1612	1264
Sun Jul 02 2017 08:02:00.0000	1612	1257
Sun Jul 02 2017 08:03:00.0000	1610	1381
Sun Jul 02 2017 08:04:00.0000	1610	1180
Sun Jul 02 2017 08:05:00.0000	1611	1176
Sun Jul 02 2017 08:06:00.0000	1612	1255
Sun Jul 02 2017 08:07:00.0000	1611	1197
Sun Jul 02 2017 08:08:00.0000	1610	1338
Sun Jul 02 2017 08:09:00.0000	1611	1154
Sun Jul 02 2017 08:10:00.0000	1612	1085
Sun Jul 02 2017 08:11:00.0000	1612	1264
Sun Jul 02 2017 08:12:00.0000	1610	1245
Sun Jul 02 2017 08:13:00.0000	1611	1162
Sun Jul 02 2017 08:14:00.0000	1612	1245
Sun Jul 02 2017 08:15:00.0000	1612	1249
Sun Jul 02 2017 08:16:00.0000	1610	1253
Sun Jul 02 2017 08:17:00.0000	1610	1347
Sun Jul 02 2017 08:18:00.0000	1611	1147
Sun Jul 02 2017 08:19:00.0000	1612	1330
Sun Jul 02 2017 08:20:00.0000	1611	1381
Sun Jul 02 2017 08:21:00.0000	1609	1326
Sun Jul 02 2017 08:22:00.0000	1611	1123
Sun Jul 02 2017 08:23:00.0000	1612	1172
Sun Jul 02 2017 08:24:00.0000	1612	1229
Sun Jul 02 2017 08:25:00.0000	1610	1256
Sun Jul 02 2017 08:26:00.0000	1610	1365
Sun Jul 02 2017 08:27:00.0000	1611	1149
Sun Jul 02 2017 08:28:00.0000	1612	1200
Sun Jul 02 2017 08:29:00.0000	1611	1290
Sun Jul 02 2017 08:30:00.0000	1609	1375

Date/Time	Process Temperature (°F)	Process Flow SCFM
Sun Jul 02 2017 08:31:00.0000	1611	1124
Sun Jul 02 2017 08:32:00.0000	1612	1322
Sun Jul 02 2017 08:33:00.0000	1612	1165
Sun Jul 02 2017 08:34:00.0000	1610	1246
Sun Jul 02 2017 08:35:00.0000	1610	1316
Sun Jul 02 2017 08:36:00.0000	1611	1119
Sun Jul 02 2017 08:37:00.0000	1612	1235
Sun Jul 02 2017 08:38:00.0000	1611	1258
Sun Jul 02 2017 08:39:00.0000	1609	1312
Sun Jul 02 2017 08:40:00.0000	1611	1209
Sun Jul 02 2017 08:41:00.0000	1612	1144
Sun Jul 02 2017 08:42:00.0000	1612	1338
Sun Jul 02 2017 08:43:00.0000	1610	1335
Sun Jul 02 2017 08:44:00.0000	1610	1266
Sun Jul 02 2017 08:45:00.0000	1611	1151
Sun Jul 02 2017 08:46:00.0000	1613	1249
Sun Jul 02 2017 08:47:00.0000	1612	1119
Sun Jul 02 2017 08:48:00.0000	1610	1350
Sun Jul 02 2017 08:49:00.0000	1611	1085
Sun Jul 02 2017 08:50:00.0000	1612	1161
Sun Jul 02 2017 08:51:00.0000	1612	1317
Sun Jul 02 2017 08:52:00.0000	1611	1238
Sun Jul 02 2017 08:53:00.0000	1611	1012
Sun Jul 02 2017 08:54:00.0000	1612	1160
Sun Jul 02 2017 08:55:00.0000	1613	1269
Sun Jul 02 2017 08:56:00.0000	1612	1170
Sun Jul 02 2017 08:57:00.0000	1610	1201
Sun Jul 02 2017 08:58:00.0000	1611	1172
Sun Jul 02 2017 08:59:00.0000	1613	1169
Sun Jul 02 2017 09:00:00.0000	1612	1258
Sun Jul 02 2017 09:01:00.0000	1611	1355
Sun Jul 02 2017 09:02:00.0000	1611	1251
Sun Jul 02 2017 09:03:00.0000	1612	1167
Sun Jul 02 2017 09:04:00.0000	1613	1091
Sun Jul 02 2017 09:05:00.0000	1612	1154
Sun Jul 02 2017 09:06:00.0000	1610	1209
Sun Jul 02 2017 09:07:00.0000	1612	1152
Sun Jul 02 2017 09:08:00.0000	1613	1217
Sun Jul 02 2017 09:09:00.0000	1613	1265
Sun Jul 02 2017 09:10:00.0000	1611	1408
Sun Jul 02 2017 09:11:00.0000	1611	1193
Sun Jul 02 2017 09:12:00.0000	1612	1148
Sun Jul 02 2017 09:13:00.0000	1613	1161
Sun Jul 02 2017 09:14:00.0000	1612	1249
Sun Jul 02 2017 09:15:00.0000	1610	1332
Sun Jul 02 2017 09:16:00.0000	1612	1207
Sun Jul 02 2017 09:17:00.0000	1613	1235
Sun Jul 02 2017 09:18:00.0000	1613	1218
Sun Jul 02 2017 09:19:00.0000	1611	1271
Sun Jul 02 2017 09:20:00.0000	1611	1214
Sun Jul 02 2017 09:21:00.0000	1612	1098
Sun Jul 02 2017 09:22:00.0000	1613	1183
Sun Jul 02 2017 09:23:00.0000	1612	1297
Sun Jul 02 2017 09:24:00.0000	1611	1292
Sun Jul 02 2017 09:25:00.0000	1612	1139
Sun Jul 02 2017 09:26:00.0000	1614	1233
Sun Jul 02 2017 09:27:00.0000	1613	1280

Date/Time	Process Temperature (°F)	Process Flow SCFM
Sun Jul 02 2017 09:28:00.0000	1611	1408
Sun Jul 02 2017 09:29:00.0000	1612	1116
Sun Jul 02 2017 09:30:00.0000	1613	1172
Sun Jul 02 2017 09:31:00.0000	1614	1283
Sun Jul 02 2017 09:32:00.0000	1612	1251
Sun Jul 02 2017 09:33:00.0000	1612	1278
Sun Jul 02 2017 09:34:00.0000	1613	1152
Sun Jul 02 2017 09:35:00.0000	1614	1285
Sun Jul 02 2017 09:36:00.0000	1614	1257
Sun Jul 02 2017 09:37:00.0000	1611	1338
Sun Jul 02 2017 09:38:00.0000	1613	1105
Sun Jul 02 2017 09:39:00.0000	1614	1173
Sun Jul 02 2017 09:40:00.0000	1615	1162
Sun Jul 02 2017 09:41:00.0000	1613	1300
Sun Jul 02 2017 09:42:00.0000	1614	1413
Sun Jul 02 2017 09:43:00.0000	1613	1136
Sun Jul 02 2017 09:44:00.0000	1615	1209
Sun Jul 02 2017 09:45:00.0000	1614	1244
Sun Jul 02 2017 09:46:00.0000	1612	1322
Sun Jul 02 2017 09:47:00.0000	1614	1172
Sun Jul 02 2017 09:48:00.0000	1615	1230
Sun Jul 02 2017 09:49:00.0000	1615	1341
Sun Jul 02 2017 09:50:00.0000	1613	1287
Sun Jul 02 2017 09:51:00.0000	1613	1108
Sun Jul 02 2017 09:52:00.0000	1614	1156
Sun Jul 02 2017 09:53:00.0000	1615	1319
Sun Jul 02 2017 09:54:00.0000	1614	1397
Sun Jul 02 2017 09:55:00.0000	1612	1326
Sun Jul 02 2017 09:56:00.0000	1614	1169
Sun Jul 02 2017 09:57:00.0000	1615	1207
Sun Jul 02 2017 09:58:00.0000	1615	1309
Sun Jul 02 2017 09:59:00.0000	1613	1364
Sun Jul 02 2017 10:00:00.0000	1614	1132
Sun Jul 02 2017 10:01:00.0000	1615	1200
Sun Jul 02 2017 10:02:00.0000	1616	1200
Sun Jul 02 2017 10:03:00.0000	1615	1257
Sun Jul 02 2017 10:04:00.0000	1613	1181
Sun Jul 02 2017 10:05:00.0000	1615	1162
Sun Jul 02 2017 10:06:00.0000	1616	1187
Sun Jul 02 2017 10:07:00.0000	1615	1240
Sun Jul 02 2017 10:08:00.0000	1613	1319
Sun Jul 02 2017 10:09:00.0000	1614	1180
Sun Jul 02 2017 10:10:00.0000	1615	1157
Sun Jul 02 2017 10:11:00.0000	1616	1312
Sun Jul 02 2017 10:12:00.0000	1615	1252
Sun Jul 02 2017 10:13:00.0000	1614	1346
Sun Jul 02 2017 10:14:00.0000	1615	1194
Sun Jul 02 2017 10:15:00.0000	1617	1181
Sun Jul 02 2017 10:16:00.0000	1616	1305
Sun Jul 02 2017 10:17:00.0000	1614	1281
Sun Jul 02 2017 10:18:00.0000	1615	1144
Sun Jul 02 2017 10:19:00.0000	1616	1176
Sun Jul 02 2017 10:20:00.0000	1616	1207
Sun Jul 02 2017 10:21:00.0000	1614	1404
Sun Jul 02 2017 10:22:00.0000	1614	1281
Sun Jul 02 2017 10:23:00.0000	1615	1122
Sun Jul 02 2017 10:24:00.0000	1617	1275

Date/Time	Process Temperature (°F)	Process Flow SCFM
Sun Jul 02 2017 10:25:00.0000	1615	1303
Sun Jul 02 2017 10:26:00.0000	1614	1314
Sun Jul 02 2017 10:27:00.0000	1615	1175
Sun Jul 02 2017 10:28:00.0000	1616	1132
Sun Jul 02 2017 10:29:00.0000	1616	1169
Sun Jul 02 2017 10:30:00.0000	1614	1311
Sun Jul 02 2017 10:31:00.0000	1615	1213
Sun Jul 02 2017 10:32:00.0000	1616	1155
Sun Jul 02 2017 10:33:00.0000	1617	1304
Sun Jul 02 2017 10:34:00.0000	1616	1230
Sun Jul 02 2017 10:35:00.0000	1614	1273
Sun Jul 02 2017 10:36:00.0000	1616	1132
Sun Jul 02 2017 10:37:00.0000	1617	1227
Sun Jul 02 2017 10:38:00.0000	1617	1346
Sun Jul 02 2017 10:39:00.0000	1615	1298
Sun Jul 02 2017 10:40:00.0000	1615	1221
Sun Jul 02 2017 10:41:00.0000	1616	1169
Sun Jul 02 2017 10:42:00.0000	1617	1219
Sun Jul 02 2017 10:43:00.0000	1616	1378
Sun Jul 02 2017 10:44:00.0000	1615	1211
Sun Jul 02 2017 10:45:00.0000	1616	1152
Sun Jul 02 2017 10:46:00.0000	1617	1204
Sun Jul 02 2017 10:47:00.0000	1617	1237
Sun Jul 02 2017 10:48:00.0000	1616	1312
Sun Jul 02 2017 10:49:00.0000	1616	1184
Sun Jul 02 2017 10:50:00.0000	1617	1218
Sun Jul 02 2017 10:51:00.0000	1619	1233
Sun Jul 02 2017 10:52:00.0000	1617	1471
Sun Jul 02 2017 10:53:00.0000	1616	1331
Sun Jul 02 2017 10:54:00.0000	1617	1213
Sun Jul 02 2017 10:55:00.0000	1618	1350
Sun Jul 02 2017 10:56:00.0000	1618	1318
Sun Jul 02 2017 10:57:00.0000	1616	1310
Sun Jul 02 2017 10:58:00.0000	1617	1216
Sun Jul 02 2017 10:59:00.0000	1618	1211
Sun Jul 02 2017 11:00:00.0000	1619	1174
Sun Jul 02 2017 11:01:00.0000	1618	1306
Sun Jul 02 2017 11:02:00.0000	1617	1390
Sun Jul 02 2017 11:03:00.0000	1618	1206
Sun Jul 02 2017 11:04:00.0000	1619	1231
Sun Jul 02 2017 11:05:00.0000	1619	1320
Sun Jul 02 2017 11:06:00.0000	1617	1427
Sun Jul 02 2017 11:07:00.0000	1618	1181
Sun Jul 02 2017 11:08:00.0000	1619	1169
Sun Jul 02 2017 11:09:00.0000	1620	1315
Sun Jul 02 2017 11:10:00.0000	1618	1278
Sun Jul 02 2017 11:11:00.0000	1617	1420
Sun Jul 02 2017 11:12:00.0000	1619	1141
Sun Jul 02 2017 11:13:00.0000	1620	1252
Sun Jul 02 2017 11:14:00.0000	1620	1288
Sun Jul 02 2017 11:15:00.0000	1618	1411
Sun Jul 02 2017 11:16:00.0000	1619	1164
Sun Jul 02 2017 11:17:00.0000	1620	1180
Sun Jul 02 2017 11:18:00.0000	1621	1312
Sun Jul 02 2017 11:19:00.0000	1619	1471
Sun Jul 02 2017 11:20:00.0000	1618	1435
Sun Jul 02 2017 11:21:00.0000	1619	1184

Date/Time	Process Temperature (°F)	Process Flow SCFM
Sun Jul 02 2017 11:22:00.0000	1621	1320
Sun Jul 02 2017 11:23:00.0000	1620	1351
Sun Jul 02 2017 11:24:00.0000	1618	1271
Sun Jul 02 2017 11:25:00.0000	1620	1134
Sun Jul 02 2017 11:26:00.0000	1620	1156
Sun Jul 02 2017 11:27:00.0000	1622	1328
Sun Jul 02 2017 11:28:00.0000	1620	1406
Sun Jul 02 2017 11:29:00.0000	1619	1211
Sun Jul 02 2017 11:30:00.0000	1620	1252
Sun Jul 02 2017 11:31:00.0000	1622	1342
Sun Jul 02 2017 11:32:00.0000	1621	1305
Sun Jul 02 2017 11:33:00.0000	1619	1519
Sun Jul 02 2017 11:34:00.0000	1621	1143
Sun Jul 02 2017 11:35:00.0000	1622	1200
Sun Jul 02 2017 11:36:00.0000	1623	1290
Sun Jul 02 2017 11:37:00.0000	1621	1351
Sun Jul 02 2017 11:38:00.0000	1621	1335
Sun Jul 02 2017 11:39:00.0000	1622	1192
Sun Jul 02 2017 11:40:00.0000	1623	1243
Sun Jul 02 2017 11:41:00.0000	1622	1340
Sun Jul 02 2017 11:42:00.0000	1620	1266
Sun Jul 02 2017 11:43:00.0000	1622	1197
Sun Jul 02 2017 11:44:00.0000	1623	1172
Sun Jul 02 2017 11:45:00.0000	1624	1325
Sun Jul 02 2017 11:46:00.0000	1622	1344
Sun Jul 02 2017 11:47:00.0000	1622	1422
Sun Jul 02 2017 11:48:00.0000	1622	1134
Sun Jul 02 2017 11:49:00.0000	1624	1308
Sun Jul 02 2017 11:50:00.0000	1623	1306
Sun Jul 02 2017 11:51:00.0000	1621	1309
Sun Jul 02 2017 11:52:00.0000	1623	1138
Sun Jul 02 2017 11:53:00.0000	1623	1190
Sun Jul 02 2017 11:54:00.0000	1624	1357
Sun Jul 02 2017 11:55:00.0000	1622	1416
Sun Jul 02 2017 11:56:00.0000	1622	1224
Sun Jul 02 2017 11:57:00.0000	1623	1226
Sun Jul 02 2017 11:58:00.0000	1625	1209
Sun Jul 02 2017 11:59:00.0000	1624	1331
Sun Jul 02 2017 12:00:00.0000	1622	1388
Sun Jul 02 2017 12:01:00.0000	1624	1127
Sun Jul 02 2017 12:02:00.0000	1624	1180
Sun Jul 02 2017 12:03:00.0000	1625	1313
Sun Jul 02 2017 12:04:00.0000	1623	1272
Sun Jul 02 2017 12:05:00.0000	1623	1293
Sun Jul 02 2017 12:06:00.0000	1624	1224
Sun Jul 02 2017 12:07:00.0000	1626	1274
Sun Jul 02 2017 12:08:00.0000	1625	1317
Sun Jul 02 2017 12:09:00.0000	1623	1295
Sun Jul 02 2017 12:10:00.0000	1624	1176
Sun Jul 02 2017 12:11:00.0000	1625	1205
Sun Jul 02 2017 12:12:00.0000	1626	1339
Sun Jul 02 2017 12:13:00.0000	1624	1304
Sun Jul 02 2017 12:14:00.0000	1624	1359
Sun Jul 02 2017 12:15:00.0000	1625	1136
Sun Jul 02 2017 12:16:00.0000	1626	1321
Sun Jul 02 2017 12:17:00.0000	1625	1283
Sun Jul 02 2017 12:18:00.0000	1623	1388

Date/Time	Process Temperature (°F)	Process Flow SCFM
Sun Jul 02 2017 12:19:00.0000	1625	1103
Sun Jul 02 2017 12:20:00.0000	1626	1259
Sun Jul 02 2017 12:21:00.0000	1626	1362
Sun Jul 02 2017 12:22:00.0000	1624	1390
Sun Jul 02 2017 12:23:00.0000	1625	1192
Sun Jul 02 2017 12:24:00.0000	1626	1176
Sun Jul 02 2017 12:25:00.0000	1627	1347
Sun Jul 02 2017 12:26:00.0000	1626	1306
Sun Jul 02 2017 12:27:00.0000	1624	1393
Sun Jul 02 2017 12:28:00.0000	1626	1171
Sun Jul 02 2017 12:29:00.0000	1627	1252
Sun Jul 02 2017 12:30:00.0000	1627	1283
Sun Jul 02 2017 12:31:00.0000	1625	1243
Sun Jul 02 2017 12:32:00.0000	1626	1152
Sun Jul 02 2017 12:33:00.0000	1626	1130
Sun Jul 02 2017 12:34:00.0000	1628	1341
Sun Jul 02 2017 12:35:00.0000	1627	1289
Sun Jul 02 2017 12:36:00.0000	1626	1536
Sun Jul 02 2017 12:37:00.0000	1627	1188
Sun Jul 02 2017 12:38:00.0000	1628	1190
Sun Jul 02 2017 12:39:00.0000	1628	1350
Sun Jul 02 2017 12:40:00.0000	1626	1403
Sun Jul 02 2017 12:41:00.0000	1627	1180
Sun Jul 02 2017 12:42:00.0000	1628	1220
Sun Jul 02 2017 12:43:00.0000	1628	1323
Sun Jul 02 2017 12:44:00.0000	1626	1383
Sun Jul 02 2017 12:45:00.0000	1625	1342
Sun Jul 02 2017 12:46:00.0000	1626	1240
Sun Jul 02 2017 12:47:00.0000	1627	1275
Sun Jul 02 2017 12:48:00.0000	1626	1324
Sun Jul 02 2017 12:49:00.0000	1624	1429
Sun Jul 02 2017 12:50:00.0000	1626	1169
Sun Jul 02 2017 12:51:00.0000	1626	1233
Sun Jul 02 2017 12:52:00.0000	1626	1294
Sun Jul 02 2017 12:53:00.0000	1624	1389
Sun Jul 02 2017 12:54:00.0000	1624	1199
Sun Jul 02 2017 12:55:00.0000	1625	1175
Sun Jul 02 2017 12:56:00.0000	1626	1284
Sun Jul 02 2017 12:57:00.0000	1625	1250
Sun Jul 02 2017 12:58:00.0000	1623	1452
Sun Jul 02 2017 12:59:00.0000	1625	1119
Sun Jul 02 2017 13:00:00.0000	1626	1177
Sun Jul 02 2017 13:01:00.0000	1625	1213
Sun Jul 02 2017 13:02:00.0000	1623	1294
Sun Jul 02 2017 13:03:00.0000	1624	1184
Sun Jul 02 2017 13:04:00.0000	1624	1167
Sun Jul 02 2017 13:05:00.0000	1626	1237
Sun Jul 02 2017 13:06:00.0000	1624	1291
Sun Jul 02 2017 13:07:00.0000	1623	1349
Sun Jul 02 2017 13:08:00.0000	1624	1213
Sun Jul 02 2017 13:09:00.0000	1625	1308
Sun Jul 02 2017 13:10:00.0000	1624	1242
Sun Jul 02 2017 13:11:00.0000	1622	1368
Sun Jul 02 2017 13:12:00.0000	1624	1136
Sun Jul 02 2017 13:13:00.0000	1624	1180
Sun Jul 02 2017 13:14:00.0000	1625	1308
Sun Jul 02 2017 13:15:00.0000	1623	1326

Date/Time	Process Temperature (°F)	Process Flow SCFM
Sun Jul 02 2017 13:16:00.0000	1623	1301
Sun Jul 02 2017 13:17:00.0000	1624	1200
Sun Jul 02 2017 13:18:00.0000	1625	1225
Sun Jul 02 2017 13:19:00.0000	1623	1316
Sun Jul 02 2017 13:20:00.0000	1622	1348
Sun Jul 02 2017 13:21:00.0000	1623	1190
Sun Jul 02 2017 13:22:00.0000	1624	1309
Sun Jul 02 2017 13:23:00.0000	1624	1335
Sun Jul 02 2017 13:24:00.0000	1622	1461
Sun Jul 02 2017 13:25:00.0000	1623	1162
Sun Jul 02 2017 13:26:00.0000	1624	1176
Sun Jul 02 2017 13:27:00.0000	1625	1212
Sun Jul 02 2017 13:28:00.0000	1623	1264
Sun Jul 02 2017 13:29:00.0000	1622	1359
Sun Jul 02 2017 13:30:00.0000	1624	1130
Sun Jul 02 2017 13:31:00.0000	1625	1258
Sun Jul 02 2017 13:32:00.0000	1624	1323
Sun Jul 02 2017 13:33:00.0000	1622	1326
Sun Jul 02 2017 13:34:00.0000	1623	1172
Sun Jul 02 2017 13:35:00.0000	1624	1173
Sun Jul 02 2017 13:36:00.0000	1625	1382
Sun Jul 02 2017 13:37:00.0000	1623	1468
Sun Jul 02 2017 13:38:00.0000	1622	1434
Sun Jul 02 2017 13:39:00.0000	1624	1178
Sun Jul 02 2017 13:40:00.0000	1625	1193
Sun Jul 02 2017 13:41:00.0000	1625	1307
Sun Jul 02 2017 13:42:00.0000	1623	1390
Sun Jul 02 2017 13:43:00.0000	1623	1259
Sun Jul 02 2017 13:44:00.0000	1624	1202
Sun Jul 02 2017 13:45:00.0000	1625	1304
Sun Jul 02 2017 13:46:00.0000	1624	1475
Sun Jul 02 2017 13:47:00.0000	1623	1430
Sun Jul 02 2017 13:48:00.0000	1624	1186
Sun Jul 02 2017 13:49:00.0000	1625	1271
Sun Jul 02 2017 13:50:00.0000	1624	1383
Sun Jul 02 2017 13:51:00.0000	1622	1321
Sun Jul 02 2017 13:52:00.0000	1624	1136
Sun Jul 02 2017 13:53:00.0000	1624	1174
Sun Jul 02 2017 13:54:00.0000	1625	1248
Sun Jul 02 2017 13:55:00.0000	1623	1412
Sun Jul 02 2017 13:56:00.0000	1622	1310
Sun Jul 02 2017 13:57:00.0000	1623	1156
Sun Jul 02 2017 13:58:00.0000	1625	1386
Sun Jul 02 2017 13:59:00.0000	1624	1293
Sun Jul 02 2017 14:00:00.0000	1622	1389
Sun Jul 02 2017 14:01:00.0000	1623	1163
Sun Jul 02 2017 14:02:00.0000	1624	1190
Sun Jul 02 2017 14:03:00.0000	1624	1371
Sun Jul 02 2017 14:04:00.0000	1622	1370
Sun Jul 02 2017 14:05:00.0000	1623	1270
Sun Jul 02 2017 14:06:00.0000	1623	1342
Sun Jul 02 2017 14:07:00.0000	1625	1172
Sun Jul 02 2017 14:08:00.0000	1623	1250
Sun Jul 02 2017 14:09:00.0000	1622	1349
Sun Jul 02 2017 14:10:00.0000	1624	1143
Sun Jul 02 2017 14:11:00.0000	1625	1235
Sun Jul 02 2017 14:12:00.0000	1624	1317

Date/Time	Process Temperature (°F)	Process Flow SCFM
Sun Jul 02 2017 14:13:00.0000	1622	1278
Sun Jul 02 2017 14:14:00.0000	1623	1214
Sun Jul 02 2017 14:15:00.0000	1624	1219
Sun Jul 02 2017 14:16:00.0000	1625	1371
Sun Jul 02 2017 14:17:00.0000	1623	1590
Sun Jul 02 2017 14:18:00.0000	1623	1394
Sun Jul 02 2017 14:19:00.0000	1624	1183
Sun Jul 02 2017 14:20:00.0000	1626	1344
Sun Jul 02 2017 14:21:00.0000	1624	1342
Sun Jul 02 2017 14:22:00.0000	1622	1401
Sun Jul 02 2017 14:23:00.0000	1624	1260
Sun Jul 02 2017 14:24:00.0000	1625	1173
Sun Jul 02 2017 14:25:00.0000	1625	1305
Sun Jul 02 2017 14:26:00.0000	1623	1438
Sun Jul 02 2017 14:27:00.0000	1623	1283
Sun Jul 02 2017 14:28:00.0000	1624	1201
Sun Jul 02 2017 14:29:00.0000	1626	1291
Sun Jul 02 2017 14:30:00.0000	1625	1304
Sun Jul 02 2017 14:31:00.0000	1623	1396
Sun Jul 02 2017 14:32:00.0000	1624	1227
Sun Jul 02 2017 14:33:00.0000	1625	1194
Sun Jul 02 2017 14:34:00.0000	1626	1380
Sun Jul 02 2017 14:35:00.0000	1624	1279
Sun Jul 02 2017 14:36:00.0000	1624	1403
Sun Jul 02 2017 14:37:00.0000	1625	1209
Sun Jul 02 2017 14:38:00.0000	1626	1304
Sun Jul 02 2017 14:39:00.0000	1625	1338
Sun Jul 02 2017 14:40:00.0000	1623	1330
Sun Jul 02 2017 14:41:00.0000	1625	1182
Sun Jul 02 2017 14:42:00.0000	1626	1167
Sun Jul 02 2017 14:43:00.0000	1626	1283
Sun Jul 02 2017 14:44:00.0000	1624	1457
Sun Jul 02 2017 14:45:00.0000	1624	1355
Sun Jul 02 2017 14:46:00.0000	1625	1223
Sun Jul 02 2017 14:47:00.0000	1627	1376
Sun Jul 02 2017 14:48:00.0000	1626	1384
Sun Jul 02 2017 14:49:00.0000	1625	1475
Sun Jul 02 2017 14:50:00.0000	1625	1161
Sun Jul 02 2017 14:51:00.0000	1626	1318
Sun Jul 02 2017 14:52:00.0000	1626	1377
Sun Jul 02 2017 14:53:00.0000	1624	1432
Sun Jul 02 2017 14:54:00.0000	1626	1256
Sun Jul 02 2017 14:55:00.0000	1626	1243
Sun Jul 02 2017 14:56:00.0000	1627	1373
Sun Jul 02 2017 14:57:00.0000	1625	1459
Sun Jul 02 2017 14:58:00.0000	1625	1222
Sun Jul 02 2017 14:59:00.0000	1626	1207
Sun Jul 02 2017 15:00:00.0000	1627	1340
Sun Jul 02 2017 15:01:00.0000	1625	1382
Sun Jul 02 2017 15:02:00.0000	1624	1363
Sun Jul 02 2017 15:03:00.0000	1626	1227
Sun Jul 02 2017 15:04:00.0000	1627	1217
Sun Jul 02 2017 15:05:00.0000	1626	1301
Sun Jul 02 2017 15:06:00.0000	1624	1418
Sun Jul 02 2017 15:07:00.0000	1626	1175
Sun Jul 02 2017 15:08:00.0000	1626	1192
Sun Jul 02 2017 15:09:00.0000	1627	1315

Date/Time	Process Temperature (°F)	Process Flow SCFM
Sun Jul 02 2017 15:10:00.0000	1625	1449
Sun Jul 02 2017 15:11:00.0000	1625	1378
Sun Jul 02 2017 15:12:00.0000	1626	1192
Sun Jul 02 2017 15:13:00.0000	1627	1374
Sun Jul 02 2017 15:14:00.0000	1625	1312
Sun Jul 02 2017 15:15:00.0000	1623	1353
Sun Jul 02 2017 15:16:00.0000	1623	1200
Sun Jul 02 2017 15:17:00.0000	1623	1206
Sun Jul 02 2017 15:18:00.0000	1623	1330
Sun Jul 02 2017 15:19:00.0000	1621	1511
Sun Jul 02 2017 15:20:00.0000	1621	1296
Sun Jul 02 2017 15:21:00.0000	1621	1181
Sun Jul 02 2017 15:22:00.0000	1622	1252
Sun Jul 02 2017 15:23:00.0000	1621	1265
Sun Jul 02 2017 15:24:00.0000	1619	1315
Sun Jul 02 2017 15:25:00.0000	1620	1185
Sun Jul 02 2017 15:26:00.0000	1620	1340
Sun Jul 02 2017 15:27:00.0000	1621	1347
Sun Jul 02 2017 15:28:00.0000	1618	1431
Sun Jul 02 2017 15:29:00.0000	1618	1178
Sun Jul 02 2017 15:30:00.0000	1619	1191
Sun Jul 02 2017 15:31:00.0000	1620	1346
Sun Jul 02 2017 15:32:00.0000	1618	1422
Sun Jul 02 2017 15:33:00.0000	1618	1449
Sun Jul 02 2017 15:34:00.0000	1618	1204
Sun Jul 02 2017 15:35:00.0000	1619	1208
Sun Jul 02 2017 15:36:00.0000	1619	1356
Sun Jul 02 2017 15:37:00.0000	1616	1450
Sun Jul 02 2017 15:38:00.0000	1617	1235
Sun Jul 02 2017 15:39:00.0000	1618	1190
Sun Jul 02 2017 15:40:00.0000	1618	1283
Sun Jul 02 2017 15:41:00.0000	1616	1355
Sun Jul 02 2017 15:42:00.0000	1616	1459
Sun Jul 02 2017 15:43:00.0000	1617	1129
Sun Jul 02 2017 15:44:00.0000	1618	1256
Sun Jul 02 2017 15:45:00.0000	1617	1343
Sun Jul 02 2017 15:46:00.0000	1615	1431
Sun Jul 02 2017 15:47:00.0000	1616	1218
Sun Jul 02 2017 15:48:00.0000	1617	1204
Sun Jul 02 2017 15:49:00.0000	1617	1262
Sun Jul 02 2017 15:50:00.0000	1615	1326
Sun Jul 02 2017 15:51:00.0000	1616	1325
Sun Jul 02 2017 15:52:00.0000	1615	1176
Sun Jul 02 2017 15:53:00.0000	1617	1292
Sun Jul 02 2017 15:54:00.0000	1616	1229
Sun Jul 02 2017 15:55:00.0000	1614	1394
Sun Jul 02 2017 15:56:00.0000	1615	1119
Sun Jul 02 2017 15:57:00.0000	1617	1312
Sun Jul 02 2017 15:58:00.0000	1616	1280
Sun Jul 02 2017 15:59:00.0000	1614	1309
Sun Jul 02 2017 16:00:00.0000	1615	1193
Sun Jul 02 2017 16:01:00.0000	1615	1184
Sun Jul 02 2017 16:02:00.0000	1616	1303
Sun Jul 02 2017 16:03:00.0000	1614	1380
Sun Jul 02 2017 16:04:00.0000	1614	1307
Sun Jul 02 2017 16:05:00.0000	1614	1197
Sun Jul 02 2017 16:06:00.0000	1616	1335

Date/Time	Process Temperature (°F)	Process Flow SCFM
Sun Jul 02 2017 16:07:00.0000	1614	1345
Sun Jul 02 2017 16:08:00.0000	1613	1317
Sun Jul 02 2017 16:09:00.0000	1614	1156
Sun Jul 02 2017 16:10:00.0000	1614	1184
Sun Jul 02 2017 16:11:00.0000	1615	1334
Sun Jul 02 2017 16:12:00.0000	1613	1479
Sun Jul 02 2017 16:13:00.0000	1613	1334
Sun Jul 02 2017 16:14:00.0000	1613	1199
Sun Jul 02 2017 16:15:00.0000	1615	1187
Sun Jul 02 2017 16:16:00.0000	1614	1387
Sun Jul 02 2017 16:17:00.0000	1612	1333
Sun Jul 02 2017 16:18:00.0000	1613	1243
Sun Jul 02 2017 16:19:00.0000	1614	1200
Sun Jul 02 2017 16:20:00.0000	1615	1321
Sun Jul 02 2017 16:21:00.0000	1613	1344
Sun Jul 02 2017 16:22:00.0000	1612	1481
Sun Jul 02 2017 16:23:00.0000	1613	1194
Sun Jul 02 2017 16:24:00.0000	1614	1238
Sun Jul 02 2017 16:25:00.0000	1613	1406
Sun Jul 02 2017 16:26:00.0000	1611	1420
Sun Jul 02 2017 16:27:00.0000	1613	1194
Sun Jul 02 2017 16:28:00.0000	1613	1202
Sun Jul 02 2017 16:29:00.0000	1614	1358
Sun Jul 02 2017 16:30:00.0000	1612	1306
Sun Jul 02 2017 16:31:00.0000	1613	1504
Sun Jul 02 2017 16:32:00.0000	1612	1191
Sun Jul 02 2017 16:33:00.0000	1613	1301
Sun Jul 02 2017 16:34:00.0000	1612	1311
Sun Jul 02 2017 16:35:00.0000	1611	1437
Sun Jul 02 2017 16:36:00.0000	1612	1190
Sun Jul 02 2017 16:37:00.0000	1613	1316
Sun Jul 02 2017 16:38:00.0000	1612	1277
Sun Jul 02 2017 16:39:00.0000	1610	1444
Sun Jul 02 2017 16:40:00.0000	1611	1185
Sun Jul 02 2017 16:41:00.0000	1611	1187
Sun Jul 02 2017 16:42:00.0000	1612	1314
Sun Jul 02 2017 16:43:00.0000	1611	1345
Sun Jul 02 2017 16:44:00.0000	1610	1378
Sun Jul 02 2017 16:45:00.0000	1611	1217
Sun Jul 02 2017 16:46:00.0000	1612	1256
Sun Jul 02 2017 16:47:00.0000	1612	1303
Sun Jul 02 2017 16:48:00.0000	1609	1424
Sun Jul 02 2017 16:49:00.0000	1610	1075
Sun Jul 02 2017 16:50:00.0000	1610	1213
Sun Jul 02 2017 16:51:00.0000	1611	1300
Sun Jul 02 2017 16:52:00.0000	1610	1325
Sun Jul 02 2017 16:53:00.0000	1610	1492
Sun Jul 02 2017 16:54:00.0000	1610	1193
Sun Jul 02 2017 16:55:00.0000	1611	1284
Sun Jul 02 2017 16:56:00.0000	1610	1372
Sun Jul 02 2017 16:57:00.0000	1608	1427
Sun Jul 02 2017 16:58:00.0000	1610	1248
Sun Jul 02 2017 16:59:00.0000	1610	1277
Sun Jul 02 2017 17:00:00.0000	1611	1312
Sun Jul 02 2017 17:01:00.0000	1609	1361
Sun Jul 02 2017 17:02:00.0000	1610	1194
Sun Jul 02 2017 17:03:00.0000	1609	1168

Date/Time	Process Temperature (°F)	Process Flow SCFM
Sun Jul 02 2017 17:04:00.0000	1610	1311
Sun Jul 02 2017 17:05:00.0000	1609	1274
Sun Jul 02 2017 17:06:00.0000	1608	1382
Sun Jul 02 2017 17:07:00.0000	1609	1217
Sun Jul 02 2017 17:08:00.0000	1610	1343
Sun Jul 02 2017 17:09:00.0000	1609	1350
Sun Jul 02 2017 17:10:00.0000	1607	1481
Sun Jul 02 2017 17:11:00.0000	1608	1192
Sun Jul 02 2017 17:12:00.0000	1609	1227
Sun Jul 02 2017 17:13:00.0000	1610	1352
Sun Jul 02 2017 17:14:00.0000	1608	1387
Sun Jul 02 2017 17:15:00.0000	1607	1393
Sun Jul 02 2017 17:16:00.0000	1608	1216
Sun Jul 02 2017 17:17:00.0000	1609	1315
Sun Jul 02 2017 17:18:00.0000	1608	1313
Sun Jul 02 2017 17:19:00.0000	1606	1413
Sun Jul 02 2017 17:20:00.0000	1608	1150
Sun Jul 02 2017 17:21:00.0000	1608	1169
Sun Jul 02 2017 17:22:00.0000	1609	1242
Sun Jul 02 2017 17:23:00.0000	1607	1116
Sun Jul 02 2017 17:24:00.0000	1607	1305
Sun Jul 02 2017 17:25:00.0000	1607	1144
Sun Jul 02 2017 17:26:00.0000	1609	1370
Sun Jul 02 2017 17:27:00.0000	1608	1281
Sun Jul 02 2017 17:28:00.0000	1606	1436
Sun Jul 02 2017 17:29:00.0000	1607	1174
Sun Jul 02 2017 17:30:00.0000	1608	1172
Sun Jul 02 2017 17:31:00.0000	1609	1299
Sun Jul 02 2017 17:32:00.0000	1608	1437
Sun Jul 02 2017 17:33:00.0000	1608	1494
Sun Jul 02 2017 17:34:00.0000	1609	1259
Sun Jul 02 2017 17:35:00.0000	1611	1163
Sun Jul 02 2017 17:36:00.0000	1610	1267
Sun Jul 02 2017 17:37:00.0000	1608	1410
Sun Jul 02 2017 17:38:00.0000	1610	1183
Sun Jul 02 2017 17:39:00.0000	1611	1208
Sun Jul 02 2017 17:40:00.0000	1612	1320
Sun Jul 02 2017 17:41:00.0000	1610	1341
Sun Jul 02 2017 17:42:00.0000	1610	1335
Sun Jul 02 2017 17:43:00.0000	1611	1197
Sun Jul 02 2017 17:44:00.0000	1612	1337
Sun Jul 02 2017 17:45:00.0000	1611	1282
Sun Jul 02 2017 17:46:00.0000	1610	1426
Sun Jul 02 2017 17:47:00.0000	1611	1220
Sun Jul 02 2017 17:48:00.0000	1612	1185
Sun Jul 02 2017 17:49:00.0000	1613	1348
Sun Jul 02 2017 17:50:00.0000	1611	1317
Sun Jul 02 2017 17:51:00.0000	1611	1432
Sun Jul 02 2017 17:52:00.0000	1612	1117
Sun Jul 02 2017 17:53:00.0000	1613	1282
Sun Jul 02 2017 17:54:00.0000	1612	1281
Sun Jul 02 2017 17:55:00.0000	1610	1318
Sun Jul 02 2017 17:56:00.0000	1612	1195
Sun Jul 02 2017 17:57:00.0000	1612	1158
Sun Jul 02 2017 17:58:00.0000	1613	1322
Sun Jul 02 2017 17:59:00.0000	1611	1303
Sun Jul 02 2017 18:00:00.0000	1612	1334

Date/Time	Process Temperature (°F)	Process Flow SCFM
Sun Jul 02 2017 18:01:00.0000	1612	1164
Sun Jul 02 2017 18:02:00.0000	1613	1261
Sun Jul 02 2017 18:03:00.0000	1613	1330
Sun Jul 02 2017 18:04:00.0000	1611	1422
Sun Jul 02 2017 18:05:00.0000	1612	1158
Sun Jul 02 2017 18:06:00.0000	1613	1155
Sun Jul 02 2017 18:07:00.0000	1613	1313
Sun Jul 02 2017 18:08:00.0000	1611	1271
Sun Jul 02 2017 18:09:00.0000	1613	1253
Sun Jul 02 2017 18:10:00.0000	1612	1183
Sun Jul 02 2017 18:11:00.0000	1614	1266
Sun Jul 02 2017 18:12:00.0000	1612	1153
Sun Jul 02 2017 18:13:00.0000	1611	1361
Sun Jul 02 2017 18:14:00.0000	1612	1139
Sun Jul 02 2017 18:15:00.0000	1614	1215
Sun Jul 02 2017 18:16:00.0000	1613	1317
Sun Jul 02 2017 18:17:00.0000	1611	1290
Sun Jul 02 2017 18:18:00.0000	1612	1187
Sun Jul 02 2017 18:19:00.0000	1613	1134
Sun Jul 02 2017 18:20:00.0000	1613	1380
Sun Jul 02 2017 18:21:00.0000	1612	1349
Sun Jul 02 2017 18:22:00.0000	1612	1239
Sun Jul 02 2017 18:23:00.0000	1612	1169
Sun Jul 02 2017 18:24:00.0000	1614	1296
Sun Jul 02 2017 18:25:00.0000	1613	1349
Sun Jul 02 2017 18:26:00.0000	1611	1343
Sun Jul 02 2017 18:27:00.0000	1612	1131
Sun Jul 02 2017 18:28:00.0000	1614	1226
Sun Jul 02 2017 18:29:00.0000	1612	1287
Sun Jul 02 2017 18:30:00.0000	1610	1390
Sun Jul 02 2017 18:31:00.0000	1612	1175
Sun Jul 02 2017 18:32:00.0000	1612	1245
Sun Jul 02 2017 18:33:00.0000	1613	1286
Sun Jul 02 2017 18:34:00.0000	1611	1344
Sun Jul 02 2017 18:35:00.0000	1611	1392
Sun Jul 02 2017 18:36:00.0000	1612	1162
Sun Jul 02 2017 18:37:00.0000	1613	1347
Sun Jul 02 2017 18:38:00.0000	1612	1346
Sun Jul 02 2017 18:39:00.0000	1610	1290
Sun Jul 02 2017 18:40:00.0000	1612	1154
Sun Jul 02 2017 18:41:00.0000	1612	1257
Sun Jul 02 2017 18:42:00.0000	1613	1328
Sun Jul 02 2017 18:43:00.0000	1611	1393
Sun Jul 02 2017 18:44:00.0000	1611	1386
Sun Jul 02 2017 18:45:00.0000	1612	1194
Sun Jul 02 2017 18:46:00.0000	1613	1218
Sun Jul 02 2017 18:47:00.0000	1612	1325
Sun Jul 02 2017 18:48:00.0000	1610	1353
Sun Jul 02 2017 18:49:00.0000	1611	1228
Sun Jul 02 2017 18:50:00.0000	1612	1194
Sun Jul 02 2017 18:51:00.0000	1612	1324
Sun Jul 02 2017 18:52:00.0000	1610	1378
Sun Jul 02 2017 18:53:00.0000	1612	1393
Sun Jul 02 2017 18:54:00.0000	1611	1131
Sun Jul 02 2017 18:55:00.0000	1612	1259
Sun Jul 02 2017 18:56:00.0000	1611	1324
Sun Jul 02 2017 18:57:00.0000	1610	1321

Date/Time	Process Temperature (°F)	Process Flow SCFM
Sun Jul 02 2017 18:58:00.0000	1611	1187
Sun Jul 02 2017 18:59:00.0000	1612	1275
Sun Jul 02 2017 19:00:00.0000	1611	1304
Sun Jul 02 2017 19:01:00.0000	1610	1383
Sun Jul 02 2017 19:02:00.0000	1611	1182
Sun Jul 02 2017 19:03:00.0000	1611	1166
Sun Jul 02 2017 19:04:00.0000	1612	1341
Sun Jul 02 2017 19:05:00.0000	1610	1331
Sun Jul 02 2017 19:06:00.0000	1610	1325
Sun Jul 02 2017 19:07:00.0000	1610	1098
Sun Jul 02 2017 19:08:00.0000	1612	1308
Sun Jul 02 2017 19:09:00.0000	1611	1253
Sun Jul 02 2017 19:10:00.0000	1609	1402
Sun Jul 02 2017 19:11:00.0000	1610	1125
Sun Jul 02 2017 19:12:00.0000	1611	1115
Sun Jul 02 2017 19:13:00.0000	1612	1290
Sun Jul 02 2017 19:14:00.0000	1610	1337
Sun Jul 02 2017 19:15:00.0000	1609	1333
Sun Jul 02 2017 19:16:00.0000	1610	1198
Sun Jul 02 2017 19:17:00.0000	1612	1299
Sun Jul 02 2017 19:18:00.0000	1611	1256
Sun Jul 02 2017 19:19:00.0000	1609	1239
Sun Jul 02 2017 19:20:00.0000	1610	1169
Sun Jul 02 2017 19:21:00.0000	1611	1180
Sun Jul 02 2017 19:22:00.0000	1611	1274
Sun Jul 02 2017 19:23:00.0000	1609	1324
Sun Jul 02 2017 19:24:00.0000	1609	1308
Sun Jul 02 2017 19:25:00.0000	1610	1181
Sun Jul 02 2017 19:26:00.0000	1611	1291
Sun Jul 02 2017 19:27:00.0000	1610	1370
Sun Jul 02 2017 19:28:00.0000	1608	1350
Sun Jul 02 2017 19:29:00.0000	1609	1167
Sun Jul 02 2017 19:30:00.0000	1611	1238
Sun Jul 02 2017 19:31:00.0000	1610	1227
Sun Jul 02 2017 19:32:00.0000	1608	1289
Sun Jul 02 2017 19:33:00.0000	1609	1175
Sun Jul 02 2017 19:34:00.0000	1609	1193
Sun Jul 02 2017 19:35:00.0000	1611	1197
Sun Jul 02 2017 19:36:00.0000	1609	1248
Sun Jul 02 2017 19:37:00.0000	1608	1279
Sun Jul 02 2017 19:38:00.0000	1609	1177
Sun Jul 02 2017 19:39:00.0000	1610	1278
Sun Jul 02 2017 19:40:00.0000	1609	1239
Sun Jul 02 2017 19:41:00.0000	1607	1321
Sun Jul 02 2017 19:42:00.0000	1609	1163
Sun Jul 02 2017 19:43:00.0000	1609	1219
Sun Jul 02 2017 19:44:00.0000	1610	1333
Sun Jul 02 2017 19:45:00.0000	1608	1275
Sun Jul 02 2017 19:46:00.0000	1608	1331
Sun Jul 02 2017 19:47:00.0000	1608	1194
Sun Jul 02 2017 19:48:00.0000	1610	1262
Sun Jul 02 2017 19:49:00.0000	1609	1221
Sun Jul 02 2017 19:50:00.0000	1607	1423
Sun Jul 02 2017 19:51:00.0000	1608	1146
Sun Jul 02 2017 19:52:00.0000	1609	1122
Sun Jul 02 2017 19:53:00.0000	1609	1287
Sun Jul 02 2017 19:54:00.0000	1607	1395

Date/Time	Process Temperature (°F)	Process Flow SCFM
Sun Jul 02 2017 19:55:00.0000	1607	1301
Sun Jul 02 2017 19:56:00.0000	1608	1149
Sun Jul 02 2017 19:57:00.0000	1609	1243
Sun Jul 02 2017 19:58:00.0000	1608	1334
Sun Jul 02 2017 19:59:00.0000	1606	1312
Sun Jul 02 2017 20:00:00.0000	1608	1136
Sun Jul 02 2017 20:01:00.0000	1608	1268
Sun Jul 02 2017 20:02:00.0000	1608	1118
Sun Jul 02 2017 20:03:00.0000	1606	1235
Sun Jul 02 2017 20:04:00.0000	1607	1150
Sun Jul 02 2017 20:05:00.0000	1607	1146
Sun Jul 02 2017 20:06:00.0000	1609	1187
Sun Jul 02 2017 20:07:00.0000	1607	1352
Sun Jul 02 2017 20:08:00.0000	1607	1143
Sun Jul 02 2017 20:09:00.0000	1607	1157
Sun Jul 02 2017 20:10:00.0000	1608	1189
Sun Jul 02 2017 20:11:00.0000	1607	1242
Sun Jul 02 2017 20:12:00.0000	1605	1328
Sun Jul 02 2017 20:13:00.0000	1606	1144
Sun Jul 02 2017 20:14:00.0000	1608	1238
Sun Jul 02 2017 20:15:00.0000	1607	1275
Sun Jul 02 2017 20:16:00.0000	1605	1356
Sun Jul 02 2017 20:17:00.0000	1606	1216
Sun Jul 02 2017 20:18:00.0000	1606	1172
Sun Jul 02 2017 20:19:00.0000	1607	1288
Sun Jul 02 2017 20:20:00.0000	1606	1175
Sun Jul 02 2017 20:21:00.0000	1605	1445
Sun Jul 02 2017 20:22:00.0000	1606	1184
Sun Jul 02 2017 20:23:00.0000	1607	1262
Sun Jul 02 2017 20:24:00.0000	1606	1314
Sun Jul 02 2017 20:25:00.0000	1604	1361
Sun Jul 02 2017 20:26:00.0000	1605	1182
Sun Jul 02 2017 20:27:00.0000	1606	1158
Sun Jul 02 2017 20:28:00.0000	1607	1203
Sun Jul 02 2017 20:29:00.0000	1604	1365
Sun Jul 02 2017 20:30:00.0000	1604	1294
Sun Jul 02 2017 20:31:00.0000	1605	1150
Sun Jul 02 2017 20:32:00.0000	1606	1217
Sun Jul 02 2017 20:33:00.0000	1606	1315
Sun Jul 02 2017 20:34:00.0000	1604	1184
Sun Jul 02 2017 20:35:00.0000	1605	1148
Sun Jul 02 2017 20:36:00.0000	1605	1134
Sun Jul 02 2017 20:37:00.0000	1606	1271
Sun Jul 02 2017 20:38:00.0000	1604	1238
Sun Jul 02 2017 20:39:00.0000	1604	1168
Sun Jul 02 2017 20:40:00.0000	1604	1145
Sun Jul 02 2017 20:41:00.0000	1606	1226
Sun Jul 02 2017 20:42:00.0000	1605	1264
Sun Jul 02 2017 20:43:00.0000	1602	1309
Sun Jul 02 2017 20:44:00.0000	1604	1194
Sun Jul 02 2017 20:45:00.0000	1605	1130
Sun Jul 02 2017 20:46:00.0000	1605	1226
Sun Jul 02 2017 20:47:00.0000	1603	1346
Sun Jul 02 2017 20:48:00.0000	1603	1419
Sun Jul 02 2017 20:49:00.0000	1604	1135
Sun Jul 02 2017 20:50:00.0000	1605	1256
Sun Jul 02 2017 20:51:00.0000	1603	1289

Date/Time	Process Temperature (°F)	Process Flow SCFM
Sun Jul 02 2017 20:52:00.0000	1603	1233
Sun Jul 02 2017 20:53:00.0000	1609	1156
Sun Jul 02 2017 20:54:00.0000	1615	1207
Sun Jul 02 2017 20:55:00.0000	1618	1214
Sun Jul 02 2017 20:56:00.0000	1618	1308
Sun Jul 02 2017 20:57:00.0000	1621	1252
Sun Jul 02 2017 20:58:00.0000	1623	1199
Sun Jul 02 2017 20:59:00.0000	1627	1206
Sun Jul 02 2017 21:00:00.0000	1626	1307
Sun Jul 02 2017 21:01:00.0000	1626	1336
Sun Jul 02 2017 21:02:00.0000	1628	1237
Sun Jul 02 2017 21:03:00.0000	1632	1218
Sun Jul 02 2017 21:04:00.0000	1632	1232
Sun Jul 02 2017 21:05:00.0000	1630	1350
Sun Jul 02 2017 21:06:00.0000	1633	1198
Sun Jul 02 2017 21:07:00.0000	1628	1139
Sun Jul 02 2017 21:08:00.0000	1624	1212
Sun Jul 02 2017 21:09:00.0000	1619	1246
Sun Jul 02 2017 21:10:00.0000	1616	1320
Sun Jul 02 2017 21:11:00.0000	1615	1234
Sun Jul 02 2017 21:12:00.0000	1614	1259
Sun Jul 02 2017 21:13:00.0000	1611	1242
Sun Jul 02 2017 21:14:00.0000	1609	1304
Sun Jul 02 2017 21:15:00.0000	1608	1140
Sun Jul 02 2017 21:16:00.0000	1608	1122
Sun Jul 02 2017 21:17:00.0000	1607	1218
Sun Jul 02 2017 21:18:00.0000	1605	1217
Sun Jul 02 2017 21:19:00.0000	1604	1302
Sun Jul 02 2017 21:20:00.0000	1604	1116
Sun Jul 02 2017 21:21:00.0000	1604	1131
Sun Jul 02 2017 21:22:00.0000	1602	1272
Sun Jul 02 2017 21:23:00.0000	1605	1320
Sun Jul 02 2017 21:24:00.0000	1614	1148
Sun Jul 02 2017 21:25:00.0000	1622	1186
Sun Jul 02 2017 21:26:00.0000	1628	1186
Sun Jul 02 2017 21:27:00.0000	1629	1273
Sun Jul 02 2017 21:28:00.0000	1632	1019
Sun Jul 02 2017 21:29:00.0000	1628	1134
Sun Jul 02 2017 21:30:00.0000	1622	1127
Sun Jul 02 2017 21:31:00.0000	1618	1266
Sun Jul 02 2017 21:32:00.0000	1614	1410
Sun Jul 02 2017 21:33:00.0000	1612	1156
Sun Jul 02 2017 21:34:00.0000	1611	1210
Sun Jul 02 2017 21:35:00.0000	1609	1204
Sun Jul 02 2017 21:36:00.0000	1606	1262
Sun Jul 02 2017 21:37:00.0000	1605	1242
Sun Jul 02 2017 21:38:00.0000	1605	1094
Sun Jul 02 2017 21:39:00.0000	1605	1181
Sun Jul 02 2017 21:40:00.0000	1602	1306
Sun Jul 02 2017 21:41:00.0000	1603	1311
Sun Jul 02 2017 21:42:00.0000	1609	1151
Sun Jul 02 2017 21:43:00.0000	1615	1152
Sun Jul 02 2017 21:44:00.0000	1619	1234
Sun Jul 02 2017 21:45:00.0000	1618	1423
Sun Jul 02 2017 21:46:00.0000	1621	1136
Sun Jul 02 2017 21:47:00.0000	1623	1197
Sun Jul 02 2017 21:48:00.0000	1627	1119

Date/Time	Process Temperature (°F)	Process Flow SCFM
Sun Jul 02 2017 21:49:00.0000	1627	1334
Sun Jul 02 2017 21:50:00.0000	1626	1246
Sun Jul 02 2017 21:51:00.0000	1628	1166
Sun Jul 02 2017 21:52:00.0000	1631	1102
Sun Jul 02 2017 21:53:00.0000	1632	1294
Sun Jul 02 2017 21:54:00.0000	1631	1339
Sun Jul 02 2017 21:55:00.0000	1632	1127
Sun Jul 02 2017 21:56:00.0000	1622	1140
Sun Jul 02 2017 21:57:00.0000	1615	1194
Sun Jul 02 2017 21:58:00.0000	1610	1259
Sun Jul 02 2017 21:59:00.0000	1606	1288
Sun Jul 02 2017 22:00:00.0000	1604	1130
Sun Jul 02 2017 22:01:00.0000	1601	1189
Sun Jul 02 2017 22:02:00.0000	1604	1221
Sun Jul 02 2017 22:03:00.0000	1608	1275
Sun Jul 02 2017 22:04:00.0000	1613	1163
Sun Jul 02 2017 22:05:00.0000	1617	1161
Sun Jul 02 2017 22:06:00.0000	1621	1241
Sun Jul 02 2017 22:07:00.0000	1621	1150
Sun Jul 02 2017 22:08:00.0000	1621	1334
Sun Jul 02 2017 22:09:00.0000	1623	1126
Sun Jul 02 2017 22:10:00.0000	1626	1236
Sun Jul 02 2017 22:11:00.0000	1627	1333
Sun Jul 02 2017 22:12:00.0000	1625	1267
Sun Jul 02 2017 22:13:00.0000	1627	1158
Sun Jul 02 2017 22:14:00.0000	1629	1176
Sun Jul 02 2017 22:15:00.0000	1631	1187
Sun Jul 02 2017 22:16:00.0000	1629	1185
Sun Jul 02 2017 22:17:00.0000	1629	1276
Sun Jul 02 2017 22:18:00.0000	1631	1188
Sun Jul 02 2017 22:19:00.0000	1633	1146
Sun Jul 02 2017 22:20:00.0000	1623	1319
Sun Jul 02 2017 22:21:00.0000	1617	1298
Sun Jul 02 2017 22:22:00.0000	1612	1123
Sun Jul 02 2017 22:23:00.0000	1609	993
Sun Jul 02 2017 22:24:00.0000	1605	1141
Sun Jul 02 2017 22:25:00.0000	1601	1259
Sun Jul 02 2017 22:26:00.0000	1605	1288
Sun Jul 02 2017 22:27:00.0000	1612	1139
Sun Jul 02 2017 22:28:00.0000	1619	1189
Sun Jul 02 2017 22:29:00.0000	1621	1254
Sun Jul 02 2017 22:30:00.0000	1621	1299
Sun Jul 02 2017 22:31:00.0000	1624	1185
Sun Jul 02 2017 22:32:00.0000	1625	1145
Sun Jul 02 2017 22:33:00.0000	1628	1188
Sun Jul 02 2017 22:34:00.0000	1627	1329
Sun Jul 02 2017 22:35:00.0000	1627	1249
Sun Jul 02 2017 22:36:00.0000	1629	1117
Sun Jul 02 2017 22:37:00.0000	1632	1126
Sun Jul 02 2017 22:38:00.0000	1632	1214
Sun Jul 02 2017 22:39:00.0000	1630	1283
Sun Jul 02 2017 22:40:00.0000	1632	1156
Sun Jul 02 2017 22:41:00.0000	1633	1176
Sun Jul 02 2017 22:42:00.0000	1628	1258
Sun Jul 02 2017 22:43:00.0000	1622	1276
Sun Jul 02 2017 22:44:00.0000	1619	1191
Sun Jul 02 2017 22:45:00.0000	1617	1171

Date/Time	Process Temperature (°F)	Process Flow SCFM
Sun Jul 02 2017 22:46:00.0000	1616	1160
Sun Jul 02 2017 22:47:00.0000	1613	1287
Sun Jul 02 2017 22:48:00.0000	1611	1321
Sun Jul 02 2017 22:49:00.0000	1610	1134
Sun Jul 02 2017 22:50:00.0000	1609	1162
Sun Jul 02 2017 22:51:00.0000	1608	1215
Sun Jul 02 2017 22:52:00.0000	1605	1295
Sun Jul 02 2017 22:53:00.0000	1605	1175
Sun Jul 02 2017 22:54:00.0000	1605	1167
Sun Jul 02 2017 22:55:00.0000	1604	1137
Sun Jul 02 2017 22:56:00.0000	1602	1245
Sun Jul 02 2017 22:57:00.0000	1602	1275
Sun Jul 02 2017 22:58:00.0000	1612	1113
Sun Jul 02 2017 22:59:00.0000	1623	1146
Sun Jul 02 2017 23:00:00.0000	1631	1150
Sun Jul 02 2017 23:01:00.0000	1633	1272
Sun Jul 02 2017 23:02:00.0000	1636	1087
Sun Jul 02 2017 23:03:00.0000	1625	1137
Sun Jul 02 2017 23:04:00.0000	1617	1144
Sun Jul 02 2017 23:05:00.0000	1611	1192
Sun Jul 02 2017 23:06:00.0000	1606	1338
Sun Jul 02 2017 23:07:00.0000	1603	1129
Sun Jul 02 2017 23:08:00.0000	1601	1164
Sun Jul 02 2017 23:09:00.0000	1607	1256
Sun Jul 02 2017 23:10:00.0000	1608	1179
Sun Jul 02 2017 23:11:00.0000	1612	1139
Sun Jul 02 2017 23:12:00.0000	1615	1169
Sun Jul 02 2017 23:13:00.0000	1619	1203
Sun Jul 02 2017 23:14:00.0000	1619	1261
Sun Jul 02 2017 23:15:00.0000	1618	1194
Sun Jul 02 2017 23:16:00.0000	1621	1144
Sun Jul 02 2017 23:17:00.0000	1624	1191
Sun Jul 02 2017 23:18:00.0000	1624	1254
Sun Jul 02 2017 23:19:00.0000	1623	1294
Sun Jul 02 2017 23:20:00.0000	1624	1114
Sun Jul 02 2017 23:21:00.0000	1626	1208
Sun Jul 02 2017 23:22:00.0000	1628	1150
Sun Jul 02 2017 23:23:00.0000	1626	1265
Sun Jul 02 2017 23:24:00.0000	1626	1275
Sun Jul 02 2017 23:25:00.0000	1628	1150
Sun Jul 02 2017 23:26:00.0000	1630	1128
Sun Jul 02 2017 23:27:00.0000	1630	1301
Sun Jul 02 2017 23:28:00.0000	1628	1186
Sun Jul 02 2017 23:29:00.0000	1630	1112
Sun Jul 02 2017 23:30:00.0000	1631	1215
Sun Jul 02 2017 23:31:00.0000	1632	1209
Sun Jul 02 2017 23:32:00.0000	1631	1340
Sun Jul 02 2017 23:33:00.0000	1630	1335
Sun Jul 02 2017 23:34:00.0000	1632	1162
Sun Jul 02 2017 23:35:00.0000	1633	1167
Sun Jul 02 2017 23:36:00.0000	1623	1189
Sun Jul 02 2017 23:37:00.0000	1616	1226
Sun Jul 02 2017 23:38:00.0000	1611	1120
Sun Jul 02 2017 23:39:00.0000	1606	1123
Sun Jul 02 2017 23:40:00.0000	1602	1256
Sun Jul 02 2017 23:41:00.0000	1601	1303
Sun Jul 02 2017 23:42:00.0000	1611	1299

Date/Time	Process Temperature (°F)	Process Flow SCFM
Sun Jul 02 2017 23:43:00.0000	1618	1043
Sun Jul 02 2017 23:44:00.0000	1626	1166
Sun Jul 02 2017 23:45:00.0000	1630	1207
Sun Jul 02 2017 23:46:00.0000	1631	1327
Sun Jul 02 2017 23:47:00.0000	1632	1133
Sun Jul 02 2017 23:48:00.0000	1625	1144
Sun Jul 02 2017 23:49:00.0000	1624	1181
Sun Jul 02 2017 23:50:00.0000	1621	1321
Sun Jul 02 2017 23:51:00.0000	1619	1258
Sun Jul 02 2017 23:52:00.0000	1620	1150
Sun Jul 02 2017 23:53:00.0000	1620	1180
Sun Jul 02 2017 23:54:00.0000	1618	1162
Sun Jul 02 2017 23:55:00.0000	1617	1364
Sun Jul 02 2017 23:56:00.0000	1617	1174
Sun Jul 02 2017 23:57:00.0000	1618	1063
Sun Jul 02 2017 23:58:00.0000	1617	1211
Sun Jul 02 2017 23:59:00.0000	1615	1351
Mon Jul 03 2017 00:00:00.0000	1616	1308
Mon Jul 03 2017 00:01:00.0000	1616	1135
Mon Jul 03 2017 00:02:00.0000	1616	1180
Mon Jul 03 2017 00:03:00.0000	1615	1159
Mon Jul 03 2017 00:04:00.0000	1614	1308
Mon Jul 03 2017 00:05:00.0000	1615	1172
Mon Jul 03 2017 00:06:00.0000	1615	1156
Mon Jul 03 2017 00:07:00.0000	1615	1247
Mon Jul 03 2017 00:08:00.0000	1613	1349
Mon Jul 03 2017 00:09:00.0000	1614	1175
Mon Jul 03 2017 00:10:00.0000	1615	1101
Mon Jul 03 2017 00:11:00.0000	1614	1278
Mon Jul 03 2017 00:12:00.0000	1612	1311
Mon Jul 03 2017 00:13:00.0000	1613	1153
Mon Jul 03 2017 00:14:00.0000	1613	1163
Mon Jul 03 2017 00:15:00.0000	1614	1182
Mon Jul 03 2017 00:16:00.0000	1612	1393
Mon Jul 03 2017 00:17:00.0000	1611	1222
Mon Jul 03 2017 00:18:00.0000	1612	1155
Mon Jul 03 2017 00:19:00.0000	1613	1158
Mon Jul 03 2017 00:20:00.0000	1612	1260
Mon Jul 03 2017 00:21:00.0000	1610	1321
Mon Jul 03 2017 00:22:00.0000	1611	1182
Mon Jul 03 2017 00:23:00.0000	1612	1134
Mon Jul 03 2017 00:24:00.0000	1612	1160
Mon Jul 03 2017 00:25:00.0000	1610	1318
Mon Jul 03 2017 00:26:00.0000	1610	1316
Mon Jul 03 2017 00:27:00.0000	1611	1110
Mon Jul 03 2017 00:28:00.0000	1612	1270
Mon Jul 03 2017 00:29:00.0000	1611	1209
Mon Jul 03 2017 00:30:00.0000	1609	1296
Mon Jul 03 2017 00:31:00.0000	1610	1185
Mon Jul 03 2017 00:32:00.0000	1611	1195
Mon Jul 03 2017 00:33:00.0000	1611	1298
Mon Jul 03 2017 00:34:00.0000	1609	1326
Mon Jul 03 2017 00:35:00.0000	1609	1275
Mon Jul 03 2017 00:36:00.0000	1610	1144
Mon Jul 03 2017 00:37:00.0000	1611	1155
Mon Jul 03 2017 00:38:00.0000	1609	1345
Mon Jul 03 2017 00:39:00.0000	1608	1237

Date/Time	Process Temperature (°F)	Process Flow SCFM
Mon Jul 03 2017 00:40:00.0000	1609	1169
Mon Jul 03 2017 00:41:00.0000	1610	1165
Mon Jul 03 2017 00:42:00.0000	1610	1156
Mon Jul 03 2017 00:43:00.0000	1608	1283
Mon Jul 03 2017 00:44:00.0000	1609	1168
Mon Jul 03 2017 00:45:00.0000	1609	1076
Mon Jul 03 2017 00:46:00.0000	1610	1256
Mon Jul 03 2017 00:47:00.0000	1608	1234
Mon Jul 03 2017 00:48:00.0000	1607	1245
Mon Jul 03 2017 00:49:00.0000	1608	1133
Mon Jul 03 2017 00:50:00.0000	1609	1125
Mon Jul 03 2017 00:51:00.0000	1609	1203
Mon Jul 03 2017 00:52:00.0000	1607	1224
Mon Jul 03 2017 00:53:00.0000	1608	1197
Mon Jul 03 2017 00:54:00.0000	1608	1143
Mon Jul 03 2017 00:55:00.0000	1609	1180
Mon Jul 03 2017 00:56:00.0000	1608	1298
Mon Jul 03 2017 00:57:00.0000	1607	1283
Mon Jul 03 2017 00:58:00.0000	1607	1127
Mon Jul 03 2017 00:59:00.0000	1608	1183
Mon Jul 03 2017 01:00:00.0000	1608	1257
Mon Jul 03 2017 01:01:00.0000	1606	1298
Mon Jul 03 2017 01:02:00.0000	1607	1096
Mon Jul 03 2017 01:03:00.0000	1607	1160
Mon Jul 03 2017 01:04:00.0000	1608	1256
Mon Jul 03 2017 01:05:00.0000	1607	1194
Mon Jul 03 2017 01:06:00.0000	1606	1321
Mon Jul 03 2017 01:07:00.0000	1607	1191
Mon Jul 03 2017 01:08:00.0000	1608	1286
Mon Jul 03 2017 01:09:00.0000	1607	1246
Mon Jul 03 2017 01:10:00.0000	1606	1415
Mon Jul 03 2017 01:11:00.0000	1607	1129
Mon Jul 03 2017 01:12:00.0000	1607	1200
Mon Jul 03 2017 01:13:00.0000	1607	1216
Mon Jul 03 2017 01:14:00.0000	1606	1220
Mon Jul 03 2017 01:15:00.0000	1605	1239
Mon Jul 03 2017 01:16:00.0000	1606	1184
Mon Jul 03 2017 01:17:00.0000	1607	1150
Mon Jul 03 2017 01:18:00.0000	1606	1174
Mon Jul 03 2017 01:19:00.0000	1604	1312
Mon Jul 03 2017 01:20:00.0000	1606	1171
Mon Jul 03 2017 01:21:00.0000	1606	1095
Mon Jul 03 2017 01:22:00.0000	1607	1176
Mon Jul 03 2017 01:23:00.0000	1605	1366
Mon Jul 03 2017 01:24:00.0000	1605	1151
Mon Jul 03 2017 01:25:00.0000	1605	1169
Mon Jul 03 2017 01:26:00.0000	1607	1264
Mon Jul 03 2017 01:27:00.0000	1606	1231
Mon Jul 03 2017 01:28:00.0000	1604	1343
Mon Jul 03 2017 01:29:00.0000	1606	1130
Mon Jul 03 2017 01:30:00.0000	1605	1144
Mon Jul 03 2017 01:31:00.0000	1606	1137
Mon Jul 03 2017 01:32:00.0000	1604	1345
Mon Jul 03 2017 01:33:00.0000	1604	1295
Mon Jul 03 2017 01:34:00.0000	1605	1121
Mon Jul 03 2017 01:35:00.0000	1606	1142
Mon Jul 03 2017 01:36:00.0000	1605	1265

Date/Time	Process Temperature (°F)	Process Flow SCFM
Mon Jul 03 2017 01:37:00.0000	1603	1181
Mon Jul 03 2017 01:38:00.0000	1604	1038
Mon Jul 03 2017 01:39:00.0000	1606	1219
Mon Jul 03 2017 01:40:00.0000	1605	1204
Mon Jul 03 2017 01:41:00.0000	1603	1325
Mon Jul 03 2017 01:42:00.0000	1605	1346
Mon Jul 03 2017 01:43:00.0000	1604	1122
Mon Jul 03 2017 01:44:00.0000	1605	1203
Mon Jul 03 2017 01:45:00.0000	1604	1145
Mon Jul 03 2017 01:46:00.0000	1603	1119
Mon Jul 03 2017 01:47:00.0000	1605	1110
Mon Jul 03 2017 01:48:00.0000	1605	1149
Mon Jul 03 2017 01:49:00.0000	1603	1163
Mon Jul 03 2017 01:50:00.0000	1602	1322
Mon Jul 03 2017 01:51:00.0000	1604	1107
Mon Jul 03 2017 01:52:00.0000	1605	1131
Mon Jul 03 2017 01:53:00.0000	1604	1220
Mon Jul 03 2017 01:54:00.0000	1602	1394
Mon Jul 03 2017 01:55:00.0000	1603	1126
Mon Jul 03 2017 01:56:00.0000	1604	1064
Mon Jul 03 2017 01:57:00.0000	1604	1131
Mon Jul 03 2017 01:58:00.0000	1602	1291
Mon Jul 03 2017 01:59:00.0000	1606	1389
Mon Jul 03 2017 02:00:00.0000	1613	1123
Mon Jul 03 2017 02:01:00.0000	1620	1195
Mon Jul 03 2017 02:02:00.0000	1622	1130
Mon Jul 03 2017 02:03:00.0000	1622	1354
Mon Jul 03 2017 02:04:00.0000	1626	1136
Mon Jul 03 2017 02:05:00.0000	1629	1201
Mon Jul 03 2017 02:06:00.0000	1631	1194
Mon Jul 03 2017 02:07:00.0000	1623	1365
Mon Jul 03 2017 02:08:00.0000	1619	1106
Mon Jul 03 2017 02:09:00.0000	1616	1069
Mon Jul 03 2017 02:10:00.0000	1615	1183
Mon Jul 03 2017 02:11:00.0000	1614	1243
Mon Jul 03 2017 02:12:00.0000	1612	1280
Mon Jul 03 2017 02:13:00.0000	1613	1175
Mon Jul 03 2017 02:14:00.0000	1614	1163
Mon Jul 03 2017 02:15:00.0000	1612	1278
Mon Jul 03 2017 02:16:00.0000	1610	1268
Mon Jul 03 2017 02:17:00.0000	1611	1094
Mon Jul 03 2017 02:18:00.0000	1611	1136
Mon Jul 03 2017 02:19:00.0000	1611	1169
Mon Jul 03 2017 02:20:00.0000	1609	1352
Mon Jul 03 2017 02:21:00.0000	1609	1290
Mon Jul 03 2017 02:22:00.0000	1610	1167
Mon Jul 03 2017 02:23:00.0000	1611	1209
Mon Jul 03 2017 02:24:00.0000	1609	1249
Mon Jul 03 2017 02:25:00.0000	1607	1273
Mon Jul 03 2017 02:26:00.0000	1609	1191
Mon Jul 03 2017 02:27:00.0000	1609	1178
Mon Jul 03 2017 02:28:00.0000	1609	1137
Mon Jul 03 2017 02:29:00.0000	1607	1252
Mon Jul 03 2017 02:30:00.0000	1608	1166
Mon Jul 03 2017 02:31:00.0000	1608	1263
Mon Jul 03 2017 02:32:00.0000	1609	1100
Mon Jul 03 2017 02:33:00.0000	1607	1234

Date/Time	Process Temperature (°F)	Process Flow SCFM
Mon Jul 03 2017 02:34:00.0000	1606	1304
Mon Jul 03 2017 02:35:00.0000	1607	1142
Mon Jul 03 2017 02:36:00.0000	1608	1298
Mon Jul 03 2017 02:37:00.0000	1608	1148
Mon Jul 03 2017 02:38:00.0000	1605	1298
Mon Jul 03 2017 02:39:00.0000	1606	1123
Mon Jul 03 2017 02:40:00.0000	1607	1080
Mon Jul 03 2017 02:41:00.0000	1607	1221
Mon Jul 03 2017 02:42:00.0000	1606	1250
Mon Jul 03 2017 02:43:00.0000	1605	1267
Mon Jul 03 2017 02:44:00.0000	1606	1111
Mon Jul 03 2017 02:45:00.0000	1607	1200
Mon Jul 03 2017 02:46:00.0000	1607	1217
Mon Jul 03 2017 02:47:00.0000	1605	1389
Mon Jul 03 2017 02:48:00.0000	1606	1120
Mon Jul 03 2017 02:49:00.0000	1606	1163
Mon Jul 03 2017 02:50:00.0000	1607	1177
Mon Jul 03 2017 02:51:00.0000	1605	1337
Mon Jul 03 2017 02:52:00.0000	1604	1281
Mon Jul 03 2017 02:53:00.0000	1605	1151
Mon Jul 03 2017 02:54:00.0000	1606	1237
Mon Jul 03 2017 02:55:00.0000	1605	1309
Mon Jul 03 2017 02:56:00.0000	1604	1275
Mon Jul 03 2017 02:57:00.0000	1605	1170
Mon Jul 03 2017 02:58:00.0000	1606	1170
Mon Jul 03 2017 02:59:00.0000	1606	1227
Mon Jul 03 2017 03:00:00.0000	1603	1283
Mon Jul 03 2017 03:01:00.0000	1604	1053
Mon Jul 03 2017 03:02:00.0000	1605	1143
Mon Jul 03 2017 03:03:00.0000	1606	1180
Mon Jul 03 2017 03:04:00.0000	1604	1178
Mon Jul 03 2017 03:05:00.0000	1603	1267
Mon Jul 03 2017 03:06:00.0000	1604	1113
Mon Jul 03 2017 03:07:00.0000	1606	1180
Mon Jul 03 2017 03:08:00.0000	1605	1213
Mon Jul 03 2017 03:09:00.0000	1603	1300
Mon Jul 03 2017 03:10:00.0000	1604	1046
Mon Jul 03 2017 03:11:00.0000	1604	1123
Mon Jul 03 2017 03:12:00.0000	1605	1162
Mon Jul 03 2017 03:13:00.0000	1603	1117
Mon Jul 03 2017 03:14:00.0000	1603	1270
Mon Jul 03 2017 03:15:00.0000	1604	1183
Mon Jul 03 2017 03:16:00.0000	1605	1191
Mon Jul 03 2017 03:17:00.0000	1604	1225
Mon Jul 03 2017 03:18:00.0000	1602	1321
Mon Jul 03 2017 03:19:00.0000	1604	1170
Mon Jul 03 2017 03:20:00.0000	1604	1180
Mon Jul 03 2017 03:21:00.0000	1605	1169
Mon Jul 03 2017 03:22:00.0000	1603	1312
Mon Jul 03 2017 03:23:00.0000	1603	1215
Mon Jul 03 2017 03:24:00.0000	1604	1134
Mon Jul 03 2017 03:25:00.0000	1605	1200
Mon Jul 03 2017 03:26:00.0000	1604	1243
Mon Jul 03 2017 03:27:00.0000	1602	1293
Mon Jul 03 2017 03:28:00.0000	1603	1111
Mon Jul 03 2017 03:29:00.0000	1604	1142
Mon Jul 03 2017 03:30:00.0000	1604	1155

Date/Time	Process Temperature (°F)	Process Flow SCFM
Mon Jul 03 2017 03:31:00.0000	1602	1294
Mon Jul 03 2017 03:32:00.0000	1603	1005
Mon Jul 03 2017 03:33:00.0000	1603	1134
Mon Jul 03 2017 03:34:00.0000	1604	1224
Mon Jul 03 2017 03:35:00.0000	1603	1129
Mon Jul 03 2017 03:36:00.0000	1602	1250
Mon Jul 03 2017 03:37:00.0000	1608	1163
Mon Jul 03 2017 03:38:00.0000	1616	1144
Mon Jul 03 2017 03:39:00.0000	1621	1220
Mon Jul 03 2017 03:40:00.0000	1621	1412
Mon Jul 03 2017 03:41:00.0000	1624	1159
Mon Jul 03 2017 03:42:00.0000	1627	1129
Mon Jul 03 2017 03:43:00.0000	1632	1195
Mon Jul 03 2017 03:44:00.0000	1632	1200
Mon Jul 03 2017 03:45:00.0000	1633	1364
Mon Jul 03 2017 03:46:00.0000	1628	1092
Mon Jul 03 2017 03:47:00.0000	1621	1174
Mon Jul 03 2017 03:48:00.0000	1616	1283
Mon Jul 03 2017 03:49:00.0000	1611	1333
Mon Jul 03 2017 03:50:00.0000	1609	1120
Mon Jul 03 2017 03:51:00.0000	1607	1137
Mon Jul 03 2017 03:52:00.0000	1605	1138
Mon Jul 03 2017 03:53:00.0000	1603	1168
Mon Jul 03 2017 03:54:00.0000	1601	1231
Mon Jul 03 2017 03:55:00.0000	1605	1154
Mon Jul 03 2017 03:56:00.0000	1609	1231
Mon Jul 03 2017 03:57:00.0000	1611	1249
Mon Jul 03 2017 03:58:00.0000	1610	1260
Mon Jul 03 2017 03:59:00.0000	1612	1187
Mon Jul 03 2017 04:00:00.0000	1613	1164
Mon Jul 03 2017 04:01:00.0000	1615	1168
Mon Jul 03 2017 04:02:00.0000	1615	1216
Mon Jul 03 2017 04:03:00.0000	1614	1237
Mon Jul 03 2017 04:04:00.0000	1615	1166
Mon Jul 03 2017 04:05:00.0000	1617	1140
Mon Jul 03 2017 04:06:00.0000	1617	1239
Mon Jul 03 2017 04:07:00.0000	1615	1317
Mon Jul 03 2017 04:08:00.0000	1617	1116
Mon Jul 03 2017 04:09:00.0000	1617	1169
Mon Jul 03 2017 04:10:00.0000	1619	1179
Mon Jul 03 2017 04:11:00.0000	1618	1234
Mon Jul 03 2017 04:12:00.0000	1617	1295
Mon Jul 03 2017 04:13:00.0000	1618	1171
Mon Jul 03 2017 04:14:00.0000	1620	1185
Mon Jul 03 2017 04:15:00.0000	1620	1140
Mon Jul 03 2017 04:16:00.0000	1618	1237
Mon Jul 03 2017 04:17:00.0000	1619	1112
Mon Jul 03 2017 04:18:00.0000	1620	1135
Mon Jul 03 2017 04:19:00.0000	1621	1191
Mon Jul 03 2017 04:20:00.0000	1620	1181
Mon Jul 03 2017 04:21:00.0000	1619	1288
Mon Jul 03 2017 04:22:00.0000	1620	1118
Mon Jul 03 2017 04:23:00.0000	1622	1156
Mon Jul 03 2017 04:24:00.0000	1622	1272
Mon Jul 03 2017 04:25:00.0000	1620	1384
Mon Jul 03 2017 04:26:00.0000	1621	1109
Mon Jul 03 2017 04:27:00.0000	1622	1135

Date/Time	Process Temperature (°F)	Process Flow SCFM
Mon Jul 03 2017 04:28:00.0000	1622	1142
Mon Jul 03 2017 04:29:00.0000	1621	1174
Mon Jul 03 2017 04:30:00.0000	1620	1256
Mon Jul 03 2017 04:31:00.0000	1621	1109
Mon Jul 03 2017 04:32:00.0000	1623	1199
Mon Jul 03 2017 04:33:00.0000	1622	1144
Mon Jul 03 2017 04:34:00.0000	1621	1286
Mon Jul 03 2017 04:35:00.0000	1622	1126
Mon Jul 03 2017 04:36:00.0000	1623	1139
Mon Jul 03 2017 04:37:00.0000	1623	1234
Mon Jul 03 2017 04:38:00.0000	1622	1261
Mon Jul 03 2017 04:39:00.0000	1622	1320
Mon Jul 03 2017 04:40:00.0000	1623	1143
Mon Jul 03 2017 04:41:00.0000	1625	1147
Mon Jul 03 2017 04:42:00.0000	1623	1159
Mon Jul 03 2017 04:43:00.0000	1621	1248
Mon Jul 03 2017 04:44:00.0000	1623	1106
Mon Jul 03 2017 04:45:00.0000	1624	1158
Mon Jul 03 2017 04:46:00.0000	1624	1219
Mon Jul 03 2017 04:47:00.0000	1622	1313
Mon Jul 03 2017 04:48:00.0000	1623	1152
Mon Jul 03 2017 04:49:00.0000	1624	1151
Mon Jul 03 2017 04:50:00.0000	1625	1238
Mon Jul 03 2017 04:51:00.0000	1623	1316
Mon Jul 03 2017 04:52:00.0000	1622	1244
Mon Jul 03 2017 04:53:00.0000	1624	1120
Mon Jul 03 2017 04:54:00.0000	1625	1192
Mon Jul 03 2017 04:55:00.0000	1625	1186
Mon Jul 03 2017 04:56:00.0000	1623	1286
Mon Jul 03 2017 04:57:00.0000	1624	1168
Mon Jul 03 2017 04:58:00.0000	1624	1158
Mon Jul 03 2017 04:59:00.0000	1626	1152
Mon Jul 03 2017 05:00:00.0000	1624	1299
Mon Jul 03 2017 05:01:00.0000	1623	1289
Mon Jul 03 2017 05:02:00.0000	1624	1067
Mon Jul 03 2017 05:03:00.0000	1626	1147
Mon Jul 03 2017 05:04:00.0000	1626	1109
Mon Jul 03 2017 05:05:00.0000	1624	1214
Mon Jul 03 2017 05:06:00.0000	1625	1125
Mon Jul 03 2017 05:07:00.0000	1625	1107
Mon Jul 03 2017 05:08:00.0000	1627	1166
Mon Jul 03 2017 05:09:00.0000	1625	1412
Mon Jul 03 2017 05:10:00.0000	1624	1361
Mon Jul 03 2017 05:11:00.0000	1626	1122
Mon Jul 03 2017 05:12:00.0000	1627	1187
Mon Jul 03 2017 05:13:00.0000	1627	1260
Mon Jul 03 2017 05:14:00.0000	1625	1359
Mon Jul 03 2017 05:15:00.0000	1626	1178
Mon Jul 03 2017 05:16:00.0000	1626	1107
Mon Jul 03 2017 05:17:00.0000	1628	1141
Mon Jul 03 2017 05:18:00.0000	1626	1344
Mon Jul 03 2017 05:19:00.0000	1625	1215
Mon Jul 03 2017 05:20:00.0000	1626	1125
Mon Jul 03 2017 05:21:00.0000	1628	1206
Mon Jul 03 2017 05:22:00.0000	1628	1179
Mon Jul 03 2017 05:23:00.0000	1625	1355
Mon Jul 03 2017 05:24:00.0000	1627	1138

Date/Time	Process Temperature (°F)	Process Flow SCFM
Mon Jul 03 2017 05:25:00.0000	1627	1111
Mon Jul 03 2017 05:26:00.0000	1629	1227
Mon Jul 03 2017 05:27:00.0000	1627	1143
Mon Jul 03 2017 05:28:00.0000	1626	1370
Mon Jul 03 2017 05:29:00.0000	1627	1171
Mon Jul 03 2017 05:30:00.0000	1629	1145
Mon Jul 03 2017 05:31:00.0000	1628	1260
Mon Jul 03 2017 05:32:00.0000	1626	1301
Mon Jul 03 2017 05:33:00.0000	1628	1098
Mon Jul 03 2017 05:34:00.0000	1628	1126
Mon Jul 03 2017 05:35:00.0000	1629	1266
Mon Jul 03 2017 05:36:00.0000	1627	1242
Mon Jul 03 2017 05:37:00.0000	1627	1347
Mon Jul 03 2017 05:38:00.0000	1628	1109
Mon Jul 03 2017 05:39:00.0000	1630	1151
Mon Jul 03 2017 05:40:00.0000	1629	1091
Mon Jul 03 2017 05:41:00.0000	1627	1310
Mon Jul 03 2017 05:42:00.0000	1628	1129
Mon Jul 03 2017 05:43:00.0000	1629	1085
Mon Jul 03 2017 05:44:00.0000	1630	1163
Mon Jul 03 2017 05:45:00.0000	1628	1205
Mon Jul 03 2017 05:46:00.0000	1627	1376
Mon Jul 03 2017 05:47:00.0000	1628	1194
Mon Jul 03 2017 05:48:00.0000	1630	1111
Mon Jul 03 2017 05:49:00.0000	1629	1243
Mon Jul 03 2017 05:50:00.0000	1627	1294
Mon Jul 03 2017 05:51:00.0000	1629	1156
Mon Jul 03 2017 05:52:00.0000	1629	1127
Mon Jul 03 2017 05:53:00.0000	1630	1181
Mon Jul 03 2017 05:54:00.0000	1628	1275
Mon Jul 03 2017 05:55:00.0000	1628	1262
Mon Jul 03 2017 05:56:00.0000	1629	1132
Mon Jul 03 2017 05:57:00.0000	1631	1277
Mon Jul 03 2017 05:58:00.0000	1630	1209
Mon Jul 03 2017 05:59:00.0000	1627	1370
Mon Jul 03 2017 06:00:00.0000	1629	1107
Mon Jul 03 2017 06:01:00.0000	1630	1114
Mon Jul 03 2017 06:02:00.0000	1631	1232
Mon Jul 03 2017 06:03:00.0000	1629	1181
Mon Jul 03 2017 06:04:00.0000	1628	1321
Mon Jul 03 2017 06:05:00.0000	1629	1089
Mon Jul 03 2017 06:06:00.0000	1631	1134
Mon Jul 03 2017 06:07:00.0000	1630	1123
Mon Jul 03 2017 06:08:00.0000	1628	1282
Mon Jul 03 2017 06:09:00.0000	1630	1156
Mon Jul 03 2017 06:10:00.0000	1630	1166
Mon Jul 03 2017 06:11:00.0000	1631	1245
Mon Jul 03 2017 06:12:00.0000	1629	1213
Mon Jul 03 2017 06:13:00.0000	1628	1298
Mon Jul 03 2017 06:14:00.0000	1629	1066
Mon Jul 03 2017 06:15:00.0000	1631	1133
Mon Jul 03 2017 06:16:00.0000	1630	1198
Mon Jul 03 2017 06:17:00.0000	1628	1310
Mon Jul 03 2017 06:18:00.0000	1629	1077
Mon Jul 03 2017 06:19:00.0000	1631	1223
Mon Jul 03 2017 06:20:00.0000	1631	1161
Mon Jul 03 2017 06:21:00.0000	1629	1223

Date/Time	Process Temperature (°F)	Process Flow SCFM
Mon Jul 03 2017 06:22:00.0000	1629	1265
Mon Jul 03 2017 06:23:00.0000	1630	1106
Mon Jul 03 2017 06:24:00.0000	1631	1256
Mon Jul 03 2017 06:25:00.0000	1630	1209
Mon Jul 03 2017 06:26:00.0000	1629	1249
Mon Jul 03 2017 06:27:00.0000	1630	1139
Mon Jul 03 2017 06:28:00.0000	1631	1216
Mon Jul 03 2017 06:29:00.0000	1631	1263
Mon Jul 03 2017 06:30:00.0000	1629	1213
Mon Jul 03 2017 06:31:00.0000	1629	1176
Mon Jul 03 2017 06:32:00.0000	1630	1162
Mon Jul 03 2017 06:33:00.0000	1632	1194
Mon Jul 03 2017 06:34:00.0000	1630	1191
Mon Jul 03 2017 06:35:00.0000	1629	1247
Mon Jul 03 2017 06:36:00.0000	1630	1168
Mon Jul 03 2017 06:37:00.0000	1631	1149
Mon Jul 03 2017 06:38:00.0000	1631	1177
Mon Jul 03 2017 06:39:00.0000	1629	1369
Mon Jul 03 2017 06:40:00.0000	1630	1164
Mon Jul 03 2017 06:41:00.0000	1630	1169
Mon Jul 03 2017 06:42:00.0000	1632	1210
Mon Jul 03 2017 06:43:00.0000	1630	1268
Mon Jul 03 2017 06:44:00.0000	1629	1338
Mon Jul 03 2017 06:45:00.0000	1630	1137
Mon Jul 03 2017 06:46:00.0000	1631	1144
Mon Jul 03 2017 06:47:00.0000	1631	1266
Mon Jul 03 2017 06:48:00.0000	1629	1312
Mon Jul 03 2017 06:49:00.0000	1631	1259
Mon Jul 03 2017 06:50:00.0000	1630	1120
Mon Jul 03 2017 06:51:00.0000	1632	1127
Mon Jul 03 2017 06:52:00.0000	1630	1220
Mon Jul 03 2017 06:53:00.0000	1629	1287
Mon Jul 03 2017 06:54:00.0000	1630	1159
Mon Jul 03 2017 06:55:00.0000	1632	1144
Mon Jul 03 2017 06:56:00.0000	1631	1331
Mon Jul 03 2017 06:57:00.0000	1629	1297
Mon Jul 03 2017 06:58:00.0000	1630	1119
Mon Jul 03 2017 06:59:00.0000	1631	1218
Mon Jul 03 2017 07:00:00.0000	1632	1120
Mon Jul 03 2017 07:01:00.0000	1630	1288
Mon Jul 03 2017 07:02:00.0000	1631	1286
Mon Jul 03 2017 07:03:00.0000	1631	1110
Mon Jul 03 2017 07:04:00.0000	1633	1256
Mon Jul 03 2017 07:05:00.0000	1632	1204
Mon Jul 03 2017 07:06:00.0000	1631	1288
Mon Jul 03 2017 07:07:00.0000	1632	1093
Mon Jul 03 2017 07:08:00.0000	1632	1139
Mon Jul 03 2017 07:09:00.0000	1626	1242
Mon Jul 03 2017 07:10:00.0000	1621	1210
Mon Jul 03 2017 07:11:00.0000	1618	1146
Mon Jul 03 2017 07:12:00.0000	1616	1151
Mon Jul 03 2017 07:13:00.0000	1613	1162
Mon Jul 03 2017 07:14:00.0000	1610	1361
Mon Jul 03 2017 07:15:00.0000	1609	1195
Mon Jul 03 2017 07:16:00.0000	1607	1136
Mon Jul 03 2017 07:17:00.0000	1606	1163
Mon Jul 03 2017 07:18:00.0000	1603	1338

Date/Time	Process Temperature (°F)	Process Flow SCFM
Mon Jul 03 2017 07:19:00.0000	1602	1257
Mon Jul 03 2017 07:20:00.0000	1604	1123
Mon Jul 03 2017 07:21:00.0000	1610	1163
Mon Jul 03 2017 07:22:00.0000	1612	1124
Mon Jul 03 2017 07:23:00.0000	1612	1267
Mon Jul 03 2017 07:24:00.0000	1615	1111
Mon Jul 03 2017 07:25:00.0000	1616	1130
Mon Jul 03 2017 07:26:00.0000	1619	1215
Mon Jul 03 2017 07:27:00.0000	1618	1254
Mon Jul 03 2017 07:28:00.0000	1618	1343
Mon Jul 03 2017 07:29:00.0000	1620	1090
Mon Jul 03 2017 07:30:00.0000	1622	1173
Mon Jul 03 2017 07:31:00.0000	1622	1264
Mon Jul 03 2017 07:32:00.0000	1621	1269
Mon Jul 03 2017 07:33:00.0000	1622	1147
Mon Jul 03 2017 07:34:00.0000	1623	1130
Mon Jul 03 2017 07:35:00.0000	1625	1179
Mon Jul 03 2017 07:36:00.0000	1623	1176
Mon Jul 03 2017 07:37:00.0000	1622	1290
Mon Jul 03 2017 07:38:00.0000	1622	1115
Mon Jul 03 2017 07:39:00.0000	1624	1170
Mon Jul 03 2017 07:40:00.0000	1623	1174
Mon Jul 03 2017 07:41:00.0000	1621	1251
Mon Jul 03 2017 07:42:00.0000	1622	1106
Mon Jul 03 2017 07:43:00.0000	1623	1122
Mon Jul 03 2017 07:44:00.0000	1624	1222
Mon Jul 03 2017 07:45:00.0000	1622	1297
Mon Jul 03 2017 07:46:00.0000	1621	1347
Mon Jul 03 2017 07:47:00.0000	1622	1161
Mon Jul 03 2017 07:48:00.0000	1623	1233
Mon Jul 03 2017 07:49:00.0000	1623	1306
Mon Jul 03 2017 07:50:00.0000	1621	1362
Mon Jul 03 2017 07:51:00.0000	1622	1159
Mon Jul 03 2017 07:52:00.0000	1622	1148
Mon Jul 03 2017 07:53:00.0000	1623	1120
Mon Jul 03 2017 07:54:00.0000	1622	1252
Mon Jul 03 2017 07:55:00.0000	1622	1342
Mon Jul 03 2017 07:56:00.0000	1624	1176
Mon Jul 03 2017 07:57:00.0000	1626	1224
Mon Jul 03 2017 07:58:00.0000	1625	1252
Mon Jul 03 2017 07:59:00.0000	1624	1313
Mon Jul 03 2017 08:00:00.0000	1625	1113
Mon Jul 03 2017 08:01:00.0000	1626	1112
Mon Jul 03 2017 08:02:00.0000	1627	1282
Mon Jul 03 2017 08:03:00.0000	1626	1242
Mon Jul 03 2017 08:04:00.0000	1625	1298
Mon Jul 03 2017 08:05:00.0000	1626	1304
Mon Jul 03 2017 08:06:00.0000	1628	1159
Mon Jul 03 2017 08:07:00.0000	1628	1187
Mon Jul 03 2017 08:08:00.0000	1626	1284
Mon Jul 03 2017 08:09:00.0000	1627	1125
Mon Jul 03 2017 08:10:00.0000	1628	1174
Mon Jul 03 2017 08:11:00.0000	1629	1261
Mon Jul 03 2017 08:12:00.0000	1628	1240
Mon Jul 03 2017 08:13:00.0000	1627	1305
Mon Jul 03 2017 08:14:00.0000	1628	1132
Mon Jul 03 2017 08:15:00.0000	1630	1178

Date/Time	Process Temperature (°F)	Process Flow SCFM
Mon Jul 03 2017 08:16:00.0000	1629	1255
Mon Jul 03 2017 08:17:00.0000	1628	1409
Mon Jul 03 2017 08:18:00.0000	1629	1164
Mon Jul 03 2017 08:19:00.0000	1630	1107
Mon Jul 03 2017 08:20:00.0000	1631	1325
Mon Jul 03 2017 08:21:00.0000	1629	1370
Mon Jul 03 2017 08:22:00.0000	1629	1358
Mon Jul 03 2017 08:23:00.0000	1630	1184
Mon Jul 03 2017 08:24:00.0000	1632	1161
Mon Jul 03 2017 08:25:00.0000	1631	1303
Mon Jul 03 2017 08:26:00.0000	1629	1255
Mon Jul 03 2017 08:27:00.0000	1630	1176
Mon Jul 03 2017 08:28:00.0000	1631	1163
Mon Jul 03 2017 08:29:00.0000	1632	1293
Mon Jul 03 2017 08:30:00.0000	1630	1248
Mon Jul 03 2017 08:31:00.0000	1630	1413
Mon Jul 03 2017 08:32:00.0000	1631	1150
Mon Jul 03 2017 08:33:00.0000	1632	1227
Mon Jul 03 2017 08:34:00.0000	1625	1310
Mon Jul 03 2017 08:35:00.0000	1620	1226
Mon Jul 03 2017 08:36:00.0000	1616	1168
Mon Jul 03 2017 08:37:00.0000	1614	1319
Mon Jul 03 2017 08:38:00.0000	1611	1350
Mon Jul 03 2017 08:39:00.0000	1608	1382
Mon Jul 03 2017 08:40:00.0000	1606	1168
Mon Jul 03 2017 08:41:00.0000	1605	1151
Mon Jul 03 2017 08:42:00.0000	1603	1346
Mon Jul 03 2017 08:43:00.0000	1601	1283
Mon Jul 03 2017 08:44:00.0000	1608	1287
Mon Jul 03 2017 08:45:00.0000	1616	1199
Mon Jul 03 2017 08:46:00.0000	1624	1300
Mon Jul 03 2017 08:47:00.0000	1629	1358
Mon Jul 03 2017 08:48:00.0000	1629	1512
Mon Jul 03 2017 08:49:00.0000	1633	1168
Mon Jul 03 2017 08:50:00.0000	1629	1115
Mon Jul 03 2017 08:51:00.0000	1625	1330
Mon Jul 03 2017 08:52:00.0000	1621	1415
Mon Jul 03 2017 08:53:00.0000	1620	1208
Mon Jul 03 2017 08:54:00.0000	1619	1120
Mon Jul 03 2017 08:55:00.0000	1619	1241
Mon Jul 03 2017 08:56:00.0000	1616	1331
Mon Jul 03 2017 08:57:00.0000	1615	1175
Mon Jul 03 2017 08:58:00.0000	1615	1125
Mon Jul 03 2017 08:59:00.0000	1615	1181
Mon Jul 03 2017 09:00:00.0000	1614	1267
Mon Jul 03 2017 09:01:00.0000	1612	1280
Mon Jul 03 2017 09:02:00.0000	1613	1145
Mon Jul 03 2017 09:03:00.0000	1612	1163
Mon Jul 03 2017 09:04:00.0000	1612	1274
Mon Jul 03 2017 09:05:00.0000	1610	1233
Mon Jul 03 2017 09:06:00.0000	1609	1312
Mon Jul 03 2017 09:07:00.0000	1610	1146
Mon Jul 03 2017 09:08:00.0000	1610	1146
Mon Jul 03 2017 09:09:00.0000	1609	1282
Mon Jul 03 2017 09:10:00.0000	1607	1324
Mon Jul 03 2017 09:11:00.0000	1608	1122
Mon Jul 03 2017 09:12:00.0000	1609	1146

Date/Time	Process Temperature (°F)	Process Flow SCFM
Mon Jul 03 2017 09:13:00.0000	1608	1266
Mon Jul 03 2017 09:14:00.0000	1606	1296
Mon Jul 03 2017 09:15:00.0000	1606	1182
Mon Jul 03 2017 09:16:00.0000	1607	1134
Mon Jul 03 2017 09:17:00.0000	1607	1244
Mon Jul 03 2017 09:18:00.0000	1606	1293
Mon Jul 03 2017 09:19:00.0000	1604	1267
Mon Jul 03 2017 09:20:00.0000	1605	1130
Mon Jul 03 2017 09:21:00.0000	1606	1154
Mon Jul 03 2017 09:22:00.0000	1605	1257
Mon Jul 03 2017 09:23:00.0000	1603	1328
Mon Jul 03 2017 09:24:00.0000	1604	1116
Mon Jul 03 2017 09:25:00.0000	1605	1139
Mon Jul 03 2017 09:26:00.0000	1605	1319
Mon Jul 03 2017 09:27:00.0000	1604	1394
Mon Jul 03 2017 09:28:00.0000	1604	1316
Mon Jul 03 2017 09:29:00.0000	1604	1170
Mon Jul 03 2017 09:30:00.0000	1605	1195
Mon Jul 03 2017 09:31:00.0000	1604	1329
Mon Jul 03 2017 09:32:00.0000	1602	1296
Mon Jul 03 2017 09:33:00.0000	1603	1117
Mon Jul 03 2017 09:34:00.0000	1604	1198
Mon Jul 03 2017 09:35:00.0000	1604	1259
Mon Jul 03 2017 09:36:00.0000	1602	1315
Mon Jul 03 2017 09:37:00.0000	1607	1201
Mon Jul 03 2017 09:38:00.0000	1615	1129
Mon Jul 03 2017 09:39:00.0000	1622	1312
Mon Jul 03 2017 09:40:00.0000	1623	1337
Mon Jul 03 2017 09:41:00.0000	1625	1332
Mon Jul 03 2017 09:42:00.0000	1629	1099
Mon Jul 03 2017 09:43:00.0000	1633	1230
Mon Jul 03 2017 09:44:00.0000	1625	1333
Mon Jul 03 2017 09:45:00.0000	1618	1417
Mon Jul 03 2017 09:46:00.0000	1613	1144
Mon Jul 03 2017 09:47:00.0000	1610	1199
Mon Jul 03 2017 09:48:00.0000	1607	1369
Mon Jul 03 2017 09:49:00.0000	1603	1388
Mon Jul 03 2017 09:50:00.0000	1602	1246
Mon Jul 03 2017 09:51:00.0000	1608	1174
Mon Jul 03 2017 09:52:00.0000	1613	1269
Mon Jul 03 2017 09:53:00.0000	1613	1291
Mon Jul 03 2017 09:54:00.0000	1613	1303
Mon Jul 03 2017 09:55:00.0000	1616	1190
Mon Jul 03 2017 09:56:00.0000	1618	1198
Mon Jul 03 2017 09:57:00.0000	1619	1275
Mon Jul 03 2017 09:58:00.0000	1617	1340
Mon Jul 03 2017 09:59:00.0000	1619	1186
Mon Jul 03 2017 10:00:00.0000	1620	1186
Mon Jul 03 2017 10:01:00.0000	1622	1271
Mon Jul 03 2017 10:02:00.0000	1621	1309
Mon Jul 03 2017 10:03:00.0000	1620	1393
Mon Jul 03 2017 10:04:00.0000	1622	1128
Mon Jul 03 2017 10:05:00.0000	1624	1299
Mon Jul 03 2017 10:06:00.0000	1624	1298
Mon Jul 03 2017 10:07:00.0000	1622	1189
Mon Jul 03 2017 10:08:00.0000	1623	1133
Mon Jul 03 2017 10:09:00.0000	1624	1142

Date/Time	Process Temperature (°F)	Process Flow SCFM
Mon Jul 03 2017 10:10:00.0000	1626	1262
Mon Jul 03 2017 10:11:00.0000	1625	1346
Mon Jul 03 2017 10:12:00.0000	1624	1350
Mon Jul 03 2017 10:13:00.0000	1625	1138
Mon Jul 03 2017 10:14:00.0000	1627	1317
Mon Jul 03 2017 10:15:00.0000	1627	1260
Mon Jul 03 2017 10:16:00.0000	1625	1388
Mon Jul 03 2017 10:17:00.0000	1626	1231
Mon Jul 03 2017 10:18:00.0000	1627	1186
Mon Jul 03 2017 10:19:00.0000	1629	1303
Mon Jul 03 2017 10:20:00.0000	1627	1470
Mon Jul 03 2017 10:21:00.0000	1626	1255
Mon Jul 03 2017 10:22:00.0000	1627	1378
Mon Jul 03 2017 10:23:00.0000	1630	1326
Mon Jul 03 2017 10:24:00.0000	1629	1308
Mon Jul 03 2017 10:25:00.0000	1627	1386
Mon Jul 03 2017 10:26:00.0000	1629	1160
Mon Jul 03 2017 10:27:00.0000	1630	1195
Mon Jul 03 2017 10:28:00.0000	1632	1319
Mon Jul 03 2017 10:29:00.0000	1630	1189
Mon Jul 03 2017 10:30:00.0000	1629	1288
Mon Jul 03 2017 10:31:00.0000	1630	1160
Mon Jul 03 2017 10:32:00.0000	1633	1323
Mon Jul 03 2017 10:33:00.0000	1632	1338
Mon Jul 03 2017 10:34:00.0000	1630	1325
Mon Jul 03 2017 10:35:00.0000	1632	1194
Mon Jul 03 2017 10:36:00.0000	1633	1173
Mon Jul 03 2017 10:37:00.0000	1626	1303
Mon Jul 03 2017 10:38:00.0000	1620	1351
Mon Jul 03 2017 10:39:00.0000	1617	1418
Mon Jul 03 2017 10:40:00.0000	1614	1145
Mon Jul 03 2017 10:41:00.0000	1612	1313
Mon Jul 03 2017 10:42:00.0000	1609	1306
Mon Jul 03 2017 10:43:00.0000	1607	1362
Mon Jul 03 2017 10:44:00.0000	1606	1134
Mon Jul 03 2017 10:45:00.0000	1605	1213
Mon Jul 03 2017 10:46:00.0000	1603	1309
Mon Jul 03 2017 10:47:00.0000	1602	1303
Mon Jul 03 2017 10:48:00.0000	1610	1181
Mon Jul 03 2017 10:49:00.0000	1617	1223
Mon Jul 03 2017 10:50:00.0000	1626	1289
Mon Jul 03 2017 10:51:00.0000	1628	1309
Mon Jul 03 2017 10:52:00.0000	1630	1435
Mon Jul 03 2017 10:53:00.0000	1632	1200
Mon Jul 03 2017 10:54:00.0000	1628	1332
Mon Jul 03 2017 10:55:00.0000	1626	1256
Mon Jul 03 2017 10:56:00.0000	1622	1333
Mon Jul 03 2017 10:57:00.0000	1621	1192
Mon Jul 03 2017 10:58:00.0000	1620	1125
Mon Jul 03 2017 10:59:00.0000	1619	1320
Mon Jul 03 2017 11:00:00.0000	1618	1366
Mon Jul 03 2017 11:01:00.0000	1616	1482
Mon Jul 03 2017 11:02:00.0000	1616	1102
Mon Jul 03 2017 11:03:00.0000	1617	1192
Mon Jul 03 2017 11:04:00.0000	1616	1336
Mon Jul 03 2017 11:05:00.0000	1614	1455
Mon Jul 03 2017 11:06:00.0000	1614	1126

Date/Time	Process Temperature (°F)	Process Flow SCFM
Mon Jul 03 2017 11:07:00.0000	1614	1206
Mon Jul 03 2017 11:08:00.0000	1615	1311
Mon Jul 03 2017 11:09:00.0000	1613	1323
Mon Jul 03 2017 11:10:00.0000	1612	1330
Mon Jul 03 2017 11:11:00.0000	1613	1245
Mon Jul 03 2017 11:12:00.0000	1614	1210
Mon Jul 03 2017 11:13:00.0000	1613	1306
Mon Jul 03 2017 11:14:00.0000	1611	1371
Mon Jul 03 2017 11:15:00.0000	1612	1219
Mon Jul 03 2017 11:16:00.0000	1612	1185
Mon Jul 03 2017 11:17:00.0000	1612	1258
Mon Jul 03 2017 11:18:00.0000	1610	1398
Mon Jul 03 2017 11:19:00.0000	1610	1390
Mon Jul 03 2017 11:20:00.0000	1610	1190
Mon Jul 03 2017 11:21:00.0000	1612	1343
Mon Jul 03 2017 11:22:00.0000	1611	1338
Mon Jul 03 2017 11:23:00.0000	1609	1372
Mon Jul 03 2017 11:24:00.0000	1610	1171
Mon Jul 03 2017 11:25:00.0000	1610	1172
Mon Jul 03 2017 11:26:00.0000	1611	1356
Mon Jul 03 2017 11:27:00.0000	1609	1283
Mon Jul 03 2017 11:28:00.0000	1608	1342
Mon Jul 03 2017 11:29:00.0000	1609	1167
Mon Jul 03 2017 11:30:00.0000	1610	1220
Mon Jul 03 2017 11:31:00.0000	1610	1275
Mon Jul 03 2017 11:32:00.0000	1608	1354
Mon Jul 03 2017 11:33:00.0000	1609	1194
Mon Jul 03 2017 11:34:00.0000	1609	1143
Mon Jul 03 2017 11:35:00.0000	1610	1321
Mon Jul 03 2017 11:36:00.0000	1608	1399
Mon Jul 03 2017 11:37:00.0000	1608	1282
Mon Jul 03 2017 11:38:00.0000	1609	1206
Mon Jul 03 2017 11:39:00.0000	1610	1209
Mon Jul 03 2017 11:40:00.0000	1609	1363
Mon Jul 03 2017 11:41:00.0000	1607	1389
Mon Jul 03 2017 11:42:00.0000	1608	1214
Mon Jul 03 2017 11:43:00.0000	1609	1187
Mon Jul 03 2017 11:44:00.0000	1610	1344
Mon Jul 03 2017 11:45:00.0000	1608	1262
Mon Jul 03 2017 11:46:00.0000	1607	1452
Mon Jul 03 2017 11:47:00.0000	1608	1152
Mon Jul 03 2017 11:48:00.0000	1610	1220
Mon Jul 03 2017 11:49:00.0000	1608	1362
Mon Jul 03 2017 11:50:00.0000	1607	1350
Mon Jul 03 2017 11:51:00.0000	1608	1162
Mon Jul 03 2017 11:52:00.0000	1608	1225
Mon Jul 03 2017 11:53:00.0000	1609	1347
Mon Jul 03 2017 11:54:00.0000	1607	1442
Mon Jul 03 2017 11:55:00.0000	1607	1346
Mon Jul 03 2017 11:56:00.0000	1608	1179
Mon Jul 03 2017 11:57:00.0000	1609	1294
Mon Jul 03 2017 11:58:00.0000	1608	1325
Mon Jul 03 2017 11:59:00.0000	1606	1394
Mon Jul 03 2017 12:00:00.0000	1607	1180
Mon Jul 03 2017 12:01:00.0000	1608	1169
Mon Jul 03 2017 12:02:00.0000	1609	1236
Mon Jul 03 2017 12:03:00.0000	1607	1385

Date/Time	Process Temperature (°F)	Process Flow SCFM
Mon Jul 03 2017 12:04:00.0000	1607	1413
Mon Jul 03 2017 12:05:00.0000	1607	1190
Mon Jul 03 2017 12:06:00.0000	1609	1302
Mon Jul 03 2017 12:07:00.0000	1608	1347
Mon Jul 03 2017 12:08:00.0000	1606	1264
Mon Jul 03 2017 12:09:00.0000	1607	1155
Mon Jul 03 2017 12:10:00.0000	1608	1162
Mon Jul 03 2017 12:11:00.0000	1608	1283
Mon Jul 03 2017 12:12:00.0000	1606	1418
Mon Jul 03 2017 12:13:00.0000	1606	1314
Mon Jul 03 2017 12:14:00.0000	1607	1192
Mon Jul 03 2017 12:15:00.0000	1608	1349
Mon Jul 03 2017 12:16:00.0000	1607	1296
Mon Jul 03 2017 12:17:00.0000	1605	1405
Mon Jul 03 2017 12:18:00.0000	1607	1180
Mon Jul 03 2017 12:19:00.0000	1607	1232
Mon Jul 03 2017 12:20:00.0000	1608	1366
Mon Jul 03 2017 12:21:00.0000	1606	1400
Mon Jul 03 2017 12:22:00.0000	1606	1366
Mon Jul 03 2017 12:23:00.0000	1607	1179
Mon Jul 03 2017 12:24:00.0000	1608	1356
Mon Jul 03 2017 12:25:00.0000	1607	1285
Mon Jul 03 2017 12:26:00.0000	1606	1342
Mon Jul 03 2017 12:27:00.0000	1607	1217
Mon Jul 03 2017 12:28:00.0000	1608	1248
Mon Jul 03 2017 12:29:00.0000	1609	1353
Mon Jul 03 2017 12:30:00.0000	1606	1316
Mon Jul 03 2017 12:31:00.0000	1606	1254
Mon Jul 03 2017 12:32:00.0000	1607	1201
Mon Jul 03 2017 12:33:00.0000	1608	1383
Mon Jul 03 2017 12:34:00.0000	1607	1319
Mon Jul 03 2017 12:35:00.0000	1606	1417
Mon Jul 03 2017 12:36:00.0000	1607	1176
Mon Jul 03 2017 12:37:00.0000	1608	1253
Mon Jul 03 2017 12:38:00.0000	1608	1365
Mon Jul 03 2017 12:39:00.0000	1606	1343
Mon Jul 03 2017 12:40:00.0000	1607	1388
Mon Jul 03 2017 12:41:00.0000	1608	1163
Mon Jul 03 2017 12:42:00.0000	1609	1324
Mon Jul 03 2017 12:43:00.0000	1608	1347
Mon Jul 03 2017 12:44:00.0000	1606	1352
Mon Jul 03 2017 12:45:00.0000	1608	1179
Mon Jul 03 2017 12:46:00.0000	1608	1238
Mon Jul 03 2017 12:47:00.0000	1609	1335
Mon Jul 03 2017 12:48:00.0000	1607	1335
Mon Jul 03 2017 12:49:00.0000	1607	1488
Mon Jul 03 2017 12:50:00.0000	1608	1215
Mon Jul 03 2017 12:51:00.0000	1609	1360
Mon Jul 03 2017 12:52:00.0000	1608	1286
Mon Jul 03 2017 12:53:00.0000	1606	1300
Mon Jul 03 2017 12:54:00.0000	1608	1236
Mon Jul 03 2017 12:55:00.0000	1609	1306
Mon Jul 03 2017 12:56:00.0000	1609	1259
Mon Jul 03 2017 12:57:00.0000	1607	1412
Mon Jul 03 2017 12:58:00.0000	1607	1244
Mon Jul 03 2017 12:59:00.0000	1608	1200
Mon Jul 03 2017 13:00:00.0000	1609	1396

Date/Time	Process Temperature (°F)	Process Flow SCFM
Mon Jul 03 2017 13:01:00.0000	1608	1259
Mon Jul 03 2017 13:02:00.0000	1607	1386
Mon Jul 03 2017 13:03:00.0000	1608	1169
Mon Jul 03 2017 13:04:00.0000	1609	1226
Mon Jul 03 2017 13:05:00.0000	1609	1334
Mon Jul 03 2017 13:06:00.0000	1607	1152
Mon Jul 03 2017 13:07:00.0000	1608	1158
Mon Jul 03 2017 13:08:00.0000	1609	1223
Mon Jul 03 2017 13:09:00.0000	1610	1292
Mon Jul 03 2017 13:10:00.0000	1609	1336
Mon Jul 03 2017 13:11:00.0000	1607	1279
Mon Jul 03 2017 13:12:00.0000	1609	1234
Mon Jul 03 2017 13:13:00.0000	1609	1249
Mon Jul 03 2017 13:14:00.0000	1610	1388
Mon Jul 03 2017 13:15:00.0000	1608	1402
Mon Jul 03 2017 13:16:00.0000	1608	1197
Mon Jul 03 2017 13:17:00.0000	1609	1116
Mon Jul 03 2017 13:18:00.0000	1610	1366
Mon Jul 03 2017 13:19:00.0000	1609	1187
Mon Jul 03 2017 13:20:00.0000	1608	1361
Mon Jul 03 2017 13:21:00.0000	1609	1180
Mon Jul 03 2017 13:22:00.0000	1610	1298
Mon Jul 03 2017 13:23:00.0000	1610	1352
Mon Jul 03 2017 13:24:00.0000	1608	1338
Mon Jul 03 2017 13:25:00.0000	1608	1338
Mon Jul 03 2017 13:26:00.0000	1609	1281
Mon Jul 03 2017 13:27:00.0000	1610	1335
Mon Jul 03 2017 13:28:00.0000	1609	1231
Mon Jul 03 2017 13:29:00.0000	1608	1419
Mon Jul 03 2017 13:30:00.0000	1609	1151
Mon Jul 03 2017 13:31:00.0000	1610	1208
Mon Jul 03 2017 13:32:00.0000	1611	1386
Mon Jul 03 2017 13:33:00.0000	1608	1483
Mon Jul 03 2017 13:34:00.0000	1609	1264
Mon Jul 03 2017 13:35:00.0000	1610	1198
Mon Jul 03 2017 13:36:00.0000	1611	1299
Mon Jul 03 2017 13:37:00.0000	1610	1392
Mon Jul 03 2017 13:38:00.0000	1609	1324
Mon Jul 03 2017 13:39:00.0000	1610	1185
Mon Jul 03 2017 13:40:00.0000	1611	1194
Mon Jul 03 2017 13:41:00.0000	1611	1356
Mon Jul 03 2017 13:42:00.0000	1610	1422
Mon Jul 03 2017 13:43:00.0000	1610	1122
Mon Jul 03 2017 13:44:00.0000	1611	1186
Mon Jul 03 2017 13:45:00.0000	1612	1200
Mon Jul 03 2017 13:46:00.0000	1611	1348
Mon Jul 03 2017 13:47:00.0000	1610	1322
Mon Jul 03 2017 13:48:00.0000	1611	1231
Mon Jul 03 2017 13:49:00.0000	1612	1222
Mon Jul 03 2017 13:50:00.0000	1612	1370
Mon Jul 03 2017 13:51:00.0000	1610	1406
Mon Jul 03 2017 13:52:00.0000	1611	1152
Mon Jul 03 2017 13:53:00.0000	1611	1205
Mon Jul 03 2017 13:54:00.0000	1613	1277
Mon Jul 03 2017 13:55:00.0000	1611	1364
Mon Jul 03 2017 13:56:00.0000	1610	1369
Mon Jul 03 2017 13:57:00.0000	1611	1178

Date/Time	Process Temperature (°F)	Process Flow SCFM
Mon Jul 03 2017 13:58:00.0000	1612	1173
Mon Jul 03 2017 13:59:00.0000	1612	1360
Mon Jul 03 2017 14:00:00.0000	1610	1384
Mon Jul 03 2017 14:01:00.0000	1611	1241
Mon Jul 03 2017 14:02:00.0000	1612	1204
Mon Jul 03 2017 14:03:00.0000	1613	1290
Mon Jul 03 2017 14:04:00.0000	1611	1373
Mon Jul 03 2017 14:05:00.0000	1611	1466
Mon Jul 03 2017 14:06:00.0000	1612	1225
Mon Jul 03 2017 14:07:00.0000	1613	1370
Mon Jul 03 2017 14:08:00.0000	1613	1396
Mon Jul 03 2017 14:09:00.0000	1611	1514
Mon Jul 03 2017 14:10:00.0000	1613	1149
Mon Jul 03 2017 14:11:00.0000	1612	1181
Mon Jul 03 2017 14:12:00.0000	1614	1295
Mon Jul 03 2017 14:13:00.0000	1612	1423
Mon Jul 03 2017 14:14:00.0000	1611	1369
Mon Jul 03 2017 14:15:00.0000	1612	1214
Mon Jul 03 2017 14:16:00.0000	1614	1361
Mon Jul 03 2017 14:17:00.0000	1613	1249
Mon Jul 03 2017 14:18:00.0000	1612	1317
Mon Jul 03 2017 14:19:00.0000	1613	1235
Mon Jul 03 2017 14:20:00.0000	1614	1297
Mon Jul 03 2017 14:21:00.0000	1614	1335
Mon Jul 03 2017 14:22:00.0000	1612	1437
Mon Jul 03 2017 14:23:00.0000	1612	1150
Mon Jul 03 2017 14:24:00.0000	1613	1289
Mon Jul 03 2017 14:25:00.0000	1614	1377
Mon Jul 03 2017 14:26:00.0000	1612	1278
Mon Jul 03 2017 14:27:00.0000	1611	1392
Mon Jul 03 2017 14:28:00.0000	1612	1200
Mon Jul 03 2017 14:29:00.0000	1614	1271
Mon Jul 03 2017 14:30:00.0000	1613	1380
Mon Jul 03 2017 14:31:00.0000	1611	1379
Mon Jul 03 2017 14:32:00.0000	1612	1193
Mon Jul 03 2017 14:33:00.0000	1613	1235
Mon Jul 03 2017 14:34:00.0000	1614	1338
Mon Jul 03 2017 14:35:00.0000	1612	1511
Mon Jul 03 2017 14:36:00.0000	1611	1518
Mon Jul 03 2017 14:37:00.0000	1613	1325
Mon Jul 03 2017 14:38:00.0000	1614	1300
Mon Jul 03 2017 14:39:00.0000	1613	1330
Mon Jul 03 2017 14:40:00.0000	1611	1399
Mon Jul 03 2017 14:41:00.0000	1612	1225
Mon Jul 03 2017 14:42:00.0000	1613	1249
Mon Jul 03 2017 14:43:00.0000	1614	1412
Mon Jul 03 2017 14:44:00.0000	1612	1517
Mon Jul 03 2017 14:45:00.0000	1611	1430
Mon Jul 03 2017 14:46:00.0000	1613	1195
Mon Jul 03 2017 14:47:00.0000	1614	1365
Mon Jul 03 2017 14:48:00.0000	1613	1364
Mon Jul 03 2017 14:49:00.0000	1611	1450
Mon Jul 03 2017 14:50:00.0000	1613	1142
Mon Jul 03 2017 14:51:00.0000	1613	1233
Mon Jul 03 2017 14:52:00.0000	1614	1437
Mon Jul 03 2017 14:53:00.0000	1612	1436
Mon Jul 03 2017 14:54:00.0000	1612	1462

Date/Time	Process Temperature (°F)	Process Flow SCFM
Mon Jul 03 2017 14:55:00.0000	1613	1264
Mon Jul 03 2017 14:56:00.0000	1614	1330
Mon Jul 03 2017 14:57:00.0000	1613	1408
Mon Jul 03 2017 14:58:00.0000	1611	1523
Mon Jul 03 2017 14:59:00.0000	1613	1174
Mon Jul 03 2017 15:00:00.0000	1613	1235
Mon Jul 03 2017 15:01:00.0000	1614	1342
Mon Jul 03 2017 15:02:00.0000	1612	1456
Mon Jul 03 2017 15:03:00.0000	1612	1473
Mon Jul 03 2017 15:04:00.0000	1613	1223
Mon Jul 03 2017 15:05:00.0000	1615	1258
Mon Jul 03 2017 15:06:00.0000	1614	1267
Mon Jul 03 2017 15:07:00.0000	1612	1444
Mon Jul 03 2017 15:08:00.0000	1613	1226
Mon Jul 03 2017 15:09:00.0000	1614	1226
Mon Jul 03 2017 15:10:00.0000	1614	1304
Mon Jul 03 2017 15:11:00.0000	1612	1400
Mon Jul 03 2017 15:12:00.0000	1612	1467
Mon Jul 03 2017 15:13:00.0000	1613	1216
Mon Jul 03 2017 15:14:00.0000	1615	1313
Mon Jul 03 2017 15:15:00.0000	1613	1321
Mon Jul 03 2017 15:16:00.0000	1612	1423
Mon Jul 03 2017 15:17:00.0000	1613	1220
Mon Jul 03 2017 15:18:00.0000	1615	1227
Mon Jul 03 2017 15:19:00.0000	1614	1272
Mon Jul 03 2017 15:20:00.0000	1612	1385
Mon Jul 03 2017 15:21:00.0000	1613	1237
Mon Jul 03 2017 15:22:00.0000	1614	1225
Mon Jul 03 2017 15:23:00.0000	1615	1323
Mon Jul 03 2017 15:24:00.0000	1613	1294
Mon Jul 03 2017 15:25:00.0000	1612	1328
Mon Jul 03 2017 15:26:00.0000	1613	1228
Mon Jul 03 2017 15:27:00.0000	1614	1362
Mon Jul 03 2017 15:28:00.0000	1614	1406
Mon Jul 03 2017 15:29:00.0000	1612	1312
Mon Jul 03 2017 15:30:00.0000	1613	1223
Mon Jul 03 2017 15:31:00.0000	1613	1237
Mon Jul 03 2017 15:32:00.0000	1614	1368
Mon Jul 03 2017 15:33:00.0000	1613	1464
Mon Jul 03 2017 15:34:00.0000	1612	1416
Mon Jul 03 2017 15:35:00.0000	1613	1186
Mon Jul 03 2017 15:36:00.0000	1614	1305
Mon Jul 03 2017 15:37:00.0000	1613	1337
Mon Jul 03 2017 15:38:00.0000	1611	1356
Mon Jul 03 2017 15:39:00.0000	1612	1268
Mon Jul 03 2017 15:40:00.0000	1613	1218
Mon Jul 03 2017 15:41:00.0000	1614	1362
Mon Jul 03 2017 15:42:00.0000	1612	1534
Mon Jul 03 2017 15:43:00.0000	1611	1442
Mon Jul 03 2017 15:44:00.0000	1612	1240
Mon Jul 03 2017 15:45:00.0000	1613	1351
Mon Jul 03 2017 15:46:00.0000	1612	1389
Mon Jul 03 2017 15:47:00.0000	1611	1392
Mon Jul 03 2017 15:48:00.0000	1612	1223
Mon Jul 03 2017 15:49:00.0000	1613	1243
Mon Jul 03 2017 15:50:00.0000	1613	1309
Mon Jul 03 2017 15:51:00.0000	1611	1435

Date/Time	Process Temperature (°F)	Process Flow SCFM
Mon Jul 03 2017 15:52:00.0000	1611	1386
Mon Jul 03 2017 15:53:00.0000	1612	1205
Mon Jul 03 2017 15:54:00.0000	1613	1364
Mon Jul 03 2017 15:55:00.0000	1612	1340
Mon Jul 03 2017 15:56:00.0000	1611	1428
Mon Jul 03 2017 15:57:00.0000	1612	1220
Mon Jul 03 2017 15:58:00.0000	1612	1231
Mon Jul 03 2017 15:59:00.0000	1613	1197
Mon Jul 03 2017 16:00:00.0000	1611	1443
Mon Jul 03 2017 16:01:00.0000	1611	1372
Mon Jul 03 2017 16:02:00.0000	1612	1188
Mon Jul 03 2017 16:03:00.0000	1613	1381
Mon Jul 03 2017 16:04:00.0000	1611	1375
Mon Jul 03 2017 16:05:00.0000	1610	1343
Mon Jul 03 2017 16:06:00.0000	1611	1272
Mon Jul 03 2017 16:07:00.0000	1611	1246
Mon Jul 03 2017 16:08:00.0000	1612	1396
Mon Jul 03 2017 16:09:00.0000	1609	1316
Mon Jul 03 2017 16:10:00.0000	1610	1169
Mon Jul 03 2017 16:11:00.0000	1610	1219
Mon Jul 03 2017 16:12:00.0000	1611	1391
Mon Jul 03 2017 16:13:00.0000	1609	1376
Mon Jul 03 2017 16:14:00.0000	1608	1418
Mon Jul 03 2017 16:15:00.0000	1610	1151
Mon Jul 03 2017 16:16:00.0000	1611	1314
Mon Jul 03 2017 16:17:00.0000	1610	1282
Mon Jul 03 2017 16:18:00.0000	1608	1394
Mon Jul 03 2017 16:19:00.0000	1610	1192
Mon Jul 03 2017 16:20:00.0000	1609	1187
Mon Jul 03 2017 16:21:00.0000	1610	1323
Mon Jul 03 2017 16:22:00.0000	1609	1353
Mon Jul 03 2017 16:23:00.0000	1608	1246
Mon Jul 03 2017 16:24:00.0000	1608	1193
Mon Jul 03 2017 16:25:00.0000	1610	1349
Mon Jul 03 2017 16:26:00.0000	1609	1378
Mon Jul 03 2017 16:27:00.0000	1607	1481
Mon Jul 03 2017 16:28:00.0000	1608	1243
Mon Jul 03 2017 16:29:00.0000	1608	1273
Mon Jul 03 2017 16:30:00.0000	1609	1363
Mon Jul 03 2017 16:31:00.0000	1607	1403
Mon Jul 03 2017 16:32:00.0000	1607	1414
Mon Jul 03 2017 16:33:00.0000	1607	1220
Mon Jul 03 2017 16:34:00.0000	1609	1342
Mon Jul 03 2017 16:35:00.0000	1608	1401
Mon Jul 03 2017 16:36:00.0000	1606	1444
Mon Jul 03 2017 16:37:00.0000	1607	1189
Mon Jul 03 2017 16:38:00.0000	1607	1212
Mon Jul 03 2017 16:39:00.0000	1608	1279
Mon Jul 03 2017 16:40:00.0000	1606	1349
Mon Jul 03 2017 16:41:00.0000	1606	1419
Mon Jul 03 2017 16:42:00.0000	1606	1203
Mon Jul 03 2017 16:43:00.0000	1608	1277
Mon Jul 03 2017 16:44:00.0000	1607	1397
Mon Jul 03 2017 16:45:00.0000	1605	1456
Mon Jul 03 2017 16:46:00.0000	1606	1203
Mon Jul 03 2017 16:47:00.0000	1607	1204
Mon Jul 03 2017 16:48:00.0000	1607	1357

Date/Time	Process Temperature (°F)	Process Flow SCFM
Mon Jul 03 2017 16:49:00.0000	1605	1308
Mon Jul 03 2017 16:50:00.0000	1605	1366
Mon Jul 03 2017 16:51:00.0000	1606	1203
Mon Jul 03 2017 16:52:00.0000	1607	1318
Mon Jul 03 2017 16:53:00.0000	1606	1334
Mon Jul 03 2017 16:54:00.0000	1604	1303
Mon Jul 03 2017 16:55:00.0000	1606	1198
Mon Jul 03 2017 16:56:00.0000	1606	1200
Mon Jul 03 2017 16:57:00.0000	1607	1283
Mon Jul 03 2017 16:58:00.0000	1605	1330
Mon Jul 03 2017 16:59:00.0000	1605	1362
Mon Jul 03 2017 17:00:00.0000	1605	1221
Mon Jul 03 2017 17:01:00.0000	1607	1314
Mon Jul 03 2017 17:02:00.0000	1606	1304
Mon Jul 03 2017 17:03:00.0000	1604	1467
Mon Jul 03 2017 17:04:00.0000	1605	1183
Mon Jul 03 2017 17:05:00.0000	1606	1301
Mon Jul 03 2017 17:06:00.0000	1606	1338
Mon Jul 03 2017 17:07:00.0000	1604	1437
Mon Jul 03 2017 17:08:00.0000	1604	1375
Mon Jul 03 2017 17:09:00.0000	1605	1199
Mon Jul 03 2017 17:10:00.0000	1606	1276
Mon Jul 03 2017 17:11:00.0000	1604	1445
Mon Jul 03 2017 17:12:00.0000	1604	1490
Mon Jul 03 2017 17:13:00.0000	1604	1160
Mon Jul 03 2017 17:14:00.0000	1606	1340
Mon Jul 03 2017 17:15:00.0000	1605	1361
Mon Jul 03 2017 17:16:00.0000	1603	1458
Mon Jul 03 2017 17:17:00.0000	1604	1218
Mon Jul 03 2017 17:18:00.0000	1604	1252
Mon Jul 03 2017 17:19:00.0000	1605	1312
Mon Jul 03 2017 17:20:00.0000	1603	1471
Mon Jul 03 2017 17:21:00.0000	1605	1355
Mon Jul 03 2017 17:22:00.0000	1611	1200
Mon Jul 03 2017 17:23:00.0000	1618	1217
Mon Jul 03 2017 17:24:00.0000	1620	1256
Mon Jul 03 2017 17:25:00.0000	1621	1318
Mon Jul 03 2017 17:26:00.0000	1624	1253
Mon Jul 03 2017 17:27:00.0000	1625	1213
Mon Jul 03 2017 17:28:00.0000	1629	1316
Mon Jul 03 2017 17:29:00.0000	1628	1366
Mon Jul 03 2017 17:30:00.0000	1628	1243
Mon Jul 03 2017 17:31:00.0000	1631	1179
Mon Jul 03 2017 17:32:00.0000	1631	1383
Mon Jul 03 2017 17:33:00.0000	1621	1369
Mon Jul 03 2017 17:34:00.0000	1616	1481
Mon Jul 03 2017 17:35:00.0000	1612	1200
Mon Jul 03 2017 17:36:00.0000	1610	1234
Mon Jul 03 2017 17:37:00.0000	1606	1309
Mon Jul 03 2017 17:38:00.0000	1602	1446
Mon Jul 03 2017 17:39:00.0000	1606	1224
Mon Jul 03 2017 17:40:00.0000	1612	1218
Mon Jul 03 2017 17:41:00.0000	1620	1340
Mon Jul 03 2017 17:42:00.0000	1622	1291
Mon Jul 03 2017 17:43:00.0000	1623	1345
Mon Jul 03 2017 17:44:00.0000	1625	1165
Mon Jul 03 2017 17:45:00.0000	1629	1291

Date/Time	Process Temperature (°F)	Process Flow SCFM
Mon Jul 03 2017 17:46:00.0000	1631	1365
Mon Jul 03 2017 17:47:00.0000	1630	1487
Mon Jul 03 2017 17:48:00.0000	1633	1213
Mon Jul 03 2017 17:49:00.0000	1633	1200
Mon Jul 03 2017 17:50:00.0000	1629	1333
Mon Jul 03 2017 17:51:00.0000	1620	1314
Mon Jul 03 2017 17:52:00.0000	1615	1418
Mon Jul 03 2017 17:53:00.0000	1610	1201
Mon Jul 03 2017 17:54:00.0000	1607	1348
Mon Jul 03 2017 17:55:00.0000	1604	1280
Mon Jul 03 2017 17:56:00.0000	1603	1490
Mon Jul 03 2017 17:57:00.0000	1605	1191
Mon Jul 03 2017 17:58:00.0000	1609	1229
Mon Jul 03 2017 17:59:00.0000	1611	1321
Mon Jul 03 2017 18:00:00.0000	1611	1313
Mon Jul 03 2017 18:01:00.0000	1612	1144
Mon Jul 03 2017 18:02:00.0000	1613	1194
Mon Jul 03 2017 18:03:00.0000	1615	1344
Mon Jul 03 2017 18:04:00.0000	1614	1303
Mon Jul 03 2017 18:05:00.0000	1613	1351
Mon Jul 03 2017 18:06:00.0000	1615	1217
Mon Jul 03 2017 18:07:00.0000	1616	1226
Mon Jul 03 2017 18:08:00.0000	1616	1396
Mon Jul 03 2017 18:09:00.0000	1614	1362
Mon Jul 03 2017 18:10:00.0000	1616	1175
Mon Jul 03 2017 18:11:00.0000	1616	1240
Mon Jul 03 2017 18:12:00.0000	1617	1379
Mon Jul 03 2017 18:13:00.0000	1616	1293
Mon Jul 03 2017 18:14:00.0000	1615	1301
Mon Jul 03 2017 18:15:00.0000	1616	1140
Mon Jul 03 2017 18:16:00.0000	1618	1269
Mon Jul 03 2017 18:17:00.0000	1617	1390
Mon Jul 03 2017 18:18:00.0000	1615	1400
Mon Jul 03 2017 18:19:00.0000	1617	1161
Mon Jul 03 2017 18:20:00.0000	1617	1200
Mon Jul 03 2017 18:21:00.0000	1618	1300
Mon Jul 03 2017 18:22:00.0000	1617	1435
Mon Jul 03 2017 18:23:00.0000	1616	1390
Mon Jul 03 2017 18:24:00.0000	1617	1286
Mon Jul 03 2017 18:25:00.0000	1618	1249
Mon Jul 03 2017 18:26:00.0000	1618	1368
Mon Jul 03 2017 18:27:00.0000	1616	1458
Mon Jul 03 2017 18:28:00.0000	1617	1163
Mon Jul 03 2017 18:29:00.0000	1617	1217
Mon Jul 03 2017 18:30:00.0000	1618	1347
Mon Jul 03 2017 18:31:00.0000	1617	1447
Mon Jul 03 2017 18:32:00.0000	1616	1473
Mon Jul 03 2017 18:33:00.0000	1617	1208
Mon Jul 03 2017 18:34:00.0000	1618	1304
Mon Jul 03 2017 18:35:00.0000	1618	1318
Mon Jul 03 2017 18:36:00.0000	1616	1357
Mon Jul 03 2017 18:37:00.0000	1617	1201
Mon Jul 03 2017 18:38:00.0000	1617	1163
Mon Jul 03 2017 18:39:00.0000	1618	1286
Mon Jul 03 2017 18:40:00.0000	1617	1412
Mon Jul 03 2017 18:41:00.0000	1616	1422
Mon Jul 03 2017 18:42:00.0000	1617	1238

Date/Time	Process Temperature (°F)	Process Flow SCFM
Mon Jul 03 2017 18:43:00.0000	1618	1226
Mon Jul 03 2017 18:44:00.0000	1618	1273
Mon Jul 03 2017 18:45:00.0000	1616	1301
Mon Jul 03 2017 18:46:00.0000	1617	1252
Mon Jul 03 2017 18:47:00.0000	1617	1128
Mon Jul 03 2017 18:48:00.0000	1618	1231
Mon Jul 03 2017 18:49:00.0000	1617	1369
Mon Jul 03 2017 18:50:00.0000	1616	1424
Mon Jul 03 2017 18:51:00.0000	1617	1204
Mon Jul 03 2017 18:52:00.0000	1618	1200
Mon Jul 03 2017 18:53:00.0000	1617	1243
Mon Jul 03 2017 18:54:00.0000	1615	1452
Mon Jul 03 2017 18:55:00.0000	1617	1186
Mon Jul 03 2017 18:56:00.0000	1618	1196
Mon Jul 03 2017 18:57:00.0000	1618	1325
Mon Jul 03 2017 18:58:00.0000	1616	1355
Mon Jul 03 2017 18:59:00.0000	1615	1414
Mon Jul 03 2017 19:00:00.0000	1616	1132
Mon Jul 03 2017 19:01:00.0000	1618	1134
Mon Jul 03 2017 19:02:00.0000	1616	1375
Mon Jul 03 2017 19:03:00.0000	1615	1390
Mon Jul 03 2017 19:04:00.0000	1616	1157
Mon Jul 03 2017 19:05:00.0000	1618	1228
Mon Jul 03 2017 19:06:00.0000	1617	1334
Mon Jul 03 2017 19:07:00.0000	1615	1331
Mon Jul 03 2017 19:08:00.0000	1616	1187
Mon Jul 03 2017 19:09:00.0000	1616	1185
Mon Jul 03 2017 19:10:00.0000	1617	1279
Mon Jul 03 2017 19:11:00.0000	1616	1306
Mon Jul 03 2017 19:12:00.0000	1615	1311
Mon Jul 03 2017 19:13:00.0000	1616	1219
Mon Jul 03 2017 19:14:00.0000	1617	1177
Mon Jul 03 2017 19:15:00.0000	1616	1297
Mon Jul 03 2017 19:16:00.0000	1615	1336
Mon Jul 03 2017 19:17:00.0000	1615	1223
Mon Jul 03 2017 19:18:00.0000	1616	1162
Mon Jul 03 2017 19:19:00.0000	1617	1240
Mon Jul 03 2017 19:20:00.0000	1615	1188
Mon Jul 03 2017 19:21:00.0000	1614	1220
Mon Jul 03 2017 19:22:00.0000	1615	1190
Mon Jul 03 2017 19:23:00.0000	1617	1294
Mon Jul 03 2017 19:24:00.0000	1616	1306
Mon Jul 03 2017 19:25:00.0000	1614	1309
Mon Jul 03 2017 19:26:00.0000	1615	1238
Mon Jul 03 2017 19:27:00.0000	1616	1217
Mon Jul 03 2017 19:28:00.0000	1616	1315
Mon Jul 03 2017 19:29:00.0000	1615	1394
Mon Jul 03 2017 19:30:00.0000	1614	1313
Mon Jul 03 2017 19:31:00.0000	1615	1172
Mon Jul 03 2017 19:32:00.0000	1616	1123
Mon Jul 03 2017 19:33:00.0000	1615	1303
Mon Jul 03 2017 19:34:00.0000	1613	1372
Mon Jul 03 2017 19:35:00.0000	1614	1180
Mon Jul 03 2017 19:36:00.0000	1615	1180
Mon Jul 03 2017 19:37:00.0000	1616	1279
Mon Jul 03 2017 19:38:00.0000	1614	1160
Mon Jul 03 2017 19:39:00.0000	1613	1286

Date/Time	Process Temperature (°F)	Process Flow SCFM
Mon Jul 03 2017 19:40:00.0000	1614	1142
Mon Jul 03 2017 19:41:00.0000	1615	1215
Mon Jul 03 2017 19:42:00.0000	1614	1352
Mon Jul 03 2017 19:43:00.0000	1613	1389
Mon Jul 03 2017 19:44:00.0000	1614	1184
Mon Jul 03 2017 19:45:00.0000	1614	1155
Mon Jul 03 2017 19:46:00.0000	1615	1224
Mon Jul 03 2017 19:47:00.0000	1613	1284
Mon Jul 03 2017 19:48:00.0000	1612	1307
Mon Jul 03 2017 19:49:00.0000	1613	1137
Mon Jul 03 2017 19:50:00.0000	1615	1299
Mon Jul 03 2017 19:51:00.0000	1613	1247
Mon Jul 03 2017 19:52:00.0000	1612	1343
Mon Jul 03 2017 19:53:00.0000	1613	1194
Mon Jul 03 2017 19:54:00.0000	1613	1143
Mon Jul 03 2017 19:55:00.0000	1614	1350
Mon Jul 03 2017 19:56:00.0000	1612	1320
Mon Jul 03 2017 19:57:00.0000	1612	1383
Mon Jul 03 2017 19:58:00.0000	1612	1173
Mon Jul 03 2017 19:59:00.0000	1613	1313
Mon Jul 03 2017 20:00:00.0000	1613	1279
Mon Jul 03 2017 20:01:00.0000	1611	1482
Mon Jul 03 2017 20:02:00.0000	1612	1179
Mon Jul 03 2017 20:03:00.0000	1612	1125
Mon Jul 03 2017 20:04:00.0000	1613	1340
Mon Jul 03 2017 20:05:00.0000	1611	1249
Mon Jul 03 2017 20:06:00.0000	1611	1279
Mon Jul 03 2017 20:07:00.0000	1612	1131
Mon Jul 03 2017 20:08:00.0000	1613	1176
Mon Jul 03 2017 20:09:00.0000	1611	1119
Mon Jul 03 2017 20:10:00.0000	1610	1356
Mon Jul 03 2017 20:11:00.0000	1611	1151
Mon Jul 03 2017 20:12:00.0000	1612	1225
Mon Jul 03 2017 20:13:00.0000	1612	1300
Mon Jul 03 2017 20:14:00.0000	1610	1301
Mon Jul 03 2017 20:15:00.0000	1610	1216
Mon Jul 03 2017 20:16:00.0000	1611	1137
Mon Jul 03 2017 20:17:00.0000	1612	1287
Mon Jul 03 2017 20:18:00.0000	1610	1287
Mon Jul 03 2017 20:19:00.0000	1609	1213
Mon Jul 03 2017 20:20:00.0000	1610	1144
Mon Jul 03 2017 20:21:00.0000	1611	1155
Mon Jul 03 2017 20:22:00.0000	1611	1312
Mon Jul 03 2017 20:23:00.0000	1609	1227
Mon Jul 03 2017 20:24:00.0000	1609	1275
Mon Jul 03 2017 20:25:00.0000	1610	1163
Mon Jul 03 2017 20:26:00.0000	1610	1259
Mon Jul 03 2017 20:27:00.0000	1609	1376
Mon Jul 03 2017 20:28:00.0000	1609	1232
Mon Jul 03 2017 20:29:00.0000	1609	1178
Mon Jul 03 2017 20:30:00.0000	1610	1152
Mon Jul 03 2017 20:31:00.0000	1610	1262
Mon Jul 03 2017 20:32:00.0000	1608	1394
Mon Jul 03 2017 20:33:00.0000	1609	1119
Mon Jul 03 2017 20:34:00.0000	1610	1175
Mon Jul 03 2017 20:35:00.0000	1610	1251
Mon Jul 03 2017 20:36:00.0000	1608	1378

Date/Time	Process Temperature (°F)	Process Flow SCFM
Mon Jul 03 2017 20:37:00.0000	1608	1285
Mon Jul 03 2017 20:38:00.0000	1608	1188
Mon Jul 03 2017 20:39:00.0000	1610	1322
Mon Jul 03 2017 20:40:00.0000	1608	1236
Mon Jul 03 2017 20:41:00.0000	1607	1404
Mon Jul 03 2017 20:42:00.0000	1608	1087
Mon Jul 03 2017 20:43:00.0000	1609	1187
Mon Jul 03 2017 20:44:00.0000	1609	1262
Mon Jul 03 2017 20:45:00.0000	1606	1251
Mon Jul 03 2017 20:46:00.0000	1607	1300
Mon Jul 03 2017 20:47:00.0000	1607	1166
Mon Jul 03 2017 20:48:00.0000	1609	1176
Mon Jul 03 2017 20:49:00.0000	1607	1257
Mon Jul 03 2017 20:50:00.0000	1606	1358
Mon Jul 03 2017 20:51:00.0000	1607	1164
Mon Jul 03 2017 20:52:00.0000	1608	1235
Mon Jul 03 2017 20:53:00.0000	1608	1238
Mon Jul 03 2017 20:54:00.0000	1606	1332
Mon Jul 03 2017 20:55:00.0000	1606	1143
Mon Jul 03 2017 20:56:00.0000	1607	1127
Mon Jul 03 2017 20:57:00.0000	1608	1325
Mon Jul 03 2017 20:58:00.0000	1606	1262
Mon Jul 03 2017 20:59:00.0000	1605	1279
Mon Jul 03 2017 21:00:00.0000	1606	1129
Mon Jul 03 2017 21:01:00.0000	1607	1191
Mon Jul 03 2017 21:02:00.0000	1607	1306
Mon Jul 03 2017 21:03:00.0000	1605	1283
Mon Jul 03 2017 21:04:00.0000	1605	1192
Mon Jul 03 2017 21:05:00.0000	1606	1369
Mon Jul 03 2017 21:06:00.0000	1607	1230
Mon Jul 03 2017 21:07:00.0000	1606	1286
Mon Jul 03 2017 21:08:00.0000	1604	1338
Mon Jul 03 2017 21:09:00.0000	1605	1343
Mon Jul 03 2017 21:10:00.0000	1607	1189
Mon Jul 03 2017 21:11:00.0000	1606	1281
Mon Jul 03 2017 21:12:00.0000	1604	1309
Mon Jul 03 2017 21:13:00.0000	1605	1206
Mon Jul 03 2017 21:14:00.0000	1606	1206
Mon Jul 03 2017 21:15:00.0000	1607	1246
Mon Jul 03 2017 21:16:00.0000	1605	1162
Mon Jul 03 2017 21:17:00.0000	1605	1319
Mon Jul 03 2017 21:18:00.0000	1605	1220
Mon Jul 03 2017 21:19:00.0000	1607	1211
Mon Jul 03 2017 21:20:00.0000	1606	1246
Mon Jul 03 2017 21:21:00.0000	1604	1343
Mon Jul 03 2017 21:22:00.0000	1605	1200
Mon Jul 03 2017 21:23:00.0000	1605	1221
Mon Jul 03 2017 21:24:00.0000	1606	1205
Mon Jul 03 2017 21:25:00.0000	1604	1235
Mon Jul 03 2017 21:26:00.0000	1605	1140
Mon Jul 03 2017 21:27:00.0000	1606	1201
Mon Jul 03 2017 21:28:00.0000	1606	1164
Mon Jul 03 2017 21:29:00.0000	1604	1250
Mon Jul 03 2017 21:30:00.0000	1604	1150
Mon Jul 03 2017 21:31:00.0000	1605	1136
Mon Jul 03 2017 21:32:00.0000	1606	1305
Mon Jul 03 2017 21:33:00.0000	1604	1350

Date/Time	Process Temperature (°F)	Process Flow SCFM
Mon Jul 03 2017 21:34:00.0000	1603	1302
Mon Jul 03 2017 21:35:00.0000	1604	1169
Mon Jul 03 2017 21:36:00.0000	1605	1321
Mon Jul 03 2017 21:37:00.0000	1605	1308
Mon Jul 03 2017 21:38:00.0000	1603	1324
Mon Jul 03 2017 21:39:00.0000	1605	1149
Mon Jul 03 2017 21:40:00.0000	1606	1194
Mon Jul 03 2017 21:41:00.0000	1608	1305
Mon Jul 03 2017 21:42:00.0000	1606	1336
Mon Jul 03 2017 21:43:00.0000	1605	1305
Mon Jul 03 2017 21:44:00.0000	1606	1138
Mon Jul 03 2017 21:45:00.0000	1607	1153
Mon Jul 03 2017 21:46:00.0000	1606	1264
Mon Jul 03 2017 21:47:00.0000	1605	1304
Mon Jul 03 2017 21:48:00.0000	1605	1164
Mon Jul 03 2017 21:49:00.0000	1606	1137
Mon Jul 03 2017 21:50:00.0000	1607	1272
Mon Jul 03 2017 21:51:00.0000	1605	1305
Mon Jul 03 2017 21:52:00.0000	1604	1302
Mon Jul 03 2017 21:53:00.0000	1605	1151
Mon Jul 03 2017 21:54:00.0000	1606	1232
Mon Jul 03 2017 21:55:00.0000	1606	1314
Mon Jul 03 2017 21:56:00.0000	1604	1336
Mon Jul 03 2017 21:57:00.0000	1605	1157
Mon Jul 03 2017 21:58:00.0000	1606	1087
Mon Jul 03 2017 21:59:00.0000	1607	1220
Mon Jul 03 2017 22:00:00.0000	1605	1388
Mon Jul 03 2017 22:01:00.0000	1604	1273
Mon Jul 03 2017 22:02:00.0000	1605	1137
Mon Jul 03 2017 22:03:00.0000	1606	1199
Mon Jul 03 2017 22:04:00.0000	1606	1254
Mon Jul 03 2017 22:05:00.0000	1604	1209
Mon Jul 03 2017 22:06:00.0000	1605	1197
Mon Jul 03 2017 22:07:00.0000	1605	1176
Mon Jul 03 2017 22:08:00.0000	1606	1294
Mon Jul 03 2017 22:09:00.0000	1605	1381
Mon Jul 03 2017 22:10:00.0000	1604	1330
Mon Jul 03 2017 22:11:00.0000	1605	1168
Mon Jul 03 2017 22:12:00.0000	1606	1259
Mon Jul 03 2017 22:13:00.0000	1606	1302
Mon Jul 03 2017 22:14:00.0000	1604	1330
Mon Jul 03 2017 22:15:00.0000	1605	1153
Mon Jul 03 2017 22:16:00.0000	1605	1161
Mon Jul 03 2017 22:17:00.0000	1606	1287
Mon Jul 03 2017 22:18:00.0000	1605	1352
Mon Jul 03 2017 22:19:00.0000	1604	1355
Mon Jul 03 2017 22:20:00.0000	1605	1160
Mon Jul 03 2017 22:21:00.0000	1606	1247
Mon Jul 03 2017 22:22:00.0000	1606	1294
Mon Jul 03 2017 22:23:00.0000	1604	1369
Mon Jul 03 2017 22:24:00.0000	1605	1119
Mon Jul 03 2017 22:25:00.0000	1605	1087
Mon Jul 03 2017 22:26:00.0000	1606	1239
Mon Jul 03 2017 22:27:00.0000	1605	1346
Mon Jul 03 2017 22:28:00.0000	1604	1291
Mon Jul 03 2017 22:29:00.0000	1605	1144
Mon Jul 03 2017 22:30:00.0000	1606	1164

Date/Time	Process Temperature (°F)	Process Flow SCFM
Mon Jul 03 2017 22:31:00.0000	1605	1167
Mon Jul 03 2017 22:32:00.0000	1603	1300
Mon Jul 03 2017 22:33:00.0000	1604	1109
Mon Jul 03 2017 22:34:00.0000	1605	1152
Mon Jul 03 2017 22:35:00.0000	1606	1170
Mon Jul 03 2017 22:36:00.0000	1604	1275
Mon Jul 03 2017 22:37:00.0000	1603	1333
Mon Jul 03 2017 22:38:00.0000	1604	1134
Mon Jul 03 2017 22:39:00.0000	1606	1216
Mon Jul 03 2017 22:40:00.0000	1605	1256
Mon Jul 03 2017 22:41:00.0000	1603	1249
Mon Jul 03 2017 22:42:00.0000	1604	1138
Mon Jul 03 2017 22:43:00.0000	1604	1183
Mon Jul 03 2017 22:44:00.0000	1605	1251
Mon Jul 03 2017 22:45:00.0000	1603	1246
Mon Jul 03 2017 22:46:00.0000	1603	1386
Mon Jul 03 2017 22:47:00.0000	1604	1168
Mon Jul 03 2017 22:48:00.0000	1605	1152
Mon Jul 03 2017 22:49:00.0000	1604	1323
Mon Jul 03 2017 22:50:00.0000	1602	1298
Mon Jul 03 2017 22:51:00.0000	1604	1155
Mon Jul 03 2017 22:52:00.0000	1604	1238
Mon Jul 03 2017 22:53:00.0000	1605	1287
Mon Jul 03 2017 22:54:00.0000	1603	1331
Mon Jul 03 2017 22:55:00.0000	1603	1407
Mon Jul 03 2017 22:56:00.0000	1604	1118
Mon Jul 03 2017 22:57:00.0000	1605	1197
Mon Jul 03 2017 22:58:00.0000	1604	1297
Mon Jul 03 2017 22:59:00.0000	1602	1318
Mon Jul 03 2017 23:00:00.0000	1603	1164
Mon Jul 03 2017 23:01:00.0000	1604	1254
Mon Jul 03 2017 23:02:00.0000	1604	1253
Mon Jul 03 2017 23:03:00.0000	1603	1367
Mon Jul 03 2017 23:04:00.0000	1605	1243
Mon Jul 03 2017 23:05:00.0000	1611	1188
Mon Jul 03 2017 23:06:00.0000	1619	1195
Mon Jul 03 2017 23:07:00.0000	1621	1261
Mon Jul 03 2017 23:08:00.0000	1622	1300
Mon Jul 03 2017 23:09:00.0000	1626	1163
Mon Jul 03 2017 23:10:00.0000	1629	1154
Mon Jul 03 2017 23:11:00.0000	1632	1225
Mon Jul 03 2017 23:12:00.0000	1631	1178
Mon Jul 03 2017 23:13:00.0000	1632	1236
Mon Jul 03 2017 23:14:00.0000	1629	1135
Mon Jul 03 2017 23:15:00.0000	1625	1158
Mon Jul 03 2017 23:16:00.0000	1620	1199
Mon Jul 03 2017 23:17:00.0000	1617	1242
Mon Jul 03 2017 23:18:00.0000	1616	1173
Mon Jul 03 2017 23:19:00.0000	1615	1209
Mon Jul 03 2017 23:20:00.0000	1613	1219
Mon Jul 03 2017 23:21:00.0000	1610	1305
Mon Jul 03 2017 23:22:00.0000	1610	1120
Mon Jul 03 2017 23:23:00.0000	1609	1136
Mon Jul 03 2017 23:24:00.0000	1609	1256
Mon Jul 03 2017 23:25:00.0000	1607	1226
Mon Jul 03 2017 23:26:00.0000	1606	1276
Mon Jul 03 2017 23:27:00.0000	1606	1160

Date/Time	Process Temperature (°F)	Process Flow SCFM
Mon Jul 03 2017 23:28:00.0000	1606	1244
Mon Jul 03 2017 23:29:00.0000	1605	1185
Mon Jul 03 2017 23:30:00.0000	1603	1272
Mon Jul 03 2017 23:31:00.0000	1603	1144
Mon Jul 03 2017 23:32:00.0000	1603	1162
Mon Jul 03 2017 23:33:00.0000	1603	1264
Mon Jul 03 2017 23:34:00.0000	1601	1360
Mon Jul 03 2017 23:35:00.0000	1606	1306
Mon Jul 03 2017 23:36:00.0000	1611	1186
Mon Jul 03 2017 23:37:00.0000	1618	1164
Mon Jul 03 2017 23:38:00.0000	1622	1166
Mon Jul 03 2017 23:39:00.0000	1622	1238
Mon Jul 03 2017 23:40:00.0000	1626	1132
Mon Jul 03 2017 23:41:00.0000	1630	1181
Mon Jul 03 2017 23:42:00.0000	1632	1288
Mon Jul 03 2017 23:43:00.0000	1631	1274
Mon Jul 03 2017 23:44:00.0000	1632	1259
Mon Jul 03 2017 23:45:00.0000	1629	1146
Mon Jul 03 2017 23:46:00.0000	1621	1118
Mon Jul 03 2017 23:47:00.0000	1615	1294
Mon Jul 03 2017 23:48:00.0000	1610	1301
Mon Jul 03 2017 23:49:00.0000	1607	1137
Mon Jul 03 2017 23:50:00.0000	1605	1079
Mon Jul 03 2017 23:51:00.0000	1602	1293
Mon Jul 03 2017 23:52:00.0000	1603	1193
Mon Jul 03 2017 23:53:00.0000	1613	1312
Mon Jul 03 2017 23:54:00.0000	1617	1106
Mon Jul 03 2017 23:55:00.0000	1624	1161
Mon Jul 03 2017 23:56:00.0000	1627	1225
Mon Jul 03 2017 23:57:00.0000	1627	1241
Mon Jul 03 2017 23:58:00.0000	1630	1119
Mon Jul 03 2017 23:59:00.0000	1634	1203
Tue Jul 04 2017 00:00:00.0000	1627	1232
Tue Jul 04 2017 00:01:00.0000	1621	1275
Tue Jul 04 2017 00:02:00.0000	1619	1156
Tue Jul 04 2017 00:03:00.0000	1617	1128
Tue Jul 04 2017 00:04:00.0000	1616	1241
Tue Jul 04 2017 00:05:00.0000	1613	1309
Tue Jul 04 2017 00:06:00.0000	1612	1270
Tue Jul 04 2017 00:07:00.0000	1611	1155
Tue Jul 04 2017 00:08:00.0000	1611	1121
Tue Jul 04 2017 00:09:00.0000	1610	1136
Tue Jul 04 2017 00:10:00.0000	1608	1271
Tue Jul 04 2017 00:11:00.0000	1608	1175
Tue Jul 04 2017 00:12:00.0000	1608	1174
Tue Jul 04 2017 00:13:00.0000	1608	1161
Tue Jul 04 2017 00:14:00.0000	1605	1299
Tue Jul 04 2017 00:15:00.0000	1605	1343
Tue Jul 04 2017 00:16:00.0000	1605	1147
Tue Jul 04 2017 00:17:00.0000	1605	1257
Tue Jul 04 2017 00:18:00.0000	1604	1286
Tue Jul 04 2017 00:19:00.0000	1602	1408
Tue Jul 04 2017 00:20:00.0000	1602	1189
Tue Jul 04 2017 00:21:00.0000	1603	1150
Tue Jul 04 2017 00:22:00.0000	1603	1125
Tue Jul 04 2017 00:23:00.0000	1601	1195
Tue Jul 04 2017 00:24:00.0000	1607	1312

Date/Time	Process Temperature (°F)	Process Flow SCFM
Tue Jul 04 2017 00:25:00.0000	1612	1150
Tue Jul 04 2017 00:26:00.0000	1619	1222
Tue Jul 04 2017 00:27:00.0000	1623	1240
Tue Jul 04 2017 00:28:00.0000	1623	1270
Tue Jul 04 2017 00:29:00.0000	1627	1163
Tue Jul 04 2017 00:30:00.0000	1631	1089
Tue Jul 04 2017 00:31:00.0000	1633	1186
Tue Jul 04 2017 00:32:00.0000	1631	1302
Tue Jul 04 2017 00:33:00.0000	1633	1193
Tue Jul 04 2017 00:34:00.0000	1628	1169
Tue Jul 04 2017 00:35:00.0000	1624	1219
Tue Jul 04 2017 00:36:00.0000	1620	1269
Tue Jul 04 2017 00:37:00.0000	1617	1204
Tue Jul 04 2017 00:38:00.0000	1616	1150
Tue Jul 04 2017 00:39:00.0000	1615	1158
Tue Jul 04 2017 00:40:00.0000	1614	1246
Tue Jul 04 2017 00:41:00.0000	1612	1256
Tue Jul 04 2017 00:42:00.0000	1613	1113
Tue Jul 04 2017 00:43:00.0000	1613	1103
Tue Jul 04 2017 00:44:00.0000	1614	1126
Tue Jul 04 2017 00:45:00.0000	1612	1207
Tue Jul 04 2017 00:46:00.0000	1611	1325
Tue Jul 04 2017 00:47:00.0000	1611	1145
Tue Jul 04 2017 00:48:00.0000	1612	1235
Tue Jul 04 2017 00:49:00.0000	1611	1274
Tue Jul 04 2017 00:50:00.0000	1609	1363
Tue Jul 04 2017 00:51:00.0000	1610	1123
Tue Jul 04 2017 00:52:00.0000	1610	1128
Tue Jul 04 2017 00:53:00.0000	1611	1137
Tue Jul 04 2017 00:54:00.0000	1609	1332
Tue Jul 04 2017 00:55:00.0000	1608	1433
Tue Jul 04 2017 00:56:00.0000	1609	1120
Tue Jul 04 2017 00:57:00.0000	1610	1215
Tue Jul 04 2017 00:58:00.0000	1609	1260
Tue Jul 04 2017 00:59:00.0000	1607	1199
Tue Jul 04 2017 01:00:00.0000	1608	1129
Tue Jul 04 2017 01:01:00.0000	1608	1097
Tue Jul 04 2017 01:02:00.0000	1609	1126
Tue Jul 04 2017 01:03:00.0000	1607	1110
Tue Jul 04 2017 01:04:00.0000	1606	1223
Tue Jul 04 2017 01:05:00.0000	1607	1131
Tue Jul 04 2017 01:06:00.0000	1608	1129
Tue Jul 04 2017 01:07:00.0000	1608	1153
Tue Jul 04 2017 01:08:00.0000	1606	1332
Tue Jul 04 2017 01:09:00.0000	1606	1199
Tue Jul 04 2017 01:10:00.0000	1607	1139
Tue Jul 04 2017 01:11:00.0000	1607	1192
Tue Jul 04 2017 01:12:00.0000	1606	1259
Tue Jul 04 2017 01:13:00.0000	1605	1225
Tue Jul 04 2017 01:14:00.0000	1606	1126
Tue Jul 04 2017 01:15:00.0000	1607	1210
Tue Jul 04 2017 01:16:00.0000	1606	1214
Tue Jul 04 2017 01:17:00.0000	1604	1347
Tue Jul 04 2017 01:18:00.0000	1605	1071
Tue Jul 04 2017 01:19:00.0000	1606	1167
Tue Jul 04 2017 01:20:00.0000	1606	1217
Tue Jul 04 2017 01:21:00.0000	1605	1308

Date/Time	Process Temperature (°F)	Process Flow SCFM
Tue Jul 04 2017 01:22:00.0000	1604	1369
Tue Jul 04 2017 01:23:00.0000	1605	1119
Tue Jul 04 2017 01:24:00.0000	1606	1121
Tue Jul 04 2017 01:25:00.0000	1605	1264
Tue Jul 04 2017 01:26:00.0000	1603	1290
Tue Jul 04 2017 01:27:00.0000	1604	1157
Tue Jul 04 2017 01:28:00.0000	1605	1135
Tue Jul 04 2017 01:29:00.0000	1605	1217
Tue Jul 04 2017 01:30:00.0000	1603	1142
Tue Jul 04 2017 01:31:00.0000	1603	1330
Tue Jul 04 2017 01:32:00.0000	1604	1139
Tue Jul 04 2017 01:33:00.0000	1605	1164
Tue Jul 04 2017 01:34:00.0000	1604	1147
Tue Jul 04 2017 01:35:00.0000	1603	1290
Tue Jul 04 2017 01:36:00.0000	1604	1154
Tue Jul 04 2017 01:37:00.0000	1604	1164
Tue Jul 04 2017 01:38:00.0000	1604	1203
Tue Jul 04 2017 01:39:00.0000	1602	1281
Tue Jul 04 2017 01:40:00.0000	1604	1135
Tue Jul 04 2017 01:41:00.0000	1611	1130
Tue Jul 04 2017 01:42:00.0000	1619	1210
Tue Jul 04 2017 01:43:00.0000	1620	1285
Tue Jul 04 2017 01:44:00.0000	1621	1277
Tue Jul 04 2017 01:45:00.0000	1624	1087
Tue Jul 04 2017 01:46:00.0000	1629	1107
Tue Jul 04 2017 01:47:00.0000	1630	1171
Tue Jul 04 2017 01:48:00.0000	1629	1293
Tue Jul 04 2017 01:49:00.0000	1632	1094
Tue Jul 04 2017 01:50:00.0000	1634	1095
Tue Jul 04 2017 01:51:00.0000	1628	1255
Tue Jul 04 2017 01:52:00.0000	1619	1250
Tue Jul 04 2017 01:53:00.0000	1614	1332
Tue Jul 04 2017 01:54:00.0000	1609	1166
Tue Jul 04 2017 01:55:00.0000	1606	1164
Tue Jul 04 2017 01:56:00.0000	1603	1266
Tue Jul 04 2017 01:57:00.0000	1601	1304
Tue Jul 04 2017 01:58:00.0000	1608	1172
Tue Jul 04 2017 01:59:00.0000	1616	1094
Tue Jul 04 2017 02:00:00.0000	1622	1193
Tue Jul 04 2017 02:01:00.0000	1623	1148
Tue Jul 04 2017 02:02:00.0000	1626	1349
Tue Jul 04 2017 02:03:00.0000	1628	1161
Tue Jul 04 2017 02:04:00.0000	1632	1197
Tue Jul 04 2017 02:05:00.0000	1625	1167
Tue Jul 04 2017 02:06:00.0000	1622	1370
Tue Jul 04 2017 02:07:00.0000	1620	1167
Tue Jul 04 2017 02:08:00.0000	1619	1105
Tue Jul 04 2017 02:09:00.0000	1618	1239
Tue Jul 04 2017 02:10:00.0000	1616	1286
Tue Jul 04 2017 02:11:00.0000	1615	1329
Tue Jul 04 2017 02:12:00.0000	1615	1093
Tue Jul 04 2017 02:13:00.0000	1615	1200
Tue Jul 04 2017 02:14:00.0000	1613	1300
Tue Jul 04 2017 02:15:00.0000	1612	1310
Tue Jul 04 2017 02:16:00.0000	1613	1078
Tue Jul 04 2017 02:17:00.0000	1613	1135
Tue Jul 04 2017 02:18:00.0000	1612	1259

Date/Time	Process Temperature (°F)	Process Flow SCFM
Tue Jul 04 2017 02:19:00.0000	1610	1264
Tue Jul 04 2017 02:20:00.0000	1611	1141
Tue Jul 04 2017 02:21:00.0000	1611	1203
Tue Jul 04 2017 02:22:00.0000	1611	1291
Tue Jul 04 2017 02:23:00.0000	1609	1386
Tue Jul 04 2017 02:24:00.0000	1609	1352
Tue Jul 04 2017 02:25:00.0000	1609	1134
Tue Jul 04 2017 02:26:00.0000	1610	1175
Tue Jul 04 2017 02:27:00.0000	1608	1201
Tue Jul 04 2017 02:28:00.0000	1607	1287
Tue Jul 04 2017 02:29:00.0000	1608	1128
Tue Jul 04 2017 02:30:00.0000	1609	1259
Tue Jul 04 2017 02:31:00.0000	1608	1242
Tue Jul 04 2017 02:32:00.0000	1606	1271
Tue Jul 04 2017 02:33:00.0000	1607	1308
Tue Jul 04 2017 02:34:00.0000	1607	1154
Tue Jul 04 2017 02:35:00.0000	1608	1218
Tue Jul 04 2017 02:36:00.0000	1607	1242
Tue Jul 04 2017 02:37:00.0000	1605	1414
Tue Jul 04 2017 02:38:00.0000	1606	1122
Tue Jul 04 2017 02:39:00.0000	1607	1175
Tue Jul 04 2017 02:40:00.0000	1607	1213
Tue Jul 04 2017 02:41:00.0000	1605	1375
Tue Jul 04 2017 02:42:00.0000	1606	1086
Tue Jul 04 2017 02:43:00.0000	1606	1156
Tue Jul 04 2017 02:44:00.0000	1606	1226
Tue Jul 04 2017 02:45:00.0000	1605	1340
Tue Jul 04 2017 02:46:00.0000	1604	1350
Tue Jul 04 2017 02:47:00.0000	1605	1139
Tue Jul 04 2017 02:48:00.0000	1606	1226
Tue Jul 04 2017 02:49:00.0000	1605	1249
Tue Jul 04 2017 02:50:00.0000	1603	1319
Tue Jul 04 2017 02:51:00.0000	1604	1185
Tue Jul 04 2017 02:52:00.0000	1605	1169
Tue Jul 04 2017 02:53:00.0000	1605	1241
Tue Jul 04 2017 02:54:00.0000	1603	1243
Tue Jul 04 2017 02:55:00.0000	1604	1328
Tue Jul 04 2017 02:56:00.0000	1604	1185
Tue Jul 04 2017 02:57:00.0000	1605	1163
Tue Jul 04 2017 02:58:00.0000	1603	1200
Tue Jul 04 2017 02:59:00.0000	1602	1358
Tue Jul 04 2017 03:00:00.0000	1603	1142
Tue Jul 04 2017 03:01:00.0000	1604	1108
Tue Jul 04 2017 03:02:00.0000	1603	1196
Tue Jul 04 2017 03:03:00.0000	1602	1191
Tue Jul 04 2017 03:04:00.0000	1610	1113
Tue Jul 04 2017 03:05:00.0000	1615	1100
Tue Jul 04 2017 03:06:00.0000	1621	1135
Tue Jul 04 2017 03:07:00.0000	1622	1169
Tue Jul 04 2017 03:08:00.0000	1623	1180
Tue Jul 04 2017 03:09:00.0000	1626	1150
Tue Jul 04 2017 03:10:00.0000	1631	1180
Tue Jul 04 2017 03:11:00.0000	1631	1244
Tue Jul 04 2017 03:12:00.0000	1630	1213
Tue Jul 04 2017 03:13:00.0000	1632	1099
Tue Jul 04 2017 03:14:00.0000	1624	1167
Tue Jul 04 2017 03:15:00.0000	1619	1240

Date/Time	Process Temperature (°F)	Process Flow SCFM
Tue Jul 04 2017 03:16:00.0000	1613	1305
Tue Jul 04 2017 03:17:00.0000	1610	1328
Tue Jul 04 2017 03:18:00.0000	1607	1174
Tue Jul 04 2017 03:19:00.0000	1606	1137
Tue Jul 04 2017 03:20:00.0000	1603	1226
Tue Jul 04 2017 03:21:00.0000	1601	1280
Tue Jul 04 2017 03:22:00.0000	1609	1165
Tue Jul 04 2017 03:23:00.0000	1616	1113
Tue Jul 04 2017 03:24:00.0000	1623	1140
Tue Jul 04 2017 03:25:00.0000	1624	1262
Tue Jul 04 2017 03:26:00.0000	1626	1213
Tue Jul 04 2017 03:27:00.0000	1628	1152
Tue Jul 04 2017 03:28:00.0000	1633	1221
Tue Jul 04 2017 03:29:00.0000	1623	1287
Tue Jul 04 2017 03:30:00.0000	1617	1109
Tue Jul 04 2017 03:31:00.0000	1613	1120
Tue Jul 04 2017 03:32:00.0000	1609	1119
Tue Jul 04 2017 03:33:00.0000	1606	1250
Tue Jul 04 2017 03:34:00.0000	1603	1360
Tue Jul 04 2017 03:35:00.0000	1602	1340
Tue Jul 04 2017 03:36:00.0000	1605	1187
Tue Jul 04 2017 03:37:00.0000	1610	1187
Tue Jul 04 2017 03:38:00.0000	1611	1197
Tue Jul 04 2017 03:39:00.0000	1610	1354
Tue Jul 04 2017 03:40:00.0000	1613	1132
Tue Jul 04 2017 03:41:00.0000	1614	1123
Tue Jul 04 2017 03:42:00.0000	1615	1129
Tue Jul 04 2017 03:43:00.0000	1614	1410
Tue Jul 04 2017 03:44:00.0000	1615	1259
Tue Jul 04 2017 03:45:00.0000	1616	1039
Tue Jul 04 2017 03:46:00.0000	1618	1135
Tue Jul 04 2017 03:47:00.0000	1617	1134
Tue Jul 04 2017 03:48:00.0000	1616	1187
Tue Jul 04 2017 03:49:00.0000	1617	1168
Tue Jul 04 2017 03:50:00.0000	1619	1130
Tue Jul 04 2017 03:51:00.0000	1620	1161
Tue Jul 04 2017 03:52:00.0000	1618	1213
Tue Jul 04 2017 03:53:00.0000	1618	1270
Tue Jul 04 2017 03:54:00.0000	1619	1049
Tue Jul 04 2017 03:55:00.0000	1621	1172
Tue Jul 04 2017 03:56:00.0000	1620	1148
Tue Jul 04 2017 03:57:00.0000	1618	1236
Tue Jul 04 2017 03:58:00.0000	1620	1112
Tue Jul 04 2017 03:59:00.0000	1621	1110
Tue Jul 04 2017 04:00:00.0000	1622	1276
Tue Jul 04 2017 04:01:00.0000	1620	1321
Tue Jul 04 2017 04:02:00.0000	1620	1304
Tue Jul 04 2017 04:03:00.0000	1621	1113
Tue Jul 04 2017 04:04:00.0000	1623	1163
Tue Jul 04 2017 04:05:00.0000	1622	1266
Tue Jul 04 2017 04:06:00.0000	1620	1184
Tue Jul 04 2017 04:07:00.0000	1621	1105
Tue Jul 04 2017 04:08:00.0000	1622	1144
Tue Jul 04 2017 04:09:00.0000	1623	1198
Tue Jul 04 2017 04:10:00.0000	1621	1144
Tue Jul 04 2017 04:11:00.0000	1621	1278
Tue Jul 04 2017 04:12:00.0000	1622	1080

Date/Time	Process Temperature (°F)	Process Flow SCFM
Tue Jul 04 2017 04:13:00.0000	1624	1161
Tue Jul 04 2017 04:14:00.0000	1623	1180
Tue Jul 04 2017 04:15:00.0000	1621	1286
Tue Jul 04 2017 04:16:00.0000	1623	1148
Tue Jul 04 2017 04:17:00.0000	1623	1131
Tue Jul 04 2017 04:18:00.0000	1624	1121
Tue Jul 04 2017 04:19:00.0000	1622	1172
Tue Jul 04 2017 04:20:00.0000	1622	1238
Tue Jul 04 2017 04:21:00.0000	1623	1178
Tue Jul 04 2017 04:22:00.0000	1625	1178
Tue Jul 04 2017 04:23:00.0000	1624	1204
Tue Jul 04 2017 04:24:00.0000	1623	1309
Tue Jul 04 2017 04:25:00.0000	1624	1104
Tue Jul 04 2017 04:26:00.0000	1624	1115
Tue Jul 04 2017 04:27:00.0000	1625	1150
Tue Jul 04 2017 04:28:00.0000	1623	1308
Tue Jul 04 2017 04:29:00.0000	1623	1135
Tue Jul 04 2017 04:30:00.0000	1625	1178
Tue Jul 04 2017 04:31:00.0000	1626	1147
Tue Jul 04 2017 04:32:00.0000	1624	1325
Tue Jul 04 2017 04:33:00.0000	1623	1245
Tue Jul 04 2017 04:34:00.0000	1624	1166
Tue Jul 04 2017 04:35:00.0000	1626	1193
Tue Jul 04 2017 04:36:00.0000	1626	1218
Tue Jul 04 2017 04:37:00.0000	1624	1185
Tue Jul 04 2017 04:38:00.0000	1625	1141
Tue Jul 04 2017 04:39:00.0000	1625	1104
Tue Jul 04 2017 04:40:00.0000	1627	1088
Tue Jul 04 2017 04:41:00.0000	1625	1271
Tue Jul 04 2017 04:42:00.0000	1624	1275
Tue Jul 04 2017 04:43:00.0000	1625	1103
Tue Jul 04 2017 04:44:00.0000	1627	1124
Tue Jul 04 2017 04:45:00.0000	1626	1255
Tue Jul 04 2017 04:46:00.0000	1625	1221
Tue Jul 04 2017 04:47:00.0000	1626	1153
Tue Jul 04 2017 04:48:00.0000	1626	1136
Tue Jul 04 2017 04:49:00.0000	1627	1148
Tue Jul 04 2017 04:50:00.0000	1626	1247
Tue Jul 04 2017 04:51:00.0000	1625	1324
Tue Jul 04 2017 04:52:00.0000	1626	1109
Tue Jul 04 2017 04:53:00.0000	1628	1178
Tue Jul 04 2017 04:54:00.0000	1626	1257
Tue Jul 04 2017 04:55:00.0000	1625	1368
Tue Jul 04 2017 04:56:00.0000	1626	1135
Tue Jul 04 2017 04:57:00.0000	1628	1107
Tue Jul 04 2017 04:58:00.0000	1627	1106
Tue Jul 04 2017 04:59:00.0000	1625	1178
Tue Jul 04 2017 05:00:00.0000	1626	1345
Tue Jul 04 2017 05:01:00.0000	1627	1130
Tue Jul 04 2017 05:02:00.0000	1628	1158
Tue Jul 04 2017 05:03:00.0000	1627	1234
Tue Jul 04 2017 05:04:00.0000	1625	1231
Tue Jul 04 2017 05:05:00.0000	1627	1132
Tue Jul 04 2017 05:06:00.0000	1628	1168
Tue Jul 04 2017 05:07:00.0000	1628	1225
Tue Jul 04 2017 05:08:00.0000	1626	1319
Tue Jul 04 2017 05:09:00.0000	1627	1117

Date/Time	Process Temperature (°F)	Process Flow SCFM
Tue Jul 04 2017 05:10:00.0000	1627	1083
Tue Jul 04 2017 05:11:00.0000	1628	1138
Tue Jul 04 2017 05:12:00.0000	1627	1194
Tue Jul 04 2017 05:13:00.0000	1626	1313
Tue Jul 04 2017 05:14:00.0000	1627	1112
Tue Jul 04 2017 05:15:00.0000	1628	1161
Tue Jul 04 2017 05:16:00.0000	1628	1256
Tue Jul 04 2017 05:17:00.0000	1626	1158
Tue Jul 04 2017 05:18:00.0000	1627	1125
Tue Jul 04 2017 05:19:00.0000	1628	1078
Tue Jul 04 2017 05:20:00.0000	1629	1139
Tue Jul 04 2017 05:21:00.0000	1627	1271
Tue Jul 04 2017 05:22:00.0000	1626	1269
Tue Jul 04 2017 05:23:00.0000	1627	1106
Tue Jul 04 2017 05:24:00.0000	1629	1109
Tue Jul 04 2017 05:25:00.0000	1628	1271
Tue Jul 04 2017 05:26:00.0000	1627	1191
Tue Jul 04 2017 05:27:00.0000	1628	1129
Tue Jul 04 2017 05:28:00.0000	1628	1170
Tue Jul 04 2017 05:29:00.0000	1629	1215
Tue Jul 04 2017 05:30:00.0000	1628	1319
Tue Jul 04 2017 05:31:00.0000	1627	1214
Tue Jul 04 2017 05:32:00.0000	1628	1106
Tue Jul 04 2017 05:33:00.0000	1630	1115
Tue Jul 04 2017 05:34:00.0000	1628	1235
Tue Jul 04 2017 05:35:00.0000	1627	1233
Tue Jul 04 2017 05:36:00.0000	1628	1190
Tue Jul 04 2017 05:37:00.0000	1629	1141
Tue Jul 04 2017 05:38:00.0000	1630	1145
Tue Jul 04 2017 05:39:00.0000	1628	1216
Tue Jul 04 2017 05:40:00.0000	1628	1280
Tue Jul 04 2017 05:41:00.0000	1628	1095
Tue Jul 04 2017 05:42:00.0000	1630	1222
Tue Jul 04 2017 05:43:00.0000	1629	1262
Tue Jul 04 2017 05:44:00.0000	1627	1342
Tue Jul 04 2017 05:45:00.0000	1629	1058
Tue Jul 04 2017 05:46:00.0000	1629	1153
Tue Jul 04 2017 05:47:00.0000	1630	1155
Tue Jul 04 2017 05:48:00.0000	1628	1371
Tue Jul 04 2017 05:49:00.0000	1628	1383
Tue Jul 04 2017 05:50:00.0000	1629	1094
Tue Jul 04 2017 05:51:00.0000	1630	1205
Tue Jul 04 2017 05:52:00.0000	1629	1227
Tue Jul 04 2017 05:53:00.0000	1628	1284
Tue Jul 04 2017 05:54:00.0000	1629	1139
Tue Jul 04 2017 05:55:00.0000	1630	1115
Tue Jul 04 2017 05:56:00.0000	1630	1164
Tue Jul 04 2017 05:57:00.0000	1628	1345
Tue Jul 04 2017 05:58:00.0000	1630	1308
Tue Jul 04 2017 05:59:00.0000	1629	1149
Tue Jul 04 2017 06:00:00.0000	1631	1165
Tue Jul 04 2017 06:01:00.0000	1630	1208
Tue Jul 04 2017 06:02:00.0000	1628	1264
Tue Jul 04 2017 06:03:00.0000	1629	1145
Tue Jul 04 2017 06:04:00.0000	1631	1205
Tue Jul 04 2017 06:05:00.0000	1630	1250
Tue Jul 04 2017 06:06:00.0000	1628	1327

Date/Time	Process Temperature (°F)	Process Flow SCFM
Tue Jul 04 2017 06:07:00.0000	1629	1100
Tue Jul 04 2017 06:08:00.0000	1630	1128
Tue Jul 04 2017 06:09:00.0000	1631	1172
Tue Jul 04 2017 06:10:00.0000	1629	1257
Tue Jul 04 2017 06:11:00.0000	1630	1288
Tue Jul 04 2017 06:12:00.0000	1630	1131
Tue Jul 04 2017 06:13:00.0000	1632	1159
Tue Jul 04 2017 06:14:00.0000	1631	1261
Tue Jul 04 2017 06:15:00.0000	1629	1291
Tue Jul 04 2017 06:16:00.0000	1630	1158
Tue Jul 04 2017 06:17:00.0000	1632	1213
Tue Jul 04 2017 06:18:00.0000	1631	1275
Tue Jul 04 2017 06:19:00.0000	1629	1268
Tue Jul 04 2017 06:20:00.0000	1630	1103
Tue Jul 04 2017 06:21:00.0000	1631	1164
Tue Jul 04 2017 06:22:00.0000	1632	1155
Tue Jul 04 2017 06:23:00.0000	1630	1266
Tue Jul 04 2017 06:24:00.0000	1631	1387
Tue Jul 04 2017 06:25:00.0000	1631	1184
Tue Jul 04 2017 06:26:00.0000	1632	1244
Tue Jul 04 2017 06:27:00.0000	1625	1231
Tue Jul 04 2017 06:28:00.0000	1619	1392
Tue Jul 04 2017 06:29:00.0000	1616	1138
Tue Jul 04 2017 06:30:00.0000	1613	1155
Tue Jul 04 2017 06:31:00.0000	1611	1250
Tue Jul 04 2017 06:32:00.0000	1609	1245
Tue Jul 04 2017 06:33:00.0000	1608	1144
Tue Jul 04 2017 06:34:00.0000	1607	1151
Tue Jul 04 2017 06:35:00.0000	1606	1280
Tue Jul 04 2017 06:36:00.0000	1604	1251
Tue Jul 04 2017 06:37:00.0000	1602	1375
Tue Jul 04 2017 06:38:00.0000	1602	1147
Tue Jul 04 2017 06:39:00.0000	1605	1190
Tue Jul 04 2017 06:40:00.0000	1608	1238
Tue Jul 04 2017 06:41:00.0000	1607	1214
Tue Jul 04 2017 06:42:00.0000	1610	1166
Tue Jul 04 2017 06:43:00.0000	1612	1120
Tue Jul 04 2017 06:44:00.0000	1614	1089
Tue Jul 04 2017 06:45:00.0000	1612	1238
Tue Jul 04 2017 06:46:00.0000	1612	1300
Tue Jul 04 2017 06:47:00.0000	1613	1119
Tue Jul 04 2017 06:48:00.0000	1616	1179
Tue Jul 04 2017 06:49:00.0000	1615	1202
Tue Jul 04 2017 06:50:00.0000	1613	1371
Tue Jul 04 2017 06:51:00.0000	1615	1148
Tue Jul 04 2017 06:52:00.0000	1616	1183
Tue Jul 04 2017 06:53:00.0000	1617	1258
Tue Jul 04 2017 06:54:00.0000	1615	1375
Tue Jul 04 2017 06:55:00.0000	1615	1200
Tue Jul 04 2017 06:56:00.0000	1616	1113
Tue Jul 04 2017 06:57:00.0000	1618	1166
Tue Jul 04 2017 06:58:00.0000	1617	1211
Tue Jul 04 2017 06:59:00.0000	1615	1253
Tue Jul 04 2017 07:00:00.0000	1617	1106
Tue Jul 04 2017 07:01:00.0000	1618	1145
Tue Jul 04 2017 07:02:00.0000	1618	1147
Tue Jul 04 2017 07:03:00.0000	1617	1294

Date/Time	Process Temperature (°F)	Process Flow SCFM
Tue Jul 04 2017 07:04:00.0000	1616	1381
Tue Jul 04 2017 07:05:00.0000	1617	1158
Tue Jul 04 2017 07:06:00.0000	1619	1180
Tue Jul 04 2017 07:07:00.0000	1618	1136
Tue Jul 04 2017 07:08:00.0000	1616	1284
Tue Jul 04 2017 07:09:00.0000	1617	1106
Tue Jul 04 2017 07:10:00.0000	1618	1166
Tue Jul 04 2017 07:11:00.0000	1619	1281
Tue Jul 04 2017 07:12:00.0000	1618	1347
Tue Jul 04 2017 07:13:00.0000	1618	1288
Tue Jul 04 2017 07:14:00.0000	1620	1069
Tue Jul 04 2017 07:15:00.0000	1622	1206
Tue Jul 04 2017 07:16:00.0000	1622	1250
Tue Jul 04 2017 07:17:00.0000	1620	1422
Tue Jul 04 2017 07:18:00.0000	1622	1170
Tue Jul 04 2017 07:19:00.0000	1623	1129
Tue Jul 04 2017 07:20:00.0000	1624	1186
Tue Jul 04 2017 07:21:00.0000	1623	1241
Tue Jul 04 2017 07:22:00.0000	1623	1307
Tue Jul 04 2017 07:23:00.0000	1624	1175
Tue Jul 04 2017 07:24:00.0000	1626	1188
Tue Jul 04 2017 07:25:00.0000	1625	1274
Tue Jul 04 2017 07:26:00.0000	1623	1294
Tue Jul 04 2017 07:27:00.0000	1625	1143
Tue Jul 04 2017 07:28:00.0000	1626	1143
Tue Jul 04 2017 07:29:00.0000	1627	1270
Tue Jul 04 2017 07:30:00.0000	1625	1331
Tue Jul 04 2017 07:31:00.0000	1625	1281
Tue Jul 04 2017 07:32:00.0000	1626	1175
Tue Jul 04 2017 07:33:00.0000	1628	1289
Tue Jul 04 2017 07:34:00.0000	1627	1260
Tue Jul 04 2017 07:35:00.0000	1625	1233
Tue Jul 04 2017 07:36:00.0000	1626	1120
Tue Jul 04 2017 07:37:00.0000	1627	1193
Tue Jul 04 2017 07:38:00.0000	1628	1266
Tue Jul 04 2017 07:39:00.0000	1627	1268
Tue Jul 04 2017 07:40:00.0000	1626	1388
Tue Jul 04 2017 07:41:00.0000	1627	1138
Tue Jul 04 2017 07:42:00.0000	1629	1240
Tue Jul 04 2017 07:43:00.0000	1628	1321
Tue Jul 04 2017 07:44:00.0000	1626	1238
Tue Jul 04 2017 07:45:00.0000	1628	1164
Tue Jul 04 2017 07:46:00.0000	1629	1141
Tue Jul 04 2017 07:47:00.0000	1630	1189
Tue Jul 04 2017 07:48:00.0000	1628	1284
Tue Jul 04 2017 07:49:00.0000	1629	1274
Tue Jul 04 2017 07:50:00.0000	1628	1141
Tue Jul 04 2017 07:51:00.0000	1630	1279
Tue Jul 04 2017 07:52:00.0000	1629	1319
Tue Jul 04 2017 07:53:00.0000	1628	1284
Tue Jul 04 2017 07:54:00.0000	1629	1166
Tue Jul 04 2017 07:55:00.0000	1631	1163
Tue Jul 04 2017 07:56:00.0000	1630	1249
Tue Jul 04 2017 07:57:00.0000	1628	1225
Tue Jul 04 2017 07:58:00.0000	1629	1197
Tue Jul 04 2017 07:59:00.0000	1630	1143
Tue Jul 04 2017 08:00:00.0000	1632	1308

Date/Time	Process Temperature (°F)	Process Flow SCFM
Tue Jul 04 2017 08:01:00.0000	1630	1248
Tue Jul 04 2017 08:02:00.0000	1629	1293
Tue Jul 04 2017 08:03:00.0000	1630	1113
Tue Jul 04 2017 08:04:00.0000	1632	1273
Tue Jul 04 2017 08:05:00.0000	1631	1250
Tue Jul 04 2017 08:06:00.0000	1629	1278
Tue Jul 04 2017 08:07:00.0000	1631	1157
Tue Jul 04 2017 08:08:00.0000	1632	1150
Tue Jul 04 2017 08:09:00.0000	1632	1157
Tue Jul 04 2017 08:10:00.0000	1630	1303
Tue Jul 04 2017 08:11:00.0000	1630	1244
Tue Jul 04 2017 08:12:00.0000	1631	1094
Tue Jul 04 2017 08:13:00.0000	1633	1269
Tue Jul 04 2017 08:14:00.0000	1632	1172
Tue Jul 04 2017 08:15:00.0000	1631	1331
Tue Jul 04 2017 08:16:00.0000	1632	1176
Tue Jul 04 2017 08:17:00.0000	1632	1134
Tue Jul 04 2017 08:18:00.0000	1626	1288
Tue Jul 04 2017 08:19:00.0000	1620	1368
Tue Jul 04 2017 08:20:00.0000	1617	1411
Tue Jul 04 2017 08:21:00.0000	1613	1219
Tue Jul 04 2017 08:22:00.0000	1611	1203
Tue Jul 04 2017 08:23:00.0000	1608	1384
Tue Jul 04 2017 08:24:00.0000	1606	1312
Tue Jul 04 2017 08:25:00.0000	1605	1128
Tue Jul 04 2017 08:26:00.0000	1603	1318
Tue Jul 04 2017 08:27:00.0000	1601	1312
Tue Jul 04 2017 08:28:00.0000	1606	1378
Tue Jul 04 2017 08:29:00.0000	1615	1111
Tue Jul 04 2017 08:30:00.0000	1622	1155
Tue Jul 04 2017 08:31:00.0000	1628	1253
Tue Jul 04 2017 08:32:00.0000	1629	1286
Tue Jul 04 2017 08:33:00.0000	1631	1417
Tue Jul 04 2017 08:34:00.0000	1631	1140
Tue Jul 04 2017 08:35:00.0000	1627	1146
Tue Jul 04 2017 08:36:00.0000	1623	1153
Tue Jul 04 2017 08:37:00.0000	1621	1238
Tue Jul 04 2017 08:38:00.0000	1619	1075
Tue Jul 04 2017 08:39:00.0000	1618	1260
Tue Jul 04 2017 08:40:00.0000	1617	1280
Tue Jul 04 2017 08:41:00.0000	1615	1243
Tue Jul 04 2017 08:42:00.0000	1615	1144
Tue Jul 04 2017 08:43:00.0000	1615	1126
Tue Jul 04 2017 08:44:00.0000	1614	1315
Tue Jul 04 2017 08:45:00.0000	1612	1171
Tue Jul 04 2017 08:46:00.0000	1612	1168
Tue Jul 04 2017 08:47:00.0000	1612	1136
Tue Jul 04 2017 08:48:00.0000	1612	1295
Tue Jul 04 2017 08:49:00.0000	1611	1284
Tue Jul 04 2017 08:50:00.0000	1609	1209
Tue Jul 04 2017 08:51:00.0000	1610	1163
Tue Jul 04 2017 08:52:00.0000	1610	1224
Tue Jul 04 2017 08:53:00.0000	1610	1193
Tue Jul 04 2017 08:54:00.0000	1608	1410
Tue Jul 04 2017 08:55:00.0000	1608	1167
Tue Jul 04 2017 08:56:00.0000	1608	1160
Tue Jul 04 2017 08:57:00.0000	1609	1310

Date/Time	Process Temperature (°F)	Process Flow SCFM
Tue Jul 04 2017 08:58:00.0000	1607	1351
Tue Jul 04 2017 08:59:00.0000	1606	1305
Tue Jul 04 2017 09:00:00.0000	1607	1180
Tue Jul 04 2017 09:01:00.0000	1607	1231
Tue Jul 04 2017 09:02:00.0000	1606	1243
Tue Jul 04 2017 09:03:00.0000	1605	1281
Tue Jul 04 2017 09:04:00.0000	1605	1178
Tue Jul 04 2017 09:05:00.0000	1606	1150
Tue Jul 04 2017 09:06:00.0000	1606	1293
Tue Jul 04 2017 09:07:00.0000	1604	1391
Tue Jul 04 2017 09:08:00.0000	1604	1437
Tue Jul 04 2017 09:09:00.0000	1604	1144
Tue Jul 04 2017 09:10:00.0000	1605	1187
Tue Jul 04 2017 09:11:00.0000	1604	1303
Tue Jul 04 2017 09:12:00.0000	1602	1378
Tue Jul 04 2017 09:13:00.0000	1603	1157
Tue Jul 04 2017 09:14:00.0000	1603	1139
Tue Jul 04 2017 09:15:00.0000	1604	1316
Tue Jul 04 2017 09:16:00.0000	1602	1382
Tue Jul 04 2017 09:17:00.0000	1608	1283
Tue Jul 04 2017 09:18:00.0000	1614	1170
Tue Jul 04 2017 09:19:00.0000	1622	1208
Tue Jul 04 2017 09:20:00.0000	1625	1272
Tue Jul 04 2017 09:21:00.0000	1625	1276
Tue Jul 04 2017 09:22:00.0000	1629	1130
Tue Jul 04 2017 09:23:00.0000	1632	1166
Tue Jul 04 2017 09:24:00.0000	1629	1315
Tue Jul 04 2017 09:25:00.0000	1620	1324
Tue Jul 04 2017 09:26:00.0000	1615	1293
Tue Jul 04 2017 09:27:00.0000	1611	1203
Tue Jul 04 2017 09:28:00.0000	1608	1137
Tue Jul 04 2017 09:29:00.0000	1605	1280
Tue Jul 04 2017 09:30:00.0000	1603	1288
Tue Jul 04 2017 09:31:00.0000	1603	1128
Tue Jul 04 2017 09:32:00.0000	1609	1151
Tue Jul 04 2017 09:33:00.0000	1613	1281
Tue Jul 04 2017 09:34:00.0000	1613	1270
Tue Jul 04 2017 09:35:00.0000	1615	1398
Tue Jul 04 2017 09:36:00.0000	1617	1156
Tue Jul 04 2017 09:37:00.0000	1620	1169
Tue Jul 04 2017 09:38:00.0000	1619	1274
Tue Jul 04 2017 09:39:00.0000	1618	1414
Tue Jul 04 2017 09:40:00.0000	1620	1162
Tue Jul 04 2017 09:41:00.0000	1622	1267
Tue Jul 04 2017 09:42:00.0000	1623	1300
Tue Jul 04 2017 09:43:00.0000	1620	1440
Tue Jul 04 2017 09:44:00.0000	1621	1200
Tue Jul 04 2017 09:45:00.0000	1622	1149
Tue Jul 04 2017 09:46:00.0000	1623	1332
Tue Jul 04 2017 09:47:00.0000	1621	1407
Tue Jul 04 2017 09:48:00.0000	1621	1407
Tue Jul 04 2017 09:49:00.0000	1622	1164
Tue Jul 04 2017 09:50:00.0000	1624	1295
Tue Jul 04 2017 09:51:00.0000	1623	1331
Tue Jul 04 2017 09:52:00.0000	1621	1366
Tue Jul 04 2017 09:53:00.0000	1622	1196
Tue Jul 04 2017 09:54:00.0000	1623	1169

Date/Time	Process Temperature (°F)	Process Flow SCFM
Tue Jul 04 2017 09:55:00.0000	1624	1276
Tue Jul 04 2017 09:56:00.0000	1622	1367
Tue Jul 04 2017 09:57:00.0000	1623	1179
Tue Jul 04 2017 09:58:00.0000	1623	1209
Tue Jul 04 2017 09:59:00.0000	1625	1294
Tue Jul 04 2017 10:00:00.0000	1623	1365
Tue Jul 04 2017 10:01:00.0000	1622	1290
Tue Jul 04 2017 10:02:00.0000	1624	1184
Tue Jul 04 2017 10:03:00.0000	1625	1244
Tue Jul 04 2017 10:04:00.0000	1625	1266
Tue Jul 04 2017 10:05:00.0000	1623	1321
Tue Jul 04 2017 10:06:00.0000	1625	1163
Tue Jul 04 2017 10:07:00.0000	1624	1255
Tue Jul 04 2017 10:08:00.0000	1626	1298
Tue Jul 04 2017 10:09:00.0000	1625	1253
Tue Jul 04 2017 10:10:00.0000	1624	1457
Tue Jul 04 2017 10:11:00.0000	1625	1197
Tue Jul 04 2017 10:12:00.0000	1627	1315
Tue Jul 04 2017 10:13:00.0000	1626	1337
Tue Jul 04 2017 10:14:00.0000	1624	1277
Tue Jul 04 2017 10:15:00.0000	1626	1198
Tue Jul 04 2017 10:16:00.0000	1626	1248
Tue Jul 04 2017 10:17:00.0000	1627	1335
Tue Jul 04 2017 10:18:00.0000	1625	1285
Tue Jul 04 2017 10:19:00.0000	1626	1323
Tue Jul 04 2017 10:20:00.0000	1626	1180
Tue Jul 04 2017 10:21:00.0000	1628	1324
Tue Jul 04 2017 10:22:00.0000	1627	1322
Tue Jul 04 2017 10:23:00.0000	1625	1285
Tue Jul 04 2017 10:24:00.0000	1627	1233
Tue Jul 04 2017 10:25:00.0000	1628	1264
Tue Jul 04 2017 10:26:00.0000	1629	1306
Tue Jul 04 2017 10:27:00.0000	1627	1396
Tue Jul 04 2017 10:28:00.0000	1628	1232
Tue Jul 04 2017 10:29:00.0000	1628	1123
Tue Jul 04 2017 10:30:00.0000	1630	1329
Tue Jul 04 2017 10:31:00.0000	1628	1230
Tue Jul 04 2017 10:32:00.0000	1627	1388
Tue Jul 04 2017 10:33:00.0000	1628	1158
Tue Jul 04 2017 10:34:00.0000	1630	1324
Tue Jul 04 2017 10:35:00.0000	1629	1344
Tue Jul 04 2017 10:36:00.0000	1627	1337
Tue Jul 04 2017 10:37:00.0000	1629	1153
Tue Jul 04 2017 10:38:00.0000	1630	1122
Tue Jul 04 2017 10:39:00.0000	1631	1218
Tue Jul 04 2017 10:40:00.0000	1629	1424
Tue Jul 04 2017 10:41:00.0000	1629	1475
Tue Jul 04 2017 10:42:00.0000	1629	1148
Tue Jul 04 2017 10:43:00.0000	1632	1383
Tue Jul 04 2017 10:44:00.0000	1631	1305
Tue Jul 04 2017 10:45:00.0000	1629	1372
Tue Jul 04 2017 10:46:00.0000	1630	1156
Tue Jul 04 2017 10:47:00.0000	1631	1213
Tue Jul 04 2017 10:48:00.0000	1632	1380
Tue Jul 04 2017 10:49:00.0000	1630	1348
Tue Jul 04 2017 10:50:00.0000	1630	1428
Tue Jul 04 2017 10:51:00.0000	1631	1280

Date/Time	Process Temperature (°F)	Process Flow SCFM
Tue Jul 04 2017 10:52:00.0000	1632	1342
Tue Jul 04 2017 10:53:00.0000	1625	1305
Tue Jul 04 2017 10:54:00.0000	1621	1353
Tue Jul 04 2017 10:55:00.0000	1618	1208
Tue Jul 04 2017 10:56:00.0000	1616	1286
Tue Jul 04 2017 10:57:00.0000	1613	1349
Tue Jul 04 2017 10:58:00.0000	1610	1323
Tue Jul 04 2017 10:59:00.0000	1610	1141
Tue Jul 04 2017 11:00:00.0000	1609	1175
Tue Jul 04 2017 11:01:00.0000	1607	1344
Tue Jul 04 2017 11:02:00.0000	1605	1403
Tue Jul 04 2017 11:03:00.0000	1604	1480
Tue Jul 04 2017 11:04:00.0000	1603	1163
Tue Jul 04 2017 11:05:00.0000	1603	1162
Tue Jul 04 2017 11:06:00.0000	1602	1312
Tue Jul 04 2017 11:07:00.0000	1605	1280
Tue Jul 04 2017 11:08:00.0000	1610	1162
Tue Jul 04 2017 11:09:00.0000	1613	1238
Tue Jul 04 2017 11:10:00.0000	1617	1329
Tue Jul 04 2017 11:11:00.0000	1616	1334
Tue Jul 04 2017 11:12:00.0000	1617	1290
Tue Jul 04 2017 11:13:00.0000	1618	1198
Tue Jul 04 2017 11:14:00.0000	1621	1178
Tue Jul 04 2017 11:15:00.0000	1622	1359
Tue Jul 04 2017 11:16:00.0000	1620	1409
Tue Jul 04 2017 11:17:00.0000	1622	1156
Tue Jul 04 2017 11:18:00.0000	1623	1176
Tue Jul 04 2017 11:19:00.0000	1625	1281
Tue Jul 04 2017 11:20:00.0000	1624	1432
Tue Jul 04 2017 11:21:00.0000	1624	1378
Tue Jul 04 2017 11:22:00.0000	1625	1187
Tue Jul 04 2017 11:23:00.0000	1627	1324
Tue Jul 04 2017 11:24:00.0000	1627	1313
Tue Jul 04 2017 11:25:00.0000	1625	1343
Tue Jul 04 2017 11:26:00.0000	1627	1192
Tue Jul 04 2017 11:27:00.0000	1628	1154
Tue Jul 04 2017 11:28:00.0000	1629	1315
Tue Jul 04 2017 11:29:00.0000	1628	1219
Tue Jul 04 2017 11:30:00.0000	1629	1453
Tue Jul 04 2017 11:31:00.0000	1629	1181
Tue Jul 04 2017 11:32:00.0000	1632	1290
Tue Jul 04 2017 11:33:00.0000	1630	1207
Tue Jul 04 2017 11:34:00.0000	1630	1373
Tue Jul 04 2017 11:35:00.0000	1630	1189
Tue Jul 04 2017 11:36:00.0000	1632	1376
Tue Jul 04 2017 11:37:00.0000	1632	1374
Tue Jul 04 2017 11:38:00.0000	1630	1423
Tue Jul 04 2017 11:39:00.0000	1632	1156
Tue Jul 04 2017 11:40:00.0000	1632	1339
Tue Jul 04 2017 11:41:00.0000	1625	1363
Tue Jul 04 2017 11:42:00.0000	1621	1315
Tue Jul 04 2017 11:43:00.0000	1619	1192
Tue Jul 04 2017 11:44:00.0000	1617	1328
Tue Jul 04 2017 11:45:00.0000	1614	1348
Tue Jul 04 2017 11:46:00.0000	1611	1412
Tue Jul 04 2017 11:47:00.0000	1610	1454
Tue Jul 04 2017 11:48:00.0000	1610	1223

Date/Time	Process Temperature (°F)	Process Flow SCFM
Tue Jul 04 2017 11:49:00.0000	1609	1394
Tue Jul 04 2017 11:50:00.0000	1606	1462
Tue Jul 04 2017 11:51:00.0000	1605	1362
Tue Jul 04 2017 11:52:00.0000	1604	1287
Tue Jul 04 2017 11:53:00.0000	1604	1232
Tue Jul 04 2017 11:54:00.0000	1603	1326
Tue Jul 04 2017 11:55:00.0000	1602	1295
Tue Jul 04 2017 11:56:00.0000	1608	1194
Tue Jul 04 2017 11:57:00.0000	1612	1191
Tue Jul 04 2017 11:58:00.0000	1616	1325
Tue Jul 04 2017 11:59:00.0000	1617	1345
Tue Jul 04 2017 12:00:00.0000	1617	1413
Tue Jul 04 2017 12:01:00.0000	1619	1177
Tue Jul 04 2017 12:02:00.0000	1622	1185
Tue Jul 04 2017 12:03:00.0000	1623	1313
Tue Jul 04 2017 12:04:00.0000	1622	1317
Tue Jul 04 2017 12:05:00.0000	1623	1258
Tue Jul 04 2017 12:06:00.0000	1624	1201
Tue Jul 04 2017 12:07:00.0000	1627	1365
Tue Jul 04 2017 12:08:00.0000	1626	1344
Tue Jul 04 2017 12:09:00.0000	1625	1431
Tue Jul 04 2017 12:10:00.0000	1627	1107
Tue Jul 04 2017 12:11:00.0000	1629	1214
Tue Jul 04 2017 12:12:00.0000	1629	1334
Tue Jul 04 2017 12:13:00.0000	1627	1426
Tue Jul 04 2017 12:14:00.0000	1628	1163
Tue Jul 04 2017 12:15:00.0000	1629	1223
Tue Jul 04 2017 12:16:00.0000	1632	1284
Tue Jul 04 2017 12:17:00.0000	1630	1251
Tue Jul 04 2017 12:18:00.0000	1630	1437
Tue Jul 04 2017 12:19:00.0000	1631	1270
Tue Jul 04 2017 12:20:00.0000	1633	1225
Tue Jul 04 2017 12:21:00.0000	1629	1369
Tue Jul 04 2017 12:22:00.0000	1622	1364
Tue Jul 04 2017 12:23:00.0000	1618	1137
Tue Jul 04 2017 12:24:00.0000	1615	1184
Tue Jul 04 2017 12:25:00.0000	1613	1398
Tue Jul 04 2017 12:26:00.0000	1610	1326
Tue Jul 04 2017 12:27:00.0000	1607	1408
Tue Jul 04 2017 12:28:00.0000	1606	1159
Tue Jul 04 2017 12:29:00.0000	1605	1332
Tue Jul 04 2017 12:30:00.0000	1603	1390
Tue Jul 04 2017 12:31:00.0000	1606	1366
Tue Jul 04 2017 12:32:00.0000	1617	1262
Tue Jul 04 2017 12:33:00.0000	1623	1165
Tue Jul 04 2017 12:34:00.0000	1631	1367
Tue Jul 04 2017 12:35:00.0000	1632	1324
Tue Jul 04 2017 12:36:00.0000	1634	1283
Tue Jul 04 2017 12:37:00.0000	1628	1215
Tue Jul 04 2017 12:38:00.0000	1620	1281
Tue Jul 04 2017 12:39:00.0000	1617	1301
Tue Jul 04 2017 12:40:00.0000	1614	1322
Tue Jul 04 2017 12:41:00.0000	1612	1187
Tue Jul 04 2017 12:42:00.0000	1611	1277
Tue Jul 04 2017 12:43:00.0000	1609	1369
Tue Jul 04 2017 12:44:00.0000	1607	1400
Tue Jul 04 2017 12:45:00.0000	1606	1275

Date/Time	Process Temperature (°F)	Process Flow SCFM
Tue Jul 04 2017 12:46:00.0000	1606	1212
Tue Jul 04 2017 12:47:00.0000	1605	1376
Tue Jul 04 2017 12:48:00.0000	1602	1381
Tue Jul 04 2017 12:49:00.0000	1606	1388
Tue Jul 04 2017 12:50:00.0000	1610	1230
Tue Jul 04 2017 12:51:00.0000	1616	1389
Tue Jul 04 2017 12:52:00.0000	1617	1505
Tue Jul 04 2017 12:53:00.0000	1617	1390
Tue Jul 04 2017 12:54:00.0000	1619	1195
Tue Jul 04 2017 12:55:00.0000	1622	1193
Tue Jul 04 2017 12:56:00.0000	1623	1383
Tue Jul 04 2017 12:57:00.0000	1622	1449
Tue Jul 04 2017 12:58:00.0000	1624	1189
Tue Jul 04 2017 12:59:00.0000	1626	1190
Tue Jul 04 2017 13:00:00.0000	1627	1345
Tue Jul 04 2017 13:01:00.0000	1625	1390
Tue Jul 04 2017 13:02:00.0000	1626	1516
Tue Jul 04 2017 13:03:00.0000	1627	1189
Tue Jul 04 2017 13:04:00.0000	1630	1271
Tue Jul 04 2017 13:05:00.0000	1629	1468
Tue Jul 04 2017 13:06:00.0000	1628	1392
Tue Jul 04 2017 13:07:00.0000	1629	1225
Tue Jul 04 2017 13:08:00.0000	1632	1238
Tue Jul 04 2017 13:09:00.0000	1632	1292
Tue Jul 04 2017 13:10:00.0000	1630	1421
Tue Jul 04 2017 13:11:00.0000	1631	1216
Tue Jul 04 2017 13:12:00.0000	1632	1220
Tue Jul 04 2017 13:13:00.0000	1630	1357
Tue Jul 04 2017 13:14:00.0000	1622	1373
Tue Jul 04 2017 13:15:00.0000	1618	1492
Tue Jul 04 2017 13:16:00.0000	1615	1214
Tue Jul 04 2017 13:17:00.0000	1613	1351
Tue Jul 04 2017 13:18:00.0000	1610	1343
Tue Jul 04 2017 13:19:00.0000	1607	1411
Tue Jul 04 2017 13:20:00.0000	1606	1171
Tue Jul 04 2017 13:21:00.0000	1605	1282
Tue Jul 04 2017 13:22:00.0000	1603	1331
Tue Jul 04 2017 13:23:00.0000	1602	1459
Tue Jul 04 2017 13:24:00.0000	1608	1446
Tue Jul 04 2017 13:25:00.0000	1612	1113
Tue Jul 04 2017 13:26:00.0000	1617	1336
Tue Jul 04 2017 13:27:00.0000	1618	1452
Tue Jul 04 2017 13:28:00.0000	1617	1382
Tue Jul 04 2017 13:29:00.0000	1620	1219
Tue Jul 04 2017 13:30:00.0000	1622	1269
Tue Jul 04 2017 13:31:00.0000	1624	1250
Tue Jul 04 2017 13:32:00.0000	1622	1450
Tue Jul 04 2017 13:33:00.0000	1623	1452
Tue Jul 04 2017 13:34:00.0000	1624	1117
Tue Jul 04 2017 13:35:00.0000	1627	1322
Tue Jul 04 2017 13:36:00.0000	1626	1420
Tue Jul 04 2017 13:37:00.0000	1625	1486
Tue Jul 04 2017 13:38:00.0000	1627	1167
Tue Jul 04 2017 13:39:00.0000	1628	1285
Tue Jul 04 2017 13:40:00.0000	1629	1309
Tue Jul 04 2017 13:41:00.0000	1628	1508
Tue Jul 04 2017 13:42:00.0000	1628	1486

Date/Time	Process Temperature (°F)	Process Flow SCFM
Tue Jul 04 2017 13:43:00.0000	1629	1178
Tue Jul 04 2017 13:44:00.0000	1632	1274
Tue Jul 04 2017 13:45:00.0000	1631	1347
Tue Jul 04 2017 13:46:00.0000	1629	1338
Tue Jul 04 2017 13:47:00.0000	1631	1158
Tue Jul 04 2017 13:48:00.0000	1633	1250
Tue Jul 04 2017 13:49:00.0000	1631	1324
Tue Jul 04 2017 13:50:00.0000	1624	1279
Tue Jul 04 2017 13:51:00.0000	1621	1463
Tue Jul 04 2017 13:52:00.0000	1619	1242
Tue Jul 04 2017 13:53:00.0000	1617	1339
Tue Jul 04 2017 13:54:00.0000	1614	1270
Tue Jul 04 2017 13:55:00.0000	1612	1400
Tue Jul 04 2017 13:56:00.0000	1611	1181
Tue Jul 04 2017 13:57:00.0000	1610	1262
Tue Jul 04 2017 13:58:00.0000	1609	1294
Tue Jul 04 2017 13:59:00.0000	1607	1401
Tue Jul 04 2017 14:00:00.0000	1606	1405
Tue Jul 04 2017 14:01:00.0000	1605	1235
Tue Jul 04 2017 14:02:00.0000	1605	1332
Tue Jul 04 2017 14:03:00.0000	1603	1361
Tue Jul 04 2017 14:04:00.0000	1605	1353
Tue Jul 04 2017 14:05:00.0000	1611	1181
Tue Jul 04 2017 14:06:00.0000	1615	1232
Tue Jul 04 2017 14:07:00.0000	1618	1317
Tue Jul 04 2017 14:08:00.0000	1617	1450
Tue Jul 04 2017 14:09:00.0000	1620	1249
Tue Jul 04 2017 14:10:00.0000	1622	1203
Tue Jul 04 2017 14:11:00.0000	1624	1338
Tue Jul 04 2017 14:12:00.0000	1623	1376
Tue Jul 04 2017 14:13:00.0000	1623	1456
Tue Jul 04 2017 14:14:00.0000	1624	1240
Tue Jul 04 2017 14:15:00.0000	1628	1375
Tue Jul 04 2017 14:16:00.0000	1627	1342
Tue Jul 04 2017 14:17:00.0000	1626	1375
Tue Jul 04 2017 14:18:00.0000	1627	1218
Tue Jul 04 2017 14:19:00.0000	1628	1224
Tue Jul 04 2017 14:20:00.0000	1630	1314
Tue Jul 04 2017 14:21:00.0000	1628	1452
Tue Jul 04 2017 14:22:00.0000	1628	1360
Tue Jul 04 2017 14:23:00.0000	1629	1238
Tue Jul 04 2017 14:24:00.0000	1632	1315
Tue Jul 04 2017 14:25:00.0000	1631	1228
Tue Jul 04 2017 14:26:00.0000	1630	1455
Tue Jul 04 2017 14:27:00.0000	1632	1171
Tue Jul 04 2017 14:28:00.0000	1632	1183
Tue Jul 04 2017 14:29:00.0000	1632	1338
Tue Jul 04 2017 14:30:00.0000	1625	1350
Tue Jul 04 2017 14:31:00.0000	1622	1107
Tue Jul 04 2017 14:32:00.0000	1619	1241
Tue Jul 04 2017 14:33:00.0000	1617	1253
Tue Jul 04 2017 14:34:00.0000	1615	1453
Tue Jul 04 2017 14:35:00.0000	1613	1396
Tue Jul 04 2017 14:36:00.0000	1612	1213
Tue Jul 04 2017 14:37:00.0000	1611	1320
Tue Jul 04 2017 14:38:00.0000	1610	1360
Tue Jul 04 2017 14:39:00.0000	1607	1405

Date/Time	Process Temperature (°F)	Process Flow SCFM
Tue Jul 04 2017 14:40:00.0000	1607	1191
Tue Jul 04 2017 14:41:00.0000	1607	1218
Tue Jul 04 2017 14:42:00.0000	1606	1306
Tue Jul 04 2017 14:43:00.0000	1604	1472
Tue Jul 04 2017 14:44:00.0000	1603	1390
Tue Jul 04 2017 14:45:00.0000	1603	1240
Tue Jul 04 2017 14:46:00.0000	1603	1343
Tue Jul 04 2017 14:47:00.0000	1604	1333
Tue Jul 04 2017 14:48:00.0000	1606	1438
Tue Jul 04 2017 14:49:00.0000	1611	1203
Tue Jul 04 2017 14:50:00.0000	1615	1205
Tue Jul 04 2017 14:51:00.0000	1618	1365
Tue Jul 04 2017 14:52:00.0000	1617	1413
Tue Jul 04 2017 14:53:00.0000	1620	1416
Tue Jul 04 2017 14:54:00.0000	1620	1168
Tue Jul 04 2017 14:55:00.0000	1624	1321
Tue Jul 04 2017 14:56:00.0000	1624	1437
Tue Jul 04 2017 14:57:00.0000	1622	1380
Tue Jul 04 2017 14:58:00.0000	1624	1235
Tue Jul 04 2017 14:59:00.0000	1627	1191
Tue Jul 04 2017 15:00:00.0000	1627	1316
Tue Jul 04 2017 15:01:00.0000	1625	1275
Tue Jul 04 2017 15:02:00.0000	1627	1172
Tue Jul 04 2017 15:03:00.0000	1628	1233
Tue Jul 04 2017 15:04:00.0000	1630	1352
Tue Jul 04 2017 15:05:00.0000	1629	1400
Tue Jul 04 2017 15:06:00.0000	1628	1467
Tue Jul 04 2017 15:07:00.0000	1630	1159
Tue Jul 04 2017 15:08:00.0000	1632	1284
Tue Jul 04 2017 15:09:00.0000	1632	1350
Tue Jul 04 2017 15:10:00.0000	1630	1565
Tue Jul 04 2017 15:11:00.0000	1631	1179
Tue Jul 04 2017 15:12:00.0000	1632	1180
Tue Jul 04 2017 15:13:00.0000	1631	1313
Tue Jul 04 2017 15:14:00.0000	1625	1364
Tue Jul 04 2017 15:15:00.0000	1621	1497
Tue Jul 04 2017 15:16:00.0000	1619	1223
Tue Jul 04 2017 15:17:00.0000	1618	1361
Tue Jul 04 2017 15:18:00.0000	1617	1408
Tue Jul 04 2017 15:19:00.0000	1615	1471
Tue Jul 04 2017 15:20:00.0000	1614	1199
Tue Jul 04 2017 15:21:00.0000	1614	1137
Tue Jul 04 2017 15:22:00.0000	1614	1241
Tue Jul 04 2017 15:23:00.0000	1611	1362
Tue Jul 04 2017 15:24:00.0000	1610	1445
Tue Jul 04 2017 15:25:00.0000	1610	1228
Tue Jul 04 2017 15:26:00.0000	1610	1246
Tue Jul 04 2017 15:27:00.0000	1609	1327
Tue Jul 04 2017 15:28:00.0000	1607	1477
Tue Jul 04 2017 15:29:00.0000	1607	1242
Tue Jul 04 2017 15:30:00.0000	1607	1227
Tue Jul 04 2017 15:31:00.0000	1607	1364
Tue Jul 04 2017 15:32:00.0000	1605	1405
Tue Jul 04 2017 15:33:00.0000	1604	1251
Tue Jul 04 2017 15:34:00.0000	1605	1191
Tue Jul 04 2017 15:35:00.0000	1605	1301
Tue Jul 04 2017 15:36:00.0000	1604	1370

Date/Time	Process Temperature (°F)	Process Flow SCFM
Tue Jul 04 2017 15:37:00.0000	1602	1301
Tue Jul 04 2017 15:38:00.0000	1606	1215
Tue Jul 04 2017 15:39:00.0000	1613	1200
Tue Jul 04 2017 15:40:00.0000	1621	1318
Tue Jul 04 2017 15:41:00.0000	1622	1438
Tue Jul 04 2017 15:42:00.0000	1624	1386
Tue Jul 04 2017 15:43:00.0000	1626	1245
Tue Jul 04 2017 15:44:00.0000	1630	1292
Tue Jul 04 2017 15:45:00.0000	1632	1343
Tue Jul 04 2017 15:46:00.0000	1631	1506
Tue Jul 04 2017 15:47:00.0000	1633	1166
Tue Jul 04 2017 15:48:00.0000	1635	1254
Tue Jul 04 2017 15:49:00.0000	1627	1384
Tue Jul 04 2017 15:50:00.0000	1619	1406
Tue Jul 04 2017 15:51:00.0000	1614	1459
Tue Jul 04 2017 15:52:00.0000	1610	1265
Tue Jul 04 2017 15:53:00.0000	1608	1385
Tue Jul 04 2017 15:54:00.0000	1604	1427
Tue Jul 04 2017 15:55:00.0000	1601	1447
Tue Jul 04 2017 15:56:00.0000	1605	1227
Tue Jul 04 2017 15:57:00.0000	1614	1216
Tue Jul 04 2017 15:58:00.0000	1621	1346
Tue Jul 04 2017 15:59:00.0000	1622	1337
Tue Jul 04 2017 16:00:00.0000	1625	1456
Tue Jul 04 2017 16:01:00.0000	1627	1220
Tue Jul 04 2017 16:02:00.0000	1632	1251
Tue Jul 04 2017 16:03:00.0000	1632	1331
Tue Jul 04 2017 16:04:00.0000	1632	1330
Tue Jul 04 2017 16:05:00.0000	1634	1227
Tue Jul 04 2017 16:06:00.0000	1629	1245
Tue Jul 04 2017 16:07:00.0000	1627	1369
Tue Jul 04 2017 16:08:00.0000	1623	1426
Tue Jul 04 2017 16:09:00.0000	1621	1302
Tue Jul 04 2017 16:10:00.0000	1619	1211
Tue Jul 04 2017 16:11:00.0000	1620	1289
Tue Jul 04 2017 16:12:00.0000	1618	1409
Tue Jul 04 2017 16:13:00.0000	1616	1396
Tue Jul 04 2017 16:14:00.0000	1616	1255
Tue Jul 04 2017 16:15:00.0000	1616	1283
Tue Jul 04 2017 16:16:00.0000	1616	1298
Tue Jul 04 2017 16:17:00.0000	1614	1397
Tue Jul 04 2017 16:18:00.0000	1614	1331
Tue Jul 04 2017 16:19:00.0000	1614	1180
Tue Jul 04 2017 16:20:00.0000	1615	1266
Tue Jul 04 2017 16:21:00.0000	1613	1445
Tue Jul 04 2017 16:22:00.0000	1611	1404
Tue Jul 04 2017 16:23:00.0000	1612	1183
Tue Jul 04 2017 16:24:00.0000	1612	1281
Tue Jul 04 2017 16:25:00.0000	1612	1377
Tue Jul 04 2017 16:26:00.0000	1610	1333
Tue Jul 04 2017 16:27:00.0000	1610	1344
Tue Jul 04 2017 16:28:00.0000	1610	1189
Tue Jul 04 2017 16:29:00.0000	1610	1187
Tue Jul 04 2017 16:30:00.0000	1609	1187
Tue Jul 04 2017 16:31:00.0000	1608	1447
Tue Jul 04 2017 16:32:00.0000	1609	1219
Tue Jul 04 2017 16:33:00.0000	1609	1262

Date/Time	Process Temperature (°F)	Process Flow SCFM
Tue Jul 04 2017 16:34:00.0000	1608	1345
Tue Jul 04 2017 16:35:00.0000	1606	1398
Tue Jul 04 2017 16:36:00.0000	1607	1153
Tue Jul 04 2017 16:37:00.0000	1607	1187
Tue Jul 04 2017 16:38:00.0000	1608	1330
Tue Jul 04 2017 16:39:00.0000	1606	1506
Tue Jul 04 2017 16:40:00.0000	1605	1443
Tue Jul 04 2017 16:41:00.0000	1606	1169
Tue Jul 04 2017 16:42:00.0000	1607	1288
Tue Jul 04 2017 16:43:00.0000	1605	1324
Tue Jul 04 2017 16:44:00.0000	1604	1343
Tue Jul 04 2017 16:45:00.0000	1604	1241
Tue Jul 04 2017 16:46:00.0000	1605	1187
Tue Jul 04 2017 16:47:00.0000	1605	1318
Tue Jul 04 2017 16:48:00.0000	1603	1372
Tue Jul 04 2017 16:49:00.0000	1603	1390
Tue Jul 04 2017 16:50:00.0000	1603	1202
Tue Jul 04 2017 16:51:00.0000	1604	1258
Tue Jul 04 2017 16:52:00.0000	1603	1310
Tue Jul 04 2017 16:53:00.0000	1603	1433
Tue Jul 04 2017 16:54:00.0000	1611	1156
Tue Jul 04 2017 16:55:00.0000	1619	1146
Tue Jul 04 2017 16:56:00.0000	1625	1275
Tue Jul 04 2017 16:57:00.0000	1626	1383
Tue Jul 04 2017 16:58:00.0000	1628	1400
Tue Jul 04 2017 16:59:00.0000	1631	1274
Tue Jul 04 2017 17:00:00.0000	1634	1304
Tue Jul 04 2017 17:01:00.0000	1626	1371
Tue Jul 04 2017 17:02:00.0000	1622	1452
Tue Jul 04 2017 17:03:00.0000	1621	1200
Tue Jul 04 2017 17:04:00.0000	1619	1187
Tue Jul 04 2017 17:05:00.0000	1618	1365
Tue Jul 04 2017 17:06:00.0000	1616	1322
Tue Jul 04 2017 17:07:00.0000	1615	1436
Tue Jul 04 2017 17:08:00.0000	1615	1210
Tue Jul 04 2017 17:09:00.0000	1616	1217
Tue Jul 04 2017 17:10:00.0000	1614	1388
Tue Jul 04 2017 17:11:00.0000	1613	1321
Tue Jul 04 2017 17:12:00.0000	1613	1290
Tue Jul 04 2017 17:13:00.0000	1613	1259
Tue Jul 04 2017 17:14:00.0000	1612	1389
Tue Jul 04 2017 17:15:00.0000	1610	1506
Tue Jul 04 2017 17:16:00.0000	1610	1204
Tue Jul 04 2017 17:17:00.0000	1611	1200
Tue Jul 04 2017 17:18:00.0000	1611	1278
Tue Jul 04 2017 17:19:00.0000	1609	1345
Tue Jul 04 2017 17:20:00.0000	1609	1344
Tue Jul 04 2017 17:21:00.0000	1609	1223
Tue Jul 04 2017 17:22:00.0000	1610	1328
Tue Jul 04 2017 17:23:00.0000	1609	1398
Tue Jul 04 2017 17:24:00.0000	1607	1384
Tue Jul 04 2017 17:25:00.0000	1608	1173
Tue Jul 04 2017 17:26:00.0000	1608	1229
Tue Jul 04 2017 17:27:00.0000	1609	1277
Tue Jul 04 2017 17:28:00.0000	1607	1385
Tue Jul 04 2017 17:29:00.0000	1606	1441
Tue Jul 04 2017 17:30:00.0000	1607	1161

Date/Time	Process Temperature (°F)	Process Flow SCFM
Tue Jul 04 2017 17:31:00.0000	1608	1281
Tue Jul 04 2017 17:32:00.0000	1607	1346
Tue Jul 04 2017 17:33:00.0000	1605	1326
Tue Jul 04 2017 17:34:00.0000	1606	1169
Tue Jul 04 2017 17:35:00.0000	1607	1182
Tue Jul 04 2017 17:36:00.0000	1607	1351
Tue Jul 04 2017 17:37:00.0000	1605	1286
Tue Jul 04 2017 17:38:00.0000	1605	1400
Tue Jul 04 2017 17:39:00.0000	1605	1206
Tue Jul 04 2017 17:40:00.0000	1606	1344
Tue Jul 04 2017 17:41:00.0000	1605	1289
Tue Jul 04 2017 17:42:00.0000	1603	1470
Tue Jul 04 2017 17:43:00.0000	1604	1173
Tue Jul 04 2017 17:44:00.0000	1605	1187
Tue Jul 04 2017 17:45:00.0000	1605	1352
Tue Jul 04 2017 17:46:00.0000	1603	1437
Tue Jul 04 2017 17:47:00.0000	1603	1386
Tue Jul 04 2017 17:48:00.0000	1604	1175
Tue Jul 04 2017 17:49:00.0000	1605	1326
Tue Jul 04 2017 17:50:00.0000	1603	1365
Tue Jul 04 2017 17:51:00.0000	1603	1433
Tue Jul 04 2017 17:52:00.0000	1611	1217
Tue Jul 04 2017 17:53:00.0000	1618	1305
Tue Jul 04 2017 17:54:00.0000	1624	1284
Tue Jul 04 2017 17:55:00.0000	1625	1414
Tue Jul 04 2017 17:56:00.0000	1628	1427
Tue Jul 04 2017 17:57:00.0000	1630	1147
Tue Jul 04 2017 17:58:00.0000	1632	1301
Tue Jul 04 2017 17:59:00.0000	1624	1242
Tue Jul 04 2017 18:00:00.0000	1619	1545
Tue Jul 04 2017 18:01:00.0000	1617	1216
Tue Jul 04 2017 18:02:00.0000	1616	1239
Tue Jul 04 2017 18:03:00.0000	1615	1280
Tue Jul 04 2017 18:04:00.0000	1613	1325
Tue Jul 04 2017 18:05:00.0000	1612	1379
Tue Jul 04 2017 18:06:00.0000	1612	1202
Tue Jul 04 2017 18:07:00.0000	1612	1359
Tue Jul 04 2017 18:08:00.0000	1610	1354
Tue Jul 04 2017 18:09:00.0000	1609	1487
Tue Jul 04 2017 18:10:00.0000	1610	1155
Tue Jul 04 2017 18:11:00.0000	1610	1280
Tue Jul 04 2017 18:12:00.0000	1610	1336
Tue Jul 04 2017 18:13:00.0000	1608	1420
Tue Jul 04 2017 18:14:00.0000	1608	1225
Tue Jul 04 2017 18:15:00.0000	1608	1203
Tue Jul 04 2017 18:16:00.0000	1609	1316
Tue Jul 04 2017 18:17:00.0000	1607	1375
Tue Jul 04 2017 18:18:00.0000	1606	1310
Tue Jul 04 2017 18:19:00.0000	1607	1161
Tue Jul 04 2017 18:20:00.0000	1607	1155
Tue Jul 04 2017 18:21:00.0000	1607	1348
Tue Jul 04 2017 18:22:00.0000	1605	1358
Tue Jul 04 2017 18:23:00.0000	1606	1251
Tue Jul 04 2017 18:24:00.0000	1606	1122
Tue Jul 04 2017 18:25:00.0000	1606	1324
Tue Jul 04 2017 18:26:00.0000	1605	1358
Tue Jul 04 2017 18:27:00.0000	1604	1352

Date/Time	Process Temperature (°F)	Process Flow SCFM
Tue Jul 04 2017 18:28:00.0000	1605	1205
Tue Jul 04 2017 18:29:00.0000	1606	1229
Tue Jul 04 2017 18:30:00.0000	1605	1169
Tue Jul 04 2017 18:31:00.0000	1604	1381
Tue Jul 04 2017 18:32:00.0000	1604	1180
Tue Jul 04 2017 18:33:00.0000	1604	1202
Tue Jul 04 2017 18:34:00.0000	1605	1297
Tue Jul 04 2017 18:35:00.0000	1603	1369
Tue Jul 04 2017 18:36:00.0000	1603	1140
Tue Jul 04 2017 18:37:00.0000	1604	1213
Tue Jul 04 2017 18:38:00.0000	1604	1316
Tue Jul 04 2017 18:39:00.0000	1603	1361
Tue Jul 04 2017 18:40:00.0000	1605	1322
Tue Jul 04 2017 18:41:00.0000	1612	1189
Tue Jul 04 2017 18:42:00.0000	1621	1224
Tue Jul 04 2017 18:43:00.0000	1625	1285
Tue Jul 04 2017 18:44:00.0000	1625	1326
Tue Jul 04 2017 18:45:00.0000	1629	1262
Tue Jul 04 2017 18:46:00.0000	1631	1202
Tue Jul 04 2017 18:47:00.0000	1632	1334
Tue Jul 04 2017 18:48:00.0000	1625	1380
Tue Jul 04 2017 18:49:00.0000	1622	1461
Tue Jul 04 2017 18:50:00.0000	1620	1230
Tue Jul 04 2017 18:51:00.0000	1620	1235
Tue Jul 04 2017 18:52:00.0000	1618	1245
Tue Jul 04 2017 18:53:00.0000	1615	1442
Tue Jul 04 2017 18:54:00.0000	1615	1271
Tue Jul 04 2017 18:55:00.0000	1615	1163
Tue Jul 04 2017 18:56:00.0000	1615	1316
Tue Jul 04 2017 18:57:00.0000	1613	1469
Tue Jul 04 2017 18:58:00.0000	1612	1344
Tue Jul 04 2017 18:59:00.0000	1612	1164
Tue Jul 04 2017 19:00:00.0000	1613	1233
Tue Jul 04 2017 19:01:00.0000	1612	1354
Tue Jul 04 2017 19:02:00.0000	1610	1376
Tue Jul 04 2017 19:03:00.0000	1611	1298
Tue Jul 04 2017 19:04:00.0000	1611	1199
Tue Jul 04 2017 19:05:00.0000	1611	1306
Tue Jul 04 2017 19:06:00.0000	1610	1306
Tue Jul 04 2017 19:07:00.0000	1609	1342
Tue Jul 04 2017 19:08:00.0000	1609	1194
Tue Jul 04 2017 19:09:00.0000	1610	1296
Tue Jul 04 2017 19:10:00.0000	1610	1340
Tue Jul 04 2017 19:11:00.0000	1607	1373
Tue Jul 04 2017 19:12:00.0000	1608	1181
Tue Jul 04 2017 19:13:00.0000	1609	1182
Tue Jul 04 2017 19:14:00.0000	1609	1179
Tue Jul 04 2017 19:15:00.0000	1606	1292
Tue Jul 04 2017 19:16:00.0000	1607	1193
Tue Jul 04 2017 19:17:00.0000	1608	1144
Tue Jul 04 2017 19:18:00.0000	1609	1191
Tue Jul 04 2017 19:19:00.0000	1607	1290
Tue Jul 04 2017 19:20:00.0000	1606	1340
Tue Jul 04 2017 19:21:00.0000	1607	1176
Tue Jul 04 2017 19:22:00.0000	1608	1258
Tue Jul 04 2017 19:23:00.0000	1607	1238
Tue Jul 04 2017 19:24:00.0000	1605	1278

Date/Time	Process Temperature (°F)	Process Flow SCFM
Tue Jul 04 2017 19:25:00.0000	1606	1107
Tue Jul 04 2017 19:26:00.0000	1606	1187
Tue Jul 04 2017 19:27:00.0000	1607	1343
Tue Jul 04 2017 19:28:00.0000	1606	1214
Tue Jul 04 2017 19:29:00.0000	1604	1404
Tue Jul 04 2017 19:30:00.0000	1606	1219
Tue Jul 04 2017 19:31:00.0000	1606	1272
Tue Jul 04 2017 19:32:00.0000	1606	1319
Tue Jul 04 2017 19:33:00.0000	1604	1273
Tue Jul 04 2017 19:34:00.0000	1606	1266
Tue Jul 04 2017 19:35:00.0000	1605	1183
Tue Jul 04 2017 19:36:00.0000	1606	1310
Tue Jul 04 2017 19:37:00.0000	1605	1275
Tue Jul 04 2017 19:38:00.0000	1603	1335
Tue Jul 04 2017 19:39:00.0000	1605	1189
Tue Jul 04 2017 19:40:00.0000	1606	1265
Tue Jul 04 2017 19:41:00.0000	1605	1233
Tue Jul 04 2017 19:42:00.0000	1603	1294
Tue Jul 04 2017 19:43:00.0000	1605	1177
Tue Jul 04 2017 19:44:00.0000	1604	1319
Tue Jul 04 2017 19:45:00.0000	1605	1321
Tue Jul 04 2017 19:46:00.0000	1604	1375
Tue Jul 04 2017 19:47:00.0000	1603	1431
Tue Jul 04 2017 19:48:00.0000	1604	1105
Tue Jul 04 2017 19:49:00.0000	1605	1283
Tue Jul 04 2017 19:50:00.0000	1604	1241
Tue Jul 04 2017 19:51:00.0000	1602	1417
Tue Jul 04 2017 19:52:00.0000	1604	1225
Tue Jul 04 2017 19:53:00.0000	1604	1215
Tue Jul 04 2017 19:54:00.0000	1605	1257
Tue Jul 04 2017 19:55:00.0000	1602	1374
Tue Jul 04 2017 19:56:00.0000	1608	1347
Tue Jul 04 2017 19:57:00.0000	1614	1174
Tue Jul 04 2017 19:58:00.0000	1623	1177
Tue Jul 04 2017 19:59:00.0000	1625	1361
Tue Jul 04 2017 20:00:00.0000	1625	1296
Tue Jul 04 2017 20:01:00.0000	1629	1156
Tue Jul 04 2017 20:02:00.0000	1633	1268
Tue Jul 04 2017 20:03:00.0000	1626	1284
Tue Jul 04 2017 20:04:00.0000	1621	1388
Tue Jul 04 2017 20:05:00.0000	1620	1273
Tue Jul 04 2017 20:06:00.0000	1618	1192
Tue Jul 04 2017 20:07:00.0000	1617	1236
Tue Jul 04 2017 20:08:00.0000	1615	1262
Tue Jul 04 2017 20:09:00.0000	1613	1163
Tue Jul 04 2017 20:10:00.0000	1613	1253
Tue Jul 04 2017 20:11:00.0000	1614	1308
Tue Jul 04 2017 20:12:00.0000	1612	1167
Tue Jul 04 2017 20:13:00.0000	1610	1381
Tue Jul 04 2017 20:14:00.0000	1611	1156
Tue Jul 04 2017 20:15:00.0000	1612	1176
Tue Jul 04 2017 20:16:00.0000	1611	1285
Tue Jul 04 2017 20:17:00.0000	1608	1397
Tue Jul 04 2017 20:18:00.0000	1609	1208
Tue Jul 04 2017 20:19:00.0000	1609	1158
Tue Jul 04 2017 20:20:00.0000	1610	1333
Tue Jul 04 2017 20:21:00.0000	1608	1248

Date/Time	Process Temperature (°F)	Process Flow SCFM
Tue Jul 04 2017 20:22:00.0000	1607	1271
Tue Jul 04 2017 20:23:00.0000	1608	1175
Tue Jul 04 2017 20:24:00.0000	1608	1224
Tue Jul 04 2017 20:25:00.0000	1608	1270
Tue Jul 04 2017 20:26:00.0000	1605	1282
Tue Jul 04 2017 20:27:00.0000	1606	1164
Tue Jul 04 2017 20:28:00.0000	1607	1143
Tue Jul 04 2017 20:29:00.0000	1607	1275
Tue Jul 04 2017 20:30:00.0000	1605	1315
Tue Jul 04 2017 20:31:00.0000	1604	1312
Tue Jul 04 2017 20:32:00.0000	1605	1223
Tue Jul 04 2017 20:33:00.0000	1606	1268
Tue Jul 04 2017 20:34:00.0000	1605	1294
Tue Jul 04 2017 20:35:00.0000	1603	1368
Tue Jul 04 2017 20:36:00.0000	1604	1193
Tue Jul 04 2017 20:37:00.0000	1605	1202
Tue Jul 04 2017 20:38:00.0000	1606	1328
Tue Jul 04 2017 20:39:00.0000	1604	1321
Tue Jul 04 2017 20:40:00.0000	1603	1299
Tue Jul 04 2017 20:41:00.0000	1604	1193
Tue Jul 04 2017 20:42:00.0000	1605	1143
Tue Jul 04 2017 20:43:00.0000	1604	1242
Tue Jul 04 2017 20:44:00.0000	1602	1346
Tue Jul 04 2017 20:45:00.0000	1603	1113
Tue Jul 04 2017 20:46:00.0000	1603	1238
Tue Jul 04 2017 20:47:00.0000	1604	1321
Tue Jul 04 2017 20:48:00.0000	1602	1294
Tue Jul 04 2017 20:49:00.0000	1608	1456
Tue Jul 04 2017 20:50:00.0000	1615	1175
Tue Jul 04 2017 20:51:00.0000	1624	1231
Tue Jul 04 2017 20:52:00.0000	1625	1313
Tue Jul 04 2017 20:53:00.0000	1625	1323
Tue Jul 04 2017 20:54:00.0000	1629	1258
Tue Jul 04 2017 20:55:00.0000	1632	1223
Tue Jul 04 2017 20:56:00.0000	1629	1328
Tue Jul 04 2017 20:57:00.0000	1620	1347
Tue Jul 04 2017 20:58:00.0000	1615	1306
Tue Jul 04 2017 20:59:00.0000	1611	1210
Tue Jul 04 2017 21:00:00.0000	1608	1256
Tue Jul 04 2017 21:01:00.0000	1605	1328
Tue Jul 04 2017 21:02:00.0000	1602	1311
Tue Jul 04 2017 21:03:00.0000	1603	1147
Tue Jul 04 2017 21:04:00.0000	1609	1181
Tue Jul 04 2017 21:05:00.0000	1611	1274
Tue Jul 04 2017 21:06:00.0000	1611	1402
Tue Jul 04 2017 21:07:00.0000	1613	1154
Tue Jul 04 2017 21:08:00.0000	1616	1131
Tue Jul 04 2017 21:09:00.0000	1618	1334
Tue Jul 04 2017 21:10:00.0000	1616	1362
Tue Jul 04 2017 21:11:00.0000	1616	1343
Tue Jul 04 2017 21:12:00.0000	1618	1218
Tue Jul 04 2017 21:13:00.0000	1621	1290
Tue Jul 04 2017 21:14:00.0000	1620	1306
Tue Jul 04 2017 21:15:00.0000	1618	1382
Tue Jul 04 2017 21:16:00.0000	1621	1253
Tue Jul 04 2017 21:17:00.0000	1621	1125
Tue Jul 04 2017 21:18:00.0000	1623	1268

Date/Time	Process Temperature (°F)	Process Flow SCFM
Tue Jul 04 2017 21:19:00.0000	1621	1404
Tue Jul 04 2017 21:20:00.0000	1621	1258
Tue Jul 04 2017 21:21:00.0000	1622	1187
Tue Jul 04 2017 21:22:00.0000	1624	1276
Tue Jul 04 2017 21:23:00.0000	1624	1299
Tue Jul 04 2017 21:24:00.0000	1622	1379
Tue Jul 04 2017 21:25:00.0000	1624	1208
Tue Jul 04 2017 21:26:00.0000	1626	1308
Tue Jul 04 2017 21:27:00.0000	1626	1250
Tue Jul 04 2017 21:28:00.0000	1624	1303
Tue Jul 04 2017 21:29:00.0000	1625	1437
Tue Jul 04 2017 21:30:00.0000	1625	1157
Tue Jul 04 2017 21:31:00.0000	1627	1316
Tue Jul 04 2017 21:32:00.0000	1626	1285
Tue Jul 04 2017 21:33:00.0000	1625	1261
Tue Jul 04 2017 21:34:00.0000	1627	1148
Tue Jul 04 2017 21:35:00.0000	1628	1294
Tue Jul 04 2017 21:36:00.0000	1627	1389
Tue Jul 04 2017 21:37:00.0000	1626	1345
Tue Jul 04 2017 21:38:00.0000	1627	1207
Tue Jul 04 2017 21:39:00.0000	1629	1193
Tue Jul 04 2017 21:40:00.0000	1628	1310
Tue Jul 04 2017 21:41:00.0000	1627	1345
Tue Jul 04 2017 21:42:00.0000	1628	1083
Tue Jul 04 2017 21:43:00.0000	1628	1213
Tue Jul 04 2017 21:44:00.0000	1630	1294
Tue Jul 04 2017 21:45:00.0000	1628	1146
Tue Jul 04 2017 21:46:00.0000	1627	1351
Tue Jul 04 2017 21:47:00.0000	1629	1194
Tue Jul 04 2017 21:48:00.0000	1630	1188
Tue Jul 04 2017 21:49:00.0000	1630	1254
Tue Jul 04 2017 21:50:00.0000	1628	1327
Tue Jul 04 2017 21:51:00.0000	1629	1171
Tue Jul 04 2017 21:52:00.0000	1630	1174
Tue Jul 04 2017 21:53:00.0000	1632	1227
Tue Jul 04 2017 21:54:00.0000	1630	1227
Tue Jul 04 2017 21:55:00.0000	1629	1327
Tue Jul 04 2017 21:56:00.0000	1630	1215
Tue Jul 04 2017 21:57:00.0000	1632	1249
Tue Jul 04 2017 21:58:00.0000	1632	1268
Tue Jul 04 2017 21:59:00.0000	1629	1319
Tue Jul 04 2017 22:00:00.0000	1631	1158
Tue Jul 04 2017 22:01:00.0000	1631	1182
Tue Jul 04 2017 22:02:00.0000	1631	1264
Tue Jul 04 2017 22:03:00.0000	1623	1322
Tue Jul 04 2017 22:04:00.0000	1619	1326
Tue Jul 04 2017 22:05:00.0000	1616	1194
Tue Jul 04 2017 22:06:00.0000	1613	1169
Tue Jul 04 2017 22:07:00.0000	1610	1304
Tue Jul 04 2017 22:08:00.0000	1607	1492
Tue Jul 04 2017 22:09:00.0000	1606	1158
Tue Jul 04 2017 22:10:00.0000	1605	1187
Tue Jul 04 2017 22:11:00.0000	1603	1200
Tue Jul 04 2017 22:12:00.0000	1601	1216
Tue Jul 04 2017 22:13:00.0000	1610	1234
Tue Jul 04 2017 22:14:00.0000	1617	1214
Tue Jul 04 2017 22:15:00.0000	1625	1226

Date/Time	Process Temperature (°F)	Process Flow SCFM
Tue Jul 04 2017 22:16:00.0000	1629	1162
Tue Jul 04 2017 22:17:00.0000	1629	1351
Tue Jul 04 2017 22:18:00.0000	1633	1115
Tue Jul 04 2017 22:19:00.0000	1630	1227
Tue Jul 04 2017 22:20:00.0000	1627	1272
Tue Jul 04 2017 22:21:00.0000	1623	1419
Tue Jul 04 2017 22:22:00.0000	1621	1033
Tue Jul 04 2017 22:23:00.0000	1619	1096
Tue Jul 04 2017 22:24:00.0000	1619	1202
Tue Jul 04 2017 22:25:00.0000	1617	1190
Tue Jul 04 2017 22:26:00.0000	1615	1414
Tue Jul 04 2017 22:27:00.0000	1615	1157
Tue Jul 04 2017 22:28:00.0000	1615	1235
Tue Jul 04 2017 22:29:00.0000	1615	1289
Tue Jul 04 2017 22:30:00.0000	1612	1284
Tue Jul 04 2017 22:31:00.0000	1613	1129
Tue Jul 04 2017 22:32:00.0000	1613	1240
Tue Jul 04 2017 22:33:00.0000	1613	1281
Tue Jul 04 2017 22:34:00.0000	1611	1268
Tue Jul 04 2017 22:35:00.0000	1610	1300
Tue Jul 04 2017 22:36:00.0000	1610	1175
Tue Jul 04 2017 22:37:00.0000	1610	1305
Tue Jul 04 2017 22:38:00.0000	1610	1303
Tue Jul 04 2017 22:39:00.0000	1608	1294
Tue Jul 04 2017 22:40:00.0000	1609	1256
Tue Jul 04 2017 22:41:00.0000	1609	1151
Tue Jul 04 2017 22:42:00.0000	1608	1237
Tue Jul 04 2017 22:43:00.0000	1606	1335
Tue Jul 04 2017 22:44:00.0000	1606	1160
Tue Jul 04 2017 22:45:00.0000	1607	1170
Tue Jul 04 2017 22:46:00.0000	1607	1262
Tue Jul 04 2017 22:47:00.0000	1606	1305
Tue Jul 04 2017 22:48:00.0000	1606	1376
Tue Jul 04 2017 22:49:00.0000	1608	1154
Tue Jul 04 2017 22:50:00.0000	1610	1293
Tue Jul 04 2017 22:51:00.0000	1609	1243
Tue Jul 04 2017 22:52:00.0000	1608	1269
Tue Jul 04 2017 22:53:00.0000	1609	1309
Tue Jul 04 2017 22:54:00.0000	1610	1169
Tue Jul 04 2017 22:55:00.0000	1610	1274
Tue Jul 04 2017 22:56:00.0000	1609	1316
Tue Jul 04 2017 22:57:00.0000	1608	1319
Tue Jul 04 2017 22:58:00.0000	1609	1114
Tue Jul 04 2017 22:59:00.0000	1611	1172
Tue Jul 04 2017 23:00:00.0000	1610	1297
Tue Jul 04 2017 23:01:00.0000	1609	1365
Tue Jul 04 2017 23:02:00.0000	1609	1147
Tue Jul 04 2017 23:03:00.0000	1610	1129
Tue Jul 04 2017 23:04:00.0000	1611	1274
Tue Jul 04 2017 23:05:00.0000	1610	1344
Tue Jul 04 2017 23:06:00.0000	1609	1265
Tue Jul 04 2017 23:07:00.0000	1610	1153
Tue Jul 04 2017 23:08:00.0000	1611	1185
Tue Jul 04 2017 23:09:00.0000	1610	1200
Tue Jul 04 2017 23:10:00.0000	1609	1295
Tue Jul 04 2017 23:11:00.0000	1610	1169
Tue Jul 04 2017 23:12:00.0000	1610	1197

Date/Time	Process Temperature (°F)	Process Flow SCFM
Tue Jul 04 2017 23:13:00.0000	1611	1224
Tue Jul 04 2017 23:14:00.0000	1609	1289
Tue Jul 04 2017 23:15:00.0000	1610	1319
Tue Jul 04 2017 23:16:00.0000	1610	1144
Tue Jul 04 2017 23:17:00.0000	1611	1254
Tue Jul 04 2017 23:18:00.0000	1610	1193
Tue Jul 04 2017 23:19:00.0000	1608	1234
Tue Jul 04 2017 23:20:00.0000	1609	1161
Tue Jul 04 2017 23:21:00.0000	1610	1220
Tue Jul 04 2017 23:22:00.0000	1610	1181
Tue Jul 04 2017 23:23:00.0000	1608	1190
Tue Jul 04 2017 23:24:00.0000	1609	1362
Tue Jul 04 2017 23:25:00.0000	1609	1173
Tue Jul 04 2017 23:26:00.0000	1610	1203
Tue Jul 04 2017 23:27:00.0000	1610	1303
Tue Jul 04 2017 23:28:00.0000	1607	1312
Tue Jul 04 2017 23:29:00.0000	1609	1115
Tue Jul 04 2017 23:30:00.0000	1610	1224
Tue Jul 04 2017 23:31:00.0000	1610	1223
Tue Jul 04 2017 23:32:00.0000	1608	1262
Tue Jul 04 2017 23:33:00.0000	1608	1211
Tue Jul 04 2017 23:34:00.0000	1609	1162
Tue Jul 04 2017 23:35:00.0000	1610	1183
Tue Jul 04 2017 23:36:00.0000	1609	1256
Tue Jul 04 2017 23:37:00.0000	1607	1353
Tue Jul 04 2017 23:38:00.0000	1609	1155
Tue Jul 04 2017 23:39:00.0000	1609	1229
Tue Jul 04 2017 23:40:00.0000	1609	1298
Tue Jul 04 2017 23:41:00.0000	1607	1300
Tue Jul 04 2017 23:42:00.0000	1608	1178
Tue Jul 04 2017 23:43:00.0000	1608	1112
Tue Jul 04 2017 23:44:00.0000	1609	1155
Tue Jul 04 2017 23:45:00.0000	1608	1316
Tue Jul 04 2017 23:46:00.0000	1607	1300
Tue Jul 04 2017 23:47:00.0000	1608	1165
Tue Jul 04 2017 23:48:00.0000	1609	1222
Tue Jul 04 2017 23:49:00.0000	1609	1312
Tue Jul 04 2017 23:50:00.0000	1607	1306
Tue Jul 04 2017 23:51:00.0000	1607	1118
Tue Jul 04 2017 23:52:00.0000	1608	1136
Tue Jul 04 2017 23:53:00.0000	1609	1258
Tue Jul 04 2017 23:54:00.0000	1607	1384
Tue Jul 04 2017 23:55:00.0000	1606	1343
Tue Jul 04 2017 23:56:00.0000	1607	1220
Tue Jul 04 2017 23:57:00.0000	1608	1177
Tue Jul 04 2017 23:58:00.0000	1607	1284
Tue Jul 04 2017 23:59:00.0000	1606	1315
Wed Jul 05 2017 00:00:00.0000	1607	1125
Wed Jul 05 2017 00:01:00.0000	1607	1218
Wed Jul 05 2017 00:02:00.0000	1608	1316
Wed Jul 05 2017 00:03:00.0000	1606	1179
Wed Jul 05 2017 00:04:00.0000	1606	1444
Wed Jul 05 2017 00:05:00.0000	1607	1179
Wed Jul 05 2017 00:06:00.0000	1607	1263
Wed Jul 05 2017 00:07:00.0000	1606	1259
Wed Jul 05 2017 00:08:00.0000	1605	1269
Wed Jul 05 2017 00:09:00.0000	1606	1194

Date/Time	Process Temperature (°F)	Process Flow SCFM
Wed Jul 05 2017 00:10:00.0000	1607	1241
Wed Jul 05 2017 00:11:00.0000	1607	1295
Wed Jul 05 2017 00:12:00.0000	1605	1352
Wed Jul 05 2017 00:13:00.0000	1607	1124
Wed Jul 05 2017 00:14:00.0000	1606	1146
Wed Jul 05 2017 00:15:00.0000	1607	1280
Wed Jul 05 2017 00:16:00.0000	1606	1277
Wed Jul 05 2017 00:17:00.0000	1605	1352
Wed Jul 05 2017 00:18:00.0000	1606	1156
Wed Jul 05 2017 00:19:00.0000	1607	1268
Wed Jul 05 2017 00:20:00.0000	1606	1208
Wed Jul 05 2017 00:21:00.0000	1604	1350
Wed Jul 05 2017 00:22:00.0000	1605	1124
Wed Jul 05 2017 00:23:00.0000	1606	1204
Wed Jul 05 2017 00:24:00.0000	1606	1303
Wed Jul 05 2017 00:25:00.0000	1604	1310
Wed Jul 05 2017 00:26:00.0000	1604	1266
Wed Jul 05 2017 00:27:00.0000	1605	1154
Wed Jul 05 2017 00:28:00.0000	1606	1221
Wed Jul 05 2017 00:29:00.0000	1605	1294
Wed Jul 05 2017 00:30:00.0000	1603	1274
Wed Jul 05 2017 00:31:00.0000	1604	1106
Wed Jul 05 2017 00:32:00.0000	1605	1227
Wed Jul 05 2017 00:33:00.0000	1605	1245
Wed Jul 05 2017 00:34:00.0000	1603	1296
Wed Jul 05 2017 00:35:00.0000	1604	1358
Wed Jul 05 2017 00:36:00.0000	1604	1138
Wed Jul 05 2017 00:37:00.0000	1605	1272
Wed Jul 05 2017 00:38:00.0000	1604	1272
Wed Jul 05 2017 00:39:00.0000	1603	1220
Wed Jul 05 2017 00:40:00.0000	1604	1199
Wed Jul 05 2017 00:41:00.0000	1605	1172
Wed Jul 05 2017 00:42:00.0000	1605	1161
Wed Jul 05 2017 00:43:00.0000	1603	1254
Wed Jul 05 2017 00:44:00.0000	1604	1094
Wed Jul 05 2017 00:45:00.0000	1604	1131
Wed Jul 05 2017 00:46:00.0000	1605	1221
Wed Jul 05 2017 00:47:00.0000	1604	1324
Wed Jul 05 2017 00:48:00.0000	1602	1336
Wed Jul 05 2017 00:49:00.0000	1603	1170
Wed Jul 05 2017 00:50:00.0000	1605	1241
Wed Jul 05 2017 00:51:00.0000	1603	1285
Wed Jul 05 2017 00:52:00.0000	1603	1306
Wed Jul 05 2017 00:53:00.0000	1610	1122
Wed Jul 05 2017 00:54:00.0000	1616	1219
Wed Jul 05 2017 00:55:00.0000	1622	1203
Wed Jul 05 2017 00:56:00.0000	1622	1316
Wed Jul 05 2017 00:57:00.0000	1624	1392
Wed Jul 05 2017 00:58:00.0000	1627	1125
Wed Jul 05 2017 00:59:00.0000	1632	1157
Wed Jul 05 2017 01:00:00.0000	1632	1303
Wed Jul 05 2017 01:01:00.0000	1631	1297
Wed Jul 05 2017 01:02:00.0000	1632	1141
Wed Jul 05 2017 01:03:00.0000	1622	1268
Wed Jul 05 2017 01:04:00.0000	1616	1256
Wed Jul 05 2017 01:05:00.0000	1611	1347
Wed Jul 05 2017 01:06:00.0000	1608	1328

Date/Time	Process Temperature (°F)	Process Flow SCFM
Wed Jul 05 2017 01:07:00.0000	1605	1075
Wed Jul 05 2017 01:08:00.0000	1602	1194
Wed Jul 05 2017 01:09:00.0000	1602	1151
Wed Jul 05 2017 01:10:00.0000	1609	1302
Wed Jul 05 2017 01:11:00.0000	1616	1170
Wed Jul 05 2017 01:12:00.0000	1624	1280
Wed Jul 05 2017 01:13:00.0000	1626	1316
Wed Jul 05 2017 01:14:00.0000	1625	1326
Wed Jul 05 2017 01:15:00.0000	1629	1170
Wed Jul 05 2017 01:16:00.0000	1633	1183
Wed Jul 05 2017 01:17:00.0000	1630	1234
Wed Jul 05 2017 01:18:00.0000	1621	1360
Wed Jul 05 2017 01:19:00.0000	1617	1292
Wed Jul 05 2017 01:20:00.0000	1612	1135
Wed Jul 05 2017 01:21:00.0000	1609	1219
Wed Jul 05 2017 01:22:00.0000	1606	1239
Wed Jul 05 2017 01:23:00.0000	1604	1284
Wed Jul 05 2017 01:24:00.0000	1603	1194
Wed Jul 05 2017 01:25:00.0000	1602	1122
Wed Jul 05 2017 01:26:00.0000	1601	1276
Wed Jul 05 2017 01:27:00.0000	1606	1410
Wed Jul 05 2017 01:28:00.0000	1615	1136
Wed Jul 05 2017 01:29:00.0000	1623	1206
Wed Jul 05 2017 01:30:00.0000	1625	1267
Wed Jul 05 2017 01:31:00.0000	1625	1298
Wed Jul 05 2017 01:32:00.0000	1630	1197
Wed Jul 05 2017 01:33:00.0000	1633	1157
Wed Jul 05 2017 01:34:00.0000	1628	1239
Wed Jul 05 2017 01:35:00.0000	1620	1291
Wed Jul 05 2017 01:36:00.0000	1615	1258
Wed Jul 05 2017 01:37:00.0000	1613	1164
Wed Jul 05 2017 01:38:00.0000	1610	1210
Wed Jul 05 2017 01:39:00.0000	1607	1218
Wed Jul 05 2017 01:40:00.0000	1605	1341
Wed Jul 05 2017 01:41:00.0000	1604	1156
Wed Jul 05 2017 01:42:00.0000	1603	1158
Wed Jul 05 2017 01:43:00.0000	1601	1247
Wed Jul 05 2017 01:44:00.0000	1603	1266
Wed Jul 05 2017 01:45:00.0000	1613	1216
Wed Jul 05 2017 01:46:00.0000	1617	1165
Wed Jul 05 2017 01:47:00.0000	1624	1227
Wed Jul 05 2017 01:48:00.0000	1626	1213
Wed Jul 05 2017 01:49:00.0000	1627	1357
Wed Jul 05 2017 01:50:00.0000	1630	1109
Wed Jul 05 2017 01:51:00.0000	1635	1228
Wed Jul 05 2017 01:52:00.0000	1625	1369
Wed Jul 05 2017 01:53:00.0000	1618	1334
Wed Jul 05 2017 01:54:00.0000	1613	1182
Wed Jul 05 2017 01:55:00.0000	1610	1207
Wed Jul 05 2017 01:56:00.0000	1608	1256
Wed Jul 05 2017 01:57:00.0000	1606	1287
Wed Jul 05 2017 01:58:00.0000	1605	1188
Wed Jul 05 2017 01:59:00.0000	1604	1234
Wed Jul 05 2017 02:00:00.0000	1603	1158
Wed Jul 05 2017 02:01:00.0000	1601	1188
Wed Jul 05 2017 02:02:00.0000	1606	1389
Wed Jul 05 2017 02:03:00.0000	1615	1144

Date/Time	Process Temperature (°F)	Process Flow SCFM
Wed Jul 05 2017 02:04:00.0000	1622	1176
Wed Jul 05 2017 02:05:00.0000	1625	1326
Wed Jul 05 2017 02:06:00.0000	1625	1255
Wed Jul 05 2017 02:07:00.0000	1630	1145
Wed Jul 05 2017 02:08:00.0000	1633	1150
Wed Jul 05 2017 02:09:00.0000	1630	1235
Wed Jul 05 2017 02:10:00.0000	1618	1229
Wed Jul 05 2017 02:11:00.0000	1611	1347
Wed Jul 05 2017 02:12:00.0000	1605	1166
Wed Jul 05 2017 02:13:00.0000	1601	1273
Wed Jul 05 2017 02:14:00.0000	1605	1262
Wed Jul 05 2017 02:15:00.0000	1606	1319
Wed Jul 05 2017 02:16:00.0000	1609	1172
Wed Jul 05 2017 02:17:00.0000	1612	1154
Wed Jul 05 2017 02:18:00.0000	1614	1303
Wed Jul 05 2017 02:19:00.0000	1612	1239
Wed Jul 05 2017 02:20:00.0000	1613	1328
Wed Jul 05 2017 02:21:00.0000	1614	1132
Wed Jul 05 2017 02:22:00.0000	1616	1221
Wed Jul 05 2017 02:23:00.0000	1616	1190
Wed Jul 05 2017 02:24:00.0000	1615	1286
Wed Jul 05 2017 02:25:00.0000	1616	1145
Wed Jul 05 2017 02:26:00.0000	1617	1199
Wed Jul 05 2017 02:27:00.0000	1619	1226
Wed Jul 05 2017 02:28:00.0000	1618	1269
Wed Jul 05 2017 02:29:00.0000	1619	1161
Wed Jul 05 2017 02:30:00.0000	1621	1192
Wed Jul 05 2017 02:31:00.0000	1623	1219
Wed Jul 05 2017 02:32:00.0000	1621	1360
Wed Jul 05 2017 02:33:00.0000	1621	1330
Wed Jul 05 2017 02:34:00.0000	1622	1167
Wed Jul 05 2017 02:35:00.0000	1625	1193
Wed Jul 05 2017 02:36:00.0000	1624	1311
Wed Jul 05 2017 02:37:00.0000	1622	1375
Wed Jul 05 2017 02:38:00.0000	1624	1149
Wed Jul 05 2017 02:39:00.0000	1626	1151
Wed Jul 05 2017 02:40:00.0000	1626	1302
Wed Jul 05 2017 02:41:00.0000	1624	1310
Wed Jul 05 2017 02:42:00.0000	1624	1292
Wed Jul 05 2017 02:43:00.0000	1626	1187
Wed Jul 05 2017 02:44:00.0000	1628	1184
Wed Jul 05 2017 02:45:00.0000	1627	1331
Wed Jul 05 2017 02:46:00.0000	1626	1279
Wed Jul 05 2017 02:47:00.0000	1627	1130
Wed Jul 05 2017 02:48:00.0000	1629	1262
Wed Jul 05 2017 02:49:00.0000	1629	1287
Wed Jul 05 2017 02:50:00.0000	1627	1245
Wed Jul 05 2017 02:51:00.0000	1628	1134
Wed Jul 05 2017 02:52:00.0000	1629	1119
Wed Jul 05 2017 02:53:00.0000	1631	1193
Wed Jul 05 2017 02:54:00.0000	1630	1207
Wed Jul 05 2017 02:55:00.0000	1629	1202
Wed Jul 05 2017 02:56:00.0000	1630	1139
Wed Jul 05 2017 02:57:00.0000	1632	1143
Wed Jul 05 2017 02:58:00.0000	1632	1236
Wed Jul 05 2017 02:59:00.0000	1630	1295
Wed Jul 05 2017 03:00:00.0000	1631	1208

Date/Time	Process Temperature (°F)	Process Flow SCFM
Wed Jul 05 2017 03:01:00.0000	1632	1156
Wed Jul 05 2017 03:02:00.0000	1629	1238
Wed Jul 05 2017 03:03:00.0000	1622	1327
Wed Jul 05 2017 03:04:00.0000	1617	1319
Wed Jul 05 2017 03:05:00.0000	1614	1170
Wed Jul 05 2017 03:06:00.0000	1612	1113
Wed Jul 05 2017 03:07:00.0000	1609	1270
Wed Jul 05 2017 03:08:00.0000	1606	1285
Wed Jul 05 2017 03:09:00.0000	1605	1162
Wed Jul 05 2017 03:10:00.0000	1603	1134
Wed Jul 05 2017 03:11:00.0000	1603	1243
Wed Jul 05 2017 03:12:00.0000	1601	1150
Wed Jul 05 2017 03:13:00.0000	1606	1230
Wed Jul 05 2017 03:14:00.0000	1614	1187
Wed Jul 05 2017 03:15:00.0000	1623	1222
Wed Jul 05 2017 03:16:00.0000	1628	1173
Wed Jul 05 2017 03:17:00.0000	1628	1286
Wed Jul 05 2017 03:18:00.0000	1632	1158
Wed Jul 05 2017 03:19:00.0000	1629	1121
Wed Jul 05 2017 03:20:00.0000	1626	1270
Wed Jul 05 2017 03:21:00.0000	1622	1382
Wed Jul 05 2017 03:22:00.0000	1619	1325
Wed Jul 05 2017 03:23:00.0000	1618	1134
Wed Jul 05 2017 03:24:00.0000	1618	1142
Wed Jul 05 2017 03:25:00.0000	1618	1239
Wed Jul 05 2017 03:26:00.0000	1616	1252
Wed Jul 05 2017 03:27:00.0000	1616	1098
Wed Jul 05 2017 03:28:00.0000	1617	1156
Wed Jul 05 2017 03:29:00.0000	1618	1204
Wed Jul 05 2017 03:30:00.0000	1616	1279
Wed Jul 05 2017 03:31:00.0000	1615	1244
Wed Jul 05 2017 03:32:00.0000	1616	1142
Wed Jul 05 2017 03:33:00.0000	1617	1144
Wed Jul 05 2017 03:34:00.0000	1616	1235
Wed Jul 05 2017 03:35:00.0000	1614	1215
Wed Jul 05 2017 03:36:00.0000	1615	1147
Wed Jul 05 2017 03:37:00.0000	1616	1131
Wed Jul 05 2017 03:38:00.0000	1616	1262
Wed Jul 05 2017 03:39:00.0000	1614	1338
Wed Jul 05 2017 03:40:00.0000	1614	1288
Wed Jul 05 2017 03:41:00.0000	1615	1140
Wed Jul 05 2017 03:42:00.0000	1616	1170
Wed Jul 05 2017 03:43:00.0000	1615	1214
Wed Jul 05 2017 03:44:00.0000	1613	1257
Wed Jul 05 2017 03:45:00.0000	1614	1196
Wed Jul 05 2017 03:46:00.0000	1615	1135
Wed Jul 05 2017 03:47:00.0000	1615	1225
Wed Jul 05 2017 03:48:00.0000	1613	1354
Wed Jul 05 2017 03:49:00.0000	1613	1256
Wed Jul 05 2017 03:50:00.0000	1614	1102
Wed Jul 05 2017 03:51:00.0000	1615	1164
Wed Jul 05 2017 03:52:00.0000	1614	1194
Wed Jul 05 2017 03:53:00.0000	1612	1262
Wed Jul 05 2017 03:54:00.0000	1614	1132
Wed Jul 05 2017 03:55:00.0000	1614	1140
Wed Jul 05 2017 03:56:00.0000	1615	1091
Wed Jul 05 2017 03:57:00.0000	1613	1297

Date/Time	Process Temperature (°F)	Process Flow SCFM
Wed Jul 05 2017 03:58:00.0000	1612	1352
Wed Jul 05 2017 03:59:00.0000	1613	1166
Wed Jul 05 2017 04:00:00.0000	1615	1180
Wed Jul 05 2017 04:01:00.0000	1613	1155
Wed Jul 05 2017 04:02:00.0000	1612	1336
Wed Jul 05 2017 04:03:00.0000	1613	1180
Wed Jul 05 2017 04:04:00.0000	1614	1089
Wed Jul 05 2017 04:05:00.0000	1614	1220
Wed Jul 05 2017 04:06:00.0000	1612	1288
Wed Jul 05 2017 04:07:00.0000	1612	1159
Wed Jul 05 2017 04:08:00.0000	1613	1106
Wed Jul 05 2017 04:09:00.0000	1614	1250
Wed Jul 05 2017 04:10:00.0000	1612	1250
Wed Jul 05 2017 04:11:00.0000	1611	1237
Wed Jul 05 2017 04:12:00.0000	1612	1137
Wed Jul 05 2017 04:13:00.0000	1614	1129
Wed Jul 05 2017 04:14:00.0000	1613	1152
Wed Jul 05 2017 04:15:00.0000	1611	1311
Wed Jul 05 2017 04:16:00.0000	1612	1111
Wed Jul 05 2017 04:17:00.0000	1613	1135
Wed Jul 05 2017 04:18:00.0000	1613	1180
Wed Jul 05 2017 04:19:00.0000	1611	1316
Wed Jul 05 2017 04:20:00.0000	1612	1345
Wed Jul 05 2017 04:21:00.0000	1612	1075
Wed Jul 05 2017 04:22:00.0000	1613	1183
Wed Jul 05 2017 04:23:00.0000	1612	1310
Wed Jul 05 2017 04:24:00.0000	1610	1220
Wed Jul 05 2017 04:25:00.0000	1612	1175
Wed Jul 05 2017 04:26:00.0000	1613	1150
Wed Jul 05 2017 04:27:00.0000	1613	1246
Wed Jul 05 2017 04:28:00.0000	1610	1370
Wed Jul 05 2017 04:29:00.0000	1611	1182
Wed Jul 05 2017 04:30:00.0000	1612	1157
Wed Jul 05 2017 04:31:00.0000	1613	1186
Wed Jul 05 2017 04:32:00.0000	1611	1231
Wed Jul 05 2017 04:33:00.0000	1611	1253
Wed Jul 05 2017 04:34:00.0000	1611	1129
Wed Jul 05 2017 04:35:00.0000	1612	1215
Wed Jul 05 2017 04:36:00.0000	1612	1214
Wed Jul 05 2017 04:37:00.0000	1610	1238
Wed Jul 05 2017 04:38:00.0000	1611	1130
Wed Jul 05 2017 04:39:00.0000	1612	1168
Wed Jul 05 2017 04:40:00.0000	1612	1223
Wed Jul 05 2017 04:41:00.0000	1610	1253
Wed Jul 05 2017 04:42:00.0000	1610	1332
Wed Jul 05 2017 04:43:00.0000	1610	1112
Wed Jul 05 2017 04:44:00.0000	1612	1204
Wed Jul 05 2017 04:45:00.0000	1611	1153
Wed Jul 05 2017 04:46:00.0000	1609	1263
Wed Jul 05 2017 04:47:00.0000	1610	1111
Wed Jul 05 2017 04:48:00.0000	1611	1162
Wed Jul 05 2017 04:49:00.0000	1611	1168
Wed Jul 05 2017 04:50:00.0000	1609	1293
Wed Jul 05 2017 04:51:00.0000	1609	1245
Wed Jul 05 2017 04:52:00.0000	1610	1060
Wed Jul 05 2017 04:53:00.0000	1611	1215
Wed Jul 05 2017 04:54:00.0000	1610	1222

Date/Time	Process Temperature (°F)	Process Flow SCFM
Wed Jul 05 2017 04:55:00.0000	1608	1281
Wed Jul 05 2017 04:56:00.0000	1610	1113
Wed Jul 05 2017 04:57:00.0000	1610	1166
Wed Jul 05 2017 04:58:00.0000	1611	1250
Wed Jul 05 2017 04:59:00.0000	1609	1372
Wed Jul 05 2017 05:00:00.0000	1609	1277
Wed Jul 05 2017 05:01:00.0000	1610	1146
Wed Jul 05 2017 05:02:00.0000	1611	1140
Wed Jul 05 2017 05:03:00.0000	1610	1247
Wed Jul 05 2017 05:04:00.0000	1608	1239
Wed Jul 05 2017 05:05:00.0000	1609	1144
Wed Jul 05 2017 05:06:00.0000	1610	1112
Wed Jul 05 2017 05:07:00.0000	1610	1205
Wed Jul 05 2017 05:08:00.0000	1608	1288
Wed Jul 05 2017 05:09:00.0000	1608	1132
Wed Jul 05 2017 05:10:00.0000	1609	1169
Wed Jul 05 2017 05:11:00.0000	1610	1123
Wed Jul 05 2017 05:12:00.0000	1609	1298
Wed Jul 05 2017 05:13:00.0000	1607	1303
Wed Jul 05 2017 05:14:00.0000	1609	1105
Wed Jul 05 2017 05:15:00.0000	1610	1179
Wed Jul 05 2017 05:16:00.0000	1610	1208
Wed Jul 05 2017 05:17:00.0000	1608	1302
Wed Jul 05 2017 05:18:00.0000	1609	1153
Wed Jul 05 2017 05:19:00.0000	1609	1108
Wed Jul 05 2017 05:20:00.0000	1610	1166
Wed Jul 05 2017 05:21:00.0000	1609	1204
Wed Jul 05 2017 05:22:00.0000	1608	1206
Wed Jul 05 2017 05:23:00.0000	1609	1098
Wed Jul 05 2017 05:24:00.0000	1610	1160
Wed Jul 05 2017 05:25:00.0000	1609	1163
Wed Jul 05 2017 05:26:00.0000	1607	1367
Wed Jul 05 2017 05:27:00.0000	1608	1150
Wed Jul 05 2017 05:28:00.0000	1610	1132
Wed Jul 05 2017 05:29:00.0000	1609	1122
Wed Jul 05 2017 05:30:00.0000	1607	1232
Wed Jul 05 2017 05:31:00.0000	1607	1306
Wed Jul 05 2017 05:32:00.0000	1608	1116
Wed Jul 05 2017 05:33:00.0000	1609	1253
Wed Jul 05 2017 05:34:00.0000	1608	1192
Wed Jul 05 2017 05:35:00.0000	1607	1315
Wed Jul 05 2017 05:36:00.0000	1608	1079
Wed Jul 05 2017 05:37:00.0000	1609	1126
Wed Jul 05 2017 05:38:00.0000	1609	1261
Wed Jul 05 2017 05:39:00.0000	1607	1301
Wed Jul 05 2017 05:40:00.0000	1607	1039
Wed Jul 05 2017 05:41:00.0000	1608	1131
Wed Jul 05 2017 05:42:00.0000	1609	1135
Wed Jul 05 2017 05:43:00.0000	1608	1144
Wed Jul 05 2017 05:44:00.0000	1606	1325
Wed Jul 05 2017 05:45:00.0000	1607	1160
Wed Jul 05 2017 05:46:00.0000	1609	1201
Wed Jul 05 2017 05:47:00.0000	1608	1208
Wed Jul 05 2017 05:48:00.0000	1606	1308
Wed Jul 05 2017 05:49:00.0000	1607	1125
Wed Jul 05 2017 05:50:00.0000	1608	1125
Wed Jul 05 2017 05:51:00.0000	1609	1216

Date/Time	Process Temperature (°F)	Process Flow SCFM
Wed Jul 05 2017 05:52:00.0000	1607	1217
Wed Jul 05 2017 05:53:00.0000	1606	1200
Wed Jul 05 2017 05:54:00.0000	1607	1102
Wed Jul 05 2017 05:55:00.0000	1608	1202
Wed Jul 05 2017 05:56:00.0000	1608	1236
Wed Jul 05 2017 05:57:00.0000	1606	1288
Wed Jul 05 2017 05:58:00.0000	1607	1214
Wed Jul 05 2017 05:59:00.0000	1607	1155
Wed Jul 05 2017 06:00:00.0000	1608	1238
Wed Jul 05 2017 06:01:00.0000	1606	1242
Wed Jul 05 2017 06:02:00.0000	1606	1338
Wed Jul 05 2017 06:03:00.0000	1607	1173
Wed Jul 05 2017 06:04:00.0000	1608	1195
Wed Jul 05 2017 06:05:00.0000	1607	1256
Wed Jul 05 2017 06:06:00.0000	1605	1316
Wed Jul 05 2017 06:07:00.0000	1606	1130
Wed Jul 05 2017 06:08:00.0000	1607	1086
Wed Jul 05 2017 06:09:00.0000	1608	1288
Wed Jul 05 2017 06:10:00.0000	1606	1354
Wed Jul 05 2017 06:11:00.0000	1605	1262
Wed Jul 05 2017 06:12:00.0000	1606	1136
Wed Jul 05 2017 06:13:00.0000	1608	1103
Wed Jul 05 2017 06:14:00.0000	1607	1262
Wed Jul 05 2017 06:15:00.0000	1605	1356
Wed Jul 05 2017 06:16:00.0000	1606	1079
Wed Jul 05 2017 06:17:00.0000	1607	1147
Wed Jul 05 2017 06:18:00.0000	1608	1122
Wed Jul 05 2017 06:19:00.0000	1606	1380
Wed Jul 05 2017 06:20:00.0000	1605	1320
Wed Jul 05 2017 06:21:00.0000	1606	1130
Wed Jul 05 2017 06:22:00.0000	1608	1129
Wed Jul 05 2017 06:23:00.0000	1607	1162
Wed Jul 05 2017 06:24:00.0000	1605	1277
Wed Jul 05 2017 06:25:00.0000	1606	1159
Wed Jul 05 2017 06:26:00.0000	1607	1122
Wed Jul 05 2017 06:27:00.0000	1607	1145
Wed Jul 05 2017 06:28:00.0000	1606	1306
Wed Jul 05 2017 06:29:00.0000	1605	1290
Wed Jul 05 2017 06:30:00.0000	1606	1103
Wed Jul 05 2017 06:31:00.0000	1607	1283
Wed Jul 05 2017 06:32:00.0000	1607	1157
Wed Jul 05 2017 06:33:00.0000	1605	1295
Wed Jul 05 2017 06:34:00.0000	1606	1154
Wed Jul 05 2017 06:35:00.0000	1607	1104
Wed Jul 05 2017 06:36:00.0000	1608	1148
Wed Jul 05 2017 06:37:00.0000	1606	1299
Wed Jul 05 2017 06:38:00.0000	1605	1343
Wed Jul 05 2017 06:39:00.0000	1606	1113
Wed Jul 05 2017 06:40:00.0000	1608	1125
Wed Jul 05 2017 06:41:00.0000	1607	1181
Wed Jul 05 2017 06:42:00.0000	1605	1266
Wed Jul 05 2017 06:43:00.0000	1606	1166
Wed Jul 05 2017 06:44:00.0000	1607	1129
Wed Jul 05 2017 06:45:00.0000	1608	1254
Wed Jul 05 2017 06:46:00.0000	1606	1265
Wed Jul 05 2017 06:47:00.0000	1605	1288
Wed Jul 05 2017 06:48:00.0000	1606	1131

Date/Time	Process Temperature (°F)	Process Flow SCFM
Wed Jul 05 2017 06:49:00.0000	1608	1166
Wed Jul 05 2017 06:50:00.0000	1607	1219
Wed Jul 05 2017 06:51:00.0000	1605	1288
Wed Jul 05 2017 06:52:00.0000	1606	1161
Wed Jul 05 2017 06:53:00.0000	1608	1202
Wed Jul 05 2017 06:54:00.0000	1608	1296
Wed Jul 05 2017 06:55:00.0000	1606	1315
Wed Jul 05 2017 06:56:00.0000	1605	1323
Wed Jul 05 2017 06:57:00.0000	1606	1111
Wed Jul 05 2017 06:58:00.0000	1608	1144
Wed Jul 05 2017 06:59:00.0000	1607	1161
Wed Jul 05 2017 07:00:00.0000	1605	1256
Wed Jul 05 2017 07:01:00.0000	1607	1148
Wed Jul 05 2017 07:02:00.0000	1608	1128
Wed Jul 05 2017 07:03:00.0000	1608	1183
Wed Jul 05 2017 07:04:00.0000	1606	1294
Wed Jul 05 2017 07:05:00.0000	1606	1071
Wed Jul 05 2017 07:06:00.0000	1608	1112
Wed Jul 05 2017 07:07:00.0000	1608	1240
Wed Jul 05 2017 07:08:00.0000	1606	1248
Wed Jul 05 2017 07:09:00.0000	1605	1267
Wed Jul 05 2017 07:10:00.0000	1607	1160
Wed Jul 05 2017 07:11:00.0000	1608	1173
Wed Jul 05 2017 07:12:00.0000	1608	1142
Wed Jul 05 2017 07:13:00.0000	1605	1256
Wed Jul 05 2017 07:14:00.0000	1607	1164
Wed Jul 05 2017 07:15:00.0000	1608	1130
Wed Jul 05 2017 07:16:00.0000	1608	1152
Wed Jul 05 2017 07:17:00.0000	1606	1349
Wed Jul 05 2017 07:18:00.0000	1606	1167
Wed Jul 05 2017 07:19:00.0000	1607	1199
Wed Jul 05 2017 07:20:00.0000	1608	1191
Wed Jul 05 2017 07:21:00.0000	1606	1325
Wed Jul 05 2017 07:22:00.0000	1606	1340
Wed Jul 05 2017 07:23:00.0000	1606	1088
Wed Jul 05 2017 07:24:00.0000	1608	1170
Wed Jul 05 2017 07:25:00.0000	1607	1315
Wed Jul 05 2017 07:26:00.0000	1605	1306
Wed Jul 05 2017 07:27:00.0000	1606	1128
Wed Jul 05 2017 07:28:00.0000	1607	1155
Wed Jul 05 2017 07:29:00.0000	1608	1269
Wed Jul 05 2017 07:30:00.0000	1606	1337
Wed Jul 05 2017 07:31:00.0000	1606	1320
Wed Jul 05 2017 07:32:00.0000	1606	1060
Wed Jul 05 2017 07:33:00.0000	1608	1189
Wed Jul 05 2017 07:34:00.0000	1607	1135
Wed Jul 05 2017 07:35:00.0000	1605	1296
Wed Jul 05 2017 07:36:00.0000	1606	1154
Wed Jul 05 2017 07:37:00.0000	1607	1128
Wed Jul 05 2017 07:38:00.0000	1608	1239
Wed Jul 05 2017 07:39:00.0000	1606	1290
Wed Jul 05 2017 07:40:00.0000	1605	1418
Wed Jul 05 2017 07:41:00.0000	1606	1109
Wed Jul 05 2017 07:42:00.0000	1608	1264
Wed Jul 05 2017 07:43:00.0000	1607	1277
Wed Jul 05 2017 07:44:00.0000	1605	1298
Wed Jul 05 2017 07:45:00.0000	1606	1105

Date/Time	Process Temperature (°F)	Process Flow SCFM
Wed Jul 05 2017 07:46:00.0000	1607	1113
Wed Jul 05 2017 07:47:00.0000	1608	1284
Wed Jul 05 2017 07:48:00.0000	1606	1258
Wed Jul 05 2017 07:49:00.0000	1605	1352
Wed Jul 05 2017 07:50:00.0000	1606	1135
Wed Jul 05 2017 07:51:00.0000	1608	1140
Wed Jul 05 2017 07:52:00.0000	1607	1252
Wed Jul 05 2017 07:53:00.0000	1605	1320
Wed Jul 05 2017 07:54:00.0000	1606	1187
Wed Jul 05 2017 07:55:00.0000	1608	1148
Wed Jul 05 2017 07:56:00.0000	1608	1206
Wed Jul 05 2017 07:57:00.0000	1606	1322
Wed Jul 05 2017 07:58:00.0000	1606	1287
Wed Jul 05 2017 07:59:00.0000	1607	1106
Wed Jul 05 2017 08:00:00.0000	1608	1295
Wed Jul 05 2017 08:01:00.0000	1607	1224
Wed Jul 05 2017 08:02:00.0000	1606	1377
Wed Jul 05 2017 08:03:00.0000	1607	1116
Wed Jul 05 2017 08:04:00.0000	1608	1137
Wed Jul 05 2017 08:05:00.0000	1608	1233
Wed Jul 05 2017 08:06:00.0000	1606	1250
Wed Jul 05 2017 08:07:00.0000	1607	1132
Wed Jul 05 2017 08:08:00.0000	1607	1175
Wed Jul 05 2017 08:09:00.0000	1609	1286
Wed Jul 05 2017 08:10:00.0000	1607	1334
Wed Jul 05 2017 08:11:00.0000	1606	1271
Wed Jul 05 2017 08:12:00.0000	1607	1063
Wed Jul 05 2017 08:13:00.0000	1608	1115
Wed Jul 05 2017 08:14:00.0000	1608	1270
Wed Jul 05 2017 08:15:00.0000	1606	1305
Wed Jul 05 2017 08:16:00.0000	1607	1150
Wed Jul 05 2017 08:17:00.0000	1607	1169
Wed Jul 05 2017 08:18:00.0000	1608	1289
Wed Jul 05 2017 08:19:00.0000	1607	1322
Wed Jul 05 2017 08:20:00.0000	1606	1322
Wed Jul 05 2017 08:21:00.0000	1607	1153
Wed Jul 05 2017 08:22:00.0000	1609	1226
Wed Jul 05 2017 08:23:00.0000	1607	1312
Wed Jul 05 2017 08:24:00.0000	1605	1254
Wed Jul 05 2017 08:25:00.0000	1607	1173
Wed Jul 05 2017 08:26:00.0000	1607	1260
Wed Jul 05 2017 08:27:00.0000	1608	1299
Wed Jul 05 2017 08:28:00.0000	1606	1388
Wed Jul 05 2017 08:29:00.0000	1606	1290
Wed Jul 05 2017 08:30:00.0000	1607	1134
Wed Jul 05 2017 08:31:00.0000	1609	1267
Wed Jul 05 2017 08:32:00.0000	1607	1294
Wed Jul 05 2017 08:33:00.0000	1606	1328
Wed Jul 05 2017 08:34:00.0000	1607	1115
Wed Jul 05 2017 08:35:00.0000	1608	1223
Wed Jul 05 2017 08:36:00.0000	1608	1269
Wed Jul 05 2017 08:37:00.0000	1606	1423
Wed Jul 05 2017 08:38:00.0000	1606	1373
Wed Jul 05 2017 08:39:00.0000	1607	1188
Wed Jul 05 2017 08:40:00.0000	1609	1229
Wed Jul 05 2017 08:41:00.0000	1607	1184
Wed Jul 05 2017 08:42:00.0000	1607	1318

Date/Time	Process Temperature (°F)	Process Flow SCFM
Wed Jul 05 2017 08:43:00.0000	1607	1082
Wed Jul 05 2017 08:44:00.0000	1608	1251
Wed Jul 05 2017 08:45:00.0000	1609	1297
Wed Jul 05 2017 08:46:00.0000	1607	1412
Wed Jul 05 2017 08:47:00.0000	1608	1305
Wed Jul 05 2017 08:48:00.0000	1608	1133
Wed Jul 05 2017 08:49:00.0000	1609	1319
Wed Jul 05 2017 08:50:00.0000	1607	1273
Wed Jul 05 2017 08:51:00.0000	1607	1164
Wed Jul 05 2017 08:52:00.0000	1608	1137
Wed Jul 05 2017 08:53:00.0000	1609	1325
Wed Jul 05 2017 08:54:00.0000	1607	1335
Wed Jul 05 2017 08:55:00.0000	1606	1344
Wed Jul 05 2017 08:56:00.0000	1608	1169
Wed Jul 05 2017 08:57:00.0000	1609	1210
Wed Jul 05 2017 08:58:00.0000	1608	1289
Wed Jul 05 2017 08:59:00.0000	1606	1334
Wed Jul 05 2017 09:00:00.0000	1607	1168
Wed Jul 05 2017 09:01:00.0000	1608	1167
Wed Jul 05 2017 09:02:00.0000	1609	1312
Wed Jul 05 2017 09:03:00.0000	1607	1416
Wed Jul 05 2017 09:04:00.0000	1606	1376
Wed Jul 05 2017 09:05:00.0000	1607	1203
Wed Jul 05 2017 09:06:00.0000	1609	1187
Wed Jul 05 2017 09:07:00.0000	1608	1281
Wed Jul 05 2017 09:08:00.0000	1606	1313
Wed Jul 05 2017 09:09:00.0000	1607	1150
Wed Jul 05 2017 09:10:00.0000	1608	1193
Wed Jul 05 2017 09:11:00.0000	1609	1324
Wed Jul 05 2017 09:12:00.0000	1607	1249
Wed Jul 05 2017 09:13:00.0000	1608	1205
Wed Jul 05 2017 09:14:00.0000	1608	1179
Wed Jul 05 2017 09:15:00.0000	1609	1182
Wed Jul 05 2017 09:16:00.0000	1608	1300
Wed Jul 05 2017 09:17:00.0000	1606	1320
Wed Jul 05 2017 09:18:00.0000	1608	1158
Wed Jul 05 2017 09:19:00.0000	1610	1175
Wed Jul 05 2017 09:20:00.0000	1609	1266
Wed Jul 05 2017 09:21:00.0000	1606	1329
Wed Jul 05 2017 09:22:00.0000	1607	1185
Wed Jul 05 2017 09:23:00.0000	1609	1218
Wed Jul 05 2017 09:24:00.0000	1609	1274
Wed Jul 05 2017 09:25:00.0000	1607	1361
Wed Jul 05 2017 09:26:00.0000	1607	1357
Wed Jul 05 2017 09:27:00.0000	1609	1209
Wed Jul 05 2017 09:28:00.0000	1610	1336
Wed Jul 05 2017 09:29:00.0000	1609	1275
Wed Jul 05 2017 09:30:00.0000	1607	1383
Wed Jul 05 2017 09:31:00.0000	1609	1181
Wed Jul 05 2017 09:32:00.0000	1610	1170
Wed Jul 05 2017 09:33:00.0000	1610	1293
Wed Jul 05 2017 09:34:00.0000	1608	1226
Wed Jul 05 2017 09:35:00.0000	1609	1255
Wed Jul 05 2017 09:36:00.0000	1610	1115
Wed Jul 05 2017 09:37:00.0000	1611	1346
Wed Jul 05 2017 09:38:00.0000	1610	1274
Wed Jul 05 2017 09:39:00.0000	1608	1327

Date/Time	Process Temperature (°F)	Process Flow SCFM
Wed Jul 05 2017 09:40:00.0000	1610	1158
Wed Jul 05 2017 09:41:00.0000	1611	1258
Wed Jul 05 2017 09:42:00.0000	1611	1383
Wed Jul 05 2017 09:43:00.0000	1609	1473
Wed Jul 05 2017 09:44:00.0000	1610	1294
Wed Jul 05 2017 09:45:00.0000	1610	1150
Wed Jul 05 2017 09:46:00.0000	1611	1313
Wed Jul 05 2017 09:47:00.0000	1610	1324
Wed Jul 05 2017 09:48:00.0000	1609	1314
Wed Jul 05 2017 09:49:00.0000	1610	1112
Wed Jul 05 2017 09:50:00.0000	1611	1262
Wed Jul 05 2017 09:51:00.0000	1611	1331
Wed Jul 05 2017 09:52:00.0000	1610	1380
Wed Jul 05 2017 09:53:00.0000	1611	1148
Wed Jul 05 2017 09:54:00.0000	1611	1174
Wed Jul 05 2017 09:55:00.0000	1612	1301
Wed Jul 05 2017 09:56:00.0000	1611	1384
Wed Jul 05 2017 09:57:00.0000	1610	1360
Wed Jul 05 2017 09:58:00.0000	1611	1149
Wed Jul 05 2017 09:59:00.0000	1612	1346
Wed Jul 05 2017 10:00:00.0000	1612	1299
Wed Jul 05 2017 10:01:00.0000	1610	1312
Wed Jul 05 2017 10:02:00.0000	1611	1138
Wed Jul 05 2017 10:03:00.0000	1612	1170
Wed Jul 05 2017 10:04:00.0000	1613	1245
Wed Jul 05 2017 10:05:00.0000	1611	1360
Wed Jul 05 2017 10:06:00.0000	1610	1363
Wed Jul 05 2017 10:07:00.0000	1612	1236
Wed Jul 05 2017 10:08:00.0000	1613	1309
Wed Jul 05 2017 10:09:00.0000	1613	1315
Wed Jul 05 2017 10:10:00.0000	1611	1217
Wed Jul 05 2017 10:11:00.0000	1612	1151
Wed Jul 05 2017 10:12:00.0000	1613	1172
Wed Jul 05 2017 10:13:00.0000	1614	1336
Wed Jul 05 2017 10:14:00.0000	1612	1367
Wed Jul 05 2017 10:15:00.0000	1611	1332
Wed Jul 05 2017 10:16:00.0000	1613	1189
Wed Jul 05 2017 10:17:00.0000	1614	1176
Wed Jul 05 2017 10:18:00.0000	1614	1374
Wed Jul 05 2017 10:19:00.0000	1612	1343
Wed Jul 05 2017 10:20:00.0000	1613	1222
Wed Jul 05 2017 10:21:00.0000	1614	1194
Wed Jul 05 2017 10:22:00.0000	1615	1264
Wed Jul 05 2017 10:23:00.0000	1613	1297
Wed Jul 05 2017 10:24:00.0000	1613	1282
Wed Jul 05 2017 10:25:00.0000	1614	1217
Wed Jul 05 2017 10:26:00.0000	1615	1273
Wed Jul 05 2017 10:27:00.0000	1614	1325
Wed Jul 05 2017 10:28:00.0000	1613	1326
Wed Jul 05 2017 10:29:00.0000	1614	1150
Wed Jul 05 2017 10:30:00.0000	1615	1191
Wed Jul 05 2017 10:31:00.0000	1616	1335
Wed Jul 05 2017 10:32:00.0000	1614	1323
Wed Jul 05 2017 10:33:00.0000	1614	1248
Wed Jul 05 2017 10:34:00.0000	1615	1126
Wed Jul 05 2017 10:35:00.0000	1616	1248
Wed Jul 05 2017 10:36:00.0000	1614	1311

Date/Time	Process Temperature (°F)	Process Flow SCFM
Wed Jul 05 2017 10:37:00.0000	1611	1436
Wed Jul 05 2017 10:38:00.0000	1612	1195
Wed Jul 05 2017 10:39:00.0000	1612	1262
Wed Jul 05 2017 10:40:00.0000	1612	1375
Wed Jul 05 2017 10:41:00.0000	1610	1325
Wed Jul 05 2017 10:42:00.0000	1610	1409
Wed Jul 05 2017 10:43:00.0000	1610	1168
Wed Jul 05 2017 10:44:00.0000	1611	1316
Wed Jul 05 2017 10:45:00.0000	1610	1350
Wed Jul 05 2017 10:46:00.0000	1608	1316
Wed Jul 05 2017 10:47:00.0000	1609	1191
Wed Jul 05 2017 10:48:00.0000	1610	1275
Wed Jul 05 2017 10:49:00.0000	1610	1321
Wed Jul 05 2017 10:50:00.0000	1608	1343
Wed Jul 05 2017 10:51:00.0000	1608	1402
Wed Jul 05 2017 10:52:00.0000	1608	1201
Wed Jul 05 2017 10:53:00.0000	1610	1346
Wed Jul 05 2017 10:54:00.0000	1608	1378
Wed Jul 05 2017 10:55:00.0000	1607	1471
Wed Jul 05 2017 10:56:00.0000	1608	1160
Wed Jul 05 2017 10:57:00.0000	1609	1256
Wed Jul 05 2017 10:58:00.0000	1609	1301
Wed Jul 05 2017 10:59:00.0000	1607	1375
Wed Jul 05 2017 11:00:00.0000	1607	1404
Wed Jul 05 2017 11:01:00.0000	1607	1145
Wed Jul 05 2017 11:02:00.0000	1609	1290
Wed Jul 05 2017 11:03:00.0000	1607	1248
Wed Jul 05 2017 11:04:00.0000	1606	1389
Wed Jul 05 2017 11:05:00.0000	1607	1238
Wed Jul 05 2017 11:06:00.0000	1608	1267
Wed Jul 05 2017 11:07:00.0000	1608	1315
Wed Jul 05 2017 11:08:00.0000	1606	1408
Wed Jul 05 2017 11:09:00.0000	1606	1276
Wed Jul 05 2017 11:10:00.0000	1607	1187
Wed Jul 05 2017 11:11:00.0000	1608	1281
Wed Jul 05 2017 11:12:00.0000	1607	1226
Wed Jul 05 2017 11:13:00.0000	1606	1393
Wed Jul 05 2017 11:14:00.0000	1607	1219
Wed Jul 05 2017 11:15:00.0000	1608	1276
Wed Jul 05 2017 11:16:00.0000	1608	1311
Wed Jul 05 2017 11:17:00.0000	1606	1479
Wed Jul 05 2017 11:18:00.0000	1606	1396
Wed Jul 05 2017 11:19:00.0000	1607	1207
Wed Jul 05 2017 11:20:00.0000	1608	1291
Wed Jul 05 2017 11:21:00.0000	1607	1230
Wed Jul 05 2017 11:22:00.0000	1605	1471
Wed Jul 05 2017 11:23:00.0000	1607	1153
Wed Jul 05 2017 11:24:00.0000	1607	1179
Wed Jul 05 2017 11:25:00.0000	1608	1213
Wed Jul 05 2017 11:26:00.0000	1605	1400
Wed Jul 05 2017 11:27:00.0000	1606	1104
Wed Jul 05 2017 11:28:00.0000	1607	1179
Wed Jul 05 2017 11:29:00.0000	1608	1322
Wed Jul 05 2017 11:30:00.0000	1607	1213
Wed Jul 05 2017 11:31:00.0000	1605	1362
Wed Jul 05 2017 11:32:00.0000	1606	1211
Wed Jul 05 2017 11:33:00.0000	1607	1258

Date/Time	Process Temperature (°F)	Process Flow SCFM
Wed Jul 05 2017 11:34:00.0000	1607	1312
Wed Jul 05 2017 11:35:00.0000	1605	1492
Wed Jul 05 2017 11:36:00.0000	1605	1204
Wed Jul 05 2017 11:37:00.0000	1606	1153
Wed Jul 05 2017 11:38:00.0000	1607	1299
Wed Jul 05 2017 11:39:00.0000	1606	1197
Wed Jul 05 2017 11:40:00.0000	1605	1394
Wed Jul 05 2017 11:41:00.0000	1606	1174
Wed Jul 05 2017 11:42:00.0000	1607	1183
Wed Jul 05 2017 11:43:00.0000	1607	1415
Wed Jul 05 2017 11:44:00.0000	1605	1235
Wed Jul 05 2017 11:45:00.0000	1605	1194
Wed Jul 05 2017 11:46:00.0000	1607	1139
Wed Jul 05 2017 11:47:00.0000	1607	1290
Wed Jul 05 2017 11:48:00.0000	1606	1313
Wed Jul 05 2017 11:49:00.0000	1605	1356
Wed Jul 05 2017 11:50:00.0000	1606	1144
Wed Jul 05 2017 11:51:00.0000	1608	1341
Wed Jul 05 2017 11:52:00.0000	1606	1249
Wed Jul 05 2017 11:53:00.0000	1604	1286
Wed Jul 05 2017 11:54:00.0000	1606	1139
Wed Jul 05 2017 11:55:00.0000	1607	1229
Wed Jul 05 2017 11:56:00.0000	1607	1173
Wed Jul 05 2017 11:57:00.0000	1605	1327
Wed Jul 05 2017 11:58:00.0000	1605	1247
Wed Jul 05 2017 11:59:00.0000	1606	1156
Wed Jul 05 2017 12:00:00.0000	1607	1266
Wed Jul 05 2017 12:01:00.0000	1606	1258
Wed Jul 05 2017 12:02:00.0000	1605	1355
Wed Jul 05 2017 12:03:00.0000	1606	1180
Wed Jul 05 2017 12:04:00.0000	1608	1189
Wed Jul 05 2017 12:05:00.0000	1607	1253
Wed Jul 05 2017 12:06:00.0000	1605	1389
Wed Jul 05 2017 12:07:00.0000	1605	1156
Wed Jul 05 2017 12:08:00.0000	1606	1188
Wed Jul 05 2017 12:09:00.0000	1608	1293
Wed Jul 05 2017 12:10:00.0000	1606	1120
Wed Jul 05 2017 12:11:00.0000	1605	1369
Wed Jul 05 2017 12:12:00.0000	1606	1148
Wed Jul 05 2017 12:13:00.0000	1607	1331
Wed Jul 05 2017 12:14:00.0000	1607	1336
Wed Jul 05 2017 12:15:00.0000	1605	1291
Wed Jul 05 2017 12:16:00.0000	1606	1195
Wed Jul 05 2017 12:17:00.0000	1607	1168
Wed Jul 05 2017 12:18:00.0000	1608	1277
Wed Jul 05 2017 12:19:00.0000	1606	1308
Wed Jul 05 2017 12:20:00.0000	1605	1324
Wed Jul 05 2017 12:21:00.0000	1606	1179
Wed Jul 05 2017 12:22:00.0000	1608	1239
Wed Jul 05 2017 12:23:00.0000	1607	1280
Wed Jul 05 2017 12:24:00.0000	1605	1380
Wed Jul 05 2017 12:25:00.0000	1606	1380
Wed Jul 05 2017 12:26:00.0000	1607	1177
Wed Jul 05 2017 12:27:00.0000	1608	1290
Wed Jul 05 2017 12:28:00.0000	1606	1367
Wed Jul 05 2017 12:29:00.0000	1607	1312
Wed Jul 05 2017 12:30:00.0000	1606	1217

Date/Time	Process Temperature (°F)	Process Flow SCFM
Wed Jul 05 2017 12:31:00.0000	1608	1275
Wed Jul 05 2017 12:32:00.0000	1607	1225
Wed Jul 05 2017 12:33:00.0000	1606	1373
Wed Jul 05 2017 12:34:00.0000	1607	1179
Wed Jul 05 2017 12:35:00.0000	1608	1374
Wed Jul 05 2017 12:36:00.0000	1608	1346
Wed Jul 05 2017 12:37:00.0000	1606	1418
Wed Jul 05 2017 12:38:00.0000	1606	1247
Wed Jul 05 2017 12:39:00.0000	1607	1175
Wed Jul 05 2017 12:40:00.0000	1609	1281
Wed Jul 05 2017 12:41:00.0000	1607	1349
Wed Jul 05 2017 12:42:00.0000	1606	1324
Wed Jul 05 2017 12:43:00.0000	1607	1176
Wed Jul 05 2017 12:44:00.0000	1608	1134
Wed Jul 05 2017 12:45:00.0000	1608	1358
Wed Jul 05 2017 12:46:00.0000	1606	1466
Wed Jul 05 2017 12:47:00.0000	1606	1385
Wed Jul 05 2017 12:48:00.0000	1607	1215
Wed Jul 05 2017 12:49:00.0000	1609	1338
Wed Jul 05 2017 12:50:00.0000	1607	1307
Wed Jul 05 2017 12:51:00.0000	1606	1338
Wed Jul 05 2017 12:52:00.0000	1607	1155
Wed Jul 05 2017 12:53:00.0000	1608	1287
Wed Jul 05 2017 12:54:00.0000	1609	1255
Wed Jul 05 2017 12:55:00.0000	1606	1451
Wed Jul 05 2017 12:56:00.0000	1606	1251
Wed Jul 05 2017 12:57:00.0000	1608	1166
Wed Jul 05 2017 12:58:00.0000	1609	1246
Wed Jul 05 2017 12:59:00.0000	1607	1280
Wed Jul 05 2017 13:00:00.0000	1606	1337
Wed Jul 05 2017 13:01:00.0000	1607	1161
Wed Jul 05 2017 13:02:00.0000	1608	1181
Wed Jul 05 2017 13:03:00.0000	1608	1292
Wed Jul 05 2017 13:04:00.0000	1606	1285
Wed Jul 05 2017 13:05:00.0000	1607	1136
Wed Jul 05 2017 13:06:00.0000	1608	1151
Wed Jul 05 2017 13:07:00.0000	1609	1356
Wed Jul 05 2017 13:08:00.0000	1607	1440
Wed Jul 05 2017 13:09:00.0000	1606	1269
Wed Jul 05 2017 13:10:00.0000	1607	1311
Wed Jul 05 2017 13:11:00.0000	1609	1178
Wed Jul 05 2017 13:12:00.0000	1607	1330
Wed Jul 05 2017 13:13:00.0000	1606	1412
Wed Jul 05 2017 13:14:00.0000	1607	1187
Wed Jul 05 2017 13:15:00.0000	1608	1234
Wed Jul 05 2017 13:16:00.0000	1608	1313
Wed Jul 05 2017 13:17:00.0000	1606	1481
Wed Jul 05 2017 13:18:00.0000	1606	1216
Wed Jul 05 2017 13:19:00.0000	1607	1425
Wed Jul 05 2017 13:20:00.0000	1609	1334
Wed Jul 05 2017 13:21:00.0000	1607	1386
Wed Jul 05 2017 13:22:00.0000	1606	1357
Wed Jul 05 2017 13:23:00.0000	1607	1333
Wed Jul 05 2017 13:24:00.0000	1609	1307
Wed Jul 05 2017 13:25:00.0000	1609	1248
Wed Jul 05 2017 13:26:00.0000	1606	1404
Wed Jul 05 2017 13:27:00.0000	1607	1194

Date/Time	Process Temperature (°F)	Process Flow SCFM
Wed Jul 05 2017 13:28:00.0000	1607	1217
Wed Jul 05 2017 13:29:00.0000	1609	1246
Wed Jul 05 2017 13:30:00.0000	1607	1324
Wed Jul 05 2017 13:31:00.0000	1606	1309
Wed Jul 05 2017 13:32:00.0000	1608	1342
Wed Jul 05 2017 13:33:00.0000	1609	1265
Wed Jul 05 2017 13:34:00.0000	1609	1349
Wed Jul 05 2017 13:35:00.0000	1607	1418
Wed Jul 05 2017 13:36:00.0000	1607	1314
Wed Jul 05 2017 13:37:00.0000	1609	1207
Wed Jul 05 2017 13:38:00.0000	1609	1299
Wed Jul 05 2017 13:39:00.0000	1608	1329
Wed Jul 05 2017 13:40:00.0000	1607	1407
Wed Jul 05 2017 13:41:00.0000	1608	1304
Wed Jul 05 2017 13:42:00.0000	1610	1314
Wed Jul 05 2017 13:43:00.0000	1609	1274
Wed Jul 05 2017 13:44:00.0000	1607	1367
Wed Jul 05 2017 13:45:00.0000	1608	1318
Wed Jul 05 2017 13:46:00.0000	1609	1370
Wed Jul 05 2017 13:47:00.0000	1610	1344
Wed Jul 05 2017 13:48:00.0000	1608	1329
Wed Jul 05 2017 13:49:00.0000	1608	1417
Wed Jul 05 2017 13:50:00.0000	1609	1256
Wed Jul 05 2017 13:51:00.0000	1610	1227
Wed Jul 05 2017 13:52:00.0000	1609	1289
Wed Jul 05 2017 13:53:00.0000	1607	1418
Wed Jul 05 2017 13:54:00.0000	1609	1380
Wed Jul 05 2017 13:55:00.0000	1609	1366
Wed Jul 05 2017 13:56:00.0000	1610	1241
Wed Jul 05 2017 13:57:00.0000	1608	1420
Wed Jul 05 2017 13:58:00.0000	1608	1338
Wed Jul 05 2017 13:59:00.0000	1609	1373
Wed Jul 05 2017 14:00:00.0000	1611	1335
Wed Jul 05 2017 14:01:00.0000	1610	1412
Wed Jul 05 2017 14:02:00.0000	1608	1433
Wed Jul 05 2017 14:03:00.0000	1609	1362
Wed Jul 05 2017 14:04:00.0000	1610	1409
Wed Jul 05 2017 14:05:00.0000	1611	1247
Wed Jul 05 2017 14:06:00.0000	1609	1320
Wed Jul 05 2017 14:07:00.0000	1608	1392
Wed Jul 05 2017 14:08:00.0000	1609	1376
Wed Jul 05 2017 14:09:00.0000	1611	1334
Wed Jul 05 2017 14:10:00.0000	1610	1373
Wed Jul 05 2017 14:11:00.0000	1608	1379
Wed Jul 05 2017 14:12:00.0000	1610	1142
Wed Jul 05 2017 14:13:00.0000	1610	1357
Wed Jul 05 2017 14:14:00.0000	1611	1257
Wed Jul 05 2017 14:15:00.0000	1609	1389
Wed Jul 05 2017 14:16:00.0000	1609	1287
Wed Jul 05 2017 14:17:00.0000	1610	1245
Wed Jul 05 2017 14:18:00.0000	1611	1198
Wed Jul 05 2017 14:19:00.0000	1610	1366
Wed Jul 05 2017 14:20:00.0000	1609	1440
Wed Jul 05 2017 14:21:00.0000	1610	1281
Wed Jul 05 2017 14:22:00.0000	1611	1259
Wed Jul 05 2017 14:23:00.0000	1611	1234
Wed Jul 05 2017 14:24:00.0000	1609	1419

Date/Time	Process Temperature (°F)	Process Flow SCFM
Wed Jul 05 2017 14:25:00.0000	1609	1395
Wed Jul 05 2017 14:26:00.0000	1610	1314
Wed Jul 05 2017 14:27:00.0000	1612	1252
Wed Jul 05 2017 14:28:00.0000	1610	1245
Wed Jul 05 2017 14:29:00.0000	1609	1451
Wed Jul 05 2017 14:30:00.0000	1610	1254
Wed Jul 05 2017 14:31:00.0000	1611	1354
Wed Jul 05 2017 14:32:00.0000	1611	1269
Wed Jul 05 2017 14:33:00.0000	1610	1369
Wed Jul 05 2017 14:34:00.0000	1609	1217
Wed Jul 05 2017 14:35:00.0000	1611	1279
Wed Jul 05 2017 14:36:00.0000	1612	1328
Wed Jul 05 2017 14:37:00.0000	1610	1409
Wed Jul 05 2017 14:38:00.0000	1609	1413
Wed Jul 05 2017 14:39:00.0000	1610	1366
Wed Jul 05 2017 14:40:00.0000	1612	1263
Wed Jul 05 2017 14:41:00.0000	1611	1298
Wed Jul 05 2017 14:42:00.0000	1609	1451
Wed Jul 05 2017 14:43:00.0000	1611	1252
Wed Jul 05 2017 14:44:00.0000	1611	1315
Wed Jul 05 2017 14:45:00.0000	1612	1281
Wed Jul 05 2017 14:46:00.0000	1610	1290
Wed Jul 05 2017 14:47:00.0000	1610	1299
Wed Jul 05 2017 14:48:00.0000	1611	1204
Wed Jul 05 2017 14:49:00.0000	1613	1287
Wed Jul 05 2017 14:50:00.0000	1612	1222
Wed Jul 05 2017 14:51:00.0000	1610	1325
Wed Jul 05 2017 14:52:00.0000	1611	1410
Wed Jul 05 2017 14:53:00.0000	1612	1331
Wed Jul 05 2017 14:54:00.0000	1612	1204
Wed Jul 05 2017 14:55:00.0000	1611	1328
Wed Jul 05 2017 14:56:00.0000	1610	1194
Wed Jul 05 2017 14:57:00.0000	1611	1197
Wed Jul 05 2017 14:58:00.0000	1613	1250
Wed Jul 05 2017 14:59:00.0000	1612	1193
Wed Jul 05 2017 15:00:00.0000	1610	1317
Wed Jul 05 2017 15:01:00.0000	1612	1208
Wed Jul 05 2017 15:02:00.0000	1612	1403
Wed Jul 05 2017 15:03:00.0000	1613	1267
Wed Jul 05 2017 15:04:00.0000	1611	1429
Wed Jul 05 2017 15:05:00.0000	1612	1503
Wed Jul 05 2017 15:06:00.0000	1612	1347
Wed Jul 05 2017 15:07:00.0000	1614	1315
Wed Jul 05 2017 15:08:00.0000	1612	1336
Wed Jul 05 2017 15:09:00.0000	1611	1277
Wed Jul 05 2017 15:10:00.0000	1612	1236
Wed Jul 05 2017 15:11:00.0000	1614	1181
Wed Jul 05 2017 15:12:00.0000	1613	1305
Wed Jul 05 2017 15:13:00.0000	1611	1287
Wed Jul 05 2017 15:14:00.0000	1612	1298
Wed Jul 05 2017 15:15:00.0000	1613	1179
Wed Jul 05 2017 15:16:00.0000	1614	1333
Wed Jul 05 2017 15:17:00.0000	1612	1362
Wed Jul 05 2017 15:18:00.0000	1611	1429
Wed Jul 05 2017 15:19:00.0000	1612	1337
Wed Jul 05 2017 15:20:00.0000	1614	1363
Wed Jul 05 2017 15:21:00.0000	1613	1188

Date/Time	Process Temperature (°F)	Process Flow SCFM
Wed Jul 05 2017 15:22:00.0000	1611	1441
Wed Jul 05 2017 15:23:00.0000	1612	1385
Wed Jul 05 2017 15:24:00.0000	1613	1354
Wed Jul 05 2017 15:25:00.0000	1614	1229
Wed Jul 05 2017 15:26:00.0000	1612	1364
Wed Jul 05 2017 15:27:00.0000	1611	1394
Wed Jul 05 2017 15:28:00.0000	1612	1305
Wed Jul 05 2017 15:29:00.0000	1614	1256
Wed Jul 05 2017 15:30:00.0000	1613	1378
Wed Jul 05 2017 15:31:00.0000	1611	1256
Wed Jul 05 2017 15:32:00.0000	1612	1306
Wed Jul 05 2017 15:33:00.0000	1613	1270
Wed Jul 05 2017 15:34:00.0000	1614	1188
Wed Jul 05 2017 15:35:00.0000	1612	1425
Wed Jul 05 2017 15:36:00.0000	1611	1365
Wed Jul 05 2017 15:37:00.0000	1612	1342
Wed Jul 05 2017 15:38:00.0000	1614	1337
Wed Jul 05 2017 15:39:00.0000	1613	1212
Wed Jul 05 2017 15:40:00.0000	1611	1283
Wed Jul 05 2017 15:41:00.0000	1612	1280
Wed Jul 05 2017 15:42:00.0000	1613	1189
Wed Jul 05 2017 15:43:00.0000	1614	1250
Wed Jul 05 2017 15:44:00.0000	1612	1352
Wed Jul 05 2017 15:45:00.0000	1612	1345
Wed Jul 05 2017 15:46:00.0000	1612	1371
Wed Jul 05 2017 15:47:00.0000	1614	1258
Wed Jul 05 2017 15:48:00.0000	1613	1369
Wed Jul 05 2017 15:49:00.0000	1611	1315
Wed Jul 05 2017 15:50:00.0000	1612	1385
Wed Jul 05 2017 15:51:00.0000	1613	1300
Wed Jul 05 2017 15:52:00.0000	1614	1228
Wed Jul 05 2017 15:53:00.0000	1612	1387
Wed Jul 05 2017 15:54:00.0000	1612	1347
Wed Jul 05 2017 15:55:00.0000	1613	1215
Wed Jul 05 2017 15:56:00.0000	1614	1296
Wed Jul 05 2017 15:57:00.0000	1613	1183
Wed Jul 05 2017 15:58:00.0000	1612	1391
Wed Jul 05 2017 15:59:00.0000	1613	1144
Wed Jul 05 2017 16:00:00.0000	1614	1400
Wed Jul 05 2017 16:01:00.0000	1614	1344
Wed Jul 05 2017 16:02:00.0000	1612	1369
Wed Jul 05 2017 16:03:00.0000	1614	1377
Wed Jul 05 2017 16:04:00.0000	1613	1274
Wed Jul 05 2017 16:05:00.0000	1614	1312
Wed Jul 05 2017 16:06:00.0000	1613	1251
Wed Jul 05 2017 16:07:00.0000	1612	1277
Wed Jul 05 2017 16:08:00.0000	1614	1228
Wed Jul 05 2017 16:09:00.0000	1615	1313
Wed Jul 05 2017 16:10:00.0000	1612	1372
Wed Jul 05 2017 16:11:00.0000	1611	1419
Wed Jul 05 2017 16:12:00.0000	1612	1303
Wed Jul 05 2017 16:13:00.0000	1614	1225
Wed Jul 05 2017 16:14:00.0000	1613	1286
Wed Jul 05 2017 16:15:00.0000	1611	1438
Wed Jul 05 2017 16:16:00.0000	1612	1275
Wed Jul 05 2017 16:17:00.0000	1613	1265
Wed Jul 05 2017 16:18:00.0000	1614	1323

Date/Time	Process Temperature (°F)	Process Flow SCFM
Wed Jul 05 2017 16:19:00.0000	1611	1257
Wed Jul 05 2017 16:20:00.0000	1611	1331
Wed Jul 05 2017 16:21:00.0000	1612	1327
Wed Jul 05 2017 16:22:00.0000	1614	1269
Wed Jul 05 2017 16:23:00.0000	1613	1270
Wed Jul 05 2017 16:24:00.0000	1611	1265
Wed Jul 05 2017 16:25:00.0000	1612	1275
Wed Jul 05 2017 16:26:00.0000	1612	1373
Wed Jul 05 2017 16:27:00.0000	1613	1329
Wed Jul 05 2017 16:28:00.0000	1611	1299
Wed Jul 05 2017 16:29:00.0000	1611	1398
Wed Jul 05 2017 16:30:00.0000	1611	1278
Wed Jul 05 2017 16:31:00.0000	1613	1299
Wed Jul 05 2017 16:32:00.0000	1612	1249
Wed Jul 05 2017 16:33:00.0000	1610	1337
Wed Jul 05 2017 16:34:00.0000	1611	1354
Wed Jul 05 2017 16:35:00.0000	1612	1273
Wed Jul 05 2017 16:36:00.0000	1612	1363
Wed Jul 05 2017 16:37:00.0000	1611	1383
Wed Jul 05 2017 16:38:00.0000	1610	1397
Wed Jul 05 2017 16:39:00.0000	1611	1408
Wed Jul 05 2017 16:40:00.0000	1612	1325
Wed Jul 05 2017 16:41:00.0000	1611	1231
Wed Jul 05 2017 16:42:00.0000	1609	1256
Wed Jul 05 2017 16:43:00.0000	1611	1338
Wed Jul 05 2017 16:44:00.0000	1611	1261
Wed Jul 05 2017 16:45:00.0000	1612	1377
Wed Jul 05 2017 16:46:00.0000	1610	1529
Wed Jul 05 2017 16:47:00.0000	1610	1324
Wed Jul 05 2017 16:48:00.0000	1610	1363
Wed Jul 05 2017 16:49:00.0000	1612	1237
Wed Jul 05 2017 16:50:00.0000	1611	1414
Wed Jul 05 2017 16:51:00.0000	1609	1444
Wed Jul 05 2017 16:52:00.0000	1610	1340
Wed Jul 05 2017 16:53:00.0000	1611	1457
Wed Jul 05 2017 16:54:00.0000	1611	1282
Wed Jul 05 2017 16:55:00.0000	1610	1401
Wed Jul 05 2017 16:56:00.0000	1609	1344
Wed Jul 05 2017 16:57:00.0000	1610	1347
Wed Jul 05 2017 16:58:00.0000	1612	1285
Wed Jul 05 2017 16:59:00.0000	1610	1257
Wed Jul 05 2017 17:00:00.0000	1609	1390
Wed Jul 05 2017 17:01:00.0000	1610	1191
Wed Jul 05 2017 17:02:00.0000	1611	1360
Wed Jul 05 2017 17:03:00.0000	1611	1319
Wed Jul 05 2017 17:04:00.0000	1609	1367
Wed Jul 05 2017 17:05:00.0000	1609	1420
Wed Jul 05 2017 17:06:00.0000	1610	1219
Wed Jul 05 2017 17:07:00.0000	1611	1345
Wed Jul 05 2017 17:08:00.0000	1610	1336
Wed Jul 05 2017 17:09:00.0000	1608	1370
Wed Jul 05 2017 17:10:00.0000	1610	1297
Wed Jul 05 2017 17:11:00.0000	1610	1303
Wed Jul 05 2017 17:12:00.0000	1611	1281
Wed Jul 05 2017 17:13:00.0000	1608	1443
Wed Jul 05 2017 17:14:00.0000	1609	1458
Wed Jul 05 2017 17:15:00.0000	1609	1225

Date/Time	Process Temperature (°F)	Process Flow SCFM
Wed Jul 05 2017 17:16:00.0000	1610	1367
Wed Jul 05 2017 17:17:00.0000	1609	1303
Wed Jul 05 2017 17:18:00.0000	1608	1348
Wed Jul 05 2017 17:19:00.0000	1609	1352
Wed Jul 05 2017 17:20:00.0000	1609	1314
Wed Jul 05 2017 17:21:00.0000	1610	1332
Wed Jul 05 2017 17:22:00.0000	1608	1319
Wed Jul 05 2017 17:23:00.0000	1608	1396
Wed Jul 05 2017 17:24:00.0000	1609	1286
Wed Jul 05 2017 17:25:00.0000	1610	1356
Wed Jul 05 2017 17:26:00.0000	1608	1394
Wed Jul 05 2017 17:27:00.0000	1607	1413
Wed Jul 05 2017 17:28:00.0000	1608	1222
Wed Jul 05 2017 17:29:00.0000	1609	1351
Wed Jul 05 2017 17:30:00.0000	1609	1369
Wed Jul 05 2017 17:31:00.0000	1608	1430
Wed Jul 05 2017 17:32:00.0000	1609	1211
Wed Jul 05 2017 17:33:00.0000	1609	1410
Wed Jul 05 2017 17:34:00.0000	1609	1279
Wed Jul 05 2017 17:35:00.0000	1608	1270
Wed Jul 05 2017 17:36:00.0000	1607	1236
Wed Jul 05 2017 17:37:00.0000	1608	1326
Wed Jul 05 2017 17:38:00.0000	1609	1346
Wed Jul 05 2017 17:39:00.0000	1608	1385
Wed Jul 05 2017 17:40:00.0000	1606	1478
Wed Jul 05 2017 17:41:00.0000	1608	1411
Wed Jul 05 2017 17:42:00.0000	1609	1391
Wed Jul 05 2017 17:43:00.0000	1608	1295
Wed Jul 05 2017 17:44:00.0000	1606	1301
Wed Jul 05 2017 17:45:00.0000	1607	1317
Wed Jul 05 2017 17:46:00.0000	1607	1208
Wed Jul 05 2017 17:47:00.0000	1609	1351
Wed Jul 05 2017 17:48:00.0000	1607	1338
Wed Jul 05 2017 17:49:00.0000	1606	1299
Wed Jul 05 2017 17:50:00.0000	1607	1360
Wed Jul 05 2017 17:51:00.0000	1608	1282
Wed Jul 05 2017 17:52:00.0000	1608	1300
Wed Jul 05 2017 17:53:00.0000	1606	1417
Wed Jul 05 2017 17:54:00.0000	1607	1365
Wed Jul 05 2017 17:55:00.0000	1607	1406
Wed Jul 05 2017 17:56:00.0000	1608	1283
Wed Jul 05 2017 17:57:00.0000	1607	1433
Wed Jul 05 2017 17:58:00.0000	1606	1319
Wed Jul 05 2017 17:59:00.0000	1606	1208
Wed Jul 05 2017 18:00:00.0000	1608	1374
Wed Jul 05 2017 18:01:00.0000	1607	1355
Wed Jul 05 2017 18:02:00.0000	1605	1414
Wed Jul 05 2017 18:03:00.0000	1606	1449
Wed Jul 05 2017 18:04:00.0000	1606	1397
Wed Jul 05 2017 18:05:00.0000	1607	1350
Wed Jul 05 2017 18:06:00.0000	1606	1319
Wed Jul 05 2017 18:07:00.0000	1605	1431
Wed Jul 05 2017 18:08:00.0000	1606	1325
Wed Jul 05 2017 18:09:00.0000	1607	1405
Wed Jul 05 2017 18:10:00.0000	1606	1242
Wed Jul 05 2017 18:11:00.0000	1604	1381
Wed Jul 05 2017 18:12:00.0000	1605	1395

Date/Time	Process Temperature (°F)	Process Flow SCFM
Wed Jul 05 2017 18:13:00.0000	1606	1341
Wed Jul 05 2017 18:14:00.0000	1607	1281
Wed Jul 05 2017 18:15:00.0000	1605	1240
Wed Jul 05 2017 18:16:00.0000	1604	1316
Wed Jul 05 2017 18:17:00.0000	1605	1246
Wed Jul 05 2017 18:18:00.0000	1606	1332
Wed Jul 05 2017 18:19:00.0000	1605	1245
Wed Jul 05 2017 18:20:00.0000	1603	1489
Wed Jul 05 2017 18:21:00.0000	1605	1368
Wed Jul 05 2017 18:22:00.0000	1605	1293
Wed Jul 05 2017 18:23:00.0000	1605	1388
Wed Jul 05 2017 18:24:00.0000	1604	1445
Wed Jul 05 2017 18:25:00.0000	1604	1394
Wed Jul 05 2017 18:26:00.0000	1604	1294
Wed Jul 05 2017 18:27:00.0000	1606	1296
Wed Jul 05 2017 18:28:00.0000	1605	1318
Wed Jul 05 2017 18:29:00.0000	1603	1410
Wed Jul 05 2017 18:30:00.0000	1604	1349
Wed Jul 05 2017 18:31:00.0000	1605	1262
Wed Jul 05 2017 18:32:00.0000	1605	1302
Wed Jul 05 2017 18:33:00.0000	1603	1293
Wed Jul 05 2017 18:34:00.0000	1604	1362
Wed Jul 05 2017 18:35:00.0000	1612	1419
Wed Jul 05 2017 18:36:00.0000	1621	1347
Wed Jul 05 2017 18:37:00.0000	1625	1331
Wed Jul 05 2017 18:38:00.0000	1626	1268
Wed Jul 05 2017 18:39:00.0000	1630	1326
Wed Jul 05 2017 18:40:00.0000	1633	1322
Wed Jul 05 2017 18:41:00.0000	1630	1331
Wed Jul 05 2017 18:42:00.0000	1623	1379
Wed Jul 05 2017 18:43:00.0000	1619	1469
Wed Jul 05 2017 18:44:00.0000	1617	1335
Wed Jul 05 2017 18:45:00.0000	1615	1336
Wed Jul 05 2017 18:46:00.0000	1614	1308
Wed Jul 05 2017 18:47:00.0000	1611	1317
Wed Jul 05 2017 18:48:00.0000	1611	1419
Wed Jul 05 2017 18:49:00.0000	1611	1364
Wed Jul 05 2017 18:50:00.0000	1611	1267
Wed Jul 05 2017 18:51:00.0000	1609	1303
Wed Jul 05 2017 18:52:00.0000	1608	1323
Wed Jul 05 2017 18:53:00.0000	1607	1312
Wed Jul 05 2017 18:54:00.0000	1608	1332
Wed Jul 05 2017 18:55:00.0000	1607	1331
Wed Jul 05 2017 18:56:00.0000	1605	1306
Wed Jul 05 2017 18:57:00.0000	1606	1381
Wed Jul 05 2017 18:58:00.0000	1606	1362
Wed Jul 05 2017 18:59:00.0000	1606	1316
Wed Jul 05 2017 19:00:00.0000	1604	1373
Wed Jul 05 2017 19:01:00.0000	1605	1412
Wed Jul 05 2017 19:02:00.0000	1606	1421
Wed Jul 05 2017 19:03:00.0000	1607	1360
Wed Jul 05 2017 19:04:00.0000	1606	1304
Wed Jul 05 2017 19:05:00.0000	1605	1243
Wed Jul 05 2017 19:06:00.0000	1607	1350
Wed Jul 05 2017 19:07:00.0000	1607	1349
Wed Jul 05 2017 19:08:00.0000	1607	1354
Wed Jul 05 2017 19:09:00.0000	1606	1379

Date/Time	Process Temperature (°F)	Process Flow SCFM
Wed Jul 05 2017 19:10:00.0000	1607	1407
Wed Jul 05 2017 19:11:00.0000	1606	1272
Wed Jul 05 2017 19:12:00.0000	1607	1298
Wed Jul 05 2017 19:13:00.0000	1607	1375
Wed Jul 05 2017 19:14:00.0000	1605	1385
Wed Jul 05 2017 19:15:00.0000	1607	1320
Wed Jul 05 2017 19:16:00.0000	1608	1331
Wed Jul 05 2017 19:17:00.0000	1607	1373
Wed Jul 05 2017 19:18:00.0000	1605	1427
Wed Jul 05 2017 19:19:00.0000	1606	1318
Wed Jul 05 2017 19:20:00.0000	1607	1331
Wed Jul 05 2017 19:21:00.0000	1607	1334
Wed Jul 05 2017 19:22:00.0000	1605	1288
Wed Jul 05 2017 19:23:00.0000	1605	1425
Wed Jul 05 2017 19:24:00.0000	1606	1388
Wed Jul 05 2017 19:25:00.0000	1607	1326
Wed Jul 05 2017 19:26:00.0000	1606	1311
Wed Jul 05 2017 19:27:00.0000	1605	1295
Wed Jul 05 2017 19:28:00.0000	1606	1353
Wed Jul 05 2017 19:29:00.0000	1606	1355
Wed Jul 05 2017 19:30:00.0000	1606	1378
Wed Jul 05 2017 19:31:00.0000	1605	1285
Wed Jul 05 2017 19:32:00.0000	1605	1349
Wed Jul 05 2017 19:33:00.0000	1606	1340
Wed Jul 05 2017 19:34:00.0000	1606	1330
Wed Jul 05 2017 19:35:00.0000	1605	1390
Wed Jul 05 2017 19:36:00.0000	1604	1400
Wed Jul 05 2017 19:37:00.0000	1605	1373
Wed Jul 05 2017 19:38:00.0000	1606	1312
Wed Jul 05 2017 19:39:00.0000	1605	1362
Wed Jul 05 2017 19:40:00.0000	1604	1350
Wed Jul 05 2017 19:41:00.0000	1605	1397
Wed Jul 05 2017 19:42:00.0000	1605	1417
Wed Jul 05 2017 19:43:00.0000	1606	1358
Wed Jul 05 2017 19:44:00.0000	1604	1331
Wed Jul 05 2017 19:45:00.0000	1604	1395
Wed Jul 05 2017 19:46:00.0000	1605	1326
Wed Jul 05 2017 19:47:00.0000	1606	1344
Wed Jul 05 2017 19:48:00.0000	1605	1232
Wed Jul 05 2017 19:49:00.0000	1603	1263
Wed Jul 05 2017 19:50:00.0000	1604	1372
Wed Jul 05 2017 19:51:00.0000	1605	1413
Wed Jul 05 2017 19:52:00.0000	1605	1346
Wed Jul 05 2017 19:53:00.0000	1604	1244
Wed Jul 05 2017 19:54:00.0000	1603	1392
Wed Jul 05 2017 19:55:00.0000	1604	1412
Wed Jul 05 2017 19:56:00.0000	1605	1398
Wed Jul 05 2017 19:57:00.0000	1604	1333
Wed Jul 05 2017 19:58:00.0000	1602	1411
Wed Jul 05 2017 19:59:00.0000	1604	1245
Wed Jul 05 2017 20:00:00.0000	1604	1330
Wed Jul 05 2017 20:01:00.0000	1605	1368
Wed Jul 05 2017 20:02:00.0000	1603	1399
Wed Jul 05 2017 20:03:00.0000	1606	1338
Wed Jul 05 2017 20:04:00.0000	1612	1303
Wed Jul 05 2017 20:05:00.0000	1620	1338
Wed Jul 05 2017 20:06:00.0000	1622	1275

Date/Time	Process Temperature (°F)	Process Flow SCFM
Wed Jul 05 2017 20:07:00.0000	1622	1314
Wed Jul 05 2017 20:08:00.0000	1626	1431
Wed Jul 05 2017 20:09:00.0000	1629	1407
Wed Jul 05 2017 20:10:00.0000	1633	1338
Wed Jul 05 2017 20:11:00.0000	1633	1289
Wed Jul 05 2017 20:12:00.0000	1633	1252
Wed Jul 05 2017 20:13:00.0000	1628	1323
Wed Jul 05 2017 20:14:00.0000	1624	1348
Wed Jul 05 2017 20:15:00.0000	1620	1306
Wed Jul 05 2017 20:16:00.0000	1618	1338
Wed Jul 05 2017 20:17:00.0000	1618	1435
Wed Jul 05 2017 20:18:00.0000	1617	1356
Wed Jul 05 2017 20:19:00.0000	1617	1327
Wed Jul 05 2017 20:20:00.0000	1615	1267
Wed Jul 05 2017 20:21:00.0000	1613	1273
Wed Jul 05 2017 20:22:00.0000	1614	1237
Wed Jul 05 2017 20:23:00.0000	1615	1243
Wed Jul 05 2017 20:24:00.0000	1613	1220
Wed Jul 05 2017 20:25:00.0000	1611	1223
Wed Jul 05 2017 20:26:00.0000	1612	1354
Wed Jul 05 2017 20:27:00.0000	1612	1274
Wed Jul 05 2017 20:28:00.0000	1612	1212
Wed Jul 05 2017 20:29:00.0000	1610	1255
Wed Jul 05 2017 20:30:00.0000	1609	1264
Wed Jul 05 2017 20:31:00.0000	1610	1305
Wed Jul 05 2017 20:32:00.0000	1610	1282
Wed Jul 05 2017 20:33:00.0000	1610	1272
Wed Jul 05 2017 20:34:00.0000	1607	1294
Wed Jul 05 2017 20:35:00.0000	1608	1261
Wed Jul 05 2017 20:36:00.0000	1609	1355
Wed Jul 05 2017 20:37:00.0000	1609	1212
Wed Jul 05 2017 20:38:00.0000	1607	1243
Wed Jul 05 2017 20:39:00.0000	1606	1298
Wed Jul 05 2017 20:40:00.0000	1607	1367
Wed Jul 05 2017 20:41:00.0000	1608	1282
Wed Jul 05 2017 20:42:00.0000	1607	1113
Wed Jul 05 2017 20:43:00.0000	1605	1204
Wed Jul 05 2017 20:44:00.0000	1606	1263
Wed Jul 05 2017 20:45:00.0000	1606	1259
Wed Jul 05 2017 20:46:00.0000	1607	1266
Wed Jul 05 2017 20:47:00.0000	1605	1298
Wed Jul 05 2017 20:48:00.0000	1604	1254
Wed Jul 05 2017 20:49:00.0000	1605	1256
Wed Jul 05 2017 20:50:00.0000	1606	1171
Wed Jul 05 2017 20:51:00.0000	1605	1247
Wed Jul 05 2017 20:52:00.0000	1603	1241
Wed Jul 05 2017 20:53:00.0000	1604	1263
Wed Jul 05 2017 20:54:00.0000	1604	1155
Wed Jul 05 2017 20:55:00.0000	1605	1218
Wed Jul 05 2017 20:56:00.0000	1603	1286
Wed Jul 05 2017 20:57:00.0000	1602	1285
Wed Jul 05 2017 20:58:00.0000	1603	1074
Wed Jul 05 2017 20:59:00.0000	1604	1114
Wed Jul 05 2017 21:00:00.0000	1603	1311
Wed Jul 05 2017 21:01:00.0000	1605	1131
Wed Jul 05 2017 21:02:00.0000	1612	1349
Wed Jul 05 2017 21:03:00.0000	1617	1186

Date/Time	Process Temperature (°F)	Process Flow SCFM
Wed Jul 05 2017 21:04:00.0000	1623	1281
Wed Jul 05 2017 21:05:00.0000	1624	1234
Wed Jul 05 2017 21:06:00.0000	1625	1278
Wed Jul 05 2017 21:07:00.0000	1629	1336
Wed Jul 05 2017 21:08:00.0000	1631	1227
Wed Jul 05 2017 21:09:00.0000	1622	1254
Wed Jul 05 2017 21:10:00.0000	1618	1314
Wed Jul 05 2017 21:11:00.0000	1617	1275
Wed Jul 05 2017 21:12:00.0000	1616	1252
Wed Jul 05 2017 21:13:00.0000	1615	1256
Wed Jul 05 2017 21:14:00.0000	1612	1281
Wed Jul 05 2017 21:15:00.0000	1611	1212
Wed Jul 05 2017 21:16:00.0000	1611	1271
Wed Jul 05 2017 21:17:00.0000	1611	1232
Wed Jul 05 2017 21:18:00.0000	1609	1289
Wed Jul 05 2017 21:19:00.0000	1608	1304
Wed Jul 05 2017 21:20:00.0000	1608	1363
Wed Jul 05 2017 21:21:00.0000	1608	1243
Wed Jul 05 2017 21:22:00.0000	1608	1217
Wed Jul 05 2017 21:23:00.0000	1606	1222
Wed Jul 05 2017 21:24:00.0000	1606	1390
Wed Jul 05 2017 21:25:00.0000	1606	1293
Wed Jul 05 2017 21:26:00.0000	1607	1286
Wed Jul 05 2017 21:27:00.0000	1605	1164
Wed Jul 05 2017 21:28:00.0000	1605	1184
Wed Jul 05 2017 21:29:00.0000	1605	1392
Wed Jul 05 2017 21:30:00.0000	1605	1213
Wed Jul 05 2017 21:31:00.0000	1604	1242
Wed Jul 05 2017 21:32:00.0000	1603	1270
Wed Jul 05 2017 21:33:00.0000	1603	1177
Wed Jul 05 2017 21:34:00.0000	1603	1312
Wed Jul 05 2017 21:35:00.0000	1603	1302
Wed Jul 05 2017 21:36:00.0000	1602	1263
Wed Jul 05 2017 21:37:00.0000	1610	1434
Wed Jul 05 2017 21:38:00.0000	1614	1292
Wed Jul 05 2017 21:39:00.0000	1622	1209
Wed Jul 05 2017 21:40:00.0000	1624	1336
Wed Jul 05 2017 21:41:00.0000	1624	1250
Wed Jul 05 2017 21:42:00.0000	1627	1210
Wed Jul 05 2017 21:43:00.0000	1630	1268
Wed Jul 05 2017 21:44:00.0000	1630	1207
Wed Jul 05 2017 21:45:00.0000	1622	1265
Wed Jul 05 2017 21:46:00.0000	1619	1301
Wed Jul 05 2017 21:47:00.0000	1616	1248
Wed Jul 05 2017 21:48:00.0000	1616	1170
Wed Jul 05 2017 21:49:00.0000	1613	1265
Wed Jul 05 2017 21:50:00.0000	1611	1371
Wed Jul 05 2017 21:51:00.0000	1611	1195
Wed Jul 05 2017 21:52:00.0000	1610	1291
Wed Jul 05 2017 21:53:00.0000	1610	1275
Wed Jul 05 2017 21:54:00.0000	1608	1220
Wed Jul 05 2017 21:55:00.0000	1607	1334
Wed Jul 05 2017 21:56:00.0000	1607	1392
Wed Jul 05 2017 21:57:00.0000	1607	1201
Wed Jul 05 2017 21:58:00.0000	1606	1298
Wed Jul 05 2017 21:59:00.0000	1604	1277
Wed Jul 05 2017 22:00:00.0000	1605	1291

Date/Time	Process Temperature (°F)	Process Flow SCFM
Wed Jul 05 2017 22:01:00.0000	1605	1277
Wed Jul 05 2017 22:02:00.0000	1605	1235
Wed Jul 05 2017 22:03:00.0000	1603	1290
Wed Jul 05 2017 22:04:00.0000	1602	1342
Wed Jul 05 2017 22:05:00.0000	1602	1325
Wed Jul 05 2017 22:06:00.0000	1603	1254
Wed Jul 05 2017 22:07:00.0000	1602	1309
Wed Jul 05 2017 22:08:00.0000	1607	1241
Wed Jul 05 2017 22:09:00.0000	1614	1329
Wed Jul 05 2017 22:10:00.0000	1619	1216
Wed Jul 05 2017 22:11:00.0000	1623	1295
Wed Jul 05 2017 22:12:00.0000	1624	1271
Wed Jul 05 2017 22:13:00.0000	1626	1409
Wed Jul 05 2017 22:14:00.0000	1628	1210
Wed Jul 05 2017 22:15:00.0000	1633	1268
Wed Jul 05 2017 22:16:00.0000	1633	1302
Wed Jul 05 2017 22:17:00.0000	1632	1318
Wed Jul 05 2017 22:18:00.0000	1629	1387
Wed Jul 05 2017 22:19:00.0000	1621	1267
Wed Jul 05 2017 22:20:00.0000	1615	1244
Wed Jul 05 2017 22:21:00.0000	1610	1215
Wed Jul 05 2017 22:22:00.0000	1607	1193
Wed Jul 05 2017 22:23:00.0000	1605	1261
Wed Jul 05 2017 22:24:00.0000	1603	1204
Wed Jul 05 2017 22:25:00.0000	1601	1319
Wed Jul 05 2017 22:26:00.0000	1608	1255
Wed Jul 05 2017 22:27:00.0000	1616	1263
Wed Jul 05 2017 22:28:00.0000	1622	1318
Wed Jul 05 2017 22:29:00.0000	1626	1177
Wed Jul 05 2017 22:30:00.0000	1626	1292
Wed Jul 05 2017 22:31:00.0000	1629	1218
Wed Jul 05 2017 22:32:00.0000	1631	1320
Wed Jul 05 2017 22:33:00.0000	1633	1289
Wed Jul 05 2017 22:34:00.0000	1622	1184
Wed Jul 05 2017 22:35:00.0000	1616	1343
Wed Jul 05 2017 22:36:00.0000	1612	1296
Wed Jul 05 2017 22:37:00.0000	1608	1280
Wed Jul 05 2017 22:38:00.0000	1605	1265
Wed Jul 05 2017 22:39:00.0000	1602	1161
Wed Jul 05 2017 22:40:00.0000	1603	1372
Wed Jul 05 2017 22:41:00.0000	1608	1275
Wed Jul 05 2017 22:42:00.0000	1614	1226
Wed Jul 05 2017 22:43:00.0000	1614	1208
Wed Jul 05 2017 22:44:00.0000	1614	1303
Wed Jul 05 2017 22:45:00.0000	1615	1354
Wed Jul 05 2017 22:46:00.0000	1617	1257
Wed Jul 05 2017 22:47:00.0000	1617	1167
Wed Jul 05 2017 22:48:00.0000	1615	1287
Wed Jul 05 2017 22:49:00.0000	1617	1297
Wed Jul 05 2017 22:50:00.0000	1617	1267
Wed Jul 05 2017 22:51:00.0000	1619	1206
Wed Jul 05 2017 22:52:00.0000	1618	1204
Wed Jul 05 2017 22:53:00.0000	1617	1265
Wed Jul 05 2017 22:54:00.0000	1619	1266
Wed Jul 05 2017 22:55:00.0000	1620	1256
Wed Jul 05 2017 22:56:00.0000	1620	1282
Wed Jul 05 2017 22:57:00.0000	1619	1271

Date/Time	Process Temperature (°F)	Process Flow SCFM
Wed Jul 05 2017 22:58:00.0000	1620	1271
Wed Jul 05 2017 22:59:00.0000	1620	1284
Wed Jul 05 2017 23:00:00.0000	1621	1190
Wed Jul 05 2017 23:01:00.0000	1620	1298
Wed Jul 05 2017 23:02:00.0000	1619	1352
Wed Jul 05 2017 23:03:00.0000	1620	1324
Wed Jul 05 2017 23:04:00.0000	1622	1281
Wed Jul 05 2017 23:05:00.0000	1621	1300
Wed Jul 05 2017 23:06:00.0000	1620	1237
Wed Jul 05 2017 23:07:00.0000	1621	1270
Wed Jul 05 2017 23:08:00.0000	1621	1299
Wed Jul 05 2017 23:09:00.0000	1623	1212
Wed Jul 05 2017 23:10:00.0000	1621	1177
Wed Jul 05 2017 23:11:00.0000	1621	1321
Wed Jul 05 2017 23:12:00.0000	1622	1146
Wed Jul 05 2017 23:13:00.0000	1624	1169
Wed Jul 05 2017 23:14:00.0000	1623	1205
Wed Jul 05 2017 23:15:00.0000	1621	1232
Wed Jul 05 2017 23:16:00.0000	1622	1268
Wed Jul 05 2017 23:17:00.0000	1623	1171
Wed Jul 05 2017 23:18:00.0000	1624	1210
Wed Jul 05 2017 23:19:00.0000	1621	1288
Wed Jul 05 2017 23:20:00.0000	1623	1209
Wed Jul 05 2017 23:21:00.0000	1623	1269
Wed Jul 05 2017 23:22:00.0000	1624	1264
Wed Jul 05 2017 23:23:00.0000	1623	1222
Wed Jul 05 2017 23:24:00.0000	1622	1269
Wed Jul 05 2017 23:25:00.0000	1623	1185
Wed Jul 05 2017 23:26:00.0000	1625	1223
Wed Jul 05 2017 23:27:00.0000	1624	1123
Wed Jul 05 2017 23:28:00.0000	1623	1206
Wed Jul 05 2017 23:29:00.0000	1624	1215
Wed Jul 05 2017 23:30:00.0000	1625	1147
Wed Jul 05 2017 23:31:00.0000	1626	1198
Wed Jul 05 2017 23:32:00.0000	1624	1331
Wed Jul 05 2017 23:33:00.0000	1624	1262
Wed Jul 05 2017 23:34:00.0000	1625	1280
Wed Jul 05 2017 23:35:00.0000	1627	1185
Wed Jul 05 2017 23:36:00.0000	1626	1196
Wed Jul 05 2017 23:37:00.0000	1624	1260
Wed Jul 05 2017 23:38:00.0000	1626	1157
Wed Jul 05 2017 23:39:00.0000	1627	1231
Wed Jul 05 2017 23:40:00.0000	1628	1226
Wed Jul 05 2017 23:41:00.0000	1626	1294
Wed Jul 05 2017 23:42:00.0000	1626	1295
Wed Jul 05 2017 23:43:00.0000	1627	1256
Wed Jul 05 2017 23:44:00.0000	1629	1225
Wed Jul 05 2017 23:45:00.0000	1627	1215
Wed Jul 05 2017 23:46:00.0000	1626	1229
Wed Jul 05 2017 23:47:00.0000	1627	1116
Wed Jul 05 2017 23:48:00.0000	1629	1213
Wed Jul 05 2017 23:49:00.0000	1629	1156
Wed Jul 05 2017 23:50:00.0000	1627	1206
Wed Jul 05 2017 23:51:00.0000	1628	1280
Wed Jul 05 2017 23:52:00.0000	1629	1284
Wed Jul 05 2017 23:53:00.0000	1630	1184
Wed Jul 05 2017 23:54:00.0000	1629	1196

Date/Time	Process Temperature (°F)	Process Flow SCFM
Wed Jul 05 2017 23:55:00.0000	1627	1272
Wed Jul 05 2017 23:56:00.0000	1629	1211
Wed Jul 05 2017 23:57:00.0000	1630	1243
Wed Jul 05 2017 23:58:00.0000	1630	1195
Wed Jul 05 2017 23:59:00.0000	1628	1260
Thu Jul 06 2017 00:00:00.0000	1629	1234
Thu Jul 06 2017 00:01:00.0000	1630	1387
Thu Jul 06 2017 00:02:00.0000	1631	1224
Thu Jul 06 2017 00:03:00.0000	1629	1254
Thu Jul 06 2017 00:04:00.0000	1629	1247
Thu Jul 06 2017 00:05:00.0000	1630	1192
Thu Jul 06 2017 00:06:00.0000	1631	1162
Thu Jul 06 2017 00:07:00.0000	1631	1254
Thu Jul 06 2017 00:08:00.0000	1629	1206
Thu Jul 06 2017 00:09:00.0000	1630	1350
Thu Jul 06 2017 00:10:00.0000	1630	1083
Thu Jul 06 2017 00:11:00.0000	1632	1129
Thu Jul 06 2017 00:12:00.0000	1630	1280
Thu Jul 06 2017 00:13:00.0000	1630	1310
Thu Jul 06 2017 00:14:00.0000	1630	1185
Thu Jul 06 2017 00:15:00.0000	1631	1190
Thu Jul 06 2017 00:16:00.0000	1631	1183
Thu Jul 06 2017 00:17:00.0000	1629	1200
Thu Jul 06 2017 00:18:00.0000	1630	1270
Thu Jul 06 2017 00:19:00.0000	1632	1159
Thu Jul 06 2017 00:20:00.0000	1632	1226
Thu Jul 06 2017 00:21:00.0000	1629	1169
Thu Jul 06 2017 00:22:00.0000	1631	1207
Thu Jul 06 2017 00:23:00.0000	1631	1219
Thu Jul 06 2017 00:24:00.0000	1630	1277
Thu Jul 06 2017 00:25:00.0000	1622	1247
Thu Jul 06 2017 00:26:00.0000	1619	1318
Thu Jul 06 2017 00:27:00.0000	1615	1100
Thu Jul 06 2017 00:28:00.0000	1613	1225
Thu Jul 06 2017 00:29:00.0000	1611	1162
Thu Jul 06 2017 00:30:00.0000	1608	1237
Thu Jul 06 2017 00:31:00.0000	1606	1281
Thu Jul 06 2017 00:32:00.0000	1605	1298
Thu Jul 06 2017 00:33:00.0000	1604	1224
Thu Jul 06 2017 00:34:00.0000	1602	1300
Thu Jul 06 2017 00:35:00.0000	1612	1305
Thu Jul 06 2017 00:36:00.0000	1617	1188
Thu Jul 06 2017 00:37:00.0000	1626	1137
Thu Jul 06 2017 00:38:00.0000	1628	1209
Thu Jul 06 2017 00:39:00.0000	1629	1154
Thu Jul 06 2017 00:40:00.0000	1633	1367
Thu Jul 06 2017 00:41:00.0000	1628	1182
Thu Jul 06 2017 00:42:00.0000	1620	1283
Thu Jul 06 2017 00:43:00.0000	1615	1273
Thu Jul 06 2017 00:44:00.0000	1612	1213
Thu Jul 06 2017 00:45:00.0000	1609	1138
Thu Jul 06 2017 00:46:00.0000	1607	1228
Thu Jul 06 2017 00:47:00.0000	1604	1233
Thu Jul 06 2017 00:48:00.0000	1604	1044
Thu Jul 06 2017 00:49:00.0000	1604	1131
Thu Jul 06 2017 00:50:00.0000	1603	1162
Thu Jul 06 2017 00:51:00.0000	1601	1283

Date/Time	Process Temperature (°F)	Process Flow SCFM
Thu Jul 06 2017 00:52:00.0000	1609	1269
Thu Jul 06 2017 00:53:00.0000	1615	1210
Thu Jul 06 2017 00:54:00.0000	1623	1260
Thu Jul 06 2017 00:55:00.0000	1628	1167
Thu Jul 06 2017 00:56:00.0000	1628	1256
Thu Jul 06 2017 00:57:00.0000	1632	1097
Thu Jul 06 2017 00:58:00.0000	1632	1231
Thu Jul 06 2017 00:59:00.0000	1620	1183
Thu Jul 06 2017 01:00:00.0000	1613	1241
Thu Jul 06 2017 01:01:00.0000	1609	1134
Thu Jul 06 2017 01:02:00.0000	1605	1124
Thu Jul 06 2017 01:03:00.0000	1602	1159
Thu Jul 06 2017 01:04:00.0000	1601	1207
Thu Jul 06 2017 01:05:00.0000	1611	1211
Thu Jul 06 2017 01:06:00.0000	1618	1300
Thu Jul 06 2017 01:07:00.0000	1626	1200
Thu Jul 06 2017 01:08:00.0000	1629	1237
Thu Jul 06 2017 01:09:00.0000	1630	1295
Thu Jul 06 2017 01:10:00.0000	1633	1279
Thu Jul 06 2017 01:11:00.0000	1635	1225
Thu Jul 06 2017 01:12:00.0000	1623	1156
Thu Jul 06 2017 01:13:00.0000	1617	1351
Thu Jul 06 2017 01:14:00.0000	1611	1233
Thu Jul 06 2017 01:15:00.0000	1607	1207
Thu Jul 06 2017 01:16:00.0000	1604	1179
Thu Jul 06 2017 01:17:00.0000	1601	1267
Thu Jul 06 2017 01:18:00.0000	1606	1205
Thu Jul 06 2017 01:19:00.0000	1614	1266
Thu Jul 06 2017 01:20:00.0000	1623	1282
Thu Jul 06 2017 01:21:00.0000	1627	1186
Thu Jul 06 2017 01:22:00.0000	1628	1164
Thu Jul 06 2017 01:23:00.0000	1632	1156
Thu Jul 06 2017 01:24:00.0000	1630	1136
Thu Jul 06 2017 01:25:00.0000	1628	1229
Thu Jul 06 2017 01:26:00.0000	1625	1196
Thu Jul 06 2017 01:27:00.0000	1624	1206
Thu Jul 06 2017 01:28:00.0000	1622	1258
Thu Jul 06 2017 01:29:00.0000	1623	1182
Thu Jul 06 2017 01:30:00.0000	1623	1170
Thu Jul 06 2017 01:31:00.0000	1620	1267
Thu Jul 06 2017 01:32:00.0000	1621	1209
Thu Jul 06 2017 01:33:00.0000	1621	1298
Thu Jul 06 2017 01:34:00.0000	1621	1223
Thu Jul 06 2017 01:35:00.0000	1619	1249
Thu Jul 06 2017 01:36:00.0000	1619	1194
Thu Jul 06 2017 01:37:00.0000	1619	1286
Thu Jul 06 2017 01:38:00.0000	1621	1169
Thu Jul 06 2017 01:39:00.0000	1620	1237
Thu Jul 06 2017 01:40:00.0000	1618	1195
Thu Jul 06 2017 01:41:00.0000	1619	1213
Thu Jul 06 2017 01:42:00.0000	1620	1270
Thu Jul 06 2017 01:43:00.0000	1620	1194
Thu Jul 06 2017 01:44:00.0000	1618	1259
Thu Jul 06 2017 01:45:00.0000	1618	1263
Thu Jul 06 2017 01:46:00.0000	1618	1218
Thu Jul 06 2017 01:47:00.0000	1619	1129
Thu Jul 06 2017 01:48:00.0000	1618	1188

Date/Time	Process Temperature (°F)	Process Flow SCFM
Thu Jul 06 2017 01:49:00.0000	1617	1267
Thu Jul 06 2017 01:50:00.0000	1618	1251
Thu Jul 06 2017 01:51:00.0000	1619	1282
Thu Jul 06 2017 01:52:00.0000	1619	1256
Thu Jul 06 2017 01:53:00.0000	1617	1266
Thu Jul 06 2017 01:54:00.0000	1617	1223
Thu Jul 06 2017 01:55:00.0000	1617	1325
Thu Jul 06 2017 01:56:00.0000	1619	1178
Thu Jul 06 2017 01:57:00.0000	1617	1248
Thu Jul 06 2017 01:58:00.0000	1616	1281
Thu Jul 06 2017 01:59:00.0000	1617	1272
Thu Jul 06 2017 02:00:00.0000	1618	1193
Thu Jul 06 2017 02:01:00.0000	1618	1150
Thu Jul 06 2017 02:02:00.0000	1616	1269
Thu Jul 06 2017 02:03:00.0000	1616	1233
Thu Jul 06 2017 02:04:00.0000	1617	1307
Thu Jul 06 2017 02:05:00.0000	1618	1216
Thu Jul 06 2017 02:06:00.0000	1616	1327
Thu Jul 06 2017 02:07:00.0000	1615	1281
Thu Jul 06 2017 02:08:00.0000	1616	1181
Thu Jul 06 2017 02:09:00.0000	1618	1279
Thu Jul 06 2017 02:10:00.0000	1617	1225
Thu Jul 06 2017 02:11:00.0000	1615	1193
Thu Jul 06 2017 02:12:00.0000	1616	1141
Thu Jul 06 2017 02:13:00.0000	1617	1168
Thu Jul 06 2017 02:14:00.0000	1617	1261
Thu Jul 06 2017 02:15:00.0000	1615	1263
Thu Jul 06 2017 02:16:00.0000	1617	1389
Thu Jul 06 2017 02:17:00.0000	1616	1267
Thu Jul 06 2017 02:18:00.0000	1617	1264
Thu Jul 06 2017 02:19:00.0000	1616	1227
Thu Jul 06 2017 02:20:00.0000	1615	1256
Thu Jul 06 2017 02:21:00.0000	1616	1153
Thu Jul 06 2017 02:22:00.0000	1617	1213
Thu Jul 06 2017 02:23:00.0000	1616	1095
Thu Jul 06 2017 02:24:00.0000	1614	1169
Thu Jul 06 2017 02:25:00.0000	1616	1190
Thu Jul 06 2017 02:26:00.0000	1616	1137
Thu Jul 06 2017 02:27:00.0000	1617	1139
Thu Jul 06 2017 02:28:00.0000	1615	1177
Thu Jul 06 2017 02:29:00.0000	1614	1300
Thu Jul 06 2017 02:30:00.0000	1615	1150
Thu Jul 06 2017 02:31:00.0000	1617	1161
Thu Jul 06 2017 02:32:00.0000	1616	1125
Thu Jul 06 2017 02:33:00.0000	1614	1235
Thu Jul 06 2017 02:34:00.0000	1615	1215
Thu Jul 06 2017 02:35:00.0000	1616	1349
Thu Jul 06 2017 02:36:00.0000	1616	1245
Thu Jul 06 2017 02:37:00.0000	1615	1243
Thu Jul 06 2017 02:38:00.0000	1614	1225
Thu Jul 06 2017 02:39:00.0000	1615	1287
Thu Jul 06 2017 02:40:00.0000	1616	1158
Thu Jul 06 2017 02:41:00.0000	1616	1098
Thu Jul 06 2017 02:42:00.0000	1614	1282
Thu Jul 06 2017 02:43:00.0000	1615	1168
Thu Jul 06 2017 02:44:00.0000	1616	1187
Thu Jul 06 2017 02:45:00.0000	1616	1242

Date/Time	Process Temperature (°F)	Process Flow SCFM
Thu Jul 06 2017 02:46:00.0000	1614	1263
Thu Jul 06 2017 02:47:00.0000	1614	1230
Thu Jul 06 2017 02:48:00.0000	1615	1344
Thu Jul 06 2017 02:49:00.0000	1616	1219
Thu Jul 06 2017 02:50:00.0000	1615	1270
Thu Jul 06 2017 02:51:00.0000	1614	1233
Thu Jul 06 2017 02:52:00.0000	1615	1241
Thu Jul 06 2017 02:53:00.0000	1615	1266
Thu Jul 06 2017 02:54:00.0000	1616	1159
Thu Jul 06 2017 02:55:00.0000	1614	1363
Thu Jul 06 2017 02:56:00.0000	1614	1268
Thu Jul 06 2017 02:57:00.0000	1615	1203
Thu Jul 06 2017 02:58:00.0000	1616	1143
Thu Jul 06 2017 02:59:00.0000	1615	1261
Thu Jul 06 2017 03:00:00.0000	1613	1169
Thu Jul 06 2017 03:01:00.0000	1615	1223
Thu Jul 06 2017 03:02:00.0000	1615	1268
Thu Jul 06 2017 03:03:00.0000	1615	1138
Thu Jul 06 2017 03:04:00.0000	1613	1310
Thu Jul 06 2017 03:05:00.0000	1614	1250
Thu Jul 06 2017 03:06:00.0000	1615	1300
Thu Jul 06 2017 03:07:00.0000	1616	1141
Thu Jul 06 2017 03:08:00.0000	1614	1259
Thu Jul 06 2017 03:09:00.0000	1613	1340
Thu Jul 06 2017 03:10:00.0000	1614	1115
Thu Jul 06 2017 03:11:00.0000	1615	1222
Thu Jul 06 2017 03:12:00.0000	1615	1148
Thu Jul 06 2017 03:13:00.0000	1613	1218
Thu Jul 06 2017 03:14:00.0000	1614	1274
Thu Jul 06 2017 03:15:00.0000	1615	1324
Thu Jul 06 2017 03:16:00.0000	1616	1093
Thu Jul 06 2017 03:17:00.0000	1614	1222
Thu Jul 06 2017 03:18:00.0000	1613	1212
Thu Jul 06 2017 03:19:00.0000	1614	1304
Thu Jul 06 2017 03:20:00.0000	1615	1202
Thu Jul 06 2017 03:21:00.0000	1615	1204
Thu Jul 06 2017 03:22:00.0000	1613	1243
Thu Jul 06 2017 03:23:00.0000	1614	1286
Thu Jul 06 2017 03:24:00.0000	1614	1294
Thu Jul 06 2017 03:25:00.0000	1615	1160
Thu Jul 06 2017 03:26:00.0000	1614	1078
Thu Jul 06 2017 03:27:00.0000	1612	1197
Thu Jul 06 2017 03:28:00.0000	1614	1362
Thu Jul 06 2017 03:29:00.0000	1615	1188
Thu Jul 06 2017 03:30:00.0000	1615	1190
Thu Jul 06 2017 03:31:00.0000	1613	1157
Thu Jul 06 2017 03:32:00.0000	1613	1284
Thu Jul 06 2017 03:33:00.0000	1614	1248
Thu Jul 06 2017 03:34:00.0000	1615	1139
Thu Jul 06 2017 03:35:00.0000	1613	1183
Thu Jul 06 2017 03:36:00.0000	1612	1247
Thu Jul 06 2017 03:37:00.0000	1613	1336
Thu Jul 06 2017 03:38:00.0000	1614	1203
Thu Jul 06 2017 03:39:00.0000	1614	1155
Thu Jul 06 2017 03:40:00.0000	1612	1247
Thu Jul 06 2017 03:41:00.0000	1613	1180
Thu Jul 06 2017 03:42:00.0000	1613	1156

Date/Time	Process Temperature (°F)	Process Flow SCFM
Thu Jul 06 2017 03:43:00.0000	1614	1147
Thu Jul 06 2017 03:44:00.0000	1613	1191
Thu Jul 06 2017 03:45:00.0000	1611	1205
Thu Jul 06 2017 03:46:00.0000	1612	1256
Thu Jul 06 2017 03:47:00.0000	1614	1173
Thu Jul 06 2017 03:48:00.0000	1613	1190
Thu Jul 06 2017 03:49:00.0000	1611	1391
Thu Jul 06 2017 03:50:00.0000	1612	1213
Thu Jul 06 2017 03:51:00.0000	1612	1205
Thu Jul 06 2017 03:52:00.0000	1613	1203
Thu Jul 06 2017 03:53:00.0000	1612	1167
Thu Jul 06 2017 03:54:00.0000	1611	1188
Thu Jul 06 2017 03:55:00.0000	1612	1271
Thu Jul 06 2017 03:56:00.0000	1613	1253
Thu Jul 06 2017 03:57:00.0000	1613	1203
Thu Jul 06 2017 03:58:00.0000	1611	1342
Thu Jul 06 2017 03:59:00.0000	1611	1124
Thu Jul 06 2017 04:00:00.0000	1612	1263
Thu Jul 06 2017 04:01:00.0000	1613	1246
Thu Jul 06 2017 04:02:00.0000	1611	1184
Thu Jul 06 2017 04:03:00.0000	1610	1276
Thu Jul 06 2017 04:04:00.0000	1611	1191
Thu Jul 06 2017 04:05:00.0000	1613	1237
Thu Jul 06 2017 04:06:00.0000	1612	1240
Thu Jul 06 2017 04:07:00.0000	1610	1156
Thu Jul 06 2017 04:08:00.0000	1611	1287
Thu Jul 06 2017 04:09:00.0000	1611	1179
Thu Jul 06 2017 04:10:00.0000	1612	1152
Thu Jul 06 2017 04:11:00.0000	1611	1201
Thu Jul 06 2017 04:12:00.0000	1610	1297
Thu Jul 06 2017 04:13:00.0000	1611	1241
Thu Jul 06 2017 04:14:00.0000	1612	1214
Thu Jul 06 2017 04:15:00.0000	1611	1193
Thu Jul 06 2017 04:16:00.0000	1610	1230
Thu Jul 06 2017 04:17:00.0000	1610	1117
Thu Jul 06 2017 04:18:00.0000	1611	1165
Thu Jul 06 2017 04:19:00.0000	1612	1216
Thu Jul 06 2017 04:20:00.0000	1610	1244
Thu Jul 06 2017 04:21:00.0000	1609	1333
Thu Jul 06 2017 04:22:00.0000	1610	1212
Thu Jul 06 2017 04:23:00.0000	1611	1121
Thu Jul 06 2017 04:24:00.0000	1611	1167
Thu Jul 06 2017 04:25:00.0000	1609	1267
Thu Jul 06 2017 04:26:00.0000	1610	1146
Thu Jul 06 2017 04:27:00.0000	1610	1162
Thu Jul 06 2017 04:28:00.0000	1611	1183
Thu Jul 06 2017 04:29:00.0000	1609	1218
Thu Jul 06 2017 04:30:00.0000	1609	1136
Thu Jul 06 2017 04:31:00.0000	1609	1188
Thu Jul 06 2017 04:32:00.0000	1611	1078
Thu Jul 06 2017 04:33:00.0000	1610	1130
Thu Jul 06 2017 04:34:00.0000	1608	1232
Thu Jul 06 2017 04:35:00.0000	1609	1256
Thu Jul 06 2017 04:36:00.0000	1610	1229
Thu Jul 06 2017 04:37:00.0000	1610	1132
Thu Jul 06 2017 04:38:00.0000	1608	1166
Thu Jul 06 2017 04:39:00.0000	1608	1271

Date/Time	Process Temperature (°F)	Process Flow SCFM
Thu Jul 06 2017 04:40:00.0000	1609	1274
Thu Jul 06 2017 04:41:00.0000	1610	1231
Thu Jul 06 2017 04:42:00.0000	1609	1178
Thu Jul 06 2017 04:43:00.0000	1608	1204
Thu Jul 06 2017 04:44:00.0000	1609	1155
Thu Jul 06 2017 04:45:00.0000	1609	1135
Thu Jul 06 2017 04:46:00.0000	1610	1174
Thu Jul 06 2017 04:47:00.0000	1608	1201
Thu Jul 06 2017 04:48:00.0000	1608	1229
Thu Jul 06 2017 04:49:00.0000	1609	1194
Thu Jul 06 2017 04:50:00.0000	1610	1121
Thu Jul 06 2017 04:51:00.0000	1608	1187
Thu Jul 06 2017 04:52:00.0000	1607	1210
Thu Jul 06 2017 04:53:00.0000	1608	1069
Thu Jul 06 2017 04:54:00.0000	1609	1163
Thu Jul 06 2017 04:55:00.0000	1609	1211
Thu Jul 06 2017 04:56:00.0000	1607	1294
Thu Jul 06 2017 04:57:00.0000	1608	1319
Thu Jul 06 2017 04:58:00.0000	1608	1251
Thu Jul 06 2017 04:59:00.0000	1609	1206
Thu Jul 06 2017 05:00:00.0000	1608	1275
Thu Jul 06 2017 05:01:00.0000	1607	1362
Thu Jul 06 2017 05:02:00.0000	1608	1213
Thu Jul 06 2017 05:03:00.0000	1609	1232
Thu Jul 06 2017 05:04:00.0000	1609	1178
Thu Jul 06 2017 05:05:00.0000	1607	1278
Thu Jul 06 2017 05:06:00.0000	1608	1340
Thu Jul 06 2017 05:07:00.0000	1608	1237
Thu Jul 06 2017 05:08:00.0000	1609	1128
Thu Jul 06 2017 05:09:00.0000	1608	1213
Thu Jul 06 2017 05:10:00.0000	1606	1288
Thu Jul 06 2017 05:11:00.0000	1608	1179
Thu Jul 06 2017 05:12:00.0000	1609	1285
Thu Jul 06 2017 05:13:00.0000	1608	1177
Thu Jul 06 2017 05:14:00.0000	1606	1224
Thu Jul 06 2017 05:15:00.0000	1608	1233
Thu Jul 06 2017 05:16:00.0000	1608	1168
Thu Jul 06 2017 05:17:00.0000	1609	1203
Thu Jul 06 2017 05:18:00.0000	1607	1348
Thu Jul 06 2017 05:19:00.0000	1607	1248
Thu Jul 06 2017 05:20:00.0000	1608	1254
Thu Jul 06 2017 05:21:00.0000	1609	1149
Thu Jul 06 2017 05:22:00.0000	1608	1203
Thu Jul 06 2017 05:23:00.0000	1606	1360
Thu Jul 06 2017 05:24:00.0000	1608	1114
Thu Jul 06 2017 05:25:00.0000	1609	1247
Thu Jul 06 2017 05:26:00.0000	1609	1163
Thu Jul 06 2017 05:27:00.0000	1607	1294
Thu Jul 06 2017 05:28:00.0000	1607	1209
Thu Jul 06 2017 05:29:00.0000	1608	1119
Thu Jul 06 2017 05:30:00.0000	1609	1166
Thu Jul 06 2017 05:31:00.0000	1608	1227
Thu Jul 06 2017 05:32:00.0000	1607	1296
Thu Jul 06 2017 05:33:00.0000	1608	1277
Thu Jul 06 2017 05:34:00.0000	1609	1116
Thu Jul 06 2017 05:35:00.0000	1608	1136
Thu Jul 06 2017 05:36:00.0000	1606	1176

Date/Time	Process Temperature (°F)	Process Flow SCFM
Thu Jul 06 2017 05:37:00.0000	1607	1159
Thu Jul 06 2017 05:38:00.0000	1609	1236
Thu Jul 06 2017 05:39:00.0000	1609	1114
Thu Jul 06 2017 05:40:00.0000	1607	1187
Thu Jul 06 2017 05:41:00.0000	1606	1284
Thu Jul 06 2017 05:42:00.0000	1608	1271
Thu Jul 06 2017 05:43:00.0000	1609	1186
Thu Jul 06 2017 05:44:00.0000	1609	1122
Thu Jul 06 2017 05:45:00.0000	1606	1309
Thu Jul 06 2017 05:46:00.0000	1608	1194
Thu Jul 06 2017 05:47:00.0000	1608	1200
Thu Jul 06 2017 05:48:00.0000	1609	1110
Thu Jul 06 2017 05:49:00.0000	1607	1356
Thu Jul 06 2017 05:50:00.0000	1607	1234
Thu Jul 06 2017 05:51:00.0000	1608	1195
Thu Jul 06 2017 05:52:00.0000	1609	1139
Thu Jul 06 2017 05:53:00.0000	1608	1257
Thu Jul 06 2017 05:54:00.0000	1606	1341
Thu Jul 06 2017 05:55:00.0000	1607	1164
Thu Jul 06 2017 05:56:00.0000	1608	1328
Thu Jul 06 2017 05:57:00.0000	1609	1187
Thu Jul 06 2017 05:58:00.0000	1607	1312
Thu Jul 06 2017 05:59:00.0000	1607	1300
Thu Jul 06 2017 06:00:00.0000	1608	1236
Thu Jul 06 2017 06:01:00.0000	1609	1180
Thu Jul 06 2017 06:02:00.0000	1608	1183
Thu Jul 06 2017 06:03:00.0000	1606	1166
Thu Jul 06 2017 06:04:00.0000	1608	1208
Thu Jul 06 2017 06:05:00.0000	1608	1185
Thu Jul 06 2017 06:06:00.0000	1609	1135
Thu Jul 06 2017 06:07:00.0000	1607	1232
Thu Jul 06 2017 06:08:00.0000	1607	1206
Thu Jul 06 2017 06:09:00.0000	1608	1175
Thu Jul 06 2017 06:10:00.0000	1609	1194
Thu Jul 06 2017 06:11:00.0000	1608	1323
Thu Jul 06 2017 06:12:00.0000	1606	1409
Thu Jul 06 2017 06:13:00.0000	1607	1286
Thu Jul 06 2017 06:14:00.0000	1608	1207
Thu Jul 06 2017 06:15:00.0000	1608	1121
Thu Jul 06 2017 06:16:00.0000	1606	1333
Thu Jul 06 2017 06:17:00.0000	1607	1329
Thu Jul 06 2017 06:18:00.0000	1608	1261
Thu Jul 06 2017 06:19:00.0000	1608	1140
Thu Jul 06 2017 06:20:00.0000	1607	1354
Thu Jul 06 2017 06:21:00.0000	1606	1211
Thu Jul 06 2017 06:22:00.0000	1607	1250
Thu Jul 06 2017 06:23:00.0000	1609	1166
Thu Jul 06 2017 06:24:00.0000	1608	1234
Thu Jul 06 2017 06:25:00.0000	1606	1242
Thu Jul 06 2017 06:26:00.0000	1607	1249
Thu Jul 06 2017 06:27:00.0000	1608	1229
Thu Jul 06 2017 06:28:00.0000	1608	1180
Thu Jul 06 2017 06:29:00.0000	1607	1126
Thu Jul 06 2017 06:30:00.0000	1606	1259
Thu Jul 06 2017 06:31:00.0000	1607	1114
Thu Jul 06 2017 06:32:00.0000	1608	1209
Thu Jul 06 2017 06:33:00.0000	1607	1177

Date/Time	Process Temperature (°F)	Process Flow SCFM
Thu Jul 06 2017 06:34:00.0000	1605	1252
Thu Jul 06 2017 06:35:00.0000	1607	1279
Thu Jul 06 2017 06:36:00.0000	1607	1239
Thu Jul 06 2017 06:37:00.0000	1608	1138
Thu Jul 06 2017 06:38:00.0000	1606	1163
Thu Jul 06 2017 06:39:00.0000	1606	1233
Thu Jul 06 2017 06:40:00.0000	1607	1166
Thu Jul 06 2017 06:41:00.0000	1608	1188
Thu Jul 06 2017 06:42:00.0000	1607	1239
Thu Jul 06 2017 06:43:00.0000	1606	1229
Thu Jul 06 2017 06:44:00.0000	1606	1238
Thu Jul 06 2017 06:45:00.0000	1607	1208
Thu Jul 06 2017 06:46:00.0000	1607	1194
Thu Jul 06 2017 06:47:00.0000	1605	1252
Thu Jul 06 2017 06:48:00.0000	1605	1113
Thu Jul 06 2017 06:49:00.0000	1606	1075
Thu Jul 06 2017 06:50:00.0000	1607	1250
Thu Jul 06 2017 06:51:00.0000	1605	1233
Thu Jul 06 2017 06:52:00.0000	1604	1209
Thu Jul 06 2017 06:53:00.0000	1605	1011
Thu Jul 06 2017 06:54:00.0000	1606	1186
Thu Jul 06 2017 06:55:00.0000	1606	1096
Thu Jul 06 2017 06:56:00.0000	1604	1289
Thu Jul 06 2017 06:57:00.0000	1605	1186
Thu Jul 06 2017 06:58:00.0000	1605	1185
Thu Jul 06 2017 06:59:00.0000	1606	1180
Thu Jul 06 2017 07:00:00.0000	1604	1253
Thu Jul 06 2017 07:01:00.0000	1604	1270
Thu Jul 06 2017 07:02:00.0000	1605	1193
Thu Jul 06 2017 07:03:00.0000	1606	1250
Thu Jul 06 2017 07:04:00.0000	1605	1133
Thu Jul 06 2017 07:05:00.0000	1604	1180
Thu Jul 06 2017 07:06:00.0000	1604	1146
Thu Jul 06 2017 07:07:00.0000	1605	1216
Thu Jul 06 2017 07:08:00.0000	1606	1189
Thu Jul 06 2017 07:09:00.0000	1604	1270
Thu Jul 06 2017 07:10:00.0000	1603	1260
Thu Jul 06 2017 07:11:00.0000	1604	1102
Thu Jul 06 2017 07:12:00.0000	1605	1225
Thu Jul 06 2017 07:13:00.0000	1605	1226
Thu Jul 06 2017 07:14:00.0000	1603	1226
Thu Jul 06 2017 07:15:00.0000	1604	1287
Thu Jul 06 2017 07:16:00.0000	1604	1099
Thu Jul 06 2017 07:17:00.0000	1605	1078
Thu Jul 06 2017 07:18:00.0000	1604	1320
Thu Jul 06 2017 07:19:00.0000	1603	1251
Thu Jul 06 2017 07:20:00.0000	1604	1314
Thu Jul 06 2017 07:21:00.0000	1605	1150
Thu Jul 06 2017 07:22:00.0000	1604	1173
Thu Jul 06 2017 07:23:00.0000	1603	1255
Thu Jul 06 2017 07:24:00.0000	1604	1281
Thu Jul 06 2017 07:25:00.0000	1604	1237
Thu Jul 06 2017 07:26:00.0000	1605	1201
Thu Jul 06 2017 07:27:00.0000	1603	1295
Thu Jul 06 2017 07:28:00.0000	1604	1258
Thu Jul 06 2017 07:29:00.0000	1610	1127
Thu Jul 06 2017 07:30:00.0000	1618	1213

Date/Time	Process Temperature (°F)	Process Flow SCFM
Thu Jul 06 2017 07:31:00.0000	1621	1276
Thu Jul 06 2017 07:32:00.0000	1621	1220
Thu Jul 06 2017 07:33:00.0000	1625	1349
Thu Jul 06 2017 07:34:00.0000	1628	1305
Thu Jul 06 2017 07:35:00.0000	1632	1169
Thu Jul 06 2017 07:36:00.0000	1631	1234
Thu Jul 06 2017 07:37:00.0000	1632	1261
Thu Jul 06 2017 07:38:00.0000	1630	1138
Thu Jul 06 2017 07:39:00.0000	1625	1134
Thu Jul 06 2017 07:40:00.0000	1621	1077
Thu Jul 06 2017 07:41:00.0000	1616	1170
Thu Jul 06 2017 07:42:00.0000	1615	1173
Thu Jul 06 2017 07:43:00.0000	1614	1173
Thu Jul 06 2017 07:44:00.0000	1615	1141
Thu Jul 06 2017 07:45:00.0000	1612	1273
Thu Jul 06 2017 07:46:00.0000	1613	1410
Thu Jul 06 2017 07:47:00.0000	1612	1164
Thu Jul 06 2017 07:48:00.0000	1613	1138
Thu Jul 06 2017 07:49:00.0000	1612	1078
Thu Jul 06 2017 07:50:00.0000	1610	1269
Thu Jul 06 2017 07:51:00.0000	1611	1223
Thu Jul 06 2017 07:52:00.0000	1611	1194
Thu Jul 06 2017 07:53:00.0000	1611	1262
Thu Jul 06 2017 07:54:00.0000	1609	1271
Thu Jul 06 2017 07:55:00.0000	1610	1283
Thu Jul 06 2017 07:56:00.0000	1610	1156
Thu Jul 06 2017 07:57:00.0000	1609	1200
Thu Jul 06 2017 07:58:00.0000	1607	1279
Thu Jul 06 2017 07:59:00.0000	1608	1279
Thu Jul 06 2017 08:00:00.0000	1609	1294
Thu Jul 06 2017 08:01:00.0000	1609	1148
Thu Jul 06 2017 08:02:00.0000	1607	1312
Thu Jul 06 2017 08:03:00.0000	1606	1303
Thu Jul 06 2017 08:04:00.0000	1607	1356
Thu Jul 06 2017 08:05:00.0000	1609	1117
Thu Jul 06 2017 08:06:00.0000	1607	1161
Thu Jul 06 2017 08:07:00.0000	1606	1324
Thu Jul 06 2017 08:08:00.0000	1607	1229
Thu Jul 06 2017 08:09:00.0000	1607	1223
Thu Jul 06 2017 08:10:00.0000	1608	1316
Thu Jul 06 2017 08:11:00.0000	1606	1193
Thu Jul 06 2017 08:12:00.0000	1605	1272
Thu Jul 06 2017 08:13:00.0000	1606	1255
Thu Jul 06 2017 08:14:00.0000	1607	1162
Thu Jul 06 2017 08:15:00.0000	1606	1189
Thu Jul 06 2017 08:16:00.0000	1605	1356
Thu Jul 06 2017 08:17:00.0000	1605	1304
Thu Jul 06 2017 08:18:00.0000	1606	1366
Thu Jul 06 2017 08:19:00.0000	1607	1278
Thu Jul 06 2017 08:20:00.0000	1605	1329
Thu Jul 06 2017 08:21:00.0000	1605	1298
Thu Jul 06 2017 08:22:00.0000	1605	1161
Thu Jul 06 2017 08:23:00.0000	1607	1179
Thu Jul 06 2017 08:24:00.0000	1606	1172
Thu Jul 06 2017 08:25:00.0000	1604	1248
Thu Jul 06 2017 08:26:00.0000	1605	1237
Thu Jul 06 2017 08:27:00.0000	1606	1158

Date/Time	Process Temperature (°F)	Process Flow SCFM
Thu Jul 06 2017 08:28:00.0000	1606	1226
Thu Jul 06 2017 08:29:00.0000	1604	1278
Thu Jul 06 2017 08:30:00.0000	1605	1287
Thu Jul 06 2017 08:31:00.0000	1605	1227
Thu Jul 06 2017 08:32:00.0000	1606	1197
Thu Jul 06 2017 08:33:00.0000	1605	1356
Thu Jul 06 2017 08:34:00.0000	1604	1183
Thu Jul 06 2017 08:35:00.0000	1605	1154
Thu Jul 06 2017 08:36:00.0000	1606	1144
Thu Jul 06 2017 08:37:00.0000	1605	1301
Thu Jul 06 2017 08:38:00.0000	1603	1372
Thu Jul 06 2017 08:39:00.0000	1605	1144
Thu Jul 06 2017 08:40:00.0000	1605	1246
Thu Jul 06 2017 08:41:00.0000	1605	1168
Thu Jul 06 2017 08:42:00.0000	1604	1285
Thu Jul 06 2017 08:43:00.0000	1603	1294
Thu Jul 06 2017 08:44:00.0000	1604	1214
Thu Jul 06 2017 08:45:00.0000	1605	1186
Thu Jul 06 2017 08:46:00.0000	1604	1268
Thu Jul 06 2017 08:47:00.0000	1603	1241
Thu Jul 06 2017 08:48:00.0000	1604	1150
Thu Jul 06 2017 08:49:00.0000	1604	1037
Thu Jul 06 2017 08:50:00.0000	1605	1172
Thu Jul 06 2017 08:51:00.0000	1603	1241
Thu Jul 06 2017 08:52:00.0000	1603	1299
Thu Jul 06 2017 08:53:00.0000	1604	1270
Thu Jul 06 2017 08:54:00.0000	1605	1169
Thu Jul 06 2017 08:55:00.0000	1604	1265
Thu Jul 06 2017 08:56:00.0000	1603	1262
Thu Jul 06 2017 08:57:00.0000	1611	1320
Thu Jul 06 2017 08:58:00.0000	1617	1162
Thu Jul 06 2017 08:59:00.0000	1622	1134
Thu Jul 06 2017 09:00:00.0000	1623	1272
Thu Jul 06 2017 09:01:00.0000	1627	1227
Thu Jul 06 2017 09:02:00.0000	1627	1091
Thu Jul 06 2017 09:03:00.0000	1632	1366
Thu Jul 06 2017 09:04:00.0000	1633	1185
Thu Jul 06 2017 09:05:00.0000	1634	1341
Thu Jul 06 2017 09:06:00.0000	1630	1104
Thu Jul 06 2017 09:07:00.0000	1620	1152
Thu Jul 06 2017 09:08:00.0000	1614	1251
Thu Jul 06 2017 09:09:00.0000	1610	1280
Thu Jul 06 2017 09:10:00.0000	1607	1109
Thu Jul 06 2017 09:11:00.0000	1604	1180
Thu Jul 06 2017 09:12:00.0000	1602	1255
Thu Jul 06 2017 09:13:00.0000	1603	1358
Thu Jul 06 2017 09:14:00.0000	1613	1279
Thu Jul 06 2017 09:15:00.0000	1618	1233
Thu Jul 06 2017 09:16:00.0000	1626	1178
Thu Jul 06 2017 09:17:00.0000	1627	1203
Thu Jul 06 2017 09:18:00.0000	1627	1257
Thu Jul 06 2017 09:19:00.0000	1631	1142
Thu Jul 06 2017 09:20:00.0000	1634	1281
Thu Jul 06 2017 09:21:00.0000	1625	1243
Thu Jul 06 2017 09:22:00.0000	1618	1286
Thu Jul 06 2017 09:23:00.0000	1613	1190
Thu Jul 06 2017 09:24:00.0000	1610	1309

Date/Time	Process Temperature (°F)	Process Flow SCFM
Thu Jul 06 2017 09:25:00.0000	1607	1212
Thu Jul 06 2017 09:26:00.0000	1604	1343
Thu Jul 06 2017 09:27:00.0000	1602	1315
Thu Jul 06 2017 09:28:00.0000	1605	1229
Thu Jul 06 2017 09:29:00.0000	1615	1289
Thu Jul 06 2017 09:30:00.0000	1622	1105
Thu Jul 06 2017 09:31:00.0000	1623	1345
Thu Jul 06 2017 09:32:00.0000	1626	1190
Thu Jul 06 2017 09:33:00.0000	1629	1199
Thu Jul 06 2017 09:34:00.0000	1632	1317
Thu Jul 06 2017 09:35:00.0000	1621	1277
Thu Jul 06 2017 09:36:00.0000	1616	1243
Thu Jul 06 2017 09:37:00.0000	1612	1179
Thu Jul 06 2017 09:38:00.0000	1609	1229
Thu Jul 06 2017 09:39:00.0000	1606	1153
Thu Jul 06 2017 09:40:00.0000	1603	1324
Thu Jul 06 2017 09:41:00.0000	1603	1200
Thu Jul 06 2017 09:42:00.0000	1607	1193
Thu Jul 06 2017 09:43:00.0000	1612	1283
Thu Jul 06 2017 09:44:00.0000	1613	1127
Thu Jul 06 2017 09:45:00.0000	1613	1365
Thu Jul 06 2017 09:46:00.0000	1616	1320
Thu Jul 06 2017 09:47:00.0000	1618	1198
Thu Jul 06 2017 09:48:00.0000	1619	1277
Thu Jul 06 2017 09:49:00.0000	1617	1437
Thu Jul 06 2017 09:50:00.0000	1620	1178
Thu Jul 06 2017 09:51:00.0000	1620	1124
Thu Jul 06 2017 09:52:00.0000	1622	1243
Thu Jul 06 2017 09:53:00.0000	1621	1277
Thu Jul 06 2017 09:54:00.0000	1621	1333
Thu Jul 06 2017 09:55:00.0000	1622	1218
Thu Jul 06 2017 09:56:00.0000	1624	1275
Thu Jul 06 2017 09:57:00.0000	1623	1370
Thu Jul 06 2017 09:58:00.0000	1622	1378
Thu Jul 06 2017 09:59:00.0000	1623	1193
Thu Jul 06 2017 10:00:00.0000	1625	1250
Thu Jul 06 2017 10:01:00.0000	1626	1256
Thu Jul 06 2017 10:02:00.0000	1623	1230
Thu Jul 06 2017 10:03:00.0000	1624	1257
Thu Jul 06 2017 10:04:00.0000	1625	1207
Thu Jul 06 2017 10:05:00.0000	1627	1186
Thu Jul 06 2017 10:06:00.0000	1626	1130
Thu Jul 06 2017 10:07:00.0000	1625	1260
Thu Jul 06 2017 10:08:00.0000	1627	1185
Thu Jul 06 2017 10:09:00.0000	1628	1266
Thu Jul 06 2017 10:10:00.0000	1629	1208
Thu Jul 06 2017 10:11:00.0000	1626	1380
Thu Jul 06 2017 10:12:00.0000	1627	1226
Thu Jul 06 2017 10:13:00.0000	1628	1151
Thu Jul 06 2017 10:14:00.0000	1630	1207
Thu Jul 06 2017 10:15:00.0000	1629	1362
Thu Jul 06 2017 10:16:00.0000	1627	1421
Thu Jul 06 2017 10:17:00.0000	1629	1355
Thu Jul 06 2017 10:18:00.0000	1631	1234
Thu Jul 06 2017 10:19:00.0000	1631	1188
Thu Jul 06 2017 10:20:00.0000	1628	1420
Thu Jul 06 2017 10:21:00.0000	1629	1174

Date/Time	Process Temperature (°F)	Process Flow SCFM
Thu Jul 06 2017 10:22:00.0000	1629	1180
Thu Jul 06 2017 10:23:00.0000	1630	1263
Thu Jul 06 2017 10:24:00.0000	1628	1302
Thu Jul 06 2017 10:25:00.0000	1627	1218
Thu Jul 06 2017 10:26:00.0000	1628	1298
Thu Jul 06 2017 10:27:00.0000	1630	1221
Thu Jul 06 2017 10:28:00.0000	1629	1225
Thu Jul 06 2017 10:29:00.0000	1627	1394
Thu Jul 06 2017 10:30:00.0000	1628	1274
Thu Jul 06 2017 10:31:00.0000	1629	1143
Thu Jul 06 2017 10:32:00.0000	1631	1312
Thu Jul 06 2017 10:33:00.0000	1629	1341
Thu Jul 06 2017 10:34:00.0000	1628	1448
Thu Jul 06 2017 10:35:00.0000	1629	1120
Thu Jul 06 2017 10:36:00.0000	1631	1202
Thu Jul 06 2017 10:37:00.0000	1630	1257
Thu Jul 06 2017 10:38:00.0000	1628	1236
Thu Jul 06 2017 10:39:00.0000	1629	1145
Thu Jul 06 2017 10:40:00.0000	1631	1200
Thu Jul 06 2017 10:41:00.0000	1631	1300
Thu Jul 06 2017 10:42:00.0000	1629	1251
Thu Jul 06 2017 10:43:00.0000	1628	1360
Thu Jul 06 2017 10:44:00.0000	1630	1172
Thu Jul 06 2017 10:45:00.0000	1632	1263
Thu Jul 06 2017 10:46:00.0000	1631	1211
Thu Jul 06 2017 10:47:00.0000	1629	1326
Thu Jul 06 2017 10:48:00.0000	1630	1269
Thu Jul 06 2017 10:49:00.0000	1631	1174
Thu Jul 06 2017 10:50:00.0000	1632	1276
Thu Jul 06 2017 10:51:00.0000	1630	1291
Thu Jul 06 2017 10:52:00.0000	1630	1440
Thu Jul 06 2017 10:53:00.0000	1630	1131
Thu Jul 06 2017 10:54:00.0000	1633	1188
Thu Jul 06 2017 10:55:00.0000	1631	1270
Thu Jul 06 2017 10:56:00.0000	1630	1260
Thu Jul 06 2017 10:57:00.0000	1631	1334
Thu Jul 06 2017 10:58:00.0000	1632	1109
Thu Jul 06 2017 10:59:00.0000	1630	1290
Thu Jul 06 2017 11:00:00.0000	1623	1276
Thu Jul 06 2017 11:01:00.0000	1620	1393
Thu Jul 06 2017 11:02:00.0000	1617	1046
Thu Jul 06 2017 11:03:00.0000	1615	1213
Thu Jul 06 2017 11:04:00.0000	1613	1350
Thu Jul 06 2017 11:05:00.0000	1610	1402
Thu Jul 06 2017 11:06:00.0000	1609	1162
Thu Jul 06 2017 11:07:00.0000	1608	1226
Thu Jul 06 2017 11:08:00.0000	1607	1347
Thu Jul 06 2017 11:09:00.0000	1604	1372
Thu Jul 06 2017 11:10:00.0000	1603	1447
Thu Jul 06 2017 11:11:00.0000	1603	1130
Thu Jul 06 2017 11:12:00.0000	1603	1246
Thu Jul 06 2017 11:13:00.0000	1603	1296
Thu Jul 06 2017 11:14:00.0000	1606	1456
Thu Jul 06 2017 11:15:00.0000	1610	1269
Thu Jul 06 2017 11:16:00.0000	1613	1269
Thu Jul 06 2017 11:17:00.0000	1616	1216
Thu Jul 06 2017 11:18:00.0000	1615	1414

Date/Time	Process Temperature (°F)	Process Flow SCFM
Thu Jul 06 2017 11:19:00.0000	1616	1293
Thu Jul 06 2017 11:20:00.0000	1617	1218
Thu Jul 06 2017 11:21:00.0000	1620	1377
Thu Jul 06 2017 11:22:00.0000	1620	1331
Thu Jul 06 2017 11:23:00.0000	1619	1311
Thu Jul 06 2017 11:24:00.0000	1621	1143
Thu Jul 06 2017 11:25:00.0000	1622	1274
Thu Jul 06 2017 11:26:00.0000	1624	1303
Thu Jul 06 2017 11:27:00.0000	1622	1363
Thu Jul 06 2017 11:28:00.0000	1623	1204
Thu Jul 06 2017 11:29:00.0000	1624	1329
Thu Jul 06 2017 11:30:00.0000	1626	1272
Thu Jul 06 2017 11:31:00.0000	1624	1212
Thu Jul 06 2017 11:32:00.0000	1623	1335
Thu Jul 06 2017 11:33:00.0000	1625	1173
Thu Jul 06 2017 11:34:00.0000	1627	1265
Thu Jul 06 2017 11:35:00.0000	1627	1309
Thu Jul 06 2017 11:36:00.0000	1625	1370
Thu Jul 06 2017 11:37:00.0000	1627	1130
Thu Jul 06 2017 11:38:00.0000	1627	1282
Thu Jul 06 2017 11:39:00.0000	1629	1323
Thu Jul 06 2017 11:40:00.0000	1627	1325
Thu Jul 06 2017 11:41:00.0000	1627	1399
Thu Jul 06 2017 11:42:00.0000	1628	1393
Thu Jul 06 2017 11:43:00.0000	1630	1308
Thu Jul 06 2017 11:44:00.0000	1629	1205
Thu Jul 06 2017 11:45:00.0000	1628	1421
Thu Jul 06 2017 11:46:00.0000	1629	1208
Thu Jul 06 2017 11:47:00.0000	1630	1180
Thu Jul 06 2017 11:48:00.0000	1631	1266
Thu Jul 06 2017 11:49:00.0000	1630	1351
Thu Jul 06 2017 11:50:00.0000	1629	1418
Thu Jul 06 2017 11:51:00.0000	1630	1441
Thu Jul 06 2017 11:52:00.0000	1633	1359
Thu Jul 06 2017 11:53:00.0000	1632	1344
Thu Jul 06 2017 11:54:00.0000	1629	1294
Thu Jul 06 2017 11:55:00.0000	1631	1271
Thu Jul 06 2017 11:56:00.0000	1632	1274
Thu Jul 06 2017 11:57:00.0000	1632	1284
Thu Jul 06 2017 11:58:00.0000	1623	1500
Thu Jul 06 2017 11:59:00.0000	1618	1216
Thu Jul 06 2017 12:00:00.0000	1614	1163
Thu Jul 06 2017 12:01:00.0000	1611	1324
Thu Jul 06 2017 12:02:00.0000	1609	1254
Thu Jul 06 2017 12:03:00.0000	1607	1289
Thu Jul 06 2017 12:04:00.0000	1607	1151
Thu Jul 06 2017 12:05:00.0000	1607	1268
Thu Jul 06 2017 12:06:00.0000	1606	1212
Thu Jul 06 2017 12:07:00.0000	1603	1398
Thu Jul 06 2017 12:08:00.0000	1603	1221
Thu Jul 06 2017 12:09:00.0000	1603	1230
Thu Jul 06 2017 12:10:00.0000	1603	1295
Thu Jul 06 2017 12:11:00.0000	1603	1322
Thu Jul 06 2017 12:12:00.0000	1606	1415
Thu Jul 06 2017 12:13:00.0000	1611	1169
Thu Jul 06 2017 12:14:00.0000	1615	1211
Thu Jul 06 2017 12:15:00.0000	1617	1298

Date/Time	Process Temperature (°F)	Process Flow SCFM
Thu Jul 06 2017 12:16:00.0000	1616	1283
Thu Jul 06 2017 12:17:00.0000	1618	1119
Thu Jul 06 2017 12:18:00.0000	1620	1230
Thu Jul 06 2017 12:19:00.0000	1623	1349
Thu Jul 06 2017 12:20:00.0000	1622	1350
Thu Jul 06 2017 12:21:00.0000	1621	1345
Thu Jul 06 2017 12:22:00.0000	1623	1181
Thu Jul 06 2017 12:23:00.0000	1625	1180
Thu Jul 06 2017 12:24:00.0000	1626	1352
Thu Jul 06 2017 12:25:00.0000	1624	1385
Thu Jul 06 2017 12:26:00.0000	1625	1215
Thu Jul 06 2017 12:27:00.0000	1627	1233
Thu Jul 06 2017 12:28:00.0000	1629	1338
Thu Jul 06 2017 12:29:00.0000	1627	1321
Thu Jul 06 2017 12:30:00.0000	1626	1461
Thu Jul 06 2017 12:31:00.0000	1628	1381
Thu Jul 06 2017 12:32:00.0000	1630	1211
Thu Jul 06 2017 12:33:00.0000	1629	1296
Thu Jul 06 2017 12:34:00.0000	1628	1453
Thu Jul 06 2017 12:35:00.0000	1629	1164
Thu Jul 06 2017 12:36:00.0000	1631	1266
Thu Jul 06 2017 12:37:00.0000	1632	1365
Thu Jul 06 2017 12:38:00.0000	1630	1325
Thu Jul 06 2017 12:39:00.0000	1630	1255
Thu Jul 06 2017 12:40:00.0000	1631	1163
Thu Jul 06 2017 12:41:00.0000	1634	1270
Thu Jul 06 2017 12:42:00.0000	1626	1302
Thu Jul 06 2017 12:43:00.0000	1621	1331
Thu Jul 06 2017 12:44:00.0000	1617	1055
Thu Jul 06 2017 12:45:00.0000	1615	1245
Thu Jul 06 2017 12:46:00.0000	1612	1322
Thu Jul 06 2017 12:47:00.0000	1610	1222
Thu Jul 06 2017 12:48:00.0000	1609	1443
Thu Jul 06 2017 12:49:00.0000	1609	1177
Thu Jul 06 2017 12:50:00.0000	1608	1347
Thu Jul 06 2017 12:51:00.0000	1606	1325
Thu Jul 06 2017 12:52:00.0000	1604	1246
Thu Jul 06 2017 12:53:00.0000	1604	1157
Thu Jul 06 2017 12:54:00.0000	1604	1267
Thu Jul 06 2017 12:55:00.0000	1603	1203
Thu Jul 06 2017 12:56:00.0000	1602	1307
Thu Jul 06 2017 12:57:00.0000	1611	1407
Thu Jul 06 2017 12:58:00.0000	1617	1081
Thu Jul 06 2017 12:59:00.0000	1625	1335
Thu Jul 06 2017 13:00:00.0000	1627	1343
Thu Jul 06 2017 13:01:00.0000	1629	1368
Thu Jul 06 2017 13:02:00.0000	1631	1169
Thu Jul 06 2017 13:03:00.0000	1634	1163
Thu Jul 06 2017 13:04:00.0000	1627	1315
Thu Jul 06 2017 13:05:00.0000	1621	1292
Thu Jul 06 2017 13:06:00.0000	1618	1199
Thu Jul 06 2017 13:07:00.0000	1615	1187
Thu Jul 06 2017 13:08:00.0000	1613	1305
Thu Jul 06 2017 13:09:00.0000	1610	1395
Thu Jul 06 2017 13:10:00.0000	1609	1415
Thu Jul 06 2017 13:11:00.0000	1608	1274
Thu Jul 06 2017 13:12:00.0000	1607	1287

Date/Time	Process Temperature (°F)	Process Flow SCFM
Thu Jul 06 2017 13:13:00.0000	1605	1280
Thu Jul 06 2017 13:14:00.0000	1603	1386
Thu Jul 06 2017 13:15:00.0000	1603	1127
Thu Jul 06 2017 13:16:00.0000	1602	1275
Thu Jul 06 2017 13:17:00.0000	1603	1371
Thu Jul 06 2017 13:18:00.0000	1606	1252
Thu Jul 06 2017 13:19:00.0000	1610	1141
Thu Jul 06 2017 13:20:00.0000	1613	1217
Thu Jul 06 2017 13:21:00.0000	1617	1227
Thu Jul 06 2017 13:22:00.0000	1617	1311
Thu Jul 06 2017 13:23:00.0000	1617	1335
Thu Jul 06 2017 13:24:00.0000	1619	1318
Thu Jul 06 2017 13:25:00.0000	1623	1319
Thu Jul 06 2017 13:26:00.0000	1623	1301
Thu Jul 06 2017 13:27:00.0000	1622	1334
Thu Jul 06 2017 13:28:00.0000	1623	1177
Thu Jul 06 2017 13:29:00.0000	1625	1188
Thu Jul 06 2017 13:30:00.0000	1627	1312
Thu Jul 06 2017 13:31:00.0000	1626	1220
Thu Jul 06 2017 13:32:00.0000	1625	1357
Thu Jul 06 2017 13:33:00.0000	1627	1199
Thu Jul 06 2017 13:34:00.0000	1630	1310
Thu Jul 06 2017 13:35:00.0000	1629	1293
Thu Jul 06 2017 13:36:00.0000	1627	1328
Thu Jul 06 2017 13:37:00.0000	1629	1427
Thu Jul 06 2017 13:38:00.0000	1630	1295
Thu Jul 06 2017 13:39:00.0000	1632	1359
Thu Jul 06 2017 13:40:00.0000	1631	1307
Thu Jul 06 2017 13:41:00.0000	1630	1261
Thu Jul 06 2017 13:42:00.0000	1632	1258
Thu Jul 06 2017 13:43:00.0000	1632	1264
Thu Jul 06 2017 13:44:00.0000	1624	1336
Thu Jul 06 2017 13:45:00.0000	1620	1459
Thu Jul 06 2017 13:46:00.0000	1618	1302
Thu Jul 06 2017 13:47:00.0000	1616	1263
Thu Jul 06 2017 13:48:00.0000	1615	1294
Thu Jul 06 2017 13:49:00.0000	1612	1415
Thu Jul 06 2017 13:50:00.0000	1611	1327
Thu Jul 06 2017 13:51:00.0000	1610	1205
Thu Jul 06 2017 13:52:00.0000	1609	1206
Thu Jul 06 2017 13:53:00.0000	1607	1256
Thu Jul 06 2017 13:54:00.0000	1605	1419
Thu Jul 06 2017 13:55:00.0000	1605	1194
Thu Jul 06 2017 13:56:00.0000	1605	1212
Thu Jul 06 2017 13:57:00.0000	1604	1375
Thu Jul 06 2017 13:58:00.0000	1602	1374
Thu Jul 06 2017 13:59:00.0000	1607	1219
Thu Jul 06 2017 14:00:00.0000	1611	1154
Thu Jul 06 2017 14:01:00.0000	1616	1257
Thu Jul 06 2017 14:02:00.0000	1616	1130
Thu Jul 06 2017 14:03:00.0000	1616	1406
Thu Jul 06 2017 14:04:00.0000	1619	1256
Thu Jul 06 2017 14:05:00.0000	1622	1271
Thu Jul 06 2017 14:06:00.0000	1623	1315
Thu Jul 06 2017 14:07:00.0000	1621	1386
Thu Jul 06 2017 14:08:00.0000	1623	1224
Thu Jul 06 2017 14:09:00.0000	1624	1176

Date/Time	Process Temperature (°F)	Process Flow SCFM
Thu Jul 06 2017 14:10:00.0000	1627	1275
Thu Jul 06 2017 14:11:00.0000	1626	1346
Thu Jul 06 2017 14:12:00.0000	1625	1259
Thu Jul 06 2017 14:13:00.0000	1627	1236
Thu Jul 06 2017 14:14:00.0000	1629	1188
Thu Jul 06 2017 14:15:00.0000	1629	1354
Thu Jul 06 2017 14:16:00.0000	1628	1336
Thu Jul 06 2017 14:17:00.0000	1629	1433
Thu Jul 06 2017 14:18:00.0000	1630	1147
Thu Jul 06 2017 14:19:00.0000	1632	1322
Thu Jul 06 2017 14:20:00.0000	1631	1455
Thu Jul 06 2017 14:21:00.0000	1630	1412
Thu Jul 06 2017 14:22:00.0000	1631	1187
Thu Jul 06 2017 14:23:00.0000	1634	1204
Thu Jul 06 2017 14:24:00.0000	1628	1345
Thu Jul 06 2017 14:25:00.0000	1622	1357
Thu Jul 06 2017 14:26:00.0000	1618	1268
Thu Jul 06 2017 14:27:00.0000	1616	1184
Thu Jul 06 2017 14:28:00.0000	1613	1306
Thu Jul 06 2017 14:29:00.0000	1611	1381
Thu Jul 06 2017 14:30:00.0000	1610	1506
Thu Jul 06 2017 14:31:00.0000	1609	1194
Thu Jul 06 2017 14:32:00.0000	1609	1281
Thu Jul 06 2017 14:33:00.0000	1607	1268
Thu Jul 06 2017 14:34:00.0000	1605	1472
Thu Jul 06 2017 14:35:00.0000	1605	1237
Thu Jul 06 2017 14:36:00.0000	1604	1163
Thu Jul 06 2017 14:37:00.0000	1604	1166
Thu Jul 06 2017 14:38:00.0000	1602	1230
Thu Jul 06 2017 14:39:00.0000	1607	1363
Thu Jul 06 2017 14:40:00.0000	1615	1164
Thu Jul 06 2017 14:41:00.0000	1625	1158
Thu Jul 06 2017 14:42:00.0000	1628	1318
Thu Jul 06 2017 14:43:00.0000	1628	1344
Thu Jul 06 2017 14:44:00.0000	1632	1162
Thu Jul 06 2017 14:45:00.0000	1635	1265
Thu Jul 06 2017 14:46:00.0000	1631	1400
Thu Jul 06 2017 14:47:00.0000	1623	1320
Thu Jul 06 2017 14:48:00.0000	1619	1364
Thu Jul 06 2017 14:49:00.0000	1616	1138
Thu Jul 06 2017 14:50:00.0000	1614	1256
Thu Jul 06 2017 14:51:00.0000	1612	1300
Thu Jul 06 2017 14:52:00.0000	1609	1423
Thu Jul 06 2017 14:53:00.0000	1608	1246
Thu Jul 06 2017 14:54:00.0000	1607	1314
Thu Jul 06 2017 14:55:00.0000	1606	1283
Thu Jul 06 2017 14:56:00.0000	1604	1354
Thu Jul 06 2017 14:57:00.0000	1603	1386
Thu Jul 06 2017 14:58:00.0000	1603	1311
Thu Jul 06 2017 14:59:00.0000	1603	1316
Thu Jul 06 2017 15:00:00.0000	1603	1350
Thu Jul 06 2017 15:01:00.0000	1606	1415
Thu Jul 06 2017 15:02:00.0000	1611	1261
Thu Jul 06 2017 15:03:00.0000	1614	1427
Thu Jul 06 2017 15:04:00.0000	1616	1300
Thu Jul 06 2017 15:05:00.0000	1615	1496
Thu Jul 06 2017 15:06:00.0000	1617	1469

Date/Time	Process Temperature (°F)	Process Flow SCFM
Thu Jul 06 2017 15:07:00.0000	1618	1366
Thu Jul 06 2017 15:08:00.0000	1621	1209
Thu Jul 06 2017 15:09:00.0000	1621	1454
Thu Jul 06 2017 15:10:00.0000	1619	1368
Thu Jul 06 2017 15:11:00.0000	1621	1257
Thu Jul 06 2017 15:12:00.0000	1623	1365
Thu Jul 06 2017 15:13:00.0000	1624	1333
Thu Jul 06 2017 15:14:00.0000	1623	1355
Thu Jul 06 2017 15:15:00.0000	1623	1306
Thu Jul 06 2017 15:16:00.0000	1624	1306
Thu Jul 06 2017 15:17:00.0000	1627	1322
Thu Jul 06 2017 15:18:00.0000	1626	1169
Thu Jul 06 2017 15:19:00.0000	1624	1458
Thu Jul 06 2017 15:20:00.0000	1626	1078
Thu Jul 06 2017 15:21:00.0000	1628	1289
Thu Jul 06 2017 15:22:00.0000	1628	1358
Thu Jul 06 2017 15:23:00.0000	1626	1453
Thu Jul 06 2017 15:24:00.0000	1627	1432
Thu Jul 06 2017 15:25:00.0000	1628	1188
Thu Jul 06 2017 15:26:00.0000	1630	1226
Thu Jul 06 2017 15:27:00.0000	1629	1305
Thu Jul 06 2017 15:28:00.0000	1627	1337
Thu Jul 06 2017 15:29:00.0000	1629	1459
Thu Jul 06 2017 15:30:00.0000	1631	1275
Thu Jul 06 2017 15:31:00.0000	1631	1328
Thu Jul 06 2017 15:32:00.0000	1629	1309
Thu Jul 06 2017 15:33:00.0000	1630	1358
Thu Jul 06 2017 15:34:00.0000	1631	1303
Thu Jul 06 2017 15:35:00.0000	1633	1412
Thu Jul 06 2017 15:36:00.0000	1631	1306
Thu Jul 06 2017 15:37:00.0000	1630	1348
Thu Jul 06 2017 15:38:00.0000	1631	1291
Thu Jul 06 2017 15:39:00.0000	1633	1333
Thu Jul 06 2017 15:40:00.0000	1633	1355
Thu Jul 06 2017 15:41:00.0000	1631	1418
Thu Jul 06 2017 15:42:00.0000	1631	1287
Thu Jul 06 2017 15:43:00.0000	1632	1221
Thu Jul 06 2017 15:44:00.0000	1632	1337
Thu Jul 06 2017 15:45:00.0000	1625	1301
Thu Jul 06 2017 15:46:00.0000	1622	1392
Thu Jul 06 2017 15:47:00.0000	1619	1351
Thu Jul 06 2017 15:48:00.0000	1618	1357
Thu Jul 06 2017 15:49:00.0000	1616	1304
Thu Jul 06 2017 15:50:00.0000	1613	1412
Thu Jul 06 2017 15:51:00.0000	1612	1369
Thu Jul 06 2017 15:52:00.0000	1611	1230
Thu Jul 06 2017 15:53:00.0000	1611	1337
Thu Jul 06 2017 15:54:00.0000	1608	1209
Thu Jul 06 2017 15:55:00.0000	1607	1342
Thu Jul 06 2017 15:56:00.0000	1606	1337
Thu Jul 06 2017 15:57:00.0000	1606	1325
Thu Jul 06 2017 15:58:00.0000	1605	1338
Thu Jul 06 2017 15:59:00.0000	1603	1298
Thu Jul 06 2017 16:00:00.0000	1604	1169
Thu Jul 06 2017 16:01:00.0000	1609	1180
Thu Jul 06 2017 16:02:00.0000	1615	1311
Thu Jul 06 2017 16:03:00.0000	1616	1287

Date/Time	Process Temperature (°F)	Process Flow SCFM
Thu Jul 06 2017 16:04:00.0000	1616	1425
Thu Jul 06 2017 16:05:00.0000	1618	1498
Thu Jul 06 2017 16:06:00.0000	1621	1308
Thu Jul 06 2017 16:07:00.0000	1623	1330
Thu Jul 06 2017 16:08:00.0000	1621	1325
Thu Jul 06 2017 16:09:00.0000	1622	1214
Thu Jul 06 2017 16:10:00.0000	1624	1373
Thu Jul 06 2017 16:11:00.0000	1627	1259
Thu Jul 06 2017 16:12:00.0000	1625	1255
Thu Jul 06 2017 16:13:00.0000	1624	1421
Thu Jul 06 2017 16:14:00.0000	1626	1283
Thu Jul 06 2017 16:15:00.0000	1628	1297
Thu Jul 06 2017 16:16:00.0000	1629	1348
Thu Jul 06 2017 16:17:00.0000	1627	1328
Thu Jul 06 2017 16:18:00.0000	1628	1261
Thu Jul 06 2017 16:19:00.0000	1629	1247
Thu Jul 06 2017 16:20:00.0000	1631	1357
Thu Jul 06 2017 16:21:00.0000	1630	1419
Thu Jul 06 2017 16:22:00.0000	1629	1351
Thu Jul 06 2017 16:23:00.0000	1631	1304
Thu Jul 06 2017 16:24:00.0000	1632	1326
Thu Jul 06 2017 16:25:00.0000	1633	1370
Thu Jul 06 2017 16:26:00.0000	1630	1263
Thu Jul 06 2017 16:27:00.0000	1632	1425
Thu Jul 06 2017 16:28:00.0000	1633	1298
Thu Jul 06 2017 16:29:00.0000	1630	1209
Thu Jul 06 2017 16:30:00.0000	1620	1477
Thu Jul 06 2017 16:31:00.0000	1614	1380
Thu Jul 06 2017 16:32:00.0000	1610	1216
Thu Jul 06 2017 16:33:00.0000	1606	1205
Thu Jul 06 2017 16:34:00.0000	1602	1330
Thu Jul 06 2017 16:35:00.0000	1604	1334
Thu Jul 06 2017 16:36:00.0000	1611	1269
Thu Jul 06 2017 16:37:00.0000	1614	1183
Thu Jul 06 2017 16:38:00.0000	1619	1386
Thu Jul 06 2017 16:39:00.0000	1619	1433
Thu Jul 06 2017 16:40:00.0000	1620	1359
Thu Jul 06 2017 16:41:00.0000	1622	1303
Thu Jul 06 2017 16:42:00.0000	1625	1339
Thu Jul 06 2017 16:43:00.0000	1626	1250
Thu Jul 06 2017 16:44:00.0000	1624	1363
Thu Jul 06 2017 16:45:00.0000	1626	1300
Thu Jul 06 2017 16:46:00.0000	1627	1288
Thu Jul 06 2017 16:47:00.0000	1629	1365
Thu Jul 06 2017 16:48:00.0000	1628	1431
Thu Jul 06 2017 16:49:00.0000	1628	1443
Thu Jul 06 2017 16:50:00.0000	1629	1414
Thu Jul 06 2017 16:51:00.0000	1631	1175
Thu Jul 06 2017 16:52:00.0000	1632	1392
Thu Jul 06 2017 16:53:00.0000	1630	1341
Thu Jul 06 2017 16:54:00.0000	1631	1330
Thu Jul 06 2017 16:55:00.0000	1632	1270
Thu Jul 06 2017 16:56:00.0000	1632	1327
Thu Jul 06 2017 16:57:00.0000	1624	1274
Thu Jul 06 2017 16:58:00.0000	1619	1438
Thu Jul 06 2017 16:59:00.0000	1616	1233
Thu Jul 06 2017 17:00:00.0000	1614	1312

Date/Time	Process Temperature (°F)	Process Flow SCFM
Thu Jul 06 2017 17:01:00.0000	1611	1294
Thu Jul 06 2017 17:02:00.0000	1607	1430
Thu Jul 06 2017 17:03:00.0000	1606	1365
Thu Jul 06 2017 17:04:00.0000	1605	1253
Thu Jul 06 2017 17:05:00.0000	1604	1392
Thu Jul 06 2017 17:06:00.0000	1602	1290
Thu Jul 06 2017 17:07:00.0000	1610	1380
Thu Jul 06 2017 17:08:00.0000	1618	1371
Thu Jul 06 2017 17:09:00.0000	1626	1237
Thu Jul 06 2017 17:10:00.0000	1630	1366
Thu Jul 06 2017 17:11:00.0000	1629	1413
Thu Jul 06 2017 17:12:00.0000	1632	1350
Thu Jul 06 2017 17:13:00.0000	1634	1314
Thu Jul 06 2017 17:14:00.0000	1632	1291
Thu Jul 06 2017 17:15:00.0000	1622	1393
Thu Jul 06 2017 17:16:00.0000	1617	1414
Thu Jul 06 2017 17:17:00.0000	1614	1294
Thu Jul 06 2017 17:18:00.0000	1611	1350
Thu Jul 06 2017 17:19:00.0000	1610	1220
Thu Jul 06 2017 17:20:00.0000	1607	1372
Thu Jul 06 2017 17:21:00.0000	1607	1373
Thu Jul 06 2017 17:22:00.0000	1606	1308
Thu Jul 06 2017 17:23:00.0000	1605	1330
Thu Jul 06 2017 17:24:00.0000	1603	1331
Thu Jul 06 2017 17:25:00.0000	1603	1417
Thu Jul 06 2017 17:26:00.0000	1607	1373
Thu Jul 06 2017 17:27:00.0000	1612	1331
Thu Jul 06 2017 17:28:00.0000	1615	1227
Thu Jul 06 2017 17:29:00.0000	1614	1290
Thu Jul 06 2017 17:30:00.0000	1616	1221
Thu Jul 06 2017 17:31:00.0000	1617	1393
Thu Jul 06 2017 17:32:00.0000	1620	1291
Thu Jul 06 2017 17:33:00.0000	1619	1319
Thu Jul 06 2017 17:34:00.0000	1618	1406
Thu Jul 06 2017 17:35:00.0000	1620	1411
Thu Jul 06 2017 17:36:00.0000	1622	1304
Thu Jul 06 2017 17:37:00.0000	1623	1287
Thu Jul 06 2017 17:38:00.0000	1621	1346
Thu Jul 06 2017 17:39:00.0000	1622	1298
Thu Jul 06 2017 17:40:00.0000	1623	1263
Thu Jul 06 2017 17:41:00.0000	1626	1305
Thu Jul 06 2017 17:42:00.0000	1624	1215
Thu Jul 06 2017 17:43:00.0000	1623	1394
Thu Jul 06 2017 17:44:00.0000	1625	1282
Thu Jul 06 2017 17:45:00.0000	1627	1288
Thu Jul 06 2017 17:46:00.0000	1627	1302
Thu Jul 06 2017 17:47:00.0000	1625	1370
Thu Jul 06 2017 17:48:00.0000	1626	1348
Thu Jul 06 2017 17:49:00.0000	1627	1383
Thu Jul 06 2017 17:50:00.0000	1629	1250
Thu Jul 06 2017 17:51:00.0000	1627	1408
Thu Jul 06 2017 17:52:00.0000	1626	1432
Thu Jul 06 2017 17:53:00.0000	1627	1274
Thu Jul 06 2017 17:54:00.0000	1629	1310
Thu Jul 06 2017 17:55:00.0000	1629	1241
Thu Jul 06 2017 17:56:00.0000	1627	1354
Thu Jul 06 2017 17:57:00.0000	1628	1344

Date/Time	Process Temperature (°F)	Process Flow SCFM
Thu Jul 06 2017 17:58:00.0000	1629	1432
Thu Jul 06 2017 17:59:00.0000	1631	1381
Thu Jul 06 2017 18:00:00.0000	1629	1446
Thu Jul 06 2017 18:01:00.0000	1628	1396
Thu Jul 06 2017 18:02:00.0000	1629	1376
Thu Jul 06 2017 18:03:00.0000	1631	1239
Thu Jul 06 2017 18:04:00.0000	1630	1243
Thu Jul 06 2017 18:05:00.0000	1628	1349
Thu Jul 06 2017 18:06:00.0000	1630	1362
Thu Jul 06 2017 18:07:00.0000	1630	1251
Thu Jul 06 2017 18:08:00.0000	1632	1236
Thu Jul 06 2017 18:09:00.0000	1630	1249
Thu Jul 06 2017 18:10:00.0000	1630	1389
Thu Jul 06 2017 18:11:00.0000	1630	1279
Thu Jul 06 2017 18:12:00.0000	1633	1300
Thu Jul 06 2017 18:13:00.0000	1632	1296
Thu Jul 06 2017 18:14:00.0000	1630	1419
Thu Jul 06 2017 18:15:00.0000	1632	1319
Thu Jul 06 2017 18:16:00.0000	1632	1371
Thu Jul 06 2017 18:17:00.0000	1633	1250
Thu Jul 06 2017 18:18:00.0000	1631	1372
Thu Jul 06 2017 18:19:00.0000	1632	1404
Thu Jul 06 2017 18:20:00.0000	1633	1296
Thu Jul 06 2017 18:21:00.0000	1629	1230
Thu Jul 06 2017 18:22:00.0000	1622	1388
Thu Jul 06 2017 18:23:00.0000	1618	1282
Thu Jul 06 2017 18:24:00.0000	1617	1222
Thu Jul 06 2017 18:25:00.0000	1615	1338
Thu Jul 06 2017 18:26:00.0000	1612	1412
Thu Jul 06 2017 18:27:00.0000	1610	1308
Thu Jul 06 2017 18:28:00.0000	1609	1245
Thu Jul 06 2017 18:29:00.0000	1608	1320
Thu Jul 06 2017 18:30:00.0000	1607	1322
Thu Jul 06 2017 18:31:00.0000	1604	1388
Thu Jul 06 2017 18:32:00.0000	1604	1375
Thu Jul 06 2017 18:33:00.0000	1603	1338
Thu Jul 06 2017 18:34:00.0000	1603	1337
Thu Jul 06 2017 18:35:00.0000	1604	1277
Thu Jul 06 2017 18:36:00.0000	1607	1332
Thu Jul 06 2017 18:37:00.0000	1611	1274
Thu Jul 06 2017 18:38:00.0000	1614	1334
Thu Jul 06 2017 18:39:00.0000	1615	1254
Thu Jul 06 2017 18:40:00.0000	1614	1363
Thu Jul 06 2017 18:41:00.0000	1616	1320
Thu Jul 06 2017 18:42:00.0000	1617	1523
Thu Jul 06 2017 18:43:00.0000	1619	1222
Thu Jul 06 2017 18:44:00.0000	1618	1373
Thu Jul 06 2017 18:45:00.0000	1618	1214
Thu Jul 06 2017 18:46:00.0000	1620	1334
Thu Jul 06 2017 18:47:00.0000	1622	1242
Thu Jul 06 2017 18:48:00.0000	1623	1273
Thu Jul 06 2017 18:49:00.0000	1621	1326
Thu Jul 06 2017 18:50:00.0000	1623	1381
Thu Jul 06 2017 18:51:00.0000	1624	1422
Thu Jul 06 2017 18:52:00.0000	1626	1197
Thu Jul 06 2017 18:53:00.0000	1624	1203
Thu Jul 06 2017 18:54:00.0000	1623	1306

Date/Time	Process Temperature (°F)	Process Flow SCFM
Thu Jul 06 2017 18:55:00.0000	1625	1184
Thu Jul 06 2017 18:56:00.0000	1627	1304
Thu Jul 06 2017 18:57:00.0000	1627	1189
Thu Jul 06 2017 18:58:00.0000	1625	1431
Thu Jul 06 2017 18:59:00.0000	1627	1204
Thu Jul 06 2017 19:00:00.0000	1627	1306
Thu Jul 06 2017 19:01:00.0000	1629	1299
Thu Jul 06 2017 19:02:00.0000	1627	1344
Thu Jul 06 2017 19:03:00.0000	1627	1289
Thu Jul 06 2017 19:04:00.0000	1628	1446
Thu Jul 06 2017 19:05:00.0000	1630	1250
Thu Jul 06 2017 19:06:00.0000	1629	1203
Thu Jul 06 2017 19:07:00.0000	1627	1395
Thu Jul 06 2017 19:08:00.0000	1629	1232
Thu Jul 06 2017 19:09:00.0000	1630	1343
Thu Jul 06 2017 19:10:00.0000	1631	1215
Thu Jul 06 2017 19:11:00.0000	1629	1340
Thu Jul 06 2017 19:12:00.0000	1629	1363
Thu Jul 06 2017 19:13:00.0000	1630	1173
Thu Jul 06 2017 19:14:00.0000	1632	1202
Thu Jul 06 2017 19:15:00.0000	1631	1197
Thu Jul 06 2017 19:16:00.0000	1629	1184
Thu Jul 06 2017 19:17:00.0000	1631	1025
Thu Jul 06 2017 19:18:00.0000	1632	1324
Thu Jul 06 2017 19:19:00.0000	1633	1259
Thu Jul 06 2017 19:20:00.0000	1631	1324
Thu Jul 06 2017 19:21:00.0000	1631	1348
Thu Jul 06 2017 19:22:00.0000	1632	1274
Thu Jul 06 2017 19:23:00.0000	1632	1237
Thu Jul 06 2017 19:24:00.0000	1625	1250
Thu Jul 06 2017 19:25:00.0000	1621	1421
Thu Jul 06 2017 19:26:00.0000	1618	1310
Thu Jul 06 2017 19:27:00.0000	1616	1256
Thu Jul 06 2017 19:28:00.0000	1614	1309
Thu Jul 06 2017 19:29:00.0000	1611	1420
Thu Jul 06 2017 19:30:00.0000	1609	1359
Thu Jul 06 2017 19:31:00.0000	1608	1330
Thu Jul 06 2017 19:32:00.0000	1607	1233
Thu Jul 06 2017 19:33:00.0000	1605	1141
Thu Jul 06 2017 19:34:00.0000	1603	1348
Thu Jul 06 2017 19:35:00.0000	1602	1128
Thu Jul 06 2017 19:36:00.0000	1607	1240
Thu Jul 06 2017 19:37:00.0000	1612	1179
Thu Jul 06 2017 19:38:00.0000	1612	1100
Thu Jul 06 2017 19:39:00.0000	1614	1338
Thu Jul 06 2017 19:40:00.0000	1616	1331
Thu Jul 06 2017 19:41:00.0000	1620	1225
Thu Jul 06 2017 19:42:00.0000	1620	1259
Thu Jul 06 2017 19:43:00.0000	1618	1340
Thu Jul 06 2017 19:44:00.0000	1621	1194
Thu Jul 06 2017 19:45:00.0000	1622	1142
Thu Jul 06 2017 19:46:00.0000	1624	1227
Thu Jul 06 2017 19:47:00.0000	1622	1363
Thu Jul 06 2017 19:48:00.0000	1622	1346
Thu Jul 06 2017 19:49:00.0000	1624	1217
Thu Jul 06 2017 19:50:00.0000	1626	1221
Thu Jul 06 2017 19:51:00.0000	1625	1230

Date/Time	Process Temperature (°F)	Process Flow SCFM
Thu Jul 06 2017 19:52:00.0000	1624	1246
Thu Jul 06 2017 19:53:00.0000	1626	1216
Thu Jul 06 2017 19:54:00.0000	1627	1237
Thu Jul 06 2017 19:55:00.0000	1628	1231
Thu Jul 06 2017 19:56:00.0000	1626	1268
Thu Jul 06 2017 19:57:00.0000	1626	1300
Thu Jul 06 2017 19:58:00.0000	1627	1217
Thu Jul 06 2017 19:59:00.0000	1629	1265
Thu Jul 06 2017 20:00:00.0000	1629	1214
Thu Jul 06 2017 20:01:00.0000	1628	1276
Thu Jul 06 2017 20:02:00.0000	1630	1325
Thu Jul 06 2017 20:03:00.0000	1631	1175
Thu Jul 06 2017 20:04:00.0000	1633	1297
Thu Jul 06 2017 20:05:00.0000	1631	1225
Thu Jul 06 2017 20:06:00.0000	1631	1415
Thu Jul 06 2017 20:07:00.0000	1632	1295
Thu Jul 06 2017 20:08:00.0000	1633	1262
Thu Jul 06 2017 20:09:00.0000	1623	1230
Thu Jul 06 2017 20:10:00.0000	1616	1350
Thu Jul 06 2017 20:11:00.0000	1612	1278
Thu Jul 06 2017 20:12:00.0000	1608	1234
Thu Jul 06 2017 20:13:00.0000	1604	1171
Thu Jul 06 2017 20:14:00.0000	1601	1277
Thu Jul 06 2017 20:15:00.0000	1606	1326
Thu Jul 06 2017 20:16:00.0000	1611	1286
Thu Jul 06 2017 20:17:00.0000	1616	1291
Thu Jul 06 2017 20:18:00.0000	1618	1209
Thu Jul 06 2017 20:19:00.0000	1617	1314
Thu Jul 06 2017 20:20:00.0000	1620	1180
Thu Jul 06 2017 20:21:00.0000	1622	1144
Thu Jul 06 2017 20:22:00.0000	1624	1221
Thu Jul 06 2017 20:23:00.0000	1622	1305
Thu Jul 06 2017 20:24:00.0000	1623	1403
Thu Jul 06 2017 20:25:00.0000	1624	1406
Thu Jul 06 2017 20:26:00.0000	1627	1232
Thu Jul 06 2017 20:27:00.0000	1626	1331
Thu Jul 06 2017 20:28:00.0000	1625	1331
Thu Jul 06 2017 20:29:00.0000	1627	1253
Thu Jul 06 2017 20:30:00.0000	1629	1168
Thu Jul 06 2017 20:31:00.0000	1629	1154
Thu Jul 06 2017 20:32:00.0000	1627	1393
Thu Jul 06 2017 20:33:00.0000	1629	1281
Thu Jul 06 2017 20:34:00.0000	1629	1298
Thu Jul 06 2017 20:35:00.0000	1631	1275
Thu Jul 06 2017 20:36:00.0000	1630	1282
Thu Jul 06 2017 20:37:00.0000	1629	1373
Thu Jul 06 2017 20:38:00.0000	1631	1155
Thu Jul 06 2017 20:39:00.0000	1633	1285
Thu Jul 06 2017 20:40:00.0000	1632	1177
Thu Jul 06 2017 20:41:00.0000	1629	1281
Thu Jul 06 2017 20:42:00.0000	1631	1299
Thu Jul 06 2017 20:43:00.0000	1632	1217
Thu Jul 06 2017 20:44:00.0000	1630	1256
Thu Jul 06 2017 20:45:00.0000	1622	1374
Thu Jul 06 2017 20:46:00.0000	1618	1321
Thu Jul 06 2017 20:47:00.0000	1615	1202
Thu Jul 06 2017 20:48:00.0000	1613	1227

Date/Time	Process Temperature (°F)	Process Flow SCFM
Thu Jul 06 2017 20:49:00.0000	1610	1208
Thu Jul 06 2017 20:50:00.0000	1607	1319
Thu Jul 06 2017 20:51:00.0000	1606	1329
Thu Jul 06 2017 20:52:00.0000	1605	1150
Thu Jul 06 2017 20:53:00.0000	1604	1203
Thu Jul 06 2017 20:54:00.0000	1601	1331
Thu Jul 06 2017 20:55:00.0000	1610	1231
Thu Jul 06 2017 20:56:00.0000	1616	1255
Thu Jul 06 2017 20:57:00.0000	1625	1256
Thu Jul 06 2017 20:58:00.0000	1628	1229
Thu Jul 06 2017 20:59:00.0000	1629	1376
Thu Jul 06 2017 21:00:00.0000	1633	1357
Thu Jul 06 2017 21:01:00.0000	1629	1290
Thu Jul 06 2017 21:02:00.0000	1626	1260
Thu Jul 06 2017 21:03:00.0000	1622	1358
Thu Jul 06 2017 21:04:00.0000	1619	1401
Thu Jul 06 2017 21:05:00.0000	1618	1245
Thu Jul 06 2017 21:06:00.0000	1618	1250
Thu Jul 06 2017 21:07:00.0000	1617	1125
Thu Jul 06 2017 21:08:00.0000	1615	1319
Thu Jul 06 2017 21:09:00.0000	1617	1288
Thu Jul 06 2017 21:10:00.0000	1617	1300
Thu Jul 06 2017 21:11:00.0000	1617	1314
Thu Jul 06 2017 21:12:00.0000	1616	1356
Thu Jul 06 2017 21:13:00.0000	1616	1298
Thu Jul 06 2017 21:14:00.0000	1616	1250
Thu Jul 06 2017 21:15:00.0000	1617	1209
Thu Jul 06 2017 21:16:00.0000	1616	1327
Thu Jul 06 2017 21:17:00.0000	1615	1310
Thu Jul 06 2017 21:18:00.0000	1615	1190
Thu Jul 06 2017 21:19:00.0000	1616	1376
Thu Jul 06 2017 21:20:00.0000	1616	1296
Thu Jul 06 2017 21:21:00.0000	1615	1234
Thu Jul 06 2017 21:22:00.0000	1614	1313
Thu Jul 06 2017 21:23:00.0000	1615	1247
Thu Jul 06 2017 21:24:00.0000	1616	1218
Thu Jul 06 2017 21:25:00.0000	1615	1304
Thu Jul 06 2017 21:26:00.0000	1613	1321
Thu Jul 06 2017 21:27:00.0000	1615	1279
Thu Jul 06 2017 21:28:00.0000	1615	1221
Thu Jul 06 2017 21:29:00.0000	1615	1176
Thu Jul 06 2017 21:30:00.0000	1614	1299
Thu Jul 06 2017 21:31:00.0000	1613	1330
Thu Jul 06 2017 21:32:00.0000	1614	1397
Thu Jul 06 2017 21:33:00.0000	1615	1224
Thu Jul 06 2017 21:34:00.0000	1614	1256
Thu Jul 06 2017 21:35:00.0000	1613	1386
Thu Jul 06 2017 21:36:00.0000	1614	1287
Thu Jul 06 2017 21:37:00.0000	1614	1273
Thu Jul 06 2017 21:38:00.0000	1615	1156
Thu Jul 06 2017 21:39:00.0000	1613	1277
Thu Jul 06 2017 21:40:00.0000	1612	1344
Thu Jul 06 2017 21:41:00.0000	1613	1421
Thu Jul 06 2017 21:42:00.0000	1615	1266
Thu Jul 06 2017 21:43:00.0000	1614	1182
Thu Jul 06 2017 21:44:00.0000	1612	1332
Thu Jul 06 2017 21:45:00.0000	1613	1268

Date/Time	Process Temperature (°F)	Process Flow SCFM
Thu Jul 06 2017 21:46:00.0000	1614	1251
Thu Jul 06 2017 21:47:00.0000	1614	1149
Thu Jul 06 2017 21:48:00.0000	1612	1343
Thu Jul 06 2017 21:49:00.0000	1612	1322
Thu Jul 06 2017 21:50:00.0000	1613	1183
Thu Jul 06 2017 21:51:00.0000	1614	1155
Thu Jul 06 2017 21:52:00.0000	1613	1244
Thu Jul 06 2017 21:53:00.0000	1612	1332
Thu Jul 06 2017 21:54:00.0000	1612	1240
Thu Jul 06 2017 21:55:00.0000	1613	1202
Thu Jul 06 2017 21:56:00.0000	1613	1273
Thu Jul 06 2017 21:57:00.0000	1611	1254
Thu Jul 06 2017 21:58:00.0000	1612	1169
Thu Jul 06 2017 21:59:00.0000	1612	1146
Thu Jul 06 2017 22:00:00.0000	1613	1225
Thu Jul 06 2017 22:01:00.0000	1612	1184
Thu Jul 06 2017 22:02:00.0000	1611	1309
Thu Jul 06 2017 22:03:00.0000	1612	1268
Thu Jul 06 2017 22:04:00.0000	1613	1211
Thu Jul 06 2017 22:05:00.0000	1613	1254
Thu Jul 06 2017 22:06:00.0000	1611	1300
Thu Jul 06 2017 22:07:00.0000	1611	1180
Thu Jul 06 2017 22:08:00.0000	1612	1247
Thu Jul 06 2017 22:09:00.0000	1613	1208
Thu Jul 06 2017 22:10:00.0000	1612	1271
Thu Jul 06 2017 22:11:00.0000	1611	1241
Thu Jul 06 2017 22:12:00.0000	1612	1213
Thu Jul 06 2017 22:13:00.0000	1613	1241
Thu Jul 06 2017 22:14:00.0000	1613	1241
Thu Jul 06 2017 22:15:00.0000	1611	1267
Thu Jul 06 2017 22:16:00.0000	1611	1195
Thu Jul 06 2017 22:17:00.0000	1612	1081
Thu Jul 06 2017 22:18:00.0000	1613	1215
Thu Jul 06 2017 22:19:00.0000	1612	1267
Thu Jul 06 2017 22:20:00.0000	1611	1297
Thu Jul 06 2017 22:21:00.0000	1612	1270
Thu Jul 06 2017 22:22:00.0000	1612	1350
Thu Jul 06 2017 22:23:00.0000	1612	1136
Thu Jul 06 2017 22:24:00.0000	1611	1281
Thu Jul 06 2017 22:25:00.0000	1611	1264
Thu Jul 06 2017 22:26:00.0000	1611	1264
Thu Jul 06 2017 22:27:00.0000	1612	1245
Thu Jul 06 2017 22:28:00.0000	1611	1267
Thu Jul 06 2017 22:29:00.0000	1610	1199
Thu Jul 06 2017 22:30:00.0000	1611	1289
Thu Jul 06 2017 22:31:00.0000	1612	1225
Thu Jul 06 2017 22:32:00.0000	1612	1160
Thu Jul 06 2017 22:33:00.0000	1610	1229
Thu Jul 06 2017 22:34:00.0000	1610	1172
Thu Jul 06 2017 22:35:00.0000	1611	1139
Thu Jul 06 2017 22:36:00.0000	1612	1156
Thu Jul 06 2017 22:37:00.0000	1611	1260
Thu Jul 06 2017 22:38:00.0000	1609	1275
Thu Jul 06 2017 22:39:00.0000	1610	1158
Thu Jul 06 2017 22:40:00.0000	1611	1251
Thu Jul 06 2017 22:41:00.0000	1611	1235
Thu Jul 06 2017 22:42:00.0000	1609	1305

Date/Time	Process Temperature (°F)	Process Flow SCFM
Thu Jul 06 2017 22:43:00.0000	1610	1247
Thu Jul 06 2017 22:44:00.0000	1610	1191
Thu Jul 06 2017 22:45:00.0000	1611	1189
Thu Jul 06 2017 22:46:00.0000	1610	1183
Thu Jul 06 2017 22:47:00.0000	1609	1233
Thu Jul 06 2017 22:48:00.0000	1610	1291
Thu Jul 06 2017 22:49:00.0000	1611	1205
Thu Jul 06 2017 22:50:00.0000	1611	1196
Thu Jul 06 2017 22:51:00.0000	1609	1248
Thu Jul 06 2017 22:52:00.0000	1609	1131
Thu Jul 06 2017 22:53:00.0000	1610	1160
Thu Jul 06 2017 22:54:00.0000	1611	1206
Thu Jul 06 2017 22:55:00.0000	1610	1110
Thu Jul 06 2017 22:56:00.0000	1609	1285
Thu Jul 06 2017 22:57:00.0000	1609	1125
Thu Jul 06 2017 22:58:00.0000	1610	1281
Thu Jul 06 2017 22:59:00.0000	1610	1242
Thu Jul 06 2017 23:00:00.0000	1609	1291
Thu Jul 06 2017 23:01:00.0000	1609	1127
Thu Jul 06 2017 23:02:00.0000	1610	1240
Thu Jul 06 2017 23:03:00.0000	1611	1166
Thu Jul 06 2017 23:04:00.0000	1610	1294
Thu Jul 06 2017 23:05:00.0000	1608	1265
Thu Jul 06 2017 23:06:00.0000	1609	1146
Thu Jul 06 2017 23:07:00.0000	1610	1108
Thu Jul 06 2017 23:08:00.0000	1610	1151
Thu Jul 06 2017 23:09:00.0000	1608	1325
Thu Jul 06 2017 23:10:00.0000	1609	1263
Thu Jul 06 2017 23:11:00.0000	1609	1113
Thu Jul 06 2017 23:12:00.0000	1611	1166
Thu Jul 06 2017 23:13:00.0000	1609	1218
Thu Jul 06 2017 23:14:00.0000	1608	1293
Thu Jul 06 2017 23:15:00.0000	1609	1148
Thu Jul 06 2017 23:16:00.0000	1610	1204
Thu Jul 06 2017 23:17:00.0000	1610	1182
Thu Jul 06 2017 23:18:00.0000	1608	1243
Thu Jul 06 2017 23:19:00.0000	1609	1199
Thu Jul 06 2017 23:20:00.0000	1609	1098
Thu Jul 06 2017 23:21:00.0000	1610	1186
Thu Jul 06 2017 23:22:00.0000	1609	1130
Thu Jul 06 2017 23:23:00.0000	1608	1253
Thu Jul 06 2017 23:24:00.0000	1609	1156
Thu Jul 06 2017 23:25:00.0000	1610	1200
Thu Jul 06 2017 23:26:00.0000	1610	1179
Thu Jul 06 2017 23:27:00.0000	1608	1222
Thu Jul 06 2017 23:28:00.0000	1609	1129
Thu Jul 06 2017 23:29:00.0000	1609	1153
Thu Jul 06 2017 23:30:00.0000	1610	1248
Thu Jul 06 2017 23:31:00.0000	1609	1283
Thu Jul 06 2017 23:32:00.0000	1608	1317
Thu Jul 06 2017 23:33:00.0000	1609	1142
Thu Jul 06 2017 23:34:00.0000	1610	1119
Thu Jul 06 2017 23:35:00.0000	1610	1254
Thu Jul 06 2017 23:36:00.0000	1608	1282
Thu Jul 06 2017 23:37:00.0000	1609	1146
Thu Jul 06 2017 23:38:00.0000	1610	1103
Thu Jul 06 2017 23:39:00.0000	1610	1210

Date/Time	Process Temperature (°F)	Process Flow SCFM
Thu Jul 06 2017 23:40:00.0000	1609	1223
Thu Jul 06 2017 23:41:00.0000	1608	1280
Thu Jul 06 2017 23:42:00.0000	1609	1187
Thu Jul 06 2017 23:43:00.0000	1610	1177
Thu Jul 06 2017 23:44:00.0000	1610	1157
Thu Jul 06 2017 23:45:00.0000	1608	1231
Thu Jul 06 2017 23:46:00.0000	1609	1267
Thu Jul 06 2017 23:47:00.0000	1610	1093
Thu Jul 06 2017 23:48:00.0000	1610	1244
Thu Jul 06 2017 23:49:00.0000	1608	1384
Thu Jul 06 2017 23:50:00.0000	1608	1354
Thu Jul 06 2017 23:51:00.0000	1609	1111
Thu Jul 06 2017 23:52:00.0000	1610	1276
Thu Jul 06 2017 23:53:00.0000	1609	1273
Thu Jul 06 2017 23:54:00.0000	1607	1287
Thu Jul 06 2017 23:55:00.0000	1609	1223
Thu Jul 06 2017 23:56:00.0000	1610	1158
Thu Jul 06 2017 23:57:00.0000	1610	1174
Thu Jul 06 2017 23:58:00.0000	1608	1368
Thu Jul 06 2017 23:59:00.0000	1608	1276

Table 2: Regenerative Thermal Oxidizer Effluent Analytical Result for June 2017

SFPP Norwalk Pump Station, Norwalk, California

Effluent Sample and Duplicate Collected on

6/7/2017 1:00:00 p.m.

Exhaust Flow (SCFM)

2051

Analyte	Analytical Method	VOC Discharge Limit (ppmv)	Postdilution Influent VOC Concentration	Effluent VOC Concentration (ppmv) ^a	In Compliance (Yes or No)	Number of Chloride Atoms in Compound	Emitted Chlorine Mass (pounds)
Total VOC as Hexane	TO-3	19.7	220.0	1.8 J	Yes	0	0.0000
Benzene	TO-15	4.00	1.10	0.0099	Yes	0	0.0000
Chloroform	TO-15	0.25	ND<0.052	ND<0.0021	Yes	3	0.0000
Carbon Tetrachloride	TO-15	0.20	ND<0.052	ND<0.0021	Yes	4	0.0000
1,4-Dioxane	TO-15	0.45	ND<0.26	ND<0.011	Yes	0	0.0000
1,4-Dichlorobenzene	TO-15	0.25	ND<0.052	ND<0.0021	Yes	2	0.0000
1,1-Dichloroethane	TO-15	0.50	0.007 J	ND<0.0021	Yes	2	0.0000
Ethylbenzene	TO-15	2.20	0.26	0.0026	Yes	0	0.0000
1,2-Dichloroethane	TO-15	0.20	0.021 J	ND<0.0021	Yes	2	0.0000
Methylene Chloride	TO-15	0.50	ND<0.052	ND<0.0021	Yes	1	0.0000
MTBE	TO-15	1.60	ND<0.052	ND<0.0021	Yes	0	0.0000
Tetrachloroethene	TO-15	0.50	0.011 J	ND<0.0021	Yes	4	0.0000
1,1,2-Trichloroethane	TO-15	0.25	ND<0.052	ND<0.0021	Yes	3	0.0000
Trichloroethene	TO-15	0.70	0.021 J	ND<0.0021	Yes	3	0.0000
Vinyl Chloride	TO-15	0.25	ND<0.052	ND<0.0021	Yes	1	0.0000
Naphthalene	TO-15	0.20	ND<0.26	0.0017 J	Yes	0	0.0000
Dichlorodifluoromethane	TO-15	--	ND<0.052	ND<0.0021	--	2	0.0000
Chloromethane	TO-15	--	ND<0.10	ND<0.0042	--	1	0.0000
1,2-Cl-1,1,2,2-F ethane (114)	TO-15	--	ND<0.052	ND<0.0021	--	2	0.0000
Bromomethane	TO-15	--	ND<0.052	0.0012 J	--	0	0.0000
Chloroethane	TO-15	--	ND<0.052	ND<0.0021	--	1	0.0000
Trichlorofluoromethane	TO-15	--	ND<0.052	ND<0.0021	--	3	0.0000
1,1-Dichloroethene	TO-15	--	ND<0.052	ND<0.0021	--	2	0.0000
Carbon Disulfide	TO-15	--	ND<0.26	0.042	--	0	0.0000
1,1,2-Cl-1,2,2-F ethane (113)	TO-15	--	ND<0.052	ND<0.0021	--	3	0.0000
Acetone	TO-15	--	0.14 J	0.023	--	0	0.0000

Table 2: Regenerative Thermal Oxidizer Effluent Analytical Result for June 2017

SFPP Norwalk Pump Station, Norwalk, California

Effluent Sample and Duplicate Collected on

6/7/2017 1:00:00 p.m.

Exhaust Flow (SCFM)

2051

Analyte	Analytical Method	VOC Discharge Limit (ppmv)	Postdilution Influent VOC Concentration	Effluent VOC Concentration (ppmv) ^a	In Compliance (Yes or No)	Number of Chloride Atoms in Compound	Emitted Chlorine Mass (pounds)
t-1,2-Dichloroethene	TO-15	--	ND<0.052	ND<0.0021	--	2	0.0000
c-1,2-Dichloroethene	TO-15	--	ND<0.052	ND<0.0021	--	2	0.0000
2-Butanone	TO-15	--	0.21	0.0074	--	0	0.0000
1,1,1-Trichloroethane	TO-15	--	ND<0.052	ND<0.0021	--	3	0.0000
1,2-Dichloropropane	TO-15	--	ND<0.052	ND<0.0021	--	2	0.0000
Bromodichloromethane	TO-15	--	ND<0.052	ND<0.0021	--	2	0.0000
c-1,3-Dichloropropene	TO-15	--	ND<0.052	ND<0.0021	--	2	0.0000
4-Methyl-2-Pentanone	TO-15	--	ND<0.052	ND<0.0021	--	0	0.0000
Toluene	TO-15	--	1.9	0.016	--	0	0.0000
t-1,3-Dichloropropene	TO-15	--	ND<0.052	ND<0.0021	--	2	0.0000
1,3-Dichloropropane	TO-15	--	ND<0.052	ND<0.0021	--	2	0.0000
2-Hexanone	TO-15	--	ND<0.052	ND<0.0021	--	0	0.0000
Dibromochloromethane	TO-15	--	ND<0.052	ND<0.0021	--	1	0.0000
1,2-Dibromoethane	TO-15	--	ND<0.052	ND<0.0021	--	0	0.0000
Chlorobenzene	TO-15	--	ND<0.052	ND<0.0021	--	1	0.0000
p,&m-Xylene	TO-15	--	1.1	0.014	--	0	0.0000
o-Xylene	TO-15	--	0.46	0.0064	--	0	0.0000
Styrene	TO-15	--	0.039 J	0.00047 J	--	0	0.0000
Bromoform	TO-15	--	ND<0.052	ND<0.0021	--	0	0.0000
Isopropyl Benzene	TO-15	--	0.019 J	0.00033 J	--	0	0.0000
1,1,2,2-Tetrachloroethane	TO-15	--	ND<0.10	ND<0.0042	--	4	0.0000
Benzyl Chloride	TO-15	--	ND<0.052	ND<0.0021	--	1	0.0000
1,2,3-Trichloropropane	TO-15	--	ND<0.052	ND<0.0021	--	3	0.0000
n-Propyl Benzene	TO-15	--	0.028 J	0.00046 J	--	0	0.0000
4-Ethyl Toluene	TO-15	--	0.18	0.0034	--	0	0.0000
1,3,5-Trimethylbenzene	TO-15	--	0.097 J	0.0016 J	--	0	0.0000

Table 2: Regenerative Thermal Oxidizer Effluent Analytical Result for June 2017

SFPP Norwalk Pump Station, Norwalk, California

Effluent Sample and Duplicate Collected on 6/7/2017 1:00:00 p.m.

Exhaust Flow (SCFM) 2051

Analyte	Analytical Method	VOC Discharge Limit (ppmv)	Postdilution Influent VOC Concentration	Effluent VOC Concentration (ppmv) ^a	In Compliance (Yes or No)	Number of Chloride Atoms in Compound	Emitted Chlorine Mass (pounds)
4-Chlorotoluene	TO-15	--	ND<0.052	ND<0.0021	--	1	0.0000
tert-Butylbenzene	TO-15	--	ND<0.052	ND<0.0021	--	0	0.0000
1,2,4-Trimethylbenzene	TO-15	--	0.097 J	0.0025 J	--	0	0.0000
sec-Butylbenzene	TO-15	--	ND<0.052	ND<0.0021	--	0	0.0000
p-Isopropyltoluene	TO-15	--	0.034 J	0.0020 J	--	0	0.0000
1,3-Dichlorobenzene	TO-15	--	ND<0.052	ND<0.0021	--	2	0.0000
1,4-Dichlorobenzene	TO-15	--	ND<0.052	ND<0.0021	--	2	0.0000
n-Butylbenzene	TO-15	--	0.0082 J	0.00042 J	--	0	0.0000
1,2-Dichlorobenzene	TO-15	--	ND<0.052	ND<0.0021	--	2	0.0000
1,2,4-Trichlorobenzene	TO-15	--	ND<0.10	ND<0.0042	--	3	0.0000
Hexachlorobutadiene	TO-15	--	ND<0.052	0.00024 J	--	6	0.0004
t-Butanol	TO-15	--	ND<0.26	0.0023 J	--	0	0.0000
n-Hexane	TO-15	--	7.1	0.049	--	0	0.0000
Isopropyl ether	TO-15	--	ND<0.26	ND<0.011	--	0	0.0000
t-Butyl ethyl ether	TO-15	--	ND<0.26	ND<0.011	--	0	0.0000
2,2-Dichloropropane	TO-15	--	ND<0.26	ND<0.011	--	2	0.0000
TAME	TO-15	--	ND<0.26	ND<0.011	--	0	0.0000
1,2,3-Trichlorobenzene	TO-15	--	ND	ND	--	3	0.0000
TOTAL MASS							0.0004

Notes:

^a If duplicates are collected, the highest concentration between the primary and duplicate sample are used.

-- = not applicable or not available

J = Estimated value exceeding method detection limit but less than reporting limit

ND<"X" = Not detected exceeding listed reporting limit

ND = not detected

ppmv = part(s) per million by volume

Table 2: Regenerative Thermal Oxidizer Effluent Analytical Result for June 2017

SFPP Norwalk Pump Station, Norwalk, California

Effluent Sample and Duplicate Collected on 6/7/2017 1:00:00 p.m.

Exhaust Flow (SCFM) 2051

Analyte	Analytical Method	VOC Discharge Limit (ppmv)	Postdilution Influent VOC Concentration	Effluent VOC Concentration (ppmv) ^a	In Compliance (Yes or No)	Number of Chloride Atoms in Compound	Emitted Chlorine Mass (pounds)
---------	-------------------	----------------------------	---	--	---------------------------	--------------------------------------	--------------------------------

TAME = tert amyl methyl ether

VOC = volatile organic compound

Table 3. Vapor Remediation System Operation Summary

SFPP Norwalk Pump Station, Norwalk, California

System Inspection Date	Cumulative Hours of Operation (hours)	Incremental Hours of Operation (hours)	Influent PID Reading (ppmv as hexane)	Influent (Postdilution) PID Reading (ppmv as hexane)	Effluent PID Reading (ppmv as hexane)	System Flow (SCFM)	Header Vacuum (in. H₂O)
6/6/2017	104,405	0	--	--	--	--	--
6/7/2017	104,426	21	574	588	0	2062	50
6/13/2017	104,568	142	810	868	0	1395	50
6/20/2017	104,735	167	856	886	0	1419	50
6/27/2017	104,810	75	550	620	0	1212	50
6/30/2017	104,875	65	1,092	859	0	1231	52
7/5/2017	104,998	123	742	750	0	1380	51

Notes:

^a The total mass removed is based on influent FID or PID readings, hours of operation, and flow rate.

-- = not applicable or not available

FID = flame ionization detector

in. H₂O = inch(es) of water

PID = photoionization detector

ppmv = part(s) per million by volume

SCFM = standard cubic foot (feet) per minute

TPH-g = total petroleum hydrocarbons quantified as gasoline (C4-C12)

Attachment A
Laboratory Analytical Report



June 19, 2017

CH2M HILL
ATTN: Eric Davis
1000 Wilshire Blvd., Suite 2100
Los Angeles, CA 90017



ADE-1461
EPA Methods TO3,
TO14A, TO15 SIM & SCAN
ASTM D1946



LA Cert #04140
EPA Methods TO3, TO14A, TO15, 25C/3C,
RSK-175

TX Cert T104704450-14-6
EPA Methods TO14A, TO15

UT Cert CA0133332015-3
EPA Methods TO3, TO14A, TO15, RSK-175

LABORATORY TEST RESULTS

Project Reference: SFPP - Norwalk Site
Lab Number: I060807-01/04

Enclosed are results for sample(s) received 6/08/17 by Air Technology Laboratories. Samples were received intact. Analyses were performed according to specifications on the chain of custody provided with the sample(s).

Report Narrative:

- Unless otherwise noted in the report, sample analyses were performed within method performance criteria and meet all requirements of the NELAC Standards.
- The enclosed results relate only to the sample(s).

Preliminary results were e-mailed to Eric Davis and Vladimir Carino 6/19/17.

ATL appreciates the opportunity to provide testing services to your company. If you have any questions regarding these results, please call me at (626) 964-4032.

Sincerely,

A handwritten signature in blue ink, appearing to read "Mark Johnson".

Mark Johnson
Operations Manager
MJohnson@AirTechLabs.com

Note: The cover letter is an integral part of this analytical report.

1060807-01 04

Air Technology Laboratories, Inc.
 18501 Gale Ave. #130
 City of Industry, CA 91748
 Tel: 626-964-4032
 Joann De La Ossa (JDeLaOssa@airtechlabs.com)

CHAIN OF CUSTODY RECORD

DATE: 6/7/17
 PAGE: 1 of 1

Section A Required Client Information:		Section B Required Project Information:		Section C Invoice Information:		Section D Sampler Information:	
Company: CH2M HILL Attention: Eric Davis		Report To: Eric Davis (eric.davis@ch2m.com)		Attention: Eric Davis		Sampler Name: James Dye	
Address: 1000 Wilshire Blvd, Suite 2100 Los Angeles, CA 90017		Copy To: Vladimir Carino (vcarino@ch2m.com)		Company Name: CH2M		Sampler Signature:	
Email To: eric.davis@ch2m.com vcarino@ch2m.com		Purchase Order No.:		Address: 1000 Wilshire Blvd, Suite 2100 Los Angeles, CA 90017		Sample Date: <u>6/7/17</u>	
Phone: 404-323-1600 Fax:		Project Name: SFPP Norwalk		Project Manager: Joann De La Ossa			

ITEM #	SAMPLE ID	LOCATION/ DESCRIPTION	MATRIX	SAMPLE TYPE (G-GRAB C-COMP)	SAMPLING		TOTAL # OF CONTAINERS	Analysis Test	CONTAINER TYPE			PRESERVATIVE			COMMENTS
					DATE	TIME			V	V	A	3	3	3	
									40	40	1000				
1	VEFF-06-07	Effluent (stack)	Vapor	G	6/7/17	1300	1	X X							Individually Certified 6-Liter SUMMA
2	VEFF-06-07D	Effluent (stack) (duplicate)	Vapor	G	6/7/17	1300	1	X X							Individually Certified 6-Liter SUMMA
3	VPOST-06-07	Influent (post-dilution)	Vapor	G	6/7/17	1400	1	X X							Individually Certified 1-Liter SUMMA
4	VINF-06-07	Influent (pre-dilution)	Vapor	G	6/7/17	1400	1	X X X							Batch Certified 1-Liter Summa Target analytes includes Historical VOCs and remaining ATLI list per subcontract
5															
6															
7															
8															
9															
10															
11															
12															


Relinquished by (Signature and Printed Name): Date / Time: 6/7/17 1430	Relinquished by (Signature and Printed Name): FED EX Date / Time: 6/7/17 1430	Turn Around Time (TAT): <input type="checkbox"/> A = Same Day <input type="checkbox"/> B = 24 Hours <input type="checkbox"/> C = 48 Hours <input type="checkbox"/> D = 72 Hours <input type="checkbox"/> E = 5 Workdays <input checked="" type="checkbox"/> E = 10 Workdays TAT Starts at 8 AM the following day if samples received after 3:00 PM.	Special Instruction:
Relinquished by (Signature and Printed Name): FED EX Date / Time: 6/8/17 12:10	Relinquished by (Signature and Printed Name): Date / Time: 6/8/17 12:10		
Relinquished by (Signature and Printed Name):	Relinquished by (Signature and Printed Name):		

Matrix:			Preservatives:			Container Type:			
W = Water	WW = Wastewater		H = HCl	N = HNO3	S = H2SO4	T = Tube	V = VOA	P = Pint	A = Amber
O = Oil	P = Product	S = Soil	Z = Zn(AC)2	O = NaOH	T = Na2S2O3	J = Jar	B = Tedlar	G = Glass	
Others/Specify:			Others/Specify:			M = Metal	P = Plastic	C = Can	

Client: CH2M Hill
 Attn: Eric Davis
 Project Name: SFPP Norwalk
 Project No.: NA
 Date Received: 06/08/17
 Matrix: Air
 Reporting Units: ppmv

EPA Method TO15

Lab No.:	I060807-01			I060807-02			I060807-03			I060807-04		
Client Sample I.D.:	VEFF-06-07			VEFF-06-07D			VPOST-06-07			VINP-06-07		
Date/Time Sampled:	6/7/17 13:00			6/7/17 13:00			6/7/17 14:00			6/7/17 14:10		
Date/Time Analyzed:	6/14/17 23:33			6/15/17 0:14			6/15/17 3:40			6/15/17 4:21		
QC Batch No.:	170614MS2A1			170614MS2A1			170614MS2A1			170614MS2A1		
Analyst Initials:	DT			DT			DT			DT		
Dilution Factor:	2.1			2.1			52			42		
ANALYTE	Result ppmv	RL ppmv	MDL ppmv	Result ppmv	RL ppmv	MDL ppmv	Result ppmv	RL ppmv	MDL ppmv	Result ppmv	RL ppmv	MDL ppmv
Dichlorodifluoromethane (12)	ND	0.0021	0.00032	ND	0.0021	0.00032	ND	0.052	0.0079	ND	0.042	0.0065
Chloromethane	ND	0.0042	0.00046	ND	0.0042	0.00046	ND	0.10	0.011	ND	0.084	0.0093
1,2-Di-1,1,2,2-F ethane (114)	ND	0.0021	0.00042	ND	0.0021	0.00042	ND	0.052	0.010	ND	0.042	0.0085
Vinyl Chloride	ND	0.0021	0.00034	ND	0.0021	0.00034	ND	0.052	0.0084	ND	0.042	0.0068
Bromomethane	0.0012 J	0.0021	0.00062	0.00095 J	0.0021	0.00062	ND	0.052	0.015	ND	0.042	0.012
Chloroethane	ND	0.0021	0.0018	ND	0.0021	0.0018	ND	0.052	0.043	ND	0.042	0.035
Trichlorofluoromethane (11)	ND	0.0021	0.00045	ND	0.0021	0.00045	ND	0.052	0.011	ND	0.042	0.0091
1,1-Dichloroethene	ND	0.0021	0.00048	ND	0.0021	0.00048	ND	0.052	0.012	ND	0.042	0.0096
Carbon Disulfide	0.042	0.011	0.00050	0.0014 J	0.011	0.00050	ND	0.26	0.012	ND	0.21	0.010
1,1,2-Di-1,2,2-F ethane (113)	ND	0.0021	0.00057	ND	0.0021	0.00057	ND	0.052	0.014	ND	0.042	0.011
Acetone	0.023	0.011	0.00061	0.019	0.011	0.00061	0.14 J	0.26	0.015	ND	0.21	0.012
Methylene Chloride	ND	0.0021	0.00060	ND	0.0021	0.00060	ND	0.052	0.015	ND	0.042	0.012
t-1,2-Dichloroethene	ND	0.0021	0.00063	ND	0.0021	0.00063	ND	0.052	0.015	ND	0.042	0.013
1,1-Dichloroethane	ND	0.0021	0.00029	ND	0.0021	0.00029	0.0070 J	0.052	0.0070	ND	0.042	0.0057
c-1,2-Dichloroethene	ND	0.0021	0.00041	ND	0.0021	0.00041	ND	0.052	0.0100	ND	0.042	0.0081
2-Butanone	0.0074	0.0021	0.0013	0.0074	0.0021	0.0013	0.21	0.052	0.032	ND	0.042	0.026
t-Butyl Methyl Ether (MTBE)	ND	0.0021	0.00047	ND	0.0021	0.00047	ND	0.052	0.012	ND	0.042	0.0094
Chloroform	ND	0.0021	0.00029	ND	0.0021	0.00029	ND	0.052	0.0072	ND	0.042	0.0059
1,1,1-Trichloroethane	ND	0.0021	0.00021	ND	0.0021	0.00021	ND	0.052	0.0052	ND	0.042	0.0042
Carbon Tetrachloride	ND	0.0021	0.00037	ND	0.0021	0.00037	ND	0.052	0.0090	ND	0.042	0.0073
Benzene	0.0099	0.0021	0.00020	0.0096	0.0021	0.00020	1.1	0.052	0.0050	0.96	0.042	0.0040
1,2-Dichloroethane	ND	0.0021	0.00016	ND	0.0021	0.00016	0.021 J	0.052	0.0038	0.0075 J	0.042	0.0031
Trichloroethene	ND	0.0021	0.00030	ND	0.0021	0.00030	ND	0.052	0.0073	ND	0.042	0.0060
1,2-Dichloropropane	ND	0.0021	0.00038	ND	0.0021	0.00038	ND	0.052	0.0093	ND	0.042	0.0076
Bromodichloromethane	ND	0.0021	0.00013	ND	0.0021	0.00013	ND	0.052	0.0031	ND	0.042	0.0025
c-1,3-Dichloropropene	ND	0.0021	0.00025	ND	0.0021	0.00025	ND	0.052	0.0062	ND	0.042	0.0050
4-Methyl-2-Pentanone	ND	0.0021	0.00014	ND	0.0021	0.00014	ND	0.052	0.0035	ND	0.042	0.0028
Toluene	0.016	0.0021	0.00017	0.016	0.0021	0.00017	1.9	0.052	0.0041	1.2	0.042	0.0033
t-1,3-Dichloropropene	ND	0.0021	0.00022	ND	0.0021	0.00022	ND	0.052	0.0053	ND	0.042	0.0043
1,1,2-Trichloroethane	ND	0.0021	0.00034	ND	0.0021	0.00034	ND	0.052	0.0083	ND	0.042	0.0068
1,3-Dichloropropane	ND	0.0021	0.00010	ND	0.0021	0.00010	ND	0.052	0.0026	ND	0.042	0.0021
Tetrachloroethene	ND	0.0021	0.00025	ND	0.0021	0.00025	0.011 J	0.052	0.0062	ND	0.042	0.0051
2-Hexanone	ND	0.0021	0.00043	ND	0.0021	0.00043	ND	0.052	0.011	ND	0.042	0.0087
Dibromochloromethane	ND	0.0021	0.00038	ND	0.0021	0.00038	ND	0.052	0.0094	ND	0.042	0.0077
1,2-Dibromoethane	ND	0.0021	0.00019	ND	0.0021	0.00019	ND	0.052	0.0047	ND	0.042	0.0038
Chlorobenzene	ND	0.0021	0.00016	ND	0.0021	0.00016	ND	0.052	0.0040	ND	0.042	0.0033
Ethylbenzene	0.0026	0.0021	0.00012	0.0026	0.0021	0.00012	0.26	0.052	0.0030	0.22	0.042	0.0024
p,&m-Xylene	0.014	0.0021	0.00024	0.014	0.0021	0.00024	1.1	0.052	0.0058	0.82	0.042	0.0048
o-Xylene	0.0064	0.0021	0.00026	0.0061	0.0021	0.00026	0.46	0.052	0.0063	0.35	0.042	0.0051



Client: CH2M Hill
 Attn: Eric Davis
 Project Name: SFPP Norwalk
 Project No.: NA
 Date Received: 06/08/17
 Matrix: Air
 Reporting Units: ppmv

EPA Method TO15												
Lab No.:	I060807-01			I060807-02			I060807-03			I060807-04		
Client Sample I.D.:	VEFF-06-07			VEFF-06-07D			VPOST-06-07			VINP-06-07		
Date/Time Sampled:	6/7/17 13:00			6/7/17 13:00			6/7/17 14:00			6/7/17 14:10		
Date/Time Analyzed:	6/14/17 23:33			6/15/17 0:14			6/15/17 3:40			6/15/17 4:21		
QC Batch No.:	170614MS2A1			170614MS2A1			170614MS2A1			170614MS2A1		
Analyst Initials:	DT			DT			DT			DT		
Dilution Factor:	2.1			2.1			52			42		
ANALYTE	Result ppmv	RL ppmv	MDL ppmv	Result ppmv	RL ppmv	MDL ppmv	Result ppmv	RL ppmv	MDL ppmv	Result ppmv	RL ppmv	MDL ppmv
Styrene	ND	0.0021	0.00027	0.00047 J	0.0021	0.00027	0.039 J	0.052	0.0066	0.019 J	0.042	0.0054
Bromoform	ND	0.0021	0.00012	ND	0.0021	0.00012	ND	0.052	0.0029	ND	0.042	0.0023
Isopropyl benzene	0.00033 J	0.0021	0.00022	0.00032 J	0.0021	0.00022	0.019 J	0.052	0.0054	0.019 J	0.042	0.0044
1,1,2,2-Tetrachloroethane	ND	0.0042	0.00013	ND	0.0042	0.00013	ND	0.10	0.0032	ND	0.084	0.0026
Benzyl Chloride	ND	0.0021	0.00039	ND	0.0021	0.00039	ND	0.052	0.0095	ND	0.042	0.0077
1,2,3-Trichloropropane	ND	0.0021	0.00057	ND	0.0021	0.00057	ND	0.052	0.014	ND	0.042	0.011
n-Propyl Benzene	0.00046 J	0.0021	0.00012	0.00042 J	0.0021	0.00012	0.028 J	0.052	0.0030	0.023 J	0.042	0.0024
4-Ethyl Toluene	0.0033	0.0021	0.00013	0.0034	0.0021	0.00013	0.18	0.052	0.0033	0.13	0.042	0.0027
1,3,5-Trimethylbenzene	0.0016 J	0.0042	0.00036	0.0016 J	0.0042	0.00036	0.097 J	0.10	0.0089	0.069 J	0.084	0.0073
4-Chlorotoluene	ND	0.0021	0.00025	ND	0.0021	0.00025	ND	0.052	0.0061	ND	0.042	0.0050
tert-Butylbenzene	ND	0.0021	0.00019	0.00041 J	0.0021	0.00019	ND	0.052	0.0047	ND	0.042	0.0038
1,2,4-Trimethylbenzene	0.0025 J	0.0042	0.00024	0.0025 J	0.0042	0.00024	0.097 J	0.10	0.0059	0.067 J	0.084	0.0048
sec-Butylbenzene	ND	0.0021	0.00020	ND	0.0021	0.00020	ND	0.052	0.0050	0.0047 J	0.042	0.0041
p-Isopropyltoluene	0.0020 J	0.0021	0.00027	0.00039 J	0.0021	0.00027	0.034 J	0.052	0.0067	0.022 J	0.042	0.0055
1,3-Dichlorobenzene	ND	0.0021	0.00026	ND	0.0021	0.00026	ND	0.052	0.0063	ND	0.042	0.0051
1,4-Dichlorobenzene	ND	0.0021	0.00031	ND	0.0021	0.00031	ND	0.052	0.0075	0.0083 J	0.042	0.0061
n-Butylbenzene	0.00042 J	0.0021	0.00015	ND	0.0021	0.00015	0.0082 J	0.052	0.0038	0.0061 J	0.042	0.0031
1,2-Dichlorobenzene	ND	0.0021	0.00026	ND	0.0021	0.00026	ND	0.052	0.0064	ND	0.042	0.0052
1,2,4-Trichlorobenzene	ND	0.0042	0.00035	ND	0.0042	0.00035	ND	0.10	0.0085	ND	0.084	0.0070
Hexachlorobutadiene	0.00024 J	0.0021	0.00012	ND	0.0021	0.00012	ND	0.052	0.0030	ND	0.042	0.0025
t-Butanol	ND	0.011	0.00040	0.0023 J	0.011	0.00040	ND	0.26	0.0099	ND	0.21	0.0081
n-Hexane	0.049	0.011	0.00028	0.046	0.011	0.00028	7.1	0.26	0.0069	6.7	0.21	0.0057
Isopropyl ether	ND	0.011	0.00023	ND	0.011	0.00023	ND	0.26	0.0057	ND	0.21	0.0047
t-Butyl ethyl ether	ND	0.011	0.00042	ND	0.011	0.00042	ND	0.26	0.010	ND	0.21	0.0084
2,2-Dichloropropane	ND	0.011	0.00020	ND	0.011	0.00020	ND	0.26	0.0049	ND	0.21	0.0040
t-Amyl methyl ether	ND	0.011	0.00015	ND	0.011	0.00015	ND	0.26	0.0036	ND	0.21	0.0030
1,4-Dioxane	ND	0.011	0.00037	ND	0.011	0.00037	ND	0.26	0.0090	ND	0.21	0.0074
Naphthalene	0.0016 J	0.011	0.00081	0.0017 J	0.011	0.00081	ND	0.26	0.020	ND	0.21	0.016
1,2,3-Trichlorobenzene (TIC)	ND	--	--	ND	--	--	ND	--	--	ND	--	--

MDL = Method Detection Limit
 ND= Not Detected (below MDL)
 RL = Reporting Limit
 J = Trace amount. Analyte concentration between RL and MDL.

Reviewed/Approved By: Mark Johnson
 Mark Johnson
 Operations Manager

Date 6/14/17


The cover letter is an integral part of this analytical report



Client: CH2M Hill
 Attn: Eric Davis
 Project Name: SFPP Norwalk
 Project No.: NA
 Date Received: 06/08/17
 Matrix: Air
 Reporting Units: ppmv

EPA Method TO15

Lab No.:	METHOD BLANK																	
Client Sample I.D.:	--																	
Date/Time Sampled:	--																	
Date/Time Analyzed:	6/14/17 21:28																	
QC Batch No.:	170614MS2A1																	
Analyst Initials:	DT																	
Dilution Factor:	0.20																	
ANALYTE	Result ppmv	RL ppmv	MDL ppmv															
Dichlorodifluoromethane (12)	ND	0.00020	0.000031															
Chloromethane	ND	0.00040	0.000044															
1,2-CI-1,1,2,2-F ethane (114)	ND	0.00020	0.000040															
Vinyl Chloride	ND	0.00020	0.000032															
Bromomethane	0.00010 J	0.00020	0.000059															
Chloroethane	ND	0.00020	0.00017															
Trichlorofluoromethane (11)	ND	0.00020	0.000043															
1,1-Dichloroethene	ND	0.00020	0.000045															
Carbon Disulfide	ND	0.0010	0.000048															
1,1,2-CI 1,2,2-F ethane (113)	ND	0.00020	0.000054															
Acetone	ND	0.0010	0.000058															
Methylene Chloride	ND	0.00020	0.000057															
t-1,2-Dichloroethene	ND	0.00020	0.000060															
1,1-Dichloroethane	ND	0.00020	0.000027															
c-1,2-Dichloroethene	ND	0.00020	0.000039															
2-Butanone	ND	0.00020	0.00012															
t-Butyl Methyl Ether (MTBE)	ND	0.00020	0.000045															
Chloroform	ND	0.00020	0.000028															
1,1,1-Trichloroethane	ND	0.00020	0.000020															
Carbon Tetrachloride	ND	0.00020	0.000035															
Benzene	ND	0.00020	0.000019															
1,2-Dichloroethane	ND	0.00020	0.000015															
Trichloroethene	ND	0.00020	0.000028															
1,2-Dichloropropane	ND	0.00020	0.000036															
Bromodichloromethane	ND	0.00020	0.000012															
c-1,3-Dichloropropene	ND	0.00020	0.000024															
4-Methyl-2-Pentanone	ND	0.00020	0.000013															
Toluene	ND	0.00020	0.000016															
t-1,3-Dichloropropene	ND	0.00020	0.000021															
1,1,2-Trichloroethane	ND	0.00020	0.000032															
1,3-Dichloropropane	ND	0.00020	0.0000099															
Tetrachloroethene	ND	0.00020	0.000024															
2-Hexanone	ND	0.00020	0.000041															
Dibromochloromethane	ND	0.00020	0.000036															
1,2-Dibromoethane	ND	0.00020	0.000018															
Chlorobenzene	ND	0.00020	0.000016															
Ethylbenzene	ND	0.00020	0.000011															
p,&m-Xylene	ND	0.00020	0.000023															
o-Xylene	ND	0.00020	0.000024															



Client: CH2M Hill
 Attn: Eric Davis
 Project Name: SFPP Norwalk
 Project No.: NA
 Date Received: 06/08/17
 Matrix: Air
 Reporting Units: ppmv

EPA Method TO15

Lab No.:	METHOD BLANK																	
Client Sample I.D.:	--																	
Date/Time Sampled:	--																	
Date/Time Analyzed:	6/14/17 21:28																	
QC Batch No.:	170614MS2A1																	
Analyst Initials:	DT																	
Dilution Factor:	0.20																	
ANALYTE	Result ppmv	RL ppmv	MDL ppmv															
Styrene	ND	0.00020	0.000026															
Bromoform	ND	0.00020	0.000011															
Isopropyl benzene	ND	0.00020	0.000021															
1,1,2,2-Tetrachloroethane	ND	0.00040	0.000012															
Benzyl Chloride	ND	0.00020	0.000037															
1,2,3-Trichloropropane	ND	0.00020	0.000054															
n-Propyl Benzene	ND	0.00020	0.000012															
4-Ethyl Toluene	ND	0.00020	0.000013															
1,3,5-Trimethylbenzene	ND	0.00040	0.000035															
4-Chlorotoluene	ND	0.00020	0.000024															
tert-Butylbenzene	ND	0.00020	0.000018															
1,2,4-Trimethylbenzene	ND	0.00040	0.000023															
sec-Butylbenzene	ND	0.00020	0.000019															
p-Isopropyltoluene	ND	0.00020	0.000026															
1,3-Dichlorobenzene	0.000029 J	0.00020	0.000024															
1,4-Dichlorobenzene	0.000038 J	0.00020	0.000029															
n-Butylbenzene	0.000019 J	0.00020	0.000015															
1,2-Dichlorobenzene	0.000032 J	0.00020	0.000025															
1,2,4-Trichlorobenzene	0.000045 J	0.00040	0.000033															
Hexachlorobutadiene	0.000046 J	0.00020	0.000012															
t-Butanol	ND	0.0010	0.000038															
n-Hexane	ND	0.0010	0.000027															
Isopropyl ether	ND	0.0010	0.000022															
t-Butyl ethyl ether	ND	0.0010	0.000040															
2,2-Dichloropropane	ND	0.0010	0.000019															
t-Amyl methyl ether	ND	0.0010	0.000014															
1,4-Dioxane	ND	0.0010	0.000035															
Naphthalene	ND	0.0010	0.000077															
1,2,3-Trichlorobenzene (TIC)	ND	--	--															

MDL = Method Detection Limit
 ND= Not Detected (below MDL)
 RL = Reporting Limit
 J = Trace amount. Analyte concentration between RL and MDL.

Reviewed/Approved By: Mark Johnson
 Operations Manager

Date 6/14/17

The cover letter is an integral part of this analytical report



Client: CH2M Hill
 Attn: Eric Davis
 Project Name: SFPP Norwalk
 Project No.: NA
 Date Received: 06/08/17
 Matrix: Air
 Reporting Units: ppmv

EPA METHOD TO3

Lab No.:	I060807-01	I060807-02	I060807-03	I060807-04								
Client Sample I.D.:	VEFF-06-07	VEFF-06-07D	VPOST-06-07	VINF-06-07								
Date/Time Sampled:	6/7/17 13:00	6/7/17 13:00	6/7/17 14:00	6/7/17 14:10								
Date/Time Analyzed:	6/12/17 9:54	6/12/17 10:17	6/12/17 11:03	6/12/17 11:26								
QC Batch No.:	170612GC11A1	170612GC11A1	170612GC11A1	170612GC11A1								
Analyst Initials:	AS	AS	AS	AS								
Dilution Factor:	2.1	2.1	2.1	2.1								
ANALYTE	Result ppmv	RL ppmv	MDL ppmv	Result ppmv	RL ppmv	MDL ppmv	Result ppmv	RL ppmv	MDL ppmv	Result ppmv	RL ppmv	MDL ppmv
TVOC as Hexane	1.8 J	2.1	0.37	1.8 J	2.1	0.37	220	2.1	0.36	190	2.1	0.37

MDL = Method Detection Limit
 ND= Not Detected (below MDL)
 RL = Reporting Limit
 J = Trace amount. Analyte concentration between RL and MDL.

Reviewed/Approved By: Mark Johnson
 Mark Johnson
 Operations Manager

Date 6/19/17

The cover letter is an integral part of this analytical report



